

# NOTICES

## DEPARTMENT OF BANKING

### Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 7, 2010.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

#### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-29-2010	Graystone Tower Bank Lancaster Lancaster County	1001 Carlisle Street Hanover York County	Opened

### SAVINGS INSTITUTIONS

No activity.

### CREDIT UNIONS

No activity.

The Department's web site at [www.banking.state.pa.us](http://www.banking.state.pa.us) includes public notices for more recently filed applications.

STEVEN KAPLAN,  
*Secretary*

[Pa.B. Doc. No. 11-9. Filed for public inspection December 30, 2010, 9:00 a.m.]

---

### Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 14, 2010.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

## BANKING INSTITUTIONS

## Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>												
12-9-2010	<p><i>From:</i> Team Capital Bank Bethlehem Northampton County</p> <p><i>To:</i> Team Capital Bank Bethlehem Northampton County</p> <p>Application for approval to convert from a Federally-chartered savings association to a Pennsylvania State-chartered stock savings bank.</p>	Approved												
12-13-2010	<p><i>From:</i> Peoples National Bank Hallstead Susquehanna County</p> <p><i>To:</i> Peoples Neighborhood Bank Hallstead Susquehanna County</p> <p>Conversion from a National banking association to a Pennsylvania State-chartered bank. Peoples Neighborhood Bank is a wholly-owned subsidiary of Peoples Financial Services Corporation, Hallstead, an existing bank holding company.</p> <p>Branch offices operated by Peoples Neighborhood Bank:</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">494 North Gravel Pond Road Clarks Summit Lackawanna County</td> <td style="width: 50%;">25109 SR 11 Hallstead Susquehanna County</td> </tr> <tr> <td>126 Main Street Hop Bottom Susquehanna County</td> <td>695 Grow Avenue Montrose Susquehanna County</td> </tr> <tr> <td>215 Erie Boulevard Susquehanna Susquehanna County</td> <td>US Route 6 and Bridge Street Meshoppen Wyoming County</td> </tr> <tr> <td>42—48 State Street Nicholson Wyoming County</td> <td>83 East Tioga Street Tunkhannock Wyoming County</td> </tr> <tr> <td>1235 Front Street Binghamton Broome County, NY</td> <td>1026 Conklin Road Conklin Broome County, NY</td> </tr> <tr> <td>108 Second Street Deposit Broome County, NY</td> <td></td> </tr> </table>	494 North Gravel Pond Road Clarks Summit Lackawanna County	25109 SR 11 Hallstead Susquehanna County	126 Main Street Hop Bottom Susquehanna County	695 Grow Avenue Montrose Susquehanna County	215 Erie Boulevard Susquehanna Susquehanna County	US Route 6 and Bridge Street Meshoppen Wyoming County	42—48 State Street Nicholson Wyoming County	83 East Tioga Street Tunkhannock Wyoming County	1235 Front Street Binghamton Broome County, NY	1026 Conklin Road Conklin Broome County, NY	108 Second Street Deposit Broome County, NY		Effective
494 North Gravel Pond Road Clarks Summit Lackawanna County	25109 SR 11 Hallstead Susquehanna County													
126 Main Street Hop Bottom Susquehanna County	695 Grow Avenue Montrose Susquehanna County													
215 Erie Boulevard Susquehanna Susquehanna County	US Route 6 and Bridge Street Meshoppen Wyoming County													
42—48 State Street Nicholson Wyoming County	83 East Tioga Street Tunkhannock Wyoming County													
1235 Front Street Binghamton Broome County, NY	1026 Conklin Road Conklin Broome County, NY													
108 Second Street Deposit Broome County, NY														

## Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-10-2010	<p>Tower Bancorp, Inc. Harrisburg Dauphin County</p> <p>Acquisition of 100% of First Chester County Corporation, West Chester, and indirect acquisition of 100% of First National Bank of Chester County, West Chester.</p>	Effective

## Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>		
12-10-2010	<p>Graystone Tower Bank Lancaster Lancaster County</p> <p>Merger of First National Bank of Chester County, West Chester, with and into Graystone Tower Bank, Lancaster.</p> <p>As a result of the merger, the following branch offices of First National Bank of Chester County became branch offices of Graystone Tower Bank:</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">9 North High Street West Chester Chester County</td> <td style="width: 50%;">15 Freedom Boulevard Coatesville Chester County</td> </tr> </table>	9 North High Street West Chester Chester County	15 Freedom Boulevard Coatesville Chester County	Effective
9 North High Street West Chester Chester County	15 Freedom Boulevard Coatesville Chester County			

<i>Date</i>	<i>Name and Location of Applicant</i>		<i>Action</i>
	99 Manor Avenue Downingtown Chester County	111 East Uwchlan Avenue Exton Chester County	
	309 Lancaster Avenue Frazer Chester County	1109 East Baltimore Pike Kennett Square Chester County	
	1660 East Street Kennett Square Chester County	100 Old Forge Lane Kennett Square Chester County	
	126 West Cypress Street Kennett Square Chester County	741 West Cypress Street Kennett Square Chester County	
	275 Limestone Road Oxford Chester County	700 Nutt Road Phoenixville Chester County	
	1371 Boot Road West Chester Chester County	698 Downingtown Pike West Chester Chester County	
	6 East Street Road West Chester Chester County	Paoli Pike and 5 Points Road West Chester Chester County	
	1436 Pottstown Pike West Chester Chester County	887 South Matlack Street West Chester Chester County	
	849 West Baltimore Pike West Grove Chester County	417 Village Drive Carlisle Cumberland County	
	411 North Middletown Road Media Delaware County	1343 West Baltimore Pike Wawa Delaware County	
	American Way Corporate Center 3840 Hempland Road Mountville Lancaster County		

**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-8-2010	Community First Bank Reynoldsville Jefferson County	601 Main Street Clarion Clarion County	Opened
12-6-2010	Northwest Savings Bank Warren Warren County	202 East Main Street Youngsville Warren County	Opened
12-6-2010	Susquehanna Bank Lititz Lancaster County	900 Kenilworth Drive Towson Baltimore County, MD	Opened
12-9-2010	Standard Bank, PaSB Murrysville Westmoreland County	Eastgate Shopping Center US Route 30 Greensburg Westmoreland County	Filed

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-10-2010	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 1671 Butler Plank Road Glenshaw Allegheny County  <i>From:</i> 1700 William Flynn Parkway Glenshaw Allegheny County	Filed

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-13-2010	Northwest Savings Bank Warren Warren County	<i>To:</i> 2864 Earlstown Road Centre Hall Centre County  <i>From:</i> 219 North Pennsylvania Avenue Centre Hall Centre County	Filed

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-30-2010	Orrstown Bank Shippensburg Cumberland County	201 South Cleveland Avenue Hagerstown Washington County, MD	Closed
12-6-2010	Susquehanna Bank Lititz Lancaster County	806 Dulaney Valley Road Towson Baltimore County, MD	Closed
12-7-2010	Standard Bank, PaSB Murrysville Westmoreland County	187 Hyndman Road Hyndman Bedford County	Approved

**SAVINGS INSTITUTIONS**

No activity.

**CREDIT UNIONS**

No activity.

The Department's web site at [www.banking.state.pa.us](http://www.banking.state.pa.us) includes public notices for more recently filed applications.

STEVEN KAPLAN,  
*Secretary*

[Pa.B. Doc. No. 11-10. Filed for public inspection December 30, 2010, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION****Applications, Actions and Special Notices****APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT  
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION  
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)  
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### I. NPDES Renewal Applications

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0061921 (Sewage)	Caesars Brookdale On The Lake Brookdale & Dyson Roads Scotrun, PA 18355	Monroe County Pocono Township	Brookdale Lake 1E High Quality Cold Water Fishes	Y
PA0065021 (Sewage)	Meck Realty Properties II, LLC 1506 Centre Turnpike P. O. Box 215 Orwigsburg, PA 17961	Schuylkill County West Brunswick Township	Pine Creek (03A)	Y

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0046302 (IW)	PA American Water—Hershey WTP 800 West Hersheypark Drive Hershey, PA 17033	Dauphin County/ South Hanover Township	Swatara Creek & Manada Creek / 7-D	Y
PA0084603 (SEW)	Fairmount Homes 333 Wheat Ridge Drive Ephrata, PA 17522-8558	Lancaster County/ West Earl Township	Conestoga River / 7-J	Y

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0102431 (Sewage)	Cedar Acres MHP 1650 Harlansburg Road New Castle, PA 16101	Lawrence County Scott Township	Unnamed tributary of Slippery Rock Creek 20-C	Y

### II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**PA0027383**, Sewage, SIC Code 4952, **Southwest Delaware County Municipal Authority**, One Gamble Lane, Aston, PA 19014. Facility Name: Southwest Delaware County Municipal Authority STP. This existing facility is located in Aston Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage and stormwater.

The receiving stream(s), Baldwin Run and Chester Creek, is located in State Water Plan watershed 3-G and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 6 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0	Report	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.1	XXX	0.3
CBOD <sub>5</sub>						
May 1 - Oct 31	750	1150	XXX	15	23	30
CBOD <sub>5</sub>						
Nov 1 - Apr 30	1250	1900	XXX	25	38	50
Total Suspended Solids	1500	2250	XXX	30	45	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	150	XXX	XXX	3.0	XXX	6.0
Ammonia-Nitrogen						
Nov 1 - Apr 30	450	XXX	XXX	9.0	XXX	18.0
Total Copper	1.05	2.10	XXX	0.021	0.042	0.052
		Daily Max			Daily Max	
Bis(2-Ethylhexyl)Phthalate	XXX	XXX	XXX	Report	Report	Report
					Daily Max	
Dieldrin	XXX	XXX	XXX	Report	Report	Report
					Daily Max	

The proposed effluent limits for Outfall 003 are based on an average flow of stormwater run off.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on an average flow of stormwater run off.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

1. Operator Notification
2. Average Weekly Definition
3. Remedial Measures
4. No Stormwater
5. Acquire Necessary Property Rights

6. Test Methods
7. Chlorine Minimization
8. Proper Sludge Disposal
9. Watershed TMDL/WLA Data
10. 2/ Month Sampling
11. Operation and Maintenance Plan
12. Laboratory Certification
13. Fecal Coliform Reporting
14. SSO Reporting
15. Offsite Wastewater Information
16. Connecting to DELCORA
17. Stormwater Outfall Condition
18. Operation and Implementation of a Pretreatment Program

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

**PA0058467**, Industrial Waste, **Brandywine Realty Trust**, 555 East Lancaster Ave, Suite 100, Radnor, PA 19087. This facility is located in Upper Merion Township, **Montgomery County**.

Description of Activity: Renewal of an NPDES permit for the discharge of non-contact cooling water from a building HVAC unit. Building is located at 630 Allendale Road.

The receiving stream, tributary to Trout Creek (PA Stream Code 00982), is in the State Water Plan watershed 3F and is classified for: WWF, aquatic life, water supply, and recreation. The nearest downstream public water supply intake is for the Pennsylvania American Water Company—Norristown District located on the Schuylkill River.

The proposed effluent limits for Outfall 001 are based on a design flow of 1,800 GPD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Maximum (mg/l)</i>
Temperature					110° F
Total Dissolved Solids			Report		Report
pH	Within 6.0 and 9.0 Standard Units				

In addition to the effluent limits, the permit contains the following major special conditions:

1. Remedial Measures Required if Public Nuisance
2. Dry Stream Discharge
3. BAT/ELG Standards
4. Approved Usage Rates
5. Chemical Additives
6. Transfer of Ownership
7. Proper Disposal of Solids
8. TMDL/WLA Analysis is Necessary
9. No Discharge Reporting
10. Certified Laboratory

---

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0086622**, Sewage, SIC Code 4952, **Newport Plaza Association LP**, 44 S Bayles Avenue, Port Washington, NY 11050-3765. Facility Name: Newport Plaza Mall. This existing facility is located in Howe Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Juniata River, is located in State Water Plan watershed 12-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	9
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	10	XXX
Total Suspended Solids	XXX	XXX	XXX	10	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX
Ammonia-Nitrogen					
May 1 - Oct 31	XXX	XXX	XXX	3	XXX
Ammonia-Nitrogen					
Nov 1 - Apr 30	XXX	XXX	XXX	9	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0021539**, Sewage, SIC Code 4952, **Williamsburg Municipal Authority**, 305 East 2nd Street, Williamsburg, PA 16693-1041. Facility Name: Williamsburg Municipal Authority STP. This existing facility is located in Catherine Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Frankstown Branch Juniata River, is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.331 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD <sub>5</sub>	69	110	XXX	25	40	50
Total Suspended Solids	83	Wkly Avg 124	XXX	30	45	60
Fecal Coliform (CFU/100 ml)		Wkly Avg				
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen (Interim)	Report	Report	XXX	XXX	XXX
Net Total Nitrogen (Final)	Report	7,306	XXX	XXX	XXX
Net Total Phosphorus (Interim)	Report	Report	XXX	XXX	XXX
Net Total Phosphorus (Final)	Report	974	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.



The EPA Waiver is not in effect.

**PA0020664**, Sewage, SIC Code 4952, **Middletown Borough Authority**, 60 W Emaus Street, Middletown, PA 17057-1407. Facility Name: Middletown Borough Authority STP. This existing facility is located in Middletown Borough, **Dauphin County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.2 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	459	734	XXX	25	40	50
		Wkly Avg				
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	550	826	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2000	XXX	XXX
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	37	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen (Interim)	Report	Report			
Net Total Nitrogen (Interim)	Report	26,788			
Net Total Nitrogen (Final)	Report	40,182			
Net Total Phosphorus (Interim)	Report	3,572			
Net Total Phosphorus (Interim)	Report	Report			
Net Total Phosphorus (Final)	Report	5,358			

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

\* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on February 1, 2011. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until January 31, 2011.

\*\* Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

---

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**PA0032760—Amendment No. 1**, Sewage, SIC Code 4173, **Pennsylvania Department of Transportation Design Bureau**, PO Box 3060, Harrisburg, PA 17105-360. Facility Name: Pennsylvania Department of Transportation Rest Area 17. This existing facility is located in Deer Creek Township, **Mercer County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated sewage from a highway rest area, to add a compliance schedule to achieve the final total phosphorus limit.

The receiving stream(s), Unnamed Tributary to Lake Wilhelm (Sandy Creek), is located in State Water Plan watershed 16-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0087 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report					
pH (S.U.)			6.0			9.0
Dissolved Oxygen			3.0			
Total Residual Chlorine				0.6		1.4
CBOD <sub>5</sub>				25		50
Total Suspended Solids				30		60
Fecal Coliform (CFU/100 ml)				200		
May 1 - Sep 30				Geo Mean		
Fecal Coliform (CFU/100 ml)				2000		
Oct 1 - Apr 30				Geo Mean		
Ammonia-Nitrogen				25		50
Total Phosphorus (Interim)				Report		
Total Phosphorus (Final)				1.0		2.0

Special Conditions:

1. TRC Minimization
2. Compliance schedule for Total Phosphorus limit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

**PA0032751—Amendment No. 1**, Sewage, SIC Code 4173, **PA DOT Design Bureau, PennDOT Bureau Of Design**, Harrisburg, PA 17105-3060. Facility Name: PA DOT Rest Area 18. This existing facility is located in Deer Creek Township, **Mercer County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Sewage to add a compliance schedule for the installation of Phosphorus removal equipment.

The receiving stream, Black Run, is located in State Water Plan watershed 16-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0087 MGD.

#### INTERIM LIMITS

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Total Residual Chlorine	XXX	XXX	XXX	1.0	XXX	2.3
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Fecal Coliform (CFU/100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Fecal Coliform (CFU/100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	XXX
Ammonia-Nitrogen May 1 - Oct 31	XXX	XXX	XXX	8.5	XXX	17.0
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	25.5	XXX	51.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report

**FINAL LIMITS**

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Total Residual Chlorine	XXX	XXX	XXX	1.0	XXX	2.3
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Fecal Coliform (CFU/100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	XXX
Ammonia-Nitrogen May 1 - Oct 31	XXX	XXX	XXX	8.5	XXX	17.0
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	25.5	XXX	51.0
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2.0

In addition, the permit contains the following major special conditions:

- Schedule of Compliance for Phosphorus

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

---

**III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law**


---

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 3691410, Amendment 10-1, Sewerage, Turkey Hill Dairy, Inc., 2601 River Road, Conestoga, PA 17516.**

This proposed facility is located in Manor Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit amendment approval for the installation of a dissolved air flotation unit system at their existing treatment plant.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

**WQM Permit No. 1410403, Sewerage [SIC 4952], University Area Joint Authority, 1576 Spring Valley Road, State College, PA 16801-8499.**

This proposed facility is located in State College Borough & College Township, **Centre County**.

Description of Proposed Action/Activity: The project will generally consist of a pressurized 8-inch diameter PVC waterline to convey beneficial reuse water from the existing terminus (Centre Hills Booster Station) to the proposed constructed wetland site. Upon completion of construction associated with this project, the new terminus of the extension will be capped. Also, a small service lateral and tap will be provided to the residents of Colonial Court, a residential housing development, for lawn watering purposes.

---

**IV. NPDES Applications for Stormwater Discharges from MS4**


---



---

**V. Applications for NPDES Waiver Stormwater Discharges from MS4**


---



---

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**


---

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Columbia County Conservation District: 702 Sawmill Road, Suite 204, Bloomsburg, PA 17815, (570) 784-1310, X 102*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041910003	PA Department of Conservation & Natural Resources 6th Floor, RCSOB PO Box 8552 Harrisburg, PA 17105-8552	Columbia	Conyngham Township	South Branch Roaring Creek HQ-CWF

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Butler County Conservation District, 122 McCure Drive, Butler PA 16001-6501*

The following permit was published on December 25, 2010, with the incorrect applicant name and address. This submission is correct.

<i>NPDES Application No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI 0610 10 006	Penn United Technologies Inc PO Box 399 Saxonburg PA 16056	Butler	Jefferson Township	UNT Little Buffalo Creek HQ-TSF

*Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI093710001	PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Lawrence County	Little Beaver Township	Unnamed Tributary to Beaver Dam Run To Beaver Dam Run/HQ-CWF

---

**VII. List of NOIs for NPDES and/or Other General Permit Types**


---

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

**STATE CONSERVATION COMMISSION**  
**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR**  
**NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Kar-Dale-Acres Dale Hoffman 243 Healy Road Shinglehouse, PA 16748	Potter	988.4	1325.15	Dairy, Beef	High Quality Eleven Mile Creek Big Hollow Deering Hollow Dwight Hollow	Renewal

**PUBLIC WATER SUPPLY (PWS) PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received under the Pennsylvania Safe Drinking Water Act**

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 3610545**, Public Water Supply.

Applicant	<b>Leola Sewer Authority</b>
Municipality	Upper Leacock Township
County	<b>Lancaster</b>

Responsible Official	J Robert Rissler, Chief Water Operator 36 Hillcrest Avenue PO Box 325 Leola, PA 17540
Type of Facility	Public Water Supply
Consulting Engineer	Yves Pollart, P.E. RETTEW 5031 Richard Lane PO Box 325 Mechanicsburg, PA 17055
Application Received:	12/8/2010
Description of Action	Additon of a sequestering agent at Entry Points 101 and 102 for general corrosion control.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995**

**PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall

not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401*

**Crouse Building Facility**, Limerick Township, **Montgomery County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Ira Saligman, 200 Chamounix Rd, Wayne, PA 19087 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of chlorinated solvents. The intended future use of the site is commercial. A summary of the Notice of Intent to Remediate was reported to have been published in *The Mercury* on October 6, 2010.

**Mt. Airy Shopping Center**, City of Philadelphia, **Philadelphia County**. Charlene Drake, REPSG, 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Brahlin Properties, 1535 Chestnut Street, Suit 200, Philadelphia, PA 19102 has submitted a Notice of Intent to Remediate. Groundwater and soil at the site has been impacted with the release of chlorinated solvents. The future use of the property will be both residential (school use) and non-residential for continued use as well as for the construction and operation of a school building. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Daily News* on October 23, 2010.

**Parker Hannifin Corporation Inc**, Fanconia Township, **Montgomery County**. Matthew A. Cousino, AECOM, Four Gateway Center, 444 Liberty Avenue, Suite 700, Pittsburgh, PA 15222 on behalf of Martha Connell, Parker Hannifin, 245 Township Line Road, Hatfield, PA 19440 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of chlorinated solvents. The future use of the site is expected to continue to be used for industrial and non-residential purpose.

**GTS Welco Levittown Facility**, Tullytown Borough, **Bucks County**. I Scott Renneisen, Synergy Environmental Inc. 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, James Anderson, GTS-Welco, 8110 Route 13, Levittown, PA 19057 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of unleaded gasoline. The intended future use of the property will remain the same as the current use, retail sales of welding supplies and compressed gas distribution. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times* on August 2, 2010.

**Synthes**, East Goshen Township, **Chester County**. Daniel E. Erdman, Keystone E-Sciences Group Inc., 590 East Lancaster Avenue, Suite 200, Frazer, PA 19355 on behalf of Bryan Lee, Synthes, USA HQ, Inc., 1302 Wrights Lane, West Chester, PA 19380 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of diesel fuel. The current and intended future use of the property is commercial.

**Tadlock Residence**, Falls Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Ty Gawlik, State Farm Insurance Company, PO Box 8061, Ballston Spay, NY 12020-8061 on behalf of John Tadlock, 21 Timothy Lane, Levittown, PA 19054 has submitted a Notice of Intent to Remediate. Groundwater and soil at the site has been impacted with the release of no. 2 fuel oil. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times* on October 13, 2010.

**French Creek Center West**, Borough of Phoenixville, **Chester County**. James F. Mullan, Hocage Consulting, Inc, 987 Haddon Avenue, Collingswood, NJ 08108 on behalf of Eric Moore, Phoenix French Creek Manor, LLC, 121 Bridge Street. Phoenixville, PA 19460 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of inorganics. The subject property is slated for redevelopment with a mix of non-residential (commercial, office, etc.) uses. A summary of the Notice of Intent to Remediate was reported to have been published in *The Mercury* on September 24, 2010.

**Septa Malvern Station**, Borough of Malvern, **Chester County**. Craig Herr, RT Environmental Service, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Mr. Glenn Morris, Septa, 61 North Warren Avenue, Malvern, PA 19355 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of unleaded gasoline. The intended future use of the site will remain a commuter parking lot. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on October 11, 2010.

**210 Leedom Street Property**, Borough of Jenkintown, **Montgomery County**. William F. Schmidt, Pennoni Associates, Inc. 3001 Market Street, Philadelphia, PA 19104, Paul Martino, Pennoni Associates, Inc. 3001 Market Street, Philadelphia, PA 19104 on behalf of Joe English, Borough of Jenkintown, 700 Summit Avenue, Jenkintown, PA 19046 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of chlorinated solvents. The future use of the site will remain the same.

**Amoroso Property**, Falls Township, **Bucks County**. Richard Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18073, Christine Dimmig, State

Farm Insurance Company, PO Box 8061, Ballston Spa, NY 12020-8061 on behalf of Anthony Amoroso, 82 Blue Spruce Lane, Levittown, PA 19054 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The intended future use of the site is residential. A summary of the Notice of Intent to Remediate was to have been reported in the *Bucks County Courier Times* on October 13, 2010.

**Loostyn Property**, City of Philadelphia, **Philadelphia County**. James Morrow, GHR Consulting Service, Inc., 224B S. Maple Street, Ambler, PA 19002 on behalf of Aurora Mannino, 3798 Spring Valley, Doylestown, PA 18901 has submitted a Notice of Intent to Remediate. Groundwater and soil at the site has been impacted with the release of chlorinated solvents. The future use of the site will remain the same.

**Moyer Residence**, Borough of Pottstown, **Montgomery County**. Andrew K. Markoski, Patriot Environmental Management, LLC, PO Box 629, Douglassville, PA 19518, John Palmer, Automotive Service Inc., 1350 West High Street, Pottstown, PA 19464 on behalf of Douglas Moyer, 264 Lee Avenue, Pottstown, PA 19464 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel. The intended future use of the property will remain residential. A summary of the Notice of Intent to Remediate was to have been reported in the *Pottstown Mercury* on October 29, 2010.

**Lakeman & Gilbert Residence**, Warwick Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc, 1635 Old Plains Road, Pennsburg, PA 18073, Frank Guarrier, Allstate Insurance care of Curtin Heefner, 250 N. Pennsylvania Avenue, Morrisville, PA 19067 on behalf of Ann Goedeke, 2053 Harmonyville Road, Pottstown, PA 19465, Thomas Lakeman, 2051 Harmonyville Road, Pottstown, PA 19465 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. A summary of a Notice of Intent to Remediate was to have been published in *The Mercury* on November 18, 2010.

**Johnson & Johnson Pharmaceutical Research Development, LLC**, Uwchlan Township, **Chester County**. Heath A. Brown, Environmental Standard, 1140 Valley Forge Road, PA 19842, Steven Ohrwaschel, Lewis Environmental Group, 155 Railroad Plaza, Royersford, PA 19468 on behalf of David G. Link, Johnson & Johnson PRD, LLC, PO. Box 776, Welsh & McKean Roads, Spring House, PA 19477 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of used motor oil. The intended use of the property is non-residential/industrial.

**Walker Property**, Thornbury Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18973, Jason Richards, Mark 1 Restoration Service, Inc, 140 New Britain Blvd., Chalfont, PA 18914 on behalf of Susan Walker, 41-28 45th Street, Sunnyside, NY 1104 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. A summary of the Notice of Intent to Remediate was to have been reported in the *Daily Local News* on November 8, 2010.

**Feisler/Sadsburyville**, Sadsbury Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18973, Frank Lynch,

EnviroLink, 165 Daleville Road, Cochranville, PA 19330 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. A summary of the Notice to Intent to Remediate was to have been reported in the *Daily Local News* on July 22, 2010.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Herb Springer Residence**, Perryopolis Borough, **Fayette County**. Miller Environmental Inc., 514 Hartman Run Road, Morgantown, WV 26505 on behalf of property owner B&P Industries, LLC, PO BOX 622 Perryopolis, PA 15473 and tenant Mr. Springer, 136 Janet Street, Perryopolis, PA 15473 has submitted a Notice of Intent to Remediate. A home heating fuel oil release has resulted in vapor complaints in nearby businesses. Petroleum impacts in soil surrounding the ASTs, trailer and along a subsurface sanitary line have been observed. Source removal of petroleum impacted soils will result in attainment of the residential statewide health standard.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

#### NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920*

**15-0002G: WorldColor—USA, LLC—formerly known as Quebecor World Atglen, Inc.** (4581 Lower Valley Road, Atglen, PA 19310) for installation of a new unenclosed 10-unit rotogravure publication printing press and an associated solvent recovery system and the removal of an older solvent recovery system and two (2) unenclosed rotogravure publication printing presses at their facility in West Sadsbury Township, **Chester County**. As a result of potential emissions of VOC, the facility is a Title V facility. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790*

*Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507*

**39-312-051: Buckeye Energy Services LLC** (5 TEK Park, 9999 Hamilton Blvd., Breinigsville, PA 18031) for installation of a new VCU unit at their facility in Lower Macungie Township, **Lehigh County**.

**40-399-071: PPL Susquehanna LLC** (769 Salem Blvd, Berwick, PA 18603-6828) for modification of their existing Title V Operating Permit to include miscellaneous sources at their facility in Salem Township, **Luzerne County**.

**39-312-052: Sunoco Partners Mkt & Term LP** (525 Fritztown Road, Singing Spring, PA 19608) for installation of a new VRU unit at their facility in Whitehall Township, **Lehigh County**.

**40-312-046: Sunoco Partners Mkt & Term LP** (525 Fritztown Road, Singing Spring, PA 19608) for installation of a new VRU unit at their facility in Edwardsville Borough, **Luzerne County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Mark Gorog, New Source Review Chief—Telephone: 814-332-6940*

**20-037A: U.S. Bronze Foundry & Machine, Inc** (18649 Brakeshoe Road, Meadville, PA 16335), for the construction of four electric induction furnaces and a baghouse in Woodcock Township, **Crawford County**. This is a State Only facility.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226*

**63-00958: MarkWest Liberty Midstream and Resources, LLC** (1515 Arapahoe Street Tower 2, Suite 700, Denver, CO 80202-2126) to allow the installation and initial temporary operation of four (4) new natural gas-fired compressor engines rated at 1980 bhp each and a new natural gas-fired dehydrator re-boiler rated at 2.0 MMBtu/hr at their Welling Compressor Station in Buffalo Township, **Washington County**.

In accordance with 25 Pa. Code §§ 127.44—46 the Department of Environmental Protection (DEP) intends to issue Air Quality Plan Approval: PA-63-00958 to allow the installation and initial temporary operation of four new natural gas-fired compressor engines rated at 1980 bhp each and a new natural gas-fired dehydrator re-boiler rated at 2.0 MMBtu/hr at the Welling Compressor Station located in Buffalo Township, Washington County. Two currently authorized natural gas-fired compressor engines rated at 1380 bhp each, one dehydrator (including reboiler) rated for 100 mmscf/day of natural gas, one gunbarrel separation tanks with a capacity of 500 bbl, three condensate tanks with a capacity of 400 bbl each, and one saltwater tank with a capacity of 400 bbl have previously been authorized for installation under GP5-63-00958 and will be incorporated into this plan approval for a total of six engines, one dehydrator, one separation tank, three condensate tanks, and one saltwater tank.

Potential emissions from the facility are estimated to be 34.79 tons of nitrogen oxides (NO<sub>x</sub>), 24.17 tons of carbon monoxide (CO), 24.25 tons of volatile organic compounds (VOC), 2.17 tons of formaldehyde, and 4.38 tons of hazardous air pollutants (HAP) per year. The plan approval will include federally enforceable emission limits on the engines for NO<sub>x</sub>, CO, and VOC. Best available technology (BAT) for the proposed sources is combusting natural gas, rich burn combustion for each engine controlled by three-way catalysts, good combustion practices including the use of air to fuel ratio controllers and proper maintenance and operation. The authorization is subject to State regulations, Federal New Source Performance Standards (NSPS) including 40 CFR Part 60, Subpart JJJJ for spark ignition internal combustion engines, and Federal National Emission Standards for Hazardous Air Pollutants (NESHAPS) including 40 CFR Part 63, Subpart HH for oil and natural gas production facilities. Federal requirements for Mandatory Greenhouse Gas Reporting from 40 CFR Part 98 have also been included in this Plan Approval. Compliance with emission limitations will be demonstrated through stack testing. Plan Approval has been conditioned to ensure compliance with all applicable rules. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with Pa. Code Title 25 Subchapter F.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to Alan Binder, Pennsylvania



Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed Plan Approval (PA-63-00958).

Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Alan Binder at 412-442-4168.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**23-00109: Catalyst International, Inc.** (1050 Ashland Avenue, Folcroft, PA 19032) for issuance of a State Only Operating Permit for laminating operations at their facility in Folcroft Borough, **Delaware County**. Plan Approval, 23-0109A, is being incorporated into the facility synthetic minor initial operating permit, 23-00109. This facility is synthetic minor for Volatile Organic Compounds (VOC) and Hazardous Air Pollutants (HAPs). This Operating Permit will include monitoring and recordkeeping requirements to ensure that this facility complies with all applicable air quality regulations.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935*

**21-05030: Ahlstrom Filtration LLC** (122 Butler Street, Mt. Holly Springs, PA 17065) for operation of two (2) natural gas/#6 fuel oil fired boilers in Mt. Holly Springs Borough, **Cumberland County**. This action is a renewal of the state-only operating permit issued in 2006. The permit renewal will contain all of the emission limits and work practice standards along with all monitoring, recordkeeping and reporting requirements from the previous permit to ensure the facility complies with the applicable air quality regulations.

**31-03001: The Walter Mcllvain Co.** (4683 Brickyard Rd., Alexandria, PA 16611) for operation of a wood-fired boiler and wood fuel (sawdust) cyclone in Porter Township, **Huntingdon County**. This is a renewal of the facility's state only operating permit issued in 2004.

**67-03069: H & H Castings, Inc.** (4300 Lincoln Highway, York, PA 17406) for aluminum foundry operations in Hellam Township, **York County**. This is a renewal of the facility's state only operating permit issued in 2004.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, New Source Review Chief—Telephone: 814-332-6940*

**10-00237: Fox Funeral Home** (410 West Main Street, PO Box 305, Saxonburg, PA 16056) for renewal of a State Only Operating Permit for their facility in Saxonburg Borough, **Butler County**. The facility is a Natural Minor. The primary sources at the facility include a crematory and miscellaneous natural gas combustion units. The renewal permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

The following permit applications to conduct mining activities have been received by the Department. A copy of an application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference or a public hearing, as applicable, on a mining permit application may be submitted by a person or an officer or head of Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of the person submitting comments or objections, the application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. The Department has made a tentative determination to issue the NPDES permit in conjunction with the mining activity permit, but the

issuance of the NPDES permit is contingent upon the approval of the associated mining activity permit.

For coal mining activities, NPDES permits, when issued, will contain effluent limits that do not exceed the technology-based effluent limitations. The proposed limits are listed in Table 1.

For noncoal mining activities, the proposed limits are in Table 2. Discharges from noncoal mines located in some geologic settings (for example, in coal fields) may require additional effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters. The limits will be in the ranges specified in Table 1.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur will be incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Loads.

Persons wishing to comment on NPDES permit applications should submit statements to the Department at the

address of the district mining office indicated before each application within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. A comment must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications as provided in 25 Pa. Code § 92.61. The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	
Alkalinity greater than acidity <sup>1</sup>			

<sup>1</sup>The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**56900112 and NPDES No. PA058976. Future Industries, Inc.**, P. O. Box 157, Meyersdale, PA 15552, permit renewal for the continued operation and restoration of a bituminous surface mine in Summit Township, **Somerset County**, affecting 650 acres. Receiving stream(s): Stony Batter Run and Shaffer Run classified for the following use(s): cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: December 13, 2010.

**56663069 and NPDES No. PA0120944. Action Mining, Inc.**, 1117 Shaw Mines Road, Meyersdale, PA 15552, revision of an existing bituminous surface and auger mine

to add additional mining area in Elk Lick and Summit Townships, **Somerset County**, affecting 3040.0 acres. Receiving stream(s): unnamed tributaries to/and Casselman River and unnamed tributaries to/and Elk Lick Creek classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 2, 2010.

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**03080101 and NPDES Permit No. PA0251364. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001). Revision application to add mining the Lower Kittanning coal seam and module 26 for re-mining of an existing bituminous surface mine, located in Redbank Township, **Armstrong County**, affecting 125 acres. Receiving streams: unnamed tributaries to Mahoning Creek, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: December 8, 2010.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**54931601C2. Sherman Coal Co., Inc.**, (P. O. Box 93, Elysburg, PA 17824), boundary correction of an anthracite coal preparation and coal refuse disposal operation to add 4.3 acres for a total of 14.2 acres permitted and a stream variance in Frailey Township, **Schuylkill County**, re-

ceiving stream: Middle Creek. Application received: December 7, 2010.

#### *Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**31950301 and NPDES No. PA0213268. Glass Bagging Enterprises, Inc.**, P. O. Box 120, Duncansville, PA 16635, renewal of NPDES Permit, Hopewell Township, **Huntingdon County**. Receiving stream(s): unnamed tributaries to Shy Beaver Creek classified for the following use(s): warm water fishery. The first downstream potable water supply intake from the point of discharge is Lake Raystown Resort. Application received: December 10, 2010.

**32900301 and NPDES No. PA0598712. Edward C. Griffith Quarrying, Inc.**, 14472 Rt. 119 Highway North, Rochester Mills, PA 15771, revision of an existing bituminous surface mine to change the land use from pastureland and/or land occasionally cut for hay to commercial/industrial land in North Mahoning Township, **Indiana County**, affecting 45.3 acres. Receiving stream(s): unnamed tributaries to Little Mahoning Creek classified for the following use(s): high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 2, 2010.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**5380-10960304-E-1. Quality Aggregates, Inc.** (4955 Steubenville Pike, Suite 245, Pittsburgh, PA 15205) Application for a stream encroachment to conduct mining activities within 100 feet of unnamed tributaries No. 1 and 1A to the South Branch Slippery Rock Creek in Washington Township, **Butler County**. Receiving streams: Unnamed tributaries to South Branch Slippery Rock Creek, classified for the following state-wide uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 13, 2010.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**06100301 and NPDES Permit No. PA0224898. Berks Products Corp.**, (P. O. Box 9000, Wyomissing, PA

19610), commencement, operation and restoration of a quarry operation and discharge of treated mine drainage in Ontelaunee Township, **Berks County** affecting 350.0 acres, receiving stream: Maiden Creek and Schuylkill River, classified for the following uses: warm water fishery and migratory fishery. Application received: December 10, 2010.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-2511.*

**E58-292. Buck Ridge Stone, LLC**, P. O. Box 114, Montrose, PA 18801, in New Milford Township, **Susquehanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain an intake pump in Salt Lick Creek (HQ-CWF) and to modify and maintain an existing stone pad in the floodway of Salt Lick Creek having a length of approximately 630 feet and a width varying from 120 feet to 250 feet with work consisting of removing vegetation and stabilizing the surface of the pad with rock. The purpose of the project is water withdrawal for Marcellus Shale Gas Production. The project is located on the east side SR 0011 approximately 0.2 mile north of T698 in New Milford Township, Susquehanna County (Great Bend, PA-NY, PA Quadrangle, Latitude: 41° 54' 25 N"; Longitude: 75° 43' 59 W").

*Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**E01-296: Mason-Dixon Resorts, LP**, 1094 Baltimore Pike, Gettysburg, PA 17325-1101, Cumberland Township, **Adams County**, ACOE Baltimore District

The applicant proposes to:

1) remove existing structures and to construct and maintain a 60.0-foot long, 6.0-inch depressed, 30.0-inch X 19.0-inch horizontal elliptical reinforced concrete pipe in an unnamed tributary to Marsh Creek (CWF) with a depressed rip rap apron extending 26.0-feet downstream,

2) remove existing structures and to place and maintain fill and to construct and maintain a 478.3-foot long, 6.0-inch depressed, 36.0-inch reinforced concrete pipe in wetlands associated with an unnamed tributary to Marsh Creek (CWF) with a depressed rip rap apron extending 21.0-feet downstream,

3) construct and maintain a 100.0-foot long, 6.0-inch depressed, 36.0-inch reinforced concrete pipe in an unnamed tributary to Marsh Creek (CWF) with a depressed rip rap apron extending 10.0-feet downstream,

4) remove existing structures and to extend and maintain an existing 99.0-foot long, 35.0-inch X 24.0-inch corrugated metal pipe arch, with a 22.89-foot long, 35.0-inch X 24.0-inch corrugated metal pipe arch and a 555.00-foot long, 36.0-inch reinforced concrete pipe in an unnamed tributary to Marsh Creek (CWF) with a depressed rip rap apron extending 10.0-feet downstream,

5) remove existing structures and to install and maintain a 79.0-foot X 12.0-foot wooden pedestrian bridge and a 138.0-foot X 12.0-foot wooden pedestrian bridge across an unnamed tributary to Marsh Creek (CWF), all for the purpose of reconfiguring an existing commercial site.

The project is located at 2636 Emmitsburg Road, Gettysburg, PA 17325 (Fairfield, PA Quadrangle N: 2.5 inches, W: 2.8 inches; Latitude: 39° 45' 46", Longitude: 77° 16' 12"), in Cumberland Township, Adams County. To

compensate for wetland impacts, the Permittee shall provide a minimum of 0.17-acres of replacement wetlands onsite.

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636*

**E08-463. Appalachia Midstream Services, LLC**, 100 IST Center, Horseheads, NY. 14845-1015. Stagecoach Junction Compressor Station in Tuscarora and Wyalusing Townships, **Bradford County**, ACOE Baltimore District. (Laceyville, PA. 7.5' Quadrangle: 41° 41' 36.8" N; -76° 12' 41.9" W).

To place and maintain fill in 0.10 acres of a palustrine emergent wetland system for the purpose of constructing a compressor station and related support facilities. Replacement wetlands (0.14 acres) will be built on site. The site is located approximately 2.0 miles northeast of the SR 706 (Taylor Ave)/SR 1004 (Turkey Path Road) intersection, on the northwest side of SR 1004.

**E14-540. Moshannon Valley Joint Sewer Authority**, 1108 13th Avenue, PO Box 429, Altoona, PA 16603-0429. Renovations to Regional Water Pollution Control Facility to meet Chesapeake Bay nutrient limits, in Rush Township, **Centre County**, ACOE Baltimore District (Philipsburg, PA Quadrangle N: 40° 54' 27"; W: 78° 13' 26").

To construct and maintain: 1) clean fill in 8.2 acres of the 100-year floodplain, 2) 2.84 acres of wetlands within a few hundred feet of the facility to mitigate for 1.42 acres of wetland fill related to the floodplain fill located on the southwest side of the existing treatment plant. This project proposes to permanently impact 1.42 acres of wetland and no direct impacts to Moshannon Creek, which is classified as a Trout Stocked Fishery.

**E49-313. Shamokin-Coal Township Joint Sewer Authority**, 114 Bridge Street, Shamokin, PA 17872-7690. Sewer Plant Upgrades, in Ralpho Township, **Northumberland County**, ACOE Baltimore District (Shamokin, PA Quadrangle Latitude: 40-48-54.3; Longitude: 76-35-0.5).

The Shamokin-Coal Township Joint Sewer Authority is proposing to complete upgrades to the existing sewage treatment plant. The upgrades include two new outfalls to Shamokin Creek, which carries a water quality designation of Warm Water Fishery. Additionally, the application proposes to install a discharge line connecting to an existing outfall. This connection will be facilitated by means of a manhole set at grade in the floodplain of Shamokin Creek. This permit also includes 401 Water Quality Certification.

*Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E63-516-A1. Washington County Council on Economic Development**, 40 South Main Street, Washington, PA 15301. To impact six wetlands in Hanover Township, **Washington County**, Pittsburgh ACOE District. (Burgettstown, PA Quadrangle: N: 9.9 inches; W: 4.0 inches; Latitude: 40° 26' 11.8"; Longitude: 80° 24' 48"). The applicant proposes to develop and maintain a 165 acre parcel of property (Starpointe Business Park Phase 1B) to be used for a mixed use blend of industrial, commercial, office and research purposes. The development includes impacts to six wetlands with a cumulative impact of 0.65 acres and impacts to approximately 483 LF of unnamed tributaries of Raccoon Creek (WWF). The

development will be constructed approximately 1,000 LF southeast of the intersection of Starpointe Boulevard and Waller Way.

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**E10-466, North Boundary Partners, LP**, 11279 Perry Highway, Wexford, PA 15090. Marketplace of Cranberry, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 40°, 43', 20"; W: 80°, 6', 22").

The applicant proposes commercial development, associated infrastructure, and parking areas on two land parcels totaling approximately 16 acres located at the northwest and southeast corners of the State Route 19 and North Boundary Road intersection in Cranberry Township, Butler County involving the following: (1) to construct and maintain a 670 linear feet stream enclosure of a perennial unnamed tributary to Brush Creek (WWF); (2) to construct and maintain a 300 linear feet stream enclosure and a 100 linear feet stream enclosure of two ephemeral unnamed tributaries to Brush Creek (WWF);

(3) to permanently fill all onsite PEM/PSS wetlands totaling 1.37 acres; (4) to mitigate for the watercourse impacts by conducting restoration activities on approximately 930 feet of Brush Creek (WWF) within Cranberry Township's Garham Park property consisting of low bank armoring, riparian planting, and j-hook installation; (5) to mitigate for the wetland impacts by constructing 1.58 acres of replacement wetlands within Cranberry Township's Garham Park property.

**E33-243, Kevin Shannon**, 90 Beaver Drive, Suite 110B, Drawer J., Terbovich Bridge Project (Shannon), in Snyder Township, **Jefferson County**, ACOE Pittsburgh District (Carman, PA Quadrangle N: 41°, 16', 2.18"; W: -78°, 52', 6.99").

Project is to convert a remotely located temporary bridge crossing of the South Branch of North Fork Creek into a 20' wide by 30' long bank-to-bank permanent steel bridge crossing with a total of three supporting roadway culverts: one 15" culvert roughly 6' south of bridge, one 15" culvert roughly 8' north of bridge and a 24" culvert roughly 600' north of bridge.

## ACTIONS

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. NPDES Renewal Permit Actions**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS602204 (Storm Water)	SR Recycling, Inc. 400 Daniels Road, Rte 946 Nazareth, PA 18064	Northampton County Bushkill Township	Unnamed Tributary of East Branch Monocacy Creek (2-C) HQ-CWF	Y

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0026620 (Sew)	Borough of Millersville 10 Colonial Drive Millersville, PA 17551-1416	Lancaster County Manor Township	Conestoga River / 7-J	Y
PA0021563 Amendment No. 1 (Sew)	Gettysburg Borough Municipal Authority Adams County 59 East High Street, PO Box 3307 Gettysburg, PA 17325	Adams County Gettysburg Borough	Rock Creek / 13-D	Y
PA0081264 (Sew)	Mountainview Thoroughbred Racing Association Penn National of Grantville PO Box 32 Grantville, PA 17028	Dauphin County East Hanover Township	UNT of Swatara Creek / 7-D	Y
PA0014672 (IW—Stormwater)	Exide Technologies Reading Smelter Spring Valley & Nolan Street Reading, PA 19605	Berks County Muhlenburg Township	Schuylkill River and Bernhart Creek / 3-C	Y

**II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**NPDES Permit No. PA0011266 A-1**, Industrial Waste, **Cabot Corporation**, 1223 County Line Road, Boyertown, PA 19512.

This proposed facility is located in Douglass Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the amendment of an NPDES permit to discharge from a facility known as Cabot Corporation—Boyertown Plant to Swamp Creek in Watershed 3-E.

**NPDES Permit No. PA0051926 A-2**, Industrial Waste, **Exelon Generation Co. LLC**, 3146 Sanatoga Road, Pottstown, PA 19464.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the amendment of an NPDES permit to discharge from a facility known as Limerick Generating Station to Possum Hollow Run, Schuylkill River and Sanatoga Creek in Watershed 3-D.

**NPDES Permit No. PA0011231**, Industrial Waste, **Conoco Phillips Company and Buckeye Pipe Line Company, LP**, 5 Tek Park, 9999 Hamilton Boulevard, Breinigsville, PA 18031.

This proposed facility is located in Chichester Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge stormwater runoff and treated groundwater from a facility known as Chelsea Pipeline Station and Tank Farm to Marcus Hook Creek in Watershed 3-G.

**NPDES Permit No. PA0050423**, Sewage, **Sisters Servants of the Immaculate Heart of Mary**, 1140 King Road, Immaculata, PA 19345.

This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as Villa Maria STP to Unnamed Tributary of Ridley Creek in Watershed 3-G.

**NPDES Permit No. PA0052353**, Sewage, **Buckingham Township**, P. O. Box 413, Buckingham, PA 18960.

This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Proposed Action/Activity: Approval of an NPDES permit to discharge 236,000 gpd of treated sewage from the Buckingham Village WWTP to Mill Creek (Lahaska Creek) in Watershed 2F-Neshaminy.

### III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**WQM Permit No. 5410409**, Sewerage, **Little Washington Wastewater Co.**, 762 West Lancaster Ave., Bryn Mawr, PA 19010

This proposed facility is located in East Union Twp., **Schuylkill County**, PA.

Description of Proposed Action/Activity: The proposed project involves sewers extensions in four sections of the Eagle Rock development; namely, Western Summit South Phases V, VI, and VII, and Algonquin Valley. The sewer extensions consist of low pressure sewers with individual grinder pumps and the sewage will be conveyed to Little Washington Wastewater Company's existing treatment plant via connection to the Tomhicken Creek Interceptor.

**WQM Permit No.5210402**, Sewerage, **Lake Adventure Community Association**, 500 Lake Adventure, Milford, PA 18337

This proposed facility is located in Dingman Twp., **Pike County**, PA.

Description of Proposed Action/Activity: The proposed project involves converting two existing 80,000 gallons per day sewage treatment plants into Sequencing Batch Reactor sewage treatment systems capable of treating 160,000 gallons per day.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. WQG020051002**, Sewage, **Broad Top Township**, 187 Municipal Road, Defiance, PA 16633-0057.

This proposed facility is located in Broad Top Township, **Bedford County**.

Description of Proposed Action/Activity: Construction/Operation of the Langdondale Sewer Extension Project

### IV. NPDES Stormwater Discharges from MS4 Permit Actions

### V. NPDES Waiver Stormwater Discharges from MS4 Actions

### VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes Barre, PA 18711-0790*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023909016	Weis Market, Inc. 1000 South Second Street Sunbury PA 17801	Lehigh Co.	Upper Macungie Twp	Hassen Creek (HQ-CWF, MF)

*Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Beaver County Conservation District, 156 Cowpath Road, Aliquippa, PA 15001, (724-378-1701).*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050410002	Mark Taylor Chippewa Township 2811 Darlington Road Beaver Falls, PA 15010	Beaver	Chippewa Township	Unnamed Tributary to North Fork Little Beaver Creek (HQ-CWF)

*Somerset County Conservation District, 6024 Glades Pike, Suite 103, Somerset, PA 15501, (814-445-4352).*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI055610001	The Buncher Resort & Hospitality Group, LLC Penn liberty Plaza 1, Suite 300 Pittsburgh, PA 15222	Somerset	Jefferson Township	Kooser Run (HQ-CWF)

### VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

### List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)

PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

*General Permit Type—PAG-02*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Lewistown Borough Mifflin County	PAG2004410006	David Frey, Borough Manager Borough of Lewistown 2 East Third Street Lewistown, PA 17044	Juniata River/WWF	Mifflin County Conservation District 20 Windmill Hill #4 Burnham, PA 17009 717-248-4695
Beale Township Juniata County	PAG2033410005	Beale Township 573 Cider Press Road Port Royal, PA 17082	Markee Creek/CWF	Juniata County Conservation District 146 Stoney Creek Drive, Suite 4 Mifflintown, PA 17059 717-436-8953, Ext 5
Shippensburg Borough Cumberland County	PAG202002110023	Kevin Nehf Vigilant Hose Company of Shippensburg 129 East King Street Shippensburg, PA 17257	Burd Run/CWF	Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 717-240-7812
Ferguson Township Centre County	PAG2001410018	Giant Food Stores, LLC 1149 Harrisburg Pike Carlisle, PA 17013	UNT to Bald Eagle Creek CWF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Boggs Township Centre County	PAG2001410019	Nevin Pighetti Pighetti Office/Bestway Travel Plaza PO Box 256 Milesburg, PA 16853	Bald Eagle Creek TSF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Wolf Township Lycoming County	PAG2004110015	Carlton Decker 872 Elm Dr. Hughesville, PA 17737	UNT Muncy Creek CWF Gregg's Run CWF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003
Indiana County Burrell Township	PAG02003210007	Trek Development Group	Conemaugh River (WWF)	Indiana County CD 625 Kolter Drive, Suite 8 Indiana, PA 15701-3571 724-471-4751



<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Washington County East Finley Township & Greene County Richhill Township	PAG02006310022	Consol Pennsylvania Coal Company, LLC 1000 Consol Energy Drive Canonsburg, PA 15317	Enlow Fork (TSF)	Washington County CD 602 Courthouse Square Washington, PA 15301 724-228-6774
Girard Borough Erie County	PAG02 0025 10 012	Sheetz Inc. 817 Brookfield Drive Seven Fields PA 16046	UNT Lake Erie CWF; MF	Erie Conservation District 814-825-6403
Keating Township McKean County	PAG02 0042 10 003	McKean County Joseph Demott Jr. 500 West Main Street Smethport PA 16749	Marvin Creek CWF	McKean Conservation District 814-337-4001
Clarion County, Farmington Township	PAG02091610007	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Coon Creek/ CWF	PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800
Butler County, Cherry Township	PAG02091010008	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Slippery Rock Creek/ CWF	PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800
Cambria County White Township	PAG02091110009	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Clearfield Creek/ WWF, MF	PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800
Butler County, Cherry Township	PAG02091010010	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Unnamed tributary to South Branch to Slippery Rock Creek/ CWF	PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS FOR CONCENTRATED ANIMAL FEEDING OPERATIONS (CAFO)

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Smiling Porker Farms 676 Granger Lane Morris, PA 16938	Lycoming	435	556.03	Finishing Swine	HQ-CWF Huges Run	Approved

**PUBLIC WATER SUPPLY (PWS) PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act**

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 3810505 MA, Minor Amendment, Public Water Supply.**

Applicant	<b>Quentin Water Company, Inc.</b>
Municipality	West Cornwall Township
County	<b>Lebanon</b>

Responsible Official	William M. White, Operator PO Box 243 Quentin, PA 17083-0243
Type of Facility	Well Nos. 1 & 3, and storage tank modifications related to the GWR 4-log treatment of viruses.
Consulting Engineer	David J Gettle Kohl Bros., Inc. PO Box 350 Myerstown, PA 17067
Permit to Construct Issued:	12/14/2010

**Operations Permit** issued to: **Dover Township**, 7670072, Dover Township, **York County** on 12/14/2010 for the operation of facilities approved under Construction Permit No. 6709508 MA.

**Operations Permit** issued to: **Lykens Borough Authority**, 7220022, Lykens Borough, **Dauphin County** on 12/14/2010 for the operation of facilities approved under Construction Permit No. 2210516 MA.

**Operations Permit** issued to: **Denver Borough**, 7360017, Denver Borough, **Lancaster County** on 12/15/2010 for the operation of facilities approved under Construction Permit No. 3610543 MA.

**Operations Permit** issued to: **Bonneauville Borough**, 7010012, Bonneauville Borough, **Adams County** on 12/14/2010 for the operation of facilities approved under Construction Permit No. 0110513 MA.

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Permit No. Minor Amendment—Operation Public Water Supply.**

Applicant	<b>Penn Township Municipal Authority</b>
[Township or Borough]	Penn Township
County	<b>Snyder</b>
Responsible Official	Mr. Scott L. Sharp Penn Township Municipal Authority 2595 Route 522, Suite 20 P. O. Box 155 Selinsgrove, PA 17870
Type of Facility	Public Water Supply
Consulting Engineer	N/A

Permit Issued Date December 15, 2010  
 Description of Action 4-log inactivation of viruses at Entry Point 101 (Well No. 1A).

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 1010503, Public Water Supply**

Applicant **PA American Water Company**  
 Township or Borough City of Butler  
 County **Butler County**  
 Type of Facility Public Water Supply  
 Consulting Engineer Jerry Hankey, PE  
 Permit to Construct 12/16/2010  
 Issued

**Operations Permit** issued to **Erie City Water Works**, City of Erie, **Erie County** on December 16, 2010. Action is for operation of recent repairs & upgrades to the Chestnut Street Water Filtration Plant, in response to an operation inspection conducted by Department personnel on December 7, 2010, and in accordance with construction permit 7223-T1-MA4, issued April 13, 2010.

**Operations Permit** issued to **Albion Borough Municipal Authority**, Albion Borough, **Erie County** on December 16, 2010. Action is for operation of chlorine contact lines at the Gage Road Treatment Facility to provide 4-log treatment of viruses prior to the first customer, per the PA GWR, and in response to an operation inspection conducted by Department personnel on November 29, 2010. This permit is issued in accordance with construction permit 2510502, issued September 7, 2010.

**SEWAGE FACILITIES ACT PLAN APPROVAL**

**Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)**

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Kelly Township	551 Ziegler Road Lewisburg, PA 17837	Union

*Plan Description:* The approved Act 537 Update calls for the continued service of West Milton, the Lewisburg Federal Penitentiary, Evangelical Hospital, and residential areas in the eastern portion of the Township by the existing Kelly Township Municipal Authority wastewater treatment facility (WWTF). That WWTF is projected to have sufficient capacity for current and future flows. The Kelly Crossroads area proposes construction of a low pressure sewer system and a 15,000 gpd package WWTP with discharge to Little Buffalo Creek to serve Forty Six (46) homes. The total project cost is estimated to be \$1,812,000. The remaining portions of the Township not served by public sewers will be managed by a Sewage Management Program that requires, among other things, inspection and pumping of septic tanks every three years. Finally, all new subdivisions or land development proposing onlot sewage disposal will be required to establish both a primary and secondary disposal area. The Department's review of the sewage facilities Special Study has not identified any significant environmental impacts re-

sulting from this proposal. Any required WQM Permits must be obtained in the name of the municipality or authority as appropriate.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Toby Township	25 Elder Road Rimersburg, PA 16248	Clarion County

*Plan Description:* The approved plan is for the project that will extend sanitary sewers to approximately 104 Equivalent Dwelling Units (EDU's) in Toby Township. Approximately 13,100 LF 8" gravity sewers, 6,500 LF 4" force main, 3 individual grinder pumps and a lift station are proposed to connect existing EDU's in Toby Township to existing sewerage infrastructure in Rimersburg Borough, with final treatment at the Rimersburg Borough Wastewater Treatment Plant. The mostly residential service area includes Route 68 North from the Rimersburg Borough line to Curllsville Road (SR2011), and the Carwick Road (T-352) area between Route 68 North and Baker School Road (T-375). Estimated cost of the project is \$1,810,120.00, with an estimated monthly user rate of \$73.00 per EDU. Clarion County Department of Planning and Development has assured consistency with the Clarion County Comprehensive Plan. An inter-municipal agreement exists between Rimersburg Borough, Rimersburg Municipal Authority and Toby Township. Construction is scheduled to begin in December 2011 with construction scheduled for completion in May 2012. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995**

**PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania*

*Bulletin.* These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401*

**Smallgirl Construction Christian Street Property**, City of Philadelphia, **Philadelphia County**. Douglass Schott, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, Kurt Spiess, EMG Remediation Services, 5066R West Chester Pike, PO Box 129, Edgemont, PA 19028 on behalf of Dawn Malin of Smallgirl Construction, Smallgirl Construction-Christian, Street Partnership, 2332 Carpenter Street, Philadelphia, PA 19146 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard and Site Specific Standard.

**Heilweil Parcel B**, City of Philadelphia, **Philadelphia County**. Raymond Scheinfeld, P.G., Weston Solutions, Inc, 2 International Plaza Suite 540, Philadelphia, PA 19113, Michael J. McCartney, City of Philadelphia Division of Aviation, Philadelphia International Airport Terminal E, Philadelphia, PA 19153 on behalf of Paul Masciantonio Esq. Law Offices, 1806 Callowhill Street, Philadelphia, PA 19130 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Chichester School District**, Upper Chichester Township, **Delaware County**. Tom Fizzano, MACTEC Engineering and Consulting, Inc., 1787 Sentry Parkway West, Suite 120, Blue Bell, PA 19422, Prashant Gupta, Honeywell International, Inc. Building 1-1-21, 4101 Bermuda Hundred Road, Chester, PA 23836 on behalf of Howard Adams, Chichester School District School Board. PO Box 2100 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with pesticides. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Sunoco Inc Old Pennell Road**, Aston Township, **Delaware County**. Jeff W. Brudereck, GES 440 Creamery Way, Suite 500, Exton, PA 19341, Martin Liebhardt, Sunoco Inc., 10 Industrial Highway, MS4, Lester, PA 19029 on behalf of Anthony Morelli, 3460 Pennell Road, Aston, PA 19063, Lloyd Yarnell, 3461 Pennell Road, PA

19029, Bruce Snyder, True Value, 5000 Pennell Road, Aston, PA 19063, Glenn Gualtieri, 102 Old Pennell Road, Aston, PA 19063, Dean Fountain, 460 Old Pennell Road, Aston, PA 19063, Hope McGown, 100 Old Pennell Road, Aston, PA 19063, Gary Link, 105A Old Pennell Road, Aston, PA 19063, Walter Rupricki, State Route 452 & Old Pennell Road, Aston, PA 19063 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Kearny Elementary School**, City of Philadelphia, **Philadelphia County**. Gloria Hunsberger, Kleinfelder East Inc., 800 East Washington Street, West Chester, PA 19380 on behalf of Francine Locke, School District of Philadelphia School District of Philadelphia Office of Environmental Management & Services, 440 North Broad Street, 3rd Floor, Room 353, Philadelphia, PA 19103 has submitted a Final Report concerning remediation of site soil and contaminated with lead and naphthalene, voc's, pah's and metals. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Rite Aid 3637**, City of Philadelphia, **Philadelphia County**. Bradley S. Wolf, BL Companies, Inc. One South Market Square, 213 Market Street, 6th Floor, Harrisburg, PA 17101, John Thatcher, BL Companies, Inc. One South Market Square, 213 Market Street, 6th Floor, Harrisburg, PA 17101 on behalf of Robert Lerner, Rite Aid Corporation, 30 Hunter Lane, Camp Hill, PA 17011 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with organic and metals. The report is intended to document remediation of the site to meet the Site Specific Standard.

**3062 South 61st Street**, City of Philadelphia, **Philadelphia County**. Gerald Kirkpatrick, Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482, Joseph Kraycik, Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482, Dane Kane, Essington Avenue Partners, II LP, 2701 Renaissance Boulevard, 4th Floor, King of Prussia, PA 19406 on behalf of Thomas Dalfo, Philadelphia Authority for Industrial Development, 2600 Centre Square West, 1500 Market Street, Philadelphia, PA 19102 has submitted a Final Report concerning remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site Specific Standard.

**Crouse Building Facility**, Limerick Township, **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18073, Andy Meadows, The Tryee Group, Inc., 828 North Hanover Street, Pottstown, PA 19464 on behalf of Ira Saligman, 826 Associates, LP, 200 Chamounix RD, Wayne, PA 19087 has submitted a Final Report concerning remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Ochal Residence**, Warrington Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18073, John Patcella, Allstate Insurance Company, 309 Lakeside Drive Suite 100, Horsham, PA 19044 on behalf of Kathy Ochal, 2329 Jericho Drive, Jamison, PA 18929 has submitted a 90 day Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Haverford Middle School**, Haverford Township, **Delaware County**. Sean Cheluis, SSM Group, Inc, P. O. Box 6307, Reading, PA 19610 on behalf of Charles Inman, School District of Haverford Township, 1701 Darby Road, Havertown, PA 19083 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**DuPont Marshall Laboratory Site**, City of Philadelphia, **Philadelphia County**. Matthew Brill, URS Corporation, 335 Commerce Drive, Suite 300, Fort Washington, PA 19034, David Kistner, URS Corporation, 335 Commerce Drive, Suite 300, Fort Washington, PA 19034 on behalf of Sathya Yalvigi, E. I. Du Pont de Nemours and Company Marshall Laboratory, 3401 Grays Ferry Avenue, Philadelphia, PA 19146 has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with inorganics and lead. The report is intended to document remediation of the site to meet the Site Specific Standard.

**Rohm & Hass Chemical LLC**, Bristol Township, **Bucks County**. Geoff Arbogast, URS Corporation, 335 Commerce Drive, Suite 300, Fort Washington, PA 19034 on behalf of Lloyd Davis, Rohm and Haas Chemicals, LLC, 200 Route 413, Bristol, PA, 19007 has submitted a 90 day Final Report concerning remediation of site soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**GTS Welco Levittown Facility**, Tullytown Borough, **Bucks County**. I. Scott Remmiesen, Synergy Environmental Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, James Anderson, GTS-Welco, 5272 Tilghman Street, Allentown, PA 18104 on behalf of Bryan Gentry, Gentry Family Realty, LP, 1800 North 11th Street, Reading, PA 19604 has submitted a Final Report/Remedial Investigation Report concerning remediation of site groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Essington Avenue Property Redevelopment Project**, City of Philadelphia, **Philadelphia**. Gerald Kirkpatrick, Environmental Standards, Inc., 1140 Valley Forge Road PO Box 810, Valley Forge, PA 19482 on behalf of Kevin Klye, Essington Avenue, Partners, LLP, 2701 Renaissance Boulevard, 4th Floor, King of Prussia, PA 19406 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with Voc and pHs and metals. The report is intended to document remediation of the site to meet the Site Specific Standard.

**Walker Property**, Thornbury Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc, 1635 Old Plains Road, Pennsburg, PA 18073, Jason Richards, Mark 1 Restoration Service, Inc. 140 New Britain Blvd, Chalfont, PA 18914 on behalf of Susan Walker, 41-28 45th Street, Sunnyside, NY 11104 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Courts at Springbrooke**, Aston Township, **Delaware County**. Henry G. Bienkowski, Mulry and Cressell Environmental, Inc. 1691 Horseshoe Pike, Suite 3, Glenmore, PA 19343, Martin D. Liebhaedt, Sunoco, Inc. (R&M) 10 Industrial Highway, Lester, PA 19029 on behalf of James A. Nolen, III, Nolen Companies, Inc. 950 West Valley Forge Road, King of Prussia, PA 19406 has submitted a

Final Report concerning remediation of site soil contaminated with lead. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Absco Parcel A**, City of Philadelphia, **Philadelphia County**. Nicholas DeRose, Langan Engineering and Environmental Service, PO Box 1569, Doylestown, PA 18901 on behalf of Paul Rabinovitch, 1300 North Second Limited Partnership, 7 North Mountain Avenue, Montclari, NJ 07042 has submitted a Final Report concerning remediation of site soil contaminated with metals, pcb's and lead. The report is intended to document remediation of the site to meet the Site Specific Standard.

**Fesler/Sadsburyville**, Sadsbury Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18073, Frank Lynch, EnviroLink, 165 Daleville Road, Cochranville, PA 19330 on behalf of Bradley Feisler, 935 Old Wilmington Road, Sadsburyville, PA 19320 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to documents remediation of the site to meet the Statewide Health Standard.

**Septa Malvern Station**, Borough of Malvern, **Chester County**. Craig Herr, RT Environmental Services, Inc. 215 West Church Road, King of Prussia, PA 19406 on behalf of Glenn Morris, Septa, 1234 Market Street, Philadelphia, PA 19107 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Cumberland Technology Park Site**, Hampden Township, **Cumberland County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of John and Kathryn Harbilas, 33 North Second Street, Harrisburg, 17101, submitted a Final Report concerning remediation of groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet a combination of the Statewide Health and Site-Specific standards.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Bolton Metal Products formerly Cerro Metal Products-Plant 4** Spring Township, **Centre County**. Chambers Environmental Group, Inc., 629 East Rolling Ridge Drive, Bellefonte, PA 16823 on behalf of The Marmon Group, LLC, 181 West Madison St., Chicago, IL 60602 has submitted a Cleanup Plan concerning remediation of site groundwater contaminated with hydraulic oil that contained polychlorinated biphenyls (PCBs) Aroclor 1248. The report is intended to document remediation of the site to meet the Site-specific Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995

#### PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Stan-

dards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401*

**The Preserve Residential Development Site**, New Hanover Township **Montgomery County**. Michael Beardsley, BL Companies, 2143 Market Street, 6th Floor, Harrisburg, PA 17101 on behalf of David D. Waltz, First Cornerstone Bank, 1004 West Ninth Avenue, King of Prussia, PA 19406 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 22, 2010.

**Villanova University**, Radnor Township **Delaware County**. Tony Finding, Brownfield Associates, Inc, 500 Coatesville Road, West Grove, PA 19390, Shaun Quinlan, Brownfield Associates, Inc, 500 Coatesville Road, West

Grove, PA 19390 on behalf of Erka Lynch, Villanova University, 800 Lancaster Avenue, Villanova, PA 19085 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 3, 2010.

**Alessi MFG**, Collingdale Borough **Delaware County**. Victoria Ryan, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, Douglas Schott, P.G. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, Kurt Spiess, EMT Remediation, Services, 5066R West Chester Pike, Edgemont, PA 19028, on behalf of Richard Alessi, Alessi Manufacturing Corporation, 19 Jackson Avenue, Collingdale, PA 19023 has submitted a Final Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Final report demonstrated attainment of the Background Standard and was approved by the Department on December 9, 2010.

**Horwitz Residence**, Whitpain Township **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Deb Alesi, State Farm Insurance Company, P. O. Box 13, Concordville, PA 19331 on behalf of Seth Horwitz, 645 Chatham Lane, Blue Bell, PA 19422 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 15 2010.

**Blue Grass Plaza**, City of Philadelphia, **Philadelphia County**. Richard Werner, Environmental Consulting, Inc. 50 East Washington Street, Suite 375, Norristown, PA 19401 on behalf of Lennard Katz, Blue Gras Mall Associates, 45-17 Marathon Parkway, Little Neck NY 11362 has submitted a Final Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on December 9, 2010.

**NVF MFG Facility**, Kennett Square Borough **Chester County**. Paul Miller, P. E. Environmental Alliance, Inc, 660 Yorklyn Road, Hockessin, DE 19707 on behalf of George Beer, Rockhooper, LLP, 722 Yorklyn Road, Hockessin, DE 19707 has submitted a Remedial Investigation /Cleanup Plan concerning the remediation of site groundwater and soil contaminated with chlorinated solvents. The Remedial Investigation/Cleanup Plan was approved by the Department on November 15, 2010.

**Septa Malvern Station**, Borough of Malvern **Chester County**. Craig Herr, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Septa 1234 Market Street, 12th Floor, Philadelphia, PA 19107 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 2, 2010.

**Sugarhouse Casino**, City of Philadelphia, **Philadelphia County**. Christopher Orzechowski, Keating Environmental Management, 123 John Robert Thomas Drive, Exton, PA 19341, Megan M. Garner, Keating Environ-

mental Management, 123 John Robert Thomas Drive Exton, PA 19341 on behalf of Terrance J. McKenna. HSP Gaming, LP, c/o Keating Consulting, LLC., The Phoenix 1600 Arch Street, Suite 300, Philadelphia, PA 19103 has submitted a Remedial Investigation/Cleanup Plan concerning the remediation of site groundwater contaminated with Chlorinated solvents. The Remedial Investigation/Cleanup Plan was approved by the Department on November 30, 2010.

**375 Commerce Drive**, Upper Dublin Township **Montgomery County**. Thomas Jones, Penn Environmental & Remediation, Inc. 2755 Bergey Road, Hatfield, PA 19440 on behalf of Mark Weingberg, Weinberg Family Trust, 803 Camarillo Road, Suite C, Camarillo, CA 93013 has submitted a Remedial Investigation/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Remedial Investigation/Cleanup Plan was approved by the Department on November 29, 2010.

**2181 Bennett Road Property**, City of Philadelphia, **Philadelphia County**. Michael Christie, Penn E&R, Inc. 2755 Bergey Road. Hatfield, PA 19440, Darryl Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004 on behalf of Harold Janow, 2181 Bennett Road, Inc. 203 Albon Road, Hewlett, NY 11557 has submitted a Remedial Investigation /Cleanup Plan concerning the remediation of site groundwater and soil contaminated with chlorinated solvents. The Remedial Investigation/Cleanup Plan were approved by the Department on November 5, 2010.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Richard and Cynthia Newcomer Residence**, Jackson Township, **York County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Richard and Cynthia Newcomer, 230 Perry Avenue, York, PA 17408; James Martin, 228 Perry Avenue, York, PA 17408, and State Farm Insurance Company, PO Box 8061, Ballston Spa, NY 12020-8061, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health standard, and was approved by the Department on December 15, 2010.

**Peter Styer Residence**, Warwick Township, **Lancaster County**. Reliance Environmental, Inc., 130 East Chestnut Street, Lancaster, PA 17602, on behalf of Peter Styer, c/o Sandy Styer-Martin, 17 Church Street, Lititz, PA 17543, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The Report and Plan were approved by the Department on December 16, 2010. The site will be remediated to the Residential Statewide Health and Site-Specific standards.

**SICO—Mount Joy Upper Rack**, Mount Joy Borough, **Lancaster County**. Onesky Engineering, Inc., 444 Creamery Way, Suite 300, Exton, PA 19341, on behalf of The SICO Company/The Clarence Schock Foundation, 15 Mount Joy Street, PO Box 127, Mount Joy, PA 17552, submitted a Final Report concerning remediation of site soils and groundwater contaminated with petroleum products. The Final Report demonstrated attainment of the

Residential Statewide Health standard, and was approved by the Department on December 16, 2010.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Hiner Transport Accident**, Lamar Township, **Clinton County**. Northridge Group Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of Hiner Transport, 1350 South Jefferson St., Huntington, IN 46750 has submitted a Final Report within 90 days of the release concerning remediation of site soil contaminated with diesel fuel, motor oil and antifreeze/water. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 10, 2010.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Walton Property**, East Mead Township, **Crawford County**. Environmental Coordination Services & Recycling, 3237 Highway 19, Cochranon, PA 16314 on behalf of Gerold and Carol Walton, 124105 Plank Road, Meadville, PA 16335 has submitted a Final Report concerning the remediation of site soils contaminated with No. 2 Fuel Oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 19, 2010.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935*

**GP3-28-03057: David H. Martin Excavating, Inc.** (4961 Cumberland Highway, Chambersburg, Pennsylvania 17202) on December 13, 2010, to install and operate a portable stone crushing plant at the Shale Pit No. 4 in Antrim Township, **Franklin County**.

**GP11-28-03057: David H. Martin Excavating, Inc.** (4961 Cumberland Highway, Chambersburg, Pennsylvania 17202) on December 13, 2010, to install and operate a non-road diesel engine at the Shale Pit No. 4 in Antrim Township, **Franklin County**.

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935*

**06-05100E: Ontelaunee Power Operating Co., LLC** (5115 Pottsville Pike, Reading, Pennsylvania 19605-9729) on December 13, 2010, to modify the carbon monoxide annual limit for the two (2) combined cycle turbines at their electrical generating facility in Ontelaunee Township, **Berks County**.

**06-05105B: Green Gas Pioneer Crossing Energy, LLC** (4251 SW High Meadows Avenue, Palm City, Florida 17113-2538) on December 13, 2010, to add two (2) landfill gas-fired reciprocating internal combustion engines (2,233 HP each) to power two 1,600 KW electric generators at the landfill gas to energy facility at their Pioneer Crossing Landfill in Exeter Township, **Berks County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Mark Gorog, New Source Review Chief—Telephone: 814-332-6940*

**10-325A: Butler VA Medical Center** (325 New Castle Road, Butler, PA 16001) on December 2, 2010, for three (3) existing 25.4 MMBtu/hr capacity gas and #2 fuel oil fired boilers at their facility in Butler Township, **Butler County**.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920*

**23-0111A: Centocor Research and Development, Inc.** (145 King of Prussia Road, Radnor, PA 19087) on December 15, 2010, to operate the diesel/#2 fuel-fired internal combustion engine(s) in Radnor Township, **Delaware County**.

**23-0111B: Centocor Research and Development, Inc.** (145 King of Prussia Road, Radnor, PA 19087) on December 15, 2010, to operate the emergency electric generator in Radnor Township, **Delaware County**.

**23-0003M: ConocoPhillips Co.** (4101 Post Road, Trainer, PA 19061) on December 14, 2010, to operate the existing Southside cooling tower in Trainer Borough, **Delaware County**.

**23-0108B: Barry Callebaut U.S.A., LLC** (903 Industrial Highway, Eddystone, PA 19022) on December 15, 2010, to operate an alkalization process and a thermal oxidizer in Eddystone Borough, **Delaware County**.

**15-0094A: Metallurgical Products Co.** (810 Lincoln Avenue, West Chester, PA 19381) on December 15, 2010, to operate a fiber bed filter collector in West Goshen Township, **Chester County**.

**15-0094B: Metallurgical Products Co.** (810 Lincoln Avenue, West Chester, PA 19381) on December 15, 2010, to operate (2) two copper alloying furnaces in West Goshen Township, **Chester County**.

**46-0069C: Highway Materials, Inc.** (1750 Walton Road, Blue Bell, PA 19422) on December 14, 2010, to operate a pulse-jet baghouse in Whitemarsh Township, **Montgomery County**.

**46-0262A: Penn Color, Inc.** (2755 Bergey Road, Hatfield, PA 19440) on December 14, 2010, to operate the pigment mixing operation in Hatfield Township, **Montgomery County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940*

**20-00194: Lord Corp.** (601 South Street, Saegertown, PA 16433) on December 14, 2010, to re-issue a Title V Permit Number to operate their adhesive and coating manufacturing facility in Saegertown Borough, **Crawford County**. The facility's major emission sources include material preparation, milling, grinding, mixing, and miscellaneous natural gas usage. The facility is a major facility due to its potential to emit VOCs.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**09-00048: H & K Materials—a Division of Haines & Kibblehouse, Inc.** (300 Skunk Hollow Road, Chalfont, PA 18914) on December 17, 2010, for the facility in Hilltown Township, **Bucks County**. This State-only operating permit was administratively amended by the Department. During the previous amendment of the Operating Permit, on December 4, 2009, the Department inadvertently left out conditions from the Operating Permit. The Department has reinstated these conditions with this amendment.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940*

**10-00337: Cellco Partnership—Verizon Wireless** (200 Allegheny Drive, Warrendale, PA 15086-7517) on December 15, 2010, issued an administrative amendment to the State Operating Permit to incorporate the change in responsible official in Cranberry Township, **Butler County**.

**42-00172: Momentive Specialty Chemical, Inc.** (PO Box 7227, Mount Jewett, PA 16740-7227) on December 14, 2010, issued an administrative amendment to the State Operating Permit to incorporate the name change from Hexion Specialty Chemical to Momentive Specialty Chemical on October 1, 2010 in Sergeant Township, **McKean County**.

**42-00184: Keystone Powdered Metal Co.** (1935 State Street, Saint Marys PA 15857) on December 6, 2010, for an administrative amendment of the State Operating Permit to incorporate the conditions of Plan Approvals 42-184I in Lewis Run Borough, **McKean County**.



**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19404*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**Title V Operating Permit No. 09-00003: Superpac, Inc.** (1220 Industrial Boulevard, Southampton, PA 18966) for its facility located in Upper Southampton Township, **Bucks County**. The facility is a manufacturing-commercial printing processor, which operates flexographic printing presses, numerous space heaters, and various miscellaneous sources associated with printing and manufacturing. Superpac, Inc. is a major facility for Volatile Organic Compound (VOC) emissions and is currently operating under Title V Operating Permit No. 09-00003. The print section of the existing machine Source ID 110-Flexo Press CI-12 with Dryer will be replaced. Press speed and inks, thinners and clean-up solvents applied will not change with this modification. Production volume will increase by approximately 15% due to quicker changeover time. Based on the information provided in the plan approval application, the increase in VOC emissions, as calculated per 25 Pa. Code § 127.203a(a)(1)(i), is 0.70 tons per year (4.64 tons per year to 5.34 tons per year) and is considered to be a de minimis emission increase, according to 25 Pa. Code § 127.449(d)(5). The press will continue to use water-based inks that meet the requirements of 25 Pa. Code § 129.67(b)(1). Superpac, Inc. will comply with the existing VOC emission limit of 10 tons per year for Source ID 110 and terms and conditions of the Title V Operating Permit.

**46-00101: Ball Aerosol & Specialty Container Inc.** (431 Privet Road, Horsham, PA 19044-1220) on October

14, 2010, a facility in Horsham Township, **Montgomery County** submitted a minor modification to include De minimis increase for VOC's. Ball Aerosol & Specialty Container Inc is a metal can manufacturing facility. The sources of emissions include: side seam stripe lines (6), stripe cleaning, and parts washers.

The facility has applied to have the following emissions, which will be the result of the increased throughputs due to an increase in production:

VOCs less than 4.3 tons during the term of the permit.

These emission increases qualify as de minimis increases under 25 Pa. Code § 127.449. The facility will now have a VOC emission limit of 24.9 tons per year calculated on a 12-month rolling sum.

Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, New Source Review Chief—Telephone: 814-332-6940*

**10-00300: Spang & Company—Magnetics Division** (796 East Butler Road, East Butler, PA 16029) for their facility in East Butler Borough, **Butler County**. The De minimis emission increase is for the construction of the Amorphous Powder Core Process. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code 127.449(i). This list includes the De minimis emission increases since the State Only Operating Permit issuance on June 15, 2005.

Date	Source	PM10 (tons)	SOx (tons)	NOx (tons)	VOC (tons)	CO (tons)
7/6/10	Kool Mu Insulating Barrels (11)	0.48				
12/13/10	Amorphous Powder Core Process	0.162			0.55	
Total Reported Increases		0.642			0.55	
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, New Source Review Chief—Telephone: 814-332-6940*

**37-00126: Viridian Systems LLC** (300 Southwest Avenue, Tallmadge, OH 44278-2235) on December 14,

2010, for revocation of their State Only Operating Permit for the operation of the roofing asphalt coating manufacturing facility in New Beaver Borough, **Lawrence County**. The sources in the permit (roof coating manufacturing operation and propane usage) and associated control device were removed from service. This operating permit was revoked because of a permanent shutdown of operations at the facility and facility closing as of March 31, 2010.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a).** The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

### Coal Permits Actions

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**11080102 and NPDES No. PA0262641. Bell Resources, Inc.**, 1340 Hoyt Road, Curwensville, PA 16833, commencement, operation and restoration of a bituminous surface mine in Susquehanna Township, **Cambria County**, affecting 35.2 acres. Receiving stream(s): West Branch of the Susquehanna River classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 16, 2008. Permit issued: December 16, 2010.

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**03100101 and NPDES Permit No. PA0251925. Bedrock Mines, LP** (111 Freeport Road, Pittsburgh, PA 15215). Permit issued for commencement, operation, and reclamation of a bituminous surface mining site located in North Buffalo Township, **Armstrong County**, affecting 33.3 acres. Receiving streams: unnamed tributaries to Nicholson Run to Allegheny River. Application received: April 5, 2010. Permit issued: December 15, 2010.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**37050101 and NPDES Permit No. PA0242616. Amerikohl Mining, Inc.** (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous strip operation in Wayne & Shenango Townships, **Lawrence County** affecting 147.0 acres. Receiving streams: Unnamed tributaries to Duck Run. This renewal is issued for reclamation only. Application received: October 12, 2010. Permit Issued: December 13, 2010.

**16050111 and NPDES Permit No. PA0258041. Neiswonger Construction, Inc.** (17592 Route 322, Strattanville, PA 16258) Renewal of an existing bituminous strip, sandstone, shale and clay removal operation in Porter Township, **Clarion County** affecting 86.0 acres. Receiving streams: Unnamed tributary to Licking Creek and unnamed tributary to West Fork of Leatherwood Creek. This renewal is issued for reclamation only. Application received: October 12, 2010. Permit Issued: December 13, 2010.

**33813020 and NPDES Permit No. PA0603465. Leonard W. Yenzi** (P. O. Box 62, Anita, PA 15711) Renewal of an existing bituminous strip and beneficial use of coal ash operation in Winslow Township, **Jefferson County** affecting 285.2 acres. Receiving streams: Two unnamed tributaries to Front Run and Front Run, unnamed tributary to Trout Run. Application received: August 18, 2010. Permit Issued: December 16, 2010.

### Noncoal Permits Actions

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**16940308. County Landfill, Inc. d/b/a County Environmental Services, Inc.** (c/o AW Niagara Falls Landfill, 5600 Niagara Falls Blvd., Niagara Falls, NY 14304) Renewal of NPDES Permit No. PA0226939 in Farmington Township, **Clarion County**. Receiving streams: Unnamed tributary to Little Coon Run, unnamed tributary to Licking Creek, and unnamed tributary to Toby Creek. Application received: October 25, 2010. Permit Issued: December 15, 2010.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**58102801. Rock Ridge Stone, Inc.**, (7295 Kingsley Road, Kingsley, PA 18826), commencement, operation and restoration of a quarry operation in Great Bend Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received: March 1, 2010. Permit issued: December 14, 2010.

**8073SM1C9 and NPDES Permit No. PA0614602. Highway Materials, Inc.**, (1750 Walton Road, Blue Bell, PA 19422), boundary correction of an existing quarry operation and stream variance in Marlborough Township, **Montgomery County** affecting 80.0 acres, receiving stream: Unami Creek. Application received: August 21, 2009. Correction issued: December 16, 2010

**8073SM1C10 and NPDES Permit No. PA0614602. Highway Materials, Inc.**, (1750 Walton Road, Blue Bell, PA 19422), renewal of an existing NPDES Permit for discharge of treated mine drainage from a quarry operation in Marlborough Township, **Montgomery County**, receiving stream: Unami Creek. Application received: September 17, 2009. Renewal issued: December 16, 2010.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

### Blasting Permits Actions

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**651004012. RWS Development** (8958 Hill Drive, North Huntingdon, PA 15642). Blasting activity permit for the demolition of the missile silos location in North Huntingdon Township, **Westmoreland County**. The duration of blasting is expected to last three months. Blasting permit issued: December 13, 2010.

**63104007. Aarcon Enterprises, Inc.** (13641 State Route 993, Trafford, PA 15083). Blasting activity permit for the construction of the MoJo seismic activity well site located in Amwell Township, **Washington County**. The

duration of blasting is expected to last ten months. Blasting permit issued: December 13, 2010.

**30104010. Aarcon Enterprises, Inc.** (13641 State Route 993, Trafford, PA 15083). Blasting activity permit for the construction of the Alpha Pad # 2, to conduct seismic activity well pad located in Jackson Township, **Washington County**. The duration of blasting is expected to last seven months days. Blasting permit issued: December 16, 2010.

**63104008. Alex E. Paris Contracting** (P. O. Box 369, Atlas, PA 15004). Blasting activity permit for the construction of the Baker Copressor site, located in Amwell Township, **Washington County**. The duration of blasting is expected to last one year. Blasting permit issued: December 16, 2010.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636*

**E53-437. Pennsylvania General Energy Company, LLC**, 120 Market Street, Warren, PA 16365-2510. Pine Hill Natural Gas Pipeline Development, Eulalia Township, **Potter County**, ACOE Baltimore District (Short Run, PA Quadrangle Latitude: 41° 36' 35.02"; Longitude: 77° 49' 42.88").

The applicant proposes to construct, operate and maintain a six inch diameter natural gas pipeline crossing beneath Little Lyman Run for the development of natural gas at the Pine Hill Site. Trenching for pipeline installation across the stream and all construction access shall be completed in dry work conditions by dam and pumping, fluming or diverting stream flow around the work area. Since Little Lyman Run is a wild trout fishery, no pipeline construction or future repair work shall be conducted in or along the stream channel between October 1 and December 31 without prior written approval from the Pennsylvania Fish and Boat Commission. The project is located along the western right-of-way of Horton Road approximately 1605-feet south of Junction Road and Horton Road intersection.

*Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1627. Wilkins Township**, 110 Peffer Road, Turtle Creek, PA 15145. To operate and maintain the existing wall along Sawmill Run in Wilkins Township, **Allegheny County**, Pittsburgh ACOE District. (Braddock, PA Quadrangle: N: 6.6 inches; W: 11.4 inches; Latitude: 40° 24' 41"; Longitude: 79° 49' 55".) To operate and maintain an existing jumbo block wall (74 LF) and two existing gabion basket walls (19 LF and 54 LF) along the left bank of Sawmill Run; to operate and maintain fill behind the 54 LF gabion basket wall and to operate and maintain jumbo block fill within the channel of said stream for a distance of approximately 24 feet. The project is located on the west side of Wilbur Avenue, approximately 300.0 feet southwest from the intersection of Wilbur Avenue and Brown Avenue.

### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105*

**D15-414EA. Natural Lands Trust**, 449 Lucky Hill Road, West Chester, PA 19382. East Bradford Township **Chester County**, ACOE Philadelphia District.

Project proposes to breach and remove Stroud Preserve Dam across a tributary to East Branch Brandywine Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 700 feet of stream channel. The dam is located approximately 3650 feet southwest of the intersection of Strasburg Road (SR162) and Brandywine Creek Road (T550) (Unionville, PA Quadrangle; Latitude: 39° 56' 53", Longitude: -75° 39' 16").

### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northcentral Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-1 # ESX10-117-0251  
Applicant Name Chesapeake Appalachia, LLC  
Contact Person Eric Haskins  
Address 101 North Main Street  
City, State, Zip Athens, PA 18810  
County Tioga  
Township(s) Morris Twp.  
Receiving Stream(s) and Classification(s) Three Springs Run

ESCGP-1 # ESX10-117-0252  
Applicant Name Talisman Energy USA, Inc.  
Contact Person Tracy Gregory  
Address 337 Daniel Zenker Drive  
City, State, Zip Horseheads, NY 14845  
County Tioga  
Township(s) Liberty Twp.  
Receiving Stream(s) and Classification(s) UNT to Zimmerman Creek and UNT to Blacks Creek, Zimmerman Creek, Blacks Creek

ESCGP-1 # ESX10-015-0310  
Applicant Name Chief Oil & Gas LLC  
Contact Person Michael Hritz  
Address 6051 Wallace Road, Ext. 210  
City, State, Zip Wexford, PA 15090  
County Bradford  
Township(s) Asylum Twp.  
Receiving Stream(s) and Classification(s) UNT to North Branch Susquehanna River, Susquehanna River

ESCGP-1 # ESX10-117-0245  
Applicant Name East Resources Management, LLC  
Contact Person Jefferson Long  
Address 190 Thorn Hill Road  
City, State, Zip Warrendale, PA 15086  
County Tioga  
Township(s) Delmar Twp.  
Receiving Stream(s) and Classification(s) East Branch Stony Fork, W. Br. Susquehanna River, Stony Fork

ESCGP-1 # ESX10-105-0033  
Applicant Name Triana Energy, LLC  
Contact Person Rachelle King  
Address 900 Virginia Street East, Ste 400  
City, State, Zip Charleston, WV 25301  
County Potter  
Township(s) Summit Twp.  
Receiving Stream(s) and Classification(s) UNT to Nelson Run, Nelson Run

ESCGP-1 # ESX10-115-0014  
Applicant Name Cabot Oil & Gas Corp.  
Contact Person Phil Stalnak  
Address 5 Penn Center West, Suite 401  
City, State, Zip Pittsburgh, PA 15276  
County Susquehanna  
Township(s) Bridgewater, Brooklyn, Dimock Twps.  
Receiving Stream(s) and Classification(s) Hop Bottom Creek, Meshoppen Creek, and their UNTs

---

## SPECIAL NOTICES

---

### Advertisement for Facility Qualification Requests

In accordance with Act 101 and Section 272 of the PA Solid Waste Rules and Regulation (as amended), the County of Cambria is seeking waste disposal capacity for municipal waste (MSW) for a minimum of five (5) years, with an option to extend said capacity for an additional five (5) years, for a total of ten (10) years. Cambria County is hereby soliciting responses in order to qualify facilities that could provide all, or some of the processing/disposal capacity for the County generated MSW, beginning on or after March 1, 2011. Copies of Cambria County's Facility Qualification Request (FQR) may be obtained from the Cambria County Solid Waste Authority, P. O. Box 445, 507 Manor Drive, Ebensburg, PA 15931. Electronic forms are available by e-mailing Kris Howdysshell at: khowdysshell@co.cambria.pa.us or by calling 814-472-2109.

All responses must be made on the Submittal Form and in accordance with the Instructions to Respondents provided in the FQR. The respondent must submit the original and three (3) copies to the address listed above, Attention Kris Howdysshell, by 3:00 p.m. EST on January 21, 2011. Qualified facilities will receive formal notification of their selection after review and evaluation of responses by the Cambria County SWAC at its scheduled meeting.

Cambria County reserves the right to reject any or all responses and to waive any informality in the solicitation process.

[Pa.B. Doc. No. 11-11. Filed for public inspection December 30, 2010, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined lists of prearrest breath testing devices and evidential breath testing devices.

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking, while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance), or for any other criminal offense under the Vehicle Code, the Fish and Boat Code, or the Game and Wildlife Code, which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices using either breath or bodily fluids such as saliva to measure blood alcohol content. NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

NHTSA published a conforming products list of alcohol screening devices at 72 FR 4559 (January 31, 2007). The breath testing devices included in this Federal approval list have been incorporated into the list in this notice. Since this notice lists only those devices which test breath, items on the NHTSA list that test saliva or other bodily fluids are not included in this notice.

Additionally, there are a number of breath testing devices on this list of approved equipment that may be used as both prearrest and evidential testing devices. Any device on this list that was evaluated using the 1993 Model Specifications for Evidential Breath Testers (58 FR 48705 (September 17, 1993)) also fully meets the requirements of the Model Specifications for prearrest screening devices. Both procedures evaluate the performance of instruments at the 0.020% alcohol level.

The Department approves evidential breath testing devices under the authority of 75 Pa.C.S. § 1547(c)(1), 30 Pa.C.S. § 5125(c)(1) and 34 Pa.C.S. § 2502(c).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain

test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802, or any other violation of the Vehicle Code arising out of the same action; or 30 Pa.C.S. § 5502, or any other violation of the Fish and Boat Code arising out of the same action; or 34 Pa.C.S. § 2501, or any other violation of the Game and Wildlife Code arising out of the same action. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list.

The approval of evidential equipment listed in this notice is based on the evaluation of the equipment by NHTSA. Equipment which met Federal requirements was published at 75 FR 11624 (March 11, 2010) as a Conforming Products List. The list contained in this notice is based on NHTSA's Conforming Products Lists.

Instruments marked with an asterisk (\*) meet the Model Specifications detailed at 49 FR 48854 (December 14, 1984) (that is, instruments tested at breath alcohol concentrations of 0.000, 0.050, 0.101 and 0.151 gram of alcohol per 210 liters of air). Instruments not marked with an asterisk meet the Model Specifications detailed at 58 FR 48705, and were tested at breath alcohol concentrations of 0.000, 0.020, 0.040, 0.080 and 0.160 gram of alcohol per 210 liters of air. The amended specifications that were published at 58 FR 48705, added a test for the presence of acetone and other low molecular weight alcohols including methyl and isopropyl. Instruments whose precision and accuracy have been evaluated in the latter concentration range (that is, devices not marked with an asterisk) should be used when reliable results are required at blood alcohol concentrations below 0.050%.

NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (mobile equipment). Most equipment on the list is approved for mobile and nonmobile operation. The listing at the end of this notice specifies nonmobile equipment only.

The instruments not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments marked with an asterisk may be used as evidentiary devices for law enforcement purposes that are concerned with blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies that plan to utilize a device which does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by NHTSA and found to meet NHTSA's performance requirements. If a device is approved by NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of NHTSA acceptability to Dr. M. Jeffery Shoemaker at the

following address so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer. This is due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility to information concerning breath alcohol testing devices which are approved for law enforcement purposes in the Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*. This practice was implemented in 2009 and will proceed even if an updated conforming products list has not appeared in the *Federal Register* since the Department's last annual publication of approved breath testing devices.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D.; Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) may contact Dr. Shoemaker at V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

**AK Solutions, Inc., Palisades Park, NJ<sup>1</sup>**

Alcoscan AL-2500  
 AlcoChecker  
 AlcoKey  
 AlcoMate  
 AlcoMate<sup>3</sup> (aka: AlcoHAWK Pro by Q3 Inovations)  
 AlcoMate Accu Cell AL-9000  
 AlcoMate Core<sup>4</sup> (formerly known as Alcoscan AL-6000)  
 AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000)<sup>5</sup>  
 AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000)<sup>6</sup>  
 AlcoMate Pro  
 Alcoscan AL-5000  
 Alcoscan AL-6000  
 SafeMate<sup>2</sup> (formerly known as AlcoChecker)  
 SafeDrive (formerly known as AlcoKey)

**Akers Laboratories, Inc., Thorofare, NJ**

Alcohol  $\checkmark$ <sup>TM</sup>

**Akers Biosciences, Inc., Thorofare, NJ**

Breath Alcohol  $\checkmark$  .02 Detection System<sup>8</sup>

**Alco Check International, Hudsonville, MI**

Alco Check 3000 D.O.T.<sup>7</sup>  
 Alco Check 9000<sup>7</sup>  
 Alco Screen 3000

**Alcohol Countermeasures Systems, Inc., Port Huron, MI**

Alert J3AD\*  
 PBA 3000C

**Alcohol Countermeasure Systems Corp., Missis-  
 sauga, Ontario, Canada**

Alert J3AD\*  
 Alert J4X.ec  
 PBA3000C

**Alcohol Countermeasure Systems, Inc., Cincinnati,  
 OH**

Alert J4

**Approved Technology, Inc., Grand Rapids, MI**

Alco-Check I  
 Alco-Check II  
 Alco-Check 3000

**BAC Solutions, Inc., Birmingham, Michigan**

BACmaster\*

**BAC Systems, Inc., Ontario, Canada**

Breath Analysis Computer\*

**B.E.S.T. Labs., Boardman, Ohio**

PB 9000e

**BHP Diagnostix, West Chester, PA**

Prevent

**CAMEC Ltd., North Shields, Tyne and Ware, Eng-  
 land**

IR Breath Analyzer\*

**CMI-MPH, Owensboro, KY**

CMI S-D2  
 CMI S-L2

**CMI, Inc., Owensboro, KY**

AlcoBlow  
 Intoxilyzer Model:

200  
 200D  
 240 (aka Lion Alcolmeter 400 + outside the US)  
 300  
 400  
 400PA  
 500 (aka: Alcolmeter 500-Lion Laboratories)  
 1400  
 4011\*  
 4011A\*  
 4011AS\*  
 4011AS-A\*  
 4011AS-AQ\*  
 4011AW\*  
 4011A27-10100\*  
 4011A27-10100 with filter\*  
 5000  
 5000 (w/Cal. Vapor Re-Circ.)  
 5000 (w/3/8" ID hose option)  
 5000CD  
 5000CD/FG5  
 5000EN  
 5000 (CAL DOJ)  
 5000 (VA)  
 8000  
 PAC 1200\*  
 S-D2  
 S-D5

**Craig Technologies International Ltd., Aurora, CO**

BreathScan

**Decator Electronics, Decator, IL**

Alco-Tector model 500\*

**Draeger Safety Diagnostics Inc., (aka: National Draeger) Irving, TX***Alcotest Model:*

6510  
6810  
7010\*  
7110\*  
7110 MKIII  
7110 MKIII-C  
7410  
7410 Plus  
7510  
9510

*Breathalyzer Model:*

900\*  
900A\*  
900BG\*  
7410  
7410-II

**EnviteC by Honeywell GmbH, Fond du Lac, WI**

AlcoQuant 6020

**First Innovative Technology Group, Ltd. Hong Kong**

AAT198-Pro

**Gall's Inc., Lexington, KY**

Alcohol Detection System-A.D.S. 500

**Guth Laboratories, Inc., Harrisburg, Pennsylvania**

Alco-Tector  
Alco-Tector Mark X  
Alcotector BAC-100  
Alcotector C<sub>2</sub>H<sub>5</sub>OH  
Alcotector WAT89EC-1  
Alcotector WAT90  
Mark X Alcohol Checker

**Han International Co., Ltd., Seoul, Korea**

A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).

**KHN Solutions, LLC, San Francisco, California**

BACTRACK Select S50<sup>9</sup>  
BACTRACK Select S80<sup>9</sup>

**Intoximeters, Inc., St. Louis, MO**

Indium Encapsulation System  
Photo Electric Intoximeter\*  
GC Intoximeter MK II\*  
GC Intoximeter MK IV\*  
Auto Intoximeter\*  
Intox EC-IR  
Intox EC-IR 2  
Portable Intox EC-IR

*Intoximeter Model:*

3000\*  
3000 (rev B1)\*  
3000 (rev B2)\*  
3000 (rev B2A)\*  
3000 (rev B2A) w/FM option\*  
3000 (Fuel Cell)\*  
3000D\*  
3000DFC\*  
Alcomonitor  
Alcomonitor CC  
Alco-Sensor  
Alco-Sensor III  
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)  
Alco-Sensor IV  
Alco-Sensor IV-XL  
Alco-Sensor V

Alco-Sensor AZ  
Alco-Sensor FST  
Alco-Sensor Light Display  
Intox EC/IR  
Intox EC/IR II  
Intox EC/IR II (enhanced with serial number 10,000 or higher)  
Portable Intox EC/IR II  
RBT-AZ  
RBT III  
RBT III-A  
RBT-IV  
RBT-IV with CEM (cell enhancement module)

**Komyo Kitagawa, Kogyo, K.K.:**

Alcolyzer DPA-2\*  
Breath Alcohol Meter PAM 101B\*

**Lifeloc Technologies, Inc. (formerly Lifeloc, Inc.) Wheat Ridge, CO:**

Life Loc PBA 3000  
PBA 3000-B  
PBA 3000-P\*  
PBA 3000-C  
Alcohol Data Sensor  
Phoenix  
Phoenix 6.0  
EV 30  
FC 10  
FC 20

**Lion Laboratories, Ltd., Cardiff, Wales, UK***Alcolmeter Model:*

Auto-Alcolmeter\*  
300  
400  
400+ (aka: Intoxilzyer 240 in the U.S.)  
500 (aka: Intoxilyzer 500-CMI, Inc.)  
SD-2\*  
SD-5 (aka: S-D5 in the U.S.)  
EBA\*

*Intoxilyzer Model:*

200  
200D  
1400  
5000 CD/FG5  
5000 EN

**Luckey Laboratories, San Bernardino, CA***Alco-Analyzer Model:*

Mobat Sober-Meter-SM II  
1000\*  
2000\*

**Nanopuls AB, Uppsala, Sweden**

Evidenzer

**Medi-Scan, Inc., Denver, CO**

BreathScan

**National Draeger, Inc., Durango, CO***Alcotest Model:*

7010\*  
7110\*  
7110 MKIII  
7110 MKIII-C  
7410  
7410 Plus  
7410 Screener  
9510  
6510  
6810

*Breathalyzer Model:*

900\*  
900A\*  
900BG\*  
7410  
7410-II

**National Draeger, Inc., Pittsburgh, PA**

Alcotest

**National Patent Analytical Systems, Inc., Mansfield, OH**

*BAC DataMaster (with or without the Delta-1 accessory)*

BAC Verifier DataMaster (with or without the Delta-1 accessory)  
DataMaster cdm (with or without the Delta-1 accessory)  
DataMaster DMT

**Omicron Systems, Palo Alto, CA**

Intoxilyzer 4011\*  
Intoxilyzer 4011AW\*

**PAS International, Fredericksburg, VA**

Mark V. Alcovisor  
PAS IIIa  
PAS Vr

**Plus 4 Engineering, Minturn, CO**

5000 Plus 4\*

**Q3 Innovations, Inc., Independence, IA4**

AlcoHAWK Precision  
AlcoHAWK Slim  
AlcoHAWK Slim 2  
AlcoHAWK Elite  
AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath indicator) by Han Intl.)  
AlcoHAWK Micro  
AlcoHAWK PRO (aka: AlcoMate by AK Solutions)  
AlcoHAWK PT500

**RepCo Marketing, Raleigh, NC**

Alco Tec III  
AlcoTec Breath-Alcohol Tester  
Breath Alcohol Tester Model BT-2  
Breath Alcohol Tester Model BT-3

**Seju Co. of Taejeon, Korea**

Safe-Slim

**Seres, Paris, France**

Alco Master  
Alcopro

**Siemens-Allis, Cherry Hill, NJ**

Alcomat\*  
Alcomat F\*

**Smith and Wesson Electronics, Springfield, MA**

*Breathalyzer Model:*

900\*  
900A\*  
1000\*  
2000\*  
2000 (Non-Humidity Sensor)\*

**SoundOff, Inc., Hudsonville, MI**

Alco-Check  
Alco-Check II  
AlcoData  
Alco Screen 1000  
Digitox D.O.T.

Preliminary Breath Test II  
Seres Alco Master  
Seres Alcopro

**Stephenson Corp.**

Breathalyzer 900\*

**Takai-Denshi Inc., Tokyo, Japan:**

ALC-PRO II (US)

**Team Building Systems, Inc., Houston, TX**

BreathScan

**U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, CA**

Alco-Analyzer 1000  
Alco-Analyzer 2000  
Alco-Analyzer 2100

**Verax Systems, Inc., Fairport, NY**

BAC Verifier\*  
BAC Verifier Datamaster  
BAC Verifier Datamaster II\*

<sup>1</sup> The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

<sup>2</sup> Manufactured by Seju Engineering, Korea.

<sup>3</sup> Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q-3 Innovations, Inc.

<sup>4</sup> Manufactured by Sentech Korea Corp.

<sup>5</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with four detectors including the one that was already installed.

<sup>6</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

<sup>7</sup> While these devices are still being sold, they are no longer manufactured or supported.

<sup>8</sup> The Breath Alcohol  $\sqrt{.02}$  Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

<sup>9</sup> Manufactured by DA Tech Co., Ltd., Korea.

**Nonmobile only****Decator Electronics**

Alco-Tector model 500\*

**Draeger Safety, Inc.**

Alcotest Model 9510

**Intoximeters, Inc.**

Photo Electric Intoximeter\*  
Intoximeter Model—Alcomonitor  
Intoximeter Model—EC/IR II (enhanced with serial number 10,000 or higher)

**Lion Laboratories, Ltd.**

Auto-Alcolmeter\*

**Luckey Laboratories**

Alco-Analyzer Model—1000\*  
Alco-Analyzer Model—2000\*



**U.S. Alcohol Testing, Inc./Protection Devices, Inc.,  
Rancho Cucamonga, CA**  
Alco-Analyzer 1000  
Alco-Analyzer 2000

MICHAEL K. HUFF, R.N.,  
*Acting Secretary*

[Pa.B. Doc. No. 11-12. Filed for public inspection Decemner 30, 2010, 9:00 a.m.]

### **Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings**

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, January 19, 2011, from 9 a.m. to 4 p.m. and on Thursday, January 20, 2011, from 9 a.m. to 4 p.m. at the Harrisburg Holiday Inn West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

The Department reserves the right to cancel this meeting without prior notice.

For additional information, contact Kenneth McGarvey, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should also contact Kenneth McGarvey at the previously listed number, or at V/TT (717) 783-6514 for speech and/or hearing impaired persons, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

MICHAEL K. HUFF, R.N.,  
*Acting Secretary*

[Pa.B. Doc. No. 11-13. Filed for public inspection December 30, 2010, 9:00 a.m.]

### **Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Clinical Laboratories Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S.

§ 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses are designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after their laboratory name.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Federal Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Divi-

sion of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

30483  
AIT LABORATORIES—SBS<sub>e</sub>, CBS<sub>e</sub>  
2265 EXECUTIVE DRIVE  
INDIANAPOLIS, IN 46241  
(317) 243-3894

00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SBS<sub>e</sub>,  
CBS<sub>e</sub>  
1520 PENN AVENUE  
2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SBS<sub>e</sub>,  
CBS<sub>e</sub>  
3520 PROGRESS DRIVE  
UNIT C  
BENSALEM, PA 19020  
(267) 525-2470

00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SS<sub>e</sub>, CS<sub>e</sub>  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

00977  
DRUGSCAN INC—SBS<sub>e</sub>, CBS<sub>e</sub>  
1119 MEARN'S ROAD  
P. O. BOX 2969  
WARMINSTER, PA 18974  
(215) 674-9310

24655  
HEALTH NETWORK LABORATORIES—SBS<sub>e</sub>, CBS<sub>e</sub>  
2024 LEHIGH STREET  
ALLENTOWN, PA 18103-4798  
(610) 402-8150

20512  
LABCORP OCCUPATIONAL TESTING SER—SBS<sub>e</sub>,  
CBS<sub>e</sub>  
1904 ALEXANDER DRIVE  
P. O. BOX 12652  
RESEARCH TRIANGLE PARK, NC 27709  
(919) 572-7465

09003  
MAYO CLINIC DEPT LAB MED & PATH—SBS<sub>e</sub>, CS<sub>e</sub>  
200 FIRST STREET  
SW HILTON 530  
ROCHESTER, MN 55905  
(507) 284-3018

05574  
MEDTOX LABORATORIES INC—SBS<sub>e</sub>, CBS<sub>e</sub>  
402 WEST COUNTY ROAD D  
ST PAUL, MN 55112  
(651) 286-6217

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SBS<sub>e</sub>,  
CBS<sub>e</sub>  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

29741  
NORTHERN TIER RESEARCH—SBS<sub>e</sub>, CBS<sub>e</sub>  
1300 OLD PLANK ROAD  
MAYFIELD, PA 18433  
(570) 351-6153

30984  
OFFICE OF THE DISTRICT ATTORNEY—SS<sub>e</sub>  
37 E HIGH STREET  
FORENSIC LAB  
CARLISLE, PA 17103  
(717) 240-6526

00250  
PARKWAY CLINICAL LABORATORIES—SS<sub>e</sub>  
3494 D PROGRESS DRIVE  
BENSALEM, PA 19020  
(215) 245-5112

00520  
PC LAB INC—SBS<sub>e</sub>, CBS<sub>e</sub>  
1320 FIFTH AVENUE  
PITTSBURGH, PA 15219  
(412) 391-6118

31399  
QUEST DIAGNOSTICS—SB, CB  
EMPLOYER SOLUTIONS  
1777 MONTREAL CIRCLE  
TUCKER, GA 30084  
(770) 936-5007

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBS<sub>e</sub>,  
CBS<sub>e</sub>  
14225 NEWBROOK DRIVE  
P. O. BOX 10841  
CHANTILLY, VA 20153-0841  
(703) 802-6900

00482  
QUEST DIAGNOSTICS OF PA INC—SBS<sub>e</sub>, CBS<sub>e</sub>  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SBS<sub>e</sub>, CBS<sub>e</sub>  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

00151  
ST JOSEPH QUALITY MEDICAL LAB—SBS<sub>e</sub>, CBS<sub>e</sub>  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00018  
WVHCS HOSP DBA PENNANT LABORATORY—SS<sub>e</sub>  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00141  
 YORK HOSPITAL—SSe  
 1001 SOUTH GEORGE STREET  
 YORK, PA 17405  
 (717) 851-2345

MICHAEL K. HUFF, R.N.,  
*Acting Secretary*

[Pa.B. Doc. No. 11-14. Filed for public inspection December 30, 2010, 9:00 a.m.]

**Laboratories Approved to Determine Blood Alcohol Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are licensed by the Department and approved for that purpose.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a) and implementing regulations 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The Commonwealth's Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood and/or serum and plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00212  
 ABINGTON MEMORIAL HOSPITAL—S  
 1200 OLD YORK ROAD  
 ABINGTON, PA 19001  
 (215) 576-2350

27180  
 ADVANCED TOXICOLOGY NETWORK—B  
 3560 AIR CENTER COVE  
 SUITE 101  
 MEMPHIS, TN 38118  
 (901) 794-5770

00233  
 ALBERT EINSTEIN MEDICAL CENTER—S  
 5501 OLD YORK RD  
 LABS-TOWER BLDG  
 GROUND FL  
 PHILADELPHIA, PA 19141-3001  
 (215) 456-6157

- 00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SB  
1520 PENN AVENUE  
2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425
- 28233  
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
320 E NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-6886
- 00077  
ALLEGHENY GENERAL HOSPITAL—S  
1307 FEDERAL STREET  
PITTSBURGH, PA 15212  
(412) 359-3521
- 00100  
ALLEGHENY VALLEY HOSPITAL LAB—S  
1301 CARLISLE STREET  
NATRONA HEIGHTS, PA 15065  
(724) 224-5100
- 00120  
ALTOONA REGIONAL HEALTH SYSM—BON  
SECOURS CAMPUS—SB  
2500 SEVENTH AVENUE  
ALTOONA, PA 16602-2099  
(814) 949-4495
- 00119  
ALTOONA REGIONAL HEALTH SYSTEM LAB—SB  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 946-2340
- 00192  
ARIA HEALTH—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227
- 00236  
ARIA HEALTH—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068
- 00341  
ARIA HEALTH—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-4000
- 00041  
ARMSTRONG COUNTY MEMORIAL HOSP—S  
1 NOLTE DRIVE  
KITTANNING, PA 16201  
(724) 543-8500
- 00047  
ASSOCIATED CLINICAL LABORATORIES—SB  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB  
3520 PROGRESS DRIVE  
UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 00251  
AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREETS  
PHILADELPHIA, PA 19107  
(215) 829-3541
- 00320  
BARNES KASSON HOSPITAL LAB—S  
400 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 00001  
BERWICK HOSPITAL LABORATORY—S  
701 EAST 16TH STREET  
BERWICK, PA 18603  
(570) 759-5110
- 00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY  
BUTLER, PA 16001  
(724) 284-4510
- 00002  
BLOOMSBURG HOSPITAL—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2124
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—B  
116—156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000
- 00053  
BROOKVILLE HOSPITAL—S  
100 HOSPITAL ROAD  
BROOKVILLE, PA 15825  
(814) 849-2312
- 00107  
CANONSBURG GENERAL HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916
- 00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212
- 00132  
CHAMBERSBURG HOSPITAL DEPT OF  
PATHOLOGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7153
- 00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510
- 00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182

- 00227  
CHESTNUT HILL HOSPITAL—S  
8835 GERMANTOWN AVENUE  
DEPT OF PATHOLOGY  
PHILADELPHIA, PA 19118  
(215) 248-8113
- 00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
ONE CHILDRENS CENTER  
34TH & CIVIC  
PHILADELPHIA, PA 19104  
(215) 590-4446
- 00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-9500
- 00026  
CLEARFIELD HOSPITAL—S  
809 TURNPIKE AVENUE  
P. O. BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280
- 00005  
COMMUNITY MEDICAL CENTER—S  
1800 MULBERRY STREET  
SCRANTON, PA 18510  
(570) 969-8000
- 00125  
CONEMAUGH VALLEY MEMORIAL HOSP—SB  
LABORATORY DEPT  
1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9000
- 00326  
CORRY MEMORIAL HOSPITAL—S  
612 WEST SMITH STREET  
CORRY, PA 16407  
(814) 664-4641
- 00201  
CROZER CHESTER MED CENTER—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2000
- 00209  
CROZER-CHESTER MED CTR—SPRINGFLD—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2000
- 00204  
DELAWARE COUNTY MEMORIAL HOSP—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 284-8100
- 00266  
DEPT OF PATHOLOGY & LAB MED—HUP—SB  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423
- 00194  
DOYLESTOWN HOSPITAL—S  
ATTN: JUDY RYAN  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250
- 00977  
DRUGSCAN INC—B  
1119 MEARNS RD  
P. O. BOX 2969  
WARMINSTER, PA 18974  
(215) 674-9310
- 00027  
DUBOIS REG MED CTR—WEST UNIT—S  
100 HOSPITAL AVE  
DUBOIS, PA 15801  
(814) 371-2200
- 00175  
EASTON HOSPITAL—S  
250 SOUTH 21ST ST  
EASTON, PA 18042-3892  
(610) 250-4819
- 00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-0081
- 00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
3 GROW AVENUE  
MONTROSE, PA 18801-1103  
(570) 278-3801
- 00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE  
P. O. BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311
- 00032  
ERHC ST MARYS LABORATORY—B  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525
- 00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510
- 00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500
- 00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6143
- 00173  
GEISINGER MEDICAL LABORATORIES—SB  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338
- 00019  
GEISINGER WYOMING VALLEY MED CTR—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 826-7830

00122  
GETTYSBURG HOSPITAL—SB  
147 GETTYS STREET  
GETTYSBURG, PA 17325  
(717) 337-4120

00152  
GNADEN HUETTEN MEMORIAL HOSP—SB  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(610) 377-7083

00299  
GOOD SAMARITAN HOSPITAL—B  
4TH & WALNUT STS  
P. O. BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7986

00196  
GRAND VIEW HOSPITAL—S  
700 LAWN AVE  
SELLERSVILLE, PA 18960  
(215) 453-4528

00061  
GROVE CITY MEDICAL CENTER—SB  
631 NORTH BROAD STREET EXT  
GROVE CITY, PA 16127  
(724) 450-7125

00654  
GUTHRIE CLINIC LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 882-4160

00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
BROAD & VINE STS  
MS 113  
PHILADELPHIA, PA 19102  
(215) 762-1783

00046  
HAMOT MEDICAL CENTER—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-3131

00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 637-3711

00010  
HAZLETON GENERAL HOSPITAL—S  
700 EAST BROAD  
HAZLETON, PA 18201  
(570) 501-4152

00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-8150

00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(610) 402-8150

00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(610) 402-8150

24655  
HEALTH NETWORK LABORATORIES—SB  
2024 LEHIGH STREET  
ALLENTOWN, PA 18103-4798  
(610) 402-8150

00166  
HEART OF LANCASTER REGIONAL MEDICAL  
CENTER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5605

00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000

00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 741-6600

00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500

00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2206

00052  
INDIANA REGIONAL MEDICAL CENTER—S  
HOSPITAL ROAD  
P. O. BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167

00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645

00054  
JAMESON MEMORIAL HOSPITAL—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4080

00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2347

00038  
JEFFERSON REGIONAL MED CTR—S  
P. O. BOX 18119  
565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723

- 00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080
- 00034  
KANE COMMUNITY HOSPITAL—B  
4372 ROUTE 6  
KANE, PA 16735  
(814) 837-4570
- 00532  
KENSINGTON HOSPITAL—S  
136 WEST DIAMOND STREET  
PHILADELPHIA, PA 19122  
(215) 426-8100
- 01088  
LABCORP OF AMERICA HOLDINGS—SB  
69 FIRST AVENUE  
P. O. BOX 500  
RARITAN, NJ 08869  
(908) 526-2400
- 00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET  
P. O. BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331
- 00167  
LANCASTER REGIONAL MED CENTER—S  
250 COLLEGE AVENUE  
P. O. BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022
- 00215  
LANSDALE HOSPITAL—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 361-4625
- 00114  
LATROBE AREA HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 537-1550
- 00138  
LEWISTOWN HOSPITAL—B  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7474
- 00030  
LOCK HAVEN HOSPITAL—B  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000
- 00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300
- 00213  
MAIN LINE HEALTH LAB—BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3554
- 00242  
MAIN LINE HEALTH LABORATORIES—S  
100 EAST LANCASTER AVENUE  
WYNNEWOOD, PA 19096  
(610) 645-2615
- 00199  
MAIN LINE HEALTH LABS—PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000
- 00004  
MARIAN COMMUNITY HOSPITAL—S  
100 LINCOLN AVENUE  
CARBONDALE, PA 18407  
(717) 281-1042
- 09003  
MAYO CLINIC DEPT LAB MED & PATH—SB  
200 FIRST STREET  
SW HILTON 530  
ROCHESTER, MN 55905  
(507) 284-3018
- 00049  
MEADVILLE MED CTR—LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000
- 05574  
MEDTOX LABORATORIES INC—SB  
402 WEST COUNTY ROAD D  
ST PAUL, MN 55112  
(651) 286-6217
- 00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
P. O. BOX 15118  
YORK, PA 17403  
(717) 843-8623
- 00023  
MEMORIAL HOSPITAL LAB—SB  
1 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191
- 00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4262
- 00247  
MERCY HEALTH LAB/MHOP—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9181
- 00219  
MERCY HEALTH LAB/MSH—S  
2701 DEKALB PIKE  
NORRISTOWN, PA 19401  
(610) 278-2078
- 00336  
MERCY HEALTH PARTNERS—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

00313  
MERCY TYLER HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057

00231  
MEYERSDALE COMMUNITY HOSPITAL—S  
200 HOSPITAL DR  
MEYERSDALE, PA 15552  
(814) 634-5911

00269  
MIDVALLEY HOSPITAL—S  
1400 MAIN STREET  
PECKVILLE, PA 18452  
(570) 383-5520

00128  
MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE  
P. O. BOX 689  
HASTINGS, PA 16646  
(814) 247-3100

00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00217  
MONTGOMERY HOSPITAL LAB—S  
POWELL & FORNANCE STS  
NORRISTOWN, PA 19401  
(610) 270-2173

00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2100

00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD  
ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6150

00025  
MOUNT NITTANY MEDICAL CENTER—B  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-2141

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

29741  
NORTHERN TIER RESEARCH—SB  
1300 OLD PLANK ROAD  
MAYFIELD, PA 18433  
(570) 351-6153

30984  
OFFICE OF THE DISTRICT ATTORNEY—S  
37 E HIGH STREET  
FORENSIC LAB  
CARLISLE, PA 17103  
(717) 240-6526

00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

00334  
PALMERTON HOSPITAL—SB  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100

00520  
PC LAB INC—SB  
1320 FIFTH AVENUE  
PITTSBURGH, PA 15219  
(412) 391-6118

00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST  
DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
HERSHEY, PA 17033  
(717) 531-8353

22533  
PENNSYLVANIA DEPT OF HEALTH—SB  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD  
DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1612

00157  
PINNACLE HEALTH AT COMMUNITY GENERAL  
HOSPITAL—S  
4300 LONDONDERRY ROAD  
P. O. BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340



00155  
PINNACLE HEALTH AT HARRISBURG HOSPITAL  
LAB—SB  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 782-3340

00022  
POCONO MEDICAL CENTER LAB—SB  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7000

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

22715  
QUEST DIAGNOSTICS—SB  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770

31399  
QUEST DIAGNOSTICS—SB  
EMPLOYER SOLUTIONS  
1777 MONTREAL CIRCLE  
TUCKER, GA 30084  
(770) 936-5007

27461  
QUEST DIAGNOSTICS INC—SB  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4219

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB  
14225 NEWBROOK DRIVE  
P. O. BOX 10841  
CHANTILLY, VA 20153-0841  
(703) 802-6900

00482  
QUEST DIAGNOSTICS OF PA INC—SB  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SB  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

00150  
READING HOSPITAL & MED CTR—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(610) 988-8080

00206  
RIDDLE MEMORIAL HOSPITAL—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS  
ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 561-4900

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER—S  
LANGHORNE—NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

00048  
SAINT VINCENT HEALTH CENTER—S  
232 WEST 25TH STREET  
ERIE, PA 16544  
(814) 452-5383

00182  
SCHUYLKILL MC E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

00183  
SCHUYLKILL MC S JACKSON ST—SB  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262

29214  
SED MEDICAL LABORATORIES—SB  
LOVELACE HEALTH SYSTEMS, INC.  
5601 OFFICE BOULEVARD  
ALBUQUERQUE, NM 87109  
(505) 727-6209

00064  
SHARON REGIONAL HEALTH SYSTEM—SB  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3911

00039  
SOLDIERS & SAILORS MEM HOSP—S  
CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133

00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5000

00105  
SOUTHWEST REGIONAL MEDICAL CENTER—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2608

22376  
SPECIALTY LABORATORIES INC—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00361  
ST CATHERINE MED CTR—FOUNTAIN SPRINGS—S  
101 BROAD STREET  
ASHLAND, PA 17921  
(570) 875-5988

00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
ERIE AVENUE AT FRONT STREET  
PHILADELPHIA, PA 19134  
(215) 427-4207

00151  
ST JOSEPH QUALITY MEDICAL LAB—SB  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00261  
ST JOSEPH'S HOSPITAL—DIV NPHS—S  
16TH ST & GIRARD AVENUE  
PHILADELPHIA, PA 19130  
(215) 787-9000

00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8646

00180  
ST LUKES MINERS MEMORIAL HOSPITAL—S  
360 WEST RUDDLE STREET  
P. O. BOX 67  
COALDALE, PA 18218  
(570) 645-2131

00195  
ST LUKES QUAKERTOWN HOSPITAL—S  
1021 PARK AVENUE  
QUAKERTOWN, PA 18951  
(215) 538-4681

00094  
SUBURBAN CLINICAL LABORATORY—S  
100 SOUTH JACKSON AVENUE  
BELLEVUE, PA 15202  
(412) 734-6020

00207  
TAYLOR HOSPITAL DIV OF CCMC—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 595-6450

00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4353

00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 N BROAD ST  
PHILADELPHIA, PA 19140  
(215) 707-4353

00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

00085  
THE WESTERN PA HOSP—FORBES REGIONAL  
CAMPUS—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2560

00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 S. 11TH ST  
204 PAVILLION  
PHILADELPHIA, PA 19107  
(215) 955-1644

00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384

00121  
UPMC BEDFORD MEMORIAL—SB  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506

00059  
UPMC HORIZON GREENVILLE—SB  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100

00057  
UPMC HORIZON SHENANGO—SB  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500

00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7831

00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD  
PITTSBURGH, PA 15237  
(412) 367-6700

05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S  
ROOM 5929  
MAIN TOWER CHP  
200 LOTHROP STREET  
PITTSBURGH, PA 15213-2582  
(412) 648-6000

00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
PITTSBURGH, PA 15215  
(412) 784-4000

00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE  
GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00111  
WASHINGTON HOSPITAL—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3136

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00095  
WESTERN PENNSYLVANIA HOSPITAL—S  
4800 FRIENDSHIP AVE  
PITTSBURGH, PA 15224  
(412) 578-5779

30245  
WESTFIELD HOSPITAL LABORATORY—S  
4815 W TILGHMAN STREET  
ALLENTOWN, PA 18104  
(610) 973-8425

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4365

00037  
WILLIAMSPORT HOSP & MED CENTER—SB  
777 RURAL AVENUE  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00106  
WINDBER HOSPITAL—S  
600 SOMERSET AVE  
WINDBER, PA 15963  
(814) 467-6611

00018  
WVHCS HOSP DBA PENNANT LABORATORY—SB  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

25064  
WVU HOSPITAL CLINICAL LABS—S  
1 MEDICAL CENTER DR  
P. O. BOX 8009  
MORGANTOWN, WV 26506-8009  
(304) 598-4241

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

MICHAEL K. HUFF, R.N.,  
*Acting Secretary*

[Pa.B. Doc. No. 11-15. Filed for public inspection December 30, 2010, 9:00 a.m.]

**Laboratories Approved to Determine Urine Controlled Substance Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses

for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought. The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of that title arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Federal Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-5768, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

00212  
ABINGTON MEMORIAL HOSPITAL—S  
1200 OLD YORK ROAD  
ABINGTON, PA 19001  
(215) 576-2350

27908  
ACM MEDICAL LABORATORY—SC  
160 ELMGROVE PARK  
ROCHESTER, NY 14624  
(716) 429-2264

27180  
ADVANCED TOXICOLOGY NETWORK—SC  
3560 AIR CENTER COVE  
SUITE 101  
MEMPHIS, TN 38118  
(901) 794-5770

30483  
AIT LABORATORIES—SC  
2265 EXECUTIVE DRIVE  
INDIANAPOLIS, IN 46241  
(317) 243-3894

00233  
ALBERT EINSTEIN MEDICAL CENTER—S  
5501 OLD YORK RD  
LABS-TOWER BLDG  
GROUND FL  
PHILADELPHIA, PA 19141-3001  
(215) 456-6157

24496  
ALERE TOXICOLOGY SERVICES INC—SC  
450 SOUTHLAKE BOULEVARD  
RICHMOND, VA 23236  
(804) 378-9130

26008  
ALERE TOXICOLOGY SERVICES INC—SC  
1111 NEWTON STREET  
GRETNA, LA 70053  
(504) 361-8989

00116  
ALLE KISKI MED CNTR NEW KENSINGTON—S  
651 FOURTH AVENUE  
NEW KENSINGTON, PA 15068  
(724) 226-7089

00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SC  
1520 PENN AVENUE  
2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

28233  
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
320 E NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-6886

00077  
ALLEGHENY GENERAL HOSPITAL—S  
1307 FEDERAL STREET  
PITTSBURGH, PA 15212  
(412) 359-3521

00100  
ALLEGHENY VALLEY HOSPITAL LAB—S  
1301 CARLISLE STREET  
NATRONA HEIGHTS, PA 15065  
(724) 224-5100

00120  
ALTOONA REGIONAL HEALTH SYSM—BON  
SECOURS CAMPUS—S  
2500 SEVENTH AVENUE  
ALTOONA, PA 16602-2099  
(814) 949-4495

00119  
ALTOONA REGIONAL HEALTH SYSTEM LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 946-2340

30223  
AMERITOX LTD—SC  
9930 WEST HWY 80  
MIDLAND, TX 79706  
(432) 561-5091

- 26620  
AMMON ANALYTICAL LABORATORY—SC  
1622 SOUTH WOOD AVENUE  
LINDEN, NJ 07036  
(908) 862-4404
- 31148  
ANALYTICAL DIAGNOSTIC LAB—S  
2115 AVENUE X  
BROOKLYN, NY 11235  
(718) 646-6000
- 00192  
ARIA HEALTH—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227
- 00236  
ARIA HEALTH—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068
- 00341  
ARIA HEALTH—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-4000
- 00047  
ASSOCIATED CLINICAL LABORATORIES—S  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400
- 00363  
ATLANTIC DIAGNOSTIC LABORATORIES INC—S  
1570 GARRETT ROAD  
UPPER DARBY, PA 19082  
(610) 626-2112
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC  
3520 PROGRESS DRIVE  
UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 31171  
AVEE LABORATORIES INC—SC  
14440 MYERLAKE CIRCLE  
CLEARWATER, FL 33760  
(757) 530-9990
- 00251  
AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREETS  
PHILADELPHIA, PA 19107  
(215) 829-3541
- 00320  
BARNES KASSON HOSPITAL LAB—S  
400 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 21553  
BENDINER & SCHLESINGER INC—SC  
140 58TH STREET  
SUITE 8D  
BROOKLYN, NY 11220  
(212) 254-2300
- 00001  
BERWICK HOSPITAL LABORATORY—S  
701 EAST 16TH STREET  
BERWICK, PA 18603  
(570) 759-5110
- 00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY  
BUTLER, PA 16001  
(724) 284-4510
- 27615  
BIOLOGICAL SPECIALTY CORPORATION—S  
2165 NORTH LINE STREET  
COLMAR, PA 18915  
(215) 997-8771
- 27616  
BIOLOGICAL SPECIALTY CORPORATION—S  
1236 NEW RODGERS RD  
#851  
BRISTOL, PA 19007  
(215) 826-9282
- 27617  
BIOLOGICAL SPECIALTY CORPORATION—S  
22 SOUTH 4TH STREET  
READING, PA 19602  
(610) 375-9862
- 22757  
BIOREFERENCE LABORATORIES INC—SC  
481B EDWARD H. ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600
- 00002  
BLOOMSBURG HOSPITAL—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2124
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000
- 00472  
BROOKSIDE CLINICAL LAB INC—S  
4000 EDMONT AVENUE  
BROOKHAVEN, PA 19015  
(610) 872-6466
- 29116  
CALLOWAY LABORATORIES INC—SC  
34 COMMERCE WAY  
WOBURN, MA 01801  
(781) 224-9899
- 00107  
CANONSBURG GENERAL HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916
- 00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212

00751  
CEDAR CREST EMERGICENTER—S  
1101 SOUTH CEDAR CREST BOULEVARD  
ALLENTOWN, PA 18103  
(610) 435-3111

22388  
CENTER FOR DISEASE DETECTION—SC  
11603 CROSSWINDS WAY  
SUITE 100  
SAN ANTONIO, TX 78217  
(210) 590-3033

00132  
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-  
OGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7153

00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510

00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182

00227  
CHESTNUT HILL HOSPITAL—S  
8835 GERMANTOWN AVENUE  
DEPT OF PATHOLOGY  
PHILADELPHIA, PA 19118  
(215) 248-8113

00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
ONE CHILDRENS CENTER  
34TH & CIVIC  
PHILADELPHIA, PA 19104  
(215) 590-4446

00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-9500

00026  
CLEARFIELD HOSPITAL—S  
809 TURNPIKE AVENUE  
P. O. BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

27845  
CLINICAL REFERENCE LABORATORY—SC  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

24916  
CLINICAL SCIENCE LABORATORY INC—SC  
51 FRANCIS AVENUE  
MANSFIELD, MA 02048  
(508) 339-6106

00005  
COMMUNITY MEDICAL CENTER—S  
1800 MULBERRY STREET  
SCRANTON, PA 18510  
(570) 969-8000

00125  
CONEMAUGH VALLEY MEMORIAL HOSP—S  
LABORATORY DEPT  
1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-9000

00326  
CORRY MEMORIAL HOSPITAL—S  
612 WEST SMITH STREET  
CORRY, PA 16407  
(814) 664-4641

00201  
CROZER CHESTER MED CENTER—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2000

00209  
CROZER-CHESTER MED CTR—SPRINGFLD—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2000

00204  
DELAWARE COUNTY MEMORIAL HOSP—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 284-8100

00266  
DEPT OF PATHOLOGY & LAB MED—HUP—SC  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

28893  
DOMINION DIAGNOSTICS LLC—SC  
211 CIRCUIT DRIVE  
NORTH KINGSTOWN, RI 02852  
(401) 667-0800

00194  
DOYLESTOWN HOSPITAL—S  
ATTN: JUDY RYAN  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

00977  
DRUGSCAN INC—SC  
1119 MEARNS RD  
P. O. BOX 2969  
WARMINSTER, PA 18974  
(215) 674-9310

00175  
EASTON HOSPITAL—S  
250 SOUTH 21ST ST  
EASTON, PA 18042-3892  
(610) 250-4819

00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-0081

31625  
EMPIRE CITY LABORATORIES—S  
4306 3RD AVENUE  
2ND FLOOR  
BROOKLYN, NY 11232  
(516) 941-7244

00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
3 GROW AVENUE  
MONTROSE, PA 18801-1103  
(570) 278-3801

00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE  
P. O. BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311

00032  
ERHC ST MARYS LABORATORY—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525

00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510

00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500

20644  
FRIENDS HOSPITAL—S  
4641 ROOSEVELT BOULEVARD  
PHILADELPHIA, PA 19124-2399  
(215) 831-4600

09163  
FRIENDS MEDICAL LAB INC—SC  
5820 SOUTHWESTERN BLVD  
BALTIMORE, MD 21227  
(412) 247-4417

00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6143

30188  
GARCIA CLINICAL LABORATORY INC—S  
2195 SPRING ARBOR ROAD  
JACKSON, MI 49201  
(517) 787-9200

00173  
GEISINGER MEDICAL LABORATORIES—SC  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338

00019  
GEISINGER WYOMING VALLEY MED CTR—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 826-7830

26799  
GHHA/HHWC OCC HEALTH LAB—S  
50 MOISEY DRIVE  
HAZLETON, PA 18202  
(570) 459-1028

00152  
GNADEN HUETTEN MEMORIAL HOSP—S  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(610) 377-7083

00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS  
P. O. BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7986

00061  
GROVE CITY MEDICAL CENTER—S  
631 NORTH BROAD STREET EXT  
GROVE CITY, PA 16127  
(724) 450-7125

00654  
GUTHRIE CLINIC LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 882-4160

00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
BROAD & VINE STS MS 113  
PHILADELPHIA, PA 19102  
(215) 762-1783

00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 637-3711

00010  
HAZLETON GENERAL HOSPITAL—S  
700 EAST BROAD  
HAZLETON, PA 18201  
(570) 501-4152

00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-8150

00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(610) 402-8150

00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(610) 402-8150

24655  
HEALTH NETWORK LABORATORIES—SC  
2024 LEHIGH STREET  
ALLENTOWN, PA 18103-4798  
(610) 402-8150

00166  
HEART OF LANCASTER REGIONAL MEDICAL  
CENTER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5605

00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000

00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 741-6600

00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500

00216  
HOLY REDEEMER HOSPITAL—S  
1648 HUNTINGDON PIKE  
MEADOWBROOK, PA 19046  
(215) 947-3000

00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2206

00052  
INDIANA REGIONAL MEDICAL CENTER—S  
HOSPITAL ROAD  
P. O. BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167

00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645

00054  
JAMESON MEMORIAL HOSPITAL—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4080

00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2347

00038  
JEFFERSON REGIONAL MED CTR—S  
P. O. BOX 18119  
565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723

00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080

00312  
JERSEY SHORE HOSPITAL—S  
1020 THOMPSON STREET  
JERSEY SHORE, PA 17740  
(570) 398-0100

00532  
KENSINGTON HOSPITAL—S  
136 WEST DIAMOND STREET  
PHILADELPHIA, PA 19122  
(215) 426-8100

21306  
LAB CORP OCCUPATIONAL TEST SRVCS—SC  
1120 STATELINE ROAD WEST  
SOUTHAVEN, MS 38671  
(886) 827-8042

20512  
LABCORP OCCUPATIONAL TESTING SER—SC  
1904 ALEXANDER DRIVE  
P. O. BOX 12652  
RESEARCH TRIANGLE PARK, NC 27709  
(919) 572-7465

01088  
LABCORP OF AMERICA HOLDINGS—SC  
69 FIRST AVENUE  
P. O. BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET  
P. O. BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331

00167  
LANCASTER REGIONAL MED CENTER—S  
250 COLLEGE AVENUE  
P. O. BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022

00215  
LANSDALE HOSPITAL—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 361-4625

00114  
LATROBE AREA HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 537-1550

00138  
LEWISTOWN HOSPITAL—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7474

24802  
LGH DIAB/HBP/DUKE—LIME ST CAMPUS—S  
620 N DUKE STREET  
DUKE & LIME STREET  
CAMPUS LABS  
LANCASTER, PA 17604  
(717) 544-4331

00030  
LOCK HAVEN HOSPITAL—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000

00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300

00639  
MAGEE-WOMENS HOSPITAL OF UPMC HEALTH  
SYSTEM—S  
300 HALKET STREET  
PITTSBURGH, PA 15213  
(412) 647-4651



00213  
MAIN LINE HEALTH LAB—BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3554

00242  
MAIN LINE HEALTH LABORATORIES—S  
100 EAST LANCASTER AVENUE  
WYNNEWOOD, PA 19096  
(610) 645-2615

00199  
MAIN LINE HEALTH LABS—PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000

00004  
MARIAN COMMUNITY HOSPITAL—S  
100 LINCOLN AVENUE  
CARBONDALE, PA 18407  
(717) 281-1042

27684  
MARWORTH—S  
BOX 36 LILLY LAKE ROAD  
WAVERLY, PA 18471  
(570) 563-1112

09003  
MAYO CLINIC DEPT LAB MED & PATH—SC  
200 FIRST STREET  
SW HILTON 530  
ROCHESTER, MN 55905  
(507) 284-3018

00049  
MEADVILLE MED CTR—LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000

05574  
MEDTOX LABORATORIES INC—SC  
402 WEST COUNTY ROAD D  
ST PAUL, MN 55112  
(651) 286-6217

00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
P. O. BOX 15118  
YORK, PA 17403  
(717) 843-8623

00023  
MEMORIAL HOSPITAL LAB—S  
1 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191

00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4262

00247  
MERCY HEALTH LAB/MHOP—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9181

00219  
MERCY HEALTH LAB/MSH—S  
2701 DEKALB PIKE  
NORRISTOWN, PA 19401  
(610) 278-2078

00336  
MERCY HEALTH PARTNERS—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

00313  
MERCY TYLER HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9057

31050  
MILLENNIUM LABORATORIES—SC  
16981 VIA TAZON  
SUITE F  
SAN DIEGO, CA 92127  
(858) 451-3535

00128  
MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE  
P. O. BOX 689  
HASTINGS, PA 16646  
(814) 247-3100

28907  
MIRMONT TREATMENT CENTER—S  
100 YEARSLEY MILL ROAD  
LIMA, PA 19063  
(610) 744-1400

00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00217  
MONTGOMERY HOSPITAL LAB—S  
POWELL & FORNANCE STS  
NORRISTOWN, PA 19401  
(610) 270-2173

00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD  
ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6150

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

00304  
 NASON HOSPITAL—S  
 105 NASON DRIVE  
 ROARING SPRING, PA 16673  
 (814) 224-2141

00504  
 NATIONAL MED SVCS INC/DBA NMS LABS—SC  
 3701 WELSH ROAD  
 WILLOW GROVE, PA 19090  
 (215) 657-4900

00248  
 NAZARETH HOSPITAL—S  
 2601 HOLME AVE  
 PHILADELPHIA, PA 19152  
 (215) 335-6245

27246  
 NORCHEM DRUG TESTING LABORATORY—SC  
 1760 EAST ROUTE 66  
 SUITE 1  
 FLAGSTAFF, AZ 86004  
 (928) 526-1011

29741  
 NORTHERN TIER RESEARCH—SC  
 1300 OLD PLANK ROAD  
 MAYFIELD, PA 18433  
 (570) 351-6153

30984  
 OFFICE OF THE DISTRICT ATTORNEY—S  
 37 E HIGH STREET  
 FORENSIC LAB  
 CARLISLE, PA 17103  
 (717) 240-6526

00099  
 OHIO VALLEY GENERAL HOSPITAL—S  
 25 HECKEL RD  
 MCKEES ROCKS, PA 15136  
 (412) 777-6161

00250  
 PARKWAY CLINICAL LABORATORIES—S  
 3494 D PROGRESS DRIVE  
 BENSALAM, PA 19020  
 (215) 245-5112

00520  
 PC LAB INC—SC  
 1320 FIFTH AVENUE  
 PITTSBURGH, PA 15219  
 (412) 391-6118

00258  
 PENN PRESBYTERIAN MEDICAL CENTER—S  
 51 NORTH 39TH ST  
 DEPT OF PATH & LAB  
 PHILADELPHIA, PA 19104-2640  
 (215) 662-3435

00316  
 PENN STATE MILTON S HERSHEY MED CTR—S  
 500 UNIVERSITY DRIVE  
 HERSHEY, PA 17033  
 (717) 531-8353

22533  
 PENNSYLVANIA DEPT OF HEALTH—SC  
 110 PICKERING WAY  
 EXTON, PA 19341  
 (610) 280-3464

31082  
 PHAMATECH INC—SC  
 10151 BARNES CANYON ROAD  
 SAN DIEGO, CA 92121  
 (858) 643-5555

00197  
 PHOENIXVILLE HOSPITAL LABORATORY—S  
 140 NUTT ROAD  
 DEPT OF PATHOLOGY  
 PHOENIXVILLE, PA 19460-0809  
 (610) 983-1612

00157  
 PINNACLE HEALTH AT COMMUNITY GENERAL  
 HOSPITAL—S  
 4300 LONDONDERRY ROAD  
 P. O. BOX 3000  
 HARRISBURG, PA 17109  
 (717) 782-3340

00155  
 PINNACLE HEALTH AT HARRISBURG HOSPITAL  
 LAB—S  
 100 SOUTH 2ND STREET  
 HARRISBURG, PA 17101  
 (717) 782-3340

00022  
 POCONO MEDICAL CENTER LAB—S  
 206 EAST BROWN STREET  
 EAST STROUDSBURG, PA 18301  
 (570) 476-3544

00221  
 POTTSTOWN HOSPITAL COMPANY, LLC—S  
 1600 EAST HIGH STREET  
 POTTSTOWN, PA 19464  
 (610) 327-7000

21648  
 PSYCHEMEDICS CORPORATION—SC  
 5832 UPLANDER WAY  
 CULVER CITY, CA 90230  
 (800) 522-7424

00300  
 PUNXSUTAWNEY AREA HOSPITAL—S  
 81 HILLCREST DRIVE  
 PUNXSUTAWNEY, PA 15767  
 (814) 938-1820

22715  
 QUEST DIAGNOSTICS—SC  
 10101 RENNER BOULEVARD  
 LENEXA, KS 66219-9752  
 (913) 888-1770

31399  
 QUEST DIAGNOSTICS—SC  
 EMPLOYER SOLUTIONS  
 1777 MONTREAL CIRCLE  
 TUCKER, GA 30084  
 (770) 936-5007

09620  
 QUEST DIAGNOSTICS CLIN LABS INC—SC  
 8401 FALLBROOK AVENUE  
 WEST HILLS, CA 91304  
 (818) 737-6268

00315  
 QUEST DIAGNOSTICS CLINICAL LABS INC—SC  
 900 BUSINESS CENTER DRIVE  
 HORSHAM, PA 19044  
 (215) 957-9300

27461  
QUEST DIAGNOSTICS INC—SC  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4219

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC  
14225 NEWBROOK DRIVE  
P. O. BOX 10841  
CHANTILLY, VA 20153-0841  
(703) 802-6900

00482  
QUEST DIAGNOSTICS OF PA INC—SC  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SC  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

24249  
QUINTILES LABORATORIES LTD—SC  
1600 TERRELL MILL ROAD  
SUITE 100  
MARIETTA, GA 30067  
(770) 373-3500

00150  
READING HOSPITAL & MED CTR—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(610) 988-8080

25348  
REDWOOD TOXICOLOGY LABORATORY—SC  
3650 WESTWIND BOULEVARD  
SANTA ROSA, CA 95403  
(707) 577-7958

00206  
RIDDLE MEMORIAL HOSPITAL—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

30821  
RXTOX INC—SC  
51 PROF PLAZA  
850 CLAIRTON BLVD  
SUITE 1300  
PITTSBURGH, PA 15236  
(412) 460-1310

00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS  
ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 561-4900

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER—S  
LANGHORNE—NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

29838  
SAN DIEGO REFERENCE LABORATORY—SC  
6122 NANCY RIDGE DRIVE  
SAN DIEGO, CA 92121  
(800) 677-7995

00182  
SCHUYLKILL MC E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

00183  
SCHUYLKILL MC S JACKSON ST—S  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262

28471  
SECON OF LOUISIANA—S  
825 KALISTE SALOOM RD  
BRANDYWINE 1  
SUITE 100  
LAFAYETTE, LA 70508  
(337) 235-3712

29038  
SECON OF NEW ENGLAND—SC  
415 MAIN STREET  
4TH FLOOR  
WORCESTER, MA 01608  
(508) 831-0703

00185  
SHAMOKIN AREA COMMUNITY HOSPITAL—S  
4200 HOSPITAL ROAD  
COAL TOWNSHIP, PA 17866-9697  
(570) 644-4200

00064  
SHARON REGIONAL HEALTH SYSTEM—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3911

27649  
SMA MEDICAL LABORATORIES—S  
940 PENNSYLVANIA BOULEVARD  
UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

00039  
SOLDIERS & SAILORS MEM HOSP—S  
CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133

00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5000

22376  
SPECIALTY LABORATORIES INC—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00361  
ST CATHERINE MED CTR—FOUNTAIN SPRINGS—S  
101 BROAD STREET  
ASHLAND, PA 17921  
(570) 875-5988

00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
ERIE AVENUE AT FRONT STREET  
PHILADELPHIA, PA 19134  
(215) 427-4207

00151  
ST JOSEPH QUALITY MEDICAL LAB—SC  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00261  
ST JOSEPH'S HOSPITAL—DIV NPHS—S  
16TH ST & GIRARD AVENUE  
PHILADELPHIA, PA 19130  
(215) 787-9000

00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8646

00180  
ST LUKES MINERS MEMORIAL HOSPITAL—S  
360 WEST RUDDLE STREET  
P. O. BOX 67  
COALDALE, PA 18218  
(570) 645-2131

29015  
STERLING REFERENCE LABORATORIES—SC  
2617 EAST L STREET  
#A  
TACOMA, WA 98421-2205  
(253) 552-1551

00094  
SUBURBAN CLINICAL LABORATORY—S  
100 SOUTH JACKSON AVENUE  
BELLEVUE, PA 15202  
(412) 734-6020

00187  
SUNBURY COMMUNITY HOSPITAL—S  
350 NORTH 11TH STREET  
SUNBURY, PA 17801  
(570) 286-3491

31474  
TASC INC—SC  
2234 N 7TH STREET  
PHOENIX, AZ 85006  
(602) 257-7588

00207  
TAYLOR HOSPITAL DIV OF CCMC—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 595-6450

00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4353

00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 N BROAD ST  
PHILADELPHIA, PA 19140  
(215) 707-4353

00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

00085  
THE WESTERN PA HOSP—FORBES REGIONAL  
CAMPUS—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2560

00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 S. 11TH ST  
204 PAVILLION  
PHILADELPHIA, PA 19107  
(215) 955-1644

00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384

00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506

00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100

00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500

00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7831

00058  
UPMC NORTHWEST—S  
100 FAIRFIELD DRIVE  
SENECA, PA 16346  
(814) 676-7120

05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC  
ROOM 5929  
MAIN TOWER CHP  
200 LOTHROP STREET  
PITTSBURGH, PA 15213-2582  
(412) 648-6000

00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
PITTSBURGH, PA 15215  
(412) 784-4000

00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE  
GROUND FLOOR  
WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950

27225  
US DRUG TESTING LABORATORIES INC—SC  
1700 SOUTH MOUNT PROSPECT ROAD  
DES PLAINES, IL 60018  
(847) 375-0770

00335  
VALLEY FORGE MED CTR & HOSP—S  
1033 W GERMANTOWN PIKE  
NORRISTOWN, PA 19403  
(610) 539-8500

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00095  
WESTERN PENNSYLVANIA HOSPITAL—S  
4800 FRIENDSHIP AVE  
PITTSBURGH, PA 15224  
(412) 578-5779

30245  
WESTFIELD HOSPITAL LABORATORY—S  
4815 W TILGHMAN STREET  
ALLENTOWN, PA 18104  
(610) 973-8425

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4365

00037  
WILLIAMSPORT HOSP & MED CENTER—S  
777 RURAL AVENUE  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00018  
WVHCS HOSP DBA PENNANT LABORATORY—SC  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

MICHAEL K. HUFF, R.N.,  
*Acting Secretary*

[Pa.B. Doc. No. 11-16. Filed for public inspection December 30, 2010, 9:00 a.m.]

### Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under the Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165), and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning.) These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter or higher.

The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hardcopy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the

facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

22912  
ACL LABORATORIES—LP  
8901 WEST LINCOLN AVE  
WEST ALLIS, WI 53227  
(414) 328-7945

29169  
ADVANCED TOXICOLOGY NETWORK—LP  
3560 AIR CENTER COVE  
SUITE 101  
MEMPHIS, TN 38118  
(901) 794-5770

00016  
ANGELINE KIRBY MEM HEALTH CENTER—L  
71 NORTH FRANKLIN STREET  
WILKES-BARRE, PA 18701  
(570) 822-4278

24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP  
3520 PROGRESS DRIVE  
UNIT C  
BENSALEM, PA 19020  
(267) 525-2470

20506  
CENTRAL PA ALLIANCE LABORATORY—L  
1803 MT ROSE AVENUE  
SUITE C3-C4  
YORK, PA 17403  
(717) 851-1426

00228  
CHILDRENS HOSP OF PHILADELPHIA—L  
ONE CHILDRENS CENTER  
34TH & CIVIC  
PHILADELPHIA, PA 19104  
(215) 590-4446

27845  
CLINICAL REFERENCE LABORATORY—LP  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

- 00561  
EAST PENN MFG CO INC—L  
DEKA RD  
KELLER TECH CENTER  
P. O. BOX 147  
LYONS STATION, PA 19536  
(610) 682-6361
- 00332  
ELLWOOD CITY HOSPITAL—LP  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-0081
- 31378  
ENZO CLINICAL LABS—L  
60 EXECUTIVE BLVD  
FARMINGDALE, NY 11735  
(631) 755-5500
- 00173  
GEISINGER MEDICAL LABORATORIES—L  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338
- 25914  
GENOVA DIAGNOSTICS—L  
63 ZILICOA STREET  
ASHEVILLE, NC 28801  
(828) 253-0621
- 20802  
HAGERSTOWN MEDICAL LABORATORY—L  
11110 MEDICAL CAMPUS RD  
STE 230  
HAGERSTOWN, MD 21742  
(301) 790-8670
- 24655  
HEALTH NETWORK LABORATORIES—LP  
2024 LEHIGH STREET  
ALLENTOWN, PA 18103-4798  
(610) 402-8150
- 05618  
LAB CORP OF AMERICA HOLDINGS—LP  
6370 WILCOX ROAD  
DUBLIN, OH 43016-1296  
(800) 282-7300
- 21885  
LAB CORP OF AMERICA HOLDINGS—LP  
1447 YORK COURT  
BURLINGTON, NC 27215  
(800) 334-5161
- 01088  
LABCORP OF AMERICA HOLDINGS—LP  
69 FIRST AVENUE  
P. O. BOX 500  
RARITAN, NJ 08869  
(908) 526-2400
- 00242  
MAIN LINE HEALTH LABORATORIES—L  
100 EAST LANCASTER AVENUE  
WYNNEWOOD, PA 19096  
(610) 645-2615
- 29685  
MAYO CLINIC DEPARTMENT OF LAB MEDICINE &  
PATHOLOGY—L  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458
- 09003  
MAYO CLINIC DEPT LAB MED & PATH—P  
200 FIRST STREET  
SW HILTON 530  
ROCHESTER, MN 55905  
(507) 284-3018
- 29251  
MAYO MEDICAL LABORATORIES NEW  
ENGLAND—LP  
160 DASCUMB ROAD  
ANDOVER, MA 01810  
(978) 658-3600
- 24668  
MCMURRAY PEDIATRIC & ADOLESCENT  
MEDICINE—L  
6000 WATERDAM PLAZA DRIVE  
#280  
MCMURRAY, PA 15317  
(724) 941-8199
- 26302  
MEDICAL ASSOCIATES BDHG—P  
935 HIGHLAND BLVD  
SUITE 2200  
BOZEMAN, MT 59715  
(406) 587-5123
- 05574  
MEDTOX LABORATORIES INC—LP  
402 WEST COUNTY ROAD D  
ST PAUL, MN 55112  
(651) 286-6217
- 00504  
NATIONAL MED SVCS INC/DBA NMS LABS—LP  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900
- 30553  
NATIONWIDE CHILDRENS HOSPITAL—LP  
CORE LAB AND LAB INFORMATION SYSTEMS  
700 CHILDRENS DRIVE  
COLUMBUS, OH 43205  
(614) 722-5376
- 23801  
PACIFIC TOXICOLOGY LABORATORIES—LP  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110
- 02125  
PED ALLIANCE ST CLAIR PED DIV—L  
1580 MCLAUGHLIN RUN ROAD  
PINERIDGE COMMONS  
SUITE 208  
UPPER ST CLAIR, PA 15241  
(412) 221-2121
- 25170  
PEDIATRIC CARE SPECIALISTS—L  
1322 EISENHOWER BOULEVARD  
JOHNSTOWN, PA 15904  
(814) 266-8840
- 22533  
PENNSYLVANIA DEPT OF HEALTH—LP  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00022  
POCONO MEDICAL CENTER LAB—L  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

00324  
PRIMARY CARE HLTH SERV INC LAB—L  
7227 HAMILTON AVE  
PITTSBURGH, PA 15208  
(412) 244-4728

00255  
PUBLIC HEALTH LAB CITY OF PHILA—L  
500 SOUTH BROAD STREET  
ROOM 359  
PHILADELPHIA, PA 19146  
(215) 685-6812

22715  
QUEST DIAGNOSTICS—LP  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770

00315  
QUEST DIAGNOSTICS CLINICAL LABS INC—L  
900 BUSINESS CENTER DRIVE  
HORSHAM, PA 19044  
(215) 957-9300

00669  
QUEST DIAGNOSTICS INCORPORATED—L  
ONE MALCOLM AVENUE  
TETERBORO, NJ 07608  
(201) 393-5895

21422  
QUEST DIAGNOSTICS INCORPORATED—LP  
1901 SULPHUR SPRING ROAD  
BALTIMORE, MD 21227  
(301) 247-9100

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP  
14225 NEWBROOK DRIVE  
P. O. BOX 10841  
CHANTILLY, VA 20153-0841  
(703) 802-6900

00482  
QUEST DIAGNOSTICS OF PA INC—LP  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—LP  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

00150  
READING HOSPITAL & MED CTR—L  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(610) 988-8080

31527  
SHIEL MEDICAL LABORATORY—L  
63 FLUSHING AVENUE  
BROOKLYN NAVY YARD  
UNIT 336  
BROOKLYN, NY 11205  
(718) 552-1000

22376  
SPECIALTY LABORATORIES INC—L  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00151  
ST JOSEPH QUALITY MEDICAL LAB—L  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00104  
THE UNIONTOWN HOSPITAL LABORATORY—L  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L  
ROOM 5929  
MAIN TOWER CHP  
200 LOTHROP STREET  
PITTSBURGH, PA 15213-2582  
(412) 648-6000

00018  
VWHCS HOSP DBA PENNANT LABORATORY—L  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

MICHAEL K. HUFF, R.N.,  
*Acting Secretary*

[Pa.B. Doc. No. 11-17. Filed for public inspection December 30, 2010, 9:00 a.m.]

## DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

### Determination of Need; Disabled Veterans' Real Estate Tax Exemption

Under 51 Pa.C.S. § 8904 (relating to duty of commission), the State Veterans' Commission (Commission) fixes uniform and equitable standards for the determination of need for certain disabled veterans and their unmarried surviving spouses to qualify for an exemption from real estate taxes on their principal dwellings. In so doing, the Commission is required by law to apply a rebuttable presumption that an applicant with annual income of \$75,000 or less has a need for the exemption.

Section 8904 of 51 Pa.C.S. further provides that, beginning January 1, 2009, the Commission will adjust the annual income level qualifying for the rebuttable presumption in an amount equal to the change in the Consumer Price Index for the preceding 2 years. Thus, effective January 1, 2009, the income level qualifying for the rebuttable presumption was adjusted to \$79,050.

Section 8904 of 51 Pa.C.S. requires that income level be adjusted effective January 1, 2011. During the 2-year period from December 1, 2008, until November 30, 2010, the Consumer Price Index (All Urban Consumers/Seasonally Adjusted) increased by a total of 2.9%. Accordingly, beginning January 1, 2011, the Commission will apply a rebuttable presumption that an applicant for the Disabled Veterans' Real Estate Tax Exemption program with an annual income of \$81,340 or less demonstrates a need for the exemption.



In applying the \$81,340 annual income level, the Office of Deputy Adjutant General for Veterans' Affairs will follow the following approach in determining the effective date of the exemption.

Applications pending on December 31, 2010, which are determined to demonstrate need based on eligibility criteria applicable on or before that date, shall be effective based on the date of application as provided by 43 Pa. Code § 5.25 (relating to effective date of exemption).

Applications pending on December 31, 2010, which did not demonstrate need applying the prior annual rebuttable presumption income level, but which would meet the need eligibility criteria applicable on January 1, 2011, shall be effective as of January 1, 2011.

Applications filed with the local boards for assessment and revision of taxes or similar board or agency on or after January 1, 2011, shall be effective based on the date of application as provided by 43 Pa. Code § 5.25.

Applicants who were denied certificates of need prior to January 1, 2011, but who believe they qualify after that date, may reapply, with the effective date of any exemption being based on the date of the new application as provided by 43 Pa. Code § 5.25.

STEPHEN M. SISCHO,  
Major General, PaANG  
Acting Adjutant General

[Pa.B. Doc. No. 11-18. Filed for public inspection December 30, 2010, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Lucky Emerald 8s Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Lucky Emerald 8s.

2. *Price:* The price of a Pennsylvania Lucky Emerald 8s instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Lucky Emerald 8s instant lottery game ticket will contain one play area. The play symbols and their captions printed in black ink, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), Bell (BELL) symbol, Coins (COIN) symbol, Gold Bar (GBAR) symbol, Horseshoe (SHOE) symbol, Star (STAR) symbol, Diamond (DIAM) symbol, Sapphire (SAPH) symbol, Ruby (RUBY) symbol, Moon (MOON) symbol and an 8 (EIGHT) symbol. The play symbols and their captions printed in green ink, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), Bell (BELL) symbol, Coins (COIN) symbol, Gold Bar (GBAR) symbol, Horseshoe (SHOE) symbol, Star (STAR) symbol, Diamond (DIAM) symbol, Sapphire (SAPH) symbol, Ruby (RUBY) symbol, Moon (MOON) symbol, Emerald (EMERALD) symbol and a Green 8 (GEIGHT) symbol.

4. *Prize Symbols:* The prize symbols and their captions are: \$2<sup>00</sup> (TWO DOL), \$5<sup>00</sup> (FIV DOL), \$8<sup>00</sup> (EGT DOL),

\$10<sup>00</sup> (TEN DOL), \$16<sup>00</sup> (SIXTN), \$20<sup>00</sup> (TWENTY), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$80<sup>00</sup> (EIGHTY), \$100 (ONE HUN), \$800 (EGT HUN), \$1,000 (ONE THO), \$8,000 (EGT THO) and \$80,000 (EGTY THO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$5, \$8, \$10, \$16, \$20, \$40, \$50, \$80, \$100, \$800, \$1,000, \$8,000 and \$80,000. A player can win up to 12 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 4,800,000 tickets will be printed for the Pennsylvania Lucky Emerald 8s instant lottery game.

#### 7. Determination of Prize Winners:

(a) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$80,000 (EGTY THO) appearing in the "prize" area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$80,000.

(b) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$8,000 (EGT THO) appearing in the "prize" area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$8,000.

(c) Holders of tickets with an 8 (EIGHT) symbol, with the symbol and caption printed in black ink, and a prize symbol of \$1,000 (ONE THO) appearing in the "prize" area to the right of that 8 (EIGHT) symbol, on a single ticket, shall be entitled to a prize of \$8,000.

(d) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$800 (EGT HUN) appearing in the "prize" area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$800.

(e) Holders of tickets with an 8 (EIGHT) symbol, with the symbol and caption printed in black ink, and a prize symbol of \$100 (ONE HUN) appearing in the "prize" area to the right of that 8 (EIGHT) symbol, on a single ticket, shall be entitled to a prize of \$800.

(f) Holders of tickets with an 8 (EIGHT) symbol, with the symbol and caption printed in black ink, and a prize symbol of \$50<sup>00</sup> (FIFTY) appearing in the "prize" area to the right of that 8 (EIGHT) symbol, on a single ticket, shall be entitled to a prize of \$400.

(g) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$100 (ONE HUN) appearing in the "prize" area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$80<sup>00</sup> (EIGHTY) appearing in the "prize" area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$80.

(i) Holders of tickets with a Green 8 (GEIGHT) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$80<sup>00</sup> (EIGHTY) appearing in the "prize"

area to the right of that Green 8 (GEIGHT) symbol, on a single ticket, shall be entitled to a prize of \$80.

(j) Holders of tickets with an 8 (EIGHT) symbol, with the symbol and caption printed in black ink, and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appearing in the “prize” area to the right of that 8 (EIGHT) symbol, on a single ticket, shall be entitled to a prize of \$80.

(k) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$50.<sup>00</sup> (FIFTY) appearing in the “prize” area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$40.<sup>00</sup> (FORTY) appearing in the “prize” area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$40.

(m) Holders of tickets with an 8 (EIGHT) symbol, with the symbol and caption printed in black ink, and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appearing in the “prize” area to the right of that 8 (EIGHT) symbol, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$20.<sup>00</sup> (TWENTY) appearing in the “prize” area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink,

and a prize symbol of \$16.<sup>00</sup> (SIXTN) appearing in the “prize” area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$16.

(p) Holders of tickets with an 8 (EIGHT) symbol, with the symbol and caption printed in black ink, and a prize symbol of \$2.<sup>00</sup> (TWO DOL) appearing in the “prize” area to the right of that 8 (EIGHT) symbol, on a single ticket, shall be entitled to a prize of \$16.

(q) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appearing in the “prize” area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$8.<sup>00</sup> (EGT DOL) appearing in the “prize” area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$8.

(s) Holders of tickets with an Emerald (EMERALD) symbol, with the symbol and caption printed in green ink, and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appearing in the “prize” area to the right of that Emerald (EMERALD) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Reveal An Emerald Symbol, Win Prize Shown To The Right Of That Symbol. Win With Prizes Of:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 4,800,000 Tickets:</i>
\$5	\$5	12.5	384,000
\$8	\$8	15	320,000
\$5 × 2	\$10	60	80,000
\$10	\$10	60	80,000
\$8 × 2	\$16	300	16,000
\$2 w/8 SYMBOL	\$16	54.55	88,000
\$16	\$16	300	16,000
\$5 × 4	\$20	200	24,000
\$10 × 2	\$20	200	24,000
\$20	\$20	150	32,000
\$5 w/8 SYMBOL	\$40	120	40,000
\$8 × 5	\$40	600	8,000
\$10 × 4	\$40	600	8,000
(\$16 × 2) + \$8	\$40	600	8,000
\$20 × 2	\$40	600	8,000
\$40	\$40	600	8,000
\$5 × 10	\$50	6,000	800
(\$5 w/8 SYMBOL) + (\$5 × 2)	\$50	6,000	800
\$10 × 5	\$50	6,000	800
(\$16 × 2) + \$10 + \$8	\$50	6,000	800
(\$20 × 2) + (\$5 × 2)	\$50	6,000	800
\$50	\$50	6,000	800
\$8 × 10	\$80	2,667	1,800
\$10 w/8 SYMBOL	\$80	1,333	3,600
\$16 × 5	\$80	3,429	1,400
\$20 × 4	\$80	3,429	1,400
GREEN 8 SYMBOL	\$80	480	10,000
\$40 × 2	\$80	3,000	1,600
\$80	\$80	2,667	1,800

Reveal An Emerald Symbol,  
Win Prize Shown To The  
Right Of That Symbol. Win  
With Prizes Of:

(\$8 × 10) + (\$10 × 2)  
(\$10 w/8 SYMBOL) + (\$10 × 2)  
\$20 × 5  
\$50 × 2  
GREEN 8 SYMBOL + \$20  
\$100  
\$80 × 10  
GREEN 8 SYMBOL × 10  
(\$50 w/8 SYMBOL) + (\$50 × 8)  
\$100 w/8 SYMBOL  
\$800  
\$1,000 w/8 SYMBOL  
\$800 × 10  
\$8,000  
\$80,000

Win:

\$100  
\$100  
\$100  
\$100  
\$100  
\$100  
\$800  
\$800  
\$800  
\$800  
\$8,000  
\$8,000  
\$8,000  
\$80,000

Approximate  
Odds Are 1 In:

4,800  
4,800  
6,000  
6,000  
3,429  
4,800  
120,000  
40,000  
60,000  
60,000  
60,000  
240,000  
480,000  
480,000  
480,000

Approximate No.  
of Winners Per  
4,800,000  
Tickets:

1,000  
1,000  
800  
800  
1,400  
1,000  
40  
120  
80  
80  
80  
20  
10  
10  
10

"8" (EIGHT) symbol = win 8 times the prize shown to the right of it.  
"GREEN 8" (GEIGHT) symbol = win \$80 instantly.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Lucky Emerald 8s instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Lucky Emerald 8s, prize money from winning Pennsylvania Lucky Emerald 8s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Lucky Emerald 8s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Lucky Emerald 8s or through normal communications methods.

C. DANIEL HASSELL,  
Secretary

[Pa.B. Doc. No. 11-19. Filed for public inspection December 30, 2010, 9:00 a.m.]

## Pennsylvania Pot O' Gold '11 Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Pot O' Gold '11.

2. *Price:* The price of a Pennsylvania Pot O' Gold '11 instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Pot O' Gold '11 instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), Leprechaun (LEPCH) symbol and a Pot Of Gold (PTGOLD) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$1.<sup>00</sup> (ONE DOL), \$2.<sup>00</sup> (TWO DOL), \$4.<sup>00</sup> (FOR DOL), \$5.<sup>00</sup> (FIV DOL), \$10.<sup>00</sup> (TEN DOL), \$20.<sup>00</sup> (TWENTY), \$40.<sup>00</sup> (FORTY), \$50.<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$1,000 (ONE THO) and \$17,000 (SVNTN THO).

5. *Prizes:* The prizes that can be won in this game are: \$1, \$2, \$4, \$5, \$10, \$20, \$40, \$50, \$100, \$400, \$1,000 and \$17,000. The player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 6,120,000 tickets will be printed for the Pennsylvania Pot O' Gold '11 instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$17,000 (SVNTN THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$17,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol

of \$1,000 (ONE THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Pot Of Gold (PTGOLD) symbol, and a prize symbol of \$100 (ONE HUN) appears in each of the ten "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Pot Of Gold (PTGOLD) symbol, and a prize symbol of \$40<sup>00</sup> (FORTY) appears in each of the ten "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$100 (ONE HUN) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Pot Of Gold (PTGOLD) symbol, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in each of the ten "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$40<sup>00</sup> (FORTY) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$80.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Pot Of Gold (PTGOLD) symbol, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in each of the ten "prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$40<sup>00</sup> (FORTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$20<sup>00</sup> (TWENTY) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$40.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Pot Of Gold (PTGOLD) symbol, and a prize symbol of \$4<sup>00</sup> (FOR DOL) appears in each of the ten "prize" areas, on a single ticket, shall be entitled to a prize of \$40.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Pot Of Gold (PTGOLD) symbol, and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in each of the ten "prize" areas, on a single ticket, shall be entitled to a prize of \$20.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$10.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Pot Of Gold (PTGOLD) symbol, and a prize symbol of \$1<sup>00</sup> (ONE DOL) appears in each of the ten "prize" areas, on a single ticket, shall be entitled to a prize of \$10.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$4<sup>00</sup> (FOR DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$4.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(z) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Leprechaun (LEPCH) symbol, and a prize symbol of \$1<sup>00</sup> (ONE DOL) appears under the Leprechaun (LEPCH) symbol, on a single ticket, shall be entitled to a prize of \$2.

(aa) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol

of \$1<sup>00</sup> (ONE DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When Any Of Your Numbers  
Match Either Winning  
Number, Win Prize Shown  
Under The Matching Number.  
Win With Prize(s) Of:

Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 6,120,000 Tickets	
\$1 × 2	\$2	37.5	163,200
\$1 w/LEPRECHAUN	\$2	30	204,000
\$2	\$2	30	204,000
\$1 × 4	\$4	75	81,600
\$2 × 2	\$4	150	40,800
\$2 w/LEPRECHAUN	\$4	37.5	163,200
\$4	\$4	75	81,600
\$1 × 5	\$5	150	40,800
\$1 + (\$1 w/LEPRECHAUN) + \$2	\$5	50	122,400
\$5	\$5	150	40,800
POT OF GOLD w/(\$1 × 10)	\$10	250	24,480
\$2 × 5	\$10	300	20,400
(\$1 w/LEPRECHAUN) + (\$2 × 4)	\$10	375	16,320
\$5 w/LEPRECHAUN	\$10	300	20,400
\$10	\$10	300	20,400
POT OF GOLD w/(\$2 × 10)	\$20	750	8,160
\$4 × 5	\$20	750	8,160
\$5 × 4	\$20	750	8,160
\$10 × 2	\$20	1,500	4,080
\$10 w/LEPRECHAUN	\$20	500	12,240
\$20	\$20	750	8,160
POT OF GOLD w/(\$4 × 10)	\$40	1,333	4,590
(\$4 × 5) + (\$5 × 4)	\$40	4,000	1,530
\$5 × 8	\$40	2,000	3,060
\$10 × 4	\$40	4,000	1,530
\$20 × 2	\$40	4,000	1,530
\$20 w/LEPRECHAUN	\$40	1,000	6,120
\$40	\$40	2,000	3,060
POT OF GOLD w/(\$5 × 10)	\$50	2,000	3,060
\$10 × 5	\$50	6,000	1,020
(\$10 w/LEPRECHAUN) + (\$5 × 6)	\$50	3,000	2,040
(\$20 w/LEPRECHAUN) + \$10	\$50	3,000	2,040
\$50	\$50	3,000	2,040
POT OF GOLD w/(\$10 × 10)	\$100	6,000	1,020
\$20 × 5	\$100	12,000	510
(\$40 w/LEPRECHAUN) + (5 × 4)	\$100	12,000	510
\$50 w/LEPRECHAUN	\$100	5,217	1,173
\$100	\$100	8,000	765
POT OF GOLD w/(\$40 × 10)	\$400	120,000	51
\$50 × 8	\$400	120,000	51
(\$100 w/LEPRECHAUN) + (\$100 × 2)	\$400	120,000	51
\$400	\$400	120,000	51
POT OF GOLD w/(\$100 × 10)	\$1,000	180,000	34
\$1,000	\$1,000	180,000	34
\$17,000	\$17,000	360,000	17

Get a "LEPRECHAUN" (LEPCH) symbol, win double the prize shown under it.

Get a "POT OF GOLD" (PTGOLD) symbol, win all 10 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Pot O' Gold '11 instant lottery game tickets.

The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Pot O' Gold '11, prize money from winning Pennsylvania Pot O' Gold '11

instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Pot O' Gold '11 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Pot O' Gold '11 or through normal communications methods.

C. DANIEL HASSELL,  
*Secretary*

[Pa.B. Doc. No. 11-20. Filed for public inspection December 30, 2010, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Requests for Modification or Inclusion of Funding for Public Use Airport Projects in the 2012 Four-Year Plan

Airport development funding requests submitted by public use airports to the Department of Transportation, Bureau of Aviation (Bureau) for inclusion in the Twelve-Year Plan or Four-Year Plan are eligible for consideration if submitted by December 1, 2011.

The Bureau is accepting funding requests by public use airports for inclusion in the Twelve-Year Plan or Four-Year Plan through the close of business on December 1, 2011. Requests must be submitted to the Bureau electronically through the Joint Automated Capital Improvement Program database after May 31, 2011, but no later than December 1, 2011. All requests must be submitted by the deadline to be eligible for grant funding consideration.

Each year, under 74 Pa.C.S. §§ 6121 and 6122 (relating to tax on aviation fuels; and allocation of funds) and 67 Pa. Code §§ 473.5a and 473.5b (relating to project selection process and criteria; and important dates and notification procedure), the Bureau selects projects to maintain a balanced Four-Year Plan from Twelve-Year Plan/Four-Year Plan projects on file by the submission deadline.

More detailed Twelve- or Four-Year Program information is available at [www.dot.state.pa.us](http://www.dot.state.pa.us) or by contacting the Bureau at (717) 705-1260.

ALLEN D. BIEHLER, P. E.,  
*Secretary*

[Pa.B. Doc. No. 11-21. Filed for public inspection December 30, 2010, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Meetings Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meetings: Wednesday, January 12, 2011, Data Systems Committee Teleconference at 10 a.m. and Thursday, January 13, 2011, Council Meeting at 10 a.m.

The teleconference will be accessible from the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and wish to attend the meeting should contact Renee Greenawalt, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,  
*Executive Director*

[Pa.B. Doc. No. 11-22. Filed for public inspection December 30, 2010, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, December 16, 2010, and announced the following:

*Regulations Deemed Approved under section 5(g) of the Regulatory Review Act—Effective November 30, 2010:*

Insurance Department #11-245: Property and Casualty Actuarial Opinion (amends 31 Pa. Code Chapter 118a)

Insurance Department #11-244: Actuarial Opinion and Memorandum (amends 31 Pa. Code Chapter 84b)

Insurance Department #11-246: Recognition of the 2001 CSO Mortality Table and the 2001 CSO Preferred Class Structure Mortality Table For Use in Determining Minimum Reserve Liabilities (amends 31 Pa. Code Chapter 84d)

Insurance Department #11-247: Valuation of Life Insurance Policies (amends 31 Pa. Code Chapter 84c)

*Action Taken—Regulations Approved:*

Department of Revenue #15-450: Amendments to Pennsylvania Gaming Cash Flow Management (amends 61 Pa. Code Chapter 1001)

Insurance Department #11-240: Education and Training for Applicants and Insurance Producers (deletes 31 Pa. Code Chapter 39 and replaces it with Chapter 39a)

Department of Labor and Industry #12-74: Unemployment Compensation; Employee Provisions (amends 34 Pa. Code Chapter 65)

Department of Labor and Industry #12-78: Unemployment Compensation; Administration (amends 34 Pa. Code Chapter 61)

State Registration Board for Professional Engineers, Land Surveyors and Geologists #16A-4710: Continuing Education (amends 49 Pa. Code Chapter 37)

Department of State, Bureau of Professional and Occupational Affairs #16-43: Schedule of Civil Penalties—Engineers, Land Surveyors and Geologists (amends 49 Pa. Code Chapter 43b)

State Board of Chiropractic #16A-4318: Continuing Education Violations (amends 49 Pa. Code § 5.77)

Department of State #16-44: Schedule of Civil Penalties—Chiropractors (amends 49 Pa. Code § 43b.22)

Department of Agriculture #2-160: Milk Sanitation (rescinds 7 Pa. Code Chapter 59 and replaces it with a new Chapter 59a)

---

### Approval Order

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*Department of Revenue—  
Amendments to Pennsylvania Gaming  
Cash Flow Management;  
Regulation No. 15-450 (#2882)*

On November 3, 2010, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Revenue (Department). This rulemaking amends 61 Pa. Code Chapter 1001. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted rulemaking amends the Department's Gaming Cash Flow Management regulations to allow for the administration and distribution of gross table game revenue.

We have determined this regulation is consistent with the statutory authority of the Department (4 Pa.C.S.A. § 1501) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

### Approval Order

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*Insurance Department—  
Education and Training for Applicants  
and Insurance Producers;  
Regulation No. 11-240 (#2812)*

On December 14, 2009, the Independent Regulatory Review Commission (Commission) received this proposed

regulation from the Insurance Department (Department). This rulemaking deletes 31 Pa. Code Chapter 39 and replaces it with Chapter 39a. The proposed regulation was published in the December 26, 2009 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 9, 2010.

This rulemaking establishes new training requirements for insurance producers and insurers writing long term care insurance and insurance producers selling flood insurance. It also clarifies existing training and education requirements for insurance producers.

We have determined this regulation is consistent with the statutory authority of the Department (71 P. S. § 186 and 40 P. S. §§ 310.4, 310.8 and 310.98) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

### Approval Order

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*Department of Labor and Industry—  
Unemployment Compensation; Employee Provisions;  
Regulation No. 12-74 (#2846)*

On May 10, 2010, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Labor and Industry (Department). This rulemaking amends 34 Pa. Code Chapter 65. The proposed regulation was published in the May 22, 2010 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 9, 2010.

This rulemaking updates the Department's existing regulations, pertaining to employee provisions for unemployment compensation, to conform to current law and practice.

We have determined this regulation is consistent with the statutory authority of the Department (43 P. S. § 761(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

### Approval Order

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*Department of Labor and Industry—  
Unemployment Compensation; Administration;  
Regulation No. 12-78 (#2847)*

On May 10, 2010, the Independent Regulatory Review Commission (Commission) received this proposed regula-

tion from the Department of Labor and Industry (Department). This rulemaking amends 34 Pa. Code Chapter 61. The proposed regulation was published in the May 22, 2010 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 9, 2010.

This rulemaking updates the Department's existing regulations, pertaining to administration of unemployment compensation, to conform to current law and practice.

We have determined this regulation is consistent with the statutory authority of the Department of Labor and Industry (43 P.S. § 761(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

**Approval Order**

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*State Registration Board for Professional Engineers, Land Surveyors and Geologists—Continuing Education;  
Regulation No. 16A-4710 (#2762)*

On April 22, 2009, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Registration Board for Professional Engineers, Land Surveyors and Geologists (Board). This rulemaking amends 49 Pa. Code Chapter 37. The proposed regulation was published in the May 2, 2009 *Pennsylvania Bulletin* with a 30-day public comment period. A final-form regulation was submitted to the Commission on September 3, 2010, but was disapproved by the Commission on October 7, 2010. The Board resubmitted the final-form regulation with changes to the Commission on November 24, 2010.

This regulation establishes continuing education requirements for licensees of the Board as set forth by Engineer, Land Surveyor and Geologist Registration Law, as amended by Act 25 of 2010.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. § 151(l)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

**Approval Order**

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*Department of State; Bureau of Professional and Occupational Affairs—  
Schedule of Civil Penalties—Engineers,  
Land Surveyors and Geologists;  
Regulation No. 16-43 (#2764)*

On April 22, 2009, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of State (Department). This rulemaking amends 49 Pa. Code Chapter 43b. The proposed regulation was published in the May 2, 2009 *Pennsylvania Bulletin* with a 30-day public comment period. A final-form regulation was submitted to the Commission on September 3, 2010, but was disapproved by the Commission on October 7, 2010, at the request of the Department's counsel, given that the companion Regulation #16A-4710 (IRRC #2762) had been disapproved at the same public meeting. The Department resubmitted the final-form regulation without changes to the Commission on November 24, 2010.

This final regulation would establish a civil penalty schedule for violations of the continuing education requirements of the State Registration Board for Professional Engineers, Land Surveyors and Geologists (Board). This regulation is the companion piece to Regulation #16A-4710 (IRRC #2762) from the Board entitled: "Continuing Education."

We have determined this regulation is consistent with the statutory authority of the Department (63 P.S. §§ 2205(a), 151(g) and 158(b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

**Approval Order**

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*State Board of Chiropractic—  
Continuing Education Violations;  
Regulation No. 16A-4318 (#2792)*

On September 11, 2009, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Chiropractic (Board). This rulemaking amends 49 Pa. Code § 5.77. The proposed regulation was published in the September 26, 2009 *Pennsylvania Bulletin* with a 30-day public comment period. A final-form regulation was submitted to the Commission on September 3, 2010, but was disapproved by the Commission on October 7, 2010. The Department resubmitted the final-form regulation with changes to the Commission on November 24, 2010.

This regulation clarifies the course of action the Board will take against a licensee who fails to comply with the continuing education provisions in the Chiropractic Practice Act (63 P.S. § 625.507(a)).



We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 625.302(3)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

### Approval Order

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*Department of State—  
Schedule of Civil Penalties—Chiropractors;  
Regulation No. 16-44 (#2791)*

On September 11, 2009, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of State (Department). This rulemaking amends 49 Pa. Code § 43b.22. The proposed regulation was published in the September 26, 2009 *Pennsylvania Bulletin* with a 30-day public comment period. A final-form regulation was submitted to the Commission on September 3, 2010, but was disapproved by the Commission on October 7, 2010, at the request of the Department's counsel, given that the companion Regulation #16A-4318 (IRRC #2792) had been disapproved at the same public meeting. The Department resubmitted the final-form regulation without changes to the Commission on November 24, 2010.

This final regulation establishes a civil penalty schedule for violations of the continuing education requirements of the State Board of Chiropractic (Board). This regulation is the companion piece to Regulation #16A-4318 (IRRC # 2792) from the Board entitled: "Continuing Education Violations."

We have determined this regulation is consistent with the statutory authority of the Department (63 P. S. § 2205(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

---

### Approval Order

Public Meeting held  
December 16, 2010

*Commissioners Voting:* Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; Arthur Coccodrilli; S. David Fineman, Esq.; John F. Mizner, Esq.

*Department of Agriculture—  
Milk Sanitation;  
Regulation No. 2-160 (#2777)*

On July 21, 2009, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture (Department). This rulemaking rescinds 7 Pa. Code Chapter 59 and

replaces it with a new Chapter 59a. The proposed regulation was published in the August 1, 2009 *Pennsylvania Bulletin* with a 60-day public comment period. At its October 7, 2010 public meeting, the Commission voted to disapprove the final-form regulation. On November 22, 2010, the Department submitted its report containing the revised final-form regulation to the Commission.

This final-form rulemaking reflects developments in the dairy industry, brings Pennsylvania's sanitation standards into alignment with federal standards and requirements, and consolidates and updates provisions addressing the production of raw milk for human consumption.

We have determined this regulation is consistent with the statutory authority of the Department (31 P. S. § 660(c) and 31 P. S. § 20.13) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

SILVAN B. LUTKEWITTE, III,  
Chairperson

[Pa.B. Doc. No. 11-23. Filed for public inspection December 30, 2010, 9:00 a.m.]

---

## INSURANCE DEPARTMENT

### Increase in the Accident Surcharge Dollar Threshold (Cap) to \$1,450; Notice No. 2011-01

Insurers writing private passenger automobile insurance in this Commonwealth may not, by law, penalize their policyholders (for example, apply rate surcharges or otherwise increase premiums) whose aggregate claim cost over a 3-year period does not exceed a certain threshold (cap). This threshold (cap) applies to any person injured or property damaged, and is measured in excess of any deductible or self-insured retention. Effective July 1, 2011, the Insurance Department (Department) has increased the threshold (cap) to \$1,450.

Section 1799.3(a) of 75 Pa.C.S. (relating to limit on cancellations, refusals to renew, refusals to write, surcharges, rate penalties and point assignments) does not allow an insurer to "cancel or refuse to renew a policy or apply any surcharge, rate penalty or driver record point assignment" when the threshold (cap) is not exceeded.

By law, the Department is required to adjust the amount of the threshold (cap) at least once every 3 years. Section 1799.3(e) of 75 Pa.C.S. stipulates the adjustment be made relative to changes in the Consumer Price Index for medical care and automobile maintenance and repair costs and may be rounded to the nearest \$50. The underlying indices have averaged 3.3% (medical care) and 2.7% (maintenance and repair), annually, since the last adjustment. The previous adjustment to the threshold (cap) was effective July 1, 2008, when the threshold (cap) increased to \$1,350.

Each individual insurer, ISO, AIPSO and MSO should file the previously mentioned change for prior approval by April 1, 2011, and specify an effective date of no later than July 1, 2011.

To expedite the review process, companies are advised to limit their rate/rule filings to the required threshold revision only. Any unrelated changes, revisions and manual pages should not be included in the filing. Additionally, "surcharge disclosure plan(s)" required under section 1793(b) (relating to special provisions relating to premiums) do not require the Department's review and prior approval and should not be submitted in response to this notice.

Questions regarding this notice may be directed to Bojan Zorkic, Actuarial Review Division, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, (717) 787-6968, bzorkic@state.pa.us.

ROBERT L. PRATTER,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 11-24. Filed for public inspection December 30, 2010, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Numbering Plan Area Relief Planning for the 814 NPA

Public Meeting held  
December 16, 2010

*Commissioners Present:* James H. Cawley, Chairperson;  
Tyrone J. Christy, Vice Chairperson; John F. Coleman,  
Jr.; Wayne E. Gardner; Robert F. Powelson

*Petition of the North American Numbering Plan  
Administrator on behalf of the Pennsylvania  
Telecommunications Industry for Approval of  
Numbering Plan Area Relief Planning  
for the 814 NPA; P-2009-2112925*

#### Final Order

*By the Commission:*

In this order, the Commission revisits the issue of area code exhaust<sup>1</sup> and the implementation of relief to address such exhaust. On June 9, 2009, the North American Numbering Plan Administrator (NANPA), Neustar, Inc. (Neustar), in its role as the neutral third party Numbering Plan Area (NPA) Relief Planner for Pennsylvania,<sup>2</sup> acting on behalf of the Pennsylvania telecommunications industry (Industry) filed a petition with the Commission requesting approval of its plan for the 814 Numbering Plan Area ("NPA" or "area code"). The Commission, therefore, is faced with deciding which form of area code relief should be implemented for the 814 area code and when the new area code must be added.

#### Background

The 814 area code is one of Pennsylvania's original four area codes. It was established in 1947. The geographic area covered by the 814 area code generally comprises the central portion of the state. The 814 NPA extends in a northerly direction to the borders of the state of New York, in a westerly direction towards the borders of the state of Ohio, and in a southerly direction to the borders

<sup>1</sup> The unavailability of NXX codes in an area code for assignment to telecommunications carriers leads to the exhaust of the area code.

<sup>2</sup> The NANPA is the entity that allocates numbering resources and monitors the viability of area codes to determine when all of the numbers available in the area code are nearing exhaust.

of the state of Maryland. The 814 NPA is divided into 178 rate centers which encompass twenty-six counties and includes such cities as State College, Altoona, Johnstown, Somerset and Erie.

Much of the information leading to the current area code relief process for the 814 NPA can be found in prior Commission orders. Therefore, we will not go into much detail in this order. Relief planning for the 814 area code initially began in 2002 when the 2001 Number Resource Utilization Forecast (NRUF) and NPA Exhaust Analysis June 1, 2001 Update (2001 NRUF Report)<sup>3</sup> indicated that the 814 NPA would exhaust during the first quarter of 2005. Consequently, the telecommunications industry met on March 21, 2002, in Pittsburgh, Pennsylvania, to discuss various relief alternatives that were set forth in the Initial Planning Document (IPD) that NANPA had distributed to them pursuant to the NPA Relief Planning Guidelines. The IPD contained descriptions, maps, general facts and assumptions, and the projected lives of a total of five relief alternatives consisting of three two-way geographic split alternatives, referred to in the IPD as Alternatives #1, #2 and #5, an all-services distributed overlay relief alternative, referred to as Alternative #3 and a technology specific overlay, referred to as Alternative #4.

At this March 21st meeting, the participants discussed the attributes of the relief alternatives and reached consensus to recommend to the Commission Alternative #3, the all-services distributed overlay plan, as the preferred method of relief for the 814 NPA. The all-services distributed overlay, would superimpose a new NPA over the same geographic area covered by the existing 814 NPA. All existing customers would retain the 814 area code and would not have to change their telephone numbers. Consistent with Federal Communications Commission (FCC) regulations, the relief plan would require 10-digit dialing for all local calls within and between the 814 NPA and the new NPA. The Industry further recommended that calls between NPAs be dialed using 1+10-digits and 0+10 dialing for operator assisted calls. Lastly, Industry participants reached consensus to recommend to the Commission a thirteen-month schedule for implementation of the overlay.

However, due to the implementation of the number conservation measure 1,000-block (1K) number pooling<sup>4</sup> in the 814 area code, the 814 area code experienced an unprecedented, efficient use its numbering resources, which, in turn, lengthened the life expectancy of the 814 area code. The Industry acknowledged the disruption to customers caused by changes in their area code, especially when implementing such area code relief is no longer necessary. Consequently, the Industry decided to delay filing the petition for relief until such time that future NRUF reports indicated a more immediate need.

Subsequently, the April 2009 NRUF Report indicated that the 814 NPA was projected to exhaust all of its available NXX codes during the third quarter of 2012. After the release of the April 2009 NRUF Report, the Industry met via conference call to re-initiate the 814 area code relief process and decided to file an updated petition for relief with the Commission recommending the

<sup>3</sup> Federal rules that went into effect on July 17, 2000, require all carriers to report to the NANPA their historical and forecast utilization data. 47 CFR 52.15(f). These reports are made semi-annually and are referred to as the "NRUF Reports." Using this data along with the rate of assignment of NXX codes in the NPA, the NANPA predicts the exhaust date for all NPAs in its NPA Exhaust Analysis. These reports can be found at [www.nanpa.com](http://www.nanpa.com).

<sup>4</sup> Thousand-block number pooling is the process by which a 10,000 block of numbers is separated into ten sequential blocks of 1,000 numbers and allocated separately to providers within a rate center.

same relief as before, an all-services distributed overlay. That petition was filed with the Commission on June 9, 2009.

By an Order entered July 29, 2009, the Commission denied the Industry's recommendation and requested written comments from interested parties on the five relief alternatives that had initially been presented by Neustar to the telecommunications industry at the March 21, 2002 meeting. Thereafter, by an Order entered January 28, 2010, the Commission scheduled five public input hearings in various cities located throughout the 814 NPA to receive comments and discuss the relief alternatives.<sup>5</sup>

The Commission has reviewed the written comments and the transcripts of the public input hearings regarding which form of area code relief should be implemented upon the exhaust of the 814 NPA and the timeframe for the implementation of the relief. The Commission would like to express its sincere thanks to those that submitted written comments in this proceeding and to those who attended and participated in the public input hearings and offered their concerns and suggestions regarding which form of area code relief the Commission should implement for the 814 area code. In particular, the Commission notes the comments submitted by the Honorable State Representatives Carl Metzgar and John Hornaman, the Office of Consumer Advocate and the Borough of Somerset. The Commission has taken all of this into consideration in resolving the question of area code relief for the 814 area code.

### Discussion

When the supply of numbers available within an NPA, or area code, is estimated to exhaust, some form of area code relief must be implemented so that customers in that area can continue to obtain the services they desire from the carrier of their choice. Pursuant to Section 251(e) of the Act, 47 U.S.C. § 251(e), the FCC delegated authority to state commissions to direct the form of area code relief in such situations. The FCC has adamantly maintained that state commissions cannot engage in number conservation measures to the exclusion of, or as a substitute for, timely area code relief.<sup>6</sup>

The latest NRUF Report indicates that the 814 NPA is now projected to exhaust its remaining supply of telephone numbers by the first quarter of 2013. We believe that this change in the projected forecast date for the 814 NPA is due in part to our efforts before the FCC to have it grant us the authority to implement mandatory 1K number pooling statewide.<sup>7</sup> Nonetheless, in accordance with the FCC's directives, we must continue with this instant area code relief process. Therefore, we must implement timely area code relief, i.e., add a new area code, when area codes are about to exhaust their supply of NXX codes.

When faced with the need to implement new area codes, the Commission must decide two very important issues. First, the Commission must decide how to implement the new area code (i.e., a geographic split or an overlay). Second, the Commission must determine when the new area code needs to be implemented.

State commissions generally have the ability to use four viable options to introduce a new area code in order to

resolve area code exhaust. However, the two most common methods of introducing new area codes are the geographic split or an overlay. Both of these options have their advantages and drawbacks. We note that local calling areas do not change no matter which method of area code relief is implemented.

With a geographic split, the geographic area covered by the existing area code is split into two smaller sections. One of the sections retains the existing area code while the other geographic section receives the new area code, which causes residential customers and businesses in that section to have to change their telephone numbers. Nevertheless, local calling areas do not change and both sections retain the ability to use seven-digit dialing when making calls within each corresponding geographic area. Conversely, telephone calls between the two geographic areas, even if rated as "local" calls by the telephone company, cannot be completed without the use of ten-digit dialing.

The other option is an all-services overlay. An overlay area code "covers" the pre-existing area code, most often serving the identical geographic area. This option puts an end to further shrinking of the geographic size of the area code. Additionally, all existing numbers in the overlaid geographic area are able to keep the old area code, and only new telephone lines are assigned the new area code if the old area code has run out of numbers. Consequently, a customer might have two different area codes for telephone lines serving his or her home or place of business. Furthermore, since with an overlay there are multiple area codes for the same geographic area, all calls, including local calls, require ten-digit dialing in order to be completed. In fact, per FCC mandate, states are required to impose ten-digit dialing for all calls, even if those calls are made within the same area code. This purportedly eliminates a dialing disparity between customers in the old area code and those in the new overlay area code.

The Commission recognizes that both the overlay and geographic split create certain inconveniences, described above, for the citizens and businesses of the State. The Commission notes that the industry reached a consensus to implement an all-services distributed overlay for the geographic area covered by the 814 NPA, which would create a new area code to service the area and require ten-digit dialing to complete all calls. On the whole, however, we believe that a geographic split for the 814 area code creates fewer inconveniences than an overlay. It has always been our preference to implement the form of area code relief that is the least disruptive to residential customers and businesses that reside within the distressed area code. Upon our review of the written comments received and the transcript from the various public input hearings, many disagree with the industry's consensus recommendation to implement an all-services distributed overlay for the geographic area covered by the 814 NPA.

We agree with the sentiments of the majority of the commenters that a geographic split is a more appropriate and less disruptive means of implementing area code relief in the 814 area code. As noted by some of the comments we received, they believed that a geographic split would certainly cause the least amount of customer confusion if the new area codes maintained some semblance of a geographic "identity" to its residents and would also be the least disruptive to them because of the retention of seven-digit dialing in both area codes.

<sup>5</sup> The public input hearings were held in the cities of Altoona, Johnstown, State College, Erie and Somerset.

<sup>6</sup> In the Matter of Numbering Resource Optimization, CC Docket Nos. 99-200, 96-98, NSD File No. L-99-101 (2000).

<sup>7</sup> Implementation of Additional Delegated Authority Granted to Pennsylvania by the Federal Communications Commission in its Order Released May 18, 2010—Mandatory Thousands-Block Number Pooling in the 215/267, 570, 610/484, 717 and 814 NPAs, M-2010-2178173 (Order entered June 3, 2010).

We note that there are three defined “communities of interest” within the 814 area code such as Erie and its surrounding area, Johnstown/Altoona, and State College and its surrounding area. Nevertheless, because of its sheer geographic size and the locations of these diverse communities of interest, we believe the 814 area code lends itself to the imposition of a geographic split.

As noted above, the 814 area code encompasses a large portion of the state from the borders of Maryland to the borders of the state of New York. We understand that a geographic split’s primary disadvantage to customers is that it will change the area code portion of telephone numbers for roughly half of the current telephone subscribers in the 814 area code. All customers in the geographic area receiving the new area code will need to notify their friends, relatives, business associates, and customers of the change. Thus, the persons who call the affected numbers may typically have to call twice and then update their paper and computer records. It may also be necessary to have cellular telephones serviced to accept the new area code.

The Commission acknowledges that this will create an inconvenience to customers. Also, commercial customers may incur the cost of modifying letterheads, business cards, and advertising or risk having their incoming calls misdirected. Nevertheless, this impact will be mitigated by the extended length of time necessary to transition to the new area code (e.g., stationery and other items containing the old area code will deplete during the transition period and can be replaced by supplies containing the new area code) as discussed.

Furthermore, most of the geographical region of the 814 area code is rural. We note that most of the businesses in the rural areas within the 814 area code generally serve a limited portion of the area code and consequently only use seven digits on their signage and advertising. Thus, the imposition of an overlay, which means mandatory ten-digit dialing, would prove more costly to these types of businesses.

When implementing a geographic split as a relief plan the FCC requires that the difference in projected life between the two area codes be no greater than 10 years to avoid the necessity of consumers undergoing another relief plan in a short period of time. Based on the FCC’s parameters and the defined “communities of interest” within the 814 area code, the proposed split boundary line we are adopting is the one as described in Alternative #2 of Neustar’s June 9, 2009 filing with the Commission. See, map attached as Appendix A.

We will direct Neustar to implement Alternative #2 as the form of area code relief for the 814 area code. The proposed split line runs along rate center boundaries approximately to the east of Jefferson, Elk and McKean Counties. We believe that the location of the boundary split in Alternative #2 does not divide close communities of interest and, thus, believe that the detrimental impact of transitioning to a new area code will be negligible for all. Additionally, the proposed split runs in a north/south direction east of the rate centers Shinglehouse, Wilcox, Kersey, Dubois and Sykesville. Moreover, after a recalculation of the most recent forecast data by Neustar, Area A has a life expectancy of 18 years and Area B has a life expectancy of 22 years.

Since Area A consists of two of the communities of interest, Johnstown/Altoona and State College and its surrounding areas, it will retain the 814 NPA. Area B, on the map in Appendix A, in which Erie and its surrounding areas reside, will change to the new area code.

Next, we must determine the implementation timeline for the geographic split of the 814 area code. The FCC has noted that state commissions are uniquely positioned “to ascertain and weigh the very local and granular information inherent in area code relief decision making.”<sup>8</sup> Additionally, FCC regulations at 47 CFR 52.19(a) state that “state commissions may resolve matters involving the introduction of new area codes within their states, which includes establishing the necessary dates for the implementation of relief plans.”

The Commission notes that the 814 area code is currently projected to exhaust its remaining supply of NXX codes by the first quarter of 2013, which is approximately 26 months away. As we noted previously, we believe that the implementation of mandatory number pooling throughout all the rate centers within the 814 area code will continue to add to the number of NXX codes available for assignment in this NPA and, thus, prolong its life even further.

We acknowledge that, while a state commission may not utilize numbering optimization measures in lieu of implementing timely area code relief, it may minimize the consumer impact of traditional area code relief by not implementing new area codes sooner than necessary. Even the FCC has noted that the implementation of new area codes before they are necessary forces consumers to go through the expense, trouble and dislocation of changing telephone numbers or dialing patterns earlier or more often than necessary.<sup>9</sup>

In view of the well-documented disruption to customers caused by changes in their area code, it is in the public interest to assure that new area codes are opened only when it is necessary, and only after the existing number resources in the existing area code are close to exhaustion. Therefore, temporarily delaying the proposed implementation schedule of the new area code will not adversely impact consumers.

We will direct that all network preparation for the implementation of the geographic split of the 814 area code be completed no later than February 1, 2012, at 12:01 a.m. (EST). We believe that this timeframe is sufficient for telecommunications carriers and alarm companies to prepare their individual networks and systems in preparation of the new area code.

When introducing a new area code, there is an adjustment period commonly known as a permissive dialing period. The permissive dialing period will not commence before February 1, 2012, which is the activation date of the new area code. During the permissive dialing period, customers may reach numbers in the new area code that is to be changed by either dialing the 814 NPA code or the new NPA code or using seven digits. Nevertheless, during the permissive period, customers are encouraged to make calls using the correct NPA code. At the end of the permissive period, the mandatory dialing period commences and all calls must be made using the correct NPA code or the customer will reach a recorded announcement stating they must hang up and redial the number using the new area code plus the seven-digit number. This recording will be available for a few months.

<sup>8</sup> *In the Matter of Numbering Resource Optimization*, Second Report and Order, CC Docket No. 99-200, FCC 00-429 (rel. December 29, 2000).

<sup>9</sup> *Id.*

Accordingly, the following timeline is the implementation schedule for the geographic split we are proposing for the 814 area code:

<i>Event</i>	<i>Time frame</i>
Network Preparation Period	14 months
Activation of Area Code Split and Permissive Dialing Period (Calls terminating within the new NPA can be dialed using either the 814 NPA code or the new NPA code)	6 months
Mandatory dialing period begins at the end of the Permissive Dialing Period (with recorded announcement)	2 months (after Permissive Dialing Period)
Total Implementation Interval	22 months

With the geographic split of the 814 NPA, the dialing plan will be as follows:

**Dialing Plan for the New NPA and the 814 NPA**

<i>Type of Call</i>	<i>Call Terminating in</i>	<i>Dialing Plan</i>
Local & Toll Calls	Home NPAs (HNPA)	7 digit basis with no prefix (NXXXXXX), or with a prefix "1" and 10 digits (1 + NPA + NXX + XXXX)
Local & Toll Calls	Foreign NPA (FNPA)	1+10 digits (1+NPA-NXX-XXXX)
Operator Services Credit card, collect, third party	HNPA or FNPA	0+10 digits (0+NPA-NXX-XXXX)

\* 1+10 digit dialing for all HNPA and FNPA calls permissible at each service provider's discretion

Additionally, we direct Neustar to provide us with monthly updates on the projected exhaust date of the 814 NPA so that the Commission can ensure that no NXX code holders in this Commonwealth will be without adequate numbering resources to meet customer demand. This is necessary so that we can determine whether the implementation timeline we have set forth previously adequately ensures that area code relief is timely in this instance or might have to be revised sometime in the near future.

**Conclusion**

We encourage the industry and Neustar to continue to work together with the Commission to ensure that new area codes are not unnecessarily opened in the Commonwealth when other viable alternatives are available. Nevertheless, the policy of the Commission is to ensure that numbering resources are made available on an equitable, efficient and timely basis in Pennsylvania; *Therefore,*

*It Is Ordered That:*

1. Neustar, Inc.'s June 9, 2009, petition filed with the Commission on behalf of the Pennsylvania telecommunications industry at the previously listed docket for approval of its relief plan for the 814 area code is hereby granted to the extent consistent with the body of this Order.

2. The 814 NPA is hereby geographically split into two area codes as set forth in Alternative #2 of Neustar, Inc.'s

June 9, 2009, filing with the Commission. *See*, map attached as Appendix A. Area A will retain the 814 area code and Area B will receive the new area code.

3. All NXX code holders in Pennsylvania are directed to complete all network preparation to their systems that is necessary to implement the new NPA no later than February 1, 2012.

4. The permissive dialing period will not commence until February 1, 2012, which is the activation date of the new area code.


5. From the effective date of this Order, the North American Numbering Plan Administrator shall provide this Commission with monthly updates on the projected exhaust date of the 814 NPA. Time to exhaust in months shall be calculated and based on actual carrier demand for numbers. The monthly updates shall be addressed to Mr. Christopher Hepburn, Bureau of Fixed Utility Services.

6. A copy of this order shall be published in the *Pennsylvania Bulletin* and also posted on the Commission's web site at <http://www.puc.pa.state.us/>.

7. A copy of this order shall be served to all NXX code holders in Pennsylvania, the Office of Consumer Advocate, the Office of Small Business Advocate, the Pennsylvania Telephone Association, and Neustar, Inc.

ROSEMARY CHIAVETTA,  
*Secretary*

APPENDIX A



[Pa.B. Doc. No. 11-25. Filed for public inspection December 30, 2010, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 19, 2011. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Application of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under the application.**

**A-2010-2215382. Jeffrey L. Curry t/a Curry Limousine** (146 Birch Drive, Lewistown, Mifflin County, PA 17044), for the additional right to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11—15 passengers, including the driver, from points in the Counties of Blair, Centre, Dauphin, Huntingdon, Juniata, Mifflin, Perry and Snyder, to points in Pennsylvania, and return, excluding service under the jurisdiction of the Philadelphia Parking Authority.

**Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.**

**A-2010-2215588. Pennway Express** (P. O. Box 4737, Syracuse, NY 13281-4737)—for the discontinuance of service and cancellation of its certificate as a common carrier, by motor vehicle, authorizing the transportation of household goods in use service: (1) from points in the City of DuBois, Clearfield County, to other points in Pennsylvania, and vice versa; (2) between points in the City of DuBois, Clearfield County, and within 15 miles by the usually traveled highways of the limits of said city, and from points in said area, to other points in Pennsylvania, and vice versa; and (3) between points in the Borough of Brookville, Jefferson County.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 11-26. Filed for public inspection December 30, 2010, 9:00 a.m.]

## STATE BOARD OF EDUCATION

**Approval of the Chester Upland School District as a Member of the Local Sponsor of the Delaware County Community College**

At a regular public meeting held November 18, 2010, the State Board of Education (State Board) approved the

application of the Chester Upland School District (Chester Upland) to become a member of the Local Sponsor of the Delaware County Community College (College). In its application, Chester Upland sought the approval of the State Board under section 1902-A(c) of the Public School Code of 1949 (24 P. S. § 19-1902-A(c)). The Board of Directors of the College and the 11 current local sponsors of the College endorsed the Chester Upland's application. The resolution adopted by the State Board reflecting Chester Upland's approval appears as follows.

ADAM A. SCHOTT,  
*Executive Director*

### RESOLUTION

#### Action Item 1117.1

*Whereas*, under section 1902-A(a)(3) of the Public School Code of 1949 (24 P. S. § 19-1902-A(a)(3)), the State Board of Education ("State Board") must approve or disapprove petitions of school districts or municipalities that apply for participation in an established community college; and

*Whereas*, in accord with section 1902-A(a)(3) of the Public School Code, the State Board may not approve a petition unless it is accompanied by the consent of the governing bodies of the majority of the members of the local sponsor of the established community college to the participation of the petitioning school district or municipality; and

*Whereas*, the Chester Upland School District ("Chester Upland") on June 23, 2010, approved a resolution requesting that the eleven current sponsor school districts of the Delaware County Community College support Chester Upland's petition to become the community college's twelfth local sponsor; and

*Whereas*, as part of its resolution, Chester Upland agreed to the terms and conditions set forth in the Agreement and Plan of Sponsorship and Establishment of Delaware County Community College dated December 31, 1966; and

*Whereas*, all eleven current sponsor school districts of the Delaware County Community College have passed resolutions in support of Chester Upland's petition; and

*Whereas*, the Board of Directors of the Delaware County Community College on September 15, 2010, adopted a resolution in support of Chester Upland's petition; and

*Whereas*, the City of Chester and the Chester Upland School District have clearly outlined their respective financial commitments to this sponsorship; and

*Whereas*, the State Board published notice of Chester Upland's petition in the November 6, 2010, edition of the *Pennsylvania Bulletin* and invited public comment on the petition (see 40 Pa.B. 6495); and

*Whereas*, the Department of Education has reviewed the petition and recommends approval by the Council of Higher Education and State Board of Education; and

*Whereas*, the Council of Higher Education on November 17, 2010, recommended that the State Board approve Chester Upland's petition.

*Now, Therefore, Be It*

*Resolved*: That the State Board of Education approves the petition of the Chester Upland School District to

participate as a local sponsor of the Delaware County Community College, effective January 1, 2011.

[Pa.B. Doc. No. 11-27. Filed for public inspection December 30, 2010, 9:00 a.m.]

### **Approval of The New Teacher Project to Administer an Alternative Certification Program in Partnership with the Pittsburgh Public Schools**

Under 22 Pa. Code § 403.4(c)(3) (relating to highly qualified teachers), “Teachers successfully completing a National teacher-training program approved by the State Board that requires a candidate to demonstrate mastery of the subject area to be taught and professional knowledge needed for classroom effectiveness, may be certified to teach in this Commonwealth without meeting further academic and testing requirements.” Further, 22 Pa. Code § 403.4(c)(3)(iii) provides that “National teacher-training programs identified for State Board consideration after December 28, 2002, may be approved by State Board resolution without the need to amend this chapter.”

Following the Department’s review and determination that the program meets the requirements of 22 Pa. Code § 403.4(c)(3), on November 17, 2010, the Department presented to the State Board of Education (State Board) a recommendation to approve The New Teacher Project (Project) to administer a teacher training program in partnership with the Pittsburgh Public Schools (Schools). Acting under 22 Pa. Code § 403.4(c)(3)(iii), at a regular public meeting held on November 18, 2010, the State Board approved the Project to operate a pilot alternative certification program in partnership with the Schools. The resolution adopted by the State Board reflecting this approval appears as follows.

ADAM A. SCHOTT,  
*Executive Director*

#### **RESOLUTION**

##### **Action Item 1117.2**

*Whereas*, exercising authority granted to it by section 2603-B(d)(10)(i) of the Public School Code of 1949 (24 P. S. § 26-2603-B(d)(10)(i)), the Pennsylvania Department of Education (“Department”) promulgated the standards now set forth in 22 Pa. Code Chapter 403 in order to comply with certain provisions of the No Child Left Behind Act of 2001; and

*Whereas*, in accord with section 2603-B(d)(10)(i) of the Public School Code, the State Board of Education (“State Board”) approved the Department’s standards as now codified at 22 Pa. Code Chapter 403; and

*Whereas*, 22 Pa. Code § 403.4(c)(3) (relating to highly qualified teachers; additional certification avenues) provides that “Teachers successfully completing a National teacher-training program approved by the State Board that requires a candidate to demonstrate mastery of the subject area to be taught and professional knowledge needed for classroom effectiveness, may be certified to teach in this Commonwealth without meeting further academic and testing requirements”; and

*Whereas*, a National teacher-training program known as “The New Teacher Project” has agreed to enter into a partnership with the Pittsburgh School District, also known as Pittsburgh Public Schools; and

*Whereas*, applying the same criteria used in evaluating post baccalaureate teacher training programs and the regulations set forth in § 403.4(c)(3) for National Training Programs, the Department has reviewed and evaluated the teacher-training program that the New Teacher Project seeks to provide in partnership with Pittsburgh Public Schools; and

*Whereas*, the Department has determined that the teacher-training program that the New Teacher Project seeks to provide in partnership with Pittsburgh Public Schools requires a candidate to demonstrate mastery of the subject area to be taught through successful completion of content area assessments; and

*Whereas*, the Department has determined that the teacher-training program that the New Teacher Project seeks to provide in partnership with Pittsburgh Public Schools requires a candidate to demonstrate the professional knowledge needed for classroom effectiveness in that its program is consistent with the candidate competencies set forth in the relevant professional educator program specific guidelines developed by the Department; and

*Whereas*, 22 Pa. Code § 403.4(c)(3)(iii) provides that “National teacher-training programs identified for State Board consideration after December 28, 2002, may be approved by State Board resolution without the need to amend this chapter”; and

*Whereas*, the Department has recommended for State Board approval the National teacher-training program known as “The New Teacher Project” to be administered in partnership with Pittsburgh Public Schools; and

*Whereas*, the New Teacher Project requires a candidate to demonstrate mastery of the subject area to be taught and professional knowledge needed for classroom effectiveness; and

*Whereas*, at the regular business meeting of the State Board held September 15, 2010, the leadership of Pittsburgh Public Schools and the Pittsburgh Federation of Teachers provided an overview of the school district’s teacher effectiveness initiative; and

*Whereas*, at the regular business meeting of the State Board held November 17, 2010, the Department, Pittsburgh Public Schools, and the New Teacher Project made a presentation related to the school district’s Teacher Academy initiative; and

*Whereas*, this initiative is aimed at increasing the diversity of the school district’s applicant pool and recruiting experienced professionals to teach in high-priority areas for at least five years; and

*Whereas*, this initiative will be evaluated against the same high standards expected of post baccalaureate postsecondary institutions; and

*Whereas*, the State Board recognizes the important efforts to date among members of the General Assembly to create rigorous, high-quality alternative certification pathways, and urges further action in this regard; and

*Whereas*, acting pursuant to 22 Pa. Code § 403.4(c)(3)(iii), the State Board, at its November 18, 2010, meeting, publicly voted to approve the New Teacher Project.

*Now, Therefore, Be It*

*Resolved:* That teachers successfully completing the New Teacher Project in partnership with the Pittsburgh Public Schools, as described herein, may be certified to teach in this Commonwealth without meeting further academic and testing requirements, provided the teacher



satisfies the basic certification requirements prescribed by the Public School Code (see 24 P.S. §§ 12-1202 and 12-1209), including having good moral character, being at least eighteen years of age, and possessing a bachelor's degree.

*Resolved:* That the New Teacher Project and Pittsburgh Public Schools shall report to the State Board of Education and the Department of Education before November 18, 2011, on the progress of this initiative.

*Resolved:* That the Department of Education shall review the alternative certification program and report its findings to the State Board no later than November 18, 2012.

*Resolved:* That following review of the findings and recommendations of the Department, the State Board may act by resolution to modify or terminate the approval of the alternative certification program as described in this Resolution.

*Resolved:* Absent action by the State Board to modify or terminate the program as described in the preceding paragraph, the alternative certification program shall continue to be approved pursuant to this resolution for so long as the program continues to meet the requirements of statute and the regulations of the State Board.

[Pa.B. Doc. No. 11-28. Filed for public inspection December 30, 2010, 9:00 a.m.]

---





