

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 28, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-8-2011	Customers Bancorp, Inc. Phoenixville Chester County Application for approval to acquire 100% of Berkshire Bancorp, Inc., Wyomissing, and thereby indirectly acquire 100% of Berkshire Bank, Wyomissing.	Filed

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-8-2011	Customers Bank Phoenixville Chester County Application for approval to merge New Century Interim Bank, Phoenixville, with and into Customers Bank, Phoenixville. The merger will facilitate the proposed reorganization of Customers Bank, Phoenixville, into a bank holding company structure whereby Customers Bank will become the wholly-owned subsidiary of Customers Bancorp, Inc., Phoenixville, a new holding company in formation.	Filed

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-21-2011	Jersey Shore State Bank Jersey Shore Lycoming County	606 Continental Boulevard Danville Montour County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1182. Filed for public inspection July 15, 2011, 9:00 a.m.]

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 5, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>																						
6-29-2011	<p><i>From:</i> Univest National Bank and Trust Co. Souderton Montgomery County</p> <p><i>To:</i> Univest Bank and Trust Co. Souderton Montgomery County</p> <p>Conversion from a national banking association to a Pennsylvania state-chartered bank and trust company.</p> <p>Branch offices operated by Univest Bank and Trust Co.:</p> <table border="0"> <tr> <td>2645 Street Road Bensalem Bucks County</td> <td>694 DeKalb Pike Blue Bell Montgomery County</td> </tr> <tr> <td>Hunt Acres Center Holicong Bucks County</td> <td>195 Butler Avenue Chalfont Bucks County</td> </tr> <tr> <td>842 North Eastor Road Doylestown Bucks County</td> <td>191 West State Street Doylestown Bucks County</td> </tr> <tr> <td>321 Main Street East Greenville Montgomery County</td> <td>40 East Street Road Feasterville Bucks County</td> </tr> <tr> <td>500 Harleysville Pike Franconia Montgomery County</td> <td>101 Walnut Street Green Lane Montgomery County</td> </tr> <tr> <td>790 Route 113 Souderton Bucks County</td> <td>1715 Sumneytown Pike Kulpsville Montgomery County</td> </tr> <tr> <td>120 Forty Foot Road Hatfield Montgomery County</td> <td>990 Bethlehem Pike Montgomeryville Montgomery County</td> </tr> <tr> <td>1950 John Fries Highway Milford Square Bucks County</td> <td>986 Bethlehem Pike Montgomeryville Montgomery County</td> </tr> <tr> <td>3 Friends Lane Newtown Bucks County</td> <td>545 Constitution Avenue Perkasie Bucks County</td> </tr> <tr> <td>5829 Easton Road Plumsteadville Bucks County</td> <td>1465-7 West Broad Street Quakertown Bucks County</td> </tr> <tr> <td>328 North Lewis Road Royersford Montgomery County</td> <td>415 Main Street Schwenksville Montgomery County</td> </tr> </table>	2645 Street Road Bensalem Bucks County	694 DeKalb Pike Blue Bell Montgomery County	Hunt Acres Center Holicong Bucks County	195 Butler Avenue Chalfont Bucks County	842 North Eastor Road Doylestown Bucks County	191 West State Street Doylestown Bucks County	321 Main Street East Greenville Montgomery County	40 East Street Road Feasterville Bucks County	500 Harleysville Pike Franconia Montgomery County	101 Walnut Street Green Lane Montgomery County	790 Route 113 Souderton Bucks County	1715 Sumneytown Pike Kulpsville Montgomery County	120 Forty Foot Road Hatfield Montgomery County	990 Bethlehem Pike Montgomeryville Montgomery County	1950 John Fries Highway Milford Square Bucks County	986 Bethlehem Pike Montgomeryville Montgomery County	3 Friends Lane Newtown Bucks County	545 Constitution Avenue Perkasie Bucks County	5829 Easton Road Plumsteadville Bucks County	1465-7 West Broad Street Quakertown Bucks County	328 North Lewis Road Royersford Montgomery County	415 Main Street Schwenksville Montgomery County	Effective
2645 Street Road Bensalem Bucks County	694 DeKalb Pike Blue Bell Montgomery County																							
Hunt Acres Center Holicong Bucks County	195 Butler Avenue Chalfont Bucks County																							
842 North Eastor Road Doylestown Bucks County	191 West State Street Doylestown Bucks County																							
321 Main Street East Greenville Montgomery County	40 East Street Road Feasterville Bucks County																							
500 Harleysville Pike Franconia Montgomery County	101 Walnut Street Green Lane Montgomery County																							
790 Route 113 Souderton Bucks County	1715 Sumneytown Pike Kulpsville Montgomery County																							
120 Forty Foot Road Hatfield Montgomery County	990 Bethlehem Pike Montgomeryville Montgomery County																							
1950 John Fries Highway Milford Square Bucks County	986 Bethlehem Pike Montgomeryville Montgomery County																							
3 Friends Lane Newtown Bucks County	545 Constitution Avenue Perkasie Bucks County																							
5829 Easton Road Plumsteadville Bucks County	1465-7 West Broad Street Quakertown Bucks County																							
328 North Lewis Road Royersford Montgomery County	415 Main Street Schwenksville Montgomery County																							

<i>Date</i>	<i>Name and Location of Applicant</i>		<i>Action</i>
	835 Lawn Avenue Sellersville Bucks County	103 Baringer Avenue Silverdale Bucks County	
	4285 Township Line Road Schwenksville Montgomery County	6542D York Road New Hope Bucks County	
	14 North Main Street Souderton Montgomery County	50 Penn Avenue Telford Montgomery County	
	2685 County Line Road Telford Montgomery County	595 West Main Street Trappe Montgomery County	
	2870 Shelly Road Harleysville Montgomery County	601 Luis Drive Warminster Bucks County	

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>		<i>Action</i>
6-8-2011	Customers Bancorp, Inc. Phoenixville Chester County		Filed
	Application for approval to acquire 100% of Berkshire Bancorp, Inc., Wyomissing, and thereby indirectly acquire 100% of Berskshire Bank, Wyomissing.		

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>		<i>Action</i>
6-8-2011	Customers Bank Phoenixville Chester County		Filed
	Approval to merge New Century Interim Bank, Phoenixville, with and into Customers Bank, Phoenixville. The merger will facilitate the proposed reorganization of Customers Bank into a bank holding company structure whereby Customers Bank will become the wholly-owned subsidiary of Customers Bancorp, Inc., a new holding company in formation		
6-8-2011	Customers Bank Phoenixville Chester County		Filed
	Application for approval to merge Berkshire Bank, Wyomissing, with and into Customers Bank, Phoenixville.		
6-27-2011	Luzerne Bank Luzerne Luzerne County		Effective
	Application for approval to purchase assets and assume liabilities of one branch of First Columbia Bank & Trust Co., Bloomsburg, located at: 10 Dessen Drive Hazle Township West Hazleton Luzerne County		

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-24-2011	First Columbia Bank & Trust Co. Bloomsburg Columbia County	10 Dressen Drive West Hazleton Luzerne County	Closed

NOTICES

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-30-2011	Belco Community Credit Union Harrisburg Dauphin County Merger of LEBCO Educators Federal Credit Union, Lebanon, merged with and into Belco Community Credit Union, Harrisburg.	Effective

Branch Applications

De Novo Branches

7-5-2011	TruMarkFinancial Credit Union Trevose Bucks County	333 Centennial Road Warminster Bucks county	Approved
----------	--	---	----------

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1183. Filed for public inspection July 15, 2011, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of August 2011

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of August, 2011, is 6%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and

which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 3.46 to which was added 2.50 percentage points for a total of 5.96 that by law is rounded off to the nearest quarter at 6%.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1184. Filed for public inspection July 15, 2011, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0022179 (Sew)	Mercersburg Sewer Authority 113 South Main Street Mercersburg, PA 17236	Franklin County / Mercersburg Borough	Johnston Run / 13-C	Y
PA0247898 (Sew)	David L. Fite Realty, LTD 103 Fite Way, Suite D Quarryville, PA 17566-0673	Lancaster County / East Drumore Township	South Fork Big Beaver Creek / 7-K	Y
PA0081752 (Sew)	Philhaven Hospital 283 South Butler Road Mt Gretna, PA 17604	Lebanon County West Cornwall Township	Bachman Run / 7-D	Y
PA0030171 (Sew)	Llewellyn's Manufactured Home Community, Inc. 4550 Bull Road Dover, PA 17315	York County Conewago Townshpi	UNT Little Conewago Creek / 7-F	Y
PA0083917 (IW)	Edge Rubber 811 Progress Road Chambersburg, PA 17201	Franklin County Chambersburg Borough	UNT Conococheague Creek / 13-C	Y

Northcentral Regional Office: Water Management Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3664.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0113182 (Sewage)	Nittany Grove Manufactured Home Community Wastewater Treatment Plant 113 Ramsey Way Boalsburg, PA 16827	Centre County Harris Township	UNT to Spring Creek (9-C)	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0103641 (Sewage)	Wilmington Township Sewer Authority Orchard Terrace STP 204 Orchard Terrace New Castle, PA 16105	Lawrence County Wilmington Township	Unnamed tributary to Little Neshannock Creek 20-A	Y
PA0034568 (Sewage)	Harbor Mobile Home Park 1650 Harlansburg Road New Castle, PA 16101	Lawrence County Union Township	Unnamed tributary to the Shenango River 20-A	Y
PA0093360 (Sewage)	Robert C. Sechan d/b/a Lake Arthur Estates 2925 New Castle Road Portersville, PA 16051	Butler County Muddy Creek Township	Dry/intermittent tributary to Muddy Creek 20-C	Y
PA0035581 (Sewage)	PA DOT Design Bureau McKean County Maintenance Building P. O. Box 3060 Harrisburg, PA 171015	McKean County Lafayette Township	Unnamed tributary of Threemile Run 16-B	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

PA0026247, Sewage, **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915. This facility is located in Hatfield Township, **Montgomery County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated sewage from Hatfield Township STP.

The receiving stream, West Branch Neshaminy Creek, is in the State Water Plan watershed 2F and is classified for: WWF, MF. The nearest downstream public water supply intake for AQUA PA is located on Neshaminy Creek.

The proposed effluent limits for Outfall 001 are based on an average flow of 6.43 MGD and a maximum monthly flow of 8.37 MGD.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅				
(05-01 to 10-31)	10	15		20
(11-01 to 04-30)	20	30		40
Suspended Solids	30	45		60
Ammonia (as N)				
(05-01 to 10-31)	2.0			4.0
(11-01 to 04-30)	6.0			12.0
NO ₂ +NO ₃ as N				
(07-01 to 10-31)	9.0			18.0
(11-01 to 06-30)	Monitor/Report			
Total Kjeldahl Nitrogen	Monitor/Report			
Phosphorous (as P)				
(04-01 to 10-31)	0.8			1.6
(11-01 to 03-31)	1.0			2.0
Fecal Coliform	200 #/100 ml as a geometric mean, nor greater than 1,000 #/100 ml			

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Oxygen			Minimum of 6.0 mg/l at all times	
pH			Within limits of 6.0—9.0 Standard Units at all times	
Hardness as CaCO ₃	Monitor/Report			
Copper				
first 36 months	0.030		0.045	0.060
after 36 months	0.015		0.023	0.030
Iron, Total	Monitor/Report			
Iron, Dissolved	Monitor/Report			
Aluminum, Total	Monitor/Report			
Toxicity, chronic	Monitor/Report			
Total Dissolved Solids	1,000		1.1 TU _c	1,500

In addition to the effluent limits, the permit contains the following major special conditions:

1. Designation of Responsible Operator
2. Remedial Measures if Public Nuisance
3. No Stormwater to Sewers
4. Necessary Property Rights
5. Small Stream Discharge
6. Change in Ownership
7. Proper Sludge Disposal
8. TMDL/WLA Analysis
9. WET Testing for Renewal
10. WET Testing Conditions
11. Operator Training
12. Stormwater Monitoring
13. Laboratory Certification

PA0057908, Sewage, SIC Code 7997, **Jericho National Golf Course**, 250 Brownsburg Road, New Hope, PA 18938. Facility Name: Jericho National Golf Course. This existing facility is located in Upper Makefield Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Jericho Creek, is located in State Water Plan watershed 2E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0042 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- 1. Notification of the designation of the responsible operator.
- 2. Abandon STP when Municipal Sewers Available
- 3. Remedial measures if Unsatisfactory Effluent

- 4. No Stormwater
- 5. Acquire Necessary Property Rights
- 6. Small Stream Discharge
- 7. Change in Ownership
- 8. Chlorine Minimization
- 9. Proper Sludge Disposal
- 10. No Discharge
- 11. 2/Month Sampling
- 12. SPW Discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

PA0065323, Sewage, SIC Code 4952, **Jacob A. Schray**, 322 East Laurel Street, Bethlehem, PA 18018-2939. Facility Name: Jacob A. Schray Residence. This proposed facility is located at 109 East Mountain Road, Wind Gap, PA 18091-9729, in Bushkill Township, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a proposed single residence sewage treatment plant.

The receiving stream, Unnamed Tributary to Bushkill Creek, is located in State Water Plan watershed 1-F and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		

In addition, the permit contains the following major special conditions:

- No effluent limitations for Total Residual Chlorine (TRC) due to use of ultraviolet disinfection
- Annual Maintenance Report (AMR) submission requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PAS602206-A1, Stormwater, SIC Code 5015, 5093, **Sibum's Auto Parts, Inc.**, 932 Analomink Road, East Stroudsburg, PA 18301. Facility Name: Sibum's Auto Parts. This existing facility is located in Stroud Township, **Monroe County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Stormwater.

The receiving stream, an Unnamed Tributary to Brodhead Creek, is located in State Water Plan watershed 01E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001-003 are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Discharges
- Stormwater Best Management Practices

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0247227, Sewage, SIC Code 4952, **Dublin Township Supervisors**, 1366 Cole Road, Hustontown, PA 17229. Facility Name: Dublin Township Burnt Cabins STP. This existing facility is located in Dublin Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), South Branch Little Aughwick Creek, is located in State Water Plan watershed 12-C and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	1.5	2.2	XXX	10	15	20
BOD ₅		Wkly Avg				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1.5	2.2	XXX	10	15	20
		Wkly Avg				
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
May 1 - Oct 31	0.2	XXX	XXX	1.5	XXX	3.0
Nov 1 - Apr 30	0.7	XXX	XXX	4.5	XXX	9.0
Total Phosphorus	0.2	XXX	XXX	1.0	XXX	2.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0009458, Industrial Waste, SIC Code 3231, 327215, **Pittsburgh Glass Works LLC**, P O Box 307, Tipton, PA 16684. Facility Name: Pittsburgh Glass Works Tipton Auto Glass Manufacturing. This existing facility is located in Antis Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Little Juniata River, is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.266 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	31	50	XXX	XXX	XXX	35
Oil and Grease	16	16	XXX	XXX	XXX	18

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261696, SIC Code 6515, **Jean V. Davis & James Skiles**, 1055 Celeste Drive, Shippensburg, PA 17257. Facility Name: Davis Res. This proposed facility is located in Licking Creek Township, **Fulton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Sindeldecker Branch, is located in State Water Plan watershed 13-B and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000

In addition, the permit contains the following major special conditions:

- Annual monitoring of drinking water supply well that serves a sewing club for Total Coliform.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083984, Sewage, SIC Code 5812, **Stepp Thomas O**, 133 Old Trail Road, Duncannon, PA 17020-7120. Facility Name: Ranch House Restaurant. This existing facility is located in Watts Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0045 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.6	XXX
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Maximum	Instant. Maximum
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Application No. PA0088064, Concentrated Animal Feeding Operation (CAFO), Country View Family Farms, LLC, 1301 Fulling Mill Road, Middletown, Pennsylvania 17057.

Country View Family Farms, LLC has submitted an application for an Individual NPDES permit for an existing CAFO known as Perry Meadows Farm, located at 2713 Fowler Hollow Road, Blain, Pennsylvania 17006 in Jackson Township, **Perry County**.

The CAFO is situated near an unnamed tributary to Shermans Creek in Watershed 7-A, which is classified for High Quality Cold Water Fishery. The CAFO is designed to maintain an animal population of approximately 1,342.25 animal equivalent units (AEU) consisting of 2,620 sows, 350 sows with litters, 870 gilts, and 8 boars. Manure is collected in shallow underneath pull plug pits and stored in a two-stage HDPE lined earthen impoundment. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. You may make an appointment to review the files by calling the File Review Coordinator at 717.705.4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0038385, Sewage, SIC Code 4225, DLA Installation Support at Susquehanna, 2001 Mission Drive Suite 1, New Cumberland, PA 17070-5002. Facility Name: Defense Distribution Center, Susquehanna. This existing facility is located in Fairview Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-E and is classified for Warm Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD (interim) and 0.32 MGD (final).

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	1.5	XXX	2.5
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen (Interim)	Report	Report			
Net Total Nitrogen (Final)	Report	9,132			
Net Total Phosphorus (Interim)	Report	Report			
Net Total Phosphorus (Final)	Report	1,218			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2011. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2012. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2011.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Application No. PA0088234, Concentrated Animal Feeding Operation (CAFO), Franklin Family Farms, Inc., 14627 Lurgan Road, Orrstown, Pennsylvania 17244.

Franklin Family Farms, Inc. has submitted an application for an Individual NPDES permit for an existing CAFO known as Acorn Family Farms, located at 14627 Lurgan Road, Orrstown, Pennsylvania 17244 in Lurgan Township, **Franklin County**.

The CAFO is situated near an unnamed tributary of Paxton Run in Watershed 7-B, which is classified for warm water fishery. The CAFO is designed to maintain an animal population of approximately 1,340 animal equivalent units (AEUs) consisting of 2,840 sows, 1,070 finishing pigs, 464 nursery pigs, and 26 boars. Manure is collected in seven shallow pull plug pits and stored in a 2.9 MG two-stage HPDE-lined impoundment. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. You may make an appointment to review the files by calling the File Review Coordinator at 717.705.4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application for NPDES Permit to Discharge to State Waters

Northcentral Regional Office: Regional Water Management Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3664.

PA0228818, Industrial Waste, SIC Code 2621, First Quality Tissue LLC, 904 Woods Avenue, Lock Haven, PA 17745-3348. Facility Name: First Quality Tissue Lock Haven Plant. This existing facility is located in Castanea Township, Clinton County.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream, Bald Eagle Creek, is located in State Water Plan watershed 9-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 003 are based on a design flow of 0.56 MGD.

Parameters	Mass (lb/day)		Concentration (mg/l)			
	Average Monthly	Daily Maximum	Average Monthly	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Min	XXX	XXX	9.0
BOD ₅	2470	5090	65	130 Daily Max	XXX	160
Total Suspended Solids	2030	4830	53	120 Daily Max	XXX	130
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	Total Annual	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	Total Annual	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	Total Annual	XXX	XXX	XXX	XXX
Total Aluminum (Interim)	Report	Report	Report	Report	XXX	XXX
Total Aluminum (Final)	35.02	70.0	0.92	Daily Max 1.84	XXX	2.30
Total Iron (Interim)	Report	Report	Report	Daily Max Report	XXX	XXX
Total Iron (Final)	20.34	40.69	0.53	Daily Max 1.07	XXX	1.33
Total Manganese (Interim)	Report	Report	Report	Daily Max Report	XXX	XXX
Total Manganese (Final)	5.13	10.27	0.13	Daily Max 0.27	XXX	0.33
				Daily Max		

In addition, the permit contains the following major special conditions:

- Stormwater No Exposure Certification
- Prohibition of Chlorophenolic Biocides

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

WQM Permit No. 4811403, Sewerage, SIC Code 4952, **Jacob A. Schray**, 322 East Laurel Street, Bethlehem, PA 18018-2939.

This proposed facility is located in Bushkill Township, **Northampton County**.

Description of Proposed Action/Activity: Construction/operation of a new single residence sewage treatment plant to replace a malfunctioning on-lot sewage system, located at 189 East Mountain Road, Wind Gap, PA 18091-9729.

WQM Permit No. 4811402, Sewerage, **Radcliff, Roger and Denise**, 4279 Chestnut Drive, Walnutport, PA 18088

This proposed facility is located in Lehigh Twp., **Northampton County**, PA.

Description of Proposed Action/Activity: This project involves installation of a single residence sewage treatment system to replace a malfunctioning on lot sewage system.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2179410 11-1, Sewerage, **North Middleton Authority**, 240 Clearwater Drive, Carlisle, PA 17013-1185.

This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Upgrade to the wastewater treatment plant to comply with the Chesapeake Bay Tributary Strategy effluent limitations.

WQM Permit No. 2111201, CAFO, **Lester Z. Martin**, 415 East Old York Road, Carlisle, PA 17015.

This proposed facility is located in South Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of a new double lined 1.49 million gallon manure storage lagoon for a proposed duck barn.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. 6311401, Sewerage, **Consol PA Coal Co., Inc.**, PO Box J, 1525 Pleasant Grove Rd., Claysville, PA 15323

This proposed facility is located in East Finley Township, **Washington County**

Description of Proposed Action/Activity: Permit application for the construction and operation of a sewage treatment facility.

WQM Permit No. WQG016187, Sewerage, **Historical Society of Western PA**, 401 Meadowcroft Road, Avella, PA 15312-2759

This proposed facility is located in Jefferson Township, **Washington County**

Description of Proposed Action/Activity: Permit application for the construction and operation of a small flow sewage treatment facility.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 3704402, Sewerage, **Amendment No. 1, Wayne Township Municipal Authority**, 1418 Wampum Road, Ellwood City, PA 16117

This proposed facility is located in Ellwood City Borough, **Lawrence County**.

Description of Proposed Action/Activity: Amendment to the WQM Permit for pump sizing and the emergency generator.

WQM Permit No. 3397404, Sewerage, **Amendment No. 1, Borough of Corsica**, P. O. Box 176, Corsica, Pa 15829-0176

This existing facility is located in Corsica Borough, **Jefferson County**.

Description of Proposed Action/Activity: This is an amendment to the WQM permit proposing the addition of chlorine disinfection to the existing sewage treatment plant. The project will include the addition of chlorine liquid solution to the flow metering tank/polishing clarifier and the addition of sodium bisulfite erosion type pellets to the ultraviolet disinfection/post aeration tank.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, 570-629-3060

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS105056R(9)	Sanofi Pasteur Inc. Discovery Drive Route 611 Swiftwater, PA 18370	Monroe County	Pocono Twp.	Swiftwater Creek (HQ-CWF, MF)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030608016(2)	UGI Development Company	Berks	Ontelaunee Township	Willow Creek CWF-HQ

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041811002	Donald Dunkle Dunkle Farm 95 Cedar Heights Mill Hall, PA 17751	Clinton	Lamar Township	Fishing Creek HQ

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Erie County Conservation District—1927 Wagner Road, Erie PA 16509

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI 0625 11 002	Jason Wallace Wallace Family Enterprises LLC 5401 Glen Meadows Drive Fairview PA 16415	Erie	McKean Township	Bear Run CWF; MF; Wild Trout

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

CAFO Notices of Intent Received

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

PAG124804, CAFO [Sic 213], **John & Trisha Stone**, 12547 Stage Road, McClure, PA 17841.

This proposed facility is located in Township of Spring, **Snyder County**.

Description of Size and Scope of Proposed Operation/Activity: This operation consists of two swine finishing barns that house a combined total of 4,460 finishing hogs. Manure from the finishing pigs is collected in deep pits located underneath the barns slatted floors. There are 53 total acres associated with this operation, with 33.7 acres of cropland. The main crops grown include corn and soybeans. There are 593 AEUs and 17.6 AEUs/Acre. Approximately 1,672,000 gallons of liquid swine manure are generated annually.

The receiving stream, Middle Creek, is in watershed Penns Creek #6A and classified for: TSF—Trout Stocking.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Kulp Family Dairy LLC 1691 Millerstown Rd Martinsburg, PA 16662	Blair	2,833.1	3,651.25	Dairy	Clover Creek—HQ Yellow Creek—HQ Middle Run—HQ	Renewal
Kenton Sweigart 620 Greider Rd Mount Joy, PA 17552	Lancaster	437.74	1040.22	Dairy/ Swine/ Pullets	NA	Renewal
Ridge Valley Farms II 206 Lowell Road McClure, PA 17841	Snyder	29	452.28	Swine	N/A	New

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Application No. 5411504MA, Minor Amendment.

Applicant **Aqua Pennsylvania Inc.**
1 Aqua Way
White Haven, Pa 18661

[Township or Borough]	East Union Twp, Schuylkill County
Responsible Official	Patrick Burke, Manager NE
Type of Facility	Public Water System
Consulting Engineer	CET Engineering Services 1240 Mountain Road Harrisburg, Pa
Application Received Date	6/20/2011
Description of Action	The construction of a building for the existing greensand filters. The addition of a contact pipeline and the demonstration of the log 4 inactivation of viruses to meet the groundwater rule.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

WA 06-1019, Water Allocations. Bern Township Municipal Authority (BTMA), Berks County. The applicant is proposing to limit the use of their existing water supply interconnection for water purchased from Reading Area Water Authority (RAWA). BTMA will limit their non-emergency use of their interconnection with RAWA to 517,000 gpd based on a 30 day average. Emergency use of the Interconnection will remain at 1,017,000 gpd based on a 30 day average. This proposed permit modification is in response to water allocation permit WA 06-1019A, noticed in the *PA Bulletin* on July 2, 2011. Date Application Received: March 25, 2011. Anyone wishing to comment on this proposed permit modification may do so in writing to the above address within 30 days of this posting.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S.

§§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Sherman Hills Apartments, 300 Parkview Circle, Wilkes-Barre City, **Luzerne County**. David Fife, Quad Three Group, Inc., 72 Glenmaura National Boulevard, Moosic, PA 18507 has submitted a Notice of Intent to Remediate (on behalf of his client, Sherman Hills Apartments, 300 Parkview Circle, Wilkes-Barre, PA 18702), concerning the remediation of soil found to have been impacted by lead and inorganics as a result of historical operations of a former incinerator at the site. The applicant proposes to remediate the site to meet the Site-Specific Standard for soil. A summary of the Notice of

Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PA Army National Guard Chambersburg Armory, 1010 Lincoln Highway, (Route 30 West), Chambersburg, PA 17201, Hamilton Township, **Franklin County**. PA Department of Military & Veterans Affairs, Fort Indiantown Gap, Bldg. 0-11, Annville, PA 17003, submitted a Notice of Intent to Remediate site groundwater contaminated with heating oil. The site will be remediated to the Residential Statewide Health Standard, and future use will remain the same.

Hershey Trust Farm 15 Landfill, Hershey Road, Hershey, PA 17033 South Hanover Township, **Dauphin County**. URS Corporation, 4507 North Front Street, Suite 200, Harrisburg, PA 17110, on behalf of Hershey Trust Company, 100 Mansion Road East, Hershey, PA 17033, submitted a Notice of Intent to Remediate site soils contaminated with Arsenic, VOCs, SVOC, and Pesticides. The site will be remediated to the Residential Statewide Health and Site Specific Standards, and future use is recreational.

Altoona North Terminal/Mobil Altoona, 664 Burns Avenue, Altoona, PA 16601, Allegheny Township, **Blair County**. Groundwater Services International, Inc., 443 McCormick Road, Mechanicsburg, PA 17055, on behalf of Altoona Terminals Corporation, PO Box 2621, Harrisburg, PA 17105, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with VOCs, PAHs, and lead. The site will be remediated to a combination of the Nonresidential Statewide Health and Site-Specific standards. The site will remain a petroleum bulk distribution terminal.

Northcrest Acres Mobile Home Park (Rhoades Residence), 130 Northcrest Acres, Lebanon, PA 17046, North Lebanon Township, **Lebanon County**. Patriot Environmental Management, LLC, P. O. Box 629, Douglassville, PA 19518, on behalf of Lebanon Valley Homes, 1341 East Main Street, Palmyra, PA 17078, submitted a Notice of Intent to Remediate site soils contaminated with heating oil. The site will be remediated to the Residential Statewide Health Standard. Site use will remain residential.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

C.A. Shipton, Inc., Borough of Mifflinburg, **Union County**. Molesevich Environmental, LLC, P. O. Box 654, Lewisburg, PA 17837 on behalf of C.A. Shipton, Inc., 36 East Chestnut St., Mifflinburg, PA 17844 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with home heating oil. The applicant proposes to remediate the site to meet the Site Specific Standard. The future use of the site will be commercial.

RESIDUAL WASTE GENERAL PERMITS

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR070. Wilkes-Barre Materials, LLC, 500 Chase Road, Shavertown, PA 18708; Site: 130 Ridgewood Road, Plains, PA 18702. This company was formerly American Asphalt Paving Company. This application for renewal is for beneficial use of baghouse fines from air pollution devices generated at hot-mixed asphalt plants as a construction material or levee core impermeable fill and pipe bedding. The application was determined to be administratively complete by Central Office on June 29, 2011.

Comments concerning the application should be directed to Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, 717-787-7381. Persons interested in obtaining more information about the general permit application may contact the Central Office, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

32-00411: Mountain Gathering LLC (810 Houston Street, Fort Worth, TX 76102) for installation of a compressor engine for natural gas at Homer City PP Station in Center Township, **Indiana County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

23-0003U: ConocoPhillips Co. (4101 Post Road, Trainer, PA 19061-3812) for installation of two (2) new boilers at their Trainer facility in Trainer Borough, **Delaware County**. The boilers will be subject to federal NSPS subparts Db and Ja, and MACT Standards of Subpart DDDDD. This facility is a Title V facility. This installation and modification will result in minor emission increases. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

AMS 11070: SPD Electrical System (13500 Roosevelt Boulevard, Philadelphia, PA 19116) for installing one (1) 810,000 BTU/hr, four (4) 648,000 BTU/hr, one (1) 425,250 BTU/hr, one (1) 419,650 BTU/hr, seven (7) 292,000 BTU/hr, and one (1) 291,000 BTU/hr natural gas fired Roof Mounted HVAC units in the City of Philadelphia, **Philadelphia County**. There will be a potential emission increase of 2.8 tons of Nitrogen Oxides (NOx) per year for the facility. The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

AMS 10294: Point Breeze (6310 West Passyunk Avenue, Philadelphia, PA 19153) for installation and temporary operation of four (4) storage tanks in the City of Philadelphia, **Philadelphia County**. Volatile Organic Compounds (VOC) emissions from the facility are limited to less than 25 tons per rolling 12 month period. Hazardous Air Pollutants (HAPs) from the facility are limited to 10 tons per rolling 12-month period of any individual HAP emissions and less than 25 tons per rolling 12-month period for any combination of HAP emissions. After the installation, there will be a potential emission increase of 6.7 tpy of VOC. The Plan Approval will contain operating, monitoring, testing, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

48-00027: IESI Bethlehem Landfill (2335 Applebuter Road, Bethlehem, PA 18015-6004) for operation of a Landfill in Lower Saucon Township, **Northampton County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G. The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

V10-026: University of Pennsylvania (3451 Walnut Street, Philadelphia, PA 19104) for the operation of a university in the City of Philadelphia, **Philadelphia County**. The facility's air emissions' sources nine <10 MMBTU/hr heaters and furnaces, 56 emergency generators, one peak shaving generator, and two fire pumps.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Mr. Edward Wiener (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00021: Glasgow, Inc. (P. O. Box 1089, Glenside, PA 19038) for renewal of a State Only Operating Permit in East Whiteland Township, **Chester County**. Glasgow, Inc. operates a stone crushing and asphalt plant at its Catanach Quarry. The primary pollutant of concern is particulate matter emissions from the crushing plant and nitrogen oxides and volatile organic compounds from the asphalt plant. The facility is categorized as a synthetic minor facility. Source ID 501 (Portable Stone Crushing Plant) has been removed from the facility and will be removed from the permit under this renewal. The permit will include monitoring, record keeping and reporting requirements designed to address all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00065: SVC MFG. Inc.—Division of Pepsi Co., Inc. (750 Oak Hill Road, Mountain Top, PA 18707-2112) to operate and manufacture their soft drink facility in Wright Township, **Luzerne County**. The proposed State Only Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting, and work practice standards used to maintain facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

38-03055: Always Bagels, Inc. (10 Keyland CT, Bohemia, NY 11716-2620) for operation of a bagel bakery in Lebanon Rails Business Park in North Lebanon Township, **Lebanon County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has the potential to emit about 45.66 tons per year of VOCs, mainly from ethanol. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *PA Bulletin*, will exist for the submission of comments or protests.

Thomas J. Hanlon, P.E., Chief, East Permitting Section Chief may be contacted at (717) 705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

17-00043: Kitko Wood Products, Inc. (PO Box 3, Glen Hope, PA 16645-0003) for issuance of a state only operating permit for their facility in Glen Hope Borough, **Clearfield County**. The facility's sources include a 20 million Btu per hour wood-fired boiler, 15 wood drying kilns and a wood working operation. The potential emission of all air contaminants are below their respective major emission thresholds. The proposed state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

59-00020: Carleton Funeral Home, Inc. (11470 Route 6, Wellsboro, PA 16901) for issuance of a state only operating permit for their facility in Charleston Township, **Tioga County**. The facility's source is a crematory incinerator for human remains. The potential emission of all air contaminants are below their respective major emission thresholds. The proposed state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

56-00199: Shade City School District (PO Box 7, 203 McGregor Ave., Cairnbrook, PA 15924) a Synthetic Minor Operating Permit renewal for the Shad-Central City High School located in Shade Township, **Somerset County**. Equipment at this facility includes one 6.4 mmbtu/hr tri-fuel boiler, one 8.4 mmbtu/hr No. 2 fuel oil fired boiler, and two small emergency electric generators. Potential emissions from the facility are based on a limit of burning 1,900 tons of coal per consecutive 12 month period and are estimated to be 9.0 tons NOx, 1.2 tons VOCs, 10.5 tons CO, 4.3 tons particulate matter and 70.7 tons SOx. Actual emissions from the facility are much lower. The facility is subject to the applicable requirements of Pa. Code Title 25 Chapters 121 through 145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

56-00241: Rockwood Area School District (439 Somerset Ave., Rockwood, PA, 15557-1030) for renewal of Synthetic Minor Operating Permit for their Rockwood Junior/Senior High School located in Rockwood Boro, **Somerset County**. Equipment at this facility includes

two 4.3 mmbtu/hr tri-fuel boilers and some small emergency electric generators, hot water boilers, and radiant heaters. Potential emissions from the facility are based on a limit of burning 2,070 tons of coal per consecutive 12 month period and are estimated to be 9.8 tons NOx, 1.3 tons VOCs, 11.4 tons CO, 4.7 tons particulate matter and 77.0 tons SOx. Actual emissions from the facility are much lower. The facility is subject to the applicable requirements of Pa. Code Title 25 Chapters 121 through 145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

S05-016: University of the Sciences in Philadelphia (600 South 43rd Street, Philadelphia, PA 19104) for operation of a university in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) boilers each 20 MMBTU/hr burning #2 or natural gas, one (1) boiler 5 MMBTU/hr burning No. 2 or natural gas, thirty-eight (38) combustion units each less 5 MMBTU/hr burning natural gas, one (1) boiler 0.80 MMBTU/hr burning No.2 fuel oil, three (3) emergency generators, and one (1) particulate source with mills, tablet presses, and extruders

The operating permit will be issued under the Pennsylvania Code Title 25, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

58-399-016: Laser Northeast Gathering Co. LLC (333 Clay Street, STE 4500, Houston, TX 77002-4102) for construction of a natural gas compressor station at their Snake Creek FRP Site in Liberty Township, **Susquehanna County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval

to Laser Northeast Gathering Company LLC (333 Clay Street, STE 4500, Houston, TX 77002-4102) for their facility to be located in Liberty Twp., Susquehanna County. This Plan Approval No. 58-399-016 will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-399-016 is for the construction of a natural gas compressor station at the Snake Creek FRP Site. The station will consist of two CAT G3606LE engines and two dehydrators with reboilers. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NOx emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. Total PM, SOx, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum. The Plan approval and Operating Permit will include testing, monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility is subject to MACT 40 CFR Part 63 Subparts ZZZZ and HH, NSPS Subpart JJJJ and 25 PA Code 127.12 (a) (5) Best Available Technology (BAT) requirements. The visible emission opacity shall not be equal to or greater than 20% at any time. The company shall be subject to and comply with 25 Pa. Code 123.31 for malodorous emissions.

Emissions from the engines will meet MACT Subpart ZZZZ, MACT Subpart HH, BAT & NSPS Subpart JJJJ requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments. Identification of the proposed permit No.: 58-399-016.

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone # 570-826-2511 within 30 days after publication date.

58-399-017 Laser Northeast Gathering Company LLC (333 Clay Street, STE 4500, Houston, TX 77002-

4102) for construction of a natural gas compressor station at their Lane Road FRP Site in Middletown Township, **Susquehanna County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a) the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Laser Northeast Gathering Company LLC (333 Clay Street, STE 4500, Houston, TX 77002-4102) for their facility to be located in Middletown Twp., Susquehanna County. This Plan Approval No. 58-399-017 will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-399-017 is for the construction of a natural gas compressor station at the Lane Road FRP Site. The station will consist of two CAT G3606LE engines and two dehydrators with reboilers. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NOx emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. Total PM, SOx, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum. The Plan approval and Operating Permit will include testing, monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility is subject to MACT 40 CFR Part 63 Subparts ZZZZ and HH, NSPS Subpart JJJJ and 25 PA Code 127.12 (a) (5) Best Available Technology (BAT) requirements. The visible emission opacity shall not be equal to or greater than 20 % at any time. The company shall be subject to and comply with 25 PA Code 123.31 for malodorous emissions.

Emissions from the engines will meet MACT Subpart ZZZZ, MACT Subpart HH, BAT & NSPS Subpart JJJJ requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments. Identification of the proposed permit No.: 58-399-017.

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program,

2 Public Square, Wilkes-Barre, PA 18701-1915, Phone # 570-826-2511 within 30 days after publication date.

58-399-018: Laser Northeast Gathering Co., LLC (333 Clay Street, STE 4500, Houston, TX 77002-4102) for construction of a natural gas compressor station at their Kane Road FRP Site in Forest Lake Township, **Susquehanna County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a) the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Laser Northeast Gathering Company LLC (333 Clay Street, STE 4500, Houston, TX 77002-4102) for their facility to be located in Forest Lake Twp., Susquehanna County. This Plan Approval No. 58-399-018 will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-399-018 is for the construction of a natural gas compressor station at the Kane Road FRP Site. The station will consist of two CAT G3606LE engines and two dehydrators with reboilers. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NO_x emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. Total PM, SO_x, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum. The Plan approval and Operating Permit will include testing, monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility is subject to MACT 40 CFR Part 63 Subparts ZZZZ and HH, NSPS Subpart JJJJ and 25 PA Code 127.12 (a) (5) Best Available Technology (BAT) requirements. The visible emission opacity shall not be equal to or greater than 20 % at any time. The company shall be subject to and comply with 25 Pa. Code 123.31 for malodorous emissions.

Emissions from the engines will meet MACT Subpart ZZZZ, MACT Subpart HH, BAT & NSPS Subpart JJJJ requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit No.: 58-399-018.

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting

a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone # 570-826-2511 within 30 days after publication date.

58-399-019 Laser Northeast Gathering Company LLC (333 Clay Street, STE 4500, Houston, TX 77002-4102) for construction of a natural gas compressor station at the Lawrence NE FRP Site Liberty Township, **Susquehanna County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a) the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Laser Northeast Gathering Company LLC (333 Clay Street, STE 4500, Houston, TX 77002-4102) for their facility to be located in Liberty Twp., Susquehanna County. This Plan Approval No. 58-399-019 will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-399-019 is for the construction of a natural gas compressor station at the Lawrence NE FRP Site. The station will consist of two CAT G3606LE engines and two dehydrators with reboilers. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NO_x emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. Total PM, SO_x, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum. The Plan approval and Operating Permit will include testing, monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility is subject to MACT 40 CFR Part 63 Subparts ZZZZ and HH, NSPS Subpart JJJJ and 25 PA Code 127.12 (a) (5) Best Available Technology (BAT) requirements. The visible emission opacity shall not be equal to or greater than 20% at any time. The company shall be subject to and comply with 25 Pa. Code 123.31 for malodorous emissions.

Emissions from the engines will meet MACT Subpart ZZZZ, MACT Subpart HH, BAT & NSPS Subpart JJJJ requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit No.: 58-399-019.

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone # 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

11040701 and NPDES No. PA0235717, AMFIRE Mining Company, LLC, (One Energy Place, Latrobe, PA 15650), to revise the permit for the Refuse Area No. 1 in Portage Township, **Cambria County** and related NPDES permit to expand the coal refuse processing operation. Five new NPDES outfalls will be added. Coal Refuse Disposal Support Acres Proposed 96.4, Coal Refuse Disposal Acres Proposed 59.5. Receiving stream: Unnamed Tributary to Spring Run, classified for the following use(s): CWF. Application received: December 16, 2010.

17851501 and NPDES No. PA0215694, RES Coal, LLC, (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920), to revise the permit for Clearfield Siding in Boggs Township, **Clearfield County** and related NPDES permit to add a coal preparation plant with support facilities and relocate NPDES Outfall 001 and add NPDES Outfall 005. Surface Acres Proposed 35.3. Receiving stream: Clearfield Creek, classified for the following use(s): WWF. Application received: January 26, 2011.

56841605 and NPDES No. PA0214761, Croner, Inc., (1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541), to renew the permit for the Goodtown Preparation Plant in Brothersvalley Township, **Somerset County** and related NPDES permit. No additional discharges. Application received: February 8, 2011.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

11110201 and NPDES No. PA0263265, Fuel Recovery, Inc., 254 Interpower Drive, Colver, PA 15927, commencement, operation and restoration of a bituminous surface coal refuse reprocessing mine in Portage Township, **Cambria County**, affecting 71.4 acres. Receiving stream(s): unnamed tributary to Bens Creek; Spring Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 17, 2011.

56110106 and NPDES No. PA0263273, Wilson Creek Energy, LLC, 140 West Union Street, Somerset, PA 15501, commencement, operation and restoration of a bituminous surface and auger mine in Lincoln Township, **Somerset County**, affecting 92.4 acres. Receiving stream(s): unnamed tributary to Quemahoning Creek classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 21, 2011.

56060107, Coal Loaders, Inc., 210 E. Main Street, Ligonier, PA 15658, revision of an existing bituminous surface and auger mine to add 19.5 acres to the permit area in Quemahoning Township, **Somerset County**, affecting 26.4 acres. Receiving stream(s): Higgins Run; a tributary to Quemahoning Creek classified for the following use(s): high quality cold water fishery. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority & Johnstown Water Authority. Application received: June 14, 2011.

05753004 and NPDES No. PA0124869, Heritage Coal & Natural Resources, LLC, 208 West Mud Pike Road, Rockwood, PA 15557, transfer of an existing bituminous surface rock mine from Forcey Coal, Inc., P. O. Box 225,

Madera, PA 16661, located in Broadtop and Carbon Townships, **Bedford** and **Huntingdon Counties**, affecting 222.1 acres. Receiving streams: UTS to/and Coal Bank Run classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 20, 2011.

32050106 and NPDES No. PA0249823. Beth Contracting, Inc., 815 Rock Run Road, Glen Campbell, PA 15742, permit renewal for the continued operation and restoration of a bituminous surface mine in Glen Campbell Borough, **Indiana County**, affecting 56.1 acres. Receiving stream(s): Brady Run and unnamed tributaries to Cush Creek classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 21, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

65010102 and NPDES Permit No. PA0202967. Coal Loaders, Inc. (P. O. Box 556, Ligonier, PA 15658). Renewal application for operation and reclamation of an existing bituminous surface mine, located in Fairfield Township, **Westmoreland County**, affecting 146.8 acres. Receiving streams: unnamed tributaries to Hypocrite Creek and Hannas Run, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 22, 2011.

65060101 and NPDES Permit No. PA0250856. Coal Loaders, Inc. (P. O. Box 556, Ligonier, PA 15658). Renewal application for operation and reclamation of an existing bituminous surface mine, located in South Huntingdon Township, **Westmoreland County**, affecting 23.2 acres. Receiving streams: unnamed tributary A to Youghiogheny River, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: June 24, 2011.

26743202 and NPDES Permit No. PA0069736. Bute Coal Recovery, LLC (P. O. Box 275, West Leisenring, PA 15489). Renewal application for continued operation and reclamation of an existing bituminous surface mine, located in Dunbar and North Union Townships, **Fayette County**, affecting 150.1 acres. Receiving streams: Rankin Run, classified for the following use: WWF. The potable water supply intake within 10 miles downstream from the point of discharge: North Fayette Municipal Authority. Renewal application received: June 27, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33100106 and NPDES Permit No. PA0259004. Strishock, LLC (220 Hillcrest Drive, DuBois, PA 15801) Revision to an in-process bituminous strip mine to add 5.0 acres for haul road use in Washington Township, **Jefferson County**. Total affected acres will be 257.5 acres. Receiving streams: Unnamed tributaries to Horm Run and unnamed tributaries to Five Mile Run, both classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 29, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54070202C3. Coaldale Energy, LLC, (P. O. Box 502, Tamaqua, PA 18252), correction to an existing anthracite coal refuse reprocessing operation to include a coal preparation plant in Tamaqua and Coaldale Boroughs, **Schuylkill County** affecting 195.0 acres, receiving stream: Panther Creek, classified for the following use: cold water fishes. Application received: June 13, 2011.

Noncoal Applications Received

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

42082805 and NPDES Permit No. PA0259136. HRI, Inc. (1750 West College Avenue, State College, PA 16801) Transfer of an existing small industrial mineral mine from Edward S. Kojancic in Lafayette Township, **McKean County** affecting 5.0 acres. Receiving streams: Camp Run, classified for the following uses: HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 28, 2011.

43110301. Three Rivers Aggregates, LLC (225 North Shore Drive, Pittsburgh, PA 15212) Commencement, operation and restoration of a large industrial mineral mine in Jefferson Township, **Mercer County** affecting 90.0 acres. Receiving streams: Unnamed tributary to Daily Run, classified for the following: WWF, and unnamed tributary to Neshannock Creek, classified for the following: TSF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 30, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

58110303. Rock Ridge Stone, Inc., (631 SR 1039, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in Forest Lake Township, **Susquehanna County** affecting 102.87 acres, receiving stream: Middle Branch Wyalusing Creek, classified for the following use: cold water fishes. Application received: June 8, 2011.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0mg/l	6.0mg/l	7.0mg/l
Manganese (Total)	2.0mg/l	4.0mg/l	5.0mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT

limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapters 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*			

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

NPDES No. PA0215520 (Mining Permit No. 63723707), Maple Creek Mining, Inc., (683 State Route 7 North, PO Box 278, Gallipolis, OH 45631). A renewal and revision to the NPDES and mining activity permit for the Ginger Hill Refuse Area II in Nottingham and Carroll

Township, **Washington County**. Surface Acres Affected 254.0. Receiving streams: Unnamed Tributary of Pigeon Creek and Dry Run, both classified for the following use(s): WWF. Monongahela River TMDL. Application received March 10, 2009.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The proposed average daily discharge rate for Outfall 003 is 0.0576 MGD

Outfall 003 discharges to: Unnamed Tributary of Pigeon Creek

The proposed effluent limits for Outfall 003 Lat: 40° 11' 06" Long: 79° 58' 44" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		Monitor & Report		
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow		Monitor and Report		
Osmotic Pressure (mOs/kg)		556	868	
Total Dissolved Solids (mg/l)		Monitor & Report		
Sulfates (mg/l)			250	
Chlorides (mg/l)		Monitor & Report		

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 004 is 1.3 MGD

Outfall 004 discharges to: Unnamed Tributary of Pigeon Creek

The proposed effluent limits for Outfall 004 Lat: 40° 11' 17" Long: 79° 58' 36" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.53	2.38	
Manganese (mg/l)		1.02	1.59	
Aluminum (mg/l)		0.49	0.76	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow		Monitor & Report		
Osmotic Pressure (mOs/kg)		51	79	
Total Dissolved Solids (mg/l)		Monitor & Report		
Sulfates (mg/l)			250	
Chlorides (mg/l)		Monitor & Report		

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 012 is 0.985 MGD

Outfall 012 discharges to: Unnamed Tributary of Pigeon Creek

The proposed effluent limits for Outfall 012 Lat: 40° 11' 15" Long: 79° 58' 35" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.55	2.42	
Manganese (mg/l)		1.03	1.61	
Aluminum (mg/l)		0.50	0.77	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow		Monitor and Report		
Osmotic Pressure (mOs/kg)		52	81	
Total Dissolved Solids (mg/l)		Monitor & Report		
Chlorides (mg/l)		Monitor & Report		

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 017 varies.

Outfall 017 discharges to: Dry Run

The proposed effluent limits for Outfall 017 Lat: 40° 11' 37" Long: 79° 59' 17" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		1.0	2.0	2.5
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow			Monitor & Report	
Total Dissolved Solids (mg/l)			Monitor & Report	
Sulfates (mg/l)			Monitor & Report	
Chlorides (mg/l)			Monitor & Report	

¹ The parameter is applicable at all times.

NPDES No. PA0235903 (Mining Permit No. 56081301), LCT Energy, LP, (941 Pine Grove Lane Suite B, Johnstown, PA 15905). A new NPDES and mining activity permit for the Brubaker Mine in Shade and Paint Townships, **Somerset County** a new underground mine. Surface Acres Affected 81.6, Underground Acres Affected 736.1. Receiving stream: Unnamed Tributary to Hinson Run, classified for the following use(s): CWF. Kiskiminetas-Conemaugh River Watershed TMDL. Application received December 5, 2008.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The proposed average daily discharge rate for Outfall 001 is 0.72 MGD

Outfall 001 discharges to: Unnamed Tributary to Hinson Run

The proposed effluent limits for Outfall 001 Lat: 40° 19' 12.1" Long: 78° 51' 24.1" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	2.34	
Manganese (mg/l)		0.642	1.0	
Aluminum (mg/l)		0.481	0.75	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow			Monitor & Report	1000 gpm
Osmotic Pressure (mOs/kg)		32	50	
Total Dissolved Solids (mg/l)		2000	4000	
Sulfates (mg/l)			Monitor & Report	
Chlorides (mg/l)			Monitor & Report	
Specific Conductance (umho)			Monitor & Report	

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 002 is 0.09 MGD

Outfall 002 discharges to: Unnamed Tributary to Hinson Run

The proposed effluent limits for Outfall 002 Lat: 40° 09' 12.3" Long: 78° 51' 23.8" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	2.34	
Manganese (mg/l)		0.642	1.0	
Aluminum (mg/l)		0.481	0.75	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow			Monitor & Report	
Total Dissolved Solids (mg/l)		2000	4000	
Sulfates (mg/l)			Monitor & Report	
Chlorides (mg/l)			Monitor & Report	
Specific Conductance (umho)			Monitor & Report	

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 003 is 0.02 MGD

Outfall 003 discharges to: Unnamed Tributary to Hinson Run

The proposed effluent limits for Outfall 003 Lat: 40° 09' 15.9" Long: 78° 51' 35.4" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	2.34	
Manganese (mg/l)		0.642	1.0	
Aluminum (mg/l)		0.481	0.75	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow		Monitor & Report		
Osmotic Pressure (mOs/kg)			50	
Total Dissolved Solids (mg/l)		Monitor & Report		
Sulfates (mg/l)		Monitor & Report		
Chlorides (mg/l)		Monitor & Report		
Specific Conductance (umho)		Monitor & Report		

¹ The parameter is applicable at all times.

NPDES No. PA0235971 (Mining Permit No. 30101301), CWMM, LLC, (165 East Union Street, Suite 300, Somerset, PA 15501). A new NPDES and mining activity permit for the CW Morgan Mine in Dunkard, Perry, Greene and Whiteley Townships, **Greene County** a new underground mine. Surface Acres Affected 72.1, Underground Acres Affected 2745.9. Receiving stream: Dunkard Creek, classified for the following use(s): WWF. Dunkard Creek TMDL. Application received May 20, 2010.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The proposed average daily discharge rate for Outfall 001 is 1.44 MGD

Outfall 001 discharges to: Dunkard Creek

The proposed effluent limits for Outfall 001 Lat: 39° 45' 18" Long: 80° 00' 05" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	2.34	
Manganese (mg/l)		0.64	1.00	
Aluminum (mg/l)		0.48	0.75	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow		Monitor & Report		
Osmotic Pressure (mOs/kg)		32	50	
Total Dissolved Solids (mg/l)		500	750	
Sulfates (mg/l)			250	
Chlorides (mg/l)		Monitor & Report		

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 002 is 1.26 MGD

Outfall 002 discharges to: Dunkard Creek

The proposed effluent limits for Outfall 002 Lat: 39° 45' 15" Long: 79° 59' 54" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	2.34	
Manganese (mg/l)		0.64	1.00	
Aluminum (mg/l)		0.48	0.75	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow		Monitor & Report		
Osmotic Pressure (mOs/kg)		Monitor & Report		
Total Dissolved Solids (mg/l)		Monitor & Report		
Sulfates (mg/l)		Monitor & Report		
Chlorides (mg/l)		Monitor & Report		

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 003 is 2.78 MGD
 Outfall 003 discharges to: Dunkard Creek

The proposed effluent limits for Outfall 003 Lat: 39° 44' 57" Long: 79° 59' 57" are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	2.34	
Manganese (mg/l)		0.64	1.00	
Aluminum (mg/l)		0.48	0.75	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Flow			Monitor & Report	
Osmotic Pressure (mOs/kg)			Monitor & Report	
Total Dissolved Solids (mg/l)			Monitor & Report	
Sulfates (mg/l)			Monitor & Report	
Chlorides (mg/l)			Monitor & Report	

¹ The parameter is applicable at all times.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0212687 (Mining permit no. 32990103), TLH Coal Company, 4401 Pollock Road, Marion Center, PA 15759, renewal of an NPDES permit for surface/auger mine in Grant Township, **Indiana County**, affecting 30.1 acres. Receiving stream(s): Unnamed Tributaries to and East Run, classified for the following use(s): High Quality Cold Water Fishery. Due to the classification of the streams there are no permitted discharges of treated wastewater from this permit to the receiving streams and all treatment ponds have been reclaimed. Application received: April 14, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to Unnamed Tributary to East Run.

Outfall Nos.	New Outfall (Y/N)
001 (Sediment Pond #2)	N

The proposed effluent limits for the above listed outfall(s) are as follows:

Outfalls: Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Iron (mg/l)			7.0
Total Settleable Solids			0.5 ml/l
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Noncoal NPDES Draft Permits

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES Permit No. PA0259128 (BMR-GP103 25111001) Groundwork Resources, LLC (8870 Baron Road, McKean, PA 16426) New NPDES permit for a BMR-GP-103, Short-Term Construction Projects, in McKean Township, **Erie County** affecting 4.1 acres. Receiving stream: N/A. Application received: June 20, 2011.

There is no proposed discharge for this site due to the implementation of BMPs.

NPDES Permit No. PA0259136 (SMP No. 42082805). HRI, Inc. (1750 West College Avenue, State College, PA 16801) New NPDES permit for a small industrial mineral mine in Lafayette Township, **McKean County** affecting 5.0 acres. Receiving streams: N/A. Application received: June 28, 2011.

There is no proposed discharge for this site due to the implementation of BMPs.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E15-816. Kim Moretti, Township Manager, East Pikeland Township, P. O. Box 58, Kimberton, PA 19442, East Pikeland Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain a new 8-foot wide, 120-foot span pedestrian bridge across French Creek (TSF-MF) associated with expansion of the existing sidewalk/trail system at the existing breached Rapps dam site.

The site is located approximately 2000 feet southwest of intersection of Rapps Dam Road and Council Road (Phoenixville, PA USGS Quadrangle N: 1.6 inches; W: 8.00 inches) in East Pikeland Township, Chester County.

E15-815. Kennett Square Golf & Country Club, 100 E. Locust Lane, Kennett Square, PA 19348, East Marlborough Township, **Chester County**, ACOE Philadelphia District.

To restore and maintain approximately 2,150 linear feet of streambank along the East Branch of Red Clay Creek within Kennett Square Golf and Country Club, by utilizing natural stream design techniques. This work includes replacement of the existing pedestrian /golf cart bridge.

The site is located approximately 0.3 miles west of the intersection of East Locust Lane and Unionville Road (S.R. 0082) (Kennett Square, PA USGS Quadrangle, N: 20.9 inches; W: 11.6 inches).

E09-953. Cold Springs Investment Group, L.P. 301 Oxford Valley Road, Suite 702, Yardley, PA 19067-7713, Yardley borough, **Bucks County**, ACOE Philadelphia District.

To perform the following water obstruction and Encroachment activities across/along Brock Creek associated with the construction of a residential development at the existing US Magnet site (Cold Springs):

1. To construct and maintain a 95-foot long, 6-foot wide, and 8.5-foot high pedestrian bridge.
2. To construct and maintain four outfall structures.
3. To stabilize and maintain approximately 30 linear feet of streambank.

The site is located near the intersection of Newtown Road and West Afton Avenue (Trenton west, NJ-PA USGS Quadrangle N: 21.5 inches; W: 13.4 inches).

E09-955. Bristol Borough, 250 Pond Street, Bristol, PA 19007, Bristol Borough, **Bucks County**, ACOE Philadelphia District.

To redevelop the existing public works maintenance office facility in and along the 100-year floodplain of the Delaware River. Work will include the removal of the existing building and construction of a new facility, approximately 1.5 feet above the 100-year floodplain elevation.

The site is located near the intersection of Maple Beach Road and Canal Street (Bristol, PA-NJ, USGS Quadrangle N: 7 inches; W: 6.25 inches).

E51-247. Chuck Pukanecz, Pier 5 Marina Inc., LLC and Pier 5 and Marina Associates LP, 31 N. Columbus Blvd., Philadelphia, PA 19106, **Philadelphia County**, ACOE Philadelphia District.

To rehabilitate, and maintain the two existing marina docking facilities among Pier 3, Pier 5, and Pier 9. This work includes maintenance dredging of these areas which are approximately 216 feet wide and extend about 507 feet into the Delaware River (WWF, MF).

The site is located at Piers No. 3, 5, and 9 along the Delaware River (Philadelphia, PA-NJ, USGS Quadrangle N: 13.82 inches; W: 2.02 inches).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-2511.

E39-512. Lehigh County, Government Center 17 South Center Street, Allentown, PA 18101, in Whitehall Township and North Catasauqua Borough, **Lehigh and Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

Remove the existing structure; and to construct and maintain an eight-span bridge consisting of five pre-stressed bulb tee beam spans and three pre-stressed spread box beam spans, with reinforced concrete abutments and wingwalls. The structure will have a span of 1,000 feet and an approximate under-clearance of 48.7 feet over the Lehigh River (TSF, MF). The project will also have 0.18 acre of temporary wetland impacts. The project is located along S.R. 1014 (Lehigh Street), Section LSB, Segment 0040, Offset 0444, at the intersection of Water Street and SR 1014. (Catasauqua, PA Quadrangle, Latitude: 40°39'38"; Longitude: -75°29'04").

E39-513. City of Allentown, Department of Public Works, Allentown, PA 18103, in City of Allentown, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To authorize the following water obstructions and encroachments associated with the American Parkway Roadway Improvement Project:

1. To construct and maintain a five-span concrete I-beam bridge having a normal span of 658 feet and an approximate under-clearance of 22 feet over the Lehigh River (TSF, MF).
2. To place of fill in approximately 0.01 acres of the floodplain of the Jordan Creek (TSF, MF).
3. To place of fill in approximately 2.34 acres of the floodway/floodplain of the Lehigh River

4. To place of fill in approximately 0.12 acres of the floodway/floodplain of a tributary to the Lehigh River (CWF, MF).

The project is located along S.R. 96216 (American Parkway) at the intersection of American Parkway and Front Street in the City of Allentown, Lehigh County. (Allentown East, PA Quadrangle, Latitude: 40°37'22.1"; Longitude: -75°27'30.4").

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E06-668: Pa. Department of Transportation Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101, in Pike Township, **Berks County**, ACOE Philadelphia District

To remove the existing structure and to construct and maintain a single span prestressed concrete spread box beam bridge skewed 75° having a clear span of 63.46 feet, a width of 29.83 feet, and an underclearance of 6.56 feet across Pine Creek (EV) for the purpose of improving transportation safety and roadway standards. The project is located along SR 1026 (Bertolet Mill Road) in Pike Township, Berks County (Manatawny, PA Quadrangle; N: 6.1 inches, W: 15.6 inches; Latitude: 40°24'31", Longitude: -75°44'13").

E67-893: P. H. Glatfelter Company, Phyllis Chant, 228 South Main Street, Spring Grove, PA 17362-0500, in Spring Grove borough, **York County**, ACOE Baltimore District

To (1) construct and maintain a temporary 22.05-foot wide, single span bridge having a normal span of 144.6 feet and an underclearance of 12.0 feet across Codorus Creek (WWF, MF), and (2) temporarily place and maintain fill in 0.018 acres of emergent/ forested wetlands for the purpose of improving transportation safety on the P. H. Glatfelter property. The project is located along Route 116/York Road/Hanover Road on the P. H. Glatfelter property, approximately 800.0 feet downstream of the existing bridge (Seven Valleys, PA Quadrangle; N: 22.0 inches, W: 16.0 inches; Latitude: 39°52'14.8", Longitude: -76°51'45.2") in Spring Grove Borough, York County.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E18-466. Pennsylvania Department of Conservation and Natural Resources, PO Box 8451, Harrisburg, PA 17105-8451. Beaverdam Road over the Left Fork of Beaverdam Run Culvert installation, in Leidy Township, **Clinton County**, ACOE Baltimore District (Hammersley Fork, PA Quadrangle N: 41°24'17"; W: 77°57'8").

To construct and maintain a 20-foot span by 6-foot rise by 42-foot long pre-cast box culvert with concrete end sections and wing walls depressed one foot in the Left Fork of Beaverdam Run to improve water quality at this existing muddy ford crossing. This project proposes to permanently impact 175 linear feet of Left Fork of Beaverdam Run that is designated as an Exceptional Value—Wild Trout Fishery.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E10-457, John McCrea, 968 Clearfield Road, Fenelton, PA 16034. John and Becky McCrea Bridge, in Donegal Township, **Butler County**, ACOE Pittsburgh District (Chicora, PA Quadrangle N: 40°, 53', 35"; W: 79°, 43', 15").

The applicant has constructed two stream crossings within the Buffalo Creek Watershed. The after-the-fact permit application includes the operation and maintenance of a private steel beam bridge having a width of 10 feet, a clear span of 36 feet and an underclearance of 5.0 feet on Buffalo Creek and a 20 foot long, 36 inch diameter culvert within UNT Buffalo Creek. Buffalo Creek is a perennial stream classified as a High Quality, Cold Water Fishery.

E20-584, Park Restoration, LLC, 11805 Morning-shore Drive, Conneaut Lake, PA 16316-4057. Boat Docks at Conneaut Lake Park Beach, in Sadsbury Township, **Crawford County**, ACOE Pittsburgh District (Harmonsborg, PA Quadrangle N: 41°, 37', 58.7"; W: -80°, 18', 51.4").

The applicant proposes to construct and maintain a series of 14 docks each measuring approximately 3 feet wide by 20 feet long linked together by a walkway measuring approximately 3 feet wide by 330 feet long oriented parallel to, and averaging approximately 50 feet away from the shore line of Conneaut Lake (HQ-WWF) in Sadsbury Township, Crawford County. The docking facility would physically occupy approximately 10,000 square feet of submerged lands of the Commonwealth of Pennsylvania and would be configured in such a way as to enclose approximately 17,000 square feet of submerged lands of the Commonwealth currently utilized as a public swimming area.

Northcentral Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E0829-014: Chesapeake Appalachia, LLC, 101 North Main Street, Athens, PA 18810, Ulster Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across an unnamed tributary to Susquehanna River (WWF-MF) impacting 3 linear feet of stream; (Ulster, PA Quadrangle, Latitude: 41° 49'40", Longitude: -76° 30'34") in Ulster Township, Bradford County;

2. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across an unnamed tributary to Susquehanna River (WWF-MF) impacting 3 linear feet of stream; (Ulster, PA Quadrangle, Latitude: 41° 49'36", Longitude: -76° 30'55") in Ulster Township, Bradford County;

3. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across an unnamed tributary to Susquehanna River (WWF-MF) impacting 3 linear feet of stream; (Ulster, PA Quadrangle, Latitude: 41° 49'38", Longitude: -76° 31'18") in Ulster Township, Bradford County;

4. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 40.5 square feet; (Ulster, PA Quadrangle, Latitude: 41° 49'40", Longitude: -76° 30'34") in Ulster Township, Bradford County;

5. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 8,104 square feet; (Ulster, PA Quadrangle, Latitude: 41° 49'36", Longitude: -76° 30'45") in Ulster Township, Bradford County;

6. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across a Palustrine Emergent

Wetland (PEM) impacting 389 square feet; (Ulster, PA Quadrangle, Latitude: 41° 49'36", Longitude: -76° 30'47") in Ulster Township, Bradford County;

7. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 2,869 square feet; (Ulster, PA Quadrangle, Latitude: 41° 49'36", Longitude: -76° 30'54") in Ulster Township, Bradford County;

8. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across a Palustrine Emergent/Scrub-Shrub Wetland (PEM/SS) impacting 14,881 square feet; (Ulster, PA Quadrangle, Latitude: 41° 49'52", Longitude: -76° 31'55") in Ulster Township, Bradford County;

9. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 136 square feet; (Ulster, PA Quadrangle, Latitude: 41° 49'36", Longitude: -76° 30'48") in Ulster Township, Bradford County;

10. a 12 inch diameter waterline and a temporary 12 foot wide equipment mat across a Palustrine Emergent/Scrub-Shrub Wetland (PEM/SS) impacting 4,019 square feet; (Ulster, PA Quadrangle, Latitude: 41° 49'33", Longitude: -76° 31'9") in Ulster Township, Bradford County;

The project will result in 9 linear feet of temporary stream impacts and 30,438 square feet (0.70 acres) of PEM/SS wetland impact all for the purpose of installing a waterline with associated access roadways.

E5729-013: Chesapeake Appalachia, LLC, 101 N. Main Street, Athens, PA 18810, Fox and Elkland Townships, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

(1) two 16.0 inch diameter temporary water lines and a 20 foot wide equipment mat across an unnamed tributary to Porter Creek (EV) impacting 29 linear feet (Shunk Quadrangle 41°32'29"N 76°42'15"W),

(2) two 16.0 inch diameter temporary water lines and a 20 foot wide equipment mat across Porter Creek (EV) impacting 9 linear feet (Shunk Quadrangle 41°32'12"N 76°42'30"W).

The project will result in 38 linear feet of temporary stream impacts from water lines and temporary mat crossings. These crossings will accumulate a total of 0.02 acres of watercourse impacts all for the purpose of installing temporary water lines with associated access roadways for Marcellus well development.

E5929-019: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Charleston and Delmar Townships, **Tioga County**, ACOE Baltimore District.

To construct and maintain:

1) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 882 square feet of a palustrine emergent (PEM) wetland (Roseville, PA Quadrangle 41°51'37"N 76°59'01"W);

2) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 36,829 square feet of a palustrine emergent (PEM) wetland (Roseville, PA Quadrangle 41°51'43"N 76°58'50"W);

3) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 2,550 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Roseville, PA Quadrangle 41°51'45"N 76°58'47"W);

4) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 4,842 square feet of a palustrine emergent (PEM) wetland (Roseville, PA Quadrangle 41°51'46"N 76°58'45"W);

5) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 17,849 square feet of a palustrine emergent / palustrine scrub/shrub (PEM/PSS) wetland (Roseville, PA Quadrangle 41°51'48"N 76°58'40"W);

6) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 250 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Roseville, PA Quadrangle 41°51'49"N 76°58'38"W);

7) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 4,502 square feet of a palustrine emergent (PEM) wetland (Roseville, PA Quadrangle 41°51'51"N 76°58'30"W);

8) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 2,200 square feet of Mill Creek (TSF) (Roseville, PA Quadrangle 41°51'53"N 76°58'26"W);

9) a temporary road crossing using a mat bridge and culvert impacting 1,200 square feet of Mill Creek (TSF) (Roseville, PA Quadrangle 41°51'57"N 76°58'27"W);

10) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 3,024 square feet of a palustrine emergent / palustrine scrub/shrub (PEM/PSS) wetland (Roseville, PA Quadrangle 41°52'04"N 76°58'12"W);

11) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 500 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°52'50"N 76°57'38"W);

12) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 3,981 square feet of a palustrine emergent (PEM) wetland (Millerton, PA Quadrangle 41°53'07"N 76°57'47"W);

13) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 800 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°53'07"N 76°57'47"W);

14) a temporary road crossing using a mat bridge and culvert impacting 550 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°53'11"N 76°57'40"W);

15) a temporary road crossing using a mat bridge and culvert impacting 569 square feet of a palustrine emergent (PEM) wetland (Millerton, PA Quadrangle 41°53'11"N 76°54'40"W);

16) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 800 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°53'11"N 76°57'52"W);

17) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch

diameter water line impacting 400 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°52'43"N 76°57'23"W);

18) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,868 square feet of a palustrine emergent / palustrine scrub/shrub (PEM/PSS) wetland (Millerton, PA Quadrangle 41°52'44"N 76°57'16"W);

19) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 200 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°52'44"N 76°57'15"W);

20) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 2,483 square feet of a palustrine emergent / palustrine scrub/shrub (PEM/PSS) wetland (Millerton, PA Quadrangle 41°52'44"N 76°57'15"W);

21) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 400 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°52'49"N 76°56'14"W);

22) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 600 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°53'18"N 76°56'26"W);

23) a temporary road crossing using a mat bridge and culvert impacting 180 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°53'13"N 76°56'24"W);

24) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 600 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°53'31"N 76°56'46"W);

25) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 931 square feet of a palustrine emergent (PEM) wetland (Millerton, PA Quadrangle 41°53'41"N 76°56'38"W);

26) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,718 square feet of a palustrine emergent (PEM) wetland (Millerton, PA Quadrangle 41°53'56"N 76°56'47"W);

27) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 800 square feet of an unnamed tributary (UNT) to Mill Creek (TSF) (Millerton, PA Quadrangle 41°54'00"N 76°56'16"W);

28) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 245 square feet of a palustrine forested (PFO) wetland (Millerton, PA Quadrangle 41°54'18"N 76°55'37"W);

29) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,065 square feet of a palustrine forested (PFO) wetland (Millerton, PA Quadrangle 41°54'18"N 76°55'37"W);

30) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 905 square feet of a palustrine emergent (PEM) wetland (Millerton, PA Quadrangle 41°54'18"N 76°55'36"W);

The project will result in 710 linear feet of temporary stream impacts, a total of 80,383 square feet (1.85 acres) of temporary wetland impacts, and a total of 1,310 square feet (0.03 acres) of permanent wetland impacts. Streams and wetlands are being crossed all for the purpose of installing a natural gas gathering line, a large spur line, and several short spur lines.

E0829-016: Talisman Energy USA, Inc., 50 Penwood Place, Warrendale, PA 15086, Wells Township, Bradford County, ACOE Baltimore District. To construct, operate and maintain:

1. One 12 inch diameter natural gas line, and a 6 inch diameter flex steel water line impacting 832.5 square feet of a Palustrine Emergent Wetland (Gillett, PA Quadrangle N: 11.25 inches, W: 17.13 inches, Latitude: 41°57'03.60", Longitude: -76°51'13.68").

2. One 12 inch diameter natural gas line, and a 6 inch diameter flex steel water line impacting 115.8 square feet of a Palustrine Emergent Wetland (Gillett, PA Quadrangle N: 11.25 inches, W: 17.13 inches, Latitude: 41°56'51.36", Longitude: -76°51'23.04").

3. One 12 inch diameter natural gas line, a 6 inch diameter flex steel water line and a 16 foot wide equipment mat impacting 7,870.7 square feet of a Palustrine Emergent Wetland (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'51.36", Longitude: -76°51'28.80").

4. One 12 inch diameter natural gas line, a 6 inch diameter flex steel water line and a 16 foot wide equipment mat impacting 3,278.2 square feet of a Palustrine Emergent Wetland (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'48.12", Longitude: -76°51'57.24").

5. One 12 inch diameter natural gas line, a 6 inch diameter flex steel water line and a 16 foot wide equipment mat impacting 16 linear feet of an unnamed tributary to Beckwith Creek (CWF, MF) and an adjacent Palustrine Emergent Wetland impacting 1,354.6 square feet (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'45.60", Longitude: -76°51'57.96").

6. One 12 inch diameter natural gas line, a 6 inch diameter flex steel water line and a 16 foot wide equipment mat impacting 16 linear feet of an unnamed tributary to Beckwith Creek (CWF, MF) and an adjacent Palustrine Emergent Wetland impacting 923.4 square feet (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'32.64", Longitude: -76°51'55.80").

7. One 12 inch diameter natural gas line, a 6 inch diameter flex steel water line and a 16 foot wide equipment mat impacting 3717.7 square feet of a Palustrine Emergent/Scrub-Shrub Wetland (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'31.56", Longitude: -76°51'56.16").

8. One 12 inch diameter natural gas line, a 6 inch diameter flex steel water line and a 16 foot wide equipment mat impacting 1,897.7 square feet of a Palustrine Emergent Wetland (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'28.32", Longitude: -76°51'56.16").

9. One 12 inch diameter natural gas line, a 6 inch diameter flex steel water line and a 16 foot wide equip-

ment mat impacting 16 linear feet of an unnamed tributary to Beckwith Creek (CWF,MF) (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'17.52", Longitude: -76°51'55.44").

10. One 12 inch diameter natural gas line, and a 6 inch diameter flex steel water line impacting 382.8 square feet of a Palustrine Emergent Wetland (Colley, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'14.64", Longitude: -76°52'21.00").

11. One 12 inch diameter natural gas line and a 6 inch diameter flex steel water line impacting 13 linear feet of Beckwith Creek (CWF, MF) and an adjacent Palustrine Emergent/Scrub-Shrub Wetland impacting 817.5 square feet (Millerton, PA Quadrangle N: 11.6 inches, W: 11.4 inches, Latitude: 41°56'32.64", Longitude: -76°51'55.80").

The project will result in 61 linear feet of temporary stream impacts and 21,190.9 square feet (0.49 acres) of PEM/PSS wetland impacts all for the purpose of installing a natural gas pipeline and a water line with associated access roadways.

ENVIRONMENTAL ASSESSMENT

Northcentral Region: Program Manager, Watershed Management Program, 208 West Third Street, Williamsport, PA 17701

EA14-007. US Fish and Wildlife Service, 315 South Allen Street, Suite 322, State College, PA 16801-4850. Wallace Run/Brown Property Stream Restoration Project, in Boggs Township, **Centre County**. ACOE Baltimore District.

This project proposes to stabilize the channel and improve sediment transport of a 900-foot reach of Wallace Run. At this location, prior restoration activities had stabilized the stream, which had been actively trying to meander in the river left direction at the location of the Brown property, causing significant bank erosion. The stream was stabilized by rerouting the stream and stabilizing it with a series of 9 rock vanes. This project proposes to permanently impact 900 linear feet of Wallace Run, which is classified as a Wild Trout—Cold Water Fishery. (Bellefonte, PA Quadrangle N: 40°57'03"; W: 77°49'55").

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Waste Management, Division of Storage Tanks, PO Box 8763, Harrisburg, PA 17105-8763, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
11013	Petroleum Products Inc. 500 River East Drive Belle, WV 25015 Attn: D. Walter Hanson	Bradford	Leroy Township	6 ASTs storing diesel fuel	120,000 gallons total
11014	Baker Hughes Oilfield Operations 17021 Aldine Westfield Road Houston, TX 77073 Attn: Joshua C. Morrissette	Lackawanna	Fell Township	13 ASTs storing drilling fluids and base oil	252,000 gallons total

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0114979 (Sewage)	Knoxville Borough WWTP 115 S East Street Knoxville, PA 16928	Tioga County Knoxville Borough	Cowanessque River (4-A)	Y
PA0112933 (Sewage)	Penns Creek Municipal Authority WWTP 207 Walnut Street Penns Creek, PA 17862	Snyder County Center Township	Penns Creek (6-A)	Y
PA0114936 (Sewage)	BCI Wastewater Treatment Plant 625 Cressview Street Ext Irvona, PA 16656	Clearfield County Irvona Borough	Clearfield Creek (8-C)	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0021521	Smethport Borough Authority STP P. O. Box 152 Smethport, PA 16749-0152	McKean County Smethport Borough	Potato Creek 16-C	Y
PA0044067	Pennsylvania Fish & Boat Commission 9450 Route 6 Union City, PA 16438	Erie County Union Township	Bentley Run 16-A	Y
PA0092304	Keystone Senior Care 296 Dinnerbell Road Butler, PA 16002	Butler County Penn Township	Unnamed tributary to Robinson Run 20-C	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0026182, Sewage, **Borough of Lansdale**, One Vine Street, Lansdale, PA 19446.

This proposed facility is located in Lansdale Borough, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge an annual flow of 2.6 MGD, and a maximum monthly flow of 4.5 MGD of treated sewage from a facility known as Lansdale Borough STP to Unnamed Tributary to West Branch Neshaminy Creek in Watershed 2F.

NPDES Permit No. PA0053384, Sewage, **Buckingham Assembly Hall of Jehovah's Witnesses**, P. O. Box 338, Buckingham, PA 18912.

This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge an average monthly flow of 8,000 gpd of treated sewage from a facility known as Jehovah's Witnesses STP to Unnamed Tributary to of Mill Creek in Watershed 2F-Neshaminy.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0011169 Amendment No. 1, Sewage, **Materion Brush, Inc.**, PO Box 973, Reading, PA 19603.

This proposed facility is located in Perry Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to the Schuylkill River in Watershed 3-B.

NPDES Permit No. PA0087912 T-1, Industrial Waste, **Mechanicsburg Terminals Corporation**, PO Box 2621, Harrisburg, PA 17105-2621.

This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to drainage swales to Hogestown Run and Trindle Spring Run in Watershed 7-B.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA

WQM Permit No. 1504404, Sewage, Renewal, **West Bradford Township**, 1385 Campus Drive, Downingtown, PA 19335.

This proposed facility is located in West Bradford Township, **Chester County**.

Description of Action/Activity: Renewal to continue operation of a sewage treatment plant with a spray irrigation system.

WQM Permit No. 0995418, Sewage, Renewal, **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912.

This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Action/Activity: Renewal for the continued operation of Fieldstone Wastewater Treatment Plant.

WQM Permit No. WQG02091105, Sewage, **Warrington Township**, 852 Easton Road, Warrington, PA 18976.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

WQM Permit No. 0911401, Sewage, **Pennsylvania Historical & Museum Commission**, Commonwealth Keystone Building, 400 North Street, Room N118, Harrisburg, PA 17120-0093.

This proposed facility is located in Solebury Township, **Bucks County**.

Description of Action/Activity: Replacing 4 pump stations with new pump stations.

WQM Permit No. 1588416, Sewage, Renewal, **Balmoral Homeowners Maintenance Corporation**, 511 West Chester Pike, Havertown, PA 19083.

This proposed facility is located in Kennett Township, **Chester County**.

Description of Action/Activity: To renew the continued operation of a 0.0417 waste water treatment plant.

WQM Permit No. WQG02461108, Sewage, **Horsham Water & Sewer Authority**, 617 Horsham Road, Horsham, PA 19044.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a gravity sanitary sewer to serve the PA Air National Guard 111th Fighter Wing at the Willow Grove Air Reserve Station.

WQM Permit No. WQG02461109, Sewage, **Pennsylvania Air National Guard 111th Fighter Wing**, 1120 Fairchild Street, Horsham, PA 19044-5236.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a force main to serve the PA Air National Guard 111th Fighter Wing at the Willow Grove Air Reserve Station.

WQM Permit No. 1511402, Sewage, **Easttown Municipal Authority**, 566 Beaumont Road, Devon, PA 19333.

This proposed facility is located in Easttown Township, **Chester County**.

Description of Action/Activity: To replace the existing Devon Hunt Pump Station with a new submersible sewage pumping station.

WQM Permit No. 2386410, Sewage, Transfer, **Christopher Hopkins**, 2015 Valley Road, Newtown Square, PA 19073-2722.

This proposed facility is located in Edgmont Township, **Delaware County**.

Description of Action/Activity: Single residence sewage treatment plant transferring from Owen J. Mooney to Christopher Hopkins.

WQM Permit No. WQG010035, Sewage, **Jeff Klimaski**, 132 Foxcroft Drive, Doylestown, PA 18901.

This proposed facility is located in Doylestown Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a small flow sewage treatment plant.

WQM Permit No. 4611403, Sewage, **Borough of Lansdale**, One Vine Street, Lansdale, PA 19446.

This proposed facility is located in Upper Gwynedd Township, **Montgomery County**.

Description of Action/Activity: Increasing the flow rate of 4.8 mgd to 6.576 mgd at the Whites Road Pump Station.

WQM Permit No. 4611404, Sewage, **Upper Gwynedd Township**, Parkside Place, P. O. Box 1, West Point, PA 19486.

This proposed facility is located in Upper Gwynedd Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a 16 inch gravity sewer, pump station and 8 inch force main.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2171401, Amendment 11-1, Sewage, **New Cumberland Borough**, 1120 Market Street, New Cumberland, PA 17070.

This proposed facility is located in New Cumberland Borough, **Cumberland County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewerage facilities upgrades consisting of: the construction of several new treatment units, including two new oxidation ditches, a new headworks building with a mechanical screen and vortex grit chamber, two new sixty foot diameter final clarifiers and a cascade aerator preceding the existing UV chamber. A new solids centrifuge will also be installed. The Southeast Pump Station pumps will be reconfigured to new 10 inch force mains discharging to a new 21 inch PVC gravity line at manhole 52.

WQM Permit No. 2811201, CAFO, **Leon Snyder**, 230 Poplar Road, Fleetwood, PA 19522.

This proposed facility is located in Fannett Township, **Franklin County**.

Description of Proposed Action/Activity: Permit approval for the construction / operation of manure storage facilities consisting of Stage 1: 1) a 652' x 89.5' farrowing barn with 2' deep shall pit concrete under storage providing 655,000 gallons storage at a 6" freeboard. 2) a 125.5 x 481' breeding and gestation barn with a 9' deep pit concrete under storage providing 3,838,000 gallons storage at a 6" freeboard. Stage 2: 1) a 125.5 x 509' breeding and gestation barn with a 9' deep pit concrete under storage providing 4,061,000 gallons storage at a 6" freeboard. 2) a 77.5 X 234' gilt grower barn with a 9' deep pit concrete under storage providing 1,153,000 gallons storage at a 6" freeboard. All barns will be constructed with a perimeter / leak detection drain with an observation well and controlled outlet.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI01 511009	JERC Partners XIII, LP 171 State Route 173 Suite 201 Asbury, NJ 08802	Philadelphia	City of Philadelphia	Unnamed Tributary Pennypack Creek - Pennypack Creek (TSF-MF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 511009	JERC Partners XIII, LP 171 State Route 173 Suite 201 Asbury, NJ 08802	Philadelphia	City of Philadelphia	Unnamed Tributary Pennypack Creek - Pennypack Creek (TSF-MF)
<i>Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024010008	Commonwealth of Pennsylvania Bureau of Forestry RR 1 Box 230 Dalton, Pa 18414	Luzerne Co.	Wright Twp.	UNT to Nescopeck Creek (HQ-CWF, MF)
PAI024810010	Edward & Elaine Mertz 480 Nolf Road Nazareth PA 18064	Northampton Co.	Bushkill Twp.	Bushkill Creek (HQ-CWF, MF)
PAI024810008	Constantine Pozrikidis PO Box 1241 Amherst, MA 01004	Northampton Co.	Williams Twp.	Fry's Run (HQ-CWF, MF)
<i>Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone 717-705-4707.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032810001	David Sciamanna Cumberland Valley Regional Development Corporation 100 Lincoln Way, Suite A Chambersburg, PA 17201	Franklin	Southampton Twp.	Middle Spring Creek; HQ-CWF
<i>Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701</i>				
<i>Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041411003	Patton Township 100 Patton Plaza State College, PA 16803	Centre	Patton Township	Buffalo Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

*General Permit Type—PAG-02**Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Receiving
Water/Use**Contact Office &
Phone No.*

Throop Boro., Lackawanna Co.	PAG2003509009(2)	Chris Cuneo Gertrude Hawk Chocolates 9 Keystone Industrial Park Dunmore, PA 18512	UNT to Eddy Creek (WWF, MF)	Lackawanna Co. Conservation District 570-281-9495
Maxatawny Township Berks County	PAG02000604109R	Robert Ciccone PO Box 86 Bath, PA 18014	Sacony Creek/TSF	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
Susquehanna Township Dauphin County	PAG02002211006	Central PA Food Bank, Inc 3908 Corey Rd Harrisburg, PA 17109	Spring Creek West/CWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018
Derry Township, Dauphin County	PAG02002206034	Doug Gelder DSG Development Corp PO Box 42 Hershey, PA 17033-0042 & Chad Barshinger Abel Construction Inc PO Box 476 Mountville, PA 17554-0476	Swatara Creek/WWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018
Peters Township Franklin County	PAR10M235-R(2)	Upton Fields Harry Fox 600 Coldsprings Road Dillsburg PA 17019	UNT to Conococheague CWF	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg PA 17201 717-264-5499
Borough of Chambersburg Franklin County	PAG2002806044R	Creekside Tanya Nitterhouse PO Box 1013 Chambersburg PA 17201	UNT to Conococheague WWF	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg PA 17201 717-264-5499
Washington Township Franklin County	PAG2002805082R	Farmsprings Estates Ronnie Martin 1625 East Main Street Waynesboro PA 17268	UNT to E Br. Antietam Cr CWF	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg PA 17201 717-264-5499
Borough of Waynesboro Franklin County	PAG02002811014	Waynesboro Water Treatment Waynesboro Boro Authority PO Box 310 Waynesboro PA 17268	UNT E Br Antietam Cr CWF /MF	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg PA 17201 717-264-5499
East Hanover and Union Townships Lebanon County	PAG02003809011 (3)	Col Samuel E. Hayes FTIG Bldg T-0-1 Annville PA 17003	Vesle Run and Aires Run/ WWF, MF	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
Union Township Lebanon County	PAG02003811009	Bryce B. Veon Veon Construction 61 Executive Court West Middlesex PA 16159	UNT to Swatara Creek/ WWF, MF	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
South Lebanon Township Lebanon County	PAG02003811007	Charles West Sun Edison, LLC 100 Twinbridge Dr. Suite J Pennsauken NJ 08110	Hazle Dyke Creek/TSF	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-272-3908 ext. 4
Athens Township Bradford County	PAG2000811002	Chesapeake Land Dev Co, LLC 6100 N Western Ave Oklahoma, OK 73118	Chemung River WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6
Pike Township Clearfield County	PAG2001711005	PA Department of Transportation 1924 Daisy Street Ext Clearfield, PA 16830	Bilgers Run CWF	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Berwick Borough Columbia County	PAG2001911002	Berwick Area Joint Sewer Auth 1108 Freas Ave Berwick, PA 18603	Susquehanna River WWF, MF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, X 102
Berwick Borough Columbia County	PAG2001911003	Borough of Berwick 1800 N Market St Berwick, PA 18603	Susquehanna River WWF, MF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, X 102
Fairfield Township Lycoming County	PAG2004111001(1)	Lycoming County Water & Sewer Authority 216 Old Cement Rd Montoursville, PA 17754	Tules Run WWF, MF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003
Fairfield Township Lycoming County	PAG2004111004	Gregory Welteroth, Jr. Choate Warehouse I, LP 356 Laurens Rd Montoursville, PA 17754	Bennetts Run WWF, MF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754 (570) 433-3003
Fairfield Township Muncy Township Lycoming County	PAG2004111009	Lycoming County Water & Sewer Authority 216 Old Cement Rd Montoursville, PA 17754	Tules Run WWF, MF Twin Run WWF West Branch of Susquehanna River WWF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003
Moreland Township Lycoming County	PAG2004111010	Toby Wagner 560 L Bartlow Rd Muncy, PA 17756	Little Muncy Creek CWF, MF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003
Loyalsock Township Lycoming County	PAG2004111013	Albert Clapps Diamond Point, LP 429 Market St. Williamsport, PA 17701	Millers Run WWF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Point Township Northumberland County	PAG2004910020	Barry Colescott Ridge Point Development 2553 Ridge Rd Northumberland, PA 17857	Lithia Spring Creek CWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 Phone: (570) 286-7114 ext. 4
Foster Township McKean County	PAG02 0042 11 003	American Refining Group 77 North Kendall Avenue Bradford PA 16701	Foster Brook CWF	McKean Conservation District 814-887-4001
Somerset County, Somerset Township	PAG02-0956-11-004	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Kimberly Run/CWF	PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant's Name & Address</i>	<i>Receiving Stream or Body of Water</i>	<i>Contact Office & Phone No.</i>
Whitemarsh Township Montgomery County	PAR230073	McNeil Consumer Healthcare 7050 Camp Hill Road Fort Washington, PA 19034	Sandy Run—3F	Southeast Region Water Management 484.250.5970
West Goshen Township Chester County	PAR120010	Hain Celestial Group Inc. 700 Old Fern Hill Road West Chester, PA 19380	Unnamed Tributary To Taylor Run—3-H	Southeast Region Water Management 484.250.5970
West Nottingham Township Chester County	PAR210037	New Enterprise Stone & Lime Co. Inc. DBA Martin Limestone Inc. PO Box 550 Blue Bell, PA 17506-0550	Unnamed Tributary To Northeast Creek—7-K	Southeast Region Water Management 484.250.5970
Falls Township Bucks County	PAR200050	Firestone Metal Products, LLC 10 Steel Road East Morrisville, PA 19067-3987	Biles Creek and Delaware River—2E	Southeast Region Water Management 484.250.5970
Telford Borough Bucks County	PAR800066	Waste Management of PA Inc. 400 Progress Drive Telford, PA 18969	Mill Creek—3E	Southeast Region Water Management 484.250.5970
Harford Twp. Susquehanna County	PAR212224	Herb Kilmer & Sons Inc PO Box 129 Kingsley PA 18826	Tower Branch Trib. to Tunkhannock Creek (CWF, MF)	PA DEP Northeast Regional Office 2 Public Square Wilkes-Barre, PA 18701-1915 570-826-2511
City of Corry Erie County	PAR208325	Corry Forge Company 441 E. Main Street Corry, PA 16407-2013	Municipal storm sewers to Hare Creek 16-B	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-7**Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
PAG 07 4828	Valley Joint Sewer Authority 1 South River Street Athens, PA 18810	Valley Joint Sewer Authority Athens Borough Bradford County	NCRO 570-327-0526

*General Permit Type—PAG-8**Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
PAG083564	McAlisterville Area Joint Authority PO Box 61 McAlisterville, PA 17049	McAlisterville WWTP 543 McMeen Road McAlisterville, PA 17049	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707
PAG083607	PA Department of Military and Veteran Affairs Bureau of Environmental Management Fort Indiantown Gap Training Site WWTP Bldg. 0-11 Fort Indiantown Gap Annville, PA 17003	Fort Indiantown Gap Training Site WWTP Annville, PA	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707

*General Permit Type—PAG-10**Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
PAG100033	Texas Eastern Transmission, LP 890 Winter Street Suite 300 Waltham, MA 02451	Tacony Creek—3J	Southeast Region Water Management 484-250-5970

*General Permit Type—PAG-12**Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
PAG123707	Bryan T. Miller 5111 Miller Road Glenville, PA 17329	UNT Codorus Creek / TSF / 7H	DEP—SCRO— Watershed Management 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802
PAG123513	Tingkwang Chiou (Dry Run Farm) 312 Hammonton Place Silver Spring, MD 20904	UNT Back Creek / TSF / 13-C	DEP—SCRO— Watershed Management 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4802

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be

filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Mason Dixon Farms 1800 Mason Dixon Road Gettysburg, PA 17325-7127	Adams	459.7	4524.4	dairy	na	Approved
Ideal Family Farms, LLC Beaverton Sow 89 BP Finishing Lane Beavertown, PA 17813	Snyder	46.0	1569.76	Swine	NA	Approved
John Stone 12547 Stage Road McClure, PA 17841	Snyder	53.0	593.55	Swine	NA	Approved

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2211501 MA, Minor Amendment, Public Water Supply.

Applicant	The Harrisburg Authority (THA)
Municipality	Susquehanna Township
County	Dauphin
Responsible Official	Shannon G. Williams P.E., Engineering Director 212 Locust Street Suite 302 Harrisburg, PA 17107-7107
Type of Facility	Installation of a waterline extension along Elmerton Avenue. The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth’s State Revolving Fund, is intended to be the funding source for this project. The Department’s review of the project and the information received in the Uniform Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal. The Department approved the Uniform Environmental Assessment on June 27, 2011.

Consulting Engineer Matthew D Cichy, P.E.
Herbert, Rowland & Grubic, Inc.
369 East Park Drive
Harrisburg, PA 17111

Permit to Construct 6/8/2011
Issued:

Permit No. 6711507 MA, Minor Amendment, Public Water Supply.

Applicant **Conewago Valley MHP**
Municipality Newberry Township
County **York**
Responsible Official Elmer R. Keach Jr., Owner
800 York Road
Dover, PA 17315

Type of Facility Installation of chlorine contact
pipe for 4-log treatment of
viruses.

Consulting Engineer 1 - Not Available
Permit to Construct 6/30/2011
Issued:

Permit No. 6711509 MA, Minor Amendment, Public Water Supply.

Applicant **Country View Manor Park, LLC**
Municipality Washington Township
County **York**
Responsible Official George J. Adams,
Managing Member
PO Box 66
East Berlin, PA 17316

Type of Facility Chlorine contact tank
installation for 4-log treatment
of viruses.

Consulting Engineer 1 - Not Available
Permit to Construct 6/30/2011
Issued:

Operations Permit issued to: **Pennsylvania American Water**, 7210029, Silver Spring Township, **Cumberland County** on 6/30/2011 for the operation of facilities approved under Construction Permit No. 2108508.

Operations Permit issued to: **Martinsburg Municipal Authority**, 4070030, North Woodbury Township, **Blair County** on 6/30/2011 for the operation of facilities approved under Construction Permit No. 0709505.

Operations Permit issued to: **Greendown Acres Mobile Home Park**, 4070013, Blair Township, **Blair County** on 6/24/2011 for the operation of facilities approved under Construction Permit No. 0709506 MA.

Operations Permit issued to: **South Middleton Township Municipal Authority**, 7210050, South Middleton Township, **Cumberland County** on 7/1/2011 for the operation of facilities approved under Construction Permit No. 2110508 MA.

Operations Permit issued to: **GSP Management Company**, 3060032, Tilden Township, **Berks County** on 6/23/2011 for the operation of facilities approved under Construction Permit No. 0610528 MA.

Operations Permit issued to: **Fredericksburg Sewer & Water Authority**, 7380035, Bethel Township, **Lebanon County** on 7/1/2011 for the operation of facilities approved under Construction Permit No. 3810509 MA.

Operations Permit issued to: **Municipal Authority of the Borough of Lewistown**, 4440010, Armagh Township, **Mifflin County** on 6/30/2011 for the operation of facilities approved under Construction Permit No. 4411502 MA.

Operations Permit issued to: **Walker Township Municipal Authority**, 7310038, Walker Township, **Huntingdon County** on 6/30/2011 for the operation of facilities submitted under Application No. 3111504 MA.

Operations Permit issued to: **Loyalton Water Association**, 7220047, Washington Township, **Dauphin County** on 6/23/2011 for the operation of facilities submitted under Application No. 2211503 MA.

Operations Permit issued to: **Smithville Community LLC**, 7360121, Providence Township, **Lancaster County** on 6/24/2011 for the operation of facilities submitted under Application No. 3611523 MA.

Operations Permit issued to: **Victoria Manor Estates**, 7360031, Clay Township, **Lancaster County** on 6/24/2011 for the operation of facilities submitted under Application No. 3611517 MA.

Operations Permit issued to: **Fairmount Homes, Inc.**, 7360039, West Earl Township, **Lancaster County** on 6/30/2011 for the operation of facilities submitted under Application No. 3611522 MA.

Operations Permit issued to: **Park Acquisition LLC**, 7010039, Mt. Pleasant Township, **Adams County** on 6/30/2011 for the operation of facilities at the Cavalry Heights MHP.

Operations Permit issued to: **Mount Union Municipal Authority**, 4310016, Shirley Township, **Huntingdon County** on 6/30/2011 for the operation of facilities submitted under Application No. 3111506 MA.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Permit No. Minor Amendment (5375501)—Operation Public Water Supply.

Applicant	Coudersport Borough Authority
[Township or Borough]	Coudersport Borough
County	Potter
Responsible Official	Mr. Marlin Moore Coudersport Borough Authority 201 South West Street Coudersport, PA 16915
Type of Facility	Public Water Supply
Consulting Engineer	Daniel Guss, P.E. Uni-Tec Consulting Engineers 2007 Cato Avenue IState College, PA 16801
Application Received	June 27, 2011
Description of Action	Operation of an AQUA GARD well maintenance system on North Well No. 1.

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Halfmoon Water Association**
 [Township or Borough] Rush Township
 County **Centre**
 Responsible Official Mr. Bill Laird
 Halfmoon Water Association
 211 Port Lane
 Philipsburg, PA 16866
 Type of Facility Public Water Supply
 Consulting Engineer N/A
 Application Received June 28, 2011
 Description of Action 4-log inactivation of viruses at Entry Point 101 (Well No. 1).

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Blue Spring Terrace**
 [Township or Borough] Derry Township
 County **Montour**
 Responsible Official Mr. James L. Paugh
 Blue Springs Enterprises, LLC
 Box 120
 Blue Springs Danville, PA 17821
 Type of Facility Public Water Supply
 Consulting Engineer N/A
 Application Received June 28, 2011
 Description of Action 4-log inactivation of viruses at Entry Point 100 (Well No. 1).

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Montoursville Borough**
 [Township or Borough] Montoursville Borough
 County **Lycoming**
 Responsible Official Mr. Robert Brobson
 Montoursville Borough
 617 North Loyalsock Avenue
 Montoursville, PA 17754
 Type of Facility Public Water Supply
 Consulting Engineer David Walters, P.E.
 Larson Design Group
 1000 Commerce Park Drive
 Williamsport, PA 17701
 Application Received June 29, 2011
 Description of Action 300 feet of 48-inch detention piping to provide 4-log treatment of viruses at Entry Point 101 (Well No. 4, Well No. 5 and Sylvan Dell Spring); upgrade of Well No. 4 disinfection facilities; and verification of 4-log treatment of viruses at Entry Point 102 (Well No. 2) and Entry Point 103 (Well No. 3).

Permit No. 4111501—Construction Public Water Supply.

Applicant **Village Water Company, Inc.**
 [Township or Borough] Fairfield Township

County
 Responsible Official

Lycoming

Christine Weigle, Vice President
 Village Water Company, Inc.
 P. O. Box 186
 Montoursville, PA 17754

Type of Facility
 Consulting Engineer
 Application Received
 Description of Action

Public Water Supply
 N/A
 June 29, 2011
 Construct a new 200,000 gallon pedisphere finished water storage tank and the interconnections with Tules Run, Bella Vista and Mountain View developments.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Permit No. 0211504, Public Water Supply.

Applicant **The Municipal Authority of the Borough of Oakmont**,
 PO Box 73,
 721 Allegheny Avenue,
 Oakmont, PA 15139
 [Borough or Township] Middlesex Township
 County Butler
 Type of Facility Water system
 Consulting Engineer NIRA Consulting Engineers, Inc.
 950 Fifth Avenue
 Coraopolis, PA 15108
 Permit to Construct Issued June 13, 2011

Operations Permit issued to: **Nanty Glo Water Authority**, 1015 First Street, Suite 1, Nanty Glo, PA 15943, (PWSID #4110023) Cambria Township, **Cambria County** on June 21, 2011 for the operation of facilities approved under Construction Permit # 1108502MA.

Permit No. 0410513MA, Minor Amendment. Public Water Supply.

Applicant **Ohioville Borough Municipal Authority**,
 6268 Tuscarawas Road,
 Industry, PA 15052
 [Borough or Township] Ohioville Borough
 County **Beaver**
 Type of Facility Water system
 Consulting Engineer Michael Baker Jr., Inc.
 4301 Dutch Ridge Road
 Beaver, PA 15009
 Permit to Construct Issued June 22, 2011

Permit No. 5609507GWR, Minor Amendment. Public Water Supply.

Applicant **Central City Water Authority**
 314 Central Avenue Suite 203
 Central City, PA 15926
 [Borough or Township] Central City Borough and Shade Township
 County **Somerset**

Type of Facility Water system
 Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive
 Somerset, PA 15501
 Permit to Operate June 21, 2011
 Issued

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 6111503 Public Water Supply
 Applicant **St. Mary's Area Water Authority**
 Township Fox Township
 County **Elk**
 Responsible Official
 Type of Facility PWS
 Consulting Engineer F. Mark Voyack, PE
 Quad 3 Architecture
 37 North Washington Street
 Wilkes-Barre, PA 18701
 Permit to Construct 06/29/2011
 Issued

Operations Permit No. 6210501 issued to **North Warren Municipal Authority**, PWSID #662028, Conweango Township, **Warren County**, on June 29, 2011, for addition of 361 feet of chlorine contact piping to satisfy the Ground Water Rule for 4 log virus.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

WA 22-1037, Water Allocations. **Steelton Borough Authority**, Dauphin County. The applicant was granted the right to purchase a maximum 648,000 gallons per day (gpd) based on a 30-day average, from United Water Pennsylvania, Inc. at a proposed new interconnection in Swatara Township, **Dauphin County**. Permit Issued: June 28, 2011

WA 22-303I, Water Allocations. **United Water Pennsylvania, Dauphin County**. The Department modified Permit No. WA 22-303I, issued August 30, 2005, in conjunction with issuance of Water Allocation Permit No. WA 22-1037 to the Steelton Borough Authority. A new permit condition was added to WA 22-303I that recognizes the agreement between United Water Pennsylvania, Inc. and the Steelton Borough Authority and the dependence of the Steelton Borough Authority on United Water to supply a maximum 648,000 gallons per day (gpd) on a monthly average (30 day) basis to Steelton. Permit Modification issued: June 28, 2011.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bart Township	46 Quarry Rd Quarryville, PA 17566	Lancaster

Plan Description: Approval of an update to the Official Sewage Plan of Bart Township, Lancaster County. The plan update provides for the an extension of sewers to serve approximately 32 homes along Georgetown and Mine Roads within 10 years of June 20, 2011, as shown in red on Figure 7 of the plan. The plan also provides for an on lot disposal sewage management program to be enacted by ordinance by September 2011. The on lot management ordinance will require inspection and pump outs of on lot systems every three years. Hydrogeologic studies will be required for subdivisions proposing on lot sewage disposal. The Department's review of the plan update has not identified any significant impacts resulting from this proposal. The DEP Code Number for this plan update is B3-36913-249-ACT. The APS number is 710249.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Camp Hill Borough	2145 Walnut Street, Camp Hill PA, 17011	Cumberland

Plan Description: The approved plan provides for the transfer of Camp Hill Borough's sewage from the Lemoyne Borough sewage treatment plant via a proposed new Spangler Road pump station and force main conveying 0.855 MGD annual average flow to the expanded 6.0 MGD Hampden Township sewage treatment plant. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Hampden Township	230 South Sporting Hill Road, Mechanicsburg PA, 17050	Cumberland

Plan Description: The approved plan provides for a biological nutrient reduction upgrade and expansion of the existing 4.82 MGD sewage treatment plant to 6.0 MGD average daily flow in order to meet the Chesapeake Bay Tributary Strategy and accept 0.855 MGD of average daily flow from Camp Hill Borough. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Wormleysburg Borough	20 Market Street, Wormleysburg PA, 17043	Cumberland

Plan Description: The approved plan provides for the transfer of Wormleysburg Borough's sewage from the

Lemoyne Borough sewage treatment plant via an upgraded pump station #1 and force main conveying 0.250 MGD annual average flow to the East Pennsboro Township sewage treatment plant. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Lemoyne Borough	665 Market Street, Lemoyne PA, 17043	Cumberland

Plan Description: The approved plan provides for the a reduction in size and upgrade of the existing 2.088 MGD sewage treatment plant to 1.3 MGD annual average flow in order to meet the requirements of the Chesapeake Bay Tributary Strategy. The reduction in treatment capacity is due to Camp Hill and Wormleysburg Boroughs pulling their sewage flow out of the Lemoyne sewage treatment plant and redirecting their sewage flow to the Hampden and East Pennsboro Townships sewage treatment plants. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Logan Township	7228 Diamond Valley Road, Alexandria, PA 16611	Huntingdon

Plan Description: The approved plan provides for the adoption and implementation of an on-lot disposal system (OLDS) management ordinance to address all OLDS in the municipality. The plan also provides for a sewer extension serving 31 properties on Diamond Valley Road tributary to the Petersburg Borough sewage treatment plant. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
East Cocalico Twp	100 Hill Rd Denver, PA 17517	Lancaster

Plan Description: The planning module for the Stony Run Fields Subdivision, DEP Code No. A3-36924-213-2 and APS Id 746813, consists of a single residential building lot proposing an on lot system serving 500 gpd and a proposed stable restroom to be added to the existing system on the residue lot. The plan revision was denied because the proposed lot is insufficient in size to

result in an average groundwater impact of less than 10 mg/l nitrate-nitrogen, the Maximum Contaminant Level. The groundwater easement proposed to mitigate the nitrate plume impact is improperly placed far to the south. It is not directly down-gradient from the system plume it is intended to mitigate, nor is the easement directly adjacent. It appears the plume will flow off the property onto a neighbor's property to the west before entering Fry's Run. The proposed subdivision is located on the south side of Martin Drive (# 30), north east of Swartzville Rd (Rt 897), in East Cocalico Township, Lancaster County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Gudz Estate, 206 N. 14th Street, Easton City, **Northampton County**. Dawn Washo, Resource Environmental Management, Inc., 37 Taylor Lane, Montrose, PA 18801

has submitted a Final Report (on behalf of her client, Clara Ulmer, 25 Hainesburg River Road, Columbia, NJ 07832), concerning the remediation of soil found to have been impacted by home heating oil, leaded gasoline and 1,1,2,2-tetrachloroethane as a result of a release from an underground storage tank during the tank's removal. The report was submitted to document attainment of the Statewide Health Standard for soil. A public notice regarding the submission of the Final Report was published in *The Express Times* on May 7, 2011.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Verdelli Farms Property, Laurel Alley and East 2nd Street, Hummelstown Borough, **Dauphin County**. Herbert, Rowland & Grubic, Inc., 369 East Park Drive, Harrisburg, PA 17111, on behalf of Ron Verdelli, P. O. Box 133, Hummelstown, PA 17036, submitted a Final Report concerning remediation of site groundwater contaminated with heating oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Former Knight Celotex Site, City of Sunbury, **Northumberland County**. Marks Environmental, Inc., 140 Bollinger Road, Elverson, PA 19520 on behalf of JDM Acquisitions, LLC, P. O. Box 295, Watsontown, PA 17777 has submitted a combined Remedial Investigation Report/Final Report concerning remediation of site groundwater contaminated with VOC and arsenic. The report is intended to document remediation of the site to meet the Site Specific Standard.

American Rock Salt Co. LLC, Dubois City and Sandy Township, **Clearfield County**. EnSol, Inc., 661 Main St., Niagara Falls, NY 14301 on behalf of American Rock Salt Co., PO Box 190, Mt. Morris, NY 14510 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with inorganics, including chlorides. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Foster Brook Facility South & Crude Tank Farm, City of Bradford, **McKean County**. MACTEC Engineering & Consulting Inc., 800 N. Bell Avenue, Suite 200, Pittsburgh, PA 15106 on behalf of American Refining Group, 77 North Kendall Avenue, Bradford, PA 16701 has submitted a Revised Cleanup Plan concerning remediation of site groundwater contaminated with separate phase liquids. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans

and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Bethlehem Commerce Center-Slag Bank 4, Bethlehem City, **Northampton County**. Kenneth G. Robbins, HDR Engineering, 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015-2165 submitted a Cleanup Plan (on behalf of his client, Lehigh Valley Industrial Park, Inc., 1720 Spillman Drive, Suite 150, Bethlehem, PA 18015-2164), concerning the remediation of soil found to have been impacted by VOCs, Semi-VOCs and Inorganic constituents as a result of historical operations at the former Bethlehem Steel Plant. The report was submitted in partial fulfillment of the Site-Specific Standard for soil and was approved by Central Office on June 27, 2011.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Robin Reber Residence, 542 South 12th Street, Reading, PA 19604, City of Reading, **Berks County**. Patriot Environmental Management, LLC, P. O. Box 629,

Douglassville, PA 19518, on behalf of Robin Reber, 1415 Scott Street, Reading, PA 19607, submitted a Final Report concerning the remediation of site soils contaminated with heating oil. The Final Report demonstrated attainment of the Residential Statewide Standard, and was approved by the Department on June 24, 2011.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Bucknell-Former BZ Motors site, East Buffalo Township, **Union County**. TCI Environmental Services, Inc., 100 North Wilkes-Barre Blvd., Wilkes-Barre, PA 18702 on behalf of Bucknell Real Estate, 701 Moore St., Lewisburg, PA 17837 has submitted a Final Report concerning the remediation of site soil contaminated with petroleum products at 2013 West Market St, Lewisburg, PA. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 27, 2011.

James Sollick Property, Asylum Township, **Bradford County**. Sovereign Consulting Inc., 50 West Welsh Pool Rd., Suite 6, Exton, PA 19341 on behalf of Excalibur Energy Services, 5383 East Highway 67, Rainbow, TX 76077 has submitted a Final Report concerning the remediation of site soil contaminated with brine, diesel fuel and motor oil at the James Sollick property, intersection of State Route 187 and Moody Road, Wyalusing, PA 18853. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 24, 2011.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Pennsylvania Timber LLC Property, Ridgway Township, **Elk County**. Geosyntec Consultants, 600 W. Germantown Pike, Suite 400, Plymouth Meeting, PA 19462 on behalf of Pennsylvania Timber, LLC, 600 Atlantic Avenue, Boston, MA 02210 has submitted a Final Report concerning the remediation of site soils contaminated with benzene, toluene, ethylbenzene, methyl tertiary butyl ether, naphthalene, 1,3,5-trimethylbenzene, 1,2,4-trimethylbenzene, and cumene (isopropylene). The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 17, 2011.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits issued, suspended, expired, denied, revoked, reinstated or returned under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

PA0000453084. Bethlehem Apparatus Company, Inc., 890 Front Street, Hellertown, PA 18055. A permit renewing the term of Bethlehem Apparatus's permit for the receipt, storage and treatment of approved hazardous waste at this hazardous waste storage facility, located in the City of Bethlehem, **Northampton County**, which recycles/reclaims mercury from mercury bearing hazardous waste. This permit is for waste receiving areas and treatment areas that are completely enclosed within a structure designed to provide control of the material and shielding from the wind and weather. The permit was issued in the Regional Office on June 16, 2011; and it will expire on June 16, 2021.

Draft permits issued under the Solid Waste Management Act and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit Application No. PAR000522326. Zambelli Fireworks Manufacturing Co., 782 Garner Road, Edinburg, PA 16116-5114, Mahoning Township, **Lawrence County**. A new RCRA Part B Hazardous Waste TSD permit for the thermal treatment (open burning) of waste fireworks. The Draft permit was issued on July 1, 2011.

REGISTRATION FOR GENERAL PERMIT—RESIDUAL WASTE

Registration issued Under the Solid Waste Management Act; the Residual Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701

General Permit Registration No. WMGR123NC003. EOG Resources, Inc., McGeorge Road, Lawrance, PA 16830. Registration to operate under General Permit No. WMGR123 for treatment and reuse of gas well frac water and production water. The registration was approved by NorthCentral Regional Office on June 27, 2011.

Persons interested in reviewing the general permit may contact Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR017D011. Municipal Authority of the Borough of Minersville, 2 East Sunbury Street, Minersville, PA 17954.

The general permit WMGR017D011 is for the beneficial use of drinking water treatment plant sludge as a soil additive on agricultural lands. The drinking water treatment plant sludge is generated at the Minersville Water Treatment Plant, located in Cass Township, **Schuylkill County**. Central Office approved the determination of applicability on June 30, 2011.

Persons interested in reviewing the general permit may contact C. D. Vu, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box

8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701

Permit Application No. 300610. Craftmaster Manufacturing, Inc. P. O. Box 311, Shiner Road, Towanda, PA 18848. A ten year permit renewal for the Craftmaster captive residual waste landfill located in Wysox Township, **Bradford County**, was issued by the Williamsport Regional Office on June 23, 2011.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

48-329-012GP9: Voltaix LLC (197 Meister Avenue, Branchburgh, NJ 08876) on June 23, 2011, to construct and operate two (2) IC engines at the site located in Upper Mt. Bethel Township, **Northampton County**.

40-399-073GP2: Gulf Oil Limited Partnership (100 Crossing Boulevard, Framingham, MA 01702) on June 23, 2011, to install an internal floating roof on tank No. 7 at their site in Pittston Township, **Luzerne County**.

58-310-041GP3: Tri City Highway Products Inc. (145 Podpadic Road, Richmondville, NY 12149-2205) on June 29, 2011, for construction and operation of a Portable Crushing Operation with watersprays at the Onyon Site located in New Milford Twp., **Susquehanna County**.

58-329-033GP9: Tri City Highway Products, Inc. (145 Podpadic Road, Richmondville, NY 12149-2205) on June 29, 2011 for the installation and operation of Diesel I/C engines at the Onyon Site located in New Milford Twp., **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP5-08-343B: Talisman Energy USA, Inc. (50 Penwood Place, Warrendale, PA 15086) on June 14, 2011, to

construct and operate twelve (12) Caterpillar model G3516B lean-burn natural gas-fired compressor engines each rated at 1,380 brake horsepower to be equipped with Miratech model IQ-26-12-EH1 oxidation catalyst, two (2) 60 MMscf/day NATCO dehydrators and one (1) 208 brake horsepower, Generac model QT130A, natural gas-fired emergency generator pursuant to the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) at their Cole Compressor Station in Columbia Township, **Bradford County**.

GP9-41-647B: Kinsley Construction, Inc. (P. O. Box 2886, York, PA 17405-2886) on June 27, 2011, to construct and operate one 300 hp C-9 Caterpillar diesel-fired engine pursuant to the General Plan Approval and /or General Operating Permit BAQ-GPA/GP-9: Diesel or #2 fuel-fired Internal Combustion Engines, at the Minnier Quarry in McNett Township, **Lycoming County**.

GP3-41-647B: Kinsley Construction, Inc. (P. O. Box 2886, York, PA 17405-2886) on June 27, 2011, to construct and operate a portable non-metallic mineral crusher pursuant to the General Plan Approval And/Or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at their Minnier Quarry facility in McNett Township, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP5-65-00979E: Laurel Mountain Midstream, LLC (1605 Coraopolis Heights Rd., Moon Township, PA 15108) on June 28, 2011, for installation and operation of five new natural gas-fired compressor engines rated at 1,380 bhp each and controlled by oxidation catalysts, one triethylene glycol dehydrator, and three produced water tanks under GP-5 for natural gas production at the Herminie Compressor Station, located in West Newton Borough, **Westmoreland County**. A total of eight compressor engines are authorized for operation at this site.

GP5-30-00206: Coal Gas Recovery, LLC. (158, Portal Road, P. O. Box 1020, Waynesburg, PA 15370) on June 28, 2011, for installation and operation of one (1) new coal bed methane gas-fired compressor engine rated at 425 bhp at their DFM-10 Compressor Station located in Center Township **Greene County**, PA. One (1) compressor engine is authorized for operation at this site.

GP5-30-00205: Coal Gas Recovery, LLC. (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370) on June 29, 2011, for installation and operation of one (1) new coal bed methane gas-fired compressor engine rated at 425 bhp at their DD-21/22 Compressor Station located in Franklin Township **Greene County**, PA. One (1) compressor engine is authorized for operation at this site.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP5-42-210C: Seneca Resources Corp.—Halsey Pipe Yard Station (51 Zents Boulevard, Brookville, PA 15825) for operation of a natural gas fired compressor engine (BAQ-GPA/GP-5) in Sergeant Township, **McKean County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

22-05041A: The Hershey Co. (1033 Old West Chocolate Avenue, Hershey, PA 17033) on June 29, 2011, for the relocation of almond roasting operations to the West Plant, located in Derry Township, **Dauphin County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

19-0006D: Del Monte Foods (6670 Low Street, Bloomsburg, PA 17815) on June 16, 2011, to construct two (2) vertical coolers and install independent wet centrifugal collectors to control the air contaminant emissions from the coolers at their Bloomsburg facility located in South Centre Township, **Columbia County**. The respective facility is a major facility for which a Title V operating permit 19-00006 has been issued.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

63-00922B: Robinson Power Co., LLC (PO Box 127, 563 Route 18, Burgettstown, PA 15021) for construction of a Gas Turbine Power Generating Facility, in Robinson Township, **Washington County**.

In accordance with 25 Pa. Code § 127.51 that on June 30, 2011, Pennsylvania Department of Environmental Protection (PADEP) issued an Air Quality Plan Approval to Robinson Power Company LLC to authorize the construction of a Gas Turbine Power Generating Facility, in Robinson Township, Washington County.

The proposed facility will consist of: a gas-fired, combined cycle, GE frame 7EA gas turbine, a heat recovery steam generator (HRSG) with a duct burner, a steam turbine generator, condenser, and auxiliary equipment—a diesel powered fire water pump and a cooling tower. The gas and steam turbines will generate 82.3 MW and 65.5 MW, respectively, for a total of 147.8 MW. Robinson proposes to utilize locally available Marcellus Shale gas consisting of a mixture of methane and ethane.

The proposed facility is subject to the applicable requirements of 25 PA Code, Chapters 121 through 145, 40 CFR Part 60, Subparts KKKK and IIII, (related to standards of performance for Stationary Combustion Turbines and Stationary Compression Internal Combustion Engines), 40 CFR Parts 72 through 78 (related to acid rain), and 25 PA Code Chapter 145 (related to the NOx budget program). The Department believes that the facility will meet these requirements by complying with the emission limitation, testing, monitoring, recordkeeping, reporting and work practice standards established in the proposed Plan Approval.

Annual emissions from this facility will not exceed 30 tons oxides of nitrogen (NOx), 80 tons of carbon monoxide (CO), 30 tons of non-methane organic compounds

(NMOCs), 5 tons of sulfur dioxide (SO₂), 30 tons of particulate matter less than 10 microns in size (PM₁₀), 0.4 tons formaldehyde, 5 tons of all HAPs (hazardous air pollutants) and 620,000 tons of carbon dioxide equivalents (CO_{2e}).

In accordance with PA Code Title 25 § 127.1, the Department has determined that best available technology (BAT) for the turbine/HRSG/duct burner includes the use of gas as a fuel, good combustion practices, dry low NOx combustors, low NOx burners, selective catalytic reduction (SCR) and catalytic oxidation (CatOx). BAT for the diesel-fired fire water pump is the use of ultra low sulfur diesel fuel, limitations on hours of operation and compliance with 60 CFR 60, Subpart IIII. BAT for the cooling tower is the use of a source designed to minimize drift to less than 0.0005%, and control of the solids content of the cooling tower fluid through testing and appropriate purge/makeup.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-025R: General Electric Transportation—Erie Plant (2901 East Lake Road, Building 9-201, Erie, PA 16531) on June 21, 2011, to construct a new paint booth in Building 6 in Lawrence Park Township, **Erie County**. This is a Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

46-0112E: Palmer International, Inc. (2036 Lucon Road, Skippack, PA 19474) on June 24, 2011, to operate the reactivation of two resin reactors in Skippack Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

38-05023C: Pennsy Supply, Inc. (1 Clear Spring Road, Suite 1, Annville, PA 17003) on June 29, 2011, for their Source ID 401 hot mix asphalt plant at the Prescott in South Lebanon Township, **Lebanon County**. The plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

26-00573A: (Johnson Matthey, Inc., 605 Mountain View Dr., Smithfield, PA 15478) plan approval modification is effective June 28, 2011 to memorialize the production oven's potential to emit through production and emission limitations on the production oven at their catalyst production facility located in Smithfield Borough, **Fayette County**.

2-00055F: (EME Homer City Generation, LP, 1750 Power Plant Rd., Homer City, PA 15748) on June 30, 2011, as a result of equipment startup, to establish the 180-day period of temporary operation of the distillate oil-fired auxiliary boiler authorized under plan approval PA-32-00055F, until October 4, 2011, at Homer City Generating Station located in Black Lick and Center Townships, **Indiana County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00030: Swarthmore College (500 College Avenue, Swarthmore, PA 19081) on June 21, 2011, for renewal of the Title V Operating Permit in Swarthmore Borough, **Delaware County**. The initial permit was issued on 04-30-2001 and was renewed on 06-06-2006. The facility is a university campus that operates boilers and emergency generators. As a result of potential emissions of nitrogen oxides (NOx), the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa Code Chapter 127, Subchapter G. The facility is not subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64. The renewal incorporates the provisions from Plan Approval Nos. 23-0030 and 23-0030A and contains all applicable requirements including monitoring, recordkeeping and reporting. The changes in the renewed Title V Operating Renewal are considered minor and will not result in an increase of emissions.

46-00091: Sunoco Partners Market & Term LP (4041 Market Street, Aston, PA 19014) on June 23, 2011, for the renewal Title V Operating Permit at 3920 Sunset Lane, Upper Moreland Township, **Montgomery County**. The initial permit was issued on July 19, 1999. The facility is a gasoline and fuel oil distribution station. As a result of potential emissions of VOCs, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is subject to CAM (40 CFR Part 64) at this time. The facility is subject to 40 CFR 63 Subpart BBBBBB with a compliance date of January 10, 2011. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-7935

28-05034: Grove US, LLC (1565 Buchanan Trail E, Shady Grove, PA 17256) on June 23, 2011, for their chrome plating facility in Quincy Township, **Franklin County**. The State-only permit was renewed.

36-03161: Compass Quarries Inc.—DBA Independence Construction Materials (PO Box 130, 47 McIlvaine Road, Paradise, PA 17562) on June 24, 2011, for their stone crushing plant in Paradise Township, **Lancaster County**. The State-only permit was renewed.

06-03075: VF Factory Outlet, Inc. (801 Hill Avenue, Wyomissing, PA 19610-3026) on June 24, 2011, for their shopping complex boiler plant in Wyomissing Borough, **Berks County**. The State-only permit was renewed.

36-03066: Perdue Agricultural Commodities Marketing Assoc., Inc. (1609 River Road, Marietta, PA 17547-9504) on June 28, 2011, for their grain handling and storage facility in East Donegal Township, **Lancaster County**. The State-only permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636

37-00319: Three Rivers Aggregate LLC—Wampum Plant—Ennstone, Inc. (3118 Wampum Road, Wampum, PA 16157) on June 28, 2011, for a Natural Minor Permit to operate sand and gravel processing plant in North Beaver Township, **Lawrence County**. The sources include crushers, screens, conveyors, storage piles and a diesel generator. The facility is natural minor because the emission of the pollutants is less than the Title V threshold limit and there is a previous plan approval. The mineral processing equipments are subject to 40 CFR Part 60 Subpart OOO and Diesel generator is subject to 40 CFR Part 63, Subpart ZZZZ.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

S11-004: The Wistar Institute. (3601 Spruce Street, Philadelphia, PA 19104) on June 26, 2011, for operation of a biomedical research facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission source includes three 448 Hp boilers and five emergency generators.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00132: Lansdale Crematory, Inc. (701 Derstine Avenue, Lansdale, PA 19446-0646) on June 21, 2011, for operation of three (3) units of human crematoriums in Lansdale Borough, **Montgomery County**. This non-Title V (State-only) Operating Permit was administratively amended to address a change in ownership. The company name remains unchanged. The Administrative Amendment is issued under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code § 127.450.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

32070105 and NPDES No. PA0262412. Bedrock Mines, LP, 111 Freeport Road, Pittsburgh, PA 15215, revision of an existing bituminous surface mine to add 5.2 acres to the permit area in Washington Township, **Indiana County**, affecting 35.0 acres changing it to 40.2 acres. Receiving stream(s): South Branch Plum Creek classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 28, 2010. Permit issued: June 23, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17900143 and NPDES No. PA0206458. Waroquier Coal Co. (P. O. Box 128, 3056 Washington Ave., Clearfield, PA 16830). Transfer of an existing bituminous surface mine from TDK Coal Sales, Inc. located in Penn and Brady Townships, **Clearfield County** affecting 342.5 acres. Receiving streams: Irish Run and an unnamed tributary to Irish Run classified for cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: April 7, 2011. Permit issued: June 21, 2011.

17970102 and NPDES No. PA0220558. EnerCorp, Inc. (1686 Allport Cutoff, Morrisdale, PA 16858). Revision to an existing bituminous surface mine located in Graham Township, **Clearfield County** affecting 56.3 acres. This revision is for a permit boundary adjustment and stream variance. Receiving streams: Alder Run and Flat Run both classified for cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: May 6, 2011. Permit issued: June 22, 2011.

17050103 and NPDES No. PA0256196. RAMM Coal, Inc. (1902 Spruce Hill Road, Rockton, PA 15856). Renewal for the continued operation of an existing bituminous surface mine located in Brady Township, **Clearfield County** affecting 49.1 acres. Receiving stream: unnamed tributary to Little Anderson Creek classified for cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 27, 2011. Permit issued: June 21, 2011.

17100101 and NPDES No. PA0257265. Waroquier Coal Co. (P. O. Box 128, 3056 Washington Ave., Clearfield, PA 16830). Commencement, operation and restoration of a bituminous surface and auger mine located in Lawrence Township, **Clearfield County** affecting 115.0 acres. Receiving streams: Clearfield Creek and Laurel Run classified for cold water fishery and high quality respectively. There are no potable water supply intakes within 10 miles downstream. Application received: January 13, 2010. Permit issued: June 21, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

40111101GP104. Mineral Reclamation, LLC, (P. O. Box 866, Pittston, PA 18640), General NPDES Permit for stormwater discharges associated with mining activities on Exploration No. 40111101 in Hanover Township, **Luzerne County**, receiving stream: Susquehanna River. Application received: March 28, 2011. Permit issued: June 28, 2011.

54931601C2. Sherman Coal Co., Inc., (P. O. Box 93, Elysburg, PA 17824), correction to an existing anthracite coal preparation plant in Frailey Township, **Schuylkill County** to increase the acreage from 9.9 to 14.2 acres, receiving stream: Middle Creek. Application received: December 7, 2010. Correction issued: June 28, 2011.

54931601GP104. Sherman Coal Co., Inc., (P. O. Box 93, Elysburg, PA 17824), General NPDES Permit for stormwater discharges associated with mining activities on SMP No. 54931601 in Frailey Township, **Schuylkill County**, receiving stream: Middle Creek. Application received: February 28, 2011. Permit issued: June 28, 2011.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

61100303 and NPDES Permit No. PA0258881. Bedrock Mines, LP (111 Freeport Road, Aspinwall, PA 15215) Commencement, operation and restoration of a large industrial mineral mine in Irwin Township, **Venango County** affecting 22.5 acres. Receiving streams: Two unnamed tributaries to Scrubgrass Creek. Application received: May 19, 2010. Permit Issued: June 28, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08100301 and NPDES No. PA0257303. M.R. Dirt, Inc. (RR 2, Box 147, Towanda, PA 18848). Commencement, operation and restoration of a large industrial mineral surface mine (overburden, shale/bluestone) located in Asylum Township, **Bradford County** affecting 20.0 acres. Receiving streams: unnamed tributary to Bennetts Creek and Bennetts Creek to the Susquehanna River classified for warm water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: March 8, 2010. Permit issued: June 21, 2011.

59050301 and NPDES No. PA0256170. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16804). Permit boundary change to add 3.0 acres for extracting noncoal minerals (sand and gravel) on an existing large industrial mineral mine located in Lawrence Township, **Tioga County** affecting 41.6 acres. Receiving streams: Mutton Lane Creek to the Tioga River classified as warm water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: January 24, 2011. Permit issued: June 22, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

8274SM1C3 and NPDES Permit No. PA0595705. ICM of Pennsylvania, Inc., (638 Lancaster Avenue, Malvern, PA 19355), depth correction to an existing quarry operation in Manheim and Upper Leacock Townships, **Lancaster County** affecting 71.75 acres, receiving stream: Conestoga River. Application received: June 3, 2010. Correction issued: June 29, 2011.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

30114003. Fayette Coal & Coke, Inc. (195 Enterprise Lane, Connellsville, PA 15425). Blasting activity permit for the construction of the Kovach ESPGP-1, to conduct seismic activity located in Monongahela Township, **Greene County**. The duration of blasting is expected to last 60 days. Blasting permit issued: June 27, 2011.

65114005. Allied Waste Services (234 Landfill Road, Scottdale, PA 15683). Blasting activity permit for construction at the Green Ridge Landfill, located in East Huntingdon Township, **Westmoreland County**. The duration of blasting is expected to last for one year. Blasting permit issued: June 27, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08114119. Midstream Explosives LLC (289 Southside Drive, Newville, PA 17241-8951). Construction blasting for a pipeline located in Stevens and Pike Townships, **Bradford County**. Permit issued: June 22, 2011. Permit expires: June 14, 2012.

08114120. Hayduk Enterprises, Inc. (257 Riverside Drive, Factoryville, PA 18419). Construction blasting for a pipeline located in Stevens and Herrick Townships, **Bradford County**. Permit issued: June 28, 2011. Permit expires: December 31, 2011.

57114106. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866). Blasting for construction of a renewable energy plant located at the **Sullivan County** Elementary School located in Laporte Borough, Sullivan County. Permit issued: June 28, 2011. Permit expires: August 30, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

09114105. Eastern Blasting Co., Inc., (1292 Street Road, New Hope, PA 18938), construction blasting for The Ridings at Folly Farm in Warrington Township, **Bucks County** with an expiration date of June 20, 2012. Permit issued: June 27, 2011.

23114103. American Infrastructure, Inc., (P. O. Box 98, Worcester, PA 19490), construction blasting for Llanerch Quarry in Haverford Township, **Delaware County** with an expiration date of February 15, 2012. Permit issued: June 27, 2011.

66114112. Midstream Explosives, LLC, (289 Southside Drive, Newville, PA 17241), construction blasting for Bowyanski Constable Pipeline in Auburn and Meshoppen Townships, **Susquehanna and Wyoming Counties** with an expiration date of June 16, 2012. Permit issued: June 27, 2011.

36114139. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Penn Crossing in Manheim Township, **Lancaster County** with an expiration date of June 24, 2012. Permit issued: June 28, 2011.

36114140. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Daryl Heller dwelling in East Hempfield Township, **Lancaster County** with an expiration date of October 30, 2011. Permit issued: June 28, 2011.

35114001. John Brainard, (3978 State Route 2073, Kingsley, PA 18826) and Mike Kipar, (6005 State Route 267, Meshoppen, PA 18630), construction blasting for the Heavy Mike Baleyard in Benton Township, **Lackawanna County** with an expiration date of July 1, 2012. Permit issued: June 29, 2011.

66114003. John Brainard, (3978 State Route 2073, Kingsley, PA 18826) and Mike Kipar, (6005 State Route 267, Meshoppen, PA 18630), construction blasting for the Ankema Pad in Meshoppen Township, **Wyoming County** with an expiration date of July 1, 2012. Permit issued: June 29, 2011.

06114104. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Floyd Martin Manure Pit in Marion Township, **Berks County** with an expiration date of July 30, 2011. Permit issued: June 29, 2011.

06114105. J Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting at Western Berks Landfill in Cumru Township, **Berks County** with an expiration date of July 1, 2012. Permit issued: June 29, 2011.

38114112. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Weiler Poultry in Jackston Township, **Lebanon County** with an expiration date of June 15, 2012. Permit issued: June 29, 2011.

46114105. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Regency at Providence in Upper Providence Township, **Montgomery County** with an expiration date of June 24, 2012. Permit issued: June 29, 2011.

48114110. Austin Powder Northeast, LLC, (25800 Science Park Drive, Beachwood, OH 44122), construction blasting for Eagles Landing in Nazareth Borough, **Northampton County** with an expiration date of June 29, 2012. Permit issued: June 29, 2011.

67114107. J Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Red Lion Schuylkill District Ball Fields in York Township, **York County** with an expiration date of June 30, 2012. Permit issued: June 29, 2011.

45114115. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Sciota Properties, LLC in Hamilton Township, **Monroe County** with an expiration date of June 30, 2012. Permit issued: June 30, 2011.

36114141. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Landisville Intermediate Unit in East Hempfield Town-

ship, **Lancaster County** with an expiration date of June 28, 2012. Permit issued: July 1, 2011.

36114142. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Stevens Avenue Pump Station in Lancaster City, **Lancaster County** with an expiration date of June 28, 2012. Permit issued: July 1, 2011.

58114116. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Tunkhannock Surface Water Withdrawal Pipeline in Lenox Township, **Susquehanna County** with an expiration date of December 31, 2011. Permit issued: July 1, 2011.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E0829-012: Talisman Energy USA, Inc., 337 Daniel Zenker Drive Horseheads, NY 14845, Granville Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across an unnamed tributary to Wallace Brook (CWF-MF) impacting 27 linear feet of stream and impacting 17,277 square feet of adjacent Palustrine Emergent Wetland (PEM) (Canton, PA Quadrangle, Latitude: 41°41'44", Longitude: -76°45'09");

2. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 262 square feet of wetland (Canton, PA Quadrangle, Latitude: 41°41'41", Longitude: -76°45'32");

3. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across an unnamed tributary to Wallace (CWF-MF) impacting 25 linear feet of stream (Canton, PA Quadrangle, Latitude: 41°41'36", Longitude: -76°46'01");

4. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across an unnamed tributary to Wallace (CWF-MF) impacting 10 linear feet of stream (Canton, PA Quadrangle, Latitude: 41°41'36", Longitude: -76°46'02");

5. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across an unnamed tributary to Wallace Brook (CWF-MF) impacting 27 linear feet of stream and impacting 17,277 square feet of adjacent Palustrine Emergent Wetland (PEM) (Canton, PA Quadrangle, Latitude: 41°41'35", Longitude: -76°46'08");

6. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 1,251 square feet of wetland (Canton, PA Quadrangle, Latitude: 41°41'34", Longitude: -76°46'14");

7. a 10 inch diameter natural gas line and a 6 inch diameter waterline across a Palustrine Emergent Wetland (PEM) impacting 773 square feet of wetland (Canton, PA Quadrangle, Latitude: 41°41'34", Longitude: -76°46'14");

8. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 1,322 square feet of wetland (Canton, PA Quadrangle, Latitude: 41°41'50", Longitude: -76°45'53");

9. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) impacting 3,527 square feet of wetland (Canton, PA Quadrangle, Latitude: 41°41'49", Longitude: -76°45'55");

10. a 10 inch diameter natural gas line, a 6 inch diameter waterline and a temporary 16 foot wide equipment mat across an unnamed tributary to Wallace (CWF-MF) impacting 25 linear feet of stream (Canton, PA Quadrangle, Latitude: 41°41'36", Longitude: -76°46'01");

The project will result in 116 linear feet of temporary stream impacts and 36,428 square feet (0.84 acres) of

PEM wetland impact all for the purpose of installing a natural gas pipeline and a waterline with associated access roadways.

E0829-010. Chesapeake Appalachia, LLC, 101 North Main Street, Athens, PA 18810, Wilmot Township, **Bradford County**, ACOE Baltimore District.

To construct and maintain a 10' x 4' Box Culvert with a length of 50 feet embedded 6 inches into the stream bed with outlet protection of R-5 rock across unnamed tributary to Sugar Run (CWF,MF), for the purpose of providing access to a well pad. The project is located off of Wood Road approximately 1,318 feet from the intersection of Wood Road and Ross Road (Colley, PA N: 21.0 inches, W: 5.2 inches, Latitude: 41°36'54.31", Longitude -76°17'16.24") in Overton Township, Bradford County.

E5729-009: Chesapeake Appalachia, LLC, 101 N. Main Street, Athens, PA 18810, Elkland Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

(1) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 1887 square feet of a palustrine emergent (PEM) wetland (Overton Quadrangle 41°30'23"N 76°36'53"W),

(2) two 16.0 inch diameter temporary water lines impacting 447 square feet of a palustrine emergent (PEM) wetland and 1 linear foot of an unnamed tributary to Blackwater Run (EV) adjacent to state route 154 (Overton Quadrangle 41°30'30"N 76°37'11"W),

(3) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 2862 square feet of palustrine emergent (PEM) wetland (Shunk Quadrangle 41°30'32"N 76°37'45"W),

(4) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Kings Creek (EV) impacting 15 linear feet (Shunk Quadrangle 41°30'33"N 76°37'47"W),

(5) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across Kings Creek (EV) impacting 19 linear feet adjacent to state route 154 (Shunk Quadrangle 41°30'39"N 76°37'53"W).

The project will result in 35 linear feet of temporary stream impacts and 5196 square feet of wetland impacts from water lines and temporary mat crossings. These crossings will accumulate a total of 0.01 acres of water-course impacts and 0.12 acres of wetland impacts all for the purpose of installing temporary water lines with associated access roadways for Marcellus well development.

E5729-011: Chesapeake Appalachia, LLC, 101 N. Main Street, Athens, PA 18810, Elkland & Fox Townships, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

(1) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Elk Creek (EV) impacting 2 linear feet (Shunk Quadrangle 41°33'32"N 76°41'01"W),

(2) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 2639 square feet of a palustrine scrub-shrub (PSS) wetland (Shunk Quadrangle 41°33'34"N 76°41'16"W),

(3) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 769 square feet of a palustrine emergent (PEM) wetland (Shunk Quadrangle 41°33'39"N 76°41'25"W),

(4) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Elk Creek (EV) impacting 10 linear feet (Shunk Quadrangle 41°31'52"N 76°41'39"W),

(5) two 16.0 inch diameter temporary water lines over an existing culvert across an unnamed tributary to Porter Creek (EV) impacting 2 linear feet (Shunk Quadrangle 41°33'46"N 76°42'02"W),

(6) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 670 square feet of a palustrine emergent (PEM) wetland (Shunk Quadrangle 41°33'45"N 76°42'03"W),

(7) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 4553 square feet of a palustrine forested (PFO) wetland (Shunk Quadrangle 41°33'45"N 76°42'07"W),

(8) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Porter Creek (EV) impacting 3 linear feet (Shunk Quadrangle 41°33'47"N 76°42'17"W),

(9) two 16.0 inch diameter temporary water lines across an unnamed tributary to Porter Creek (EV) impacting 2 linear feet (Shunk Quadrangle 41°33'56"N 76°42'18"W),

(10) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 5256 square feet of palustrine emergent (PEM) wetland adjacent to the intersection of Roland Road and North Street (Shunk Quadrangle 41°34'01"N 76°42'20"W),

(11) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 1505 square feet of a palustrine scrub shrub (PSS) wetland (Shunk Quadrangle 41°34'10"N 76°42'29"W),

(12) two 16.0 inch diameter temporary water lines over an existing culvert across an unnamed tributary to Porter Creek (EV) impacting 2 linear feet (Shunk Quadrangle 41°34'13"N 76°42'30"W),

(13) two 16.0 inch diameter temporary water lines over an existing culvert across an unnamed tributary to Porter Creek (EV) impacting 2 linear feet (Shunk Quadrangle 41°34'14"N 76°42'28"W),

(14) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Porter Creek (EV) impacting 1 linear foot (Shunk Quadrangle 41°34'14"N 76°42'28"W),

(15) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Porter Creek (EV) impacting 1 linear foot (Shunk Quadrangle 41°34'19"N 76°42'25"W),

(16) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Porter Creek (EV) impacting 6 linear feet (Shunk Quadrangle 41°34'25"N 76°42'48"W),

(17) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat impacting 2981 square feet of a palustrine forested (PFO) wetland (Shunk Quadrangle 41°34'23"N 76°43'5"W),

(18) two 16.0 inch diameter temporary water lines and a 16 foot wide equipment mat across an unnamed tributary to Porter Creek (EV) impacting 1 linear foot (Shunk Quadrangle 41°34'23"N 76°43'20"W),

(19) two 16.0 inch diameter temporary water lines over an existing culvert across an unnamed tributary to Porter Creek (EV) impacting 4 linear feet (Shunk Quadrangle 41°33'27"N 76°43'57"W).

The project will result in 36 linear feet of temporary stream impacts and 18373 square feet of wetland impacts from water lines and temporary mat crossings. These crossings will accumulate a total of 0.01 acres of watercourse impacts and 0.42 acres of wetland impacts all for the purpose of installing temporary water lines with associated access roadways for Marcellus well development.

E5929-008: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Liberty Township, **Tioga County**, ACOE Baltimore District.

To construct and maintain:

1) a temporary road crossing using 20 foot long, 24 inch diameter corrugated metal pipes, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 334 square feet of an agricultural erosional feature (UNT) to Brion Creek (HQ-CWF) (Liberty, PA Quadrangle 41°34'55.77"N 77°02'23.18"W);

2) a temporary road crossing using 20 foot long, 18 inch diameter corrugated metal pipes, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 131 square feet of an agricultural erosional feature (UNT) to Brion Creek (HQ-CWF) (Liberty, PA Quadrangle 41°34'56.26" N 77°02'23.21"W);

3) a temporary road crossing using a 20 foot long, 21 inch diameter corrugated metal pipe, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 429 square feet of an unnamed tributary (UNT) to Brion Creek (HQ-CWF) (Liberty, PA Quadrangle 41°34'59.91"N 77°02'59.58"W);

4) a temporary road crossing using 20 foot long, 60 inch diameter corrugated metal pipes, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 742 square feet of Brion Creek (HQ-CWF) (Liberty, PA Quadrangle 41°35'00.16"N 77°03'09.59"W);

5) an 8 inch diameter natural gas gathering line and a 10 inch diameter fresh waterline impacting 11 square feet of a palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41°34'41.27"N 77°01'53.11W);

6) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 1,840 square feet of a palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41°34'45.41"N 77°01'57.26"W);

7) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 3,796 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°34'59.67"N 77°02'28.29"W);

8) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 1,236 square feet of a palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41°34'59.38"N 77°02'30.42"W);

9) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 5,093 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°34'59.32"N 77°02'54.96"W);

10) two temporary road crossings using a wood mat bridge, two 8 inch diameter natural gas gathering lines, and two 10 inch diameter fresh waterlines impacting

6,475 square feet of an exceptional value palustrine emergent/palustrine scrub-shrub (EV-PEM/PSS) wetland (Liberty, PA Quadrangle 41°35'00.23"N 77°03'10.17"W);

11) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 4,649 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°35'00.24"N 77°03'12.60"W);

12) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 895 square feet of a palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41°34'59.93"N 77°03'14.94"W);

13) a temporary road crossing using a wood mat bridge impacting 498 square feet of a palustrine emergent (PEM) wetland (Liberty, PA Quadrangle 41°35'00.69"N 77°03'22.30"W);

14) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, and a 10 inch diameter fresh waterline impacting 432 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°35'00.44"N 77°03'27.14"W);

The project will result in 43 linear feet of temporary stream impacts and a total of 24,935 square feet (0.572 acres) of temporary wetland impacts all for the purpose of installing a natural gas gathering line, fresh waterline, and associated access roadways.

E5929-010: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Shippen Township, **Tioga County**, ACOE Baltimore District.

To construct and maintain:

1) A temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and 2 - 4 inch diameter water lines impacting 1,200 square feet of an unnamed tributary (UNT) to the East Branch of Stony Fork (CWF) (Tiadaghton, PA Quadrangle 41°42'14"N 77°24'25"W);

2) A temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and 2 - 4 inch diameter water lines impacting 895 square feet of an exceptional value, 10-acre palustrine emergent (EV-PEM) wetland (Tiadaghton, PA Quadrangle 41°42'8" N 77°24'18"W).

The project will result in 24 linear feet of temporary stream impacts, and 895 square feet (0.02 acres) of temporary wetland impacts, all for the purpose of installing natural gas gathering lines, a fresh waterline, and associated access roadways.

E5929-011: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Rutland and Jackson Townships, **Tioga County**, ACOE Baltimore District.

To construct and maintain:

1) a temporary road crossing using 20 foot long, 18 inch diameter corrugated metal pipes, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 227 square feet of an unnamed tributary (UNT) to Painter Run (CWF) (Jackson Summit, PA Quadrangle 41°54'12.96" N -77°01'44.22" W);

2) a temporary road crossing using a 20 foot long, 18 inch diameter corrugated metal pipe, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable

impacting 292 square feet of an erosional feature (Jackson Summit, PA Quadrangle 41°54'45.83" N -77°01'52.03" W);

3) a temporary road crossing using 20 foot long, 18 inch diameter corrugated metal pipes, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 405 square feet of an unnamed tributary (UNT) to Mutton Lane Creek (WWF) (Jackson Summit, PA Quadrangle 41°55'37.45" N -77°02'19.57" W);

4) a temporary road crossing using a 20 foot long, 18 inch diameter corrugated metal pipe, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 93 square feet of an unnamed tributary (UNT) to Mutton Lane Creek (WWF) (Jackson Summit, PA Quadrangle 41°55'40.08 N -77°02'21.88" W);

5) a temporary road crossing using a 20 foot long, 24 inch diameter corrugated metal pipe, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 194 square feet of an unnamed tributary (UNT) to Mutton Lane Creek (WWF) (Jackson Summit, PA Quadrangle 41°55'42.67 N -77°02'23.78" W);

6) a temporary road crossing using 20 foot long, 42 inch diameter corrugated metal pipes, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 314 square feet of Mutton Lane Creek (WWF) (Jackson Summit, PA Quadrangle 41°56'12.41" N -77°02'29.44" W);

7) a temporary road crossing using a 20 foot long, 24 inch diameter corrugated metal pipe, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 956 square feet of an unnamed tributary (UNT) to Mutton Lane Creek (WWF) (Jackson Summit, PA Quadrangle 41°56'37.46" N -77°02'17.41" W);

8) a temporary road crossing using a 20 foot long, 24 inch diameter corrugated metal pipe, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 373 square feet of an unnamed tributary (UNT) to Mutton Lane Creek (WWF) (Jackson Summit, PA Quadrangle 41°57'06.05" N -77°02'02.40" W);

9) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 2,277 square feet of a palustrine forested (PFO) wetland (Jackson Summit, PA Quadrangle 41°54'31.54" N -77°01'49.04" W);

10) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 424 square feet of a palustrine forested (PFO) wetland (Jackson Summit, PA Quadrangle 41°54'54.18" N -77°01'58.01" W);

11) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 3,857 square feet of a palustrine forested (PFO) wetland (Jackson Summit, PA Quadrangle 41°54'56.56" N -77°02'01.00" W);

12) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh

waterline, and a fiber optic cable impacting 2,066 square feet of a palustrine forested (PFO) wetland (Jackson Summit, PA Quadrangle 41°55'15.35" N -77°02'12.08" W);

13) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 440 square feet of a palustrine emergent (PEM) wetland (Jackson Summit, PA Quadrangle 41°56'05.78" N -77°02'29.04" W);

14) a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 901 square feet of a palustrine emergent (PEM) wetland (Jackson Summit, PA Quadrangle 41°56'12.98" N -77°02'29.36" W);

15) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 12,811 square feet of a palustrine emergent (PEM) wetland (Jackson Summit, PA Quadrangle 41°56'53.81" N -77°02'08.59" W);

16) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 1,287 square feet of a palustrine emergent (PEM) wetland (Jackson Summit, PA Quadrangle 41°57'18.76" N -77°02'01.36" W);

17) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 6,526 square feet of a palustrine emergent (PEM) wetland (Jackson Summit, PA Quadrangle 41°58'09.88" N -77°02'09.64" W);

18) a temporary road crossing using a wood mat bridge, a 24 inch diameter and an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 2,542 square feet of a palustrine emergent (PEM) wetland (Jackson Summit, PA Quadrangle 41°58'20.93" N -77°02'10.61" W);

The project will result in 62 linear feet of temporary stream impacts, 24,507 square feet (0.563 acres) of temporary wetland impacts, and 8,624 square feet (0.198 acres) of permanent wetland impacts all for the purpose of installing natural gas gathering lines, a fresh waterline, a fiber optic cable, and associated access roadways.

E5929-012: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Charleston Township, **Tioga County**, ACOE Baltimore District.

To construct and maintain:

1) a temporary road crossing using a wood mat bridge, an 8 inch diameter natural gas gathering line, a 10 inch diameter fresh waterline, and a fiber optic cable impacting 3,881 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Cherry Flats, PA Quadrangle 41°44'57.01"N -77°11'31.99"W);

The project will result in a total of 3,881 square feet (0.09 acres) of temporary wetland impacts for the purpose of installing a natural gas gathering line, fresh waterline, fiber optic cable, and associated access roadways.

E5829-003. Laser Northeast Gathering Company, LLC; 333 Clay Street, Suite 4500, Houston, TX 77002-4102; Liberty, Franklin, Silver Lake, Forest Lake and Middletown Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of Palustrine

Scrub Shrub (PSS) Wetland (Franklin Forks, PA Quadrangle N 41°55'57.57" Lat., W -75°51'55.76" Long.),

2) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 13.5 linear feet of an UNT Silver Creek (Chap. 93 CWF) (Franklin Forks, PA Quadrangle N 41°55'47.82" Lat., W -75°52'9.70" Long.),

3) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 13.1 linear feet of an UNT Silver Creek (Chap. 93 CWF) (Franklin Forks, PA Quadrangle N 41°55'46.42" Lat., W -75°52'11.03" Long.),

4) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 9.3 linear feet of an Intermittent UNT Silver Creek (Chap. 93 CWF); (Franklin Forks, PA Quadrangle N 41°55'35.58" Lat., W -75°52'30.54" Long.),

5) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 9.6 linear feet of an Intermittent UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'34.75" Lat., W -75°52'30.97" Long.),

6) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Forested (PFO) Wetland (Laurel Lake, PA Quadrangle N 41°55'34.00" Lat., W -75°52'31.40" Long.),

7) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 5 linear feet of an Intermittent UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'15.35" Lat., W -75°52'48.65" Long.),

8) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 3.1 linear feet of an Intermittent UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'13.62" Lat., W -75°52'59.30" Long.),

9) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 6.8 linear feet of an UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'13.91" Lat., W -75°53'5.10" Long.),

10) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 14.4 linear feet of an UNT Laurel Lake, PA Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'14.60" Lat., W -75°53'33.72" Long.),

11) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 36.1 linear feet of Laurel Lake, PA Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'14.56" Lat., W -75°53'35.92" Long.),

12) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°55'11.57" Lat., W -75°54'1.66" Long.),

13) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°55'11.35" Lat., W -75°54'6.08" Long.),

14) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 6.3 linear feet of an UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'11.17" Lat., W -75°54'11.16" Long.),

15) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 4.8 linear feet of an Intermittent UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'11.03" Lat., W -75°54'13.28" Long.),

16) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 6.4 linear feet of an UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°55'9.84" Lat., W -75°54'37.08" Long.),

17) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°54'58.75" Lat., W -75°55'12.65" Long.),

18) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres crossing of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°54'57.60" Lat., W -75°55'14.66" Long.),

19) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of an Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°54'58.10" Lat., W -75°55'15.78" Long.),

20) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Topographic Quadrangle N 41°54'57.06" Lat., W -75°55'19.56" Long.),

21) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 18.9 linear feet of Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°54'57.85" Lat., W -75°55'46.38" Long.),

22) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Forested (PFO) Wetland (Laurel Lake, PA Quadrangle N 41°54'58.46" Lat., W -75°55'58.37" Long.),

23) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Forested (PFO) Wetland (Laurel Lake, PA Quadrangle N 41°54'58.28" Lat., W -75°56'0.56" Long.),

24) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) and Forested (PFO) Wetland (Laurel Lake, PA Quadrangle N 41°54'58.32" Lat., W -75°56'3.047" Long.),

25) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 15 linear feet of an UNT Silver Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°54'48.82" Lat., W -75°56'9.71" Long.),

26) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°54'7.96" Lat., W -75°57'29.20" Long.),

27) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°53'50.35" Lat., W -75°57'30.28" Long.),

28) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°53'43.51" Lat., W -75°57'35.57" Long.),

29) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland; (Laurel Lake, PA Quadrangle N 41°53'40.70" Lat., W -75°57'40.61" Long.),

30) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°53'43.87" Lat., W -75°57'55.55" Long.),

31) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°53'38.76" Lat., W -75°58'13.62" Long.),

32) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 8.1 linear feet of an Intermittent

UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°52'52.68" Lat., W -75°59'13.31" Long.),

33) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 23.3 linear feet of an UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°52'53.08" Lat., W -75°59'16.91" Long.),

34) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 18.6 linear feet of an UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°52'27.84" Lat., W -75°59'47.22" Long.),

35) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Forested (PFO) Wetland (Lawton, PA Quadrangle N 41°52'16.28" Lat., W -76°0'36.94" Long.),

36) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 22.2 linear feet of an UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Lawton, PA Quadrangle N 41°52'15.92" Lat., W -76°0'40.25" Long.),

37) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 12.1 linear feet of an UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Lawton, PA Quadrangle N 41°52'15.78" Lat., W -76°0'41.54" Long.),

38) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 16.8 linear feet of Stone Street Creek (Chap. 93 CWF) (Lawton, PA Quadrangle N 41°51'27.65" Lat., W -76°1'50.81" Long.),

39) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 7.1 linear feet of an UNT Stone Street Creek (Chap. 93 CWF) (Lawton, PA Quadrangle N 41°51'25.13" Lat., W -76°1'58.19" Long.),

40) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 8.2 linear feet of an Intermittent UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Lawton, PA Quadrangle N 41°51'8.10" Lat., W -76°2'21.08" Long.),

41) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Lawton, PA Quadrangle N 41°50'34.55" Lat., W -76°2'37.25" Long.),

42) A sixteen (16) inch natural gas gathering pipeline temporarily impacting 18.2 linear feet of an UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Lawton, PA Quadrangle at N 41°50'28.36" Lat., W -76°2'39.23" Long.),

43) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Lawton, PA Quadrangle N 41°50'25.67" Lat., W -76°2'44.63" Long.),

44) A sixteen (16) inch natural gas gathering pipeline temporarily impacting less than 0.01 acres of a Palustrine Forested (PFO) Wetland (Lawton, PA Quadrangle N 41°50'33.18" Lat., W -76°3'7.67" Long.),

45) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Montrose West, PA Quadrangle N 41°51'19.51" Lat., W -75°56'49.56" Long.),

46) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 16.9 linear feet of an Intermittent UNT Forest Creek (Chap. 93 CWF) (Montrose West, PA Quadrangle N 41°50'56.33" Lat., W -75°56'44.74" Long.),

47) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Montrose West, PA Quadrangle N 41°52'12.79" Lat., W -75°56'34.55" Long.),

48) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Montrose West, PA Quadrangle N 41°51'27.61" Lat., W -75°56'48.91" Long.),

49) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Montrose West, PA Quadrangle N 41°51'26.82" Lat., W -75°56'48.95" Long.),

50) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 3.8 linear feet of an Intermittent UNT Forest Lake Creek (Chap. 93 CWF) (Montrose West, PA Quadrangle N 41°51'25.81" Lat., W -75°56'49.06" Long.),

51) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 4.4 linear feet of an Intermittent UNT Forest Lake Creek (Chap. 93 CWF) (Montrose West, PA Quadrangle N 41°51'25.16" Lat., W -75°56'49.10" Long.),

52) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°53'8.27" Lat., W -75°56'58.56" Long.),

53) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°53'7.48" Lat., W -75°56'57.88" Long.),

54) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 6.8 linear feet of an Intermittent UNT Forest Lake Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°53'5.21" Lat., W -75°56'56.94" Long.),

55) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Montrose West, PA Quadrangle N 41°52'20.53" Lat., W -75°56'44.30" Long.),

56) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Montrose West, PA Quadrangle N 41°52'20.93" Lat., W -75°56'45.82" Long.),

57) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Montrose West, PA Quadrangle N 41°52'19.52" Lat., W -75°56'43.01" Long.),

58) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Scrub Shrub (PSS) Wetland (Laurel Lake, PA Quadrangle N 41°53'39.37" Lat., W -75°57'24.23" Long.),

59) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Forested (PFO) Wetland (Laurel Lake, PA Quadrangle N 41°52'11.96" Lat., W -75°58'1.42" Long.),

60) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°52'46.60" Lat., W -75°58'17.40" Long.),

61) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°52'47.75" Lat., W -75°58'16.82" Long.),

62) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Laurel Lake, PA Quadrangle N 41°52'54.34" Lat., W -75°58'21.40" Long.),

63) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 4.2 linear feet of an Intermittent UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°52'55.24" Lat., W -75°58'22.30" Long.),

64) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 3.9 linear feet of an Intermittent UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Laurel Lake, PA Quadrangle N 41°52'58.84" Lat., W -75°58'25.39" Long.),

65) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 3.4 linear feet of North Branch Wyalusing Creek (Chap. 93 CWF) (Lawton, PA Quadrangle N 41°51'11.27" Lat., W -76°4'39.14" Long.),

66) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Lawton, PA Quadrangle N 41°50'37.54" Lat., W -76°3'29.66" Long.),

67) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting 4.4 linear feet of an Intermittent UNT Middle Branch Wyalusing Creek (Chap. 93 CWF) (Lawton, PA Quadrangle N 41°50'36.60" Lat., W -76°3'25.24" Long.),

68) A sixteen (16) inch natural gas gathering lateral pipeline temporarily impacting less than 0.01 acres of a Palustrine Emergent (PEM) Wetland (Lawton, PA Quadrangle N 41°50'36.56" Lat., W -76°3'25.06" Long.),

69) A bridge mat road crossing of an UNT Silver Creek (Chap. 93 CWF); temporarily impacting 13.5 linear feet (Franklin Forks, PA Topographic Quadrangle N 41°55'47.82" Lat., W -75°52'9.70" Long.),

70) A bridge mat road crossing of an UNT Silver Creek (Chap. 93 CWF); temporarily impacting 13.1 linear feet (Franklin Forks, PA Topographic Quadrangle at N 41°55'46.42" Lat., W -75°52'11.03" Long.),

71) A bridge mat road crossing of an UNT Silver Creek (Chap. 93 CWF); temporarily impacting 6.8 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°55'13.91" Lat., W -75°53'5.10" Long.),

72) A bridge mat road crossing of an UNT Laurel Lake, PA Creek (Chap. 93 CWF); temporarily impacting 14.4 linear feet; (Laurel Lake, PA Topographic Quadrangle N 41°55'14.59" Lat., W -75°53'33.72" Long.),

73) A bridge mat road crossing of an UNT Silver Creek (Chap. 93 CWF); temporarily impacting 6.3 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°55'11.17" Lat., W -75°54'11.16" Long.),

74) A bridge mat road crossing of an Intermittent UNT Silver Creek (Chap. 93 CWF); temporarily impacting 4.8 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°55'11.03" Lat., W -75°54'13.28" Long.),

75) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting 0.0099 acres (Laurel Lake, PA Topographic Quadrangle N 41°54'58.75" Lat., W -75°55'12.65" Long.),

76) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting 0.01 acres (Laurel Lake, PA Topographic Quadrangle N 41°54'57.60" Lat., W -75°55'14.66" Long.),

77) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting 0.02 acres (Laurel Lake, PA Topographic Quadrangle N 41°54'58.10" Lat., W -75°55'15.78" Long.),

78) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting 0.02 acres (Laurel Lake, PA Topographic Quadrangle N 41°54'57.06" Lat., W -75°55'19.56" Long.),

79) A bridge mat road crossing of an UNT Silver Creek (Chap. 93 CWF); temporarily impacting 15 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°54'48.82" Lat., W -75°56'9.71" Long.),

80) A bridge mat road crossing of an Intermittent UNT Middle Branch Wyalusing Creek (Chap. 93 CWF); temporarily impacting 8.1 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°52'52.68" Lat., W -75°59'13.31" Long.),

81) A bridge mat road crossing of an UNT Middle Branch Wyalusing Creek (Chap. 93 CWF); temporarily impacting 23.3 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°52'53.08" Lat., W -75°59'16.91" Long.),

82) A bridge mat road crossing of an UNT Middle Branch Wyalusing Creek (Chap. 93 CWF); temporarily impacting 18.6 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°52'27.84" Lat., W -75°59'47.22" Long.),

83) A bridge mat road crossing of an UNT Stone Street Creek (Chap. 93 CWF); temporarily impacting 7.1 linear feet (Lawton, PA Topographic Quadrangle N 41°51'25.13" Lat., W -76°1'58.19" Long.),

84) A bridge mat road crossing of an Intermittent UNT Middle Branch Wyalusing Creek (Chap. 93 CWF); temporarily impacting 8.2 linear feet (Lawton, PA Topographic Quadrangle N 41°51'8.10" Lat., W -76°2'21.08" Long.),

85) A wetland mat road crossing of a Palustrine Scrub Shrub (PSS) Wetland; temporarily impacting less than 0.01 (Montrose West, PA Topographic Quadrangle N 41°51'19.51" Lat., W -75°56'49.56" Long.),

86) A bridge mat road crossing of an Intermittent UNT Forest Creek (Chap. 93 CWF); temporarily impacting 16.9 linear feet (Montrose West, PA Topographic Quadrangle N 41°50'56.33" Lat., W -75°56'44.74" Long.),

87) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting less than 0.01 acres (Montrose West, PA Topographic Quadrangle N 41°52'12.79" Lat., W -75°56'34.55" Long.),

88) A bridge mat road crossing of an Intermittent UNT Forest Lake Creek (Chap. 93 CWF); temporarily impacting 3.8 linear feet (Montrose West, PA Topographic Quadrangle N 41°51'25.81" Lat., W -75°56'49.06" Long.),

89) A wetland mat road crossing of a Palustrine Scrub Shrub (PSS) Wetland; temporarily impacting 0.01 acres (Laurel Lake, PA Topographic Quadrangle N 41°53'39.37" Lat., W -75°57'24.23" Long.),

90) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting 0.04 acres (Laurel Lake, PA Topographic Quadrangle N 41°52'54.34" Lat., W -75°58'21.40" Long.),

91) A bridge mat road crossing of an Intermittent UNT Middle Branch Wyalusing Creek (Chap. 93 CWF); tempo-

rarily impacting 3.9 linear feet (Laurel Lake, PA Topographic Quadrangle N 41°52'58.84" Lat., W -75°58'25.39" Long.),

92) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting less than 0.01 acres (Lawton, PA Topographic Quadrangle N 41°50'37.54" Lat., W -76°3'29.66" Long.),

93) A wetland mat road crossing of a Palustrine Emergent (PEM) Wetland; temporarily impacting less than 0.01 acres (Lawton, PA, PA Topographic Quadrangle N 41°50'36.56" Lat., W -76°3'25.06" Long.).

The proposed Laser Northeast Gathering Susquehanna Pipeline—South Leg consists of the construction, operation, and maintenance of approximately 14.4 miles of the primary leg of a natural gas gathering system which is comprised of a sixteen inch coated steel pipe, buried to approximately three feet, collecting gas from three laterals of similar construction but ten inches in diameter. The linear length of the three laterals is approximately two, 2.1, and 5.4 miles in length. The natural gas gathering system is proposed for Liberty, Franklin, Silver Lake, Forest Lake and Middletown Townships, Susquehanna County, Pennsylvania. All stream and wetlands crossings are proposed to be constructed using the Horizontal Directional Drill method. Total Temporary Impacts for this site are 350.2 lineal feet of stream crossings and 8,056.2 square feet (0.185 acre) of wetland impacts. There are no permanent impacts associated with this site.

E5929-013: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Shippen Township, **Tioga County**, ACOE Baltimore District.

To construct and maintain:

1) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and 2-4 inch diameter water lines impacting 300 square feet of an unnamed tributary (UNT) to Elk Run (TSF) (Mansfield, PA Quadrangle 41°50'21"N 77°00'19"W);

2) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and 2-4 inch diameter water lines impacting 27,307 square feet of a 10-acre palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'21"N 77°00'22"W);

3) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and 2-4 inch diameter water lines impacting 1,755 square feet of a 10-acre palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'25"N 77°00'31"W);

4) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas gathering line and 2-4 inch diameter water lines impacting 4,324 square feet of a palustrine emergent/scrub/shrub (PEM/PSS) wetland (Mansfield, PA Quadrangle 41°50'25"N 77°00'27"W).

The project will result in 6 linear feet of temporary stream impacts and 33,386 square feet (0.77 acres) of temporary wetland impacts. Streams and wetlands are being crossed all for the purpose of installing a natural gas spur line with associated access roadways.

E5929-014: SWEPI LP, 190 Thorn Hill Road, Warrendale, PA 15086, Richmond and Sullivan Townships, **Tioga County**, ACOE Baltimore District.

To construct and maintain:

1) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 650 square feet of an

unnamed tributary (UNT) to Corey Creek (CWF) (Mansfield, PA Quadrangle 41°47'53"N 77°00'43"W);

2) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 350 square feet of an unnamed tributary (UNT) to Corey Creek (CWF) (Mansfield, PA Quadrangle 41°47'54"N 77°00'57"W);

3) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 850 square feet of an unnamed tributary (UNT) to Corey Creek (CWF) (Mansfield, PA Quadrangle 41°47'55"N 77°00'58"W);

4) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 500 square feet of an unnamed tributary (UNT) to Corey Creek (CWF) (Mansfield, PA Quadrangle 41°47'56"N 77°00'59"W);

5) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 950 square feet of an unnamed tributary (UNT) to Corey Creek (CWF) (Mansfield, PA Quadrangle 41°47'57"N 77°01'00"W);

6) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 400 square feet of an unnamed tributary (UNT) to Corey Creek (CWF) (Mansfield, PA Quadrangle 41°47'57"N 77°01'01"W);

7) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 350 square feet of an unnamed tributary (UNT) to the Tioga River (CWF) (Mansfield, PA Quadrangle 41°50'49"N 77°04'49"W);

8) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 100 square feet of an unnamed tributary (UNT) to Mad Run (TSF) (Mansfield, PA Quadrangle 41°50'23"N 77°03'13"W);

9) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,600 square feet of Mad Run (TSF) (Mansfield, PA Quadrangle 41°50'23"N 77°03'12"W);

10) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,300 square feet of Mad Run (TSF) (Mansfield, PA Quadrangle 41°49'43"N 77°02'25"W);

11) an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 42 square feet of an unnamed tributary (UNT) to Corey Creek (CWF) (Mansfield, PA Quadrangle 41°48'15"N 77°02'25"W);

12) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 503 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°47'54"N 77°00'48"W);

13) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,872 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'00"N 77°01'05"W);

14) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line wetland impacting 4,651 square feet

of a palustrine emergent/scrub/shrub (PEM/PSS) (Mansfield, PA Quadrangle 41°48'05"N 77°01'23"W);

15) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 4,778 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'05"N 77°01'33"W);

16) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 837 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'09"N 77°02'10"W);

17) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,474 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'09"N 77°02'10"W);

18) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 475 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'09"N 77°02'18"W);

19) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,183 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'23"N 77°02'28"W);

20) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,242 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'28"N 77°02'28"W);

21) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,259 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'52"N 77°02'21"W);

22) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas spur line and a 10 inch diameter water line impacting 607 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'03"N 77°02'24"W);

23) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas spur line and a 10 inch diameter water line impacting 1,213 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°48'57"N 77°02'45"W);

24) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,232 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'34"N 77°02'30"W);

25) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 2,093 square feet of a 10-acre palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'36"N 77°02'29"W);

26) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,728 square feet of a 10-acre palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'38"N 77°02'28"W);

27) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 3,273 square feet of a

palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'39"N 77°02'27"W);

28) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 20 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'43"N 77°02'24"W);

29) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 60 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'43"N 77°02'26"W);

30) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 5,020 square feet of a 10-acre palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°49'44"N 77°02'25"W);

31) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas spur line and a 10 inch diameter water line impacting 1,570 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'21"N 77°02'22"W);

32) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas spur line and a 10 inch diameter water line impacting 111 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'23"N 77°02'18"W);

33) a temporary road crossing using a mat bridge, a 6 inch diameter natural gas spur line and a 10 inch diameter water line impacting 1,678 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'26"N 77°02'13"W);

34) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 9,905 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'21"N 77°02'50"W);

35) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 438 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'21"N 77°02'52"W);

36) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 627 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'23"N 77°03'03"W);

37) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 1,168 square feet of a palustrine emergent/scrub/shrub (PEM/PSS) wetland (Mansfield, PA Quadrangle 41°50'23"N 77°03'13"W);

38) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 8,460 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'42"N 77°04'11"W);

39) a temporary road crossing using a mat bridge, an 8 inch diameter natural gas gathering line and a 10 inch diameter water line impacting 557 square feet of a palustrine emergent (PEM) wetland (Mansfield, PA Quadrangle 41°50'49"N 77°04'49"W).

The project will result in 479 linear feet of temporary stream impacts, a total of 58,034 square feet (1.33 acres) of temporary wetland impacts, and no permanent wetland

impacts. Streams and wetlands are being crossed all for the purpose of installing a natural gas gathering line and 2 spur lines with associated access roadways.

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E46-1067. Wissahickon Valley Watershed Association, 12 Morris Road, Ambler, PA 19002-5407, Upper Dublin Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities across the Wissahickon Creek (TSF):

1. To install approximately 19 blocks of poured-in-place concrete stepping stones, 1' wide x 2' long at 18-inch spacing associated with the Green Ribbon Trail project.

2. To install and maintain a temporary cofferdam.

The site is approximately 682 feet southwest of Church Avenue and approximately 455 feet northeast of Morris Road in Upper Dublin Township, Montgomery County (Ambler, PA, USGS Quadrangle N: 3.50 inches, W: 13.50 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E15-809. MCM Family Partnership, LLC, PO Box 296, Oxford, PA 19363-0296, West Nottingham Township, **Chester County**, ACOE Baltimore District.

To construct and maintain a driveway crossing of a small unknown tributary to Stone Run (TSF-MF) and adjacent wetlands (PFO). The wetland impact associated with this crossing is 0.155 acre. The site is located about 1,000 feet southwest of intersection of Conowingo Road (Route 1) and Sylmar Road (Rising Sun- MD-PA, USGS Quadrangle N: 17.75 inches, W: 4.7 inches) in West Nottingham Township, Chester County.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E51-245. JERC Partners X111 LP, 171 State Route 173, Suite 201, Asbury, NJ 08802, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To place fill on 0.18 acre of wetlands (WL-C) associated with the construction of an industrial warehouse and distribution facility at Red Lion Road. Approximately 0.18 acre of wetlands will be created as a mitigation measure.

The project site is located north of the intersection of Red Lion Road and Sandmeyer Lane in the City and County of Philadelphia (Frankford, PA USGS Quadrangle N: 4.50 inches; W: 3.30 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E46-1064. PA American Water, 4 Wellington Road, Wyomissing, PA 19610, Norristown Borough, Bridgeport Borough, **Montgomery County**, ACOE Philadelphia District.

To install and maintain approximately 960 Linear feet of 16-inch diameter water main across and along the floodplain of the Schuylkill River associated with the

existing dilapidated water main. This work includes construction and maintenance of a nt of cofferdam/causeway in the River.

The site is located between the Markley Street (S.R. 202) and Dekalb Pike stream crossing (Norristown, PA USGS Quadrangle N: 20.5; W: 13.5).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E51-246. City of Philadelphia, Streets Department, 830 MSB Building, 1401 JFK Blvd., Philadelphia, PA 19102, City and **County of Philadelphia**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities within/along the Schuylkill River (CWF-MF) associated with the Schuylkill River Park Trail—Phase IIIB project:

1. To construct and maintain approximately 2,000 feet long extension of the Schuylkill River Park Trail in the form of a suspended bridge over the stream, approximately 50 feet from the river banks, running parallel with the river from Walnut Street cul-de-sac to approximately 210 feet southwest of the South Street Bridge. This work includes the associated ramps.

2. To temporarily install and maintain a concrete mixing plant within the floodway associated with the vehicular access and load restrictions in the project area.

The project site is located along the Schuylkill River commencing at the Walnut Street cul-de-sac running southwesterly parallel and ends at approximately 210 feet southwest of the South Street Bridge in the City and County of Philadelphia (Frankford, PA, USGS Quadrangle N: 13.37 inches; W: 8.17 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E67-880: Pennsylvania Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, in Carroll Township, **York County**, ACOE Baltimore District

To: 1) remove the existing culvert structure and construct and maintain 90.0 feet of dual 38.0-inch by 60.0-inch elliptical culvert with rock aprons depressed 12.0 inches into the streambed of an unnamed tributary to Dogwood Run (CWF, MF) and 2) place and maintain 30,274.5 cubic feet of fill in three locations in and along an approximately 300.0-foot long section of the floodway and floodplain of Dogwood Run, all for the purpose of improving transportation safety and roadway standards. The project is located on SR 0074, at the intersection of Spring Lane (T-874) (Mechanicsburg, PA Quadrangle; N: 1.5 inches, W: 5.6 inches; Latitude: 40°8'0", Longitude: -77°2'24") in Carroll Township, York County.

E67-890: Pennsylvania Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, in Windsor Township, **York County**, ACOE Baltimore District

To: 1) remove the existing structure and to construct and maintain a 6.0-inch depressed reinforced concrete pipe culvert having a length of 97.0 feet, skewed 75°, and

a diameter of 84.0 inches in an unnamed tributary to Kreutz Creek (WWF, MF), 2) construct and maintain two stormwater outfalls to an unnamed tributary to Kreutz Creek (WWF, MF) at the upstream side of the culvert, and 3) place and maintain fill in 0.02 acre of PEM wetlands all for the purpose of improving transportation safety and roadway standards. The project is located along SR 0124 from Miller Drive (T-652) to Christensen Road (T-764) in Windsor Township, York County (York, PA Quadrangle N: 15.4 inches, W: 2.2 inches; Latitude: 39°57'35", Longitude: -76°38'26"). The amount of wetland impact is considered a de minimus impact of 0.02 acre and wetland replacement is not required.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E14-538. Pennsylvania Department of Transportation, Engineering District 2-0, 1924 Daisy Street Extension, Clearfield, PA 16830. SR 3011, Section A02 Bridge Replacement over Slab Cabin Run in College Township and State College Borough, **Centre County**, ACOE Baltimore District (State College, PA Quadrangle; Latitude: 40°47'27"; Longitude 77°49'56").

The applicant proposes to remove the existing bridge structure, construct, operate and maintain a new two span concrete spread box beam bridge. The existing structure is a two span concrete T-beam bridge with a total normal span of 50 ft., skew of 45°, and an average underclearance of 4.2 ft. The proposed structure will be constructed on approximately the same horizontal and vertical alignment as the existing structure. The proposed structure has a total normal span of 52 ft., skew of 45°, and an average underclearance of 4.2 ft. Additionally, approximately 230 ft Slab Cabin Run will be relocated

with the bridge replacement. Slab Cabin Run currently curves and flows into the toe of the roadway embankment and along the roadway into the bridge structure. The proposed alignment will relocate Slab Cabin Run out into the existing floodplain and will include log structures for both aquatic habitat and stabilization. Slab Cabin Run is classified as a Cold Water Fishery. The project proposes 0.01 acres of permanent wetland impact. This permit also includes 401 Water Quality Certification.

E18-465. Chapman Township Board of Supervisors, PO Box 485, North Bend, PA 17760-0485. North Bend Boat Launch, in Chapman Township, **Clinton County**, ACOE Baltimore District (Renovo East, PA Quadrangle N: 41°20'31" N, W: 77°42'7.5").

To construct and maintain: 1) a 50-foot long by 15-foot wide by 8-inch thick concrete slab boat ramp, 2) a 300-foot long by 80-foot wide gravel parking lot and access road and associated bank stabilization, 3) a grass kayak / canoe launch area, and 4) a dry fire hydrant and associated intake. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E53-434. UGI—Central Penn Gas, Inc., 24547 Route 6, Port Allegany, PA 16743-2507. UGI Elevenmile Creek Natural Gas Distribution Pipeline Replacement Project in Oswayo Township, **Potter County**, ACOE Pittsburgh District (Oswayo, PA Quadrangle Latitude: 41°57'40"; Longitude: 78°01'24").

UGI—Central Penn Gas, Inc. proposes to abandon an existing 2-inch diameter gas distribution pipeline and install, operate and maintain 5400-feet of 8-inch diameter natural gas distribution pipeline requiring encroachment of the following of wetlands and streams:

<i>Permit ID</i>	<i>Activity</i>	<i>Resource</i>	<i>Water Quality</i>	<i>Latitude</i>	<i>Longitude</i>
Wetland #1	Pipeline Crossing	Wetland	EV	41°57'36"	78°01'45"
Creek #1	Pipeline Crossing	Elevenmile Creek	HQ-CWF	41°57'37"	78°01'46"
Creek #2	Pipeline Crossing	Elevenmile Creek	HQ-CWF	41°57'37"	78°01'42"
Wetland #2	Pipeline Crossing	Wetland	EV	41°57'37"	78°01'39"
Wetland #3	Pipeline Crossing	Wetland	EV	41°57'37"	78°01'36"
Wetland #4	Pipeline Crossing	Wetland	EV	41°57'38"	78°01'33"
Wetland #5	Pipeline Crossing	Wetland	EV	41°57'39"	78°01'27"
Wetland #6	Pipeline Crossing	Wetland	EV	41°57'39"	78°01'26"
Wetland #7	Pipeline Crossing	Wetland	EV	41°57'39"	78°01'24"
Wetland #8	Pipeline Crossing	Wetland	EV	41°57'39"	78°01'24"
Creek #3	Pipeline Crossing	Elevenmile Creek	HQ-CWF	41°57'40"	78°01'24"
Wetland #9	Pipeline Crossing	Wetland	EV	41°57'41"	78°01'12"
Creek #4	Pipeline Crossing	Elevenmile Creek	HQ-CWF	41°57'42"	78°01'11"
Creek #5	Pipeline Crossing	Elevenmile Creek	HQ-CWF	41°57'43"	78°01'10"

Since Elevenmile Creek is wild trout and stock trout fishery, no construction or future repair work shall be done in or along the stream channel between October 1 and December 31 or March 1 and June 15 without prior written approval from the Pennsylvania Fish and Boat Commission. Installation of the gas distribution pipeline shall be accomplished by directional drilling beneath the above listed wetlands and streams. The project is located along the northern right-of-way of SR 4023 immediately east of Pine Hill Road and SR 4023 intersection. If upon

investigation the Department determines the activities authorized by this permit are serving to degrade or impair any of the above listed wetlands or streams, the permittee shall develop the necessary corrective action plan to mitigate the degradation or impairment. The permittee shall submit any corrective action plan to the Northcentral Region Watershed Management Program for review and approval prior to implementing any corrective action measure.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E42-351, FHO Corporation, 1000 Glendorn Drive, Bradford, PA 16701, Glendorn Sewer Connection in Bradford Township, **McKean County**, ACOE Pittsburgh District (Bradford, PA Quadrangle N: 41°, 54', 54"; W: 78°, 42', 50").

Project is to replace and maintain several failing on-lot septic systems with a new 1.25" to 3" grinder pump low-pressure force main to the Bradford Township public sanitary sewer system to include approximately 22,800' of pipe, 6 directional bore wetland crossings, 3 stream crossings of Fuller Brook, 2 crossings of UNT to Fuller Brook, 1 crossing of UNT to West Branch Tunungwant Creek and 1 crossing of Langmade Brook.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105

D46-096EA. Wissahickon Valley Watershed Association, 12 Morris Road, Ambler, PA 19002. Lower Gwynedd Township, **Montgomery County**, ACOE Philadelphia District. Project proposes to breach and remove Plymouth Crossing Dam across Wissahickon Creek (TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 1500 linear feet of stream channel. The dam is located approximately 1400 feet south of the intersection of Gypsy Hill Road (SR 2005) and Evans Road (SR 2016) (Lansdale, PA Quadrangle; Latitude: 40°11'02", Longitude: -75°15'17").

D40-020EA. Theta Land Corporation, 1004 Exeter Ave., Exeter, PA 18643. Hanover Township, **Luzerne County**, ACOE Baltimore District.

Project proposes to breach and remove Pine Run No.1 Dam across Pine Creek (CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 600 feet of stream channel. The dam is located approximately 4500 feet south of the intersection of US 81 and SR 309 (Wilkes-Barre, West, PA Quadrangle; Latitude: 41°11'47", Longitude: -75°53'30").

D09-006EA Mr. David Sharp, 2116-C Great Bend Turnpike, Honesdale, PA 18431, Milford Township, **Bucks County**, ACOE Philadelphia District.

Project proposes to remove the remaining portions of Archey's Mill Dam across Unami Creek (HQ-TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 300 feet of stream channel. The dam is located approximately 1700 feet southeast of the intersection of John Fries Highway (SR 663) and Allentown Road (SR 4027) (Milford Square, PA Quadrangle; Latitude: 40°26'15", Longitude: -75°23' 35").

D23-044EA. Darby Borough, 821 Summit Street, Darby, PA 19023. Darby Borough, **Delaware County**, ACOE Philadelphia District.

Project proposes to breach and remove Darby Dam across Darby Creek (TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 750 linear feet of stream channel. The dam is located approximately 800 feet west of the intersection of Macdade Boulevard (SR 13) and Main Street (SR 2005) (Lansdowne, PA Quadrangle; Latitude: 39°55'16", Longitude: -75°16'00").

D63-031EA. Mr. John Korcek, 23 Main Street, Box 545, Ellsworth, PA 15331. Ellsworth Borough, **Washington County**, ACOE Pittsburgh District.

Project proposes to breach and remove Ellsworth No. 2 Dam across Center Branch Pigeon Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 1150 feet of stream channel. The dam is located approximately 1100 feet southwest of the intersection of South Main Street (SR 917) and Almond Road (SR 2019) (Ellsworth, PA Quadrangle; Latitude: 40°06'24", Longitude: -80°01'27").

D46-353EA. Old York Road Country Club, 801 Tennis Avenue, Springhouse, PA 19462, Lower Gwynedd Township, **Montgomery County**, ACOE Philadelphia District.

To remove 2.11-acres of accumulated silts and sediments from the reservoir impounded by the Old York Road Country Club Dam across Park Creek (WWF) in order to restore storage capacity. The dam is located approximately 2,000 feet southwest of the intersection of Tennis Road and SR 63 (Ambler, PA Quadrangle; Latitude: 40°11'03"; Longitude: - 75°12'10").

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Oil & Gas Program Manager, 400 Waterfront Drive, Pittsburgh, PA

02/17/2011
 ESCGP-1 No.: ESG11-111-0001
 Applicant Name: Caimen Energy LLC
 CONTACT: Steven Skellie
 Address: 5944 Sherry Lane Suite 645
 City: Dallas State: TX Zip Code: 75225
 County: Somerset Township(s): Middlecreek
 Receiving Stream(s) And Classifications: UNT's to Middle Creek, Other

4/5/2011

ESCGP-1 No.: ESX11-125-0028
 Applicant Name: Rice Drilling B LLC
 Contact Person: Toby Rice
 Address: 171 Hillpointe Drive Suite 307
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Amwell
 Receiving Stream(s) and Classifications: Shipe Run,
 Other

6/17/2011

ESCGP-1 No.: ESX10-059-0086 Major Revision
 Applicant Name: Tanglewood Exploration, LLC
 Contact Person: Randy Wolsey
 Address: 226 Elm Drive, Suite 102
 City: Waynesburg State: PA Zip Code: 15370
 County: Greene Township(s): Franklin
 Receiving Stream(s) and Classifications: South Fork Ten
 Mile WWF, Lower Monongahela, Other

6/13/2011

ESCGP-1 No.: ESX11-125-0052
 Applicant Name: Range Resourced—Appalachia LLC
 Contact Person: Carla Suszkowski
 Address: 380 Southpointe Boulevard
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Chartiers
 Receiving Stream(s) and Classifications: UNT's to Plum
 Run/Chartiers Creek Watershed, Other

6/24/2011

ESCGP-1 No.: ESX11-059-0034
 Applicant Name: Laurel Mountain Midstream LLC
 Contact Person: Clayton Roesler
 Address: 1605 Coraopolis Heights Road
 City: Moon Township State: PA Zip Code: 15108
 COUNTY Greene Township(s): Franklin
 Receiving Stream(s) and Classifications: UNT's to Browns
 Creek HQ-WWF/Tensmile Creek Watershed, HQ

6/8/2011

ESCGP-1 No.: ESX11-059-0041
 Applicant Name: EQT Production Company
 Contact Person: Todd Klaner
 Address: 455 Racetrack Road Suite 101
 City: Washington State: PA Zip Code: 15301
 County: Greene Township(s): Morgan
 Receiving Stream(s) and Classifications: Castile Run,
 Other WWF

6/14/2011

ESCGP-1 No.: ESX11-051-0021
 Applicant Name: Laurel Mountain Midstream LLC
 Contact Person: Michael Hopkins
 Address: 1605 Coraopolis Heights Road
 City: Moon Township State: PA Zip Code: 15108
 County: Fayette Township(s): Dunbar, Franklin &
 Menallen
 Receiving Stream(s) and Classifications: Redstone Creek
 WWF, UNT's to Redstone Creek WWF, UNT's to Allen
 Run WWF, Bolden Run WWF, UNT's to Bolden Run
 WWF, Bute Run WWF, Monongahela River Watershed
 & Youghiogheny River Watershed

06/10/2011

ESCGP-1 No.: ESX11-125-0051
 Applicant Name: Atlas America LLC
 Contact Person: Jeremy Hirtz
 Address: 800 Mountain View Drive
 City: Smithfield State: PA Zip Code: 15478
 County: Washington Township(s): Centerville
 Receiving Stream(s) and Classifications: Twomile Run
 and UNT to Twomile Run/Middle Monongahela River
 Watershed, Other

05/27/2011

ESCGP-1 No.: ESX11-059-0003 Major Revision
 Applicant Name: Laurel Mountain Midstream LLC
 Contact Person: Clayton Roesler
 Address: 1605 Coraopolis Heights Road
 City: Moon Township State: PA Zip Code: 15108
 County: Greene Township(s): Franklin
 Receiving Stream(s) and Classifications: 4 UNT's to
 Brown Creek HQ-WWF, Wisecraver Run
 HQ-WWF, Tenmile Creek Watershed, HQ

6/2/2011

ESCGP-1 NO.: ESX11-059-0039
 Applicant Name: EQT Production Co
 CONTACT PERSON: Todd Klaner
 ADDRESS: 455 Racetrack Road
 City: Washington State: PA Zip Code: 15301
 County: Greene Township(s): Center
 Receiving Stream(s) and Classifications: Rush Run
 HQ-WWF, UNT's to South Fork Tenmile Creek
 HQ-WWF, Lightner Run HQ-WWF, South Fork
 Tenmile Creek Watershed, HQ

6/27/11

ESCGP-1 NO.: ESX10-059-0029 Major Revision
 Applicant Name: EQT Production Company
 CONTACT: Todd Klaner
 ADDRESS: 455 Racetrack Road
 City: Washington State: PA Zip Code: 15301
 County: Greene Township(s): Washington
 Receiving Stream(s) and Classifications: Petit Run/
 Gamers Run, HQ-WWF, South Fork Tenmile Creek
 Watershed, HQ

*Northcentral Region: Oil & Gas Management Program
 Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-1 # ESX11-035-0007

Applicant Name XTO Energy, Inc.
 Contact Person Mike Hahn
 Address 395 Airport Road
 City, State, Zip Indiana, PA 15701
 County Clinton
 Township(s) Chapman Twp.
 Receiving Stream(s) and Classification(s) W. Br.
 Susquehanna R/Susquehanna R Basin

ESCGP-1 # ESX11-081-0056

Applicant Name XTO Energy, Inc.
 Contact Person Stacey Vehovic
 Address 395 Airport Road
 City, State, Zip Indiana, PA 15701
 County Lycoming
 Township(s) Jordan Twp.
 Receiving Stream(s) and Classification(s) W. Br. Run (EV,
 MF); Little Fishing Cr (EV, MF)

ESCGP-1 # ESX11-015-0109

Applicant Name Chesapeake Appalachia LLC
 Contact Person Eric Haskins
 Address 101 North Main Street
 City, State, Zip Athens, PA 18810
 County Bradford
 Township(s) Smithfield & Springfield Twps.
 Receiving Stream(s) and Classification(s) UNT to Bentley
 Cr (WWF); Fall Cr (WWF), Bentley Cr (WWF)

ESCGP-1 # ESX11-131-0020

Applicant Name Chesapeake Appalachia LLC
 Contact Person Eric Haskins
 Address 101 North Main Street
 City, State, Zip Athens, PA 18810
 County Wyoming
 Township(s) Mehoopany Twp.

Receiving Stream(s) and Classification(s) UNT to
Susquehanna R, Susquehanna R (WWF)

ESCGP-1 # ESX11-015-0110

Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford

Township(s) Tuscarora Twp.

Receiving Stream(s) and Classification(s) Little Tuscarora
Cr, Tuscarora Cr (CWF, MF); Susquehanna R.

ESCGP-1 # ESX11-015-0111

Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford

Township(s) Leroy Twp.

Receiving Stream(s) and Classification(s) UNT to
Towanda Cr/Towanda Cr (CWF/TSF)

ESCGP-1 # ESX11-015-0114

Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford

Township(s) Smithfield Twp.

Receiving Stream(s) and Classification(s) UNT 1 and
UNT 2 to Browns Cr (WWF); Browns Cr (WWF)

ESCGP-1 # ESX11-117-0061

Applicant Name SWEPI LP
Contact Person Richard Lewis
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga

Township(s) Sullivan Twp.

Receiving Stream(s) and Classification(s) Trib. to Crooked
Cr (WWF, MF)

ESCGP-1 # ESX11-117-0065

Applicant Name Seneca Resources
Contact Person Michael Clinger
Address 51 Zents Blvd
City, State, Zip Brookville, PA 15825
County Tioga

Township(s) Gaines Twp.

Receiving Stream(s) and Classification(s) Deer Lick Run/
Baker Br (HQ, EV)

ESCGP-1 # ESX11-117-0064

Applicant Name Seneca Resources
Contact Person Michael Clinger
Address 51 Zents Blvd
City, State, Zip Brookville, PA 15825
County Tioga

Township(s) Covington Twp.

Receiving Stream(s) and Classification(s) Tioga R and
Marvin Cr/Elk Run and Upper Tioga R

ESCGP-1 # ESX11-131-0013

Applicant Name Williams Field Services Co, LLC
Contact Person Clayton Roesler
Address Westpoint Center 3, 1065 Coraopolis Heights Rd
City, State, Zip Moon Twp, PA 15108
County Luzerne, Susquehanna, Wyoming

Township(s) Dallas, Franklin Twps; Sprinville Twp;

Eaton, Tunkhannock, Lemon, Nicholson,

Northmoreland Twps.

Receiving Stream(s) and Classification(s) Meshoppen Cr,
Pond Br, Stevens Cr, Thomas Cr, UNT to Stevens Cr,

Jackson Cr, Martin Cr, Mill Cr, Sutton Cr Moneyppenny
Cr, Whitlock Cr, UNT to Martin Cr, UNT to Mill Run,
UNT to Moneyppenny Cr, UNT to Susquehanna R, UNT
to Sutton Cr, UNT to Whitlock Cr, Trout Br, UNT to
Trout Br, Billings Mill Br, Horton Cr, Monroe Cr,
Oxbow Cr, UNT to Monroe Cr, UNT to Tunkhannock
Cr—ALL CWF, MF; Susquehanna R—WWF, MF;
Tunkhannock Cr—TSF, MF

ESCGP-1 # ESX10-117-0096(01)

Applicant Name SWEPI LP
Contact Person James Sewell
Address 190 Thorn Hill Rd
City, State, Zip Warrendale, PA 15086
County Tioga

Township(s) Charleston Twp.

Receiving Stream(s) and Classification(s) UNT to Catlin
Hollow, Catlin Hollow, Crooked Cr, Susquehanna R
Basin—WWF

ESCGP-1 # ESX10-081-0105(01)

Applicant Name Anadarko E&P Company LP
Contact Person Bertha Nefe
Address P. O. Box 1330
City, State, Zip Houston, TX 77251-1330
County Lycoming

Township(s) Cascade Twp.

Receiving Stream(s) and Classification(s) Slacks Run and
UNT to Joe Gray Run (EV)

ESCGP-1 # ESX11-015-0120

Applicant Name Talisman Energy USA, Inc
Contact Person Tracy Gregory
Address 337 Daniel Zenker Dr
City, State, Zip Horseheads, NY 14845
County Bradford

Township(s) Pike Twp.

Receiving Stream(s) and Classification(s) Rockwell Cr

ESCGP-1 # ESX11-015-0113

Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main St
City, State, Zip Athens, PA 18810
County Bradford

Township(s) Franklin Twp.

Receiving Stream(s) and Classification(s) (2) UNTs to
Towanda Cr—CWF; Towanda Cr (TSF)

ESCGP-1 # ESX11-015-0098

Applicant Name Angelina Gathering Company, LLC
Contact Person Danny Spaulding
Address 2350 Sam Houston Parkway E, Ste 125
City, State, Zip Houston, TX 77032
County Bradford

Township(s) Herrick Twp.

Receiving Stream(s) and Classification(s) Camp Cr—
WWF

ESCGP-1 # ESX11-115-0008(01)

Applicant Name Williams Production Appalachia, LLC
Contact Person David Freudenrich
Address 1000 Town Center, Ste 130
City, State, Zip Canonsburg, PA 15317
County Susquehanna

Township(s) Forest Lake Twp.

Receiving Stream(s) and Classification(s) UNT to Middle
Br Wyalusing Cr—CWF/MF

ESCGP-1 # ESX11-115-0010(01)

Applicant Name Williams Production Appalachia, LLC
Contact Person David Freudenrich
Address 1000 Town Center, Ste 130
City, State, Zip Canonsburg, PA 15317

County Susquehanna
Township(s) Liberty Twp.
Receiving Stream(s) and Classification(s) UNT to Silver
Cr—EV

ESCGP-1 # ESX11-117-0066
Applicant Name Talisman Energy USA, Inc.
Contact Person Tracy Gregory
Address 337 Daniel Zenker Dr
City, State, Zip Horseheads, NY 14845
County Tioga
Township(s) Jackson Twp.
Receiving Stream(s) and Classification(s) Bailey Cr
(CWF, MF)

ESCGP-1 # ESX11-105-0003
Applicant Name Penn Virginia Oil & Gas Corp
Contact Person Michael Stamper
Address 1000 Town Center Way, Ste 210
City, State, Zip Canonsburg, PA 15317
County Bradford
Township(s) Hector Twp
Receiving Stream(s) and Classification(s) Jamison Run/
Crippen Run—HQ

ESCGP-1 # ESX11-015-0118
Applicant Name Appalachia Midstream Services, LLC
Contact Person Patrick Myers
Address 100 1st Center
City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Wysox Twp
Receiving Stream(s) and Classification(s) Laning Cr, UNT
to Laning Cr, UNT to Rummerfield Cr, Susquehanna R,
UNT Susquehanna R—all WWF/MF; Wysox Cr, UNT
to Wysox Cr, Pond Hill Run, UNT to Pond Hill Run,
Hollow Run, Dry Run, UNT to Johnson Cr—CWF,MF

ESCGP-1 # ESX11-015-0121
Applicant Name Appalachia Midstream Services, LLC
Contact Person Patrick Myers
Address 100 1st Center
City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Litchfield & Rome Twps.
Receiving Stream(s) and Classification(s) Hicks Cr, Trib
30144 to Wysox Cr, Tribs. 30127, 30137, 30136, 30134,
30139, 30110, 30133, 30124, 30125, 30121 to Bullard
Cr, Bullard Cr—all CWF,MF; Spalding Cr, Tribs.
30159, 30158, 30156, and 30154 to Parks Cr—all WWF,
MF

ESCGP-1 # ESX11-015-0122
Applicant Name Appalachia Midstream Services, LLC
Contact Person Patrick Myers
Address 100 1st Center
City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Litchfield Twp.
Receiving Stream(s) and Classification(s) UNT to Bullard
Cr, CWF/MF; Susquehanna R Watershed

ESCGP-1 # ESX11-131-0018
Applicant Name Citrus Energy Corp
Contact Person Kyle Johns
Address 2600 Network Blvd, Ste 400
City, State, Zip Frisco, TX 75034
County Wyoming
Township(s) Meshoppen and Washington Twps.
Receiving Stream(s) and Classification(s) UNTs to
Susquehanna R—CWF/MF

ESCGP-1 # ESX11-115-0006(01)
Applicant Name Chief Oil & Gas LLC
Contact Person Michael Hritz
Address 6051 Wallace Rd, Ext. Ste 210
City, State, Zip Wexford, PA 15090
County Susquehanna
Township(s) Springville Twp.
Receiving Stream(s) and Classification(s) Pond Br,
Meshoppen Cr (CWF)

ESCGP-1 # ESX11-115-0054
Applicant Name Chief Oil & Gas LLC
Contact Person Michael Hritz
Address 6051 Wallace Rd, Ext. Ste 210
City, State, Zip Wexford, PA 15090
County Susquehanna
Township(s) Lathrop Twp.
Receiving Stream(s) and Classification(s) E. Br Field Br
(CWF,MF); Tunkhannock Cr (TSF, MF)

ESCGP-1 # ESX11-131-0016
Applicant Name Chief Oil & Gas LLC
Contact Person Michael Hritz
Address 6051 Wallace Rd, Ext. Ste 210
City, State, Zip Wexford, PA 15090
County Susquehanna & Wyoming
Township(s) Springville Twp (Susquehanna); Lemon Twp
(Wyoming)
Receiving Stream(s) and Classification(s) Two (2) UNTs to
Meshoppen Cr (CWF, MF); Susquehanna R (WWF, MF)

ESCGP-1 # ESX11-015-0117
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford
Township(s) Rome Twp.
Receiving Stream(s) and Classification(s) Wysox Cr—
CWF/MF; Parks Cr—WWF/MF, Susquehanna R

ESCGP-1 # ESX11-113-0010
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Sullivan
Township(s) Fox Twp.
Receiving Stream(s) and Classification(s) Porter Cr, UNT
to Porter Cr (EV); Hoagland Br, Elk Cr

ESCGP-1 # ESX11-105-0006
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Potter
Township(s) Sweden Twp.
Receiving Stream(s) and Classification(s) Lyman Cr, UNT
to Trout Run—HQ-CWF

ESCGP-1 # ESX11-117-0063
Applicant Name Seneca Resources Corp
Contact Person Michael Clinger
Address 51 Zents Blvd
City, State, Zip Brookville, PA 15825
County Tioga
Township(s) Blossburg Borough
Receiving Stream(s) and Classification(s) Tioga River

ESCGP-1 # ESX11-015-0131
Applicant Name Appalachia Midstream Services, LLC
Contact Person Patrick Myers
Address 100 1st Center

City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Rome Twp. and Rome Borough
 Receiving Stream(s) and Classification(s) Trib 30128 to
 Laning Cr, Trib 30050 to Hollow Run, Hollow Run,
 Tribs 30060 and 30059 to Dry Run, Dry Run, Tribs
 30062 and 30149 to Wysox Cr, Wysox Cr, Trib 30107 to
 Bullard Cr, Bullard Cr, Trib 30066 to Johnson Cr,
 Johnson Cr—All CWF/MF. Susq R Watershed

ESCGP-1 # ESX11-015-0119
 Applicant Name Chesapeake Appalachia LLC
 Contact Person Eric Haskins
 Address 101 North Main St
 City, State, Zip Athens, PA 18810
 County Bradford
 Township(s) Franklin Twp.
 Receiving Stream(s) and Classification(s) Towanda Cr,
 UNT to Towanda Cr (TSF/MF); Susquehanna R

ESCGP-1 # ESX11-015-0127
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Dr
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Columbia Twp.
 Receiving Stream(s) and Classification(s) N. Br. Sugar Cr
 (TSF, MF); Sugar Cr

ESCGP-1 # ESX11-115-0056
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Dr
 City, State, Zip Horseheads, NY 14845
 County Susquehanna
 Township(s) Middletown Twp.
 Receiving Stream(s) and Classification(s) Gaylord Cr, N.
 Br. Wyalusing Cr (CWF/MF); Wyalusing Cr (WWF/MF)

ESCGP-1 # ESX11-015-0129
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Dr
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Columbia Twp.
 Receiving Stream(s) and Classification(s) N. Br. Sugar Cr;
 (3) UNT to N. Br. Sugar Cr (TSF/MF); Sugar Cr (TSF)

ESCGP-1 # ESX10-015-0311(02)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Dr
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Wells Twp.
 Receiving Stream(s) and Classification(s) UNTs to Seeley
 Cr (CWF)

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of June 2011 the Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Accustar Labs-Lebanon	929 Mt. Zion Road Lebanon, PA 17046	Laboratory Analysis
Chad Albright	3810 Broad Avenue Altoona, PA 16601	Testing
Tina Artigliere	2514 Park Street Reading, PA 19606	Testing
Scott Barone	415 Stanley Avenue Springdale, PA 15144	Testing
Rob Bruno Boro Environmental	501 Sharp Avenue Glenolden, PA 19036	Testing
C A Construction	3810 Broad Avenue Altoona, PA 16601	Mitigation
Jeffrey Calta	106 Vensel Lane P. O. Box T Chicora, PA 16025	Testing
Jeffrey Chase	124 Merino Drive Canonsburg, PA 15317	Testing
Steven Clayton	2607 Eaton Rapids Road Lansing, MI 48911	Mitigation
Carl Distenfeld TCS Industries, Inc.	4326 Crestview Road Harrisburg, PA 17112	Testing
Scott Feeser Bloodhounds Inspection Team	16 West Hanover Street Gettysburg, PA 17325	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Vilas Godbole	6314 Hilltop Drive Brookhaven, PA 19015	Testing
Chris Kessler New Leaf Home Inspection	950 Capehorn Road York, PA 17402	Testing
Michael Lieb	407 Burmont Road Drexel Hill, PA 19026	Testing
Jeremy Ling	3544 North Progress Avenue Suite 200 Harrisburg, PA 17110	Mitigation
Thomas Moore	421 Redgate Road Sewickley, PA 15143	Testing
Jerry Petrill	290 Forbes Trail Road Greensburg, PA 15601	Mitigation
Gerald Petrone	152 Orchard Drive McMurray, PA 15317	Testing
Pillar to Post Philadelphia LLC	800 Roosevelt Boulevard #400 Philadelphia, PA 19152	Testing
Shawn Price AirChek, Inc.	1936 Butler Bridge Road Mills River, NC 28759	Laboratory Analysis
Troy Rudy Allied Home Inspections	P. O. Box 4214 Lancaster, PA 17601	Testing
Mark Runge	4848 8th Avenue Temple, PA 19560	Mitigation
Eugene John Spoehr, Jr.	227 Robin Hood Road Aston, PA 19317	Testing
Kevin Thompson	P. O. Box 242 Unionville, PA 19375	Testing
Charles Toy	579 Franklin Street Freeport, PA 16229	Testing
Lawrence Transue	2305 Lone Cedar Drive Easton, PA 18040	Testing
Thomas Wilson	P. O. Box 9 Mingoville, PA 16856	Testing
Eric Zigga	835 Murray Street Throop, PA 18512	Mitigation

[Pa.B. Doc. No. 11-1185. Filed for public inspection July 15, 2011, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications.

Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance—New Guidance

DEP ID: 392-2130-015. Title: Guidelines for Development of Critical Area Resource Plans. Description: The Water Resources Planning Act (Act 220 of 2002) provides for the development of a Critical Area Resource Plan (CARP) for any watershed designated as a Critical Water Planning Area (CWPA). The purpose of this policy is to provide guidance to Department staff, Regional Water Resources Committees, the Statewide Water Resources Committee, State and Federal agencies, businesses and the public to assist in development of CARPs. This document outlines the plan elements and process that

will be used to develop, review and approve CARPs. These elements are solely for planning purposes and are not intended to reflect existing or future regulatory requirements. This document was published as a draft at 39 Pa.B. 6520 (November 7, 2009). No comments were received during the 30-day public comment period. Related Technical Guidance Document No. 392-2130-014, Guidelines for Identification of Critical Water Planning Areas, describes the process and criteria that will be used to identify CWPAs. After an area receives CWPA designation, a more intensive planning process will be undertaken to produce a CARP. This plan will include a more detailed investigation of water availability and current and future demands for water, with a focus on identifying existing and potential conflicts among users and possible alternatives to resolve the conflicts. The CARP that results from the study is not a regulatory document and will not be binding. It will, however, suggest measures and actions that could be adopted voluntarily to address the potential water shortage in the area. Contact: Questions regarding the technical guidance should be directed to Lori Mohr at (717) 787-4628 or laumohr@state.pa.us.

Effective Date: Final upon publication in the *Pennsylvania Bulletin*.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1186. Filed for public inspection July 15, 2011, 9:00 a.m.]

Coastal Zone Grant Application Period for Federal Fiscal Year 2012 Grants

The Water Planning Office in the Department of Environmental Protection (Department) will be accepting applications beginning August 19, 2011, for Federal Fiscal Year 2012 Coastal Zone grants. Applications must be received by October 17, 2011.

Applicants must meet certain eligibility requirements (for example, an authority, a 501(c)(3) nonprofit organization, a political subdivision or an educational institution) and must be located within the Delaware Estuary Coastal Zone or the Lake Erie Coastal Zone. Proposals must also support the Coastal Zone Program's mission to protect and enhance coastal resources in this Commonwealth.

The Department and the Department of Conservation and Natural Resources have launched an electronic grant application system called Environmental eGrants (eGrants), which standardizes the application process and provides an environmentally friendly way to submit a grant application through a secure internet connection.

Applications for Coastal Zone Management Program grants must be submitted electronically through the eGrants system. To access an online application go to www.grants.dcnr.state.pa.us, register as a user by clicking the "Log In/Register" link, click on "Find a Grant" to find this grant opportunity and then select the option to "Apply for This Grant." eGrants will guide applicants through the process of starting the electronic grant application.

To obtain more information concerning Coastal Zone grants, visit the Department web site at www.depweb.state.pa.us and select "DEP Programs A - Z" tab, then choose "Coastal Zone" or contact the Department of Environmental Protection, Water Planning Office, 2nd

Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-4785.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1187. Filed for public inspection July 15, 2011, 9:00 a.m.]

Dam Safety and Waterway Management; Water Quality Certification under Section 401 of the Federal Clean Water Act and Federal Consistency Review under the Coastal Zone Management Act of 1972 for the Army Corps of Engineers Pennsylvania State Programmatic General Permit (PASPGP-4)

On November 1, 2010, the Baltimore, Philadelphia and Pittsburgh Districts of the Army Corps of Engineers, under the authority of section 404(e) of the Federal Clean Water Act (33 U.S.C.A. § 1344(e)), proposed by its Special Public Notice 10-65, to issue Pennsylvania State Programmatic General Permit—4 (PASPGP-4) for a 5-year period. Section 401(a) of the Federal Clean Water Act (33 U.S.C.A. § 1341(a)) requires the Commonwealth to certify that any activity requiring a Federal license or permit, which may result in a discharge into the waters of the United States, will comply with the applicable provisions of the Federal Clean Water Act as well as Commonwealth water quality standards. In addition, section 307 of the Coastal Zone Management Act of 1972 (33 U.S.C.A. § 1456) requires that any Federal action which affects the coastal use or resource of a coastal state will be undertaken in a manner consistent to the maximum extent practicable with the enforceable policies of that state's approved Coastal Management Program. On June 3, 2011, the Army Corps of Engineers published Special Public Notice—11-44, issuing the PASPGP-4 for a 5-year period with an effective date of July 1, 2011. The PASPGP-4 is available for use as of July 16, 2011.

This action by the Army Corps of Engineers continues the present Federal permitting process undertaken jointly with the State permitting process for activities affecting waterways, water bodies and wetlands authorized under the Dam Safety and Encroachment Act (32 P. S. §§ 693.1—693.27). PASPGP-4 places the Department of Environmental Protection (Department) regional offices and delegated county conservation districts in the lead for the majority of permit actions. Through the incorporation of Federal and State permitting standards in one process, the PASPGP-4 continues a streamlined process for permit applicants without compromising comprehensive environmental protection.

At 41 Pa.B. 2762 (May 28, 2011), the Department requested public comment on the proposed 401 Water Quality Certification and Coastal Zone Management Consistency for PASPGP-4. No comments were submitted to the Department during the 30-day public comment period, which concluded on June 27, 2011; therefore, the Department provides public notice that 401 Water Quality Certification has been issued for the construction, operation and maintenance of an encroachment or water obstruction as proposed in PASPGP-4 and that those projects were determined to comply with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313,

1316 and 1317). The Department has further certified that the construction, operation and maintenance of the projects complies with applicable State laws related to water quality protection and that the construction, operation and maintenance of the projects does not violate applicable State water quality standards provided that the construction, operation and maintenance of the projects complies with the criteria and conditions of PASPGP-4.

The Department further requires that this certification be subject to the following condition. Prior to beginning any activity covered by PASPGP-4, the applicant must obtain all necessary permits or approvals from the Department, including, but not limited to, those required by The Clean Streams Law (35 P.S. §§ 691.1—691.1001), the Dam Safety and Encroachments Act, the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Oil and Gas Act (58 P.S. §§ 601.101—601.605), the Hazardous Sites Cleanup Act (35 P.S. §§ 6020.101—6020.1305), the Land Recycling and Remediation Standards Act (35 P.S. §§ 6026.101—6026.908) and the regulations promulgated thereunder including 25 Pa. Code Chapters 75, 78, 91—93, 95, 102, 105 and 260—299. Additionally, all environmental assessments required under these regulations, in addition to other regulatory requirements, must be complied with as a condition of Section 401 Water Quality Certification for the PASPGP-4.

Furthermore, the Department has concurred with the Army Corps of Engineers' determination that the use of the PASPGP-4 is consistent with the Coastal Resources Management Program of this Commonwealth. Copies of the PASPGP-4, the 401 Water Quality Certification and the Coastal Resources Management Program's consistency concurrence may be obtained by contacting Kenneth Murin, Chief, Division of Waterways, Wetlands, and Stormwater Management, Bureau of Watershed Management, P. O. Box 8775, Harrisburg, PA 17105-8775, (717) 787-6827 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD).

Activities authorized by PASPGP-3, where the authorization did not expire prior to June 30, 2011, are reauthorized by the PASPGP-4 without further notice to the applicable Corps District provided the proposed regulated activities comply with all terms, conditions, limits and best management practices identified and required by the PASPGP-4 and the applicable Department authorizations. In addition, all special conditions attached to the original PASPGP-3 authorization are special conditions of the PASPGP-4 authorization. Requests for modification of the authorized work and/or special conditions must be submitted in writing to the applicable Corps District. The duration of these reauthorizations will be for the term of the PASPGP-4 (June 30, 2016) or the applicable Department Chapter 105 authorization, for Category I or II activities, or 5 years from the date of the PASPGP-3 Category III verification, whichever is less.

The proposed PASPGP-4 and Army Corps of Engineers public notices can be viewed on the Army Corps of Engineers web page at <http://www.nab.usace.army.mil/Wetlands%20Permits/>. Copies of the PASPGP-4 and the Army Corps of Engineers public notices may be obtained by contacting Mary Lou Martin, United States Army Corps of Engineers, Baltimore District, State College Field Office, 1631 South Atherton Street, State College, PA 16801 or (814) 235-0570.

Finally, since the PASPGP-4 is duplicative of some Nationwide Permits (NWP) and offers a more simplified

and streamlined regulatory process, the Army Corps of Engineers has suspended those NWPs, which are applicable to activities qualifying for PASPGP-4. Special Public Notice 07-37 dated September 11, 2007, further detailing the suspension of the NWPs, remains in effect. This public notice is available on the Baltimore District web site at www.nab.usace.army.mil/Wetlands%20Permits.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1188. Filed for public inspection July 15, 2011, 9:00 a.m.]

Nutrient Credit Trading Program; Actions

The Department of Environmental Protection (Department) provides notice of the following actions under the Nutrient Credit Trading Program (Trading Program). These actions were taken under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed), published at 40 Pa.B. 5790 (October 9, 2010).

Nutrient trading is a market-based program that provides incentives for entities to create nutrient reduction credits (credits) by going beyond statutory, regulatory or voluntary obligations and goals to remove nutrients from a watershed. The credits can be traded to help others more cost-effectively meet their obligations or goals. The primary purpose of the Trading Program is to provide for more efficient ways for National Pollutant Discharge Elimination System permittees to meet their effluent limits for nutrients.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For further information about these actions or the Nutrient Credit Trading Program, contact Ann Roda, Water Planning Office, Department of Environmental Protection, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4785, aroda@state.pa.us or visit the Department's web site at www.depweb.state.pa.us (DEP Keywords: "Nutrient Trading").

The following certification requests have been approved by the Department. The approval of these requests is considered a final action of the Department.

Wyoming Valley Sanitary Authority (P. O. Box 33 A, Wilkes-Barre, PA 18703). This approval is applicable to the nutrient reductions generated from the treatment of nitrogen and phosphorous. This approval includes a verification plan, and authorizes the generation of 198,562 nitrogen reduction credits and 17,576 phosphorus reduction credits. This certification of annual credits is valid until September 30, 2015, as long as the pollution reduction activity is implemented maintained and verified under the terms and conditions contained in the certification. After September 30, 2015, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 2169 (April 23, 2011).

Red Barn Trading Company (1383 Arcadia Road, Lancaster, PA 17601). This approval is applicable to the nutrient reductions generated from the export of 240 tons of poultry manure from Cherry Crest Farms. This approval includes a verification plan, and authorizes the generation of 2,054 nitrogen credits and 47 phosphorus credits. This certification of annual credits is valid until September 30, 2015, as long as the pollution reduction activity is implemented maintained and verified under the terms and conditions contained in the certification. After September 30, 2015, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 2169.

Red Barn Trading Company (1383 Arcadia Road, Lancaster, PA 17601). This approval is applicable to the nutrient reductions generated from the export of 361 tons of poultry manure from Todd Rohrer's Farm. This approval includes a verification plan, and authorizes the generation of 3,131 nitrogen credits and 19 phosphorus credits. This certification of annual credits is valid until September 30, 2015, as long as the pollution reduction activity is implemented maintained and verified under the terms and conditions contained in the certification. After September 30, 2015, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 2169.

Red Barn Trading Company (1383 Arcadia Road, Lancaster, PA 17601). This approval is applicable to the nutrient reductions generated from the export of 210 tons of poultry manure from Earl Ray Zimmerman's Farm. This approval includes a verification plan, and authorizes the generation of 1,332 nitrogen credits and 33 phosphorus credits. This certification of annual credits is valid until September 30, 2015, as long as the pollution reduction activity is implemented maintained and verified under the terms and conditions contained in the certification. After September 30, 2015, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 2169.

Red Barn Trading Company (1383 Arcadia Road, Lancaster, PA 17601). This approval is applicable to the nutrient reductions generated from the export of 389 tons of poultry manure from Mark Rohrer's Farm. This approval includes a verification plan, and authorizes the generation of 3,374 nitrogen credits and 20 phosphorus credits. This certification of annual credits is valid until September 30, 2015, as long as the pollution reduction activity is implemented maintained and verified under the terms and conditions contained in the certification. After September 30, 2015, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 2169.

Red Barn Trading Company (1383 Arcadia Road, Lancaster, PA 17601). This approval is applicable to the nutrient reductions generated from the export of 623 tons of poultry manure from John Harnish's Farm. This approval includes a verification plan, and authorizes the generation of 3,195 nitrogen credits and 16 phosphorus credits. This certification of annual credits is valid until September 30, 2015, as long as the pollution reduction activity is implemented maintained and verified under the terms and conditions contained in the certification. After September 30, 2015, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 2169.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1189. Filed for public inspection July 15, 2011, 9:00 a.m.]

Nutrient Credit Trading Program; Notice of Certification Requests

The Department of Environmental Protection (Department) provides notice of the following certification requests that have been submitted under the Nutrient Credit Trading Program (Trading Program). See 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed), published at 40 Pa.B. 5790 (October 9, 2010).

Nutrient trading is a market-based program that provides incentives for entities to create nutrient reduction credits (credits) by going beyond statutory, regulatory or voluntary obligations and goals to remove nutrients from a watershed. The credits can be traded to help others more cost-effectively meet their obligations or goals. The primary purpose of the Trading Program is to provide for more efficient ways for National Pollutant Discharge Elimination System (NPDES) permittees to meet their effluent limits for nutrients.

The information described in this notice relates to submitted certification requests from April 23, 2011, through July 1, 2011.

Background

Before a credit can be used by an NPDES permittee, a three-step process is followed: (1) the certification request

must be approved; (2) generation of the credits must be verified; and (3) the credits must be registered.

Approval is also known as certification, which is a written approval by the Department for the use of a pollutant reduction activity to generate credits. Certifications are based on at least: (1) a written request describing the qualifying pollutant reduction activity that will reduce the pollutant loadings delivered to the applicable watershed; (2) the calculation to quantify the pounds of reductions expected; and (3) a verification plan that, when implemented, ensures that the qualifying pollutant reduction activity has taken place.

Once the credits are certified, they must be verified to be applied toward an NPDES permit for compliance with effluent limits. Verification means implementation of the verification plan contained in the certification. Verification plans require annual submittal of documentation to the Department that demonstrates that the qualifying pollutant reduction activity has taken place for the applicable compliance year.

The credits also need to be registered by the Department before they can be applied toward an NPDES permit for compliance with effluent limits. Registration occurs only after credits have been certified, verified and a contract has been submitted. The Department registers credits for use during the compliance year in which the qualifying pollutant reduction activity has taken place. The Department provides registered credits with an annual registry number for reporting and tracking purposes.

Certification Requests

The following requests are being reviewed by the Department. The Department will accept written comments on these proposed pollutant reduction activities for 30 days.

<i>Applicant</i>	<i>Pollution Reduction Activity Description</i>
Lycoming County Conservation District	This certification request is for credits to be generated from the pollutant reduction activity of off-stream watering with stream fencing, precision grazing and a installed riparian forested buffer for Client GrRLoT0001.
Lycoming County Conservation District	This recertification request is for credits to be generated from the pollutant reduction activity of manure export for Client WhCWaT0001.

Written Comments

Interested persons may submit written comments on these proposed pollutant reduction activities by August 15, 2011. The Department will accept comments submitted by e-mail, but comments submitted by facsimile will not be accepted. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Ann Roda, Water Planning Office, Department of Environmental Protection, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4785, aroda@state.pa.us.

For further information about these proposals or the Trading Program contact Ann Roda, at the previously

listed address or phone number or visit the Department's web site at www.depweb.state.pa.us (DEP Keywords: "Nutrient Trading").

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1190. Filed for public inspection July 15, 2011, 9:00 a.m.]

Pennsylvania Advantage Grant Program Applications

The Department of Environmental Protection (Department) announces the availability of grant funding in the seventh year of the Commonwealth's Advantage Grant Program for small business pollution prevention and energy efficiency projects. Small Business Advantage is a grant program providing up to 50% reimbursement grants, to a maximum of \$7,500, to enable a small business in this Commonwealth to adopt or acquire energy efficient or pollution prevention equipment or processes. Well designed energy efficient or pollution prevention projects can help small businesses cut costs and reduce the risk of potential regulatory problems, while simultaneously protecting the environment.

An eligible applicant must be a for-profit small business owner whose business or facility is located within this Commonwealth. All Commonwealth small businesses are eligible, including but not limited to manufacturers, retailers, service providers, mining businesses and agricultural concerns. The project to which the grant will apply must be located within the applicant's Commonwealth facility and save the business at least 25% annually in energy or pollution related expenses plus \$1,000.

For questions or concerns regarding the eligibility of a project, contact Dave Barnes, Office of External Affairs at (717) 782-8909 or at epadvantagegrant@state.pa.us before submitting an application. The Department will begin accepting applications for this program on July 25, 2011.

Applications are most quickly obtained from the Department's web site at www.dep.state.pa.us (DEP Keyword: SBAdvantage). Applications are also available by contacting the Department of Environmental Protection, Office of External Affairs, 15th Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8772, Harrisburg, PA 17105-8772, (717) 782-8909. The application package contains the materials and instructions necessary for applying for a grant.

Applications must be postmarked or hand delivered by 4 p.m. on August 29, 2011. Faxes or other electronic submissions will not be accepted.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 11-1191. Filed for public inspection July 15, 2011, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approval of Drugs Which May Be Used by Certain Optometrists

Under the Optometric Practice and Licensure Act (act) (63 P. S. §§ 244.1—244.12), and specifically as the act

was amended by the act of December 16, 2002 (P. L. 1950, No. 225) (Act 225), the Secretary of Health (Secretary) has the authority to approve drugs for use in the practice of optometry as the "practice of optometry" is defined in Act 225. The State Board of Optometry resubmitted a request to the Secretary by letter received on June 2, 2011, and requested that the Secretary approve the use of the following drug. Act 225 requires that the Secretary, within 90 days of the receipt of the list of drugs, and in consultation with the Physician General, approve or disapprove for good cause each drug. The Secretary has found good cause to approve the use of the following drug in the practice of optometry:

alcaftadine ophthalmic solution 0.25%.

The approval of the use of this drug is effective upon publication of this notice in the *Pennsylvania Bulletin*.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape or Braille) should contact the Bureau of Community Program Licensure and Certification, 132 Kline Plaza, Suite A, Harrisburg, PA 17104, (717) 783-8665, for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1192. Filed for public inspection July 15, 2011, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.25(a) (relating to kitchen):

Centre Crest
502 East Howard Street
Bellefonte, PA 16823
FAC ID 031702

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction):

Maple Farm
604 Oak Street
Akron, PA 17501
FAC ID 22720201

These requests are on file with the Department of Health. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for

speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1193. Filed for public inspection July 15, 2011, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Additional Class of Disproportionate Share Payments to Qualifying Teaching Hospitals

The Department of Public Welfare (Department) is providing final notice of the funding allocation for Fiscal Year (FY) 2010-2011 for disproportionate share hospital (DSH) payments to qualifying teaching hospitals that provide psychiatric services to Medical Assistance recipients. There is no change in the current qualifying criteria or methodology for determining eligibility for these payments.

The Department published notice of its intent to allocate funding for these DSH payments to qualifying teaching hospitals at 40 Pa.B. 6845 (November 27, 2010). The Department received no public comments during the 30-day comment period, and will implement the changes described in its notice of intent.

Fiscal Impact

The FY 2010-2011 fiscal impact of this DSH payment is \$0.500 million (\$0.223 million in State funds).

GARY D. ALEXANDER,
Secretary

Fiscal Note: 14-NOT-709. (1) General Fund; (2) Implementing Year 2010-11 is \$223,000; (3) 1st Succeeding Year 2011-12 is \$224,000; 2nd Succeeding Year 2012-13 is \$224,000; 3rd Succeeding Year 2013-14 is \$224,000; 4th Succeeding Year 2014-15 is \$224,000; 5th Succeeding Year 2015-16 is \$224,000; (4) 2007-08 Program—\$468,589,000; 2008-09 Program—\$426,822,000; 2009-10 Program—\$371,515,000; (7) Medical Assistance—Inpatient; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 11-1194. Filed for public inspection July 15, 2011, 9:00 a.m.]

Pharmacy Prior Authorization

The Department of Public Welfare (Department) announces it will add Nuedexta and Makena to the Medical Assistance (MA) Program's list of services and items requiring prior authorization.

Section 443.6(b)(7) of the Public Welfare Code (62 P. S. § 443.6(b)(7)) authorizes the Department to add items and services to the list of services requiring prior authorization by publication of notice in the *Pennsylvania Bulletin*.

The MA Program will require prior authorization of all prescriptions for Nuedexta and Makena dispensed on or after July 11, 2011.

The Department will issue MA Bulletins to providers enrolled in the MA Program specifying the procedures for obtaining prior authorization of prescriptions for the previously listed medications.

Fiscal Impact

It is estimated that the change will result in savings in the MA Outpatient Program of approximately \$0.862 million (\$0.386 million in State funds) in Fiscal Year 2011-2012.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions to these prior authorization requirements.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

GARY D. ALEXANDER,
Secretary

Fiscal Note: 14-NOT-704. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 11-1195. Filed for public inspection July 15, 2011, 9:00 a.m.]

FISH AND BOAT COMMISSION

Triploid Grass Carp Permit Application

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following application to stock triploid grass carp in waters having a surface area of greater than 5 acres is currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
Eastern Bradford Rod and Gun Club	Haigh Pond	Pike Township Bradford County	31.25-acre lake which discharges into Johnson Creek and eventually the Susquehanna River	Potamogeton crispus Potamogeton natans, Nymphaea spp.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 11-1196. Filed for public inspection July 15, 2011, 9:00 a.m.]

HOUSING FINANCE AGENCY

Homeowner's Emergency Mortgage Assistance Program; Unavailability of Funds

Under section 409-C of the Housing Finance Agency Law (act) (35 P.S. § 1680.409c), the Housing Finance Agency (Agency) has previously provided notice that it will have insufficient money available in the Homeowner's Emergency Mortgage Assistance Program (Fund) to accept new applications for emergency mortgage assistance on or after July 1, 2011. The notice was published at 41 Pa.B. 2789 (May 28, 2011).

The act provides that the Agency establish a date certain, which is at least 90 days from the date of the notice, after which mortgagees shall no longer be subject to the provisions of Article IV-C of the act (35 P.S. §§ 1680.401c—1680.412c). This supplement to the notice establishes the date certain to be August 27, 2011. At any time on or after August 27, 2011, mortgagees may take

legal action to enforce the mortgage without any further restriction or requirement of the act without respect to the date upon which a mortgage obligation becomes delinquent.

This notice does not affect the requirement to give notice before accelerating the maturity of certain residential mortgage obligations, beginning any legal action including mortgage foreclosure to recover under the obligations or take possession of any security of the residential mortgage debtor for the residential mortgage obligations as provided by section 403 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 403), for which the Department of Banking, by regulation, has promulgated a model notice that may be found at 10 Pa. Code § 7.4 (relating to notice of intention to foreclose mortgage). Nor does it affect any additional notices, required by local, State or Federal laws, rules or regulations.

Additional information on funding availability may be available at www.phfa.org and all mortgagors and mortgagees are encouraged to visit the web site for updated status and information.

The Agency continues to have available funds in the Federal Emergency Homeowners' Loan Program (EHLF) for qualifying mortgagors. Additional information about EHLF is available at www.phfa.org.

BRIAN A. HUDSON, Sr.,
Executive Director

[Pa.B. Doc. No. 11-1197. Filed for public inspection July 15, 2011, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval of Proposed Merger of Harleysville-Atlantic Insurance Company with and into Harleysville Worcester Insurance Company

Harleysville-Atlantic Insurance Company, a Georgia domiciled stock property and casualty insurance company, has filed an application for approval to merge with Harleysville Worcester Insurance Company, a domestic stock casualty insurance company, with Harleysville Worcester Insurance Company surviving the merger. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P. S. §§ 991.1401—991.1413); 15 Pa.C.S. §§ 1921—1932 (relating to merger, consolidation, share exchanges and sale of assets); and the GAA Amendments Act of 1990 (15 P. S. §§ 21101—21204).

Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department (Department) within 14 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@state.pa.us.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1198. Filed for public inspection July 15, 2011, 9:00 a.m.]

Application for Approval of Proposed Merger of Harleysville Insurance Company of Ohio with and into Harleysville Worcester Insurance Company

Harleysville Insurance Company of Ohio, an Ohio domiciled stock property and casualty insurance company, has filed an application for approval to merge with Harleysville Worcester Insurance Company, a domestic stock casualty insurance company, with Harleysville Worcester Insurance Company surviving the merger. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P. S. §§ 991.1401—991.1413); 15 Pa.C.S. §§ 1921—1932 (relating to merger, consolidation, share exchanges and sale of assets); and the GAA Amendments Act of 1990 (15 P. S. §§ 21101—21204).

Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department

(Department) within 14 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@state.pa.us.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1199. Filed for public inspection July 15, 2011, 9:00 a.m.]

Progressive Specialty Insurance Company; Progressive Preferred Insurance Company; Private Passenger Automobile; Rate Revisions

On June 21, 2011, the Insurance Department (Department) received from Progressive Specialty Insurance Company and Progressive Preferred Insurance Company a filing for a rate level change for Private Passenger Automobile insurance.

Progressive Specialty Insurance Company requests an overall 3.1% increase amounting to \$2,965,265 and Progressive Preferred Insurance Company requests an overall 3.3% increase amounting to \$1,001,519 to be effective on July 22, 2011, for new business and August 31, 2011, for renewal business. These overall figures represent averages; the effect of this filing on the rates for individual consumers may vary.

Unless formal administrative action is taken prior to August 20, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.insurance.pa.gov. To access the filing, under "How to Find..." click on "View Current Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, gzhou@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1200. Filed for public inspection July 15, 2011, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administra-

tive Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Raphael and Brigid Chieke; file no. 11-181-103653; Property and Casualty Insurance Company of Hartford; Doc. No. P11-06-024; August 17, 2011, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director, (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1201. Filed for public inspection July 15, 2011, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insureds' homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Loye L. and Sarah E. Ray; file no. 11-188-103088; United Services Automobile Association; Doc. No. P11-06-025; August 16, 2011, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director, (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1202. Filed for public inspection July 15, 2011, 9:00 a.m.]

State Farm Fire and Casualty Company; Homeowners; Rate and Rule Revision

On June 30, 2011, the Insurance Department (Department) received from State Farm Fire and Casualty Company a filing for a rate level change for homeowners insurance.

The company requests an overall 2.8% increase amounting to \$12,978,788 annually, to be effective November 15, 2011, for new business and January 1, 2012, for renewal business. These overall figures represent averages; the effect of this filing on the rates for individual consumers may vary.

Unless formal administrative action is taken prior to July 30, 2011, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.insurance.pa.gov. To access the filing, under "How to Find..." click on "View Current Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, xl@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-1203. Filed for public inspection July 15, 2011, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 205.27—Implementation of Act 194-1990, Asbestos Occupations Accreditation and Certification Act, Amended June 20, 2011.

Management Directive No. 315.6—Employees' Requests for State or Federal Income Tax Withholding, Amended May 24, 2011.

Administrative Circular No. 11-11—Revenue Estimates, 2011-12 and 2012-13 Fiscal Years, Dated June 21, 2011.

MARY JANE PHELPS,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 11-1204. Filed for public inspection July 15, 2011, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas

A-2010-2200201. Peregrine Keystone Gas Pipeline. Application of Peregrine Keystone Gas Pipeline for approval of a nonexclusive basis to begin to offer, render, furnish or supply natural gas gathering, compression, dehydration and transportation or conveying service by pipeline to the public in all municipalities located in Greene and Fayette Counties and in East Bethlehem Township, Washington County.

Notice

An initial prehearing conference on the previously-captioned case will be held as follows:

Date: Wednesday, August 31, 2011
Time: 10 a.m.
Location: Hearing Room 2
Plaza Level
Commonwealth Keystone Building
400 North Street
Harrisburg, PA 17120
Presiding: Administrative Law Judge Susan D Colwell
P. O. Box 3265
Harrisburg, PA 17105-3265
Phone: (717) 787-1399
Fax: (717) 787-0481

Persons with a disability who wish to attend the hearing should contact the Pennsylvania Public Utility

Commission (Commission) to make arrangements for their special needs. Call the scheduling office at the Commission at least 5 business days prior to the hearing to submit a request.

For persons who require an interpreter to participate in the hearings, the Commission will make every reasonable effort to have an interpreter present. Call the scheduling office at the Commission at least 10 business days prior to the hearing to submit the request.

* Scheduling Office: (717) 787-1399

* Pennsylvania AT&T Relay Service number for persons who are deaf or hearing-impaired: (800) 654-5988
ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-1205. Filed for public inspection July 15, 2011, 9:00 a.m.]

Natural Gas Service

A-2011-2250138. Columbia Gas of PA, Inc. Application of Columbia Gas of PA, Inc. for approval of the abandonment of natural gas service to eight natural gas service customers located in Greene County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 1, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Columbia Gas of PA, Inc.

Through and By Counsel: Kimberly S. Cuccia, Esquire, Theodore J. Gallagher, Esquire, NiSource Corporate Services Company, Southpointe Industrial Park, 121 Champion Way, Suite 100, Canonsburg, PA 15317

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-1206. Filed for public inspection July 15, 2011, 9:00 a.m.]

Natural Gas Service

A-2011-2250293. National Fuel Gas Distribution Corporation. Application of National Fuel Gas Distribution Corporation for approval of the abandonment of natural gas services to one natural gas service customer located in McCalmont Township, Jefferson County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 1, 2011. The documents filed in support of the application are available for

inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: National Fuel Gas Distribution Corporation

Through and By Counsel: Christopher M. Trejchel,
P. O. Box 2081, Erie, PA 16512

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-1207. Filed for public inspection July 15, 2011, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by August 1, 2011. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as contract carriers for transportation of persons as described under the application.*

A-2011-2247918. Ride Right, LLC (16 Hawk Ridge Drive, Lake St. Louis, MO, 63367)—a limited liability corporation of the State of Missouri—for Medical Transportation Management, Inc. (MTM), limited to persons requiring service under MTM's contract with Gateway Health Plan, LP, from points in the Counties of Allegheny, Northampton, Lehigh, Lancaster, Westmoreland and Berks, to points in Pennsylvania, and return.

*Pennsylvania Public Utility Commission, Bureau of
Transportation and Safety v. S & V Cab Co.;*
Doc. No. C-2010-2132483; A-00116863

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings, which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That S & V Cab Co., Respondent, maintains a principal place of business at 1100 Spring Garden Street, Philadelphia, PA 19123.

2. That Respondent was issued a Certificate of Public Convenience by this Commission on June 14, 2000, at A-00116863.

3. That Respondent was advised by letter dated May 10, 2005, that its medallion authority was being transferred to the Philadelphia Parking Authority. At that time, Respondent was advised that its taxicab service which had an origin and destination outside of the City of Philadelphia remained subject to the regulatory oversight of the PA PUC.

4. That Respondent was advised by letter dated September 11, 2009, that it failed to file a valid tariff with this Commission as required by 52 Pa. Code § 23.11. Respondent was provided 60 days to file an acceptable tariff. To date, Respondent has not filed an acceptable tariff. The Bureau of Transportation and Safety's Motor Carrier Services and Enforcement Prosecutory Staff's proposed civil penalty for this violation is \$250.00.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission fine S & V Cab Co., the sum of two hundred and fifty dollars (\$250.00) for the illegal activity described in the complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA. 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a

Secretarial Letter imposing a penalty. Each day you continue to violate any regulation, direction, requirement or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this complaint by filing an acceptable tariff and by paying the fine proposed in this Complaint by certified check or money order. The tariff must be filed with the:

Compliance Office, Bureau of Transportation and Safety
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

The fine payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of an acceptable tariff and payment of the proposed fine, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. If you have questions regarding this Complaint or if you would like an alternative format to this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Saint Cab, Inc.;
Doc. No. C-2010-2132488; A-00112474

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings, which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Saint Cab, Inc., Respondent, maintains a principal place of business at 5621 Montour Street, Philadelphia, PA 19123.

2. That Respondent was issued a Certificate of Public Convenience by this Commission on January 24, 1996, at A-00112474.

3. That Respondent was advised by letter dated May 10, 2005, that its medallion authority was being transferred to the Philadelphia Parking Authority. At that time, Respondent was advised that its taxicab service

which had an origin and destination outside of the City of Philadelphia remained subject to the regulatory oversight of the PA PUC.

4. That Respondent was advised by letter dated September 11, 2009, that it failed to file a valid tariff with this Commission as required by 52 Pa. Code § 23.11. Respondent was provided 60 days to file an acceptable tariff. To date, Respondent has not filed an acceptable tariff. The Bureau of Transportation and Safety's Motor Carrier Services and Enforcement Prosecutory Staff's proposed civil penalty for this violation is \$250.00.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission fine Saint Cab, Inc., the sum of two hundred and fifty dollars (\$250.00) for the illegal activity described in the complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA. 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____
Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. Each day you continue to violate any regulation, direction, requirement or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this complaint by filing an acceptable tariff and by paying the fine proposed in this Complaint by certified check or money order. The tariff must be filed with the:

Compliance Office, Bureau of Transportation and Safety
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

The fine payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of an acceptable tariff and payment of the proposed fine, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. If you have questions regarding this Complaint or if you would like an alternative format to this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Sarajone Cab Co.; Doc. No. C-2010-2133687; A-00116866

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings, which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Sarajone Cab Co., Respondent, maintains a principal place of business at 166 Ardmord Avenue, Lansdowne, PA 19050.

2. That Respondent was issued a Certificate of Public Convenience by this Commission on June 26, 2000, at A-00116866.

3. That Respondent was advised by letter dated May 10, 2005, that its medallion authority was being transferred to the Philadelphia Parking Authority. At that time, Respondent was advised that its taxicab service which had an origin and destination outside of the City of Philadelphia remained subject to the regulatory oversight of the PA PUC.

4. That Respondent was advised by letter dated September 11, 2009, that it failed to file a valid tariff with this Commission as required by 52 Pa. Code § 23.11. Respondent was provided 60 days to file an acceptable tariff. To date, Respondent has not filed an acceptable tariff. The Bureau of Transportation and Safety's Motor

Carrier Services and Enforcement Prosecutory Staff's proposed civil penalty for this violation is \$250.00.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission fine Sarajone Cab Co., the sum of two hundred and fifty dollars (\$250.00) for the illegal activity described in the complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
 Motor Carrier Services & Enforcement Division
 Bureau of Transportation and Safety
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
 Motor Carrier Services and Enforcement
 Division
 Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. Each day you continue to violate any regulation, direction, requirement or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this complaint by filing an acceptable tariff and by paying the fine proposed in this Complaint by certified check or money order. The tariff must be filed with the:

Compliance Office, Bureau of Transportation and Safety
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

The fine payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of an acceptable tariff and payment of the proposed fine, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. If you have questions regarding this Complaint or if you would like an alternative format to this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

ROSEMARY CHIAVETTA,
 Secretary

[Pa.B. Doc. No. 11-1208. Filed for public inspection July 15, 2011, 9:00 a.m.]

Telecommunications Service

A-2011-2249746; A-2011-2249749; A-2011-2249751; A-2011-2249752; A-2011-2249753; A-2011-2249754. Spectrotel, Inc., d/b/a One Touch Communications, d/b/a Surfstone, d/b/a Touch Base Communications. Application of Spectrotel, Inc., d/b/a One Touch Communications, d/b/a Surfstone, d/b/a Touch Base Communications for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of: Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Canton, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC, Frontier Communications of Pennsylvania, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 1, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Spectrotel, Inc., d/b/a One Touch Communications, d/b/a Surfstone, d/b/a Touch Base Communications

Through and By Counsel: Brian T. FitzGerald, Esquire, Dewey & LeBoeuf, LLP, 99 Washington Avenue, Suite 2020, Albany, NY 12210

ROSEMARY CHIAVETTA,
 Secretary

[Pa.B. Doc. No. 11-1209. Filed for public inspection July 15, 2011, 9:00 a.m.]

Transmission Lines

A-2011-2247862. Penelec. Application of Penelec for approval to locate and construct the Bedford North-Osterburg East 115 kV HV transmission line project situated in Bedford and East Streets, Clair Townships, Bedford County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before Tuesday, August 23, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania Electric Company

Through and By Counsel: John L. Munsch, First-Energy, 800 Cabin Hill Drive, Greensburg, PA 15601

Anthony C. DeCusatis, Morgan, Lewis & Bockius LLP, 1701 Market Street, Philadelphia, PA 19103

ROSEMARY CHIAVETTA,
 Secretary

Notice

An Initial Prehearing Conference on the previously-captioned case will be held as follows:

Date: Tuesday, August 30, 2011
Time: 10 a.m.
Location: 2nd Floor Hearing Room—Pittsburgh Parties
 Piatt Place
 Suite 220
 301 Fifth Avenue
 Pittsburgh, PA 15222
Location: Hearing Room 4—Harrisburg Parties
 Plaza Level
 Commonwealth Keystone Building
 400 North Street
 Harrisburg, PA
Presiding: Administrative Law Judge Mary D Long
 Piatt Place
 Suite 220
 301 Fifth Avenue
 Pittsburgh, PA 15222
 Phone: (412) 565-3550
 Fax: (412) 565-5692

Persons with a disability who wish to attend the prehearing should contact the Pennsylvania Public Utility Commission (Commission) to make arrangements for

their special needs. Call the scheduling office at the Commission at least 2 business days prior to the conference:

- Scheduling Office: (717) 787-1399
- Pennsylvania AT&T Relay Service number for persons who are deaf or hearing-impaired: (800) 654-5988

[Pa.B. Doc. No. 11-1210. Filed for public inspection July 15, 2011, 9:00 a.m.]

Water Service

A-2011-2250344 and A-2011-2250345. Aqua Pennsylvania, Inc. and Sand Springs Water Company. Joint application of Aqua Pennsylvania, Inc. and Sand Springs Water Company for approval of: 1) the acquisition by Aqua PA of the water system assets of Sand Springs Water Company, situated in a portion of Butler Township, Luzerne County; 2) the right of Aqua PA to begin to supply water service to the public in an additional portion of Butler Township, Luzerne County; and 3) the right of Sand Springs Water Company to abandon public water service to the public in a portion of Butler Township, Luzerne County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 1, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Aqua Pennsylvania, Inc. and Sand Springs Water Company

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Long, Niesen and Kennard, 212 Locust Street, Suite 500, P. O. Box 9500, Harrisburg, PA 17108

Joseph J. Piperato, III, Esquire, 2005 City Line Road, Suite 106, Bethlehem, PA 18017

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-1211. Filed for public inspection July 15, 2011, 9:00 a.m.]

STATE BOARD OF VETERINARY MEDICINE

Bureau of Professional and Occupational Affairs v. Stephanie Ashley Roseman, CVT; Doc. No. 0153-57-11

On June 16, 2011, Stephanie Ashley Roseman, license no. VT004355, of Levittown, Bucks County, had her veterinary technician license indefinitely suspended for at least 3 years for having violated the terms of her VRP Agreement.

Individuals may obtain a copy of the final order by writing to Teresa Lazo, Board Counsel, State Board of Veterinary Medicine, P. O. Box 2649, Harrisburg, PA 17105-2649.

This final order represents the State Board of Veterinary Medicine's (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

ROBIN BERNSTEIN, Esq.,
Chairperson

[Pa.B. Doc. No. 11-1212. Filed for public inspection July 15, 2011, 9:00 a.m.]

