

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 1, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-14-2011	Warren H. Weiner WFP2, LP.	Effective
	Application for approval to collectively acquire up to 24.7% of the outstanding shares of Hyperion Bank, Philadelphia, Philadelphia County	

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-24-2011	Northwest Savings Bank Warren Warren County	1127 Zion Road Bellefonte Centre County	Opened
10-26-2011	ESB Bank Ellwood City Lawrence County	Rochester Road and Graham Park Drive Cranberry Township Butler County	Opened

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-28-2011	White Rose Credit Union York York County	Filed
	Application for approval to merge Central York Federal Credit Union, York, with and into White Rose Credit Union, York.	

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1994. Filed for public inspection November 18, 2011, 9:00 a.m.]

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 8, 2011.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-4-2011	Susquehanna Bancshares, Inc. Lititz Lancaster County Application for approval to acquire 100% of Tower Bancorp, Inc., Harrisburg.	Filed
11-4-2011	S&T Bancorp, Inc. Indiana Indiana County Application for approval to acquire 100% of Mainline Bancorp, Inc. Ebensburg, and thereby indirectly acquire 100% of Mainline National Bank, Portage.	Filed

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-4-2011	Susquehanna Bank Lititz Lancaster County Application for approval to merge Graystone Tower Bank, Harrisburg, with and into Susquehanna Bank, Lititz. The transaction will include some branch closures as well as consolidations.	Filed

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-3-2011	1st Summit Bank Johnstown Cambria County	332 Unity Plaza Latrobe Westmoreland County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-8-2011	Union Bank and Trust Company Pottsville Schuylkill County	<i>To:</i> 115 South Centre Street Pottsville Schuylkill County <i>From:</i> 121 North Progress Avenue Pottsville Schuylkill County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS
Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
11-8-2011	Crayola LLC Employees Credit Union Easton Northampton County Amendment to Article 8 of the institution's Articles of Incorporation in its entirety.	Filed

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1995. Filed for public inspection November 18, 2011, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of December 2011

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of December, 2011, is 5%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and

which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 2.51 to which was added 2.50 percentage points for a total of 5.01 that by law is rounded off to the nearest quarter at 5%.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 11-1996. Filed for public inspection November 18, 2011, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, actions and special notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063975 (Sewage)	Thompson Borough Water Street, P. O. Box 89 Thompson, PA 18465	Susquehanna County Thompson Borough	Starrucca Creek (4-E)	Y

Chesapeake Bay nutrient monitoring requirements for Ammonia Nitrogen, Kjeldahl Nitrogen, Nitrite-Nitrate as N, Total Nitrogen and Total Phosphorus are being added to this permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0009253 (IW)	BAE Systems Land & Armaments 1100 Bairs Road York, PA 17405	York County / West Manchester Township	UNT Codorus Creek / 7-H	Y
PA0038288 (Individual Stormwater)	RecOil, Inc. 280 East Street York, PA 17403	York County / York City	UNT Mill Creek / 7-H	Y
PA0085413 (Sew)	Lower Marsh Creek Presbyterian Church 1865 Knoxlyn Road Gettysburg, PA 17325	Adams County / Highland Township	Marsh Creek / 13-C	Y
PA0043486 (IW)	Lancaster County Solid Waste Management Authority— Creswell Landfill 1299 Harrisburg Pike Lancaster, PA 17604	Lancaster County / Manor Township	Manns Run / 7-J	Y
PA0084018 (Sew)	Fishing Creek Estates Homeowner's Association Custer Group Companies 2805 Old Post Road, Suite 200 Harrisburg, PA 17110	Dauphin County / Middle Paxton Township	Fishing Creek / 7-C	Y
PAS603505 (Individual Stormwater)	J & K Salvage, Inc. 1099 Kings Mill Road York, PA 17403	York County / Spring Garden Township	Codorus Creek / 7-H	Y
PA0084816 (IW)	Sunoco Pipeline, LP (Montello PS) 525 Fritztown Road Sinking Spring, PA 19608	Berks County / Sinking Spring Township	Cacoosing Creek / 3-C	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PAS238302 (Storm Water)	Air Liquide Industries, U.S. St. Marys 203 West Creek Road Saint Marys, PA 15857	Elk County City of Saint Marys	Unnamed Tributary to West Creek 8-A	Y
Pa0032026 (Sewage)	Family Affair Campground 9640 Findley Lake Road North East, PA 16428	Erie County North East Township	Unnamed tributary to Sixteenmile Creek 15-A	Y
PA0091316 (Sewage)	ButtercupWoodlands Campground 854 Evans City Road Renfrew, PA 16053	Butler County Connoquenessing Township	Unnamed tributary to Little Connoquenessing Creek 20-C	Y
PA0027227 (Sewage)	Camp Allegheny 140 Jenkins Circle Ellwood City, PA 16117	Lawrence County Wayne Township	Slippery Rock Creek 20-C	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

PA0061841, Industrial Waste, SIC Code 4941, **Pennsylvania American Water**, 100 N. Pennsylvania Avenue, Wilkes-Barre, PA 18701. Facility Name: Pennsylvania American Water—Brownell Water Treatment Plant. This existing facility is located in Carbondale Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Racket Brook, is located in State Water Plan watershed 5-A and is classified for Cold Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a discharge flow of 0.138 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Total Aluminum	XXX	XXX	XXX	1.1	2.2	XXX
Total Iron	XXX	XXX	XXX	2.0	4.0	XXX
Total Manganese	XXX	XXX	XXX	1.0	2.0	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0020591, Sewage, SIC Code 4952, **Mount Gretna Authority**, 101 Chautauqua Drive, Mount Gretna, PA 17064. Facility Name: Mt Gretna STP. This existing facility is located in South Londonderry Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Conewago Creek, is located in State Water Plan watershed 7-G and is classified for Trout Stocking, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.20 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
CBOD ₅	42	67	XXX	25	40	50
		Wkly Avg				
Total Suspended Solids	50	75	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	6.7	XXX	XXX	4.0	XXX	8.0
Nov 1 - Apr 30	20	XXX	XXX	12	XXX	24
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					
Total Phosphorus	XXX	1,217	XXX	XXX	XXX	XXX
		Total Annual				
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Copper	0.050	XXX	XXX	0.030	XXX	0.075

In addition, the permit contains the following major special conditions:

- Conduct a Toxic Reduction Evaluation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0014621, Industrial Waste, SIC Code 4941, **United Water PA Inc.**, 4211 E Park Circle, Harrisburg, PA 17111-2806. Facility Name: Sixth Street Water Plant. This existing facility is located in Susquehanna Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.544 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	Report	Report	XXX	30	60	75
Total Aluminum	Report	Report	XXX	4.0	8.0	10
Total Iron	Report	Report	XXX	2.0	4.0	5.0
Total Manganese	Report	Report	XXX	1.0	2.0	2.5

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	

Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0035157, Industrial Waste, SIC Code 2015, **Farmers Pride**, PO Box 39, Fredericksburg, PA 17026-0039. Facility Name: Farmers Pride Poultry. This existing facility is located in Bethel Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Unnamed Tributary to Deep Run, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.02	XXX	0.06
CBOD ₅	75	150	XXX	10	20	25
Total Suspended Solids	75	150	XXX	10	20	25
Oil and Grease	Report	Report	XXX	8.0	14	30
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	400	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 400	400	XXX
Geo Mean				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	7.5	15	XXX	1.0	2.0	2.5
Nov 1 - Apr 30	22.5	45	XXX	3.0	6.0	7.5
Total Phosphorus (Permit Effective date - 9/30/15)	15	30	XXX	2.0	4.0	5.0
Total Phosphorus (10/01/15 - Permit Expiration)	3.8	7.5	XXX	0.50	1.0	1.25
Total Nitrogen	Report	Report	XXX	103	147	257

The proposed effluent limits for Outfall 003 are based on a design flow of 0.00 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
CBOD ₅	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Dissolved Iron	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen (Interim)	Report	Report	XXX	XXX	XXX
Net Total Phosphorus (Interim)	Report	Report	XXX	XXX	XXX
Net Total Nitrogen (Final)	Report	16438	XXX	XXX	XXX
Net Total Phosphorus (Final)	Report	1370	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2015. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2016. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2015.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2013.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Northcentral Regional Office: Regional Water Management Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3664.

PA0010031 A-2, Industrial Waste, SIC Code 4911, **GenOn REMA, LLC**, 121 Champion Way, Canonsburg, PA 15317. Facility Name: GenOn REMA, LLC—Shawville Station. This existing facility is located in Bradford Township, **Clearfield County**.

Description of Existing Activity: The application is for the amendment of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 8-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed amendments are as follows:

1. Minimum pH reporting has been added to Outfall 002, 003 and 012. Daily Maximum pH reporting has been added to Outfall 009.
2. Existing thermal limitations at Outfall 008 have been replaced with more restrictive thermal limitations as follows:

<i>Monitoring Period</i>	<i>Heat Rejection Rate (MBTUs/day)</i>	<i>Daily Maximum</i>
Jan 1-31		3439
Feb 1-29		4141
Mar 1-31		2256
Apr 1-30		3753
May 1-31		2856
Jun 1-15		3541
Jun 16-30		5851
Jul 1-31		3481
Aug 1-15		2443
Aug 16-31		4944
Sep 1-15		4902
Sep 16-30		4857
Sep 16-30		5348
Oct 1-15		4504

	<i>Heat Rejection Rate (MBTUs/day)</i>
<i>Monitoring Period</i>	<i>Daily Maximum</i>
Nov 1-15	4513
Nov 16-30	1155
Dec 1-31	1918

3. The authorization to discharge end date in Part A I.D. has been modified from "Permit Effective Date Plus Three Years" to July 31, 2015. The authorization to discharge begin date in Part A I.E. has been modified from September 1, 2013 to August 1, 2015.

4. The compliance schedule in Part C I.B. has been modified as shown below:

Compliance Schedule. The permittee shall be in compliance with effluent limitations for heat contained in Part A I.E, or terminate this discharge, in accordance with the following schedule:

<i>Activity</i>	<i>Due Date</i>
1. The heated discharge may not exceed 110°F (43.3°C) at any point accessible to the general public.	June 1, 2011
2. Submit Selected Alternative For Compliance With Heat Limits	June 1, 2012
3. Submit Any Necessary Applications for Selected Alternative to Department of Environmental Protection and Susquehanna River Basin Commission	December 31, 2012
4. Award any necessary contracts for construction to meet heat limits	December 31, 2013
5. Submit Quarterly Progress Reports For Implementation Of Selected Alternative To: PADEP Water Management Program ATTN: Compliance Specialist 208 West Third Street, Suite 101 Williamsport, PA 17701-6448	Quarterly
6. Substantial completion of construction project to meet heat limits if applicable	July 1, 2015
7. Install flow meter to measure the discharge through outfall 008 if applicable	July 31, 2015
8. The heated discharge may not change the temperature of the receiving stream by more than 2°F in any one-hour period	July 31, 2015
9. Compliance with thermal effluent limitations	July 31, 2015

In any event, the permittee may comply with all of its obligations under this Paragraph, including compliance with the final thermal limitations, by terminating and/or curtailing operations at the facility.

5. Part C I.C. has been added to the permit as follows:

No later than 14 calendar days following the date identified in the above schedule of compliance, the permittee shall submit to the Department a written notice of compliance or non-compliance with the specific schedule requirement(s) to:

PADEP Water Management Program
ATTN: Compliance Specialist
208 West Third Street, Suite 101
Williamsport, PA 17701-6448

6. Part C II.C. has been modified as shown below:

Should a closed-cycle re-circulating cooling system not be installed at Shawville Generating Station, but water will be withdrawn for cooling purposes, the following information shall be submitted with the subsequent permit application:

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0209317, SIC Code 4952, **Oakridge Personal Care Home**, 34 Oak Ridge Lane, Mill Hall, PA 17751-8552. Facility Name: Oakridge Personal Care Home. This existing facility is located in Colebrook Township, **Clinton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tangascootack Creek, is located in State Water Plan watershed—and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly Report	XXX	Minimum XXX	Average Monthly XXX	XXX	Instant. Maximum XXX
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.0	XXX	2.3
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2000	XXX	10000
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0234052, CAFO 0213, 0212, 0272, **James W. Showers**, 767 Gray Hill Road, New Columbia, PA 17856-9407. This proposed facility is located in White Deer Township, **Union County**.

Description of Proposed Activity: The Showers Farm CAFO is an existing beef cattle and horse operation adding a finishing swine operation, totaling 384.44 AEUs. The farm consists of 139 acres which includes approximately 23 acres of pasture land, approximately 87 acres of cropland and the balance in farmstead and woods. The hogs will produce 900,000 gallons of liquid manure per year. All hog manure will be collected in an 809,000 gallon underbarn storage. Beef cattle and horse manure is collected during part of the year as a solid. All manure is land-applied in accordance with the farm's Nutrient Management Plan during the Spring, Summer and Fall. Up to 625,000 gallons of manure may be exported offsite.

The receiving stream, UNT of White Deer Creek, is in the State Water Plan watershed 10C (White Deer Creek) and is classified for: HQ-CWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

In addition to the effluent limits, the permit contains the following major special conditions.

1. Compliance with the farm's Nutrient Management Plan
2. Compliance with the farm's Preparedness, Prevention and Contingency Plan
3. Compliance with the Farm's Erosion & Sedimentation Control Plan for plowing and tilling
4. Erosion & Sedimentation Control Plan requirements for stormwater during construction activities
5. Animal mortality handling and disposing requirements
6. Certification requirements for manure storage facilities
7. Requirements for storage of feed and other raw materials
8. Best Management Practices requirements.

In addition to the other requirements of this Permit, the permittee shall maintain compliance with the following CAFO specific requirements.

9. Stockpiling—Manure that is stockpiled for 15 consecutive days or longer shall be under cover or otherwise stored to prevent discharge to surface water during a storm event up to and including the appropriate design storm for that type of operation under § 91.36(a)(1) and (5) (relating to pollution control and prevention at agricultural operations).

10. Freeboard—(Correction) The permittee shall maintain a minimum of 6 inches of freeboard at the liquid manure storage structures at all times. This minimum of 6 inches of freeboard is corrected from the 2 feet of freeboard previously stated in the *Pennsylvania Bulletin* application notice published on 10/22/2011.

11. Manure Exportation Report—If the permittee exports manure, then the permittee shall complete the Manure Exportation Report form and submitted it to the Department with the CAFO Quarterly Self-Inspection Report.

12. Winter Spreading—The permittee shall not spread manure during the Winter, as defined in 25 Pa. Code § 83.201, unless otherwise authorized in the permittee's Nutrient Management Plan, or unless the permittee has fully complied with 25 Pa. Code § 83.372, and has obtained a plan amendment due to unforeseen circumstances. Winter is defined as, "December 15 to February 28, or any time the ground is frozen at least 4 inches deep or is snow covered." If winter spreading is approved in the NMP all setbacks must be followed: There shall be no winter application within, 1) 100 ft. of an above ground agricultural drain inlet where surface flow is toward the inlet, 2) 100 foot of a wetland on the NWI map which is within the 100 year floodplain of an EV stream segment if surface flow is toward the wetland and 3) fields must have 25% cover or an established cover crop—see § 83.294.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000

PA0253146, Sewage, **Windber Country Club**, 1392 Forest Hills Drive, Salix, PA 15952. Facility Name: Windber Country Club STP. This existing facility is located in Adams Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Paint Creek, is located in State Water Plan Watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.003 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	0.003	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	18.0	XXX	36.0

The EPA Waiver is in effect.

PA0096890, Sewage, **G & G Mobile Home Sales**, 23 Oakridge Heights Drive, Oakdale, PA 15071-3914. Facility Name: Oakridge Heights MHP STP No. 2. This existing facility is located in North Fayette Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary of Robinson Run, is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	0.02	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.4	XXX	3.3
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000

The EPA Waiver is in effect.

Northwest Regional Office: Regional Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.

PA0027227, Sewage, SIC Code 4952, **Farrell City WWTP**, 500 Roemer Boulevard, Farrell, PA 16121-1901. Facility Name: Farrell City WWTP. This existing facility is located in City of Farrell, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Shenango River, is located in State Water Plan watershed 20-A and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.57 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	744	1191	XXX	25	40	50
Total Suspended Solids	893	1340	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2000	XXX	10000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	417	XXX	XXX	14	XXX	28
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX

Combined Sewer Overflow discharge points

Outfall 002 (Broadway Pump Station)

Outfall 006 (CSO Related Bypass)

Outfall 007 (Spearman Avenue)

Outfall 008 (Beachwood Avenue)

The proposed effluent limits for Outfall 009 are based on a design flow of N/A MGD.

The discharge(s) shall consist of uncontaminated stormwater runoff from the treatment plant site.

In addition, the permit contains the following major special conditions:

- Superceded previous permits
- Effluent Chlorine Minimization
- Combined Sewer Overflows
- CSO Related Bypass
- Whole Effluent Toxicity testing for the NPDES renewal permit
- Stormwater Best Management Practices
- Electronic Discharge Monitoring Reporting Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2811404, Sewerage, **Alvin Fisher**, 6756 McClays Mill Road, Newburg, PA 17240.

This proposed facility is located in Lurgan Township, **Franklin County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a single residence sewage treatment plant to serve their single family house.

WQM Permit No. 2111403, Sewerage, **East Pennsboro Township**, 98 South Enola Drive, Enola, PA 17025.

This proposed facility is located in East Pennsboro Township and Wormleysburg Borough, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of approx. 3,350' of new forcemain and approx. 3,800' of replacement of existing interceptor; existing 12-15" clay pipe will be replaced with 15-21" HDPE pipe. Upgrades to the Southwest Pumping Station and Forcemain and Replacement of the Southeast Trunk.

WQM Permit No. 2111404, Sewerage, **Camp Hill Borough**, 2145 Walnut Street, Camp Hill, PA 17011.

This proposed facility is located in Camp Hill Borough and Hampden Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of conveyance system to Hampden Township Sewer System.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. 3210201-A1, Industrial Waste, **GenOn NE Mgmt. Co.**, 121 Champion Way, Suite 200, Canonsburg, PA 15317

This existing facility is located in W. Wheatfield Township, **Indiana Co.**

Description of Proposed Action/Activity: Application for permit amendment.

WQM Permit No. 5688201-T1A1, Industrial Waste, **Shade Landfill, Inc.**, 1176 No. 1 Rd., Cairnbrook, PA 15924-9726

This existing facility is located in Shade Township, **Somerset Co.**

Description of Proposed Action/Activity: Application for permit amendment.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 091105	Rohm and Haas Chemicals, LLC 3100 State Road Croydon, PA 19021	Bucks	Bristol Township	Delaware River (WWF)
PAI01 1505050-R	SBCM, Inc. PO Box 3085 West Chester, PA 19381	Chester	West Chester Borough	Unnamed Tributary Blackhorse Run (TSF-MF)
PAI01 511103	Toll PA IX, LP 250 Gibraltar Road, 2E Horsham, PA 19044	Philadelphia	City of Philadelphia	Schuylkill River (WWF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Pike County Conservation District: 556 Route 402, Suite 1, Hawley, PA 18428, 570-226-8220.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025211003	PennDOT, District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Pike	Delaware & Lehman Twps.	Hornbecks Creek, HQ-CWF, MF; UNT Hornbecks Creek, HQ-CWF, MF; UNT to Delaware River (Spackmans Creek), HQ-CWF, MF UNT to Delaware River (Briscoe or Alicias Creek), HQ-CWF, MF; Toms Creek, EV, MF; UNT to Toms Creek, EV, MF; UNT to Toms Creek (Bear Road Run), EV, MF

Lehigh County Conservation District: Lehigh Ag. Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023911014	Nick Grisafi Alforno Properties, LLC 1860 Catasauqua Road Allentown, PA 18109	Lehigh	Hanover Township	Monocacy Creek, HQ-CWF, MF

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701
Clearfield County Conservation District: 650 Leonard Street, Clearfield, PA 16830, (814) 765-2629*

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041711004	PA Dept of Conservation & Natural Resources Moshannon State Forest 3372 State Park Road Penfield PA 15849	Clearfield	Girard Township Goshen Township	Deer Creek CWF Trout Run, Dixon Run, Stump Lick Run & Little Trout Run HQ-CWFs
	EOG Resources Inc 191 Beaver Drive DuBois PA 15801			

Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044111004	Herman E. Logue 2801 Confields Lane Montoursville PA 17754	Lycoming	Loyalsock Township	Loyalsock Creek Existing Use & EV

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Washington County Conservation District, 100 West Beau Street, Suite 105, Washington, PA 15301, (724.228.6774)

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI056311006	Golden Triangle Construction Co., Inc. 8555 Old Stubenville Road Imperial, PA 15126	Washington	South Strabane Township	UNT to Little Chartiers Creek (HQ-WWF)

Beaver County Conservation District, 156 Cowpath Road, Aliquippa, PA 15001, (724.378.1701)

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI050411004	PA Dept. of Environmental Protection Southwest Regional Office (SWRO) 400 Waterfront Drive Pittsburgh, PA 15222	Beaver	Rochester Borough	Ohio River (WWF) N

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Crawford County Conservation District, Woodcock Nature Center, 21742 German Road, Meadville PA 16335

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062008001(1)	Vantage Real Estate Investment Co LLC 1305 South Main Street Meadville PA 16335	Crawford	City of Meadville	French Creek WWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication

of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Stephen L. Hershey 500 Florin Avenue Mt. Joy, PA 17552	Lancaster	23.6	1802.64	Layers	NA	Renewal
Robert L. Brubaker Jr. 2871 North Colebrook Road Manheim, PA 17545	Lancaster	38.5	386.41	Swine / Pullet	NA	Renewal
Rohrer Farms LLC 750 Doe Run Road Lititz, PA 17543	Lancaster	365.4	1841.54	Swine / Pullets	NA	Renewal
Tom Zartman 820 Hilltop Road Ephrata, PA 17522	Lancaster	700	625.95	Swine / Steer	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Application No. 5211507, Public Water Supply.

Applicant	Waterflow Pike, Inc.
[Township or Borough]	Palmyra Township Pike County
Responsible Official	Barry J. Newcomer, President Waterflow Pike, Inc. 618 Route 507 Paupack, PA 18451
Type of Facility	Community Water System
Consulting Engineer	Michael W. Weeks, PE McGoey, Hauser & Edsall Consulting Engineers, PC 111 Wheatfield Drive, Suite 1 Milford, PA 18337 570-296-2765
Application Received Date	October 26, 2011
Description of Action	Application for construction of an above grade well station.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 5011505, Public Water Supply.

Applicant	Newport Borough Water Authority
Municipality	Newport Borough
County	Perry

Responsible Official Barbara Hart, Chairman
231 Market Street
Newport, PA 17074

Type of Facility Public Water Supply

Consulting Engineer Harry E Bingaman, P.E.
Glace Assoc., Inc.
3705 Trindle Rd.
Camp Hill, PA 17011

Application Received: 7/29/2011

Description of Action Replacement of the sodium hypochlorite design with chlorine gas at the new filter plant.

Permit No. 3611543, Public Water Supply.

Applicant **East Cocalico Township Authority**

Municipality East Cocalico Township

County **Lancaster**

Responsible Official Terry W. Reber,
Authority Administrator
102 Hill Road
Denver, PA 17517

Type of Facility Public Water Supply

Consulting Engineer George H Wagner JR, P.E.
Camp Dresser & McKee Inc
205 Granite Run Drive
Lancaster, PA 17601

Application Received: 10/3/2011

Description of Action Construction of Wells F and M, a water treatment plant and a booster pump station.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Application No. 0811501—Construction Public Water Supply.

Applicant **Echo Beach Mobile Home Park**

[Township or Borough] Asylum Township

County **Bradford**

Responsible Official Scott R. Middendorf, President
Echo Beach Rentals, Inc.
21186 Route 187
Towanda, PA 18848

Type of Facility Public Water Supply

Consulting Engineer Joshua K. Gross, P.E.
Ebert Engineering, Inc.
P. O. Box 540
4092 Skippack Pike, Suite 200
Skippack, PA 19474

Application Received November 8, 2011

Description of Action The system will supply water to 21 existing residential mobile home units and up to 72 proposed new mobile home units and 18 camper lots, for a total of 111 units.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Application No. 4811503MA

Applicant **Hellertown Borough Authority**

[Township or Borough] Hellertown Borough
Northampton County

Responsible Official Glenn G. Higbie, Administrator
P. O. Box 81
Hellertown, PA 18055

Type of Facility Community Water System

Consulting Engineer Dennis Tracey, PE
Buchart Horn, Inc.
2 Eves Drive
Marlton, NJ 08053
856-797-4339

Application Received Date October 27, 2011

Description of Action Application for replacement of a segment of existing main with 42-in. diameter conveyance line to provide additional contact time following chlorination.

Application No. 4811502MA, Minor Amendment.

Applicant **Lehigh Township Municipal Authority**

1069 Municipal Authority
Walnutport, Pa

[Township or Borough] Lehigh Twp,
Northampton County

Responsible Official David Getz

Type of Facility Public Water System

Consulting Engineer SSM Group Inc.
2205 City Line Rd
Suite 300
Bethlehem, Pa

Application Received Date 10/24/11

Description of Action The elimination of Well 1 as a source of supply.

Application No. 6611503MA, Minor Amendment.

Applicant **UMH Properties, Inc**

Oakwood Lake MHP
1275 Forman Drive
Morgantown, WV. 26508

[Township or Borough] Tunkhannock Township
Wyoming County

Responsible Official Mr. Jeffrey V. Yorick, PE.
Vice President of Engineering

Type of Facility Public Water Supply

Consulting Engineer Thomas G. Pullar, PE.
Senior Project Engineer
EarthRes Group
PO Box 468
Pipersville, PA. 18947

Application Received 11/1/2011
Date

Description of Action This project provides for the construction of an additional chlorine contact chamber consisting of 50 LF of 12-inch PVC pipe to provide adequate chlorine contact time in order to comply with the Ground Water Rule

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Application No. 6179501-T1-MA1, Minor Amendment.

Applicant **UPMC Senior Communities Sugar Creek Station**

Township or Borough Sugar Creek Borough

Responsible Official Deborah S. Brodine

Type of Facility Public Water Supply

Consulting Engineer Raymond H. Antonelli, Sr., P.E.
NIRA Consulting Engineers, Inc.
950 Fifth Avenue
Coraopolis, PA 15108

Application Received October 31, 2011
Date

Description of Action Repair leak at rise/bowl connection of elevated steel water storage tank.

Application No. 2007506-MA1, Minor Amendment.

Applicant **Country Acres Mobile Home Park**

Township or Borough East Mead Township

Responsible Official Robert L. and Wanda S. Braymer

Type of Facility Public Water Supply

Consulting Engineer Steven R. Halmi, P.E.
Deiss & Halmi Engineering
105 Meadville Street
Edinboro, PA 16412

Application Received November 2, 2011
Date

Description of Action Modification of public water supply treatment for iron, manganese, and arsenic.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WA 42-150B, Water Allocations. Bradford City Water Authority, 128 Kennedy Street, Bradford, PA 16701, Bradford, McKean County. The applicant has requested to increase the quantity of allocation from its Heffner and Marilla Reservoirs. The total allocation requested from all three of the existing reservoirs is equal to the total safe yield of the three reservoirs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Karl Striner Arts Trail, along the Bushkill Creek, between 13th Street and Bushkill Drive, Easton City, **Northampton County**. Elizabeth Schamberger, Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite C31, Allentown, PA 18106 has submitted a Notice of Intent to Remediate (on behalf of her client, the City of Easton, 1 South Third Street, Easton, PA 18042), concerning the remediation of soil found to have been impacted by heavy metals and semi-VOCs as a result of historical rail line operations at the site. The applicant proposes to remediate the site to meet both the Residential Statewide Health Standard for soil and the Site-Specific Standard for soil. The proposed future use of the site is a public trail. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit Application No. 101680. Waste Management Disposal Services of Pennsylvania, Inc., 1000 New Ford Mill Road, Morrisville PA 19067. This minor permit modification application seeks approval to make permanent a temporary leachate forcemain currently being used to connect the leachate forcemain at GROWS North Landfill to GROWS Landfill's Leachate Treatment Plant. The GROWS North Landfill is a municipal waste landfill located in Falls Township, **Bucks County**. The application was received by the Southeast Regional Office on October 25, 2011.

Permit Application No. 101494. Waste Management of Pennsylvania, Inc., 1000 New Ford Mill Road, Morrisville PA 19067. Application for Major Permit Modification submitted for the Valley Fill Expansion of the Tullytown Resource Recovery Facility Landfill located in Borough of Tullytown and Falls Township, **Bucks County**. An LMIP meeting was held on September 29, 2011, and an alternate project timeline of 250 days for the review of the Phase I and II components of the expansion application was negotiated. The application was considered received by the Southeast Regional Office on October 21, 2011.

Permit Application No. 101680. Waste Management Disposal Services of Pennsylvania, Inc., 1000 New Ford Mill Road, Morrisville PA 19067. This Minor Permit Modification application seeks approval to modify several design features related to constructability and standard practices associated with Sedimentation Basin No. 2 at GROWS North Landfill, a municipal waste landfill located in Falls Township, **Bucks County**. The application was received by the Southeast Regional Office on October 25, 2011.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

09-0007F: Waste Management Disposal Services of Pennsylvania, Inc.—WMDSPI (1000 New Ford Mill Road, Morrisville, PA 19067) for installation of two (2)

propane fired crystallizers of 3 MMBtu/hr and 5 MMBtu/hr rated capacity at the Geological Reclamation Operations and Waste Systems (GROWS) in Falls Township, **Bucks County**. The crystallizers will be used within a new and upgraded leachate treatment system at the facility. The GROWS landfill is a Title V facility. The crystallizer installation is subject to the emissions offset requirements of 25 Pa. Code Chapter 127, Subchapter E (relating to nonattainment new source review). Emissions that are required to be offset are: 34.0 tons of NO_x and 25.9 tons of VOC. WMDSPI will use VOC ERCs to offset net increases of NO_x and VOC, at the offset ratio of 1:1.3, in accordance with 25 Pa. Code § 127.210. An additional ratio of 1:1.3, as approved by the Environmental Protection Agency (EPA), is applied for substitution of NO_x ERCs by VOC ERCs. A total of 91.2 tons of VOC ERCs are authorized for use for this project. The owner shall meet the use and transfer requirements of 25 Pa. Code § 127.208 for the VOC ERCs.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

22-05041B: The Hershey Co. (1033 Old West Chocolate Avenue, Hershey, PA 17033) to construct a syrup manufacturing process at the West Plant in Derry Township, **Dauphin County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received an application and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide State-only operating permit via an administrative amendment at a later date.

Plan Approval No. 22-05041B authorizes the construction of the abovementioned process. The potential-to-emit (pte) particulate matter (PM) is estimated to be about 0.38 tpy with actual emissions around 0.31 tpy. The Plan Approval and Operating Permit will contain emission restrictions, work practice standards, monitoring, record keeping, and reporting requirements to ensure the facility complies with the applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Tom Hanlon, East Permitting Section Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality

Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

01-05037B: Gettysburg Energy & Nutrient Recovery Facility, LLC (71 Old Mill Bottom Road North, Suite 101, Annapolis, MD 21409) to construct an Energy & Nutrient Recovery Facility in Tyrone Township, **Adams County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the abovementioned company for the abovementioned project.

Plan Approval 01-05037B is for the construction and temporary operation of an Energy & Nutrient Recovery Facility that will utilize a baghouse for particulate matter control. The construction of the facility is intended to reduce the land application of ELM, to obtain nutrient recovery credits and to generate electric power.

The company shall be subject to and comply with 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units and 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The plan approval will contain restrictions that are designed to control emissions consistent with best available technology pursuant to 25 Pa Code § 127.1 as well as additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Annual emissions from the proposed project are estimated to be approximately 69.1 tons of Carbon Monoxide (CO), 25.9 tons of Nitrogen Oxides (NO_x), 3.4 tons of Particulate Matter (PM), 21.1 tons of Sulfur Dioxide (SO₂) and 6.4 tons of Volatile Organic Compounds (VOCs). Along with the proposed project, the plan approval will contain operating limits of less than 25 tons per year for combined Hazardous Air Pollutants (HAPs), and less than 10 tons per year for any individual HAP.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Daniel C. Husted, PE may be contacted at 717-705-4863, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—
Telephone: 814-332-6636

24-083T: Mersen USA—St Marys (215 Stackpole Street, Saint Marys, PA 15857-1401) for installation of a batch graphitizing furnace at 1032 Trout Run Road, in the City of Saint Marys, **Elk County**.

Pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 24-083T to Mersen USA St Marys for the installation of a batch graphitizing furnace, for the facility located in the City of Saint Marys, Elk County. The Plan Approval will subsequently be incorporated into a facility Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 24-083T is for the installation of a batch graphitizing furnace. Based on the information provided by the applicant and DEP's own analysis, the subject source will have the potential to emit approximately 61.1 tons per year of carbon monoxide (CO), 10.4 tons per year of sulfur oxides (SOx), 6.8 tons per year of particulate matter and 0.8 tons per year of volatile organic compounds (VOC).

The Plan Approval will contain testing, monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

62-032H: Ellwood National Forge—Irvine (1 Front Street, Irvine, PA 16329) for modification of a natural gas and fuel oil combustion rates for existing furnaces in Brokenstraw Township, **Warren County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the Title V operating permit at a later date.

This modification of the natural gas and fuel oil combustion rates will result in an increase in permit limits of 0.27 tpy for PM, 1.46 tpy for SOx, 2.97 tpy for CO, 4.84 tpy for NOx, and 0.184 tpy for VOC. This Plan Approval will contain conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (relating to plan approval terms and conditions) and will demonstrate BAT for the source including, but are not limited to, the following:

- Source 032:
 - The NOx emissions from Union Boiler shall not exceed 100 lb/MMCF and 4.00 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 1.6 tpy]
 - The CO emissions from the Union Boiler shall not exceed 84 lb/MMCF and 3.36 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 1.34 tpy]
 - The SOx emissions from the Union Boiler shall not exceed 0.6 lb/MMCF and 0.02 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.01 tpy]
 - The VOC emissions from the Union Boiler shall not exceed 5.5 lb/MMCF and 0.22 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.09 tpy]
 - The PM-10 emissions from the Union Boiler shall not exceed 7.6 lb/MMCF and 0.30 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.12 tpy]

- The total natural gas consumption for this source shall not exceed 80,000 MCF of natural gas per year (based on a 12-month rolling total). [This condition replaces the previous limit of 32,000 mcf/yr]

- Source 033:

- o The NOx emissions from the space heaters shall not exceed 94 lb/MMCF and 0.94 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 1.41 tpy]

- o The CO emissions from the space heaters shall not exceed 40 lb/MMCF and 0.40 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.60 tpy]

- o The SOx emissions from the space heaters shall not exceed 0.6 lb/MMCF and 0.01 TPY (based on a 12-month rolling total).

- o The VOC emissions from the space heaters shall not exceed 5.5 lb/MMCF and 0.06 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.08 tpy]

- o The PM-10 emissions from the space heaters shall not exceed 7.6 lb/MMCF and 0.08 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.11 tpy]

- o The total natural gas consumption from the space heaters shall not exceed 20,000 MCF of natural gas per year (based on a 12-month rolling total). [This condition replaces the previous limit of 30,000 mcf/yr]

- Source 034:

- o The NOx emissions from the package heating Boilers shall not exceed 50 lb/MMCF and 1.63 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 2.00 tpy]

- o The CO emissions from the package heating Boilers shall not exceed 84 lb/MMCF and 2.73 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 3.36 tpy]

- o The SOx emissions from the package heating Boilers shall not exceed 0.6 lb/MMCF and 0.02 TPY (based on a 12-month rolling total).

- o The VOC emissions from the package heating Boilers shall not exceed 5.5 lb/MMCF and 0.18 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.22 tpy]

- o The PM-10 emissions from the package heating Boilers shall not exceed 7.6 lb/MMCF and 0.25 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.30 tpy]

- o The total natural gas consumption from the package heating Boilers shall not exceed 65,000 MCF of natural gas per year (based on a 12-month rolling total). [This condition replaces the previous limit of 80,000 mcf/yr]

- Source 111:

- o The NOx emissions from the ENF heat treat furnaces shall not exceed 140 lb/MMCF and 10.85 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 8.05 tpy]

- o The CO emissions from the ENF heat treat furnaces shall not exceed 84 lb/MMCF and 6.51 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 4.83 tpy]

o The SO_x emissions from the ENF heat treat furnaces shall not exceed 0.6 lb/MMCF and 0.05 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.03 tpy]

o The VOC emissions from the ENF heat treat furnaces shall not exceed 5.5 lb/MMCF and 0.43 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.32 tpy]

o The PM-10 emissions from the ENF heat treat furnaces shall not exceed 7.6 lb/MMCF and 0.59 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.44 tpy]

o When firing #2 oil:

o The NO_x emissions from the ENF heat treat furnaces shall not exceed 24 lb/1000 gal and 0.60 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.12 tpy]

o The CO emissions from the ENF heat treat furnaces shall not exceed 5 lb/1000 gal and 0.13 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.03 tpy]

o The SO_x emissions from the ENF heat treat furnaces shall not exceed 71 lb/1000 gal and 1.78 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.355 tpy]

o The VOC emissions from the ENF heat treat furnaces shall not exceed 0.2 lb/1000 gal and 0.005 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.001 tpy]

o The PM-10 emissions from the ENF heat treat furnaces shall not exceed 1 lb/1000 gal and 0.025 TPY (based on a 12-month rolling total). [This condition replaces the previous limit of 0.005 tpy]

o The natural gas consumption from the ENF heat treat furnaces shall not exceed 155,000 MCF of natural gas per year (based on a 12 month rolling total). [This condition replaces the previous limit of 115,000 mcf/yr]

o The No. 2 oil consumption from the ENF heat treat furnaces shall not exceed 50,000 gallons per year (based on a 12 month rolling total). [This condition replaces the previous limit of 10,000 gal/yr]

In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the following:

- Name, address and telephone number of the person submitting the comments
- Identification of the proposed plan approval [62-032H]
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to H. Thomas Flaherty, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

PLAN APPROVAL

PUBLIC MEETING AND PUBLIC HEARING

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00078C: Chief Gathering LLC Barto Compressor Station, Penn Township, Lycoming County.

The Department of Environmental Protection will conduct a public meeting at 6:30 p.m. on Thursday, Dec. 15, 2011 at the Picture Rocks Volunteer Fire Company, 180 North Main St., to discuss an Air Quality Plan Approval application submitted by Chief Gathering LLC for expansion of Chief's Barto Compressor Station in Penn Township.

Staff from DEP's Air Quality Program will explain the application review process and applicable regulations, and Chief officials will review the project. These presentations will be followed by a question and answer session with citizens.

Chief Gathering, LLC submitted the Air Quality Plan Approval application 41-00078C to the Department. The plan approval would include four natural gas fired reciprocating internal combustion engines to provide power to natural gas compressors that would increase the pressure on the incoming gas to the facility and discharge the gas at a higher pressure for transport to a network of pipelines. The plan approval also would include controls for the new engines and establish more stringent emission limits for the existing engines. The Department published a notice of intent to issue the plan approval in the *Pennsylvania Bulletin* on September 17, 2011, for comments regarding the proposed plan approval 41-00078C.

The public meeting will be followed by a DEP public hearing beginning at 8:00 p.m. during which time citizens will have an opportunity to present oral testimony regarding the proposed Air Quality Plan Approval application. Anyone who wishes to present oral testimony during the public hearing may register that evening prior to the hearing. Citizens will have a maximum of five minutes each to present testimony. Written testimony of any length also will be accepted. The testimony will be recorded by a court reporter and transcribed into a

written document. DEP will respond in writing to all relevant testimony provided during the public hearing.

Persons unable to attend the public hearing can submit three copies of a written statement to the department by the close of business on Tuesday, Dec. 27, 2011. The statement should be sent to: DEP Air Quality Program Manager, 208 West Third St., Suite 101, Williamsport, Pa. 17701

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact Daniel Spadoni at 570-327-3659 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00027: Johnson & Johnson Pharmaceutical Research and Development, LLC—Johnson and Johnson (Welsh and McKean Roads, P. O. Box 776, Springhouse, PA 19477) for renewal of the facility's Title V Operating Permit originally issued on December 20, 2006 at Welsh and McKean Roads, Springhouse, PA 19477, Lower Gwynedd Township, **Montgomery County**. There have been several amendments of this TVOP since its original issuance. The renewal does not allow any new changes other than updating of source inventory and changes of minor significance. The operation is subjected to federal NSPS regulations. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-949-705-4863

06-05078: FR&S, Inc.—dba Pioneer Crossing Landfill (4251 SW High Meadows Ave, Palm City, FL 34990) for their landfill at 727 Red Lane Road in Exeter Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to renew the Title V Air Quality Operating Permit for the abovementioned facility.

In 2010 the subject facility had actual emissions of 15 tpy of CO, 7 tpy of NOx, 6 tpy of PM10, 9 tpy of SOx and 3 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart WWW (Standards of Performance for Municipal Solid Waste Landfills), 40 CFR 61 Subpart M (National Emission Standard for Asbestos) and 40 CFR 63 Subpart AAAA (National Emission Standard for Hazardous Air Pollutants: Municipal Solid Waste Landfills).

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Chief, East Permitting Section may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

63-00110: World Kitchen LLC (100 8th Street, Charleroi, PA 15022-1619) for manufacturing pressed and blown glass at the Charleroi Plant in Charleroi Borough, **Washington County**. This is a Title V Operating Permit renewal submittal.

65-00454: Sunoco Partners M&T (5733 Butler Street, Pittsburgh, PA 15201-2199) for operation of petroleum bulk station and terminal at Delmont Terminal in Salem Township, **Westmoreland County**. This is a Title V Operating Permit renewal submittal.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

V07-005: Aker Philadelphia Shipyard, Inc.—Philadelphia Naval Business Center (2100 Kitty Hawk Avenue, Philadelphia PA 19112) for operation of a ship building facility in the City of Philadelphia, **Philadelphia County**. The Title V facility's air emission sources include: two (2) 12.6 MMBTU/hr natural-gas fired boilers controlled by low NOx burners, five (5) natural-gas fired heaters each rated at less than 2.0 MMBTU/hr, one (1) 4 MMBTU/hr natural-gas fired pre-heater, one (1) 4 MMBTU/hr natural-gas fired Cure Oven, 23 welding and milling operations controlled by 22 baghouses, painting, shot blasting, and abrasive blasting operations controlled by eleven (11) dust collectors, paint stop filters, and a catalytic oxidizer.

The operating permit will be reissued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Mr. Edward Wiener (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00066: Pyropure, Inc.—t.a. Pyromet (5 Commerce Drive, Aston, PA 19014), for a State Only, Natural Minor Operating Permit in Chester Township, **Delaware County**. This is a smelting operation recovering silver from medical x-ray, and scraps from silver-plating industry. The pollutant of concern is particulate matter. Dust collectors are used on all sources for particulate matter control. The permit will include monitoring, record keeping and reporting requirements designed to address all applicable air quality requirements.

46-00154: Eye Designs, LLC (220 West 5th Street, Collegeville, PA 19426) for renewal of a State Only Operating Permit to operate three spray booths at a wood office furniture manufacturing facility in Trappe Borough, **Montgomery County**. The facility has taken restriction to remain a synthetic minor for VOC emissions. This Operating Permit renewal includes emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility complies with all applicable air quality regulations.

15-00108: Refractory Minerals Co, Inc. (150 S Jennersville Rd, West Grove, PA 19390) for an alumina processing facility in Penn Township, **Chester County**. The permit is for a non-Title V (State only) facility. Sources of air emissions are the process and two particulate matter controls (a settling chamber and a dust collector). The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00031: Schuylkill Health System (700 East Norwegian Street, Pottsville, PA 17901) for the Schuylkill Medical Center facility in the Pottsville City, **Schuylkill County**. This is a renewal of the State-Only Natural Minor operating permit. The proposed State-only Operating Permit contains applicable requirements for emissions limitations, monitoring, recordkeeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

40-00094: Weir Hazelton, Inc. (225 North Cedar Street, Hazelton, PA 18201) for operation of Pumps and Pumps Equipment Manufacturing facility in the City of Hazelton, **Luzerne County**. This is a renewal of the

State-Only Natural Minor operating permit. The State-Only operating permit includes emissions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

40-00066: Hazelton Casting Co. (P. O. Box 21, Weatherly, PA 18255) for operation of a small foundry operation in the City of Hazelton, **Luzerne County**. This is a renewal of the State-Only Synthetic Minor operating permit. The State-Only operating permit includes emissions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

07-05034: PA Department of the Military—Holidaysburg Veterans Home (P. O. Box 319, Holidaysburg PA 16648) for three (3) boilers and five (5) emergency generators at their Holidaysburg Veterans Home located in Allegheny Township, **Blair County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the abovementioned facility.

The subject facility has actual emissions of 4.42 tons per year of nitrogen oxides, 3.2 tons per year of carbon monoxide, 0.27 tons per year of volatile organic compounds, and 0.9 tons per year of sulfur oxides. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart Dc, New Source Performance Standards (NSPS) for Small Industrial, Commercial, and Institutional Steam Generating Units.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit renewal, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Daniel C. Husted, PE, Chief, West Permitting Section may be contacted at 717-705-4863, or at PA DEP Air

Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

04-00675: Aliquippa Terminals Inc. (100 Woodlawn Road, Aliquippa, PA 15001-5404) for operation of marine cargo handling at Aliquippa River Terminals in Aliquippa, **Beaver County**. This is a State Only Operating Permit Renewal submittal.

26-00594: Calfrac Well Services Ltd. (13401—97 Street Grande Prairie, Alberta, Canada T8X 1S8) for operation of a distribution center for materials used in gas well fracing process at Calfrac Site in Georges Township, **Fayette County**. This is a State Only Operating Permit application submittal.

11-00497: Gautier Steel Ltd. (80 Clinton Street, Johnstown, PA 15901) for manufacturing blast furnaces and steel mills at Johnstown Plant in Johnstown, **Cambria County**. This is a State Only Operating Permit renewal submittal.

32-00349: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201) for operation of coal mining services, rail and truck activities with storage at I 22 Tipple in Burrell Township, **Indiana County**. This is a State Only Operating Permit renewal submittal.

11-00423: Johnstown Wire Technologies, Inc. (124 Laurel Avenue, Johnstown, PA 15906-2246) at Johnstown Plant in Johnstown, **Cambria County**. This is a State Only Operating Permit renewal submittal.

56-00156: Windber Medical Center (600 Somerset Ave, Windber, PA 15963) Operating Permit renewal for the Windber Medical Center in Windber Borough, **Somerset County**. Equipment at this facility includes one 10.5 mmbtu/hr tri-fuel boiler and one 7.72 natural gas-fired boiler with No. 2 fuel oil as back-up. There are also four (4) No. 2 fuel oil or propane-fired small emergency generators located at one of the existing buildings on campus and a 3M Ethylene Oxide Sterilizer. Potential emissions from the emission sources at this facility are based on a limit of burning 2,000 tons of coal per consecutive 12 month period in the tri-fuel boiler and No. 2 fuel oil in the main boiler and are estimated to be 14.4 tons NO_x, 1.4 tons VOCs, 1.2 tons CO, 5.0 tons particulate matter and 94.7 tons SO_x. Actual emissions from the facility are much lower considering the tri-fuel boiler normally burns No. 2 fuel oil and the main boiler burns natural gas. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

56-00157: Windber Area School District Jr/Sr High School (2301 Graham Ave., Windber, PA 15963) Operating Permit renewal for the Windber Area Jr/Sr High School in Windber Borough, **Somerset County**. Equipment at this facility includes two 7.741 mmbtu/hr tri-fuel boilers burning coal with No. 2 fuel oil as back-up. There is also a small 50 kW natural gas-fired emergency generator, a Bryant hot water heater, and an Alpine Kiln rated at 425,000 btu/hr. Potential emissions from the sources at this facility are based on a limit of burning 1,700 tons of coal per consecutive 12 month period and/or No. 2 fuel oil in the tri-fuel boilers and are estimated to

be 13.4 tons NO_x, 1.3 tons VOCs, 11.0 tons CO, 15.0 tons particulate matter and 92.5 tons SO_x. Actual emissions from the facility are much lower considering the tri-fuel boilers only run during the heating season and use much less fuel than what is allowed. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

42-00133: Collins Pine Co.—Kane Hardwood Division (95 Hardwood Drive, PO Box 807, Kane, PA 16735) to issue a renewal of the State Only Operating Permit for their sawmill in Wetmore Borough, **McKean County**. The sources at the facility include a wood fired boiler controlled by a cyclone, sawmill, dimension mill, kilns and a degreaser. The facility is a natural minor. The facility is an Area Source for MACT. The wood fired boiler is subject to the requirements of 40 CFR 63, Subpart JJJJJJ—NESHAP for Industrial, Commercial, and Institutional Boilers at Area Sources. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00195: Ram Forest Products—Shinglehouse (HCR No. 1, Box 15A, Shinglehouse, PA 16748) to issue a renewal of the State Only Operating Permit for their hardwood manufacturing facility in Ceres Township, **McKean County**. The sources at the facility include a wood fired boiler controlled by multiclone collectors, sawmill, and kilns. The facility is a natural minor. The facility is an Area Source for MACT. The wood fired boiler is subject to the requirements of 40 CFR 63, Subpart JJJJJJ—NESHAP for Industrial, Commercial, and Institutional Boilers at Area Sources. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401

water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

56111601 and NPDES No. PA 0236098, LCT Energy, LP, (941 Pine Grove Lane, Suite B, Johnstown, PA 15905), to operate the Laurel Plant in Shade Township, **Somerset County** to operate a new coal preparation plant and related NPDES permit, Surface Acres Proposed 138.8. Receiving Stream: Unnamed Tributary to Little Dark Shade Creek, classified for the following use: CWF. The application was considered administratively complete on November 2, 2011. Application received: April 18, 2011.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56900109 and NPDES No. PA0598887. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, revision of an existing bituminous surface mine to add approximately six (6) acres of additional open pit mining area and thirty-three (33) acres of highwall miner acreage. The revision also includes additional mining area within 100 feet of Township Route T-646. This request includes a variance approval from the township in Quemahoning and Somerset Townships, **Somerset County**, affecting 48.2 acres. Receiving stream(s): Wells Creek classified for the following use(s): warm water fishery. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Municipal Authority Stonycreek SWI. Application received: October 4, 2011.

32070103 and NPDES No. N/A. RES Coal LLC, 224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in East Mahoning Township, **Indiana County**, affecting 201.4 acres. Receiving stream(s): Little Mahoning Creek classified for the following use(s): high quality—cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 31, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03080105 and NPDES Permit No. PA0251534. Britt Energies, Inc. (P. O. Box 515). Name change application for commencement, operation and reclamation of a pending bituminous surface mine originally submitted by Thomas J. Smith, Inc., located in Plumcreek Township, **Armstrong County**, affecting 63.9 acres. Receiving streams: Cherry Run and unnamed tributaries to Cherry Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: October 28, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37060104. Cemex Construction Materials Atlantic, LLC (920 Memorial City Way, Suite 100, Houston, TX 77024) Transfer of an existing bituminous surface mine from Cemex, Inc. in Shenango Township, **Lawrence County** affecting 48.7 acres. Receiving streams: Unnamed tributary to McKee Run, classified for the following uses: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: October 31, 2011.

33850118 and NPDES Permit No. PA0106682. P. and N. Coal Company, Inc. (P. O. Box 332, Punxsutawney, PA 15767) Transfer of an existing bituminous surface mine from Alvin Gearhart in Winslow Township, **Jefferson County** affecting 173.3 acres. Receiving streams: Three unnamed tributaries to Soldier Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: November 3, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17060110 and NPDES No. PA0256421. Bell Resources, Inc. (1340 Hoyt Ave, Curwensville, PA 16833). Renewal of an existing bituminous surface mine located in Bloom and Penn Townships, **Clearfield County** affecting 361.9 acres. Receiving streams: unnamed tributaries to Bell Run and Bell Run classified for cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: November 2, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54970101C4. Premium Fine Coal, Inc., (P. O. Box 268, Tamaqua, PA 18252), correction to an existing anthracite surface mine, coal refuse reprocessing and refuse disposal operation to add a coal preparation plant, in Schuylkill Township, **Schuylkill County** affecting 727.0 acres, receiving stream: Schuylkill River, classified for the following use: cold water fishes. Application received: November 1, 2011.

54-305-021GP12. Premium Fine Coal, Inc., (P. O. Box 268, Tamaqua, PA 18252), application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54970101 in Schuylkill Township, **Schuylkill County**. Application received: November 1, 2011.

Noncoal Applications Received

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26050401 and NPDES Permit No. PA0250643. Laurel Aggregates, Inc. (300 Dents Run Road, Morgantown, WV 26501). Revision application for 29.76 additional acres to an existing large noncoal surface mine, located in Springhill Township, **Fayette County**, affecting 151.20 acres. Receiving stream: Rubles Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: November 3, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37990302 and NPDES Permit No. PA0241547. Cemex Construction Materials Atlantic, LLC (920 Memorial City Way, Suite 100, Houston, TX 77024) Transfer of an existing large industrial minerals mine from Cemex, Inc. in Shenango & Wayne Townships, **Lawrence County** affecting 801.0 acres. Receiving streams: Unnamed tributaries to Snake Run and Snake Run, unnamed tributaries to the Beaver River, all classified for the following uses: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: October 31, 2011.

3779103 and NPDES Permit No. PA0109258. Cemex Construction Materials Atlantic, LLC (920 Memorial City Way, Suite 100, Houston, TX 77024) Transfer of an existing large industrial minerals mine from Cemex, Inc. in Shenango & Taylor Townships, **Lawrence County** affecting 456.5 acres. Receiving streams: Unnamed tributary to McKee Run and unnamed

tributary to Beaver River, all classified for the following uses: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: October 31, 2011.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0249033 (Mining permit no. 32010110), Alverda Enterprises, Inc., P. O. Box 87, Alverda, PA 15710, renewal of an NPDES permit for reclamation only on a surface coal mine operation in Pine Township, **Indiana County**, affecting 78.1 acres. Receiving stream(s): UNTS to/and Little Yellow Creek and UNTS to/and Leonard Run, classified for the following use(s): high quality—cold water fishery; cold water fishery. This receiving stream is included in the Kiskiminetas-Conemaugh River TMDL. Application received: September 8, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below require a non-discharge alternative:

Outfall Nos.

New Outfall (Y/N)

No point source discharge of treated wastewater or stormwater exists on the permit because of the non-discharge alternative.

NPDES No. PA0249939 (Mining permit no. 32060102), Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, renewal of an NPDES permit for reclamation only on a surface coal mine operation in South Mahoning Township, **Indiana County**, affecting 50.3 acres. Receiving stream(s): UNTS to Little Mahoning Creek, classified for the following use(s): high quality—cold water fishery. Application received: October 5, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below require a non-discharge alternative:

Outfall Nos.

New Outfall (Y/N)

001—Sediment Pond #001
002—Sediment Pond #002
003—Treatment Pond #003
004—Treatment Pond #004

No
No
No
No

NPDES No. PA0263117 (Mining permit no. 56100104), Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, new NPDES permit for bituminous surface and auger mine in Southampton and Fairhope Townships, Somerset County, affecting 82.0 acres. Receiving stream(s): UNTS to Wills Creek, classified for the following use(s): high quality—cold water fishery. Application received: July 20, 2010.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

There will be no point source discharge from the permit as the operator has chosen to utilize a non-discharge alternative.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

NPDES No. PA0251968 (Mining permit no. 63100102), Arthur J. Boyle., P. O. Box 400, Laughlintown, PA 15655, new NPDES permit for a coal surface mine in Centerville Borough, **Washington County**, affecting 20.3 acres. Receiving stream(s): unnamed tributaries to the Monongahela River, classified for the following use(s): warm water fishery. Application received: March 30, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Monongahela River.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
Treatment Pond A	Yes

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 001 (TP-A)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3	6	7
Manganese (mg/l)	2	4	5
Aluminum (mg/l)	2	4	5
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

There is no sedimentation ponds proposed for this site. Alternate erosion and sedimentation controls are proposed.

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls:</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	N/A	N/A	N/A
Total Settleable Solids Manganese (mg/l)	N/A	N/A	N/A

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

NPDES No. PA0225134 on Surface Mining Permit No. 40663030. Pagnotti Enterprises, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701) new NPDES Permit for an anthracite surface mine and coal refuse disposal operation in Foster Township, **Luzerne County**, affecting 225.0 acres, (Mining Area 210.0 acres). Receiving stream(s): Black Creek, classified for the following use, cold water fishes and Sandy Run Creek, classified for the following use: HQ-cold water fishes. Application received: October 12, 2011.

This permit is issued as a "Non-Discharge" permit with applicable BMP's.

Unless otherwise noted, the proposed effluent limits in this permit are BAT limits described above for coal mining activities.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA026322 (Mining permit no. 11110301), Military Resource Enhancement Specialists, Inc., 3179 Lincoln Highway, Stoystown, PA 15563 new NPDES permit for surface mining of slag material in Conemaugh Township, **Cambria County**, affecting 41.3 acres. Receiving stream(s): Little Conemaugh River, classified for the following use(s): warm water fishery. This receiving stream is included in the Kiskiminetas-Conemaugh River TMDL. Application received: March 7, 2011.

The outfall(s) are not applicable. The applicant is proposing to use nondischarge alternatives to handle site stormwater.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0227200 (Permit No. 10960302). Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Renewal of an NPDES permit for a large industrial minerals surface mine in Marion Township, **Butler County**, affecting 1151.0 acres. Receiving streams: Unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek, unnamed tributary to Blacks Creek, all classified for the following uses: CWF. TMDL: Blacks Creek. Application received: May 10, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
EB	N
FB	N
HB	N
IB	N
JB	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		2	4	5
Aluminum (mg/l)		2	4	5
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Osmotic Pressure (milliosmoles/kg)				50

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Blacks Creek.

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
AB	N
CB	N
DB	N
C	N
N	N
O	N
BL	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	3.0	3.5
Manganese (mg/l)		1.0	2.0	2.3
Aluminum (mg/l)		0.75	1.5	1.8
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Osmotic Pressure (milliosmoles/kg)				50

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
E	N
F	N
G	N
H	N
I	N
J	N
K	H
M	H

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5
Osmotic Pressure (milliosmoles/kg)				50

The outfall(s) listed below discharge to unnamed tributaries to Blacks Creek

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	N
D	N
P	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				3.5
Alkalinity greater than acidity ¹				0.5
Total Settleable Solids (ml/l)				50
Osmotic Pressure (milliosmoles/kg)				50

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-2511.

E54-347. Pennsylvania Department of Transportation, Engineering District 5-0, 1002 Hamilton Street,

Allentown, PA 18103-1013, in Deer Lake Borough and West Brunswick Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To authorize the following water obstructions and encroachments associated with roadway improvements along SR 0061:

1. To remove the existing structure and to construct and maintain a road crossing across Pine Creek (CWF) consisting of a bulb tee beam reinforced concrete bridge with a 101-foot long span and a 6.5 foot under-clearance.
2. To remove the existing structure and to construct and maintain a road crossing across Pine Creek (CWF) consisting of a bulb tee beam reinforced concrete bridge with a 71-foot long span and an 8.0 foot under-clearance.
3. To construct and maintain a road crossing across Pine Creek (CWF) consisting of a steel girder bridge with a concrete deck that is 136-foot long span and a 7.0 foot under-clearance.
4. To place fill in 179 feet of a tributary to Pine Creek (CWF).
5. To remove the existing structure and to construct and maintain a road crossing across a tributary to Pine Creek (CWF) consisting of a 42-inch reinforced concrete pipe with a R-7 outlet apron.
6. To construct and maintain a road crossing across a tributary to Pine Creek (CWF) consisting of a 24-inch reinforced concrete pipe with a R-6 outlet apron.
7. To remove the existing structures and to construct and maintain a road crossing across a tributary to Pine Creek (CWF) consisting of a 68-inch by 43-inch reinforced concrete elliptical pipe with a R-5 outlet apron. The road crossing also consists of relocating 136 lineal feet of tributary to Pine Creek (CWF)
8. To remove the existing structures and to construct and maintain a stream enclose of a tributary to Pine Creek (CWF) consisting of 48-inch reinforced elliptical concrete pipe with a R-7 outlet apron.
9. To remove the existing structure and to construct and maintain a stream enclosure of a tributary to Pine Creek (CWF) consisting of a 91-inch x 58-inch reinforced concrete elliptical pipe.
10. To construct and maintain an extension of an existing 254 lineal feet stream enclosure of a tributary to Pine Creek (CWF). The extension will be 63-feet of 42-inch reinforced concrete pipe with a R-7 outlet basin.
11. To remove the existing structure and to construct and maintain a stream enclosure of a tributary to Pine

Creek (CWF) consisting of a 42-inch reinforced concrete pipe with a R-5 outlet apron.

The overall improvements will impact 13 PEM wetlands (0.16 acres), 2 PSS wetlands (0.02 acres), 2 PFO wetlands (0.10 acres) and 1 POW wetlands (0.01 acres), and require 11 stream crossings, totaling 1,337 linear feet of permanent impacts and 610 linear feet of temporary impacts. The permittee is required to provide 0.39 acres of replacement wetlands. The proposed project is located along a 3.5 miles section of SR 61 starting at the intersection of SR 2014 and ends 16,000 north of the intersection of SR 895 East. (Orwigsburg, PA Quadrangle, Latitude: 40°37'39"; Longitude: -76°3'31").

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E07-443: Pa. Department of Transportation, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648, in Allegheny Township, **Blair County**, ACOE Baltimore District

To 1) remove the existing structure, 2) construct and maintain a single span steel plate girder bridge skewed 80° having a normal clear opening of 55.08 feet, a width of 43.38 feet, and an minimum underclearance of 6.44 feet across Burgoon Run (TSF, MF), and 3) construct a temporary road crossing immediately downstream of the structure consisting of five CMP pipes having lengths of 76.00 feet and diameters of 4.00 feet in Burgoon Run (TSF, MF), all for the purpose of improving transportation safety and roadway standards. The project is located along SR 0764 (Hollidaysburg, PA Quadrangle, N: 16.9 inches, W: 7.1 inches; Latitude: 40°28'06", Longitude: -78°25'34") in Allegheny Township, Blair County.

E38-174: Texas Eastern Transmission, LP, Spectra Energy, Line 12 Pipeline, 890 Winter Street, Waltham, MA 02451, in East Hanover Township, **Lebanon County**, ACOE Baltimore District

To repair and maintain a 152.0-foot long section of 24.0-inch DI gas line, temporarily impacting 0.84 acre of PEM wetland within the existing Texas Eastern pipeline right-of-way (ROW) for the purpose of reducing the risk of a pipeline failure. The project is located adjacent to the west bank of Swatara Creek (WWF), approximately 2,150.0 feet east of Ono Road and 1,200.0 feet south of Heilmendale Road (Indiantown Gap, PA Quadrangle; Latitude 40°22'40.48"N, Longitude: -76°31'10.07"W) in East Hanover Township, Lebanon County.

E67-894: Codorus Creek Watershed Association, Wagman Farm, 720 Arbor Drive, Dallastown, PA 17313, in York Township, **York County**, ACOE Baltimore District

To: 1) remove an existing structure, 2) construct and maintain three 15.0-foot x 50.0-foot cattle crossings, 3) regrade 601.0 linear feet of streambank with rock toe protection, 4) regrade 1,470.0 linear feet of streambank with log toe protection, 5) install and maintain 19 log vanes and 4 cross rock vanes, 6) relocate approximately 710.0 linear feet of stream, and 7) install and maintain 6,000.0 feet of streambank fencing, all for the purpose of restoring and stabilizing 2,100.0 feet of Barshinger Creek (CWF, MF). The project is located on a reach of stream located at 720 Arbor Drive, Dallastown, Pennsylvania (York, PA Quadrangle, N: 1.0 inch, W: 1.5 inches, Latitude: 39°52'41.08", Longitude: -76°37'59.91") in York Township, York County.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E65-943. City of Jeannette Municipal Authority, P. O. Box 294, Penn, PA 15675, City of Jeannette, **Westmoreland County**, Pittsburgh ACOE District. The applicant proposes to place and maintain fill in the floodway of Brush Creek, (TSF) to place and maintain fill in 0.01 acres of wetland in the Brush Creek watershed, and to construct and maintain an access road, a U.V. disinfection chamber, two (2) SBR tanks, a blower building, a headworks building and a meter vault; and to modify an existing outfall structure, all in the floodway of Brush Creek, all for the purpose of increasing the capacity of an existing sewage treatment plant, and to place and maintain fill in the floodway of Brush Creek to facilitate the construction of a wet well at an existing sewage pumping station. The project is located at the southwest corner of Penn Borough, Westmoreland County. (Pittsburgh ACOE District, Irwin, PA Quadrangle N: 14.3"; W: 3.25"; Latitude: 40° 19' 38"; Longitude: 79° 38' 48").

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E25-602, Millcreek Township, 3608 West 26th Street, Erie, PA 16506. Heidler Road Drainage Improvement Project, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 8.0 inches; W: 6.9 inches).

On October 28, 2011, the Department of Environmental Protection received a request for a three year extension of the time limit on the previously referenced permit which authorized Millcreek Township to conduct activities associated with the Heidler Road Drainage Improvement Project in a tributary to Walnut Creek downstream of Heidler Road northwest of Sterrettania Road (SR 832) in Millcreek Township, Erie County. The permitted project includes:

1. Realign approximately 800 feet of stream channel beginning at Heidler Road and extending downstream (Swanville, PA Quadrangle N: 8.0 inches; W: 6.9 inches).

2. Remove the existing structure and to install and maintain three 60-inch diameter HDPE pipe culverts having a length of 50 feet on a private driveway approximately 850 feet downstream of Heidler Road (Swanville, PA Quadrangle N: 8.1 inches; W: 6.85 inches).

3. Remove the existing structure and to install and maintain three 60-inch diameter HDPE pipe culverts having a length of 50 feet on a private driveway approximately 1,700 feet downstream of Heidler Road (Swanville, PA Quadrangle N: 8.5 inches; W: 6.45 inches).

4. Install and maintain concrete block stream bank walls along both banks for a distance of approximately 100 feet extending upstream from a private driveway approximately 2,600 feet downstream of Heidler Road (Swanville, PA Quadrangle N: 8.9 inches; W: 6.1 inches).

The Department will take comment on the request for 30 days from the date of this publication.

E42-352, Snyder Brothers Incorporated, 1 Glade Park Drive, Kittanning, PA 16201. North Chappel Fork Stream and Wetland Crossing, in Hamilton Township, **McKean County**, ACOE Pittsburgh District (Westline, PA Quadrangle N: 41°, 49', 58"; W: 78°, 50', 51").

To operate and maintain a 7' wide steel and timber bridge having a structure length of 50' and providing an underclearance of 4' across North Fork Chapel Fork and

to maintain 250 ft² of fill within an EV wetland for the existing ATV road used to access oil wells west of SR 321 approximately 2.5 miles south of SR 59.

Northcentral Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E0829-026: Appalachia Midstream, LLC, 100 IST Center, Horseheads, NY 14845, Asylum Township, Bradford County, ACOE Baltimore District.

To construct, operate and maintain:

1. a 16 inch natural gas line and a 12 foot wide equipment mat across a Palustrine Emergent Wetland. Impacted Area: 672 square feet; (Ulster, PA Quadrangle, Latitude: 41°48'21", Longitude: -76°31'46").

2. a 16 inch natural gas line and a 12 foot wide equipment mat across a Palustrine Emergent Wetland. Impacted Area: 245 square feet; (Ulster, PA Quadrangle, Latitude: 41°48'16", Longitude: -76°31'37").

3. a 16 inch diameter natural gas line and a 12 foot wide equipment mat impacting 55 linear feet of an unnamed tributary to Sugar Creek (WWF, MF) and adjacent Palustrine Emergent Wetland (PEM), and Palustrine Scrub-Shrub Wetland (PSS) impacting 5,097 square feet (Ulster, PA, Latitude: 41°48'07", Longitude: -76°31'15");

4. a 16 inch natural gas line and a 12 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) and Palustrine Scrub-Shrub Wetland (PSS). Impacted Area: 4,472 square feet; (Ulster, PA Quadrangle, Latitude: 41°48'16", Longitude: -76°31'12").

5. a 16 inch natural gas line and a 12 foot wide equipment mat across a Palustrine Emergent Wetland (PEM) and Palustrine Scrub-Shrub Wetland (PSS). Impacted Area: 1,251 square feet; (Ulster, PA Quadrangle, Latitude: 41°48'17", Longitude: -76°31'11").

6. a 16 inch diameter natural gas line and a 12 foot wide equipment mat impacting 97 linear feet of an unnamed tributary to Hemlock Run (WWF, MF) and adjacent Palustrine Forested Wetland (PFO) impacting 9,602 square feet (Ulster, PA, Latitude: 41°48'27", Longitude: -76°31'08");

7. a 16 inch diameter natural gas line and a 12 foot wide equipment mat impacting 150 linear feet of an unnamed tributary to Hemlock Run (WWF, MF) and adjacent Palustrine Scrub-Shrub (PSS) impacting 1,020 square feet (Ulster, PA, Latitude: 41°48'28", Longitude: -76°30'51");

The project will result in 302 linear feet and 3,305 square feet of temporary stream impacts, 12,757 square feet (.29 acres) of PEM/PSS temporary wetland impacts and 9,602 square feet (0.22 acres) of PFO permanent wetland impacts all for the purpose of installing a natural gas line with associated access roadways.

E0829-025: Chesapeake Appalachia, LLC, 101 North Main Street, Athens, PA 18810, Wilmot Township, Bradford County, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary road crossing using a mat bridge, two 16 inch diameter water lines impacting 20 linear feet of an unnamed tributary to Sugar Run Creek (CWF) (Jenningsville, PA Quadrangle 41°33'50"N 76°14'45"W);

2) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 37 linear feet of an

unnamed tributary to Sugar Run Creek (CWF) (Jenningsville, PA Quadrangle 41°33'49"N 76°14'46"W);

3) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 20 linear feet of an unnamed tributary to Sugar Run Creek (CWF) (Jenningsville, PA Quadrangle 41°33'40"N 76°14'37"W);

4) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 24 linear feet of an unnamed tributary to Sugar Run Creek (CWF) (Jenningsville, PA Quadrangle 41°33'34"N 76°14'32"W);

5) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 25 linear feet of an unnamed tributary to Sciota Brook (CWF) (Jenningsville, PA Quadrangle 41°33'15"N 76°14'33"W);

6) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 6 linear feet of an unnamed tributary to Sciota Brook (CWF) (Jenningsville, PA Quadrangle 41°33'14"N 76°14'32"W);

7) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 22 linear feet of an unnamed tributary to Sciota Brook (CWF) (Jenningsville, PA Quadrangle 41°32'51"N 76°14'23"W);

8) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 26 linear feet of an unnamed tributary to Sugar Run Creek (CWF) (Jenningsville, PA Quadrangle 41°33'42"N 76°14'31"W);

9) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 21 linear feet of an unnamed tributary to Miller Brook (CWF) (Jenningsville, PA Quadrangle 41°33'25"N 76°13'27"W);

10) two 16 inch diameter water line impacting 2 linear feet of an unnamed tributary to Miller Brook (CWF) (Jenningsville, PA Quadrangle 41°33'28"N 76°13'16"W);

11) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 24 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 243 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'33"N 76°14'14"W);

12) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 22 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 231 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'32"N 76°14'19"W);

13) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 21 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 564 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'33"N 76°14'14"W);

14) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 26 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 264 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'33"N 76°14'14"W);

15) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 30 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 1,144 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'49"N 76°14'46"W);

16) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 21 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 487 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'44"N 76°14'46"W);

17) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 21 linear feet of an unnamed tributary to Sciota Brook (CWF) and 4,223 square feet of a palustrine forested (PFO) wetland (Jenningsville, PA Quadrangle 41°32'47"N 76°14'24"W);

18) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 25 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 307 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'44"N 76°14'18"W);

19) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 20 linear feet of an unnamed tributary to Sugar Run Creek (CWF) and 4,060 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'43"N 76°14'27"W);

20) two 16 inch diameter water line impacting 103 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'34"N 76°14'10"W);

21) two 16 inch diameter water line impacting 103 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'34"N 76°14'11"W);

22) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 807 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'32"N 76°14'16"W);

23) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 177 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'24"N 76°14'25"W);

24) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 664 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'22"N 76°14'24"W);

25) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 254 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'17"N 76°14'24"W);

26) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 307 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'10"N 76°14'27"W);

27) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 271 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'08"N 76°14'27"W);

28) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 514 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'08"N 76°14'26"W);

29) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 362 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'06"N 76°14'26"W);

30) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 1,166 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°34'04"N 76°14'31"W);

31) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 329 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'41"N 76°14'42"W);

32) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 843 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'09"N 76°14'26"W);

33) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 288 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'40"N 76°19'16"W);

34) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 1,483 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'40"N 76°14'34"W);

35) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 220 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°33'39"N 76°14'35"W).

The project will result in 413 linear feet of temporary stream impacts, a total of 19,374 square feet (0.44 acre) of temporary wetland impacts all for the purpose of installing a fresh waterline for Marcellus well development.

E5729-017: Chesapeake Appalachia, LLC, 101 North Main Street, Athens, PA 18810, Colley Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 6 linear feet of an unnamed tributary to Sciota Brook (CWF) (Jenningsville, PA Quadrangle 41°32'25"N 76°14'02"W);

2) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 42 linear feet of an unnamed tributary to Sciota Brook (CWF) (Jenningsville, PA Quadrangle 41°32'27"N 76°13'48"W);

3) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 35 linear feet of an unnamed tributary to Sciota Brook (CWF) (Jenningsville, PA Quadrangle 41°32'10"N 76°13'37"W);

4) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 7 linear feet of an unnamed tributary to Sciota Brook (CWF) (Jenningsville, PA Quadrangle 41°32'06"N 76°13'53"W);

5) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 23 linear feet of an unnamed tributary to Sciota Brook (CWF) and 1,458 square feet of a palustrine emergent (PEM) wetland (Jenningsville, PA Quadrangle 41°32'25"N 76°13'44"W);

6) a temporary road crossing using a mat bridge, two 16 inch diameter water line impacting 5,354 square feet of a palustrine emergent/palustrine forested (PEM/PFO) wetland (Jenningsville, PA Quadrangle 41°32'18"N 76°13'32"W).

The project will result in 113 linear feet of temporary stream impacts, a total of 6,812 square feet (0.16 acre) of temporary wetland impacts all for the purpose of installing a fresh waterline for Marcellus well development.

E5929-007: Seneca Resources Corporation, 51 Zents Boulevard, Brookville, PA 15825, Richmond Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary road crossing using a wood mat bridge and a 12 inch diameter fresh waterline impacting 850 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Mansfield, PA Quadrangle 41°45'11"N 77°7'29"W);

2) a temporary road crossing using a wood mat bridge and a 12 inch diameter fresh waterline impacting 34 square feet of an Unnamed Tributary to Elk Run (CWF) (Crooked Creek, PA Quadrangle 41° 45' 11"N 77° 7' 32"W);

3) a 12 inch diameter fresh waterline impacting 3 linear feet of an Unnamed Tributary to Elk Run (CWF) (Crooked Creek, PA Quadrangle 41° 45' 35"N 77° 7' 48"W).

The project will result in 40 linear feet of temporary stream impacts and 850 square feet (0.02 acre) of temporary wetland impacts all for the purpose of installing a fresh waterline to transport water which will be used for hydraulic fracturing.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS212214 (Stormwater)	Gustin Stone Supply, Inc. 2390 Creamton Drive Lakewood, PA 18439	Wayne County Preston Township	Unnamed Tributary of Crooked Creek (01A)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0064351 (Industrial Waste)	Keystone Potato Products LLC PO Box 27 Hegins, PA 17938-0027	Schuylkill County Frailey Township	Unnamed tributary to Middle Creek Cold Water Fishes (7-D)	N
PA0063347	Romanishan Metal Fabrication 195 E Morristown Road Wind Gap, PA 18091-9725	Northampton County Bushkill Township	Unnamed tributary to Bushkill Creek High Quality Cold water Fishes 1F	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0086673 (Sewage)	Marklesburg Borough Authority PO Box 24 James Creek, PA 16657	Huntingdon County Marklesburg Borough	UNT to James Creek / 11-D	Y
PA0028142 (Sewage)	PA Department of Military and Veterans Affairs Building # 0-11 Fort Indiantown Gap Annville, PA 17003	Lebanon County East Hanover Township	Swatara Creek / 7-D	Y
PA0080926 (Sewage)	Robert L. Schroeder 205 Sleepy Hollow Road Lititz, PA 17543-9615	Lancaster County Elizabeth Township	UNT to Middle Creek / 7-J	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0229130	R&R Properties SFTF 849 Hunter Run Road Howard, PA 16841	Centre County Liberty Township	Hunters Run (9-C)	Y
PA0113051 (Industrial Waste)	Water Treatment Plant— City of DuBois Home Camp Road Dubois, PA 15801	Clearfield County Sandy Township	Laborde Branch (17-C)	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0217140 Sew	Shelocta STP 179 Sew Plt Rd Indiana, PA 15701	Indiana Co Armstrong Twp	Crooked Crk	Y
PA0047228 Sew	Pennsbury Village STP STP Rd PGH, PA 15205	Allegheny Co Pennsbury Village Boro	UNT of Campbells Run	N
PA0098914 Sew	Unionville Works STP Glen Eden Rd Rochester, PA 15074	Beaver Co Sewickley Twp	Brush Crk	Y
PA0032263 Sew	Yellow Crk St Prk 170 Rte 259 Hwy Penn Run, PA 15765	Indiana Co Cherryhill Twp	Yellow Crk	Y
PA0217131 Sew	Indiana Co Muni Svcs Auth 602 Kolter Dr Indiana, PA 15701	Indiana Co Canoe Twp	UNT of Canoe Crk	Y

****Renewal individuals

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0039233 Sewage	Rhodes Country Court PO Box 397 Reno, PA 16343	Venango County Cranberry Township	Unnamed tributary to Sage Run 16-E	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0092185 Sewage	Peter Rabbit Campground 153 Lilac Drive Slippery Rock, PA 16057	Butler County Brady Township	Big Run 20-C	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0012238, IW, ABB, Inc, 125 East County Line Road, Warminster, PA 18974-4995.

This proposed facility is located in Warminster Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge 0.108 MGD of treated groundwater from a facility known as ABB GWCU Remediation Facility to Unnamed Tributary to Pennypack Creek in Watershed 3-J.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

NPDES Permit No. PA0062464, Sewage, SIC Code 4941, **Pennsylvania American Water Company,** 100 North Pennsylvania Avenue, Wilkes-Barre, PA 18701.

This existing facility is located in Stroud Township, **Monroe County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

NPDES Permit No. PA0065315, SIC Code 4952, **Roger and Denise Radcliff,** 4279 Chestnut Drive, Walnutport, PA 18088.

This proposed facility is located in Lehigh Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage from a Single Family Residence peat bio-filter sewage treatment system.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0247618, Sewage, **East Salem Sewer Authority,** 177 Sun Valley Drive, Mifflintown, PA 17059.

This proposed facility is located in Delaware Township, **Juniata County**.

Description of Proposed Action/Activity: Authorization to discharge to the Delaware Creek in Watershed 12-B.

NPDES Permit No. PA0261599, Sewage, **Kurt V. and Delores A. Herzberg,** 25 Grandview Drive, Duncannon, PA 17020.

This proposed facility is located in Tell Township, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Trough Spring Branch in Watershed 12-B.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES Permit No. PA0234061, SIC Code 4952, **David Thierwechter,** 813 Round Top Road, Wellsboro, PA 16901.

This proposed facility is located in Charleston Township, **Tioga County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0234044, SIC Code 4952, **Nathan Singer,** 2210 Balsam Road, Wellsboro, PA 16901.

This proposed facility is located in Delmar Township, **Tioga County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

WQM Permit No. 4811402, SIC Code 4952, **Roger and Denise Radcliff,** 4279 Chestnut Drive, Walnutport, PA 18088.

This proposed facility is located in Lehigh Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of a WQM Part II permit for the construction and operation of a Single Family Residence peat bio-filter sewage treatment system.

WQM Permit No. 5811403, Sewerage, **Liberty Mobile Home Park,** 1675 Kelly Road, Friendsville, PA 18818.

This proposed facility is located in Liberty Township, **Susquehanna County**.

Description of Proposed Action: Issuance of Water Quality Management Permit for modifications to an existing Sewage Treatment Plant to include disinfection, aeration and change the disposal from malfunctioning onlot to stream discharge to an unnamed tributary to Snake Creek.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. WQG01281103, Sewerage, **Tonia C. Metcalf**, 11489 Fort Loudon Road, Mercersburg, PA 17235.

This proposed facility is located in Montgomery Township, **Franklin County**.

Description of Proposed Action/Activity: Construction/Operation of a small flow treatment system to serve their single family residence.

WQM Permit No. 3111401, Sewerage, **Kurt V. and Delores A. Herzberg**, 25 Grandview Drive, Duncannon, PA 17020.

This proposed facility is located in Tell Township, **Huntingdon County**.

Description of Proposed Action/Activity: Construction/Operation of small flow treatment facility to serve their existing single family residence.

WQM Permit No. 0191402, Amendment 11-1, Sewerage, **Mr. Ron Cooper**, Arendtsville Municipal Authority, 1 Chestnut Street, Arendtsville, PA 17303.

This proposed facility is located in Arendtsville Borough, **Adams County**.

Description of Proposed Action/Activity: Construction/Operation of new comminutor and associated piping for the Headworks Upgrade.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. 6311402, Sewerage, **Peters Twp Sani Auth**, 111 Bell Dr, McMurray, PA 15317-3415

This proposed facility is located in Peters Twp., **Washington Co.**

Description of Proposed Action/Activity: Permit issuance for the construction and operation of gravity sewers, individual grinder pumps and low pressure force main.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQM Permit No. 1111402, Sewerage, **Johnstown Redevel Auth**, 401 Washington St, 4th Fl, Public Safety Bldg, Johnstown, PA 15901-2874

This proposed facility is located in City of Johnstown, **Cambria Co.**

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a sewer system.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAS10-G464-R2-A1	Trammell Crow Dev, Inc. 300 Conshohocken State Rd, Suite 250 Conshohocken, PA 19428	Chester	East Whiteland and Tredyffrin Townships	Cedar Hollow Run-Valley Creek-Lower Schuylkill River (EV-MF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024511005	Route 209 Bypass Associates, LLC 355 Madison Avenue Morristown, NJ 07960	Monroe	Middle Smithfield Twp.	Pond Creek, HQ-CWF,MF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone 717-705-4707.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI032811003	Chadwick Estates Robert Eberly 85 Homestead Drive Greencastle, PA 17225	Franklin	Greencastle Borough	Muddy Run/HQ-CWF
PAI030610013	Thomas Richey Cedar-Kutztown, LLC Maxatawny Market Place 44 South Bayles Avenue Port Washington, NY 11050-3785	Berks	Maxatawny Township	UNT to the Moselem Creek/ HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033409002	Mr. Stephen Peters BPJB Properties, LLC Burns Farm PO Box 65 Newport, PA 17074	Juniata	Delaware Township	Delaware Creek/ TSF (Trout Natural Reproduction Stream) EV Wetland and Juniata River/WWF
PAI033611004	Daniel H. Siegrist Custom Home Group, Inc./ Misty River, LLC 1302 Lancaster Pike Quarryville, PA 17566	Lancaster	Fulton Township	Tributary to Conowingo Creek/ HQ-CWF
PAI033609005	Pravin M. Patel Red Carpet Inn 2845 Lebanon Road Manheim, PA 17545	Lancaster	Rapho Township	Shearers Creek/ HQ-CWF

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Butler County Conservation District, 122 McCune Drive, Butler PA 16001-6501

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI 0610 10 004	F and H Development LLC 4359 Gibsonia Drive Gibsonia PA 15044	Butler	Buffalo Township	Sarver Run HQ-WWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-02

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bensalem Township Bucks County	PAG0200 0911038	Joseph DiEgidio 301 State Road Croydon, PA 19021	Unnamed Tributary Neshaminy Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Clan Township Chester County	PAG0200 1511018	Hionis Properties, Inc. 780 Baltimore Pike Concordville, PA 19331	Burroughs Brook (CWF); Craigs Mill Run (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG0200 2311020	Archbishop Carroll High School 211 Matsenford Road Wayne, PA 19087	Gulph and Ithan Creeks (WWF-MF-CWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Newtown Township Delaware County	PAG0200 2311007	DR Horton, Inc.—New Jersey 700 East Gate Drive, Suite 110 Mount Laurel, NJ 08054	Hunter Run (CWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG0200 2311022	Radnor Properties-200 RC, LP 555 East Lancaster Avenue Radnor, PA 19087	Darby Creek (CWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Limerick Township Montgomery County	PAG0200 4609024	Limerick Township 646 West Ridge Road Limerick, PA 19468	Schuylkill River-Mingo Creek-Landis Creek (WWF-TSF-TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Limerick Township Montgomery County	PAG0200 4609024	Daniel Kerr 646 West Ridge Pike Royersford, PA 19468	Schuylkill River-Mingo Creek-Landis Creek (WWF-MF-TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 5107047	Philadelphia Water Department 1101 Market Street Philadelphia, PA 19107-2994	Schuylkill River (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511120	TKMG Associates, LP 120-124 Lancaster Avenue Ardmore, PA 19003	Schuylkill River (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Wayne Twp., Schuylkill County	PAG02005411014	Green Hill Land Development & Building, LLC Attn: Kurt Greenawalt 13 Greenawalt Lane Schuylkill Haven, PA 17972	Long Run, CWF, MF Tributary to Schuylkill River, CWF, MF	Schuylkill Co. Cons. Dist. 570-622-3742
Smithfield Twp., Monroe County	PAG02004505006R(1)	Charles W. Kirkwood Mosier Development, LLC 1 River Road Shawnee-on-Delaware, PA 18356	Unnamed Tributary to Brodhead Creek CWF, MF	Monroe Co. Cons. Dist. 570-629-3060
Newton Twp., Lackawanna County	PAG02003511024	Joseph Kelly 400 E. Market St. Scranton, PA 18509	UNT to Gardner Creek, CWF, MF	Lackawanna Co. Cons. Dist. 570-281-9495

NOTICES

6277

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Exeter Borough, Luzerne County	PAG02004010022	Wal-Mart Real Estate Business Trust, A Delaware Statutory Trust, Mark Goldsmith 2001 SE 10th St. Mail Stop 5570 Bentonville, AR 72716	Susquehanna River, WWF, MF; Hicks Creek, CWF, MF	Luzerne Co. Cons. Dist. 570-674-7991
Straban Township Adams County	PAG02000111012	Richard Leatham S&A Homes, Inc. 2121 Old Gatesburg Road, Suite 200 State College, PA 16803	UNT to Rock Creek/ WWF	Adams Co. Conservation District 670 Old Harrisburg Rd, Suite 201 Gettysburg, PA 17325 717-334-0636
Hopewell Twp. Bedford County	PAG02000511009	Michael A. Cottle 13136 Lincoln Highway Everett, PA 15537	Raystown Branch of Juniata River/WWF	Bedford Co. Conservation District 702 W Pitt St. Bedford, PA 15522 814.623.7900
Napier Township Bedford County	PAG0200511010	Burgmeiers Hauling, Inc. RD 1, Box 938 Altoona, PA 16603	UNT Raystown Branch of Juniata River/ WWF	Bedford Co. Conservation District 702 W Pitt St. Bedford, PA 15522 814.623.7900
Centre Township Berks County	PAG02000611043	David Phillips Irish Creek Excavation 2069 Tower Road Mohrsville, PA 19541	Irish Creek/WWF	Berks Co. Conservation District 1238 Cty Welfare Rd, Suite 200 Leesport, PA 19533 610.372.4657
Hamburg Borough Berks County	PAG02000611025	Jeffrey Bayuk Blue Ridge Development P. O. Box 228 Bath, PA 18014	Kaercher Creek/ WWF	Berks Co. Conservation District 1238 Cty Welfare Rd, Suite 200 Leesport, PA 19533 610.372.4657
Lower Swatara Township Dauphin County	PAG02002206066R	Douglas Ferguson Phoenix Contact Inc. 586 Fulling Mill Road Middletown, PA 17057	Swatara Creek/ WWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
East Hanover Township Lebanon County	PAG02003811014	Joseph Silbaugh Conrads Olde Mill LP PO Box 20202 York, PA 17402	Indiantown Run/ WWF	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717.272.3908, Ext. 4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Marysville Boro. Perry County	PAG02035011007	Marysville Borough 200 Overcrest Road Marysville, PA 17053	Susquehanna River/ WWF	Perry Co. Conservation District 31 West Main St., PO Box 36 New Bloomfield, PA 17068 717.582.8988
Greenwood Twp. Perry County	PAG02035011009	PPL Electric Utilities Two North Ninth Street Allentown, PA 18101	Wildcat Run/ CWF	Perry Co. Conservation District 31 West Main St., PO Box 36 New Bloomfield, PA 17068 717.582.8988
Penn Township York County	PAG2006711025	James Butt Snyder's-Lance Inc 1250 York Street Hanover, PA 17331	Codorus Creek/ WWF	York Co. Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

Northcentral Region: Watershed Management Program Manager, 208 W Third Street, Williamsport, Pa 17701

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Penn Township Centre County	PAG02001411011	Ram Centre Inc PV Area School Dist 4528 Penns Valley Rd Spring Mills PA 16875	UNT to Penns Creek CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte PA 16823 (814) 355-6817
City of Williamsport Lycoming County	PAG02004111017	Jeffery Richards Williamsport Area School District 2780 W 4th St Williamsport PA 17701	West Branch of Susquehanna River WWF	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville PA 17754 (570) 433-3003
Ralpho Township Northumberland County	PAG02004908007R	Danson Subdivision 574 Bear Gap Rd Elysburg PA 17824	UNT to Shamokin Creek CWF, MF	Northumberland Cnty Conservation Dist 441 Plum Creek Rd Sunbury PA 17801 (570) 286-7114 Ext. 4

Southwest Region: Regional Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Greene County Perry Township	PAG02003011006	Joe Pyle 199 Gas Company Road Mt. Morris, PA 15349	Dunkard Creek-(WWF)	Greene County CD 19 South Washington Street Waynesburg, PA 15370 724.852.5278

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Greene County Perry Township	PAG02003011007	Southwestern PA Water Authority PO Box 187 1442 Jefferson Rd Jefferson, PA 15344	Boyd Run, Ruff Creek, Tenmile (TSF) (WWF)	Greene County CD 19 South Washington Street Waynesburg, PA 15370 724.852.5278
Indiana County Marion Center Borough	PAG2003209013	Pynos Construction Company 300 Stone Pine Drive Blairsville, PA 15717	UNT Pine Run-(CWF)	Indiana County CD 625 Kolter Drive Suite 8 Indiana, PA 15701 724.471.4751
Indiana County White Township	PAG02003211008	Citizens Ambulance Service, Inc. 805 Hospital Road Indiana, PA 15701	McCarthy Run- (CWF)	Indiana County CD 625 Kolter Drive Suite 8 Indiana, PA 15701 724.471.4751
Washington County Cecil Township	PAG2006311024	Cecil Township 3599 Millers Run Road Cecil, PA 15321	McPherson Creek/Chartiers Creek-(WWF)	Washington County CD 100 West Beau Street Suite 105 Washington, PA 15301 724.228.6774
Adams Township Butler County	PAG02 0010 11 017	Thomas Lower Adams Land Company 41 Water Station Road Evans City PA 16033	UNT Breakneck Creek WWF	Butler Conservation District 724-284-5270
West Mead Township Crawford County	PAG02 0020 11 003	Meadville Rehab and Nursing Center 14714 Park Avenue Ext. Meadville PA 16335	Bennyhoof Run CWF; MF	Crawford Conservation District 814-763-5269
Fairview and McKean Township Erie County	PAG02 0025 11 011	BT Erie Casino LLC 116 Union Avenue Altoona PA 16602	Elk Creek / UNT Elk Creek WWF; MF	Erie Conservation District 814-825-6403
Summit Township Erie County	PAG02 0025 11 014	BT Erie Casino LLC 116 Union Avenue Altoona PA 16602	Walnut Creek CMF; MF	Erie Conservation District 814-825-6403
City of Erie & Millcreek Township Erie County	PAG02 0025 11 0026	PADOT District 01 255 Elm Street, PO Box 398 Oil City PA 16301	UNT W. Br. Cascade Creek WW; MF UNT Walnut Creek CWF; MF	Erie Conservation District 814-825-6403
City of Bradford McKean County	PAG02 0042 11 005	Habiterra 1279 North Main Street Jamestown NY 14701	Tunungwant Creek CWF	McKean Conservation District 814-887-4001
Pine Township Mercer County	PAG02 0043 11 009	Grove City YMCA 543 East Main Street Ext Grove City PA 16127	UNT Swamp Run CWF	Mercer Conservation District 724-662-2242

General Permit Type—PAG-03

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Upper Merion Township Montgomery County	PAR20032	Lane Enterprises Inc. 3905 Hartzdale Drive Suite 514 Camp Hill, PA 17011	UNT to Schuylkill River WWF—3-F	Southeast Region Water Management 484.250.5970

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Haverford Township Delaware County	PAR800097	United States Postal Service 1675 Camp Hill Bypass Camp Hill, PA 17011	Cobbs Creek—3-G	Southeast Region Water Management 484.250.5970
Federal Express Corporation PNEA 741 5th Avenue King of Prussia, PA 19406 Upper Merion Township Montgomery County	PAR800073	Federal Express Corporation 3620 Hacks Cross Road Building B, 2nd Floor Memphis, TN 38125	Unnamed Tributary to Trout Creek	Southeast Region Water Management 484.250.5970
City of Chester Delaware County	PAR230097	Majestic Products, LLC 622 Mary Street, 3rd Floor Warminster, PA 18974	Delaware River 3-G	Southeast Region Water Management 484.250.5970
Berks County Cumru Township	PAR603502	Allegheny Towing & Salvage Company PO Box 203 Birdsboro, PA 19508-0203	Schuylkill River / WWF	Southcentral Region Office DEP 909 Elmerton Avenue Harrisburg, PA 17110 717.705-4707
Montoursville Borough Lycoming County	PAR804885	Petroleum Products Inc. 500 River East Drive Belle, WV 25015	Bennetts Run— 10-D	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Leroy Township Bradford County	PAR804884	Petroleum Products Inc. 500 River East Drive Belle, WV 25015	Towanda Creek— 4-C	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
City of Williamsport Lycoming County	PAR604841	Penn Recycling, Inc. 2525 Trenton Avenue Williamsport, PA 17701	Unnamed Tributary to West Branch Susquehanna River—10-A	DEP Northcentral Regional Office Water Management 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664
Verona Borough Allegheny County	PAR236120	Consolidated Container Company, LP 601 Seldon Avenue Verona, PA 15147	Plum Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 412-442-4000

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lancaster Township Butler County	PAR608331	John Wagner & Sons Foreign Auto Parts 735 Perry Highway Harmony, PA 16037	Unnamed tributary to Scholars Run 20-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Paint Township Clarion County	PAR228317	Clarion Boards Inc. 143 Fiberboard Road Shippenville, PA 16254	Unnamed tributaries to Clarion River 17-B	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Paint Township Butler County	PAR708312	IA Construction Corp. 158 Lindsay Road Zelienople, PA 16063	Unnamed tributary to Allegheny River 17-B	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Franklin County / Lurgan Township	PAG043919	Tonia C. Metcalf 11489 Fort Loudon Road Mercersburg, PA 17235	Unt Licking Creek / 13-C	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

Permit Type—PAG-5

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County Robeson Township	PAG053603	Turkey Hill, LP 257 Centerville Road Lancaster, PA 17603-4059	Allegheny Creek / CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Carroll Township Washington County	PAG056248	Coen Oil Company PO Box 34 1045 West Chestnut Street Washington, PA 15301	Pigeon Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-6**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
North Braddock Borough Allegheny County	PAG066114	North Braddock Borough 600 Anderson Street North Braddock, PA 15104	Turtle Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-12**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Adams County Tyrone Township	PAG123713	Malcolm R. Rudolph Granite Ridge Farms 200 Ginzel Road New Oxford, PA 17350	UNT Conewago Creek / WWF	Southcentral Region Office DEP 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4707
Kelly Township, Union County	PAG124805	David N. Groff David Groff Farm 262 Pawling Road Lewisburg, PA 17837-7311	UNT of Susquehanna River, Buffalo Creek Watershed 10C,WWF	PADEP-North Central Regional Office Watershed Management, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448 570-327-0529

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
David W. Sweigart 189 Ridge View Road South Elizabethtown, PA 17022	Lancaster	615	981	Dairy / Swine	NA	Approved
Elvin Hurst 61 Clay Road Lititz, PA 17543	Lancaster	33	351.37	Broilers	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 0911542 Public Water Supply
 Applicant **George E. Michael & Company, Inc.**
 P. O. Box 59
 New Hope, PA 18938
 Borough New Hope
 County **Bucks**
 Type of Facility PWS

Consulting Engineer Ebert Engineering, Inc.
 4092 Skippack Pike
 P. O. Box 540
 Skippack, PA 19474
 Permit to Construct Issued September 26, 2011

Permit No. 2311503 Public Water Supply
 Applicant **Aqua Pennsylvania, Inc.**
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Township Newtown
 County **Delaware**
 Type of Facility PWS
 Consulting Engineer Gannett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106-7100

Permit to Construct Issued September 9, 2011

Operations Permit No. 1511524 issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, (PWSID#1460073), Honey Brook Township, **Chester County** on September 13, 2011 for the operation of a Grandstaff Tank 180,000 gallons approved under construction permit #.1510521.

Permit No. 1510525 Public Water Supply
 Applicant **Aqua Pennsylvania, Inc.**
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Township East Marlborough
 County **Chester**
 Type of Facility PWS
 Consulting Engineer CET Engineering Services
 1240 North Mountain Road
 Harrisburg, PA 17112

Permit to Construct Issued December 7, 2010

Permit No. 2310516 Public Water Supply
 Applicant **Chester Water Authority**
 415 Welsh Street
 P. O. Box 467
 Chester, PA 19016-0467
 Township Little Britain
 County **Lancaster**
 Type of Facility PWS

Consulting Engineer CET Engineering
1240 North Mountain Road
Harrisburg, PA 17112

Permit to Construct November 9, 2010
Issued

Permit No. 2310517 Public Water Supply
Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Tinicum

County **Delaware**

Type of Facility PWS

Consulting Engineer Aqua Pennsylvania, Inc.
762 West Lancaster Avenue
Bryn Mawr, PA 19010-3402

Permit to Construct December 28, 2010
Issued

Permit No. 2311503 Public Water Supply
Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Newtown

County **Delaware**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.
P. O. Box 67100
Harrisburg, PA 17106-7100

Permit to Construct September 9, 2011
Issued

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 3611538 MA, Minor Amendment, Public Water Supply.

Applicant **Ridgewood Manor MHP, Inc.**

Municipality Rapho Township

County **Lancaster**

Responsible Official Richard E Haldeman,
Owner President
101 Ridgewood Manor Inc
Manheim, PA 17545

Type of Facility Installation of 100 feet of 18-inch
chlorine contact piping and
demonstration of 4-log treatment
of viruses.

Consulting Engineer David J Gettle
Kohl Bros., Inc.
PO Box 350
Myerstown, PA 17067

Permit to Construct 10/27/2011
Issued:

Permit No. 6711513 MA, Minor Amendment, Public Water Supply.

Applicant **The York Water Company**

Municipality Spring Garden Township

County **York**

Responsible Official Mark S Snyder,
Engineering Manager
130 East Market Street
PO Box 15089
York, PA 17405-7089

Type of Facility Flocculator replacement.

Consulting Engineer Mark S Snyder, P.E.
The York Water Company
130 East Market Street
PO Box 15089
York, PA 17405-7089

Permit to Construct 10/27/2011
Issued:

Permit No. 3611534 MA, Minor Amendment, Public Water Supply.

Applicant **F & P Enterprises**

Municipality Brecknock Township

County **Lancaster**

Responsible Official David C. Fulton, Manager
100 Birchview Drive
Coatesville, PA 19320

Type of Facility Installation of 200 feet of 10-inch
chlorine contact piping and
demonstration of 4-log treatment
of viruses for EP 100.

Consulting Engineer Charles A Kehew II, P.E.
James R. Holley & Assoc., Inc.
18 South George St.
York, PA 17401

Permit to Construct 10/27/2011
Issued:

Permit No. 3611537 MA, Minor Amendment, Public Water Supply.

Applicant **Model Enterprises, Inc.**

Municipality Rapho Township

County **Lancaster**

Responsible Official Stuart H. Loss, President
630 Delp Road
Lancaster, PA 17601

Type of Facility Installation of twenty 120-gallon
chlorine contact tanks and
demonstration of 4-log treatment
of viruses.

Consulting Engineer Charles A Kehew II, P.E.
James R. Holley & Assoc., Inc.
18 South George St.
York, PA 17401

Permit to Construct 10/27/2011
Issued:

Operations Permit issued to: **Meadow View Ventures, LLC**, 7500040, Centre Township, **Perry County** on 10/7/2011 for the operation of facilities submitted under Application No. 7500040.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Permit No. Minor Amendment—Construction Public Water Supply.

Applicant **Pennsylvania American Water Company**
 [Township or Borough] Milton Borough
 County **Northumberland**
 Responsible Official Mr. David R. Kaufman
 Vice President-Engineering
 Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Type of Facility Public Water Supply
 Consulting Engineer Scott Michael Thomas, P.E.
 Pennsylvania American Water Company
 852 Wesley Drive
 Mechanicsburg, PA 17055
 Permit Issued November 8, 2011
 Description of Action Blasting and repainting/rehabilitating interior and exterior of Milton Sludge Tanks 1 & 2.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Operations Permit issued to: **UMH Properties, Inc.**, 1275 Forman Drive, Morgantown, WV 26508, (PWSID #4560003) Somerset Township, **Somerset County** on October 27, 2011 for the operation of facilities approved under Construction Permit #5605501.

Operations Permit issued to: **Municipal Authority of the Borough of Midland**, 946 Railroad Avenue, Midland, PA, 15059, (PWSID #5040038) Midland Borough, **Beaver County** on October 27, 2011 for the operation of facilities approved under Construction Permit #0410517.

Permit No. 5610519GWR, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of the Borough of Berlin**,
 700 North Street,
 Berlin, PA 15530
 [Borough or Township] Brothersvalley Township and Berlin Borough
 County **Somerset**
 Type of Facility Water system
 Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive
 Somerset, PA 15501
 Permit to Operate Issued November 8, 2011

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No., 363W3-T1-MA5 Public Water Supply
 Applicant **Erie City Water Authority d/b/a Erie Water Works**
 Township or Borough City of Erie and Harborcreek Township
 County **Erie**

Type of Facility Public Water Supply
 Consulting Engineer Craig J. Bauer, P.E.
 KLH Engineers, Inc.
 5173 Campbells Run Road
 Pittsburgh, PA 15205
 Permit to Construct Issued November 1, 2011

Transfer of Operations Permit issued to **Sykesville Borough**, PWSID #6330013, Sykesville Borough, **Jefferson County** on August 23, 2011. Action is for change in ownership; the potable water supplier will do business as Sykesville Borough. The new permit number is 5014-T2.

Operations Permit issued to **ACRI Commercial Realty Inc. d/b/a Abbey Woods Development**, PWSID # 5100144, Jackson Township, **Butler County**. Permit Number 1000503-T1-MA1, issued November 4, 2011 for the operation of 4-Log treatment of viruses for Entry Point 101. This action is taken under the requirements of the Groundwater Rule.

Transfer of Operations Permit issued to **Andrew Narlee d/b/a Country Estates Mobile Home Park**, PWSID #6610038, Clinton Township, **Venango County** on November 8, 2011. Action is for change in ownership; the potable water supplier will do business as Country Estates Mobile Home Park. The new permit number is 6196501-T1.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Plan Location: Final Report Official Sewage Facilities Plan (Act 537)

Borough or Township	Borough or Township Address	County
Chapman Borough	1400 Main St., Borough Hall Bath, PA 18014	Northampton

Plan Description: The approved plan provides for Official Sewage Facilities Plan (Act 537) for Chapman Borough, Northampton County, PA. The proposal covers the entire borough and consists of a sewage disposal needs evaluation which considered structural alternatives such as community collection/conveyance/treatment options for both stream and land disposal, as well as community and individual on-lot disposal options. A non-structural alternative to implement a Sewage Management Program was also evaluated. The submission is consistent with the planning requirements given in Chapter 71 of the Rules and Regulations of the Department.

The plan provides for the continued use of on-lot sewage disposal systems in the Borough and the implementation of a Sewage Management Program for the regular inspection, operation, and maintenance of on-lot disposal systems. The Borough's Sewage Management Program will include the following:

Adoption of a Sewage Management Ordinance which will regulate the maintenance, inspection and repair of existing and future on-lot sewage disposal systems. Property owners will be required to perform septic tank inspections and pumpout as needed every three years and to submit copies of inspection reports to the Borough.

Furthermore, this Ordinance will provide for enforcement and penalties for violations of the Ordinance.

Adoption of a Holding Tank Ordinance which will regulate the use of holding tanks and provide for inspections of holding tanks and penalties for violations of the Ordinance.

Adoption of a Small Flow Wastewater Disposal System Ordinance which will regulate the installation operation, maintenance and inspection of a small flow treatment and disposal facility where the use of an individual subsurface sewage disposal system may present potential health risks and provide for penalties for violation of the Ordinance.

Distribution of public information materials in the annual Chapman Borough newsletter such as a description of a properly functioning on-lot sewage disposal system, information on water conserving devices to reduce hydraulic loading of a sewage system, and the inspection/pumping form.

Monitoring and review of new construction system installations or repairs/replacements of existing systems.

The recommended plan implementation schedule designates the year 2012 as the first year of implementation for the three-year cycle of the Sewage Management Program.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
North Middleton Township	2051 Spring Rd, Carlisle PA 17013	Cumberland

Plan Description: Approval of a revision to the Official Sewage Plan of North Middleton Township, Cumberland County. The plan revision provides for the use of a small flow treatment facility to treat up to 500 gpd on an existing 2.56 acre lot to replace a malfunctioning on lot sewage disposal system for a single family dwelling. The proposed development is located at 110 Union Hall Road in North Middleton Township. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-21920-228-3S and the APS Id is 761572. Any required WQM Permits must be obtained in the name of the property owner.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Maxatawny Township	127 Quarry Rd., Kutztown PA 19530	Berks County

Plan Description: The approved plan provides for a 2 lot commercial development to generate a total of 1150 gallons of sewage per day. Lot 1 is to be served by a DEP permitted on-lot system. Lot 2 is to be served by an Orenco Advantex on-lot system. The proposed development is located on Grim Rd., Maxatawny Township, Berks County. The plan revision DEP number is A3-06944-170-3S. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Robeson Township	2689 Main St., Birdsboro, PA 19508	Berks County

Plan Description: The approved plan provides for a 198 lot residential subdivision to generate a total of 54,648 gallons of sewage per day to be served by a proposed pump station that is tributary to the Robeson Township Municipal Authority sewage treatment plant. The proposed development is located on Cedar Hill Rd., Robeson Township, Berks County. The plan revision DEP number is A3-06954-236-3. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Hellam Township	44 Walnut Springs Road, York, PA 17406	York County

Plan Description: Westbury Hunt Subdivision, DEP Code No. A3-67929-223-2: The approved plan provides for a 28 lot single-family residential subdivision on 199.46 acres with total estimated sewage flows of 11,200 gpd to be treated by individual on-lot disposal systems. Approval is granted subject to the provisions contained in the stipulation for settlement recognized by the Environmental Hearing Board Order issued July 27, 2011 in the case EHB Docket No. 2011-022-L. The subdivision is located on the northwestern corner of Ducktown Road and Picking Road in Hellam Township, York County. Any required NPDES Permits or WQM Permits must be obtained in the name of the applicant.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific

standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Erie County Convention Center Authority Bayfront Site (Frm. GAF Materials Corp.), City of Erie, **Erie County**. AMEC E&I, Inc., 800 North Bell Avenue, Suite 200, Pittsburgh, PA 15106 on behalf of Erie County Convention Center Authority, 809 French Street, Erie, PA 16501 has submitted a Remedial Investigation Report concerning remediation of site soil contaminated with anthracene, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[g,h,i]perylene, carbazole, chrysene, 4-methylphenol[p-cresol], naphthalene, 1,3,5-trimethylbenzene, benzene and site groundwater contaminated with benzo[a]anthracene, benzo[a]pyrene, benzo[g,h,i]perylene, 2,4-dichlorophenol, hexachlorobenzene, 4-methyl-phenol[p-cresol], naphthalene, and benzene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Norwin Towne Center, North Huntingdon, **Westmoreland County**. Bruce Shaw, American Geosciences, Inc. 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668 on behalf of The Soffer Organization, 424 South 27th Street, Pittsburgh, PA 15203 has submitted a Cleanup Plan concerning the remediation of site soils and groundwater contaminated with chlorinated compounds (PCE, TCE, Vinyl Chloride). The Cleanup Plan was noticed in The Tribune Review on October 6, 2011.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to

one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401

McAtee Residence, East Norriton Township **Montgomery County**. Staci Cottone, J&J Spill Service and Supplies Inc., PO Box 370, Blue Bell, PA 19422 on behalf of Susan McAtee, 3012 Stony Creek Road, Norristown, PA 19401 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the State-wide Health Standard and was approved by the Department on October 12, 2011.

Mark II Associates Inc., Property, Folcroft Borough **Delaware County**. Ed Eichen, The OAK Group, Inc., 200 Federal Street, Suite 300, Camden, NJ 08103 on behalf of Cynthia Ray, Mark II Associates, Inc., 266 South 23rd Street, Philadelphia, PA 19103 has submitted a Remedial Investigation/Final Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Remedial Investigation/Final Report was approved by the Department on October 5, 2011

Esperanza Health Center, City of Philadelphia, **Philadelphia County**. John Luxford, Malcolm Pirnie, 640 Freedom Business Center, Suite 310, King of Prussia,

PA 19406, Meredith Langille, Malcolm Pirnie Suite 310, King of Prussia, PA 19406 on behalf of Susan Post, Esperanza Health Center, 3156 Kensington Avenue, Philadelphia, PA 19134 has submitted a Final Report concerning the remediation of site groundwater contaminated with inorganics. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on October 6, 2011.

Stove Works Facility, Hatboro Borough **Montgomery County**. James F. Mullan, P.E., Hocage Consultant Inc., 987 Haddon Avenue, Collingswood, NJ 08108 on behalf of David Kilcoyne, Plumridge Property, LLC, 237 Jacksonville Road, Hatboro, PA 19040 has submitted a Cleanup Plan/Final Report concerning the remediation of site groundwater contaminated with inorganic. The Cleanup Plan/Final Report was disapproved by the Department on October 3, 2011.

Eaton Residence, Pennsbury Township **Chester County**. Charles Burger, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, Jim MacMahon, Allstate Insurance Company, 1200 Artwater Drive, Suite 110, Malvern, PA 19355 on behalf of Danielle Eaton, 30 Stirling Way, Chadds Ford Township, PA 19317 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 1, 2011.

120 Leon Avenue Property, Norwood Borough **Delaware County**. Samuel Kucia, Environmental Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401, Richard S. Werner, P.G., Environmental Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401 on behalf of Johanna Johnson, 122 Leon Avenue, Norwood, PA 19074, Kimberly Hurtado, 120 Leon Avenue, Norwood, PA 19074 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 3, 2011.

114 Leon Avenue Site, Norwood Borough **Delaware County**. Samuel Kucia, Environmental Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401, Richard S. Werner, P.G., Environmental Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401 on behalf of Johanna Johnson, 122 Leon Avenue, Norwood, PA 19074, David Roger, 114 Leon Avenue, Norwood, PA 19074 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 6, 2011.

Conrail Morrisville Yard, Falls Township **Bucks County**. Jeffery Seier, ARCADIS US, 17-17 Route 208 North 2nd Floor, Fairlawn, NJ 07410 on behalf of Neil P. Ferrone, Consolidated Rail Corporation, 1000 Howard Blvd. Mount Laurel, NJ 08054 has submitted a 90 day Final Report concerning the remediation of site soil contaminated with diesel fuel. The 90 day Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 27, 2011.

US Steel Fairless Works/ABC 7.5 Acre KIPC, Falls Township **Bucks County**. Colleen Costello, Langan Engineering and Environmental Services, Inc. 2700 Kelly Road, Suite 200 Warrington, PA 18976, Juddson W. Herr, Langan Engineering and Environmental Services, Inc.

2700 Kelly Road, Suite 200 Warrington, PA 18976 on behalf of Kathleen Mayher, United States Steel Corporation, 600 Grant Street, Pittsburgh, PA 15219 has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on September 1, 2011.

Transmontaigne Site, City of Philadelphia, **Philadelphia County**. Paul Martino, Pennoni Associates, Inc., 3001 Markets Street, Philadelphia, PA 19104, William Schmidt, P.E., Pennoni Associates, Inc., 3001 Markets Street, Philadelphia, PA 19104, Jon Edelstein, Philadelphia Department of Commerce, 1515 Arch Street, 12th Floor Philadelphia, PA 19102, on behalf of Elizabeth Gabor, Philadelphia Industrial Development Corporation, 2600 Center Square West, 1500 Market Street, Philadelphia, PA 19102 has submitted a Remedial Investigation/Cleanup Plan concerning the remediation of site groundwater and soil contaminated with unleaded gasoline and inorganics. The Remedial Investigation/Cleanup Plan was approved by the Department on September 12, 2011.

Bristol Dry Cleaners, Bristol Borough **Bucks County**. Steve F. Coe, Brown Environmental Services Corporation, 301 South State Street, Suite S201, Newtown, PA 18940 on behalf of Roman Iwaskiw, Brown Environmental Services Corporation, 301 South State Street, Suite S201, Newtown, PA 18940 has submitted a Remedial Investigation Report/Cleanup Plan and Risk Assessment Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Remedial Investigation Report/Cleanup Plan and Risk Assessment Report were approved by the Department on October 18, 2011.

David Property, City of Philadelphia, **Philadelphia County**. Jeffery K. Walsh, P.G., Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Bryan Cullen, Westrum Park Place, L.P., 370 Commerce Drive, Suite 100, Fort Washington, PA 19034 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with petroleum compounds, metals, polynuclear aromatic hydrocarbons and other organic compounds. The Final report did not demonstrate attainment of the Site Specific Standard and Statewide health Standard was disapproved by the Department on October 21, 2011

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Ateeco, Inc. (Former Mrs. T's Pierogies), 600 East Center Street, Shenandoah Borough, **Schuylkill County**. Iain G. Barton, EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017 submitted a Final Report (on behalf of his client, Ateeco, Inc., P. O. Box 606, Shenandoah, PA 17976), concerning the remediation of soil found to have been impacted by mineral oil as a result of a release from an electrical transformer which was caused by a suspected act of vandalism. The report documented attainment of the Residential Statewide Health Standard for soil and was approved on November 7, 2011.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former York International Corporation, Grantley Plant, 631 South Richland Avenue, York, PA, 17403, Spring Garden Township, **York County**. GZA GeoEnvironmental, Inc., 20900 Swenson Drive, Suite 150, Waukesha,

WI 53186, on behalf of Johnson Controls, Inc., c/o Gonzalez Saggio & Harlan LLP, 225 East Michigan Street, 4th Floor, Milwaukee, WI 53202, and Patriot Richland Associates, LP, 1200 Liberty Ridge Drive, Suite 115, Wayne, PA 19087, submitted a Final Report concerning remediation of site soils and groundwater contaminated with VOCs and PAHs from past industrial activities. The Final Report demonstrated attainment of a combination of Non-Residential Statewide Health and Site-Specific Standards, and was approved by the Department on November 1, 2011.

Campus Oral Surgery, 1000 Rohrerstown Road, Lancaster, PA 17601, East Hempfield Township, **Lancaster County**. Reliance Environmental, Inc. 130 East Chestnut Street, Lancaster, PA 17602, on behalf of Campus Oral Surgery, 2100 Harrisburg Pike, Suite 22, Lancaster, PA 17604, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on November 2, 2011.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Northumberland National Bank, Middleburg Branch, Franklin Township, **Snyder County**. Black Rock Environmental, LLC., PO Box 288, Nazareth, PA 18064 on behalf of Mike Flook, 245 Front Street, Northumberland, Pa 17857 has submitted a Final Report concerning the remediation of site soil contaminated with #2 heating oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 4, 2011.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Kovalchick Salvage Yard—Wayne Avenue Properties, White Township, **Indiana County**. L. Robert Kimball & Associates Inc., 615 Highland Avenue, Ebensburg, PA 15931 on behalf of Gary Taylor, commonwealth of Pennsylvania, Department of General Services, Bureau of Engineering and Architecture, Room 201, 18th and Herr Streets, Harrisburg, PA 17120 and Victor Piro, Commonwealth of Pennsylvania, Department of General Services, Bureau of Real Estate, Room 500, North Office Building, Harrisburg, PA 17125 has submitted a Final Report for TCE in Groundwater at the Kovalchick Salvage Yard—Wayne Avenue Properties. The Final Report for TCE in Groundwater was approved on November 2, 2011.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 301353. Advanced Waste Services of PA, LLC, 1001 Sampson Street, New Castle, PA 16101, New Castle, **Lawrence County**. A major permit modification received July 20, 2011 to allow for the acceptance of certain types of municipal waste. The permit was approved by the Northwest Regional Office on November 1, 2011.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

48-310-063GP3: Brandenburg Industrial Service Co. (2217 Spillman Drive, Bethlehem, PA 18015) on November 1, 2011, to construct and operate a Portable Crushing Operation with watersprays at their site in Bethlehem, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

GP1-01-05033A: Knouse Foods Cooperative, Inc. (800 Peach Glen-Idaville Road, Peach Glen, PA 17375-0001) on November 1, 2011, for a new 31.3 MMBtu/hr natural, gas-fired boiler under GP1, at their apple processing facility in Tyrone Township, **Adams County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP1-41-00015: Pennsylvania Department of Corrections (6454 Route 405 Highway, Muncy, PA 17756) on October 21, 2011, to construct and operate a 27.22 million Btu per hour, Hurst model 650 X1D natural gas -fired boiler pursuant to General Plan Approval and/or General Operating Permit BAQ-GPA/GP-1, Small Gas and #2 Oil Fired Combustion Units for their Muncy Correctional Institution in Clinton Township, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP3-63-00963: Boord, Benchek and Assoc., Inc. (345 Southpointe Boulevard, Canonsburg, PA 15317) on October 28, 2011, to install and operate a Metso Lokotrack LT 106 portable nonmetallic mineral processing plant, rated at 400 tons per hour, at their Ostop—Schneider Borrow Site in Smith Township, **Washington County**.

GP9-63-00963: Boord, Benchek and Assoc., Inc. (345 Southpointe Boulevard, Canonsburg, PA 15317) on October 28, 2011, to install and operate a Caterpillar C9 diesel-fired engine, rated at 300 bhp, controlled by a CleanAIR Systems Assure DOC oxidation catalyst at their Ostop—Schneider Borrow Site in Smith Township, **Washington County**.

GP5-65-01016: Laurel Mountain Midstream, LLC (1550 Coraopolis Height Road, 2nd Floor, Moon Township, PA 15108) on November 3, 2011, to install and operate seven (7) Caterpillar model G3516B lean-burn natural gas-fired compressor engines, each rated at 1,380 brake horsepower and controlled by oxidation catalysts, and one (1) 75 MMscfd dehydration unit with reboiler rated at 1.5

MMBtu/hr, controlled by a flare, at their Donegal Compressor Station in Donegal Township, **Westmoreland County**.

GP5-26-00592: Burnett Oil Company, Inc. (Point Plaza Suite 120, 601 Technology Drive, Canonsburg, PA 15317) on October 27, 2011, to construct and operate sources and controls associated with a natural gas production facility at their Shoaf Compressor Station located in German Township, **Fayette County**.

GP5-63-00946C: Chevron Appalachia, LLC (1550 Coraopolis Heights Road, PO Box 611, Moon Township, PA 15108) on November 3, 2011, to construct and operate sources and controls associated with a natural gas production facility at their Deemston Compressor Station (formerly owned and operated by Atlas America, LLC) in Deemston Boro, **Washington County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

15-0090D: NE Opco, Inc.—dba National Envelope (303 Eagleview Boulevard Exton, PA 19341) on November 2, 2011, for installation and addition of three (3) Winkle and Dunnebler WD627 flexographic printing presses at their existing facility in Uwchlan Township, **Chester County**. To make floor space for these three presses, three (3) WD527s will be removed. Actual emissions of VOCs and HAPs are expected to increase by 1.8 and 0.4 tons per year respectively. The facility will continue to comply with its current synthetic minor emission limits of 24.66 tons of VOCs, 12.62 tons of total HAPS, and 9.9 tons of any individual HAP, each on a 12 consecutive month basis. The facility is not subject to the Greenhouse Gas regulations. Appropriate monitoring and recordkeeping requirements have been incorporated into this plan approval.

23-0001AC: Sunoco, Inc.—R & M—Marcus Hook Refinery. (100 Green Street, Marcus Hook, PA 19061) on October 28, 2011, in Marcus Hook Borough, **Delaware County** to construct and install a Selective Non-Catalytic Reduction (SNCR) control device at an existing Fluid Catalytic Cracking Unit (FCCU) for the control and reduction of NO_x emissions. Additional changes include annual aggregate mass emission limits of SO₂ (2200 tons) and NO_x (1080 tons). NO_x emissions are expected to be reduced by a minimum of 85 tons through the installation of this SNCR. Appropriate monitoring and recordkeeping requirements have been incorporated into this plan approval.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

46-0094A: Highway Material (1750 Walton Road, Bluebell, PA 19422) on October 31, 2011, to operate a bag-house in Whitemarsh Township, **Montgomery County**.

09-0021C: MRI Flexible Packaging Co. (122 Penns Trail, Newtown, PA 18940) on October 28, 2011, to operate a regenerative thermal oxidizer in Newtown Township, **Bucks County**.

15-0009C: AGC Chemicals America, Inc. (255 South Bailey Road, Downingtown, PA 19355) on October 21, 2011, to operate a fluidized bed dryer in Caln Township, **Chester County**.

23-0111A: Centocor Research and Development, Inc. (145 King of Prussia, Radnor PA 19087) on October 28, 2011, to operate a generator in Radnor Township, **Delaware County**.

15-0060D: Southeastern Chester County Refuse Authority (P. O. Box 221, Kennett Square, PA 19348) on October 28, 2011, to operate an enclosed flare in London Grove Township, **Chester County**.

23-0114: Henry H. Ottens Manufacturing Co., Inc. (600A Kaiser Drive, Folcroft, PA 19032) on October 28, 2011, to operate a rotoclone in Folcroft Borough, **Delaware County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

24-161B: Greentree Landfill Gas Co., LLC (Tower Road, Brockway, PA 15824) on October 31, 2011, to construct two natural gas compressor engines to replace the existing two compressor engines for boosting natural gas production into the custody transfer point in Horton Township, **Elk County**. This is a State Only facility.

62-017P: United Refining Co. (15 Bradley Street, Warren, PA 16365) on October 31, 2011, to modify Boiler No. 4 to install flue gas recirculation in City of Warren, **Warren County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

44-05001: Standard Steel LLC (500 North Walnut Street, Burnham, PA 17009-1644) on October 28, 2011, for the steel railroad wheel and axle forging/manufacturing facility in Burnham Borough, **Mifflin County**. The Title V Permit was renewed and issued.

36-05001: Armstrong World Industries, Inc. (1507 River Road, Marietta, PA 17547-9403) on November 1, 2011, for their ceiling tile manufacturing facility in East Donegal Township, **Lancaster County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Chief, East Permitting Section—Telephone: 717-705-4862 or Daniel Husted, Chief, West Permitting Section—Telephone: 717-705-4863

21-05055: The Frog, Switch & Manufacturing Co. (600 East High Street, Carlisle, PA 17013) on October 26, 2011, for the steel foundry in Carlisle Borough, **Cumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636

37-00011: Dairy Farmers of America, Inc. (925 State Route 18, New Wilmington, PA 16142-5023) on November 1, 2011, renewed the State Only Operating Permit for the facility in Wilmington Township, **Lawrence County**. The facility is a Natural Minor. The primary sources at the facility include boilers, a dryer, 2 waste water treatment reactors, emergency generators, and a parts washer. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00172: Gemalto, Inc. (101 Park Drive, Montgomeryville, PA 18936) on November 2, 2011, to amend the operating permit to incorporate requirements of Plan Approval 46-0172C for a Sakurai Screen Press, into the facility's State Only Operating Permit, 46-00172 in Montgomery Township, **Montgomery County**. This Administrative Amendment is issued in accordance with the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131

10-00298: ESM Group, Inc. (955 Saxonburg Boulevard, Saxonburg, PA 16056-2317) on November 1, 2011, for an administrative amendment of the facility's Natural Minor Operating Permit because the facility divided into two different companies ESM Group Inc. and ESM Special Metals and Technology (SMT) Inc. with split up sources. The sources stay with this facility, 1) Lime handling and storage tank, 2) Mixing (In blend bldg.), 3) Fab Bldg. paint booth, 4) End product truck loading and, 5) Vessel cleaning (Bldg.) The facility produces Manganese blended powders (magnesium powders mixed with lime) located in Saxonburg Borough and **Butler County**. These revisions qualify as an administrative amendment as described in 25 Pa. Code § 127.450.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648

14-00034: Jostens, Inc. (401 North Science Park Road, State College, PA 16803) a Natural Minor Operating Permit 14-00034 was terminated on November 2, 2011, for their State College Plant in Ferguson Township, **Centre County**. All of the air-contaminant sources have ceased operation and are being removed from this facility.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30841316, Consol Pennsylvania Coal Company, LLC, (P. O. Box J, 1525 Pleasant Grove Road, Claysville, PA 15323), to revise the permit for the Bailey Mine and Prep Plant in Richhill and Aleppo Township, **Greene County** to amend 1173.70 subsidence control plan area acres from development mining to longwall mining. No additional discharges. The application was considered administratively complete on September 8, 2009. Application received: July 6, 2009. Permit issued: October 28, 2011.

63723707 and NPDES No. PA 0215520, Maple Creek Mining, Inc., (683 State Route 7 North, Burlile Building, P. O. Box 278, Gallipolis, OH 45631), to renew the permit and related NPDES permit and revise the permit for the Ginger Hill Refuse Area II in Nottingham and Carroll Township, **Washington County** to add a coal preparation plant at the refuse site. No additional discharges. The application was considered administratively complete on May 27, 2009. Application received: March 10, 2009. Permit issued: October 31, 2011.

63723707 and GP12-63723707-R15, Maple Creek Mining, Inc., (683 State Route 7 North, Burlile Building, P. O. Box 278, Gallipolis, OH 45631), to revise the permit for the Ginger Hill Refuse Area II in Nottingham and Carroll Township, **Washington County** to establish an emission inventory for a modular coal preparation plant with conveyors, raw coal screening, crushing, and storage, a processed coal storage pile, front end loader for pile manipulation and truck loading, and gravel haulroad based on 650,000 tons of raw coal per year and 2000 operating hours. Approval is authorized under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms, and conditions of GP12-

63723707. No additional discharges. The application was considered administratively complete on November 26, 2008. Application received: November 26, 2008. Permit issued: October 31, 2011.

30031301 and NPDES No. PA 0235610, Dana Mining Company of Pennsylvania, LLC, (308 Dents Run Road, Morgantown, WV 26501), to renew the permit for the 4-West Mine in Dunkard Township, **Greene County**. No additional discharges. The application was considered administratively complete on November 30, 2009. Application received: October 23, 2009. Permit issued: November 2, 2011.

30031301 and NPDES No. PA 0235610, Dana Mining Company of Pennsylvania, LLC, (308 Dents Run Road, Morgantown, WV 26501), to revise the permit for the 4-West Mine in Perry Township, **Greene County** for installation of two boreholes and pipeline for the Calvin Run Site, Surface Acres Proposed 11.9, no additional discharges. The application was considered administratively complete on February 23, 2011. Application received: January 24, 2011. Permit issued: November 2, 2011.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

32090201 and NPDES No. PA0262854, Britt Energies, Inc., 2450 Philadelphia Street, Indiana, PA 15701, commencement, operation and restoration of a bituminous coal refuse reprocessing surface mine in Conemaugh Township, **Indiana County**, affecting 11.9 acres. Receiving stream(s): unnamed tributaries to/and Sulfur Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. The permit includes a Chapter 105 authorization to construct and use an access road and crossing and to remove abandoned coal refuse along Sulfur Run. Application received: August 26, 2009. Permit issued: October 24, 2011.

05753004 and NPDES No. PA0124869, Heritage Coal & Natural Resources, LLC, 208 West Mud Pike Road, Rockwood, PA 15557, transfer of an existing bituminous surface mine from Forcey Coal, Inc., P. O. Box 225, Madera, PA 16661, located in Broadtop and Carbon Townships, **Bedford and Huntingdon Counties**, affecting 222.1 acres. Receiving streams: UTS to/and Coal Bank Run classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 20, 2011. Permit issued: October 31, 2011.

05070101 and NPDES No. PA0262544, Heritage Coal & Natural Resources, LLC, 208 West Mud Pike Road, Rockwood, PA 15557, transfer of an existing bituminous surface mine from Forcey Coal, Inc., P. O. Box 225, Madera, PA 16661, located in Broadtop Township, **Bedford County**, affecting 110.0 acres. Receiving stream(s): East Fork Brewster Hollow Run and Brewster Hollow Run classified for the following use(s): warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 20, 2011. Permit issued: October 31, 2011.

Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, 724-925-5500

02090102 and NPDES Permit No. PA0251780, Quality Aggregates, Inc. (4955 Steubenville Pike, Suite 245, Pittsburgh, PA 15205). Permit issued for commencement, operation and reclamation of a bituminous surface mine, located in Findlay Township, **Allegheny County**, affect-

ing 112.0 acres. Receiving streams: unnamed tributaries to Potato Garden Run. Application received: October 29, 2009. Permit issued: November 1, 2011.

65910103 and NPDES Permit No. PA0592447, Coal Loaders, Inc. (210 E. Main Street, Ligonier, PA 15658). Renewal permit issued for continued operation and reclamation of an existing bituminous surface mine, located in South Huntingdon Township, **Westmoreland County**, affecting 72.1 acres. Receiving streams: unnamed tributaries to Barren Run. Renewal application received: March 18, 2011. Renewal permit issued: November 3, 2011.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33930102 and NPDES Permit No. PA0211508, Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous surface and auger mine in Oliver Township, **Jefferson County** affecting 120.3 acres. Receiving streams: Two unnamed tributaries to Little Sandy Creek. Application received: May 2, 2011. Permit Issued: November 2, 2011.

33910106, Terry Coal Sales, Inc. (P. O. Box 58, Distant, PA 16223) Renewal of an existing bituminous surface and auger mine in Perry Township, **Jefferson County** affecting 195.0 acres. Receiving streams: Foundry Run and two unnamed tributaries to Foundry Run. This renewal is issued for reclamation only. Application received: April 7, 2011. Permit Issued: November 4, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

45A76SM16 and NPDES No. PA0256455, Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849). Renewal of an existing bituminous surface mine for reclamation activities only and its associated NPDES permit located in Brady Township, **Clearfield County** affecting 23.0 acres. Receiving stream: unnamed tributary to East Branch of Mahoning Creek classified as high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 24, 2011. Permit issued: October 25, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54950201R3 and 54950201GP104, Gilberton Coal Company, (10 Gilberton Road, Gilberton, PA 17934), renewal of an existing anthracite coal refuse reprocessing operation in Butler Township, **Schuylkill County** affecting 15.0 acres, receiving stream: tributary to Mahanoy Creek. Application received: January 3, 2011. Renewal issued: November 4, 2011.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

56090301 and NPDES No. PA0262846, New Enterprise Stone & Lime Company, Inc., P. O. Box 77, New Enterprise, PA 16664, commencement, operation and restoration of a noncoal (Loyalhanna Formation) surface and deep mine in Jefferson Township, **Somerset County**, affecting 289 acres. Receiving stream(s): an unnamed tributary to Kooser Run and unnamed tributaries to Shafer Run (tributaries to Laurel Hill Creek) classified for the following antidegradation use(s): high quality, cold water fishery. The first downstream potable water supply is the Somerset Borough Municipal intake on Laurel Hill

Creek downstream of the confluence with Shafer Run. The permit was issued with a requirement that wastewater and stormwater be handled with nondischarge alternatives and without point source discharges. The permit includes an approval for two Chapter 105 stream encroachments to conduct mine support activities within 100 feet of an unnamed tributary to Kooser Run including constructing a haulroad crossing, a conveyor crossing, erosion and sedimentation controls, and an aerial pipe line crossing. Application received: July 31, 2009. Permit issued: October 24, 2011.

Permit No. 7574SM2 and NPDES Permit No. PA0614343. Hempt Brothers, Inc., 205 Creek Road, Camp Hill, PA 17011, renewal of NPDES permit, Lower Allen Township, **Cumberland County**. Receiving stream(s): Yellow Breeches Creek classified for the following use(s): cold water fishery. The first downstream potable water supply intake from the point of discharge is PA American Water Company West Shore RWTP YB Yellow Breeches1 Yellow Breeches 2. Application received: June 30, 2011. Permit issued: November 1, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26102801. Fayette Coal & Coke, Inc. (195 Enterprise Lane, Connellsville, PA 15425). Permit issued for commencement, operation and reclamation of a small noncoal surface mine, located in Luzerne Township, **Fayette County**, affecting 3.9 acres. Receiving stream: Monongahela River. Application received: January 25, 2010. Permit issued: November 2, 2011.

26102801-GP104. Fayette Coal & Coke, Inc. (195 Enterprise Lane, Connellsville, PA 15425). General NPDES Permit for stormwater discharges associated with mining activities on surface mine permit no. 26102801, located in Luzerne Township, **Fayette County**. Application received: September 23, 2011. Permit issued: November 2, 2011.

03110801. McVile Mining Company (301 Market Street, Kittanning, PA 16201). Permit issued for commencement, operation and reclamation of a small noncoal surface mine, located in Bethel Township, **Armstrong County**, affecting 4.9 acres. Receiving stream: Unnamed tributary to Allegheny River. Application received: May 10, 2011. Permit issued: November 3, 2011.

03110801-GP104. McVile Mining Company (301 Market Street, Kittanning, PA 16201). General NPDES Permit for stormwater discharges associated with mining activities on surface mine permit no. 03110801, located in Bethel Township, **Armstrong County**, affecting 4.9 acres. Application received: May 10, 2011. Permit issued: November 3, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08990301 and NPDES No. PA0242721. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803). Renewal of the NPDES permit on an existing large industrial mineral mine located in Athens Township, **Bradford County** affecting 21.0 acres. Receiving stream: Susquehanna River classified for warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 19, 2011. Permit issued: November 2, 2011.

18071001. Maxwell Trucking & Excavating, Inc. (689 E. College Ave., Pleasant Gap, PA 16823). Final bond release for a small industrial minerals surface mine

located in Bald Eagle Township, **Clinton County**. Restoration of 5.0 acres completed. Receiving stream: Bald Eagle Creek, tributary to West Branch Susquehanna River. Application received: September 27, 2011. Final bond released: October 31, 2011.

57000301 and NPDES No. PA0242811. Haines & Kibblehouse, Inc. (2052 Lucon Road, P.O. Box 196, Skippack, PA 19474). Renewal of the NPDES permit on an existing large industrial mineral mine located in Cherry Township, **Sullivan County** affecting 156.2 acres. Receiving stream: unnamed tributary to Birch Creek classified for cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 16, 2011. Permit issued: November 1, 2011.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

58112502. F.S. Lopke Contracting, Inc., (3430 State Route 434, Apalachin, NY 13732), commencement, operation and restoration of a quarry operation in Jackson Township, **Susquehanna County** affecting 10.0 acres, receiving stream: Unnamed tributary to Butler Creek. Application received: January 13, 2011. Permit issued: November 1, 2011.

58112502GP104. F.S. Lopke Contracting, Inc., (3430 State Route 434, Apalachin, NY 13732), General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58112502 in Jackson Township, **Susquehanna County**, receiving stream: Unnamed tributary to Butler Creek. Application received: January 13, 2011. Permit issued: November 1, 2011.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

63114008. Allegheny Excavating (2591 Wexford Bayne Road, #100, Sewickley, PA 15143). Blasting activity permit for the construction of the Brownsville WalMart, located in West Brownsville Borough, **Washington County**. The duration of blasting is expected to last six months. Blasting permit issued: October 31, 2011.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08114137. Midstream Explosives, LLC (289 Southside Drive, Newville, PA 17241-8951). Blasting for a pipeline located in Terry Township, **Bradford County**. Permit issued: November 1, 2011. Permit expires: October 29, 2012.

59114006. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803). Blasting for Frontier GP103—Talisman Projects located in Sullivan Township, **Tioga County**. Permit issued: November 1, 2011. Permit expires: November 1, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

40114003. Precision Explosives, Inc., (2192 Seamans Neck Road, Seaford, NY 11783), demolition of 200 foot high steel smoke stack at IDC Corp. Complex in Jenkins Township, **Luzerne County** with an expiration date of October 29, 2011. Permit issued: October 28, 2011.

38114121. Brubacher Excavating, Inc., (P. O. Box 528, Bowmansville, PA 17507), construction blasting for Fort Indiantown Gap National Cemetery in East Hanover Township, **Lebanon County** with an expiration date of October 31, 2012. Permit issued: November 1, 2011.

46114110. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Shaw residence in New Hanover Township, **Montgomery County** with an expiration date of December 31, 2011. Permit issued: November 7, 2011.

40114004. Demtech, (65 North Bald Mtn. Road, Dubois, WY 82513), demolition of the 8th Street Bridge in Plains Township, **Luzerne County** with an expiration date of December 31, 2011. Permit issued: November 7, 2011.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

EA09-301. PA Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676, Bensalem, Bristol and Middletown Townships, **Bucks County**, ACOE Philadelphia District.

Approval of an Environmental Assessment (EA) to construct and maintain the proposed interchange between the Pennsylvania Turnpike (I-276) and Interstate 95 (I-95). In sum, this project includes relocation of the Pennsylvania Turnpike toll plaza barrier (Interchange 359), widening of I-276 from four to six lanes between Interchange 351 and the Delaware River, and construction of an additional parallel bridge across the Delaware River. In addition, I-95 would be widened to accommodate ramps and merge lanes resulting from the construction of the interchange.

The roadway construction and widening extends approximately 9.2 miles along I-276 from just west of Interchange 351, Bensalem Township, Bucks County (Langhorne, PA, USGS Quadrangle N: 1.6 inches; W: 14.8 inches), across the Delaware River Turnpike Bridge. The project limit along I-95 extend 3.2 miles from just south of Trenton Road in Middletown Township, Bucks County (Langhorne, PA, USGS Quadrangle N: 3.4 inches; W: 2.9 inches), to the east bank of the Neshaminy Creek in Bristol Township, Bucks County (Beverly, PA, USGS Quadrangle N: 18.8 inches; W: 3.8 inches).

The overall project proposes to permanently impact a total of 2.27 acres of wetlands (PEM/PSS/PFO) and 2,097 linear feet of perennial stream. Compensatory wetland mitigation for the entire project will occur on land owned by the Pennsylvania Turnpike Commission (PTC) located at the corner of Zimmerman Lane and Newportville Road in Middletown Township, Bucks County, and the stream mitigation will occur along Mill Creek in the Plumbridge Community in Bristol Township, Bucks County.

This project is divided into three construction phases. Phase 1 includes the completion of the I-95 connection and toll system conversion. Phase 2 includes completion of the remaining interchange movements and associated highway widening. Phase 3 includes the construction of the new Delaware River Bridge and rehabilitation of the existing bridge.

This approval constitutes a Water Quality Certification for the entire project under Section 401 of the Federal Water Pollution Control Act, 33 U.S.C.A. 1341.

E09-952. PA Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106, Bensalem, Bristol, and Middletown Townships, **Bucks County**, ACAOE Philadelphia District.

To construct the proposed I-276/I-95 interchange between the Pennsylvania Turnpike (I-276) and Interstate 95 (I-95). The project also includes relocation of the Pennsylvania Turnpike barrier toll plaza (Interchange

359), widening of I-276 from four to six lanes between Interchange 351 and the Delaware River, and construction of an additional parallel bridge across the Delaware River. In addition, I-95 would be widened to accommodate ramps and merge lanes resulting from the construction of the interchange.

The roadway construction and widening along I-276 extend approximately 9.2 miles along I-276 from just west of Interchange 351, Bensalem Township, Bucks County (Langhorne, PA, USGS Quadrangle N: 1.6 inches; W: 14.8 inches) across the Delaware River Turnpike Bridge. The study limits along I-95 extend 3.2 miles from just south of Trenton Road in Middletown Township, Bucks County (Langhorne, PA, USGS Quadrangle N: 3.4 inches; W: 2.9 inches) to the east bank of the Neshaminy Creek in Bristol Township, Bucks County (Beverly, PA, USGS Quadrangle N: 18.8 inches; W: 3.8 inches).

The overall project proposes to permanently impact a total of 2.27 acres of wetlands (PEM/PSS/PFO) and 2,097 linear feet of perennial stream. Compensatory wetland mitigation for the entire project will occur on land owned by the Pennsylvania Turnpike Commission (PTC) located at the corner of Zimmerman Lane and Newportville Road in Middletown Township, Bucks County; stream mitigation will occur at both the compensatory wetland mitigation site in Middletown Township and along Mill Creek in the Plumbridge Community in Bristol Township, Bucks County.

The project is divided into three stages of construction. Stage 1 of the project includes the completion of the Interstate 95 connections and toll system conversion. Stage 2 of the project includes completion of the remaining interchange movements and associated highway widening, while Stage 3 would include the construction of the new Delaware River Bridge and rehabilitation of the existing bridge.

The construction work for Stage 1 (Richlieu Road Bridge and Northwest Quadrant Mitigation Site) includes the following water obstruction and encroachment activities:

1. To excavate for the removal of a gravel road sub-base at the proposed mitigation site and then regrade and restore the forested wetland that drains to an unnamed tributary to the Neshaminy Creek at station 25+89 (Langhorne, PA, Quadrangle N: 1.4 inches, W: 3.1 inches). Temporary impact of 0.105 acre of forested wetland (W3A).

2. To excavate for the removal of a culvert conveying an unnamed tributary to the Neshaminy Creek and then regrade and restore the forested wetland that drains to an unnamed tributary to the Neshaminy Creek at station 25+89 (Langhorne, PA, Quadrangle N: 1.4 inches, W: 3.1 inches). Temporary impact of 0.006 acre of forested wetland (W3).

3. To excavate for the removal of a culvert conveying an unnamed tributary to the Neshaminy Creek and then regrade and restore the forested wetland that drains to an unnamed tributary to the Neshaminy Creek at station 23+05 (Langhorne, PA, Quadrangle N: 1.6 inches, W: 3.1 inches). Temporary impact of 0.012 acre of forested wetland (W6).

4. To excavate for the removal of a culvert conveying an unnamed tributary to the Neshaminy Creek and stream bank regrading, and then regrade and restore the forested wetland that drains to an unnamed tributary to the Neshaminy Creek at station 21+42 (Langhorne, PA,

Quadrangle N: 3.1 inches, W: 1.6 inches). Temporary impact of 0.038 acre of forested wetland (W4).

5. To excavate for the removal of a culvert and reconstruction of the open channel conveying an unnamed tributary to the Neshaminy Creek at station 1+00 (Langhorne, PA, Quadrangle N: 1.5 inches, W: 3.1 inches). Temporary impact of 128 linear feet of intermittent channel (S2).

6. To excavate for the removal of a culvert and reconstruction of the open channel conveying an unnamed tributary to the Neshaminy Creek at station 10+28 (Langhorne, PA, Quadrangle N: 1.5 inches, W: 3.1 inches). Temporary impact of 239 linear feet of perennial channel (S3).

7. To remove trash and debris from the open channel conveying an unnamed tributary to the Neshaminy Creek at station 12+73 (Langhorne, PA, Quadrangle N: 1.6 inches, W: 3.2 inches). Temporary impact of 164 linear feet of perennial channel (S3).

8. To excavate for the removal of a culvert and reconstruction of the open channel conveying an unnamed tributary to the Neshaminy Creek at station 5+00 (Langhorne, PA, Quadrangle N: 1.5 inches, W: 3.1 inches). Temporary impact of 178 linear feet of perennial channel (S1).

9. To excavate for the removal of a culvert and reconstruction of the open channel conveying an unnamed tributary to the Neshaminy Creek at station 6+57 (Langhorne, PA, Quadrangle N: 1.5 inches, W: 3.1 inches). Temporary impact of 17 linear feet of perennial channel (S1A).

10. To place fill for the construction of the roadway approaches for the Richlieu Road Bridge in the forested wetland that drains to an unnamed tributary to the Neshaminy Creek at station 20+33 (Langhorne, PA, Quadrangle N: 0.5 inch, W: 11.0 inches). Permanent impact of 0.058 acres and temporary impact of 0.012 acre of forested wetland (W6).

11. To place fill for the construction of the roadway approaches for the Richlieu Road Bridge and relocate the intermittent stream (W6A) that drains to an unnamed tributary to the Neshaminy Creek at station 20+00 (Langhorne, PA, Quadrangle N: 0.4 inch, W: 11.1 inches). Temporary impact of 167 linear feet of intermittent stream (W6A).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E09-954. Pennsylvania Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19106, Borough of Chalfont, **Bucks County**, ACOE Philadelphia District.

To remove the existing bridge, and to construct and maintain, in its place, an approximately 134.5-foot long single span bridge, with 55.5-foot span, and 10.11-foot underclearance, across the West Branch of the Neshaminy Creek (WWF-MF) associated with S.R. 0202, Section BBR bridge replacement project. This work includes the associated rip-rap at the abutments. The project temporarily impacts 0.14 acre, and permanently impacts 0.0013 acre of wetlands (PEM).

The project site is located approximately 364 feet north of the intersection of Butler Pike (S.R. 0202) and

Limekiln Pike (S.R. 0152) in Chalfont Borough, Bucks County (Doylestown, PA, USGS Quadrangle N: 6.32 inches; W: 11.67 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E32-496. Pennsylvania Department of Transportation, District 10-0, 2550 Oakland Avenue, Indiana, PA 15701, West Wheatfield Township, **Indiana County**. The applicant proposes to (1) remove the existing SR 259 two lane, 19.5-foot wide, single span bridge having a total length of 67 feet, and having an underclearance of 5.5 feet; construct and maintain a two lane 15-foot wide by 6-foot high opening 82.5-foot long box culvert, depressed an additional 1 foot into the streambed; construct and maintain a concrete encasement of a waterline immediately downstream of the culvert; construct and remove a temporary crossing and stream diversion; and construct and maintain associated streambank stabilization and stormwater outfalls over and in West Branch Richards Run (CWF) with a drainage area of 2.1 square miles. Construct and remove a temporary crossing in Richards Run (CWF) with a drainage area of 6.1 square miles just downstream of the confluence of the east and west branches of Richards Run. (2) remove and replace in kind the existing SR 2011 two lane, 20-foot wide, single span bridge superstructure having a total length of 43 feet, and having an underclearance of 5.9 feet and construct and maintain associated stream bank stabilization over and in East Branch of Richards Run (CWF) with a drainage area of 4 square miles. This bridge is located approximately 100 feet east of the above SR 259 crossing and approximately 2.25 miles northeast of the confluence with the Conemaugh River in West Wheatfield Township, Indiana County (New Florence, PA Quadrangle, N: 7.5 inches; W: 16 inches; Latitude: 40° 24' 58"; Longitude -79° 6' 54").

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105

D15-093EA. Mr. Willard Sunstein, 860 Cupola Road, Honey Brook, PA 19344, Honey Brook Township, **Chester County**, ACOE Philadelphia District.

Project Proposes to breach and remove Cupola Mill Dam across East Branch Brandywine Creek (HQ-TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 2800 feet of stream channel. The dam is located approximately 350 feet south of the intersection of Creek Road (SR 4031) and Chestnut Tree Road (SR 4025) (Wagontown, PA Quadrangle; Latitude: 40° 05' 54", Longitude: -75° 50' 44").

D15-092EA. Mr. Jason Rutledge, 3162 Creek Road, Honey Brook, PA 19344, West Brandywine Township **Chester County**, ACOE Philadelphia District.

Project proposes to breach and remove Lewis Mill Dam across East Branch Brandywine Creek (HQ-TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 500 feet of stream channel. The dam is located approximately 700 feet

southwest of the intersection of Creek Road (SR 4029) and Lewis Mill Road (SR 4031) (Wagontown, PA Quadrangle; Latitude: 40° 05' 59", Longitude: -75° 15' 19").

DAM SAFETY

Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, PO Box 8554, Harrisburg, PA 17105-8554.

D02-136. Ross Township, 1000 Ross Municipal Drive, Pittsburgh, PA 15237. To construct Cemetery Lane Storm Water Management Dam across an unnamed tributary to Girdys Run (WWF) for the purpose of creating a storm water management facility. The dam will be constructed of roller compacted concrete. The proposed dam will impact 185 lineal feet of stream. (Emsworth, PA Quadrangle N: 2.65 inches, W: 1.85 inches; Latitude: 40°30'52", Longitude: -80°0'40") Ross Township, **Allegheny County**.

D10-125. Lakeland Country Estates Homeowner's Association, 116 Lakeland Drive, Mars, PA 16046. To operate and maintain Green Lake Dam in the watershed of Wolfe Run (WWF), impacting 0 acres of wetlands and 0 feet of stream. This structure requires a Dam Permit to continue to operate and maintain the facility as a recreational lake. Modifications may be necessary as a result of the application review. (Mars, PA Quadrangle N: 17.20 inches; W: 9.31 inches) Adams Township, **Butler County**.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Oil & Gas Program Manager, 400 Waterfront Drive, Pittsburgh, PA

3/7/2011

ESCGP-1 No: ESX10-125-0084 Major Revision
Applicant Name: Range Resources—Appalachia LLC
Contact Person Carla Suszkowski
Address: 380 South Pointe Boulevard
City: Canonsburg State: PA Zip Code: 15317

County: Washington Township: Chartiers
Receiving Stream(s) And Classifications: Chartiers Run,
Other

10/05/2011

ESCGP-1 No.: ESX11-007-0016
Applicant Name: Chesapeake Appalachia LLC
Contact Person: Eric Haskins
Address: 101 North Main Street
City: Athens State: PA Zip Code: 18810
County: Chippewa Township(s): Beaver
Receiving Stream(s) and Classifications: UNT to South
Branch Brady Run TSF, Other

10/04/2011

ESCGP-1 No.: ESX11-129-0034
Applicant Name: XTO Energy Inc
Contact Person: Melissa Breitenbach
Address: 502 Keystone Drive
City: Warrendale State: PA Zip Code: 15086
County: Westmoreland Township(s): Loyalhanna
Receiving Stream(s) and Classifications: UNT to
Loyalhanna Creek WWF, UNT to Conemaugh River
WWF, Other

10/14/2011

ESCGP-1 No.: ESX09-051-0013 Major Revision
Applicant Name: Triana Energy LLC
Contact Person: Walter Showen
Address: 900 Virginia Street East
City: Charleston State: PA Zip Code: 25301
County: Fayette Township(s): Springfield
Receiving Stream(s) and Classifications: Indian Creek
CWF, Other

08/08/11

ESCGP-1 No.: ESX11-125-0070
Applicant Name: CNX Gas Company LLC
Contact Person: Daniel Bitz
Address: 200 Evergreene Drive
City: Waynesburg State: PA Zip Code: 15370
COUNTY Washington Township(s): South Franklin
Receiving Stream(s) and Classifications: UNT to Tenmile
Creek/Tenmile Creek TSF

09/23/2011

ESCGP-1 No.: ESX11-125-0085
Applicant Name: CNX Gas Company LLC
Contact Person: Daniel Bitz
Address: 200 Evergreene Drive
City: Waynesburg State: PA Zip Code: 15370
County: Washington Township(s): Morris, South Franklin
Receiving Stream(s) and Classifications: UNT to Tenmile
Creek TSF, Other

8/12/2011

ESCGP-1 No.: ESX11-005-0016
Applicant Name: EQT Gathering LLC
Contact Person: Brian Clauto
Address: 455 Racetrack Road
City: Washington State: PA Zip Code 15301
County: Armstrong Township(s): Plumcreek and Kittan-
ning
Receiving Stream(s) and Classifications: Cherry Run
CWF, Other

9/13/2011

ESCGP-1 No.: ESX11-007-0011
Applicant Name: Range Resources—Appalachia LLC
Contact Person: Joseph Frantz
Address: 380 Southpointe Boulevard Suite 300
City: Canonsburg State: PA Zip Code: 15317
County: Beaver Township(s): Hanover
Receiving Stream(s) and Classifications: UNT 33777 to
Wingfield Run/Raccoon Creek Watershed, Other

09/26/2011

ESCGP-1 No.: Esx11-125-0088
Applicant Name: Rice Drilling B LLC
Contact Person: Toby Rice
Address: 171 Hillpointe Drive Suite 301
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township(s): North Bethlehem
Receiving Stream(s) and Classifications: UNT to Little
Daniels Run, Other

10/14/2011

ESCGP-1 NO.: ESX11-125-0095
Applicant Name: Range Resources—Appalachia LLC
CONTACT PERSON: Glen Truzzi
ADDRESS: 380 Southpointe Boulevard
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township(s): Smith
Receiving Stream(s) and Classifications: UNT to Little
Raccoon Run and Raccoon Creek/Raccoon Creek Water-
shed, Other

10/03/2011

ESCGP-1 NO.: ESX10-059-0053 Minor Revision
Applicant Name: Alpha Shale Resources LP
CONTACT: Toby Rice
ADDRESS: 171 Hillpointe Drive
City: Canonsburg State: PA Zip Code: 15317
County: Township(s):
Receiving Stream(s) and Classifications: Grinnage Run/
Monongahela River, HQ

08/05/2011

ESCGP-1 NO.: ESX11-059-0049
Applicant Name: Laurel Mountain Midstream, LLC
CONTACT: Clayton Roesler
ADDRESS: 1605 Coraopolis Heights Road
City: Moon Township State: PA Zip Code: 15108
County: Greene Township(s): Greene & Monongahela
Receiving Stream(s) and Classifications: UNTs' to Little
Whiteley Creek WWF, UNT's to Whiteley Creek/
Tenmile Creek Watershed

09/23/2011

ESCGP-1 NO.: ESX10-129-0032 Major Revision
Applicant Name: Williams Production Appalachia LLC
CONTACT: David Freudenrich
ADDRESS: 1000 Town Center Suite 130
City: Canonsburg State: PA Zip Code: 15317
County: Westmoreland & Fayette Township(s): Donegal
and Saltlick and Springfield
Receiving Stream(s) and Classifications: Youghiogheny
River, HQ, Other

10/17/2011

ESCGP-1 NO.: ESX11-111-0007
Applicant Name: Caimen Penn Midstream LLC
CONTACT: Stephen Skellie
ADDRESS: 5944 Sherry Lane Suite 1300
City: Dallas State: TX Zip Code: 75225
County: Somerset Township(s): Addison
Receiving Stream(s) and Classifications: UNTs to Brad-
docks Run, UNTs to Youghiogheny River, Other

10/11/2011

ESCGP-1 NO.: ESX11-125-0093
Applicant Name: MarkWest Liberty Midstream &
Resources LLC
CONTACT: Robert McHale
ADDRESS: 601 Technology Drive Suite 130
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township(s): Smith
Receiving Stream(s) and Classifications: UNT to Burgetts
Fork WWF/Raccoon Creek Watershed, Other

10/14/2011

ESCGP-1 NO.: ESX11-051-0018 Major Revision
 Applicant Name: Chevron—Appalachia LLC
 CONTACT: Jeremy Hirtz
 ADDRESS: 800 Mountain View Drive
 City: Smithfield State: PA Zip Code: Redstone
 County: Fayette Township(s): Redstone
 Receiving Stream(s) and Classifications: UNT to Rowes
 Run/Redstone Creek, Other

9/13/2011

ESCGP-1 NO.: ESX11-125-0079
 Applicant Name: CNX Gas Company LLC
 CONTACT: Daniel Bitz
 ADDRESS: 200 Evergreene Drive
 City: Waynesburg State: PA Zip Code: 15370
 County: Washington Township(s): South Franklin
 Receiving Stream(s) and Classifications: UNT to Tenmile
 Creek/Tenmile Creek, Other

8/4/2011

ESCGP-1 NO.: ESX11-059-0048
 Applicant Name: Chevron Appalachia LLC
 CONTACT: Jeremy Hirtz
 ADDRESS: 800 Mountain View Drive
 City: Smithfield State: PA Zip Code: 15478
 County: Greene Township(s): Cumberland
 Receiving Stream(s) and Classifications: UNT to Little
 Whiteley Creek/Upper Monongahela, Other

*Northcentral Region: Watershed Management Program
 Manager, 208 W Third Street, Williamsport, Pa 17701*

ESCP # 0811801

Applicant Name Tennessee Gas Pipeline Company
 Contact Person Howdy McCracken
 Address 1001 Louisiana St Rm 750E
 City, State, Zip Houston, TX 77002
 County Bradford
 Township(s) Armenia & Troy Townships, Bradford
 County; Sullivan Township, Tioga County
 Receiving Stream(s) and Classification(s) Tioga River,
 HQ-CWF; Fellows Creek, HQ-CWF; Weibles Creek,
 HQ-CWF; Gaffers Creek, HQ-CWF; South Branch
 Sugar Creek, TSF

ESCGP-1 # ESX11-115-0129

Applicant Name Carrizo Marcellus, LLC
 Contact Person Gary Byron
 Address 251 Drain Lick Road
 City, State, Zip Drifting, PA 16834
 County Susquehanna
 Township(s) Forest Lake
 Receiving Stream(s) and Classification(s) UNT to Middle
 Branch Wyalusing Creek;
 Secondary: Wyalusing Creek

ESCGP-1 # ESX11-081-0127

Applicant Name Anadarko Marcellus Midstream, LLC
 Contact Person Nathan Bennett
 Address 33 W. Third Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Cogan House
 Receiving Stream(s) and Classification(s) UNT to Larry's
 Creek (EV), Wendell Run (EV)

ESCGP-1 # ESX11-131-0037

Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 101 North Main Street
 City, State, Zip Athens, PA 18810
 County Wyoming
 Township(s) Nicholson

Receiving Stream(s) and Classification(s) Horton Creek,
 UNT to Monroe Creek (CWF);
 Secondary: Tunkhannock Creek (CWF)

ESCGP-1 # ESX11-115-0125

Applicant Name Southwestern Energy Production Company
 Contact Person Dave Sweeley
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657
 County Susquehanna
 Township(s) New Milford
 Receiving Stream(s) and Classification(s) Salt Lick Creek
 and East Lake Creek (HQ);
 Secondary: Susquehanna River (WWF)

ESCGP-1 # ESX11-131-0034

Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 101 North Main Street
 City, State, Zip Athens, PA 18810
 County Wyoming
 Township(s) Forkston
 Receiving Stream(s) and Classification(s) Mehoopany Creek
 (EV);
 Secondary: Susquehanna River (WWF)

ESCGP-1 # ESX11-033-0030

Applicant Name Williams Production Appalachia, LLC
 and RW Gathering, LLC
 Contact Person David Freudenrich
 Address 1000 Town Center, Suite 130
 City, State, Zip Canonsburg, PA 15317-5834
 County Clearfield
 Township(s) Cooper
 Receiving Stream(s) and Classification(s) Moshannon
 Creek, UNT to Moshannon Creek, Ames Run (HQ);
 Secondary: West Branch Susquehanna River

ESCGP-1 # ESX11-015-0241

Applicant Name Chief Oil & Gas LLC
 Contact Person Michael Hritz
 Address 6051 Wallace Road, Ext., Suite 210
 City, State, Zip Wexford, PA 15090
 County Bradford
 Township(s) Monroe and Overton
 Receiving Stream(s) and Classification(s) UNT to Millstone
 Creek, Millstone Creek and Schrader Creek (all HQ,
 CWF, MF);
 Secondary: Towanda Creek (TSF, MF)

ESCGP-1 # ESX11-015-0237

Applicant Name Appalachia Midstream Services, LLC
 Contact Person Patrick Myers, Jr.
 Address 100 Ist Center
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Asylum
 Receiving Stream(s) and Classification(s) Tributaries to
 Susquehanna River (WWF, MF)

ESCGP-1 # ESX11-081-0138

Applicant Name EXCO Resources (PA), LLC
 Contact Person Larry Sanders
 Address 3000 Ericsson Drive, Suite 200
 City, State, Zip Warrendale, PA 15086
 County Lycoming
 Township(s) Watson
 Receiving Stream(s) and Classification(s) Tombs Run
 (HQ-CWF, MF);
 Secondary: Pine Creek (HQ-MF, TSF)

ESCGP-1 # ESX11-115-0134

Applicant Name Williams Field Services Company, LLC
 Contact Person Frank Conneto

Address 1605 Coraopolis Heights Road
 City, State, Zip Moon Township, PA 15108-4310
 County Susquehanna
 Township(s) Lenox
 Receiving Stream(s) and Classification(s) Tower Branch,
 Partners and Sterling Brook Creeks/Upper Susque-
 hanna—Tunkhannock Watershed

ESCGP-1 # ESX11-115-0124
 Applicant Name Cabot Oil & Gas Corporation
 Contact Person Kenneth Marcum
 Address Five Penn Center West, Suite 401
 City, State, Zip Pittsburgh, PA 15276
 County Susquehanna
 Township(s) Bridgewater
 Receiving Stream(s) and Classification(s) South Branch of
 Wyalusing Creek (WWF), UNT to South Branch of
 Wyalusing Creek (WWF)

ESCGP-1 # ESX11-015-0240
 Applicant Name Southwestern Energy Production Company
 Contact Person Dave Sweeley
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657
 County Bradford
 Township(s) Herrick
 Receiving Stream(s) and Classification(s) Rummerfield
 Creek (WWF);
 Secondary: Susquehanna River (WWF)

ESCGP-1 # ESX11-115-0130
 Applicant Name Carrizo Marcellus, LLC
 Contact Person Gary Byron
 Address 251 Drain Lick Road
 City, State, Zip Drifting, PA 16834
 County Susquehanna
 Township(s) Jessup
 Receiving Stream(s) and Classification(s) UNT to East
 Branch Wyalusing Creek;
 Secondary: Wyalusing Creek

ESCGP-1 # ESX11-117-0052 (01)
 Applicant Name SWEPI LP
 Contact Person James Sewell
 Address 190 Thorn Hill Road
 City, State, Zip Warrendale, PA 15086
 County Tioga
 Township(s) Sullivan
 Receiving Stream(s) and Classification(s) UNT to Corey
 Creek/Susquehanna River Basin in PA-Tioga River
 (List H);
 Secondary: Corey Creek (CWF-MF)

ESCGP-1 # ESX11-115-0136
 Applicant Name Carrizo Marcellus, LLC
 Contact Person Gary Byron
 Address 251 Drain Lick Road
 City, State, Zip Drifting, PA 16834
 County Susquehanna
 Township(s) Jessup
 Receiving Stream(s) and Classification(s) East Branch
 Wyalusing Creek, UNT to East Branch Wyalusing
 Creek (both CWF)

ESCGP-1 # ESX11-115-0139
 Applicant Name Cabot Oil & Gas Corporation
 Contact Person Kenneth Marcum
 Address Five Penn Center West, Suite 401
 City, State, Zip Pittsburgh, PA 15276
 County Susquehanna
 Township(s) Harford
 Receiving Stream(s) and Classification(s) Butler Creek,
 UNT to Butler Creek (both CWF)

ESCGP-1 # ESX11-015-0235
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Drive
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Wells
 Receiving Stream(s) and Classification(s) Tribs. To Beckwith
 Creek & Roaring Run, CWF (Ch. 93 Desig. Use)

ESCGP-1 # ESX11-015-0234
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Drive
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Wells
 Receiving Stream(s) and Classification(s) Seeley Creek
 (CWF)

ESCGP-1 # ESX11-015-0233
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Drive
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Orwell
 Receiving Stream(s) and Classification(s) UNT to Trout
 Stream (CWF/MF), Trout Stream (CWF/MF);
 Secondary: Wysox Creek (CWF/MF)

ESCGP-1 # ESX11-115-0138
 Applicant Name Carrizo Marcellus, LLC
 Contact Person Gary Byron
 Address 251 Drain Lick Road
 City, State, Zip Drifting, PA 16834
 County Susquehanna
 Township(s) Jessup
 Receiving Stream(s) and Classification(s) West Branch
 Wyalusing Creek;
 Secondary: Wyalusing Creek

ESCGP-1 # ESX11-115-0131
 Applicant Name Williams Production Appalachia, LLC
 Contact Person David Freudenrich
 Address 1000 Town Center Way, Suite 130
 City, State, Zip Canonsburg, PA 15317-5838
 County Susquehanna
 Township(s) Liberty
 Receiving Stream(s) and Classification(s) Trib. 31821 &
 31846 to Snake Creek; Trib. 31969 & 31971 to
 Susquehanna River; Trib 31975 to Dubois Creek;
 Secondary: Water Snake Creek (CWF, MF) Dubois
 Creek (CWF, MF), UNTs to Susquehanna River (CWF,
 MF)

ESCGP-1 # ESX11-081-0052 (01)
 Applicant Name Pennsylvania General Energy Company,
 LLC
 Contact Person Douglas E. Kuntz, President & CEO
 Address 120 Market Street
 City, State, Zip Warren, PA 16365
 County Lycoming
 Township(s) Cummings
 Receiving Stream(s) and Classification(s) 2 UNT to
 Ramsey Run (HQ/CWF);
 Secondary: Pine Creek (HQ/TSF)

ESCGP-1 # ESX11-015-0237 (01)
 Applicant Name Talisman Energy USA, Inc.
 Contact Person Tracy Gregory
 Address 337 Daniel Zenker Drive
 City, State, Zip Horseheads, NY 14845

County Bradford
Township(s) Stevens
Receiving Stream(s) and Classification(s) UNT to Cold
Creek (WWF/MF);
Secondary: Cold Creek (WWF/MF)

ESCGP-1 # ESX11-115-0128
Applicant Name Southwestern Energy Production Com-
pany
Contact Person Dave Sweeley
Address 917 State Route 92 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna County
Township(s) New Milford
Receiving Stream(s) and Classification(s) Salt Lick Creek
Watershed (UNT to Wellman's Creek);
Secondary: Susquehanna River

ESCGP-1 # ESX11-081-0131
Applicant Name Anadarko Marcellus Midstream, LLC
Contact Person Nathan Bennett
Address 33 W. Third Street, Suite 200
City, State, Zip Williamsport, PA 17701
County Lycoming
Township(s) Cogan House
Receiving Stream(s) and Classification(s) Larry's Creek,
Second Fork To Larry's Creek (both EV)

ESCGP-1 # ESX11-081-0143
Applicant Name Anadarko E&P Company, LP
Contact Person Rane Wilson
Address 33 W. Third Street, Suite 200
City, State, Zip Williamsport, PA 17701
County Lycoming County
Township(s) McHenry
Receiving Stream(s) and Classification(s) UNT First Big
Fork, Second Big Fork (both HQ-CWF, MF);
Secondary: First Big Run, Trout Run (both HQ-CWF,
MF)

ESCGP-1 # ESX11-015-0242
Applicant Name Talisman Energy USA, Inc.
Contact Person Tracy Gregory
Address 337 Daniel Zenker Drive
City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Pike
Receiving Stream(s) and Classification(s) UNT to Mill
Creek, Mill Creek (both WWF, MF)

ESCGP-1 # ESX11-117-0078 (01)
Applicant Name SWEPI LP
Contact Person James Sewell
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga
Township(s) Union
Receiving Stream(s) and Classification(s) UNT to Sugar
Works Run/Susquehanna R. Basin (List L), East
Branch Sugar Works Run/Susquehanna River Basin
(List L) (HQ-CWF);
Secondary: UNT to Sugar Works Run/Susquehanna
River

ESCGP-1 # ESX11-081-0069
Applicant Name Michael Clinger
Contact Person Seneca Resources
Address 51 Zents Boulevard
City, State, Zip Brookville, PA 15825
County Lycoming
Township(s) Lewis
Receiving Stream(s) and Classification(s) Hagerman Run
(HQ);
Secondary: Lycoming Creek

ESCGP-1 # ESX11-117-0117
Applicant Name SWEPI LP
Contact Person James Sewell
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga
Township(s) Jackson
Receiving Stream(s) and Classification(s) UNT to Alder
Run/Susquehanna river Baskin in PA River (List I),
UNT to Hammond Creek/Susquehanna River Basin in
PA—Susquehanna River (List I);
Secondary: Alder Run/Susquehanna River Basin in
PA—Susquehanna River (List I), Hammond reek/
Susquehanna River Basin in PA—Susquehanna River
(List I)

ESCGP-1 # ESX11-117-0112
Applicant Name SWEPI LP
Contact Person James Sewell
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga
Township(s) Sullivan
Receiving Stream(s) and Classification(s) UNT to Corey
Creek/ Susquehanna River Basin (List L) (CWF);
Secondary: Tioga River

ESCGP-1 # ESX10-081-0058 (01)
Applicant Name Pennsylvania General Energy Company,
LLC
Contact Person Nathan Harris
Address 120 Market Street
City, State, Zip Warren, PA 16365
County Lycoming
Township(s) Watson
Receiving Stream(s) and Classification(s) Pine Creek
(TSF, MF)

ESCGP-1 # ESX11-117-0113
Applicant Name SWEPI LP
Contact Person James Sewell
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga
Township(s) Chatham & Middlebury
Receiving Stream(s) and Classification(s) Losey Creek
(WWF-MF) Crooked Creek (WWF-MF) Daly Hollow
(WWF-MF) and Tributaries to Losey Creek and
Crooked Creek (WWF-MF)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>ESCGP -1 No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
24 11 802	Dominion Transmission Inc Attn: John Love 445 West Main Street Clarksburg WV 26301	Elk	Benezette Township	Mosquito Creek / Moshannon-Mosquito Creek Watershed HQ

ESCGP-1 # ESX11-031-0025—Kyle Minich Freshwater Impoundment B

Applicant Northeast Natural Energy

Contact Andrew Benchek

Address 707 Virginia Street, Suite 1400

City Charleston State WV Zip Code 25301

County Clarion Township(s) Madison(s)

Receiving Stream(s) and Classification(s) UNT (CWF)-Redbank Creek (TSF)/Redbank Creek

ESCGP-1 #ESX11-047-0033—HM2 to HM4 Pipeline

Applicant Hunt Marcellus Operating Company

Contact Diane Prier

Address 1900 N. Akard Street

City Dallas State TX Zip Code 75201

County Elk Township(s) Jones(s)

Receiving Stream(s) and Classification(s) Bear Creek, HQ-CWF, Wolf Run & Little Wolf Run, HQ-CWF, Slide Run, HQ-CWF

ESCGP-1 #ESX11-019-0099—Patton Unit No. 1H—Fresh Water Impoundment

Applicant Melissa Breitenbach

Contact XTO Energy, Inc

Address 502 Keystone Drive

City Warrendale State PA Zip Code 15086

County Butler Township(s) Connoquenessing(s)

Receiving Stream(s) and Classification(s) UNT of Semiconon Run—CWF; Semiconon Run—CWF

ESCGP-1 #ESX11-047-0034—Seneca Resources Boone Mountain Pad B

Applicant Seneca Resources Corp.

Contact Mr. Mike Clinger

Address 51 Zents Blvd.

City Brookville State PA Zip Code 15825

County Elk Township(s) Horton(s)

Receiving Stream(s) and Classification(s) Whetstone Branch/Rattlesnake Creek-HQ, Little Toby Creek Rattlesnake Run

ESCGP-1 #ESX11-121-0007—Shreffler 1H 2H 3H & 4H

Applicant Chevron Appalachia LLC

Contact Mr. Jeremy Hirtz

Address 800 Mountain View Drive

City Smithfield State PA Zip Code 15748

County Venango Township(s) Richland(s)

Receiving Stream(s) and Classification(s) Bear Run/CWF/ East Sandy Creek Watershed, Pine Run (CWF)

ESCGP-1 # ESX11-019-0103

Applicant XTO Energy Inc

Contact Jesse Hickman

Address 502 Keystone Drive

City Warrendale State PA Zip Code 15086

County Butler Township(s) Forward(s)

Receiving Stream(s) and Classification(s) UNT of Breakneck Creek-WWF, Breakneck Creek-WWF

ESCGP-1 # ESX11-123-0012—Wt. 738 Wells 1—32

Applicant D&S Energy Corp

Contact Matthew Neely

Address PO Box 102

City Tiona State PA Zip Code 16352

County Warren Township(s) Cherry Grove(s)

Receiving Stream(s) and Classification(s) Upper & Lower Sheriff Run

ESCGP-1 # ESX11-031-0026—Richard Radaker & Kyle Minich Freshwater Impoundment A

Applicant Northeast Natural Energy LLC

Contact Brett Loflin

Address 707 Virginia Street, Suite 1400

City Charleston State WV Zip Code 25301

County Clarion Township(s) Madison(s)

Receiving Stream(s) and Classification(s) UNT to Redbank Creek—CWF, Redbank Creek—TSF

ESCGP-1 # ESX11-053-0023 Warrant 2980 Phase 4

Applicant Sheffield Land & Timber Company

Contact Chris Cochran

Address P. O. Box 547

City Sheffield State PA Zip Code 16347

County Forest Township(s) Howe(s)

Receiving Stream(s) and Classification(s) West Branch Blue Jay Creek / Blue Jay Creek HQ

ESCGP-1 # ESX11-019-0102 JRGL Well Pad

Applicant Rex Energy Operating Corporation

Contact Russell Macaw

Address 476 Rolling Ridge Drive, Suite 300

City State College State PA Zip Code 16801

County Butler Township(s) Jackson(s)

Receiving Stream(s) and Classification(s) Scholars Run (WWF)

ESCGP-1 # ESX11-019-0098—Paul Smith Unit 1H

Applicant XTO Energy

Contact Melissa Breitenbach

Address 502 Keystone Drive

City Warrendale State PA Zip Code 15086

County Butler Township(s) Jefferson(s)

Receiving Stream(s) and Classification(s) UNT of Thorn Creek—CWF

STORAGE TANKS

SITE-SPECTIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa Code Chapter 245, Subchapter C, have been issued by the Bureau of Waste Management, Director, PO Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
11-63-005	MarkWest Liberty Midstream & Resources, LLC 601 Technology Drive, Suite 130 Canonsburg, PA 15817 Attn: Robert McHale	Washington	Chartiers Township	4 ASTs storing Natural Gasoline	1,640,000 gallons total

SPECIAL NOTICES

Environmental Categorical Exceptions

Southeast Regional Office, Water Supply Management Program, 2 E. Main St., Norristown, Pa 19401

Location: Aqua Pa—Bristol Borough, Bucks County. Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is the funding source for this project. Aqua Pa is upgrading existing residual solid waste facilities at its Bristol water treatment plant. The Department's review of the project has not identified any significant, adverse environmental impact resulting from this proposal. An Environmental Categorical Exception was approved by the Department on December 15, 2008

Location: Aqua Pa—Middletown Township, Bucks County. Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is the funding source for this project. Aqua Pa is upgrading existing residual solid waste and water pretreatment facilities at its Neshaminy water treatment plant. The Department's review of the project has not identified any significant, adverse environmental impact resulting from this proposal. An Environmental Categorical Exception was approved by the Department on July 12, 2010.

Location: Pa American Water Co—City of Coatesville, Chester County. Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is the funding source for this project. Pa American Water Company is upgrading water treatment facilities at its Rock Run water treatment plant. The Department's review of the project has not identified any significant, adverse environmental impact resulting from this proposal. An Environmental Categorical Exception was approved by the Department on June 9, 2009.

Location: Philadelphia Water Department—Philadelphia County. Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is the funding source for this project. The water department is replacing water mains in existing streets and right of ways. The Department's review of the project has not identified any significant, adverse environmental impact resulting from this proposal. An Environmental Categorical Exception was approved by the Department on March 6, 2009.

Location: Philadelphia Water Department—Philadelphia County. Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is the funding source for this project. The water department is upgrading existing water treatment, storage and pumping facilities. The Department's review of the project has not identified any significant, adverse environmental impact resulting from this proposal. An Environmental Categorical Exception was approved by the Department on March 6, 2009.

Public Hearing on Operating Permit

The Commonwealth of Pennsylvania, Department of Environmental Protection (DEP), will conduct a public

hearing to solicit comments on Keystone Sanitary Landfill Inc.'s application 101247-1101 to modify their current operating permit by increasing their average daily volume from 4750 tons/day to 7250 tons/day and the maximum daily volume from 5000 tons/day to 7500 tons/day. The landfill is located in Dunmore and Throop Boroughs, Lackawanna County. The Public Hearing has been scheduled for December 12, 2011 at the Scranton State Office Building, conference room B-3 from 6:00 pm to 9:00 pm to receive comments on this proposal. The state office building is located at 100 Lackawanna Avenue, Scranton, Pennsylvania, 18503.

A copy of the application may be viewed at the Pennsylvania Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790. For Further information, please contact Ms. Tracey McGurk at 570-826-2076. A copy of this application has been provided to Dunmore borough, Throop Borough, the Lackawanna County Commissioners and the Lackawanna County Planning Commission. The application may be available for review by contacting one of these entities.

Any person intending to participate in the hearing should submit a written Notice of Intent by December 9, 2011 to Mr. William Tomayko, Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915. The written notice should include the person's name, address, telephone number, and a brief statement as to the nature (oral or written) of the presentation. Persons unable to attend the hearing may submit a written statement/comments to Mr. William Tomayko on or before on or before December 31, 2011.

Notice of Settlement of NPDES Permit Appeal under 25 Pa. Code § 92a.88

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA, 15222-4745

Re: Eastman Chemical Resins, Inc.

v.

Commonwealth of Pennsylvania,
Department of Environmental Protection
Docket No. 2009-155-R

The above matter involved the appeal of the Amended National Pollutant Discharge Elimination System Permit No. PA0000507 ("NPDES Permit") issued on October 29, 2009 by the Commonwealth of Pennsylvania, Department of Environmental Protection ("Department") to Eastman Chemical Resins, Inc. ("Eastman"), located in West Elizabeth, Allegheny County to discharge industrial waste to the Monongahela River.

The Department's final action to resolve this NPDES Permit appeal was a settlement as reflected by a September 13, 2011 Consent Order and Agreement entered into by the Department and Eastman. The major provision of the settlement is for Eastman to monitor and report the levels of TDS and sulfate discharged from Outfall 026 (from which there is currently no discharge) rather than applying specific effluent limitations for the two parameters during the term of its current NPDES Permit. In addition, Eastman agreed to withdraw its appeal pending before the Environmental Hearing Board at Docket No. EHB-2009-155-R.

Copies of the full agreement are in the hands of:

James A. Meade
Assistant Counsel
Commonwealth of Pennsylvania
Department of Environmental Protection
Office of Chief Counsel
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4262

And

Stacia Christman, Esquire
McGuire Woods LLP
625 Liberty Ave., 23rd Floor
Pittsburgh, PA 15222-3142
Phone: 412-667-7938

and may be reviewed by any interested person on request during normal business hours.

Any person believing himself aggrieved by the above settlement has a right to appeal to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, Pennsylvania 17105-8457. Appeals must be filed within thirty (30) days of this publication.

Abandoned Strip Mine Project; Reclamation of an Abandoned Strip Mine Project

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

Under Act 181 of 1984, the Department of Environmental Protection (DEP) solicits letters of interest from the landowners and licensed mine operators for the reclamation of an abandoned strip mine project identified as Project No. PBF 33830117.3 in Pinecreek Township, Jefferson County, on the property of Janice and Guido Malacarne, Jr. The reclamation work involves operating and maintaining an acid mine drainage treatment system including contracting and paying for electric service, routine monitoring visits to ensure system is functioning, and meeting effluent standards, repair and modifications when necessary, sludge pumping, and sludge disposal. Letters of interest must be received by Joe Ferrara, Compliance Manager, DEP, P. O. Box 669, Knox, PA 16232, by December 1, 2011, to be considered. Telephone inquiries shall be directed to Mr. Ferrara at 814.797.1191.

[Pa.B. Doc. No. 11-1997. Filed for public inspection November 18, 2011, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth

Montgomery County

Proposals are invited to provide the Department of General Services with 1,470 usable square feet of office space for the Department of Treasury, Southeast Regional Office, Montgomery County. Downtown locations will be considered. For more information on SFP No. 10001384, which is due on Monday, December 19, 2011, visit www.dgs.state.pa.us or contact Jennings Ward at (717) 787-0952.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 11-1998. Filed for public inspection November 18, 2011, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Aria Health Frankford Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Aria Health Frankford Campus has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.3.2.1(1)(0) (relating to floor area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-1999. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Children's Hospital of Philadelphia for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Children's Hospital of Philadelphia has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.6-2.2.2.2(1), 2.6-2.2.2.7 and 2.6-2.2.6.12(2)(a) (relating to space requirements; patient bathing facilities; and examination/treatment room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2000. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Endoscopy Center—Temple University Hospital, Northeastern Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Endoscopy Center—Temple University Hospital, Northeastern Campus has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.9-3.2.2.5, 3.9-6.1.1.1 and 3.9-7.2.2.1 (relating to hand washing station; entrance; and corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2001. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of GWV Same Day Surgery at South Wilkes-Barre Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that GWV Same Day Surgery at South Wilkes-Barre Campus has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(3) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2002. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Heart of Lancaster Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Heart of Lancaster Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-2.10.2.3 (relating to windows).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2003. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Heritage Valley Beaver for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Heritage Valley Beaver has requested an exception to the requirements of 28 Pa. Code § 137.11 (relating to facilities and equipment).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2004. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Hospital of the University of Pennsylvania for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hospital of the University of Pennsylvania has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.1-8.3.2.2(3) (relating to panel boards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2005. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Jeanes Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jeanes Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-2.2.2.7 (relating to patient bathing facilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2006. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Memorial Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Memorial Medical Center has requested an exception to the requirements of 28 Pa. Code § 553.31 (relating to administrative responsibilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2007. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Montgomery Hospital Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Montgomery Hospital Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.5.6.2(1) (relating to patient prep, holding and recovery area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2008. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Schuylkill Medical Center South Jackson Street for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Schuylkill Medical Center South Jackson Street has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2009. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application of Windber Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Windber Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.1-6 (relating to station outlets for oxygen, vacuum (suction) and medical air systems).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of

Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2010. Filed for public inspection November 18, 2011, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Ephrata Manor
99 Bethany Road
Ephrata, PA 17522
FAC ID 053502

Friendship Village of South Hills
1290 Boyce Road
Pittsburgh, PA 15241

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2011. Filed for public inspection November 18, 2011, 9:00 a.m.]

Pennsylvania Cancer Control, Prevention and Research Advisory Board Meeting

The Pennsylvania Cancer Control, Prevention and Research Advisory Board, established under section 3 of the Pennsylvania Cancer Control, Prevention and Research Act (35 P. S. § 5633), will hold a meeting on Wednesday, December 7, 2011, from 9 a.m. to 12 p.m. The meeting will be held at the Department of Health, Health and Welfare Building, 8th Floor West, Conference Room 812, 625 Forster Street, Harrisburg, PA 17120.

For additional information contact Sharon H. Sowers, Acting Section Chief, Department of Health, Comprehensive Cancer Control Section Room 1011, Health and Welfare Building, 625 Forster Street, Harrisburg, PA, (717) 787-5251.

For persons with a disability who wish to attend this meeting and require an auxiliary aid, service or other accommodation to do so should contact Sharon H. Sowers at (717) 787-5251, V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT) for speech and/or hearing impaired persons.

This meeting is subject to cancellation without notice.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2012. Filed for public inspection November 18, 2011, 9:00 a.m.]

Recognized Lifeguard Certifying Authorities for 2012

The Department of Health has determined that the following lifeguard certifying authorities meet the requirements in 28 Pa. Code § 18.42 (relating to certified lifeguards) and are recognized as lifeguard certifying authorities for 2012: The American Red Cross, Jeff Ellis and Associates, YMCA, The Boy Scouts of America, Starfish Aquatics Institute and National Aquatic Safety Company.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Department of Health, Bureau of Community Health Systems, Room 628, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-4366 or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 11-2013. Filed for public inspection November 18, 2011, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Additional Class of Disproportionate Share Payments

The Department of Public Welfare (Department) is providing final notice of the establishment of an addi-

tional class of disproportionate share hospital (DSH) payments to certain qualifying acute care general hospitals that provide a high volume of Medical Assistance (MA) acute care and psychiatric services and incur significant uncompensated care costs. The Department intends for these payments to promote the hospitals' continued participation in the MA Program.

The Department considers a hospital eligible for this additional class of disproportionate share payments if the hospital meets all of the following criteria, based on the Fiscal Year (FY) 2002-2003 MA Cost Report, unless otherwise specified:

a) The hospital is enrolled in the MA Program as an acute care general hospital with an excluded psychiatric unit.

b) The hospital provides MA inpatient days of care in excess of the 85th percentile of MA inpatient days provided by all enrolled acute care general hospitals with an excluded psychiatric unit.

c) The hospital's number of MA admissions exceeds the 85th percentile of MA admissions of all enrolled acute care general hospitals with an excluded psychiatric unit.

d) The hospital provides inpatient psychiatric days of care to MA recipients in this Commonwealth in excess of the 90th percentile of the days provided by all enrolled acute care general hospitals with an excluded psychiatric unit.

e) The hospital's percentage of uncompensated care to net patient revenue exceeds the 90th percentile of this percentage for all enrolled acute care general hospitals with an excluded psychiatric unit according to the Pennsylvania Health Care Cost Containment Council (PHC4) Financial Analysis 2004.

f) The hospital's operating margin is less than the 15th percentile of the operating margins of all enrolled acute care general hospitals with an excluded psychiatric unit according to the PHC4 Financial Analysis 2004.

The Department proportionately divides payments between qualified hospitals based on the percentage of each qualifying hospital's MA inpatient days to total MA inpatient days of all qualifying hospitals. In making these payments, the Department ensures that no acute care general hospital receives any DSH payment that is in excess of its hospital-specific limit and the Commonwealth does not exceed its aggregate annual DSH allotment.

The Department published notice of its intent to establish this additional class of DSH payments at 41 Pa.B. 564 (January 22, 2011). The Department received no public comments during the 30-day comment period, and will implement the changes described in its notice of intent.

Fiscal Impact

The FY 2010-2011 fiscal impact of these payments was \$2.254 million (\$1.000 million in State funds).

GARY D. ALEXANDER,
Secretary

Fiscal Note: 14-NOT-728. (1) General Fund; (2) Implementing Year 2010-11 is \$1,000,000; (3) 1st Succeeding Year 2011-12 is \$0; 2nd Succeeding Year 2012-13 is \$0; 3rd Succeeding Year 2013-14 is \$0; 4th Succeeding Year 2014-15 is \$0; 5th Succeeding Year 2015-16 is \$0; (4) 2009-10 Program—\$3,955,000; 2008-09 Program—\$22,580,000; 2007-08 Program—\$21,175,000; (7) Acute

Care Hospitals; (8) recommends adoption. The Acute Care Hospitals appropriation is able to absorb the increased cost.

[Pa.B. Doc. No. 11-2014. Filed for public inspection November 18, 2011, 9:00 a.m.]

Income and Resource Limits for a Spouse Living in the Community When the Other Spouse is Institutionalized or Receiving Home and Community Based Services

The Department of Public Welfare increased the income and resource limits described in 55 Pa. Code §§ 178.124 (a)(3)(i) and (ii) and 181.452(d)(2)(ii) and (iv) (relating to resource eligibility for the institutionalized spouse; and posteligibility determination of income available from an MA eligible person toward the cost of care). These regulations establish the basis for determining the Community Spouse Monthly Maintenance Need Amount and the minimum and maximum Community Spouse Resource Standard for Categorically Needy Nonmoney Payment and Medically Needy Only Medical Assistance. These standards are required to be published annually in the *Pennsylvania Bulletin*, and are available to the public upon request at the local County Assistance Offices.

The following limits became effective January 1, 2011, as required by 42 U.S.C.A. § 1396r-5:

Maximum Community Spouse Resource Standard	\$109,560
Minimum Community Spouse Resource Standard	\$21,912
Maximum Monthly Maintenance Needs Allowance	\$2,739

The following limits became effective July 1, 2011, as required by 42 U.S.C.A. § 1396r-5:

Excess Monthly Shelter Standard	\$552.00
Minimum Monthly Maintenance Needs Allowance	\$1,839.00
Dependent Living with Community Spouse Allowance	\$1,839.00

Fiscal Impact

The fiscal impact of this change is estimated at \$610,848 in State funds in Fiscal Year 2011-2012 and has been included in the Medical Assistance Long-Term Care appropriation.

Public Comment

Interested persons are invited to submit written comments, suggestions or objections regarding this information to the Department of Public Welfare, Office of Income Maintenance, Edward J. Zogby, Director, Bureau of Policy, Room 431, Health and Welfare Building, Harrisburg, PA 17120.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

GARY D. ALEXANDER,
Secretary

Fiscal Note: 14-NOT-727. (1) General Fund; (2) Implementing Year 2011-12 is \$611,000; (3) 1st Succeeding Year

2012-13 is \$611,000; 2nd Succeeding Year 2013-14 is \$611,000; 3rd Succeeding Year 2014-15 is \$611,000; 4th Succeeding Year 2015-16 is \$611,000; 5th Succeeding Year 2016-17 is \$611,000; (4) 2010-11 Program—\$728,907,000; 2009-10 Program—\$540,266,000; 2008-09 Program—\$672,597,000; (7) Long-Term Care; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 11-2015. Filed for public inspection November 18, 2011, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Manual on Uniform Traffic Control Devices

The Department of Transportation (Department), Bureau of Maintenance and Operations, Division of Highway Safety and Traffic Operations, under 75 Pa.C.S. § 6103(c) (relating to promulgation of rules and regulations by department), gives notice of the following:

1) The Manual on Uniform Traffic Control Devices (MUTCD) 2009 Edition Final Rule was published by the Federal Highway Administration at 74 FR 66730 (December 16, 2009). The effective date of the Final Rule is January 15, 2010.

2) In accordance with 23 CFR 655.603(b)(3) (relating to standards), states or other Federal agencies that have their own MUTCDs or supplements shall revise these MUTCDs or supplements to be in substantial conformance with changes to the National MUTCD within 2 years of the effective date of the final rule for the changes. Substantial conformance of state or other Federal agency MUTCDs or supplements shall be as defined in 23 CFR 655.603(b)(1).

3) Section 212.2(b) of 67 Pa. Code (relating to adoption of Federal standards) provides that, in accordance with 75 Pa.C.S. § 6103(d), if the MUTCD is amended or modified by the Federal Highway Administration (FHWA), the amendment will take effect on the effective date specified by the FHWA unless the Department publishes a notice in the *Pennsylvania Bulletin* stating that the amendment or modification will not apply.

4) The Department has concluded its comprehensive review of the MUTCD 2009 Edition.

5) The Department adopts the MUTCD 2009 Edition, as published by the FHWA.

6) The provision of the MUTCD 2009 Edition shall provide the standards applicable in this Commonwealth under 67 Pa. Code Chapter 212 (relating to official traffic control devices).

BARRY J. SCHOCH, P.E.,
Secretary

[Pa.B. Doc. No. 11-2016. Filed for public inspection November 18, 2011, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from the Commission's web site, www.irrc.state.pa.us.

Final-Form

Reg. No.	Agency/Title	Received	Public Meeting
16A-4616	State Board of Dentistry EFDA Program Approval	11/09/11	12/15/11

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 11-2017. Filed for public inspection November 18, 2011, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Bravo Health Pennsylvania, Inc.

Cigna Corporation has filed an application for approval to acquire control of Bravo Health Pennsylvania, Inc., a domestic health maintenance organization. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P. S. §§ 991.1401—991.1413).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written

statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or rbrackbill@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2018. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application for Approval to Acquire Control of Commerce Protective Insurance Company

KnightBrook Insurance Company has filed an application to acquire control of Commerce Protective Insurance Company, a Pennsylvania domiciled stock casualty insurance company. The filing was made under Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1413).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 14 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or rbrackbill@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2019. Filed for public inspection November 18, 2011, 9:00 a.m.]

Application for Approval to Acquire Control of Highmark, Inc. and Its Pennsylvania Domiciled Insurance Subsidiaries

UPE has filed an application seeking approval of the acquisition of control of Highmark, Inc. and its Pennsylvania domiciled insurance company subsidiaries. The affected subsidiaries include: First Priority Life Insurance Company, Inc., Gateway Health Plan, Inc., HM Health Insurance Company, HM Casualty Insurance Company, HM Life Insurance Company, Highmark Casualty Insurance Company, Highmark Senior Resources, Inc., HMO of Northeastern Pennsylvania, Inc., Inter-County Health Plan, Inc., Inter-County Hospitalization Plan, Inc., Keystone Health Plan West, Inc., United Concordia Companies, Inc., United Concordia Dental Plans of Pennsylvania, Inc., and United Concordia Life and Health Insurance Company. The application was received on November 7, 2011, and was made under Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1403). This "Form A" transactional filing is related to Highmark's proposed affiliation with the West Penn Allegheny Health System.

The filing and related materials was made available on the Insurance Department's (Department) web site www.insurance.pa.gov on November 9, 2011. After first scheduling an appointment, consumers may also view the application and supplemental documents at the Department's Harrisburg office, (717) 787-0877.

Persons wishing to comment on the filing on the grounds of public or private interest in the filing are invited to submit a written statement on the filing to the Department. The public comment period will remain open for an indefinite period of time to afford persons ample opportunity to provide written comments on the filing to the Department. A subsequent notice will appear in the *Pennsylvania Bulletin* to announce the closing of the public comment period. Written statements must include

the name, address and telephone number of the person making the statement; identification of the application to which the statement is addressed; and a concise statement with sufficient details and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Chief, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or rbrackbill@pa.gov.

Comments received will be part of the public record regarding the filing and will be made available on the Department's web site. Additionally, copies of the comments received will be forwarded to the applicant for appropriate response. The applicant's responses will also be made available on the Department's web site.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2020. Filed for public inspection November 18, 2011, 9:00 a.m.]

Penns Pantry—Mt. Hope Restaurant; Prehearing

Appeal of Penns Pantry—Mt. Hope Restaurant under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 1997-0079(M); Doc. No. UT11-10-017

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on January 4, 2012, at 9:30 a.m. A hearing will occur on January 18, 2012, at 9:30 a.m., in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street Harrisburg, PA 17102. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator at the previously listed address on or before December 20, 2011. Answers to petitions to intervene, if any, shall be filed on or before January 3, 2012.

On or before December 20, 2011, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office. Experts will be permitted to testify only on matters substantially contemplated by reports supplied to the other party in accordance with this paragraph.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Donna R. Fleischauer, Human Resources Director, (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2021. Filed for public inspection November 18, 2011, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policies. The hearings will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Mark R. and Dee Ann Ebersole; file no. 11-214-107860; Westfield Insurance Company; Doc. No. P11-11-006; January 11, 2012, 9:30 a.m.

Appeal of Sharon M. Funt; file no. 11-216-108177; AAA Mid-Atlantic Insurance Company; Doc. No. P11-11-005; January 5, 2012, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2022. Filed for public inspection November 18, 2011, 9:00 a.m.]

State Farm Mutual Automobile Insurance Company; Prehearing

State Farm Mutual Automobile Insurance Company; Declaratory Order; George J. Zelle; Doc. No. DO11-06-010

A prehearing telephone conference initiated by this office is scheduled for December 21, 2011, at 10 a.m. A date for the hearing shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at the hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before December 6, 2011, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before December 20, 2011.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 11-2023. Filed for public inspection November 18, 2011, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 205.24—Display of Flags on Commonwealth Buildings and Grounds, Amended October 12, 2011.

Management Directive No. 215.12—Provisions Concerning The Americans With Disabilities Act, Amended October 14, 2011.

Management Directive No. 215.13—Contract Provision for Donation of Excess Prepared Food, Amended October 12, 2011.

Management Directive No. 580.25—Political Activities of Classified Service Employees, Amended October 7, 2011.

Administrative Circular No. 11-14—Holidays—2012, Dated September 29, 2011.

MARY JANE PHELPS,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 11-2024. Filed for public inspection November 18, 2011, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Eligible Telecommunications Carriers; Universal Low Income Support

The Pennsylvania Public Utility Commission (Commission) invites comment on the following pending wireless carrier's petition for designation as eligible telecommunications carriers (ETC) for purposes of Federal universal service low income support:

Global Connection of America, Inc.—Doc. No. P-2011-2245213

The Commission, at its July 29, 2010, public meeting adopted a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers. This notice informs telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission.

Interested parties are invited to file comments at the relevant docket numbers within 20 days of publication of this notice. Reply comments of the carrier are due within 10 days thereafter. Interested parties may review the pending petitions at the Commission web site <http://www.puc.state.pa.us/> or hard copies are available for a fee by means of written request to the Secretary of the Commission, Pennsylvania Public Utility Commission, Rosemary Chiavetta, Secretary, P. O. Box 3265, Harrisburg, PA 17105-3265.

The contact for questions regarding this notice is Elizabeth A. Lion Januzzi, Assistant Counsel, Law Bureau, (717) 772-0696.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-2025. Filed for public inspection November 18, 2011, 9:00 a.m.]

Pro Forma Change in Ownership

A-2011-2271739 and A-2011-2271778. XO Communications Services, Inc. and Nextlink Wireless, Inc. Application of XO Communications Services, Inc. and Nextlink Wireless, Inc. for approval of a Pro Forma Change in Ownership.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before December 5, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicants: XO Communications Services, Inc. and Nextlink Wireless, Inc.

Through and by Counsel: Brad E. Mutschelknaus, Esquire, Joan M. Griffin, Esquire, Denise N. Smith, Esquire, Kelley Drye and Warren, LLP, 3050 K Street, NW, Suite 400, Washington, DC 20007

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-2026. Filed for public inspection November 18, 2011, 9:00 a.m.]

Transfer of Control

A-2011-2270979; A-2011-2270980; A-2011-2270981; A-2011-2270982. Global Tel*Link Corporation, Value-Added Communications, Inc., DSI-ITI, LLC, and Public Communications Services, Inc. Joint application of Global Tel*Link Corporation, Value-Added Communications, Inc., DSI-ITI, LLC, and Public Communications Services, Inc. for approval of a transfer of control to ASP GTEL Holdco, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before December 5, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Joint Applicants: Global Tel*Link Corporation, Value-Added Communications, Inc., DSI-ITI, LLC and Public Communications Services, Inc.

Through and by Counsel: Lance J. M. Steinhart, Esquire, Lance J. M. Steinhart, PC, 1725 Windward Concourse, Suite 150, Alpharetta, GA 30005

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-2027. Filed for public inspection 12, 2011, 9:00 a.m.]

Water Service

A-2011-2272163. Aqua Pennsylvania, Inc. Application of Aqua Pennsylvania, Inc. for approval of: 1) the acquisition by Aqua Pennsylvania, Inc. of the water system assets of Mifflin Township Water Authority situ-

ated in a portion of Mifflin Township, Columbia County; and 2) the right of Aqua Pennsylvania, Inc. to begin to supply water service to the public in a portion of Mifflin Township, Columbia County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before December 5, 2011. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Aqua Pennsylvania, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas Long Niesen and Kennard, 212 Locust Street, Suite 500, P. O. Box 9500, Harrisburg, PA 17108

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 11-2028. Filed for public inspection November 18, 2011, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 11-083.1, Mustin Field Fencing and Guard House, until 2 p.m. on Thursday, December 15, 2011. The bid documents can be obtained from the PRPA web site at www.philaport.com and are available on November 22, 2011. PRPA is an Equal Opportunity Employer (EOE). Contractors must comply with all applicable EOE laws.

A mandatory prebid job site meeting will be held on December 1, 2011, at 10 a.m. at 51 Mustin Street, Kitty Hawk Runway, Philadelphia, PA. Bidders must provide to the Procurement Department, in writing (24 hours prior to the meeting), the names of individuals that will be attending. Fax to (215) 426-6800, Attn: Procurement Department.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 11-2029. Filed for public inspection November 18, 2011, 9:00 a.m.]

STATE ATHLETIC COMMISSION

Public Meetings for 2012

The State Athletic Commission (Commission) of the Department of State announces its schedule for regular meetings to be held at least once every 2 months in 2012, under 5 Pa.C.S. § 103 (relating to duties of commission). Meetings will be held in Room 303, North Office Building, Harrisburg, PA 17120, at 11 a.m. These meetings are open to the public and are scheduled as follows:

February 27, 2012
April 23, 2012
June 25, 2012
August 27, 2012
October 29, 2012
December 17, 2012

Individuals having questions regarding these meetings should contact the Commission at (717) 787-5720.

GREGORY P. SIRB,
Executive Director

[Pa.B. Doc. No. 11-2030. Filed for public inspection November 18, 2011, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Justin Michael Lee, MD; Doc. No. 2048-49-09

On October 19, 2011, Justin Michael Lee, MD, license no. MD433760, of Philadelphia, Philadelphia County and Phoenix, AZ, had his Pennsylvania license indefinitely suspended until his Arizona medical license has been restored to unrestricted status, based upon disciplinary action taken against his license to practice medicine by the proper licensing authority of Arizona.

Individuals may obtain a copy of the final order by writing to Steven R. Dade, Board Counsel, State Board of Medicine, P. O. Box 2649, Harrisburg, PA 17105-2649.

This final order represents the State Board of Medicine's (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

CAROL E. ROSE, MD,
Chairperson

[Pa.B. Doc. No. 11-2031. Filed for public inspection November 18, 2011, 9:00 a.m.]

