

NOTICES

DEPARTMENT OF AGRICULTURE

Dog Law Grant Program; Fiscal Year 2012-2013

The Department of Agriculture (Department) gives notice that the Grant Program (Program) that will run this year will run from July 1, 2012, through June 30, 2013, and will award up to \$250,000 in grants. The Program will award bill reimbursement grants to humane societies or associations for the prevention of cruelty to animals that meet the guidelines and conditions of this Program. Recipients of funds under this Program may not make any claim or request for fees under 7 Pa. Code § 25.1 (relating to general) for holding and disposing. The Program will be funded from the Dog Law Restricted Account, from funds which are hereby declared to be "surplus" funds for the limited purposes set forth in section 1002(b) of the Dog Law (3 P. S. § 459-1002(b)).

The Department hereby gives notice that although it proposes the Program for Fiscal Year 2012-2013, there will not likely be a similar program after June 30, 2013. Humane societies or associations for the prevention of cruelty to animals are hereby provided notice of this fact and—for budgeting and financial planning purposes—should proceed with the knowledge that the Department will not likely be offering a similar version of the Program after June 30, 2013, or, at best, will be offering a significantly scaled-back version of the Program.

A proposed version of these guidelines and conditions was published at 42 Pa.B. 565 (January 28, 2012). The Department invited public and legislative review of these proposed guidelines and conditions in accordance with 7 Pa. Code § 23.4 (relating to guidelines and conditions). The Department received comments from the Bucks County Society for the Prevention of Cruelty to Animals (SPCA) and the Federated Humane Societies of Pennsylvania jointly suggesting additions to subsection 2(c) regarding eligibility. Specifically, the Bucks County SPCA and the Federated Humane Societies of Pennsylvania jointly suggested adding to the eligibility requirements that a humane society or association for the prevention of cruelty to animals is eligible to apply to receive a grant under the Program if that humane society or association for the prevention of cruelty to animals: Has, in the performance of its dog control functions, accepted at least 100 stray or unwanted dogs from this Commonwealth into its facility within the year immediately preceding the application date. The Department has reviewed and adopted this addition. The Department has received additional inquiries from another commentator which does not go to the substance of the guidelines and conditions and which will be answered directly by the Department.

The guidelines and conditions for the Program are set as follows.

Guidelines and Conditions for the Fiscal Year 2012-2013 Dog Law Grant Program

1. *Definitions.*

The following words and terms, when used in these guidelines and conditions, have the following meanings:

Department—The Department of Agriculture.

Dog control—The apprehending, holding and disposing of stray or unwanted dogs, or as otherwise defined in the Dog Law (3 P. S. § 459-102).

Eligible Bill—A document seeking payment for materials, services (other than veterinary services and spaying/neutering services) or utilities from a grant recipient, setting forth the following:

- i. The date the document is issued.
- ii. The name and address of the humane society or association for the prevention of cruelty to animals to which the bill is issued.
- iii. If for materials, a description of the materials and the date of delivery. Invoices and/or receipts for materials must set forth or be accompanied by a written description of the intended use of the material and the date the material is used. Materials may not include computers, computer equipment or software. Examples of eligible materials include the following:
 - Cleaning supplies.
 - Office supplies—typical supplies used to carry on daily office duties.
 - Materials for building and repair projects.
 - Purchases of medication, needles, and the like.
- iv. If for services, the services must be other than veterinary services or spaying/neutering services, and shall include a description of the nature of the services and the dates upon which the services were rendered. Examples of services include the following:
 - Labor charges with respect to which the invoice details the exact service performed and the date of performance.
 - Cremation services with respect to which the invoice either verifies that only dogs were cremated or—in the event that animals other than dogs were cremated—separates the dogs from those other animals and identifies a charge attributable to only the cremation of the dogs.
 - Exterminator services with respect to which the invoice identifies the date of the service and identifies location of the service.
 - Property, casualty and liability insurance services (excluding workers compensation insurance).
- v. If for utilities (such as electricity, water, sewer, waste disposal and similar purposes), a statement of the period for which the utility, for which payment is sought, was provided.
- vi. The name, address and telephone number of the entity issuing the invoice or receipt.

Humane society or association for the prevention of cruelty to animals (SPCA)—A nonprofit society or association duly incorporated under 15 Pa.C.S. Chapter 53, Subchapter A (relating to incorporation generally) for the purpose of prevention of cruelty to animals, or as otherwise defined in the Dog Law (3 P. S. § 459-102).

Program—The July 1, 2012 through June 30, 2013 Dog Law Grant Program.

2. Eligibility.

A humane society or association for the prevention of cruelty to animals is eligible to apply to receive a grant under the Program if that humane society or association for the prevention of cruelty to animals:

- a. Has been in operation for at least 1 year immediately preceding the application date.
- b. Has performed dog control functions for at least 1 year immediately preceding the application date.
- c. Has, in the performance of its dog control functions, accepted at least 100 stray or unwanted dogs from this Commonwealth into its facility within the year immediately preceding the application date.
- d. Agrees—as a condition of receiving any grant money under the Program—to continue to perform dog control activities and to accept stray or unwanted dogs from the Department's State Dog Wardens performing dog control functions, through June 30, 2013.
- e. Agrees—as a condition of receiving any grant money under the Program—to accept stray or unwanted dogs as described in the preceding paragraph without regard to whether the stray or unwanted dog originates from a county other than the county in which the humane society or association for the prevention of cruelty to animals is located.
- f. Maintains a valid Pennsylvania 2012 and 2013 "Non Profit" kennel license, and operates only a nonprofit kennel at the facility for which grant reimbursement is requested. Facilities which house kennel operations other than a nonprofit facility (that is, boarding kennel and/or commercial kennel) at the same location are not eligible to participate in this program.

3. Use of Grant Funds.

The Department will allocate a specific maximum grant amount to a successful grant applicant through a written grant agreement. This maximum grant amount will be specified in the grant agreement.

The maximum grant amount will be retained by the Department and used to reimburse the grant recipient for eligible bills the grant recipient has paid with respect to materials, services or utilities provided to the grant recipient from July 1, 2012, through June 30, 2013. The total reimbursement the Department will pay a grant recipient will not exceed the maximum grant amount. Any money remaining in a grant allocation beyond the termination date of the grant agreement will lapse into the Dog Law Restricted Account. If a bill covers materials, services or utilities provided, in whole or in part, before July 1, 2012, or after June 30, 2013, that bill is not an eligible bill and will not be reimbursed by the Department under the Program.

4. Application Process.

a. *Application required.* A humane society or association for the prevention of cruelty to animals seeking a grant under the Program must complete a written application form and deliver it to the Department no later than 30 days from the date this notice is published in the *Pennsylvania Bulletin*. Applications received by the Department beyond that date will not be considered.

b. *Obtaining an application form.* The Department will provide grant application forms upon request, or the application may be downloaded from the Department's web site: www.agriculture.state.pa.us.

Requests for application forms should be directed to Lynn Diehl, Director, Dog Law Enforcement Office, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 787-4833, fax (717) 772-4352.

c. *Contents of grant application form.* A grant application form shall require the following information:

- i. The name and address of the applicant.
- ii. Information to verify that the applicant is a humane society or association for the prevention of cruelty to animals and otherwise meets the eligibility requirements set forth in paragraph 2.
- iii. The maximum grant amount sought by the applicant.
- iv. A description of the eligible bills for which the grant applicant intends to seek reimbursement, including a description (and copies, if available) of bills received by the applicant in 2011 for the same type of materials, services (other than veterinary services and spaying/neutering services) or utilities for which reimbursement will be sought under the grant agreement.
- v. Verification that, in the event a grant is awarded, the applicant will continue to perform dog control activities, and to accept stray or unwanted dogs from the Department's State Dog Wardens performing dog control functions, through the Fiscal Year 2012-2013.
- vi. Other information as the Department might reasonably require.

5. Review and approval of grant application.

a. *Review and notification.* The Department will review each timely grant application and provide the applicant written notification of whether the Department awards the grant, denies the grant or awards a grant in some amount less than the applicant sought.

b. *Review criteria.* The Department will consider the following, among other factors, in determining whether to award a grant application:

- i. The number of applications received and the availability of funds for the grants sought.
- ii. The relative contribution of the applicant to dog control activities in the area it serves.
- iii. The relative contribution of the applicant to dog control as compared to the relative contribution of other applicants.
- iv. The relative importance of the grant to the continued operation of the applicant's dog control facility.
- v. The expense or logistical difficulty the Department would encounter if the applicant's dog control facility was no longer in operation.
- vi. The relative contribution of the applicant in terms of the number of stray or unwanted dogs it accepts from the Department's State Dog Wardens performing dog control functions.

6. Grant agreement.

a. *Grant agreement required.* A successful grant applicant must execute a grant agreement with the Department, setting forth the terms and conditions under which

the grant money will be used by the Department to reimburse the grant recipient for payment of eligible bills.

b. *Reimbursement requests.* The grant agreement will set forth the exact procedure by which a grant recipient shall seek reimbursement from the Department for payment of eligible bills. The basic reimbursement request procedure will be as follows:

By January 15, 2013, the grant recipient will: (1) deliver copies of the eligible bills it has paid between July 1, 2012, and December 31, 2012; (2) verify that these bills have been paid and are eligible for reimbursement; and (3) provide a detailed report of the dog control activities performed by the successful applicant during the referenced 6-month period.

By July 15, 2013, the grant recipient will: (1) deliver copies of the eligible bills it has paid between January 1, 2013, and June 30, 2013; (2) verify that these bills have

been paid and are eligible for reimbursement; and (3) provide a detailed report of the dog control activities performed by the successful applicant during the referenced 6-month period.

c. *Payment by the Department.* The Department will reimburse a grant recipient for eligible bills within 60 days of receiving a complete and timely reimbursement request.

d. *Termination.* The Department may terminate a grant agreement at any time by providing the grant recipient written notice of termination at the address set forth on the grant application.

GEORGE D. GREIG,
Secretary

[Pa.B. Doc. No. 12-404. Filed for public inspection March 9, 2012, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending February 21, 2012.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
2-17-2012	Susquehanna Bancshares, Inc. Lititz Lancaster County Application for approval to acquire 100% of Tower Bancorp, Inc., Harrisburg.	Effective

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
2-17-2012	Susquehanna Bank Lititz Lancaster County Merger of Graystone Tower Bank, Lancaster, with and into Susquehanna Bank, Lititz.	Effective

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-20-2012	Greater Delaware Valley Savings Bank Broomall Delaware County	309 Lancaster Avenue Frazer Chester County	Filed

(This entry is a correction from week ending 01-24-2012, which listed this application as a Branch Relocation. The application has been amended to reflect a De Novo Branch and a Branch Discontinuance.)

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
2-13-2012	Northwest Savings Bank Warren Warren County	<i>To:</i> 104 Winfield Drive Centre Hall Centre County <i>From:</i> 219 North Pennsylvania Avenue Centre Hall Centre County	Effective

Branch Consolidations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
The following branch consolidations are in conjunction with the merger of Susquehanna Bank, Lititz, and Graystone Tower Bank, Lancaster			
2-17-2012	Susquehanna Bank Lititz Lancaster County Graystone Tower Bank Lancaster Lancaster	<i>Into:</i> 119 Nutt Road Phoenixville Chester County <i>From:</i> 700 Nutt Road Phoenixville Chester County	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 9 North High Street West Chester Chester County <i>From:</i> 887 South Matlock Street West Chester Chester County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 2796 Old Post Road Harrisburg Dauphin County <i>From:</i> 4045 Linglestown Road Harrisburg Dauphin County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 801 Norland Avenue Chambersburg Franklin County <i>From:</i> 800 Norland Avenue Chambersburg Franklin County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 331 West Main Street Leola Lancaster County <i>From:</i> 361 West Main Street Leola Lancaster County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 1300 West Main Street Ephrata Lancaster County <i>From:</i> 1759 West Main Street Ephrata Lancaster County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 1570 Manheim Pike Lancaster Lancaster County <i>From:</i> 100 Granite Run Drive Lancaster Lancaster County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 2508 Eastern Boulevard York York County	Effective

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
	Graystone Tower Bank Lancaster Lancaster County	<i>From:</i> 2270 East Market Street York York County	
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 1191 Eichelberger Street Hanover York County	Effective
	Graystone Tower Bank Lancaster Lancaster County	<i>From:</i> 1001 Carlisle Street Hanover York County	
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 126 West Cypress Street Kennett Square Chester County	Effective
		<i>From:</i> 100 Old Forge Road Kennett Square Chester County	
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 800 Kenhorst Plaza Shillington Berks County	Effective
		<i>From:</i> 2001 Museum Road Wyomissing Berks County	
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 2155 Atco Avenue Atco New Jersey	Effective
		<i>From:</i> 114 Hays Mill Road Atco New Jersey	
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	<i>Into:</i> 9 North High Street West Chester Chester County	Effective
	Susquehanna Bank Lititz Lancaster	<i>From:</i> 15 East Gay Street West Chester Chester County	
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 1676 Oregon Pike Lancaster Lancaster County	Effective
		<i>From:</i> 1817 Oregon Pike Lancaster Lancaster County	
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 1676 Oregon Pike Lancaster Lancaster County	Effective
		<i>From:</i> 129 East Orange Street Lancaster Lancaster County	
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 1300 West Main Street Ephrata Lancaster County	Effective
		<i>From:</i> 30 West Main Street Ephrata Lancaster County	
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 1205 Carlisle Road York York County	Effective
		<i>From:</i> 509 Greenbriar Road York York County	

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
2-17-2012	Susquehanna Bank Lititz Lancaster County	<i>Into:</i> 10 West Main Street Waynesboro Franklin County <i>From:</i> 634 East Main Street Waynesboro Franklin County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
The following branch consolidations are in conjunction with the merger of Susquehanna Bank, Lititz, and Graystone Tower Bank, Lancaster			
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	8264 Great Cove Road Needmore Fulton County	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	3840 Hempland Road Mountville Lancaster County	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	18233 Maugans Avenue Hagerstown Maryland	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	15 Freedom Boulevard Coatesville Chester County	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	1343 West Baltimore Pike Media Delaware County	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	411 North Middletown Road Media Delaware County	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	1109 East Baltimore Pike Kennett Square Delaware County	Effective
2-17-2012	Graystone Tower Bank Lancaster Lancaster County	1660 East Street Kennett Square Delaware County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County	890 East Main Street Ephrata Lancaster County	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County	530 East Ridgeville Boulevard Mount Airy Maryland	Effective
2-17-2012	Susquehanna Bank Lititz Lancaster County	7 West 28th Division Highway Lititz Lancaster County	Effective
1-20-2012	Greater Delaware Valley Savings Bank Delaware County Broomall	82 East Lancaster Avenue Paoli Chester County	
(This entry is a correction from week ending 01-24-2012, which listed this application as a Branch Relocation. The application has been amended to reflect a De Novo Branch and a Branch Discontinuance.)			
2-21-2012	Allegheny Valley Bank of Pittsburgh Pittsburgh Allegheny County	2686 Monroeville Boulevard Monroeville Allegheny County	Filed

NOTICES

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
2-16-2012	TruMark Financial Credit Union Trevose Bucks County	Approved
	Application for approval to merge Kenrick Federal Credit Union, Bryn Mawr, with and into TruMark Financial Credit Union, Trevose.	

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 12-405. Filed for public inspection March 9, 2012, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0065030 (Sewage)	Meshoppen Borough STP Sterling Street Meshoppen, PA 18630	Wyoming County Meshoppen Borough	Susquehanna River (4-G)	Y
PA0060526 (Industrial Waste)	PA American Water Forest City WTP Off Route 171 Forest City, PA 18421	Susquehanna County Forest City Borough	Lackawanna River (5-A)	Y
PA0032140 (Sewage)	Lackawanna State Park RR 1, Box 230 Dalton, PA 18414-9785	Lackawanna County Benton Township	South Branch Tunkhannock Creek (4-F)	Y
PA0064106 (Sewage)	Benton Nicholson Joint Sewer Authority WWTP 123 Cobb Hill Road Nicholson, PA 18446	Wyoming County Nicholson Township	Unnamed Tributary to South Branch Tunkhannock Creek (4-F)	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0082589 T-1 (Sew)	Fairview Township 599 Lewisberry Road New Cumberland, PA 17070	York County Fairview Township	UNT to Fishing Creek / 7-E	Y
PA0081868 T-1 (Sew)	Fairview Township 599 Lewisberry Road New Cumberland, PA 17070	York County Fairview Township	Susquehanna River / 7-E	Y
PA0070360 T-1 (Sew)	Pilot Travel Centers LLC 5508 Lonas Drive Knoxville, TN 37849	Berks County Bethel Township	UNT of Crosskill Creek / 7-D	Y
PA0084115 T-1	Pilot Travel Centers LLC 5508 Lonas Drive Knoxville, TN 37849	Dauphin County Reed Township	Haldeman Channel of Susquehanna River / 6-C	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PA0222674	McKean Township Sewer Authority STP 9321 Edinboro Road; PO Box 88 McKean, PA 16426	Erie County McKean Township	Elk Creek (15-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

PA0055212, Sewage, SIC Code 4952, **Concord Township**, 43 Thornton Road, Glen Mills, PA 19342-1345. Facility Name: Concord Township Central STP. This existing facility is located in Concord Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal and transfer of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Chester Creek and Unnamed Tributary to West Branch Chester Creek, are located in State Water Plan watershed 3-G and are classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.8 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	Report	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.11	XXX	0.35
CBOD ₅						
May 1 - Oct 31	300	450	XXX	20	30	40
Nov 1 - Apr 30	375	600	XXX	25	40	50
Total Suspended Solids	450	675	XXX	30	45	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
May 1 - Oct 31	30	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	90	XXX	XXX	6.0	XXX	12.0
Total Phosphorus (year 1)	30	XXX	XXX	2.0	XXX	4.0
May 1 - Oct 31 (year 2 to year 5)	15	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30 (year 2 to year 5)	30	XXX	XXX	2.0	XXX	4.0
Total Copper	0.375	XXX	XXX	0.025	XXX	0.050
Total Lead	XXX	XXX	XXX	Report	XXX	Report

The effluent limits for Total Copper were generated using a site-specific translator calculated based on the Copper Translator Study Report submitted by the permittee.

The proposed effluent limits for Outfall 002 are based on an average flow of stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. Operator Notification
- B. Average Weekly Definition
- C. Remedial Measures if Public Nuisance
- D. No Stormwater
- E. Necessary Property Rights
- F. Change of Ownership
- G. Chlorine Minimization
- H. Proper Sludge Disposal
- I. TMDL/WLA Analysis
- J. Fecal Coliform Reporting
- K. Effluent Pipe Cleaning
- L. Visual Observation
- M. Sampling at the Beehive Structure
- N. Laboratory Certification
- O. WETT at Renewal
- P. WET Monitoring
- Q. Stormwater Condition

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0050326, SIC Code 3312, **ArcelorMittal Plate, LLC**, 900 Conshohocken Road, Conshohocken, PA 19428. Facility Name: ArcelorMittal Plate Conshohocken Plant. This existing facility is located in Plymouth Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for a discharge of treated process wastewater from cleaning slab surface scaling at the steel hot rolling mill, and contact and non-contact cooling water at the heat treatment production facilities through Outfall 001. Site stormwater discharges through Outfalls 002, 003, 004, and 005.

The receiving stream, Schuylkill River, is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

Review and approval of chemical additives was based on the following provisional human health criteria, using the most recent scientific data available, and are proposed as site specific criteria:

Chlorite = 200 mg/l

Acrylamide= 0.00007 mg/l

Methylene bis(thiocyanate) = 0.035 mg/l

Acrylamide = 0.00007 mg/l

The proposed effluent limits for Outfall 001 are based on a design flow of 1.2 MGD.

Parameters	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Daily Maximum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX
			Inst Min		
Total Residual Chlorine	XXX	XXX	0.5	XXX	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	300	600	30	60	XXX
Oil and Grease	150	XXX	15	XXX	XXX
Total Dissolved Solids	XXX	XXX	1,000	2,000	XXX
Total Iron	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	Report	XXX
Color (Pt-Co Units)	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of an average storm event.

Parameters	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
CBOD ₅	XXX	XXX	XXX	Report	XXX
COD	XXX	XXX	XXX	Report	XXX
pH (S.U.)	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	Report	XXX
Total Manganese	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Remedial measures if public nuisance
- BAT/ELG reopener clause
- 2°F temperature change
- Change of ownership
- Proper sludge disposal
- Instantaneous maximum limits
- Operations and maintenance plan

- Laboratory certification
- Schuylkill River PCB TMDL condition
- Chemical additives
- Stormwater requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0026531, Sewage, SIC Code 4952, **Downingtown Area Regional Authority**, 6 West Lancaster Avenue, Downingtown, PA 19335. Facility Name: DARA Water Pollution Control Center. This existing facility is located in East Caln Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, East Branch Brandywine Creek, is located in State Water Plan watershed 3-H and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.5 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	0.5	XXX	1.6
(Final)	XXX	XXX	XXX	0.35	XXX	1.28
CBOD ₅						
May 1 - Oct 31	626	938	XXX	10	15	20
Nov 1 - Apr 30	1,251	1,877	XXX	20	30	40
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	1,877	2,815	XXX	30	45	60
Fecal Coliform	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	1,564	XXX	XXX	25	XXX	50
Ammonia-Nitrogen						
May 1 - Oct 31	125	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	375	XXX	XXX	6.0	XXX	12
Total Phosphorus	125	XXX	XXX	2.0	XXX	4.0
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Dichlorobromomethane	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Bis(2-Ethylhexyl)Phthalate	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (Stormwater).

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
pH	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater requirements;
- Total Residual Chlorine (TRC) schedule and other requirements; and
- Pretreatment requirements.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0011657, IW, SIC Code 4911, **Exelon Generation Co. LLC**, 300 Exelon Way, Kennett Square, PA 19348. Facility Name: Exelon Schuylkill Generating Station. This existing facility is located in City of Philadelphia, **Philadelphia County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of cooling wastewater.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 231.48 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Oxidants	XXX	XXX	XXX	XXX	XXX	0.2
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
PCBs (Dry Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs (Wet Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Spectrus CT 1300	XXX	XXX	XXX	XXX	0.05	XXX

The proposed effluent limits for Monitoring Point 101.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0
Total Copper	XXX	XXX	XXX	1.0	1.0	XXX
Total Iron	XXX	XXX	XXX	1.0	1.0	XXX

The proposed effluent limits for Monitoring Point 201.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0

The proposed effluent limits for Monitoring Point 301.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	30.0

In addition, the permit contains the following major special conditions:

- Public Nuisance
- Temperature Requirement
- Property Rights
- Change of ownership
- Cooling Water Intake
- TRO
- TRO discharge
- PCB TMDL
- Laboratory Certification

- No PCB discharge
- Analysis Method for Spectrus CT1300

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0244031, Sewage, SIC Code 4952, **Chadds Ford Township Sewer Authority**, 10 Ring Road, P. O. Box 816, Chadds Ford, PA 19317-0628. Facility Name: Turners Mill STP. This existing facility is located in Chadds Ford Township, **Delaware County**.

Pennsylvania Department of Environmental Protection revised Christina River Basin Total Maximum Daily Load Waste Load Allocations for this facility as below based on actual discharge levels observed from various discharges in the basin:

	<i>CBOD₅</i>	<i>NH₃-N</i>	<i>TN</i>	<i>TP</i>	<i>DO</i>	<i>CBOD₅</i>	<i>NH₃-N</i>	<i>TN</i>	<i>TP</i>	<i>DO</i>
Existing	10	1.5	10	0.5	6	12.516	1.878	12.516	0.626	7.511
Proposed	10	1.5	40	1.0	6	12.0	1.8	46.704	1.2	7.511

Total Maximum Daily Loads of Nutrients and Dissolved Oxygen under Low-Flow Conditions in the Christina River Basin

Pennsylvania, Delaware and Maryland

The Environmental Protection Agency Region III (EPA) established these Total Maximum Daily Loads (TMDLs) for nutrients and other oxygen demanding pollutants in order to attain and maintain the applicable water Quality Standards (WQS) for Dissolve Oxygen (DO) in the Christina River Basin under Low-Flow conditions. The TMDLs were last amended on August 23, 2006. The previous TMDL, and the amendments were developed on assumed total nitrogen levels in the in the point sources. Since then actual total Nitrogen levels are available. Based on available data the Waste Load Allocations (WLAs) for Total Nitrogen are revised, however, the total WLAs for pollutant "Total Nitrogen" for Christina River Basin in unchanged.

The revised Total Nitrogen WLAs are listed in the table below:

#	Permit #	Facility Name	Flow	TN load lbs. / day	
				as per TMDL	Proposed
		<i>Buck Run</i>			
1	PA0057231	Barton Eric SRSTP	0.0005	0.167	0.167
		<i>Brandywine Creek West Branch</i>			
1	PA0056561	Romansville Shop Stormwater	0	0	0
2	PA0029912	Embreeville WWTP	0.1	40.392	25.02
3	PA0053996	Michael Redmond	0.0005	0.167	0.167
4	PA0053228	McCormic SRSTP	0.0005	0.167	0.167
5	PA0053236	Digregorio SRSTP	0.0005	0.167	0.167
6	PA0036897	South Coatesville STP	0.381	97.641	79.438
7	PA0026859	Coatesville STP	7	963.894	875.7
8	PA0011568-001	Arcelormittal Plate LLC Coatesville Plt	0.576	28.308	48.038
9	PA0011568-016	Arcelormittal Plate LLC Coatesville Plt	0.397	50.523	33.11
10	PA0053821	Chester Airport Stormwater	0	0	0
11	PA0056073	Vreeland SRSTP	0.0005	0.167	0.167
12	PA0012416	Rock Run WFP	0.14	0.28	11.676
13	PA0052990	Mitchell SRSTP	0.0005	0.167	0.167
14	PA0052728	Turkey Hill Minit Market No. 177 STP	0.0004	0.081	0.167
15	PA0055697	Spring Run Estates STP	0.049	4.089	8.173
16	PA0036412	Tel Hai Retirement Community STP	0.055	4.59	13.761
17	PA0044776	Northwestern Chester Cnty Mun Auth Honey Brook STP	0.6	50.072	150.12
18	PA0057339	Davidson SRSTP	0.0005	0.167	0.167

NOTICES

1261

#	Permit #	Facility Name	Flow	TN load lbs. / day	
				as per TMDL	Proposed
		<i>Brandywine Creek East Branch</i>			
1	PA0056171	Novak SRSTP	0.0005	0.167	0.167
2	PA0026018	West Chester Taylor Run STP	1.5	125.181	375.3
3	PA0057282	Pope SRSTP	0.0005	0.167	0.167
4	PA0051365	Ingrams Mill WFP	0.233	0.739	0
5	PA0053937	Kratz SRSTP	0.0005	0.167	0.167
6	PA0056324	Mobil SS#16-GBB	0	0.771	0
7	PA0056618	Laurento SRSTP	0.0005	0.167	0.167
8	PA0054305	Sunoco Exton Term. (Closed)	0	0	0
9	PA0053561	Johnson Matthey West Whiteland Plt Groundwater	0.036	0.631	0
10	PA0043982	Broad Run STP	0.4	150.217	133.44
11	PA0012815	Sunoco Downingtown Papermill Facility (Closed)	0	353.973	0
12	PA0026531	Downingtown Reg. Auth STP	7.5	3129.526	1564
13	PA0030228	Keats Glen STP	0.022	1.878	4.587
14	PA0051918	Pepperidge Farm Non-contact	0.036	0.288	0
15	PA0053678	Lamberts Mobil Svc STA FBL	0	0	0
16	PA0053660	Lockhart Jewelry	0	0	0
17	PA0055531	Khalife SRSTP	0.0007	0.141	0.141
18	PA0057126	Former Hess SS 38291	0	0	0
19	PA0054917	Uwchlan Eagleview STP	0.475	39.641	198.075
20	PA0057045	Dorlans Paper Mill (Closed)	0	0	0
21	PA0036374	Eaglepointe Dev Assoc STP	0.015	1.252	6.255
22	PA0052949	Milford Well Station WFP	0.003	0	0
23	PA0057274	Hughes SRSTP	0.0005	0.167	0.167
24	PA0050458	Culbertson Run WWTP	0.053	2.929	6.63
25	PA0057827	McKenna SRSTP	0.0005	0.167	0.167
26	PA0050547	Indian Run Village MH STP	0.0375	3.13	9.382
27	PA0055492	Woods SRSTP	0.0005	0.167	0.167
28	PA0054691	Fisher SRSTP	0.0005	0.167	0.167
29	PA0058378	St. Andrew Brae STP	0.0036	0	0.9
30	PA0244333	Overlook Road Farm WWTP	0.138	0	17.264
31	Not assigned	Brandywine Creek Campground STP	0.0063	0	1.576
		<i>Brandywine Creek Main Stem</i>			
1	DE0050952	AMTRAK	0	0	0
2	DE0021768	Winterthur Museum	0.025	2.086	2.086
3	PA0053082	Mendenhall Inn STP	0.0206	1.719	3.436
4	PA0052663	Knights Bridge STP	0.09	7.511	15.012
5	PA0055476	Ridings of Chadds Ford STP	0.08	3.338	20.016
6*	PA0244031	Turner's Mill STP	0.14	12.518	46.704
7	PA0055484	Keating SRSTP	0.0005	0.167	0.167
8	PA0030848	Chad Ford Elementary STP	0.0063	4.732	2.627
9	PA0056120	Mims SRSTP	0.0005	0.167	0.167
10	PA0031097	Radley Run Country Club STP	0.017	6.867	7.089
11	PA0053449	Birmingham Twp STP	0.15	12.518	50.04
12	PA0057011	Bridlewood Farm STP	0.103	6.451	21.475

NOTICES

#	Permit #	Facility Name	Flow	TN load lbs./day	
				as per TMDL	Proposed
13	PA0036200	Radley Run Mews STP	0.032	12.925	8.006
14	PA0050005	Sun Company (Closed)	0.14	2.454	0
15	PA0051497	Lenape Forged Products Corp Non-contact	0.03	0.06	0
* WLA for Total Phosphorous is revised from 0.626 lbs/day to 1.2 lbs/day					
<i>Borroughs Run</i>					
1	PA0055425	Dambrio LOT 22 SRTSTP	0.0005	0.167	0.167
<i>Red Clay Creek West Branch</i>					
1	PA0053554	Scotts Co Potting Soil Stormwater	0	0	0
2	PA0024058	Kenneth Square WWTP	1.1	91.799	183.48
3	PA0050679	NVF Co.	0	0.509	0
4	PA0057720— Outfall 001	Sunny Dell Foods, Inc.	0.072	6.009	6.009
5	PA0057720— Outfall 002	Sunny Dell Foods, Inc.	0.09	0.18	7.506
<i>Red Clay Main Stem And East Branch</i>					
1	DE0000230	Hercules, Inc. Wilmington	0.35	0.701	0.701
2	DE0021709	GREENVILLE COUNTRY CLUB	0.015	1.252	1.252
3	DE0050067	Center for Creative Arts STP	0.0015	0.501	0.501
4	DE0000451	NVF Yorklyn	2.17	4.346	4.346
5	PA0055107	East Marlborough TWP STP	N/A	12.518	0
<i>Red Clay Creek Middle Branch</i>					
1	PA0053783	PENN London Elem School	0.02	1.669	6.672
2	PA0024066	West Grove Borough STP	0.25	24.243	41.7
<i>White Clay Creek East Branch</i>					
1	PA0052451	The Wool House STP	0.0012	0.242	0.2
2	PA0057029	Hewlett Packard Avondale GWCU	0	2.524	0
3	PA0025488	Avondale Boro STP	0.5	125.181	83.4
4	PA0056898	TO JO Mushrooms Facility	0.049	17.657	20.433
5	PA0029343	Chatham Acres Nursing Center STP	0.027	0	7.881
6	PA0040436	Bowling Green of Brandywine STP	0.009	1.502	3.753
7	PA0040665	Stone Barn Rentals STP	0.011	2.02	2.293

TMDL Summary by Subwatersheds for Christina River Basin

#	Name of Subwatershed	as per TMDL	TN Load lbs./day	
				Revised
<i>Sum of Individual Waste Load Allocations (WLA)</i>				
1	Brandywine Creek Main Stem	73.513		176.825
2	Brandywine Creek East Branch	3811.633		2318.886
3	Brandywine Creek West Branch	1240.872		1246.205
4	Buck Run	0.167		0.167
	Total WLA for Brandywine Creek Watershed	5126.185		3742.083
1	Christina River West Branch	63.84		63.84
2	Little Mill Creek	0		0
3	Christina River Main Stem	0		0
	Total WLA for Christina River Watershed	63.84		63.84
1	Borroughs Run	0.167		0.167
2	Red Clay Creek West Branch	98.497		196.995

#	Name of Subwatershed	as per TMDL	TN Load lbs./day Revised
3	Red Clay Creek Main Stem	19.318	6.8
	Total WLA for Red Clay Creek Watershed	117.982	203.962
1	White Clay Cr. Middle Branch	25.912	48.372
2	White Clay Cr. East Branch	149.126	117.96
3	Muddy Run	0	0
4	Pike Creek	0	0
5	Mill Creek	0	0
6	White Clay Cr. Main Stem	0	0
	Total WLA for White Clay Creek Watershed	175.038	166.332
	Total WLA for Christina River Basin	5483.045	4176.217

In addition to above proposed WLAs for Total Nitrogen, following is proposed WLAs for CBOD5, NH3-N and Total Phosphorous in East Brandywine Creek. This is proposed due to a new discharge Overbrook Farm and a closed Sunoco Downingtown Papermill facility. The proposed WLAs are:

	CBOD ₅		NH ₃ -N		TP	
	Mg/l	lbs/day	Mg/l	lbs/day	Mg/l	lbs/day
Downingtown Reg. Authority STP (DARA)	10	625.5	2	125.10	2	125.1
SUNOCO (closed)	0	0	0	0	0	0
Overlook Farm	24.5	28.2	3.0	3.45	2	2.3
Total proposed WLAs lbs/day	653.7		128.65		127.4	
Existing TMDL WLAs lbs/day for SUNOCO and DARA	653.7		131.9		131.48	

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PAS123501, Storm Water, SIC Code 2064, **Linette Quality Chocolates**, 336 Hill Road, Womelsdorf, PA 19567. Facility Name: Linette Quality Chocolates Inc. This proposed facility is located in Heidelberg Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of Industrial Storm Water.

The receiving stream(s), Unnamed Tributary of Tulpehocken Creek, is located in State Water Plan watershed 3-C and is classified for Trout Stocking (designated use), aquatic life, water supply and recreation; and High Quality—Cold Water Fishes (existing use) The discharge is not expected to affect public water supplies.

The proposed parameter list for Outfall 001:

Parameters*	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

*The permittee may conduct an annual inspection using the Annual Inspection Form (3800-PM-WSWM0083v) in lieu of annual monitoring for the parameters listed above.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261793, SIC Code 6514, **William S & Laura Lee Kauffman**, 110 Union Hall Road, Carlisle, PA 17013. Facility Name: Kauffman SFTF. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated.

The receiving stream(s), Drainage swale to Unnamed Tributary to Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1000
UV Light				Geo Mean Clean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0008281, SIC Code 4911, **PPL Brunner Island LLC**, P O Box 221 Wago Road, York Haven, PA 17370. Facility Name: Brunner Island Steam Electric Station. This existing facility is located in East Manchester Township, **York County**.

Description of Existing Activity: The application is to renew the NPDES permit for existing discharge of treated industrial wastewater.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-I and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 795 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Plant Intake Temperature (°F)	XXX	XXX	XXX	Report	Report	XXX
Effluent Temperature (°F)	XXX	XXX	XXX	Report	Report	XXX
Heat Rejection Rate (MBTUs/day)						
(December 1 - February 29)	Report	167,040	XXX	XXX	XXX	XXX
(March 1 - April 30, November 1-30)	Report	91,870	XXX	XXX	XXX	XXX
(May 1-31, October 1-31)	Report	83,520	XXX	XXX	XXX	XXX
(June 1 - September 30)	Report	75,170	XXX	XXX	XXX	XXX
Hourly In-stream Temperature Change (°F)	XXX	XXX	XXX	XXX	XXX	2.0
Total Residual Oxidants (mg/L)	XXX	XXX	XXX	0.2	XXX	0.2
Trihalomethanes (mg/L)	XXX	XXX	XXX	Report	Report	XXX
pH (S.U.)	XXX	XXX	XXX	From 6.0 to 9.0 Inclusive		

The proposed effluent limits for Outfall 002 (incidental waste treatment basin discharge) for a design flow of 2.0 MGD are:

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	From 6.0 to 9.0 Inclusive		
Oil & Grease	XXX	XXX	XXX	15	20	30
Total Suspended Solids	XXX	XXX	XXX	30	50	50
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Total Arsenic	XXX	XXX	XXX	Report	Report	XXX
Total Cadmium	XXX	XXX	XXX	Report	Report	XXX
Chromium (Hexavalent)	XXX	XXX	XXX	Report	Report	XXX
Total Copper	XXX	XXX	XXX	Report	Report	XXX
Total Lead	XXX	XXX	XXX	Report	Report	XXX
Total Mercury	XXX	XXX	XXX	Report	Report	XXX
Total Molybdenum	XXX	XXX	XXX	Report	Report	XXX
Total Nickel	XXX	XXX	XXX	Report	Report	XXX
Total Selenium	XXX	XXX	XXX	Report	Report	XXX
Total Zinc	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 003 (sewage effluent discharge) for a design flow of 0.032 MGD are:

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	From 6.0 to 9.0 Inclusive		

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
CBOD ₅	XXX	XXX	XXX	25	XXX	50
NH ₃ -N	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform						
(5/1 to 9/30)	XXX	XXX	XXX	200	XXX	1000
(10/1 to 4/30)	XXX	XXX	XXX	2000	XXX	10000
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	XXX

The proposed final effluent limits for Outfall 004 (Ash Basin No. 6 polishing pond discharge) for a design flow of 4.8 MGD, following installation of a filtration system, are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	From 6.0 to 9.0 Inclusive		
Oil & Grease	XXX	XXX	XXX	15	20	30
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	50
Total Aluminum	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Chromium (Hexavalent)	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX
Total Mercury	XXX	XXX	XXX	XXX	Report	XXX
Total Molybdenum	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Selenium	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements for Outfall 006 (groundwater discharge from ash basins) are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Boron	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX
Total Mercury	XXX	XXX	XXX	XXX	Report	XXX
Total Molybdenum	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Selenium	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed final effluent limits for Outfall 007 (Flue Gas Desulfurization Treatment Plant) for a design flow of 0.520 MGD, following installation of a filtration system, are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Oil & Grease	XXX	XXX	XXX	15	20	30
Total Suspended Solids	XXX	XXX	XXX	30	100	100
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Total Antimony	XXX	XXX	XXX	0.853	1.331	2.132
Total Arsenic	XXX	XXX	XXX	Report	Report	XXX
Total Boron	XXX	XXX	XXX	118.6	185.0	296.5
Total Cadmium	XXX	XXX	XXX	0.031	0.048	0.077

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Chromium (Hexavalent)	XXX	XXX	XXX	Report	Report	XXX
Total Copper	XXX	XXX	XXX	0.205	0.319	0.512
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Total Lead	XXX	XXX	XXX	Report	Report	XXX
Total Mercury	XXX	XXX	XXX	Report	Report	XXX
Total Molybdenum	XXX	XXX	XXX	Report	Report	XXX
Total Nickel	XXX	XXX	XXX	Report	Report	XXX
Total Selenium	XXX	XXX	XXX	0.760	1.185	1.90
Total Thallium	XXX	XXX	XXX	0.036	0.057	0.09
Total Zinc	XXX	XXX	XXX	Report	Report	XXX

The proposed final effluent limits for Outfall 008 (Industrial Wastewater Treatment Plant) for a design flow of 5.5 MGD, following installation of a filtration system, are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	From 6.0 to 9.0 Inclusive		
Oil & Grease	XXX	XXX	XXX	15	20	30
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Total Arsenic	XXX	XXX	XXX	Report	Report	XXX
Total Cadmium	XXX	XXX	XXX	Report	Report	XXX
Chromium (Hexavalent)	XXX	XXX	XXX	Report	Report	XXX
Total Copper	XXX	XXX	XXX	Report	Report	XXX
Total Lead	XXX	XXX	XXX	Report	Report	XXX
Total Mercury	XXX	XXX	XXX	Report	Report	XXX
Total Molybdenum	XXX	XXX	XXX	Report	Report	XXX
Total Nickel	XXX	XXX	XXX	Report	Report	XXX
Total Selenium	XXX	XXX	XXX	Report	Report	XXX
Total Zinc	XXX	XXX	XXX	Report	Report	XXX

This NPDES renewal includes stormwater outfalls 009 through 030. Outfalls 028, 029 and 030 are new stormwater outfalls and Outfall 027 is formerly 008. Outfalls 013, 014, 015 and 026 include annual sampling requirements.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3664.

PA0234028, Sewage, SIC Code 4952, **University Area Joint Authority**, 1576 Spring Valley Road, State College, PA 16801-8499. Facility Name: Advanced Water Treatment Building. This facility is located in College Township, **Centre County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of Class A Reclaimed Water.

The receiving surface water(s), Slab Cabin Run and High Purity Water Wetland, is located in State Water Plan watershed 9-C and is classified for Cold Water Fishes (CWF), aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 3.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	Report	Report	XXX	2.0	4.0	5.0
Turbidity (NTU)	XXX	XXX	XXX	2.0	XXX	5.0
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	2.2	XXX	23
Ammonia-Nitrogen	Report	Report	XXX	3.0	6.0	7.5
Total Nitrogen	Report	Report	XXX	10	20	25
Total Organic Halogens	Report	Report	XXX	0.2	0.4	0.5

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
UV Dosage (mjoules/cm ²)	XXX	XXX	50	XXX	XXX	XXX
Total Organic Carbon	Report	Report	XXX	10	20	25

The proposed effluent limits for Internal Monitoring Point 201 are based on a design flow of 3.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Residual Chlorine	XXX	XXX	XXX	0.27	XXX	0.88

The proposed effluent limits for Internal Monitoring Point 301 are based on a design flow of 3.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Internal Monitoring Point 101.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	0			
Net Total Phosphorus	Report	0			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on the Permit Effective Date. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2012.

In addition, the permit contains the following major special conditions:

- In the event that the final treated reclaimed water does not meet the effluent limitations required by this permit (i.e., off-specification water), the off-specification water may be recycled back to the Spring Creek Pollution Control Facility (SCPCF) prior to the effluent sampling and flow monitoring point and not be considered a discharge to the High Purity Water Wetland and/or Slab Cabin Run. When off-specification water is recycled back to the SCPCF and not discharged to the High Purity Water Wetland and/or Slab Cabin Run, the total volume of water, date and time of the recycling shall be recorded and included with the standard monthly reporting submissions required by this permit.

- The permittee shall not use reclaimed water for any Class A+ uses as identified in the Reuse of Treated Wastewater Guidance Manual (362-0300-009, DRAFT January 10, 2009). The use of reclaimed water for Class A+ uses must first be approved by a permit amendment to include Class A+ parameters, treatment standards and monitoring frequencies.

- This permit approves offsets for TN and TP for use in permits PA0234028 and PA0026239. One permitted facility may provide an offset to the other permitted facility based on treatment performance. The monthly offset shall be reported as pounds offset for that month on the DMR Supplemental form for Nitrogen and Phosphorous. For the permitted facility giving an offset to the other permitted facility, the offset will be reported as a negative value. For the permitted facility receiving the offset, the offset will be reported as a positive value. The offsets described in this paragraph are not to be considered permanent and may vary month to month. These offsets shall not be used to adjust the nutrient cap loads in future permits.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0209350, Sewage, SIC Code 4952, **Delmar Township STP**, 610 N. Lawton Road, Wellsboro, PA 16901-7941. Facility Name: Delmar Township STP (Smithville). This existing facility is located in Delmar Township, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Heise Run, is located in State Water Plan watershed 9-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies. The nearest downstream public water supply intake for Jersey Shore Area Joint Water Authority is located on Pine Creek and is 65 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.0	XXX	3.0
CBOD ₅						
May 1 - Sep 30	XXX	XXX	XXX	10	15	30
Oct 1 - Apr 30	XXX	XXX	XXX	20	30	40
BOD ₅ (lbs/mo)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids (lbs/mo)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	20	30	40
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0027138, Sewage, SIC Code 4952, **City of Sharon Sanitary Authority**, 155 W Connelly Boulevard, Sharon, PA 16146-1717. Facility Name: Sharon STP. This existing facility is located in the City of Sharon, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Shenango River, is located in State Water Plan watershed 20-A and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.66 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	1,806	2,889	XXX	25	40	50
Total Suspended Solids	2,167	3,250	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10,000

In addition, the permit contains the following major special conditions:

- Pretreatment Program Implementation
- Whole Effluent Toxicity testing required for the renewal permit
- Electronic discharge monitoring reporting requirement
- Stormwater best management practices

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 0912401, Sewage, **Wrightstown Township**, 2033 Second Street Pike, Wrightstown, PA 18940.

This proposed facility is located in Wrightstown Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a wastewater treatment system which consist of individual grinder stations and a force main conveyance to treatment lagoon.

WQM Permit No. 1512402, Sewage, **Easttown Municipal Authority**, 566 Beaumont Road, Devon, PA 19333.

This proposed facility is located in Easttown Township, **Chester County**.

Description of Action/Activity: Construction of a new wet well/dry well sewage pumping station and emergency generator/control building, associated with piping and electrical work, site work, demolition of the existing station.

WQM Permit No. 1505428, Sewage, **Amendment, Borough of Spring City**, 6 South Church Street, Spring City, PA 19475.

This proposed facility is located in Spring City Borough, **Chester County**.

Description of Action/Activity: Construction of chemical feed facilities for the addition of ferric chloride and/or aluminum sulfate at the Borough's WWTP to reduce effluent phosphorus concentrations.

WQM Permits No. 1505420, Sewage, **Renewal, West Vincent Township**, 729 St. Matthews Road, Chester Springs, PA 19425.

This proposed facility is located in West Vincent Township, **Chester County**.

Description of Action/Activity: Renewal of existing WQM permit.

WQM Permit No. 2312401, Sewage, **Delaware County Regional Water Quality Control Authority**, P. O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in Rose Valley Borough, **Delaware County**.

Description of Action/Activity: The previous chlorination system that used chlorine gas is being replaced by one that uses a sodium hypochlorite solution. The previous dechlorination system that used sulfite tablets is being replaced by one that uses sodium thiosulfate dry crystals.

WQM Permit No. 2312402, Sewage, **Little Washington Wastewater Company**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489.

This proposed facility is located in Media Borough, **Delaware County**.

Description of Action/Activity: Construction and operation of a pump station.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3874404, Amendment 12-1, Sewerage, **Northern Lebanon County Authority**, PO Box 434, Jonestown, PA 17038.

This proposed facility is located in Union Township, **Lebanon County**.

Description of Proposed Action/Activity: Seeking permit approval for plant upgrades for nutrient removal.

WQM Permit No. 2882419 Amendment 12-1, Sewerage, **Saint Thomas Township Municipal Authority**, 175 Saint Thomas Edenville Road, St. Thomas, PA 17252.

This proposed facility is located in St. Thomas Township, **Franklin County**.

Description of Proposed Action/Activity: Seeking permit approval for plant upgrades for nutrient removal.

WQM Permit No. 3112401, Sewerage, **Cromwell Township Board of Supervisors**, 10999 Valley Street, Shirleysburg, PA 17260.

This proposed facility is located in Cromwell Township, **Huntingdon County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction of the installation of approximately 23,300 L.F. of conventional gravity sewer, 7,100 L.F. of force main, and 800 L.F. of low pressure sewer, a pump station, and necessary appurtenances to connect 88 residential customers and Southern Huntingdon High School.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

WQM Permit No. 1400403-A3, Sewerage [SIC 4952], **Martha's Furnace MHP, LLC**, 105 Peppermint Lane, Julian, PA 16844.

This proposed facility is located in Huston Township, **Centre County**.

Description of Proposed Action/Activity: The modifications to the existing facility consist of the installation of a Membrane Bioreactor (MBR) treatment system to replace the activated sludge extended aeration plant. In general, this will entail the installation of two (2) Polylok effluent filters in the settling tank, the former clarifier will be converted to an equalization basin, the former aeration basin will be converted into an overflow basin, a new anoxic tank will be installed, the former dosing tank will be converted to a sludge holding tank, Two (2) MaxFlow MBR units will be installed, the existing East sand filter will be clean and used in overflow scenarios, Sanitaire Membrane tube diffusers will be installed in the MBR basin, a Goulds submersible sewage pump will be placed in the equalization tank, and two (2) VFD controlled Moyno 500 progressing cavity permeate pumps will be installed with an IFM magnetic flow sensor.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 2712401, Sewerage, **OM Recreation, Inc. d/b/a Seldom Inn**, P. O. Box 126, Tionesta, PA 16353.

This existing facility is located in Green Township, **Forest County**.

Description of Proposed Action/Activity: Application for the creation of a small flow treatment facility.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 151203	Mar-J-Builders, Inc. and Highpointe Meadow, LP PO Box 137 Chester Heights, PA 19017	Chester	Franklin Township	Big Elk Creek (HQ-TSF-MF)
PAI01 151204	Progressive Casualty Insurance Co. 5910 Landerbrook Drive Mayfield Heights, OH 44124	Chester	Charlestown Township	Unnamed Tributary Valley Creek (EV)
PAI01 151205	Phillip DiGiore 511 Preston Court Exton, PA 19341	Chester	East Nantmeal Township	Unnamed Tributary Beaver Creek (EV)
PAI01 4607003-R	Dennis Maloomian 1000 Chesterbrook Boulevard Berwyn, PA 19312	Montgomery	Upper Merion Township	Trout Creek (WWF)
PAI01 231202	Tyler Arboretum 515 Painter Road Media, PA 19063-4424	Delaware	Middletown Township	Ridley Creek (HQ-TSF-MF)
PAI01 231203	William Massaro 38 Darby Road Havertown, PA 19083	Delaware	Edgmont Township	Rocky Run (HQ-CWF-MF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, 570-629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024512001	Frank J. Riccobono P. O. Box 1217 Marshalls Creek, PA 18335	Monroe	Pocono Twp.	Pocono Creek, HQ-CWF, MF

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, 610-391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023905005R	David Jaindl Jaindl Land Co. 3150 Coffeetown Rd. Orefield, PA 18069	Lehigh	Upper Macungie Twp., and Lower Macungie Twp.	Schaefer Run, HQ-CWF, MF; Spring Creek, HQ-CWF, MF

Pike County Conservation District: 556 Route 402, Ste. 1, Hawley, PA 18428, 570-226-8220.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025211005	Jewish Reconstructionist Camping Corp. Saposnik, Isaac 101 Greenwood Ave. Suite 430 Jenkintown, PA 19046	Pike	Greene Twp.	UNT to Wallenpaupack Creek, EV; UNT to Freeling Run, EV

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Somerset County Conservation District, 6024 Glades Pike, Suite 103, Somerset, PA 15501 (814) 445-4352

Permit No.	Applicant & Address	County	Municipality	Stream Name
PAI055610004	Big Salvage, LLC 44 East 30th Street, 10th Floor New York, NY 10016	Somerset	Greenville, Larimer, Northampton & Southampton Townships	Laurel Run (EV/HQ-CWF), Gladdens, Mountain & UNTB to Wills Creek (HQ-CWF) Jennings Run & Flaugherty Creek (CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

Agricultural Operation Name and Address	County	Total Acres	Animal Equivalent Units	Animal Type	Special Protection Waters (HQ or EV or NA)	Renewal / New
Andrews Sow Farm 1050 Shiprock Road Willow Street, PA 17548	Lancaster	7.4	576.5	Swine	NA	Renewal
Denise and Dennis Staub 904 Germany Road East Berlin, PA 17316	Adams	4	433.87	Turkey	NA	New
Mt. Pleasant Farms Lynn Eberly 2071 Mt. Pleasant Rd. Fayetteville, PA 17222	Franklin	561.4	255.0 130.19	Heifers Ducks	NA	Renewal
John Pepper Enterprise, LLC 2642 Granville Road Granville Summit PA 16926	Bradford	48.6	802.17	Swine & Dairy	none	New

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 0112502, Public Water Supply.
 Applicant **Bonneauville Borough Municipal Authority**
 Municipality Bonneauville Borough
 County **Adams**
 Responsible Official Bernie Shanebrook, Borough Manager, 86 West Hanover Street, Gettysburg, PA 17325
 Type of Facility Public Water Supply
 Consulting Engineer Daniel Cargnel, P.E., Buchart Horn, Inc., 445 West Philadelphia Street, York, PA 17404
 Application Received: 2/12/2012
 Description of Action Installation of greensand filters for manganese removal at Well No. 9.

Permit No. 3112502, Public Water Supply.
 Applicant **Huntingdon Borough**
 Municipality Huntingdon Borough
 County **Huntingdon**
 Responsible Official Karen A. Foust, Borough Secretary, 530 Washington Street, PO Box 592, Huntingdon, PA 16652-0592
 Type of Facility Public Water Supply
 Consulting Engineer William A. LaDieu, P.E., CET Engineering Services, 1240 N Mountain Road, Harrisburg, PA 17112
 Application Received: 2/15/2012
 Description of Action Modifications to the Huntingdon Water Treatment Plant which include the raw water intake, raw water pump station, rapid mixer, flocculation and sedimentation basins, filters, clearwell and the sendout pumping station.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Permit No. 6312501, Public Water Supply.
 Applicant **Pennsylvania American Water Company**, 800 West Hersheypark Drive, PO Box 888, Hershey, PA 17033
 [Township or Borough] Independence, Cecil, Robinson, Mount Pleasant, North Franklin and Jefferson Townships
 Responsible Official David Kaufmann, Vice-President - Engineering, Pennsylvania American Water Company, 800 West Hersheypark Drive, PO Box 888, Hershey, PA 17033
 Type of Facility Water system
 Consulting Engineer Bankson Engineers, Inc., 267 Blue Run Road, PO Box 200, Indianola, PA 15051
 Application Received Date February 23, 2012
 Description of Action Construction of approximately 35,200 feet of waterline and a booster pump station.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 1012501, Public Water Supply
 Applicant **Bernie's Mobile Home Park**
 Township or Borough Winfield Township
 County **Butler**
 Responsible Official Carl McKruit

Type of Facility	Public Water Supply
Consulting Engineer	William J. McGarvey, P.E. McGarvey Engineering 172 Woodcrest Road Butler, PA 16002
Application Received Date	February 21, 2012
Description of Action	Add two additional detention tanks to increase the chlorine detention time of the system. Add small flow restrictor plate to the finished water supply line to minimize surges.

Permit No. 3712502 , Public Water Supply	
Applicant	Wampum Borough
Township or Borough	Wampum Borough
County	Lawrence
Responsible Official	Charles Kelly, Sr.
Type of Facility	Public Water Supply
Application Received Date	February 1, 2012
Description of Action	Abandon Well No. 4.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WA 24-1000, Water Allocations. **Fox Township Toby Water**, P. O. Box 184, Kersey, PA 15846-0184, Fox Township, **Elk County**. The permittee has submitted a renewal application and requested an allocation of 40,000 gpd on and average daily basis from Lost Run Reservoir. Three springs are impounded by Lost Run Reservoir, which drains to Saw Mill Run.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or

suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401

10 Dewberry Lane, Bristol Township, **Bucks County**. Stephen A. Wheeler, Wheeler Environmental Services, PO Box 501, Boyertown, PA 19512, Christine Dimming State Farm Fire & Casualty Company, PO Box 13, Concordville, PA 19331 on behalf of Mr. Francis DiRenzo & Ms. Cynthia Herrera 10 Dewberry Lane, Levittown, PA 19055 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times* on November 11, 2011.

Maple Glen Dry Cleaners, Upper Dublin Township, **Montgomery County**. Gloria Hunsberger, Kleinfelder, 180 Sheree Blvd, Suite 3800, Exton, PA 19341, Mark Warchol, Kleinfelder, 180 Sheree Blvd, Suite 3800, Exton, PA 19341 on behalf of Jeffrey Brown, Genuardi's Family Markets, LP, 5918 Stoneridge Mall Road, Pleasanton, CA 94588 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of voc's and pce. The intended future use of the site will remain as commercial. A summary of the Notice of Intent to Remediate was to have been published in the *Ambler Gazette* on December 23, 2011.

Girard Medical Center, City of Philadelphia, **Philadelphia County**. Richard D. Trimpi, Trimpi Associates Inc. 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Michael Leiendecker, Girard Medical Center, 8th Street Girard Avenue, Philadelphia, PA 19122 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of n.6 fuel oil. The current and future use of the site is commercial. A summary of the Notice of Intent to Remediate was to have been reported in the *Intelligencer* on December 2, 2011.

Westnor LP Facility, West Norriton Township, **Montgomery County**. Craig Herr, RT Environmental Services, Inc. 215 West Church Road, King of Prussia, PA 19406 on behalf of Martin MacGregor, Westnor, L.P. 10059 Sandmeyer Lane, Philadelphia, PA 19116 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of pce. The proposed future use of the site is to remain nonresidential. A summary of the Notice of Intent to Remediate was to have been reported in the *Times Herald* on April 12, 2011.

Minute Mann Press, Bristol Township, **Bucks County**. Staci Cottone, J&J Spill Service and Supplies, Inc. PO Box 370, Blue Bell, PA 19422 on behalf of Ted Pagano, 413 Inc., has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain commercial. A summary of the Notice of Intent to Remediate was to have been reported in the *Bristol Pilot* on November 17, 2011.

Pitt Estate, Jenkintown Borough, **Montgomery County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Clare Erskine, Allstate Insurance Company, 1200 Atwater Drive, Suite 110, Malvern, PA 19355, Bill Neef, ServiceMASTER by ARTec, 150 East Baltimore Avenue, PO Box 271, Clifton Heights, PA 19018, on behalf of Courtney Pitt, 429 Clement Road, Jenkintown, PA 19046 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. A summary of the Notice of Intent to Remediate was to have been published in the *Times Chronicle/Glenside News* on December 13, 2011.

Florig Equipment Company Inc., 906 Ridge Pike, Plymouth Township, **Montgomery County**. Craig Herr, RT Environmental Services, Inc. 215 West Church Road, King of Prussia, PA 19406 on behalf of Alicia M. Lyskanycz, Florig Environmental Company, Inc, 906 Ridge Pike, Conshohocken, PA 19428 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release no. 2 fuel oil. The future use of the site is commercial. A summary of the Notice of Intent to Remediate was to have been published in the *Times Herald* on December 12, 2011.

Dubow Residence, Lower Merion Township, **Montgomery County**. Douglas B. Schott, P.G. Brickhouse Environmental, 515 South Franklin Street, West Chester PA 19382, Christina Ruble, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Mr. & Mrs. Steven Dubow, 635 Revere Road, Merion Station, PA 19066 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same.

Ludwigs Construction Equipment, West Vincent Township, **Chester County**. Richard D. Trimpi, Trimpi

Associates Inc. 1635 Old Plains Road, Pennsburg, PA 18073, Frank Lynch, EnviroLink Inc. 165 Daleville Road Cochranville, PA 19330 on behalf of Rob Haly, Ludwig's Construction Equipment, 1235 Pottstown Pike, Glenmoore, PA 19343 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The intended future use of the site is commercial and residential A summary of the Notice of Intent to Remediate was to have been published in the *Chester County Press* on November 16, 2011.

Sunoco Inc. Phila Refinery Schuylkill River Tank Farm AO1-8, City of Philadelphia, **Philadelphia County**. Colleen Costello, Langan Engineering and Environmental Services, 30 South 17th Street, Suite 1500, Philadelphia, PA 19103, James Oppenheim, Sunoco, Inc. (R&M) 100 Green Street, Marcus Hook, PA 19061 on behalf of Scott Baker, Sunoco, Inc. (R&M) 3144 Passyunk Avenue, Philadelphia, PA 19145 has submitted a Notice of Intent to Remediate. Groundwater and soil at the site has been impacted with the release of lead and other organics. The future use of the site will remain the same. A summary of the Notice of Intent to Remediate was to have been published in the *Philadelphia Daily News* on October 6, 2011.

Chelsea Pipeline Station & Tank Farm, Upper Chichester Township, **Delaware County**. Daniel P. Cusick, Conestoga-Rovers & Associates, 103 Gamma Drive, Extension, Suite 190, Pittsburgh, PA 15238, Catherine Grzybek, Conestoga-Rovers & Associates, 103 Gamma Drive, Extension, Suite 190, Pittsburgh, PA 15238 on behalf of Deborah LaMond, ConocoPhillips Company, Risk Management & Remediation, 1400 Park Avenue, Room BOB S 206- Linden, NJ 07036 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of unleaded gasoline. The intended use of the properties impacted area as a pipe line station and tank farm, and a public road, respectively, for the foreseeable future.

Weiss Residence, Northampton Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Robin Sigler, State Farm Insurance Company, PO Box 8061, Ballston Spa, NY 12020-8061 on behalf of Erich Weiss, 31 Cardinal Drive, Holland, PA 18966 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. A Notice of Intent to Remediate was to have been published in the *Bucks Count Courier Times* on November 9, 2011.

Hopkins Residence, Lower Southampton Township, **Bucks County**. Charles Burger, Mountain Research LLC, 825 25th Street, Altoona, PA 16601, Jason Bean, Allstate Insurance Company, 309 Lakeside Drive Suite 100, Horsham, PA 19044 on behalf of Shirley Hopkins, 2543 Buffalo Avenue, Trevoise, PA 19053 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same.

Solid State Scientific Inc., Building #2, Montgomery Township, **Montgomery County**. Paul C. Miller, P.E., Environmental Alliance, Inc. 5341 Limestone Road, Wilmington, DE 19808 on behalf of Anthony Cino, 160 Commerce Drive, LP 301 Oxford Valley Road, Suite 702 Yardley, PA 19067-7713 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of other organics. The future use of the site will remain the same. A Notice of Intent to

Remediate was to have been published in the *Times Herald* on December 10, 2011.

Feasterville Plaza Shopping Center, Lower Southampton Township, **Bucks County**. Michael A. Christie, PG, Penn Environmental & Remediation, Inc. 2755 Bergey Road Hatfield, PA 19440, Thomas Jones, Penn Environmental & Remediation, Inc. 2755 Bergey Road Hatfield, PA 19440 on behalf of Deborah A. Colson, Federal Realty Investment Trust, 1626 East Jefferson Street, Rockville, MD 20852 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of chlorinated solvents. Future use of the property is anticipated to remain non-residential for commercial use.

Chapel Steel Pottstown, Borough of Pottstown, **Montgomery County**. John Tabella, SCS Engineers, 11260 Roger Bacon Drive, Reston, VA 20190 on behalf of Pat Jones, Chapel Steel, PO Box 1000, Spring House, PA 19477 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with release of other organic's. The future use of the site will remain the site.

Dansko Distribution Center, Penn Township, **Chester County**. Jennifer Risser, Reliance Environmental, Inc. 130 East Chester Street, Lancaster, PA 19390 on behalf of Daria Payne. Cabot Kjellerup Realty Trust, 8 Federal Road, West Grove, PA 19390 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same.

Horsham Valley Golf Club, Horsham Township, **Montgomery County**. Mark Fortan, DelVal Soil & Environmental Consultations, Sky Run II, Suite A1, 4050 Skyron Drive, Doylestown, PA 18902 on behalf of Harry C. Barbin III, Horsahm Valley Golf Club, 500 Babylon Road, Ambler PA 19002 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of other organics. The intended future use of the site is a residential development.

Brasalind Properties Inc., Borough of West Chester, **Chester County**. Michael S. Welsh, PE, Welsh Environmental, Inc. 313 Clearview Drive Downingtown, PA 19355, James Moretti, Brasalind Properties, Inc. 10 Springhouse Lane, Media, PA 19063 on behalf of Jack Lowe, 220 Chestnut Associates, LP, 55 County Club Drive, Downingtown, PA 19355 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no 6 fuel oil. The future use of the site will remain the same.

Kinder Morgan Fertilizer Dome Lease Area 3 & 4, Fall Township, **Bucks County**. Colleen Costello, Langan Engineering and Environmental Services Inc. 2700 Kelly Road, Suite 200, Warrington, PA 18976 on behalf of Kathleen Mayher, United States Steel Corporation, 600 Grant Street, Pittsburg, PA 15219 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of other organics. The future use of the site will remain the same.

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Wells Fargo Property, 2778 Old Post Road, North Whitehall Township, **Lehigh County**. David Crowther, BlackRock Environmental, LLC, P. O. Box 288, Nazareth, PA 18064 has submitted a Notice of Intent to Remediate on behalf of his client Wells Fargo Bank, NA, 1 Home Campus, Des Moines, IA 50328, concerning the remedia-

tion of soil found to have been impacted by No. 2 fuel oil as a result of a release from a non-regulated, 275-gallon aboveground storage tank due to a copper piping robbery. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soil. The future use of the property is anticipated to remain residential. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Mulik Residence, 600 McIntosh Lane, West Penn Township, **Schuylkill County**. Patrick Crawford, Crawford Environmental Services, LLC, 195 Proudfoot Drive, Birdsboro, PA 19508 has submitted a Notice of Intent to Remediate on behalf of his clients, Kim and Stephen Mulik, 600 McIntosh Lane, Andreas, PA 18211, concerning the remediation of soil found to have been impacted by No. 2 fuel oil as a result of a release from the overflow of a 275-gallon aboveground storage tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soil. The current and intended future use of the property is for residential use. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

CamTran Bus Facility, City of Johnstown, **Cambria County**. Gannett Fleming, Inc. 207 Senate Ave, Camp Hill Pa 17011 on behalf of Cambria County Transit Authority, 726 Central Ave, Johnstown, PA 15902 has submitted a Notice of Intent to Remediate for the construction of a new bus garage at the former Bethlehem Steel/FreightCar America facility. The site will be remediated to meet a site specific standard for soils and groundwater contaminated with metals and SVOC's.

H P Knauf #6 Gas Well, North Mahoning Township, **Indiana County**. Hull and Associates Inc., 300 Business Center Drive, Pittsburgh PA 15205 on behalf of XTO Energy—Appalachia Division, 395 Airport Road, Indiana PA 15701 has submitted a Notice of Intent to Remediate. On November 25 2011 a release of 336 gallons of production water was released to surface soils at the site. The site is being remediated to a statewide health standard for soils and groundwater.

RESIDUAL WASTE—RENEWAL OF GENERAL PERMIT

Application for General Permit, Determination of Applicability; Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR081D014. Skills of Central Pennsylvania, Inc., 5805 William Penn Highway, Mifflintown, PA 17059-9578. This application is for renewal of a residual waste general permit for processing of electronic materials. Processing is limited to dismantling, sorting, and packaging/shipping of electronic

waste materials. The application for renewal was deemed to be administratively complete by Central Office on February 23, 2012.

Persons interested in reviewing the application may contact Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17105-8472, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, Floor 14, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR081D013. Towanda Iron and Metal, Inc., 1 River Street, Towanda, PA 18848.

General Permit WMGR081 is established for the processing (i.e., sizing, shaping, separating and volume reduction only) of e-waste (i.e., damaged, obsolete, and/or reusable electronic devices) prior to reuse or recycling. The processing will be conducted at the Towanda Iron and Metal, Inc. facility, located at 1 River Street, Towanda, **Bradford County**. Central Office received the application on December 22, 2011 and determined it administratively complete on February 16, 2012.

Persons interested in obtaining more information about the general permit application may contact the Division at (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) received for Determination of Applicability under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.

General Permit No. WMGR038SW011. Blairsville Environmental Rubber, LLC, 43 Ash Road, Blairsville, PA 15717. BER Facility, 5490 Route 217 N, Blairsville, PA 15717. A residual waste general permit for beneficial use and processing prior to beneficial use of waste tires, tire derived material, and tire derived fuel for use as fuel in boilers or other combustion units, civil engineering practices, recapping and as an ingredient in or as a commercial product in Blacklick Township, **Indiana County**, was received in the Regional Office on September 2, 2011.

Comments concerning the application should be directed to Diane McDaniel, Environmental Engineering

Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in obtaining more information about the general permit application may contact the DEP Southwest Regional Office, Regional Files at 412-442-4000. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 30 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 301071. MAX Environmental Technologies, Inc., 1815 Washington Road, Pittsburgh, PA 15241-1423. MAX Environmental Yukon, 233 MAX Lane, Yukon, PA 15698-9801. Application for a major modification to revise the radiation protection plan to address radiation screening measures at a residual waste impoundment in South Huntingdon Township **Westmoreland County** was received in the Regional Office on February 22, 2012.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for

the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

09-0027G: Fres-Co System USA, Inc. (3005 State Road, Telford, PA 18969) for a new 10 station Rotogravure Press to replace an existing press in West Rockhill Township, **Bucks County**. Fres-co is a Title V Facility. The Plan Approval will contain monitoring, recordkeeping and operating restrictions designed to minimize emissions and keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

06-03117G: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 19606) for construction of an additional micro milling unit and associated collection system at their facility in Exeter Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the above mentioned company for the above mentioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

This plan approval is for the authorization to construct an additional micronizer grinder. Particulate matter (PM) emissions are not expected to increase beyond 3.15 tons per year. The Plan Approval and Operating permit will contain additional testing, recordkeeping, and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The project will not trigger PSD or NSR requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests, or for requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Tom Hanlon, Facility Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments, protests, or requests for a public hearing.

Plan approvals issues to sources identified in 25 Pa. Code § 127.44(b)(1)—(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

04-00084: Monomoy Capital Partners LP—Anchor Acquisition (400 Ninth Street, Monaca, PA 15061) for an increase in the rolling 30-day glass furnace production rate from 240 tons per day (tpd) to 285 tpd by re-commissioning the gas-oxy system including the replacement of two gas-oxy burners, each rated at 4 MMBtu/hr, at the Anchor Hocking Monaca, Plant Monaca Borough, **Beaver County**.

In accordance with 25 Pa. Code §§ 127.44—127.46, the Department of Environmental Protection intends to issue Air Quality Plan Approval PA-04-00084B to allow an increase in the rolling 30-day glass furnace production rate from 240 tons per day (tpd) to 285 tpd by re-commissioning the gas-oxy system including the replacement of two gas-oxy burners, each rated at 4 MMBtu/hr, at the Anchor Hocking Monaca Plant located in Monaca Borough, Beaver County. The applicant is also proposing to install a multi-pollutant ceramic activated dust filtration (CADF) control system to achieve reductions in emissions from the glass melting furnace of: filterable PM through ceramic filtration; nitrogen oxides (NO_x) through selective catalytic reduction; and sulfur dioxide (SO₂) through injection of a dry sorbent.

The facility currently has a potential to emit (PTE) NO_x greater than the major source threshold. As part of this project the applicant has proposed to accept a facility-wide federally enforceable emission restriction of 99.0 tpy for NO_x. The facility does not have a PTE greater than the major source threshold for any other pollutant and after the proposed NO_x emission restriction the facility will no longer be subject to Title V requirements. The PTE for sources covered by this Plan Approval is estimated by the applicant to be 89.3 tons of NO_x, 25.5 tons

of SO₂, 27.2 of particulate matter less than 10 microns (PM₁₀), 27.0 tons of particulate matter less than 2.5 microns (PM_{2.5}), 20.4 tons of carbon monoxide (CO), 10.5 tons of volatile organic compounds (VOC), and 70,967 tons of carbon dioxide equivalents (CO₂e) per year. The authorization is subject to State regulations including 25 Pa. Code §§ 123.13 and 123.41, as well as, 25 Pa. Code §§ 129.301—129.310 requirements for control of NO_x emissions from glass melting furnaces. Compliance with the federally enforceable NO_x emission limitations from the glass melting furnace will be determined by the installation and operation of a continuous emission monitor as required by 25 Pa. Code § 129.308. The reporting of greenhouse gas emissions in the form of CO₂e and on a mass basis has also been required in this Plan Approval. This Plan Approval has been conditioned to ensure compliance with all applicable rules which includes stack testing, work practice, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Interested persons may submit written comments, suggestions, or objections concerning the proposed Plan Approval to Alex Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments submitted to the Department shall include the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed Plan Approval (PA-04-00084B).

Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Alex Sandy at 412-442-4030.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-350C: iDL Worldwide Inc. (500 Grant Avenue, East Butler, PA 16029) for construction of the Sheet Polymer Mounting Department and the Cyrel Platemaking Operations in East Butler Borough, **Butler County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

This construction of the Sheet Polymer Mounting Department and the Cyrel Platemaking Operations could result in an increase in emissions of 31.81 tpy for VOC and 1.611 tpy for HAPs. However, the facility VOC limit of 49.5 tpy will not be changed. This Plan Approval will contain emission restriction, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source including, but are not limited to, the following:

- Subject to 25 Pa. Code § 129.77

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494; Phone # (814) 332-6940 and must contain the following:

- Name, address and telephone number of the person submitting the comments
- Identification of the proposed plan approval [10-350C]
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

In accordance with 25 Pa. Code § 127.45(a)(6), a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or 25 Pa. Code §§ 127.521—127.524 for Title V operating permits.

25-1021A: Team Hardinger Transportation (1314 West 18th Street, Erie PA 16502) for an increase in VOC emissions from the painting operation at their facility in the City of Erie, **Erie County**. The paint booth at this site was exempted from a plan approval on January 27, 2009. The facility is proposing to increase throughput, using the equipment currently in place.

Pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 25-1021A to Team Hardinger Transportation for an increase in VOC emissions from the painting operation. This facility is located in the City of Erie, Erie County. The Plan Approval will subsequently be incorporated into a facility Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 25-1021A is for an increase in VOC emissions from the painting operation. Based on the information provided by the applicant and DEP's own analysis, the subject source will have the potential to emit approximately 10 tons a year of volatile organic compounds.

The Plan Approval will contain testing, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

26-00588: Laurel Mountain Midstream, LLC (Westpointe Center Three, 1605 Coraopolis Heights Road, Moon Township, PA, 15108) for compressing natural gas in the field on a contract basis at their Shamrock Compressor Station in German Township, **Fayette County**. This is a Title V Operating Permit Application submittal.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131

10-00267: Alcoa Commercial Windows LLC (71 Progress Avenue, Cranberry Township, PA 16066) to modify the Title V Only Operating Permit for their facility in Cranberry Township, **Butler County**. The facility has two sources that are affected by this modification. Source 101 is the Tellkamp line & Binks booth controlled by a thermal oxidizer. Source 102 is the coated extrusion bake oven which is also controlled by the same thermal oxidizer. The facility is a major facility due to its potential to emit volatile organic compounds (VOCs). The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the National Emission Standards for Hazardous Air Pollutants (NESHAP) for surface coating of miscellaneous metal parts and products (40 CFR 63, Subpart Mmmm). The modification is specifically to include additional compliance options allowed under Subpart Mmmm to be included in the permit. The facility is proposing to use the facility-specific emissions limit alternative in combination with the emission rate without add-on controls option for compliance with Subpart Mmmm for Sources 101 and 102. This modification will not increase VOC or HAP emissions at the facility.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

38-03017: Keystone Spikes Corp. (255 North Lincoln Avenue, Lebanon, PA 17046) for their railroad spike manufacturing facility in Lebanon City, **Lebanon County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has actual emissions of 1.3 tpy of SO_x and 0.1 tpy of NO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours

at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Facility Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

67-05080: York Building Products Co., Inc. (P. O. Box 1708, York, PA 17405) for operation of their Thomasville Lincoln Stone Plant in Jackson Township, **York County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility.

The subject facility had the following actual emissions in 2010: 6 TPY of PM₁₀. The Operating Permit will include emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations. Portions of the aggregate processing plant are subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed permit by the permit number listed above.
- A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period from the date of publication of this notice in the *Pennsylvania Bulletin* will exist for the submission of comments or protests.

Daniel C. Husted, P.E., New Source Review Chief, may be contacted at 717-705-4863, or at PA DEP Air Quality

Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00014: New Enterprise Stone and Lime Co., Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) for issuance of a State-Only (Synthetic Minor) Operating Permit renewal for operation of their Towanda Plant facility in Wysox Township, **Bradford County**. New Enterprise Stone and Lime Co., through its division-Eastern Industries, Inc., operates a 150 tph batch mix asphalt plant (Source ID P101), two 15,000 gallon asphalt storage tanks and one 10,000 gallon asphalt storage tank (Source ID P102), a 12,000 gallon fuel oil storage tank (Source ID P103), a batch concrete plant (Source ID P105), and an immersion parts washer (Source P106). The Department of Environmental Protection proposes to issue State-Only (Synthetic Minor) Operating Permit 08-00014. The proposed renewal operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping, and reporting conditions regarding compliance with all applicable requirements are included.

41-00063: Ralph S. Alberts Co., Inc. (60 Choate Circle, Montoursville, PA 17754-9791) to issue a state only operating permit for their polyurethane foam parts manufacturing facility in Fairfield Township, **Lycoming County**. The facility's main sources include five surface-coating spray booths, a solvent cleaning sink, and various natural gas-fired space heaters. The facility has the potential to emit all criteria pollutants below the major emission thresholds. The proposed operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping, and reporting conditions regarding compliance with all applicable requirements are included.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

11-00277: Northern Cambria School District (600 Joseph St., Northern Cambria, PA, 15714-1233) for a Synthetic Minor Operating Permit renewal for the Northern Cambria Elementary & Middle Schools in Northern Cambria Boro, **Cambria County**. Equipment at this facility includes one tri-fuel boiler equipped to burn either coal or fuel oil, a fuel oil-fired boiler, and an emergency generator fired on fuel oil. Potential emissions from the facility are based on a limit of burning 2,000 tons of coal per consecutive 12 month period in the tri-fuel boiler and are estimated to be 15.0 tons NO_x, 1.4 tons VOCs, 12.4 tons CO, 5.4 tons particulate matter and 97.0 tons SO_x. Actual emissions from the facility are much lower. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

30-00177: Coresco, LLC. (308 Dents Run Road, Morgantown, WV 26501) for continued operation of a coal transport facility in Dunkard Township, **Greene County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) in-

tends to issue a State Only Operating Permit (SOOP) to Coresco, LLC's Dooley Run Terminal located in Dunkard Township, Greene County to authorize the continued operation of a coal transport facility. The facility consisting of belt lines, stockpile, and haul road and other supporting equipment for the purpose of transporting coal across the state line into West Virginia.

The allowable throughput is 3,000,000 tons per year through this facility. Potential emissions from the facility are estimated to be 43.99 tons of particulate matter (PM) per year and 12.85 tons of particulate matter under 10 microns (PM10) per year. A road sweeper and a pressurized water truck are available to the site and to be used for dust suppression purposes. In-plant roads and areas of vehicle traffic should be watered, as needed on a preventative basis, and earth or other material transported from the site should be removed promptly such that visible fugitive emissions do not cross the property line. The proposed SOOP contains conditions relating to monitoring, recordkeeping and work practice standards.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Operating Permit renewal may submit the information to Barbara Hatch, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222, 412-442-5226. Written comments must contain the following:

Name, address and telephone number of the person submitting the comments,

Identification of the proposed Operating Permit (SOOP-30-00177), and

Concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated

before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30841312 and NPDES No. PA0013790, Consolidation Coal Company, (1 Bridge Street, Monongah, WV 26554), to revise the permit for the Blacksville Mine No. 2 in Gilmore Township, **Greene County** to install the 13 West Airshaft Site. One NPDES discharge point will be added. Surface Acres Proposed 57.1. Receiving stream: Unnamed Tributary to Bloody Run, classified for the following use: WWF. The application was considered administratively complete on February 23, 2012. Application received April 20, 2011.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26110101 and NPDES Permit No. PA0252123, Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Pending application for a bituminous surface mine also, includes a request for a Section 401 Water Quality Certification, located in Wharton Township, **Fayette County**, affecting 95.4 acres. Receiving streams: unnamed tributaries to Stony Fork and Stony For, classified for the following use: HQ-CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: September 26, 2011.

63100102 and NPDES Permit No. PA0251968, Arthur J. Boyle (P. O. Box 400, Laughlintown, PA 15655). Pending application for a bituminous surface mine also, includes a request for a Section 401 Water Quality Certification, located in Centerville Borough, **Washington County**, affecting 32.2 acres. Receiving streams: unnamed tributaries to Monongahela River, classified for the following use: WWF. The potable water supply intake within 10 miles downstream from the point of discharge: PA American Water Co., Brownsville Plant. Application received: March 30, 2011.

26040105 and NPDES Permit No. PA0250635, Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Revision application for land use change to the affected forestland area to a post-mining

land use of unmanaged natural habitat to an existing bituminous surface mine, located in Dunbar Township, **Fayette County**, affecting 382.7 acres. Receiving streams: unnamed tributaries to Laurel Run and Ferguson Run, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: February 22, 2012.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33070101. P. and N. Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767) Renewal of an existing bituminous surface mine in Oliver Township, **Jefferson County** affecting 53.6 acres. Receiving streams: Unnamed tributary to Hadden Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. This renewal is for reclamation only. Application received: February 21, 2012.

4673SM15 and NPDES Permit No. PA0258237, Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849). Renewal of an existing bituminous surface mine in Jay Township, **Elk County** affecting 173.8 acres. Receiving streams: Two unnamed tributaries to Spring Run, classified for the following uses: HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. This renewal is for reclamation only. Application received: February 23, 2012.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17060113 and NPDES No. PA0256471, Black Cat Coal, LLC (107 West First Ave., Clearfield, PA 16830). Permit renewal and revision to an existing bituminous surface mine located in Brady Township, **Clearfield County** affecting 60.9 acres. This renewal contains revisions to the existing operation consisting of adding the Middle Kittanning and Lower Kittanning coal seams as seams to be mined and adding auger mining to the permit. Receiving streams: unnamed tributaries to Stump Creek and an unnamed tributary to Limestone Run classified for cold water fisheries. There are no potable water supply intakes within 10 miles downstream. Application received: February 22, 2012.

Noncoal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

01870301 and NPDES Permit No. PA0593931, Vulcan Construction Materials, LP, 875 Oxford Avenue, Hanover, PA 17331, renewal of NPDES Permit, Berwick, Conewago, Oxford Townships, **Adams County**. Receiving stream(s): unnamed tributaries to South Branch Conewago Creek (locally known as Slagle Run and North Stream), classified for the following use(s): warm water fisheries (WWF) and migratory fishes (MF). The first downstream potable water supply intake from the point of discharge is New Oxford Municipal Authority and Hanover Municipal Water Works. Application received: February 13, 2012.

4074SM12 and NPDES Permit No. PA0599352, New Enterprise Stone & Lime Company, Inc., P. O. Box 77, New Enterprise, PA 16664, renewal of NPDES Permit, Jefferson Township, **Somerset County**. Receiving stream(s): UTS to/and Kooser Run classified for the following uses(s): high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: February 16, 2012.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

65100401 and NPDES Permit No. PA0252051. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Pending application for a bituminous surface mine also, includes a request for a Section 401 Water Quality Certification, located in Fairfield Township, **Westmoreland County**, affecting 302.8 acres. Receiving streams: unnamed tributaries to Freeman Run, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: December 7, 2010.

65120801. James T. Leonard, Jr. (538 Pittsburgh Pike, Ruffsdale, PA 15679). Application for commencement, operation and reclamation of small noncoal surface mine, located in South Huntingdon Township, **Westmoreland County**, affecting 4.5 acres. Receiving stream: Big Sewickley Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: January 18, 2012.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

36120301 and NPDES Permit No. PA0225266. ICM of Pennsylvania, Inc., (638 Lancaster Avenue, Malvern, PA 19355), commencement, operation and restoration of a limestone quarry operation in Upper Leacock and Manheim Townships, **Lancaster County** affecting 106.3

acres (encompass existing SMP No. 8274SM1 & adding 34.55 acres), receiving stream: Conestoga River, classified for the following uses: warm water fishes and migratory fishes. Application received: February 16, 2012.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in

surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public

notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

NPDES No. PA0215694 (Mining Permit No. 17851501), RES Coal, LLC, (224 Grange Road, Armagh, PA 15650). A renewal to the NPDES and mining activity permit for Clearfield Siding in Boggs Township, **Clearfield County**. Surface Acres Affected 10.85. Receiving streams; Long Run; classified for the following use: CWF and Clearfield Creek; classified for the following use: WWF. Clearfield Creek TMDL. The application was considered administratively complete on October 15, 2010. Application received August 2, 2010.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The proposed average daily discharge rate for Outfall 001 is 0.060 MGD

Outfall 001 discharges to: Clearfield Creek

The proposed effluent limits for Outfall 001 Lat: 40° 59' 48" Long: 78° 27' 07" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Total Settable Solids (ml/l)		0.2	0.4	0.5

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 002 is 0.004 MGD

Outfall 002 discharges to: Long Run

The proposed effluent limits for Outfall 002 Lat: 40° 59' 37" Long: 78° 24' 20" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settable Solids (ml/l)				0.5

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 003 is 0.004 MGD

Outfall 003 discharges to: Long Run

The proposed effluent limits for Outfall 003 Lat: 40° 59' 36" Long: 78° 24' 19" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settable Solids (ml/l)				0.5

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 004 is 0.004 MGD

Outfall 004 discharges to: Long Run

The proposed effluent limits for Outfall 004 Lat: 40° 59' 36" Long: 78° 24' 20" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		2.12	4.24	7.0
Manganese (mg/l)				4.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)				70
Total Settable Solids (ml/l)		0.2	0.4	0.5

¹ The parameter is applicable at all times.

NPDES No. PA0215694 (Mining Permit No. 17851501), RES Coal, LLC, (224 Grange Road, Armagh, PA 15650). A revision to the NPDES and mining activity permit for Clearfield Siding in Boggs Township, **Clearfield County** and related NPDES permit to add a coal prep plant with support facilities and to relocate NPDES Outfall 001 and add NPDES Outfall 005 and Outfall 006. Surface Acres Affected 35.3. Receiving streams; Long Run; classified for the following use: CWF and Clearfield Creek; classified for the following use: WWF. Clearfield Creek TMDL. The application was considered administratively complete on June 23, 2011. Application received January 26, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The proposed average daily discharge rate for Outfall 001 is 0.060 MGD

Outfall 001 discharges to: Clearfield Creek

The proposed effluent limits for Outfall 001 Lat: 40° 59' 48" Long: 78° 24' 07" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Total Settable Solids (ml/l)		0.2	0.4	0.5

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 005 is 0.018 MGD

Outfall 005 discharges to: Clearfield Creek

The proposed effluent limits for Outfall 005 Lat: 40° 59' 37" Long: 78° 24' 04" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.50	3.00	4.50
Manganese (mg/l)		1.00	2.00	2.50
Aluminum (mg/l)		0.75	1.50	1.87
Alkalinity greater than acidity ¹				
Total Settable Solids (ml/l)		0.2	0.4	0.5

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 006 is 0.013 MGD

Outfall 006 discharges to: Long Run

The proposed effluent limits for Outfall 006 Lat: 40° 59' 37" Long: 78° 24' 04" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.50	3.00	4.50
Manganese (mg/l)		1.00	2.00	2.50
Aluminum (mg/l)		0.75	1.50	1.87
Alkalinity greater than acidity ¹				
Total Settable Solids (ml/l)		0.2	0.4	0.5

¹ The parameter is applicable at all times.

NPDES No. PA0235831 (Mining Permit No. 30080703), River Processing Corporation, (PO Box 1020, 158 Portal Road, Waynesburg, PA 15370). A new NPDES and mining activity permit for the Freeport Coal Refuse Disposal Area No. 1 in Jefferson Township, **Greene County** for a new coal refuse disposal facility. Surface Acres Affected 146.6. Receiving stream; Unnamed Tributary to Tenmile Creek, classified for the following use: WWF. Monongahela River. The application was considered administratively complete on July 8, 2007. Application received November 26, 2008.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The proposed average daily discharge rate for Outfall 001 is 0.058 MGD

Outfall 001 discharges to: Unnamed Tributary to Tenmile Creek

The proposed effluent limits for Outfall 001 Lat: 39° 58' 30.036" Long: 80° 01' 10.149" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.50	3.00	3.8
Manganese (mg/l)		1.0	2.0	2.6
Aluminum (mg/l)		0.8	1.5	1.9
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Osmotic Pressure (mOs/kg)		51	102	128
Total Dissolved Solids (mg/l)		375	750	938
Sulfates (mg/l)		125	250	313
Chlorides (mg/l)			Monitor and Report	
Specific Conductance (umho)			Monitor and Report	

¹ The parameter is applicable at all times.

NPDES No. PA0214060 (Mining Permit No. 30921601), River Processing Corporation (158 Portal Road, PO Box 1020, Waynesburg, PA 15370). A revision to the NPDES and mining activity permit for the Freeport Surface Facilities in Jefferson Township, **Greene County** to add NPDES Outfall 003 and to revise the effluent limits for Outfall 002 for surface coal preparation and support area at the site formerly named Monongahela Resources Tipple. Surface Acres Affected 188. Receiving streams: Monongahela River and Tributary to Rush Run, both classified for the following use: WWF. Monongahela River. The application was considered administratively complete on October 22, 2008. Application received May 30, 2008.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The proposed average daily discharge rate for Outfall 002 is 0.02 MGD

Outfall 002 discharges to: Monongahela River

The proposed effluent limits for Outfall 002 Lat: 39° 58' 05" Long: 80° 00' 44" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)			Monitor and Report	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Total Dissolved Solids (mg/l)			Monitor and Report	
Sulfates (mg/l)			Monitor and Report	
Chlorides (mg/l)			Monitor and Report	

¹ The parameter is applicable at all times.

The proposed average daily discharge rate for Outfall 003 is 1.40 MGD

Outfall 003 discharges to: Tributary to Rush Run

The proposed effluent limits for Outfall 003 Lat: 39° 58' 04" Long: 80° 01' 34" are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.6
Aluminum (mg/l)		0.8	1.5	1.9
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90
Osmotic Pressure (mOs/kg)		50	101	126
Total Dissolved Solids (mg/l)			Monitor and Report	
Sulfates (mg/l)			Monitor and Report	
Chlorides (mg/l)			Monitor and Report	

¹ The parameter is applicable at all times.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0268917 (Mining permit no. 11120101), E. P. Bender Coal Company, Inc., P. O. Box 594, Carrolltown, PA 15722, new NPDES permit for a bituminous surface mine in White Township, **Cambria County**, affecting 92 acres. Receiving stream(s): Dutch Run and unnamed tributary to Dutch Run, classified for the following use(s): cold water fishery. The receiving streams are included in the Clearfield Creek TMDL. Application received: January 23, 2012. Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfall(s) listed below discharge to Dutch Run.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	Y
002	Y

The stormwater outfall(s) listed below discharge to Dutch Run.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	Y
005	Y

The stormwater outfall(s) listed below discharge to Unnamed Tributary to Dutch Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	Y

The NPDES for outfall 001A (treatment facility D-1) is revised for change in the effluent limits from the previous published notice dated December 3, 2011. **NPDES No. PA0234231 (Mining permit no. 56960107), PBS Coals, Inc.**, 1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541, renewal of an NPDES permit for reclamation only with post-mining discharges in Jenner Township, **Somerset County**, affecting 125.4 acres. Receiving stream(s): unnamed tributaries to Quemahoning Creek, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiskiminetas-Conemaugh TMDL. Application received: September 22, 2011.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfall(s) listed below discharge to unnamed tributary to Quemahoning Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001A	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 001A Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Osmotic Pressure			50.0 milliosmoles/cm
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfall(s) listed below discharge to unnamed tributary to Quemahoning Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
006	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 006</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.5
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0258792 (Permit No. 33090106), MSM Coal Company, Inc. (P. O. Box 243, DuBois, PA 15801) Revision to an NPDES permit for a bituminous surface mine in Knox Township, **Jefferson County**, affecting 54.1 acres. Receiving streams: Unnamed tributaries to Five Mile Run, classified for the following uses: CWF. TMDL: None. Application received: December 28, 2011. Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries Nos. 1 and 2 to Five Mile Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TP1	N
TP2	N
TP2A	N
SPC	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day</i> <i>Minimum</i>	<i>Daily</i> <i>Average</i>	<i>Instant.</i> <i>Maximum</i>	<i>Maximum</i>
pH ¹ (S.U.)	6.0		9.0	
Iron (mg/l)	3	6	7	
Manganese (mg/l)	2	4	5	
Aluminum (mg/l)	2	4	5	
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)	35	70	90	

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributary No. 1 to Five Mile Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
SPA	N
SPB	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day</i> <i>Minimum</i>	<i>Daily</i> <i>Average</i>	<i>Instant.</i> <i>Maximum</i>	<i>Maximum</i>
pH ¹ (S.U.)	6.0		9.0	
Iron (mg/l)			7.0	
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l) 0			0.5	

Noncoal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

NPDES No. PA 0257826 (Mining permit no. 057112501), Jack L. McClintock, 15222 US Hwy 220, Muncy Valley, PA 17758, new NPDES permit for noncoal surface mining in Shrewsbury Township, **Sullivan County**, affecting 10 acres. Receiving stream(s): Unnamed Tributary to Muncy Creek, classified for the following use(s): HQ-CWF. Application received: August 24, 2011.

The outfall(s) listed below require a non-discharge alternative:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF 1	Y
ST 1	Y

There is no proposed surface discharge from the above listed facilities to the receiving stream due to the implementation of Best Management Practices.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 131—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E51-250. Philadelphia Water Department, Aramark Tower, 1101 Market Street, 2nd Floor, Philadelphia, PA 19107-2994, City of Philadelphia, ACOE Philadelphia District.

To enclose and maintain approximately 416 linear feet of an UNT of Pennypack Creek by utilizing an 84-inch RCP.

The site is located near the intersection of Bustleton Avenue and Scotchbrok Drive (Germantown, PA USGS Quadrangle N: 4.1 inches; W: 3.7 inches).

E15-823. Chester County Conservation District, 688 Unionville Road, Suite 200, Kennett Square, PA 19348, East Bradford Township, **Chester County**, ACOE Philadelphia District.

To restore and maintain approximately 1,200 linear feet of Plum Run and its tributary. Work will include streambank stabilization, minor channel realignment, floodplain grading and fish enhancement structures.

The site is located approximately one half mile south of the intersection of US-322 Business and S.R. 0052. (West Chester, PA USGS Quadrangle N: 9.5 inches; W: 6.3 inches).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-2511.

E40-725. Patrick Kane, 45 Yeager Avenue, Forty Fort, PA 18704, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To remove the existing 1,044 square-foot boathouse and concrete retaining wall and to construct and maintain a pile supported boathouse/dock in Harvey's Lake having 2,188 square-foot surface area over the lake and to construct and maintain a 75-foot long boulder retaining wall along the shoreline of the lake. The project is located along Lakeside Drive at Pole #21 (Harveys Lake, PA Quadrangle Latitude: 41°21'35"; Longitude: -76°01'55").

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4802.

E06-676. Pa. Department of Transportation, Engineering District 5-0, 1002 Hamilton Street, Allentown, Pennsylvania 18101, in Hereford Township, **Berks County**, ACOE Philadelphia District

To: 1) remove the existing structure and construct and maintain a single span composite steel plate girder bridge having a clear span of 97.83 feet, a width of 32.38 feet, and an minimum underclearance of 3.50 feet across Perkiomen Creek (TSF, MF), 2) remove the existing pipe culvert and to install and maintain a 48.0-inch by 76.0-inch RCP having a length of 38.00 feet in an unnamed tributary to Pachwechen Run (TSF, MF), and 4) construct and maintain two stormwater outfalls to the Perkiomen Creek (TSF, MF) at the proposed bridge location, all for the purpose of improving transportation safety and roadway standards. The project is located along SR 1022 (Tollgate Road) (East Greenville, PA Quadrangle; N: 9.2 inches, W: 7.4 inches; Latitude: 40°25'32", Longitude: -75°33'11") in Hereford Township, **Berks County**.

E38-177. Pennsylvania Game Commission, 2001 Elmerton Ave., Harrisburg, PA 17110-9797, Bethel Township, **Lebanon County**, ACOE Baltimore District

To construct and maintain 1. a 14.0-foot wide, single span bridge having a normal span of 73.0 feet and an underclearance of 8.0 feet across Bear Hole Run (CWF, MF); 2. a dual 20.0-foot long, 24.0-inch high density plastic pipe, temporary stream crossing in Bear Hole Run (CWF, MF); 3. to restore and stabilize approximately 40.0-feet of streambank along Bear Hole Run (CWF, MF) all for the purpose of providing access to State Game Lands. The project is located along Swope Valley Road approximately 1.0 mile south of the intersection of Route 443 (Pine Grove, PA Quadrangle: Latitude: 40°30'53.8", Longitude: 76°28'12.6") in Bethel Township, **Lebanon County**.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E59-512. Pennsylvania Department of Transportation, Engineering District 3-0, PO Box 218 Montoursville, PA 17754-0218. SR 4007 Section 003, California Brook Bridge Replacement, Westfield Township, **Tioga County**, ACOE Baltimore District (Potter Brook, PA Quadrangle N: 41° 55' 47"; W: 77° 31' 28").

PA DOT Engineering District 3-0 proposes to replace a single span timber deck steel I-beam bridge with a single span rigid frame culvert. The existing bridge has a span of 17.9 Ft., a skew of 45 degrees, an underclearance of 4.45 Ft. and a low chord of 1376.14 Ft. The proposed bridge has a span of 24 Ft., a skew of 47 degrees, an underclearance of 4.44 Ft., and a low chord of 1376.13 Ft. The proposed structure is beyond the limits of the General Permit 11 for increased length upstream to downstream. The project will not impact any jurisdictional wetlands and does not require mitigation. California Brook is classified as Warm Water Fishery by Title 25, Chapter 93 Water Quality Standards. The project will not require mitigation.

Southwest Region: Wetlands & Waterways Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1661. Municipality of Mount Lebanon, 710 Washington Road, Pittsburgh, PA 15228, Mount Lebanon Township, **Allegheny County**. ACOE Pittsburgh District.

The applicant proposes to construct and maintain a retaining wall approximately 100.0 feet long and 7.5 feet high in the channel and along the banks of Scrubgrass Run (WWF) and to operate, maintain and extend the existing 60-inch diameter culvert under Scrubgrass Road for the purpose of preventing erosion to the existing stream banks. There will be approximately 111.0 linear feet of stream channel impacted. The project is located along Scrubgrass Road, approximately 400.0 feet northeast from the intersection of Scrubgrass Road and Swallow Hill Road (Pittsburgh West PA Quadrangle N: 1.8 inches; W: 9.4 inches; Latitude: 40°-23'-06"; Longitude: 80°-23'-03")

E32-490-A1. EME Homer City Generation, L.P., 1750 Power Plant Road, Homer City, PA 15478-9558, Center Township, **Indiana County**. ACOE Pittsburgh District.

The applicant proposes to maintain fill in 0.041 acre of wetlands in the Two Lick Creek watershed (CWF) for the

purpose of constructing a storm water management pond for a new Flue Gas Desulfurization system. The project is located east of Power Plant Road, Center Township (Indiana PA Quadrangle N: 2.52 inches; W: 1.27 inches; Latitude: 40°30'50"; Longitude: 79°-11'-56")

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E25-744, Greg Ganzer, 2101 Chapline Street, Wheeling, WV 26003. Watercraft Lift and Dock, in the City of Erie, **Erie County**, ACOE Pittsburgh District (Erie North, PA Quadrangle N: 42°, 7', 43.4"; W: 80°, 6', 22").

To construct and maintain a private pile supported watercraft lift and dock together measuring approximately 40 feet by 14 feet and an adjacent floating dock measuring approximately 40 feet by 8 feet located at a point on the northeastern corner of the Niagara Pier within Lake Erie's Presque Isle Bay (WWF).

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105

D54-027EA. Schuylkill County Municipal Authority, P. O. Box 960, Pottsville, PA 17901. New Castle Township, **Schuylkill County**, ACOE Philadelphia District.

Project proposes to modify Mount Laurel Dam across Mud Run (HQ-CWF) in order to meet current Dam Safety requirements. Modifications include replacement of the existing spillway, outlet replacement and repair to the downstream embankment slope. Modification will necessitate permanent impacts to 0.09-acre of Palustrine Emergent Wetland. The applicant is proposing wetland compensation via contribution to the Pennsylvania Wetland Replacement Fund. The dam is located approximately 0.4-mile southwest of the intersection of SR 61 and Interstate 80 (Shenandoah, PA Quadrangle, Latitude: 40°46'18"; Longitude: -76°13'55").

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective

permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2553.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS212212 (Storm Water)	Premiere Bluestone, Inc. Endless Mountain Stone SR 1021 Susquehanna, PA 18847	Susquehanna County Oakland Township	Unnamed Tributary of Drinker Creek Cold Water Fishes (4-E)	Y
PA0061069 (Industrial Waste)	Schott North America, Inc. 400 York Avenue Duryea, PA 18642-2036	Luzerne County Duryea Borough	Lackawanna River (5-A)	Y
PA0053163 (Sewage)	Webster Youngs SRSTP 5029 Vera Cruz Road Center Valley, PA 18034	Lehigh County Upper Saucon Township	Saucon Creek (2-C)	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0021571 (Sew)	Marysville Borough 200 Overcrest Road Marysville, PA 17053	Perry County Marysville Borough	Susquehanna River / 7-A	Y
PA0081311 (Sew)	South Londonderry Township PO Box 3 20 West Market Street Campbelltown, PA 17010-0003	Lebanon County Londonderry Township	Conewago Creek / 7-G	Y
PA0088421 (Sew)	Patrick J. Gibson 2887 Chaneyville Road Clearville, PA 15535-8828	Bedford County Southampton Township	Swale to Town Creek / 13-A	Y
PA0084883 (Sew)	Broad Top City Borough PO Box 220 Broad Top, PA 16621-0220	Huntingdon County Broad Top City Borough	Shoup Run / 11-D	Y
PA0088536 (Sew)	Camp Hebron 957 Camp Hebron Road Halifax, PA 17032-9520	Dauphin County Halifax Township	Powell Creek / 6-C	Y
PA0044261 (Sew)	PA DCNR-Canoe Creek State Park 205 Canoe Creek Road Hollidaysburg, PA 16648	Blair County Frankstown Township	New Creek / 11-A	Y
PA0083712 Amendment No. 1 (Sew)	Bear Valley Franklin County Pennsylvania Joint Authority PO Box 308 Saint Thomas, PA 17252-0294	Franklin County Saint Thomas Township	Broad Run / 13-C	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0080314 Amendment No. 3 (Sew)	Hampden Township 230 South Sporting Hill Road Mechanicsburg, PA 17050-3097	Cumberland County Hampden Township	Sears Run / 7-B	Y
PA0261653 T-1 (Sew)	Cindy W. Arnold 250 Mountain View Road Shippensburg, PA 17257	Cumberland County North Middleton Township	Conodoguinet Creek / 7-B	Y

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0218821 Sewage	Indiana County Municipal Services Authority 602 Kolter Drive Indiana, PA 15701	Indiana County Cherryhill Township	Penn Run	Y
PA0218651 Sewage	Indiana County Municipal Services Authority 602 Kolter Drive Indiana, PA 15701	Indiana County East Wheatfield Township	Mardis Run	Y

****Renewal individuals

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0046337 (Sewage)	Colonial Village Subdivision STP 9231 Edinboro Road PO Box 62, McKean, PA 16426	Erie County McKean Township	Thomas Run (15-A)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0050504, Sewage, **East Goshen Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380-6107.

This proposed facility is located in East Goshen Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as East Goshen Municipal Authority STP & Sewer System to Ridley Creek in Watershed 3-G.

NPDES Permit No. PA0012637, IW, **Conocophillips Company**, 4101 Post Road, Trainer, PA 19061-5052.

This proposed facility is located in Trainer Borough, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated process wastewater, noncontact cooling water and stormwater from a facility known as Conocophillips Trainer Refinery to Marcus Hook Creek, Delaware River Estuary Zone 4 and Stony Creek in Watershed 3-G.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

NPDES Permit No. PA0065331, Industrial Waste, SIC Code 5171 and 5541, **Fowler Oil Company**, 183 Fair Avenue, Honesdale, PA 18431.

This proposed facility is located in Honesdale Borough, **Wayne County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated groundwater from an environmental remediation project that is expected to be completed in two to three years.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0223034, Industrial Waste, SIC Code 3316, **NLMK Pennsylvania Corp.**, 15 Roemer Boulevard, Farrell, PA 16121-2201. Facility Name: NLMK Pennsylvania Corp. This existing facility is located in Farrell City, **Mercer County**.

Description of Existing Activity: Issuance of a renewal of an NPDES permit for an existing discharge of treated industrial waste, non-contact cooling water and stormwater.

The receiving stream, the Shenango River, is located in State Water Plan watershed 20-A and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a design flow of 15.408 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Iron	435	XXX	XXX	XXX	4	XXX

The proposed effluent limits for Suboutfall 104 are based on a design flow of 0.05 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	175	409	XXX	Report	Report	1053
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Iron	XXX	XXX	XXX	1.5	3	3.75
Total Lead	0.9	2.6	XXX	Report	Report	7
Total Zinc	1.2	3.5	XXX	Report	Report	9

The proposed effluent limits for Suboutfall 504 are based on a design flow of 0.5 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	1570	4189	XXX	Report	Report	759
Oil and Grease	XXX	1050	XXX	Report	Report	190
Total Iron	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Temperature (2° rise)
- Chemical Additives
- Solids Disposal
- Electronic DMR reporting requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA

WQM Permit No. 1500410, Sewage, **Renewal**, **East Goshen Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380.

This proposed facility is located in East Goshen Township, **Chester County**.

Description of Action/Activity: Permit renewal of the existing wastewater treatment plant and spray irrigation system onto 60 acres of the golf course.

WQM Permit No. WQG02151113, Sewage, **Thornbury Township**, 8 Township Drive, Cheyney, PA 19319-1019.

This proposed facility is located in Thornbury Township, **Chester County**.

Description of Action/Activity: The installation of a low pressure sewer mains, individual grinder pump and appurtenances in and along roadways in an existing development.

WQM Permit No. 2309408, Sewage, **DELCORA**, 100 East Fifth Street, Chester, PA 19016-0999.

This proposed facility is located in the City of Chester, **Delaware County**.

Description of Action/Activity: Hydraulic re-rate of an existing plant. Increase capacity from 44 mgd to 50 mgd.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

WQM Permit No. 5411406, Sewage, SIC Code 4952, **Porter-Tower Joint Municipal Authority**, 860 West Grand Avenue, Tower City, PA 17980.

This proposed facility is located in Porter Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of a Water Quality Management Part II Permit for upgrades to the existing wastewater treatment plant.

WQM Permit No. 4812410, SIC Code 4952, **Glendon Borough Northampton County**, Borough Of Glendon, Glendon, PA 18042.

This proposed facility is located in Glendon Borough, **Northampton County**.

Description of Proposed Action/Activity: This Project involves construction of a sewer extension to serve approximately 25 existing dwelling along Main Street. The sewer consists of approximately 1400 lineal feet of gravity sewer, a pump station and a force main.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0611402, Sewerage, **City of Reading, Berks County**, 815 Washington Street, Reading, PA 19601.

This proposed facility is located in Reading City, **Berks County**.

Description of Proposed Action/Activity: Permit approval for sewerage facilities consisting of adding 6,800 feet of new 42 inch force main, and lining portions of the existing force main to be used as a backup. Two new meters will be added at the 6th and Canal Pump Station. Seven new Air/Vacuum valves will be installed. Included also in this permit is 2,000 feet of 42 inch force main from the WWTF to Angelica Creek and two magnetic flow meters and the WWTF. These facilities are included in Contract 1 work.

WQM Permit No. 0596408, Amendment 11-1, Sewerage, **Chestnut Ridge Area Joint Authority**, 320 Lane Metal Road, New Paris, PA 15554-9238.

This proposed facility is located in East Saint Clair Township, **Bedford County**.

Description of Proposed Action/Activity: Permit approval to upgrade the existing treatment plant to meet proposed nutrient limits specified in the NPDES permit issued on June 21, 2011 and install new wet well, valve vault and 8" diameter force main at the Camp Pleasant Pump Station to eliminate hydraulic overload.

WQM Permit No. 0787401, Amendment 11-1, Sewerage, **Williamsburg Municipal Authority**, 305 East 2nd Street, Williamsburg, PA 16693-1041.

This proposed facility is located in Williamsburg Borough, **Blair County**.

Description of Proposed Action/Activity: Permit approval to demolish the existing conventional activated sludge treatment plant and construct a new Sequencing Batch Reactor (SBR) process treatment plant to meet the nutrient cap load of the Chesapeake Bay Tributary Strategy. The project includes construction of a new Headworks, three SBR basins, two aerobic digesters, sludge dewatering facility and UV disinfection.

WQM Permit No. 3801401, Amendment 11-1, Sewerage, **PA Department of Military & Veterans Affairs**, Bldg #0-11, Fort Indiantown Gap, Annville, PA 17003.

This proposed facility is located in East Hanover Township, **Lebanon County**.

Description of Proposed Action/Activity: Permit approval for the modification of sewage facilities consisting of replacement of the existing mechanical screen with a fine screen.

WQM Permit No. 4487402, Amendment 11-1, Sewerage, **Burnham Borough Authority**, 200 1st Avenue, Burnham, PA 17009-1640.

This proposed facility is located in Burnham Borough, **Mifflin County**.

Description of Proposed Action/Activity: Permit approval for the modification of sewage facilities consisting of: 1) Upgrade the existing treatment plant to meet proposed nutrient limits specified in NPDES permit issued on 2/1/11 and amended on 10/25/11. 2) Construction of approximately 1800' of new 8" PVC sanitary sewer and 15 new manholes within Ridge Street, East Freedom Avenue, Poplar Street and Highland Avenue to eliminate the last remaining CSO 006. 3) Replacement of the three existing 2 HP Duplex Grinder pumps at Logan Blvd., Orchard Grove and Edwardtown Road with three new HP grinder pumps.

WQM Permit No. 2111401 T-1, Sewerage, **Cindy W. Arnold**, 250 Mountain View Road, Shippensburg, PA 17257.

This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval for transfer of sewerage facilities consisting of a small flow treatment plant with septic tank, peat filter, chlorination and discharge to Conodoguinet Creek.

WQM Permit No. 3811404, Sewerage, **Fredericksburg Sewer & Water Authority**, PO Box 161, Fredericksburg, PA 17026.

This proposed facility is located in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: Approval for the construction of sewage facilities consisting of influent pumping station, screening, grit removal, a sequencing batch reactor, ultraviolet disinfection cascade aeration, alum feed system, supplemental carbon feed system, a caustic feed system and aerobic sludge digesters. An interceptor that will convey flow from the existing wastewater treatment facility to the new plant site. A collection system for the South Fredericksburg Sewage Needs Area.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. 0310401, Sewerage, **West Hills Area WPCA**, 257 Linde Road, Kittanning, PA 16201

This proposed facility is located in E. Franklin & N. Buffalo Twps., **Armstrong County**

Description of Proposed Action/Activity: Permit issuance for the construction and operation of sanitary sewers, force main and pump station.

WQM Permit No. 6311403, Sewerage, **Chartiers Township**, 2 Buccaneer Drive, Houston, PA 15342

This proposed facility is located in Chartiers Township, **Washington County**

Description of Proposed Action/Activity: Permit issuance for the construction and operation of sanitary sewers.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 4271401, Sewage, **Amendment, Bradford Sanitary Authority**, 28 Kennedy Street, Bradford, PA, 16701.

This existing facility is located in City of Bradford, **McKean County**.

Description of Proposed Action/Activity: This permit approves the construction/modification/operation of sewerage wastewater facilities.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010908008	WB Homes, Inc. 404 Sumneytown Pike Suite 200 North Wales, PA 19454	Bucks	Milford Township	Unami Creek (HQ-TSF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI026410005	Silvio Vitiello 563 Carlton Road Tobyhanna, PA 18466	Wayne	Dreher Twp.	Wallenpaupack Creek, HQ-CWF, MF
PAI023911003	Lehigh Valley Animal Hospital 6350 Tilghman St. Allentown, PA 18106	Lehigh	Upper Macungie Twp.	Iron Run, HQ-CWF, MF
PAI024805014R	Signature Homes by J.T. Maloney P. O. Box 9 Center Valley, PA 18034	Northampton	Tatamy Borough	Bushkill Creek, HQ-CWF, MF

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone 717-705-4802.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030711001	Williamsburg Municipal Auth. (Woodbury Twp. Sanitary Sewer Project) 305 East Second Street Williamsburg, PA 16693	Blair	Williamsburg Borough and Woodbury Township	Frankstown Branch Juniata River (TSF, MF), Piney Creek (HQ-CWF, MF), and UNTs to Frankstown Branch Juniata River (WWF, MF)
PAI034411003	Mr. Robert C. Knepp Burnham Borough Authority 200 First Avenue Burnham, PA 17009	Mifflin	Burnham Borough	Kishacoquillas Creek (HQ-CWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision in 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

*General Permit Type—PAG-02**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Lower Makefield Township Bucks County	PAG0200 0910036	Erin Development Company 301 Oxford Valley Road Suite 501A Yardley, PA 19067	Rock Run Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Newtown Township Bucks County	PAG0200 0911050	Newtown Crossing Community Association 206 Hidden Valley Drive Newtown, PA 18940	Neshaminy Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bensalem and Bristol Townships Bucks County	PAG0200 0911076	Aqua America 762 West Lancaster Avenue Bryn Mawr, PA 19010-3402	Neshaminy Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Wrightstown Township Bucks County	PAG0200 0911053	Wrightstown Township 2203 Second Street Pike Wrightstown, PA 18940	Neshaminy Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAG0200 09090998-R	Temple Judea of Bucks County 300 East Swamp Road Doylestown, PA 18901	Unnamed Tributary Neshaminy Creek (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Brookhaven and Parkside Boroughs and City of Chester Delaware County	PAG0200 2311801	Texas Eastern Transmission, LP 890 Winter Street, Ste 300 Waltham, MA 02451	Ridley Creek (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Skippack Township Montgomery County	PAG0200 4611068	James Daugenbaugh 2024 Bridge Road Po Box 124 Cedars, PA 19423	Unnamed Tributary Skippack Creek	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Whitpain Township Montgomery County	PAG0200 4612005	Jeremiah Kaplan 102 Harvard Lane Bryn Mawr, PA 19010	Stony Creek (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Franconia Township Montgomery County	PAG0200 4603163-1R	Christopher Canavan 404 Sumneytown Pike, Ste 200 North Wales, PA 19454	Indian Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAG0200 4608055	Raymond Au 1350 Elon Circle Fort Washington, PA 19034	Unnamed Tributary Neshaminy Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Providence Township Montgomery County	PAG0200 4611066	Lorenzo A. Desimone 750 Black Rock Road Collegeville, PA 19426	Schuylkill River (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAG0200 4611061	Jason James Two North Ninth Street (Genn3) Allentown, PA 18101	Unnamed Tributary Skiptack Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Merion Township Montgomery County	PAG0200 4611029	Michael Gambone 1030 West Germantown Pike PO Box 287 Fairview Village, PA 19409	Schuylkill River (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511129	Granary Partners, LP 1425 Walnut Street, Suite 300 Philadelphia, PA 19102	Schuylkill River (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Pine Grove Twp., Schuylkill Co.	PAG02005404037R	Newstead Development LLC PO Box 163 Pine Grove, PA 17963	UNT to Upper Little Swatara Creek, CWF, MF	Schuylkill Co. Cons. Dist. 570-622-3742
Porter Twp., Schuylkill Co. and Williams Twp., Dauphin Co.	PAG02005411016	Porter Tower Joint Municipal Authority 860 West Grand Ave. Tower City, PA 17980	Wiconisco Creek, WWF, MF	Schuylkill Co. Cons. Dist. 570-622-3742
Muhlenberg Twp Berks County	PAG02000611036	Frank Sabatucci Re/Max Reading 1290 Broadcasting Road Wyomissing, PA 19610	Laurel Run / WWF, MF	Berks Co Conservation District 1238 County Welfare Rd, Ste 200 Leesport, PA 19533 610.372.4657
Sinking Spring Boro Berks County	PAG02000611052	McDonald's USA LLC c/o Bill Zuccarello 801 Lakeview Drive, Suite 302 Blue Bell, PA 19422	Ironworks Creek, Mill Creek / TSF/MF	Berks Co Conservation District 1238 County Welfare Rd, Ste 200 Leesport, PA 19533 610.372.4657
City of Altoona Blair County	PAG02000712001	WEO, Inc. Carl Ehgartner 6030 6th Avenue Altoona, PA 16602	UNT Brush Run/WWF	Blair Co Conservation District 1407 Blair St Hollidaysburg, PA 16648 814.696.0877
Lower Allen Twp. Cumberland County	PAG02002111019	Walmart Real Estate Business Trust Walmart Store #5888 2001 SE 10th St., Mail Stop 5570 Bentonville, AR 72716	Cedar Run/ CWF	Cumberland Co Conservation Dist 310 Allen Road, Suite 301 Carlisle PA 17013 717.240.7812

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Monroe Township Cumberland County	PAG02002111022	Five Way Partners Middle Farm Homestead One Fawcell Place, Suite 131 Greenwich, CT 06830	Yellow Breeches/ CWF, MF	Cumberland Co Conservation Dist 310 Allen Road, Suite 301 Carlisle PA 17013 717.240.7812
Lower Paxton Twp. Dauphin County	PAG02002211045	Lower Paxton Twp. Authority 425 Prince Street, Suite 139 Harrisburg, PA 17109	Paxton Creek/ WWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Swatara Township Dauphin County	PAG02002204064R	FWK, LLC 813R East Chocolate Avenue Hershey, PA 17033	Swatara Creek/ WWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
West Hanover Twp. Dauphin County	PAG02002211033	Brian Kobularcik, P.E. Metropolitan Development Group 1030 Reed Avenue, Suite 100 Wyomissing, PA 19610	Manada Creek/ WWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
West Hanover Twp. Dauphin County	PAG02002211044	Richard Yingst 4712 Smith Street Harrisburg, PA 17109	Walnut Run/ WWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Southampton Township Franklin County	PAG02002811034	Timber Hill Water Tank/ Earl Parshall Shippensburg Boro Authority PO Box 129 Shippensburg, PA 17257-0129	Furnace Run/ CWF/MF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202
Waynesboro Boro Franklin County	PAG02002812004	WASD Practice Field Dwight Needham 210 Clayton Avenue Waynesboro, PA 17268	East Branch Antietam Creek/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202
Greene Township Franklin County	PAG02002811037	Michael Hurt M&T Properties 86 Monroe Drive Chambersburg, PA 17201	UNT to Conococheague Creek/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202
Huntingdon Boro Huntingdon County	PAG02003112001	Jeff Meadows Juniata College 1700 Moore Street Huntingdon, PA 16652	Muddy Run/WWF	Huntingdon County Conservation District 10605 Raystown Road, Suite A Huntingdon, PA 16652
Fayette Township Juniata County	PAG02033406004R	Don Haubert 15 Central Boulevard Camp Hill, PA 17011	Little Lost Creek/TSF	Juniata County Conservation Dist 146 Stoney Creek Drive, Suite 4 Mifflintown, PA 17059
Union Township Mifflin County	PAG02004410007	Paul B LLC 50 Woodcorner Road Lititz, PA 17543	Kishacoquillas Creek/ CWF	Mifflin County Conservation Dist 20 Windmill Hill #4 Burnham, PA 17009
Fairview Township York County	PAG020067090051	Ajesh Patel East Coast Management 3737 Route 46 East Parsippany, NJ 07054	Yellow Breeches Creek / CWF	York Co. Conservation District 118 Pleasant Acres Road York, PA 17402-8984 717.840.7430

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Springettsbury Township York County	PAG02006711057	Brian Rowe 114 North Main Street Suite 100 Suffolk, VA 23434	UNT to Mill Creek/ Codorus Creek/WWF	York Co. Conservation District 118 Pleasant Acres Road York, PA 17402-8984 717.840.7430
West Hanover Township York County	PAG02002212006	Triple Fleet Services, Inc. 352 N. Fairville Avenue Harrisburg, PA 17112	Manada Creek/ WWF	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Windsor Township York County	PAG02006711054	Keith Kahwajy Red Lion Municipal Authority 11 East Broadway Red Lion, PA 17356	Cabin Creek / WWF, MF	York Co. Conservation District 118 Pleasant Acres Road York, PA 17402-8984 717.840.7430

Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, Pa 17701

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Athens Township Bradford County	PAG02000812013	Dan Sparks Chesapeake Energy Corporation 6100 N Western Ave Oklahoma City OK 73118	Chemung River WWF	Bradford County Conservation District Stoll Natural Resource Center 200 Lake Rd Ste E Towanda PA 18848 (570) 265-5539 X 120
Boggs Township Centre County	PAG02001412002	J Alan Witherite II Tavern Terrace Townhomes 121 Allara Ln Bellefonte PA 16823	Bald Eagle Creek CWF	Centre County Conservation District 414 Holmes Ave Suite 4 Bellefonte PA 16823 Phone: (814) 355-6817
Muncy Township Lycoming County	PAG02004107004R	Jeff Camp Vision Properties LLC 633 W Germantown Pike Ste 104 Plymouth Meeting PA 19462	Turkey Run WWF	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville PA 17754 (570) 433-3003
Muncy Creek Township Lycoming County	PAG02004111007	Jason Mitchell JC Bar Development LLC 3100 Market St Camp Hill PA 17011	Muncy Creek TSF, MF	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville PA 17754 (570) 433-3003
City of Shamokin Coal Township Northumberland County	PAG02004912001	Shamokin-Coal Twp Jt Sewer Auth 114 Bridge St Shamokin PA 17872	Carbon Run CWF, MF Furnace Run CWF, MF Shamokin Creek WWF, MF	Northumberland Cnty Conservation Dist 441 Plum Creek Rd Sunbury PA 17801 (570) 286-7114 Ext. 4
Shinglehouse Borough Potter County	PAG02005310001R	Robert C Whiteman Oswayo Valley S D 277 Oswayo St Shinglehouse PA 16748	Oswayo Creek CWF	Potter County Conservation District 107 Market St Coudersport PA 16915 Phone: (814) 274-8411 ext. 4
Monroe Township Snyder County	PAG02005507001R	John P Dionis PREIT Services LLC 200 S Broad St Philadelphia PA 19102	UNT to Susquehanna River WWF	Snyder County Conservation District 10541 Route 522 Middleburg PA 17842 (570) 837-3000

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Ebensburg Borough Cambria Township Cambria County	PAG02001111023	Ebensburg Borough Municipal Authority 300 West High St. Ebensburg, PA 15931	UNT to South Branch of Blacklick Creek (CWF) Howells Run (CWF) UNT to North Branch of Little Conemaugh River (CWF)	Cambria County CD 401 Candlelight Drive, Suite 221 Ebensburg, PA 15931 (814) 472-2120
Adams Township Butler County	PAG02001011028	S&A Homes 2121 Old Gatesburg Road State College PA 16803	Breakneck Creek WWF	Butler Conservation District 724-284-5270
Cranberry Township Butler County	PAG02001012008	21 Stockton Ridge Inc 116700 Woodiebrook Road Chardon OH 44024	Brush Creek WWF	Butler Conservation District 724-284-5270
Foster Township McKean County	PAG02004212001	Bradford Sanitary Authority 28 Kennedy Street Bradford PA 16701	Tunungwant Creek WWF	McKean Conservation District 814-887-4001

General Permit Type—PAG-03

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant's Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Telephone No.</i>
Hatfield Township Montgomery County	PAR800155	Colmar Terminal Inc. 3251 Trewigtown Road Colmar, PA 18915	Unnamed Tributary to West Branch Neshaminy Creek—2F	Southeast Region Clean Water Program 484.250.5970
Eddystone Borough Delaware County	PAR900021	Liberty Electric Power LLC 1000 Industrial Highway Eddystone, PA 19022	Crum Creek—3G	Southeast Region Clean Water Program 484.250.5970
Lititz Borough Lancaster County	PAR203543	Woodstream Corporation 69 N. Locust Street Lititz, PA 17543	UNT to Lititz Run / WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707
Fayette Township Juniata County	PAR603601	Cocolamus Creek Disposal Services, Inc. 31109 Route 35 N. McAlisterville, PA 17049	UNT of Cocolamus Creek / TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 717-705-4707
Morgan Township Greene County	PAR226123	Wilson Forest Products, Inc. PO Box 269 Jefferson, PA 15344	South Fork Ten Mile Creek	Southwest Regional Office: Clean Water Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 412-442-4000

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Adams Township Butler County	PAR118331	BASF Corporation 1424 Mars-Evans City Road Evans City, PA 16033	Breakneck Creek 20-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type-PAG-8**Facility Location:
Municipality &
County*Hampden Township
Cumberland CountyPermit No.
PAG083568*Applicant Name &
Address*Hampden Township
230 South Sporting
Hill Rd.
Mechanicsburg, PA 17050*Site Name &
Location*Roth Lane Wastewater
Treatment Plant
4200 Roth Lane
Mechanicsburg, PA 17050*Contact Office &
Phone No.*DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
717-705-4707*General Permit Type—PAG-8 (SSN)**Facility Location:
Municipality &
County*Richmond Township
Berks County

Permit No.

PAG080002
PAG080005
PAG080007
PAG080011
PAG080013
PAG080017
PAG080018
PAG080020
PAG082203
PAG083518
PAG083522
PAG083533
PAG083551
PAG083605
PAG089910*Applicant Name &
Address*Jesse Baro, Inc.
157 Quarry Road
Douglassville, PA 19518*Site Name &
Location*Kehl Home Farm
Richmond Twp.
Berks County*Contact Office &
Phone No.*DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
717-705-4707*General Permit Type—PAG-12**Facility Location:
Municipality &
County*Metal Township
Franklin CountyPermit No.
PAG123725*Applicant Name &
Address*Junbro Farms LLC
14492 Path Valley Road
Willow Hill, PA 17271*Receiving
Water / Use*West Branch
Conococheague Creek /
CWF*Contact Office &
Phone No.*DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
717-705-4707**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER**Actions taken under the Pennsylvania Safe Drinking Water Act**

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 0511504 MA, Minor Amendment, Public Water Supply.

Applicant

New Enterprise Water Association

Municipality

South Woodbury Township

County

Bedford

Responsible Official

Ray Reasy, President
RR 1 Box 326
New Enterprise, PA 16664

Type of Facility 4-Log Demonstration.
 Consulting Engineer Timothy A Cooper, P.E.
 Stiffler McGraw & Associates Inc
 19 N Juniata Street
 Hollidaysburg, PA 16648

Permit to Construct 2/10/2012
 Issued:

Permit No. 6711514 MA, Minor Amendment, Public Water Supply.

Applicant **ATG Properties, LLC**
 Municipality Hellam Township
 County **York**
 Responsible Official Leanne Heller,
 Operations Manager
 PO Box 677
 Morgantown, PA 19543

Type of Facility 4-log Demonstration.
 Consulting Engineer James A. Cieri, P.E.
 ACT ONE Consultants, Inc.
 200 S. 41 Street
 Harrisburg, PA 17111

Permit to Construct 2/10/2012
 Issued:

Permit No. 6711512, Public Water Supply.

Applicant **Red Lion Municipal Authority**
 Municipality Windsor Township
 County **York**
 Responsible Official Keith Kahwajy, Superintendent
 PO Box 190 Center Square
 Red Lion, PA 17356

Type of Facility A new 3.5 MGD water treatment Plant and residuals handling facility at the Cabin Creek site. The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is the funding source for this project. The Department determined that this project will not individually, cumulatively over time, or in conjunction with other federal, state, local or private actions, have a significant effect on the quality of the environment. On February 21, 2012, the Department approved the project for a categorical exclusion from the State Environmental Review Process (SERP).

Consulting Engineer Jamie R. Shambaugh, P.E.
 Gannett Fleming, Inc.
 PO Box 67100
 Harrisburg, PA 17106-7100

Permit to Construct 2/24/2012
 Issued:

Operations Permit issued to: **Borough of Chambersburg**, 7280005, Greene Township, **Franklin County** on 2/24/2012 for the operation of facilities approved under Construction Permit No. 2808504 MA.

Operations Permit issued to: **Aqua Pennsylvania, Inc.**, 7210048, Monroe Township, **Cumberland County** on 2/8/2012 for the operation of facilities approved under Construction Permit No. 2111502 MA.

Operations Permit issued to: **Shippensburg Borough Authority**, 7210043, Shippensburg Borough, **Cumberland County** on 2/8/2012 for the operation of facilities approved under Construction Permit No. 2111507 MA.

Operations Permit issued to: **Urban Perry Manor, LLC (Perry Manor Apts)**, 7500026, Oliver Township, **Perry County** on 2/24/2012 for the operation of facilities submitted under Application No. 5011511 MA.

Operations Permit issued to: **Mt. Rock Manor**, 7280053, Southampton Township, **Franklin County** on 2/24/2012 for the operation of facilities submitted under Application No. 2811504 MA.

Operations Permit issued to: **Loysville Youth Development Center**, 7500031, Tyrone Township, **Perry County** on 2/23/2012 for the operation of facilities submitted under Application No. 50120502 MA.

Operations Permit issued to: **Southern Cumberland Water Association**, 7210053, Southampton Township, **Cumberland County** on 2/10/2012 for the operation of facilities submitted under Application No. 2112501 MA.

Operations Permit issued to: **Woodbury Water Authority**, 4050023, Woodbury Borough, **Bedford County** on 2/24/2012 for the operation of facilities submitted under Application No. 0512501 MA.

Operations Permit issued to: **Country Acres MHP**, 7380026, Jackson Township, **Lebanon County** on 2/23/2012 for the operation of facilities submitted under Application No. 3811515 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701

Permit No. 0889510-T1—Operation Public Water Supply.

Applicant **Hart's Mobile Home Park**
 [Township or Borough] Rome Borough
 County **Bradford**
 Responsible Official Mr. Roger Brown
 Hart's Mobile Home Park
 119 North Fifth Street
 Towanda, PA 18848

Type of Facility Public Water Supply
 Consulting Engineer N/A
 Permit Issued February 21, 2012
 Description of Action Transfer and operation of Well #1.

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Oak-Lynn Manor**
 [Township or Borough] Wolf Township
 County **Lycoming**
 Responsible Official Mr. Jon P. Hall
 Phil Hall Real Estate
 P. O. Box 438
 Montoursville, PA 17754

Type of Facility Public Water Supply

Consulting Engineer N/A
 Permit Issued February 28, 2012
 Description of Action 4-log inactivation of viruses at Entry Point 100 (Well No. 1).

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **American Modern Homes**
 [Township or Borough] Rome Township
 County **Bradford**
 Responsible Official Mr. Jon P. Hall
 Phil Hall Real Estate
 P. O. Box 438
 Montoursville, PA 17754

Type of Facility Public Water Supply

Consulting Engineer N/A
 Permit Issued February 28, 2012
 Description of Action 4-log inactivation of viruses at Entry Point 100 (Well No. 1).

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Foxcroft Manor Mobile Home Park**
 [Township or Borough] Muncy Creek Township
 County **Lycoming**
 Responsible Official Mr. Jon P. Hall
 Phil Hall Real Estate
 P. O. Box 438
 Montoursville, PA 17754

Type of Facility Public Water Supply

Consulting Engineer N/A
 Permit Issued February 28, 2012
 Description of Action 4-log inactivation of viruses at Entry Point 101 (Well No. 1).

Permit No. 5911501—Construction and Operation Public Water Supply.

Applicant **Pleasant Village Mobile Home Park**
 [Township or Borough] Putnam Township
 County **Tioga**
 Responsible Official Mr. Michael Geiser
 Effective MHP, LLC
 3215 Stein Lane
 Lewisburg, PA 17837

Type of Facility Public Water Supply

Consulting Engineer Ben Gilberti, P.E.
 HRG, Inc.
 474 Windmere Drive, Suite 100
 State College, PA 16801
 Permit Issued February 28, 2012

Description of Action Construction and Operation of the new water treatment system. System includes a 1,625 gal. pretreatment tank; Sentry I open air methane removal system (baffled tank, vent, pump and calcium hypochlorite pellet feeder); Kinetico 4060F dual activated carbon/Macrolite filtration system; 5 micron nominal dual-gradient density cartridge filtration system; Freshpoint UF filtration system; sodium hypochlorine feed system; two 1,625 gal. finished water tanks; and several booster pump/hydropneumatic systems.

Nelson Township Municipal Authority (Public Water Supply), **Tioga County**: On February 23, 2012, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for Nelson Township Municipal Authority. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (John C. Hamilton, P.E., (570) 327-3650).

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Permit No. 0211513, Public Water Supply.

Applicant **Municipal Authority of the Borough of Oakmont**,
 PO Box 73,
 721 Allegheny Avenue,
 Oakmont, PA 15139

[Borough or Township] Indiana Township
 County **Allegheny**

Type of Facility Richhill water storage tank
 Consulting Engineer NIRA Consulting Engineers, Inc.
 950 Fifth Avenue
 Coraopolis, PA 15108

Permit to Construct Issued February 23, 2012

Permit No. 0211517, Public Water Supply.

Applicant **Municipal Authority of the Borough of Oakmont**,
 PO Box 73,
 721 Allegheny Avenue,
 Oakmont, PA 15139

[Borough or Township] Indiana Township
 County **Allegheny**

Type of Facility Indianola water storage tank
 Consulting Engineer NIRA Consulting Engineers, Inc.
 950 Fifth Avenue
 Coraopolis, PA 15108

Permit to Construct Issued February 23, 2012

Permit No. 3211507, Public Water Supply.

Applicant **Green Township Municipal Authority**
 PO Box 129
 77 Musser Street
 Commodore, PA 15729

[Borough or Township] Green Township

County **Indiana**

Type of Facility Water system

Consulting Engineer Keller Engineers, Inc.
 420 Allegheny Street
 PO Box 61
 Hollidaysburg, PA 16648

Permit to Construct February 22, 2012
 Issued

Permit No. 1111512, Public Water Supply.

Applicant **Glendale Valley Municipal Authority**
 1800 Beaver Valley Road
 Flinton, PA 16640

[Borough or Township] White Township

County **Cambria**

Type of Facility Water system

Consulting Engineer Keller Engineers, Inc.
 420 Allegheny Street
 PO Box 61
 Hollidaysburg, PA 16648

Permit to Construct February 22, 2012
 Issued

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Operation Permit issued to **Castle Haven Inc. d/b/a Rocky Ridge Village**, PWSID #6610032, Sandycreek Township, **Venango County**. Permit Number 6188505-MA1, issued February 22, 2012 for the operation of 4-Log treatment of viruses for Entry Point 132. This action is taken under the requirements of the Groundwater Rule.

Operation Permit issued to **Sugar Creek Station**, PWSID #6610002, Sugarcreek Borough, **Venango County**. Permit Number 6179501-T1-MA1 issued February 22, 2012 for the operation of the 75,000 gallon elevated steel water storage tank located at the UPMC Senior Communities Sugar Creek Station facility. This permit is issued in response to an operation inspection conducted by Department of Environmental Protection personnel on January 12, 2012.

Operation Permit issued to **West Sheffield Water Association**, PWSID #6620007, Sheffield Township, **Warren County**. Permit Number 6286501-MA1, issued February 27, 2012 for the operation of 4-Log treatment of viruses for Entry Point 117. This action is taken under the requirements of the Groundwater Rule.

Operation Permit issued to **Edgar Mountain Management Co., LLC d/b/a Woodbine Oaks Mobile Home Park**, PWSID #5100004, Oakland Township, **Butler County**. Permit Number 1009501 issued February 27, 2012 for the operation of the Woodbine Oaks Mobile Home Park located near the intersection of Baumgart Lane and Chicora Road in Oakland Township, Butler, Pennsylvania. This permit is issued in response to an operation inspection conducted by Department of Environmental Protection personnel on November 16, 2011.

STORMWATER MANAGEMENT

Action on plans submitted under the Stormwater Management Act (32 P. S. § 680.9)

Bureau of Point and Non-Point Source Management, P. O. Box 8774, Harrisburg, Pennsylvania 17105-8774

The Crum Creek Act 167 Stormwater Management Plan, submitted by **Delaware County** and **Chester County**, was approved on February 27, 2012. This plan applies to all areas of the Crum Creek watershed within Delaware County and Chester County.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Cromwell Township	10999 Valley Street, Shirleysburg, PA 17260	Huntingdon

Plan Description: The approved plan provides for extending sewers to 80 EDUs and the Southern Huntingdon High School in the Pogue and Pine Tree Village areas of the township including a pump station and force main within the collection system. The proposed sewer extension is tributary to the Orbisonia Rockhill Joint Municipal Authority sewage collection and treatment system and includes the decommissioning of the Southern Huntingdon High School sewage treatment plant. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report,

risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401

Biase & Nugent Property, North Wales Township, **Montgomery County**. Jason Pero, Brilliant Environmental Services, 3070 Bristol Pike, Building 2, Suite 105, Bensalem, PA 19020, Anthony Paratore, Miller Environmental Group, Inc. 105 Riverview Drive Paulsboro, NJ 08066 on behalf of Christine Nugent, 312 West Walnut Street, North Wales, PA 19454 has submitted a 90 day Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

538-552 West Lancaster Avenue Property, Lower Merion Township, **Montgomery County**. Michael A. Christie, PG, Penn E&R, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Daniel Polett & Scott Lustgarten, Dan Scott 538 Lancaster, LP, 568 West Lancaster Avenue, Haverford PA 19041 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the Site Specific Standard.

PECO Distribution Pole #29717, Bedminster Township, **Bucks County**. George Horvat, PECO, 2301 Market Street, Philadelphia, PA 19103 has submitted a 90 day Final Report concerning remediation of site pcb contaminated with soil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Rite Aid Store 3495-03, Borough of Royersford, **Montgomery County**. Jeffrey T. Bauer, PG, Whitestone Associates, Inc. 21600 Manor Drive, Suite 220, Chalfont, PA 19446 on behalf of Richard Bradley, Rite Aid Pennsylvania, 11750 Bustleton Avenue, Philadelphia, PA 19116 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

905 Montgomery Avenue Site, Lower Merion Township, **Montgomery County**. James Manuel, REPSG, 6901 Kingessing Avenue, Philadelphia, PA 19142, Brenda Kellogg, REPSG, 6901 Kingessing Avenue, Philadelphia, PA 19142, Lee Brahin, Brahin Properties, Inc. 1535 Chestnut Street, Philadelphia, PA 19102 on behalf of Joe Savaro, Trust UWO Leon Freeman, 1535 Chestnut

Street, Philadelphia, PA 19102 has submitted a Cleanup Plan and Remedial Investigation Report concerning remediation of site groundwater and soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Site Specific Standard.

Pitt Estate, Jenkintown Borough, **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Clare Erskine, Allstate Company, 1200 Atwater Drive, Suite 110, Malvern, PA 19355 on behalf of Courtney Pitt, 429 Clement Road, Jenkintown, PA 19046 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Westnor LP Facility, West Norriton Township, **Montgomery County**. Craig Herr, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Martin MacGregor, Westnor, L.P. 10059 Sandmeyer Lane, Philadelphia, PA 19116 has submitted a Remedial Investigation and Cleanup Plan concerning remediation of site soil and groundwater contaminated with pce. The report is intended to document remediation of the site to meet the Site Specific Standard.

Delaware Valley Interchange MP 358, Bristol Township **Bucks County**. John R. Boullanger, GAI Consultants, Inc., 385 East Waterfront Drive, Homestead, PA 15120-5005 on behalf of Deann S. Metro, P.E., Pennsylvania Turnpike Commission, PO Box 67676, Harrisburg, PA 17106 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Minute Man Press, Bristol Township, **Bucks County**. Staci Cottone, J&J Spill Service and Supplies, Inc., PO Box 370, Blue Bell, PA 19422 on behalf of Ted Pagano, 1 Kerlin Court, Garnett Valley, PA 19060 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Florig Equipment Company Inc., Plymouth Township, **Montgomery County**. Craig Herr, RT Environmental Services Inc., 125 West Church Road, King of Prussia PA 19406 on behalf of Edmund Mullin, Esq, Hamburg Ruben Mullen, and Maxwell and Lupin, PCE, 375 Morris Road, Lansdale, PA 19466 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Sunoco Pipeline LP Marcus Hook Tank Farm, Upper Chichester Township, **Delaware County**. Tiffanie Doerr, PG, Auaterra Technologies, 122 South Church Street, West Chester, PA 19382, Brad Fish, Sunoco Logistics Partners, 10 Industrial Highway, MS4, Lester, PA 19029 on behalf of Gus Bozkland, Sunoco Pipeline, LP, 1818 Market Street, Suite 1500, Philadelphia, PA 19103 has submitted a 90 day Final Report concerning remediation of site soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Sunoco Inc. Philadelphia Refinery Schuylkill River Tank Farm AO1-8, City of Philadelphia, **Philadelphia County**. Colleen Costello, Langan Engineering and Environmental Services, 30 South 17th Street, Suite

1500, Philadelphia, PA 19103, James Oppenheim, Sunoco, Inc., (R&M) 100 Green Street, Marcus Hook, PA 19061 on behalf of Scott Baker, Sunoco, Inc. (R&M) 3144 Passyunk Avenue, Philadelphia, PA 19145 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with leas and other organics. The report is intended to document remediation of the site to meet the Site Specific Standard.

Dillon Residence, Bristol Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Clark Miller, State Farm Insurance, PO Box 8061 Ballston Spa, NY 12020-8061 on behalf of Mr. Buddy and Mrs., Elizabeth Dillon, 115 Violet Wood Drive, Levittown, PA 19054 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Willow Grove Home Depot, Upper Moreland Township, **Montgomery County**. Craig Herr, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Neil Doornheim, Willow Grove, York LP, 1401 Broad Street, Clifton, NJ 07013 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with other organics. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Family Center Building, City of Philadelphia, **Philadelphia County**. Thomas Buggey, Roux Associates, Inc. 1222 Forest Parkway, Suite 1909, West Deptford, NJ 08066 on behalf of Charles Silverman, PA Department of General Services, 515 North Office Building, Harrisburg, PA 17125 has submitted a 90 day Final Report concerning remediation of site soil contaminated with petroleum. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Albert Einstein Medical Center, City of Philadelphia, **Philadelphia County**. Thomas R. Marks, Marks Environmental, Inc., 140 Bollinger Road, Elverson, PA 19520 on behalf of Craig Sieving, Albert Einstein Medical Center, 5501 Old York Road, Philadelphia, PA 19141 has submitted a Final Report concerning remediation of site Soil groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

33-51 East Laurel Street Site, City of Philadelphia, **Philadelphia County**. Brooke Ann Briganti, EWMA, 1 Princess Road, Suite B, Lawrenceville, NJ 08648 on behalf of 33-51 East Laurel Street, LLC, 45 Deal Street, Harrington, NJ 07640 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with other organic. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Red Lion Inn, Bensalem Township, **Bucks County**. Richard S. Werner, Environmental Consulting, Inc. 500 East Washington Street, Suite 375, Norristown, PA 19401 on behalf of Robert White, Redevelopment Authority of the County of Bucks, 1 North Wilson Avenue, Bristol, PA 19007 has submitted a Final Report concerning remediation of site groundwater contaminated with diesel fuel, no 2 fuel oil, unleaded gasoline and unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Horning Residence, Tredyffrin Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18703, Linda Arniel,

Allstate Insurance, 1200 Atwater Drive, Suite 110, Malvern PA 19355, Cheryl Carr, Allstate Insurance, 1200 Atwater Drive, Suite 110, Malvern PA 19355 on behalf of Mrs. Lori and Mr. Paul Horning 513 Delancey Circle, Devon, PA 19333 has submitted a Final Report concerning remediation of site soil contaminated with no.2 fuel oil The report is intended to document remediation of the site to meet the Statewide Health Standard.

Edwards Residence, Lower Chichester Township **Delaware County**. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18073, Clare Erskine, Allstate Insurance, 1200 Artwater Drive, Suite 110, Malvern, PA 19355, Bill Neef, ServiceMASTER by ARtec, 150 Baltimore Avenue, PO Box 271, Clifton Heights, PA 19018 on behalf of Raven Edwards, 1309 Market Street, Linwood, PA 19061 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Former Corning Frequency Control Plant 2, 100 Watts Street, Mount Holly Springs, PA 17065, Borough of Mount Holly Springs, **Cumberland County**. Weston Solutions, Inc., 1400 Weston Way, PO Box 2653, West Chester, PA 19380, on behalf of Corning Incorporated, HP-ME-03-83, Corning, NY 14831 and Vectron International, Inc., 100 Watts Street, Mount Holly Springs, PA 17065, submitted a Remedial Investigation and Risk Assessment Report concerning remediation of site soils contaminated with VOCs and chlorinated solvents. The site will be remediated to the Site-Specific standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Mallard Contractors/Sunoco Pipeline Release, Coal Township, **Northumberland County**. Crawford Environmental Services, 195 Proudfoot Drive, Birdsboro, Pa 19508 on behalf of Mallard Contracting Company has submitted a Final Report concerning remediation of site soil contaminated with benzene, ethylbenzene, Isopropylbenzene (cumene), methyl tertiary butyl ether (MTBE), naphthalene, toluene, xylenes (total), 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene. The report is intended to document remediation of the site to meet the Non-residential Statewide Health Standard.

Former Agway (YAWGA) Energy Products Facility, Borough of Turbotville, **Northumberland County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310 Harrisburg, PA 17110-9307 on behalf of Former Agway (YAWGA) Energy Products has submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Pocono Produce Company, Greene Township, **Clinton County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, Pa 17857 on behalf of Pocono Produce Company, P. O. Box 669, Stroudsburg, PA 18360 has submitted a Final Report concerning remediation of site soil contaminated with an unknown amount of diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

New Castle Industries—Tanner Plating Division, City of New Castle, **Lawrence County**. SE Technologies, LLC, 98 Vanadium Road, Building D 2nd Floor, Bridgeville, PA 15017 on behalf of New Castle Industries, Inc.—Tanner Plating Division, 925 Industrial Street, New Castle, PA 16102 has submitted a Cleanup Plan concerning remediation of the site soil contaminated with Antimony, Chromium and site groundwater contaminated with Antimony, Chromium, and Arsenic. The Cleanup plan is intended to document remediation of the site to meet the Site-Specific Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Mays Phillips Lane Site, Robinson Township, **Allegheny County**. Rob Anderson, ARCADIS US, Inc, 310 Seven Fields Blvd, Suite 210, Seven Fields, Pennsylvania, 16046 on behalf of Beazer East Inc, Braskem America Inc. and Ashland Inc., has submitted a Pathway elimination Report and a Cleanup Plan concerning the remediation of site soils and groundwater contaminated with semi-volatile organics, PAH's, phthalate esters, volatile organic chemicals and metals at 5992 Steubenville Pike, McKees Rocks, PA 15136. The CP was noticed in the *Tribune-Review* on January 25, 2012.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show

existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager; 2 East Main Street, Norristown, PA 19401

Regency City Avenue, City of Philadelphia **Philadelphia County**. George Keil, URS Corporation, 335 Commerce Drive, Suite 300, Fort Washington, PA 19034 on behalf of Eric Silvers, Regency Centers, LP. One Independent Drive, Suite 114, Jacksonville, FL 32202 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with inorganic. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 9, 2011.

City Avenue Shopping Center, City of Philadelphia, **Philadelphia County**. George Keil, URS Corporation, 335 Commerce Drive Suite 300, Fort Washington, PA 19034, Sherry Adams, URS Corporation, 335 Commerce Drive Suite 300, Fort Washington, PA 19034 on behalf of Eric Silvers, City Line Shopping Center Associates, One Independent Drive, Suite 114, Jacksonville, FL 32202 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with pce and other organics. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 9, 2011.

Pathen Chemical Site, City of Philadelphia, **Philadelphia County**. Bill Schmidt, Pennoni Associates, Inc. 3001 Market Street, Philadelphia, PA 19104 on behalf of Sandy Salzman, New Kensington CDC, 2515 Frankford Avenue, Philadelphia, PA 19125 has submitted a Cleanup Plan and Remedial Investigation Report concerning the remediation of site groundwater and soil contaminated with chlorinated solvents and pah, lead, inorganics. The Cleanup Plan and Remedial Investigation were approved by the Department on January 5, 2012.

Knights Road Shopping Center, City of Philadelphia, **Philadelphia County**. Nancy Leitner, Island Environmental, Inc., 4252 Old National Pike, Suite 4, Middletown, MD 21769 on behalf of Phillip Schanzer, Knights Road Shopping Center, LP, 708 Third Avenue, New York, NY 10017-4146 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on February 2, 2012.

201 South Caln Road Multi-Family Properties, Caln Township **Chester County**. Michael Welsh, Welsh Environmental, Inc., 131 Cleaview Drive Downingtown, PA 19335 on behalf of Tim Townes, Southdown Properties, Inc., 55 County Club Drive, Downingtown, PA 19335 has submitted a Cleanup Plan concerning the remediation

tion of site soil contaminated with metals. The Cleanup Plan was approved by the Department on January 20, 2012.

Synthes, East Goshen Township Chester County. Daniel F. Eerdamn Keystone E-Science Group, Inc. 590 East Lancaster Avenue, Suite 200, Frazer, PA 19355 on behalf of Bryan Lee, Synthes USA, HQ, Inc., 1302 Wrights Lance East, West Chester, PA 19380 has submitted a Final Report concerning the remediation of site soil contaminated with diesel fuel. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 9, 2012.

Sunoco Inc. Philadelphia Refinery Schuylkill River Tank Farm AO1-10, City of Philadelphia, Philadelphia County. James Oppenshiem, Sunoco, Inc. (R&M) 100 Green Street, Philadelphia, PA 19145 on behalf of Colleen Costello, Langan Engineering and Environmental Services, 30 South 17th Street, Suite 1500, Philadelphia, PA 19103 has submitted a Remedial Investigation Report concerning the remediation of site groundwater and soil contaminated with petroleum compounds. The Remedial Investigation Report was approved by the Department on January 6, 2012.

West Conshohocken MGP Gulph Creek Site, West Conshohocken Borough Montgomery County. Bruce Middleman, Stantec, 400 Davis Drive, Suite 400, Plymouth Meeting, PA 19462 on behalf of Benjamin Henry, PECO Energy Company, 2301 Market Street, S7-2, Philadelphia, PA 19101 has submitted a Final Report concerning the remediation of site groundwater contaminated with inorganics. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on Site Specific Standard.

Horning Residence, Tredyffrin Township Chester County. Richard D. Trimpi Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Linda Arniel, Allstate Insurance, 1200 Atwater Drive, Suite 110, Malvern PA 19355, Cheryl Carr, Allstate Insurance, 1200 Atwater Drive, Suite 110, Malvern PA 19355, Bill Neef, ServiceMASTER by ARTec, 150 Baltimore Avenue, PO Box 271, Clifton Heights, PA 19018 on behalf of Mrs. Lori and Mr. Paul Horning, 513 Delancey Circle, Devon, PA 19333 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 25, 2012.

Edwards Residence, Lower Chichester Township Delaware County. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Road, Pennsburg, PA 18073, Clare Erskine, Allstate Insurance, 1200 Artwater Drive, Suite 110, Malvern, PA 19355, Bill Neef, ServiceMASTER by ARTec, 150 Baltimore Avenue, PO Box 271, Clifton Heights, PA 19018 on behalf of Raven Edwards, 1309 Market Street, Linwood, PA 19061 has submitted a Final Report. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on January 25, 2012.

Emico Property, Perkasio Borough Bucks County. Andrew R. Fetterman, P.G. Synergy Environmental, Inc. 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, I Scott Renneisen, P.G. Synergy Environmental, Inc. 155 Railroad Plaza, 1st Floor, Royersford, PA 19468 on behalf of Christopher B. French, Central Bucks Associates, PO Box 252, Bedminster, PA 18910-0252 has submitted a Cleanup Plan/Remedial Investigation Report and Final

Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Cleanup Plan/Remedial Investigation and Final Report were disapproved by the Department on November 4, 2011.

USPS 30th Street VMF, City of Philadelphia, Philadelphia County. Glenn Randall, URS Corporation, 335 Corporation Drive, Fort Washington, PA 19034 on behalf of Cheryl Drach, US Postal Service, 22 West Maple Avenue, 2nd Floor, Merchantville, NJ 08109 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on October 13, 2011.

Northeast Region: Eric Supey, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Karl Striner Arts Trail, along the Bushkill Creek, between 13th Street and Bushkill Drive, Easton City, Northampton County. Elizabeth Schamberger, Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite C31, Allentown, PA 18106 submitted a combined Remedial Investigation/Final Report on behalf of her client, the City of Easton, 1 South Third Street, Easton, PA 18042, concerning the remediation of soil found to have been impacted by heavy metals and semi-VOCs as a result of historical rail line operations at the site. The combined report documented attainment of the Site-Specific Standard for soil and was approved by Central Office on February 17, 2012.

Former Northern Carrier, 626 West Lackawanna Avenue, Scranton City, Lackawanna County. Sandra L. Szempruch-Koza, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 submitted a Final Report on behalf of her client, Penn Security Bank and Trust Company, 150 N. Washington Avenue, Scranton, PA 18503, concerning the remediation of soil found to have been impacted by No. 2 heating oil, used motor oil, and leaded gasoline during the uncovering and removal of three (3) 4,000-gallon and two (2) 3,000-gallon underground storage tanks. The report documented attainment of the Statewide Health Standard for soil and was approved on February 22, 2012.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Brickstone Development-Wyomissing Square, 200 North Park Road, Wyomissing, PA 19610, Borough of Wyomissing, Berks County. Ransom Environmental, 2127 Hamilton Avenue, Hamilton, NJ 08619, on behalf of JMH, Inc., 200 North Park Road, Suite 400, Wyomissing, PA 19610; Wyomissing Square Condominiums, 200 North Park Road, Suite 400, Wyomissing, PA 19610; Wyomissing Square Apartments, LP, 7850 Walker Drive, Suite 400, Greenbelt, MD 20770; Wyona Retail, Inc., 701 Market Street, Philadelphia, PA 19106; and 3D Reading Hotel Partners, LLC, 3460 Olney-Laytonsville Road, Suite 222, Olney, MD 20832, submitted a Final Report concerning remediation of site soils. The Final Report demonstrated attainment of a combination of Residential Statewide Health (Inorganics, VOCs, PAHs and PCBs) and Background (Arsenic) standards, and was approved by the Department on February 24, 2012.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701

Pocono Produce Company, Greene Township, **Clinton County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, Pa 17857 on behalf of Pocono Produce Company, P. O. Box 669, Stroudsburg, PA 18360 has submitted a Final Report concerning the remediation of site soil contaminated with an unknown amount of diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on February 17, 2012.

Toigo Orchards, Monroe Township, **Snyder County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of Toigo Orchards, 750 S. Mountain Estates Road, Chambersburg, PA 17257 has submitted a Final Report concerning the remediation of site soil contaminated with 15-gallons of diesel fuel. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on February 17, 2012.

REGISTRATION FOR GENERAL PERMIT— RESIDUAL WASTE

Registration Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Residual Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701

General Permit Registration No. WMGR123NC008. Chesapeake Appalachia, LLC, 3910 Clapper Hill Road, Laceyville, PA 18623. Registration to operate under General Permit No. WMGR123 for treatment and reuse of gas well frac water and production water. The registration was approved by NorthCentral Regional Office on February 21, 2012.

Persons interested in reviewing the general permit may contact Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Application No. WMGR081D011. Goodwill of Southwestern Pennsylvania, 118 52nd Street, Pittsburgh, PA 15201.

The general permit WMGR081D011 is for the processing (i.e., sizing, shaping, separating, and volume reduction only) of e-waste (i.e., damaged, obsolete, and/or reusable electronic devices) prior to reuse or recycling. The processing operation will be conducted at the Goodwill Workforce Development Center facility, located at 118 52nd Street, Pittsburgh, **Allegheny County**. Central Office approved the determination of applicability on February 27, 2012.

Persons interested in reviewing the general permit may contact Scott Walters, General Permits and Beneficial Use Section, Division of Municipal and Residual waste, Bureau of Land Recycling and Waste Management, P. O. Box 69170, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

Permit Application No. 100955. Clinton County Solid Waste Authority, Wayne Township Landfill, P. O. Box 209, SR 1005 Landfill Lane, McElhattan, PA 17748, Wayne Township, **Clinton County**. A permit modification for a rail spur construction and operation was issued for the Wayne Township Landfill by Northcentral Regional Office on February 21, 2012.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay service (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

GP13-28-05019A: Valley Quarries, Inc. (PO Box 2009, Chambersburg, PA 17201) on February 24, 2012, to install and operate a hot mix batch asphalt plant under GP13 at their Chambersburg Blacktop Plant in Guilford Township, **Franklin County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP5-59-226A: SWEPI, LP (190 Thorn Hill Road, Warrendale, PA 15086) on February 14, 2012, to install one Miratech model IQ-RE-30EH (element)/IQ-30-16-HSG (housing) oxidation catalysts on each of four existing 1380 hp Caterpillar G3516B LE (serial numbers 27302, 27299, 27300, & 27301) four-stroke ultra-lean-burn (ULB) natural gas fired compressor engines and to revise the two Cameron 550 Reconcinator glycol dehydration units to 60.0 MMSCF/day that are each equipped with a separate 0.55 MMBtu/hr reboiler heater, and one 95 hp GM 4.3L Vortec rich-burn natural gas fired generator engine and 10,000 gallon drained water tank at the Lawton Compressor Station in Delmar Township, **Tioga County**.

GP5-41-648A: SWEPI, LP (190 Thorn Hill Road, Warrendale, PA 15086) on January 23, 2012, to construct and operate one 215 bhp Caterpillar G3406 NA serial 4FD03542 four-stroke rich-burn compressor engine equipped with a Miratech model VX-RE-10XC non-selective catalytic reduction (NSCR) system, 30.0 MMscf/day NATCO model SB12-6, serial 0811-256 glycol dehydrator unit equipped with a 0.275 MMBtu/hr reboiler heater, and one 10,000 gallon produced water tank at the Graham #2 Compressor Station in McNett Township, **Lycoming County**.

GP5-18-04: NCL Natural Resources, LLC. (25231 Grogan Mill Road, Suite 500, The Woodlands, TX, 77380-9110) on February 27, 2012, to construct and operate one 220 bhp Caterpillar model G3306TA four-stroke rich-burn natural-gas-fired compressor engine equipped with a Miratech model IQ-10-04-EC1 non-selective catalytic reduction ("NSCR") unit under the General Plan Approval and/or General Operating Permit for Natural Gas, Coal Bed Methane Or Gob Gas Production Or Recovery Facilities (BAQ-GPA/GP-5) at their Tract 678 Compressor Station in Noyes Township, **Clinton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP9-63-00948B: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe St., Tower 2, Suite 700, Denver, CO 80202-2126) on January 31, 2012, to construct and operate two (2) diesel-fired engines for emergency power generation at their Tufta Day Compressor Station in Amwell Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP4-25-079A: Berry Plastics Corp. (316 West 16th Street, Erie, PA 16502) on February 21, 2012, to operate a burn-off oven (BAQ-GPA/GP-4) in the City of Erie, **Erie County**. Previously permitted under Rexam, Inc.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00078C: Chief Gathering, LLC (6051 Wallace Road Ext., Suite 210, Wexford, PA 15090) on February 17, 2012, to construct four natural-gas fired compressor engines (Source IDs P107-P110) each equipped with oxidation catalysts (C107-C110). The proposed plan approval also incorporates two existing natural-gas fired compressor engines (Source IDs P105 and P106), each equipped with oxidation catalysts (C105 and C106), two existing glycol dehydrators (Source IDs P201 and P202) and three existing natural-gas fired compressor engines (Source IDs P101-P103) each equipped with oxidation catalysts (C101-C103) operated under Plan Approval 41-00078B at the Barto Compressor Station in Penn Township, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

PA-30-00072H: Consol Pennsylvania Coal Co., LLC (1000 Consol Energy Drive, Canonsburg, PA 15317) on February 21, 2012, for construction and temporary operation of additional air contamination sources and controls associated with the expansion of their Bailey Prep Plant in Richhill Township, **Greene County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

AMS 11339: Pier One Hays Terminal (2604 Penrose Ferry Road, Philadelphia, PA 19145) on February 22, 2012, to install a coal transshipment operation in the City of Philadelphia, **Philadelphia County**. Coal material is delivered via trucks is unloaded and stockpiled at the facility in a pile in 10,000 ton capacity limit and then front end loaded onto barge via a conveyor for shipment to the end user. In addition the conveyor is installed with a 19 Kw diesel engine that is used to load the coal onto the barge. The potential particulate fugitive emissions from the coal transshipment operation are less than 1.1 tons per rolling 12-month period. The potential particulate emissions from paved roads is less than 1.75 tons per rolling 12-month period. The maximum number of heavy duty diesel vehicle (HDDV) per hour delivering coal shall be less than 12 HDDV/hr based on a daily average during hours of operation. The plan approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

09-0206: Samax Enterprises—Morrisville (1001 New Ford Mill Road, Morrisville, PA 19067) on February 17, 2012, to operate a tank in Falls Township, **Bucks County**.

09-0196A: Abington Reldan Metals, LLC (550 Old Bordentown Road, Fairless Hills, PA 19030) on February 14, 2012, to operate a baghouse in Falls Township, **Bucks County**.

46-0040: National Label Co. (2025 Joshua Road, Lafayette Hill, PA 19444) on February 22, 2012, to operate a regenerative thermal oxidizer in Whitmarsh Township, **Montgomery County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

53-00009D: Morgan Advance Materials & Technology, Inc. (1118 East Second Street, Coudersport, PA 16915) on February 21, 2012, to extend the authorization to temporarily operate an electric powered de-bind oven (Source ID 122) equipped with a natural gas fired thermal oxidizer (control device ID C122) to control the air contaminant emissions from the oven at their Coudersport plant in Eulalia Township, **Potter County** until October 19, 2012. The plan approval has been extended.

41-00080B: Chief Gathering, LLC (6051 Wallace Road Ext., Suite 210, Wexford, PA 15090-7386) on February 27, 2012, to extend the authorization for the construction of three natural-gas-fired compressor engines each equipped with oxidation catalysts at the Canoe Run Compressor Station located in Mifflin Township, **Lycoming County** to August 25, 2012. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

03-00245A: Rosebud Mining Co. (301 Market Street, Kittanning, PA 16201) on February 28, 2012, to allow the change of ownership and extend the plan approval at the Preparation Plant in Plumcreek Township, **Armstrong County**. This plan approval has been extended.

30-00077B: Texas Eastern Transmission, L.P. (P. O. Box 1642, Houston, TX 77251-1642) on February 22, 2012, DEP extended Air Quality Plan Approval PA-30-00077B for 180 days. Extension is to allow additional time for DEP to issue the pending TVOP application. PLA-30-00077B was originally issued to authorize the installation of a new Solar Mars 100-150002S III turbine rated at 15,000 hp, the installation of a turbine fuel gas heater rated at 0.874 mmbtu/hr, the installation of a remote reservoir parts washer, the update of transient emission estimates for an existing Solar Mars 100-150002S II turbine and the deactivation of four existing Cooper Bessemer GMV-10-S internal combustion engines (Sources 103, 104, 105, 107) at Texas Eastern's Holbrook Station located in Wind Ridge, Richhill Township, **Greene County**. The plan approval has been extended.

63-00963D: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 2, Suite 700, Denver, CO 80202-2126) on February 27, 2012, to extend the period of temporary operation of the fractionator tower and natural gas-fired process heater rated at 148 MMBtu/hr authorized under plan approval PA-63-00936D, until August 27, 2012, at the Houston Gas Plant in Chartiers Township, **Washington County**. The plan approval has been extended.

26-00590: Carlisle Construction Materials (PO Box 7000, Carlisle, PA 17013) on February 8, 2012, to reflect the initial 180-day period of temporary operation of the Insulfoam expanded polystyrene block molded product manufacturing line began on September 6, 2011, at the

Hunter Panels LLC facility located off of Summit View Drive in the Fayette Industrial Park, Georges Township, **Fayette County**.

26-00590: Carlisle Construction Materials (PO Box 7000, Carlisle, PA 17013) on March 6, 2012, to provide an additional 180-day period of temporary operation of the Insulfoam expanded polystyrene block molded product manufacturing line at the Hunter Panels LLC facility located off of Summit View Drive in the Fayette Industrial Park, Georges Township, **Fayette County**. The Plan Approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-001M: AK Steel Corp. (P. O. Box 832, Butler, PA 16003-0832) on February 27, 2012, to modify the Melt Shop to increase production. This includes the construction of a conventional Electric Arc Furnace (EAF) and a dual station Ladle Metallurgical Facility (LMF) at the Melt Shop facility, Butler Works, in the City of Butler, **Butler County**. This plan approval is subject to the Prevention of Significant Deterioration (PSD) requirements for Carbon Monoxide (CO), Sulfur Dioxide (SO₂) and Nitrogen Dioxide (NO₂). The facility currently has a Title V permit which was issued February 13, 2006.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Thomas Huynh, Chief—Telephone: 215-685-9476

V05-011: Sunoco Inc.—Schuylkill River Tank Farm (70th and Essington Avenue, Philadelphia PA 19145) on February 24, 2012, to operate of a tank farm in the City of Philadelphia, **Philadelphia County**. The Title V facility's air emission sources include the following: twenty one (21) internal floater tanks with capacities between 2.6 million-4.9 million gallons; two (2) open floater tanks, each with a capacity of 4.8144 million gallons; one (1) oil-water separator; one (1) propane loading rack; one (1) flare; one (1) 290 horsepower diesel fire pump; and one (1) 255 horsepower diesel fire pump.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00021: Glasgow, Inc. (P. O. Box 1089, Glenside, PA 19038) on February 23, 2012, for renewal of a State Only Operating Permit in East Whiteland Township, **Chester County**. Glasgow, Inc. operates a stone crushing and asphalt plant at its Catanach Quarry. The primary pollutant of concern is particulate matter emissions from the crushing plant and nitrogen oxides and volatile organic compounds from the asphalt plant. The facility is categorized as a synthetic minor facility. Source ID 501 (Portable Stone Crushing Plant) has been removed from the facility and will be removed from the permit under this renewal. The permit will include monitoring, record

keeping and reporting requirements designed to address all applicable air quality requirements.

15-00023: Quality Park Products (2 Tabas Lane, Exton, PA 19341) on February 23, 2012, for renewal of a State Only Operating Permit for a manufacturer of specialty packaging and printed office products in West Whiteland Township, **Chester County**. The facility has taken restriction to remain a synthetic minor for VOC and HAP emissions. The facility is subject to Area Source MACT requirements of 40 CFR Part 63 Subpart KK. This Operating Permit renewal includes emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility complies with all applicable air quality regulations.

46-00154: Eye Designs, LLC (220 West 5th Street, Colledgeville, PA 19426) on February 24, 2012, for renewal of a State Only Operating Permit to operate three spray booths at a wood office furniture manufacturing facility in Trappe Borough, **Montgomery County**. The facility has taken restriction to remain a synthetic minor for VOC emissions. This Operating Permit renewal includes emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility complies with all applicable air quality regulations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00027: Titanium Wire Corp. (235 Industrial Park Road, Frackville, PA 17931) on January 31, 2012, for operation of a natural gas fired furnace in West Mahanoy Township, **Schuylkill County**.

48-00052: Eastern Industries Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) on January 31, 2012, to operate a batch asphalt plant in the City of Bethlehem, **Northampton County**.

48-00051: Eastern Industries, Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) on January 31, 2012, to operate a batch asphalt plant in East Allen Township, **Northampton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

26-00475: Amerikohl Aggregates, Inc.—Jim Mountain Quarry (State Route 653 Mill Run, PA 15464) on February 23, 2012, to operate a limestone processing plant in Springfield Township, **Fayette County**. The subject facility consists of load/unloading and processing of limestone equipped with three crushers, three screens, one sand classifier, and various conveyors and stockpiles. The maximum capacity of the facility is 700 tons per hour. The facility has the potential to emit: 78.36 tpy PM; and 53.77 tpy PM₁₀. The facility is required to conduct surveys of the site for fugitive emissions and malodors and must take all actions to prevent particulate matter from becoming airborne. The proposed authorization is subject to State and Federal Regulations (OOO). The permit includes operation requirements, monitoring requirements, and recordkeeping requirements.

OP-65-00627: Seton Hill University (1 Seton Hill Drive, Greensburg, PA, 15601-1548) on February 23, 2012, to renew the operating permit for the Greensburg Campus in the city of Greensburg, **Westmoreland County**. The permit is for the operation of one CNB 600

horsepower tri-fuel boiler burning primarily coal, two Burnham 300 horsepower (each) boilers burning primarily natural gas, and an Onan 250 kVA emergency generator at the university's boiler house. There are a number of miscellaneous combustion sources scattered throughout the campus but these are small and considered trivial on an emissions basis. These units are however listed in the Miscellaneous Section of the permit. The permit will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00014: Kimberly-Clark of Pennsylvania, LLC (Front and Avenue of the States, Chester, PA 19013) on February 23, 2012, is a Title V facility in the City of Chester, **Delaware County**. This Title V Operating Permit was revised to incorporate plan approval 23-0014G for two air handling units with associated venturi scrubbers to their ST-1 Converting Line. This administrative amendment was performed in accordance with 25 Pa. Code § 127.450.

46-00198: Blommer Chocolate Co. (1101 Blommer Drive, East Greenville, PA 18041) on February 23, 2012, is a Title V facility in Upper Hanover Township, **Montgomery County**. This Title V Operating Permit was revised to incorporate plan approval 46-01980 for the addition of a dust collector on the Aspiration Box in Production Line 1. This administrative amendment was performed in accordance with 25 Pa. Code § 127.450.

15-00078: Centocor, Inc. (200 Great Valley Parkway, Malvern, Pennsylvania 19355) on February 23, 2012, the operating permit was amended to incorporate Plan Approval 15-0078F for the modification of two existing 16.8 MMBtu/hr boilers, Source Id 031, as permittee has requested to operate two existing boilers simultaneously, at the Centocor, Inc., pharmaceutical research, development and manufacturing facility located at 200 Great Valley Pkwy, Malvern, Pennsylvania 19355, East Whiteland Township, **Chester County**. The facility is synthetic minor for NO_x. Administrative Amendment of Synthetic Minor Operating Permit is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

48-00058: Effort Foundry, Inc. (PO Box 158, Bath, PA 18014-0158) an administrative amendment was issued on February 27, 2012 for this facility in East Allen Township, **Northampton County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

67-03027: Pretium Packaging LLC (1 Devco Drive, Manchester, PA 17345). Pursuant to 25 Pa. Code § 127.449(i), this notice is for the de minimis emissions increases of 0.18 TPY PM10 and 0.13 TPY VOC resulting from the construction of three (3) injection molding machines at its plant located in East Manchester Township, **York County**. These are the first de minimis emissions increases at the facility during the term of the current operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

OP-63-00899: Pleiger Plastics Co. (498 Crile Road, Washington, PA 15301). Per 25 Pa. Code § 127.449(i), this

Notice is for the following de minimis emission increase at the Pleiger Plastics Co. facility in South Strabane, **Washington County**: Emissions from this project will not exceed 1.0 tpy VOC or 1.0 tpy HAP from the installation and operation of a hand casting table and two electric curing ovens. The list of de minimis increases includes only this project.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-00066: Accuride—Erie Forge (1015 E. 12th Street, Erie, PA 16503) for their facility in Erie City, **Erie County**. The De minimis emission increase is for construction of the Mega Line project. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the Title V Operating Permit issuance on March 23, 2009.

Date	Source	PM10 (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
2/27/12	Mega Line	0.01	0.001	0.1314	0.053	0.111
Total Reported Increases		0.01	0.001	0.1314	0.053	0.111
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

37-00300: North American Forgemasters—New Castle (710 Moravia Street, New Castle, PA 16101), for its facility located in New Castle City, **Lawrence County**. The De minimis emission increase is for the construction of the 7th oxy-fuel fired forge furnace. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code 127.449(i). This list includes the De minimis emission increases since the Title V Operating Permit issuance on March 3, 2011.

Date	Source	PM10 (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
2/23/12	7th forge furnace	0.074	0.006	0.48	0.054	0.82
Total Reported Increases		0.074	0.006	0.48	0.054	0.82
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

43-00037: Development of Sharpsville Furnace (2 North Sixth Street, Sharpsville, PA 16150), for its facility located in Sharpsville Borough, **Mercer County**. The De minimis emission increase is for construction of Powercrusher. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the Title V Operating Permit issuance on September 2, 2009.

Date	Source	PM10 (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
2/23/12	Powercrusher	0.034				
Total Reported Increases		0.034				
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

56841328 and GP12-56841328-R17. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201), to renew and revise the GP-12 permit for Mine 78 in Paint Township, **Somerset County** for the related coal mine activity permit and to establish an emission inventory for coal handling based on maximum total annual raw coal throughput of 4,050,000 tons per calendar year. Approval is authorized under General Permit BAQ-GAP/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56841328-R17. The application was considered administratively complete on March 22, 2011. Application received: March 22, 2011. Permit issued: February 17, 2012.

17041301 and GP12-17041301-R5, Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201), to renew the GP-12 permit for the Penfield Mine in Huston Township, **Clearfield County** for the coal mine activity permit. Approval is authorized under General Permit BAQ-GAP/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-17041301-R5. The application was considered administratively complete on January 13, 2011. Application received: January 13, 2011. Permit issued: February 17, 2012

30831303. Cumberland Coal Resources, LP, (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Wayne Township, **Greene County** to add underground and subsidence control plan area acres for development mining. Underground Acres Proposed 52.4, Subsidence Control Plan Acres Proposed 112.04. No additional discharges. The application was considered administratively complete on June 6, 2011. Application received: February 23, 2011. Permit issued: February 21, 2012.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

32990109 and NPDES No. PA0235148. Bedrock Mines, LP, 111 Freeport Road, Pittsburgh, PA 15215, permit renewal for reclamation only of a bituminous surface and auger mine in Washington Township, **Indiana County**, affecting 59.9 acres. Receiving stream(s): UTS to/and Sugarcamp Run classified for the following

use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: November 16, 2011. Permit issued: February 15, 2012.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26050104 and NPDES Permit No. PA02050104. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Renewal permit for reclamation only issued to an existing bituminous surface mine, located in Nicholson Township, **Fayette County**, affecting 209.7 acres. Receiving streams: unnamed tributaries to Jacobs Creek and Georges Creek. Application received: October 21, 2011. Permit issued: February 24, 2012.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

16050113. Timothy A. Keck (93 Carrier Street, Summerville, PA 15864) Renewal of an existing bituminous strip operation in Monroe Township, **Clarion County** affecting 19.0 acres. Receiving streams: Unnamed tributary to Sloan Run and unnamed tributary to Reids Run. This renewal is issued for reclamation only. Application received: January 4, 2012. Permit Issued: February 23, 2012.

24110101 and NPDES Permit No. PA0259055. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838) Commencement, operation and restoration of a bituminous surface and auger mine in Fox Township, **Elk County** affecting 68.0 acres. Receiving streams: Little Toby Creek. Application received: March 31, 2011. Permit Issued: February 23, 2012.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

10960304. Quality Aggregates, Inc. (4955 Steubenville Pike, Suite 245, Pittsburgh, PA 15205) Renewal of existing NPDES Permit No. PA0227218 in Washington Township, **Butler County**. Receiving streams: Unnamed tributary to South Branch Slippery Rock Creek. Application received: August 19, 2011. Permit Issued: February 22, 2012.

61122801. William A. Guiste Excavating (4142 State Route 208, Emlenton, PA 16373) Commencement, operation and restoration of a small industrial minerals mine in Clinton Township, **Venango County** affecting 7.0 acres. Receiving streams: Scrubgrass Creek. Application received: January 17, 2012. Permit Issued: February 23, 2012.

61122801-GP-104. William A. Guiste Excavating (4142 State Route 208, Emlenton, PA 16373) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 61122801 in Clinton Township, **Venango County**. Application received: January 17, 2012. Permit Issued: February 23, 2012.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

16124001. P. J. Greco Sons of Kittanning (P. O. Box 796, Kittanning, PA 16201) Blasting activity permit for the demolition of a dragline in Perry Township, **Clarion County**. This blasting activity permit will expire on June 1, 2012. Permit Issued: February 22, 2012.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08124111. Hayduk Enterprises, Inc. (257 Riverside Drive, Factoryville, PA 18419). Blasting for a pipeline located in Standing Stone Township, **Bradford County**. Permit issued: February 21, 2012. Permit expires: June 30, 2012.

57124105. Maurer & Scott Sales, Inc. (122 Thomas St., Coopersburg, PA 18036-2100). Blasting for construction of a natural gas well pad located in Cherry Township, **Sullivan County**. Permit issued: February 15, 2012. Permit expires: October 30, 2012.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

58124006. Holbert Explosives, Inc., (237 Masthlope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting for Linde-Springville Gas Pad in Springville Township, **Susquehanna County** with an expiration date of February 18, 2013. Permit issued: February 21, 2012.

15124103. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Osborne Storage Lagoon in Lower Oxford Township, **Chester County** with an expiration date of February 17, 2013. Permit issued: February 23, 2012.

36124108. Maine Drilling & Blasting, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Anglesea Development in West Earl Township, **Lancaster County** with an expiration date of February 17, 2013. Permit issued: February 23, 2012.

45124101. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Winona Lakes in Middle Smithfield Township, **Monroe County** with an expiration date of February 28, 2013. Permit issued: February 23, 2012.

46124102. J Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Tri County Urology in Lower Pottsgrove Township, **Montgomery County** with an expiration date of February 18, 2013. Thorndale Development in Towamencin Township, Montgomery County with an expiration date of March 1, 2013. Permit issued: February 23, 2012.

46124103. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Thorndale Development in Towamencin Township, **Montgomery County** with an expiration date of March 1, 2013. Permit issued: February 23, 2012.

52124101. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Pocono Mountain Lake Estates in Lehman, Dingman, Delaware and Lackawaxen Townships, **Pike County** with an expiration date of January 31, 2013. Thorndale Development in Towamencin Township, Montgomery County with an expiration date of March 1, 2013. Permit issued: February 23, 2012.

46124104. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionville, PA 18092), construction blasting for Country View in Salford Township, **Montgomery**

County with an expiration date of February 21, 2013. Permit issued: February 24, 2012.

58124112. Doug Wathen, LLC, (16282 State Highway 13, Suite J, Branson West, MO 65737), construction blasting for Hull Gas Pad in Springville Township, **Susquehanna County** with an expiration date of February 15, 2013. Permit issued: February 24, 2012.

58124113. Meshoppen Blasting, Inc., (P. O. Box 127, Meshoppen, PA 18630), construction blasting for Cook Well Site & access road in Rush Township, **Susquehanna County** with an expiration date of July 31, 2012. Permit issued: February 24, 2012.

58124114. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Mitchell Gathering Pipeline in Franklin Township, **Susquehanna County** with an expiration date of June 30, 2012. Permit issued: February 24, 2012.

58124115. Doug Wathen, LLC, (16282 State Highway 13, Suite J, Branson West, MO 65737), construction blasting for Cook Gas Pad in Rush Township, **Susquehanna County** with an expiration date of February 20, 2013. Permit issued: February 24, 2012.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E09-953. Cold Springs Investment Group, L.P. 301 Oxford Valley Road, Suite 702, Yardley, PA 19067-7713, Yardley borough, **Bucks County**, ACOE Philadelphia District.

To perform the following water obstruction and Encroachment activities across/along Brock Creek associated with the construction of a residential development at the existing US Magnet site (Cold Springs):

1. To construct and maintain a 95-foot long, 6-foot wide, and 8.5-foot high pedestrian bridge.
2. To construct and maintain four outfall structures and one temporary road crossing.
3. To stabilize and maintain approximately 30 linear feet of streambank.
4. To place fill in the floodway associated with the removal of an existing stilling basin.

The site is located near the intersection of Newtown Road and West Afton Avenue (Trenton west, NJ-PA USGS Quadrangle N: 21.5 inches; W: 13.4 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E09-907. County Line Storage, Inc., 13131 -R Townsend Road, Philadelphia, PA 19154, Warminster Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with a proposed public storage facility:

1. To relocate approximately 338 linear feet of an unnamed tributary of Southampton Creek (TSF-MF) around a proposed public storage facility by enclosing the stream within 325 linear feet of various pipe segments. The stream enclosure will consist of Headwall No. 6, 8, LF of 36" pipe, manhole No. 5, 44 LF of 36" pipe, manhole No. 4, 189 LF of 36" pipe, manhole No. 3, 63 LF of 36" pipe, manhole No. 2, 7 LF of 36" pipe, Endwall No. 1 and associated stilling basin.
2. To place fill within approximately a 320 linear-foot reach of abandoned channel.
3. To place fill within 0.10 acre of adjacent wetland (PFO).

The permittee proposes to construct 0.18 acre of onsite wetland replacement to compensate for wetland losses associated with this project. The wetland replacement will enlarge an existing wetland area with minor grading and the diversion of water from the stream enclosure at manhole No. 3, routed through 78 LF of 15: pipe, to an outfall adjacent to the proposed wetland.

The project is located along County Line Road approximately 700 feet southeast of the intersection of County Line Road and Centennial Roads (Hatboro, PA, USGS Quadrangle N: 9.1 inches, W: 10.9 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E51-176. City of Philadelphia, Capital Program Office, 1515 Arch Street, 11th Floor, One Parkway Building, Philadelphia, Pa, 19102, City and **County of Philadelphia**, ACOE Philadelphia District.

To perform the following activities associated with amendment of permit No E51-176 along a section of the Manayunk Canal (WWF) situated within the 100-year floodplain of the Schuylkill River:

To remove sediment at three locations along the canal. The three sections are located at Domino Lane, the Parker Avenue outfall area, and the sluice house. Also, two 18-inch diameter valves will be installed in the existing steel sheet piling at the sluice gate to allow water flow to the canal.

The site is located adjacent to the Schuylkill River starting at Lock Street (Germantown, PA, USGS Quadrangle N: 4.5 inches; W: 13.8 inches) and terminates west of Parker Avenue (Germantown, PA, USGS Quadrangle N: 5.7 inches; W: 15.3 inches).

E09-945. SRI-The Landings Assoc. L.P., 1008 Upper Gulph Road, Suite 300, Wayne, PA 19087, Bensalem Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain a Marina, and four outfall structures in and along the 100-year floodplain of the Delaware River; impacting 0.03 acre of wetlands associated with the proposed residential development.

The site is located near the intersection of State and Street Roads, (Beverly, PA-NJ USGS Quadrangle N: 13.5 inches; W: 7.7 inches).

E09-959. PA DOT, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Riegelsville Borough, **Bucks County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the replacement of the existing Delaware Road Bridge (S.R. 1016, Section BBR) over the Delaware Canal (WWF, MF):

1. To remove the existing bridge, and to construct and maintain, in its place, a single span bridge approximately 28-foot 4 inches long, 54-foot span, and with 7-foot 4 inches underclearance.
2. To construct and maintain a temporary road crossing over the canal.

The project will permanently impact approximately 35 linear feet of stream. The site is located at the intersection of Delaware (S.R. 1016) and Durham Roads in Riegelsville Borough, Bucks County (Riegelsville, PA-NJ, USGS Quadrangle N: 17.20 inches; W: 9.41 inches).

E15-820. PA DOT, 7000 Geerdes Boulevard, King of Prussia, PA 19406, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the final Phase of the S.R. 0202-300 Improvement Project at Section 330. This section proposes to widen 2.5 miles of Route 202 between Route 30 (Exton bypass) and the Valley Creek Bridge. An additional lane and shoulder in each direction

will be added within the existing grass median. This section proposes to permanently impact approximately 0.047 acre of wetlands and temporarily impact 0.021 acre of wetlands. Also, approximately 232 linear feet of stream will be permanently impacted, and approximately 57 linear feet will be temporarily impacted.

1. To place fill and excavate in the 100-year floodplain of an unnamed tributary to Valley Creek (EV) at Mainline Station 259+00 R (Malvern, PA, Quadrangle N: 7.2 inches, W: 11.2 inches, Latitude: 40°02'21", Longitude: 75°34'46"). Temporary floodplain impacts of 0.195 acre (8,491 sq ft), permanent floodplain impact of 0.063 acre (2,764 sq ft), and 116 cubic yards of fill is created to facilitate the construction for proposed Stormwater Detention Basin D-1.

2. An unnamed tributary to Valley Creek (EV) at Mainline Station 259+00 R (Malvern, PA, Quadrangle N: 7.2 inches, W: 11.2 inches, Latitude: 40°02'21", Longitude: 75°34'46"). Temporary stream impact of 34 linear feet and 0.007 acre is created as a result of the limit of disturbance for installing riprap associated with Stormwater Detention Basin D-1.

3. To place fill and excavate in the 100-year floodplain of an unnamed tributary to Valley Creek (EV) at Mainline Station 261+00 R (Malvern, PA, Quadrangle N: 7.2 inches, W: 11.2 inches, Latitude: 40°02'22", Longitude: 75°34'42"). Temporary floodplain impacts of 0.858 acre (37,402 sq ft), permanent floodplain impact of 0.179 acre (7,783 sq ft), and 190 cubic yards of fill is created to facilitate the construction for proposed Stormwater Mitigation Site M-7A.

4. To place fill in the 100-year floodplain of an unnamed tributary to Valley Creek (EV) at Mainline Station 260+50 R (Malvern, PA, Quadrangle N: 7.2 inches, W: 11.2 inches, Latitude: 40°02'23", Longitude: 75°34'44"). A temporary impact of 0.016 acre (677 ft²) of fill is created to facilitate the proposed placement of roadway embankment fill.

5. To place fill and excavate in the 100-year floodplain of an unnamed tributary to Valley Creek (EV) at Mainline Station 263+00 L (Malvern, PA, Quadrangle N: 7.4 inches, W: 11.2 inches, Latitude: 40°02'26", Longitude: 75°34'43"). Temporary floodplain impacts of 0.201 acre (8,736 sq ft), permanent floodplain impact of 0.015 acre (674 ft²), and 20 cubic yards of fill is created to facilitate the construction for proposed Stormwater Mitigation Site M-7.

6. An unnamed tributary to Valley Creek (EV) at Mainline Station 265+00 R&L (Malvern, PA, Quadrangle N: 4.9 inches, W: 7.4 inches, Latitude: 40°02'28", Longitude: 75°34'41"). A permanent stream impact of 39 linear feet and 0.016 acre is created to facilitate the placement of riprap at both ends of Culvert C-1.

7. To place fill and excavate in the 100-year floodplain of an unnamed tributary to Valley Creek (EV) at Mainline Station 265+00 R&L (Malvern, PA, Quadrangle N: 4.9 inches, W: 7.4 inches, Latitude: 40°02'28", Longitude: 75°34'41"). A permanent floodplain impact of 0.002 acre (78 sq ft) and 9 cubic yards is created to facilitate the placement of riprap at both ends of Culvert C-1.

8. An unnamed tributary to Valley Creek (EV) at Mainline Station 295+00 L (Malvern, PA, Quadrangle N: 8.3 inches, W: 9.7 inches, Latitude: 40°02'43", Longitude: 75°34'10"). A temporary stream impact of 23 linear feet and 0.013 acre are created to facilitate the installation of a temporary access road in the area of Culvert C-2.

9. An unnamed tributary to Valley Creek (EV) at Mainline Station 297+00 R&L (Malvern, PA, Quadrangle N: 5.5 inches, W: 6.4 inches, Latitude: 40°02'42", Longitude: 75°34'10"). A permanent stream impact of 193 linear feet and 0.066 acre are created to facilitate the placement of riprap at both ends of Culvert C-2, including 121 linear feet of reticulated concrete block revetment system within the floor of C-2 for scour protection.

10. To place fill and excavate in the 100-year floodplain of the unnamed tributary to Valley Creek (EV) at Mainline Station 297+00 R&L (Malvern, PA, Quadrangle N: 5.5 inches, W: 6.4 inches, Latitude: 40°02'42", Longitude: 75°34'10"). Temporary floodway impacts of 0.006 acre (256 sq ft), permanent floodway impact of 0.009 acre (383 sq ft), and 43 cubic yards are created to facilitate the placement of riprap at both ends of Culvert C-2.

11. To place fill and excavate in the 100-year floodplain of the unnamed tributary to Valley Creek (EV) at Mainline Station 298+50 R (Malvern, PA, Quadrangle N: 8.4 inches, W: 9.4 inches, Latitude: 40°02'46", Longitude: 75°33'59"). Temporary floodplain impacts of 0.190 acre (8,297 sq ft), permanent floodplain impact of 0.181 acre (7,886 sq ft), and 487 cubic yards are created to facilitate the construction for proposed Stormwater Mitigation Site 8.

12. To place fill and excavate in the 100-year floodplain of the unnamed tributary to Valley Creek (EV) at Mainline Station 298+60 R (Malvern, PA, Quadrangle N: 8.4 inches, W: 9.4 inches, Latitude: 40°02'46", Longitude: 75°33'59"). Temporary floodplain impacts of 0.024 acre (1,066 sq ft) are created to facilitate the fill in the area of the Chester Valley Trail Culvert.

13. To place fill and impact a forested Wetland (B), which drains to Valley Creek (EV) at Mainline Station 321+00 L (Malvern, PA, Quadrangle N: 6.2 inches, W: 6.0 inches, Latitude: 40°03'05", Longitude: 75°33'51"). A temporary wetland impact of 0.014 acre and permanent wetland impact of 0.024 acre are created to facilitate the proposed roadway fill.

14. To place fill and impact a forested/scrub-shrub Wetland (C), which drains to Valley Creek (EV) at Mainline Station 325+00 L (Malvern, PA, Quadrangle N: 6.3 inches, W: 5.9 inches, Latitude: 40°03'07", Longitude: 75°33'47"). A temporary wetland impact of 0.007 acre and permanent wetland impact of 0.023 acre are created to facilitate the proposed roadway fill.

15. To place fill and excavate in the 100-year floodplain of Valley Creek (EV) at Mainline Station 325+00 L (Malvern, PA, Quadrangle N: 6.3 inches, W: 5.9 inches, Latitude: 40°03'07", Longitude: 75°33'47"). Temporary floodplain impacts of 0.033 acre (1,430 ft²), permanent floodplain impact of 0.085 acre (3,706 sq ft), and 25 cubic yards of fill are created to facilitate the proposed roadway fill in the area of Wetland C.

16. To place fill and excavate in the 100-year floodplain of Valley Creek (EV) at Mainline Station 325+60 L (Malvern, PA, Quadrangle N: 9.6 inches, W: 9.0 inches, Latitude: 40°03'09", Longitude: 75°33'47"). A temporary floodplain impact of 0.088 acre (3,834 ft²) is created to facilitate the construction for proposed Stormwater Mitigation Site 4-1.

17. To place fill and excavate in the 100-year floodplain of Valley Creek (EV) at Mainline Station 341+00 L (Malvern, PA, Quadrangle N: 9.5 inches, W: 8.1 inches, Latitude: 40°03'06", Longitude: 75°32'25"). Temporary floodplain impacts of 0.044 acre (1,951 ft²), permanent floodplain impact of 0.077 acre (3,388 sq ft), and 260 cubic yards are

created to facilitate the construction for proposed Stormwater Mitigation Site 20.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-251.

E54-351. Porter-Tower Joint Municipal Authority, 860 West Grand Avenue, Tower City, PA 17980. Porter and Williams Township, Schuylkill and **Dauphin County**, Army Corps of Engineers Baltimore District.

To construct and maintain an at-grade roadway in approximately 0.1 acre of the floodway of Wiconisco Creek (WWF, MF) and to construct and maintain a stormwater basin, roadway, treatment tanks and other site amenities in approximately 1.0 acre of the floodway fringe of Wiconisco Creek. The activities are associated with the Porter-Tower Joint Municipal Authority Wastewater Treatment Plant Expansion Project. The project is located on the south side of US Route 209 approximately 1.9 miles west of its intersection with SR 0325 (Tower City, PA Quadrangle Latitude: 40°35'1"; Longitude: -76°34'50"). Subbasin: 6B

E48-413. Bushkill Township, 1114 Bushkill Center Road, Nazareth, PA 18064. Bushkill Township, **Northampton County**, Army Corps of Engineers, Philadelphia District.

To construct and maintain a stormwater outfall structure in the floodway of a tributary to Sobers Run consisting of an 18-inch diameter plastic pipe, flared end section and riprap apron. The project is located along Broad Road near its intersection with State Route 0512 (Wind Gap, PA Quadrangle: Latitude: 40°48'47.7"; Longitude: -75°20'02.7") in Bushkill Township, Northampton County. Subbasin: 1F

E45-543. Farda Realty Associates, LP, P. O. Box 130, Tannersville, PA 18372. Pocono Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To remove the existing structures in and along tributaries to Pocono Creek (HQ-CWF) that are associated with the former Summit Resort and to construct and maintain the following water obstructions and encroachments: 1) a 45-L.F., 10-foot wide open bottom concrete arch culvert with a 3.5-foot underclearance crossing tributaries to Pocono Creek (HQ-CWF) and lined with R-5 riprap and erosion control matting; 2) a 185-L.F., 15" diameter HDPE stream enclosure of tributaries to Pocono Creek; 3) various utility line stream crossings of tributaries to Pocono Creek; 4) a 20-foot long x 31-foot wide stormwater outfall consisting of a vegetated channel and R-5 riprap apron within the floodway of tributaries to Pocono Creek; 5) a 6" diameter, concrete encased PVC sewage effluent outfall within the floodway of tributaries to Pocono Creek for the purpose of constructing a lodge and indoor waterpark. The project is located along Crossing Outlet Square, approximately 0.3 miles southwest of the intersection of I-80 and S.R. 715 (Mount Pocono, PA Quadrangle Latitude: 41°2'9"; Longitude: -75°19'0"). Subbasin: 1E

E52-230. Municipal Authority of Westfall Township, 155 Westfall Town Drive Matamoras, PA 18336. Westfall Township, **Pike County**, Army Corps of Engineers Philadelphia District.

To construct and maintain sewage pump station in the floodplain of the Delaware River (WWF, MF). The project

is located on the southwest side of Westfall Town Drive approximately 0.4 mile southeast of the intersection of US Route 6 and Hulst Drive (Port Jervis South, NY-NJ-PA Quadrangle Latitude: 41°21'6.8"; Longitude: -74°43'2.1") in Westfall Township, Pike County. Subbasin: 1D

E40-714. Earth Conservancy, 101 South Main Street, Ashley, PA 18707. City of Nanticoke, **Luzerne County**, Army Corps of Engineers Baltimore District.

To fill 0.30 acre of wetlands within the Espy Run Watershed for the purpose of mine reclamation and future development of approximately 30 acres of land. The permittee is required to provide 0.34 acre of replacement wetlands. The project is located on the east side of Kosciuszko Avenue approximately 0.25 miles north of Middle Road (Wilkes-Barre West Quadrangle Latitude: 41°11'49"; Longitude: -75°59'11"). Subbasin: 5B

E64-289. Ken and Kris Tanji, 285 East Shore Drive, Lake Ariel, PA 18436. Lake Township, **Wayne County**, Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a boathouse cantilevered over approximately 1,220 square feet of Lake Ariel. The boathouse extends into the lake approximately 35 feet from the shoreline. The project is located at 285 East Lake Shore Drive (Lake Ariel, PA Quadrangle Latitude: 41°26'56"; Longitude: -75°22'33"). Subbasin: 1C

E35-403. James A. Sposito, 1155 Whitmore Lane, RR 1 Crystal Lake, Carbondale, PA 18407. Fell Township, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To authorize the existing fill placed in the floodway of Fall Brook (HQ-CWF) and to stabilize and maintain the fill slope along approximately 440 feet of Fall Brook with R-7 riprap. The project is located on the northeast side of S.R. 0106 approximately 2.6 miles southeast of S.R. 0247 (Carbondale, PA Quadrangle Latitude: 41°35'56"; Longitude: -75°31'08") in Fell Township, Lackawanna County. Subbasin: 5A

E40-718. Humbolt 105 Land, LLC, 71 Wacker Drive, Suite 4700, Chicago, IL 60606. Hazle Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To fill 0.44 acre of wetlands for the purpose of constructing a warehouse/distribution center on Lot 105 of Humboldt Industrial Park East. The wetland encroachment was previously authorized under Permit E40-632, which expired prior to completion of the project. Replacement wetlands were constructed under Permit E40-632. The project is located on the eastern side of Commerce Drive approximately 950 feet south of its intersection with Forest Road (Conyngham, PA Quadrangle Latitude: 40°55'58"; Longitude: -76°1'20"). Subbasin: 5D

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4802.

E06-671: City of Reading Department of Public Works, 815 Washington Street, Reading, Pennsylvania 19601-3690, in Reading City, **Berks County**, ACOE Philadelphia District

To: 1) conduct maintenance on an existing 42.0-inch force main in and across the Schuylkill River (WWF, MF) (Latitude: 40°19'24.9594", Longitude: -75°55'37.5594"); 2) install and maintain 6,800.0 feet of 42.0-inch ductile iron force main in and across the Schuylkill River (WWF, MF) (Latitude: 40°19'24.9594", Longitude: -75°55'37.5594"), Angelica Creek (CWF, MF) (Latitude: 40°18'55.4394",

Longitude: -75°54'43.5594"), and two wetlands associated with the Schuylkill River (WWF, MF) (Latitude: 40°18'33.1194", Longitude: -75°55'19.56"); 3) install and maintain two temporary wetland crossings; and 4) install and maintain 882.0 square feet of structures associated with the 42.0-inch force main in the floodway and floodplain of the Schuylkill River all for the purpose of upgrading the sanitary sewer system. The project location begins at the northern most crossing of the Schuylkill River (WWF, MF) at the 6th and Canal Street Pump Station (Reading, PA Quadrangle; N: 13.5 inches, W: 7.3 inches; Latitude: 40°19'24.9594", Longitude: -75°55'37.5594") and terminates at the southern-most crossing of Angelica Creek (CWF, MF) (Latitude: 40°18'55.4394", Longitude: -75°54'43.5594") (Reading, PA Quadrangle; N: 10.7 inches, W: 6.5 inches; Latitude: 40°18'55.4394", Longitude: -75°54'43.5594") in the City of Reading, Berks County. The project will temporarily impact a total of 60.0 linear feet of stream, 0.403 acre of wetland, and 43,022.0 square feet of floodway and floodplain. The project will permanently impact 882.0 square feet of floodway and floodplain.

E22-544: Lower Paxton Township, 5000 Commons Drive, Harrisburg, Pennsylvania 17112, in Lower Paxton Township, **Dauphin County**, ACOE Baltimore District

To remove 20.0 feet of existing 24.0-inch diameter outfall pipe and for the construction and maintenance of 600.0 feet of streambank grading and stabilization, including the installation of 250.0 feet of boulder toe, 130.0 feet of 4.0-foot high stacked stone wall, and four 8.0-foot wide log terrace structures in an unnamed tributary to Paxton Creek (WWF), for the purpose of stream stabilization (Harrisburg East, PA Quadrangle: Starting Location: N: 11.23 inches, W: 8.29 inches; Latitude: 40°18'42.6", Longitude: -76°48'34.2", Ending Location: N: 11.45 inches, W: 8.48 inches; Latitude: 40°18'47", Longitude: -76°48'39.1") in Lower Paxton Township, Dauphin County.

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-455. West Hills Area Water Pollution Control Authority, 257 Linde Road, Kittanning, PA 16201-4719. North Buffalo Township, **Armstrong County**. ACOE Pittsburgh District.

Has been given consent to construct and maintain a 6 ft. wide, 5 ft. high, depressed 1 ft. with baffles, and 28 ft. long box culvert with wing walls, over an UNT to the Allegheny River (WWF) and to construct and maintain an aerial sewer crossing over an UNT to Glade Run (CWF), all for the purpose of extending a wastewater collection system. The project is located near Furnace Run in North Buffalo Township, Armstrong County. (Box Culvert Kittanning, PA Quadrangle, North 18.26" West 7.11" Latitude 40° 51' 02"; Longitude 79° -33'-05"; Aerial line crossing: Kittanning, PA Quadrangle, North 8.17"; West 10.34"; Latitude 40° 47' 42"; Longitude 79° -34' -29")

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E25-741, PA Department of Transportation, District 1-0, 255 Elm Street, Oil City, PA 16301, (Swansville, PA Quadrangle N: 42°, 04', 41.1"; W: 80°, 11', 9.9") in Millcreek Township, **Erie County**.

to remove the existing 56.7 ft. long Box Culvert and to construct and maintain a 12 ft. by 8.0 ft. by 77 ft. long Reinforced Precast Concrete Box Culvert depressed 1.0 ft. in Wilkins Run on SR 4009 Segment 0020 Offset 0103 (Asbury Road), just South of its intersection with West

Lake Rd S.R. 0005. The Culvert is being lengthened on downstream side to facilitate the widening of Asbury Road

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-1 # ESX12-117-0008

Applicant Name SWEPI LP

Contact Person H. James Sewell

Address 190 Thorn Hill Road

City, State, Zip Warrendale, PA 15086

County Tioga County

Township(s) Charleston Township

Receiving Stream(s) and Classification(s) Caitlin Hollow/

Susquehanna River Basin in Pennsylvania (List H);

Secondary: Crooked Creek to Tioga River (TSF, MF)

ESCGP-1 # ESX12-081-0017

Applicant Name Anadarko E&P Company LP

Contact Person Rane A. Wilson

Address 33 W. 3rd Street, Suite 200

City, State, Zip Williamsport, PA 17701

County Lycoming County

Township(s) Cummings Township

Receiving Stream(s) and Classification(s) Dam Run, First

Fork Larry's Creek (HQ);

Secondary: Little Pine Creek (HQ, TSF)

ESCGP-1 # ESX12-015-0024

Applicant Name Talisman Energy USA, Inc.

Contact Person Tracy Gregory

Address 337 Daniel Zenker Drive

City, State, Zip Horseheads, NY 14845

County Bradford County

Township(s) Armenia and Columbia Counties

Receiving Stream(s) and Classification(s) Elk Run (TSF,

MF) and Tioga River (HQ, CWF)

ESCGP-1 # ESX11-015-0168 (03)

Applicant Name Talisman Energy USA, Inc.

Contact Person Tracy Gregory
Address 337 Daniel Zenker Drive
City, State, Zip Horseheads, NY 14845
County Bradford County
Township(s) Columbia Township
Receiving Stream(s) and Classification(s) Wolfe Creek
(TSF, MF), North Branch of Sugar Creek (TSF, MF)
and UNTs to North Branch Sugar Creek (TSF, MF)

ESCGP-1 # ESX12-015-0035
Applicant Name EOG Resources, Inc.
Contact Person Jon Jorgenson
Address 2039 South Sixth Street
City, State, Zip Indiana, PA 15701
County Bradford County
Township(s) Springfield Township
Receiving Stream(s) and Classification(s) UNT Leonard
Creek and UNT Mill Creek;
Secondary: Leonard and Mill Creeks

ESCGP-1 # ESX12-015-0026
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford County
Township(s) Wilmot Township
Receiving Stream(s) and Classification(s) Panther Lick
Creek & UNT to Panther Lick Creek (CWF);
Secondary: Sugar Run Creek (CWF)

ESCGP-1 # ESX11-115-0189
Applicant Name Cabot Oil & Gas Company
Contact Person Jeffrey Keim
Address 5 Penn Center West, Suite 401
City, State, Zip Pittsburgh, PA 15276
County Susquehanna County
Township(s) Gibson Township
Receiving Stream(s) and Classification(s) Bell Creek,
Tunkhannock Creek and its tribs. (CWF-MF)

ESCGP-1 # ESX12-015-0042
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford County
Township(s) Athens Township
Receiving Stream(s) and Classification(s) UNT to Saterlee
Creek (WWF);
Secondary: Susquehanna River (WWF)

ESCGP-1 # ESX12-015-0040
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford County
Township(s) Overton Township
Receiving Stream(s) and Classification(s) UNT to Level
Branch Lick Creek, Tributary to Loyalsock Creek (EV);
Secondary: Loyalsock Creek (EV)

ESCGP-1 # ESX12-015-0041
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford County
Township(s) Athens Township
Receiving Stream(s) and Classification(s) UNT Susque-
hanna River (WWF);
Secondary: Susquehanna River (WWF)

ESCGP-1 # ESX10-117-0256 (01)
Applicant Name SWEPI LP
Contact Person H. James Sewell
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga County
Township(s) Middlebury Township
Receiving Stream(s) and Classification(s) Losey Creek/
Tioga River Basin (List H), Tioga River

ESCGP-1 # ESX12-0115-0038
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford County
Township(s) Litchfield Township
Receiving Stream(s) and Classification(s) Bullard Creek
(CWF)/Wysox Creek;
Secondary: Bullard Creek (CWF)

ESCGP-1 # ESX12-115-0004
Applicant Name WPX Energy Appalachia, LLC
Contact Person David Freudenrich
Address 1000 Town Center Suite 130
City, State, Zip Canonsburg, PA 15317-5834
County Susquehanna County
Township(s) Silver Lake Township
Receiving Stream(s) and Classification(s) Little Snake
Creek (CWF)
Secondary: Snake Creek

ESCGP-1 # ESX12-015-0012
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford County
Township(s) Albany Township
Receiving Stream(s) and Classification(s) UNT to Ladds
Creek, Trib. To South Branch of Towanda Creek (CWF);
Secondary: Ladds Creek, Trib. To South Branch of
Towanda Creek (CWF)

ESCGP-1 # ESX11-117-0115 (01)
Applicant Name SWEPI LP
Contact Person H. James Sewell
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga County
Township(s) Charleston Township Supervisors
Receiving Stream(s) and Classification(s) UNT to Catlin
Hollow, Catlin Hollow (Both TSF), UNT to Hills Creek
(WWF)

ESCGP-1 # ESX12-113-0008
Applicant Name EXCO Resources (PA), LLC
Contact Person Larry Sanders
Address 3000 Ericsson Drive, Suite 200
City, State, Zip Warrendale, PA 15086
County Sullivan County
Township(s) Davidson Township
Receiving Stream(s) and Classification(s) Elk Run,
Gallows Run (Both EV);
Secondary: West Branch Fishing Creek (HQ-CWF)

ESCGP-1 # ESX12-131-0004
Applicant Name Appalachia Midstream Services, LLC
Contact Person Patrick Myers, Jr.
Address 100 Ist Center
City, State, Zip Horseheads, NY 14845
County Wyoming and Susquehanna Counties

Township(s) Washington, Lemon and Springville Townships
Receiving Stream(s) and Classification(s) CWF, MF; West Branch Meshoppen Creek; Tributaries 29397, 29398, 29399 and 29401 to Meshoppen Creek; Meshoppen Creek

ESCGP-1 # ESX12-113-0011
Applicant Name Appalachia Midstream Services, LLC
Contact Person Patrick Myers, Jr.
Address 100 Ist Center
City, State, Zip Horseheads, NY 14845
County Sullivan County
Township(s) Forks and Cherry Townships
Receiving Stream(s) and Classification(s) Drains to UNT to Lick Creek, 5 UNT's to Black Creek, Black Creek, and UNT to Streby Run (EV); Loyalsock Creek Watershed;
Secondary: Lick Creek, and Black Creek (EV)

ESCGP-1 # ESX12-115-0018
Applicant Name WPX Energy Appalachia, LLC
Contact Person David Freudenrich
Address 1000 Town Center Suite 130
City, State, Zip Canonsburg, PA 15317-5834
County Susquehanna County
Township(s) Silver Lake Township
Receiving Stream(s) and Classification(s) UNT to Little Snake Creek;
Secondary: Snake Creek (CWF, MF)

ESCGP-1 # ESX12-015-0037
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 101 North Main Street
City, State, Zip Athens, PA 18810
County Bradford County
Township(s) Wilmot Township
Receiving Stream(s) and Classification(s) UNT to Susquehanna River (CWF); Susquehanna River (CWF)

ESCGP-1 # ESX12-033-0007
Applicant Name Northeast Natural Energy, LLC
Contact Person Brett Lofflin
Address 707 Virginia Street, Suite 1400
City, State, Zip Charleston, WV 25301
County Clearfield County
Township(s) Graham Township
Receiving Stream(s) and Classification(s) UNT to Browns Run;
Secondary: West Branch Susquehanna River

ESCGP-1 # ESX12-015-0023
Applicant Name Talisman Energy USA, Inc.
Contact Person Tracy Gregory
Address 337 Daniel Zenker Drive
City, State, Zip Horseheads, NY 14845
County Bradford County
Township(s) Windham and Warren Townships
Receiving Stream(s) and Classification(s) Wappasening Creek (CWF, MF), Pendleton Creek (CWF, MF)

ESCGP-1 # ESX12-113-0010
Applicant Name EXCO Resources (PA), LLC
Contact Person Larry Sanders
Address 3000 Ericsson Drive, Suite 200
City, State, Zip Warrendale, PA 15086
County Sullivan County
Township(s) Davidson Township
Receiving Stream(s) and Classification(s) UNT to Elk Run (EV);
Secondary: West Branch Fishing Creek (HQ-CWF)

ESCGP-1 # ESX12-015-0029
Applicant Name Talisman Energy USA, Inc.
Contact Person Tracy Gregory
Address 337 Daniel Zenker Drive
City, State, Zip Horseheads, NY 14845
County Bradford County
Township(s) Armenia Township
Receiving Stream(s) and Classification(s) UNT to Tioga River (HQ-CWF/MF);
Secondary: Tioga River (HQ)

ESCGP-1 # ESX12-015-0045
Applicant Name Appalachia Midstream Services, LLC
Contact Person Patrick Myers, Jr.
Address 100 Ist Center
City, State, Zip Horseheads, NY 14845
County Bradford and Sullivan Counties
Township(s) Albany and Cherry Townships
Receiving Stream(s) and Classification(s) The Black East Gathering line, the Coyle BRA Well Line and the LW Well Line from Station 0+00 to Station 35+75 drain to 3 UNTs to South Branch Towanda Creek (CWF) and South Branch Towanda Creek (CWF) Towanda Creek Watershed. The LW Well Line and station 35+75 to its terminus drain to 3 UNTs to Lick Creek (EV), Loyalsock Creek Watershed. The E&S design criteria have been split based on the EV and on-EV segments referenced above.
Secondary: South Branch Towanda Creek (CWF) and Lick Creek (EV)

ESCGP-1 # ESX12-015-0044
Applicant Name Chief Oil & Gas, LLC
Contact Person Michael Hritz
Address 6051 Wallace Road, Ext., Suite 210
City, State, Zip Wexford, PA 15090
County Bradford County
Township(s) Stevens Township
Receiving Stream(s) and Classification(s) UNT to Rockwell Creek, Rockwell Creek (WWF, MF);
Secondary: Wyalusing Creek (WWF, MF)

ESCGP-1 # ESX12-117-0017
Applicant Name SWEPI LP
Contact Person H. James Sewell
Address 190 Thorn Hill Road
City, State, Zip Warrendale, PA 15086
County Tioga County
Township(s) Sullivan Township
Receiving Stream(s) and Classification(s) Corey Creek

Southwest Region: Oil & Gas Program Mgr. 400 Waterfront Dr. Pittsburgh PA

1/27/2012
ESCGP-1 No: ESX11-059-0049 Major Revision
Applicant Name: Laurel Mountain Midstream LLC
Contact Person Clayton Roesler
Address: 1605 Coraopolis Heights Road
City: Moon Township State: PA Zip Code: 15108
County: Greene Township: Greene & Monongahela
Receiving Stream (s) And Classifications: UNTs to Little Whiteley Creek WWF, UNTs to Whiteley Creek WWF, Monongahela River Watershed

11/01/2011
ESCGP-1 No.: ESX11-125-0104
Applicant Name: Rice Drilling B LLC
Contact Person: Toby Rice
Address: 171 Hillpointe Dr Suite 301
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township(s): Amwell

Receiving Stream(s) and Classifications: UNT to Little Tenmile Creek/Tenmile Creek Watershed UNT to Bane Creek/Bane Creek Watershed

01/06/2012
 ESCGP-1 No.: ESX12-125-0003
 Applicant Name: Rice Drilling B LLC
 Contact Person: Toby Rice
 Address: 171 Hillpointe Dr Suite 301
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): North Bethlehem and Somerset
 Receiving Stream(s) and Classifications: South Brank Pigeon Creek and UNTs, Other

12/30/2011
 ESCGP-1 No.: ESX11-129-0047
 Applicant Name: Chevron Appalachia LLC
 Contact Person: Jeremy Hirtz
 Address: 800 Mountain View Drive
 City: Smithfield State: PA Zip Code: 15478
 County: Westmoreland Township(s): South Huntingdon
 Receiving Stream(s) and Classifications: Sewickley Creek and UNT to Sewickley Creek/Lower Youghiogheny River Watershed, Other

01/17/2012
 ESCGP-1 No.: ESX12-059-0003
 Applicant Name: CNX Gas Company LLC
 Contact Person: Daniel Bitz
 Address: 200 Evergreene Drive
 City: Waynesburg State: PA Zip Code: 15370
 COUNTY Greene Township(s): Morris
 Receiving Stream(s) and Classifications: UNT to Enlow Fork & Boothe Run/Wheeling Creek WWF, Other

12/22/2011
 ESCGP-1 No.: ESX11-125-0017 Major Revision
 Applicant Name: MarkWest Liberty Midstream & Resources LLC
 Contact Person: Rick Lowry
 Address: 824 Morganza Road
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Blaine, Buffalo, Hopewell
 Receiving Stream(s) and Classifications: UNTs to Brush Run HQ-WWF, Brush Run HQ-WWF, UNTs to Buffalo Creek HQ-WWF, UNTs to Cross Creek HQ-WWF, Brush Run & Buffalo Creek Watersheds, HQ

11/01/2011
 ESCGP-1 No.: ESX11-125-0103
 Applicant Name: MarkWest Liberty Midstream & Resources LLC
 Contact Person: Rick Lowry
 Address: 824 Morganza Road

City: Canonsburg State: PA Zip Code 1515317
 County: Washington Township(s): Amwell & Morris
 Receiving Stream(s) and Classifications: UNT to Pleasant Valley Run TSF, Pleasant Valley Run TSF, Fork of Bane Creek TSF, UNTs to Tenmile Creek TSF, Tenmile Creek TSF, Other

10/03/2011
 ESCGP-1 No.: ESX11-059-0059
 Applicant Name: M3 Appalachia Gathering LLC
 Contact Person: James Roberts
 Address: 1099 Main Avenue Suite 210
 City: Durango State: CO Zip Code: 81301-5157
 County: Greene Township(s): Jefferson, Franklin, Whiteley, Perry and Wayne
 Receiving Stream(s) and Classifications: UNT to South Fork Tenmile Creek/Tenmile Creek; UNT to Muddy Creek/Tenmile Creek; UNT to Coal Lick Run/Tenmile Creek; UNT to Mount Phoebe Run/Whiteley Creek; Mount Phoebe Run/Whiteley; Tributary to Mount Phoebe Run/Whiteley Creek; UNT to Dyers Fork/Whiteley Creek; Tributary to Dyers Fork/Whiteley Creek; Dyers Fork/Whiteley Creek; Whiteley Creek/Monongahela River; UNT to Whiteley Creek/Monongahela River; Tributary to Whiteley Creek/Monongahela River; Tributary to Rudolph Run/Dunkard Creek; UNT to Patterson Run/Whiteley Creek; Rudolph Run/Whiteley Creek; and UNT to Rudolph Run/Whiteley Creek, Other

11/23/2011
 ESCGP-1 No.: ESX11-007-0021
 Applicant Name: Chesapeake Appalachia LLC
 Contact Person: Eric Haskins
 Address: 101 North Main Street
 City: Athens State: PA Zip Code: 18810
 County: Beaver Township(s): Ohioville
 Receiving Stream(s) and Classifications: North Fork Bieler Run WWF Bieler Run WWF, Other

01/23/2012
 ESCGP-1 NO.: ESX11-059-0007 Major Revision
 Applicant Name: Chevron Appalachia LLC
 CONTACT PERSON: Jeremy Hirtz
 ADDRESS: 800 Mountain View Drive
 City: Smithfield State: PA 15478
 County: Greene Township(s): Cumberland
 Receiving Stream(s) and Classifications: UNT to Monongahela River an Monongahela River/ Tenmile Creek Watershed, Other
Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.
Beaver County Conservation District: 156 Cowpath Road, Aliquippa, PA 15001. (724) 378-1701

<i>ESCGP-1 No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
OG04-12-003	National Fuel Gas Supply Corp. c/o Glenn McCrea 1100 State Street Erie, PA 16501	Beaver	Daugherty Township North Sewickley Township	UNTs to Blockhouse Run & Blockhouse Run (WWF), UNTs to Brush Creek and Brush Creek (WWF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-1 #ESX11-019-0113-Goldscheitter Well Site
 Applicant Range Resources Appalachia LLC
 Contact Justin Wagner
 Address 3000 Town Center Blvd
 City Canonsburg State PA Zip Code 15317
 County Butler Township(s) Clinton(s)
 Receiving Stream(s) and Classification(s) UNT to Lardintown Run/Lower Allegheny River Watershed

ESCGP-1 #ESX12-019-0130-Hixon Unit 1H, 2H, 3H, 4H
 Applicant XTO Energy
 Contact Jesse Hickman
 Address 502 Keystone Drive
 City Warrendale State PA Zip Code 15086
 County Butler Township(s) Forward(s)
 Receiving Stream(s) and Classification(s) UNT of Glade Run-WWF, Glade Run-WWF

ESCGP-1 #ESX12-073-0009—Hufnagel Well Pad
 Applicant Rex Energy Operating Corporation
 Contact Russell D Macaw
 Address 476 Rolling Ridge Drive, Suite 300
 City State College State PA Zip Code 16801
 County Lawrence Township(s) Perry(s)
 Receiving Stream(s) and Classification(s) UNT of Camp Run, Camp Run/Camp Run Watershed—WWF

ESCGP-1 #ESX11-047-0038—Church Run Pad A
 Applicant Seneca Resources Corporation
 Contact Michael C. Clinger
 Address 51 Zents Boulevard
 City Brookville State PA Zip Code 15825
 County Elk Township(s) Millstone(s)
 Receiving Stream(s) and Classification(s) Wyncoop Run, Clarion River, CWF

ESCGP-1 #ESX11-083-0058—Lot 345
 Applicant Catalyst Energy
 Contact Mr. Douglas Jones
 Address 800 Cranberry Woods Drive, Suite 290
 City Cranberry Township State PA Zip Code 16066
 County McKean Township(s) Wetmore(s)
 Receiving Stream(s) and Classification(s) Rock Run / West Run High Quality

ESCGP-1 #ESX12-019-0129—Hixon Unit Freshwater Impoundment
 Applicant XTO Energy Inc
 Contact Ms. Melissa Breitenbach
 Address 502 Keystone Drive
 City Warrendale State PA Zip Code 15086
 County Butler Township(s) Forward(s)

Receiving Stream(s) and Classification(s) UNT of Glade Run—WWF; Glade Run—WWF

ESCGP-1 #ESX12-019-0128—Marburger Farm Dairy B Unit No. 1H, 2H
 Applicant XTO Energy Inc
 Contact Ms. Melissa Breitenbach
 Address 502 Keystone Drive
 City Warrendale State PA Zip Code 15086
 County Butler Township(s) Forward(s)
 Receiving Stream(s) and Classification(s) UNT of Glade Run—WWF; Glade Run—WWF

ESCGP-1 #ESX12-019-0127—Marburger Farm Dairy B Unit Freshwater Impoundment
 Applicant XTO Energy Inc
 Contact Ms. Melissa Breitenbach
 Address 502 Keystone Drive
 City Warrendale State PA Zip Code 15086
 County Butler Township(s) Forward(s)
 Receiving Stream(s) and Classification(s) UNT of Glade Run-WWF; Glade Run—WWF

ESCGP-1 #ESX12-019-0126—Bricker Pipeline Applicant Keystone Midstream Service, LLC
 Contact Patrick A. Redalen
 Address 11400 Westmoor Circle, Suite 325
 City Westminster State CO Zip Code 80021
 County Butler Township(s) Connoquenessing(s)
 Receiving Stream(s) and Classification(s) UNT to Little Connoquenessing Creek—CWF, Semiconon Run—CWF, Little Connoquenessing Creek

ESCGP-1 #ESX12-121-0010-Stephens Oil Lease
 Applicant Vista Operating, Inc.
 Contact Joel Hoffman
 Address 61 McMurray Road, Suite 300
 City Pittsburgh State PA Zip Code 15241
 County Venango Township(s) Richland and Rockland
 Receiving Stream(s) and Classification(s) Bear Run—CWF, Pryor Run—CWF, Pine Run—WWF

ESCGP-1 #ESX11-065-0039-Frano Pipeline Project
 Applicant EQT Gathering LLC
 Contact Lauren Parker
 Address 455 Racetrack Road
 City Washington State PA Zip Code 15301
 County Jefferson Township(s) Snyder & Washington(s)
 Receiving Stream(s) and Classification(s) Trib 50286 to Curry Run CWF, UNT 1 to Trib 50286 to Curry Run CWF, UNT 2 to Trib 50286 to Curry Run CWF, UNT to Rattlesnake Creek CWF, Trib 50302 to Rattlesnake Run, Rattlesnake Run, Trib 50300 to Rattlesnake Run, Trib 48767 to Wolf Run, UNT to Trib 48767 to Wolf Run

STORAGE TANKS

SITE-SPECTIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
12-40-011	Sunoco Partners Marketing & Terminals, L.P. 525 Fritztown Road Sinking Spring, PA 19608 Attn: Jed A. Werner	Luzerne	Edwardsville Borough	2 ASTs storing petroleum products	2,310,000 gallons total

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
12-09-012	ML 35 LLC 35 Runway Road Levittown, PA 19057-4700 Attn: James Roder	Bucks	Bristol Township	1 AST storing diesel fuel	50,000 gallons

SPECIAL NOTICES

Plan Revision Approval under the Municipal Waste Planning Recycling and Waste Reduction Act of 1988, Act 101

Northeast Region: William Tomayko, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

The Department of Environmental Protection (DEP) approved a revision to the Pike County Municipal Waste Management Plan on February 23, 2012.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of this appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717-787-3483) for more information.

The plan revision is a public document and may be viewed at the DEP Regional Office noted above.

Questions concerning this approval should be directed William Tomayko, Regional Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Northcentral Region: Waste Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

The Department of Environmental Protection (Department) approved the Northumberland County Municipal Waste Management Non-Substantial Plan Revision ("Revision") on February 16, 2012. Key features of the Revision include disposal of municipal waste generated in the county at several designated disposal sites and options for recycling. The Revision is a public document and may be viewed at the Northcentral Regional Office, at the address noted above. Questions concerning the approval of the Revision should be directed to Larry Holley, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg,

PA 17105-8472, 717-787-7382, or to Michelle Ferguson, Regional Manager, Office of Pollution Prevention and Energy Assistance, at the Northcentral Regional Office at 570-327-3636.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for pro bono representation. Call the Secretary to the Board (717-787-3483) for more information.

Letters of Interest for the Reclamation of an Abandoned Strip Mine Project

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

Under Act 181 of 1984, the Department of Environmental Protection solicits letters of interest from the landowner and licensed mine operators for the reclamation of an abandoned strip mine project identified as Project No. PBF 16820107.3, located in Redbank Township, Clarion County.

R.E.M. Coal Company, Inc., Permit No. 16820107 on the Audrey D. & Henry M. Brinker property, requires construction of an access road with gate and passive treatment system consisting of two bioswales, one vertical flow pond, one horizontal flow limestone bed, and related structures designed to treat a discharge of 83 gallons per minute with a pH of 4, acidity of 80, iron of 3.7 mg/l, manganese of 23.5 mg/l and aluminum of 4.1 mg/l.

Letters of interest must be received by Joseph Ferrara, Compliance Manager, Department of Environmental Protection, P. O. Box 669, Knox, PA 16232, no later than 4:00 p.m. April 2, 2012, to be considered. Telephone inquiries shall be directed to Mr. Ferrara at 814-797-1191.

[Pa.B. Doc. No. 12-406. Filed for public inspection March 9, 2012, 9:00 a.m.]

Air Quality Technical Advisory Committee Meeting Cancellation

The Air Quality Technical Advisory Committee meeting scheduled for Wednesday, March 14, 2012, has been cancelled. The next meeting is scheduled for Thursday, April 12, 2012, in Room 105, Rachel Carson State Office Building, Harrisburg, at 9:15 a.m. The agenda and meeting materials for the meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.state.pa.us> (DEP Keyword: "Air Quality Technical Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Connie Hartlaub at (717) 787-9495 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-407. Filed for public inspection March 9, 2012, 9:00 a.m.]

Bid Opportunity

OSM 40(4060)101.1, Abandoned Mine Reclamation Project, Alden Mountain East, Newport Township, Luzerne County. The principal items of work and approximate quantities include mobilization and demobilization; implementation of the Erosion and Sediment Control Plan; grading 213,100 cubic yards; drainage excavation 8,210 cubic yards; rock lining 5,790 square yards; and seeding 39.7 acres. This bid issues on March 9, 2012, and bids will be opened on April 5, 2012, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-408. Filed for public inspection March 9, 2012, 9:00 a.m.]

Interstate Pollution Transport Reduction; Proposed 2012 Ozone Season NO_x Emission Limits for Nonelectric Generating Units

The Department of Environmental Protection (Department) is providing notice and an opportunity for comment concerning the proposed Nonelectric Generating Unit (non-EGU) 2012 Ozone Season Nitrogen Oxide (NO_x) emission limitations established in accordance with 25 Pa. Code § 145.8(d) (relating to transition to CAIR NO_x trading programs). The 15-day public comment period will end on March 25, 2012.

In April 2008, the Commonwealth's Clean Air Interstate Rule (CAIR) adopted by the Environmental Quality Board included NO_x Budget Trading Program amend-

ments to allow the owners and operators of non-EGUs in this Commonwealth to transition to the CAIR NO_x Trading Program. (See 38 Pa.B. 1705 (April 12, 2008).) Specifically, 25 Pa. Code § 145.8(d) establishes a non-EGU NO_x Budget Trading Program budget of 3,619 tons of NO_x, less a specified adjustment amount, to serve as a Statewide Ozone Season NO_x emissions cap for new and existing non-EGUs. This NO_x emissions cap also applies to CAIR-exempt EGUs that were subject to the NO_x Budget Trading Program. If total emissions from all of the units exceed the Statewide NO_x emissions cap of 3,438 tons, the owners and operators of non-EGUs must comply with the NO_x emission limitations established under 25 Pa. Code § 145.8(d). The owners and operators of units exceeding their individual NO_x limits would need to purchase and then surrender one CAIR NO_x Ozone Season allowance and one CAIR NO_x allowance for each ton of excess emissions. The proposed NO_x emissions limitations for individual units ensure that non-EGUs in this Commonwealth continue to meet the emission limits of the NO_x Budget Trading Program, as required under the United States Environmental Protection Agency's (EPA) CAIR.

The Statewide cap for 2011 was not exceeded. Therefore, non-EGUs do not need to purchase allowances to meet their 2011 Ozone Season NO_x emission limitations established under 25 Pa. Code § 145.8(d). The preliminary NO_x emissions for the 2011 Ozone Season (May through September) reported to the EPA by the owners and operators of the affected non-EGUs are 1,550.78 tons. The Department's permanent retirement of 3,438 allowances under 25 Pa. Code § 145.8(b) covers all the NO_x emissions from the affected non-EGUs in 2011.

The NO_x emissions cap provides 181 tons of NO_x emissions for non-EGUs and the other units that need to address their emissions through accounting adjustments, including units that previously participated in the NO_x Budget Trading Program; emissions from these units were below the 25-ton exemption threshold. Adjustments were also made for the permanent retirement of NO_x allowances due to generation of emission reduction credits. The Department will also use a portion of the 181 tons of the budgeted NO_x emissions, if necessary, to address mistakes or miscalculations. This year, the Department is proposing to use 121 tons of the 181 tons of NO_x for account adjustments, leaving 60 tons available for any additional adjustments at the end of the control period.

The Department made accounting adjustments for the following facilities:

Retired Units: Naval Surface Warfare Division Unit 98; Shenango Units Nos. 6 and 9 (the generation of emission offsets for small non-NO_x Budget Trading Program units resulted in a permanent NO_x accounting adjustment of 45 tons).

Exempt Units: Each of the following units has a 25-ton NO_x permit limit: Armagh Compressor Station (Unit 31301); Entriken Compressor Station (Unit 31601); and the Naval Surface Warfare Division (Unit 100). The Naval Surface Warfare Division (Unit 99) has a 1-ton NO_x permit limit. All of these 25-ton exempt status units account for a total adjustment of 76 tons of NO_x emissions.

Units subject to the requirements in 25 Pa. Code § 145.8 are required to meet the monitoring and reporting requirements of the EPA's CAIR, found in 40 CFR Part 96, Subpart HHHH (relating to monitoring and

reporting) and maintain general accounts and account representatives under 40 CFR Part 96, Subparts BBBB and FFFF (relating to CAIR designated representative for CAIR NO_x ozone season sources; and CAIR NO_x ozone season allowance tracking system). The Proposed Non-EGU 2012 Ozone Season NO_x Emission Limits table below lists the following: the facility name, ORIS Code, the unit ID for each non-EGU unit, the operating year, the heat input for the 2011 Ozone Season, the calculated 2012 rate and the 2012 Ozone Season limit.

Written Comments

Written comments on the proposed non-EGU 2012 Ozone Season NO_x Emission Limits should be sent to the attention of Randy Bordner, Environmental Group Manager, Air Resource Management Division, Bureau of Air

Quality, DEP, P. O. Box 8468, Harrisburg, PA 17105-8468 or ranbordner@pa.gov no later than March 25, 2012. Any written comments (including e-mails) should include the name, affiliation (if any), mailing address and telephone number of the interested person and contain "proposed non-EGU 2012 Ozone Season NO_x emission limits" in the subject line.

Questions concerning this notice should be directed to Randy Bordner at (717) 772-3921. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

MICHAEL L. KRANCER,
Secretary

Table 1: Proposed Non-EGU 2012 Ozone Season NO_x Emission Limits

<i>Facility Name</i>	<i>ORIS Code</i>	<i>UNIT ID</i>	<i>OP Year</i>	<i>NO_x Rate lb/MMBtu</i>	<i>NO_x Mass tons</i>	<i>Heat Input MMBtu</i>	<i>2012 Rate</i>	<i>2012 OS Limit</i>
Armagh Compressor Station	880071	31301	2011	0	0	0	0.25433	0
Bernville Station	880049	32001	2011	0	0	0	0.25433	0
ConocoPhillips Co., Trainer Refinery	880025	33	2011	0.1707	49.691	575399.6	0.25433	73
ConocoPhillips Co., Trainer Refinery	880025	34	2011	0.0044	1.097	513279.1	0.25433	65
ConocoPhillips Co., Trainer Refinery	880025	35	2011	0.0041	1.416	672467.4	0.25433	85
Domtar Paper Company, LLC	54638	40	2011	0.305	132.183	877754.9	0.25433	112
Domtar Paper Company, LLC	54638	41	2011	0.3056	125.553	830653.337	0.25433	106
Entriken Compressor Station	880072	31601	2011	0.7003	0.529	1511.8	0.25433	0
FPL Energy MH50	50074	1	2011	0.1086	5.823	122856.436	0.25433	16
FPL Energy Marcus Hook, LP	55801	AB01	2011	0.023	5.49	473152.405	0.25433	60
FPL Energy Marcus Hook, LP	55801	AB02	2011	0.0306	10.084	652180.461	0.25433	83
FPL Energy Marcus Hook, LP	55801	AB03	2011	0.0277	7.446	540079.541	0.25433	69
FPL Energy Marcus Hook, LP	55801	AB04	2011	0.0351	11.708	663033.281	0.25433	84
Honeywell Resins & Chemicals, LLC	880007	52	2011	0.0717	18.987	531722.569	0.25433	68

NOTICES

<i>Facility Name</i>	<i>ORIS Code</i>	<i>UNIT ID</i>	<i>OP Year</i>	<i>NO_x Rate lb/MMBtu</i>	<i>NO_x Mass tons</i>	<i>Heat Input MMBtu</i>	<i>2012 Rate</i>	<i>2012 OS Limit</i>
Kimberly—Clark Tissue Company	50410	34	2011	2	0.001	1.2	0.25433	0
Kimberly—Clark Tissue Company	50410	35	2011	0.0635	92.288	2913048.075	0.25433	370
Merck & Company— West Point	52149	39	2011	0.0841	12.473	298184.649	0.25433	38
Merck & Company— West Point	52149	40	2011	0.0219	15.005	1331429.092	0.25433	169
P H Glatfelter Company	50397	34	2011	0.4839	294.795	1222578.925	0.25433	155
P H Glatfelter Company	50397	35	2011	0.4841	232.474	957308.15	0.25433	122
P H Glatfelter Company	50397	36	2011	0.1374	121.857	1797582.275	0.25433	229
Philadelphia Refinery	52106	150137	2011	0.0395	14.733	747469.612	0.25433	95
Philadelphia Refinery	52106	150138	2011	0	0	0	0.25433	0
Philadelphia Refinery	52106	150139	2011	0.0395	17.365	893684.8	0.25433	114
Philadelphia Refinery	52106	150140	2011	0.0395	29.404	1464095.2	0.25433	186
Procter & Gamble Paper Products	50463	328001	2011	0.1392	125.598	1816778.899	0.25433	231
Shermans Dale Station	880050	31801	2011	0	0	0	0.25433	0
US Steel (Clairton Coke)	50729	CLBLR1	2011	0.1803	146.607	1537965.9	0.25433	196
US Steel (Clairton Coke)	50729	CLBLR2	2011	0.0845	6.952	163243.47	0.25433	21
US Steel (Edgar Thomson)	50732	ETBLR1	2011	0.0166	12.629	1545487.825	0.25433	196
US Steel (Edgar Thomson)	50732	ETBLR2	2011	0.0161	11.449	1523492.693	0.25433	194
US Steel (Edgar Thomson)	50732	ETBLR3	2011	0.0201	29.827	1855491.3	0.25433	236
Veolia Energy Philadelphia— Edison Sta	880006	1	2011	0.3504	0.588	4156	0.25433	1
Veolia Energy Philadelphia— Edison Sta	880006	2	2011	2	0.035	35.1	0.25433	0
Veolia Energy Philadelphia— Edison Sta	880006	3	2011	0.2993	1.197	9899.5	0.25433	1

Facility Name	ORIS Code	UNIT ID	OP Year	NO _x Rate lb/MMBtu	NO _x Mass tons	Heat Input MMBtu	2012 Rate	2012 OS Limit
Veolia Energy Philadelphia— Edison Sta	880006	4	2011	0.2671	1.299	11245.9	0.25433	1
United Refining	880099	4	2011	0.0734	14.2	488399.5	0.25433	62
				Totals	1550.783	27035668.9		3438

[Pa.B. Doc. No. 12-409. Filed for public inspection March 9, 2012, 9:00 a.m.]

Nutrient Credit Trading Program; Actions

The Department of Environmental Protection (Department) provides notice of the following action under the Nutrient Credit Trading Program (Trading Program). This action was taken under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed), published at 40 Pa.B. 5790 (October 9, 2010).

Nutrient trading is a market-based program that provides incentives for entities to create nutrient reduction credits (credits) by going beyond statutory, regulatory or voluntary obligations and goals to remove nutrients from a watershed. The credits can be traded to help others more cost-effectively meet their obligations or goals. The primary purpose of the Trading Program is to provide for more efficient ways for National Pollutant Discharge Elimination System permittees to meet their effluent limits for nutrients.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For further information about this action or the Trading Program, contact Karen Price, Interstate Waters Office, Department of Environmental Protection, P. O. Box 8465, Harrisburg, PA 17105-8465, (717) 772-4785, kprice@pa.gov or visit the Department's web site at www.dep.state.pa.us (DEP Keywords: "Nutrient Trading").

The following certification request has been approved by the Department. The approval of this request is considered a final action of the Department.

TeamAg Incorporated on behalf of Oregon Dairy and in coordination with Lancaster Farmland Trust. This approval is applicable to nitrogen reduction credits to be generated from the pollutant reduction activity of continuous no-till and cover crops. This approval includes a verification plan and authorizes the generation of 922 nitrogen reduction credits. This certification of annual credits is valid until September 30, 2016, as long as the pollution reduction activity is implemented, maintained and verified under the terms and conditions contained in the certification. After September 30, 2016, credits for the pollution reduction activity may only be generated if recertification, which will be based on the program requirements in place on the date of the recertification submission, is obtained. Notice of the certification request was published for comment at 41 Pa.B. 6932 (December 24, 2011).

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-410. Filed for public inspection March 9, 2012, 9:00 a.m.]

Recycling Program Development and Implementation Grants under Section 902 of Act 101 The Municipal Waste Planning, Recycling and Waste Reduction Act of 1988

The Department of Environmental Protection (Department) announces the availability of applications to municipalities for recycling program grant assistance under section 902 of the Municipal Waste Planning, Recycling and Waste Reduction Act (act) (53 P. S. § 4000.902). Municipalities eligible for recycling grants include counties, cities, boroughs, incorporated towns, townships, home rule municipalities, councils of governments, consortiums or similar entities established by two or more municipalities under 53 Pa.C.S. Chapter 23, Subchapter A (relating to intergovernmental cooperation).

Applicants must be in compliance with the act and the implementing regulations, the Department's Guidelines for Proper Management of Recyclable Materials and any previous grant contract provisions to be eligible to receive grant funding. County applicants should be in compliance with planning and other county-related provisions of the act. Applicants who are not in compliance with the act's annual reporting requirements or the program requirements in the act of November 9, 2006 (P. L. 1347, No. 140) will not be considered in this grant application round. Municipalities that were a grant recipient from

the last 902 grant award round in 2010 will not be considered for funding this solicitation period. Programs operating in municipalities covered by land use plans and ordinances (as outlined under the acts of June 22, 2000 (P. L. 483, No. 67) and (P. L. 495, No. 68)) or projects that are in compliance with their municipality's land use plan will receive priority over similar programs and projects absent those conditions.

Municipalities are eligible for 90% funding of approved recycling program costs. Municipalities considered financially distressed by the Department of Community and Economic Development under the Financially Distressed Communities Act are eligible for 100% of approved costs. No application requesting more than \$250,000 in grant funding will be accepted.

Applicants are required to complete the Sustainability Plan portion of the application that includes definitive actions and strategies for optimizing program self-sufficiency. The plan shall include, at a minimum: strategies for reducing costs and generating revenues, provisions for establishing incentives associated with waste reduction and recycling, mechanisms for public outreach and stakeholder input and tracking mechanisms to document progress toward sustainability milestones until optimum sustainability is realized. The Department's technical report on *Building Financially Sustainable Recycling Programs* can provide assistance in developing these methods and strategies. The technical report can be found on the Department's web site at www.dep.state.pa.us/dep/deputate/airwaste/wm/recycle/document/fin_sust_rec.pdf. Applicants that fail to complete the Sustainability Plan portion of the application will not be considered for funding.

Applicants requesting support for the following (and demonstrating how the request will lead toward greater program self-sufficiency) will receive priority for funding:

- Newly mandated municipalities based on the 2010 decennial census by the Bureau of the Census of the United States Department of Commerce.
- An incentive based pricing and collection program designed to increase the quantities and types of recyclable materials and reduce the quantity of waste collected.
- Multi-municipal collection, processing and/or materials marketing program where capital costs are reduced and/or recycling marketability is enhanced due to inter-governmental cooperation.
- The development of electronic notices for recycling events and programs.
- New or expanded collection, education and outreach for commercial and institutional establishments, including school recycling programs.

In addition, communities whose existing recycling programs contain the following components will receive additional consideration:

- Municipally operated or municipal contracted waste and recycling services that provide consistency and uniformity of the waste and recycling programs.
- The collection of six or more of the following materials: newsprint, office paper, corrugated paper, other marketable grades of paper, aluminum cans, steel or bimetallic cans, colored glass containers, clear glass containers and plastics.

Only those projects involving municipalities that have a mandatory trash collection program or projects seeking support for a residential recycling program that have a

corresponding commercial recycling program will be considered for funding. Applicants seeking funds to replace curbside collection containers and/or collection vehicles will need to demonstrate that the new equipment will increase collection efficiencies and tonnage of materials.

Eligible recycling program development costs include: recycling program design costs, recycling market investigations, development of recycling market commitments, development of recycling program ordinances, development of recycling public education programs and the costs of developing contracts for procuring equipment or services necessary for the operation of the recycling program.

Eligible recycling program implementation costs include: purchasing or leasing vehicles used to collect recyclables (including automated and single-stream collection vehicles), transport recyclables to processing facilities or markets and vehicles used in the operation of a materials recovery facility; reusable containers for the collection or storage of recyclable materials; acquiring and/or renovating buildings for the processing or storage of recovered materials; equipment used to process or manufacture recyclable materials into usable products; improvements to land needed to operate a recycling facility or yard waste composting facility authorized under 25 Pa. Code § 271.103(h) (relating to permit-by-rule for municipal waste processing facilities other than for infectious or chemotherapeutic waste; qualifying facilities; general requirements); and the costs associated with educating the public on recycling program requirements. Under this grant solicitation, promotional items, glass crushing equipment (unless specific marketing arrangements have been identified), vehicles equipped with compaction units (except for the sole collection of yard waste, paper fiber and/or single-stream collection where a facility equipped to process such material has been identified), backyard composting units and public recycling containers for parks and streetscapes will not be considered eligible for funding. Other eligible and noneligible costs are listed in the grant application packet. Composting projects and programs will be considered to be recycling projects or programs accordingly.

A municipality must retain sole ownership of equipment or facilities funded by the grant. Funding for equipment or facilities purchased for the recycling program used for recycling and other purposes will be prorated according to its recycling use (no equipment used for recycling less than 50% of the time will be eligible for funding). Funding for certain leaf and yard waste collection equipment may be limited according to its seasonal use. Funding for wood chipping equipment will be approved only when the equipment is part of an approved yard waste composting facility operating under the Department's guidelines and where the material is collected curbside from residents. Funding of street sweepers for the purpose of leaf collection will not be considered.

Funding may be restricted in situations where equipment or services requested through a grant application may be available from the public or private sector within the county of the applicant. Public notices may be required before the grant application may be submitted depending upon the nature of the funding request. When the municipality submits the recycling grant application to the Department, it must include proof of compliance with the notification requirements, a description of any responses received to the notice, and an explanation of why the municipality has concluded that the mechanical processing equipment is not available to the program from the private sector.

Potential applicants must contact the appropriate Department regional planning and recycling coordinator to schedule a preapplication conference to discuss application requirements and program particulars. Applications will be returned to municipalities that fail to schedule preapplication conferences. Grant application forms are available from the Department's regional offices and the Department's web site, www.depweb.state.pa.us (DEP Keyword "Recycling Grants").

Grant applications must be received or postmarked by June 29, 2012. Applications received by the Department after that date will not be considered during the current round of solicitation. Applications must be on forms provided by the Department, with two copies submitted to the Department Central Office (Rachel Carson State Office Building, Harrisburg) and one copy submitted to the appropriate county recycling coordinator. Grant awards will be predicated on the receipt of recycling fees required by sections 701 and 702 of the act (53 P.S. §§ 4000.701 and 4000.702) and the availability of moneys in the Recycling Fund.

Inquiries concerning this notice should be directed to Mark Vottero, Recycling Grants Coordinator, Department of Environmental Protection, Rachel Carson State Office Building, Bureau of Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472, mvottero@state.pa.us.

MICHAEL L. KRANCER,
Secretary

Regional Planning and Recycling Coordinators

Southeast Region

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

DEP, Waste Management Program, Calvin Ligons, Ann Ryan, Mary Alice Reisse, 2 East Main Street, Norristown, PA 19401, (484) 250-5900, cligons@pa.gov, aryan@pa.gov, mreisse@pa.gov

Northeast Region

Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne and Wyoming Counties

DEP, Waste Management Program, Rachel Miller, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2434, rachmiller@pa.gov

Southcentral Region

Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry and York Counties

DEP, Waste Management Program, John Lundsted, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4927, jlundsted@pa.gov

Northcentral Region

Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga and Union Counties

DEP, Waste Management Program, Michelle Ferguson, 208 West 3rd Street, Suite 101, Williamsport, PA 17701, (570) 327-3783, miferguson@pa.gov

Southwest Region

Allegheny, Armstrong, Beaver, Cambria, Fayette, Greene, Indiana, Somerset, Washington and Westmoreland Counties

DEP, Waste Management Program, Sharon Svitek, Stephen Sales, Bradley Cunningham, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000, ssvitek@state.pa.gov, ssales@state.pa.gov, bcunningham@state.pa.gov

Northwest Region

Butler, Clarion, Crawford, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Venango and Warren Counties

DEP, Pollution Prevention and Compliance Assistance, Guy McUmbler, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6848, gmcumber@state.pa.gov

[Pa.B. Doc. No. 12-411. Filed for public inspection March 9, 2012, 9:00 a.m.]

Stream Redesignation Evaluations; Water Quality Standards Review

Under 25 Pa. Code § 93.4d (relating to processing of petitions, evaluations and assessments to change a designated use), the Department of Environmental Protection (Department) gives notice that an evaluation will be conducted on all or portions of the following streams to determine the proper Aquatic Life Use or Special Protection designations in this Commonwealth's Water Quality Standards.

<i>Stream Name</i>	<i>County</i>	<i>Tributary To</i>
Perkiomen Creek	Montgomery, Berks, Bucks, Lehigh	Schuylkill River
Unnamed Tributary 99425110 to Mountain Creek (Barton's Hollow), Basin	Fayette	Mountain Creek
Trout Creek, Basin	Lehigh	Lehigh River

Persons who have technical data concerning the water quality, instream habitat or biological condition of these stream sections are encouraged to make it available to the Department for consideration in the assessment. These assessments may lead to recommendations to the Environmental Quality Board for redesignation.

Data should be submitted to Tony Shaw, Division of Water Quality Standards, Bureau of Point and Non-Point Source Management, P. O. Box 8774, Harrisburg, PA 17105-8774, tshaw@pa.gov. Data should be submitted no later than 30 days following publication of this notice. Questions concerning this evaluation can be directed to Tony Shaw at (717) 787-9637.

More information on stream redesignation notifications is available online at www.dep.state.pa.us, Keyword: "Stream Assessment Notification."

The Perkiomen Creek basin is currently designated High Quality Trout Stocking from its source to State Route (SR) 1010 and Trout Stocking (TSF) from SR-1010 to the Green Lane Reservoir Dam. The West Branch Perkiomen Creek basin is currently designated Cold Water Fishes (CWF) from its source to SR-1022, Exceptional Value from SR-1022 to SR-2069, and CWF from SR-2069 to the mouth. The Hosensack Creek and Macoby Creek basins are currently designated CWF and TSF, respectively. The Study area will include the entire Perkiomen Creek Basin.

Barton's Hollow from the source to the mouth is currently designated CWF. The study area will include the entire Barton's Hollow basin.

The Trout Creek basin from the source to the mouth is currently designated CWF. The study area will include the entire Trout Creek basin.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Tony Shaw directly at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-412. Filed for public inspection March 9, 2012, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Allegheny Reproductive Health Center, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Allegheny Reproductive Health Center, Inc. has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.24(b) and (f)(5), 555.31(a), 555.33(d)(6), 559.3(b), 567.11(5), 569.37(b)(4), 571.1, 571.2(d) and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-413. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Allentown Women's Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Allentown Women's Center has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2),

(3)(i) and (ii), and (4), 553.4(h), 553.24, 555.24(b) and (f)(5), 555.31(a), 555.33(c)(6), 559.3(b), 567.11(5), 569.37(b)(4), 571.1 and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-414. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Berger & Benjamin, LLP for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Berger & Benjamin, LLP has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.24(b) and (f)(5), 555.31(a), 555.33(d)(6), 559.3(b), 567.11(5), 569.37(b)(4), 571.1, 571.2(d) and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-415. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Berwick Hospital Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Berwick Hospital Center has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-416. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Chambersburg Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Chambersburg Endoscopy Center has requested an exception to the requirements of 28 Pa. Code §§ 559.2 and 553.31 (relating to director of nursing; and administrative responsibilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-417. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Conemaugh Valley Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Conemaugh Valley Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 125.14 (relating to removal of a dead body from patient unit to morgue).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-418. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Easton Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Easton Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.10-3.2.1.1(2), 3.10-3.2.8, 3.10-3.4.2, 3.10-3.7.2.2, 3.10-3.8.1 and 3.10-3.8.2.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-419. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Ephrata Community Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Ephrata Community Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.1-8.5.3.2 (relating to size of technology distribution room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-420. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 101.42

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 101.42 (relating to building occupancy):

Crozer-Chester Medical Center Newborn Nursery
Crozer-Chester Medical Center Outpatient Infusion
Service

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Divi-

sion of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-421. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 117.26(a)

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 117.26(a) (relating to physician on-call schedule for basic and general emergency service):

St. Luke's Hospital
St. Luke's Hospital—Anderson
St. Luke's Miners Memorial
St. Luke's Quakertown Hospital

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-422. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 123.25(2)

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards):

Lewistown Hospital
UPMC Hamot

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

The facilities are requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-423. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 127.32

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 127.32 (relating to written orders):

Conemaugh Memorial Medical Center
Fox Chase Cancer Center

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

The facilities are requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-424. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Fairgrounds Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Fairgrounds Surgical Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(3) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-425. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Geisinger Medical Center Outpatient Surgery—Woodbine for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Medical Center Outpatient Surgery—Woodbine has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-426. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Grove City Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Grove City Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.1-3.2.2.3, 3.1-3.8.1, 3.1-7.2.2.1, 3.1-7.2.2.2, 3.1-7.2.2.3, 3.12-3.4.2 and 3.12-3.8.5.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-427. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Harrisburg Interventional Pain Management Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Harrisburg Interventional Pain Management Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.7-3.8.1.1 (relating to clothing change or gowning area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-428. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Hillcrest Women's Medical Center—Harrisburg for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hillcrest Women's Medical Center—Harrisburg has requested an exception to the requirements of 28 Pa. Code § 551.31(a) (relating to licensure).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-429. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Jefferson Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jefferson Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-2.16.4.2 (relating to airborne infection isolation room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT: (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-430. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Kindred Hospital South Philadelphia for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Kindred Hospital South Philadelphia has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-431. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Magee Womens Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Magee Womens Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.7-1.3.4.1, 3.7-3.3.2.1, 3.7-3.3.2.2, 3.7-3.3.6.2, 3.7-3.4, 3.7-3.6.5, 3.7-3.6.10, 3.7-3.6.11, 3.7-3.6.12 and 3.7-3.8.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-432. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Muncy Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Muncy Valley Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.4.3.2 (relating to tomography and radiography/fluoroscopy room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-433. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of OSS Orthopaedic Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that OSS Orthopaedic Hospital has requested an exception to the requirements of 28 Pa. Code §§ 553.1, 553.31(a) and (b), 555.1, 555.2, 555.3, 555.4, 557.2, 557.3, 557.4, 561.2, 563.1, 567.2 and 567.3.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-434. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of OSS Orthopaedic Hospital Clinics for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that OSS Orthopaedic Hospital Clinics have requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication for the following clinics:

Camp Hill Clinic: 3.1-3.2.2.3, 3.1-3.8.1, 3.1-6.1.1 and 3.1-7.2.2.1.

Lewisberry Clinic: 3.1-3.2.2.2, 3.1-3.2.2.3, 3.1-3.8.1 and 3.1-6.1.1.

Hanover Clinic: 3.1-6.1.1 (relating to vehicular drop off).

East Clinic: 3.1-3.2.2.2, 3.1-3.2.2.3, 3.1-3.8.1, 3.1-6.1.1 and 3.1-7.2.2.1.

Harrisburg Clinic: 3.1-3.2.2.2, 3.1-3.2.2.3, 3.1-6.1.1 and 3.1-3.8.1.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-435. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Penn State Hershey Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Penn State Hershey Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: A2.1-5.3 (relating to surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-436. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Philadelphia Women's Center, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Philadelphia Women's Center, Inc. has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.24(b) and (f)(5), 555.31(a), 555.33(d)(6), 569.37(b)(4), 571.1, 571.2(d) and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-437. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood Association of Bucks County Warminster for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood Association of Bucks County Warminster has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.3(16), 553.4(h), 553.24, 555.2, 555.24(b), (d) and (f)(5), 555.31(a), 555.32, 555.33(d)(6), 555.34, 555.35, 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1, 571.2(d) and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-438. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood of Central PA—York Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood of Central PA—York Health Center has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(ii), and (4), 553.4(h), 553.24, 555.2, 555.24(b) and (f)(5), 555.33(d)(6), 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1 and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-439. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood of Northeast and Mid-Penn Allentown Facility for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood of Northeast and Mid-Penn Allentown Facility has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.3(16), 553.4(h), 553.24, 555.2, 555.24(b), (d) and (f)(5), 555.31(a), 555.32, 555.33(d)(6), 555.34, 555.35, 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1 and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-440. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood of Northeast and Mid-Penn Reading Facility for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood of Northeast and Mid-Penn Reading Facility has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.3(16), 553.4(h), 553.24, 555.2, 555.24(b), (d) and (f)(5), 555.31(a), 555.32, 555.33(d)(6), 555.34, 555.35, 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1 and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-441. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood Southeastern Pennsylvania's Far Northeast Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood Southeastern Pennsylvania's Far Northeast Health Center has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.2, 555.24(b) and (f)(5), 555.31(a), 555.33(d)(6), 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1 and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-442. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood Southeastern Pennsylvania's Norristown Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood Southeastern Pennsylvania's Norristown Health Center has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.2, 555.24(b) and (f)(5), 555.31(a), 555.33(d)(6), 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1 and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-443. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood Southeastern Pennsylvania's Surgical Locust Street Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood Southeastern Pennsylvania's Surgical Locust Street Health Center has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.2, 555.24(b) and (f)(5), 555.31(a), 555.33(d)(6), 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1, 571.2(d) and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-444. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood Southeastern Pennsylvania's West Chester Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood Southeastern Pennsylvania's West Chester Health Center has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.2, 555.24(b) and (f)(5), 555.33(d)(6), 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1 and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-445. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Planned Parenthood of Western Pennsylvania, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Planned Parenthood of Western Pennsylvania, Inc. has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii), and (4), 553.4(h), 553.24, 555.2, 555.24(b) and (f)(5), 555.33(d)(6), 559.1, 559.3(b), 567.11(5), 569.37(b)(4), 571.1, 571.2(d) and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-446. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Plastic Surgical Associates of Johnstown, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Plastic Surgical Associates of Johnstown, Inc. has requested an exception to the requirements of 28 Pa. Code § 553.31 (relating to administrative responsibilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-447. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Reproductive Health and Counseling Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Reproductive Health and Counseling Center has requested an exception to the requirements of 28 Pa. Code §§ 551.22(2), (3)(i) and (ii) and (4), 553.4(h), 553.24, 555.24(b) and (f)(5), 555.31(a), 555.33(d)(6), 559.3(b), 567.11(5), 569.37(b)(4), 571.1, 571.2(d) and 571.11.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-448. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Riddle Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Riddle Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-8.7.2.3(1) and (3) (relating to dimensions and clearances).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-449. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Saint Vincent Health Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Saint Vincent Health Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.5.2.2 (relating to space requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-450. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Southwest Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Southwest Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 107.26 (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-451. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of St. Luke's Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Luke's Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.1-6.1.4 (relating to public toilets in outpatient facilities).

This facility is also requesting exception to the requirements of 28 Pa. Code § 101.54 (relating to inpatient bed complement).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-452. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of Thomas Jefferson University Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Thomas Jefferson University Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-2.6.2.6 (relating to toilet or soiled utility room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-453. Filed for public inspection March 9, 2012, 9:00 a.m.]

Application of The Western Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.2-3.1.3.6 (relating to fast track area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-454. Filed for public inspection March 9, 2012, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(f)(g) (relating to resident bedrooms):

Avalon Nursing Center
239 West Pittsburgh Road
New Castle, PA 16101

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.26(e) (relating to laundry):

Avalon Nursing Center
3410 West Pittsburgh Road
New Castle, PA 16101

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Masonic Village at Elizabethtown
One Masonic Drive
Elizabethtown, PA 17022-2119
FAC ID 131502

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ELI N. AVILA, MD, JD, MPH, FCLM,
Secretary

[Pa.B. Doc. No. 12-455. Filed for public inspection March 9, 2012, 9:00 a.m.]

Patient Safety Trust Fund Surcharge for Fiscal Year 2011-2012 as Provided for Under the Medical Care Availability and Reduction of Error (MCARE) Act

On March 20, 2002, the Medical Care Availability and Reduction of Error (MCARE) Act (MCARE Act) (40 P. S. §§ 1303.101—1303.910) was enacted. Among other provisions, the MCARE Act established the Patient Safety Authority (Authority) to collect, analyze and evaluate data regarding reports of serious events and incidents occurring in certain medical facilities and to make recommendations to those facilities regarding changes, trends and improvements in health care practices and procedures for the purpose of reducing the number and severity of serious events and incidents.

Section 305(a) of the MCARE Act (40 P. S. § 1303.305(a)) authorizes the establishment of a Patient Safety Trust Fund (Fund) for the operations of the Authority. Section 305(c) of the MCARE Act states that beginning July 1, 2002, and for every fiscal year thereafter, each medical facility covered by the MCARE Act shall pay the Department of Health (Department) a surcharge on its licensing fee as necessary to provide sufficient revenues for the Authority to operate. Section 305(c) of the MCARE Act also states that the total assessment amount for Fiscal Year (FY) 2002-2003 shall not exceed \$5 million and that the Department shall transfer the total assessment amount to the Fund within 30 days of receipt. Section 305(d) of the MCARE Act provides that for each succeeding calendar year, the Department shall determine and assess each medical facility a proportionate share of the Authority's budget. The base amount of \$5 million provided for in FY 2002-2003 shall be increased no more than the Consumer Price Index in each succeeding fiscal year.

Initially, the surcharge was assessed on ambulatory surgical facilities, birth centers and hospitals. Subsequently, the MCARE Act was amended and certain abortion facilities were also required to pay the surcharge.

With the cooperation of hospitals in this Commonwealth, birthing centers, abortion facilities and ambulatory surgery facilities, the surcharge has been implemented and has provided resources for the implementation of the web-based Pennsylvania Patient Safety Reporting System and the operation of the Authority.

This notice sets forth the procedure that the Department will follow in assessing and collecting the surcharge for FY 2011-2012. The Authority FY 2011-2012 surcharge assessment is \$5.1 million. The MCARE Act states that the surcharge shall be collected from medical facilities, which are defined as ambulatory surgical facilities (ASFs), birth centers and hospitals licensed under either the Health Care Facilities Act (35 P. S. §§ 448.101—448.904) or Article X of the Public Welfare Code (62 P. S. §§ 1001—1087). Also included, as of May 1, 2006, are abortion facilities which are defined in 18 Pa.C.S. § 3203 (relating to definitions) and which perform 100 or more abortions during a calendar year. Nursing homes, which are assessed under sections 401—411 of the MCARE Act (40 P. S. §§ 1303.401—1303.411), receive a separate assessment notification.

To assess the surcharge in an equitable manner, the Department continues to use a common denominator in these facilities. For ASFs, birth centers and abortion facilities, the Department has chosen the number of

operating and procedure rooms; and for hospitals, the Department has chosen the number of beds contained on the license of each hospital, whether by the Department (general and special acute care hospitals) or the Department of Public Welfare (privately owned psychiatric hospitals). It was also necessary to pick a point in time to make this assessment; the Department has chosen February 10, 2012.

The number of operating/procedure rooms (for ASFs, birth centers and abortion facilities) and the number of licensed beds (for hospitals) was totaled and that number was divided into \$5.1 million to arrive at a charge per unit for the assessment. The total number of units (operating rooms, procedure rooms and licensed beds) is 43,213. Dividing this number into \$5,100,000 results in a per unit assessment for each installment of approximately \$118.03.

To obtain a copy of the assessment for all facilities, send an e-mail to ra-paexcept@pa.gov, and request the 2011-2012 MCARE surcharge assessment list.

Each facility will receive notification from the Department setting forth the amount due, date due and the name and address to which the payment should be sent. Payment will be due within 60 days. The MCARE Act authorized the Department to assess an administrative penalty of \$1,000 per day on facilities who fail to pay the surcharge by the due date.

If a medical facility has questions concerning this notice, a representative from that facility should contact Joanne Salsgiver, Director, Department of Health, Division of Acute and Ambulatory Care, 625 Forster Street, Health and Welfare Building, Room 532, Harrisburg, PA 17120, (717) 783-8980.

Persons with a disability who require an alternative format of this document (for example, large print, audiotope or Braille) should contact the Division of Acute and Ambulatory Care at the previously listed address or telephone number, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

ELI N. AVILA, MD, JD, MP, FCLM,

Secretary

[Pa.B. Doc. No. 12-456. Filed for public inspection March 9, 2012, 9:00 a.m.]

DEPARTMENT OF STATE

Corporation Bureau Advisory Committee Meeting

The Corporation Bureau Advisory Committee, under 15 Pa.C.S. § 155(c) (relating to disposition of funds), has scheduled a meeting for Tuesday, March 13, 2012, at 12 p.m. for discussion of the Corporation Bureau's budget. The meeting will be held in Room 303/304, Executive Office Conference Room, Department of State, North Office Building, 3rd Floor, Harrisburg, PA 17120. The public is invited to attend. Persons who need accommodation due to a disability and wish to attend the meetings should contact Barbara Kennedy at (717) 783-9210 so that arrangements can be made.

CAROL AICHELE,

Secretary

[Pa.B. Doc. No. 12-457. Filed for public inspection March 9, 2012, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes Blair County

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P. S. §§ 1381.1—1381.3), intends to sell certain land owned by it located at Logan Township, Blair County.

The following is available for sale by the Department.

Located in Logan Township, Blair County. The parcel contains 4,094 square feet of land located southeast of the intersection of SR 1009 and SR 1021. The estimated fair market value is \$18,000.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Thomas A. Prestash, P.E., District Executive, Department of Transportation, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648-1080.

Questions regarding this property may be directed to Joseph Tagliati, Property Manager, 1620 North Juniata Street, Hollidaysburg, PA 16648-1080, (814) 696-7215.

BARRY SCHOCH, P.E.,
Secretary

[Pa.B. Doc. No. 12-458. Filed for public inspection March 9, 2012, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Sierra Club v. DEP and GenOn REMA, LLC; EHB Doc. No. 2012-024-M

Sierra Club has appealed the issuance by the Department of Environmental Protection of a final NPDES Permit to GenOn REMA, LLC for a facility in Bradford Township, Clearfield County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 12-459. Filed for public inspection March 9, 2012, 9:00 a.m.]

FISH AND BOAT COMMISSION

Triploid Grass Carp Permit Application

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following applications to stock triploid grass carp in waters having a surface area of greater than 5 acres are currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
The Hideout POA	Roamingwood Lake	Lake Township Wayne County	198-acre lake which discharges into Ariel Creek and eventually the Delaware River	Vallisneria Americana Potamogeton crispus Potamogeton spp.
Lake Jamie Property Owners Association	Lake Jamie	Barrett and Greene Townships Monroe and Pike Counties	52-acre lake which discharges into Lake In The Clouds and eventually the Delaware River	Utricularia vulgaris

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 12-460. Filed for public inspection March 9, 2012, 9:00 a.m.]

GAME COMMISSION

White Nose Syndrome Response—Bat Rehabilitation Ban

Order

Whereas, White Nose Syndrome (WNS) remains a largely enigmatic disease syndrome that is found in, and proves highly fatal to, wild bats native to the Commonwealth of Pennsylvania; and

Whereas, on February 13, 2009, the Executive Director of the Pennsylvania Game Commission (Commission) issued an Order restricting the taking, possession, transportation, relocation, rehabilitation, release, and/or reintroduction of wild bats in an effort to reduce the risk of causing further concentration and/or spread of WNS among wild bats within this Commonwealth; and

Whereas, the Commission has determined that despite the issuance of the above-described Order WNS has since spread across the Commonwealth and to all of its neighboring states; and

Whereas, the Commission has determined that further taking, possession, transportation, relocation, rehabilitation, release, and/or reintroduction of wild bats within this Commonwealth no longer poses a significant and undesirable potential of causing further concentration and/or spread of WNS within or across the landscape of this Commonwealth; and

Whereas, The Game and Wildlife Code (Game Code) (34 Pa.C.S. §§ 101 et seq.) and its attendant regulations (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the Commission to regulate activities relating to the protection, preservation and management of all game and wildlife, including the various species of wild bats native to this Commonwealth (C.f. 34 Pa.C.S. §§ 322, 2101 and 2102); and

Whereas, Section 139.3 of the Pennsylvania Code provides the Executive Director with the broad authority to “remove protection on wildlife Statewide, or in a designated area and prohibit its possession alive and order the method of the disposal, if he determines the threat of a

disease poses a threat to human safety, farm animals, pets and wildlife within or adjacent to this Commonwealth” (58 Pa. Code § 139.3(b)); and

Now Therefore, I, Carl G. Roe, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct that my previous executive order concerning WNS and bat rehabilitation restrictions issued on February 13, 2009 is hereby rescinded in its entirety. This Order is effective immediately.

Given under my hand and seal of the Pennsylvania Game Commission on this 21st day of February 2012.

CARL G. ROE,
Executive Director

[Pa.B. Doc. No. 12-461. Filed for public inspection March 9, 2012, 9:00 a.m.]

GOVERNOR’S ADVISORY COMMISSION ON POSTSECONDARY EDUCATION

Meetings Scheduled

The Governor’s Advisory Commission on Postsecondary Education will be meeting Monday, March 12, 2012, and Monday, April 16, 2012. The meetings will begin at 10 a.m. in the Rachel Carson State Office Building, Room 105, 400 Market Street, Harrisburg, PA. Persons with any questions should contact Becky Myers at (717) 772-9048 or rebmyers@pa.gov.

ROBERT WONDERLING,
Chairperson

[Pa.B. Doc. No. 12-462. Filed for public inspection March 9, 2012, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agencies must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

Reg. No.	Agency/Title	Close of the Public Comment Period	IRRC Comments Issued
16A-4711	State Registration Board for Professional Engineers, Land Surveyors and Geologists Qualifications For Licensure 41 Pa.B. 6975 (December 31, 2011)	1/30/12	2/29/12

**State Registration Board for Professional
Engineers, Land Surveyors and Geologists
Regulation #16A-4711 (IRRC #2926)**

Qualifications For Licensure

February 29, 2012

We submit for your consideration the following comments on the proposed rulemaking published in the December 31, 2011 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the State Registration Board for Professional Engineers, Land Surveyors and Geologists (Board) to respond to all comments received from us or any other source.

1. Consistency with caselaw.—Clarity.

This proposed regulation establishes professional licensure standards for engineers, land surveyors and geologists. The standards include the education requirements for these professions. The Regulatory Analysis Form (RAF #9) cites the *Whymeyer* case to explain that this regulation is intended to clarify that the Accreditation Board for Engineering and Technology, Inc. (ABET) is the only acceptable accreditor to the Board for engineering or land surveying educational programs. *Whymeyer v. State Reg. Bd. For Professional Engineers, Land Surveyors and Geologists*, 997 A.2d 1254 (Pa. Cmwlth. 2010). One issue raised but not decided in that case was that the Board “abdicated its statutory responsibility” to approve engineering programs by delegating that authority to ABET. Despite the fact that this regulation provides for ABET to be the exclusive accreditor, would the Board independently approve these programs pursuant to 63 P.S. § 151.2(d)(1), which provides for Board approval?

2. Terminology.—Clarity.

Throughout the regulation, the Board references both “candidates” and “applicants” for certification and licensure. The House Professional Licensure Committee (HPLC) noted the use of both terms and asked the Board to review the regulation to correct any inconsistencies created by the use of both terms. We agree and recommend the Board use one term consistently or explain the need for both terms.

3. Citations to statutory authority.—Clarity.

RAF #8 cites the following from the Engineer, Land Surveyor and Geologist Registration Law (Law) as the statutory authority for this regulation: 63 P.S. §§ 151.4(b), 151.4(I), 151.2, 151.3 and 151.4. However, the Preamble cites only 63 P.S. § 151(1) as the statutory authority. The statutory citations should be consistent in the RAF and the Preamble.

4. Section 37.31. Requirements for certification as an engineer-in-training and for licensure as a professional engineer.—Implementation procedures; Clarity.

This section explains the requirements necessary to obtain certification as an engineer-in-training (EIT) and licensure as a professional engineer. We raise six issues.

First, Subsections (1) and (2) require candidates for both EIT certification and professional licensure to “satisfactorily” complete certain National Council of Examiners for Engineering and Surveying (NCEES) exams. The final-form regulation should specify what constitutes “satisfactory” completion of these exams. Similar concerns apply to Subsections 37.33(b) and (c), 37.36(b) and (c), 37.47(1) and (2), and 37.49(b).

Second, in Subsection (1)(i), the Board should clarify the type of documentation required to demonstrate “proof” of graduation. Similar concerns apply to Subsections 37.36(b)(1)(i), 37.36(b)(1)(ii), and 37.47(1)(i).

Third, Subsection (1)(iii) requires that the progressive experience needed to sit for the NCEES fundamentals of engineering exam must be of a certain “grade and character.” This term is vague and the final-form regulation should clarify the intent of this language. Similar concerns apply to Subsections 37.31(2)(i), 37.47(1)(iii), 37.47(2)(i), and 37.49(c).

Fourth, Subsection (1)(iii) also states that “academic training” in engineering subjects may be counted toward the experience requirement necessary to achieve EIT certification. We recommend that the Board define this term and specify how this training will be counted toward the experience requirement.

Fifth, Subsection (2) references the “branches” of engineering. To improve clarity, we recommend that the final-form regulation include a cross-reference to existing Section 37.34, which provides a complete list of these “branches” of engineering.

Finally, Subsection (2)(ii) references the “breadth and depth” of the engineering curriculum covered as part of the teaching experience acquired by licensure candidates. The term is vague and the final-form regulation should specify what the Board intended to cover through the use of this phrase. Similar concerns apply to Subsection 37.47(2)(ii).

5. Section 37.33. Grandfather requirements for certification as an engineer-in-training and for licensure as a professional engineer.—Implementation procedures; Clarity.

This section contains the requirements to “grandfather” certification and licensure status for EITs and professional engineers. We raise three issues.

First, under Subsection (b) candidates for EIT certification who received a degree prior to January 1, 1968 are not required to complete the NCEES fundamentals of engineering exam. The Preamble to the final-form regulation should explain the significance of the January 1, 1968 date.

Second, what is the difference between “satisfactory” completion of the NCEES fundamentals of engineering exam for EITs in Subsection (b) and “successful” completion of same exam by licensure candidates in Subsection (c)(i)? The final-form regulation should clarify this issue.

Finally, Subsection (c)(1) lists the qualifications for a licensure candidate to sit for the NCEES engineering principles and practice examination. Subsection (c)(1)(i) includes four years of progressive engineering or teaching experience for graduates of an approved engineering curriculum, and (c)(ii) includes eight years of progressive engineering or teaching experience for non-graduates. The Preamble to the final-form regulation should describe how the Board determined these timeframes were appropriate.

6. Section 37.36. Requirements for certification as a geologist-in-training and for licensure as a professional geologist.—Clarity.

Subsection (b)(1)(iii) lists as one of the possible qualifications for a geologist-in-training candidate to sit for the National Association of State Boards of Geology (ASBOG) fundamentals of geology exam: “Graduation from a foreign college or university that World Evaluation Services or other Board-approved professional evaluation service

deems equivalent . . .” First, the HPLC commented that the name of the organization should be corrected to read “World Education Services.” We agree. Second, what are the other “Board-approved professional evaluation services?” To improve clarity, we recommend that the final-form regulation identify the “Board-approved professional evaluation services.” Alternatively, we recommend that the Board maintain the list on its website and cross-reference the website in the regulation.

In Subsection (c)(2), the term “technical completeness review” is vague and the final-form regulation should include a definition for this term.

7. Section 37.37. References for licensure as a professional geologist.—Clarity.

Subsection (a) describes the types of references needed for licensure as a professional geologist. Subsections 37.32(a) and 37.48(a) require references for licensure as a professional engineer and as land surveyors to be “unrelated” to the candidate. However, the regulation does not include a similar requirement for professional geologists. Why doesn’t the proposed regulation require references for professional geologist candidates to be unrelated to the candidate?

8. Section 37.47. Requirements for certification as a surveyor-in-training and for licensure as a professional land surveyor.—Implementation procedures; Clarity.

Subsection (1)(iii) states that in order to demonstrate the “progressive experience” needed to sit for the requisite NCEES surveying exam, surveyors-in-training (SIT) candidates must complete 25% field or office work experience. How did the Board determine this was an appropriate amount of experience in these areas? Similar concerns apply to Subsection 37.49(c).

9. Section 37.49. Grandfather requirements for licensure as a professional land surveyor.—Need; Implementation procedures; Clarity.

This section details the requirements necessary to grandfather licensure as a professional land surveyor. The Preamble states the following:

The grandfather requirements for licensure principally differ from the current requirements in that a candidate may take the [fundamentals of surveying] (FS) and license examinations at the same time; there is not a provision for being certified as a SIT; there is not an education option that permits a surveying student to take the FS examination in advance of graduation; and there is not an experience option regarding teaching experience in an approved surveying curriculum.

In the Preamble to the final-form regulation, the Board should further explain the basis and need for these changes to the grandfathering requirements for land surveyors.

Subsections (b)(1)—(3), list certain years of experience in order to qualify for NCEES land surveyor licensing exams, including 4 years of progressive experience in land surveyor work, and 10 years of progressive experience in land surveying work, which includes 5 years in responsible charge of primary land surveying functions. How did the Board determine these terms of years to be appropriate?

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 12-463. Filed for public inspection March 9, 2012, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from the Commission’s web site, www.irrc.state.pa.us.

<i>Final-Form</i> Reg. No.	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
125-145	Pennsylvania Gaming Control Board Accounting and Internal Controls; Commencement of Slot and Table Game Operations	2/28/12	4/5/12
125-155	Pennsylvania Gaming Control Board Table Game Rules for Blackjack and Pai Gow Poker	2/28/12	4/5/12
<i>Final-Omit</i> Reg. No.	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
12-95	Department of Labor and Industry Food Service Employee Incentive Program	2/23/12	4/5/12

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 12-464. Filed for public inspection March 9, 2012, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by March 26, 2012. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-2011-2280175. Kenneth Scott Cobb, t/a Kennys Transportation Service (3014 Derry Street, Harrisburg, Dauphin County, PA 17111)—in paratransit service, from points in Cumberland and Dauphin Counties, to points in Pennsylvania, and return.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2011-2279564. Model Management Services, t/a Friendly Taxi Cab of Lancaster (625 East Orange Street, Lancaster, Lancaster County, PA 17602)—discontinuance of service and cancellation of its certificate—persons upon call or demand in Lancaster City, Lancaster County, and within 6 miles of said city.

A-2011-2279674. Nancy Carroll Keener, t/a Keener Transportation (208 Slab Road, Delta, York County, PA 17314)—discontinuance of service and cancellation of its certificate—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in York County, to points in Pennsylvania, and return.

A-2011-2282200. L & L Transportation Company, Inc. (103 Mooreland Avenue, Mt. Holly Springs, Cumberland County, PA 17065)—discontinuance of service and cancellation of its certificate—as a contract carrier, by motor vehicle, inmates in work release for Cumberland County Prison, between points in Pennsylvania

A-2012-2284635. Jeffrey and Anita Houseknecht (73 Boak Avenue, Mt. Hughesville, Lycoming County, PA 17737)—discontinuance of service and cancellation of its certificate—persons in limousine service, between points in Counties of Lycoming and Sullivan, and from points in said Counties, to points in Pennsylvania, and return.

A-2012-2285067. Promobile Transportation, Inc. (1310 Kelley Road, Oberlin, Dauphin County, PA 17113)—discontinuance of service and cancellation of its certificate—persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2012-2285495. Catawese Coach Company (P. O. Box U, Avis, Clinton County, PA 17721)—discontinuance of service and cancellation of its certificate—persons in limousine service, between points in Pennsylvania, excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* James W. Patterson, Esquire, Cira Centre, 13th Floor, 2929 Arch Street, Philadelphia, PA 19104.

A-2012-2285796. Pennsylvania Transit Company, LLC (3300 Henry Avenue, 3 Falls Ann Preston Building, Rear, Philadelphia, PA 19129)—discontinuance of service and cancellation of its certificate—persons in paratransit service, between points in the City and County of Philadelphia for the Medical Assistance Transportation Program (MATP) through LogistiCare Solutions, LLC, or the broker contracted with the Department of Welfare to service the MATP. *Attorney:* Steven K. Haas, Hawke McKeon & Sniscak, LLP, 100 North 10th Street, Harrisburg, PA 17101.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 12-465. Filed for public inspection March 9, 2012, 9:00 a.m.]

Telecommunications Services

A-2012-2289865. TeleStride, LLC. Application of TeleStride, LLC for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territory of Commonwealth Telephone, d/b/a Frontier Communications Commonwealth Telephone Company, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before March 26, 2012. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: TeleStride, LLC

Through and By Counsel: Deanne M. O'Dell, Esquire, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 255-3744, fax (717) 237-5019

James U. Troup, Venable, LLP, 575 7th Street, N.W., Washington, D.C. 20004

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 12-466. Filed for public inspection March 9, 2012, 9:00 a.m.]

Transfer of Direct and Indirect Ownership and Control

A-2012-2290578. ConocoPhillips Pipe Line Company. Application of ConocoPhillips Pipe Line Company for approval of the proposed transfers of direct and

indirect ownership and control of ConocoPhillips Pipe Line's Pennsylvania Operations that are subject to the Pennsylvania Public Utility Commission's (Commission) jurisdiction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before March 26, 2012. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: ConocoPhillips Pipe Line Company

Through and By Counsel: Paul F. Forshey, Esquire, David L. Wochner, Esquire, Sandra E. Safro, Esquire, Sutherland Asbill & Brennan, LLP, 1275 Pennsylvania Avenue, NW, Washington, DC 20004

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 12-467. Filed for public inspection March 9, 2012, 9:00 a.m.]

Wastewater Service

A-2012-2289864. Pennsylvania American Water Company. Application of Pennsylvania American Water Company for approval of the right to begin to offer, render, furnish or supply wastewater service to the public in an additional portion of West Sadsbury Township, Chester County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before March 26, 2012. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Pennsylvania American Water Company

Through and By Counsel: Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, Seth A. Mendelsohn, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 12-468. Filed for public inspection March 9, 2012, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 12-015.7, On-Call Rail

Track Maintenance and Quarterly Inspections of Various PRPA Facilities, until 2 p.m. on Thursday, April 5, 2012. Information (including mandatory prebid information) concerning this project can be obtained from the PRPA web site www.philaport.com under Procurement, or call the Engineering Department at (215) 426-2600.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 12-469. Filed for public inspection March 9, 2012, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of Claimants' request concerning the indicated accounts.

The hearings will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

April 18, 2012	Michael A. Baird (Frozen Present Value)	1 p.m.
June 6, 2012	Doris M. Campbell (HOP)	1 p.m.

Persons with a disability, who wish to attend the previously listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Barb Book, Assistant to the Executive Director, (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 12-470. Filed for public inspection March 9, 2012, 9:00 a.m.]

STATE BOARD OF AUCTIONEER EXAMINERS

**Bureau of Professional and Occupational Affairs v.
Bonnie Brae Auction, LLC; Doc. No. 1499-64-10**

On December 7, 2011, Bonnie Brae Auction, LLC, license no. RH000954, of Pottstown, Montgomery County,

was assessed a \$2,000 civil penalty and had its license suspended for 6 months based on findings that it failed, within a reasonable time, to account for or pay over moneys belonging to another which had come into the corporation's possession as a result of a sales transaction.

Individuals may obtain a copy of the adjudication by writing to Juan A. Ruiz, Board Counsel, State Board of Auctioneer Examiners, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the State Board of Auctioneer Examiners' (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

MARY LOU ENOCHES,
Chairperson

[Pa.B. Doc. No. 12-471. Filed for public inspection March 9, 2012, 9:00 a.m.]

Bureau of Professional and Occupational Affairs v. Gary Wayne Plotts; Doc. No. 1500-64-10

On December 7, 2011, Gary Wayne Plotts, license no. AU003032L, of Reading, Berks County, was assessed a \$2,000 civil penalty and had his license suspended for 6 months based on findings that he failed, within a reasonable time, to account for or pay over moneys belonging to another which had come into his possession as a result of a sales transaction.

Individuals may obtain a copy of the adjudication by writing to Juan A. Ruiz, Board Counsel, State Board of Auctioneer Examiners, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the State Board of Auctioneer Examiners' (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

MARY LOU ENOCHES,
Chairperson

[Pa.B. Doc. No. 12-472. Filed for public inspection March 9, 2012, 9:00 a.m.]

**STATE BOARD
OF EDUCATION**

Application of the Riegelsville Independent School District for Transfer from the Easton Area School District to the Palisades School District

Notice of Application and Opportunity for Hearing

On February 24, 2012, the State Board of Education (State Board) received a certified copy of a decree of the

Court of Common Pleas of Bucks County creating the Riegelsville Independent School District (Riegelsville) for the sole purpose of its transfer from the Easton Area School District (Easton) to the Palisades School District (Palisades). Entered at Docket No. 2007-02132-31, the decree was issued under sections 242.1, 292.1 and 293.1 of the Public School Code of 1949 (School Code) (24 P. S. §§ 2-242.1, 2-292.1 and 2-293.1) and represents an application to the State Board for approval of the creation of Riegelsville and its transfer from Easton to Palisades.

In accordance with the regulations of the State Board at 22 Pa. Code § 1.5 (relating to applicability of general rules before the Board), the application for transfer will be considered by the State Board in accordance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure). The Chairperson of the State Board will appoint a committee to conduct all necessary proceedings under the General Rules and to recommend action by the State Board under section 293.1 of the School Code.

Unless a written petition to intervene, notice of intervention or protest, along with a written request for public hearing, is received by the State Board by 4 p.m. on March 30, 2012, the State Board may determine the application for transfer without hearing. Filings must be received by the deadline at the State Board of Education, 333 Market Street, 1st Floor, Harrisburg, PA 17126-0333.

Copies of the court decree related to this matter are available from the offices of the State Board and can be viewed at http://www.education.state.pa.us/portal/server.pt/community/state_board_of_education/8830. The State Board may be reached by telephone at (717) 787-3787.

KAREN MOLCHANOW,
Acting Executive Director

[Pa.B. Doc. No. 12-473. Filed for public inspection March 9, 2012, 9:00 a.m.]

**STATE CONSERVATION
COMMISSION**

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of

publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New or Amended</i>	<i>Action Taken</i>
Hillandale Gettysburg, LP 6108 Carlisle Pike East Berlin, PA 17316	Adams/Reading	1,562.4	Layers	New	Approved

GEORGE D. GREIG,
Chairperson

[Pa.B. Doc. No. 12-474. Filed for public inspection March 9, 2012, 9:00 a.m.]
