

PENNSYLVANIA BULLETIN

Volume 42
Saturday, November 24, 2012 • Harrisburg, PA
Number 47
Pages 7159—7234

Agencies in this issue

Delaware River Basin Commission
Department of Banking and Securities
Department of Education
Department of Environmental Protection
Department of General Services
Department of Health
Department of State
Executive Board
Independent Regulatory Review Commission
Insurance Department
Patient Safety Authority
Pennsylvania Public Utility Commission
Philadelphia Parking Authority
State Charter School Appeal Board
Susquehanna River Basin Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporters
(Master Transmittal Sheets):**

No. 456, November 2012

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE
CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please make changes in space provided below and mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pa. 17120, under the policy supervision and direction of the Joint Committee on Documents pursuant to Part II of Title 45 of the Pennsylvania Consolidated Statutes (relating to publication and effectiveness of Commonwealth Documents). Subscription rate \$82.00 per year, postpaid to points in the United States. Individual copies \$2.50. Checks for subscriptions and individual copies should be made payable to "Fry Communications, Inc." Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

Copyright © 2012 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 W. Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

EXECUTIVE AGENCIES

DELAWARE RIVER BASIN COMMISSION

Notices

Meeting and public hearing 7170

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications..... 7173

DEPARTMENT OF EDUCATION

Notices

Application of Curtis T. Lofton for reinstatement of teaching certificates; doc. no. RE 12-02..... 7174

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices..... 7175

Availability of technical guidance 7208

State Board for Certification of Sewage Enforcement Officers; 2012 examination announcement..... 7208

DEPARTMENT OF GENERAL SERVICES

Notices

Real estate for sale 7209

DEPARTMENT OF HEALTH

Notices

Applications for exception:

Alle-Kiski Medical Center 7209
 Einstein Medical Center Montgomery 7209
 Forbes Regional Hospital 7210
 Good Shepherd Rehabilitation Hospital 7210
 Good Shepherd Specialty Hospital 7210
 Holy Spirit Hospital 7210
 Moon Surgery Center 7211
 Pennsylvania Eye Surgery Center, Inc. 7211
 Pinnacle Health at Cumberland Campus 7211
 Pinnacle Health at Harrisburg Hospital 7212
 Robert Packer Hospital 7212
 St. Mary Medical Center 7212
 Taylor Hospital 7213
 Tri-State Surgery Center 7213
 UPMC East 7213
 UPMC McKeesport 7213
 UPMC Mercy South Side Surgery Center 7214
 UPMC Montefiore 7214
 UPMC St. Margaret Hospital 7214

Wellspring Surgery and Rehabilitation Hospital ... 7215

Newborn Screening and Follow-Up Program Technical Advisory Board and Infant Hearing Screening Technical Advisory Committee joint meeting..... 7215

Pennsylvania Cancer Control, Prevention and Research Advisory Board meeting 7215

DEPARTMENT OF STATE

Notices

Corporation Bureau; official forms 7215

EXECUTIVE BOARD

Statements of Policy

Reorganization of the Department of Conservation and Natural Resources 7168

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of comments issued 7227

Notice of filing of final rulemakings 7228

INSURANCE DEPARTMENT

Notices

Review procedure hearings; cancellation or refusal of insurance 7228

Review procedure hearings under the Unfair Insurance Practices Act 7228

PATIENT SAFETY AUTHORITY

Notices

Public meeting 7229

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications..... 7229

PHILADELPHIA PARKING AUTHORITY

Notices

Motor carrier medallion transfer application for service in the city of Philadelphia (2 documents).... 7233

STATE CHARTER SCHOOL APPEAL BOARD

Notices

Schedule of meetings..... 7233

SUSQUEHANNA RIVER BASIN COMMISSION

Notices

Commission meeting 7233

Now Available Online at <http://www.pabulletin.com>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania Bulletin* before it can take effect. If the agency

wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa.Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give you the history of the documents. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred. The *Pennsylvania Bulletin* is available at www.pabulletin.com.

**SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530**

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from such a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised; and that the fiscal note shall provide the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the five succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the five succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where “no fiscal impact” is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2012.

4 Pa. Code (Administration)

Adopted Rules

1	1631, 6998
5	3559, 3561, 5146
6	1633, 3199, 3559, 3561, 3563, 5146, 7000
7	5148
7a	3566, 5148

Statements of Policy

1	5506
9	27, 935, 1246, 2039, 2749, 4181, 4476, 4916, 5239, 5371, 5747, 6140, 6293, 6643, 7016, 7168
58	6544
68	5242

7 Pa. Code (Agriculture)

Proposed Rules

46	5218
76	5218
143	1378

22 Pa. Code (Education)

Adopted Rules

4	1859
10	4574

Proposed Rules

4	6365
73	5872

Statements of Policy

731	5752
-----	------

25 Pa. Code (Environmental Protection)

Adopted Rules

77	6536
86	7013
121	4459
126	4459
128	4462
130	4463
806	2193

Proposed Rules

77	553
86	1228
93	4367
105	553
121	779, 3596, 4363
123	3596
129	779
130	779
139	3596, 4363

Statements of Policy

16	4187
----	------

31 Pa. Code (Insurance)

Proposed Rules

161	5629
163	5628

34 Pa. Code (Labor and Industry)

Adopted Rules

231	2273
-----	------

Proposed Rules

65	2378
225	4468
401	1861
403	1861

40 Pa. Code (Liquor)

Adopted Rules

3	388
11	4465

Proposed Rules

5	6138
15	1504

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

7	5736
16	2955, 5484
17	5484
18	2955
21	5486
27	5182
31	6897
33	769, 5736
35	1376
36	6541
43b	5493

Proposed Rules

16	1122, 2469, 3597
18	2469, 3597
25	2474, 3607
27	5353
41	5355
43b	5742
47	5744
48	5744
49	5744

52 Pa. Code (Public Utilities)

Adopted Rules

54	5185
57	9
59	9, 5967
62	2159
63	3728
65	9
67	9, 5969
1055	777

Proposed Rules

54	796, 3458
59	3454, 6637
62	2034, 3458
69	3458, 3458
72	3458
1005	2746

Statements of Policy

69 1034, 1044

55 Pa. Code (Public Welfare)

Adopted Rules

51 3230
 52 2730
 165 1992
 168 2000
 299 2007
 1101 2010
 1121 2015
 1163 2023
 1187 673, 3733
 1189 3733
 3041 2000, 2029
 6211 3261

Statements of Policy

1187 3748
 3270 675
 3280 675
 3290 675

58 Pa. Code (Recreation)

Adopted Rules

61 6289
 65 3445
 69 1502
 71 1859
 131 5213, 7106
 133 7106
 135 3581, 7107
 139 3581
 141 3588, 3590, 3591, 3592, 3593, 5214, 7108
 143 5215
 147 3594, 4305, 5216, 7109
 401a 2585, 5857
 423a 5857
 427a 5857
 433a 5857
 435a 5857
 436a 5857
 461a 2585, 4305
 465a 2585
 467a 2585
 513a 5857
 521 2585, 2629
 523 2649
 524 2675, 4305
 525 2585
 526 2629
 528 2675, 4305
 529 2675, 4305
 531 2877
 533 2877
 535 2886
 537 2886
 539 2886
 541 2906
 543 2906
 545 2906
 549 2922, 4320
 551 2686
 553 2686
 555 4320, 4584
 557 4333
 559 4333
 561 2922, 4320
 563 4320, 4584

565 4333
 567 2877
 569 4333
 571 2686
 573 2686
 577 4697
 579 5865
 601a 2629
 603a 2649
 605a 2675, 4305
 609a 2629
 611a 2629
 613a 2675, 4305
 615a 2675, 4305
 617a 2877
 619a 2877
 621a 2886
 623a 2886
 625a 2886
 627a 2906
 629a 2906
 631a 2906
 633a 2922, 4320
 635a 2686
 637a 2686
 639a 4320, 4584
 641a 4333
 643a 4333
 645a 2922, 4320
 647a 4320, 4584
 649a 4333
 651a 2877
 653a 4333
 655a 2686
 657a 2686

Proposed Rules

29 4720
 61 1862
 65 3449
 75 3449
 93 3446
 99 3446
 105 3446
 109 3446
 115 4472
 131 3268, 5236
 133 5238
 135 1238, 5235
 139 1238, 1864
 141 1231, 1232, 1233, 1235, 1236, 3268, 5234
 143 3267
 147 1244, 3270, 5236, 6760
 401a 2962
 435a 2962
 437a 2962
 441a 2962
 461a 6761
 463a 6761
 464a 6761
 465a 6761
 607a 6761
 627a 6761
 629a 6761
 631a 6761
 633a 6761

Statements of Policy			
436b	5875		
61 Pa. Code (Revenue)			
Proposed Rules			
7	1222		
117	2381		
119	2381		
121	2381		
901	1222		
67 Pa. Code (Transportation)			
Adopted Rules			
43	6290		
231	25		
255	6291		
Proposed Rules			
17	5627		
84	3746		
175	4704		
441	5497		
443	4702		
Statements of Policy			
190	2481		
101 Pa. Code (General Assembly)			
Statements of Policy			
31	29		
201 Pa. Code (Rules of Judicial Administration)			
Adopted Rules			
2	4907		
5	4907		
204 Pa. Code (Judicial System General Provisions)			
Adopted Rules			
29	5854, 5855		
81	1637, 2186, 3127, 3431		
82	1638		
83	1637, 1639, 2186, 3127, 3431		
85	5156		
87	5156, 6864		
89	5156, 6864		
91	5156, 6864		
93	5156, 6864		
303	6072		
Proposed Rules			
213	658		
303	1798, 4846		
210 Pa. Code (Appellate Procedure)			
Adopted Rules			
1	2269, 7007		
3	374, 4693		
9	2269		
11	2269		
15	2269		
37	3569		
67	1642, 4450		
69	4450		
Proposed Rules			
1	1640		
3	1360		
15	1360		
19	1986		
21	1640		
37	659		
225 Pa. Code (Rules of Evidence)			
Adopted Rules			
Article VI	1858		
Proposed Rules			
Article VIII	6871		
231 Pa. Code (Rules of Civil Procedure)			
Adopted Rules			
200	377, 1363		
1000	6872		
1700	2954		
1910	379, 545, 930, 7091		
3000	4907		
4000	3574		
Part II	4908		
Proposed Rules			
200	377		
1000	6244		
1900	3722, 6245		
1910	1642, 3722, 3724, 3726		
1915	1660, 6246		
1930	6247		
2220	6244		
3000	6130		
Part II	5730		
234 Pa. Code (Rules of Criminal Procedure)			
Adopted Rules			
1	1364, 4140, 5333, 6622		
2	6247		
3	6247, 6622		
4	6247		
5	2465, 4140, 5333, 6247, 6622		
6	545, 4140, 6247, 6622		
8	6635		
9	4140, 5347, 6247		
10	4140, 5333		
Proposed Rules			
1	380, 5164		
4	6529		
5	1369, 4568, 5732, 6252, 6254		
6	380, 1369, 4568, 5732		
8	4568, 6254		
237 Pa. Code (Juvenile Rules)			
Adopted Rules			
1	547, 3203, 5734		
2	4908, 4909, 5350		
3	3203, 4909, 5350		
4	664, 4909, 5350		
5	1214, 4909		
6	1214		
8	4909		
Proposed Rules			
1	5470, 5480, 5734		
11	5470, 5480, 5734		
18	5470, 5734		

246 Pa. Code (Minor Court Civil Rules)**Adopted Rules**

1000 4913

Proposed Rules

200 1116

300 1116, 7007

400 7007

249 Pa. Code (Philadelphia Rules)Unclassified ... 1217, 1372, 2186, 2188, 2467, 3130, 4160,
5965, 6262, 6873, 7010**252 Pa. Code (Allegheny County Rules)**Unclassified ... 930, 2727, 3436, 3437, 3438, 3439, 3440,
7093**255 Pa. Code (Local Court Rules)**Unclassified 8, 203, 550, 551,
669, 670, 671, 762, 766, 768, 934, 1033, 1121, 1219, 1375,
1500, 1661, 1662, 1989, 1990, 1991, 2189, 2270, 2271,
2371, 2372, 2374, 2728, 3134, 3136, 3206, 3228, 3440,
3443, 3576, 3579, 4162, 4164, 4177, 4457, 4570, 4913,
4914, 5167, 5179, 5180, 5482, 5622, 5625, 5626, 5855,
6131, 6132, 6135, 6262, 6282, 6286, 6532, 6533, 6534,
6636, 6758, 6887, 7010, 7097, 7104

STATEMENTS OF POLICY

Title 4—ADMINISTRATION

PART II. EXECUTIVE BOARD

[4 PA. CODE CH. 9]

Reorganization of the Department of Conservation and Natural Resources


The Executive Board approved a reorganization of the Department of Conservation and Natural Resources effective November 5, 2012.

The organization chart at 42 Pa.B. 7169 (November 24, 2012) is published at the request of the Joint Committee on Documents under 1 Pa. Code § 3.1(a)(9) (relating to contents of *Code*).

(Editor's Note: The Joint Committee on Documents has found organization charts to be general and permanent in nature. This document meets the criteria of 45 Pa.C.S. § 702(7) (relating to contents of Pennsylvania Code) as a document general and permanent in nature which shall be codified in the Pennsylvania Code.)

[Pa.B. Doc. No. 12-2256. Filed for public inspection November 21, 2012, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES



NOTICES

DELAWARE RIVER BASIN COMMISSION

Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Wednesday, December 5, 2012. The hearing will be part of the Commission's regularly scheduled business meeting. The conference session and business meeting both are open to the public and will be held at the Commission's office building located at 25 State Police Drive, West Trenton, NJ.

The morning conference session will begin at 11 a.m. and will include: (a) a report by staff on the Commission's Information Technology Upgrade and Water Charging Program On-Line Reporting System; and (b) update by a representative of the United States Army Corps of Engineers Philadelphia District on development of a Delaware Estuary Regional Sediment Management Plan.

Items for Public Hearing. The subjects of the public hearing to be held during the 1:30 p.m. business meeting on December 5, 2012, include draft dockets for the projects described as follows. Draft dockets also will be posted on the Commission's web site at www.drbc.net 10 days prior to the meeting date. Additional public records relating to the dockets may be examined at the Commission's offices. Contact William Muszynski at (609) 883-9500, Ext. 221, with any docket-related questions.

1. *Forest Park Water, D-1965-076 CP-11.* An application to renew the approval of an existing discharge of up to 2 million gallons per day (mgd) of filter backwash from the Forest Park Water Treatment Plant (WTP). The WTP will continue to discharge treated effluent to Pine Run through Outfall Nos. 1 and 2 at River Mile 115.63—40.0—0.1 (Delaware River—Neshaminy Creek—Pine Run) and River Mile 115.63—40.0—0.2 (Delaware River—Neshaminy Creek—Pine Run), located within the Commission's designated Ground Water Protected Area (GWPA), in Chalfont Borough, Bucks County, PA.

2. *Phoenixville Borough, D-1967-123 CP-2.* An application to renew the approval of an existing surface water withdrawal (SWWD) of up to 182.311 million gallons per month (mgm) to supply the applicant's public water supply system. Surface water will continue to be withdrawn from two existing intakes (Nos. 1 and 2) located in the Schuylkill River. The WTP is located within the Commission's designated GWPA, in Phoenixville Borough, Chester County, PA.

3. *Sunoco Logistics, D-1968-053-2.* An application to renew the approval of an existing discharge from the 5.0 mgd Eagle Point industrial wastewater treatment plant (IWTP). Treated effluent will continue to be discharged to Water Quality Zone 4 of the Delaware River at River Mile 94.5 by means of Outfall No. DSN001A, in West Deptford Township, Gloucester County, NJ.

4. *Kimberly-Clark Corporation, D-1984-053 CP-2.* An application to renew the approval for the discharge of up to 2.0 mgd of filter backwash and reverse osmosis water overflow from Outfall No. 001 on an emergency basis and up to 0.1 mgd of noncontact cooling water (NCCW) from Outfall No. 003 at the Kimberly-Clark Chester Facility. Effluent will continue to discharge to Water Quality Zone

4 of the tidal Delaware River at or near River Mile 82.8, in the City of Chester, Delaware County, PA.

5. *Sunoco Logistics, D-1986-015-4.* An application to renew the approval of an existing SWWD of up to 108.5 mgm from Intake No. Dock 1-A and 146.63 mgm of groundwater from Wells Nos. 1, 3, 5 and 6A for industrial use at the Sunoco Eagle Point facility. Intake No. Dock 1-A will continue to withdraw surface water from the Delaware River in Water Quality Zone 4. The four wells will continue to withdraw groundwater from the Potomac-Raritan-Magothy Formation. The Sunoco Eagle Point facility is located in West Deptford Township, Gloucester County, NJ.

6. *Whitemarsh Township, D-1993-037 CP-3.* An application to renew the approval of an existing discharge from the 2.0 mgd Whitemarsh Township wastewater treatment plant (WWTP). The WWTP will continue to discharge treated effluent to the Schuylkill River at River Mile 92.47—18.6 (Delaware River—Schuylkill River) by means of Outfall No. 002. The WWTP is located within the Commission's designated GWPA, in Whitemarsh Township, Montgomery County, PA.

7. *North Coventry Municipal Authority, D-1997-001 CP-3.* An application to renew the approval of an existing discharge from the 2.01 mgd WWTP. The WWTP will continue to discharge treated domestic sanitary effluent to the Schuylkill River at River Mile 92.47—52.0 (Delaware River—Schuylkill River), in North Coventry Township, Chester County, PA.

8. *Nestlé Waters North America, Inc., D-1998-027-4.* An application to renew the approval of a spring water withdrawal of up to 9.3 mgm to continue to supply the applicant's bottled water operations from existing Hoffman Springs Nos. 1—3. Mattos Catchment No. 1 will continue to be used for augmenting flows in Ountelaunee Creek. The project is located in the Ountelaunee Creek Watershed in Lynn Township, Lehigh County, PA.

9. *Upper Hanover Authority, D-2001-061 CP-3.* An application to renew the approval of an existing discharge from the 0.4 mgd Macoby WWTP. The WWTP will continue to discharge treated wastewater effluent to the Macoby Creek at River Mile 92.47—32.3—19.5—5.3 (Delaware River—Schuylkill River—Perkiomen Creek—Macoby Creek), in Upper Hanover Township, Montgomery County, PA.

10. *Warwick Township, D-2008-004 CP-2.* An application to renew the approval of an existing land discharge from the 0.06305 mgd St. Peter's Village WWTP. The WWTP will continue to discharge treated effluent to a spray irrigation site near River Mile 92.47—35.6—16.5 (Delaware River—Schuylkill River—French Creek), located within the Commission's designated GWPA, in Warwick Township, Chester County, PA.

11. *Kimberly-Clark Corporation, D-2012-012 CP-1.* An application to incorporate the Kimberly-Clark Chester Cogeneration Facility into the Comprehensive Plan and to renew the approval of an existing SWWD for industrial process and cooling use of up to 341 mgm from Water Quality Zone 4 of the Delaware River, in the City of Chester, Delaware County, PA.

12. *Village of Liberty, D-1965-039 CP-2.* An application to renew the approval of an existing discharge from the 2.0 mgd Village of Liberty WWTP and to approve modifications that will not result in an increase in hydraulic

capacity. The WWTP will continue to discharge to an unnamed tributary of the East Branch Mongaup River above the Swinging Bridge Reservoir at River Mile 261.1—23.56—8.12—0.86 (Delaware River—Mongaup River—East Branch Mongaup River—UNT) by means of Outfall No. 001. The WWTP is located within the drainage area of the section of the nontidal Delaware River known as the Upper Delaware, which is classified as Special Protection Waters, in the Village of Liberty, Sullivan County, NY.

13. *Saucon Valley Country Club, D-1967-022-2*. An application for approval of an existing SWWD and to approve a withdrawal allocation to supply up to 34.5 mgm of water for irrigation on the applicant's golf course from existing surface water Intake Nos. 1 and 2. The existing withdrawal intakes are located on Saucon Creek in the Saucon Creek Watershed, within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which is classified as Special Protection Waters, in Upper Saucon Township, Lehigh County, PA.

14. *Bethlehem City, D-1971-078 CP-3*. An application to renew the approval of an existing discharge from the 20.0 mgd City of Bethlehem WWTP and to approve modifications to the WWTP that have been and will be performed to increase the CSO capacity at the facility. The WWTP will continue to discharge treated effluent to the Lehigh River at River Mile 183.66—9.51 (Delaware River—Lehigh River) by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which is classified as Special Protection Waters, in the City of Bethlehem, Northampton County, PA.

15. *Town of Liberty, D-1985-065 CP-2*. An application to renew the approval and upgrade of the existing 0.08 mgd Town of Liberty Loomis WWTP. Modifications include the addition of a rotating biological contactor and clarifier to the existing sand filter and polishing lagoon treatment system. The WWTP is located in the Town of Liberty, Sullivan County, NY.

16. *Morrisville Borough Municipal Authority (MBMA), D-1987-008 CP-3*. An application to renew the approval of an existing discharge from the 8.7 mgd MBMA WWTP and to approve modifications related to the extension of Outfall No. 001. Treated effluent will continue to be discharged to Water Quality Zone 2 of the Delaware River at River Mile 133.0 by means of Outfall No. 001, in Morrisville Borough, Bucks County, PA.

17. *Warwick Township Water & Sewer Authority, D-1998-019 CP-2*. An application to renew the approval of an existing subsidiary water allocation of up to 24.8 mgm by means of a current interconnection with Aqua Pennsylvania and to approve an additional subsidiary water allocation of up to 24.8 mgm by means of a new interconnection with North Wales Water Authority from the Forest Park WTP, for a total allocation of up to 49.6 mgm. The project is located in the Neshaminy Creek Watershed, within the Commission's designated GWPA, in Warwick Township, Bucks County, PA.

18. *NuStar Asphalt Refining, LLC, D-2001-027-4*. An application for modification of an SWWD to increase the allocation of surface water from 7.79 mgm to 19.09 mgm from existing Intakes Nos. 1 and 2 for the applicant's industrial processes, heating, hydrostatic testing and fire

emergency testing. The increase in allocation is requested to accommodate periodic hydrostatic testing of above-ground storage tanks. The project intakes withdraw water from the tidal portion of Mantua Creek, located in the Mantua Creek Watershed, in the Borough of Paulsboro, Gloucester County, NJ.

19. *New York City Department of Environmental Protection, D-2004-028 CP-2*. An application to renew the approval of an existing discharge from the 2.5 mgd Port Jervis WWTP and to approve modifications designed to satisfy the Commission's no measurable change requirement. Docket No. D-2004-028 CP-1 approved construction improvements to the facility referred to as Phase I. This application is for the approval of Phase II modifications, which include the rehabilitation of trickling filters, concrete structure and supports for weirs and the installation/replacement of mechanical equipment in the existing final settling and chlorine contact tanks. The existing 2.5 mgd WWTP will continue to discharge to River Mile 253.64—0.82 (Delaware River—Neversink River) by means of Outfall No. 001, within the drainage area of the section of the nontidal Delaware River known as the Middle Delaware, which is designated as Special Protection Waters, in the City of Port Jervis, Orange County, NY.

20. *Aqua Pennsylvania, Inc., D-2008-025 CP-2*. An application to renew the approval of an existing discharge from the 0.150 mgd Aqua Pennsylvania Ridley Creek water filtration plant. Filtered backwash will continue to discharge to Ridley Creek, a tributary of Water Quality Zone 4 of the Delaware River, in Middletown Township, Delaware County, PA.

21. *PSEG/PPL, D-2010-018 CP-1*. An application to approve the upgrade of an existing overhead electric transmission line, referred to as the Susquehanna to Roseland 500-kiloVolt (kV) transmission line (S-R Line) project. The proposed upgrade consists of replacing approximately 146 miles of existing 230-kV overhead electric transmission line that extends from PPL's Susquehanna Substation near Berwick, Luzerne County, PA to PSEG's Roseland Substation in Roseland Borough, Essex County, NJ with a 500-kV overhead electric transmission line. Approximately 72 miles of the proposed upgraded 500-kV transmission line to be upgraded is within the Delaware River Basin, including a portion of the line (approximately 4.3 miles) that crosses the Middle Delaware River and the National Park Service's Delaware Water Gap National Recreation Area (DEWA). The DEWA is designated in the Commission's Comprehensive Plan as a recreation project area. The project also involves widening 0.75 mile of existing right-of-way (ROW) within the DEWA along the existing 230-kV line to accommodate the larger structures associated with the proposed 500-kV line and the clearing involved with the widening of ROW.

22. *Horsham Air Guard Station (formerly noticed as Willow Grove Naval Air Station), D-2010-020 CP-1*. An application for approval of a groundwater withdrawal (GWD) project to supply up to 3.2 mgm of water to the applicant's existing water supply system from existing Wells Nos. 1 and 2. The project is located in the Stockton Formation in the Park Creek Watershed, within the Commission's designated GWPA, in Horsham Township, Montgomery County, PA.

23. *Tamaqua Area Water Authority (TAWA), D-2010-028 CP-1*. An application for approval of an existing SWWD of up to 155 mgm of water from an existing surface water intake located at the TAWA's Still Creek Reservoir for public water supply. The application also

includes the request to increase the periodic releases from the Still Creek Reservoir from 36 mgd to 43.3 mgd for consumptive use and nonconsumptive cooling water needs of the Limerick Generating Station, operated by the Exelon Generation Company, LLC in Pottstown, PA. The project is located in the Still Creek Watershed in Rush Township, Schuylkill County, PA.

24. *Shinn Spring Water Company, D-2011-019-1*. An application to approve a proposed new discharge of backwash water generated by the bottled water operations at the existing Shinn Spring Water Company bottling facility. The application includes a request for a Total Dissolved Solids (TDS) determination of 6,850 million gallons per liter (mg/l) (average monthly concentration) and 19,600 mg/l (daily maximum concentration) for the new discharge. No treatment facilities are proposed. Up to 0.075 mgd of the water used in bottling operations is imported by means of trucks from the Susquehanna River Basin, with the remaining water coming from local water sources. The applicant proposes an average design discharge of 0.0625 mgd and a maximum design discharge of 0.075 mgd to the Schuylkill River at River Mile 92.47—68.5 (Delaware River—Schuylkill River) in the Borough of Birdsboro, Berks County, PA.

25. *SUNY Delhi, D-2012-006 CP-1*. An application for approval of an SWWD project to supply up to 7.75 mgm of treated domestic wastewater effluent from the Village of Delhi WWTP to the applicant's golf course irrigation pond for turf irrigation. The project is located within the drainage area of the section of the nontidal Delaware River known as the Upper Delaware, which is designated as Special Protection Waters, in the West Branch Delaware River and Little Delaware River Watersheds in the Town of Delhi, Delaware County, NY.

26. *Harrison Township, D-2012-007 CP-1*. An application to approve the incorporation of the applicant's new Richwood WWTP and its associated discharge into the Comprehensive Plan. The new WWTP facilities consist of a membrane bio-reactor treatment system that will discharge treated effluent to groundwater through the use of seven proposed infiltration basins. The WWTP will have a hydraulic design capacity of up to 0.98 mgd; however the proposed WWTP is permitted by the New Jersey Department of Environmental Protection (NJDEP) for a hydraulic design capacity of 0.375 mgd, in Harrison Township, Gloucester County, NJ. Under the Administrative Agreement between NJDEP and the Commission, this project will be classified as a Category D project after the approval of this docket by the Commission.

27. *City of Philadelphia—Philadelphia International Airport, D-2012-008 CP-1*. An application to approve the multi-phased Capacity Enhancement Program (CEP) at the Philadelphia International Airport (PHL). The CEP includes the construction of new buildings and runways, as well as the filling of wetlands onsite within the 100-year floodplain and mitigation projects throughout the Delaware Basin. The PHL is located adjacent to the Delaware River in Water Quality Zone 4 at River Mile 89.0, in the City of Philadelphia, PA.

28. *Eagle Point Power Generation, LLC, D-2012-010 CP-1*. An application to incorporate the existing Eagle Point Cogeneration Facility (EPCF) into the Comprehensive Plan and to approve an SWWD of up to 165.168 mgm from Intake No. Dock 3 to provide cooling water to the EPCF. Intake No. Dock 3 is located on the Delaware

River in Water Quality Zone 4 and was previously operated by Sunoco, Inc. The EPCF is located in West Deptford Township, Gloucester County, NJ.

29. *City of Lewes Board of Public Works, D-2012-011 CP-1*. An application to approve an existing discharge from the 1.5 mgd Lewes City WWTP. Treated effluent will continue to discharge to the Lewes Rehoboth Canal, a tidal tributary of Water Quality Zone 6 of the Delaware River, at River Mile 0.82—2.0 (Delaware River—Lewes Rehoboth Canal) by means of Outfall No. 001, in the City of Lewes, Sussex County, DE.

30. *Jonathan Ammary—Blue Mountain View Estates, LLC (formerly noticed as Richard F. Beers), D-2012-014 CP-1*. An application to approve an existing discharge from the 0.028 mgd Chestnut Hill Ridge Mobile Home Park WWTP. The WWTP treatment facilities consist of an equalization tank, three aeration tanks, two clarifiers, chlorine disinfection and post aeration. The WWTP will continue to discharge to the Aquashicola Creek at River Mile 183.6—36.3—7.6 (Delaware River—Lehigh River—Aquashicola Creek), within the drainage area of the section of the nontidal Delaware River known as the Lower Delaware, which is classified as Special Protection Waters, in Lower Towamensing Township, Carbon County, PA.

31. *Bucks County Water and Sewer Authority (BCWSA), D-2012-021 CP-1*. An application to approve a water supply subsidiary water allocation for BCWSA of up to 10 mgd of potable water. The North Penn and North Wales Water authorities, which jointly own the Forest Park Water Treatment Facility, each have agreed to make 5 mgd of capacity available on an annual basis to the BCWSA for a total of 10 mgd. The water will be made available through an interconnection with North Wales Water Authority. BCWSA is also constructing 50,000 feet of transmission main. The water will serve customers within BCWSA's Southwest Region Water System. BCWSA currently provides water to this system through an interconnection with the City of Philadelphia. The service area includes Hulmeville, Langhorne and Langhorne Manor Boroughs, Lower Southampton and Middletown Townships, Pennel Borough, Bensalem Township and portions of Northampton and Upper Southampton Townships which are all located in Lower Bucks County. The water will also serve portions of Lower Moreland Township, Montgomery County. The project is located primarily in the Neshaminy Creek Watershed, within the Commission's designated GWPA.

32. *Hamburg Municipal Authority, D-2012-022 CP-1*. An application for approval of an existing GWD and SWWD to supply up to 35 mgm of water to the applicant's public water supply system from existing Wells Nos. HMA-2—HMA-5, new Wells Nos. HMA-6 and HMA-7, the existing Furnace Creek Reservoir and the existing water filtration plant. The allocation is requested to meet existing and projected service area demand. The existing public water supply system was not previously approved by the Commission. The project wells are located in the Furnace Creek and Schuylkill River watersheds, in Windsor Township, Berks County, PA.

33. *Berks Hollow Energy Associates, LLC, D-2012-023 CP-1*. An application to approve the applicant's new energy generating facility, Berks Hollow Energy, and its consumptive water use and discharge of NCCW. The

proposed energy generation facility will be located in Ontelaunee Township, Berks County, PA. The project consists of the construction of a 685-megawatt (MW) electric generation facility, employing a natural gas-fired combined-cycle combustion turbine and equipped with duct burners to be employed during peak demand only, peaking capacity at 855 MW. The project includes the construction of a mechanical draft cooling tower and an auxiliary boiler/fuel heater, along with a new IWTP to treat and discharge the cooling tower blowdown at a maximum flow rate of 1.4 mgd. Make-up water for the cooling tower will be provided by the Reading Area Water Authority and domestic sanitary wastewater generated at the facility will be sent to the existing Reading WWTP for treatment and discharge to the Schuylkill River. The new IWTP will discharge treated cooling tower make-up water to the Maiden Creek, just upstream of its confluence with the Schuylkill River, at River Mile 92.47—86.9 (Delaware River—Schuylkill River). The application also includes a TDS determination for the discharge of 2,000 mg/l.

Other Agenda Items. In addition to the public hearing on draft dockets, the 1:30 p.m. business meeting will include public hearings on: (a) a resolution authorizing the Executive Director to engage an expert panel to advise the Water Quality Advisory Committee and the Commission on the development and use of a Delaware Estuary Eutrophication Model; (b) a resolution authorizing the Executive Director to award a professional contract for consulting services in connection with the Commission's Water Charging Program and Water Supply Storage Facilities Fund; and (c) a resolution authorizing the Executive Director to award a construction contract to the lowest responsible bidder for the Commission courtyard modifications associated with the Ruth Patrick River Garden and to amend the authorized amount of the Commission's contract with T&M Associates to include compensation for final design, preparation of bid documents and construction management. The Commissioners also may consider a Resolution to approve Docket D-1969-201 CP-13 for the Exelon Limerick Generating Station (LGS) draft docket. A hearing on the LGS draft docket was conducted on August 28, 2012, and written comments were accepted through October 27, 2012. No additional testimony on this project will be accepted on December 5, 2012. In the event that the Commissioners are not yet prepared to consider the LGS draft docket during their

meeting on December 5, 2012, they will consider a resolution to extend Docket D-1969-201 CP Final (Revision 12) for the LGS through December 31, 2013, or until the Commission approves the LGS draft docket, whichever occurs sooner. The business meeting agenda also will include the following standard items: adoption of the Minutes of the Commission's September 12, 2012, business meeting; announcements of upcoming meetings and events; a report on hydrologic conditions; reports by the Executive Director and the Commission's General Counsel; and a public dialogue session.

Opportunities to Comment. Individuals who wish to comment for the record on a hearing item or to address the Commissioners informally during the public dialogue portion of the meeting are asked to sign up in advance by contacting Paula Schmitt of the Commission staff, at paula.schmitt@drbc.state.nj.us or (609) 883-9500, Ext. 224. Written comment on items scheduled for hearing may be submitted in advance of the meeting date to Commission Secretary, P. O. Box 7360, 25 State Police Drive, West Trenton, NJ 08628, fax to Commission Secretary, DRBC at (609) 883-9522 or paula.schmitt@drbc.state.nj.us. Written comment on dockets should also be furnished directly to the Project Review Section at the previous address or fax number or william.muszynski@drbc.state.nj.us.

Individuals in need of an accommodation as provided for in the Americans with Disabilities Act of 1990 who wish to attend the informational meeting, conference session or hearings should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate their needs.

Agenda Updates. Note that meeting items are subject to change and items scheduled for hearing are occasionally postponed to allow more time for the Commission to consider them. Check the Commission's previously listed web site, closer to the meeting date for changes that may be made after the deadline for filing this notice.

PAMELA M. BUSH, J.D., A.I.C.P.,
Secretary

[Pa.B. Doc. No. 12-2257. Filed for public inspection November 21, 2012, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 6, 2012.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-22-2012	Penn Liberty Bank Wayne Chester County	1201 East Lancaster Avenue Downingtown Chester County	Opened
11-5-2012	Somerset Trust Company Somerset Somerset County	802 Atkinson Way Somerset Somerset County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-5-2012	VIST Bank Wyomissing Berks County	<i>To:</i> 221 Ridge Pike Conshohocken Montgomery County <i>From:</i> 625 Ridge Pike Conshohocken Montgomery County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-1-2012	American Heritage Federal Credit Union Philadelphia Philadelphia County Merger of UTI Employees Credit Union, Collegeville, with and into American Heritage Federal Credit Union, Philadelphia.	Effective

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-2-2012	Diamond Credit Union Pottstown Montgomery County	173 Holly Road Gilbertsville Montgomery County	Filed

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 12-2258. Filed for public inspection November 21, 2012, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of Curtis T. Lofton for Reinstatement of Teaching Certificates; Doc. No. RE 12-02

Notice of Hearing

Under the Professional Educator Discipline Act (act) (24 P. S. §§ 2070.1a—2070.18a), the Professional Standards and Practices Commission (Commission) has initiated hearing procedures to consider the application of Curtis T. Lofton for reinstatement of his teaching certificates.

On or about June 25, 2012, Curtis T. Lofton filed an application for reinstatement of his teaching certificates under section 16 of the act (24 P. S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.123 (relating to reinstatements). Under

section 16 of the act, the Department of Education on October 3, 2012, recommended to the Commission that the application be denied.

In accordance with the act and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), the Commission will appoint a hearing examiner to serve as presiding officer to conduct the proceedings and hearings as might be necessary, and to prepare a proposed report to the Commission containing findings of fact, conclusions of law and a recommended decision on the application.

Interested parties who wish to participate in these hearing procedures must file a notice of intervention or a petition to intervene in accordance with 1 Pa. Code §§ 35.27—35.32 (relating to intervention) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Persons objecting to the approval of the application may also, within 30 days after publication of this notice

in the *Pennsylvania Bulletin*, file a protest in accordance with 1 Pa. Code § 35.23 (relating to protest generally).

Notices and petitions to intervene and protest shall be filed with Carolyn Angelo, Executive Director, Professional Standards and Practices Commission, 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice. Persons with a disability who wish to attend the hearings and require an auxiliary aid, service or other accommodation to partici-

pate should contact Suzanne Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

CAROLYN ANGELO,
Executive Director

[Pa.B. Doc. No. 12-2259. Filed for public inspection November 21, 2012, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060976 (Sewage)	Moyers Grove Campground 309 Moyers Grove Road Wapwallopen, PA 18660-2053	Luzerne County Hollenback Township	Balliet Run High Quality— Cold Water Fishes (5-B)	Y
PA0043311 (Sewage)	Camp Towanda 700 Niles Pond Road Honesdale, PA 18431	Wayne County Lebanon Township	Unnamed Tributary of Big Brook High Quality—Cold Water Fishes (1-B)	Y
PA0060461 (Sewage)	Laurel Lake Township Municipal Authority Laurel Lake WWTP PO Box 54 Brackney, PA 18812	Susquehanna County Silver Lake Township	Laurel Lake Creek Cold Water Fishes (4-E)	Y
PA0061328 (Sewage)	Plum Creek Municipal Authority 686 Berne Drive Auburn, PA 17922	Schuylkill County South Manheim Township	Plum Creek Cold Water Fishes (03A)	Y
PA0035611 (Sewage)	PennDOT Safety Rest Area Site #56 WWTP Interstate 81 Southbound Lenox Twp., PA 18446	Susquehanna County Lenox Township	UNT to East Branch Tunkhannock Creek (04F)	Y
PA0036439 (Sewage)	Commonwealth of PA White Haven Center WWTP 827 Oley Valley Road White Haven, PA 18661	Luzerne County Foster Township	Linesville Creek (02A)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA000087734 (IW)	Columbia Water Company— Hellam WTP Dugan Facility 220 Locust Street, PO Box 350 Columbia, PA 17512	York County / Hellam Township	Dugan Township / 7I	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0210471 (Sewage)	Bessemer Municipal Authority STP 300 Smalls Ferry Road, Bessemer, PA 16112	Lawrence County North Beaver Township	Hickory Run (20-B)	Y
PA0240117 (Sewage)	Dale L Coates SRSTP 9541 Concord Road Union City, PA 16438	Erie County Union Township	Unnamed Tributary to South Branch French Creek (16-A)	Y
PA0024856 (Sewage)	Taylor Township STP Route 168 Sewer Plant Road West Pittsburg, PA 16160-0489	Lawrence County Taylor Township	Beaver River (20-B)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0021695, Sewage, SIC Code 4952, **Orbisonia & Rockhill Borough Joint Municipal Authority Huntingdon County**, PO Box 346, Orbisonia, PA 17243. Facility Name: Orbisonia Rockhill STP. This existing facility is located in Orbisonia Borough, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Blacklog Creek, is located in State Water Plan watershed 12-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.183 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	38	61	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	46	69	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen	20	XXX	XXX	13.0	XXX	26

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083470, Sewage, SIC Code 4952, **Paradise Township Sewer Authority**, PO Box 40, Paradise, PA 17562-0040. Facility Name: Paradise Township STP. This existing facility is located in Paradise Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Pequea Creek, is located in State Water Plan watershed 7-K and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.12 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.50	XXX	1.6
CBOD ₅	25	40	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	30	45	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Total Phosphorus	2.0	XXX	XXX	2.0	XXX	XXX
Total Phosphorus	XXX	731	XXX	XXX	XXX	XXX
		Total Annual				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0085278, Sewage, SIC Code 8641, **Deerwood Community Homeowners Association**, 11375 Deerwood Drive, Mercersburg, PA 17236-9772. Facility Name: Deerwood Community STP. This existing facility is located in Montgomery Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Licking Creek, is located in State Water Plan watershed 13-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Annual Average	Daily Maximum	Minimum	Average Monthly		Instant. Maximum
Flow (MGD)	Report Avg Mo	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Nitrate-Nitrite as N	Report	XXX	XXX	Geo Mean Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Annl Avg Report	XXX	XXX
Total Nitrogen	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	Report Total Annual	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000

PA0028452, Sewage, SIC Code 4952, **Dunkard Bobtown Municipal Authority**, PO Box 352, Bobtown, PA 15315. Facility Name: Dunkard Bobtown STP. This existing facility is located in Dunkard Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Dunkard Creek, is located in State Water Plan watershed 19-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	0.15	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	31.3	47.6 Wkly Avg	XXX	25	38	50

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	37.6	56.3 Wkly Avg	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	6.9	10.3 Wkly Avg	XXX	5.5	8.3	11.0
Nov 1 - Apr 30	20.7	31.0 Wkly Avg	XXX	16.5	24.8	33.0

I

The EPA Waiver is in effect.

PA0098094, Sewage, **Stonewood Family Partnership LP**, 116 E Pittsburgh Street, Greensburg, PA 15601. Facility Name: Pittsburgh Airport Park MHP STP. This existing facility is located in Independence Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Raccoon Creek, is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0125 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	0.0125	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.4	XXX	3.3
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000

The EPA Waiver is in effect.

PA0217727, Sewage, **Rices Landing Borough**, P O Box 185, Rices Landing, PA 15357. Facility Name: Rices Landing Borough STP. This existing facility is located in Rices Landing Borough, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Monongahela River, is located in State Water Plan watershed 19-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.08 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	0.08	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	1.4	XXX	3.3
CBOD ₅ (CFU/100 ml)	16.68	XXX	XXX	25	XXX	50
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly		Minimum	Average Monthly		Instant. Maximum
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	20.02	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10000

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0264008, Sewage, NAICS Code 722, **Land Acquisition, LLC**, P. O. Box 1530, Youngstown, OH 44501. Facility Name: Gateway Tavern SFTF. This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated kitchen waste and domestic sewage.

The receiving stream(s), an unnamed tributary to Booth Run, is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00073 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly		Minimum	Average Monthly		Instant. Maximum
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean 20	XXX	40

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1512414, Sewage, **Atglen Borough**, P. O. Box 250, Atglen, PA 19130.

This proposed facility is located in Atglen Borough, **Chester County**.

Description of Action/Activity: Construction and operation of a sewage treatment plant.

WQM Permit No. WQG02091208, Sewage, **Warrington Township**, 852 Easton Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a raw sewage pumping station and 6" diameter force main.

WQM Permit No. WQG02091209, Sewage, **Warrington Township**, 852 Easton Road, Warrington, PA 18976-2090.

This proposed facility is located in Warrington Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a raw sewage pumping station and 4" force main.

WQM Permit No. WQG02151210, Sewage, **Pennsylvania American Water Company**, 4 Wellington Boulevard, Wyomissing, PA 19610.

This proposed facility is located in West Sadsbury Township, **Chester County**.

Description of Action/Activity: Construction and operation of a 700 LF extension of a 2" PVC low pressure force main.

WQM Permit No. 1500416, Sewage, **Amendment, East Marlborough Township**, 721 Unionville Road, Kennett Square, PA 19348.

This proposed facility is located in East Marlborough Township, **Chester County**.

Description of Action/Activity: To increase the Organic Loading Capacity.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 1012403, Sewerage, **DJH Inc.**, 513 Marwood Road, Cabot, PA 16023.

This proposed facility is located in Winfield Township, **Butler County**.

Description of Proposed Action/Activity: A Single Residence Small Flow Treatment Facility.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Pike County Conservation District: 556 Route 402, Ste. 1, Hawley, PA 18428, 570-226-8220.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI025211004	Pennsylvania Department of Transportation Engineering District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Pike	Westfall Twp.	Rosetown Creek, HQ-CWF, MF; UNT to Delaware River, HQ-CWF, MF; Shohola Creek, HQ-CWF, MF; Bushkill Creek, EV, MF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

Agricultural Operation Name and Address	County	Total Acres	Animal Equivalent Units	Animal Type	Special Protection Waters (HQ or EV or NA)	Renewal/New
Skyline Acres Inc. 381 Skyline Drive Bernville, PA 19506	Berks	793	1184.18	Dairy Cows	NA	New

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 3612534, Public Water Supply.

Applicant	Chestnut Level Presbyterian Church
Municipality	Drumore Township
County	Lancaster
Responsible Official	Larry L Miller, Water System Operator 2021 Horseshoe Road Lancaster, PA 17602
Type of Facility	Public Water Supply
Consulting Engineer	Thomas J Whitehill, P.E. Whitehill Consulting Engineers 763 Conowingo Rd. Quarryville, PA 17566
Application Received:	10/12/2012
Description of Action	Installation of an anion exchange nitrate treatment system and a caustic soda injection system for general corrosion control.

Permit No. 2212509, Public Water Supply.

Applicant	East Hanover Hotel Corporation—Comfort Suites—Grantville
Municipality	East Hanover Township
County	Dauphin
Responsible Official	Girish Sheth, President 450 Station Road Grantville, PA 17028
Type of Facility	Public Water Supply
Consulting Engineer	Frank P Sidari III, P.E. URS Corporation Foster Plaza 6 Pittsburgh, PA 15220
Application Received:	11/1/2012
Description of Action	Comfort Suites—Grantville, PA. Sodium hypochlorite disinfection system and hot water silver/copper ionization system for disinfection of potable water (including 4-log treatment of viruses and Legionella control.)

Application No. 3612532 MA, Minor Amendment, Public Water Supply.

Applicant	Red Maple Park Mobile Home
Municipality	Clay Township
County	Lancaster
Responsible Official	Henry Nolt, Owner/Primary Licensed Operator 455 B Middle Creek Road Lititz, PA 17543-7303
Type of Facility	Public Water Supply
Consulting Engineer	Thomas W Schreffler, P.E. Light-Heigel & Associates Inc. 430 East Main Street Palmyra, PA 17078

Application Received:	10/1/2012
Description of Action	Installation of chlorine contact tanks

Application No. 5012508 MA, Minor Amendment, Public Water Supply.

Applicant	Hillside Manor Apartments
Municipality	Oliver Township
County	Perry
Responsible Official	David M Bomberger PO Box 36 Mexico, PA 17056
Type of Facility	Public Water Supply
Consulting Engineer	Stephen R. Morse, P.E. Skelly & Loy, Inc. 449 Eisenhower Boulevard Harrisburg, PA 17111
Application Received:	10/1/2012
Description of Action	Installation of 102 feet of 12-inch chlorine contact piping.

Application No. 6712519 MA, Minor Amendment,
Public Water Supply.

Applicant **Salem United Methodist Church**

Municipality Lower Windsor Township

County **York**

Responsible Official Rosalie Eveler, Chairperson, Ad Board
40 West Snyder Corner Road
Red Lion, PA 17356

Type of Facility Public Water Supply

Consulting Engineer John F Leen IV, P.E.
C S Davidson Inc
38 North Duke Street
York, PA 17401

Application Received: 11/5/2012

Description of Action Installation of anion exchange nitrate treatment

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 1012505, Public Water Supply

Applicant **Pennsylvania American Water Company**

[Township or Borough] Lancaster Township

[County] **Butler**

Responsible Official David R. Kaufman

Type of Facility Public Water Supply

Consulting Engineer Jerry Hankey, P.E.
Pennsylvania American Water Company
1909 Oakland Avenue
Indiana, PA 15701

Application Received Date October 19, 2012

Description of Action Construct a booster station to provide water service to portions of Lancaster Township, Butler County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**UNDER ACT 2, 1995****PREAMBLE 1****Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to

Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

CCI Heavy Duty Parts, Inc., (aka Aaron's Repair, Safety Sales and Service), 504-510 Race Street, City of Scranton, **Lackawanna County**. Steven Tanen, AMEC E&I, has submitted a Notice of Intent to Remediate on behalf of his client, Mr. Martin Kapell, 1120 Dillerville Road, Lancaster, PA 17601, concerning the remediation used motor oil found to be present in soils and groundwater due to incidental drips and/or leaks during daily automotive repair operations. The applicant proposes to remediate the site to meet the Non-Residential Statewide Health Standards for soil and groundwater. The intended future use of the site is non-residential. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Shawnee Investment Corp-Clapper House, River Road, Smithfield Township, **Monroe County**, Gregg Walters, MEA, Inc., has submitted a Notice of Intent to Remediate on behalf of his client, Russ Gladd, Shawnee Investment Corp., P. O. Box 67, Shawnee on Delaware,

PA 18356, concerning the remediation of soil and groundwater from No. 2 fuel oil due to an overflow to an abandoned tank fill port no longer connected to the tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standards for soils and groundwater. The intended future use of the site is residential. A summary of the Notice of Intent to remediate was published in *The Pocono Record*, on October 8, 2012. A Final Report was simultaneously submitted.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Susquehanna Valley Nursing & Rehabilitation, 745 Old Chickies Hill Road, Columbia, PA 17512, Columbia Borough, **Lancaster County**. Advantage Engineers, LLC, 910 Century Drive, Mechanicsburg, PA 17055, on behalf of Susquehanna Valley Nursing & Rehabilitation Center, LP, 9900 Walther Boulevard, Baltimore, MD, 21234 and Susquehanna Valley Nursing & Rehabilitation Center, LLC, 745 Old Chickies Hill Road, Columbia, PA 17512, submitted a Notice of Intent to Remediate site groundwater contaminated with No. 2 fuel oil released during removal of an underground storage tank. The site will be remediated to the Residential Statewide Health standard. Future use of the site remains a nursing facility.

Vanity Fair Powerhouse Site, 801 Hill Avenue, Reading, PA 19610, Wyomissing Borough, **Berks County**. Environmental Resources Management, 350 Eagleview Boulevard, Suite 200, Exton, PA 19341, on behalf of Rockwell Automation, 1201 South Second Street, Mail Stop B5 M28, Milwaukee, WI, 53204 and VF Factory Outlet, Inc., 801 Hill Avenue, Reading, PA 19610 submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 4 and No. 6 fuel oils. The site will be remediated to the Non-residential Statewide Health standard. Future use of the site remains non-residential.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Porcelain Park, West Third Street, Derry Borough, **Westmoreland County**. GAI Consultants Inc., 385 East Waterfront Drive, Homestead, PA 15120 on behalf of the Redevelopment Authority of Westmoreland County, 40 North Pennsylvania Avenue, Suite 520, Greensburg, PA 15601 has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with VOCs, PAH and metals associated with past industrial use of the site. The future planned use of the property is light industrial and commercial.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 300491. EME Homer City Generation, L.P., 1750 Power Plant Road, Homer City, PA 15748. Homer City Ash Disposal Site, 1750 Power Plant

Road, Homer City, PA 15748-9558. Application for the reissuance of a residual waste landfill permit in Center and Blacklick Townships, **Indiana County** was received in the Regional Office on November 6, 2012.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

26-00598A: Silbaugh Vault & Burial Service, Inc. (4 Speedway Boulevard, Uniontown, PA 15401) for cemeteries and crematories at Silbaugh Vault & Burial Service in North Union Township, **Fayette County**. This is a minor facility Plan Approval application submittal.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

15-0104D: Tasty Baking Oxford, Inc. (700 Lincoln Street, Oxford, PA 19363) to install a new bread production line at their facility in Oxford Borough, **Chester County**. The facility is a Title V facility and a major source for VOC emissions. With the increase in VOC emissions from the new bread line, the facility has applied for a Plantwide Applicable Limit (PAL) of 41.7 tons per year for VOC emissions. VOC emissions from the new bread line will be minimized by a catalytic oxidizer, with a destruction efficiency of 95% (or a maximum concentration of 7 ppmdv, reported as propane). Miscellaneous sources associated with the project include: (a) five (5) gas water heaters [four (4) units rated at 400,000 Btu/hr and one (1) unit rated at 200,000 Btu/hr]; (b) one (1) infrared space heater for the trash room, rated at 100,000 Btu/hr; (c) five (5) makeup air handling units (natural gas fired) rated at 1.20 MMBtu/hr each; and (d) Markem printers, used to print coding information on packages. Potential annual emissions from the new bread line operation are: 10.32 TPY for VOC; 8.33 TPY for NO_x; 5.37 TPY for CO; 0.66 TPY for PM; 0.05 TPY for SO_x; and 0.16 TPY for HAP. Emissions of filterable PM shall not exceed 0.04 grains per dry standard cubic feet. The catalytic oxidizer shall be subject to an initial catalyst inlet temperature requirement of 600°F. Both the inlet and outlet temperatures of the catalyst shall be continuously monitored and recorded. The pressure drop across the catalyst shall be monitored and recorded daily. Annual sampling and testing shall be performed to ensure the catalyst is in good condition. This project is not subject to NSPS, NESHAP, MACT, PSD, NSR, or CAM. The Plan Approval will contain additional monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-949-705-4863

ARP-01-05029: Genon Wholesale Generation, LP (121 Champion Way, Suite 200, Canonsburg, PA 15317) for their Hunterstown Electric Generating Station in

Straban Township, **Adams County**. This is a renewal of the facility's Acid Rain Permit.

In accordance with 25 Pa. Code § 127.531, the Department of Environmental Protection (DEP) has received an application and intends to renew an Acid Rain Permit for the abovementioned facility.

The plant is a major facility subject to the operating permit requirements of Title IV of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements). Actual facility emissions for 2011 included 18.1 tons of particulate matter, 19.2 tons of volatile organic compounds, 135.9 tons of carbon monoxide and 94.9 tons of nitrogen oxides.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

William R. Weaver, Regional Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

67-05083: Calpine Mid Merit LLC—York Energy Center (1055 Pikes Peak Road, Delta, PA 17314) for a gas turbine cogen power plant, located in Peach Bottom Township, **York County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue an Operating Permit to the above mentioned company. The Permit will contain emission standards, monitoring, recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The operating permit is subject to 40 CFR 60, Subpart KKKK for combustion turbine, and 40 CFR 97, Subpart AA for the NO_x Budget Trading (CAIR). The operating permit includes the following emissions limits for the facility, based on any consecutive 12-month period:

Nitrogen oxides—230.1 tons
 Volatile organic compounds—23.1 tons
 Carbon monoxide—219.65 tons
 Sulfur dioxide—150.5 tons
 Particulate matter—261.65 tons
 Sulfuric acid mist—23.05 tons
 Hazardous air pollutants (HAPs)—less than 10 tons for any single HAP or 25 tons total
 Ammonia—222.25 tons

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. A person may oppose the proposed

permit, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must include the name, address and telephone number of the person submitting the comments, reference number of the proposed permit, and a concise statement regarding the relevancy of the information or objections to the permit issuance.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests, or for requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

William R. Weaver, Regional Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments protests or requests for a public hearing.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00001: Tennessee Gas Pipeline Company, LLC (1001 Louisiana Street, Houston, TX 77002) for renewal of the Title V operating permit (TVOP) for their Station 319 facility in Wyalusing Township, **Bradford County**. The representative of Tennessee Gas Pipeline Company, LLC to contact regarding the proposed operating permit is Mr. Murali Ramamoorthy, Principal Engineer, 1001 Louisiana Street, Houston, TX 77002.

The facility's main sources include two (2) 4500-hp compressor-turbines, one emergency generator-engine and small combustion units that are also fired on natural gas. No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60 and 63 as well as 25 Pa. Code Chapters 121—145 and existing permit conditions. The facility has the potential to emit of major quantities of NO_x emissions. The other criteria pollutants as well as hazardous air pollutant emissions are estimated to not exceed the respective major quantities. The air contaminant emissions from the facility's 2011 Air Information Management System (AIMS) report are as follows; 2.2 tpy of carbon monoxide, 10.7 tpy of nitrogen oxides, 0.3 tpy of particulate matter (PM), including PM less than 10 and 2.5 microns in diameter, 0.01 tpy of sulfur oxides, 0.3 tpy of volatile organic compounds, 0.01 tpy of hazardous air pollutants and 0.01 tpy of formaldehyde.

The proposed Title V operating permit for renewal has included the applicable National Emission Standards for Hazardous Air Pollutants (NESHAP) for stationary reciprocating internal combustion to the emergency generator-engine at the facility. The NESHAP requirements included in the proposed Title V operating permit restrict generator-engine operation to 100 hours per year for non-emergency operation and require manufacturer's recommended maintenance and operation practices on the generator-engine. The proposed Title V operating permit contains applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State air quality regulations.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's North Central Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Permit No. 08-00001) and concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, North Central Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

06-05082: Dairy Farmers of America, Inc. (100 McKinley Avenue, Reading, PA 19605) for their milk products processing facility in Muhlenberg Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility. The subject facility has actual emissions of 6.5 tpy of NO_x and 5.1 tpy of CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain

the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Facility Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

36-05087: Morgan Corporation (35 Thousand Oaks Blvd., Morgantown, PA 19543) for operation of a truck body manufacturing plant in Ephrata Borough, **Lancaster County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility. This is a renewal of the facility's State-only operating permit issued in 2007.

The subject facility has annual emissions of approximately 7.2 tons of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Mr. Thomas Hanlon, Facility Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00043: HRI, Inc. (1750 West College Avenue, State College, PA 16801) for renewal of the State Only (Synthetic Minor) Operating Permit for their Williamsport hot mix asphalt plant in the City of Williamsport, **Lycoming County**. The facility is currently operating under SMOP 41-00043. The facility's main sources include one (1) 300 ton per hour batch mix asphalt plant; one (1) 250 ton capacity electric heated overnight storage silo; and two (2) cold cleaning machines. The facility has potential emis-

sions of 43.63 tons per year of carbon monoxide, 19.41 tons per year of nitrogen oxides, 97.48 tons per year of sulfur oxides, 4.02 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 20.97 tons per year of volatile organic compounds, 2.09 tons per year of total hazardous air pollutants (HAPs), and 10,032 tons per year of carbon dioxide equivalents (greenhouse gases). No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Parts 60 and 63, and 25 Pa. Code Chapters 121—145.

The proposed State Only (Synthetic Minor) operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3693.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Permit No. 41-00043) and concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport PA 17701, 570-327-3648.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

10-00270: Lectromat, Inc. (PO Box 608, Mars, PA 16046-0608) to issue the renewal of the State Only Operating Permit for their facility operating to manufacture electrical insulations and composite prepregs in Adams Township, **Butler County**. The primary sources at the facility include 3 horizontal coaters/laminators, 2 vertical coating towers, an epoxy resin coating line, and 2 natural gas fired space heaters. Emissions from the coaters/laminators and the coating towers are controlled by fume incinerators. The facility is a Natural Minor. Potential emissions for the facility are as follows: NO_x < 1 tpy; CO < 1 tpy; VOCs < 1 tpy; and HAPs < 1 tpy. The

renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

24-00017: Morgan Advanced Materials & Technology (411 Hall Avenue, Saint Marys, PA 15857) to issue the renewal of the State Only Operating Permit for their facility operating to manufacture mechanical seals, vanes, and rotors in the City of Saint Marys, **Elk County**. The primary sources at the facility include (9) heat treat ovens, (13) curing ovens, resin and metal impregnation operations, and (5) spray dryers. Emissions from the heat treat ovens are controlled by thermal oxidizers and afterburners; emissions from the metal impregnation operations and the spray dryers are controlled by dust collectors. The facility is a Natural Minor. Potential emissions are as follows: PM 5 tpy; NO_x 5 tpy; SO_x 24 tpy; CO 10 tpy; VOC 5.4 tpy; POM 3.4 tpy. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E09-968. Commonwealth of Pennsylvania and Philadelphia Regional Port Authority (PRPA), 3460 N, Delaware Avenue, Philadelphia, PA 19134, Bristol, PA 19021, ACOE Philadelphia District.

To preserve, enhance and create approximately 33.8 acres of uplands and intertidal areas, as a compensatory mitigation measure within Jack's Marina for impacts associated with the Southport Marina Terminal project (E51-242) located within the floodplain of the Delaware River in the City and **County of Philadelphia**.

The site is located near the intersection of 4th Avenue and Central Drive in Bristol Township, **Bucks County** (Beverly, PA USGS Quadrangle N: 14.50 inches; W: 4.75 inches).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-735. Neil Horn, Pole # 250, Route 415, Harveys Lake, PA 18618, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To modify and maintain an existing dock/boathouse in Harveys Lake with work consisting of adding a 900 sf addition to the existing 1,800 sf dock, removing the existing boathouse and constructing a new 1,400 sf boathouse on the dock. The project is located along Lakeside Drive (SR 415) at Pole #250 (Harveys Lake, PA Quadrangle Latitude: 41°21'31"; Longitude: -76°02'23") in Harveys Lake Borough, Luzerne County.

E40-736. Stephen Hannon, 211 Greystone Drive, Shavertown, PA 18708, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 32-foot by 48-foot pile supported dock with a 198 square foot boat slip in Harveys Lake. The project is located along Lakeside Drive (SR 415) at Pole #284 (Harveys Lake, PA Quadrangle Latitude: 41°21'02"; Longitude: -76°02'46") in Harveys Lake Borough, Luzerne County.

E54-438. PA DCNR, P. O. Box 8451, Harrisburg, PA 17105-8451, in South Manheim Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a road crossing of a tributary to Bear Creek (CWF, MF) consisting of an open bottom structural plate arch having a 71.58-foot span with a 9-foot underclearance, concrete headwalls, concrete wing walls and R-6 riprap. The project is located on the south side of West Deer View Drive (T-661) approximately 1.8 miles south of its intersection with SR 0895 (Friedensburg, PA Quadrangle, Latitude: 40°33'46.9"; Longitude: -76°9'1.2").

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E59-516. Dominion Transmission, Inc., 445 West Main Street, Clarksburg, WV 26301. TL- 610 Extension 1 Tioga Area Expansion Pipeline Project in Clymer, Elk and Gaines Townships, **Tioga County**, ACOE Baltimore District (Sabinsville, PA Quadrangle Latitude: 41° 49' 37.75"; Longitude: 77° 31' 12.45" and Lee Fire Tower, PA Quadrangle Latitude: 41° 37' 13.40"; Longitude 77° 33' 05.42").

Dominion Transmission, Inc. is seeking authorization to remove existing LN-280 pipeline and construct, operate and maintain 15-miles of 24-inch diameter natural gas pipeline for their TL-610 Extension 1 Tioga Area Expan-

sion Project. Construction of the new natural gas pipeline within an existing 50-foot gas pipeline right-of-way will require the following sixteen (16) streams and twenty-seven (27) wetland encroachments:

<i>Activity ID</i>	<i>Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Resource</i>	<i>Impact</i>
S-1	Pipeline	41° 49' 22.62"	77° 31' 09.16"	Tributary Baker Branch	9.0-feet
S-2	Pipeline	41° 49' 01.13"	77° 31' 70.70"	Tributary Baker Branch	5.0-feet
S-4	Pipeline	41° 48' 45.06"	77° 31' 05.52"	Baker Branch	10.0-feet
S-6	Pipeline	41° 48' 16.12"	77° 31' 14.02"	Tributary Bend Gully	1.5-feet.
S-8	Pipeline	41° 48' 06.75"	77° 31' 19.00"	Tributary Baker Branch	1.2-feet
S-10	Pipeline	41° 44' 56.84"	77° 32' 14.22"	Shinn Hollow	10.0-feet
S-11	Pipeline	41° 44' 40.61"	77° 32' 12.20"	Pine Creek	120.0-feet
S-12	Pipeline	41° 44' 23.70"	77° 32' 12.01"	Whitney Hollow	5.0-feet
S-14	Pipeline	41° 43' 58.95"	77° 32' 15.50"	Tributary Lick Run	3.0-feet
S-15	Pipeline	41° 43' 33.99"	77° 32' 13.50"	Lick Run	10.0-feet
S-18	Pipeline	41° 42' 00.94"	77° 32' 29.30"	Lewis Run	10.0-feet
S-19	Pipeline	41° 41' 25.99"	77° 32' 29.48"	Dewey Run	3.0-feet
S-20	Pipeline	41° 41' 25.59"	77° 32' 29.62"	Tributary Dewey run	1.5-feet
S-21	Pipeline	41° 41' 01.28"	77° 32' 38.23"	Elk Run	5.5-feet
S-22	Pipeline	41° 39' 12.90"	77° 32' 52.92"	Tributary Billings Creek	1.5-feet
S-23	Pipeline	41° 48' 16.12"	77° 31' 14.02"	Billing Branch	2.0-feet
W-1	Pipeline	41° 49' 22.62"	77° 31' 09.16"	Wetland Baker Branch	0.98-acre
W-1.5	Pipeline	41° 49' 21.05"	77° 31' 09.08"	Wetland Baker Branch	0.04-acre
W-2	Pipeline	41° 49' 09.06"	77° 31' 07.70"	Wetland Baker Branch	0.04-acre
W-6	Pipeline	41° 48' 45.06"	77° 31' 05.52"	Wetland Baker Branch	0.08-acre
W-7	Pipeline	41° 48' 28.74"	77° 31' 09.98"	Wetland	0.49-acre
W-8	Pipeline	41° 48' 20.43"	77° 31' 12.85"	Wetland	
W-9	Pipeline	41° 48' 16.12"	77° 31' 14.02"	Wetland Bend Gully	0.24-acre
W-12	Pipeline	41° 44' 56.84"	77° 32' 14.22"	Wetland Sinn Hollow	0.13-acre
W-13	Pipeline	41° 44' 43.23"	77° 32' 12.93"	Wetland Pine Creek	0.00-acre
W-14	Pipeline	41° 44' 40.61"	77° 32' 12.20"	Wetland Pine Creek	0.00-acre
W-15	Pipeline	41° 44' 33.25"	77° 32' 11.32"	Wetland	0.33-acre
W-16	Pipeline	41° 44' 23.07"	77° 32' 12.01"	Wetland Whitney Hollow	0.03-acre
W-17	Pipeline	41° 44' 17.38"	77° 32' 13.01"	Wetland	0.44-acre
W-18.1	Pipeline	41° 44' 11.14"	77° 32' 14.36"	Wetland	0.07-acre
W-18.3	Pipeline	41° 43' 58.94"	77° 32' 15.49"	Wetland Lick Run	0.40-acre
W-18.4	Pipeline	41° 43' 45.86"	77° 32' 13.70"	Wetland	0.24-acre

<i>Activity ID</i>	<i>Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Resource</i>	<i>Impact</i>
W-18.6	Pipeline	41° 43' 33.48"	77° 32' 14.00"	Wetland Lick Run	0.17-acre
W-19	Pipeline	41° 43' 31.68"	77° 32' 14.59"	Wetland Lick Run	0.02-acre
W-20	Pipeline	41° 43' 27.79"	77° 32' 16.12"	Wetland	0.25-acre
W-21	Pipeline	41° 42' 00.94"	77° 32' 29.30"	Wetland Lewis Run	0.14-acre
W-22	Pipeline	41° 41' 56.59"	77° 32' 27.74"	Wetland	0.37-acre
W-23	Pipeline	41° 41' 25.59"	77° 32' 29.62"	Wetland Dewey Hollow	0.33-acre
W-24	Pipeline	41° 41' 01.28"	77° 32' 38.23"	Wetland Elk Run	0.12-acre
W-25	Pipeline	41° 39' 49.63"	77° 32' 56.22"	Wetland	0.03-acre
W-26	Pipeline	41° 39' 26.05"	77° 32' 59.40"	Wetland	0.29-acre
W-27	Pipeline	41° 39' 12.90"	77° 32' 52.92"	Wetland	0.09-acre
W-28	Pipeline	41° 38' 41.20"	77° 32' 40.42"	Wetland Billings Creek	0.47-acre

All in-stream pipeline construction activities shall be performed in dry work conditions by directional drilling, dam and pumping, fluming or diverting stream flow around the work areas. Construction of the TL-610 Extension 1 Tioga Area Expansion Project outside of maintained right-of-way will result in 1.086-acres of temporary wetland impact with 0.39-acre of permanent wetland loss. Complete restoration of temporary wetland impacts shall be required. The 0.39-acre of permanent wetland loss shall be mitigated by the permittee. The project's northern terminus is located along the southern right-of-way of Clymer Township Road 559 and the southern terminus is located along the western right-of-way of Tioga State Forest Wilson Point Road.

Southwest Region: Wetlands & Waterways Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E30-243. Pennsylvania Department of Transportation—District 12-0, 825 N. Gallatin Avenue Extension, Uniontown, PA 15401, Waynesburg Borough and Franklin Township, **Greene County**; ACOE Pittsburgh District

Applicant proposes to remove the existing SR 19, two lane, 29.2 ft. wide, two span, concrete arch bridge having a total length of approximately 150 ft., and having minimum normal pool underclearance of 14 ft.; and to construct and maintain downstream and adjacent to the existing bridge an 88.1 ft. total width, two lane, two span, concrete beam replacement bridge having a total length of approximately 154 ft. and having minimum normal pool underclearance of 9.7 ft. over the South Fork of Ten Mile Creek (WWF) with a drainage area of 132 square miles. In addition, fill 0.04 acre of PEM wetland; construct and maintain an 18 ft. extension to an existing 100 ft. long, 7.1 ft. by 7.1 ft. box culvert enclosure and relocate 51 ft. of an adjoining unnamed tributary with a drainage area of 326 acres; for project construction and demolition install temporary causeways and temporary fill of 0.14 acre of PEM wetlands; construct and maintain associated replacement stormwater outfalls; and construct and maintain stream mitigation off-site. The bridge and road improvement project is located within and between Waynesburg Borough and Franklin Township Greene County (Waynesburg Quadrangle, Latitude 39° 53' 47" and Longitude 80° 10' 14").

Southwest Region: Oil and Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E26-07-004. Caiman Penn Midstream LLC 5949 Sherry Ln Ste 1300 Dallas, TX 75225-8008. Henry Clay & Wharton Twps, **Fayette County**, ACOE Pittsburgh District.

The Polk to Fike Pipeline Project includes the construction of approximately 21,000 feet of 12" gas gathering line with a 60 foot Right of Way (ROW), two surface sites, and five access roads. The Project has 10 stream and 3 wetland crossings of Fike Run (HQ-CWF) and unnamed tributaries to Fike Run. The 10 stream crossings will be a combination of flume pipe diversions for the pipe and temporary mobile bridges for the temporary access roads. The wetland crossings will consist of two HDD bores and one open trench with timber mats. The total disturbance for this project is 35.1 acres. This pipeline crosses from PA into WV. (Friendsville & Brandonville, Quadrangle N: 39° 44' 7"; W: -79° 30' 44").

ENVIRONMENTAL ASSESSMENT

Northcentral Region: Program Manager, Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701

EA18-004. Robbins Hollow 10A/10B Passive Abandoned Mine Drainage Treatment System, Robbins Road, Renovo, PA 17764. Trout Unlimited abandoned mine drainage abatement project along Robbins Hollow, Noyes Township, **Clinton County**, ACOE Baltimore District

The applicant proposes to construct a passive treatment system for the Robbins Hollow 10A and 10B acidic discharges from previous mining operations. The system, which would be authorized under a restoration waiver, will consist of a small collection system, limestone bed and settling pond. The limestone bed is designed to settle and retain precipitated metals and discharge water with a pH of 6-7. The settling pond will discharge to the same roadside ditch that currently carries the flow. The channel that carries the discharge to Robbins Hollow will not be impacted. As proposed, there will be two wetland impacts associated with the work:

<i>Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Resource</i>	<i>Impact</i>
Construct AMD system	41° 20' 15.6" N	77° 51' 1.4" W	AMD kill zone wetland	0.22 acre
Install AMD collection pipe	41° 20' 15.8" N	77° 50' 59.1" W	Wetland	<0.01 acre

(Renovo West Quadrangle; Latitude 41° 54' 14.8" N; Longitude 77° 51' 1.4" W).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0062863 (Sewage)	Pike County Correctional Facility 175 Pike County Boulevard Lords Valley, PA 18428	Pike County Blooming Grove Township	Billings Creek (1-D)	Y
PA0070084 (Stormwater & Hydrostatic Testing)	Buckeye Macungie Terminal 5198 Buckeye Road Macungie, PA 18062	Lehigh County Lower Macungie Township	Unnamed Tributary to Swabia Creek (2-C)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0012394 (Industrial Waste)	Harsco Industrial Patterson-Kelley 100 Burson Street East Stroudsburg, PA 18301	Monroe County East Stroudsburg Borough	Sambo Creek (1-E)	Y
<i>Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0248231 (Sew)	Otterbein United Methodist Church Duncannon 327 Newport Road Duncannon, PA 17020-9669	Perry County Penn Township	UNT of Little Juniata Creek k/ 7-A	Y
PA0083305 (GWCU)	Tyco Electronics Corporation MS 038-34 PO Box 3608 Harrisburg, PA 17105-3608	York County Codorus Township	UNT to South Branch Codorus Creek / 7-H	Y
<i>Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0218723 Sewage	Blacklick Valley Municipal Authority PO Box 272 Twin Rocks, PA 15960	Indiana County Buffington Township	Blacklick Creek	Y
<i>Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0238601 (Sewage)	Sutton MHP McGregor Road Butler, PA 16001	Butler County Clay Township	Unnamed Tributary to Glade Run (20-C)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0063568, Industrial Waste, SIC Code 4941, **Northampton Borough Municipal Authority**, 1 Clear Springs Drive, PO Box 156, Northampton, PA 18067-0156.

This existing facility is located in North Whitehall Township, **Lehigh County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated industrial waste from the Northampton Borough Municipal Authority Water Treatment Plant.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. WQG01291201, Sewerage, **Hustontown Market**, 2645 Doran Road, Three Springs, PA 17264.

This proposed facility is located in Dublin Township, **Fulton County**.

Description of Proposed Action/Activity: Construction / Operation of a small flow sewage treatment system to serve the Hustontown Market at 8933 Waterfall Road, Hustontown, PA 17229.

WQM Permit No. 0712402, Sewerage, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601.

This proposed facility is located in Altoona City, **Blair County**.

Description of Proposed Action/Activity: Permit approval for the construction of new interceptors ranging from 12" to 30" in diameter and related appurtenances in Area A (Roselawn Avenue), Area B (58th Street and Kissell Avenue) and Area C (Morningside Avenue to Beckman Drive) to either eliminate hydraulic overload or replace structurally deficient pipe.

WQM Permit No. 2812401, Sewerage, **Washington Township Municipal Authority**, 11102 Buchanan Trail East, Waynesboro, PA 17268-9503.

This proposed facility is located in Washington Township, **Franklin County**.

Description of Proposed Action/Activity: Permit approval for modifications of sewage facilities consisting of upgrading of the Main conveyance sewer to facilitate future growth and development. The upgrade consists of the upgrade of almost 25,000-ft of the conveyance system.

WQM Permit No. 2898201 Amendment No. 2, CAFO, **Dream Farm** 13689 Dream Highway, Newburg, PA 17240. This proposed facility is located in Lurgan Township, **Franklin County**.

Description of Proposed Action/Activity: Permit corrections.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG018852, Sewage, **Sarah S. Wolfrom**, 26024 Highway 19, Cambridge Springs, PA 16403.

This existing facility is located in Cambridge Township, **Crawford County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant as replacement of a malfunctioning on-lot system.

WQM Permit No. 6212401, Sewage, **City of Warren**, 318 West Third Avenue, Warren, PA 16365-2388.

This proposed facility is located in City of Warren, **Warren County**.

Description of Proposed Action/Activity: This permit approves modification and operation of pump stations and force mains.

WQM Permit No. 3312401, Sewage, **Brockway Area Sewer Authority**, 501 Main Street, Brockway, PA 15824.

This proposed facility is located in Brockway Borough, **Jefferson County**.

Description of Proposed Action/Activity: This permit approves improvements to the Alexander Street pump station.

WQM Permit No. 3712401, Sewage, **Lawrence Hickory Municipal Authority**, P. O. Box 7957, New Castle, PA 16107.

This proposed facility is located in Hickory Township, **Lawrence County**.

Description of Proposed Action/Activity: This permit approves the construction and operation of a sewer extension in Hickory Township consisting of gravity sewers, pump stations/force mains and a limited number of simplex grinder pump connections.

WQM Permit No. WQG018853, Sewage, **Viola Biffaretti**, 114 Andrews Trace, Butler, PA 16001.

This proposed facility is located in Franklin Township, **Butler County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1508064A-1	Transcontinental Gas Pipe Line Company, LLC (TRANSCO) 2800 Post Oak Blvd (77056) PO Box 1396 Houston, TX 77251-1396	Chester	West Vincent Township	East Branch Brandywine Creek and Ludwig's Run (WWF-MF-HQ-TSF)
PAI01 151219	David Herbener 1292 Jaime Lane Birchrunville, PA 19421	Chester	West Vincent Township	Unnamed Tributary Birch Run (EV)
PAI01 151223	Pennsylvania CVS Pharmacy, LLC Summit Realty Advisors, LLC 610 West Germantown Pike Plymouth Meeting, PA 19462	Chester	West Whiteland Township	Brandywine Creek (CWF)
PAI01 2303009-R	Toll PA VI, LP 1180 Station Boulevard Chester Springs, PA 19425	Delaware	Upper Providence Township	Ridley Creek (HQ-TSF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024810012	Segal & Morel at Forks Township X, LLC 991 Route 22 West Bridgewater, NJ 08807	Northampton	Forks Twp.	UNT to Delaware River, CWF, MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025212003	PPL Electric Utilities Corp. 2 North Ninth St. GENN 3 Allentown, PA 18101	Pike	Lackawaxen Twp. and Palmyra Twp.	Lackawaxen River, HQ-CWF, MF

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044112006	Kent Morton Moxie Patriot LLC 612 Center St S Ste 200 Vienna VA 22180	Lycoming	Clinton Township	UNT to W.B. Susquehanna River WWF, MF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

General Permit Type—PAG-02

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Thornbury Township Delaware County	PAG0200 2312014	Cheyney University of PA PO Box 260 Cheyney, PA 19319-0200	East Branch Chester Creek (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Swarthmore Borough Delaware County	PAG0200 2312019	Swarthmore College 500 College Avenue Swarthmore, PA 19081	Crum Creek (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

7195

*Facility Location:
Municipality &
County*

Upper Providence
Township
Delaware County

Permit No.
PAG0200
2310016-R

*Applicant Name &
Address*
Puzzle Face Properties, LLC
PO Box 1798
Media, PA 19063

*Receiving
Water / Use*
Unnamed Tributary
Ridley Creek/Ridley
Creek (TSF)

*Contact Office &
Phone No.*
Southeast Regional
Office
2 East Main Street
Norristown, PA
19401
484-250-5900

Towamencin
Township
Montgomery County

PAG0200
4612068

Gary L. Graham
7000 South Eisenhower Blvd
Middletown, PA 17106-7676

Skippack Creek
(TSF)

Southeast Regional
Office
2 East Main Street
Norristown, PA
19401
484-250-5900

Upper Providence
Township
Montgomery County

PAG0200
4607116-R

Joseph Gambone, Jr.
1030 West Germantown Pike
Norristown, PA 19403

Unnamed Tributary
Schuylkill River
(WWF)

Southeast Regional
Office
2 East Main Street
Norristown, PA
19401
484-250-5900

City of Philadelphia
Philadelphia County

PAG02001
511221

The American Revolution
Center
123 Chestnut Street
Philadelphia, PA 19106

Delaware Direct
Watershed
(WWF-MF)

Southeast Regional
Office
2 East Main Street
Norristown, PA
19401
484-250-5900

Kingston Twp.,
Luzerne County

PAG02004007035R

Fred Adams
12 Cook Street Rear
Plains, PA 18705

Toby Creek,
TSF, MF

Luzerne Co.
Cons. Dist.
570-674-7991

Delano Twp.,
Schuylkill County

PAG02005407015R

MBC Development, LP
950 East Main St.
PO Box 472
Schuylkill Haven, PA 17972

North Mahanoy
Creek,
CWF, MF

Schuylkill Co.
Cons. Dist.
570-622-3742

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

*Facility Location:
Municipality &
County*

White Township
Indiana County

Permit No.
PAG02003212011

*Applicant Name and
Address*
Campus Crest Development,
LLC
2100 Rexford Road
Suite 414
Charlotte, NC 28211

*Receiving
Water / Use*
UNT to McCarthy
Run (CWF)

*Contact Office and
Phone No.*
Indiana County CD
625 Kolter Drive
Suite 8
Indiana, PA 15701

Indiana County,
Cherryhill Township

PAG2093212008

Bureau of Abandoned Mine
Reclamation
Cambria Office
286 Industrial Park Road
Ebensburg, PA 15931-4119

Two Lick Creek/
CWF

PA DEP
Cambria Office
286 Industrial Park
Road
Ebensburg, PA
15931-4119
814-472-1800

General Permit Type—PAG-3

*Facility Location:
Municipality &
County*

Etna Borough
Allegheny County

Permit No.
PAR806238

*Applicant Name &
Address*
A Duie Pyle
151 Poplar Street
Etna, PA 15223

*Receiving
Water / Use*
Pine Creek

*Contact Office &
Phone No.*
Southwest Regional
Office:
Water Management
Program Manager
400 Waterfront
Drive
Pittsburgh, PA
15222-4745
412-442-4000

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Adams Township Butler County	PAR208372	GA Industries LLC 9025 Marshall Road Cranberry Township, PA 16066-3696	Breakneck Creek 20-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Adams Township Butler County	PAR208373	GA Industries LLC 9025 Marshall Road Cranberry Township, PA 16066-3696	Unnamed Tributary to Brush Creek 20-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Brookville Borough Jefferson County	PAR118339	BA Acquisition, Inc. 119 Progress Street Brookville, PA 15825	Unnamed Tributary to the Redbank Creek and an Unnamed Tributary to the Clement Run 17-C	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Erie City, Erie County	PAR238320	BASF Corporation 1729 East Avenue Erie, PA 16503-2367	Municipal storm water tributaries to Motsch Run and Lake Erie 15	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Fulton County / Dublin Township	PAG043927	Hustontown Market 2645 Doran Road Three Springs, PA 17264	UNT Plum Run / TSF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Dauphin County / East Hanover Township	PAG043568	Michael & Patricia Pulaski 1014 Manada Bottom Road Harrisburg, PA 17112	Manada Creek / CWF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Cambridge Township Crawford County	PAG041085	Sarah S. Wolfrom 26024 Highway 19 Cambridge Springs, PA 16403	Unnamed Tributary of French Creek 16-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Franklin Township Butler County	PAG041086	Viola Biffaretti 114 Andrews Trace Butler, PA 16001	Unnamed Tributary to the Mulligan Run 20-C	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-5**Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Greenville Borough Mercer County	PAG058375	Reed Oil Company 511 Montgomery Avenue New Castle, PA 16102-1111	Shenango River 20-A	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Greene Township Erie County	PAG058307	United Refining Company of PA 814 Lexington Avenue P. O. Box 688 Warren, PA 16365-3224	Unnamed Tributary to Fourmile Creek 15	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Zelienople Borough Butler County	PAG058325	United Refining Company of PA 814 Lexington Avenue P. O. Box 688 Warren, PA 16365-3224	Unnamed Tributary to Connoquenessing Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Millcreek Township Erie County	PAG058361	MKP Enterprises, Inc. P. O. Box 8326 Erie, PA 16505	Unnamed Tributary to Mill Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-10

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Gibson Township Susquehanna County	PAG102260	Williams Field Service Co. LLC (Gibson Pipeline Project) 1605 Coraopolis Heights Road Moon Township, PA 15108-4310	Bell Creek, Tunkhannock Creek, Unnamed Tributary #29171 to Bell Creek and Unnamed Tributaries #29179, 29181, & 29184 to Tunkhannock Creek—4-F	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511

*Facility Location:
Municipality &
County*Forest Lake
Township
Susquehanna
County*Permit No.*

PAG102266

*Applicant Name &
Address*Williams Field Service Co. LLC
(Lester Rd Pipeline)
1605 Coraopolis Heights Road
Moon Township, PA 15108*Receiving
Water / Use*Unnamed Tributary
to Forest Lake
Creek—4-D*Contact Office &
Phone No.*DEP Northeast
Regional Office
Clean Water
Program
2 Public Square,
Wilkes-Barre, PA
18701-1915
570.826.2511

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Tuscarora Farms, LLC Jacob Wimmer PO Box 154 Roxbury, PA 17251	Franklin	0	865.23	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also

available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 3112502, Public Water Supply.

Applicant **Huntingdon Borough**
Municipality Huntingdon Borough
County **Huntingdon**
Responsible Official Karen A. Foust, Borough Secretary
530 Washington Street
PO Box 592
Huntingdon, PA 16652-0592

Type of Facility Modifications to the Huntingdon Water Treatment Plant which include the raw water intake, raw water pump station, rapid mixer, flocculation and sedimentation basins, filters, clearwell, chemical feed systems, the sendout pumping station and installation of a new generator and a chlorine gas scrubber. Replacement of ~9,000 ft of watermain and repainting of 3 existing storage tanks.

The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Department's review of the project and the information received in the Uniform Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal. The Department approved the Uniform Environmental Assessment on November 6, 2012.

Consulting Engineer William A LaDieu, P.E.
CET Engineering Services, GHD
1240 N. Mountain Road
Harrisburg, PA 17112

Permit to Construct Issued: 10/12/2012

Permit No. 2812505 MA, Minor Amendment, Public Water Supply.

Applicant **Sunny Spot Apartments**
Municipality Antrim Township
County **Franklin**
Responsible Official Aden E Diller, Owner
2081 Hykes Road
Greencastle, PA 17225

Type of Facility GWR 4-Log treatment of Viruses for EP 101.

Consulting Engineer Joseph M McDowell, P.E.
Martin & Martin, Inc.
37 S Main Street
Chambersburg, PA 17201

Permit to Construct Issued: 11/7/2012

Permit No. 3812504 MA, Minor Amendment, Public Water Supply.

Applicant **Timber Service Corporation**
Municipality South Londonderry Township
County **Lebanon**
Responsible Official William B Care, Director of Public Works
P O Box 391
Mt Gretna, PA 17064

Type of Facility GWR 4-log treatment of viruses for EP 101. Installation of additional chlorine contact piping.

Consulting Engineer David J Gettle
Kohl Bros., Inc.
PO Box 350
Myerstown, PA 17067

Permit to Construct Issued: 11/5/2012

Operations Permit issued to: **Stone Mill Property Management**, 7670067, Chanceford Township, **York County** on 11/5/2012 for the operation of facilities submitted under Application No. 6712518 MA.

Operations Permit issued to: **Acorn Water Company, LLC**, 7360020, Earl Township, **Lancaster County** on 11/5/2012 for the operation of facilities submitted under Application No. 3612537 MA.

Operations Permit issued to: **Christ's Home Inc.**, 7360176, Paradise Township, **Lancaster County** on 11/5/2012 for the operation of facilities submitted under Application No. 3612538 MA.

Operations Permit issued to: **Conestoga Mobile Home Park, Inc.**, 7360014, Conestoga Township, **Lancaster County** on 11/5/2012 for the operation of facilities submitted under Application No. 3612536 MA.

Operations Permit issued to: **State Line MHP**, 7280015, Antrim Township, **Franklin County** on 11/5/2012 for the operation of facilities submitted under Application No. 2812506 MA.

Operations Permit issued to: **PAAL Associates—Green Grove Trailer Court**, 7280010, Antrim Township, **Franklin County** on 11/5/2012 for the operation of facilities submitted under Application No. 2812509 MA.

Operations Permit issued to: **O'Yes Apartments**, 7380051, East Hanover Township, **Lebanon County** on 11/5/2012 for the operation of facilities submitted under Application No. 3812508 MA.

Operations Permit issued to: **Bethel Point Foundation, LLC—Hill Farm Estates**, 7380002, North Annville Township, **Lebanon County** on 11/5/2012 for the operation of facilities submitted under Application No. 3812507 MA.

Operations Permit issued to: **Park Acquisition, LLC—Cavalry Heights MHP**, 7010039, Mt. Pleasant Township, **Adams County** on 11/5/2012 for the operation of facilities submitted under Application No. 0112511 MA.

Operations Permit issued to: **Shangri-La MHP**, 7280017, Antrim Township, **Franklin County** on 11/5/2012 for the operation of facilities submitted under Application No. 2812507 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Penn Township Municipal Authority**
 [Township or Borough] Penn Township
 County **Snyder**
 Responsible Official Thomas Ferry, Chairman
 Penn Township Municipal Authority
 2595 Route 522, Suite 20
 P. O. Box 155
 Selinsgrove, PA 17870
 Type of Facility Public Water Supply
 Consulting Engineer N/A
 Permit Issued November 6, 2012
 Description of Action Operation of the recently installed sodium hypochlorite system at Well No. 1A treatment building.

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Selinsgrove Municipal Waterworks**
 [Township or Borough] Selinsgrove Borough
 County **Snyder**
 Responsible Official Sharon Badman, Borough Treasurer
 Selinsgrove Borough Municipal Authority
 2 South Market Street
 Third Floor
 Selinsgrove, PA 17870
 Type of Facility Public Water Supply
 Consulting Engineer Alan Zeigler, P.E.
 Larson Design Group
 1000 Commerce Park Drive
 Williamsport, PA 17701
 Permit Issued November 7, 2012
 Description of Action Operation of Selinsgrove Borough's 1,500,000 gallon treated water storage reservoir with the newly installed floating cover that replaces the previous floating cover.

Permit No. Minor Amendment—Construction and Operation Public Water Supply.

Applicant **City of DuBois Water Department**
 [Township or Borough] City of DuBois
 County **Clearfield**
 Responsible Official Mr. John Suplizio
 City of DuBois
 16 West Scribner Avenue
 P. O. Box 408
 DuBois, PA 15801
 Type of Facility Public Water Supply

Consulting Engineer Chris Nasuti, P.E.
 City of DuBois
 16 West Scribner Avenue
 P. O. Box 408
 DuBois, PA 15801

Permit Issued November 8, 2012
 Description of Action Construction and operation of the recently installed Shaffer Road Bulk Water Fill Station.

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Aqua PA—Pennsview System**
 [Township or Borough] Penn Township
 County **Snyder**
 Responsible Official Patrick R. Burke, Regional Manager
 Aqua Pennsylvania, Inc.
 1 Aqua Way
 White Haven, PA 18661
 Type of Facility Public Water Supply
 Consulting Engineer William A. La Dieu, P.E.
 CET Engineering Services—GHD
 1240 North Mountain Road
 Harrisburg, PA 17112
 Permit Issued November 8, 2012
 Description of Action Operation of 62' of 24" diameter chlorine contact pipe to provide 4-log inactivation of viruses in water from Well #3 that has been treated with chlorine, followed by a Groundwater Rule compliance monitoring point in piping upstream of distribution system Entry Point 100.

WATER ALLOCATIONS

Action Taken on applications filed under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WA 24-1000, Water Allocations. Fox Township (Toby Water), P. O. Box 184, Kersey, PA 15846-0184, Fox Township, **Elk County**. A renewal permit is issued granting an increase in allocation from Lost Run.

Permit Issued: November 5, 2012

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Slippery Rock Borough	306 East Water Street, Slippery Rock PA 16057	Butler

Plan Description: The approved plan provides for an upgrade of the existing 1.2 MGD Sewage Treatment Plant (STP). The existing treatment process will be abandoned, with the new process being upgraded to include the construction of a new grit screening system, a five tank Sequential Batch Reactor (SBR) system, ultraviolet disinfection to eliminate chlorine disinfection, and a new lab/sludge/control building. Of the 5 SBR tanks, 4 will be in service and one will function as an aerobic sludge digester. The Plan provides for 20 year projected growth. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
North Shenango Township	11586 Linn Road, Espyville, PA 16424	Crawford
South Shenango Township	6865 Collins Road, Jamestown, PA 16134	Crawford

Plan Description: This Plan was submitted under the June 1, 2011 Corrective Action Plan (CAP) developed to address hydraulic overload conditions experienced at the North and South Shenango Joint Municipal Authority (NSSJMA) WWTP through retrofit of one of the process trains with a continuous flow Sequential Batch Reactor (SBR). The normal daily flow to the WWTP will be split evenly three ways between the continuous flow SBR and the two original remaining process trains up to the rate of 0.433 MGD for each unit. At this point, the flow to the existing trains will be held at this level and all peak flows shall be routed to the SBR. A new load control structure will be constructed to control splitting the flows. Peak daily flow will be 2.8 MGD with peak instantaneous capacity of 3.2 MGD. Additional WWTP upgrades include yard piping upgrades to the process air and chemical feed systems, and a solids grinder for the raw wastewater prior to the diversion structure. The Plan has incorporated projections of future flows from the service area. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Municipality or Authority, as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submis-

sion of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former RUS Facility, 164 East Main Street, Emmaus Borough, **Lehigh County**, Bryn Hartley, ARCADIS U.S., Inc., 6 Terry Drive, Newtown, PA 18940, has submitted a Remedial Investigation Report, (on behalf of her client, Mr. Jim Buckman, Cintas Company, 27 Whitney Drive, Milford, OH 45150), concerning the remediation of dry cleaning related constituents (PCE) found to be present in soils and groundwater at the property location cited above due to historical dry cleaning operations. The report was submitted to document partial fulfillment of the Site-Specific Standard for soil and groundwater.

Shawnee Investment Corp-Clapper House, River Road, Smithfield Township, **Monroe County**, Gregg Walters, MEA, Inc., has submitted a Final Report on behalf of this client, Russ Gladd, Shawnee Investment Corp., P. O. Box 67, Shawnee on Delaware, PA 18356, concerning the remediation of soil and groundwater from No. 2 fuel oil due to an overfill to an abandoned tank fill port no longer connected to the tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standards for soils and groundwater. The intended future use of the site is residential. A public notice regarding the submission of the Final Report was published in *The Pocono Record*, on October 8, 2012. A Notice of Intent to Remediate was simultaneously submitted.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

West Easton Development Office Building, 108 Main Street, West Eaton Borough, Northampton County, Douglas H. Sammak, American Analytical & Environmental Inc., had submitted a Final Report on

behalf of his client, Mr. Mickey K. Thompson, West Eaton Development LP, 1177 6th Street, Whitehall, PA 18052, concerning the remediation of soil from No. 2 fuel oil discovered during the removal of a previously abandoned underground storage tank. The report documented attainment of the Non-Residential Statewide Health Standard for soils and was approved on 10/31/12.

Grace Industries, 7171 Airport Road, East Allen Township, Northampton County, Mindy Wagaman, Hafer Environmental Services, had submitted a Final Report on behalf of her client, (Mr. Ron Check, Jr., P. O. Box 21777, Lehigh Valley, PA 18002), concerning the remediation of soils due to potential historic release(s) from an overfill(s) of a 4,000 gallon above-ground storage tank and 1,000 gallon diesel above-ground storage tank. The report documented attainment of the Residential Statewide Health Standards for soils and was approved on 10/31/12.

Trojan Horse Diesel Fuel Release Site, I-80 Westbound at Mile Marker 301.8, Hamilton Township, Monroe County, Martin Gilgallon, Pennsylvania Tectonics, Inc., had submitted a Final Report on behalf of his client, (PennDOT-Monroe County Office, c/o Mr. Robert Mundrick, 1586 North 9th Street, Stroudsburg, PA 18360), concerning the remediation of contaminated soils from diesel fuel due to a vehicle accident involving Trojan Horse Ltd tractor-trailer. The report documented attainment of the Residential Statewide Health Standards for soils and was approved on 11/6/12.

RESIDUAL WASTE GENERAL PERMITS

Permits Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR081D036. iGreen Recycling, LLC, 300 Corporate Drive, Reading, PA 19605. This permit is for the beneficial use of electronic equipment and components by sorting, disassembling or mechanical processing. The permit was issued by Central Office on November 9, 2012.

Processing is limited to dismantling, sorting, and packaging/shipping of electronic waste materials.

Persons interested in reviewing the general permit may contact Scott Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

Withdrawal of Proposed Permit Renewal and Amendments Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Number WMGR064. General Permit Number WMGR064, issued on September 22, 2000, authorized the beneficial use of natural gas well brines for roadway pre-wetting (brines mixed with antiskid materials prior to roadway application), anti-icing (brines applied directly to roadway and walkway surfaces prior to precipitation event), and for roadway de-icing purposes (brine is applied directly to roadway surfaces after precipitation event). General Permit Number WMGR064 expired on September 22, 2010.

In the *Pennsylvania Bulletin* notice dated September 17, 2011 the Department proposed and solicited public input on the renewal and modification of General Permit Number WMGR064 to include the beneficial use of natural gas well brines for (i) dust suppressant and (ii) as a stabilizer for unpaved secondary roadway systems. That public comment period expired on November 16, 2011. The Department has decided to withdraw the proposed renewal and modification of General Permit Number WMGR064. Permit WMGR064 remains expired and unavailable for use.

Persons with questions concerning this notice should contact Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

REGISTRATION FOR GENERAL PERMIT—RESIDUAL WASTE

Registration issued Under the Solid Waste Management Act; the Residual Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481

General Permit Registration No. WMGM041NW005. Kane Borough Authority, Kane, McKean County. Registration to operate under General Permit No. WMGM041 for beneficial reuse of POTW effluent as makeup water during hydraulic fracturing and extraction of natural gas. The registration was approved by Northwest Regional Office on November 5, 2012.

Persons interested in reviewing the permit may contact Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335 (814) 332-6848. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

GP7-46-0041: Gemalto, Inc. (101 Park Drive, Montgomeryville, PA 18963) on November 5, 2012, was authorized to operate a (six) 6-color Heidelberg XL 75, printing print in Montgomery Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

GP3-67-03146C: Kinsley Construction, Inc. (PO Box 2886, York, PA 17405) on October 31, 2012, for portable nonmetallic mineral processing equipment, under GP3, at the Sand Bank Quarry in Springettsbury Township, **York County**.

GP9-67-03146C: Kinsley Construction, Inc. (PO Box 2886, York, PA 17405) on October 31, 2012 for six diesel fired internal combustion engines, under GP9, to power portable nonmetallic mineral processing equipment, at the Sand Bank Quarry in Springettsbury Township, **York County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920

46-0094A: Highway Materials, Inc. (1750 Walton Road, Blue Bell, PA 19422) on November 2, 2012, to operate a Combination drum mix and batch mix asphalt plant in Whitmarsh Township, **Montgomery County**.

46-0027C: Jenssen Research and Development, LLC. (Welsh and McKean Road, Spring House, PA 19477) on November 2, 2012, to operate a cogeneration plant to generate steam and electricity in Lower Gwynedd Township, **Montgomery County**.

15-0060D: Southeastern Chester County Refuse Authority (P. O. Box 221, Kennett Square, PA 19348) on November 2, 2012, to operate an enclosed flare in London Grove Township, **Chester County**.

09-0059A: St. Mary Medical Center (1201 Langhorne Newtown Road, Langhorne, PA 19047) on November 2, 2012, to operate a 1000kw diesel generator in Middletown Township, **Bucks County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

63-00110: World Kitchen, Inc. (100 Eighth Street, Charleroi, PA 15022) on November 6, 2012, to issue a Synthetic Minor State Only Operating Permit (SOOP) to authorize the continued operation of pressed and blown glass manufacturing at their Charleroi Plant in Charleroi Boro, **Washington County**. The facility consists of systems for the receiving, batching and storage of raw materials (controlled with 3 baghouses), one melting tank

with associated molding and mold swabbing operations, a chrome plating operation (controlled with a composite mesh pad), and miscellaneous natural gas combustion sources including 5 kilns, 4 firepolishers, 5 forehearths, and 1 lehr. To stay below major source thresholds, permit limits the charge to the melting furnace and limits the use of sodium sulfate. Emissions from the facility, on a 12-month rolling basis, after taking synthetic minor limitations, are limited to 35 tons PM₁₀, 95 tons SO_x, 65 tons NO_x, 10 tons VOC, 25 tons CO, 0.29 tons HF, 0.04 tons HCl, and 0.0094 tons Chromium.

The facility is subject to 60 CFR 63, Subpart N (related to chrome plating), 40 CFR 98, Subpart N (related to mandatory greenhouse gas reporting), and PA Code Title 25 Chapters 121—145. The proposed SOOP contains conditions related to restrictions, testing, monitoring, recordkeeping, reporting and work practice standards.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or Daniel Husted, New Source Review Chief—Telephone: 717-705-4863

06-05036: Cryovac, Inc. (PO Box 295, Reading, PA 19603-0295) on November 1, 2012, for the polystyrene foam product manufacturing facility in Muhlenberg Township, **Berks County**. The Title V permit was administratively amended to reflect the replacement of Thermoform 1319 with Thermoform 1367, per Plan Approval No. 06-05036B.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to

the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E46-1082. Borough of Conshohocken, 1 West First Avenue, Suite 200, Conshohocken, PA 19428, Conshohocken Borough, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain an approximately 108-foot long by 65-foot wide boat-house, and associated 360-foot long by 10-foot wide dock, gangway and accessible ramp in and along the 100 year floodplain of the Schuylkill River.

The site is located within the Millennium Tract Development, and extends from Cherry to Ash streets (Norristown, PA USGS Quadrangle N: 12.75 inches; W: 7.2 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E51-252. Philadelphia Parks & Recreation, 1515 Arch Street, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the construction of approximately 2.5 miles of the Baxter walking trail, a segment of Delaware River Heritage Trail, approximately 10 to 14 feet wide, extending from the proposed bridge over the Pennypack Creek to the Pleasant Hill Park:

1. To construct and maintain 13-foot 8-inches long, 180-foot span single span truss bridge across the Pennypack Creek (WWF). The bridge will have an underclearance of approximately 2.97 feet.

2. To construct and maintain approximately 1658 linear feet of asphalt trail in the floodplain of the Pennypack Creek.

3. To construct and maintain approximately 1843 linear feet of asphalt trail in the floodplain of the Delaware River.

The project permanently impacts approximately 32 linear feet of stream. The jurisdictional area of the project commences within the floodway near the Pennypack Avenue and runs in the southwesterly direction parallel to the shoreline of the Delaware River for approximately 2273 feet and terminates at the proposed bridge in the City and County of Philadelphia (Frankford, PA USGS Quadrangle N: 5.92; W: 0.96).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E15-780. Transcontinental Gas Pipeline Corporation, 2800 Post Oak Blvd, Level 17, Houston, TX 77056, East Brandywine and East Caln Townships, **Chester County**, ACOE Philadelphia District.

To amend permit number E15-780 which authorized the replacement of the existing 30-inch gas pipeline with the proposed 42-inch gas pipeline associated with the 7.15 mile segment of Mainline "A" pipeline between Downingtown Metro Station and Compressor Station 200.

The proposed amendment will authorize the replacement of the existing 30-inch gas pipeline with a 42-inch pipeline, between Stations 2269 and 2295, across and temporarily impacting the East Branch of the Brandywine Creek (WWF-MF) and Ludwig's Run (WWF-MF) at two locations by utilizing an open cut method. Also, an unnamed tributary to the East Branch of the Brandywine Creek (WWWF-MF) will be impacted by a

temporary construction crossing and another unnamed tributary to the East Branch of Brandywine Creek (HQ-TSF, MF) will be crossed by the pump diversion during the use of a coffer dam.

The site is located approximately one mile north of the intersection of Norwood Road and the Coatesville-Downingtown By-pass (SR 0030), (Downingtown, PA USGS Quadrangle N: 6.75 inches; W: 12.00 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E53-444. Tennessee Gas Pipeline Company, LLC, 1001 Louisiana Street - Room 730B, Houston, TX 77002-5089. Loop 313- MPP Project in Allegany and Hebron Townships, **Potter County**, ACOE Pittsburgh District (Brookland, PA Quadrangle Latitude: 41° 50' 45.63"; Longitude: 77° 50' 42.50" and Sweden Valley, PA Quadrangle Latitude: 41° 51' 49.97"; Longitude 77° 59' 58.78").

Tennessee Gas Pipeline Company, LLC, is seeking authorization to construct, operate and maintain 7.9-miles of 30-inch diameter natural gas pipeline for their MPP or 313-Loop Project outside existing right-of-way that will require the following twelve (12) stream and nine (9) wetland encroachments:

<i>Activity ID</i>	<i>Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Resource</i>	<i>Impact</i>
S-313-00-001	Pipeline	41° 51' 15.95"	77° 59' 42.55"	Tributary South Branch Oswayo	16.0-ft.
S-313-01-001	Pipeline	41° 51' 14.37"	77° 58' 28.61"	Baker Creek	4.0-ft.
S-313-02-001	Pipeline	41° 51' 6.09"	77° 57' 27.80"	Lent Hollow Run	11.0-ft.
S-313-02-003	Pipeline	41° 50' 58.51"	77° 56' 41.98"	Peet Brook	25.0-ft.
S-313-04-004	Pipeline	41° 50' 57.87"	77° 56' 38.18"	Tributary Peet Brook	22.0-ft.
S-313-03-005	Pipeline	41° 50' 52.12"	77° 56' 19.52"	Tributary Peet Brook	2.0-ft.
S-313-04-001	Pipeline	41° 50' 46.85"	77° 54' 52.34"	Dwight Creek	21.0-ft.
S-313-04-002	Pipeline	41° 50' 46.72"	77° 54' 48.56"	Tributary Dwight Creek	4.0-ft.
S-313-05-001	Pipeline	41° 50' 45.73"	77° 54' 08.40"	Pigeon Hollow Run	3.0-ft.
S-313-06-001	Pipeline	41° 50' 43.89"	77° 52' 30.19"	Alleghany River	33.0-ft.
S-313-06-001	Access Road	41° 50' 43.89"	77° 52' 30.19"	Alleghany River	33.0-ft.
S-313-AR2-002	Access Road	41° 50' 53.95"	77° 58' 26.07"	Tributary Baker Creek	12.0-ft.
W-313-01-0001	Pipeline	41° 51' 14.68"	77° 58' 28.70"	Wetland	0.04-acre
W-313-02-003	Pipeline	41° 50' 58.99"	77° 56' 42.15"	Wetland	0.09-acre
W-313-03-004	Pipeline	41° 50' 52.95"	77° 56' 20.15"	Wetland	0.04-acre
W-313-04-001	Pipeline	41° 50' 46.07"	77° 54' 51.86"	Wetland	0.004-acre
W-313-04-002	Pipeline	41° 50' 46.31"	77° 54' 46.64"	Wetland	0.02-acre
W-313-05-004	Pipeline	41° 50' 44.14"	77° 53' 41.68"	Wetland	0.12-acre

<i>Activity ID</i>	<i>Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Resource</i>	<i>Impact</i>
W-313-06-001B	Pipeline	41° 50' 43.16"	77° 52' 29.59"	Wetland	0.001-acre
W-313-06-001C	Pipeline	41° 51' 43.16"	77° 52' 29.59"	Wetland	0.02-acre
W-313-AR9-003	Road	41° 50' 59.77"	77° 52' 39.13"	Wetland	0.04-acre

All in-stream pipeline construction activities shall be performed in dry work conditions by dam and pumping, fluming or diverting stream flow around the work areas. All streams encountered by pipeline construction are wild trout or tributary to wild trout fisheries; no pipeline construction or future maintenance work shall be performed in or along the stream channels between October 1 and December 31 without prior written approval from the Pennsylvania Fish and Boat Commission. The permittee shall mitigate 0.41-acre of wetland on-site to replace wetland loss from project impacts outside permanent maintained right-of-way. The project's east terminus is located along the western right-of-way of Allegany Township Road 408 and the western terminus is located in Hebron Township along the eastern right-of-way of SR 0044.

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E56-363. Somerset County Commissioners; 300 North Center Avenue, Somerset, PA 15501-1472; Jefferson Township, **Somerset County;** ACOE Pittsburgh District.

Applicant has been given consent to construct and maintain a concrete box beam bridge (prestressed concrete and steel are allowed as alternatives) with a span of 45', a total width of 18.54' and an underclearance of 9.34' above normal water surface elevation, to place and maintain fill in a deminimis wetland, 0.021 acre and to temporarily place fill in 0.013 acre of wetlands for the purpose of conveying T-538 (Duck Pond Road) over Laurel Hill Creek (HQ-CWF) in Jefferson Township, Somerset County, Pittsburgh District (Bakersville, PA Quadrangle: North 10.1"; West 9.0" Latitude: 40° 03' 23.5"; Longitude: 79° 11' 21.5")

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-1 #ESX12-019-0160-Godfrey B
Applicant XTO Energy Inc
Contact Melissa Breitenbach
Address 502 Keystone Drive
City Warrendale State PA Zip Code 15086
County Butler Township(s) Penn(s)
Receiving Stream(s) and Classification(s) UNT to Thorn Creek CWF

ESCGP-1 #ESX12-039-0006—Bitenc #16H
Applicant Range Resources—Appalachia, LLC
Contact Mary C. Patton
Address 100 Throckmorton Street, Suite 1200
City Fort Worth State TX Zip Code 76102
County Crawford Township(s) Greenwood(s)
Receiving Stream(s) and Classification(s) UNT to Sandy Creek—WWF, Allegheny River—other

ESCGP-1 #ESX12-019-0162-Warner Well Pad
Applicant RE Gas Development LLC
Contact Michael Endler
Address 310 Seven Springs Blvd, Suite 151
City Seven Fields State PA Zip Code 16046
County Butler Township(s) Lancaster(s)
Receiving Stream(s) and Classification(s) 3 UNT's to Yellow Creek-CWF, Slippery Rock Creek Watershed

Southwest Region: Oil & Gas Program Mgr. 400 Waterfront Dr. Pittsburgh PA

8/15/12
ESCGP-1 No: ESX12-007-0014
Applicant Name: CHESAPEAKE APPALACHIA LLC
Contact Person MR ERIC W HASKINS
Address: 101 NORTH MAIN STREET
City: ATHENS State: PA Zip Code: 18810
County: BEAVER Township: SOUTH BEAVER
Receiving Stream (s) And Classifications: UNT TO SOUTH BRANCH BRADY RUN, UNT TO BRUSH RUN; HQ

10/1/12
ESCGP-1 No.: ESX12-059-0045
Applicant Name: VANTAGE ENERGY APPALACHIA LLC
Contact Person: MR NICK MONGELLUZZO
Address: 226 ELM DRIVE SUITE 102
City: WAYNESBURG State: PA Zip Code: 15370
County: GREENE Township(s): FRANKLIN
Receiving Stream(s) and Classifications: TWO (2) UNTS TO SOUTH FORK TENMILE CREEK (WWF); OTHER

5/16/12
ESCGP-1 No.: ESX09-059-0012 MAJOR REVISION
Applicant Name: ENERGY CORPORATION OF AMERICA
Contact Person: MR MARK A FRY
Address: 1380 RTE 286 HWY EAST SUITE 221

City: INDIANA State: PA Zip Code: 15701
 County: GREENE Township(s): WHITELEY
 Receiving Stream(s) and Classifications: UNT TO
 FROSTY RUN, UNT TO DUTCH RUN, DUTCH RUN,
 FROSTY RUN, WHITELEY CREEK (TSF); OTHER

10/4/12

ESCGP-1 No.: ESX12-125-0115
 Applicant Name: MARKWEST LIBERTY MIDSTREAM
 & RESOURCES LLC

Contact Person: MR RICK LOWRY
 Address: 601 TECHNOLOGY DRIVE SUITE 300
 City: CANONSBURG State: PA Zip Code: 15317
 County: WASHINGTON Township(s): CROSS CREEK
 Receiving Stream(s) and Classifications: UNTs TO
 SOUTH FORK CROSS CREEK, UNTs TO CROSS
 CREEK, SOUTH FORK CROSS CREEK; HQ

9/17/12

ESCGP-1 No.: ESX12-125-0103
 Applicant Name: CNX GAS COMPANY LLC
 Contact Person: MR DANIEL BITZ
 Address: 200 EVERGREENE DRIVE
 City: WAYNESBURG State: PA Zip Code: 15370
 County: WASHINGTON Township(s): MORRIS
 Receiving Stream(s) and Classifications: 2 UNTs OF
 SHORT CREEK (TSF); OTHER

9/18/12

ESCGP-1 No.: ESX12-125-0104
 Applicant Name: CNX GAS COMPANY LLC
 Contact Person: MR DANIEL BITZ
 Address: 200 EVERGREENE DRIVE
 City: WAYNESBURG State: PA Zip Code: 15370
 County: WASHINGTON Township(s): MORRIS
 Receiving Stream(s) and Classifications: 2 UNTs OF
 SHORT CREEK (TSF); OTHER

7/30/12

ESCGP-1 No.: ESX12-125-0091
 Applicant Name: RANGE RESOURCES APPALACHIA
 LLC
 Contact Person: MS LAURA M RUSMISEL
 Address: 3000 TOWN CENTER BOULEVARD
 City: CANONSBURG State: PA Zip Code 15317
 County: WASHINGTON Township(s): BLAINE
 Receiving Stream(s) and Classifications: UNT TO BUF-
 FALO CREEK (HQ-WWF) / WHEELING-BUFFALO
 CREEKS WATERSHED; HQ

OIL AND GAS MANAGEMENT

The following Well Permits have been issued with a waiver under 58 Pa.C.S. § 3215(b)(4) (relating to well location restrictions).

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed which the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not in

and of itself create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483.

*Northwest Region District Oil and Gas Operations,
 Program Manager, 230 Chestnut St., Meadville, PA 16335*

Well Permit #: 015-22330-00-00
 Well Farm Name Hulslander Bra 3H
 Applicant Name: Chesapeake Appalachia, LLC.
 Contact Person: Eric Haskins

Address: 101 North Main Street, Athens, PA 18810
 County: Bradford

Municipality Smithfield Township;
 Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: East Troy, West Branch Tom Jack Creek, an unnamed tributary to Tom Jack Creek.

Well Permit #: 015-22331-00-00
 Well Farm Name Balduzzi Bra 3H
 Applicant Name: Chesapeake Appalachia, LLC.
 Contact Person: Eric Haskins
 Address: 101 North Main Street, Athens, PA 18810
 County: Bradford

Municipality Wyalusing Township;
 Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Wyalusing, Unnamed tributary to the Susquehanna River.

Well Permit #: 015-22332-00-00
 Well Farm Name Harlan N Bra 2H
 Applicant Name: Chesapeake Appalachia, LLC.
 Contact Person: Eric Haskins
 Address: 101 North Main Street, Athens, PA 18810
 County: Bradford

Municipality Overton Township;
 Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Overton, Unnamed tributary to Level Branch Lick Creek, which is tributary to Loyalsock Creek, and to Black Creek, which is tributary to Little Loyalsock Creek.

SPECIAL NOTICES

DRINKING WATER STATE REVOLVING FUND

Special Notice Under the federal Safe Drinking Water Act (42 U.S.C. 300f, et. seq.)

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Project Location:

<i>Applicant</i>	<i>Applicant Address</i>	<i>County</i>
Hazleton City Authority	400 East Arthur Gardner Parkway Hazleton, PA 18201-7395	Luzerne

Project Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for Hazleton City Authority's "2012 Distribution Projects". The Authority proposes to upgrade the community water system serving the City of Hazleton and surrounding communities. The Department's review of the project and the information received in the Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby approves the project for Categorical Exclusion from the State Environmental Review Process.

[Pa.B. Doc. No. 12-2260. Filed for public inspection November 21, 2012, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance—New Guidance

DEP ID: 563-2112-115. Title: Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. *Description:* This guidance describes the procedures for establishing effluent limitations and permit conditions for NPDES permits for mine sites.

Written Comments: Interested persons may submit written comments on this Draft Technical Guidance Document by December 24, 2012. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail must include the originator's name and address. Written comments should be submitted to William S. Allen, Jr., Bureau of Mining Programs, P. O. Box 8461, Harrisburg, PA, 17105-8461, (717) 783-9580 and wallen@pa.gov.

Contact: William S. Allen, Jr., (717) 783-9580 or wallen@pa.gov.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

Draft Technical Guidance—Substantive Revision; Correction Notice

A notice that appeared at 42 Pa.B. 7060 (November 10, 2012) contained a typographical error in the e-mail address for comments. A revised version appears as follows:

DEP ID: 400-0200-001. *Title:* Policy for Pennsylvania Natural Diversity Inventory (PNDI) Coordination During Permit Review and Evaluation. *Description:* The Department is revising its existing policy to clarify PNDI coordination within the permit review process. PNDI coordination will be conducted in a manner consistent with the requirements of the rules and regulations implemented by the Department. The Department and County Conservation District staff will follow this policy during the permit application review process.

Written Comments: Interested persons may submit written comments on this draft technical guidance document by December 10, 2012. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. Comments, including comments submitted by e-mail, must include the originator's name and address. Written comments should be submitted to Patricia Allan, Department of Environmental Protection, Policy Office, 400 Market Street, 16th Floor, Harrisburg, PA 17105 or RA-EPTG_Comments@pa.gov.

Contact: Patricia Allan at (717) 783-8727 or RA-EPTG_Comments@pa.gov.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-2261. Filed for public inspection November 21, 2012, 9:00 a.m.]

State Board for Certification of Sewage Enforcement Officers; 2012 Examination Announcement

The State Board for Certification of Sewage Enforcement Officers (Board) and the Department of Environmental Protection (Department) have scheduled an examination for December 21, 2012. This is a rescheduling of the November 2, 2012, examination that was cancelled due to Hurricane Sandy. To qualify to sit for the certification examination, all Sewage Enforcement Officers (SEO) candidates must complete the Precertification Academy. Examination applications must be received (not post-marked) by the Board complete and correct by close of business on the deadline indicated as follows. Applications received after this date will not be considered for examination. Applications that do not contain all the necessary required information will be returned and will not be considered eligible for the examination. The examination details are as follows:

Examination Date: Friday, December 21, 2012
(12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)

Examination Application Deadline: December 17, 2012
(for those who did not register for the November 2, 2012, exam)

Location: Pennsylvania State Association of Township Supervisors Office
4855 Woodland Drive, Enola, PA

The SEO written examination contains 100 multiple choice questions covering planning requirements, admin-

istration and enforcement of the permit program and technical criteria for soils and disposal systems with a 3.5-hour time limit. The passing grade is 50% correct responses in each subject area and an overall minimum of 70 correct answers on the entire examination. This is an open book examination. Individuals are not permitted to bring their own materials. Necessary reference materials will be provided at the test site.

Examination applications may be obtained by contacting the Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 783-7416.

Applicants will receive an admittance letter from the Board prior to the date of the examination.

Persons who need testing accommodations due to a disability should contact the Board at (717) 783-7416 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss the request. This request must be submitted with the application form.

MICHAEL L. KRANCER,
Secretary

[Pa.B. Doc. No. 12-2262. Filed for public inspection November 21, 2012, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale Washington County

The Department of General Services (Department) will accept bids for the purchase of 0.51 acre ± of land and building formerly known as the Canonsburg National Guard Armory located at 16 West College Street, Borough of Canonsburg, Washington County. Bids are due Thursday, February 7, 2013. Interested parties wishing to receive a copy of Solicitation No. 94463 should view the Department's web site at www.dgs.state.pa.us or call Lisa Kettering at (717) 787-1321.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 12-2263. Filed for public inspection November 21, 2012, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Alle-Kiski Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Alle-Kiski Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.1-3.2.2.3, 3.1-3.2.4, 3.1-3.6.10, 3.1-3.9.3.2, 3.1-3.9.3.3, 3.1-3.9.4.1, 3.1-5.2 and 3.1-5.5.1.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2264. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Einstein Medical Center Montgomery for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Einstein Medical Center Montgomery has requested an exception to the requirements of 28 Pa. Code § 101.31(7) (relating to hospital requirements).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2265. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Forbes Regional Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Forbes Regional Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.1.3.6(6)(a)(i) (relating to examination and treatment room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2266. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Good Shepherd Rehabilitation Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Good Shepherd Rehabilitation Hospital has requested an exception to the requirements of 28 Pa. Code § 107.12a (relating to specified professional personnel—statement of policy).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2267. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Good Shepherd Specialty Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Good Shepherd Specialty Hospital has requested an exception to the requirements of 28 Pa. Code § 107.12a (relating to specified professional personnel—statement of policy).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2268. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Holy Spirit Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Holy Spirit Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.4.3.5, 2.2-3.4.5.3, 2.2-3.6.3.4, 2.2-3.6.3.5, 2.2-3.6.8.2, 3.1-3.6.1, 3.1-3.6.6, 3.1-3.6.7 and 3.1-7.2.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2269. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Moon Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Moon Surgery Center has requested an exception to the requirements of 28 Pa. Code § 555.32(a) (relating to administration of anesthesia).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2270. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Pennsylvania Eye Surgery Center, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pennsylvania Eye Surgery Center, Inc. has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which

requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.7-3.4.2.2(1) and 3.7-7.2.2.1(2) (relating to post-anesthesia recovery; and corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2271. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Pinnacle Health at Cumberland Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pinnacle Health at Cumberland Campus has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-8.5.3.2, 2.2-3.9.2.6, 2.2-3.9.6.11, 2.2-3.9.7.1, 2.2-3.9.8.1(1), 2.2-3.9.8.1(2), 2.2-3.4.8.1, 2.2-3.4.8.2, 2.2-3.4.8.3, 2.2-3.4.6.11, 2.2-3.4.6.12, 2.2-3.4.6.13, 2.2-3.9.2.2(1), 2.2-3.9.8.1(4) and 2.2-6.2.5.4.

This facility is also requesting an exception to the requirements of 28 Pa. Code §§ 145.1 and 145.8 (relating to principle; and facilities).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2272. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Pinnacle Health at Harrisburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pinnacle Health at Harrisburg Hospital has requested an exception to the requirements of 28 Pa. Code §§ 145.1 and 145.8 (relating to principle; and facilities).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2273. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Robert Packer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Robert Packer Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards

contained in this publication: 2.2-2.2.2.3, 2.2-2.6.2.3 and 2.1-7.2.2.2 (relating to appendix; windows; and ceiling height).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2274. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of St. Mary Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Mary Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.3.3.3(6) (relating to an airborne infection iso room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2275. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Taylor Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Taylor Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-2.6.2.2(1) and 2.2-2.6.9.1(1) (relating to space requirements; and door openings).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2276. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Tri-State Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Tri-State Surgery Center has requested an exception to the requirement of 28 Pa. Code § 569.35 (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

This facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2277. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of UPMC East for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC East has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.9.7.1(2) (relating to staff shower area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2278. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of UPMC McKeesport for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC McKeesport has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.6-3.2.2.1, 3.6-3.2.2.2, 3.6-3.2.3, 3.6-3.2.5, 3.6-3.6.10 and 3.6-3.6.12.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF
Acting Secretary

[Pa.B. Doc. No. 12-2279. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of UPMC Mercy South Side Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Mercy South Side Surgery Center has requested an exception to the requirements of 28 Pa. Code § 555.32(a) (relating to administration of anesthesia).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2280. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of UPMC Montefiore for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Montefiore has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-8.5.3.2 (relating to technology distribution room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2281. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of UPMC St. Margaret Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC St. Margaret Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.1-7.2.2.3 (relating to doors and hardware).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2282. Filed for public inspection November 21, 2012, 9:00 a.m.]

Application of Wellspan Surgery and Rehabilitation Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Wellspan Surgery and Rehabilitation Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62(a) (relating to oral orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2283. Filed for public inspection November 21, 2012, 9:00 a.m.]

Newborn Screening and Follow-Up Program Technical Advisory Board and Infant Hearing Screening Technical Advisory Committee Joint Meeting

The Newborn Screening and Follow-Up Program Technical Advisory Board, established under the Newborn Child Testing Act (35 P. S. §§ 621—625), and the Infant Hearing Screening Technical Advisory Committee, established under the Infant Hearing Education, Assessment, Reporting and Referral (IHEARR) Act (11 P. S. §§ 876-1—876-9), will hold a joint public meeting on Friday, November 30, 2012, from 9:30 a.m. until 3 p.m. The meeting will be held at the PaTTAN Office, 6340 Flank Drive Harrisburg, PA 17112.

For additional information or for persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodation to do so contact Suzanne Bellotti or Arthur Florio, Public Health Program Administrators, Division of Newborn Screening and Genetics at (717) 783-8143, speech and/or hearing impaired persons may use V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2284. Filed for public inspection November 21, 2012, 9:00 a.m.]

Pennsylvania Cancer Control, Prevention and Research Advisory Board Meeting

The Pennsylvania Cancer Control, Prevention and Research Advisory Board, established under section 3 of the Pennsylvania Cancer Control, Prevention and Research Act (35 P. S. § 5633), will hold a meeting on Wednesday, December 5, 2012, from 9 a.m. to 2 p.m. at the Pennsylvania Farm Show Complex and Expo Center, 2300 North Cameron Street, Monongahela Room E, Harrisburg, PA 17110.

For additional information contact Sharon H. Sowers, Chief, Department of Health, Comprehensive Cancer Control Section, Room 1011, Health and Welfare Building, 625 Forster Street, Harrisburg, PA at (717) 783-1457.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Sharon Sowers at the number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

MICHAEL WOLF,
Acting Secretary

[Pa.B. Doc. No. 12-2285. Filed for public inspection November 21, 2012, 9:00 a.m.]

DEPARTMENT OF STATE

Corporation Bureau; Official Forms

The Department of State (Department), Corporation Bureau (Bureau) proposes to amend 19 Pa. Code Appendix B (relating to official forms).

A. *Effective Date*

The proposed forms will be effective upon final-form publication in the *Pennsylvania Bulletin*.

B. *Statutory Authority*

The Department has the authority to promulgate Bureau sample forms and instructions under 15 Pa.C.S. § 133 (relating to powers of Department of State). Section 133(a)(1) of 15 Pa.C.S. specifies that sample filing forms shall not be agency regulations and are therefore explicitly excluded from section 612 of The Administrative Code of 1929 (71 P. S. § 232) and review under the Commonwealth Attorneys Act (71 P. S. §§ 732-101—732-506) and

the Regulatory Review Act (71 P. S. §§ 745.1—745.12). Section 133(a)(1) of 15 Pa.C.S. does, however, require that the forms and instructions be subject to the opportunity for public comments under section 201 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. § 1201), known as the Commonwealth Documents Law (CDL).

C. Description of Proposed Revisions

This proposal introduces one new form and revises two of the existing forms and instructions promulgated by the Department and currently published in the *Pennsylvania Code*. The need for these revisions is based on the act of October 24, 2012 (P. L. 1228, No. 152) (Act 152), effective January 22, 2013. Act 152 authorizes a new type of business corporation called a benefit corporation. Corporations may file articles of incorporation to organize as a benefit corporation or may amend existing articles of incorporation to become a benefit corporation. Act 152 requires benefit corporations to file an annual benefit report with the Department of State.

DSCB:15-1306/2102/2303/2702/2903/3101/3303/7102 (Articles of Incorporation-For Profit)

This form relates to articles of incorporation for business corporations. The Department has updated and renamed the form so that it better comports with 15 Pa.C.S. § 1306 (relating to articles of incorporation) and contains elements required and authorized by 15 Pa.C.S. § 3303 (relating to formation of benefit corporations).

DSCB:15-2704/2904/3304 (Articles of Amendment-Domestic Business Corporation, Election of Management/Professional/Benefit Corporation Status)

This form relates to articles of amendment for business corporations. The Department has updated and renamed the form so that it comports with 15 Pa.C.S. § 3304 (relating to election of benefit corporation status).

Form DSCB:15-3331 (Annual Benefit Report)

This form is created in response to the new requirement for an annual benefit report to be filed with the Department by all benefit corporations. The Department has created a form which comports with 15 Pa.C.S. § 3331 (relating to annual benefit report).

Forms *DSCB:15-1306/2102/2303/2702/2903/3101/7102* and *DSCB:15-2704/2904* and corresponding instructions, which are codified in 19 Pa. Code (relating to corporations and business associations), are being deleted and replaced with the revised forms *DSCB:15-1306/2102/2303/2702/2903/3101/3303/7102* and *DSCB:15-2704/2904/3304*. Form *DSCB:15-3331* is new. All the forms are set forth as follows. Even though Rule 2.10(a) of the *Pennsylvania Code and Bulletin Style Manual* recommends that forms be referenced in regulations rather than adopted in regulations, 15 Pa.C.S. § 133 requires that the forms and instructions be published in the *Pennsylvania Code*.

D. Fiscal Impact

Although this proposal would not have measurable fiscal impact upon the Commonwealth, its political subdivisions or the private sector, a formal fiscal analysis was not conducted because these forms are exempt from section 612 of The Administrative Code of 1929.

E. Paperwork Requirements

This proposal would not create new paperwork other than that required by Act 152.

F. Regulatory Review

Under 15 Pa.C.S. § 133(a), sample forms are exempt from the requirements of the Regulatory Review Act but shall be subject to the opportunity of public comment requirement under section 201 of the CDL.

G. Public Comment

Under 15 Pa.C.S. § 133(a)(1), which requires that publication of these forms be subject to the opportunity for public comment, the Department invites interested persons to submit written comments, suggestions or objections regarding this proposal to Martha H. Brown, Assistant Counsel, Department of State, 301 North Office Building, Harrisburg, PA 17120 within 30 days following publication of this notice in the *Pennsylvania Bulletin*. Reference Corporation Bureau—Official Forms when submitting comments.

CAROL AICHELE,
Secretary

PENNSYLVANIA DEPARTMENT OF STATE
BUREAU OF CORPORATIONS AND CHARITABLE ORGANIZATIONS

Articles of Incorporation-For Profit

(15 Pa.C.S.)

- Business-stock (§ 1306)
- Business-nonstock (§ 2102)
- Business-statutory close (§ 2303)
- Cooperative (§ 7102)
- Management (§ 2703)
- Professional (§ 2903)
- Insurance (§ 3101)
- Benefit (§ 3303)

Name		

Address		

City	State	Zip Code
_____	_____	_____

Document will be returned to the name and address you enter to the left.



Fee: \$125

In compliance with the requirements of the applicable provisions (relating to corporations and unincorporated associations), the undersigned, desiring to incorporate a corporation for profit, hereby states that:

1. The name of the corporation (*corporate designator required, i.e., "corporation", "incorporated", "limited" "company" or any abbreviation. "Professional corporation" or "P.C."*):

2. The (a) address of this corporation's current registered office in this Commonwealth (*post office box, alone, is not acceptable*) or (b) name of its commercial registered office provider and the county of venue is:

(a) Number and Street	City	State	Zip	County

(b) Name of Commercial Registered Office Provider				County
c/o: _____				

3. The corporation is incorporated under the provisions of the Business Corporation Law of 1988.

4. Check and complete one:

The corporation is organized on a nonstock basis.

The corporation is organized on a stock share basis and the aggregate number of shares authorized is: _____

DSCB:15-1306/2102/2303/2702/2903/3101/3303/7102 – 2

5. The name and address, including number and street, if any, of each incorporator (*all incorporators must sign below*):

Name	Address
_____	_____
_____	_____

6. The specified effective date, if any: _____.
 month/day/year hour, if any

7. Additional provisions of the articles, if any, attach an 8½ by 11 sheet.

8. *Statutory close corporation only*: Neither the corporation nor any shareholder shall make an offering of any of its shares of any class that would constitute a “public offering” within the meaning of the Securities Act of 1933 (15 U.S.C. § 77a *et seq.*)

9. *Cooperative corporations only*: *Complete and strike out inapplicable term*:
 The common bond of membership among its members/shareholders is: _____.

10. *Benefit corporations only*: This corporation shall have the purpose of creating general public benefit.
 Strike out if inapplicable: This corporation shall have the purpose of creating the enumerated specific public benefit(s): _____

IN TESTIMONY WHEREOF, the incorporator(s) has/have signed these Articles of Incorporation this _____ day of _____, _____.

 Signature

 Signature



**Department of State
Bureau of Corporations and Charitable Organizations
P.O. Box 8722
Harrisburg, PA 17105-8722
(717) 787-1057
Web site: www.dos.state.pa.us/corps**

Instructions for Completion of Form:

- A. Typewritten is preferred. If not, the form shall be completed in black or blue-black ink in order to permit reproduction. The filing fee for this form is \$125 made payable to the Department of State.
- B. Under 15 Pa.C.S. § 135(c) (relating to addresses) an actual street or rural route box number must be used as an address, and the Department of State is required to refuse to receive or file any document that sets forth only a post office box address.
- C. The following, in addition to the filing fee, shall accompany this form:
- (1) One copy of a completed form DSCB:15-134A (Docketing Statement).
 - (2) Any necessary copies of form DSCB:17.2.3 (Consent to Appropriation of Name).
 - (3) Any necessary governmental approvals.
- D. For general instructions relating to the incorporation of business corporations see 19 Pa. Code Ch. 23 (relating to business corporations generally). These instructions relate to such matters as corporate name, stated purposes, term of existence, nonstock status, authorized share structure and related authority of the board of directors, par values, inclusion of names of first directors in the Articles of Incorporation, optional provisions on cumulative voting for election of directors, etc.
- E. For required provisions in the Articles of a nonstock corporation, see 15 Pa.C.S. §§ 2102-2103 (relating to formation of nonstock corporations and contents of articles).
- F. For required provisions in the Articles of a statutory close corporation, see 15 Pa.C.S. § 2304 (relating to additional contents of articles of statutory close corporations).
- G. For required provisions in the Articles of a management corporation, see 15 Pa.C.S. § 2703 (relating to additional contents of articles of management corporations).
- H. For restrictions on the stated purposes of professional corporations, see 15 Pa.C.S. § 2903 (relating to formation of professional corporations).
- I. For required provisions on the stated purposes of benefit corporations, see 15 Pa.C.S. § 3311 (relating to corporate purposes).
- J. Articles for a nonprofit cooperative corporation should be filed on Form DSCB:15-5306/7102B (Articles of Incorporation Nonprofit).
- K. One or more corporations or natural persons of full age may incorporate a business corporation.
- L. 15 Pa.C.S. § 1307 (relating to advertisement) requires that the incorporators shall advertise their intention to file or the corporation shall advertise the filing of articles of incorporation. Proofs of publication of such advertising should not be submitted to, and will not be received by or filed in, the Department, but should be filed with the minutes of the corporation.
- M. This form and all accompanying documents shall be mailed to the address stated above.

**PENNSYLVANIA DEPARTMENT OF STATE
BUREAU OF CORPORATIONS AND CHARITABLE ORGANIZATIONS**

**Articles of Amendment-Domestic Business Corporation
Election of Management/Professional/Benefit Corporation Status**

(15 Pa.C.S.)

- Management Corporation (§ 2704)
- Professional Corporation (§ 2904)
- Benefit Corporation (§ 3304)

Name
Address
City State Zip Code

Document will be returned to the name and address you enter to the left.



Fee: \$70

In compliance with the requirements of the applicable provisions (relating to election of an existing business corporation to become a management or professional corporation), the undersigned business corporation, desiring to amend its Articles to reflect an election to become a business corporation which is a management/professional corporation hereby states that:

1. The name of the corporation is:

2. The (a) address of this corporation's current registered office in this Commonwealth or (b) name of its commercial registered office provider and the county of venue is (the Department is hereby authorized to correct the following information to conform to the records of the Department):

(a) Number and Street	City	State	Zip	County
-----------------------	------	-------	-----	--------

(b) Name of Commercial Registered Office Provider	County
---	--------

c/o:

3. The statute by or under which it was incorporated: _____

4. The date of its incorporation: _____

5. Check, and if appropriate complete, one of the following:

___ The amendment shall be effective upon filing these Articles of Amendment in the Department of State.

___ The amendment shall be effective on: _____ at _____.
Date Hour

Election of Management Corporation, complete paragraphs 6 and 7

6. Check one of the following:

___ The amendment was adopted by the shareholders or members pursuant to 15 Pa.C.S. §§ 1905 and 2704(b).

___ The amendment was adopted by the board of directors and shareholders (or members) pursuant to 15 Pa.C.S. §§ 1914(a) and (b) and 2704(b).

7. ___ The corporation elects to become a management corporation.

DSCB:15-2704/2904/3304 – 2

Election of Professional Corporation, complete paragraphs 8 and 9

- 8. ___ The amendment was adopted by the unanimous consent of the shareholders (or members) pursuant to 15 Pa.C.S. §§ 1905 and 2904(b).
- 9. ___ The corporation elects to become a professional corporation.

Election of Benefit Corporation, complete paragraphs 10 and 11

10. ___ This corporation shall have the purpose of creating general public benefit.

11. *Strike out if inapplicable*

___ This corporation shall have the purpose of creating the enumerated specific public benefit(s):

12. *Check, and if appropriate, complete one of the following:*

___ The amendment adopted by the corporation, set forth in full, is as follows:

___ The amendment adopted by the corporation is set forth in full in Exhibit A attached hereto and made a part hereof.

13. *Check if the amendment restates the Articles:*

___ The restated Articles of Incorporation supersede the original Articles and all amendments thereto.

IN TESTIMONY WHEREOF, the undersigned corporation has caused these Articles of Amendment to be signed by a duly authorized officer thereof this _____ day of _____, 20__.

Name of Corporation

Signature

Title



Department of State
Bureau of Corporations and Charitable Organizations
P.O. Box 8722
Harrisburg, PA 17105-8722
(717) 787-1057
web site: www.dos.state.pa.us/corps

Instructions for Completion of Form:

- A. Typewritten is preferred. If not, the form shall be completed in black or blue-black ink in order to permit reproduction. The filing fee for this form is \$70 made payable to the Department of State.
- B. Under 15 Pa.C.S. § 135(c) (relating to addresses) an actual street or rural route box number must be used as an address, and the Department of State is required to refuse to receive or file any document that sets forth only a post office box address.
- C. The following, in addition to the filing fee, shall accompany this form:
 - (1) One copy of a completed form DSCB:15-134B (Docketing Statement-Changes).
 - (2) Any necessary copies of form DSCB:17.2.3 (Consent to Appropriation of Name) shall accompany Articles of Amendment effecting a change of names and the change in name shall contain a statement of the complete new name.
 - (3) Any necessary governmental approvals.
- D. *For Management Corporation Only:* Paragraph 6 shall contain the text required by 15 Pa.C.S. § 2703 (relating to additional contents of articles of management corporations).
- E. *For Professional Corporation Only:* For general instructions relating to the incorporation of professional corporations see 19 Pa. Code Ch. 33 (relating to professional corporations). These instructions relate to incorporators, corporate name and stated purposes. For specific information relating to professional corporation names see 19 Pa. Code § 17.9 (relating to professional names).
- F. *For Benefit Corporation Only:* Paragraphs 10 and 11 shall contain the required and optional text specified by 15 Pa.C.S. §3331 (relating to corporate purposes).
- G. This form and all accompanying documents shall be mailed to the above stated address.

**PENNSYLVANIA DEPARTMENT OF STATE
BUREAU OF CORPORATIONS AND CHARITABLE ORGANIZATIONS**

Annual Benefit Report
(15 Pa.C.S § 3331)

Name
Address
City State Zip Code

Document will be returned to the name and address you enter to the left.



Fee: \$70

In compliance with the requirements of the provisions relating to the filing of an annual benefit report, the undersigned benefit corporation hereby states that:

1. The name of the corporation is:

2. The (a) address of this corporation's current registered office in this Commonwealth or (b) name of its commercial registered office provider and the county of venue is:

(a) Number and Street	City	State	Zip	County
-----------------------	------	-------	-----	--------

(b) Name of Commercial Registered Office Provider	County
---	--------

c/o:

3. A narrative description of:
 - (i) the ways in which the benefit corporation pursued general public benefit during the year and the extent to which general public benefit was created;

- (ii) the ways in which the benefit corporation pursued any specific public benefit that the articles state is the purpose of the benefit corporation to create and the extent to which that specific public benefit was created;

- (iii) any circumstances that have hindered the creation by the benefit corporation of general or specific public benefit; and

- (iv) the process and rationale for selecting or changing the third-party standard used to prepare the benefit report.

DSCB:15-3331 – 2

- 4. An assessment of the overall social and environmental performance of the benefit corporation against a third-party standard applied consistently with any application of that standard in prior benefit reports or accompanied by an explanation of the reasons for any inconsistent application.

- 5. The name of the benefit director and the benefit officer, if any, and the address to which correspondence to each of them may be directed.

- 6. The compensation paid by the benefit corporation during the year to each director in that capacity.

- 7. The name of each person that owns 5% or more of the outstanding shares of the benefit corporation either beneficially, to the extent known to the benefit corporation without independent investigation, or of record.

- 8. The annual compliance statement of the benefit director described in section 3322(c) (relating to benefit director).
Check applicable statements and strikeout inapplicable statements.

___ In the opinion of the benefit director, the benefit corporation acted in accordance with its general and any specific public benefit purpose in all material respects during the period covered by this report.

___ In the opinion of the benefit director, the directors and officers complied with sections 3321(a) (relating to standard of conduct for directors) and 3323(a) (relating to standard of conduct for officers), respectively.

___ In the opinion of the benefit director, the benefit corporation or its directors or officers failed so to act.
Following is a description of the ways in which the benefit corporation or its directors or officers failed so to act:

- 9. A statement of any connection between the organization that established the third-party standard, or its directors, officers or any holder of 5% or more of the governance interests in the organization, and the benefit corporation or its directors, officers or any holder of 5% or more of the outstanding shares of the benefit corporation, including any financial or governance relationship which might materially affect the credibility of the use of the third-party standard.

- 10. If the benefit corporation has dispensed with, or restricted the discretion or powers of, the board of directors, a description of:
 - (i) the persons that exercise the powers, duties and rights and who have the immunities of the board of directors; and

(ii) the benefit director, as required by section 3322(e).

DSCB:15-3331 – 3

IN TESTIMONY WHEREOF, the undersigned registrant has caused this Decennial Report to be signed by a duly authorized officer this _____ day of _____, 20____.

Name of Corporation

Signature

Title



**Department of State
Bureau of Corporations and Charitable Organizations
P.O. Box 8722
Harrisburg, PA 17105-8722
(717) 787-1057
Web site: www.dos.state.pa.us/corps**

Instructions for Completion of Form:

- A. Typewritten is preferred. If not, the form shall be completed in black or blue-black ink in order to permit reproduction. The filing fee for this form is \$70 made payable to the Department of State.
- B. Under 15 Pa.C.S. § 135(c) (relating to addresses) an actual street or rural route box number must be used as an address, and the Department of State is required to refuse to receive or file any document that sets forth only a post office box address.
- C. Additional pages may be attached as needed.
- D. The information in boxes 6 and 7 (relating to compensation paid to directors and any financial or proprietary information) may be omitted from the benefit report as filed with the Department of State.
- E. This form and all accompanying documents shall be mailed to the above stated address.

[Pa.B. Doc. No. 12-2286. Filed for public inspection November 21, 2012, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
16A-6918	State Board of Social Workers, Marriage and Family Therapists and Professional Counselors Continuing Education Audit and Enforcement 42 Pa.B. 5744 (September 8, 2012)	10/09/12	11/08/12

**State Board of Social Workers, Marriage/Family
Therapists and Professional Counselors
Regulation #16A-6918 (IRRC #2973)**

Continuing Education Audit and Enforcement

November 8, 2012

We submit for your consideration the following comments on the proposed rulemaking published in the September 8, 2012 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the State Board of Social Workers, Marriage/Family Therapists and Professional Counselors (Board) to respond to all comments received from us or any other source.

1. Section 47.37. Reporting by licensee of hours spent in continuing education; continuing education audit and enforcement.—Implementation procedures; Clarity.

This section establishes the reporting requirements for licensed social workers to verify to the Board completion of the requisite amount of continuing education requirements necessary for license renewal. We raise five issues.

First, Subsection (b) states that the Board will “randomly audit licensees to ensure compliance with the continuing education requirements.” However, Subsection (b) does not explain the audit process. In the Preamble to the final-form regulation, we recommend that the Board provide a more detailed explanation for how it will conduct these random audits, including an average timeframe necessary to complete an audit, and the impact an audit will have on a licensee’s ability to practice.

Second, Subsection (c) states that a licensee who is deficient in continuing education hours is subject to formal disciplinary action or the issuance of a citation. The circumstances that would warrant imposition of these types of penalties are included in the companion piece to this rulemaking, submitted by the Bureau of

Professional and Occupational Affairs. See Proposed Regulation #16A-6917 (IRRC #2972): “Schedule of Civil Penalties—Social Workers, Marriage and Family Therapists and Professional Counselors.” To improve clarity, we recommend that, in the final-form regulation, Subsection (c) include a cross-reference to Regulation #16A-6917.

Third, Subsection (c) states that a licensee who is deficient in continuing education hours is subject to “formal disciplinary action under section 11 of the act (63 P. S. § 1911) . . .” However, Subsection (c) does not reference the specific provisions in § 1911 that pertain to formal disciplinary action. To improve clarity, we recommend that the final-form regulation specifically reference the subsections of § 1911 that apply to Subsection (c).

Fourth, Subsection (d) states that a deficient licensee has six months to make up the deficiency from the issuance of a warning letter, citation or the imposition of discipline. Since this is the first time the proposed regulation references a warning letter, the Board should clarify under what circumstances a deficient licensee would receive a warning letter.

Finally, Subsection (e) references “additional disciplinary action under section 11 of the act.” Where are the “additional disciplinary actions” set forth in § 1911? The final-form regulation should include specific cross-references to the relevant provisions in § 1911.

Similar language is included in the proposed regulation for licensed marriage and family therapists in §§ 48.38 (b), (c), (d) and (e), and for licensed professional counselors in §§ 49.38 (b), (c), (d) and (e). Therefore, in the final-form regulation we recommend that the Board also make similar changes to these provisions as those recommended above.

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 12-2287. Filed for public inspection November 21, 2012, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
7-462	Environmental Quality Board Commercial Fuel Oil Sulfur Limits for Combustion Units	11/08/12	12/13/12
7-466	Environmental Quality Board Dam Safety and Waterway Management Fees	11/08/12	12/13/12

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 12-2288. Filed for public inspection November 21, 2012, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Philadelphia, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Justice Hearing Room 4030, 801 Market Street, Philadelphia, PA 19107.

Appeal of Doris Schneider; file no. 12-188-127513; Infinity Indemnity Insurance Company; Doc. No. P12-10-025; December 4, 2012, 3 p.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The

Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 12-2289. Filed for public inspection November 21, 2012, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P. S. § 1171.8) in connection with their company's termination of the insureds' homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of William and Grace Driscoll; file no. 12-130-127359; Erie Insurance Exchange; Doc. No. P12-10-024; December 18, 2012, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings,

claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 12-2290. Filed for public inspection November 21, 2012, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), announces a meeting of the Authority's Board to be held at Harrisburg Area Community College, One HACC Drive, Harrisburg, PA, at 10 a.m. on Tuesday, December 4, 2012.

Individuals with questions regarding this meeting, which is open to the public should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 12-2291. Filed for public inspection November 21, 2012, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a

copy served on the applicant by December 10, 2012. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2012-2321951. Pearl Express, LLC (770 Fahs Street, York, PA 17404) for the right to begin to transport, as a common carrier, by motor vehicle, persons in scheduled route service, between the following points in Pennsylvania, Monday through Friday, each route to begin at 6 a.m. and 3 p.m.:

East Zone—York Mall / Galleria / Pleasant Acres

- To transport, as a common carrier, by motor vehicle, persons in scheduled route service between Downtown York and East York over the following route: Beginning at Transfer Center Pershing Avenue (Kings Street) in Downtown York; thence east on King Street to its intersection with Duke Street; thence left on Duke Street to the intersection of East Market Street (Route 462); thence right on East Market Street to its intersection with Northern Way; thence left on Northern Way to the intersection of Industrial Highway; thence left on Industrial Highway to its intersection of Memory Lane; thence right on Memory Lane to the intersection of Pleasant Valley Road; thence continue on Pleasant Valley Road to the intersection of Williams Road; thence right on Williams Road to the intersection of Whiteford Road; thence a right on Whiteford Road to the intersection of Mount Zion Road (Route 24); thence right on Mount Zion Road to the intersection of Concord Road; thence left on Concord Road to the intersection of Davies Drive; thence right on Davies Drive to the intersection of Heindel Road; thence left on Heindel Road to the intersection Pleasant Acres Road; thence right on Pleasant Acres Road to the intersection Stony Brook Road; thence right on Stony Brook Road to the intersection of East Market Street (Route 462); thence right on East Market Street to the intersection North Harrison Street; thence right on North Harrison Street to the intersection of East Philadelphia Street (Route 462); thence left on East Philadelphia Street to the intersection of South Pershing Avenue; thence left on South Pershing Ave returning to the point of origin Transfer Center (King Street) Downtown York.

West Zone—West York / West York Industrial Park

- To transport, as a common carrier, by motor vehicle, persons in scheduled route service between Downtown York and West York over the following route: Beginning Transfer Center Pershing Avenue (King Street) in Downtown York; thence south on South Pershing Avenue to its intersection with West Princess Street; thence right on West Princess to the intersection Dewey Street; thence right on Dewey Street to the intersection West King Street; thence left of West King Street to the intersection North Highland Avenue; thence right on North Highland Avenue to the intersection West Market Street (Route 462); thence left on West Market Street to the intersection West Philadelphia Street; thence right on West Philadelphia Street to the intersection North Highland Avenue; thence right on North Highland Avenue to the intersection West Market Street (Route 462); thence left

on West Market Street to the intersection Overbrook Avenue; thence right on Overbrook Avenue to the intersection West King Street; thence left on West King Street to the point of origin Transfer Center (Pershing Avenue) Downtown York.

North Zone—North York by means of Beaver

- To transport, as a common carrier, by motor vehicle, persons in scheduled route service between Downtown York and North York over the following route: Beginning Transfer Center Pershing Avenue (Kings Street) in Downtown York; thence east on King Street to its intersection with South Beaver Street; thence left on South Beaver Street to the intersection Jefferson Avenue; thence left on Jefferson Avenue to the intersection North Pershing Avenue; thence left on North Pershing Avenue to the intersection Parkway Boulevard; thence left on Parkway Boulevard to the intersection Pennsylvania Avenue; thence right on Pennsylvania Avenue to the intersection Neu Road; thence left on Neu Road to the intersection Vogel song Road; thence right on Vogel song Road to the intersection Pennsylvania Avenue; thence right on Pennsylvania Avenue to the intersection Loucks Road (Route 30); thence left on Loucks Rd to the intersection North George Street; thence right on North George Street to the intersection West Philadelphia Avenue; thence right on West Philadelphia Avenue to the intersection South Pershing Avenue; thence right on South Pershing Avenue to the point of origin Transfer Center Downtown York.

South Zone—South York by means of Pershing

- To transport, as a common carrier, by motor vehicle, persons in scheduled route service between Downtown York and South York over the following route: Beginning at Transfer Center Pershing Avenue; thence south on South Pershing Avenue to the intersection West Jackson Street; thence left on West Jackson Street to the intersection South George Street (Interstate 83); thence right on South George Street to the intersection Rathton Road; thence left on Rathton Road to the intersection Edgar Street; thence left on Edgar Street to the intersection East Cottage Place; thence left on East Cottage Place to the intersection South Pine Street; thence right on South Pine Street to the intersection East Princess Street; thence right on East Princess Street to the intersection South Pershing Avenue; thence right on South Pershing Avenue to the point of origin Transfer Center Downtown York.

York To Harrisburg Connect—by means of 83 North

- To transport, as a common carrier, by motor vehicle, persons in scheduled route service between Downtown York and South York over the following route: Beginning at Transfer Center Pershing Avenue; thence go west on King Street to the intersection Pine Street; thence right on Pine Street to the intersection of Prospect Street (Mount Rose Avenue); thence left on Prospect Street to the intersection of Haines Road; thence left on Haines Road (Scheduled stop K-Mart); thence return back to Mount Rose Avenue to the intersection of 83 North (Exit 18); thence continue on 83 North to the intersection of Church Road (Exit 24/Park and Ride); thence return on 83 North to the intersection of Old Trail Road (Exit 33/Park and Ride); thence return on 83 North to the intersection of Second Street (Exit 43); thence a left on 2nd Street to the intersection of Market Street; thence a right on Market Street (Scheduled destinations—Train Station and Cat Transfer Point) to the intersection of Fifth Street; thence a left of 5th Street to the intersection of Walnut Street; thence left on to Walnut Street to the

intersection of Front Street; thence a left on Front Street to the intersection of 83 South (Exit 44); continue on 83 South to the Old Trail Road (Exit 33/Park and Ride); Return on 83 South to the intersection of Church Road (Exit 24/Park and Ride); thence return on to 83 South to the intersection Mount Rose Avenue (Exit 18); thence proceed to Haines Road (Scheduled stop K-Mart Center); thence return back onto Mount Rose Avenue, becomes Prospect Street to the intersection of Pine Street; thence right on to Pine Street to the intersection of Princess Street; thence a left on to Princess to the intersection of Pershing Avenue; thence a right on to Pershing Avenue the point of origin Transfer Center Downtown York.

A-2012-2324833. Nicholas Louis Varish, t/a South Mountain Transportation (704 Point Road, Wernersville, Berks County, PA 19565)—persons, in paratransit service, between points in the Boroughs of Robesonia, Wernersville and Womelsdorf, all within Berks County.

A-2012-2324909. Catawese Coach Lines, Inc., t/a Catawese Coach Lines (P. O. Box 546, Shamokin, PA 17872)—in Group and Party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Columbia, Luzerne, Montour, Northumberland, Schuylkill and Snyder, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.

A-2012-2329498. Justin Neal Detterline, t/a D & L Cab Co. (106 Morningside Drive, Red Lion, York County, PA 17356)—persons upon call or demand, in the Counties of York and Adams, which is to be a transfer of all rights authorized under the certificate issued at A-00121720, F. 1, Am-B, to D & L Cab Co., Inc., subject to the same limitations and conditions.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2012-2321964. Paul J. Belicic, III, t/a Pals Professional and Loyal Service Moving (668 Duganne Lane, Duncansville, PA 16635)—household goods in use, between points in Blair County.

Pennsylvania Public Utility Commission, Bureau of Investigation and Enforcement v. Lambert Worldwide Services LLC; Doc. No. C-2012-2325494

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Lambert Worldwide Services LLC, (respondent) is under suspension effective

September 11, 2012 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 6703 Germantown Avenue, Philadelphia, PA 19119-2109.

3. That respondent was issued a Certificate of Public Convenience by this Commission on February 10, 2012, at A-6413114.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6413114 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/24/2012

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
Harrisburg, Pennsylvania 17120

Additionally, please serve a copy on:

Wayne T. Scott, Prosecutor
Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, Pennsylvania 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in this Complaint. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord Certificates of Insurance and faxed Form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the proposed penalty in this Complaint, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth in this Complaint.

F. If you have questions regarding this Complaint or if you would like an alternative format of this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

*Pennsylvania Public Utility Commission, Bureau of
 Transportation and Safety v. Ellas Limo, Inc.;*
Doc. No. C-2012-2029746

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That all authority issued to Ellas Limo, Inc. (respondent) is under suspension effective 2008/02/25 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 3801 Bensalem Boulevard, Bensalem, PA 19020.
3. That respondent was issued a Certificate of Public Convenience by this Commission on September 09, 2005, at A-00121390.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00121390 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any

hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/1/2012

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in the Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Transportation and
 Safety
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Acord Certificates of Insurance and faxed Form Es and Hs are unacceptable as evidence of insurance.

The fine payment must be made to the Commonwealth of Pennsylvania and forwarded to

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations.

Upon receipt of the evidence of insurance from your insurer and receipt of your fine payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue

an Order imposing a penalty, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 12-2292. Filed for public inspection November 21, 2012, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Motor Carrier Medallion Transfer Application for Service in the City of Philadelphia

Permanent or temporary authority to render services as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD) by the following named applicant. The company has applied to transfer the rights held Kenny VO Cab Co. (CPC No. 1019675-01, Medallion P-0482) to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

A-12-10-01. Barnes Taxi, LLC, 2351 South Swanson Street, Philadelphia, PA 19148, registered with the Commonwealth on June 18, 2012.

Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority). Filings must be made at the offices of the TLD with the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, with a copy served on the applicant by December 10, 2012. Documents filed in support of the application are available for inspection at the TLD office (contact Charles Milstein) between 9 a.m. and 4:30 p.m. Monday to Friday or may be inspected at the business address of the applicant. The protest fee is \$2,500. (certified check or money order payable to PPA).

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 12-2293. Filed for public inspection November 21, 2012, 9:00 a.m.]

Motor Carrier Medallion Transfer Application for Service in the City of Philadelphia

Permanent or temporary authority to render services as a common carrier in the City of Philadelphia will be filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD) by the following named applicant. The company will be applying to transfer the rights held by Blackstar Cab Co. (CPC No. 1000078-01,

Medallion P-0898) to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

1022845. Everet Abitbol, 2351 South Swanson Street, Philadelphia, PA 19148.

Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority). Filings must be made at the offices of the TLD with the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, with a copy served on the applicant by December 10, 2012. Documents filed in support of the application are available for inspection at the TLD office (contact Charles Milstein) between 9 a.m. and 4:30 p.m. Monday to Friday or may be inspected at the business address of the applicant. The protest fee is \$2,500 (certified check or money order payable to PPA).

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 12-2294. Filed for public inspection November 21, 2012, 9:00 a.m.]

STATE CHARTER SCHOOL APPEAL BOARD

Schedule of Meetings

The State Charter School Appeal Board (Board) will meet as follows:

December 11, 2012	1 p.m.	Heritage Suite A
February 19, 2013	1 p.m.	Honors Suite
March 26, 2013	1 p.m.	Honors Suite
April 30, 2013	1 p.m.	Honors Suite
June 11, 2013	1 p.m.	Honors Suite

Unless due and timely notice to the contrary is given, these meetings will be held in the Honors Suite on the First Floor or Heritage Room A, Lobby Level, Education Building, 333 Market Street, Harrisburg, PA.

Persons with disabilities needing special accommodations to attend the meetings may contact Ernest Helling, Counsel to the Board, at the 9th Floor, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-5500 or Pennsylvania AT&T Relay Service (800) 654-5984 at least 24 hours in advance so that arrangements can be made.

ERNEST N. HELLING,
Board Counsel

[Pa.B. Doc. No. 12-2295. Filed for public inspection November 21, 2012, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Commission Meeting

The Susquehanna River Basin Commission (Commission) will hold its regular business meeting on December 14, 2012, at 8:30 a.m. in Lowe House Office Building, House of Delegates, Prince George's Delegation (Room #150), 6 Bladen Street, Annapolis, MD 21401. The

recommended parking and transportation option is to park at the Navy-Marine Corps Memorial Stadium and take the Annapolis Transit Trolley Shuttle from there. For all available parking options visit http://www.downtownannapolis.org/_pages/transport/tr_parking.htm. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice.

For further information contact Richard A. Cairo, General Counsel, (717) 238-0423, Ext. 306, fax (717) 238-2436.

Opportunity to Appear and Comment

Interested parties are invited to attend the business meeting and encouraged to review the Commission's Public Meeting Rules of Conduct, which are posted on the Commission's web site at www.srbc.net. As identified in the public hearing notice referenced as follows, written comments on the Regulatory Program projects that were the subject of the public hearing and are listed for action at the business meeting, are subject to a comment deadline of November 26, 2012. Written comments pertaining to any other matters listed for action at the business meeting may be mailed to the Susquehanna River Basin Commission, 1721 North Front Street, Harrisburg, PA 17102-2391 or submitted electronically through <http://www.srbc.net/pubinfo/publicparticipation>.

htm. Comments mailed or electronically submitted must be received by the Commission on or before December 7, 2012, to be considered.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) presentation on eel collection, stocking and research by the United States Fish and Wildlife Service; (2) presentation recognizing former alternate Commissioner Herbert Sachs; (3) resolution concerning Fiscal Year 2014 Federal funding of the Susquehanna Flood Forecast and Warning System and National Stream flow Information Program; (4) Low Flow Protection Policy; (5) proposed rulemaking; (6) ratification/approval of grants; (7) administrative appeal filed by East Hempfield Township Municipal Authority; and (8) Regulatory Program projects. Projects listed for Commission action are those that were the subject of a public hearing conducted by the Commission on November 15, 2012, and identified in the notice for the hearing, which was published in 77 FR 64576, October 22, 2012.

Authority: Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: November 9, 2012.

PAUL O. SWARTZ,
Executive Director

[Pa.B. Doc. No. 12-2296. Filed for public inspection November 21, 2012, 9:00 a.m.]