

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending August 6, 2013.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
7-29-2013	Investment Savings Bank Altoona Blair County	200 Patchway Road Duncansville Blair County	Opened
8-1-2013	Somerset Trust Company Somerset Somerset County	1176 National Pike Hopwood Fayette County	Approved
8-6-2013	Metro Bank Lemoyne Cumberland County	2121 Lincoln Highway East Lancaster Lancaster County	Approved

Discontinued Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
7-31-2013	Meridian Bank Malvern Chester County	60 East Uwchlan Lionville Chester County	Closed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-5-2013	Somerset Trust Company Somerset Somerset County	<i>To:</i> 4640 National Pike Markleysburg Fayette County <i>From:</i> 4364 National Pike Markleysburg Fayette County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
8-1-2013	Lancaster Red Rose Credit Union Lancaster Lancaster County	Effective

Application for approval to merge United People's Federal Credit Union of Lancaster, Lancaster, with and into Lancaster Red Rose Credit Union, Lancaster.

As a result of the merger, the sole office of United People's Federal Credit Union of Lancaster, located at the following address, became a branch office of Lancaster Red Rose Credit Union:

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
	2137 Embassy Drive, Suite 101 Lancaster Lancaster County	

Change of Principal Place of Business

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Address</i>	<i>Action</i>
8-6-2013	Bradford Area School Employees CU	<i>To:</i> 15 Kennedy Street Bradford McKean County <i>From:</i> 32 York Street Bradford McKean County	Effective

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 13-1521. Filed for public inspection August 16, 2013, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of September 2013

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of September, 2013, is 5 3/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which

the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 3.17 to which was added 2.50 percentage points for a total of 5.67 that by law is rounded off to the nearest quarter at 5 3/4%.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 13-1522. Filed for public inspection August 16, 2013, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

Applications

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held. Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0244422 (Storm Water)	Norfolk Southern Abrams Yard 850 North Henderson Road King of Prussia, PA 19406	Montgomery County Upper Merion Township	Schuylkill River (3-F)	Y

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0012742 (IW)	Copperhead Chemicals Tamaqua Plant 120 River Road Tamaqua, PA 18252	Schuylkill County Walker Township	Brushy Run and Little Schuylkill River (3-A)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0083607— (Sew)	Union Township—Lickdale STP 3111 State Route 72 Jonestown, PA 17038	Lebanon County / Union Township	Forge Creek / 7D	Y
PA0246867 (Sew)	Riverside Apartments 4 Benvenue Road Duncannon, PA 17020	Dauphin County Reed Township	Susquehanna River / 6-C	Y
PA0247201 (IW)	City of Lancaster 120 N. Duke Street PO Box 1599 Lancaster, PA 17608-1599	Lancaster County West Hempfield Township	Strickler Run / 7-G	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3664.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0101427	Brian J Buchsen SF System 383 Irish Road Coudersport, PA 16915	Potter County Sweden Township	UNT to Trout Run (16-C)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0037117 (Sewage)	Abraxas I 165 Abraxas Road Marienville, PA 16239	Forest County Howe Township	Unnamed Tributary to Branch and The (16-F)	Y
PA0239399 (Sewage)	Craig V. & Julie K. King SRSTP 2552 Mercer-Butler Pike Grove City, PA 16127	Mercer County Liberty Township	Unnamed Tributary of Black Run (20-C)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401

PA0056553, Storm Water, SIC Code 3271, **Allan A. Myers, LP dba Independence Construction Materials**, 638 Lancaster Avenue, Malvern, PA 19355. Facility Name: Devault Yard. This existing facility is located in Charlestown Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of Storm Water.

The receiving stream(s), Unnamed Tributary of Pickering Creek, is located in State Water Plan watershed 3-D and is classified for High Quality Waters—Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average stormwater flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Requirement
- D. BAT/ELG Reopener
- E. Stormwater Condition

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0080721, Sewage, SIC Code, 6515, **Frank T Perano**, PO Box 677, Morgantown, PA 19543-0677. Facility Name: Cedar Manor MHP. This existing facility is located in Londonderry Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Conewago Creek, is located in State Water Plan watershed 7-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.072 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Total Annual		Average Monthly	Daily	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	1	XXX	2
(Final)	XXX	XXX	XXX	0.036	XXX	0.116
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	XXX	XXX	XXX	1.6	XXX	3.2
Nov 1 - Apr 30	XXX	XXX	XXX	4.8	XXX	9.6
Total Phosphorus	Report	XXX	XXX	2.0	XXX	4.0
Total Phosphorus	XXX	438	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

In addition, the permit contains the following major special conditions:

- Construction schedule for collection system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0083674, Sewage, SIC Code 3999, 5812, **Rainworth, Inc.**, 1979 Biglerville Road, Gettysburg, PA 17325-8038. Facility Name: Rainworth Apartments. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to White Run, is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
				Report		
				Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0020851, Sewage, SIC Code 4952, **Hyndman Borough Municipal Authority Bedford County**, PO Box 445, Hyndman, PA 15545-0445. Facility Name: Hyndman Borough STP. This existing facility is located in Hyndman Borough, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Wills Creek, is located in State Water Plan watershed 13-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.365 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Dosage ($\mu\text{ws}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	76	122	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	91	137	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2000	XXX	10000
				Geo Mean		

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)			Concentration (mg/l)	
	Monthly	Annual	Minimum	Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	7,306	XXX	XXX	XXX
Net Total Phosphorus	Report	974	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0020249, Sewage, SIC Code 4952, **Roaring Spring Borough Municipal Authority Blair County**, 616 Spang Street, Roaring Spring, PA 16673-1481. Facility Name: Roaring Spring Borough STP. This existing facility is located in Roaring Spring Borough, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Frankstown Branch Juniata River and Halter Creek, is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	146	233	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	175	263	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	20	XXX	XXX	3.5	XXX	7.0
Nov 1 - Apr 30	58	XXX	XXX	10	XXX	20

The proposed effluent limits for Outfall 002 are based on a design flow of 0.7 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	146	233	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	175	263	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	58	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001 & Outfall 002

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	12,785	XXX	XXX	XXX
Net Total Phosphorus	Report	1,705	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0081833, Sewage, SIC Code 4952, **SK Part II LTD**, 6085 Delta Road, Delta, PA 17314-9209. Facility Name: Peach Bottom Inn STP. This existing facility is located in Peach Bottom Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Scott Creek, is located in State Water Plan watershed 7-I and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.013 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083208, Sewage, SIC Code 4952, **Refreshing Mountain Camp, Inc.**, 455 Camp Road, Stevens, PA 17578. Facility Name: Refreshing Mountain Camp. This existing facility is located in Clay Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Middle Creek, is located in State Water Plan watershed 7-J and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.006 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Total Annual	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.50	XXX	1.6
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Nitrate-Nitrite as N (lbs/year)	XXX	Report	XXX	Report Annual Avg	XXX	XXX
Total Nitrogen (lbs/year)	XXX	Report	XXX	Report Annual Avg	XXX	XXX

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Total Annual		Average Monthly	Annual Avg	
Total Kjeldahl Nitrogen (lbs/year)	XXX	Report	XXX	Report	XXX	XXX
Total Phosphorus (lbs/year)	XXX	Report	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0262064, Sewage, SIC Code 5800, **The Wago Club**, 1095 Wago Road, Mount Wolf, PA 17347. Facility Name: The Wago Club. This proposed facility is located in East Manchester Township, **York County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Hartman Run, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0015 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Total Annual		Average Monthly	Annual Avg	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
UV Intensity (µw/cm ²)	XXX	XXX	XXX	Geo Mean Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Manager, Clean Water, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000

PA0110990, Industrial Waste, SIC Code 4941, **Central City Water Authority**, 314 Central Avenue Suite 203, Central City, PA 15926. Facility Name: Central City Authority Water System. This existing facility is located in Shade Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Dark Shade Creek, is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Aluminum	XXX	XXX	XXX	0.75	XXX	1.5
Total Iron	XXX	XXX	XXX	1.5	XXX	3.0
Total Manganese	XXX	XXX	XXX	1.0	XXX	2.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0253561, SIC Code 4941, **Somerset County General Authority**, 146 W Main Street, Somerset, PA 15501. Facility Name: Somerset County General Authority Water System. This existing facility is located in Jenner Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated backwash water.

The receiving stream(s), Unnamed Tributary to Quemahoning Creek, is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.099 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Aluminum	XXX	XXX	XXX	0.75	XXX	1.5
Total Iron	XXX	XXX	XXX	2.0	XXX	4.0
Total Manganese	XXX	XXX	XXX	1.0	XXX	2.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0205991, SIC Code 4941, **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Moon Township, PA 15108. Facility Name: Moon Township Municipal Authority. This existing facility is located in Moon Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated water treatment plant backwash and storm water runoff.

The receiving stream(s), Ohio River and Unnamed Tributary to Thorn Run, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.053 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		

This outfall shall consist solely of the sources from Internal Monitoring Point 101

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 0.053 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Aluminum	XXX	XXX	XXX	4.0	XXX	8.0
Total Iron	XXX	XXX	XXX	2.0	XXX	4.0
Total Manganese	XXX	XXX	XXX	1.0	XXX	2.0

The EPA Waiver is in effect.

PA0097306, SIC Code 4941, **Robinson Township Municipal Authority**, PO Box 15539, Pittsburgh, PA 15244-0539. Facility Name: Robinson Township WTP. This existing facility is located in Coraopolis Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated water treatment backwash water.

The receiving stream(s), Ohio River, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.276 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Aluminum	XXX	XXX	XXX	4.0	XXX	8.0
Total Iron	XXX	XXX	XXX	2.0	XXX	4.0
Total Manganese	XXX	XXX	XXX	1.0	XXX	2.0

The EPA Waiver is in effect.

PA0027537, Industrial Waste, SIC Code 4941, **Hampton Shaler Water Authority**, PO Box 66, Allison Park, PA 15101-0066. Facility Name: Hampton Shaler Water Authority. This existing facility is located in Shaler Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Allegheny River, is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.22 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Aluminum	XXX	XXX	XXX	4.0	XXX	8.0
Total Iron	XXX	XXX	XXX	2.0	XXX	4.0
Total Manganese	XXX	XXX	XXX	1.0	XXX	2.0

The EPA Waiver is in effect.

PA0218227, Industrial Waste, SIC Code 4941, **Washington Township Municipal Authority Fayette County**, 1390 Fayette Avenue, Belle Vernon, PA 15012-2535. Facility Name: Washington Township Municipal Authority WTP. This existing facility is located in Fayette City Borough, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Monongahela River, is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.55 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Aluminum	XXX	XXX	XXX	4.0	XXX	8.0
Total Iron	XXX	XXX	XXX	2.0	XXX	4.0
Total Manganese	XXX	XXX	XXX	1.0	XXX	2.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0027219, Sewage, SIC Code 4952, **Greater Uniontown Joint Sewer Plant Authority**, 90 Romeo Lane, Uniontown, PA 15401. Facility Name: Uniontown STP. This existing facility is located in Uniontown City, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Redstone Creek, is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 9.40 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
Influent	Report	Report	XXX	Report	Report	XXX
May 1 - Oct 31	784	1,177	XXX	10	15	20
Nov 1 - Apr 30	1,568.9	2,353.3	XXX	20	30	40
Total Suspended Solids						
Influent	Report	Report	XXX	Report	Report	XXX

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids	2,353	3,530	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
UV Transmittance (%)	XXX	XXX	Report	Report	XXX	XXX
Total Nitrogen	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Ammonia-Nitrogen						
May 1 - Oct 31	180	271	XXX	2.3	3.5	4.6
Nov 1 - Apr 30	408	612	XXX	5.2	7.8	10.4
Total Phosphorus	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Aluminum	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Copper	XXX	XXX	XXX	Report	Report	XXX
					Daily Max	
Free Available Cyanide						
(Interim)	XXX	XXX	XXX	Report	XXX	Report
(Final)	XXX	XXX	XXX	0.007	XXX	0.014
Total Iron	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Total Manganese	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	
Bis(2-Ethylhexyl)Phthalate						
(Interim)	XXX	XXX	XXX	Report	XXX	Report
Bis(2-Ethylhexyl)Phthalate						
(Final)	XXX	XXX	XXX	0.003	XXX	0.006

In addition, the permit contains the following major special conditions:

- A toxics reduction evaluation is included in the permit for bis(2-ethylhexyl)phthalate and free cyanide
- The development of a pretreatment program for industrial contributors is to be submitted by February 1, 2014

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. WQG02231310, Sewage, **Concord Township Sewer Department**, 43 Thornton Road, Glen Mills, PA 19342.

This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a sewer extension.

WQM Permit No. 4613201, Industrial Waste, **Lower Merion Township**, 75 East Lancaster Avenue, Ardmore, PA 19003-2376.

This proposed facility is located in Lower Merion Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a groundwater seep passive treatment system.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2213404, Sewerage, **Gerald Mishler**, 1040 Manada Bottom Road, Harrisburg, PA 17112.

This proposed facility is located in East Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Replacing a failed septic system using a 2-compartment Monarch precast concrete septic tank with the second compartment housing a Peaksys Clearrex Bubber unit.

WQM Permit No. 2113403, Sewerage, **Jeff Pierson**, 357 Sherwood Drive, Carlisle, PA 17015.

This proposed facility is located in Middlesex Township, **Cumberland County**.

Description of Proposed Action/Activity: Proposed using a Premier Tech Aqua system for a three bedroom single family home.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W THIRD ST STE 101, Williamsport, PA 17701-6448. Phone: 570.327.3664.

WQM Permit No. 4113402, Sewage, **Carol Phillips**, 22861 Route 287, Morris, PA 16938.

This proposed facility is located in Pine Township, **Lycoming County**.

Description of Proposed Action/Activity: Project is to abate the failing on lot sewage disposal system serving the motel units and dwelling units.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. 0213404, Sewerage, **PWSA**, 1200 Penn Ave., PGH, PA 15222-4211

This proposed facility is located in PGH City, **Allegheny County**

Description of Proposed Action/Activity: Application for construction and operation of sewer lines.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 1013405, Sewage, **Kelly A. Slagle**, 225 Green Street, Monroe City, MO 63456.

This proposed facility is located in Portersville Borough, **Butler County**.

Description of Proposed Action/Activity: New Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

IV. NPDES Applications for Stormwater Discharges from MS4

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401

PAI130538, MS4, **PA State University Brandywine Campus**, 25 Yersley Mill Road, Media, PA 19063. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Middletown Township, **Delaware County**. The receiving stream(s), Rocky Run, is located in State Water Plan watershed 3-G and is classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is not in effect.

PAI130506, MS4, **Solebury Township**, 3092 Sugas Road, Solebury, PA 18963-0139. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Solebury Township, **Bucks County**. The receiving stream(s), Aquetong Creek, Cuttalosa Creek, Dark Hollow Run, Lahaska Creek, Paunacussing Creek, Pidcock Creek, Rabbit Run and Unnamed Stream, is located in State Water Plan watershed 2-E and 2-F and is classified for Warm Water Fishes, Migratory Fishes, High Quality Waters—Cold Water Fishes, Trout Stocking, Migratory Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is not in effect.

PAI130022, MS4, **Milford Township**, 2100 Krammes Road, Quakertown, PA 18951. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Quakertown Borough, **Bucks County**. The receiving stream(s), Beaver Run, Molasses Creek, Unami Creek, Unnamed Tributary of Unami Creek and Unnamed Tributary to Unami Creek, is located in State Water Plan watershed 2-D and 3-E and is classified for High Quality Waters—Trout Stocking, Mi, Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is not in effect.

PAI133507, MS4, **Cumru Township Berks County**, 1775 Welsh Road, Mohnton, PA 19540. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Cumru Township, **Berks County**. The receiving stream(s), Schuylkill River, Unnamed Tributary to Allegheny Creek, Unnamed Tributary to Angelica Creek and Unnamed Tributary to Wyomissing Creek, is located in State Water Plan watershed 3-C and is classified for Warm Water Fishes, Migratory Fishes, High Quality Waters—Cold Water Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be

extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484.250.5910.

The EPA waiver is not in effect.

PAI133500, MS4, Mohnton Borough Berks County, 21 N Oneil Street, Mohnton, PA 19540-1603. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Mohnton Borough, **Berks County**. The receiving stream(s), Wyomissing Creek, is located in State Water Plan watershed 3-C and is classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484.250.5910.

The EPA waiver is not in effect.

PAI133501, MS4, Reading City Berks County, 815 Washington Street, Reading, PA 19601. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Reading City, **Berks County**. The receiving stream(s), Angelica Creek, Schuylkill River, Tulpehocken Creek and Wyomissing Creek, is located in State Water Plan watershed 3-C and is classified for Warm Water Fishes, Migratory Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484.250.5910.

The EPA waiver is not in effect.

PAI133502, MS4, Shillington Borough Berks County, 2 E Lancaster Avenue, Shillington, PA 19607-2632. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Shillington Borough, **Berks County**. The receiving stream(s), Unnamed Tributary to Angelica Creek and Wyomissing Creek, is located in State Water Plan watershed 3-C and is classified for High Quality Waters—Cold Water Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484.250.5910.

The EPA waiver is not in effect.

PAI133503, MS4, Spring Township Municipal Authority Berks County, 2850 Windmill Road, Reading, PA 19608-1668. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Spring Township, **Berks County**. The receiving stream(s), Cacoosing Creek, Little Cocalico Creek, Little Muddy Creek, Unnamed Tributary of Wyomissing Creek and Unnamed Tributary to Tulpehocken Creek, is located in State Water Plan watershed 3-C and 7-J and is classified for Warm Water Fishes, Migratory Fishes, High Quality Waters—Cold Water Fishes, Trout Stocking, Migratory Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484.250.5910.

The EPA waiver is not in effect.

PAI133504, MS4, West Reading Borough Berks County, 500 Chestnut Street, West Reading, PA 19611. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in West Reading Borough, **Berks County**. The receiving stream(s), Schuylkill River and Wyomissing Creek, are located in State Water Plan watershed 3C and are classified for migratory fishery and high quality water respectively.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910

The EPA waiver is not in effect.

PAI133506, MS4, Wyomissing Borough Berks County, 22 Reading Boulevard, Wyomissing, PA 19610-2038. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Wyomissing Borough, **Berks County**. The receiving stream(s), Schuylkill River, Tulpehocken Creek and Wyomissing Creek, is located in State Water Plan watershed 3-C and is classified for Warm Water Fishes, Migratory Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484.250.5910.

The EPA waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

PAI133518, MS4, Washington Township Berks County, 120 Barto Road, Barto, PA 19504. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Washington Township, **Berks County**. The receiving stream(s), Middle Creek, Unnamed Tributary to Swamp Creek, Unnamed Tributary to West Branch Perkiomen Creek and West Branch Perkiomen Creek, is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Cold Water Fishes, Trout Stocking, Migratory Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is not in effect.

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI012311005-1	Castleway Properties 10 Industrial Highway Mail Stop 1, E Bldg. Suite 101 Lester, PA 19113	Delaware	Tinicum Township	Tributary to Delaware River WWF-MF
PAI015113008	Summit Realty Advisors 201 S. Maple Ave, Suite 100 Ambler, PA 19002	Philadelphia	City of Philadelphia	Poquessing Creek WWF-MF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Luzerne County Conserve District, 325 Smiths Pond Road, Shavertown, Pa 18708, 570-674-7991

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024013002	STJ Williams Family Partnership, Ltd. c/o Scott Williams P. O. Box 3655 Scranton, PA 18505	Luzerne	Wright Township	UNT to Bow Creek (CWF, MF)

Lehigh County Conserve District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Rd, Allentown Pa 18104, 610-391-9583

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023913007	Monti Kalsi ANR III LLC 4500 Falmer Dr. Bethlehem, PA 18020	Lehigh	Upper Macungie Township	Schaefer Run (HQ, CWF, MF)

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

McKean County Conservation District: 17137 Route 6, Smethport PA 16749

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI064213003	Bradford Regional Airport 212 Airport Drive Lewis Run PA 16738	McKean	Lafayette Township	Unt Three-mile Run CWF Unt East Branch Tunungwant Creek HQ; CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

CAFO Notices of Intent Received

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

PAG123668, CAFO, **Jeffery L. Kline, Kline's Hillside Farm**, 167 Coble Road, Chambersburg, PA 17201.

This proposed facility is located in St. Thomas Township, **Franklin County**.

Description of Size and Scope of Proposed Operation/Activity: Permit renewal for 428 AEU turkey and swine operation.

The receiving stream, UNT Back Creek, is in watershed 13-C, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123598, CAFO, **Lloyd S. Brubaker**, 561 Brown Road, Myerstown, PA 17067.

This proposed facility is located in Bethel Township, **Berks County**.

Description of Size and Scope of Proposed Operation/Activity: Permit renewal for 265 AEU Poultry operation.

The receiving stream, UNT Crosskill Creek, is in watershed 7-D, and classified for: CWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123670, CAFO, **Daniel and Dwight Forry**, 1015 Prospect Road, Columbia, PA 17512.

This proposed facility is located in West Hempfield Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Permit renewal for 661 AEU Swine / Beef / Goat operation.

The receiving stream, UNT Strickler Run, is in watershed WWF, and classified for: 7-G.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123600, CAFO, **David L. Weaver, Clear Spring Egg Farm**, 740 Marion Drive, Womelsdorf, PA 19567.

This proposed facility is located in Marion Township, **Berks County**.

Description of Size and Scope of Proposed Operation/Activity: Permit renewal for 331 AEU Poultry operation.

The receiving stream, UNT Tulpehocken Creek, is in watershed 3-C, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the

name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Central Office: Bureau Director, Safe Drinking Water, P. O. Box 8467, Harrisburg, PA 17105-8467

Permit No. [9996596], Public Water Supply.

Applicant	[CG Roxane LLC]
[Township or Borough]	[Johnstown, New York]
Responsible Official	[Anne-Sophia Boizard, Quality Assurance Manager]
Type of Facility	[Out of State Bottled Water System]
Application Received Date	[July 1, 2013]
Description of Action	[Applicant requesting Department approval to sell bottled water in Pennsylvania under the brand names: Roxane Mountain Spring Water Crystal Geyser Natural Alpine Spring Water and 365 Spring Water.]

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Permit No. 1113504—Republish, Public Water Supply.

Applicant	Northern Cambria Municipal Authority 1202 Philadelphia Avenue Northern Cambria, PA 15714
[Township or Borough]	Barr Township
Responsible Official	Paul Weaver, Chairman Northern Cambria Municipal Authority 1202 Philadelphia Avenue Northern Cambria, PA 15714
Type of Facility	water system
Consulting Engineer	Stiffler, McGraw & Associates, Inc. 1731 North Juniata Street PO Box 462 Hollidaysburg, PA 16648
Application Received Date	May 14, 2013
Description of Action	Development of the Krumenaker Test Well No. 2; installation of a meter pit and a 6-inch diameter raw water supply line.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 4313505, Public Water Supply

Applicant	Glen Lake Estates Mobile Home Park
Township or Borough	Pine Township
County	Mercer
Responsible Official	Jack Berkovitz
Type of Facility	Public Water Supply
Consulting Engineer	Corbet G. Martin, P.E. Herbert Rowland & Grubic, Inc. 200 West Kensing Drive, Suite 400 Cranberry Township, PA 16066
Application Received Date	June 21, 2013
Description of Action	Change the three individual contact tanks to run in series instead of parallel. Install additional piping at the treatment facility to meet 4 log inactivation of viruses prior to entering distribution system.

Permit No. 3313501, Public Water Supply

Applicant	Soldier Water System
Township or Borough	Winslow Township
County	Jefferson
Responsible Official	Robert Krajewski
Type of Facility	Public Water Supply
Consulting Engineer	Brian S. Sekula, P.E. The EADS Group, Inc. 15392 Route 322 Clarion, PA 16214
Application Received Date	June 14, 2013
Description of Action	Permitting of chemical feed equipment in existing booster pump station for disinfection and corrosion control.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Application No. 1113512GWR, Minor Amendment.

Applicant	Country Living Estates, Inc. 313 Humbert Road Sidman, PA 15955
[Township or Borough]	Croyle Township
Responsible Official	Zubair Mansori Country Living Estates, Inc. 313 Humbert Road Sidman, PA 15955
Type of Facility	Forest Hills Personal Care Home
Consulting Engineer	

Application Received August 6, 2013
Date

Description of Action Demonstration of 4-log treatment for groundwater sources

Application No. 6513503MA, Minor Amendment.

Applicant **Municipal Authority of Westmoreland County**
124 Park & Pool Road
New Stanton, PA 15672

[Township or Borough] Boroughs of Jeanette, Adamsburg, New Stanton, South Greensburg and Hempfield Township

Responsible Official John Ashton, Assistant Manager
Municipal Authority of Westmoreland County
124 Park & Pool Road
New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
PO Box 853
Latrobe, PA 15650

Application Received August 2, 2013
Date

Description of Action Installation of approximately 89,000 feet of 48-inch diameter transmission line.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Application No. 4283501-MA3, Minor Amendment.

Applicant **Bradford City Water Authority**

Township or Borough Bradford Township

Responsible Official Kim R. Benjamin

Type of Facility Public Water Supply

Consulting Engineer Kevin L. Szakelyhidi, P.E.
Bankson Engineers, Inc.
267 Blue Run Road
P. O. Box 200
Indianola, PA 15051

Application Received July 5, 2013
Date

Description of Action Provide water source to natural gas drillers and contractors.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An

acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Warriors Mark Fuel Tanker Release, approximately 1.1 miles south of SR 350 and SR 550, Warriors Mark Township, **Huntingdon County**. CardnoATC Associates, 103 North Meadows Drive, Suite 211, Wexford, PA 115090, on behalf of Sel-Lo Oil, 703 Ellenberger Drive, Altoona, PA 16601, and Steven and Marilee Ormsby, 4296 Warriors Mark Path, Warriors Mark, PA 16877, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with unleaded gasoline that was released in a truck accident. The site will be remediated to the Residential Statewide Health standard. Future use of the site continues as a support embankment for the roadway. The Notice of Intent to Remediate was published in *Altoona Mirror* on July 26, 2013.

Custom Tool & Die (former), 2970 Old Tree Drive, East Hempfield Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of William Woratyla, 3932 Marietta Avenue, Columbia, PA 17512, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with #2 fuel oil. The site will be remediated to the Site Specific standard and remain industrial. The Notice of Intent to Remediate was published in the *Intelligencer Journal-New Era* on July 26, 2013.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

PAR000537548. Waste Management of Fairless LLC, 1000 New Ford Mill Road, Morrisville, PA 19067. This Application for permit renewal is for the existing RCRA Post-Closure Borrow Pit—20 (BP-20), a closed hazardous waste land unit that was originally permitted to the United States Steel Corporation (USS) under ID No. PAD002375376. BP-20 is part of the 252 acres of the Fairless Landfill parcel owned by Waste Management of Fairless, LLC, and located in the USS properties in Falls Township, **Buck County**. Application was received at the Southeast Regional Office on June 24, 2013.

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes Barre, PA 18701-1915

General Permit Application No. WMGR096. Program I.D. WMGR096-NE001. Hazleton Creek Properties. 580 Third Avenue, P. O. Box 1389, Kingston, PA 18704. A renewal application for the continued use of regulated fill as construction material at the Hazleton Mine Reclamation Project located in Hazleton City, **Luzerne County**. The application was received on June 24, 2013 and deemed administratively complete by the Regional Office on August 5, 2013.

Comments concerning the application should be directed to William Tomayko, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790 at 570-826-2511. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR145. Beaver Valley Slag, Inc., 100 Bet-Tech Drive, Aliquippa, PA 15001, **Beaver County**. This general permit application is for the beneficial use of industrial water from wells

associated with a former steelmaking and foundry site for use to develop or hydraulically fracture an oil or gas well. The application was determined to be administratively complete by Central Office on July 17, 2013.

Written comments concerning the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR144" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

General Permit Application No. WMGR144. Beaver Valley Slag, Inc., 100 Bet-Tech Drive, Aliquippa, PA 15001, **Beaver County**. This general permit application is for the beneficial use of blast furnace slag and steel slag from historic steelmaking operations extracted from the site for use as sub-base construction material, pavement aggregate, ready mix concrete ingredient, gas well construction and gas well pad construction. The application was determined to be administratively complete by Central Office on July 11, 2013.

Written comments concerning the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR144" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for Determination of Applicability Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

General Permit Application No. WMGR017SE001. Tri-County Spreading, 5144 Snyderstown Road, Pazinos, PA 17860. This application for a determination of applicability (DOA) for the beneficial use of drinking water plant treatment sludge for use as a soil additive on agricultural lands. The facility will be located on Swinehart Road, Coatesville, PA 19320, in West Brandywine Township, **Chester County**. The application for DOA was received by the Southeast Regional Office on March 14, 2013.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit Application No. 101376. Waste Management of Pennsylvania, Inc., the Forge Recycling and Resource Recovery Center, 5245 Bleigh Avenue, Philadelphia PA 19136-4225. This Solid Waste Permit Renewal Application is for approval to extend the permit term for 10 years for the Forge Recycling and Resource Recovery Center, a municipal waste transfer and processing facility located at 5245 Bleigh Avenue, Philadelphia, PA 19136, in the City of Philadelphia, **Philadelphia County**. The application was received by the Southeast Regional Office on July 25, 2013.

Permit Application No. 400694. Med-Flex, Inc., Ford Road and Frost Road, Bristol PA 19007. This application is submitted for the construction and operation of a new transfer and processing facility to be called "Med-Flex" that will operate 24 hours/day, 7days/week with maximum volume of 54 tons per day (TPD) of Infectious, Chemotherapeutic and Pharmaceutical waste to be located at Ford Road & Frost Road in Bristol Township, **Bucks County**. The application was considered received by the Southeast Regional office on June 19, 2013.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit Application No. 400558. Covanta Plymouth Renewable Energy Limited Partnership, 1155 Conshohocken Road, Conshohocken PA 19428. This Application is for the renewal of the solid waste permit (400558) for Covanta Plymouth Renewable Energy Facility, a municipal waste resource recovery facility located at 1155 Conshohocken Road, Conshohocken, PA 19428 in Plymouth Township, **Montgomery County**. The application was received by the Southeast Regional Office on June 25, 2013.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing

the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401-7671q) and regulations adopted under the Federal Clean Air Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

18-00030A: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17745) for installation of venture scrubbers to control the particulate matter emissions from the dry-end sections of the facility's two paper machines at their facility in Castanea Township, **Clinton County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

16-132J: Clarion Boards, Inc. (143 Fiberboard Road, Shippensburg, PA 16254) for modification of destruction efficiencies associated with the RTO in Paint Township, **Clarion County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

21-05039B: Land O' Lakes, Inc. (405 Park Drive, Carlisle, PA 17015) for reactivation of a milk powder storage bin and reconstruction of its associated fabric filter emissions control unit in South Middleton Township, **Cumberland County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to the abovementioned company for the abovementioned project.

Plan Approval No. 21-05039B will provide for the return to service of a milk powder storage bin and its emissions control system which have been out of service for a short period. The previous bags in the fabric filter will now be replaced with filter cartridges for improved residual powder removal. Facility emissions will not be impacted by the proposed actions. Along with the existing emission limits, the plan approval will contain monitoring, recordkeeping, reporting and work practice standards to ensure the facility complies with all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

William R. Weaver, Regional Air Quality Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issued to sources identified in 25 Pa. Code § 127.44(b)(1)—(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

32-00428A: Creps United Publications, LLP (1163 Water Street, Indiana, PA 15701) to allow construction and temporary operation of a new commercial printing facility including four heat set web offset lithographic printing presses controlled by two regenerative thermal oxidizers and to be located at the Windy Ridge Industrial Park in White Township, **Indiana County**.

In accordance with 25 Pa. Code §§ 127.44—127.46 the Department of Environmental Protection (DEP) intends to issue Air Quality Plan Approval: PA-32-00428A to allow the construction and temporary operation of a new commercial printing facility including four heatset web offset lithographic printing presses controlled by two regenerative thermal oxidizers and to be located at the Windy Ridge Industrial Park in White Township, Indiana County.

Potential to emit from the facility is estimated to be 49.08 tons of volatile organic compounds (VOC), 7.61 tons of ethylene glycol, 0.23 ton of naphthalene, 8.13 tons of total hazardous air pollutants (HAP), 15.6 tons of nitrogen oxides (NO_x), 13.1 tons of carbon monoxide (CO), 1.19 tons of particulate matter (PM), 0.09 ton of sulfur dioxide (SO₂), and 18,753 tons of carbon dioxide equivalents (CO₂e) per year. Best available technology (BAT) for the operation of heatset web offset lithographic printing presses is emissions capture and destruction by regenerative thermal oxidizers, use of low VOC content fountain solution and low vapor pressure cleaning solvent, and good work practices. Work practices include operating press dryers at a negative pressure relative to the press room, minimizing the use of manual cleaning solvent, and keeping cleaning solvent and used cleaning rags in closed containers when not in use. The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, and 123.31. Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emission limitations, monitoring, recordkeeping, reporting, and work practice conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

A person may oppose the proposed plan approval by filing a written protest with the Department through Alan Binder, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-32-00428A) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing in writing or by publication in the newspaper and the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

For additional information you may contact Alan Binder at 412-442-4168.

32-00429A: Reparex Fabricated Systems, Inc. (P. O. Box 705, Latrobe, PA 15650) for a reinforced plastic composite manufacturing facility at RPX Composites in Green Township, **Indiana County**. This is a minor facility Plan Approval application submittal.

32-00394A: Bowser-Minich Pet Crematory (498 Ben Franklin Road South, Indiana, PA 15701) for their pet crematory in White Township, **Indiana County**. This is a minor facility Plan Approval submittal.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

06-03095: DirectLink Technologies Corp. (2561 Bernville Road, Reading, PA 19605-9611) for operation of data processing center with six (6) emergency generators in Bern Township, **Berks County**. This is a renewal of the State-only operating permit issued in 2008.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has the potential to emit 0.6 tpy PM₁₀, 3.6 tpy of CO, 19.2 tpy NO_x, 1.3 tpy SO_x, & 0.7 tpy VOC. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Tom Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

63-00895: Ensinger, Inc. (365 Meadowland Boulevard, Washington, PA 15301-8904) for manufacturing laminated plastics, plate, and sheet at the Washington Facility in North Strabane Township, **Washington County**. This is a State Only Operating Permit renewal application submittal.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew M. Williams—Telephone: 814-332-6131

62-00148: Elkhorn Gas Processing (15470 Route 6, Warren, PA 16365) to issue a renewal of the Natural Minor Operating Permit to operate the natural gas processing plant in Sheffield Township, **Warren County**. The facility's primary emission sources include two inlet compressors, dehydration unit, combustion emissions for the dehydration unit, a hot oil heater, a refrigerant compressor, potential equipment leaks, product storage tanks and loading, and an emergency generator. The two inlet compressors and the refrigerant compressor engines are subject to 40 CFR 63 Subpart ZZZZ—NESHAPs for Stationary Reciprocating Internal Combustion Units. The dehydration unit is subject to 40 CFR 63 Subpart HH—NESHAPs from Oil and Natural Gas Production Facilities. Actual emissions from the facility are less than the Title V emission thresholds. The conditions of the previous plan approval and operating permit were incorporated into the renewal permit.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30841316. Consol Pennsylvania Coal Company, LLC, (PO Box J, 1525 Pleasant Grove Road, Claysville, PA 15323). To revise the permit for the Bailey Mine & Prep Plant in Richhill Township, **Greene County** to install the 1M Bleeder Shaft and site. Application also includes a request for a Section 401 Water Quality Certification. Surface Acres Proposed 48.0. No additional discharges. The application was considered administratively complete on August 1, 2013. Application received June 14, 2013.

32011302. AMFIRE Mining Company, LLC, (One Energy Place, Latrobe, PA 15650). To revise the permit for the Gillhouser Run Deep Mine in Brush Valley and Buffington Townships, **Indiana County** to add acreage to the underground permit boundary and subsidence control plan area. Underground Acres Proposed 711.2, Subsidence Control Plan Acres Proposed 713.7. No additional discharges. The application was considered administratively complete on August 5, 2013. Application received May 31, 2013.

65130702 (formerly 65881701) and NPDES No. PA0214116. Consolidation Coal Company, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To renew the permit for the Hutchinson AMD Plant in Sewickley Township, **Westmoreland County** and related NPDES permit for post-mining water treatment. No additional discharges. The application was considered administratively complete on August 5, 2013. Application received June 27, 2013.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56880101 and NPDES No. PA0598127. Cooney Brothers Coal Co., P. O. Box 246, Cresson, PA

16630, revision of an existing bituminous surface mine to change the land use from forestland to wildlife habitat, unmanaged natural habitat, pastureland/land occasionally cut for hay or industrial/commercial and pastureland or land occasionally cut for hay to wildlife habitat, unmanaged natural habitat, forestland, cropland or industrial/commercial in Paint township, **Somerset County**, affecting 191.8 acres. Receiving streams: unnamed tributaries to/and Shade Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received March 25, 2013.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03060104 and NPDES Permit No. PA0250996. Rosebud Mining Co. (301 Market Street, Kittanning, PA 16201). Revision application for land use change for 5.6 acres from Forestland to a post-mining land use of Pastureland/Land Occasionally Cut for Hay to an existing bituminous surface mine, located in Manor & Kittanning Townships, **Armstrong County**, affecting 85.4 acres. Receiving streams: unnamed tributaries to Campbell Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: July 22, 2013.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191 10110102.

K & A Mining (P. O. Box 288, Grove City, PA 16127) Revision to an existing bituminous surface mine to add blasting in Marion Township, **Butler County**. Receiving streams: Unnamed tributary to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 2, 2013.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37100301 and NPDES Permit No. PA0258890. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence**

County affecting 47.0 acres. Receiving streams: Slippery Rock Creek, classified for the following uses: CWF. The first downstream potable surface water supply intake from the point of discharge is Camp Allegheny. Application received: July 25, 2013.

37050302 and NPDES Permit No. PA0242632. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 100.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. The first downstream potable surface water supply intake from the point of discharge is Camp Allegheny. Application received: July 25, 2013.

37970302 and NPDES Permit No. PA0227579. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 270.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 25, 2013.

37070302 and NPDES Permit No. PA0258423. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 101.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. The first downstream potable surface water supply intake from the point of discharge is Camp Allegheny. Application received: July 25, 2013.

10060306 and NPDES Permit No. PA0258211. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Marion Township, **Butler County** affecting 54.5 acres. Receiving streams: Five unnamed tributaries to Blacks Creek and Blacks Creek, one unnamed tributary to North Branch Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 25, 2013.

10960301 and NPDES Permit No. PA0227196. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Marion Township, **Butler County** affecting 131.8 acres. Receiving streams: Unnamed tributaries to Blacks Creek and Blacks Creek, one unnamed tributary to Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 25, 2013.

37010301 and NPDES Permit No. PA0241881. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 197.0 acres. Receiving streams: Slippery Rock Creek, classified for the following uses: CWF. The first downstream potable surface water supply intake from the point of discharge is Camp Allegheny. Application received: July 25, 2013.

37930302 and NPDES Permit No. PA0211583. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 140.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. The first downstream potable surface water supply intake from the point of discharge is Camp Allegheny. Application received: July 25, 2013.

10850306 and NPDES Permit No. PA0106453. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Marion Township, **Butler County** affecting

69.0 acres. Receiving streams: Unnamed tributaries to Blacks Creek and Blacks Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 25, 2013.

37880304 and NPDES Permit No. PA0204906. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 227.5 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 25, 2013.

37930302. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Renewal of NPDES Permit No. PA0211583 in Slippery Rock Township, **Lawrence County**. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. The first downstream potable surface water supply intake from the point of discharge is Camp Allegheny. Application received: July 25, 2013.

10850306. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Renewal of NPDES Permit No. PA0106453 in Marion Township, **Butler County**. Receiving streams: Unnamed tributaries to Blacks Creek and Blacks Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 25, 2013.

37880304. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Renewal of NPDES Permit No. PA0204096 in Slippery Rock Township, **Lawrence County**. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 25, 2013.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

58080842. Dennis R. Bevan, (136 Barbour Lane, Hallstead, PA 18822), Stage I & II bond release of a quarry operation in Liberty Township, **Susquehanna County** affecting 3.0 acres on property owned by Dennis R. Bevan. Application received: July 10, 2013.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the

comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program

	<i>Address</i>	<i>Waterway</i>	<i>Chapter 93 Designation</i>	<i>USGS Quadrangle</i>	<i>Latitude</i>	<i>Longitude</i>
1	814 Hoffer Street Middletown, PA 17057	Swatara Creek	WWF MF	Middletown	40.205385	-76.718479
2	809 Few Avenue Middletown, PA 17057	Swatara Creek	WWF MF	Middletown	40.205185	-76.717769
3	744 Hoffer Street Middletown, PA 17057	Swatara Creek	WWF MF	Middletown	40.204157	-76.718650

F22-598: Swatara Township, 599 Eisenhower Boulevard, Harrisburg, PA 17111-2397 in Swatara Township, **Dauphin County**, ACOE Baltimore.

To remove structures from the floodplain at the locations listed. The projects propose to temporarily affect approximately 0.20 acre of floodplains. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

	<i>Address</i>	<i>Waterway</i>	<i>Chapter 93 Designation</i>	<i>USGS Quadrangle</i>	<i>Latitude</i>	<i>Longitude</i>
1	3756 Brisban Street Harrisburg, PA 17111	Spring Creek	CWF MF	Harrisburg East	40° 15' 35.1"	-76° 49' 30.1"
2	3758 Brisban Street Harrisburg, PA 17111	Spring Creek	CWF MF	Harrisburg East	40° 15' 35.2"	-76° 49' 29.7"

Southwest Region: Waterways & Wetlands Program
Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E56-366. Stonycreek Township, 120 Municipal Road, Friedens, PA 15541-6414, Stonycreek Township and Shanksville Borough, **Somerset County**; ACOE Pittsburgh District

Applicant proposes to construct and maintain a 12" steel casing sanitary sewer utility line stream crossing that will impact approximately 0.04 acre of Lake Stonycreek (CWF), by attaching this utility line to the bridge that carries Causeway Drive (S.R. 1006) over Lake Stonycreek. In addition, to construct and maintain twenty-three (23) sanitary sewer utility line stream cross-

ings across Rhoads Creek (CWF), Boone Run (CWF), several unnamed tributaries (UNTs) to these watercourses, and UNTs to Lake Stonycreek, which will cumulatively impact approximately 920' of watercourse. In addition, to construct and maintain nineteen (19) sanitary sewer utility line crossings across wetlands, which will impact approximately 0.03 acre of wetland, some of which are exceptional value, due to the presence of a PA threatened plant species. These utility line stream crossings are associated with the Lake Stonycreek Sewer Project, in Stonycreek Township and Shanksville Borough, Somerset County. (Central City, PA Quadrangle: N: 4.49 inches; W: 17.15 inches; Latitude: 40° 01' 29"; Longitude: 78° 52' 21"; Sub-basin 18E, Chapter 93, Type CWF)

E48-423. Pennsylvania Department of Transportation Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18103-1013, in Williams Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure; and to construct and maintain a 178-foot long, 10-foot high soldier pile wall in the Delaware Canal which is located in the Delaware River (WWF, MF) floodway. The project is located along S.R. 611, Segment 0040, Offset 1345 (Easton, PA Quadrangle, Latitude: 40°37'32N"; Longitude: -75°11'26W").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717.705.4802.

F22-599: Middletown Borough, 60 West Emaus Street, Middletown, PA 17057 in Middletown Borough, **Dauphin County**, ACOE Baltimore.

To remove structures from the floodplain at the locations listed. The projects propose to temporarily affect approximately 0.34 acre of floodplains. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335

E43-08-003, Halcon Field Service LLC, 1000 Louisiana Street, Suite 6700, Houston, TX 77002-6003, Stevenson to Tennessee Natural Gas Pipeline in Salem, Perry, New Vernon, and Sandy Creek Townships, **Mercer County**, ACOE Pittsburgh District (Greenville West and Hadley, PA Quadrangle, N: 41° 28' 4.869"; W: 80° 17' 0.314").

The applicant proposes to construct and maintain approximately 8.4 miles of 16 inch diameter, steel natural gas pipeline in Salem, Perry, New Vernon, and Sandy Creek Townships, Mercer County, PA. The proposed pipeline will connect Halcon Field Services, LLC's Stevenson well pad to the Tennessee Natural Gas transmission line.

The water obstructions and encroachments for the purposes of installing the pipeline are described below:

- 01 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Sandy Creek (WWF). 41° 28' .182"N; -80° 15' 43.752"W
- 02 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Sandy Creek (WWF). 41° 27' 57.028"N; -80° 15' 41.091"W
- 03 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested (PFO) wetland. 41° 27' 55.497"N; -80° 15' 39.813"W
- 04 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Sandy Creek (WWF), having 61 linear feet of temporary stream impact. 41° 27' 51.189" N; -80° 15' 36.154" W
- 05 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Sandy Creek (WWF), having 45 linear feet of temporary stream impact. 41° 27' 41.693" N; -80° 15' 34.055" W
- 06 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Morrison Run (WWF), having 43 linear feet of temporary stream impact. 41° 27' 34.774"N; -80° 15' 33.579" W
- 07 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine Emergent (PEM) wetland, having .05 acres of temporary impact. 41° 27' 34.870" N; -80° 14' 57.003" W
- 08 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested (PFO) wetland. 41° 26' 57.502"N; -80° 14' 2.443"W
- 09 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested (PFO) wetland. 41° 26' 50.982"N; -80° 13' 57.636"W
- 10 One (1) 16 inch diameter, steel natural gas gathering line to be bored under Mill Run and its associated floodway consisting of a palustrine forested/ palustrine emergent (PFO/PEM) wetland. 41° 26' 19.782" N; -80° 13' 37.359" W
- 11 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested/ palustrine emergent (PFO/PEM) wetland. 41° 26' 18.817" N; -80° 13' 37.301" W

- 12 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way, temporary road crossing and bore pit to be placed the floodway of a UNT Mill Run. A portion of this crossing will be bored under a palustrine forested/ palustrine emergent (PFO/PEM) wetland that is also within the same floodway. 41° 26' 16.404" N; -80° 13' 37.116" W
- 13 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Mill Run (WWF), having 40 linear feet of temporary stream impact. 41° 26' 14.896" N; -80° 13' 29.051" W
- 14 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Mill Run (WWF) and its floodway consisting of a palustrine emergent (PEM) wetland. 41° 26' 3.654" N; -80° 13' 17.463" W
- 15 A temporary access road to cross a UNT to Mill Run (WWF), having 21 linear feet of temporary stream impact. 41° 26' 7.128" N; -80° 13' 15.863" W
- 16 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested (PFO) wetland. 41° 25' 58.374" N; -80° 13' 10.343" W
- 17 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Mill Run (WWF) and its associated floodway consisting partially of a palustrine forested (PFO) wetland. 41° 25' 58.707" N; -80° 13' 10.449" W
- 18 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Mill Run (WWF) and its associated floodway consisting partially of a palustrine forested (PFO) wetland. 41° 25' 53.327" N; -80° 13' 8.742" W
- 19 One (1) 16 inch diameter, steel natural gas gathering line to be bored under, and a temporary road crossing of a UNT to Little Shenango River (TSF), having 40 linear feet of temporary stream impact. A rock construction entrance and bore pits will be temporarily placed in the floodway. 41° 25' 29.232" N; -80° 13' 2.257" W
- 20 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Little Shenango River (TSF), having 66 linear feet of temporary stream impact. 41° 25' 15.586" N; -80° 12' 59.428" W
- 21 A temporary road to cross a UNT to Little Shenango River (TSF), having 20 linear feet of temporary stream impact. 41° 25' 19.507" N; -80° 12' 49.681" W
- 22 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Little Shenango River (TSF), having 44 linear feet of temporary stream impact. 41° 25' 15.480" N; -80° 12' 28.422" W
- 23 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Little Shenango River (TSF), having 63 linear feet of temporary stream impact. 41° 25' 16.120" N; -80° 12' 24.881" W

- 24 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Little Shenango River (TSF) and its associated floodway consisting partially of a palustrine forested (PFO) wetland, having 40 linear feet of temporary stream impact and .05 acre of temporary wetland impact. 41° 25' 15.926" N; -80° 12' 16.919" W
- 25 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Little Shenango River (TSF), having 44 linear feet of temporary stream impact. 41° 25' 17.140" N; -80° 12' 2.009" W
- 26 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine emergent/palustrine shrub, scrub (PEM/PSS) wetland. 41° 25' 21.421" N; -80° 11' 45.330" W
- 27 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Little Shenango River (TSF) and its associated floodway consisting of a partially palustrine emergent/palustrine shrub, scrub (PEM/PSS) wetland. 41° 25' 21.551" N; -80° 11' 43.999" W
- 28 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Little Shenango River (TSF) and its associated floodway consisting of a partially palustrine emergent/palustrine shrub, scrub (PEM/PSS) wetland. 41° 25' 18.74" N; -80° 11' 19.314" W
- 28 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Little Shenango River (TSF) and its associated floodway consisting of a partially palustrine emergent/palustrine shrub, scrub (PEM/PSS) wetland. 41° 25' 18.615" N; -80° 11' 18.224" W
- 29 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine emergent/palustrine shrub, scrub (PEM/PSS) wetland. 41° 25' 18.522" N; -80° 11' 17.439" W
- 30 One (1) 16 inch diameter, steel natural gas gathering line to be bored under a UNT to Little Shenango River (TSF) and its associated floodway consisting of a partially palustrine shrub, scrub (PSS) wetland. 41° 25' 15.743" N; -80° 11' 8.533" W
- 31 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Little Shenango River (TSF), having 50 linear feet of temporary stream impact. 41° 25' 13.997" N; -80° 11' .576" W

Northcentral Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701

E4129-079: Pennsylvania General Energy Company, LLC, 120 Market Street, Warren, PA 16365, Cummings Township, **Lycoming County**, ACOE Baltimore District. To construct, operate, and maintain:

- 1) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 67 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°17'58"N 77°18'43"W);
- 2) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 79 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°17'59"N 76°18'43"W);

- 3) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 97 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°18'34"N 77°18'51"W);

- 4) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 48 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) and 3,809 square feet of adjacent palustrine emergent (PEM) wetland (Waterville, PA Quadrangle 41°19'02"N 77°19'04"W);

- 5) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 43 linear feet of Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°19'13"N 77°19'34"W).

The project will result in a total of 334 linear feet of stream impacts and 0.09 acre of wetland impacts all for the purpose of installing a natural gas gathering line, fiber optic cable, and temporary access roadways for Marcellus well development.

E5729-062: Appalachia Midstream Services, LLC, 100 IST Center, Horseheads, NY 14845, Cherry Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

- 1) A temporary access road using a timber mat bridge and a 6 inch diameter well line impacting 191 linear feet of an unnamed tributary to the Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41°31'17"N, 76°25'07"W);

- 2) A temporary access road using a timber mats and a 6 inch diameter well line impacting 3,530 square feet of a palustrine emergent (PEM) wetland (Dushore, PA Quadrangle 41°31'24"N, 76°25'57"W);

- 3) A temporary access road using a timber mat bridge and a 6 inch diameter well line impacting 194 linear feet of an unnamed tributary to the Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41°31'15"N, 76°25'57"W);

- 4) A temporary access road using a timber mat bridge and a 6 inch diameter well line impacting 120 linear feet of an unnamed tributary to the Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41°31'11"N, 76°26'09"W);

- 5) A temporary access road using a timber mat bridge and a 6 inch diameter well line impacting 194 linear feet of an unnamed tributary to the Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41°31'14"N, 76°26'17"W);

The project will result in 699 linear feet of temporary stream impacts, and 3,530 square feet (0.08 acre) of temporary wetland impacts all for the purpose of installing a gathering line for Marcellus well development in Cherry Township, Sullivan County.

EROSION AND SEDIMENT CONTROL PERMITS

The following parties have applied for Erosion and Sediment Control Permits for earth disturbance activities associated with either road maintenance or timber harvesting operations.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department proposes to issue a permit to discharge, subject to certain limitations in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

A person wishing to comment on a proposed permit are invited to submit a statement to the appropriate Department regional office listed before the application within

30 days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department regional office during the 30-day public comment period.

Following the 30-day comment period, the appropriate regional office water management program manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board (Board).

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the appropriate regional office.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified regional office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under sections 5 and 402 of The Clean Streams Law (35 P. S. §§ 691.5 and 691.402)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-1 # ESG13-115-0079
 Applicant Name Cabot Oil and Gas Corporation
 Contact Person Kenneth Marcum
 Address Five Penn Center West, Suite 401
 City, State, Zip Pittsburgh, PA 15276
 County Susquehanna County
 Township(s) Middletown Township
 Receiving Stream(s) and Classification(s) UNT to North Branch Wyalusing Creek (CWF/MF)

ESCGP-1 # ESG13-115-0074
 Applicant Name Carrizo (Marcellus), LLC
 Contact Person Gary Byron
 Address PO Box 231
 City, State, Zip Drifting, PA 16834
 County Susquehanna County
 Township(s) Forest Lake Township
 Receiving Stream(s) and Classification(s) Forest Lake Creek and Fall Brook (CWF/MF);
 Secondary: Susquehanna River

ESCGP-1 # ESX13-117-0023
 Applicant Name SWEPI LP
 Contact Person Jason Shoemaker
 Address 2100 Georgetown Drive, Suite 400
 City, State, Zip Sewickley, PA 15143
 County Tioga County
 Township(s) Deerfield Township
 Receiving Stream(s) and Classification(s) Tribes to Yarnell Brook (WWF/MF);
 Secondary: Cowanesque River (WWF/MF)

ESCGP-1 # ESG13-081-0039
 Applicant Name Range Resources Appalachia, LLC
 Contact Person Mary C. Patton
 Address 100 Throckmorton Street, Suite 1200
 City, State, Zip Ft. Worth, TX 76102
 County Lycoming County
 Township(s) Lewis Township
 Receiving Stream(s) and Classification(s) Steam Valle Run/UNT to Wolf Run (HQ/CWF);
 Secondary: Lycoming Creek (EV)

ESCGP-1 # ESG13-081-0038
 Applicant Name Pennsylvania General Energy Company, LLC
 Contact Person Douglas Kuntz
 Address 120 Market Street
 City, State, Zip Warren, PA 16365
 County Lycoming County
 Township(s) Cummings Township
 Receiving Stream(s) and Classification(s) UNT to Little Pine Creek (EV);
 Secondary: Little Pine Creek

ESCGP-1 # ESG13-081-0040
 Applicant Name Anadarko E&P Onshore, LLC
 Contact Person Rane Wilson
 Address 33 W. Third Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming County
 Township(s) Lewis and Cogan House Townships
 Receiving Stream(s) and Classification(s) UNT Wolf Run, Wolf Run (Both HQ-CWF/MF);
 Secondary: Wolf Run (HQ-CWF/MF), Lycoming Creek (EV/MF)

ESCGP-1 # ESX12-081-0132 (01)
 Applicant Name Anadarko Marcellus Midstream LLC
 Contact Person Nathan Bennett
 Address 33 W. Third Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming County
 Township(s) Pine Township
 Receiving Stream(s) and Classification(s) Bonnell Run, Fourmile Run, Hughes Run, Smith Run (All EV/MF)

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0064149 (Sewage)	Lehigh County Authority Arcadia West Industrial Park WWTP 9767 Commerce Circle Kutztown, PA 19530	Lehigh County Weisenberg Township	Unnamed Tributary to Mill Creek (3-B)	N
PAS702203 (Storm Water)	Eastern Ind Bath Plant 7901 Beth Bath Pike (Route 512) Bath, PA 18014	Northampton County East Allen Township	Monocacy Creek (2-C)	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0094226 Industrial Waste	Wilkesburg Penn Jt Water Auth 7603 Tyler Rd Verona, PA 15147-1530	Allegheny Cnty Penn Hills Twp	Allegheny River	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0044016 (Concentrated Aquatic Animal Production Facility)	Linesville Fish Culture Station 13300 Hartstown Road Linesville, PA 16424	Crawford County Pine Township	Shenango River (Pymatuning Reservoir) (20-A)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0012769, Industrial, **Rohm & Haas Chemicals, LLC**, 200 Route 413, Bristol, PA 19007.

This proposed facility is located in Bristol Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated industrial waste from a facility known as Rohm & Haas—Bristol Facility to Hog Run Creek, Otter Creek, Unnamed Tributary of Delaware River in Watershed 2-E.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0065412, Pesticide, SIC Code 0782, **Lakeside Outing Club**, 227 East Shore Drive, Susquehanna, PA 18847.

This proposed facility is located in New Milford Township, **Susquehanna County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for the application of pesticide (copper sulfate algicide) to control algae in Page Lake.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES Permit No. PA0232360, Sewage SIC Code 8811, **Paul & Sarah Eberly**, 1255 Industrial Park Road, Milton, PA 17847.

This facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Proposed Action: Issuance of an NPDES Permit for a new discharge of treated sewage effluent.

The receiving stream(s), Unnamed Tributary to Chillisquaque Creek, is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
BOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0264024, Sewage, SIC Code 4952, **Hickory Township Forest County**, PO Box 44, Endeavor, PA 16353. Facility Name: Hickory Township STP.

This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Activity: New NPDES permit for a new discharge of treated Sewage.

PA0021504, Sewage, SIC Code 4952, **Western Butler County Authority**, 607 Market Street, Zelienople, PA 16063-1830. Facility Name: Western Butler County Authority STP.

This existing facility is located in Zelienople Borough, **Butler County**.

Description of Existing Activity: Renewal of an NPDES permit for an existing discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401

WQM Permit No. 0906407, Sewage, **Amendment, Warwick Township Water & Sewer Authority**, 1733 Township Greene, P.O. Box 315, Jamison, PA 18929.

This proposed facility is located in Warwick Township, **Bucks County**.

Description of Action/Activity: Modifications to the Fish Creek STP. Converting the existing influent equalization tank to an SBR (SBR 3A).

WQM Permit No. WQG02231310, Sewage, **Concord Township Sewer Department**, 43 Thornton Road, Glen Mills, PA 19342.

This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a sewer extension.

WQM Permit No. 0913401, Sewage, **Lower Bucks County Joint Municipal Authority**, 7811 New Falls Road, Levittown, PA 19055.

This proposed facility is located in Bristol Township, **Bucks County**.

Description of Action/Activity: Approval for an organic load rerate to increase the capacity to 39,800 lbs/day from 17,514 lbs/day.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 6413401, Sewage, SIC Code 4941, **South Wayne County Water & Sewer Authority**, P O Box 6, Lake Ariel, PA 18436-0006.

This proposed facility is located in Salem Township, **Wayne County**.

Description of Proposed Action/Activity: Automation improvements at the Headworks of the Roamingwood WWTP / South Wayne Co. Water & Sewer Authority.

WQM Permit No. 1311401, Sewerage, **Tuthill Corporation d/b/a Blue Mountain Ski Area**, PO Box 216, Palmerton, PA 18071-0216.

This proposed facility is located in Lower Towamensing Township, **Carbon County**.

Description of Proposed Action/Activity: Issuance of a WQM Permit for installation of additional facilities at the existing Blue Mountain Ski Area to increase the capacity of the existing sewage treatment facility from 0.060 MGD to 0.028 MGD.

WQM Permit No. WQG012225 T-1, SIC Code 4952, **Tracy Jaimie & Justin**, 2634 Easton Road, Hellertown, PA 18055.

This existing facility is located in Lower Saucon Township, **Northampton County**.

Description of Proposed Action/Activity: Transfer of ownership from Jill Mickey to Jaimie & Justin Tracy

WQM Permit No. 5813401, Sewage, SIC Code 4952, **Harford Township (Susquehanna County)**, P O Box 1, Harford, PA 18823-9701.

This proposed facility is located in Harford Township, **Susquehanna County**.

Description of Proposed Action/Activity: Installation of UV disinfection unit in former chlorine contact tank.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0605408 12-01, Sewerage, **Bear Creek Management Co.**, 1950 Old Gallows Road Suite 600, Vienna, VA 22182.

This proposed facility is located in Longswamp Township, **Berks County**.

Description of Proposed Action/Activity: Permit amendment approval for the construction / modification / operation of sewage facilities consisting of sewage treatment facilities: extended aeration, anoxic tanks, mixed media filtration, disinfection using Ultraviolet Radiation; Land application to spray field (Slow Rate Infiltration) at a maximum daily hydraulic capacity of 0.035 MGD or, alternatively, reuse of treated effluent by snowmaking on ski slopes during cold months using a freshwater to treated effluent ration of 10:1 and with no treated effluent (not including surface runoff) being introduced into the existing freshwater ponds; Lined Impoundment holding treated effluent before land application or reuse; Groundwater Monitoring Wells around lined impoundment and spray field; In-Stream Monitoring of Swabia Creek (HQ-CWF-Trout classification).

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3664.

WQM Permit No. 02141301, SIC Code 4952, **Pine Hall Development Co. Inc.**, 1653 Circleville Road, State College, PA 16803.

This proposed facility is located in Ferguson Township, **Centre County**.

Description of Proposed Action/Activity: Issuance of a general permit for sewer extensions for Phase 2A of the Pine Hill TTD sewer extension. The approval is for Sewer Trunk B, which is 1227 linear feet of 8" gravity sewer line.

WQM Permit No. WQG01171301, Sewage, SIC Code 1623, **Domenic Lombardi**, 427 West Race Street, Stowe, PA 19464.

This proposed facility is located in Girard Township, **Clearfield County**.

Description of Proposed Action/Activity: Installation of a replacement Single Residence Sewage Treatment Plant (SRSTP) that will serve an existing single residence.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 4213201, Industrial Waste, **Clermont Water Association**, 14200 Wilcox Road, Mount Jewett, PA 16740.

This proposed facility is located in Sergeant Township, **McKean County**.

Description of Proposed Action/Activity: Permit for discharge of backwash water from water treatment system to tank and sand bed with groundwater discharge.

WQM Permit No. 2712402, Sewage, **Hickory Township**, P.O. Box 44, Endeavor, PA 16353.

This proposed facility is located in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: Permit to authorize the Hickory Township collection system, WWTP design, construction, and operation.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 0913003	Bristol Borough School District 1776 Farragut Avenue Bristol, PA 19007	Bucks	Bristol Borough	Delaware River WWF
PAI01 1513006	Bentley Homes 1595 Paoli Pike West Chester, PA 19380	Chester	West Vincent Township	Unnamed Tributary to French Creek HQ-TSF-EV
PAI01 1513011	Gregory Levinson 5 Harrison Drive Newtown Square, PA 19073	Chester	Willistown Township	Crum Creek HQ-CWF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021312009	Pennsylvania Department of Transportation Engineering District 5-0 1002 Hamilton Street Allentown, PA 18101-1013	Carbon	Jim Thorpe Borough	Robertson Run (EV) Lehigh River (HQ-CWF, MF)
PAI023912015	Realty World—Breisch c/o Delores Breisch 4205 W. Tilghman Street Allentown, PA 18104	Lehigh	Macungie Borough	Little Lehigh Creek (HQ-CWF, MF)
PAPAI024507009(1)	The Spirit of Swiftwater, Inc. 1 Empire Plaza Stroudsburg, PA 18360	Monroe	Pocono Township	Swiftwater Creek (HQ-CWF, MF)
PAI023913001	Peter A. Cooper 4500 Broadway Allentown, PA 18104	Lehigh	South Whitehall Township	UNT to Cedar Creek (HQ-CWF, MF)
PAI023906028R	Posocco Equities 2610 Walbert Avenue Allentown, PA 18104	Lehigh	South Whitehall Township	Little Cedar Creek (HQ-CWF, MF)
PAI024512011	M.S. Logistics, LLC 101 Hodencamp Road, Suite #200 Thousand Oaks, CA 92360	Monroe	Coolbaugh Township	Tobyhanna Creek (HQ-CWF, MF)
PAI023912022	Big Bear Management Fund c/o 1-A Realty Inc. 7475 Hamilton Blvd., P.O. Box 8 Trexlerstown, PA 18087	Lehigh	Lower Macungie Township	Little Lehigh Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032109006	Residential Homes, ET AL 1545 Holly Pike Carlisle, PA 17015-7515	Cumberland	South Middleton Township	UNT to Letort Spring Run (EV)
PAI032109007	Lexington Land Developers Corporation 336 West King Street Lancaster, PA 17603	Cumberland	South Middleton Township	UNT to Letort Spring Run (EV)

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032809001	Green Castle Land, LLC 5709 Avery Park Drive Rockville, MD 20855	Franklin	Antrim Township	UNT to Muddy Run (HQ-CWF)
PAI032107004R	Classic Communities Corporation 2151 Linglestown Road, Ste 300 Harrisburg, PA 17110	Cumberland	Hampden Township & Mechanicsburg Borough	Trindle Spring Run (HQ-CWF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Potter County Conservation District: 107 Market Street, Coudersport, PA 16915 (814) 274-8411, X 4

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045313001	Preston Hoopes 1002 Empson Rd Ulysses PA 16948	Potter	Ulysses Township	Ludington Run HQ-CWF
PAI045313002	Francis J Palo Inc 309 S 4th Ave Clarion PA 16214	Potter	Portage Township	Freeman Run HQ-CWF

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056312003	Washington Area Humane Society PO Box 66 Eighty-Four, PA 15330	Washington	North Strabane Township	UNT to Little Chartiers Creek (HQ-WWF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Richland Township Bucks County	PAG0200 0903113-R	Judd Builders, Inc. 1750 Walton Road Blue Bell, PA 19422	Morgan Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bedminster Township Bucks County	PAG0200 0904051-R	Toll PA, L.P. 250 Gibraltar Road Horsham, PA 19044	Deep Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Plumstead Township Bucks County	PAG0200 0912045-1	Bailey Square, LLC 76 Griffith Miles Circle Warminster, PA 18974	Unnamed Tributary to North Branch Neshaminy WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Middletown Township Bucks County	PAG0200 0912046-1	Team Toyota 746 Lincoln Highway Langhorne, PA 19047	Unnamed Tributary to Mill Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bensalem Township Bucks County	PAG0200 0911038-R	Costa Homes 665 Amalie Lane Southampton, PA 18966	Unnamed Tributary to Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bedminster Township Bucks County	PAG0200 0903130-R	T.H. Properties 345 Main Street Harleysville, PA 19438	Deep Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warwick Township Bucks County	PAG0200 0913026	Warwick Township 1733 Township Greene Jamison, PA 18929-1621	Little Neshaminy Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511313	3000 Grays Ferry Partners, LP 875 Berkshire Blvd., Suite 102 Wyomissing, PA 19610	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511128	Enon Tabernacle Baptist Church 2800 West Cheltenham Avenue Philadelphia, PA 19150	Tributary to Tacony Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511116	Land Use Matters Verizon Pennsylvania, Inc. 9 Gates Avenue Montclair, NJ 07042	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bethlehem Township Northampton County	PAG02004813005	CPD 1 LLC c/o Robert P. Cahill 5 Ivy Court Easton, PA 18045-5816	Nancy Run (CWF, MF)	Northampton County Conservation District 610-746-1971
Kline Township Schuylkill County	PAG02005413005	McAdoo DG LLC 361 Summit Blvd., Suite 110 Birmingham, AL 35243	Catawissa Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742
Tunkhannock Township Wyoming County	PAG02006613002	S2W Property Management LLC 136 Miramar Circle Weatherford, TX 76085	UNT to Tunkhannock Creek (CWF, MF)	Wyoming County Conservation District 570-836-2589

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717.705.4802

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Spring Township, Berks County	PAG02000613009	Ajesh Patel, AVA Development, Inc. 3737 Route 46 East Parsippany, NJ 07054	UNT to Tulpehocken Creek (MWF, MF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
Tulpehocken Township, Berks County	PAG02000613021	Gerald R. Martin 59 New Shaefferstown Road, Bernville, PA 19506	01908 to Little Northkill Creek (CWF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
Douglass Township, Berks County	PAG02000610038R	Marco Folino Rodolfo Folino & Sons 68 South Hampton Drive Wyomissing, PA 19610	UNT to Manatawny Creek (CWF, MF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
Perry Township, Berks County	PAG02000613025	Matthew Clymer Hamburg Logistics Park, LP 930 East Boot Road Suite 400 West Chester, PA 19380	Pigeon Creek & Schuylkill River (WWF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
Exeter Township, Berks County	PAG02000613018	James McGee PennDOT Engineering Dist. 5-0 1002 Hamilton Street Allentown, PA 18101	Antietam Creek (CWF, MF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
Silver Spring Township, Cumberland County	PAG02002106027R	Woods Partners Dave Strong PO Box 217 Curwensville, PA 16833	Trindle Spring Run (CWF)	Cumberland Co Conservation Dist. 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.7812
Hopewell, Upper Mifflin, Lower Mifflin, Upper Frankford, West Pennsboro, North Middleton, Middlesex and Lurgan Townships, Cumberland County	PAG02002113029 (Renewal)	PA Turnpike Commission PO Box 67676	Conodoguinet Creek (WWF), Clippingers Run (WWF), Newburg Run (WWF), Peebles Run (WWF), Bore Mill Run (WWF), Three Square Hollow Run (WWF), Brandy Run (CWF), Whiskey Run (TSF), Back Creek (WWF), Doubling Gap Creek (CWF), Rock Run (WWF), Mount Rock Spring Creek (WWF) and Alexander Spring Creek (CWF)	Cumberland Co Conservation Dist. 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.7812
Waynesboro Borough, Franklin County	PAG02002811014R	WBWWTP S. Leiter Pryor PO Box 310 Waynesboro, PA 17268	UNT to West Branch Antietam Creek (CWF, MF)	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg, PA 17201 717.264.5499

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Chambersburg Borough and Hamilton Twp, Franklin County	PAG02002806027R	Grandview Crossing Darrin Rine 39 Independence Drive Shippensburg, PA 17257	Conococheague Creek (WWF)	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg, PA 17201 717.264.5499
Fannett Township, Franklin County	PAG02002813019	Huntsman Land Development Clinton Huntsman 23400 Back Road Concord, PA 17217	UNT to Tuscarora Creek (CWF, MF)	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg, PA 17201 717.264.5499
Washington Township, Franklin County	PAG02002813020	Walnut Acres Ronnie Martin 1625 East Main Street Waynesboro, PA 17268	UNT to W. Branch Antietam Creek (CWF)	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg, PA 17201 717.264.5499
Washington Township, Franklin County	PAG02002813021	Blue Ridge Summit Sewer Sean McFarland 11102 Buchanan Trail East Waynesboro, PA 17268	Red Run (CWF)	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg, PA 17201 717.264.5499
Montgomery Township, Franklin County	PAG02002803028R	Northern Lights John Helman 1115 Shellar Avenue Chambersburg, PA 17201	UNT to Licking Creek (CWF)	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg, PA 17201 717.264.5499
Greene Township, Franklin County	PAG02002813025	CVBP Salt Depot Sam Lansbury Woodland Equipment and Supple Co. PO Box 241 Woodland, PA 16881	UNT to Rowe Run (CWF)	Franklin Co Conservation District 185 Franklin Farm Lane Chambersburg, PA 17201 717.264.5499
West Earl Township, Lancaster County	PAG02003613037	George M. Hurst 2870 Oregon Pike Lititz, PA 17543	Cocalico Creek (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Pequea Township, Lancaster County	PAG02003613045	Elam Miller 2612 West Eby Road Bird In Hand, PA 17505	UNT to Conestoga River (WWF, MF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Strasburg Township, Lancaster County	PAG02003613046	Strasburg Township 400 Bunker Hill Road Strasburg, PA 17579	Pequea Creek (WWF, MF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
York City and Spring Garden Township, York County	PAG02006711015R	York College of Pennsylvania 441 Country Club Road York PA 17403	Codorus Creek— main stem, Oil Creek to Mouth/ WWF	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Penn Township, York County	PAG02006705085R1	Brookside LLC 1500 Baltimore Street Hanover PA 17331	Unt to Oil Creek/ WWF	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
North Codorus Township, York County	PAG02006713022	Neal J & Billie Sue Metzger 90 Glenmar Drive Spring Grove PA 17362	Unt to SB Codorus Creek/WWF	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
North Codorus Township, York County	PAG02006713021	South Branch Limited Partnership 6257 Reynolds Mill Road Seven Valleys PA 17360	Unt to South Branch Codorus Creek	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Conewago Township, York County	PAG02006713017	Shayesteh Property 1045 Green Springs Road York PA 17406	Pine Run/WWF	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
West Burlington Township Bradford County	PAG02000813013	Scott D. Warner 14 School House Dr Troy PA 16947	Sugar Creek TSF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Chippewa Township Beaver County	PAG02000413014	Peter Kladias 211 Katerina Drive Monaca, PA 15061	Wallace Run (WWF)	Beaver County CD 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
North Union Township Fayette County	PAG02002608018R	Null Land, Inc. 682 West Main St. Uniontown, PA 15401	Jennings Run (WWF)	Fayette County CD 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
Burrell Township Indiana County	PAG02003213006	Burrell Township Sewer Authority PO Box 454 Blacklick, PA 15716	UNT to Conemaugh River (CWF)	Indiana County CD 625 Kolter Drive Suite 8 Indiana, PA 15701 (724) 471-4751

General Permit Type—PAG-03

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Wyalusing Borough Bradford County	PAR314846	Mountain Energy Services, Inc. 205 West Tioga Street Tunkhannock, PA 18657	Unnamed Tributary to Wyalusing Creek— 4-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3664

*Facility Location:
Municipality &
County*PGH City
Allegheny CntyPermit No.
PAR806257*Applicant Name &
Address*First Student, Inc.
110 Perimeter Park
Ste E
Knoxville, TN 37922*Receiving
Water / Use*UNT of Thompson
Run*Contact Office &
Phone No.*Southwest Regional Office:
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA 15222-4745
412-442-4000Koppel Boro
Beaver Cnty

PAR606114

PSC Metals, Inc.
5875 Landrebrook Rd
Ste 200
Mayfield Hts, OH 33124

Stockman Run

Southwest Regional Office:
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA 15222-4745
412-442-4000Derry Twp
Westmoreland Cnty

PAR116115

Pace Inds
1004 Ind Blvd
Loyalhanna, PA 15661

UNT to Saxman Run

Southwest Regional Office:
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA 15222-4745
412-442-4000*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481**Facility Location:
Municipality &
County*Bradford City
McKean CountyPermit No.
PAR348301*Applicant Name &
Address*Dresser, Inc.
41 Fisher Avenue
Bradford, PA 16701-1698*Receiving
Water / Use*Storm Sewers to
Tunungwant Creek
16-C*Contact Office &
Phone No.*DEP
NWRO
Clean Water Program
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942Harborcreek
Township
Erie County

PAR808380

TA Operating LLC
24601 Center Ridge Road,
Westlake, OH 44145-5639Unnamed Tributary
to Sevenmile Creek
15DEP
NWRO
Clean Water Program
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942*General Permit Type—PAG-4**Facility Location
Municipality &
County*West Caln
Township
Chester CountyPermit No.
PAG040099*Applicant Name &
Address*Vreeland Russell
10460 Teackle Road
Belle Haven, VA
23306-2112*Receiving
Water / Use*Unnamed Tributary
of West Branch
Brandywine Creek—
3-H*Contact Office &
Phone No.*DEP Southeast
Regional Office
Clean Water Program
2 E Main Street,
Norristown, PA 19401
484.250.5970Lower Saucon
Township
Northampton
County

PAG042225 A-1

Tracy Jaimie & Justin
2634 Easton Road
Lower Saucon Twp
Hellertown, PA 18055Unnamed Tributary
to East Branch
Saucon Creek—2-CDEP Northeast
Regional Office
Clean Water Program
2 Public Square,
Wilkes-Barre, PA
18701-1915
570.826.2511

Northcentral Region: Clean Water Program, 208 West Third Street, Williamsport, PA 17701

*Facility Location:
Municipality &
County*

Girard Township
Clearfield County

Permit No.
PAG045283

*Applicant Name &
Address*
Domenic Lombardi
427 West Race Street
Stowe, PA 19464

*Receiving
Water / Use*
Buck Run—8-C

*Contact Office &
Phone No.*
DEP Northcentral
Regional Office
Clean Water Program
208 W Third Street
Suite 101,
Williamsport, PA
17701-6448
570.327.3664

General Permit Type—PAG-8

*Facility Location:
Municipality &
County*

Cumberland County
West Pennsboro
Township

Permit No.
PAG083585

*Applicant Name &
Address*
Newville Borough Water
and Sewer Authority
99 Cove Lane
Newville, PA 17241

*Site Name &
Location*
N/A

*Contact Office &
Phone No.*
DEP—SCRO—
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
717-705-4707

General Permit Type—PAG-8 (SSN)

*Facility Location:
Municipality &
County*

York County
East Manchester
Township

Permit No.
PAG080002
PAG080005
PAG080006
PAG080007
PAG080011
PAG080013
PAG080017
PAG080018
PAG080020
PAG082203
PAG083518
PAG083522
PAG083533
PAG083551
PAG083605
PAG089910

*Applicant Name &
Address*
Jesse Baro, Inc.
157 Quarry Road
Douglassville, PA 19518

*Site Name &
Location*
Jeffrey & Alex
Snyder Farm 2E
365 Block of
Jerusalem School
Road
York, PA 17406

*Contact Office &
Phone No.*
DEP—SCRO—
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
717-705-4707

General Permit Type—PAG-10

*Facility Location:
Municipality &
County*

Dimock Township
Susquehanna
County

Permit No.
PAG102292

*Applicant Name &
Address*
Williams Field Services
Company, LLC
(Church to Central
Pipeline Project)
2000 Commerce Drive
Pittsburgh, PA 15275

*Receiving
Water / Use*
Unnamed
Tributaries of
White Creek—
4-G

*Contact Office &
Phone No.*
DEP Northeast
Regional Office
Clean Water Program
2 Public Square,
Wilkes-Barre, PA
18701-1915
570.826.2511

Hickory Ridge
Pipeline
Lenox Township
Susquehanna
County

Permit No.
PAG102291

*Applicant Name &
Address*
Williams Field
Service Co. LLC
Park Place Corporate
Center Two
2000 Commerce Drive
Pittsburgh, PA 15275

*Receiving
Water / Use*
Martins Creek,
Millard Creek,
Unnamed Tributary
to Willow Brook and
Utleigh Brook—
4-F / CWF

*Contact Office &
Phone No.*
DEP Northeast
Regional Office
Clean Water Program
2 Public Square,
Wilkes-Barre, PA
18701-1915
570.826.2511

*Facility Location:
Municipality &
County*

Statewide

Permit No.

PAG109601 A-1

*Applicant Name &
Address*

Dominion Trans Inc.
445 West Main Street
Clarksburg, WV 26301

*Receiving
Water / Use*

Statewide

*Contact Office &
Phone No.*

Division of Planning
and Permits
Bureau of Point and
Non-Point Source
Management
400 Market Street,
RCSOB
Harrisburg, PA
17105-8774
717.787.8184

General Permit Type—PAG-13

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

NPDES

Permit No.

PAG136236
Waiver

*Applicant Name &
Address*

Stockdale Boro
One Twilight Hollow Rd
Charleroi, PA 15022

County

Washington

Municipality

Stockdale Boro

*Receiving
Water / Use*

Monongahela River

*DEP Protocol
(Y/N)*

N

*Facility Location:
Municipality &
County*

Scottdale Boro
Westmoreland Cnty

Permit No.

PAG136135

*Applicant Name &
Address*

Scottdale Boro
10 Mt Pleasant Rd
Scottdale, PA 15683

*Receiving
Water / Use*

Jacobs Creek,
Anderson Run,
Stauffer Run &
Shaffer Run

*Contact Office &
Phone No.*

Southwest Regional Office:
Clean Water Program
Manager
400 Waterfront Drive
Pittsburgh PA 15222-4745
(412) 442-4000

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 0913511, Minor Amendment. Public Water Supply.

Applicant

**Doylestown Hospital
T/A Pine Run**
777 Ferry Road
Doylestown, PA 18901

Borough

Doylestown

County

Bucks

Type of Facility

PWS

Consulting Engineer

Ebert Engineering, Inc.
831 Dekalb Pike
Blue Bell, PA 19422-1215

Permit to Operate
Issued

July 31, 2013

Permit No. 0913512, Minor Amendment. Public Water Supply.

Applicant

**Milford Township Water
Authority**
1845 Rosenberger Road
Quakertown, PA 18951

Township

Milford

County

Bucks

Type of Facility

PWS

Consulting Engineer Andersen Engineering Associates, Inc.
306 N. Fifth Street, 2nd Floor
Perkasie, PA 18944

Permit to Construct July 31, 2013
Issued

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 1413502MA—Construction and Operation Public Water Supply.

Applicant **Empire Mobile Home Park**
Township/Borough Potter Township
County **Centre**
Responsible Official Mr. Ray A. Walker, Jr.
Empire Mobile Home Park
218 Breons Lane
Pleasant Gap, PA 16823

Type of Facility Public Water Supply
Consulting Engineer Brian D. Walker, P.E.
358 East Beaver Street
Bellefonte, PA 16823

Permit Issued August 5, 2013
Description of Action 45 ft. of 18-in. diameter and 22 ft. of 6-in. diameter detention piping to provide 4-log inactivation of viruses at Entry Point 100 (Well Nos. 1 and 2).

Permit No. Minor Amendment—Operation Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
Township/Borough Athens Township
County **Bradford**
Responsible Official Mr. Andrew Silvanic
Aqua Pennsylvania, Inc.
206 South Keystone Avenue
P. O. Box 160
Sayre, PA 18840

Type of Facility Public Water Supply
Consulting Engineer N/A
Permit Issued August 6, 2013
Description of Action Operation of the recently rehabilitated VEDA Pump Station.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Operations Permit issued to: **Ronald A. Bogolea, Manager, Sunrise Mobile Court**, 793 Pine Grove Road, Beaver, PA 15009, (PWSID #5040035) Hanover and Greene Townships, **Beaver County** on July 29, 2013 for the operation of facilities approved under Construction Permit # 0410501.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (PWSID #5260036) Unity Township, **Westmoreland County** on August 2, 2013 for the operation of facilities approved under Construction Permit # 6512501MA.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, PO Box 187, 1442 Jefferson Road, Jefferson, PA 15344, (PWSID #5300017) Richhill Township, **Greene County** on August 2, 2013 for the operation of facilities approved under Construction Permit # 3012502MA.

Permit No. 1113505MA, Minor Amendment. Public Water Supply.

Applicant **Southwestern Cambria County Water Authority**
79 Vogel Street
Johnstown, PA 15902

[Borough or Township] Conemaugh Township
County **Cambria**
Type of Facility Water system
Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
Somerset, PA 15501

Permit to Construct July 26, 2013
Issued

Permit No. 0413505MA, Minor Amendment. Public Water Supply.

Applicant Municipal Authority of the Borough of Midland
946 Railroad Avenue
Midland, PA 15059

[Borough or Township] Industry Borough
County **Beaver**
Type of Facility Water system
Consulting Engineer Widmer Engineering, Inc.
806 Lincoln Place
Beaver Falls, PA 15010

Permit to Construct August 2, 2013
Issued

Permit No. 6512516GWR, Minor Amendment. Public Water Supply.

Applicant **Sundial Village, LLC**
236 Tryon Drive
Blairsville, PA 15717

[Borough or Township] Derry Township
County **Westmoreland**
Type of Facility Water system
Consulting Engineer
Permit to Operate July 26, 2013
Issued

Permit No. 3211505GWR, Minor Amendment. Public Water Supply.

Applicant **Hillsdale Nursing & Rehabilitation Center**
138 Mountain View Drive
Hillsdale, PA 15746

[Borough or Township] Montgomery Township
County **Indiana**
Type of Facility Water system
Consulting Engineer
Permit to Operate July 25, 2013
Issued

Permit No. 0412506GWR, Minor Amendment. Public Water Supply.

Applicant **Robert Borland, Owner
Whispering Woods Mobile
Home Community**
116 Minter Road
Butler, PA 16001

[Borough or Township] New Sewickley Township

County **Beaver**

Type of Facility Water system

Consulting Engineer

Permit to Operate July 25, 2013
Issued

Permit No. 8232W-MA, Minor Amendment. Public Water Supply.

Applicant **Borough of Brackenridge**
1000 Brackenridge Avenue
Brackenridge, PA 15014

[Borough or Township] Brackenridge Borough

County **Allegheny**

Type of Facility Water system

Consulting Engineer

Permit to Operate July 31, 2013
Issued

Permit No. 0410508GWR, Minor Amendment. Public Water Supply.

Applicant **Ronald Bogolea, Owner
Sunrise Mobile Court**
793 Pine Grove Road
Beaver, PA 15009

[Borough or Township] Greene Township

County **Beaver**

Type of Facility Water system

Consulting Engineer

Permit to Operate July 31, 2013
Issued

Permit No. 0313503GWR, Minor Amendment. Public Water Supply.

Applicant **Borough of Ford City**
1000 4th Avenue
Ford City, PA 16226

[Borough or Township] Borough of Ford City

County **Armstrong**

Type of Facility Water system

Consulting Engineer

Permit to Operate August 1, 2013
Issued

Permit No. 3292501A1-T1, Minor Amendment. Public Water Supply.

Applicant **Indiana County Municipal
Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Borough or Township] Armstrong Township

County **Indiana**

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering
Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Operate August 2, 2013
Issued

Permit No. 3284502A1-T1, Minor Amendment. Public Water Supply.

Applicant **Indiana County Municipal
Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Borough or Township] Armstrong Township

County **Indiana**

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering
Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Operate August 2, 2013
Issued

Permit No. 3279502-T1, Minor Amendment. Public Water Supply.

Applicant **Indiana County Municipal
Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Borough or Township] Armstrong Township

County **Indiana**

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering
Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Operate August 2, 2013
Issued

Permit No. 3288504A1-T1, Minor Amendment. Public Water Supply.

Applicant **Indiana County Municipal
Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Borough or Township] Armstrong Township

County **Indiana**

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering
Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Operate August 2, 2013
Issued

Permit No. 3290503-T1, Minor Amendment. Public Water Supply.

Applicant **Indiana County Municipal Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Borough or Township] Armstrong Township

County **Indiana**

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Operate August 2, 2013
Issued

Permit No. 8238W-T1-MA, Minor Amendment. Public Water Supply.

Applicant **Pittsburgh Water & Sewer Authority**
Penn Liberty Plaza I
1200 Penn Avenue
Pittsburgh, PA 15222

[Borough or Township] City of Pittsburgh

County **Allegheny**

Type of Facility Water system

Consulting Engineer

Permit to Operate August 2, 2013
Issued

Permit No. 4560044-T1, Minor Amendment. Public Water Supply.

Applicant **Somerset Township Municipal Authority**
PO Box 247
Somerset, PA 15501

[Borough or Township] Quemahoning Township

County **Somerset**

Type of Facility Reading Mines water system

Consulting Engineer Somerset Planning & Engineering Services, LLC
222 West Main Street
Suite 100
Somerset, PA 15501

Permit to Operate August 2, 2013
Issued

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

WA 18-933A, Water Allocations. Central Clinton County Water Filtration Authority, 70 Filtration Drive, Lock Haven, PA 17745, Wayne Township, Clinton County. This Water Allocation Permit grants Central Clinton County Water Filtration Authority the right to

purchase from the City of Lock Haven a maximum of 3.9 million gallons per day and 2.9 million gallons per day on an annual average basis. After June 25, 2018, the annual average allocation decreases to 2.8 million gallons per day. The allocation granted takes into account reasonable projections of future use that can be supported by past data or documentation. The reasonable use analysis was performed during the review of the Lock Haven and Suburban Lock Haven Water Authority (SLHWA) allocation applications. The allocation granted also reflects a reduction in unaccounted for water loss to 20% in the City of Lock Haven’s and SLHWA’s distribution systems. The allocation granted is the same as the City of Lock Haven.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Union Township	1910 Municipal Drive, New Castle, PA 16101	Lawrence

Plan Description: The approved plan provides for a comprehensive evaluation of projected areas for future development and places them in the categories of short, mid or long-term. A majority of the development and corresponding infrastructure provided in the plan is predicated on the construction of a horse racetrack and casino. If the plans for the horse racetrack and casino do not materialize, it is unlikely that the development volume proposed within the plan will materialize. Further planning will be required as sewage needs dictate based on growth and development. The plan was submitted under the consent order and agreement dated July 15, 2011.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Catharine Township	P.O. Box 68 Williamsburg PA 16693	Blair County

Plan Description: Approval of a revision to the official plan of Catharine Township, Blair County. The project is known as Point View “A” SFTF. The plan provides for construction of a Small Flow Treatment Facility for 5 homes to replace a malfunctioning on-lot sewage system on 230 acres. The proposed sewage flows are 2000 gallons per day with a discharge to Township Run. The proposed development is located on State Road 866. The Department’s review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code No. is A3-07909-070-3S and the APS Id is 792504. Any permits must be obtained in the name of the Point View Association.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Catharine Township	P.O. Box 68 Williamsburg PA 16693	Blair County

Plan Description: Approval of a revision to the official plan of Catharine Township, Blair County. The project is known as Point View "B" SFTF. The plan provides for construction of a Small Flow Treatment Facility for 5 homes to replace a malfunctioning on-lot sewage system on 230 acres. The proposed sewage flows are 2000 gallons per day with a discharge to Township Run. The proposed development is located on State Road 866. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code No. is A3-07909-071-3S and the APS Id is 792506. Any permits must be obtained in the name of the Point View Association.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

Plan Location:

Borough or Township	Borough or Township Address	County
Rapho Township	971 N. Colebrook Rd Manheim PA 17547	Lancaster

Plan Description: The planning module for the Harris Subdivision, DEP Code No. A3-36948-469-2, APS Id 814450, consisting of the creation of one new residential building lot to be served by an individual on lot sewage disposal system is disapproved. The proposed development is located on the west side of Pinch Road, north of Aaron's Lane in Rapho Township. This plan is disapproved because the proposed Lot 2 does not have the area required to infiltrate the amount of groundwater recharge necessary to successfully dilute the nitrate-nitrogen from this lot's sewage discharge. The average nitrate-nitrogen levels in the groundwater leaving this lot will exceed 10 mg/l. Each lot must be able to capture enough groundwater recharge to dilute its own discharge and cannot rely upon the remainder, or on other lots, to supply this recharge.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard se-

lected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Conestoga River Plaza/Miguel's Nightclub, City of Lancaster, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Conestoga River Plaza/Miguel's Nightclub, 902 South Duke Street, Lancaster, PA 17602-4661 and SACA Development Corporation, 453 South Lime Street, Suite B, Lancaster, PA 17602-3652, submitted revisions to the Remedial Investigation Report and Cleanup Plan for the remediation of site soils contaminated with Inorganics and SVOCs. The site is being remediated to the Site Specific standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Metal Powder Products, 150 Ford Road, City of St. Marys, **Elk County**. Mountain Research, LLC., 825 25th Street, Altoona, PA 16601 on behalf of Metal Powder Products, LLC., 16855 Southpark Drive, Suite 100, Westfield, IN 46074, submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soils contaminated with Trichloroethene, Vinyl Chloride, 1,3,5-Trimethylbenzene and site groundwater contaminated with Trichloroethene, cis-1,2-Dichloroethene, Vinyl Chloride, 1,1,1-Trichloroethane, 1,1-Dichloroethene, and 1,1-Dichloroethane. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Bradford Mall, 1001 East Main Street, Foster Brook Township, **McKean County**. Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440, on behalf of Brixmor Properties Group, 420 Lexington Avenue, Seventh Floor, New York, NY 10170, submitted a Risk Assessment Report concerning the remediation of site soil contaminated with cis-1,2-Dichloroethene, Tetrachloroethene, Trichloroethene, 1,1-Dichloroethene, Trans-1,2-Dichloroethene, Vinyl Chloride and site groundwater contaminated with cis-1,2-Dichloroethene, Trans-1,2-Dichloroethene, Tetrachloroethene, Trichloroethene, and Vinyl Chloride. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Stoneboro Custom Cycles, 9 Branch Street, Borough of Stoneboro, **Mercer County**. URS Corporation, 12420 Milestone Center Drive, Suite 150, Germantown, MD 20876, on behalf of Pennzoil-Quaker State Company, 700 Milam Street, Houston, TX 77002, submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soils and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Total Xylenes, Naphthalene, Isopropylbenzene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, 1,2-Dibromoethane, Methyl tert butyl ether, and Lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the

appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Patriot Federal Credit Union Residential Property, 213 and 233 Schoolhouse Road, Saint Thomas, PA 17252, Saint Thomas Township, **Franklin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Patriot Federal Credit Union, PO Box 778, Chambersburg, PA 17201, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health standard, and was approved by the Department on July 30, 2013.

Former Pfaltzgraff West York Facility, 1857 West King Street, York, PA 17404, West York Borough and West Manchester Township, **York County**. ARM Group, Inc., PO Box 797, Hershey, PA 17033, on behalf of 128 Lucky, LLC, 1857 West King Street, York, 17404, submitted a combined Remedial Investigation and Final Report concerning the remediation of site soils and groundwater contaminated with lead. The combined report did not demonstrate attainment of the Statewide Health and Site Specific standards, and was disapproved by the Department on August 1, 2013.

Former O-Z / Gedney Company LLC Facility, 150 Birch Hill Road, Shoemakersville, Perry Township, **Berks County**. WSP Environment and Energy, 11190 Sunrise Valley Drive, Suite 300, Reston, VA 20191, on behalf of Emerson, 8000 West Florissant Avenue, St. Louis, MO 63136-1415, submitted a Remedial Investigation Report concerning remediation of site soils and groundwater contaminated with PCBs, PAHs and inorganics from historic operations for the manufacture of electrical fittings and junction boxes. The Final Report did not demonstrate attainment of the Statewide Specific standard, and was disapproved by the Department on August 2, 2013.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NLMK Pennsylvania Corporation (Fmr. Dufenco Farrell Corporation Facility), 15 Roemer Boulevard, City of Farrell, **Mercer County**. Cummings/Riter Consultants, Inc., 300 Penn Center Boulevard, Suite 800, Pittsburgh, PA 15235 on behalf of NLMK Pennsylvania Corporation, 15 Roemer Boulevard, Farrell, PA 16121, submitted a Final Report concerning the remediation of site soils contaminated with Arsenic, Barium, Cadmium, Chromium, Iron, Lead, Selenium, Silver, Zinc, PCB—Aroclor 1254, PCB—Aroclor 1260, and Mercury. The Report was disapproved by the Department on August 3, 2013.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Former P & LE Nichol Avenue Rail Yard, End of Nichol Avenue, Stowe Township, **Allegheny County**. Chester Engineers, 1555 Coraopolis Heights Road, Moon Township, PA 15108, on behalf of the Redevelopment Authority of Allegheny County, submitted a Final Report concerning remediation of site soil and groundwater

contaminated with metals and organics. The Final Report demonstrated attainment of the non-residential site specific standard and was approved by the Department on August 1 2013

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

PAD980550594. Sunoco, Inc. (R&M), 1735 Market Street, Suite LL, Philadelphia PA 19103. This RCRA Hazardous Waste Part B Permit Renewal Application is to continue operation at the Sunoco, Inc. (R&M)—Marcus Hook Refinery Plant, an existing petrochemical facility located at the 100 Green Street, Marcus Hook PA 19061-0426, in Marcus Hook Borough, **Delaware County**. Permit was issued by the Southeast Regional Office on May 2, 2013.

PAD049791098. Sunoco, Inc. (R&M), Philadelphia Refinery, 3144 West Passyunk Avenue, Philadelphia PA 19145, City of Philadelphia, **Philadelphia County**. This RCRA Hazardous Waste Part B Permit Renewal permit is to (1) continue operation at the Sunoco, Inc. (R&M)—Philadelphia Refinery Plant, (2) consolidates the management and/or storage of hazardous wastes at the Girard Point Processing Area, Point Breeze Processing Area and Schuylkill River Tank Farm, henceforth collectively to be known as the Philadelphia Refinery, under the single EPA ID No. PAD049791098, (3) the deregulation/closure of (4) four currently permitted bulk above ground storage tanks, (tanks 1004, 1005, 1006, and 1007), and (4) the permitting of an existing container storage pad located in the North Yard. The Sunoco, Inc.'s Philadelphia Refinery is an existing petrochemical facility located at 3144 Passyunk Avenue, in the City of Philadelphia. Permit was issued by the Southeast Regional Office on May 2, 2013.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor; 400 Market Street, Harrisburg, PA 17106-9170.

General Permit No. WMGR138. Federouch Landscape Supply, P.O. Box 522, Lawrence, PA 15055. Peters Township Yard Site: 202 Buckeye Street, Canonsburg, PA 15317; Scott Township Yard Site: 245 Hope Street, Carnegie, PA 15106. The permit authorizes the processing of yard waste, land clearing and grubbing waste, concrete and asphalt waste, and construction and demolition waste for beneficial use as landscaping material or for further recycling. The permit was issued by Central Office on July 23, 2013.

Persons interested in reviewing the general permit may contact Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170,

717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

General Permit No. WMGR038SE007. Bergeys Retread Technologies, 1419 Old Route 309, Sellersville PA 18960. This application is for a determination of applicability (DOA) for the processing of waste tires by recapping for beneficial use at the Bergey's Tread Technologies facility located at 1419 Old Route 309, Sellersville, PA 18960, in West Rockhill Township, **Bucks County**. The application for DOA was approved by the Southeast Regional Office on June 7, 2013.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 101069. Southeastern Chester County Refuse Authority, 219 Street Road, West Grove, PA 19390. This major permit modification application is to install an Ultra Filtration/Reverse Osmosis (UF/RO) leachate treatment system replacing the existing leachate evaporator system at the Southeastern Chester County Refuse Authority (SECCRA) Community Landfill, a municipal waste landfill located in London Grove Township, **Chester County**. The permit was issued by Southeast Regional Office on July 10, 2013.

Application(s) received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701

Permit Application No. 301364. Appalachian Drilling Services, 105 Industrial Park Rd, Beech Creek, PA 16822, Beech Creek Township, **Clinton County**. New permit application for a residual waste transfer station. A Local Municipality Involvement Process meeting was held and the application was deemed administratively complete by Northcentral Regional Office on July 11, 2013.

Comments concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the permit application may contact the Williamsport Regional Office, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public

comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Permit Application No. 101315. Millville Transfer Station, P.O. Box 208, 388 Jerseytown Rd. Millville, PA 17846, Madison Township, **Columbia County**. Permit renewal of an existing municipal waste transfer station. The application was deemed administratively complete by Northcentral Regional Office on July 29, 2013.

Comments concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the permit application may contact the Williamsport Regional Office, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Permits deemed administratively complete under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200

Permit No. 101471 Clifford Hill Sanitation Service, Inc., P.O. Box 265, Kutztown, PA 19530. The application submitted is to renew the permit for the Clifford Hill Sanitation Service, Inc. Municipal Waste Transfer Station located in Maxatawny Township, **Berks County**, which expires January 10, 2014. The application was deemed administratively complete by the Southcentral Regional Office on August 6, 2013. The Department will accept comments from the general public recommending revisions to, and approval or denial of the application during the entire time the Department is reviewing the permit application.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Person interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

GP4-48-001: Consolidated Storage Companies (225 Main Street, Tatamy, PA 18085) on August 1, 2013, to operate a burn off oven controlled by after burner at the facility in Tatamy, **Northampton County**.

GP3-40-002: Haines & Kibblehouse (PO BOX 196, 2052 Lucon Road, Skippack, PA 19474) on June 17, 2013, to construct and operate a Portable Crushing Operation with watersprays at their Pikes Creek Asphalt site in Lehman Township, **Luzerne County**.

GP9-40-002: Haines & Kibblehouse (PO BOX 196, 2052 Lucon Road, Skippack, PA 19474) on June 17, 2013, to install and operate a Diesel I/C Engine at their Pikes Creek Asphalt site in Lehman Township, **Luzerne County**.

GP5-58-008: Williams Field Services LLC (51 Warren Street, Tunkhannock, PA 18657) on July 31, 2013, to construct and operate additional engines and dehydrators/reboilers at their White Natural Gas Compressor Station site in Springville Township, **Susquehanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

GP1-22-03081: Upper Dauphin School District (5668 State Route 209, Lykens, PA 17048) on July 24, 2013, for a #2 oil-fired boiler rated at 12.5 MMBtu, under GP1, at their public school facility in Elizabethville Borough, **Dauphin County**. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP5-41-710A: NFG Midstream Trout Run, LLC (6363 Main Street, Williamsville, NY 14221-5887) on June 24, 2013, to construct and operate seven (7) natural gas-fired compressor engines, four (4) natural gas-fired micro turbines, two (2) storage tanks and a 200 million cubic foot per day triethylene dehydrator pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas, Coal Bed Methane or Gob Gas Production or Recovery Facilities (BAQ-GPA/GP5) at their Hagerman Compressor Station in Lewis Township, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP5-65-01023: R.E. Gas Development, LLC (476 Rolling Ridge Drive, State College, PA 16801) on July 31, 2013, to allow the continued operation of one 203 bhp Caterpillar natural gas-fired compressor engine and one 0.33 MMscfd dehydrator at the Nelson Compressor Station in Dunbar Township, **Fayette County**.

GP5-30-00220: EQT Gathering, LLC (EQT Plaza 625 Liberty Ave., Suite 1700, Pittsburgh, PA 15222) on July 31, 2013, to authorize the installation and operation of a natural gas compressor station consisting of three lean burn natural gas-fired compressor engines rated at 4,735 bhp each and controlled by oxidation catalysts, and two 8,820 gallon produced fluids tanks. Other miscellaneous sources include five lube oil and ethylene glycol storage tanks, five microturbines rated at 200 kW each, and one natural gas-fired line heater rated at 0.38 MMBtu/hr. The facility will be authorized under GP-5 for natural gas production, named Halo Compressor Station, and located in Center Township, **Greene County**.

GP5-32-00423: Mountain Gathering, LLC (810 Houston Street, Suite 2000, Fort Worth, TX 76102) on July 29, 2013, received authorization for construction and/or operation of sources and controls associated with a natural gas production facility at its R&P Compressor Station located in Black Lick Township, **Indiana County**.

GP5-32-00333B: Range Resources—Appalachia, LLC (100 Throckmorton Street, Suite 1200, Fort Worth, TX 76102) on July 31, 2013, to authorize to continue the operation of one (1) existing Caterpillar G342 NA, 4SRB, natural gas fired compressor engine, rated at 225 bhp and two (2) existing storage tanks of various capacities at their Blacklick Compressor Station located in Blacklick Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP5-24-177A: NFG Midsteam Mt. Jewett, LLC—Mt. Jewett Interconnect Station (2740 County Line Road, Wilcox, PA 15870) on July 22, 2013, to operate one (1) four stroke, natural gas powered emergency generator engine, Generac, Rated 22 bhp at 3,600 RPM, one (1) Frederick Logan Company natural gas dehydrator, one (1) natural gas fuel fired line heater rated 0.77 MmBtu/hr, one (1) 300 gallon TEG storage tank, Source ID: T-001, and one (1) 1,890 gallon produced water storage tank, Source ID: T-002 (BAQ-GPA/GP-5) in Jones Township, **Elk County**.

GP4-25-1040A: All-American Hose, LLC—Oil & Gas Division (2424 West 23rd Street, Erie, PA 16501) on August 1, 2013, to install a burn off oven, 10 lb/hr capacity unit, manufactured by Pollution Control Products (BAQ-GPA/GP-4) in the City of Erie, **Erie County**.

GP5-42-240A: Seneca Resources Corp.—Mt. Jewett Pad G Station (Off Route PA 321, Wilcox, PA 15870) on July 22, 2013, to operate one (1) rich burn, 4 stroke natural gas engine, Waukesha Model No. VHP-F3524GSI rated 840 bhp at 1,200 rpm, and three (3) 16,800 gallon produced water storage tanks, Tank IDs: Mt. Jewett Pad G T-1, Mt. Jewett Pad G T-2, Mt. Jewett Pad G T-3, and three (3) natural gas processing units (BAQ-GPA/GP-5) in Wetmore Township, **McKean County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

67-05124A: Schindler Elevator Corp.—Hanover (21 Industrial Drive, Hanover, PA 17331) on July 30, 2013, for a door line paint process to be installed at the new hydraulic elevator manufacturing in Penn Township, **York County**.

67-05092H: Starbucks Coffee Co. (3000 Espresso Way, York, PA 17406) on July 30, 2013, for construction of the following sources: two coffee roasters controlled by a regenerative thermal oxidizer; two cooling trays controlled by dedicated cyclones; two destoners controlled by

dedicated cyclones; and a chaff press controlled by a cyclone at its York Roasting Plant in East Manchester Township, **York County**.

36-05146B: PPL Renewable Energy, LLC (2 North 9th Street, Allentown, PA 18101) on August 2, 2013, for replacement of two (2) existing landfill gas-fired engine generator sets at the Creswell/Frey Farm Landfill in Manor Township, **Lancaster County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

06-05069Q: East Penn Mfg. Co., Inc. (Deka Road, PO Box 147, Lyon Station, PA 19536) on July 30, 2013, for modifications and additions to the A-4 battery assembly plant and lead oxide mills at the lead acid battery manufacturing facility in Richmond Township, **Berks County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

57-00003A: Sullivan County School District (777 South Street, Laporte, PA 18626) on July 26, 2013, to extend the authorization to operate a biomass boiler at their facility in Laporte Borough, **Sullivan County** on a temporary basis to January 22, 2014. The plan approval has been extended.

59-00025A: EQT Gathering, LLC (EQT Plaza, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222) on August 2, 2013, for a change of ownership of this facility for a change in the Federal Tax ID number for EQT Gathering, LLC. All revised requirements of the revised plan approvals became effective on August 2, 2013.

59-00025B: EQT Gathering, LLC (EQT Plaza, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222) on August 2, 2013, for a change of ownership of this facility for a change in the Federal Tax ID number for EQT Gathering, LLC. All revised requirements of the revised plan approvals became effective on August 2, 2013.

08-00003H: CraftMaster Manufacturing, Inc. (PO Box 311, Towanda, PA 18848-0311) on August 5, 2013, to extend the authorization to exhaust the cavity steam from the Line 2 Press (Source 172P) to a regenerative thermal oxidizer (RTO C142) at their facility in Wysox Township, **Bradford County** on a temporary basis to January 30, 2014. The plan approval has been extended.

08-00043A: Glenn O Hawbaker, Inc. (711 East College Avenue Bellefonte, PA 16823) on July 11, 2013, to extend the authorization to operate a sand and gravel wash plant at their facility in Athens Township, **Bradford County** on a temporary basis to January 9, 2014. The plan approval has been extended.

41-00025C: Lycoming County Resource Management Services (PO Box 187 Montgomery, PA 17752) on July 23, 2013, to extend authorization to operate fields 11 and 12 at their facility in Brady Township, **Lycoming County** on a temporary basis to January 20, 2014. The plan approval has been extended.

14-00002A: Graymont (PA), Inc. (965 East College Avenue, State College PA 16823) on August 23, 2023, for authorization to operate the two (2) lime kilns at the Pleasant Gap plant in Spring Township, **Centre County** pursuant to the plan approval an additional 180 days from August 23, 2013 to February 19, 2014 to continue the compliance evaluation for the air contaminant sources. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

63-00963E: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 2, Suite 700, Denver, CO 80202-2126) on August 2, 2013, to extend the period of temporary operation of the rail load-out terminal controlled by a vapor collection unit and enclosed flare, and previously consolidated natural gas processing equipment, authorized under plan approval PA-63-00936E, until February 3, 2014, at the Houston Gas Plant in Chartiers Township, **Washington County**. The plan approval has been extended.

56-00257B: PA Department of Corrections (P.O. Box 631, 5706 Glades Pike, Somerset, PA 15501) on August 5, 2013, to extend the period of temporary operation of the cogeneration facility including two natural gas-fired boilers, one dual fuel boiler, one landfill gas-fired turbine, and two landfill gas-fired engines authorized under plan approval PA-56-00257B, until February 8, 2014, at SCI Laurel Highlands located in Somerset Township, **Somerset County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-920D: Waste Management of Pennsylvania, Inc.—Lakeview Landfill (851 Robison Road East, Erie, PA 16509) on July 31, 2013, to issue a plan approval extension for construction of a landfill expansion and the increase in carbon monoxide emissions limits associated with existing landfill gas-fired engines at their facility in Summit Township, **Erie County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00010: ArcelorMittal Plate, LLC (139 Modena Road, Coatesville, PA 19320; Attn: Mr. Ray Ajalli) on July 30, 2013, for renewal of the Title V Operating Permit. The initial permit was issued on September 14, 2001, for their steel manufacturing plant in Coatesville Borough, **Chester County**. The facility is a major source for NO_x, CO, VOC, PM-10, SO_x, and greenhouse gases (GHG). Sources include furnaces, boilers, steel surface conditioning processes, generators, fire pumps, parts washers, nickel plating with scrubbers, surface coating operations, and other miscellaneous steel manufacturing components, many of them controlled by dust collection systems. Two 4SLB Emergency Generators (Source ID 769) are subject to 40 CFR Part 60, Subpart JJJJ. The following sources are subject to 40 CFR Part 63: \D\ Electric Furnace—

Source ID 104 (Subpart YYYYY); 12,000 Gal Underground Gas Storage Tank—Source ID 226 (Subpart CCCCC); Nickel Plating and 2 Scrubbers—Source ID 254 (Subpart WWWW); Emer Pump/Generator—Source ID 768 (Subpart ZZZZ); and Small Emergency Generators and Pumps—Source 770 (Subpart ZZZZ). Applicable requirements have been incorporated into the Title V Operating Permit renewal. The following sources are subject to Compliance Assurance Monitoring (CAM) requirements: Source IDs 104, 174, 176, 181, 182, 207, 228, 232, 234, 235, 258, and 263. Allowable emissions from the facility have not increased as a result of this permit renewal. The operating permit contains requirements to keep the facility operating within all applicable air quality requirements for this source.

46-00032: SPS Technologies, Inc.—SPS (301 Highland Avenue, Jenkintown, PA 19046) on July 31, 2013, for a major aerospace parts manufacturing facility at Highland Avenue Abington Township, **Montgomery County**. This action is a renewal of the facility's Title V Operating Permit originally issued on October 18, 2007. There have been several amendments of this TVOP since its original issuance. The renewal does not allow any new changes other than updating of source inventory and changes of minor significance. The operation is subjected to federal NESHAPS and NSPS regulations. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2507

54-00041: Silberline Manufacturing Co., Inc. (130 Lincon Drive, P.O. Box B, Tamaqua, PA 18252) for operation of an aluminum pigment manufacturing and boilers operation in Rush Township, **Schuylkill County**. This action is a renewal of the Title V Operating Permit. These sources have the potential to emit major quantities of regulated pollutants (VOC) above Title V emission thresholds. The issued Title V Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting, and work practice standards used to maintain facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

67-05005: PPL Brunner Island LLC (Two North Ninth Street, Allentown, PA 18101-1179) on July 30, 2013, for the Brunner Island Steam Electric Station in East Manchester Township, **York County**. The Title V permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648

18-00009: Clinton County Solid Waste Authority (PO Box 209, McElhattan, PA 17748) on July 31, 2013, a Title V operating permit renewal for their Wayne Township landfill in Wayne Township, **Clinton County**. The facility's sources include nineteen (19) space heaters, two (2) portable emergency generators, north side disposal area, south side disposal area, dirt screening equipment,

two (2) portable tub grinders, two (2) portable trammel screeners, one (1) portable water pump, one (1) parts washer and one (1) enclosed flare. The Title V operating permit contains all applicable Federal and State regulatory requirements including monitoring, recordkeeping, and reporting conditions.

49-00007: Cherokee Pharmaceuticals, LLC (PO Box 367, Riverside, PA 17868) on August 2, 2013, to issue a renewal Title V Operating Permit 49-00007 for their pharmaceutical manufacturing facility located in Riverside, **Northumberland County**. Renewal Title V Operating Permit 49-00007 contains monitoring, recordkeeping and reporting conditions to ensure compliance with all applicable Federal and State air regulatory requirements for stationary air contaminant sources. Additionally, the Title V operating permit was revised to include the averaging requirements specified in 40 CFR Part 63 Subpart GGG that now apply during periods of startup, shutdown and malfunction (SSM) because of the vacatur of the Part 63 SSM exemptions by the United States Court of Appeals for the D.C Circuit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131

25-00025: GE Transportation, Erie Plant (2901 East Lake Road, Bldg. 9-201, Erie, PA 16531) on July 31, 2013, modified a Title V Operating Permit for their facility in Lawrence Park Township, **Erie County**

The modification is pursuant to 25 Pa. Code § 127.463. The permit expires September 30, 2016. GE Transportation is a major facility and is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapters F and G. The facility is subject to multiple State and Federal Regulations. The modification involves the incorporation of the requirements of 40 CFR 63 Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants (NESHAPs) for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters; Four new 132 HP Cummins diesel generators under Source 373 (with applicable requirements of 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines); Removal of Source 362 and adjust the emission rates and diesel consumption rates for Source 372; and, Include Source 968 (Miscellaneous plant-wide VOC emissions) with applicable requirements from 25 Pa Code § 129.77. The requirements in Subpart DDDDD became effective April 1, 2013. The Department is required to revise the permit because the expiration date of the current permit is more than 3 years from the effective date of Subpart DDDDD. The boilers are subject to the tune-up and energy assessment work practice standards of Subpart DDDDD.

Minor changes were also made to the permit to reflect the amended language of 40 CFR 63 Subpart ZZZZ—NESHAPs for Stationary Reciprocating Internal Combustion Engines.

10-00028: Armstrong Cement & Supply (100 Clearfield Road Cabot, PA 16023-9531) on August 1, 2013, issued an administrative amendment to the Title V Operating Permit for the Portland cement plant in Winfield Township, **Butler County**. The amendment incorporated the requirements from Plan Approval 10-028I as well as the amendments to 40 CFR 63 Subpart ZZZZ and LLL.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00086: Griffin Industries LLC—dba Bakery Feeds (97 Westbrook Drive, Honey Brook, PA 19344) on July 30, 2013, for an animal feed processing facility in Honey Brook Township, **Chester County**. The renewal permit is for a non-Title V (State only) facility. Operations at the facility include drying of waste bakery products, separation of the product and packaging and blending of the recycled bakery product with an animal feed ingredient. A regenerative thermal oxidizer (RTO) controls VOC emissions from the dryer with a minimum of 98% efficiency. Natural gas, non-chemically treated wood, and packaging waste are approved fuels for the biomass burner with the rotary dryer. No emissions increases above previously approved levels are authorized with the renewal. The operating permit will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

21-05037: Union Quarries, Inc. (PO Box 686, Carlisle, PA 17013-0686) on August 1, 2013, for the Bonny Brook stone crushing and batch asphalt plants in South Middleton Township, **Cumberland County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

19-00020: Kawneer Company, Inc. (500 East 12th Street, Bloomsburg, PA 17815) on July 30, 2013, to renew the State Only (Synthetic Minor) Operating Permit for their facility in the Town of Bloomsburg, **Columbia County**. The State Only (Synthetic Minor) operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

63-00928: Valley Tire Co., Inc. (15 McKean Ave., Charleroi, PA 15022-1436) On July 30, 2013, for operation of a truck tire retreading facility in Charleroi Borough, **Washington County**. The subject facility consists of buffing, repair solution application, tire retreading, and curing processes. The facility also contains a cyclone system for capturing particulate emissions from the buffing operation. The facility is subject to the applicable requirements of Pa Code Title 25 Chapters 121 through 145. The final renewal Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

65-00235: Alcoa, Inc. (100 Technical Drive, Alcoa Center, PA 15069) on July 30, 2013, a renewal State Only Operating Permit (SOOP) to Alcoa Technical Center to authorize the continued operation of their Research and Development facility in Upper Burrell Township, **Westmoreland County**.

30-00183: EQT Gathering, LLC, (Suite 1700, 625 Liberty Ave, Pittsburgh, PA, 15222) on July 30, 2013, to issue a State Only Operating Permit for operation of the Jupiter Compressor Station. The facility contains air contamination sources, consisting of three 2,370-bhp, natural gas-fired compressor engines, one 690-bhp, natural gas-fired, emergency generator engine, and three TEG dehydrators with reboilers that have a combined natural gas processing capacity of 210 MMscfd. The facility is subject to 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Combustion Engines, 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and Pa. Code Title 25, Chapters 121—145. The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility located in Morgan Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew M. Williams, Environmental Program Manager—Telephone: 814-332-6636

10-00139: J.S. McCormick Co. (1043 Branchton Road, Boyers, PA 16020-1405) on July 17, 2013, issued a renewal Natural Minor Operating Permit to operate a facility that processes coke breeze for use in brake manufacturing and metallurgical purposes in Cherry Township, **Butler County**. The facility's primary emission sources include three rotary dryers, coke screening/shaking and three space heating furnaces. Each of the sources contains the restrictions, recordkeeping, reporting, work practice requirements, and additional requirements to assure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00969: Union Electric Steel Corp. (PO Box 465 Carnegie, PA 15106-0465) on July 31, 2013, issued a renewal of the State Only Operating Permit for their facility at 1712 Green Garden Road in the City of Erie, **Erie County**. The facility is a Natural Minor. The primary sources at the facility include three electro slag remelt stations, 4 electrically heated slag pots, miscellaneous natural gas combustion sources 2 annealing furnaces, vessel preheaters, space heaters, welding, and parts cleaner. Particulate emissions from the remelt station and the slag pots are controlled by a fabric collector. The emissions from the facility are approximately 5.7 TPY NO_x, 1.4 TPY CO, 1.9 TPY PM-10, less than 1 TPY of SO_x, VOC, and HAPs.

42-00095: Georgia Pacific Corrugated II LLC (One Owens way, Bradford, PA 16701) on August 5, 2013, to renew a natural minor permit in the City of Bradford, **McKean County**. The facility manufactures corrugated and solid fiber boxes. The emitting sources included, (1) 350 HP Boiler, (2) 500 HP Boiler, (3) Miscellaneous Process Equipment, (4) Outdoor Storage Silo, (5) Metal Parts Washer (Cold Degreaser), and, (6) Miscellaneous VOCs (Printing and Gluing). The potential emissions of NO_x: 17 Tons per year, CO: 4 TPY and VOC: 8.3 TPY. The Boilers of the facility are not subject to 40 CFR Part 63 Subpart JJJJJ because, those are gas fired boilers and run less than 48 hours using fuel Oil #6 for non-emergency purpose.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

28-05011: Waste Management Disposal Services of PA, Inc. (9446 Letzburg Road, Greencastle, PA 17225-9317) on July 18, 2013, for the Mountain View Landfill in Antrim Township, **Franklin County**. The Title V permit was administratively amended to incorporate the provisions of Plan Approval No. 28-05011B.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

56-00199: Shade City School District (PO Box 7, 203 McGregor Ave., Cairnbrook, PA 15924) for a Synthetic Minor Operating Permit renewal for the Shade-Central City High School in Shade Township, **Somerset County**. The permittee has submitted an application for an administrative amendment of its operating permit to revise the responsible official and permit contact information.

30-00099: Allegheny Energy Supply Co., LLC (800 Cabin Hill Drive, Greensburg, PA 15601) on or about July 25, 2013, in accordance with 25 Pa. Code §§ 127.424, 127.425, 127.521 and 127.541, the Department of Environmental Protection (DEP) significantly modified a Title V Operating Permit renewal previously issued on November 30, 2012 for the continued operation of the Hatfield's Ferry Power Station located in Monongahela Township, **Greene County**. The significant modification added the following applicable requirement to the TVOP: 25 Pa. Code § 121.7, Prohibition of air pollution, "No person may permit air pollution as that term is defined in the act." No other changes to the TVOP, emissions or equipment were approved by this action.

63-00016: Allegheny Energy Supply Company, LLC (800 Cabin Hill Drive, Greensburg, PA 15601) on July 30, 2013, in accordance with 25 Pa. Code §§ 127.424, 127.425, 127.521 and 127.541, the Department of Environmental Protection (DEP) significantly modified a Title V Operating Permit renewal previously issued on November 30, 2012 for the operation of the Mitchell Power Station, located in Union Township, **Washington County**. The significant modification added the following applicable requirement to the TVOP: 25 Pa. Code § 121.7, Prohibition of air pollution, "No person may permit air pollution as that term is defined in the act." No other changes to the TVOP, emissions or equipment were approved by this action.

26-00535: Duke Energy Fayette II, LLC (P.O. Box 511, Masontown, PA 15461) on July 30, 2013, in accordance with 25 Pa. Code §§ 127.424, 127.425, 127.521 and 127.541, the Department of Environmental Protection (DEP) significantly modified a Title V Operating Permit renewal previously issued on January 13, 2013 for the operation of the Fayette Energy Facility, located in German Township, **Fayette County**. The significant modification added the following applicable requirement to the TVOP: 25 Pa. Code § 121.7, Prohibition of air

pollution, "No person may permit air pollution as that term is defined in the act." No other changes to the TVOP, emissions or equipment were approved by this action.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Actions Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

03851601 and NPDES No. PA0214540. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the permit and related NPDES permit for the Dutch Run Prep Plant in Plumcreek Township, **Armstrong County** and to transfer the permit to Rosebud Mining Company from TJS Mining, Inc. No additional discharges. The application was considered administratively complete on May 21, 2012. Application received April 2, 2012. Permit issued July 31, 2013.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56120117 and NPDES Permit No. PA0269182. Wilson Creek Energy, LLC, 609 Georgian Place, Somerset, PA 15501 commencement, operation and restoration of a bituminous surface and auger mine in Jenner Township, **Somerset County**, affecting 241.6 acres. Receiving streams: Hoffman Run and unnamed tributaries to Quemahoning Creek classified for the following use: cold water fishery. The first downstream potable water supply intake from the point of discharge is Cambria-Somerset Water Authority. Application Received November 9, 2012. Permit Issued July 24, 2013.

Permit No. 56110106 and NPDES Permit No. PA0263273. Wilson Creek Energy, LLC, 609 Georgian Place, Somerset, PA 15501 commencement, operation and restoration of a bituminous surface and auger mine in Lincoln Township, **Somerset County**, affecting 107.7 acres. Receiving stream: unnamed tributaries to Quemahoning Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application Received June 21, 2011. Permit Issued July 25, 2013.

Permit No. 56060111 and NPDES No. PA0262269. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, revision of an existing bituminous surface mine to change the land use from forestland to crop land in Black Township, **Somerset County**, affect-

ing 111.3 acres. Receiving streams: unnamed tributaries to/and Coxes Creek, classified for the following use: warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received May 15, 2013. Permit Issued August 2, 2013.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03120102 and NPDES Permit No. PA0252212. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit issued for commencement, operation and reclamation of a bituminous surface mine, located in Madison Township, **Armstrong County**, affecting 188 acres. Receiving streams: unnamed tributaries to the Allegheny River. Application received: July 23, 2012. Permit issued: July 30, 2013.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

PAG-02/14803008, GP4-14803008 and GP5-14803008. BioMost, Inc. (434 Spring Street Ext., Mars, PA). Authorization for coverage under a General NPDES Permit (PAG-02) in conjunction with authorizations for Intake and Outfall Structures (GP-4) and Utility Line Stream Crossings (GP-5) as part of the construction of the Pine Glen Active Treatment System to abate acid mine drainage in Burnside Township, **Centre County** affecting 64.4 acres. Receiving stream(s): Sevenmile Run classified for the following use(s): Cold Water Fishes and Migratory Fishes. Application received: April 4, 2013. Permit issued: July 30, 2013.

Noncoal Permits Actions Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56070301 and NPDES Permit No. PA0262340. Keystone Lime Company, Inc., P.O. Box 278, Springs, PA 15562, renewal of NPDES Permit, in Elk Lick Township, **Somerset County**. Receiving stream: unnamed tributary to Laurel Run, classified for the following use: cold water fishery. Application received April 10, 2013. Permit Issued July 10, 2013.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

30120601 and NPDES Permit No. PA0252263. Fayette Coal & Coke, Inc. (195 Enterprise Lane, Connellsville, PA 15425). Permit issued for commencement, operation and reclamation of a large noncoal surface mine, located in Monongahela Township, **Greene County**, affecting 52.5 acres. Receiving streams: Goose Run, Little Whitely Creek and an unnamed tributary to Little Whitely Creek. Application received: November 13, 2012. Permit issued: August 1, 2013.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08890805. Charles T. Root (188 Thorndike Road, Gillett, PA 16925). Mining completed for a small non coal operation in South Creek Township, **Bradford County**. There were no bonds posted on this operation. Restoration of 0.75 acre completed. Receiving stream(s): Roaring Run. Application received: July 8, 2013. Final completion approved: July 22, 2013.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

58110305T and NPDES Permit No. PA0225142. Penny Supply, Inc., (PO Box 3331, Harrisburg, PA

17105), transfer of an existing quarry operation in Middletown Township, **Susquehanna County** affecting 95.4 acres, receiving stream: unnamed tributary to Middle Branch Wyalusing Creek. Application received: January 17, 2013. Transfer issued: July 30, 2013.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions Issued

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

10134102. Wampum Hardware Company (2856 Stoystown Road, Friedens, PA 15541-7020). Blasting activity permit to construct a holding pond in Clinton Township, **Butler County**. This blasting activity permit will expire on December 31, 2013. Permit Issued: July 29, 2013.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08134122. Doug Wathen, LLC (11934 Fairway Lakes Drive, Suite 1, Ft Myers, FL 33913). Blasting for gas pad construction located in Wilmot Township, **Bradford County** with an expiration date of July 10, 2014. Permit issued July 25, 2013.

08134123. Holbert Explosives, Inc. (237 Mast Hope Plank Rd, Lackawaxen, PA 18435). Blasting for pipeline construction located in Wilmot Township, **Bradford County** with an expiration date of July 20, 2014. Permit issued July 30, 2013.

12134001. Excel Drilling, Inc. (P.O. Box 7034, Bozeman, MT 59771). Seismic Exploration blasting located in Shippen Township, **Cameron County** and Jones Township, Elk County with an expiration date of December 31, 2013. Permit issued July 25, 2013.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

36134138. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Bishop Woods in West Donegal Township, **Lancaster County** with an expiration date of July 25, 2014. Permit issued: July 31, 2013.

36134139. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Lititz Reserves in Warwick Township, **Lancaster County** with an expiration date of July 31, 2014. Permit issued: July 31, 2013.

36134140. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Tents for Rent in Clay Township, **Lancaster County** with an expiration date of July 31, 2014. Permit issued: July 31, 2013.

58134140. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Northeast Gathering System Line 444 in Liberty Township, **Susquehanna County** with an expiration date of July 31, 2014. Permit issued: July 31, 2013.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87-90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0;	less than 9.0
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

NPDES No. PA0007803 (Mining Permit No. 32841302), Pennsylvania Mines, LLC, (2 North 9th Street, Allentown, PA 18101). A renewal to the NPDES and mining activity permit for the Greenwich North #1/South #2 Mine in Green and Montgomery Townships, **Indiana County** and Susquehanna Township, **Cambria County** for reclamation only—water treatment. Surface Acres Affected 163.5, Underground Acres Affected 14203.0. Receiving stream: South Branch Two Lick Creek, classified for the following use: HQ-CWF. Kiskiminetas-Conemaugh River Watersheds TMDL. The application was considered administratively complete on May 19, 2011. Application received December 17, 2010.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 021 discharges to: South Branch of Two Lick Creek

The proposed effluent limits for *Outfall 021* (Lat: 40° 40' 38" Long: 78° 53' 01") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	4.82	-
Iron	(mg/l)	1.5	3.0	3.8
Manganese	(mg/l)	1.0	2.0	2.5
Aluminum	(mg/l)	0.5	1.0	1.3
Total Suspended Solids	(mg/l)	35	70	90
Osmotic Pressure	(mos/kg)	50	100	125
Sulfates	(mg/l)	-	-	REPORT
Total Dissolved Solids	(mg/l)	-	-	REPORT
Chlorides	(mg/l)	-	-	REPORT

NPDES No. PA0215562 (Mining Permit No. 30841602), Duquesne Light Company, (1800 Seymour Street, Pittsburgh, PA 15233-1134). A renewal to the NPDES and mining activity permit for the Warwick Mine No. 2 Preparation Plant in Monongahela Township, **Greene County**. Surface Acres Affected 43.3. Receiving stream: Whiteley Creek, classified for the following use: WWF. Monongahela River. The application was considered administratively complete on November 11, 2006. Application received October 6, 2006.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 002 discharges to: Whitely Creek

The proposed effluent limits for *Outfall 002* (Lat: 38° 48' 59" Long: 79° 57' 19") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)		-	2.64	-
Iron (mg/l)		1.5	3.1	3.9
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.67	1.3	1.7
Suspended Solids (mg/l)		35	70	90
Osmotic Pressure (umho)		50	80	125
Sulfates (mg/l)		250	439	500
Chlorides (mg/l)		230	369	575
Total Dissolved Solids (mg/l)		-	-	REPORT
Selenium (mg/l)		-	-	REPORT

Outfall 007 discharges to: Whitely Creek

The proposed effluent limits for *Outfall 007* (Lat: 39° 49' 04" Long: 79° 57' 12") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)		-	2.64	-
Iron (mg/l)		1.5	3.1	3.9
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.67	1.3	1.7
Suspended Solids (mg/l)		35	70	90
Osmotic Pressure (umho)		50	80	125
Sulfates (mg/l)		250	439	500
Chlorides (mg/l)		230	369	575
Total Dissolved Solids (mg/l)		-	-	REPORT
Selenium (mg/l)		-	-	REPORT

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0269166 (Mining permit no. 56120115), Rosebud Mining Co., Meyersdale Division, 1117 Shaw Mines Road, Meyersdale, PA 15552-7228, new NPDES permit for surface coal mine operation in Jenner Township, **Somerset County**, affecting 26.0 acres. Receiving stream: unnamed tributary to Beaverdam Run for the following use: cold water fishery. This receiving stream is included in the Kiskiminetas-Conemaugh River. Application received: October 17, 2012.

The outfall(s) listed below discharge to an unnamed tributary to Beaverdam Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001—Treatment pond 1	Y
002—Treatment pond 2	Y
003—Treatment pond 3	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 001, 002, and 003 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

The outfall(s) listed below discharge to an unnamed tributary to Beaverdam Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004—Sediment Pond 1	Y
005—Sediment Trap 2	Y
006—Sediment Trap 3	Y
007—Sediment Pond 3	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 004, 005, 006 and 007</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0259403 (Permit No. 10120107). Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) New NPDES permit for a bituminous surface mine in Donegal Township, **Butler County**, affecting 152.4 acres. Receiving streams: Buffalo Run, unnamed tributaries to Buffalo Creek, and Buffalo Creek, all classified for the following uses: HQ-CWF. TMDL: None. Application received: July 10, 2013.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below require a non-discharge alternative and the implementation of BMPS's:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TP1	Y
TP2	Y
TP3	Y
TP4	Y
TP5	Y

The outfall(s) listed below requires a non-discharge alternative and the implementation of BMP's for surface waters collected in response to precipitation from less than the 10 yr/24 hr storm event. The outfalls listed below may discharge to Buffalo Run, unnamed tributaries to Buffalo Creek and Buffalo Creek in response to precipitation exceeding the 10 yr/24 hr storm event.

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
SPA	Y
SPB	Y
SPC	Y
SPD	Y
SPE	Y
SPF	Y
SPG	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501–508 and 701–704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street,

PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401

E15-837. Mark Winnicki, Director of Facilities, Longwood Gardens, Inc., P.O. Box 501, Kennett Square, PA 19348-0501, East Marlborough, Kennett, and Pennsbury Townships, **Chester County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the meadow improvement and expansion project at Longwood Gardens:

1. To construct and maintain two new pedestrian bridges measuring 28-foot long by 23-foot wide, and 13-foot long by 8-foot wide, respectively.

2. To replace and maintain two existing pedestrian bridges.

3. To construct and maintain a temporary bridge having a 30-foot span and measuring 8-foot wide.

All bridges are across an unnamed tributary to Pocopson Creek (Perennial, TSF) and adjacent wetlands.

The site is located at the northwest of intersection of US Route 1 and PA Route 52 (Unionville & Kennett, PA USGS Quadrangle N: 22.3 inches; W: 5.88 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E18-486. Daniel K. Stoltzfus, 1551 East Winter Road, Loganton, PA 17747-9327. Daniel Stoltzfus Bridge, in Greene Township, **Clinton County**, ACOE Baltimore District (Loganton, PA Quadrangle N: 41°03'01.6"; W: -77°18'12.4").

To construct a 25-foot, clear span bridge of steel beams and a wooden deck to cross Mill Creek to access a newly purchased land-locked property located along South Hopple Hollow Road, 0.3 mile from North Mill Street, to access a land locked property (Loganton, PA Quadrangle N: 41°03'01.6"; W: -77°18'12.4") in Greene Township, Clinton County. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E19-300. Bloomsburg Park Association, 1 West 11th Street, Bloomsburg, PA 17815. Tennis Court Shed, in Town of Bloomsburg, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle Latitude: 40° 59' 25"; Longitude: -76° 27' 13").

To construct, operate and maintain a masonry storage shed measuring 13 feet by 13 feet. This structure is located in the flood fringe of the Susquehanna River, Warm Water Fishery. This work will not disturb more

than 0.10 acre. All electrical utilities will be elevated above the 100-yr water surface elevation. This project is located along Railroad Street in the Town of Bloomsburg, Columbia County.

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1313-A1. David A Rohrich, 2020 West Liberty Avenue, Pittsburgh, PA 15226, Marshall Township, **Allegheny County**; ACOE Pittsburgh District

Applicant has been given consent to construct, operate and maintain culverts and fill in 265 LF of three unnamed tributaries of Brush Creek (WWF) and to place fill in 0.0062 acre of wetland to construct buildings and parking areas. The project is located along SR 19 (Perry Highway) near the intersection with Rowan Road. To mitigate for the wetland impact, the applicant has made a payment to the Pennsylvania Wetland Replacement Fund. To mitigate for the stream impact, the applicant will plant a 25 foot wide buffer along 230 lf of an unnamed tributary to Brush Creek. (Mars, PA Quadrangle; N: 3.9 inches, W: 10.3 inches; Latitude: 40° 38' 46"; Longitude: 80° 4' 25") in Marshall Township, Allegheny County.

E04-341. Georgetown Sand and Gravel, Inc., P.O. Box 127, Georgetown, PA 15043, Greene Township, **Beaver County**. ACOE Pittsburgh District

Applicant has been given consent to operate and maintain the existing barge mooring facility approximately 1,450.0 feet in length and 135.0 feet in width (as measured from the normal pool elevation) and to construct and maintain a new barge mooring facility approximately 3,350.0 feet in length and 200.0 feet in width (as measured from the normal pool elevation) in the channel and along the left bank of the Ohio River (WWF-N) for the purpose of mooring barges. The existing and proposed barge mooring facilities are located near Mile Post 38.3 (Midland, PA Quadrangle N: 3.2 inches; W: 14.65 inches; Latitude: 40° 38' 33"; Longitude: 80° 28' 50") in Greene Township, Beaver County.

E63-646. Washington Trotting Association, Inc., 9107 W. Russell Road, Las Vegas, NV 89148, North Strabane Township, **Washington County**. ACOE Pittsburgh District

Applicant has been given consent to construct and maintain a 46-foot long, 10 feet wide x 5 feet high box culvert depressed 1 ft. with baffles in an unnamed tributary to Chartiers Creek (WWF); to construct and maintain two walls and their associated fill along the right bank floodway of the same creek, the first wall will be approximately 140 feet long and the second approximately 60 feet long; and to place and maintain fill along the right bank floodway for a distance of approximately 100 feet of the same stream channel, to provide access to the proposed Meadows Hotel. The project is located at 210 Racetrack Road, on the east side of Racetrack Road, approximately 3,500.0 feet south from the intersection of Racetrack Road and Johnson Road (Washington East, PA Quadrangle N: 10.6 inches; W: 16.7 inches, Latitude: 40° 13' 4.0"; Longitude: 80° 12' 5.84") in North Strabane Township, Washington County.

E65-945 Daniel Shapira, Esq., c/o Marcus & Shapira LLP, One Oxford Centre, 35th Floor, 301 Grant Street, Pittsburgh, PA 15219-6401, Fairfield Township, **Westmoreland County**. ACOE Pittsburgh District

Applicant has been given consent to expand and maintain the pool zones of two existing ponds and to increase

the overall surface area of each of the ponds by 0.56 acre. Place and maintain fill in 0.003 acre of wetlands for the expansion of pond 1. Place and maintain fill in 0.233 acre of wetlands for the expansion of pond 2. To construct and maintain a new 145 ft long emergency spillway channel for pond 2. The ponds are located on an unnamed tributary to Covode Hollow (TSF). To impact 282 linear feet of an unnamed tributary to Covode Hollow. Construct and maintain a 30-inch diameter culvert for a haul road located upstream of pond 1, in an unnamed tributary to Covode Hollow. To construct and maintain a 24-inch diameter culvert for a trail in an unnamed tributary to Covode Hollow (Wilpen, PA Quadrangle; N: 16.75 inches; W: 9.8 inches; Latitude: 402031; Longitude: 791142) in Fairfield Township, Westmoreland County. To compensate for the wetland impacts the permittee shall construct 0.30 acre of palustrine emergent replacement wetlands.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335

E62-08-003, Major Modification, Bear Lake Properties, Inc., 3000 Village Run Road, Wexford, PA 15090. Waterline and Brine Unloading Facility, in Columbus Township, **Warren County**, United States Army Corps of Engineers Pittsburgh District.

In addition to an existing 3-inch brine water line the applicant proposes to install and maintain a 6-inch HDPE brine water line encased in a 10-inch HDPE pipeline which will cross three (3) Palustrine Emergent (PEM) wetlands in order to transport brine water from offloading Pad A located at the corner of Stateline Road and Cornish Hill Road to offloading Pad B located approximately 3300 feet to the west (Columbus, PA Quadrangle N: 41° 59' 42"; W: -79° 31' 58.8") in Columbus Township, Warren County. Installation of the pipeline will temporarily impact 0.87 acre of PEM wetland.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5929-038: Ultra Resources, Inc., P.O. Box 1768, Suite 295, Pinedale, WY 82941, Shippen and Delmar Townships, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A permanent access road using two 36 inch diameter HDPE culverts and a 20 inch diameter natural gas gathering line impacting 109 linear feet of an unnamed tributary to Steele Run Hollow (HQ-CWF) (Tiadaghton, PA Quadrangle 41°43'58"N, 77°28'34"W);

2) A permanent access road using two 15 inch diameter HDPE culverts and a 20 inch diameter natural gas gathering line impacting 24 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'23"N, 77°28'06"W);

3) A permanent access road using two 15 inch diameter HDPE culverts and a 20 inch diameter natural gas gathering line impacting 19 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'23"N, 77°28'06"W);

4) A permanent access road using two 15 inch diameter HDPE culverts impacting 16 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'21"N, 77°27'59"W);

5) A 20 inch diameter natural gas gathering line impacting 9 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'22"N, 77°27'59"W);

6) A 20 inch diameter natural gas gathering line impacting 52 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'23"N, 77°27'54"W);

7) A 20 inch diameter natural gas gathering line impacting 28 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'23"N, 77°27'53"W);

8) A 20 inch diameter natural gas gathering line impacting 140 linear feet of Pine Creek (EV) (Tiadaghton, PA Quadrangle 41°44'26"N, 77°27'47"W);

9) A 20 inch diameter natural gas gathering line impacting 202 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Tiadaghton, PA Quadrangle 41°44'29"N, 77°27'44"W);

10) A 20 inch diameter natural gas gathering line impacting 586 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Tiadaghton, PA Quadrangle 41°44'37"N, 77°27'40"W);

11) A 20 inch diameter natural gas gathering line impacting 74 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'36"N, 77°27'41"W);

12) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 73 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'41"N, 77°27'39"W);

13) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 50 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'54"N, 77°27'33"W);

14) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 52 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'55"N, 77°27'25"W);

15) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 56 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'55"N, 77°27'22"W);

16) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 51 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'55"N, 77°27'12"W);

17) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 65 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'56"N, 77°28'54"W);

18) A temporary access road using timber mats and a 20 inch diameter natural gas gathering line impacting 2,125 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Tiadaghton, PA Quadrangle 41°44'56"N, 77°26'42"W);

19) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 58 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'56"N, 77°26'57"W);

20) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 54 linear feet of Herrington Hollow (HQ-CWF) (Tiadaghton, PA Quadrangle 41°44'55"N, 77°26'26"W);

21) A temporary access road using timber mats and a 20 inch diameter natural gas gathering line impacting 5,049 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Asaph, PA Quadrangle 41°45'02"N, 77°25'42"W);

22) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 40 linear feet of an unnamed tributary to March Creek (CWF) and 37,739 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Asaph, PA Quadrangle 41°45'02"N, 77°25'41"W);

23) A 20 inch diameter natural gas gathering line impacting 8 linear feet of Kinney Hollow (CWF) and 412 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Asaph, PA Quadrangle 41°45'21"N, 77°25'14"W);

24) A temporary access road using timber mats and a 20 inch diameter natural gas gathering line impacting 11,834 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Asaph, PA Quadrangle 41°45'24"N, 77°25'11"W);

25) A 20 inch diameter natural gas gathering line impacting 16 linear feet of an unnamed tributary to Marsh Creek (CWF) and 224 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Asaph, PA Quadrangle 41°45'26"N, 77°25'04"W);

26) A 20 inch diameter natural gas gathering line impacting 69 linear feet of Marsh Creek (CWF) (Asaph, PA Quadrangle 41°45'26"N, 77°24'59"W);

27) A 20 inch diameter natural gas gathering line impacting 259 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Asaph, PA Quadrangle 41°45'26"N, 77°24'58"W);

28) A 20 inch diameter natural gas gathering line impacting 6 linear feet of an unnamed tributary to Marsh Creek (CWF) (Asaph, PA Quadrangle 41°45'26"N, 77°24'54"W);

29) A 20 inch diameter natural gas gathering line impacting 19 linear feet of an unnamed tributary to Marsh Creek (CWF) (Asaph, PA Quadrangle 41°45'26"N, 77°24'50"W);

30) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 176 linear feet of an unnamed tributary to Marsh Creek (CWF) (Asaph, PA Quadrangle 41°45'25"N, 77°24'34"W);

31) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 76 linear feet of Gray Hollow (CWF) (Asaph, PA Quadrangle 41°45'19"N, 77°24'16"W);

32) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 53 linear feet of an unnamed tributary to Dantz Run (CWF) (Asaph, PA Quadrangle 41°45'16"N, 77°23'06"W);

33) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 51 linear feet of Dantz Run (CWF) (Asaph, PA Quadrangle 41°45'14"N, 77°22'58"W);

34) A temporary access road using a timber mat bridge and a 20 inch diameter natural gas gathering line impacting 107 linear feet of an unnamed tributary to Dantz Run (CWF) (Asaph, PA Quadrangle 41°45'14"N, 77°22'57"W).

The project will result in 1,481 linear feet of temporary stream impacts, 70 linear feet of permanent stream impacts, 56,305 square feet (1.29 acres) of temporary wetland impacts, and 2,125 square feet (0.49 acre) of permanent wetland impacts all for the purpose of installing a gathering line for Marcellus well development in Shippen and Delmar Townships, Tioga County.

E0829-070: PVR NEPA Gas Gathering, LLC, 101 West Third Street, Williamsport, PA 17701, Franklin Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a temporary timber mat bridge impacting 1,305 square feet of a Palustrine Emergent Wetland (Powell, PA Quadrangle, Latitude: 41°42'32", Longitude: -76°36'55");

2. an 8 inch diameter natural gas line impacting 65 square feet of a Palustrine Forested Wetland (Powell, PA Quadrangle, Latitude: 41°40'20", Longitude: -76°36'47");

3. a temporary timber mat bridge impacting 81 square feet of a Palustrine Emergent Wetland (Powell, PA Quadrangle, Latitude: 41°40'21", Longitude: -76°36'44");

4. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 7,247 square feet of a Palustrine Forested Wetland (EV) (Powell, PA Quadrangle, Latitude: 41°40'24", Longitude: -76°36'51");

5. an 8 inch diameter natural gas line impacting 12 linear feet of an unnamed tributary to Falls Creek (HQ-CWF, MF) and impacting 127 square feet of an adjacent Palustrine Forested Wetland (EV) (Powell, PA Quadrangle, Latitude: 41°40'01", Longitude: -76°36'32");

6. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 76 linear feet of an unnamed tributary to Falls Creek (HQ-CWF, MF) and impacting 1,701 square feet of an adjacent Palustrine Scrub-Shrub Wetland (EV) (Powell, PA Quadrangle, Latitude: 41°39'53", Longitude: -76°36'25");

The project will result in 93 linear feet or 142 square feet of temporary stream impacts and 1,578 square feet (0.04 acre) of PEM and PFO wetlands and 8,948 square feet (0.17 acre) of PFO and PSS conversion wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Franklin Township, Bradford County. The permittee will provide 0.31 acre of wetland enhancement mitigation at the Wittig Mitigation Site (Factoryville, PA Quadrangle, Latitude: 41°37'11", Longitude: -75°46'22").

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropri-

ate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-1 #ESX13-019-0035—Welter to Kozik Gathering Pipeline
Applicant Mountain Gathering, LLC
Contact Dewey Chalos
Address 810 Houston Street
City Fort Worth State TX Zip Code 76102
County Butler Township(s) Donegal, Oakland, and Summit(s)
Receiving Stream(s) and Classification(s) Bonnie Brook

Southwest Region: Oil & Gas Program Mgr. 400 Waterfront Dr. Pittsburgh PA

6/7/13

ESCGP-2 No: ESX11-129-0040 MAJOR REVISION
Applicant Name: Chevron Appalachia LLC
Contact Person MR Branden Weimer
Address: 800 Mountain View Drive
City: Smithfield State: PA Zip Code: 15478
County: Westmoreland Township: Sewickley
Receiving Stream (s) And Classifications: Pinkerton Run and UNTs to Sewickley Creek/Lower Youghiogheny River Watershed; Other WWF

4/9/13

ESCGP-2 No.: ESX13-129-0003
Applicant Name: CNX Gas Company LLC
Contact Person: Ms Tara Meek
Address: 200 Evergreene Drive
City: Waynesburg State: PA Zip Code: 15370
County: Westmoreland Township(s): Bell and Washington
Receiving Stream(s) and Classifications: Tribes 42946 & 42945 to Beaver Run, Beaver Run, Kiskiminetas River / Ohio River; Other TSF, WWF

5/13/13

ESCGP-2 No.: ESG13-125-0037
Applicant Name: MarkWest Liberty Midstream & Resources LLC
Contact Person: Mr Rick Lowry
Address: 601 Technology Drive Suite 300
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township(s): Blaine
Receiving Stream(s) and Classifications: UNTs to Buffalo Creek; HQ

6/6/13

ESCGP-2 No.: ESX10-129-0028 MAJOR REVISION
Applicant Name: Consol Gas Company
Contact Person: Mr Craig Neal
Address: 280 Indian Springs Road
City: Indiana State: PA Zip Code: 15701
County: Westmoreland Township(s): Washington

Receiving Stream(s) and Classifications: Beaver Run (HQ-CWF) and associated tributaries. Poke Run (HQ-CWF) and associated tributaries in Kiskiminetas River Watershed (HQ-CWF). See Appendix B for complete list of tributaries; HQ

OIL AND GAS MANAGEMENT

The following Well Permits have been issued with a waiver under 58 Pa.C.S. § 3215(b)(4) (relating to well location restrictions).

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed which the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not in and of itself create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483.

Southwest District: District Oil and Gas Operations, Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222

Well Permit #: 051-24583
Well Farm Name: Fay-Penn Unit 46H
Applicant Name: Chevron Appalachia LLC
Contact Person: Anna Shumaker
Address: 800 Mountain View Drive Smithfield, PA 15478
County: Fayette
Municipality Name/City, Borough, Township: Springhill
Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Unnamed Tributary to Grassy Run

Well Permit #: 051-24585
Well Farm Name: Fay-Penn Unit 48H
Applicant Name: Chevron Appalachia LLC
Contact Person: Anna Shumaker
Address: 800 Mountain View Drive Smithfield, PA 15478
County: Fayette
Municipality Name/City, Borough, Township: Springhill
Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Unnamed Tributary to Grassy Run

Well Permit #: 059-26244
Well Farm Name: Cosgray 2H

Applicant Name: Vantage Energy Appalachia LLC
 Contact Person: John Moran
 Address: 116 Inverness Drive East, Suite 107 Englewood,
 CO 80112
 County: Greene
 Municipality Name/City, Borough, Township: Franklin
 Name of Stream, Spring, Body of Water as identified on
 the most current 7 1/2 minute topographic quadrangle
 map of the United States Geologic Survey subject to the
 Section 3215(b)(4) waiver: Unnamed Tributary of South
 Fork Tenmile Creek
 Well Permit #: 059-26243
 Well Farm Name: Cosgray 1H
 Applicant Name: Vantage Energy Appalachia LLC
 Contact Person: John Moran
 Address: 116 Inverness Drive East, Suite 107 Englewood,
 CO 80112
 County: Greene
 Municipality Name/City, Borough, Township: Franklin

Name of Stream, Spring, Body of Water as identified on
 the most current 7 1/2 minute topographic quadrangle
 map of the United States Geologic Survey subject to the
 Section 3215(b)(4) waiver: Unnamed Tributary of South
 Fork Tenmile Creek

*Northwest Region District Oil and Gas Operations,
 Program Manager, 230 Chestnut St., Meadville, PA 16335*

Well Permit #: 113-20218
 Well Farm Name Eagle Rock N Sul 2H
 Applicant Name: Chesapeake Appalachia LLC
 Contact Person: Michele Oliver
 Address: 14 Chesapeake Lane, Sayre, PA 18840
 County: Sullivan
 Municipality Name/City, Borough, Township: Cherry
 Name of Stream, Spring, Body of Water as identified on
 the most current 7 1/2 minute topographic quadrangle
 map of the United States Geologic Survey subject to the
 Section 3215(b)(4) waiver: Mill Run

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of July 2013 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Harold Beers H.E. Beers Co.	2421 Fishing Creek Valley Rd. Harrisburg, PA 17112	Mitigation
Matthew Beinhour Harris Environmental, Inc.	600 Stone House Rd. Clarion, PA 16214	Testing
Christopher Buck	PO Box 63 Saylorsburg, PA 18353	Testing
Scott Coslett	332 E. High St. Berwick, PA 18603	Testing
D-Tech, Inc.	PO Box 902 Blue Bell, PA 19422	Testing
Joseph Dunlap	115 Heather Dr. Monaca, PA 15061	Testing
Bruce Eichenlaub Penoco, Inc.	485 E. College Ave. Pleasant Gap, PA 16823	Mitigation
Matthew Gainor	4 Kacey Ct. Mechanicsburg, PA 17055	Testing
Stephen Genzale	417 E. Beil Ave. Nazareth, PA 18064	Testing
Richard Haag Safe Shelter Environmental	346 N. Pottstown Pk. Exton, PA 19341	Testing & Mitigation
Frank Hendron	140 W. Edinburg Dr. New Castle, DE 19720	Testing
Patrick Kelly	601 S. Irving Ave. Scranton, PA 18505	Testing
Robert Krause	113 Stanton Dr. S. Abington Twp., PA 18411	Testing
James Makara	146 S. Marmic Dr. Holland, PA 18966	Testing
Matthew Mielnik	132 Lowry Dr. Duncansville, PA 16635	Mitigation

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Joseph Miloser, Jr.	160 Rustic Ridge Fombell, PA 16123	Testing
Lewis Nelson, IV First Choice Radon Testing Company, Inc.	PO Box 830 Huntingdon Valley, PA 19066	Testing
Val Sarko	PO Box 15052 Reading, PA 19606	Testing
Jeffrey Saulsbury	307 Lucilla St. Pittsburgh, PA 15218	Testing
Fred B. Smith, II	282 Longstreet Dr. Gettysburg, PA 17325	Testing
Terry Spalti	902 High Rd. Ashland, PA 17921	Testing
Paul Suhrie	2648 Majestic Ct. East Stroudsburg, PA 18302	Testing

[Pa.B. Doc. No. 13-1523. Filed for public inspection August 16, 2013, 9:00 a.m.]

Bid Opportunity

OSM 33(3281)101.1, Abandoned Mine Reclamation Project, Brookville Southeast, Knox Township, Jefferson County. The principal items of work and approximate quantities include mobilization and demobilization; implementation of the Erosion and Sediment Control Plan; clearing and grubbing; grading 195,120 cubic yards; gas line relocation; erosion control and revegetation mat 525 square yards; ditch excavation 505 cubic yards; high velocity erosion control mulch blanket 1,375 square yards; mine seal; and seeding 27.5 acres. This bid issues on August 16, 2013, and bids will be opened on September 10, 2013, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-1524. Filed for public inspection August 16, 2013, 9:00 a.m.]

Bid Opportunity

OSM 63(6634)102.1, Abandoned Mine Reclamation Project, Florence East, Hanover Township, Washington County. The principal items of work and approximate quantities include mobilization and demobilization; implementation of the Erosion and Sediment Control Plan; grading 199,000 cubic yards; subsurface drains with cleanouts 350 linear feet; channel excavation 55 cubic yards; rock lining 42 square yards; and seeding 30 acres. This bid issues on August 16, 2013, and bids will be opened on September 10, 2013, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to

the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-1525. Filed for public inspection August 16, 2013, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Brandywine Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Brandywine Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1526. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Brookville Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Brookville Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(7) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1527. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Carlisle Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Carlisle Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-2.16.2.6 (relating to toilet rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1528. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Cumberland Surgery Center, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Cumberland Surgery Center, Inc. has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.9-3.8.1 (relating to separate changing rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-216, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1529. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Dubois Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Dubois Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.1-7.2.2.1, 3.1-7.2.2.3 and

3.1-3.2.2.2 (relating to corridor width; doors and door hardware; and space requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1530. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Dubois Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Dubois Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.1-7.2.2.1, 3.1-7.2.2.3(a) and (b), 3.1-3.2.3.3 and 3.1-3.8.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1531. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Frick Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Frick Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2(b) (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1532. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Gamma Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Gamma Surgery Center has requested an exception to the requirements of 28 Pa. Code § 553.31(a) (relating to administrative responsibilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1533. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Geisinger Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.7-3.3.1.2 (relating to the use of procedural sedation).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1534. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of The Good Samaritan Hospital, Lebanon, PA for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Good Samaritan Hospital, Lebanon, PA has requested an exception to the requirements of 28 Pa. Code § 101.172 (relating to patient limits).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1535. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Holy Redeemer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Holy Redeemer Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.6.3.4 (relating to patient holding and recovery area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1536. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Latrobe Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Latrobe Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2(b) (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1537. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Latrobe Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Latrobe Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1538. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Laurel Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Laurel Surgical Center has requested an exception to the requirements of 28 Pa. Code § 107.2(b) (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1539. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Laurel Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Laurel Surgical Center has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1540. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Laurel Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Laurel Surgical Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1541. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Laurel Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Laurel Surgical Center has requested an exception to the requirements of 28 Pa. Code §§ 553.3(1)—(3) and (16), 553.4, 555.1—555.3 and 557.4(a)—(c).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1542. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Laurel Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Laurel Surgical Center has requested an exception to the requirements of 28 Pa. Code § 569.35(7) (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1543. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Norwin Medical Commons for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Norwin Medical Commons has requested an exception to the requirements of 28 Pa. Code § 107.2(b) (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1544. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Norwin Medical Commons for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Norwin Medical Commons has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1545. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of OSS Ambulatory Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that OSS Ambulatory Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) and (3) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1546. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Penn Presbyterian Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Penn Presbyterian Medical Center has requested an exception to the requirements of 28 Pa. Code §§ 143.5 and 143.7 (relating to medical supervision of podiatric patients; and medical orders and patient records).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1547. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Pinnacle Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pinnacle Health System has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1548. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Radiance—A Private Outpatient Surgery Center, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Radiance—A Private Outpatient Surgery Center, LLC has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1549. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Saint Luke's Hospital, Anderson Campus, Miners Campus, Quakertown Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Saint Luke's Hospital, Anderson Campus, Miners Campus, Quakertown Campus has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1550. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Tyrone Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Tyrone Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.4.5.1(1) and 2.2-3.4.5.3(1) (relating to area rooms used for ultrasound; and a patient toilet in the procedure room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1551. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of UPMC Bedford Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Bedford Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1552. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Valley Access Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Valley Access Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(3) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1553. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Westmoreland Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Westmoreland Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2(b) (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1554. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application of Westmoreland Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Westmoreland Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1555. Filed for public inspection August 16, 2013, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction):

Wesbury United Methodist Community
31 North Park Avenue Extension
Meadville, PA 16335-9430
FAC ID 990902

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.6(a) and 205.28(c)(3) (relating to function of building; and nurses' station):

The Health Care Center At The Hill At Whitmarsh
4000 Fox Hound Drive
Lafayette Hill, PA 19444
FAC ID 17900201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or

hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-1556. Filed for public inspection August 16, 2013, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Inpatient Hospitals Qualifying for Medical Assistance Disproportionate Share Payments

On July 1, 1988, the Department of Public Welfare (Department) implemented a disproportionate share payment system. The Department is required to annually publish the names of each inpatient acute care general hospital, rehabilitation hospital and private psychiatric hospital qualifying for a disproportionate share payment and their respective disproportionate share payment percentage as set forth in 55 Pa. Code §§ 1151.54(i), 1163.67(k) and 1163.459(j) (relating to disproportionate share payments).

A. *Disproportionate Share for Acute Care General Hospitals, Rehabilitation Hospitals and Private Psychiatric Hospitals.*

The following lists identify the inpatient acute care general hospitals, psychiatric units, drug and alcohol units and rehabilitation units of acute care general hospitals, rehabilitation hospitals, private psychiatric hospitals and private drug and alcohol hospitals eligible for disproportionate share payments for the period of July 1, 2012, through June 30, 2013, and their respective payment percentages. For all inpatient facilities, disproportionate share payments are calculated as a percentage of projected Medical Assistance (MA) inpatient income.

Payment period July 1, 2012, to June 30, 2013, disproportionate share payment percentages:

Acute Care General Hospitals

ALBERT EINSTEIN MEDICAL CENTER	4.92%
ALFRED I. DUPONT INSTITUTE	7.64%
BARNES KASSON HOSPITAL	1.43%
BRADFORD REGIONAL MEDICAL CENTER	10.00%
CHARLES COLE MEMORIAL HOSPITAL	1.00%
CHILDREN'S HOSPITAL OF PHILADELPHIA	7.19%
CHILDREN'S HOSPITAL OF PITTSBURGH	9.14%
CROZER CHESTER MEDICAL CENTER	3.10%
DELAWARE COUNTY MEMORIAL HOSPITAL	2.18%
DIVINE PROVIDENCE HOSPITAL	5.54%
DUBOIS REGIONAL MEDICAL CENTER	9.00%
GEISINGER MEDICAL CENTER	6.84%
HIGHLANDS HOSPITAL AND HEALTH CENTER	4.56%
J.C. BLAIR MEMORIAL HOSPITAL	4.78%
KENSINGTON HOSPITAL	14.00%
LOCK HAVEN HOSPITAL	3.16%
MAGEE WOMEN'S HOSPITAL	5.55%
MEMORIAL HOSPITAL TOWANDA	3.36%
MERCY FITZGERALD HOSPITAL	2.69%
MERCY HOSPITAL OF PHILADELPHIA	5.19%
MILLCREEK COMMUNITY HOSPITAL	5.00%
NPHS ST. JOSEPH'S HOSPITAL	7.51%
PENN PRESBYTERIAN MEDICAL CENTER	2.88%

PENNSYLVANIA HOSPITAL	3.66%	SCHUYLKILL MEDICAL CENTER SOUTH	
SCHUYLKILL MEDICAL CENTER SOUTH		JACKSON STREET	2.14%
JACKSON STREET	6.68%	TEMPLE UNIVERSITY HOSPITAL	4.88%
SOLDIERS AND SAILORS MEMORIAL		THOMAS JEFFERSON UNIVERSITY HOSPITAL	1.73%
HOSPITAL	8.75%	UNIVERSITY OF PENNSYLVANIA HOSPITAL	2.14%
SUNBURY COMMUNITY HOSPITAL	6.26%	UPMC MERCY	1.00%
TEMPLE UNIVERSITY HOSPITAL	6.66%	UPMC PRESBYTERIAN SHADYSIDE	1.64%
THOMAS JEFFERSON UNIVERSITY HOSPITAL	2.60%		
THS HAHNEMANN UNIVERSITY HOSPITAL	4.52%	<i>Freestanding Rehab Hospitals</i>	
THS ST. CHRISTOPHER'S HOSPITAL	15.00%	CHILDREN'S HOME OF PITTSBURGH	10.00%
TITUSVILLE AREA HOSPITAL	2.84%	CHILDREN'S INSTITUTE OF PITTSBURGH	6.33%
TROY COMMUNITY HOSPITAL	3.98%		
UNIONTOWN HOSPITAL	1.84%	<i>Private Psychiatric Hospitals</i>	
UPMC BEDFORD MEMORIAL	2.96%	BELMONT CENTER FOR COMPREHENSIVE	
UPMC MERCY	1.65%	TREATMENT	3.97%
UPMC PRESBYTERIAN SHADYSIDE	2.48%	BROOKE GLEN BEHAVIORAL HEALTH	3.09%
UNIVERSITY OF PENNSYLVANIA HOSPITAL	3.13%	CLARION PSYCHIATRIC CENTER	5.81%
VALLEY FORGE MEDICAL CENTER AND		DEVEREUX CHILDREN'S BEHAVIORAL	
HOSPITAL	5.05%	HEALTH	10.00%
WEST VIRGINIA UNIVERSITY HOSPITAL	5.76%	FAIRMOUNT BEHAVIORAL HEALTH SYSTEM	4.70%
WPAHS ALLEGHENY GENERAL HOSPITAL	1.37%	FIRST HOSPITAL WYOMING VALLEY	4.73%
WPAHS WESTERN PENNSYLVANIA HOSPITAL	2.44%	FOUNDATIONS BEHAVIORAL HEALTH	5.27%
		FRIENDS HOSPITAL	4.01%
<i>Psychiatric Units of Inpatient Hospitals</i>		HORSHAM PSYCHIATRIC HOSPITAL	4.15%
ALBERT EINSTEIN MEDICAL CENTER	2.97%	KIDSPEACE HOSPITAL	7.48%
BRADFORD REGIONAL MEDICAL CENTER	2.81%	KIRKBRIDE CENTER	4.27%
CROZER CHESTER MEDICAL CENTER	2.02%	MEADOWS PSYCHIATRIC CENTER	5.95%
DIVINE PROVIDENCE HOSPITAL	3.30%	MONTGOMERY COUNTY EMERGENCY	
DUBOIS REGIONAL MEDICAL CENTER	2.52%	SERVICES	4.90%
EAGLEVILLE HOSPITAL	1.74%	PHILHAVEN HOSPITAL	4.04%
GEISINGER MEDICAL CENTER	2.06%	ROXBURY PSYCHIATRIC HOSPITAL	1.00%
HIGHLANDS HOSPITAL AND HEALTH		SOUTHWOOD PSYCHIATRIC HOSPITAL	9.00%
CENTER	2.78%		
J.C. BLAIR MEMORIAL HOSPITAL	1.63%	<i>Private Drug and Alcohol Hospitals</i>	
MERCY FITZGERALD HOSPITAL	1.80%	EAGLEVILLE HOSPITAL	1.72%
MERCY HOSPITAL OF PHILADELPHIA	3.11%		
MILLCREEK COMMUNITY HOSPITAL	3.02%	<i>B. Additional Disproportionate Share Payments</i>	
NPHS GIRARD MEDICAL CENTER	2.98%		
PENN PRESBYTERIAN MEDICAL CENTER	1.90%	Additional disproportionate share payments are made	
PENNSYLVANIA HOSPITAL	2.31%	to inpatient facilities, with a Medicaid inpatient utiliza-	
SCHUYLKILL MEDICAL CENTER SOUTH		tion rate of not less than 1%, which have provided	
JACKSON STREET	2.03%	services to persons who have been determined to be low	
SOLDIERS AND SAILORS MEMORIAL		income by meeting the income and resource standards for	
HOSPITAL	2.47%	the State's General Assistance Program.	
SUNBURY COMMUNITY HOSPITAL	1.94%		
TEMPLE UNIVERSITY HOSPITAL	3.89%	The payment adjustments are paid directly proportional	
THOMAS JEFFERSON UNIVERSITY HOSPITAL	1.75%	to the payment received for either general assistance	
THS HAHNEMANN UNIVERSITY HOSPITAL	2.76%	beneficiaries for all hospital services or Title XIX benefi-	
UPMC MERCY	1.26%	ciaries, 21 years of age or older but under 65 years of age,	
UPMC PRESBYTERIAN SHADYSIDE	1.69%	for services rendered by institutions for mental diseases	
WPAHS ALLEGHENY GENERAL HOSPITAL	1.11%	under the fee-for-service and capitation programs.	
WPAHS WESTERN PENNSYLVANIA HOSPITAL	1.67%		
		The following hospitals are eligible for this payment	
<i>Drug and Alcohol Units of Acute Care Hospitals</i>		adjustment:	
NPHS ST. JOSEPH'S HOSPITAL	5.54%	<i>Acute Care General Hospitals</i>	
PENN PRESBYTERIAN MEDICAL CENTER	1.95%	ABINGTON MEMORIAL HOSPITAL	
VALLEY FORGE MEDICAL CENTER AND		ADVANCED SURGICAL HOSPITAL	
HOSPITAL	3.63%	ALBERT EINSTEIN MEDICAL CENTER	
		ALFRED I. DUPONT INSTITUTE	
<i>Medical Rehab Units of Acute Care Hospitals</i>		ALLE KISKI MEDICAL CENTER	
ALBERT EINSTEIN MEDICAL CENTER	3.53%	ALTOONA REGIONAL HEALTH SYSTEM	
ALFRED I. DUPONT INSTITUTE	5.65%	AMERICAN ONCOLOGIC HOSPITAL	
CHILDREN'S HOSPITAL OF PHILADELPHIA	5.29%	ARIA HEALTH HOSPITAL	
CROZER CHESTER MEDICAL CENTER	2.12%	ARMSTRONG COUNTY MEMORIAL HOSPITAL	
DELAWARE COUNTY MEMORIAL HOSPITAL	1.41%	BARNES KASSON HOSPITAL	
DUBOIS REGIONAL MEDICAL CENTER	2.87%	BERWICK HOSPITAL CENTER	
MERCY FITZGERALD HOSPITAL	1.80%	BRADFORD REGIONAL MEDICAL CENTER	
		BRANDYWINE HOSPITAL	

BROOKVILLE HOSPITAL BUCKTAIL MEDICAL CENTER
 BUTLER MEMORIAL HOSPITAL
 CANONSBURG GENERAL HOSPITAL
 CARLISLE HOSPITAL
 CH HOSPITAL OF ALLENTOWN
 CHAMBERSBURG HOSPITAL
 CHARLES COLE MEMORIAL HOSPITAL
 CHESTER COUNTY HOSPITAL
 CHHS HOSP CO/CHESTNUT HILL HOSPITAL
 CHILDREN'S HOSPITAL OF PHILADELPHIA
 CHILDREN'S HOSPITAL OF PITTSBURGH
 CLARION HOSPITAL
 CLEARFIELD HOSPITAL
 CONEMAUGH MEMORIAL MEDICAL CENTER
 COORDINATED HEALTH ORTHOPEDIC HOSPITAL
 CORRY MEMORIAL HOSPITAL
 CROZER CHESTER MEDICAL CENTER
 DELAWARE COUNTY MEMORIAL
 DIVINE PROVIDENCE HOSPITAL
 DOYLESTOWN HOSPITAL
 DUBOIS REGIONAL MEDICAL CENTER
 EASTON HOSPITAL
 EDGEWOOD SURGICAL HOSPITAL
 EINSTEIN MEDICAL CENTER MONTGOMERY
 ELK REGIONAL HEALTH CENTER
 ELLWOOD CITY HOSPITAL
 ENDLESS MOUNTAINS HEALTH SYSTEM
 EPHRATA COMMUNITY HOSPITAL
 EVANGELICAL COMMUNITY HOSPITAL
 FRICK COMMUNITY HEALTH CENTER
 FULTON COUNTY MEDICAL CENTER
 GEISINGER BLOOMSBURG HOSPITAL
 GEISINGER COMMUNITY MEDICAL CENTER
 GEISINGER MEDICAL CENTER
 GEISINGER WYOMING VALLEY MEDICAL CENTER
 GETTYSBURG HOSPITAL
 GNADEN HUETTEN MEMORIAL HOSPITAL
 GOOD SAMARITAN HOSPITAL LEBANON
 GRAND VIEW HOSPITAL
 GROVE CITY MEDICAL CENTER
 HANOVER HOSPITAL
 HAZLETON GENERAL HOSPITAL
 HEART OF LANCASTER REGIONAL MEDICAL CENTER
 HERITAGE VALLEY BEAVER
 HERITAGE VALLEY SEWICKLEY
 HIGHLANDS HOSPITAL AND HEALTH CENTER
 HOLY REDEEMER HOSPITAL
 HOLY SPIRIT HOSPITAL
 INDIANA REGIONAL MEDICAL CENTER
 JAMESON MEMORIAL HOSPITAL
 J.C. BLAIR HOSPITAL
 JEANES HOSPITAL
 JEFFERSON HEALTH SERVICES
 JENNERSVILLE REGIONAL HOSPITAL
 JERSEY SHORE HOSPITAL
 KANE COMMUNITY HOSPITAL
 KENSINGTON HOSPITAL
 KINDRED DELAWARE COUNTY
 KINDRED EASTON
 KINDRED PHILADELPHIA HAVERTON
 KINDRED SOUTH PHILADELPHIA
 KINDRED WYOMING VALLEY
 LANCASTER GENERAL HOSPITAL
 LANCASTER REGIONAL MEDICAL CENTER
 LANSDALE HOSPITAL
 LATROBE AREA HOSPITAL
 LEHIGH VALLEY HOSPITAL
 LEHIGH VALLEY HOSPITAL MUHLENBERG
 LEWISTOWN HOSPITAL
 LIFECARE HOSPITALS OF MECHANICSBURG
 LIFECARE HOSPITALS OF PITTSBURGH
 LIFECARE HOSPITALS OF PITTSBURGH MONROEVILLE
 LOCK HAVEN HOSPITAL
 LOWER BUCKS HOSPITAL
 MAGEE WOMEN'S HOSPITAL
 MAIN LINE BRYN MAWR HOSPITAL
 MAIN LINE LANKENAU HOSPITAL
 MAIN LINE PAOLI MEMORIAL HOSPITAL
 MEADVILLE MEDICAL CENTER
 MEMORIAL HOSPITAL TOWANDA
 MEMORIAL HOSPITAL YORK
 MERCY FITZGERALD HOSPITAL
 MERCY HOSPITAL OF PHILADELPHIA
 MERCY SUBURBAN HOSPITAL
 MEYERSDALE COMMUNITY HOSPITAL
 MID VALLEY HOSPITAL
 MILLCREEK COMMUNITY HOSPITAL
 MINERS HOSPITAL OF NORTHERN CAMBRIA
 MONONGAHELA VALLEY HOSPITAL
 MONTGOMERY HOSPITAL MEDICAL CENTER
 MOSES TAYLOR HOSPITAL
 MOUNT NITTANY MEDICAL CENTER
 MUNCY VALLEY HOSPITAL
 NASON HOSPITAL
 NAZARETH HOSPITAL
 NPHS ST. JOSEPH'S HOSPITAL
 OHIO VALLEY GENERAL HOSPITAL
 OSS ORTHOPAEDIC HOSPITAL
 PALMERTON HOSPITAL
 PENN PRESBYTERIAN MEDICAL CENTER
 PENN STATE MILTON S. HERSHEY MEDICAL CENTER
 PENNSYLVANIA HOSPITAL
 PHOENIXVILLE HOSPITAL
 PHYSICIANS CARE SURGICAL HOSPITAL
 PINNACLE HEALTH HOSPITALS
 POCONO MEDICAL CENTER
 POTTSTOWN MEMORIAL MEDICAL CENTER
 PUNXSUTAWNEY AREA HOSPITAL
 READING HOSPITAL AND MEDICAL CENTER
 REGIONAL HOSPITAL OF SCRANTON
 RIDDLE MEMORIAL HOSPITAL
 ROBERT PACKER HOSPITAL
 ROXBOROUGH MEMORIAL HOSPITAL
 SACRED HEART HOSPITAL ALLENTOWN
 SAINT CATHERINE HOSPITAL OF PENNSYLVANIA
 SCHUYLKILL MEDICAL CENTER EAST NORWEGIAN STREET
 SCHUYLKILL MEDICAL CENTER SOUTH JACKSON STREET
 SELECT SPECIALTY CENTRAL PENNSYLVANIA
 SELECT SPECIALTY DANVILLE
 SELECT SPECIALTY ERIE
 SELECT SPECIALTY JOHNSTOWN
 SELECT SPECIALTY LAUREL HIGHLANDS
 SELECT SPECIALTY MCKEESPORT
 SELECT SPECIALTY UPMC PITTSBURGH
 SHARON REGIONAL HEALTH SYSTEM
 SHRINERS HOSPITAL FOR CHILDREN
 SOLDIERS AND SAILORS MEMORIAL HOSPITAL
 SOMERSET HOSPITAL

SOUTHWEST REGIONAL MEDICAL CENTER
 SPECIAL CARE HOSPITAL
 ST. CLAIR MEMORIAL HOSPITAL
 ST. JOSEPH REGIONAL HEALTH NETWORK
 ST. LUKE'S HOSPITAL ANDERSON CAMPUS
 ST. LUKE'S HOSPITAL BETHLEHEM
 ST. LUKE'S HOSPITAL QUAKERTOWN
 ST. LUKE'S MINERS MEMORIAL MEDICAL CENTER
 ST. MARY'S HOSPITAL
 ST. VINCENT HEALTH CENTER
 SUNBURY COMMUNITY HOSPITAL
 SURGICAL INSTITUTE OF READING
 TEMPLE UNIVERSITY HOSPITAL
 THOMAS JEFFERSON UNIVERSITY HOSPITAL
 THS HAHNEMANN UNIVERSITY HOSPITAL
 THS ST. CHRISTOPHER'S HOSPITAL
 TITUSVILLE AREA HOSPITAL
 TROY COMMUNITY HOSPITAL
 TYLER MEMORIAL HOSPITAL
 TYRONE HOSPITAL
 UNIONTOWN HOSPITAL
 UNIVERSITY OF PENNSYLVANIA HOSPITAL
 UPMC BEDFORD MEMORIAL
 UPMC EAST
 UPMC HAMOT
 UPMC HORIZON
 UPMC MCKEESPORT
 UPMC MERCY
 UPMC NORTHWEST
 UPMC PASSAVANT
 UPMC PRESBYTERIAN SHADYSIDE
 UPMC ST. MARGARET
 VALLEY FORGE MEDICAL CENTER AND HOSPITAL
 WARREN GENERAL HOSPITAL
 WASHINGTON HOSPITAL
 WAYNE MEMORIAL HOSPITAL
 WAYNESBORO HOSPITAL
 WELLSPAN SURGERY AND REHABILITATION
 HOSPITAL
 WEST VIRGINIA UNIVERSITY HOSPITAL
 WESTFIELD MEDICAL CENTER
 WESTMORELAND REGIONAL HOSPITAL
 WILKES-BARRE GENERAL HOSPITAL
 WILLIAMSPORT HOSPITAL AND MEDICAL CENTER
 WINDBER MEDICAL CENTER
 WPAHS ALLEGHENY GENERAL HOSPITAL
 WPAHS FORBES REGIONAL CAMPUS
 WPAHS WESTERN PENNSYLVANIA HOSPITAL
 YORK HOSPITAL

Psychiatric Units of Inpatient Hospitals

ABINGTON MEMORIAL HOSPITAL
 ALBERT EINSTEIN MEDICAL CENTER
 ALLE KISKI MEDICAL CENTER
 ALTOONA REGIONAL HEALTH SYSTEM
 ARIA HEALTH HOSPITAL
 ARMSTRONG COUNTY MEMORIAL HOSPITAL
 BERWICK HOSPITAL CENTER
 BRADFORD REGIONAL MEDICAL CENTER
 BRANDYWINE HOSPITAL
 BUTLER MEMORIAL HOSPITAL
 CHAMBERSBURG HOSPITAL
 CLEARFIELD HOSPITAL
 CONEMAUGH MEMORIAL MEDICAL CENTER
 CROZER CHESTER MEDICAL CENTER
 DIVINE PROVIDENCE HOSPITAL
 DUBOIS REGIONAL MEDICAL CENTER

EAGLEVILLE HOSPITAL
 ELK REGIONAL HEALTH CENTER
 EPHRATA COMMUNITY HOSPITAL
 GEISINGER BLOOMSBURG HOSPITAL
 GEISINGER COMMUNITY MEDICAL CENTER
 GEISINGER MEDICAL CENTER
 GNADEN HUETTEN MEMORIAL HOSPITAL
 HERITAGE VALLEY BEAVER
 HERITAGE VALLEY SEWICKLEY
 HIGHLANDS HOSPITAL AND HEALTH CENTER
 HOLY SPIRIT HOSPITAL
 INDIANA REGIONAL MEDICAL CENTER
 J.C. BLAIR HOSPITAL
 JAMESON MEMORIAL HOSPITAL
 JEFFERSON HEALTH SERVICES
 LANCASTER GENERAL HOSPITAL
 LANCASTER REGIONAL MEDICAL CENTER
 LATROBE AREA HOSPITAL
 LEHIGH VALLEY HOSPITAL
 LEWISTOWN HOSPITAL
 LOWER BUCKS HOSPITAL
 MAIN LINE BRYN MAWR HOSPITAL
 MEADVILLE MEDICAL CENTER
 MERCY FITZGERALD HOSPITAL
 MERCY HOSPITAL OF PHILADELPHIA
 MILLCREEK COMMUNITY HOSPITAL
 MONONGAHELA VALLEY HOSPITAL
 MONTGOMERY HOSPITAL
 MOSES TAYLOR HOSPITAL
 MOUNT NITTANY MEDICAL CENTER
 NPHS GIRARD MEDICAL CENTER
 OHIO VALLEY GENERAL HOSPITAL
 PALMERTON HOSPITAL
 PENN PRESBYTERIAN MEDICAL CENTER
 PENNSYLVANIA HOSPITAL
 POCONO HOSPITAL
 POTTSTOWN MEMORIAL MEDICAL CENTER
 READING HOSPITAL
 ROBERT PACKER HOSPITAL
 SACRED HEART HOSPITAL ALLENTOWN
 SCHUYLKILL MEDICAL CENTER SOUTH JACKSON
 STREET
 SHARON REGIONAL HEALTH SYSTEM
 SOLDIERS AND SAILORS MEMORIAL HOSPITAL
 SOMERSET HOSPITAL CENTER FOR HEALTH
 SOUTHWEST REGIONAL MEDICAL CENTER
 SPECIAL CARE HOSPITAL
 ST. CLAIR MEMORIAL HOSPITAL
 ST. LUKE'S HOSPITAL BETHLEHEM
 ST. LUKE'S HOSPITAL QUAKERTOWN
 ST. VINCENT HEALTH CENTER
 SUNBURY COMMUNITY HOSPITAL
 TEMPLE UNIVERSITY HOSPITAL
 THOMAS JEFFERSON UNIVERSITY HOSPITAL
 THS HAHNEMANN UNIVERSITY HOSPITAL
 UNIONTOWN HOSPITAL
 UPMC MCKEESPORT
 UPMC MERCY
 UPMC NORTHWEST
 UPMC PRESBYTERIAN SHADYSIDE
 WARREN GENERAL HOSPITAL
 WASHINGTON HOSPITAL
 WESTMORELAND REGIONAL HOSPITAL
 WPAHS ALLEGHENY GENERAL HOSPITAL
 WPAHS FORBES REGIONAL CAMPUS
 WPAHS WESTERN PENNSYLVANIA HOSPITAL
 YORK HOSPITAL

Drug and Alcohol Units of Inpatient Hospitals

BELMONT CENTER FOR COMPREHENSIVE TREATMENT
 BUTLER MEMORIAL HOSPITAL
 MEADVILLE MEDICAL CENTER
 NPHS ST JOSEPH'S HOSPITAL
 PENN PRESBYTERIAN MEDICAL CENTER
 VALLEY FORGE MEDICAL CENTER AND HOSPITAL

Medical Rehab Units of Inpatient Hospitals

ALFRED I DUPONT INSTITUTE
 ABINGTON MEMORIAL HOSPITAL
 ALBERT EINSTEIN MEDICAL CENTER
 CANONSBURG GENERAL HOSPITAL
 CARLISLE REGIONAL MEDICAL CENTER
 CHAMBERSBURG HOSPITAL
 CHILDREN'S HOSPITAL OF PHILADELPHIA
 CONEMAUGH MEMORIAL MEDICAL CENTER
 CROZER CHESTER MEDICAL CENTER
 DELAWARE COUNTY MEMORIAL HOSPITAL
 DUBOIS REGIONAL MEDICAL CENTER
 EASTON HOSPITAL
 GEISINGER WYOMING VALLEY MEDICAL CENTER
 GNADEN HUETTEN MEMORIAL HOSPITAL
 GOOD SAMARITAN HOSPITAL LEBANON
 HANOVER HOSPITAL
 HAZLETON GENERAL HOSPITAL
 HERITAGE VALLEY BEAVER
 HERITAGE VALLEY SEWICKLEY
 INDIANA REGIONAL MEDICAL CENTER
 JAMESON MEMORIAL HOSPITAL
 JEFFERSON HEALTH SERVICES
 LANCASTER GENERAL HOSPITAL
 LANCASTER REGIONAL MEDICAL CENTER
 MERCY FITZGERALD HOSPITAL
 MONONGAHELA VALLEY HOSPITAL
 NAZARETH HOSPITAL
 OHIO VALLEY HOSPITAL
 PENN STATE MILTON S. HERSHEY MEDICAL CENTER
 PINNACLE HEALTH HOSPITALS
 READING HOSPITAL
 SCHUYLKILL MEDICAL CENTER EAST NORWEGIAN STREET
 SCHUYLKILL MEDICAL CENTER SOUTH JACKSON STREET
 ST. MARY'S HOSPITAL
 ST. LUKE'S HOSPITAL BETHLEHEM
 ST. VINCENT HEALTH CENTER
 TEMPLE UNIVERSITY HOSPITAL
 THOMAS JEFFERSON UNIVERSITY HOSPITAL
 UNIVERSITY OF PENNSYLVANIA HOSPITAL
 UPMC HORIZON
 UPMC MCKEESPORT
 UPMC MERCY
 UPMC NORTHWEST
 UPMC PASSAVANT
 UPMC PRESBYTERIAN SHADYSIDE
 UPMC ST. MARGARET
 WASHINGTON HOSPITAL
 WELLSPAN SURGERY AND REHABILITATION HOSPITAL
 WESTMORELAND HOSPITAL
 WILLIAMSPORT HOSPITAL
 WPAHS FORBES REGIONAL CAMPUS
 WPAHS WESTERN PENNSYLVANIA HOSPITAL

Freestanding Rehab Hospitals

ALLIED SERVICES REHABILITATION HOSPITAL
 BRYN MAWR REHABILITATION HOSPITAL
 CHILDREN'S HOME OF PITTSBURGH
 CHILDREN'S INSTITUTE OF PITTSBURGH
 GOOD SHEPHERD REHABILITATION HOSPITAL
 HEALTHSOUTH ALTOONA
 HEALTHSOUTH ERIE
 HEALTHSOUTH HARMARVILLE
 HEALTHSOUTH MECHANICSBURG
 HEALTHSOUTH NITTANY VALLEY
 HEALTHSOUTH PENN STATE GEISENGER
 HEALTHSOUTH READING
 HEALTHSOUTH SEWICKLEY
 HEALTHSOUTH YORK
 JOHN HEINZ INSTITUTE
 LANCASTER REHABILITATION HOSPITAL
 MAGEE MEMORIAL REHABILITATION HOSPITAL
 PENN STATE HERSHEY REHABILITATION HOSPITAL

Private Psychiatric Hospitals

BELMONT CENTER FOR COMPREHENSIVE TREATMENT
 BROOKE GLEN BEHAVIORAL HOSPITAL
 CLARION PSYCHIATRIC CENTER
 DEVEREUX CHILDREN'S BEHAVIORAL HEALTH CENTER
 FAIRMOUNT BEHAVIORAL HEALTH SYSTEM
 FIRST HOSPITAL WYOMING VALLEY
 FOUNDATIONS BEHAVIORAL HEALTH
 FRIENDS HOSPITAL
 HAVEN BEHAVIORAL HOSPITAL OF EASTERN PENNSYLVANIA
 HORSHAM CLINIC
 KIDSPACE HOSPITAL
 KIRKBRIDE CENTER
 MEADOWS PSYCHIATRIC CENTER
 MONTGOMERY COUNTY EMERGENCY SERVICES, INC.
 PENNSYLVANIA PSYCHIATRIC INSTITUTE
 PHILHAVEN HOSPITAL
 ROXBURY PSYCHIATRIC HOSPITAL
 SOUTHWOOD PSYCHIATRIC HOSPITAL

Private Drug and Alcohol Hospitals

EAGLEVILLE HOSPITAL

C. Additional Class of Disproportionate Share Payments

Effective March 1, 1998, the Department established a new class of disproportionate share payments to hospitals which render uncompensated care and which the Department has determined are experiencing significant revenue loss as a result of MA Program revisions under the act of May 16, 1996 (P. L. 175, No. 35).

Effective January 15, 1999, the Department established a new class of disproportionate share payments to include a Charity Care component of the Community Access Fund. A disproportionate share payment will be made to qualifying hospitals based on each hospital's percentage of charity care cost to the total charity care costs of all qualifying hospitals. The Department also established a disproportionate share payment for those hospitals which the Department has determined advanced its goal of enhanced access to multiple types of medical care in economically distressed areas of this Commonwealth.

The following hospitals qualify for this payment:

ALFRED I DUPONT INSTITUTE
 ABINGTON MEMORIAL HOSPITAL
 ALBERT EINSTEIN MEDICAL CENTER
 ALTOONA REGIONAL HEALTH SYSTEMS
 ARIA HEALTH HOSPITAL
 BARNES KASSON HOSPITAL
 CHARLES COLE MEMORIAL HOSPITAL
 CHILDREN'S HOSPITAL OF PHILADELPHIA
 CLARION HOSPITAL
 CLEARFIELD HOSPITAL
 CROZER CHESTER MEDICAL CENTER
 DOYLESTOWN HOSPITAL
 DUBOIS REGIONAL MEDICAL CENTER
 EAGLEVILLE HOSPITAL
 EASTON HOSPITAL
 EVANGELICAL COMMUNITY HOSPITAL
 FULTON COUNTY MEDICAL CENTER
 GEISINGER MEDICAL CENTER
 HAZLETON GENERAL HOSPITAL
 INDIANA REGIONAL MEDICAL CENTER
 J.C. BLAIR HOSPITAL
 JAMESON MEMORIAL HOSPITAL
 LEHIGH VALLEY HOSPITAL
 LOCK HAVEN HOSPITAL
 MAGEE WOMEN'S HOSPITAL
 MAIN LINE LANKENAU HOSPITAL
 MEADVILLE MEDICAL CENTER
 MEMORIAL HOSPITAL TOWANDA
 MERCY FITZGERALD HOSPITAL
 MERCY HOSPITAL OF PHILADELPHIA
 NPHS ST. JOSEPH'S HOSPITAL
 PENN PRESBYTERIAN MEDICAL CENTER
 PENN STATE MILTON S. HERSHEY MEDICAL
 CENTER
 PENNSYLVANIA HOSPITAL
 PUNXSUTAWNEY AREA HOSPITAL
 READING HOSPITAL
 SOLDIERS AND SAILORS MEMORIAL HOSPITAL
 ST LUKE'S HOSPITAL BETHLEHEM
 TEMPLE UNIVERSITY HOSPITAL
 THOMAS JEFFERSON UNIVERSITY HOSPITAL
 THS HAHNEMANN UNIVERSITY HOSPITAL
 TITUSVILLE AREA HOSPITAL
 UNIVERSITY OF PENNSYLVANIA HOSPITAL
 UPMC BEDFORD MEMORIAL
 UPMC HAMOT
 UPMC MERCY
 UPMC PRESBYTERIAN SHADYSIDE
 VALLEY FORGE MEDICAL CENTER AND HOSPITAL
 WAYNE MEMORIAL HOSPITAL
 WEST VIRGINIA UNIVERSITY HOSPITAL
 WPAHS ALLEGHENY GENERAL HOSPITAL
 WPAHS WESTERN PENNSYLVANIA HOSPITAL
 YORK HOSPITAL

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania

AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-841. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 13-1557. Filed for public inspection August 16, 2013, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P. S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following is a list of the properties available for sale by the Department.

Logan Township and the City of Altoona, Blair County. The parcel contains 4.041 acres of improved land located southeast of Interstate 99.

The estimated fair market value is \$162,000.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Thomas A. Prestash, P.E., District Executive, Department of Transportation, Engineering District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648-1080.

Questions regarding this property may be directed to Joseph Tagliati, Property Manager, 1620 North Juniata Street, Hollidaysburg, PA 16648-1080, (814) 696-7215.

BARRY J. SCHOCH, P.E.,
Secretary

[Pa.B. Doc. No. 13-1558. Filed for public inspection August 16, 2013, 9:00 a.m.]

Findings

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)) establishing the Department of Transportation (Department), the Director of the Bureau of Project Delivery, as delegated by the Secretary of Transportation, makes the following written finding:

The Department is planning the projects listed as follows. Environmental and Section 4(f) Documentation have been developed for the projects identified as follows to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluations. The approved documents are available in the CE/EA Expert System at <http://www.dotdom2.state.pa.us/ceea/ceeainmain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered.

Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for

the following proposed projects and all reasonable steps have been taken to minimize the effects.

SR 0980, Section 139—Cecil Township, Washington County.

Project Description: Realignment of SR 0980 at the intersection with SR 0050 to create a plus intersection. The project includes construction of a trail bridge that will carry the Montour Trail over the roadways. This bridge will reestablish the trail connection previously provided by a former railroad bridge.

Environmental Documents: Level-1b Environmental Document, approved April 9, 2013, and a Determination of Section 4(f) De Minimis Use document, approved February 25, 2013.

Proposed Use of Section 4(f)/2002 Resources: The Montour Railroad, currently being utilized as the Montour Trail, is eligible for listing on the National Register of Historic Places. The project will temporarily close the Montour Trail while its grade is raised several feet to accommodate the proposed trail bridge over the roadways.

SR 4019, Section 004—Pinecroft Curves Antis Township, Blair County.

Project Description: Safety improvements that include shifting SR 4019 to the west, realigning two deficient curves and replacing the structure over Sandy Run.

Environmental Documents: Level-1b Environmental Document, approved on April 9, 2013, and a Determination of Section 4(f) De Minimis use Document, approved on June 5, 2012.

Proposed Use of Section 4(f)/2002 Resources: The Martin Bell Farm/Elizabeth Furnace property is eligible for listing on the National Register of Historic Places. The roadway realignment, with associated cut/fill lines, will require 0.48 acre of the Martin Bell Farm/Elizabeth Furnace property for permanent Department right-of-way.

Greenfield Bridge, Allegheny County.

Project Description: This project involves the replacement of the Greenfield Bridge, which carries Beechwood Boulevard over Interstate 376 within the City of Pittsburgh, Allegheny County.

Environmental Documents: A Level 1b Categorical Exclusion Evaluation was approved for this project on July 8, 2013, and the associated Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use document was approved on May 23, 2013.

De Minimis Use of Section 4(f)/2002 Resource: This project will require the de minimis use of approximately 0.02 acre of the 456-acre Schenley Park property, which is both a City Park and a Historic District that qualifies as a Section 4(f)/Section 2002 resource.

SR 0897, Section 024—White Horse Run Bridge Replacement, Salisbury Township, Lancaster County.

Project Description: This project involves the replacement of a single span concrete encased steel beam bridge that is supported by concrete abutments and wingwalls over White Horse Run in Salisbury Township, Lancaster County.

Environmental Documents: Level-1b Categorical Exclusion Evaluation, approved on April 15, 2013. Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties was approved on March 22, 2013.

Proposed Use of Section 4(f)/2002 Resources: This project will require minor property acquisitions from the Stoltzfus Farm in the northeast quadrant and the Glick Farm in the southwest quadrant that are adjacent to the existing bridge. Both properties are contributing resources to the Pequea North Rural Historic District.

GEORGE W. MCAULEY, Jr., P.E.,
Acting Director
Bureau of Project Delivery

[Pa.B. Doc. No. 13-1559. Filed for public inspection August 16, 2013, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Lackawanna Valley Chapter of Trout Unlimited v. DEP and American Salt Rock Company, LLC, Permittee; EHB Doc. No. 2013-114-M

Lackawanna Valley Chapter of Trout Unlimited has appealed the issuance by the Department of Environmental Protection of an NPDES permit to American Salt Rock Company, LLC for a facility in Scranton City, Lackawanna County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 13-1560. Filed for public inspection August 16, 2013, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, August 1, 2013, and announced the following:

Action Taken—Regulations Approved:

Pennsylvania Public Utility Commission #57-290: Rules of Practice and Procedure (amends 52 Pa. Code Chapters 1 and 5)

Approval Order

Public Meeting Held
August 1, 2013

Commissioners Voting: Silvan B. Lutkewitte, III, Chairperson; George D. Bedwick, Vice Chairperson; John F. Mizner, Esq.; Lawrence J. Tabas, Esq.; Dennis A. Watson, Esq.

*Pennsylvania Public Utility Commission—
Rules of Practice and Procedure;
Regulation No. 57-290 (#2984)*

On February 22, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking amends 52 Pa. Code Chap-

ters 1 and 5. The proposed regulation was published in the March 9, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on June 18, 2013.

This regulation simplifies existing practices and procedures before the PUC.

We have determined this regulation is consistent with the statutory authority of the PUC (66 Pa.C.S. § 501) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 13-1561. Filed for public inspection August 16, 2013, 9:00 a.m.]

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
4-96	Department of Community and Economic Development Manufactured Housing Improvement Program 43 Pa.B. 3110 (June 8, 2013)	7/8/13	8/7/13

**Department of Community and Economic
Development**

Regulation #4-96 (IRRC #3014)

Manufactured Housing Improvement Program

August 7, 2013

We submit for your consideration the following comments on the proposed rulemaking published in the June 8, 2013 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P. S. § 745.5b). Section 5.1(a) of the RRA (71 P. S. § 745.5a(a)) directs the Department of Community and Economic Development (DCED) to respond to all comments received from us or any other source.

1. Determining whether the regulation is in the public interest.

Section 5.2 of the RRA (71 P. S. § 745.5b) directs this Commission to determine whether a regulation is in the public interest. When making this determination, the Commission considers criteria such as economic or fiscal impact and reasonableness. To make that determination, the Commission must analyze the text of the proposed rulemaking and the reasons for the new or amended language. The Commission also considers the information

a promulgating agency is required to provide under Section 5 of the RRA in the Regulatory Analysis Form (RAF) (71 P. S. § 745.5(a)).

DCED's responses to questions 15 through 17 and 19 through 27 of the RAF are not sufficient to allow this Commission to determine if the regulation is in the public interest. In the RAF submitted with the final-form rulemaking, DCED should provide more detailed information as required under § 745.5(a) of the RRA. Specifically, we seek answers to the following questions:

- What types of small businesses and how many small businesses will be affected?
- How will this affect Pennsylvania's small businesses?
- What are the specific estimated costs and/or savings to the regulated community?
- What are the specific estimated costs and/or savings to local governments?

Also, DCED should provide a citation to the relevant provisions of the federal definition of small business that were reviewed in the development of the rulemaking and an analysis of their applicability/inapplicability to the regulation in its response to RAF question 24.

Additionally, we ask DCED to clarify its responses to RAF questions 17 and 20. The responses are unclear as to how the regulations will eliminate municipal requirements (#17) but provide no savings to local governments associated with compliance (#20).

Similarly, we ask DCED to clarify its responses to RAF questions 19, 21 and 23. DCED states that there will be no direct costs to the industry (#19) and provided no information regarding costs associated with implementation and compliance (#23), but cites fees that generate revenue from training and certification of manufactured home installers (#21).

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 13-1562. Filed for public inspection August 16, 2013, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Kang Fuel & Food Mart, Inc. under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 2012-0079(S); Doc. No. UT13-08-001

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency of Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedures) and any other relevant provisions of law.

A prehearing telephone conference shall be held on October 1, 2013, at 9:30 a.m. A hearing will occur on October 15, 2013, in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator at the previously listed address on or before September 16, 2013. Answers to petitions to intervene, if any, shall be filed on or before September 30, 2013.

On or before September 16, 2013, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office. Experts will be permitted to testify only on matters substantially contemplated by reports supplied to the other party in accordance with this paragraph.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1563. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Reliant Denver Holdings, LLC

Reliant Denver Holdings, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Denver Health and Rehabilitation Center in Stevens, PA. The initial filing was received on August 6, 2013, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or syerger@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1564. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Reliant Evergreen Holdings, LLC

Reliant Evergreen Holdings, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Evergreen Health and Rehabilitation Center in Harmony, PA. The initial filing was received on August 6, 2013, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insur-

ance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or syerger@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1565. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Reliant Overlook Holdings, LLC

Reliant Overlook Holdings, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Overlook Health and Rehabilitation Center in New Wilmington, PA. The initial filing was received on August 6, 2013, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P. S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or syerger@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1566. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Reliant Silver Oaks Holdings, LLC

Reliant Silver Oaks Holdings, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Silver Oaks Health and Rehabilitation Center in New Castle, PA. The initial filing was received on August 6, 2013, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P. S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insur-

ance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or syerger@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1567. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Reliant Twin Oaks Holdings, LLC

Reliant Twin Oaks Holdings, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Twin Oaks Health and Rehabilitation Center in Palmyra, PA. The initial filing was received on August 6, 2013, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P. S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or syerger@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1568. Filed for public inspection August 16, 2013, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Reliant Whitecliff Holdings, LLC

Reliant Whitecliff Holdings, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Whitecliff Health and Rehabilitation Center in Greenville, PA. The initial filing was received on August 6, 2013, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P. S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insur-

ance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or syerger@pa.gov.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1569. Filed for public inspection August 16, 2013, 9:00 a.m.]

Determination of Appropriate Groupwide Supervisor for the Global Indemnity Group of Companies

Under section 1406.2(c) of The Insurance Company Law of 1921 (act) (40 P.S. § 991.1406b(c)), the Insurance Department (Department), in cooperation with other supervisors, may determine that it is the appropriate groupwide supervisor for an international insurance group with substantial operations concentrated in this Commonwealth or in insurance operations conducted by subsidiary insurance companies domiciled in this Commonwealth where the ultimate controlling person is domiciled outside this Commonwealth.

In cooperation with other supervisory regulators, the Department has determined that it is the appropriate groupwide supervisor for the Global Indemnity Group of Companies (Global Group). The ultimate controlling person of Global Group is Fox Paine International GP, Ltd., the Cayman exempted holding company of Global Group. Global Group has substantial operations in this Commonwealth. Additionally, this Commonwealth is the state of domicile for United National Insurance Company (NAIC No. 13064), the lead company in the United States insurance company pooling arrangement, which includes the following Commonwealth domestic companies:

- Penn-America Insurance Company (NAIC No. 32859)
- Penn-Star Insurance Company (NAIC No. 10673)

Accordingly, this notice shall serve as publication by the Department under section 1406.2(d) of the act, which requires the Department to publish in the *Pennsylvania Bulletin* and on its web site the identity of international insurance groups that it has determined are subject to its groupwide supervision. This notice will also be available on the Department's web site at http://www.portal.state.pa.us/portal/server.pt/community/doing_business_in_pennsylvania/group-wide_supervision_notices.

Questions regarding this notice should be directed to Stephen J. Johnson, Deputy Insurance Commissioner, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 13-1570. Filed for public inspection August 16, 2013, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a

summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-13-003, Dated July 1, 2013. Authorizes the side letter with AFSCME to modify Recommendation 19, Salaries and Wages and Appendices B, C, and D of the Master Memorandum—7/1/2011 to 6/30/2015. The purpose of this side letter is to maintain pay equity within the Department of Corrections between the H-1 bargaining unit and the supervisory unit.

Resolution No. CB-13-004, Dated July 1, 2013. Authorizes the side letter with AFSCME to offer service increments to Clerical Workers employed in the Office of Income Maintenance's Low-Income Home Energy Assistance Program (LIHEAP) under the conditions set forth in the 2011-2015 AFSCME Master Agreement effective immediately.

Governor's Office

Manual M210.3—Index of Issuances, Amended July 3, 2013.

Manual M505.5—Commercial Driver License Drug and Alcohol Testing and Related Procedures, Amended July 25, 2013.

Management Directive No. 325.9—Processing Audits of Federal Pass-Through Funds, Amended July 16, 2013.

Management Directive No. 505.34—Commercial Driver License Drug and Alcohol Testing Requirements, Dated July 25, 2013.

Management Directive No. 530.24—Retired Employees Health Program, Amended July 25, 2013.

Management Directive No. 580.23—Resignation from and Reinstatement to the Classified Service, Amended July 22, 2013.

Administrative Circular No. 13-10—Revenue Estimates, 2013-14 & 2014-15 Fiscal Years, Dated July 3, 2013.

Administrative Circular No. 13-11—Office Relocation within the Office of the Budget, Dated July 30, 2013.

MARY JANE PHELPS,

Director

Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 13-1571. Filed for public inspection August 16, 2013, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2013-2377533. Columbia Gas of PA, Inc. Application of Columbia Gas of PA, Inc. for approval of the abandonment of natural gas service to one natural gas service customer located in the Borough of Petrolia, Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the

applicant, on or before September 3, 2013. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Columbia Gas of PA, Inc.

Through and By Counsel: Michael W. Hassell, Esquire, Jessica R. Rogers, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

Kimberly S. Cuccia, Esquire, Theodore J. Gallagher, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-1572. Filed for public inspection August 16, 2013, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 3, 2013. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2013-2362048. Raymond Shirk (310 Don Drive, New Holland, Lancaster, Lancaster County, PA 17557)—persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

A-2013-2362064. Williamsport Area Ambulance Service Cooperative, t/a Susquehanna Regional EMS (700 High Street, Williamsport, Lycoming County, PA 17701)—in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Bucks, Montgomery and the City and County of Philadelphia; excluding areas under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* Christina M. Mellott, Esq., Page, Wolfberg & Wirth, LLC, 5010 East Trindle Road, Suite 202, Mechanicsburg, PA 17050.

A-2013-2364345. Scott Rice, t/a S & L Limousine (140 Cochran Road, Pittsburgh, Allegheny County, PA 15228)—persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in Allegheny County.

A-2013-2365066. Seniority Transportation, LLC (120 Sunnylegde Lane, Ligonier, Westmoreland County, PA 15658)—persons in limousine service, between points between in Westmoreland, Allegheny and Butler Counties.

A-2013-2365554. Interstate Nursing Services, Inc. (1041 North 6th Street, Whitehall, Lehigh County, PA 18052)—persons in paratransit service, between points in the Counties of Northampton, Bucks, Berks, Schuylkill, Chester, Montgomery and the City and County of Philadelphia.

A-2013-2369156. Bachman Car Service, LLC (1139 East Main Street, Mount Joy, PA 17552) for the right to begin to transport, as a common carrier by motor vehicle, persons in limousine service, from points in all Counties in Pennsylvania, excluding areas under the jurisdiction of the Philadelphia Parking Authority, and return.

A-2013-2369944. Trust Ambulance, Inc. (1131 Primrose Avenue, Camp Hill, Cumberland County, PA 17011)—persons, in paratransit service from points east of the Counties of Franklin, Juniata, Mifflin, Union, Northumberland, Montour, Columbia, Luzerne, Wyoming and Susquehanna, and return.

Application of the following for *amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.*

A-2013-2367464. Harrisburg City Cab, Inc. (475 West Market Street, Suite 1, York, York County, PA 17401)—a limited liability corporation of the Commonwealth of Pennsylvania for amendment to its common carrier certificate—persons in call or demand service from the Counties of Clinton, Centre, Mifflin, Juniata, Perry, Snyder, Union, Lycoming, Montour, Northumberland, Columbia, Franklin, Adams and York.

Applications of the following for *approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.*

A-2013-2371754. Rapid Movers, LLC, t/a Rapid Moving & Storage (P. O. Box 498, Falconer, Chautauqua County, NY 14733)—household goods in use, from points in the Counties of Erie, Crawford, McKean and Warren, to points in Pennsylvania.

A-2013-2366697. Aeja Partners, LLC, t/a You Move Me (806 East Main Street, Norristown, Montgomery County, PA 19401)—household goods in use, between points in the Counties of Montgomery, Delaware, Chester, Bucks and the City and County of Philadelphia.

A-2013-2364356. Affordable Moving, LLC (84 East Seymour Street, Philadelphia, PA 19144)—household goods in use, from points in Lehigh County, to points in Pennsylvania, and vice versa.

A-2013-2374988. Dave Lynn (300 Park Avenue, Apt. 313, Wilkes-Barre, PA 18702) for the right, to transport by motor vehicle, persons, upon call or demand in Cities of Wilkes-Barre, Pittston and Nanticoke; the Boroughs of Ashley, Avoca, Bear Creek Village, Nanticoke, Courtdale, Dallas, Dupont, Plymouth, Pringle, Sugar Notch, Swoyersville, Warrior Run, West Pittston, West Wyoming, Wyoming, Yatesville, Edwardsville, Duryea, Forty-Fort, Harvey's Lake, Larksville, Laurel Run, Luzerne, Hughestown and Laflin; including the Townships of Bear Creek, Dallas, Exeter, Fairview, Hanover, Jenkins, Kings-

ton, Lehman, Newport, Pittston, Plains, Plymouth, Wilkes-Barre, Wright and Dorrance, all within Luzerne County.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.

A-2013-2366642. Cadden Bros. Moving & Storage, Inc. (1106 Mid Valley Drive, Olyphant, Lackawanna County, PA 18447)—household goods in use from, points in the City of Scranton, Lackawanna County, and within 3 statute miles of the limits of said city, to other points in Pennsylvania, and vice versa; which is to be a transfer of all rights authorized under the certificate issued at A-00099926 to Cawley Brothers Van Lines, Inc., subject to the same limitations and conditions. *Attorney:* Richard T. Mulcahey, Jr., 1500 John F. Kennedy Boulevard, Suite 1400, Philadelphia, PA 19102.

Application of the following for the approval of the transfer of stock as described under the application.

A-2013-2359740. Cadden Bros. Moving & Storage, Inc. (1106 Mid Valley Drive, Olyphant, Lackawanna County, PA 18447)—approval of the transfer of 50 shares of the issued stock, from James D. Cadden, Jr., to Patrick A. Cadden. *Attorney:* Richard T. Mulcahey, Jr., 1500 John F. Kennedy Boulevard, Suite 1400, Philadelphia, PA 19102.

Application of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2013-2370486. Jerry M. & Margaret E. Allen (566 Bowser Road, Blairsville, Indiana County, PA 15717)—discontinuance of service and cancellation of their certificate—persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Brush Valley Township, Indiana County, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-1573. Filed for public inspection August 16, 2013, 9:00 a.m.]

Transfer of Control

A-2013-2377575. The South Canaan Telephone Company, South Canaan Long Distance Company and Laurel Highland Total Communications, Inc. Joint application of The South Canaan Telephone Company, South Canaan Long Distance Company and Laurel Highland Total Communications, Inc. for approval of the transfer of control to new subsidiaries of Laurel Highland Total Communications.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before September 3, 2013. The documents filed in support of the application are available for

inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicants: South Canaan Telephone Company, South Canaan Long Distance Company, Laurel Highland Total Communications, Inc.

Through and By Counsel: Daniel Clearfield, Esquire, Deanne O'Dell, Esquire, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-1574. Filed for public inspection August 16, 2013, 9:00 a.m.]

Transfer of Stock

A-2013-2377142. Columbia Gas of Pennsylvania, Inc. Application of Columbia Gas of Pennsylvania, Inc. for approval of the transfer of stock from Columbia Energy Group to NiSource Gas Distribution Group, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before September 3, 2013. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: Columbia Gas of Pa, Inc.

Through and By Counsel: Theodore J. Gallagher, Senior Counsel, NiSource Corporate Services Company, Southpointe Industrial Park, 501 Technology Drive, Canonsburg, PA 15317

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-1575. Filed for public inspection August 16, 2013, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Motor Carrier Application for Luxury Limousine Service in the City of Philadelphia

Application received by the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD) by the following named applicant for permanent authority to transport, as a common carrier, persons in luxury limousine service on an exclusive basis, between points in the City and County of Philadelphia, and from points in the City and County of Philadelphia to points in Pennsylvania and from points in Pennsylvania to the City and County of Philadelphia, Docket No. A-13-07-04.

Danach, LLC, 1701 Walnut Street, 7th Floor, Philadelphia, PA 19103 registered as an LLC with the Secretary

of State of Delaware on February 1, 2013, and registered to do business in the Commonwealth on February 11, 2013.

Attorney for Applicant: David Temple, 1760 Market Street, Suite 1000, Philadelphia, PA 19103.

Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority). Filings must be made at the offices of the TLD with the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, with a copy served on the applicant by September 3, 2013. Documents filed in support of the application are available for inspection at the TLD office (contact Charles Milstein) between 9 a.m. and 4:30 p.m. Monday to Friday or may be inspected at the business address of the applicant. The protest fee is \$2,500 (certified check or money order payable to PPA).

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 13-1576. Filed for public inspection August 16, 2013, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Dirt and Gravel Roads Pollution Prevention Maintenance Program

As required by 25 Pa. Code § 83.604(f) (relating to apportionment criteria), the State Conservation Commission (Commission) is providing public notice of the apportionment of Fiscal Year (FY) 2013-2014 Dirt and Gravel Road Pollution Prevention Maintenance Program (Program) funds to participating County Conservation Districts. This apportionment is authorized under 75 Pa.C.S. § 9106 (relating to dirt and gravel road maintenance).

A. *Effective Date*

This apportionment is effective upon publication in the *Pennsylvania Bulletin*. Allocations will be disbursed when funds are released from the Treasury after July 1, 2013.

B. *Background*

The Commission approved the following allocations at their public meetings on May 14, 2013, and July 15, 2013. May 14, 2013: \$3,528,000 of FY 2013-2014 funds were apportioned according to stipulations in 75 Pa.C.S. § 9106(c). July 15, 2013: \$10,000 of FY 2012-2013 administrative funds were approved for reallocation according to 25 Pa. Code § 83.604(b). The funds were reallocated to the Allegheny County Conservation District for reassessment of the dirt and gravel roads in Allegheny County.

Copies of 25 Pa. Code § 83.604, as published at 28 Pa.B. 4634 (September 12, 1998), and 75 Pa.C.S. § 9106 are available from C. Frederick Fiscus, III, Department of Environmental Protection, Bureau of Conservation and Restoration, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-7577.

The following allocations are being made to the County Conservation Districts participating in the Program. Not all counties receive an allocation as provided for at 25 Pa. Code § 83.613(a) (relating to performance standards). Listed alphabetically, the allocations are as follows:

Approved FY 2013-2014 District Allocations

	District	FY 2013-2014 Allocations
<i>min</i>	Adams	\$ 20,000
	Allegheny	\$ 10,000
	Armstrong	\$ 171,474
<i>min</i>	Beaver	\$ 20,000
	Bedford	\$ 53,940
<i>min</i>	Berks	\$ 20,000
<i>min</i>	Blair	\$ 20,000
<i>max</i>	Bradford	\$ 275,000
<i>min</i>	Bucks	\$ 20,000
	Butler	\$ 31,349
	Cambria	\$ 20,457
	Cameron	\$ 21,331
<i>min</i>	Carbon	\$ 20,000
	Centre	\$ 26,569
<i>min</i>	Chester	\$ 20,000
	Clarion	\$ 72,718
	Clearfield	\$ 71,671
	Clinton	\$ 33,374
	Columbia	\$ 77,524
	Crawford	\$ 153,822
<i>min</i>	Cumberland	\$ 20,000
<i>min</i>	Dauphin	\$ 20,000
	Elk	\$ 30,561
	Erie	\$ 62,840
	Fayette	\$ 39,754
	Forest	\$ 20,384
<i>min</i>	Franklin	\$ 20,000
	Fulton	\$ 26,876
	Greene	\$ 80,835
	Huntingdon	\$ 57,550
	Indiana	\$ 94,074
	Jefferson	\$ 58,895
	Juniata	\$ 20,557
	Lackawanna	\$ 26,362
<i>min</i>	Lancaster	\$ 20,000
<i>min</i>	Lawrence	\$ 20,000
<i>min</i>	Lebanon	\$ 20,000
<i>IE</i>	Lehigh	\$ -
	Luzerne	\$ 38,002
	Lycoming	\$ 83,880
	McKean	\$ 35,823
	Mercer	\$ 40,779
<i>min</i>	Mifflin	\$ 20,000
<i>min</i>	Monroe	\$ 20,000
<i>min</i>	Montgomery	\$ 20,000
<i>min</i>	Montour	\$ 20,000

STATE EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

The following hearing has been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to the State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimant's request concerning the indicated account.

The hearing will be held before a hearing officer at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

September 4, 2013 John D. Stouder (D) 1 p.m.
Death Benefit

Parties in the respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

DAVID E. DURBIN,
Secretary

[Pa.B. Doc. No. 13-1578. Filed for public inspection August 16, 2013, 9:00 a.m.]

District	FY 2013-2014 Allocations
<i>IE</i> Northampton	\$ -
Northumberland	\$ 38,842
Perry	\$ 28,403
<i>IE</i> Pike	\$ -
Potter	\$ 158,453
Schuylkill	\$ 34,562
Snyder	\$ 23,510
Somerset	\$ 55,951
Sullivan	\$ 73,330
<i>max</i> Susquehanna	\$ 275,000
Tioga	\$ 209,397
<i>min</i> Union	\$ 20,000
Venango	\$ 95,882
Warren	\$ 121,363
Washington	\$ 70,014
Wayne	\$ 99,055
Westmoreland	\$ 29,686
Wyoming	\$ 57,489
York	\$ 70,662
TOTAL	\$3,538,000

Notes:

min: minimum allocation of \$20,000

max: maximum allocation cap of \$275,000

IE: INELIGIBLE—spending requirements not met

GEORGE D. GREIG,
Chairperson

[Pa.B. Doc. No. 13-1577. Filed for public inspection August 16, 2013, 9:00 a.m.]

