

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 15, 2013.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-15-2013	<p><i>From:</i> Jim Thorpe National Bank Jim Thorpe Carbon County</p> <p><i>To:</i> Jim Thorpe Neighborhood Bank Jim Thorpe Carbon County</p> <p>Application for approval to convert from a National banking association to a Pennsylvania State-chartered bank.</p>	Filed

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>								
10-11-2013	<p>CNB Bank Clearfield Clearfield County</p> <p>Merger of The Farmers Citizens Bank, Bucyrus, OH, with and into CNB Bank, Clearfield.</p> <p>As a result of the merger, the following branch offices of The Farmers Citizens Bank became branch offices of CNB Bank:</p> <table border="0" style="width: 100%; margin-left: 20px;"> <tr> <td style="width: 50%;">105 Washington Square Bucyrus Crawford County, OH</td> <td style="width: 50%;">123 East Main Street Cardington Morrow County, OH</td> </tr> <tr> <td>250 West Sandusky Street Fredericktown Knox County, OH</td> <td>7789 County Road 77 Mt. Hope Holmes County, OH</td> </tr> <tr> <td>1921 Free Road Shiloh Richland County, OH</td> <td>1605 Marion Road Bucyrus Crawford County, OH</td> </tr> <tr> <td>2821 Fishinger Road Upper Arlington Franklin County, OH</td> <td>5858 North High Street Worthington Franklin County, OH</td> </tr> </table>	105 Washington Square Bucyrus Crawford County, OH	123 East Main Street Cardington Morrow County, OH	250 West Sandusky Street Fredericktown Knox County, OH	7789 County Road 77 Mt. Hope Holmes County, OH	1921 Free Road Shiloh Richland County, OH	1605 Marion Road Bucyrus Crawford County, OH	2821 Fishinger Road Upper Arlington Franklin County, OH	5858 North High Street Worthington Franklin County, OH	Effective
105 Washington Square Bucyrus Crawford County, OH	123 East Main Street Cardington Morrow County, OH									
250 West Sandusky Street Fredericktown Knox County, OH	7789 County Road 77 Mt. Hope Holmes County, OH									
1921 Free Road Shiloh Richland County, OH	1605 Marion Road Bucyrus Crawford County, OH									
2821 Fishinger Road Upper Arlington Franklin County, OH	5858 North High Street Worthington Franklin County, OH									

### Branch Applications

#### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-11-2013	Woodlands Bank Williamsport Lycoming County	2 South Main Street Hughesville Lycoming County	Approved

## NOTICES

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-8-2013	Merchants Bank of Bangor Bangor Northampton County	<i>To:</i> 46 Centre Square Easton Northampton County <i>From:</i> 1 Centre Square Easton Northampton County	Filed
9-28-2013	Somerset Trust Company Somerset Somerset County	<i>To:</i> 4640 National Pike Markleysburg Fayette County <i>From:</i> 4364 National Pike Markleysburg Fayette County	Effective

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-3-2013	Susquehanna Bank Lititz Lancaster County	12106 Centennial Station Warminster Bucks County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	600 Richmond Drive Lancaster Lancaster County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	1001 Easton Road Willow Grove Montgomery County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	407 South Broad Street Lansdale Montgomery County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	329 North Main Street Chalfont Bucks County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	14 North Pearl Street Bridgeton Cumberland County, NJ	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	1101 Professional Court Hagerstown Washington County, NJ	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	1262 Vocke Road LaVale Allegheny County, MD	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	233 Hershey Road Hummelstown Dauphin County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	One College Avenue Grantham Cumberland County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	2305 South Market Street Elizabethtown Lancaster County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	4501 Hanover Pike Manchester Carroll County, MD	Closed

**SAVINGS INSTITUTIONS**

No activity.

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.state.pa.us](http://www.dobs.state.pa.us) includes public notices for more recently filed applications.

GLENN E. MOYER,  
*Secretary*

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### I. NPDES Renewal Applications

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0061611 (Sewage)	Westfall STP 155 Westfall Town Drive Matamoras, PA 18336	Pike County Westfall Township	Delaware River (1-D)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0044024 (Industrial Waste)	Pleasant Mt Fish Hatchery a.k.a. Pleasant Mt Cultural Station 229 Great Bend Turnpike Pleasant Mount, PA 18453-0003	Wayne County Mount Pleasant Township	West Branch Lackawaxen River (1-B)	Y

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0070122 (Sew)	UMH Properties, Inc. (Highland Estates MHP) 3499 Route 9 North, Suite 3C Freehold, NJ 07728	Berks County / Greenwich Township	Mill Creek / 3B	Y
PA0247243 (Sew)	Foremost Industries, Inc. 2375 Buchanan Trail West Greencastle, PA 17225	Franklin County Montgomery Township & Peters Township	UNT to West Branch Conococheague Creek	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0209431 (SRSTP)	Thomas R Shrout Res Orchard Park Road Port Matilda, PA 16870	Halfmoon Township Centre County	UNT of Halfmoon Creek (11-A)	Y

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0096113 Sewage	McGuffey Junior/Senior High School 90 McGuffey Drive Claysville, PA 15323-2304	Washington County Buffalo Township	Unnamed Tributary of Buffalo Creek	Y
PA0252522 Sewage	Lavansville Sewage Treatment Plant State Route 31 Somerset, PA 15501	Somerset County Somerset Township	West Branch Coxes Creek	Y
PA0033405 Sewage	Sewickley Pines Manor West Newton, PA 15089	Westmoreland County Sewickley Township	Unnamed Tributary of Sewickley Creek	Y
PA0034258 Sewage	Independence Elementary School 103 School Road Aliquippa, PA 15001	Beaver County Independence Township	Raccoon Creek	Y
PA0094102 Sewage	Airways Mobile Home Park Moore Road Washington, PA 15301	Washington County South Franklin Township	Unnamed Tributary to Chartiers Creek	Y
PA0030287 Sewage	Allegheny Country Club Country Club Road Sewickley, PA 15143	Allegheny County Sewickley Heights Borough	Unnamed Tributary to Little Sewickley Creek	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0222496 (Sewage)	Summerville Borough STP PO Box 278 12188 Harrison Street Pa Rte 28 Summerville, PA 15864-0278	Jefferson County Summerville Borough	Runaway Run (17-C)	Y
PA0103331 (Sewage)	Jackson Center Borough STP Bradley Road Jackson Center, PA 16133	Mercer County Jackson Center Borough	Yellow Creek (20-A)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0100757 (Sewage)	Country Corner RV Park Georgetown Road & Route 173 New Lebanon, PA 16145	Mercer County New Lebanon Borough	Mill Creek (16-D)	Y

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970*

**PA0051306**, Sewage, SIC Code 7032, **Camp Green Lane/Green Lane Operating Company**, 249 Camp Green Lane Road, Green Lane, PA 18054-2306. Facility Name: Camp Green Lane STP. This existing facility is located in Salford Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal and transfer of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Ridge Valley Creek, is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.042 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Geo Mean Report</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
CBOD <sub>5</sub>						
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Nov 1 - Apr 30	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX			
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	4.0	XXX	8.0
Nov 1 - Apr 30	XXX	XXX	XXX	8.0	XXX	16.0
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP When Municipal Sewers Available
- Chlorine Minimization
- Operator Notification
- Seeding of Aeration Tank

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0052868**, Industrial Waste, SIC Code 2741, **BAE Systems**, PO Box 868, MER 12-1506, Nashua, NH 03061-0868. Facility Name: Former BAE Systems Lansdale PA Facility. This existing facility is located at 305 Richardson Road in Montgomery Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated groundwater. BAE Systems has retained responsibility as operator of the groundwater remediation system. Stormwater discharge from this property is the responsibility of the current property owner.

The receiving stream(s), UNT 02878 to West Branch Neshaminy Creek, is located in State Water Plan watershed 2F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The nearest downstream public water supply intake is for Aqua PA—Neshaminy.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1008 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Weekly Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Trichloroethylene	XXX	XXX	XXX	0.005	XXX	0.013

In addition, the permit contains the following major special conditions:

- Proper Sludge Disposal
- Dry Stream Discharge
- Approved Test Methods
- No Discharge Stripper Tower Cleaning Wastewater

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0053783 A-1**, Sewage, SIC Code 8211, **Avon Grove School District**, 375 South Jennersville Road, West Grove, PA 19390-8401. Facility Name: Penn London Elementary School. This existing facility is located in 375 South Jennersville Road, West Grove, PA 19390-8401, in New London Township, **Chester County**.

Description of Existing Activity: The application is for an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to West branch White Clay Creek, is located in State Water Plan watershed 3-I and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD <sub>5</sub>						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen						
(Interim)	XXX	XXX	XXX	Report	XXX	XXX
(Final)	XXX	XXX	XXX	10	XXX	20
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 002 are based on a design flow of 0.009 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions: Proposed Part C Conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP when Municipal Sewers Available
- E. Total Residual Chlorine Requirement
- F. Additional Total Residual Chlorine Reporting
- G. Dry Stream Discharge
- H. Notification of Designation of Operator
- I. Remedial Measures if Unsatisfactory Effluent
- J. Change in Ownership
- K. Instantaneous Maximum
- L. Twice per Month Sampling
- M. Laboratory Certification
- N. Fecal Coliform Instantaneous Maximum Reporting
- O. Total Nitrogen Compliance Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**PA0070254**, Sewage, SIC Code 4952, **Lehigh County Authority**, 1053 Spruce Road, Allentown, PA 18106-0348. Facility Name: Lynn Township Wastewater Treatment Plant. This existing facility is located in Lynn Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Ontelaunee Creek, is located in State Water Plan watershed 3-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.16 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	Inst Min XXX	0.3	XXX	0.7
CBOD <sub>5</sub>						
May 1 - Oct 31	20.0	33.4	XXX	15.0	25.0	30.0
Nov 1 - Apr 30	33.4	53.4	XXX	25.0	40.0	50.0
BOD <sub>5</sub>						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	40.0	60.0	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	7,306.0	XXX	XXX	XXX	XXX
Total Dissolved Solids	Total Mo Report	Total Annual XXX	XXX	1,000	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Total Nitrogen	Report Annl Avg	XXX	XXX	Report Annl Avg	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	5.3	XXX	XXX	4.0	XXX	8.0
Nov 1 - Apr 30	16.0	XXX	XXX	12.0	XXX	24.0
Total Kjeldahl Nitrogen	Report Annl Avg	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	244.0	XXX	XXX	XXX	XXX
	Total Mo	Total Annual				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0086860**, Sewage, SIC Code 4952, **Springfield Township**, York County, Sewer Authority, PO Box 75, Seven Valleys, PA 17360. Facility Name: Hollow Creek Wastewater Treatment Plant. This existing facility is located in Springfield Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Unnamed Tributary to East Branch Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.700 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.013	XXX	0.042
CBOD <sub>5</sub>	58	87	XXX	10	15	20
		Wkly Avg				
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	58	87	XXX	10	15	20
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	8.7	XXX	XXX	1.5	XXX	3.0
Nov 1 - Apr 30	26	XXX	XXX	4.5	XXX	9.0
Total Phosphorus	11.6	XXX	XXX	2.0	XXX	4.0
Total Zinc	0.46	XXX	XXX	0.079	XXX	0.158

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)			Concentration (mg/l)	
	Monthly	Annual	Minimum	Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX



<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Net Total Nitrogen	Report	12,785	XXX	XXX	XXX
Net Total Phosphorus	Report	1,704	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0262129**, SIC Code 6514, **Cheryl & Gerald Mishler**, 1040 Manada Bottom Road, Harrisburg, PA 17112. Facility Name: Mishler SR STP. This proposed facility is located in East Hanover Township, **Dauphin County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Manada Creek, is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Monthly</i>		<i>Average Monthly</i>	<i>Geo Mean</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0027405**, Sewage, SIC Code 4952, **Ephrata Borough Authority**, 124 S. State Street, Ephrata, PA 17522-2411. Facility Name: Ephrata WWTP #1. This existing facility is located in Ephrata Borough, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Cocalico Creek, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.8 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.29	XXX	0.96
CBOD <sub>5</sub>	666	998	XXX	21	31.5	42
		Wkly Avg				
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	951	1,426	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Ammonia-Nitrogen						
May 1 - Oct 31	63	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	190	XXX	XXX	6.0	XXX	12
Total Phosphorus	63	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	79,049	XXX	XXX	XXX
Net Total Phosphorus	Report	9,881	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- To implement requirements applicable to stormwater outfalls.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0087181**, Sewage, SIC Code 4952, **Ephrata Borough Authority**, 124 South State Street, Ephrata, PA 17522-2411. Facility Name: Ephrata WWTP #2. This existing facility is located in Ephrata Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Cocalico Creek, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.3 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.42	XXX	1.38
CBOD <sub>5</sub>	480	767	XXX	25	40	50
		Wkly Avg				
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	575	863	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	48	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	144	XXX	XXX	7.5	XXX	15
Total Phosphorus	38	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	54,550	XXX	XXX	XXX
Net Total Phosphorus	Report	6,818	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- 25 lbs/yr of Total Nitrogen offsets was approved to be used for compliance with TN Cap Load.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0087882**, Sewage, SIC Code 5812, **Visaggio's Ristorante**, 6990 Wertzville Road, Enola, PA 17025-1037. Facility Name: Visaggio's Ristorante. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Simmons Creek, is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.003 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	16	XXX	32
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0262137**, Sewage, SIC Code 6515, **Log Cabin Court Mobile Home Park**, 110 Inverness Drive, Blue Bell, PA 19422. Facility Name: Log Cabin Court Mobile Home Park. This proposed facility is located in Earl Township, **Lancaster County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream, Unnamed Tributary to Conestoga River, is located in State Water Plan watershed 7-J and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2000	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	4.0	XXX	8.0
Nov 1 - Apr 30	XXX	XXX	XXX	12	XXX	24
Total Phosphorus	XXX	XXX	XXX	0.5	XXX	1.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	0	XXX	XXX	XXX
Net Total Phosphorus	Report	0	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0262099**, SIC Code 6514, **Brett W. Miller**, 10275 Clear Ridge Road, Everett, PA 15537. Facility Name: Miller Res. This proposed facility is located in West Providence Township, **Bedford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Clear Creek, is located in State Water Plan watershed 11-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0088757**, SIC Code 4941, **Mount Union Municipal Authority Huntingdon County**, 9 W Market Street, Mount Union, PA 17066-1233. Facility Name: Mt Union Singers Gap WTP. This existing facility is located in Shirley Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated filter backwash.

The receiving stream(s), Singers Gap Run, is located in State Water Plan watershed 12-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.06 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.27	XXX	0.88
Total Suspended Solids	Report	Report	XXX	30	60	75
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Aluminum	Report	Report	XXX	Report	1.0	2.5
Total Iron	Report	Report	XXX	Annl Avg	2.0	5.0
Total Manganese	Report	Report	XXX	1.0	2.0	2.5
Total Zinc	Report	Report	XXX	Report	Report	XXX
Hardness, Total (as CaCO <sub>3</sub> )	XXX	XXX	XXX	Report	Report	XXX
Hardness, Total (as CaCO <sub>3</sub> ) Intake	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0051764**, SIC Code 7991, **Galen Hall Corp.**, 815 Lancaster Avenue, Reading, PA 19607-1636. Facility Name: Galen Hall Corporation. This existing facility is located in South Heidelberg Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Little Cocalico Creek, is located in State Water Plan watershed 7-J and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	10,000
				2,000		
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0026727**, Sewage, SIC Code 4952, 221320, **Tyrone Borough Blair County**, 1100 Logan Avenue, Tyrone, PA 16686-1624. Facility Name: Tyrone Borough STP. This existing facility is located in Tyrone Borough, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Little Juniata River, is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 9 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD <sub>5</sub>	1,876	3,002	XXX	25	40	50
		Wkly Avg				
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	2,252	3,378	XXX	30	45	60
		WklyAvg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	338	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30	900	XXX	XXX	12	XXX	24
Total Antimony	1.35	XXX	XXX	0.018	XXX	0.045
Total Cadmium	0.075	XXX	XXX	0.001	XXX	0.0025
Hexavalent Chromium	1.4	XXX	XXX	0.019	XXX	0.048
Total Selenium	1.2	XXX	XXX	0.016	XXX	0.040
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Bis(2-Ethylhexyl)Phthalate	1.05	XXX	XXX	0.014	XXX	0.035

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	164,381	XXX	XXX	XXX
Net Total Phosphorus	Report	21,918	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- The permittee is granted 1,850 lbs/year Total Nitrogen offsets to meet the Net Total Nitrogen cap load.
- Stormwater Requirements
- Pretreatment Program Implementation
- Option to conduct TRE

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

*Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.*

**PA0103896**, Industrial Waste, SIC Code 4953, **County Landfill, Inc.**, P. O. Box 237, Leeper, PA 16233. Facility Name: County Landfill. This existing facility is located in Farmington Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated landfill leachate and stormwater.

The receiving stream(s), an unnamed tributary to Walley Run, is located in State Water Plan watershed 16-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00851 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD <sub>5</sub>	Report	Report	XXX	37	140	140
Total Suspended Solids	Report	Report	XXX	27	88	88
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	XXX
Ammonia-Nitrogen	Report	Report	XXX	4.9	10	12.3
Total Aluminum	0.025	0.05	XXX	XXX	XXX	XXX
Total Arsenic	0.019	0.039	XXX	0.28	0.56	0.7
Total Copper	XXX	Report	XXX	XXX	Report	XXX
Dissolved Iron	XXX	Report	XXX	XXX	Report	XXX
Total Iron	0.321	0.462	XXX	XXX	XXX	XXX
Total Manganese	0.092	0.183	XXX	XXX	XXX	XXX
Total Nickel	XXX	Report	XXX	XXX	Report	XXX
Total Thallium	0.00047	0.00095	XXX	0.0067	0.013	0.016
Total Zinc	Report	Report	XXX	0.11	0.2	0.28
Phenol	Report	Report	XXX	0.015	0.026	0.038
a-Terpineol	Report	Report	XXX	0.016	0.033	0.04
1,4-Dioxane	XXX	Report	XXX	XXX	Report	XXX
Benzoic Acid	Report	Report	XXX	0.071	0.12	0.18
p-Cresol	Report	Report	XXX	0.014	0.025	0.035

The proposed effluent limits for Outfall 002 are based on a design flow of 0.000000 MGD.

The proposed effluent limits for Outfall 003 are based on a design flow of 0.000000 MGD.

The proposed effluent limits for Outfall 004 are based on a design flow of 0.000000 MGD.

The proposed effluent limits for Outfall 005 are based on a design flow of 0.000000 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirement to Use eDMR System
- Chemical Additives
- Requirements Applicable to Stormwater Discharges

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

**PA0005045**, Industrial Waste, **Seneca Generation LLC**, 500 Powerhouse Drive, Warren, PA 16365-5501. Facility Name: Seneca Generation Station.

This existing facility is located in Mead Township, **Warren County**.

Description of Proposed Action/Activity: Transfer of existing NPDES permit from FirstEnergy Generation LLC to Seneca Generation LLC.

---

**III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law**


---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 6713201**, Sewerage, **Hanover Foods Corporation**, 1486 York Street, PO Box 334, Hanover, PA 17331-0334.

This proposed facility is located in Penn Township, **York County**.

Description of Proposed Action/Activity: Upgrade and expansion of wastewater plant.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**WQM Permit No. WQG01251319**, Sewerage, **Gerald & Margaret Stoner**, 3893 Williams Road, Erie, PA 16510.

This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

**WQM Permit No. WQG02621301**, Sewerage, **Municipal Authority of the Township of Sheffield**, P. O. Box 821, Sheffield, PA 16347.

This proposed facility is located in Sheffield Township, **Warren County**.

Description of Proposed Action/Activity: Sewer extension to 6 residences on Kane Road East.

**WQM Permit No. WQG01611301**, Sewerage, **Mark A. Landsberger**, 8900 Huron Trail, Negley, OH 44441.

This proposed facility is located in President Township, **Venango County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

---

**IV. NPDES Applications for Stormwater Discharges from MS4**


---

*Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.*

**PAI138305**, MS4, **Harborcreek Township Erie County**, 5601 Buffalo Road, Harborcreek, PA 16421. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Harborcreek Township, **Erie County**. The receiving streams, Fourmile Creek, Sixmile Creek, Sevenmile Creek, Eightmile Creek, and Twelvemile Creek, are located in State Water Plan watershed 15-A and are classified for Warm Water Fishes, Cold Water Fishes, Migratory Fishes, High Quality Fishes, aquatic life, water supply, and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA waiver is not in effect.

---

**V. Applications for NPDES Waiver Stormwater Discharges from MS4**


---



---

**VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**


---

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011513025	Immaculata University—Ph 1 & 2 1145 King Road Immaculata, PA 19345	Chester	East Whiteland Township	Valley Creek EV
PAI015113013	Westrum Development Co 1300 Virginia Drive, Ste. 215 Fort Washington, PA 19034	Philadelphia	City of Philadelphia	Schuylkill River WWF



*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Luzerne County Conserve District, 325 Smiths Pond Road, Shavertown, PA 18708*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024013005	PPL Electric Utilities Corporation Two North Ninth Street Allentown, PA 18101	Luzerne	Forest Township Butler Township	Nescopeck Creek, (TSF, MF) UNT to Nescopeck Creek (CWF, MF) UNT to Little Nescopeck Creek (CWF, MF) Little Nescopeck Creek (CWF, MF) Pond Creek (HQ-CWF, MF)

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041403006R	Stearns Boal LP 100 N Patterson St State College PA 16801	Centre	College Township	Spring Creek HQ-CWF

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315*

<i>Permit No.</i>	<i>Applicant &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI055611006-1	Windber Area Authority 1700 Stockholm Ave Windber, PA 15963	Somerset	Ogle and Paint Townships and Windber Borough	Clear Shade Run (HQ-CWF), Shade Creek (CWF), Roaring Fork (CWF), Weaver Run (CWF), and Seese Run (CWF)

**VII. List of NOIs for NPDES and/or Other General Permit Types**

PAG-12 CAFOs

**CAFO Notices of Intent Received**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**PAG123626 Amendment No. 1, CAFO, James E. Hershey, 338 Sunnyburn Road, Elizabethtown, PA 17022-9664.**

This proposed facility is located in Mount Joy Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Application to amend the existing permit to add two additional broiler houses that will hold 58,000 birds.

The receiving stream, Little Chickies Creek, is in watershed 7-G, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

**STATE CONSERVATION COMMISSION**

**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at

the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Application</i>
Philadelphia Park Casino and Racetrack (d/b/a PARX) 3001 Street Road Bensalem, PA 19020	Bucks	452.4	1,500	Horses	NA	Application Update Received; Ready for Approval
<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Star Rock Dairy and Star Rock Farms, LLC 13845 Ted Wallace Road, Brogue, PA 17309	York	34.9	2,108.5	Cattle	None	Renewal
Donald Martin 331 Greble Road Jonestown, PA 17038	Lebanon	90.5	302.78	Poultry— Layers	NA	renewal
Beaver Ridge Farm, Inc 1400 Folwer Hollow Road Blain, PA 17066	Perry	213.47	386.15	Swine	HQ-CWF	renewal
Malcolm Sonnen 101 Sonnens Road Richland, PA 17087	Lebanon	0	256.44	Poultry— Layers	NA	renewal

#### PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Application No. 4813511** Public Water Supply.

Applicant

**Miller Manor Home Owners  
Association**  
5455 Nor-Bath Boulevard  
Northampton, PA 18067

[Township or Borough] East Allen Township  
**Northampton County**

Responsible Official Volker Stoekman  
 Secretary/Treasurer

Type of Facility Public Water Supply

Consulting Engineer Nittany Engineering and  
 Associates, LLC  
 Kerry D. Tyson, P.E.  
 2836 Earlstown Road  
 Suite 1  
 Centre Hall, PA 16828

Application Received Date October 3, 2013

Description of Action This project provides for major  
 modifications to the public water  
 supply system including:  
 elimination of the existing below  
 grade vault and installation of a  
 new treatment building with  
 pitless adaptor unit: new well  
 pump: replacing the 75 gallon  
 pressure tank with a new 1,000  
 gallon hydro pneumatic tank:  
 installing (2) additional 120  
 gallon chlorine contact tanks:  
 and providing capability for a  
 portable emergency generator  
 hook-up.

*Southwest Region: Water Supply Management Program  
 Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-  
 4745*

**Permit No. 2613511**, Public Water Supply.

Applicant **Municipal Authority of  
 Westmoreland County**  
 124 Park & Pool Road  
 New Stanton, PA 15672

[Township or Borough] Dunbar Township

Responsible Official Thomas Ceraso, Assistant  
 Manager  
 Municipal Authority of  
 Westmoreland County  
 124 Park & Pool Road  
 New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Co.,  
 Inc.  
 1004 Ligonier Street  
 Box 853  
 Latrobe, PA 15650

Application Received Date October 1, 2013

Description of Action Installation of approximately  
 67,263 feet of waterline, a new  
 pump station and improvements  
 to the Indian Creek water  
 treatment plant to provide water  
 to the Tenaska Energy facility.

*Northwest Region: Safe Drinking Water Program Man-  
 ager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Permit No. 3713505**, Public Water Supply

Applicant **New Castle Estates, LLC**

Township or Borough North Beaver Township

County **Lawrence**

Responsible Official John D. King

Type of Facility Public Water Supply

Consulting Engineer Charles Niclus, P.E.  
 Niclus Engineering Corporation  
 804 Sarah Street  
 Stroudsburg, PA 18360

Application Received Date October 4, 2013

Description of Action Addition of chlorine contact  
 chamber.

**MINOR AMENDMENT**

**Applications Received Under the Pennsylvania Safe  
 Drinking Water Act**

*Northeast Region: Safe Drinking Water Program Man-  
 ager, 2 Public Square, Wilkes-Barre, PA 18711-0790*

**Application No. 4013513MA**

Applicant **Aqua Pennsylvania, Inc.**

[Township or Borough] Penn Lake Park Borough  
**Luzerne County**

Responsible Official Patrick R. Burke, Regional  
 Manager  
 Northeast & Central Operations  
 Aqua Pennsylvania, Inc.  
 1 Aqua Way  
 White Haven, PA 18661

Type of Facility Community Water System

Consulting Engineer Jonathan W. Morris, PE  
 GHD, Inc.  
 326 East 2nd Street  
 Bloomsburg, PA 17815  
 570-387-5283

Application Received Date September 25, 2013

Description of Action Application for construction of a  
 large diameter chlorine contact  
 line at the Penn Lake Park well  
 station to provide 4-log  
 inactivation of viruses prior to  
 the water entering the system  
 storage tank.

**Application No. 6613503**, Minor Amendment.

Applicant **Laceyville Water Company**  
 265 Church Street  
 Laceyville, PA. 18623

[Township or Borough] Laceyville Borough  
**Wyoming County**

Responsible Official Mr. Ken Patton  
 Mayor

Type of Facility Public Water Supply

Consulting Engineer Larson Design Group  
 Mr. Gregory M. Cummings, PE.  
 8836 State Route 434  
 Apalachin, NY 13732

Application Received Date October 7, 2013

Description of Action This project provides for modification to the drinking water system to include the abandonment of reservoirs 2 & 3 and the existing air stripper. It also involves modification to reservoir #1 replacing the existing metal roof including the addition of gutters and downspouts, coating the interior concrete walls with paint, installing vinyl siding on the reservoir exterior walls, providing a screened overflow pipe and vents and a new security gate and fence around the structure.

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Application No. 5613509GWR, Minor Amendment.**

Applicant **Addison Area Water Authority**  
PO Box 13  
Addison, PA 15411

[Township or Borough] Addison Borough

Responsible Official G. David Stemec, Operator  
Addison Area Water Authority  
PO Box 13  
Addison, PA 15411

Type of Facility Water system

Consulting Engineer

Application Received Date October 10, 2013

Description of Action Demonstration of 4-log treatment for groundwater sources

**Application No. 0213534MA, Minor Amendment.**

Applicant **Pennsylvania American Water Company**  
800 West Hersheypark Drive  
Hershey, PA 17033

[Township or Borough] West Mifflin Borough

Responsible Official David R. Kaufman, Vice  
President-Engineering  
Pennsylvania American Water Company  
800 West Hersheypark Drive  
Hershey, PA 17033

Type of Facility Water system

Consulting Engineer

Application Received Date October 11, 2013

Description of Action Painting and blasting of the interior and exterior of the 7,268,000 gallon West Mifflin water storage tank.

**Application No. 2613512MA, Minor Amendment.**

Applicant **Pennsylvania American Water Company**  
800 West Hersheypark Drive  
Hershey, PA 17033

[Township or Borough] Carroll Township

Responsible Official David R. Kaufman, Vice  
President-Engineering  
Pennsylvania American Water Company  
800 West Hersheypark Drive  
Hershey, PA 17033

Type of Facility Water system

Consulting Engineer

Application Received Date October 11, 2013

Description of Action Painting and blasting of the interior and exterior of the 500,000 gallon Eldora water storage tank.

**Application No. 0213535MA, Minor Amendment.**

Applicant **Pittsburgh Water & Sewer Authority**  
Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

[Township or Borough] City of Pittsburgh

Responsible Official Daniel Cleary, Project Manager  
Pittsburgh Water & Sewer Authority  
Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

Type of Facility Water system

Consulting Engineer

Application Received Date October 7, 2013

Description of Action Installation of approximately 210 feet of 16-inch diameter waterline.

**WATER ALLOCATIONS**

**Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth**

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200*

**WA 05-547D, Water Allocations. Saxton Borough Municipal Authority, Bedford County.** The applicant is requesting the right to withdraw up to 300,000 gallons per day (gpd) for public water supply purposes from an existing intake on the Raystown Branch of the Juniata River located in **Bedford County**. Consulting Engineer: Mark V Glenn, Gwin, Dobson & Foreman, Inc. Application Received: 8/20/2009.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Kozik 2V Well Site**, 467 Portman Road, Summit Township, **Butler County**. SAIC, 180 Gordon Drive, Suite 110, Exton, PA 19341, on behalf of XTO Energy, Inc., 502 Keystone Drive, Warrendale, PA 15086, submitted a Notice of Intent to Remediate. A release occurred that resulted in production water being spilled onto the ground and flowed overland to an un-named tributary of Coal Run. The proposed future use of the site will be non-residential. The selected cleanup standards for the site are Site-Specific and Statewide Health. The Notice of Intent to Remediate was published in *The Butler Eagle* on September 19, 2013.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**AutoZone-Chippewa Twp.**, Chippewa Twp. **Beaver County Mannik & Smith Group** 23225 Mercantile Road, Beachwood, OH 44122 on behalf of Beaver Falls Investors LLC 1585 Frederick Boulevard, Akron, Ohio 44320 has submitted a Notice of Intent to Remediate the soil and groundwater at the former gasoline filling station to meet the non-residential Statewide Health standard. Compounds included benzene, toluene, ethylbenzene, xylenes. Future use of the property will be non-residential. The notification of the NIR was published on September 6, 2013 in the *Beaver County Times*.

*Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.*

**S End Water Storage Tank & Pump Station**, 791 West Bridge Street Morrisville Borough, **Bucks County**. John Warena, Jr, The Municipal Authority of the Borough of Morrisville, 35 Union Street, Morrisville, PA 19067 on behalf of Bill Schmidt, Pennoni Associates, Inc. 3001 Market Street, Philadelphia, PA 19104 submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of other organics. The future use of the site will remain the same. The Notice of Intent to Remediate was published in *The Times Newspaper* on September 06, 2013. PF769233.

**MNM Group Inc.**, 2421-A Wyandotte Road, Upper Moreland, **Montgomery County**. Greg Carson, MGM Group, Inc., 2421-A Wyandotte Road, Willow Grove, PA 19090 on behalf of Thomas Lloyd, EnviroSure, Inc., 103 South High Street, Suite 1, West Chester, PA 19382, Scott Smith, EnviroSure, Inc. 103 South High Street, Suite 1, West Chester, PA 19383 submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of inorganics. Future site use will remain non-residential. The Notice of Intent to Remediate was published in *The Intelligencer* on September 12, 2013 PF769585.

**Jarrett Dodge**, 335 South York Road, Borough of Hatboro, **Montgomery County**. Frank Jarrett, Jarrett Dodge, 335 South York Road, Hatboro, PA 19040 on behalf of Jeffrey Wynn, Patriot Environmental Management, LLC, P. O. Box 629, Douglasville, PA 19518 submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of petroleum, motor oil. The intended future use of the property will remain commercial. The Notice of Intent to Remediate was published in *The Intelligencer* on September 05, 2013. PF759684.

**300-302 MacDade**, Boulevard Property, 300—302 MacDade Boulevard, Borough of Collingdale, **Delaware County**. Jon Nickel, 300-308 MacDade Blvd, LP, P. O. Box 6, Haverford, PA 19041, on behalf of Andrew Hubley, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406, David D. Waltz, The Bryn Mawr Trust Company, 801 Lancaster Avenue, Bryn Mawr, PA 19010, Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of diesel fuel, fuel oil no. 2, paramaters and other TCL, VOCs. The second commercial tenant space is vacant but is planned to be used as a child day care center. PF760740.

**Davis Residence**, 809 Bryn Mawr Avenue, Radnor Township, **Delaware County**. Bancrost Davis, 809 Bryn Mawr Avenue, Newtown Square, PA 19073 on behalf of Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Richard Uerti, Petro Care, 2187 Atlantic Street, Stamford, CT 06902 submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of petroleum. The intended future use of the site is residential. The Notice of Intent to Remediate was published in *Delaware County Daily Times* on August 22, 2013. PF768382.

**3100 West Thompson Street Site**, 3100 West Thompson Street, City of Philadelphia, **Philadelphia County**. John Mershom, Westrum BT3, L.P., 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034, on behalf of Angelo Waters, PE, LEED AP, Urban Engineers Inc. 530 Walnut Street, 14th Floor, Philadelphia, PA 19106, Lawrence McKnight, PE, LEED GA, We strum BT3, L.P., 1300 Virginia Drive Suite 215, Fort Washington, PA 19034 submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release VOCs, SVOCs, and metals. The intended future use of the property is a residential apartment community. PF742768.

**Langheim Residence**, 120 North Midland Avenue, Lower Providence, **Montgomery County**. Kenneth Langheim, 120 North Midland Avenue, Norristown, PA 19403, on behalf of Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422, submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 heating oil. The intended future use of the property remains residential. PF766082.

**Fuad Sadik Property**, 39 West Forge Road, Middletown Township, **Delaware County**. Fuad Sadik, 39 West Forge Road, Glen Mills, PA 19342 on behalf of David Chandler, B.S., Mountain Research, LLC, 825 25th Street, Altoon, PA 16601, Jason Bean, Allstate Insurance Company, 309 Lakeside Drive, Suite 100, Horsham, PA 19044 submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The intended future use of the property will continue to be a residential dwelling. The Notice of Intent to Remediate was published in the *Town Talk Newspaper* on April 17, 2013. PF769228.

**172 Chambers Road Site**, 172 Chambers Road, New Garden Township, **Chester County**. Mary Lou Daddezio, 172 Chamber Road, Toughkenamon, PA 19374, on behalf of David B. Farrington, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, Christina Ruble, Brickhouse Environmental, 515 South Franklin

Street West Chester, PA 19382 submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 heating oil, mtbe. The Notice of Intent to Remediate was published in the *Daily Local News* on August 15, 2013. PF768858.

**Foamex Facility**, 1500 East Second Street, Eddystone Borough, **Delaware County**. Cynthia McKeown, Camden Iron & Metal, LLC, 413 Harding Avenue, Bellmawr, NJ 08031 on behalf of Darryl D. Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, Michael A. Christie, PG, Penn E&R Inc., 2755 Bergey Road, Hatfield PA 19440 submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of VOCs, PAH Compounds, metals. No future use of the property is currently planned; however, the future use will likely be non-residential. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on August 9, 2013. PF733023.

**Bartrams Trail Between 56th & 58th Street**, 300 South 56th Street, City of Philadelphia, **Philadelphia County**. Monica Trudeau, Philadelphia Authority for Industrial Development, 2600 Center Square West, 1500 Market Street, Philadelphia, PA 19102 on behalf of Jennifer L. Gresh, P.G., Duffield Associates, Inc., 211 North 13th Street, Suite 704, Philadelphia, PA 19107, Christopher Dougherty, Philadelphia Parks & Recreation, One Parkway Building 1515 Arch Street, 10th Floor, Philadelphia, PA 19102 submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of PAHs, arsenic, lead. The future use will remain the same. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on August 8, 2013. PF768853

**Pine Road/Red Lion Road Open Space Area**, Red Lion/Pine Roads, Lower Moreland Township, **Montgomery County**. Gregory T. Rogerson, JERC Partners, XIII, L.P 171 State Route 173 Suite 201, Asbury, NJ 08802-1365 on behalf of Gary Emmanuel, O'Brien & Gere Engineers, Inc, 301 East Germantown Pike 3rd Floor, East Norriton, PA 19401, submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of organic compounds and cobalt. The property has been used as a golf course since 2000 and the proposed future use of the property is residential (open space) on a 23-acre portion of the property. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on August 5, 2013. PF68665

**Superior Industries, Ltd.**, 701 Wheatland Street, PO Box 547, Phoenixville, PA 19460 Phoenixville Borough, **Chester County**. Thomas A. Marabel, Jr, Superior Industries, Ltd., 701 Wheatland Street, PO Box 547, Phoenixville, PA 19460 on behalf of Brittany L. Potter, Center Point Tank Services, Inc., 536 East Benjamin Franklin Highway, Douglassville, PA 19518 submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of benzene in soil and above standard concentrations of benzene, naphthalene and phenanthrene in groundwater. The intended future use of the property is non-residential. PF616998.

**809 Sproul Street**, 809 Sproul Street, City of Chester, **Delaware County**. Robert J. Lavin, 1508 Carter Place West Chester on behalf of Richard Sack, IES Engineers, Inc., 1720 Walton Road, Blue Bell, PA 19422, Brian Crimmins, Crozer Keystone Health System, 100 West Sproul Road, Springfield, PA 19064, James P. Duffy, New Chester Holdings, LP, 1120 Clover Lane, Glen Mills, PA 19342 submitted a Notice of Intent to Remediate. Soil at

the site has been impacted with the release of no. 2 fuel oil. The property has a large commercial building that is currently being used for youth education program. PF768863

**1005 Virginia Drive Site**, 1005 Virginia Drive, Upper Dublin, **Montgomery County**. Richard Previdi, Alliance HSP Fort Washington Office 1 LP, 40 Morris Avenue, Suite 230, Bryn Mawr, PA 19010 on behalf of Isabelle Gosselin, Labatt Breweries, of Canada LP, 50 Labatt Street, Montreal (Quebec) H8R 3E7, Dallas Mellott, Tetra Tech, 23 Mall Blvd, King of Prussia, PA 19406 submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of chlorinated solvents, PCE, TCE. The current and future use of the property is for commercial and industrial purposes. PF768876

**Buggy Residence**, 4750 Anaconda Road, Bensalem Township, **Bucks County**. Ay Buggy, 4750 Anaconda Road, Bensalem, PA 19020 on behalf of Dan Yonker, Phoenix Consulting, LLC, P. O. Box 229, 183 Bridge Street, Phoenixville, PA 19460, Thomas Hippensteal, Envirosearch Consulting, Inc., P. O. Box 940, Springhouse, PA 19477 submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The property will remain residential. PF768877

**US Magnet Site**, 85 North Main Street, Yardley Borough, **Bucks County**. Robert White, Redevelopment Authority County of Bucks, One North Wilson Avenue, Bristol, PA 19007 on behalf of Samuel W. Galenty, G.I.T., Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110 King of Prussia, PA 19406, Richard S. Werner, P. G., Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110 King of Prussia, PA 19406, Anthony Cino, Cold Springs Investment Group, L.P., 301 Oxford Valley Road, Suite 702, Yardley, PA 19067 submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of arsenic, antimony, cobalt, lead, mercury, nickel. Dieldrin, and no. 4, 5, 6 fuel oil. The intended future use of the subject property is residential. The Notice of Intent to Remediate was published in the *Advance of Bucks County* on July 7, 2013. PF633827

**Ziegler Floral, Inc. Property**, 1756 and 1760 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Adam Zieger, Ziegler Floral, Inc., 1756 Dreshertown Road, Dresher, PA 19025 on behalf of Terence A. O'Reilly, PG, Tri Sate Environmental Management Services, Inc., 368 Dunksferry Road, Bensalem, PA 19020, Richard R. McBride, Esq. The Cutler Group, Inc., 5 Apollo Road, Suite One, Plymouth Meeting, PA 19462 submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of arsenic, lead, and target PAHs. The intended future use of the property is residential. The Notice of Intent to Remediate was published in the *Intelligencer* on August 15, 2013. PF713282

## RESIDUAL WASTE GENERAL PERMITS

**Permit Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGR101D001. Ervin Industries Inc.**, 681 East Butler Road, Butler, PA 16002. General Permit Number WMGR101D001 authorizes the beneficial use of steel and iron slag as an additive in asphalt pavement material. The general permit was issued by Central Office on October 1, 2013.

Persons interested in reviewing a general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

**General Permit Application No. WMGR089. Magnesita Refractories Company**, 425 South Salem Church Road, York PA 17408. General Permit Number WMGR089 authorizes the beneficial use of lime kiln dust as a soil amendment, for stabilization/solidification of soils and sludges, treatment of acid mine drainage, alkaline activator in cements, grouts in mine reclamation, for roadway subbase, stabilization and conditioning, as filler in agricultural and construction products, and as construction material in nonresidential projects. The general permit was renewed by Central Office on September 20, 2013.

Persons interested in reviewing a general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**General Permit Application No. WMGR096SW003. Redevelopment Authority of Allegheny County**, Carrie Furnace Redevelopment, 425 Sixth Avenue, Suite 800, Pittsburgh, PA 15219. A renewal for the continued coverage under residual waste general permit for use of regulated fill as a construction material for redevelopment of the former Carrie Furnace steel mill site adjacent facilities located in Rankin and Swissvale Boroughs, **Allegheny County**. The application was deemed administratively complete by the Regional Office on September 19, 2013.

Comments concerning the application should be directed to Diane McDaniel, Environmental Engineering Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in reviewing the general permit or obtaining more information about the general permit application may contact the DEP Southwest Regional Office at 412-442-4000. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**DETERMINATION FOR APPLICABILITY FOR  
MUNICIPAL WASTE GENERAL PERMITS**

**Application(s) for Determination of Applicability Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGM019D006. Rohrer Quarry, Inc., 16 Lititz Road, Lititz, PA 17543.**

The Department of Environmental Protection, Bureau Waste Management has received an application for a renewal of a determination of applicability (DOA) under the Municipal Waste General Permit (No. WMGM019) for Rohrer Quarry, Inc., located in Lancaster County. This general permit is for the processing and beneficial use of: (1) concrete and asphalt as construction material and (2) hardwood timber and uncontaminated soil to create topsoil and mulch for commercial purposes. The Department determined the renewal application to be administratively complete on October 2, 2013.

Written comments concerning the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Comments may also be submitted via e-mail at rapenuseall@pa.gov. When submitting comment via e-mail, place "Comments on General Permit Number WMGM019D006" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

*South Central Regional Office: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**General Permit No. WMGM039-SC006. Blair County Resource Recovery Facility, Inc., 1356 Old 6th Avenue Road, Altoona, PA 16603.** The Department of Environmental Protection has received an application under General Permit WMGM039 from Blair County Resource Recovery Facility, Inc. This Determination of Applicability is for their location at 1356 Old 6th Avenue Road, Altoona, PA 16603 in Logan Township, **Blair County** and is for the processing and beneficial use of post-consumer and pre-consumer asphalt shingles as an ingredient in hot-mix and cold-mix asphalt paving material, a component of a sub-base material, as dust control on rural roads when applied with a binder, and as a component or ingredient in fuel used in cement or manufacturing or in the generation of steam or electricity.

Persons interested in reviewing the general permit may contact John Oren, Facilities Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

**AIR QUALITY**

**PLAN APPROVAL AND OPERATING PERMIT  
APPLICATIONS  
NEW SOURCES AND MODIFICATIONS**

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920*

**46-0001A: JBS Souderton, Inc.** (741 Souder Road, Souderton, PA 18964) for installation of a flue gas recirculation system on an existing 25.4 MMBtu/hr York



Shipleigh Boiler (Source ID 031) at their rendering plant in Franconia Township, **Montgomery County**. JBS is a major source of Nitrogen Oxide (NO<sub>x</sub>) emissions, currently operating under Title V Operating Permit No. 46-00001. The installation will not trigger New Source Review or Prevention of Severe Deterioration for any criteria pollutant, including Greenhouse Gases. The source is not subject to Compliance Assurance Monitoring pursuant to 40 CFR Part 64 because the potential pre-control NO<sub>x</sub> emissions are less than the major facility threshold for the Philadelphia Consolidated Metropolitan Statistical Area (25 tpy). The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**47-00001M: PPL Montour LLC** (P.O. Box 128, Washingtonville, PA 17884-0128) for a plan approval to establish performance or emissions standards for the auxiliary boilers located at the Montour SES, which is located in Derry Township, **Montour County**. The Department has incorporated the major source boiler MACT requirements from 40 CFR Part 63 Subpart DDDDD as applicable to the auxiliary boilers at the Montour SES facility. Auxiliary boiler 11B is authorized to operate under the facility Title V operating permit (TVOP 47-00001). Auxiliary boiler 11A is authorized for construction and operation pursuant to the terms and conditions of Plan Approval 47-00001E. All existing requirements from the previous air quality authorizations remain in effect for these existing sources. There will be no increase in emissions of air contaminants associated with this plan approval. The facility has elected to restrict operation of Unit 11B in order to be exempt from the requirements of Subpart DDDDD except for the requirements to perform a tune-up prior to January 31, 2016 and every 5 years thereafter as well keep records of the fuel usage for the days the unit has operated to verify compliance with the capacity factor restriction. There is monitoring, recordkeeping and reporting requirements established in the plan approval in order to verify compliance with the applicable requirements from Subpart DDDDD of 40 CFR Part 63.

Based on the above, the Department intends to issue a plan approval in order to process the above referenced application. The facility will continue to be a major (Title V) facility. Additionally, if the Department determines that the sources are operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into Title V Operating Permit 47-00001 via an administrative amendment.

The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable air quality regulatory requirements:

1. Pursuant to 40 CFR 63.7500(a) and (f), the rate of emission from the exhaust of Source ID 033A, Boiler 11A, shall not exceed the limits as follow; (i) carbon monoxide—130 ppm, dry basis, corrected to 3% oxygen; and (ii) filterable particulate matter—0.0079 lb/MMBtu of heat input or total selected metals—0.000062 lb/MMBtu of heat input

2. (a) No later than July 29, 2016, the permittee shall conduct an EPA reference method performance testing program(s) on Boiler 11A as part of the initial compliance demonstration.

3. As part of the initial compliance demonstration requirements and prior to the initial conducting an EPA reference method performance testing program, the permittee shall obtain Phase I approval for the continuous monitoring systems that are required to be installed, maintained and operated according to 40 CFR Part 63, Subpart DDDDD and 25 Pa. Code Chapter 139.

4. (a) The permittee shall comply with the applicable notification, reporting and recordkeeping requirements as specified in 40 CFR 63.7545, 63.7550 and 63.7555.

5. Pursuant to 40 CFR 63.7500(a)(1), the permittee shall comply with the tune-up requirements, as specified in 40 CFR 63.7540(a)(10)—(14). The frequency of tune-up for Boiler 11A is every 2 years and for Boiler 11B, Source ID 034, every 5 years.

Any person(s) wishing to protest issuance of the plan approval that they believe should be considered in the Department's review of the respective plan approval application may do so by submitting the protest or comments in writing to the Department at the address listed below. Protests or comments must be received by the Department within 30 days from the last date of this publication in order to be considered. Each written protest or comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval (specify Plan Approval No. 47-00001M) and a concise statement explaining the relevancy of the protest or comments to issuance of the plan approval.

A public hearing may be held, if the Department in its discretion, decides that such a hearing is warranted based on the information received. All persons protesting the issuance of the plan approval, submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper of general circulation in the area, or by letter or telephone, if the Department determines such notification is sufficient.

A copy of the plan approval application and all pertinent document used in the evaluation of the application are available for public review between 8 a.m. and 4 p.m. at the Department's North Central Regional Office. Appointments for scheduling a review may be made by calling the Department at 570.327.0550. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, North Central Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodations to participate should contact the Department's North Central Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800.654.5984.

**19-00024A: Benton Foundry, Inc.** (5297 State Route 487, Benton, PA 17814-7641) for a plan approval to modify and expand their finishing department by constructing new grinders and shot blast machines and replacing an existing fabric collector with a new air pollution control system consisting of a knock out box and a 60,000 acfm fabric filter collector at their iron foundry in Sugarloaf Township, **Columbia County**. The expan-

sion of the finishing department is subject to the Best Available Technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department has determined that the proposed levels of the air contaminants emissions satisfy the Department's BAT requirements.

Based on the findings presented above, the Department intends to issue a plan approval for the proposed project. The following is a summary of the conditions that the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable air quality regulatory requirements:

1. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID P120 is the finishing department at the foundry consisting of the following existing sources:

- Eight (8) manual grinders
- Two (2) robotic grinding system
- Two (2) shot blast machines
- One (1) spinner hanger shot blast machine
- One (1) cut off saw

and the following new sources constructed pursuant to this plan approval:

- Two (2) manual Setco 307/Fox 423 manual grinders (or equivalent)
- One (1) Wheelabrator model 28 Super shot blast machine
- Two (2) Fox 424 robotic grinding machines
- One Foxall 636 robotic grinding machine
- One Vulcan/Fox continuous shot blast machine

The air contaminant emissions from all of Source ID P120 shall be controlled by a knock out box and a 60,000 acfm fabric filter collector.

2. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the total particulate matter emissions in the exhaust of the fabric filter collector shall not exceed 0.005 grains per dry standard cubic foot.

3. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, there shall be no visible emissions present in the exhaust of the fabric filter collector associated with the finishing department.

4. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the fabric filter collector associated with the finishing department shall be equipped with instrumentation which

5. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the air compressor that supplies compressed air to the fabric filter collector shall be equipped with an air dryer and oil trap.

6. (a) Within 120 days of the installation of the fabric filter collector authorized by this plan approval, the permittee shall conduct particulate matter stack testing upon the exhaust of the fabric collectors to determine compliance with the particulate matter emission limitations for the collectors.

(b) At least sixty (60) days prior to the performance of the stack testing required by this condition, a test plan shall be submitted to the Department for evaluation. The plan shall contain a description of the proposed test methods and dimensioned drawings or sketches showing the test port locations.

(c) The Department shall be given at least fourteen (14) days advance notice of the scheduled dates for the performance of the stack testing required by this condition.

(d) Within sixty (60) days of the completion of the stack tests required by this condition, two copies of the test report shall be submitted to the Department. This report shall contain the results of the tests, a description of the testing and analytical procedures actually used in performance of the tests, all process and operating data collected during the tests, a copy of all raw data, and a copy of all calculations generated during data analysis.

7. The permittee shall notify the Department within 30 days of selection of the specific make and model of the fabric filter collector with documentation which supports that the unit can meet the particulate matter emission limitation.

8. The permittee shall record the pressure drop across the fabric filter collector associated with the finishing department at least once per day. These records shall be retained for a minimum of five years and be presented to the Department upon request.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570 327 3693.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Permit No. 19-00024A) and concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570 327 3648.

*Department of Public Health, Air Management Services:  
321 University Avenue, Philadelphia, PA 19104*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426*

**AMS 13165: Philadelphia West Eco-Energy Distribution Services** (Delaware and Governors Avenue Philadelphia, PA 19148) for Installation and operation of 4 tanks of capacity 3.6 mmgal each for ethanol and crude oil storages and the transfer of crude oil and ethanol from truck racks and barge racks with a vapor combustion system (VCS) In the City of Philadelphia, **Philadelphia**

**County.** A volatile Organic Compound emission at the facility is limited to less than 25 tons per rolling 12-month period.

The plan approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

Copies of all documents and information concerning this plan approval are available for review in the offices of AMS, room 218, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours. Persons wishing to review these documents or to submit written comments should contact Ms. Karen Smith (215 685-9493) at the above address. All written comments must be received within 30 days from the date of this public notice. Comments received by facsimile will not be accepted.

### OPERATING PERMITS

#### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**46-00025: Johnson Matthey, Inc.** (900 River Road, Conshohocken, PA 19428), located This action is a renewal of the original Title V Operating Permit in Upper Merion Township, **Montgomery County** which was issued on December 4, 2008. This proposed renewal of the Title V Operating permit does not authorize any increase in air emissions of regulated pollutants above previously approved levels. Some sources have been, however, been removed or replaced from the facility. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**65-00853: ArcelorMittal-Monessen, LLC** (345 Donner Avenue, Monessen, PA 15062). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue an initial Title V Operating Permit (TV-65-00853) to ArcelorMittal-Monessen, LLC for the operation of the Monessen Coke Plant, located in the City of Monessen, **Westmoreland County**.

The principle sources of air emissions at this facility include two (2) by-product coke oven batteries (1B and 2), where operation thereof consists of raw material charging, product pushing and quenching, and battery soaking; stockpiling and material handling operations; a coke oven gas (COG) desulfurization plant; two (2) COG-fired boilers each rated at 186 MMBtu/hr; a coke oven byproducts recovery plant; and COG flares.

The Monessen Coke Plant is a major facility subject to the operating permit requirements of Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permit requirements). In 2008, ArcelorMittal-Monessen reported emitting the following type and quantity of air contaminants (on an annual basis) from the Monessen Coke

Plant: 269.9 tons of carbon monoxide (CO), 424.4 tons of nitrogen oxides (NO<sub>x</sub>), 41.3 tons of particulate matter, 10-micron (PM<sub>10</sub>), 30.6 tons of particulate matter, 2.5-micron (PM<sub>2.5</sub>), 395.6 tons of sulfur oxides (SO<sub>x</sub>), 39.3 tons of volatile organic compounds (VOC), 6.4 tons of benzene (a hazardous air pollutant), 17.75 tons of hazardous air pollutants (combined). The Monessen Coke Plant also has the potential to emit approximately 282,000 tons of greenhouse gases (GHGs).

The emission restrictions and testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, 61, 63, 68, and 70, and 25 Pa. Code Chapters 121—145.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Title V Operating Permit 65-00853) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests, and requests for a public hearing should be directed to Devin P. Tomko, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Devin P. Tomko at (412) 442-5231.

#### **Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**09-00154: Bucks County Water and Sewer Authority** (1275 Almshouse Road, Warrington, PA 18976) for a renewal for a Non-Title V Facility, State-Only, Natural Minor Permit in Doylestown Township, **Bucks County** at their facility at Pine Run Road and Old Dublin Pike. Bucks County Water and Sewer Authority is a sewage treatment plant. The sources of emissions include an emergency generator and the wet well controlled by a scrubber. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409*

**40-00012: Pa. Department of Corrections—Retreat SCI** (PO Box 598, Camp Hill, PA 17001-0598) for a renewal state only (synthetic minor) operating permit for a corrections facility in Newport Township, **Luzerne County**. The facility's main sources include three (3) #2 fuel oil fired boilers. The facility is taking site level limitations on fuel type and usage in order to maintain synthetic minor status. The proposed State Only Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

**39-00021: Lehigh Valley Hospital** (17th and Chew Streets, Allentown, PA 18105-7017) a renewal state only (synthetic minor) operating permit for a medical facility in the City of Allentown, **Lehigh County**. The facility's main sources include three (3) gas and #2 fuel oil fired boilers and two (2) diesel fired emergency generators. The facility is taking limitations on #2 fuel oil usage and operating hours in order to maintain synthetic minor status. The proposed State Only Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.*

**01-03022: Agricultural Commodities, Inc.** (1585 Granite Station Road, Gettysburg, PA 17325) for operation of an animal feed manufacturing plant in Straban Township, **Adams County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the abovementioned facility.

Actual 2012 emissions at the facility are estimated to be 29.2 tons per year of PM, 2.8 tons per year of NO<sub>x</sub>, 1.7 ton per year of CO and less than one ton each of SO<sub>x</sub>, VOC and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart DDDDDDD—National Emission Standards for Hazardous Air Pollutants for Area Sources: Prepared Feeds Manufacturing and 40 CFR Part 60, Subpart Dc—Standards of

Performance for Small Industrial-Commercial-Institutional Steam Generating Units.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments, protests or requests for a public hearing.

Mr. Gary Helsel, P.E., Acting New Source Review Chief, may be contacted at 814-949-7935, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments, protests or requests for a public hearing.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**17-00025: K & F Wood Products, Inc.** (84 Sawmill Street, Beccaria, PA 16616) for renewal of the State Only Operating Permits for their facility in Beccaria Township, **Clearfield County**. The facility is currently operating under the State Only operating permit 17-00025. The facility's sources include two wood-fired boilers and wood working equipment. The facility has potential emissions of 8.53 tons per year of nitrogen oxides, 10.07 tons per year of carbon monoxide, 0.44 ton per year of sulfur oxides, 62.09 tons per year of particulate matter and 1.19 ton per year of volatile organic compounds 0.63 ton per year of total hazardous air pollutants (HAPs), and 58,464 tons per year of carbon dioxide equivalents (greenhouse gases). No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting, and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Part 60, and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570 327-0550.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed operating permit (specify State

Only Operating Permit No. 17-00025) and concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570 327 3648.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew M. Williams—Telephone: 814-332-6131*

**20-00130: Meadville Forging** (15309 Baldwin Street Extension PO Box 459 Meadville, PA 16335) for renewal of the Natural Minor Operating Permit for iron and steel forgings in Meadville City, **Crawford County**. The facility's primary emission sources include presses, hydraulic and mechanical shears, electric discharge machines (EDMs) to cut metal, heat treating units, preheating units, shot blasters, parts washers, and emergency generators. The dry abrasive blasting and machining operations are subject to 40 CFR 63 Subpart XXXXXX—NESHAPs for Nine Metal Fabrication and Finishing Source Categories. The emergency generators are subject to 40 CFR 63 Subpart ZZZZ—NESHAPs for Stationary Reciprocating Internal Combustion Engines. The facility is an Area Source for all pollutants including HAPs. The conditions of the previous operating permit, the previous plan approvals, and the new Federal requirements are incorporated into the renewal permit.

**25-00360: The Electric Materials Co.** (PO Box 390, North East, PA 16428) to renew a State Only Operating Permit for the copper products manufacturing facility in the Borough of North East, **Erie County**. The facility is a Synthetic Minor. The primary sources at the facility include emissions from furnaces including induction furnaces, degreasing operations including a Trichloroethylene vapor degreaser, shot blasting operations, dip tanks, core machines, and natural gas combustion. The conditions of the previous plan approvals and operating permit were incorporated into the renewal permit. This facility is subject to 40 CFR Part 63 Subpart T—National Emission Standards for Halogenated Solvent Cleaning, for which the applicable requirements are included in the renewal permit. The facility has taken federally-enforceable emissions restrictions of less than 25 tons VOCs per year and less than 10 tons any individual HAP per year and less than 25 tons all HAPs combined per year. Potential emissions from the facility are < 10 tpy for any single HAP and < 25 tpy total HAPs; VOC's < 50 tpy; NO<sub>x</sub>, 45.81 tpy; SO<sub>x</sub>, 0.17; CO, 17.48 tpy; PM, 93.05 tpy. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**42-00147: W. R. Case & Sons Cutlery Co.** (PO Box 4000, Bradford, PA 16701) to renew a State Only Operating Permit for their cutlery manufacturing facility in Bradford Township, **McKean County**. The primary sources at the facility are 4 scrap collection systems, dust collection systems, a cold cleaning machine, 5 natural gas space heaters, and a 100 kW natural gas fueled emergency generator. Potential Emissions for the site are less than the Title V thresholds. The facility is a Natural Minor. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

## PLAN APPROVALS

---

**Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409*

**40-00118A: Valmont Newmark, Inc.** (225 Kiwanis Boulevard West Hazleton, PA 18202) for their facility located in West Hazleton Borough, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Valmont Newmark, Inc. (225 Kiwanis Boulevard West Hazleton, PA 18202) for their facility located in West Hazleton Borough, Luzerne County. This Plan Approval No. 40-00118A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 40-00118A is for plasma cutting operations, which is subject to MACT Subpart XXXXXX requirements. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 40-00118A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

**45-00015A: Tarheel Quarry, LLC** (Tarheel Quarry) (PO Box 900, Blakeslee, PA 18610) for their facility in Tobyhanna Township, **Monroe County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Hazleton Hiller, LLC (Stockton Mountain Road Site) (414 Stockton Mountain Road, PO Box 435, Hazleton, PA 18201) for their facility located in Hazle Twp, Luzerne County. This Plan Approval No. 40-00126A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 40-00126A is for (1) Williams Crusher Model Slugger C32, (1) Carrier Vibrating Equipment Model Qad-4860S-20-6. The crushing operation is subject to NSPS Subpart Y requirements. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 40-00126A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation

Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company, LLC**, (PO Box J, 1525 Pleasant Grove Rd., Claysville, PA 15323). To revise the permit for the Enlow Fork Mine in Morris Township, **Washington County** and related NPDES permit to install the 4 North #1 Airshaft Portal and Bathhouse Site. Surface Acres Proposed 1.3. No additional discharges. The application was considered administratively complete on October 8, 2013. Application received August 8, 2013.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 56130110 and NPDES No. PA0269263. Hoffman Mining, Inc.**, P. O. Box 130, 118 Runway Road, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface and auger min in Shade Township, **Somerset County**, affection 683.6 acres. Receiving streams: unnamed tributaries to/and Fallen Timber Run; unnamed tributaries to the Stonycreek River, classified for the following uses: cold water fisheries; trout stocked fishery. The first downstream potable water supply intake from the point of discharge is Hooversville Borough. Application received: September 20, 2013.

This application includes the following encroachments to streams and wetlands within the proposed permit area. All of the following encroachments have already been approved under the previously issued surface mining permit No. 56090112.

- Conducting mining activities within 100 feet of Fallen Timber Run, Unnamed Tributary “D” to Fallen Timber Run, and the Unnamed Tributaries “F” & “G” to Stonycreek River. Activities include construction of ponds and ditches, coal removal, and temporary storage of topsoil & spoil.
- Relocation of Fallen Timber Run as part of an environmental enhancement plan to return Fallen Timber Run to its approximate original channel location from its current location near a previously mined spoil area. The relocation area begins 8,900 feet above SR 403 and continues for approximately 1140 feet upstream.
- Unnamed Tributaries “D” and “G” will be mined through and reestablished after mining is completed. These tributaries currently enter surface voids therefore their reconstruction will constitute an environmental enhancement.
- Unnamed Tributary “F” will be crossed by a haul road and a culvert pipe will be installed.
- A stream crossing will be established on Fallen Timber Run for the purpose of tramping equipment. The proposed crossing is located approximately 12,000 feet upstream from SR 403 and 1/4 mile west of Fallen Timber Road.
- 0.5 acre of wetlands will be impacted due to the relocation of Fallen Timber Run. The impacted wetlands

will be mitigated by constructing 0.5 acre of replacement wetlands adjacent to existing wetlands when constructing the replacement channel for Fallen Timber Run.

The encroachments listed above have received 401 certification under the previously issued surface mining permit No. 56090112.

*Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**03900109 and NPDES Permit No. PA0200476. Rosebud Mining Company** (301 Market Street, Kittanning, PA 16201). Renewal application for reclamation only of an existing bituminous surface mine located in Kittanning Township, **Armstrong County**, affecting 92.5 acres. Receiving streams: Campbell Run to Crooked Creek to Allegheny River, classified for the following use: WWF (warm water fishes). There is no potable water supply intake within ten miles downstream from the point of discharge. Renewal application received: October 8, 2013.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**49871304R5. West Cameron Mining**, (3207 Upper Road, Shamokin, PA 17872), renewal of an existing anthracite underground mine operation for reclamation activities only in West Cameron Township, **Northumberland County** affecting 6.0 acres, receiving stream: Mahanoy Creek, classified for the following use: warm water fishes. Application received: September 16, 2013.

*Noncoal Applications Denied*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 29120801. TMS Excavating, LLC**, 226 Reservoir Road, McConnellsburg, PA 17233, commencement, operation and restoration of a small noncoal operation in Ayr Township, **Fulton County**, affecting 4.1 acres, receiving stream: Big Cove Creek. Permit received:

March 5, 2012. Permit denied October 3, 2013.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 11130301 and NPDES No. PA0269255. Laurel Sand & Stone, Inc.**, 210 E. Main Street, P. O. Box 556, Ligonier, PA 15658, commencement, operation and restoration of a large noncoal (industrial minerals) operation in Jackson Township, **Cambria County**, affecting, 57.0 acres. Receiving streams: unnamed tributaries to Bracken Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 24, 2013.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**39880301A1C9 and NPDES Permit No. PA0594199. Eastern Industries, Inc.**, (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in North Whitehall Township, **Lehigh County** affecting 131.75 acres, receiving stream: Coplay Creek, classified for the following use: cold water fishes. Application received: September 12, 2013.

**8173SM1C17 and NPDES Permit No. PA0594148. Hanson Aggregates PA, Inc.**, (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Caln and West Whiteland Townships, **Chester County** affecting 303.62 acres, receiving stream: unnamed tributary to Valley Creek, classified for the following uses: cold water and warm water fishes. Application received: September 13, 2013.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\* The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*			

\* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.



More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

**NPDES No. PA0235989 (Mining Permit No. 56100701), Wilson Creek Energy, LLC**, (609 Georgian Place, Somerset, PA 15501). A revision to the NPDES and mining activity permit for the Milford #3 CRDA in Milford Township, **Somerset County** to expand the coal refuse disposal area by 47.7 acres, add two NPDES outfalls, and relocated three outfalls. Surface Acres Affected 137.1. Receiving stream: Unnamed Tributary to South Glade Creek, classified for the following use: WWF. Casselman River TMDL. The application was considered administratively complete on January 24, 2013. Application received July 24, 2012.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

*Outfall 001* discharges to: Unnamed Tributary #2 to South Glade Creek

The proposed effluent limits for *Outfall 001* (Lat: 39° 57' 47" Long: 79° 10' 02") are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow (mgd)		-	0.08	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	1.5	1.9
Osmotic Pressure (mos/kg)		-	-	REPORT
Sulfates (mg/l)		50	50	50
Total Dissolved Solids (mg/l)		-	-	REPORT
Suspended Solids (mg/l)		35	70	90
Chlorides (mg/l)		-	-	REPORT

*Outfall 002* discharges to: Unnamed Tributary #3 to South Glade Creek

The proposed effluent limits for *Outfall 002* (Lat: 39° 57' 30" Long: 79° 10' 08") are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow (mgd)		-	0.07	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	1.5	1.9
Osmotic Pressure (mos/kg)		50	50	50
Sulfates (mg/l)		-	-	REPORT
Total Dissolved Solids (mg/l)		-	-	REPORT
Suspended Solids (mg/l)		35	70	90
Chlorides (mg/l)		-	-	REPORT

*Outfall 003* discharges to: Unnamed Tributary #2 to South Glade Creek

The proposed effluent limits for *Outfall 003* (Lat: 39° 57' 46" Long: 79° 10' 02") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)		-	0.18	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	1.5	1.9
Osmotic Pressure (mos/kg)		50	50	50
Sulfates (mg/l)		-	-	REPORT
Total Dissolved Solids (mg/l)		-	-	REPORT
Suspended Solids (mg/l)		35	70	90
Chlorides (mg/l)		-	-	REPORT

*Outfall 004* discharges to: Unnamed Tributary #3 to South Glade Creek

The proposed effluent limits for *Outfall 004* (Lat: 39° 57' 30" Long: 79° 10' 02") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)		-	0.11	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	1.5	1.9
Osmotic Pressure (mos/kg)		50	50	50
Sulfates (mg/l)		-	-	REPORT
Total Dissolved Solids (mg/l)		-	-	REPORT
Suspended Solids (mg/l)		35	70	90
Chlorides (mg/l)		-	-	REPORT

*Outfall 005* discharges to: Unnamed Tributary #2 to South Glade Creek

The proposed effluent limits for *Outfall 005* (Lat: 39° 57' 46" Long: 79° 10' 02") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)		-	0.05	-
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Aluminum (mg/l)		0.75	1.5	1.9
Osmotic Pressure (mos/kg)		50	50	50
Sulfates (mg/l)		-	-	REPORT
Total Dissolved Solids (mg/l)		-	-	REPORT
Suspended Solids (mg/l)		35	70	90
Chlorides (mg/l)		-	-	REPORT

#### *Noncoal NPDES Draft Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**NPDES Permit No. PA0225363 on Surface Mining Permit No. 58132506. Edward M. Cox, Jr.**, (21838 SR 29, Montrose, PA 18801), new NPDES Permit for a GP105 bluestone quarry operation in Harmony Township, **Susquehanna County**, affecting 10.0 acres. Receiving streams: East and North Branch of Hemlock Creek/Susquehanna River Drainage Basin, classified for the following uses: designated use cold water fishes and migratory fishes; Existing Use: Exceptional Value. Application received: April 26, 2013.

Non-discharge BMP's shall be in effect.

### **FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate

the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900*

**E46-1097. Pennsylvania Department of Transport, 7000 Geerdes Blvd, King of Prussia, Franconia Township, Montgomery County. ACOE Philadelphia District**

To perform the following water obstruction and encroachment activities associated the proposed roadway and intersection realignment requiring the removal and replacement of the two structures approximately 140 feet apart on State Route 1012 (SR 1012, locally known as Godshall Road and Cowpath Road):

1. To replace and maintain a twin-cell concrete box culvert carrying Skippack Creek (TSF-MF) with a cast-in place reinforced concrete frame bridge, aligned to the stream flow direction, skewed 64 degrees to the roadway centerline with a clear span of 24 feet. The proposed bridge has an out-to-out width of approximately 98.2 feet and a hydraulic opening of approximately 68 square feet with a minimum underclearance of 2.96 feet.

2. To replace and maintain a single-span cast-in-place concrete slab bridge over the unnamed tributary (UNT) Skippack Creek (TSF-MF) with a single cell reinforced 12' x 5' concrete box culvert. The proposed box culvert, 95 feet long, aligned to the flow direction, skewed 56 degrees to the roadway centerline, depressed 1'-2" below the existing streambed, will provide an underclearance of 3'-10" and a hydraulic opening of approximately 46 square feet.

3. To construct and maintain riprap deposits to facilitate scour protection for the two bridges as required.

4. To construct and maintain roadway and bridge approach work to accommodate roadway widening that will facilitate the realignment objectives of the project scope at the two bridges within the floodway of the streams.

5. To construct and maintain eight outfall structures and their associated aprons to accommodate the realignment design of the roadway. Four will discharge to the Skippack Creek. Three of these pipe outlets are contained within the proposed bridge structure wingwalls, while the third pipe discharges between the structures, downstream of the crossing. The other four outfall structures will discharge to the UNT Skippack Creek.

The proposed activities will impact approximately 245 feet of stream length. The project site is located approximately 228 north of the intersection of Broad Street and Godshall Road in Franconia Township, Montgomery County, (Latitude N 40° 17' 50" and Longitude W 75° 19' 58")

**E09-973. Pennsylvania Turnpike Commission; Bensalem, Bristol Middletown Townships, Bucks County; ACOE Philadelphia District.**

To perform the below listed water obstruction and encroachments associated with Pennsylvania Turnpike Phase III widening and improvement construction activities in Section D10 (Milepost 355.9 to Milepost. 357.6). The activities include the widening and reconstruction of approximately 1.7 miles of eastbound Pennsylvania Turnpike (I-276) to a four-lane roadway between the I-95 overpass and the I-276 Bridge over SR 0013. It also includes the widening and reconstruction of approximately 0.9 mile of westbound I-276 to a four-lane roadway between the I-95 overpass and 1,300' east of the I-276 Bridge over New Rodgers Road (SR 0413). Specific water obstruction and encroachments are:

1) To construct and maintain a new ramp-bridge partially over (aerial impact) Mill Creek (WWF, MF) to facilitate the overall purpose of the project

2) To extend and maintained 8 X 6 Culvert (DB 245) at Road Station 222+75.02 by 25 feet carrying unnamed tributary to Mill Creek (WWF)

3) To extend and maintained 6'-8" X 5'6" Culvert (DB 246) at Road Station 513+87.97 by 25 feet carrying Unnamed tributary of Neshaminy Creek

4) To replace and maintain a 127-foot three-span bridge over Mill Creek (WWF, MF) (DB-248). The new structure will be a single span steel plate I-girder bridge with 11 feet under clearance

5) To extend and maintain two existing culverts at stations 489+82 and, 554+66.

6) To fill and maintained wetlands (PFO) at several locations as per route design stations approximately 0.483 acre

7) To fill and maintained wetlands (PSS) at several locations as per route design stations approximately 0.059 acre

8) To fill and maintained wetlands (PEM) at several locations as per route design stations approximately 1.465 acre

9) To fill and maintained wetlands (PEM, EV) at several locations as per route design stations approximately 0.218 acre

10) To relocate and maintain 56 feet of the UNT Mill Creek (WWF), place 35 feet into a new culvert and extend the existing part of the culvert by 18 feet at Station 513+53

11) To relocate and maintain 168 feet of the UNT Mill Creek (WWF), place 64 feet into a new culvert at Station 514+80

12) To relocate and maintain 105 feet of the UNT Mill Creek (WWF) at Station 142+43

13) To relocate a 658 feet section of an existing channelized stream and extend and maintained in its place a new 774 channel, Culvert at station 151+35

14) To remove a 129 feet existing culvert and relocate the channel flow to accommodate road widening at Station 152+64

15) To relocate approximately 342 feet of channel out of 352 feet of existing UNT to Mill creek (WWF) at Station 302+30

16) To remove 79 feet of culvert and relocate the channel at station 304+68

17) To relocate approximately 602 feet of channel out of 697 feet of existing UNT to Mill creek (WWF) at Station 311+50

18) To relocate approximately 137 feet of channel out of 390 feet of existing UNT to Mill creek (WWF) and create a stormwater swale out of the remaining 253 feet at 541+10

19) To relocate approximately 768 feet of channel out of 974 feet of existing UNT to Mill creek (WWF) and place the remaining portion of the channel into 206 feet culvert at Station 560+23

20) To relocate existing culvert at Station 766+40

21) To relocate approximately 514 feet of channel out of 591 feet of existing UNT to Mill creek (WWF) at Station 547+00 to create a stormwater swale and place the remaining portion in a 77 feet culvert.

22) To fill and maintain the total stream length of 877 linear feet of UNT to Mill Creek (WWF) approximately at stations 489+30, 489+82, 541+10, 142+83, 312+73 and 542+08 to facilitate roadway widening.

23) To create, construct and maintain approximately 3.526 acres of wetland(s) for mitigation of wetland impacted and the quantity lost during proposed project activities

24) To mitigate for stream impact approximately 3,473 feet at several places within the watershed as per the design drawings.

25) To impact the approximately 1.921 acres of Mill Creek (WWF) and some of her unmade tributaries floodways conducting miscellaneous grading, cutting, filling and placement of auxiliary structures to facilitate the overall object of the project at stations 221+15, 681+09, 682+54, 502+17, 690+41, 512+92, 103+25, 546+13, 542+16, 542+05, 537+62, 540+55 and 534+55.

The project has two component areas. It spans from west to east along I-276 starting just west of the proposed interchange where the present I-95 passes over I-276 and runs approximately 1.7 miles and terminates at the Delaware River Turnpike Bridge on the Pennsylvania side. It also spans from north to south extending along I-95 from one mile north of I-276 in Middletown Township, Bucks County to the east bank of the Neshaminy Creek in Bristol Township. This phase of the project passes through Bensalem, Bristol, and Middletown Townships, Bucks County, Center of area Latitude 40° 7' 45", and Longitude 74° 53' 23".

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E58-301. Cory Karl, Corporation of the Presiding Bishop, Church of Jesus Christ of Latter-Day Saints**, 50 East North Temple, COB 10th Floor, Salt Lake City, UT 84150, in Oakland Township, **Susquehanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstruction and encroachments associated with the Priesthood Restoration Project:

1. Restoration of approximately 1,065 feet of stream channel, consisting of 30 cross vanes, 21 log vanes, and 1 rock vortex weir,

2. A road crossing which carries State Route 171 over a UNT to Susquehanna River consisting of a 30-inch diameter reinforced concrete pipe culvert, headwall and end wall with riprap outlet protection, and permanent wetland impacts of approximately 0.17 acre,

3. A road crossing which carries State Route 171 over a UNT to Susquehanna River consisting of a 48-inch diameter reinforced concrete pipe culvert, headwall and end wall with riprap outlet protection, and permanent wetland impacts of approximately 0.01 acre,

4. A road crossing which carries State Route 171 over a UNT to Susquehanna River consisting of an 18-inch diameter reinforced concrete pipe culvert, headwall and end wall with riprap outlet protection.

The site is located on the north side of State Route 171 approximately 1.75 miles from its intersection with Westfall Avenue (Great Bend, PA/NY Quadrangle; Latitude: 41° 57' 9", Longitude: -75° 38' 20") in Oakland Township, Susquehanna County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E67-903: Exelon Generation Corporation**, 4948 Conowingo Road, Darlington, MD 21034 in Peach Bottom Township, **York County**, ACOE Baltimore District

To 1) construct and maintain 48.75 feet by 58.5 feet by 6.5 feet wide floating dock in and along the Susquehanna River (WWF, MF), 2) remove an existing 40 feet by 20 feet dock with a 38.75 feet and construct and maintain a 103 feet by 46.5 feet by 6.5 feet wide floating dock connected to the shore at two points in and along the Susquehanna River (WWF, MF), and 3) remove an existing 40 feet by 20 feet floating dock and construct and maintain a 45.5 feet by 48.75 feet by 6.5 feet long floating dock in and along the Susquehanna River (WWF, MF) all for the purpose of providing additional recreational facilities to meet current and future needs. The project is located in Dorsey Park East of Lay Road (Holtwood, PA Quadrangle, Latitude: 39°46'6"N, Longitude: 76°16'16"W) in Peach Bottom Township, York County.

**E07-449: PA Department of Transportation Engineering District 9-0**, 1620 North Juniata Street, Hollidaysburg, PA 16648 in Antis Township, **Blair County**, U.S. Army Corps of Engineers, Baltimore District

To: 1) remove the existing structure and to construct and maintain a 40.45-foot wide, single span concrete spread box beam structure bridge having a span of 57.45 feet and an underclearance of 3.7 feet across Sandy Run (CWF, MF) approximately 50 feet downstream from the current alignment, 2) realign 2 deficient curves in the roadway for the purpose of improving transportation safety and roadway standards, permanently impacting 0.4 acre (17,332 square feet) of exceptional value wetlands. Approximately 0.29 of these wetlands impacted will be Palustrine Emergent, 0.04 will be Palustrine Scrub-Shrub, and 0.14 will be Palustrine Forested. There will be 0.87 acre of wetlands replaced onsite (0.45 acre of PEM wetlands and 0.42 acre of PFO). The project is located along SR 4019 Section 004 in Antis Township, Blair County (Latitude: 40° 34' 9.48", Longitude: -78° 20' 53.23").

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636*

**E41-650. Laurel Hill Wind Energy**, 1464 Marshall Road, Roaring Branch, PA 17765-9210. Laurel Hill Wind Energy in Jackson Township, **Lycoming County**, ACOE Baltimore District (Muncy, PA Quadrangle Lat: 41° 31' 50"; Long: -77° 04' 01").

To construct and maintain two stream crossings in Jackson Township - Lycoming County, which is located

over unnamed tributary to Roaring Brook. The project site is located away from public access and intended to only serve the Laurel Hill Wind Energy staff during maintenance activities. The total project acreage and disturbance is less than one acre and will be constructed outside of the 100-year floodplain.

The West Crossing will consist of one (1) 71-inch x 47-inch Corrugated Metal Pipe Arch having a length of 43-feet and one (1) 30-inch Corrugated Metal Pipe having a length of 42-feet. The East Crossing will consist of one (1) 49-inch x 33-inch Corrugated Metal Pipe Arch having a length of 33-feet. The proposed crossings will not permanently impact wetlands, cultural or archaeological resources, national/state/local parks, forests recreational areas, landmarks wildlife refuge or historical sites. This project proposes to have 100 linear feet of temporary and 125 linear feet of permanent stream impacts to unnamed tributary to Roaring Brook, which is classified with a designated use of High Quality-Cold Water Fishery (HQ-CWF) and with an existing use of Exceptional Value (EV).

**E49-329. Point Township Sewer Authority**, 759 Ridge Road, Northumberland, PA 17857. Lithia Spring Sewer Extension in Point Township, **Northumberland County**, ACOE Baltimore District (Northumberland, PA Quadrangle Latitude: 40° 55' 11"; Longitude: -76° 45' 51").

The permit application proposes construction of an 8-inch sanitary sewer and manholes within the 100 yr floodplain of Lithia Spring Creek, Cold Water Fishery. This project consists of installation of sanitary sewer line and manholes either below grade or at grade. All wetland areas have been avoided by utilization of the existing road right of way. This project is located along Ridge road, Spruce Hollow Road, Roush Road, Whitetail Land, Meadow Lane, Church Drive, Bulk Plant Road, Bird Land and additional Private streets in Point Township, Northumberland County.

**F41-003. Lycoming County**, 48 W. Third Street, Williamsport, PA 17701. Floodplain encroachment demolition in the Borough of Montoursville (3), Loyalsock Township (1) and Fairfield Township (1), **Lycoming County**, US ACOE Baltimore District. Lycoming County is seeking authorization to demolish existing floodplain encroachments (flood damaged structures) and to re-grade the floodplain at the following locations.

Borough of Montoursville

209 Broad Street, Montoursville, PA 17754-Montoursville North Quadrangle, Lat.: 41° 15' 0.8" N, Long.: -76° 55' 50.5" W

155 Crawford Alley, Montoursville, PA 17754-Montoursville North Quadrangle, Lat.: 41° 15' 1.4" N, Long.: -76° 55' 51.9" W

227 Broad Street, Montoursville, PA 17754-Montoursville North Quadrangle, Lat.: 41° 15' 29.9" N, Long.: -76° 55' 46.8" W

Loyalsock Township

2520 Heshbon Road, Williamsport, PA 17701-Cogan Station Quadrangle, Lat.: 41° 16' 15.3" N, Long.: -77° 03' 12.3" W

Fairfield Township

340 Lyons Barr Road, Montoursville, PA 17754-Montoursville North Quadrangle, Lat.: 41° 16' 48.1" N, Long.: -76° 54' 54.9" W

*Southwest Region: Southwest District Oil and Gas Manager, 400 Waterfront Drive, Pittsburgh PA 15222*

**E30-07-006. Penneco**, 6608 Route 22, Delmont PA 15626. Center Township, **Greene County**, Pittsburgh ACOE District (Rogersville Quadrangle, Latitude N 39° 53' 49.20" Longitude -80° 21' 08.04") Chapter 93 Type Jacob's Creek, HQ-WWF.

Project is to construct a prefabricated Steel bridge, 50 feet long across Jacob's Creek, a High Quality, Warm Water Fishery, to access an existing gas well pad and eliminate a ford crossing, in Center Township, Greene County, Pittsburgh ACOE District (Rogersville Quadrangle, Latitude N 39° 53' 49.20" Longitude -80° 21' 08.04"). This project will permanently impact 40 feet of stream. The upstream watershed drainage area is 1.97 square mile.

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1691. Bove Development Corp.**, 5851 Brian Drive, Bethel Park, PA 15102, Municipality of Bethel Park, Allegheny; ACOE Pittsburgh District

Applicant proposes to relocate approximately 485' of two (2) headwater watercourses, within the Lick Run watershed (TSF), by constructing an approximately 338' long, open channel, for the purpose of constructing a detention basin, within the proposed Millennium Woods residential subdivision. Portions of one of the existing watercourses are currently enclosed within a 6" pipe (approx. 300') and a 30" pipe (approx. 35'). This subdivision will be located between Horning Road and Baptist Road, within the Municipality of Bethel Park, Allegheny County. (Bridgeville, PA Quadrangle N: 17.2 inches; W: 2.43 inches; Latitude: 40° 20' 40.9"; Longitude: 80° 1' 2.9".)

**E63-651. Wayne and Cheryl Griffith**, 10 Hillman Street, Bentleyville, PA 15314, West Bethlehem Twp., **Washington County**; ACOE Pittsburgh District

Applicant proposes to construct and maintain a private access road, consisting of three (3) 48" RCP culverts, in Little Daniels Run (WWF), for the purpose of providing access to a single family home. The culverts will be 16' long, and the center culvert will be depressed 1' below the stream bed elevation. The addition of upstream and downstream wing walls will extend the total impact to the watercourse, to approximately 30'. The project is located off of Marianna-Lone Pine Road, approximately 2600' northwest of its intersection with Scenery Hill Road (USGS Ellsworth, PA Quadrangle; N: 6.74 inches; W: 13.75 inches; Latitude: 40° 2' 13.56"; Longitude: 80° 5' 53.73"), in West Bethlehem Township, Washington County.

*District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E5729-063: Appalachia Midstream Services, LLC**, 100 IST Center, Horseheads, NY 14845, Fox Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary access road using a timber mat bridge and a 6 inch diameter well line impacting 150 linear feet of Porter Creek (EV) (Shunk, PA Quadrangle 41°34'03"N, 76°42'45"W);

2) A temporary access road using a timber mats and a 6 inch diameter well line impacting 6,229 square feet of

an exceptional value palustrine emergent (EV-PEM) wetland (Dushore, PA Quadrangle 41°31'24"N, 76°25'57"W);

3) A temporary access road using a timber mats and a 6 inch diameter well line impacting 2,875 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Dushore, PA Quadrangle 41°33'50"N, 76°42'12"W);

4) A temporary access road using a timber mats and a 6 inch diameter well line impacting 2,744 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Dushore, PA Quadrangle 41°33'47"N, 76°42'12"W);

The project will result in 150 linear feet of temporary stream impacts, 9,104 square feet (0.21 acre) of temporary wetland impacts, and 2,744 square feet (0.06 acre) of permanent wetland impacts all for the purpose of installing a gathering line for Marcellus well development in Fox Township, Sullivan County. The permittee will provide 0.06 acre of compensatory mitigation at an offsite location (Overton, PA Quadrangle 41°33'44"N 76°34'31"W) in Elkland Township, Sullivan County.

**E4129-081: Anadarko Marcellus Midstream, L.L.C.**, 33 West Third Street, Suite 200, Williamsport, PA 17701, Cogan House and Cummings Townships, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) one 16-inch natural gas line, two 6-inch water lines, one fiber optic/ electric line, and a timber mat bridge impacting 157 linear feet of Lawshe Run (EV, MF) and an unnamed tributary to Lawshe Run (EV, MF) (English Center, PA Quadrangle 41°22'32"N, 77°16'14"W);

2) one 16-inch natural gas line, two 6-inch water lines, one fiber optic/ electric line, and a timber mat bridge impacting 53 linear feet of an unnamed tributary to Second Fork Larrys Creek (EV, MF) and 1,379 square feet of adjacent palustrine emergent (PEM) wetland (English Center, PA Quadrangle 41°22'57"N, 77°15'14"W);

3) one 16-inch natural gas line, two 6-inch water lines, one fiber optic/ electric line, and a timber mat bridge impacting 52 linear feet of Second Fork Larrys Creek (EV, MF), 54 linear feet of a UNT to Second Fork Larrys Creek (EV, MF), and 1,542 square feet of adjacent palustrine emergent (PEM) wetlands (English Center, PA Quadrangle 41°22'57"N, 77°15'13"W);

4) one 16-inch natural gas line, two 6-inch water lines, one fiber optic/ electric line, and a timber mat bridge impacting 1,069 square feet within the floodway of an unnamed tributary to Second Fork Larrys Creek (EV, MF) (English Center, PA Quadrangle 41°22'57"N, 77°15'13"W);

5) a timber mat bridge impacting 22 linear feet of an unnamed tributary to Lawshe Run (EV, MF) (Waterville, PA Quadrangle 41°22'18"N 77°16'16"W)

6) a timber mat bridge impacting 27 linear feet of an unnamed tributary to Lawshe Run (EV, MF) (Waterville, PA Quadrangle 41°22'18"N 77°16'16"W)

7) fill for a temporary access road impacting 2,999 square feet within the floodway of an unnamed tributary to Lawshe Run (EV, MF) (Waterville, PA Quadrangle 41°21'58"N 77°15'41"W)

8) fill for a temporary access road impacting 8901 square feet within the floodway of an unnamed tributary to Lawshe Run (EV, MF) (Waterville, PA Quadrangle 41°22'18"N 77°16'08"W)

9) a timber mat bridge impacting 22 linear feet of an unnamed tributary to Lawshe Run (EV, MF) (Waterville, PA Quadrangle 41°22'19"N 77°16'09"W)

10) a timber mat bridge impacting 23 linear feet of an unnamed tributary to Lawshe Run (EV, MF) (Waterville, PA Quadrangle 41°22'23"N 77°16'13"W)

11) a timber mat bridge impacting 2,478 square feet of palustrine emergent (PEM) wetland and 7,958 square feet within the floodway of an unnamed tributary to Lawshe Run (EV, MF) (Waterville, PA Quadrangle 41°22'29"N 77°16'15"W);

12) a timber mat bridge impacting 20 linear feet of an unnamed tributary to Second Fork Larrys Creek (EV, MF) and 26 square feet of adjacent palustrine emergent (PEM) wetland (English Center, PA Quadrangle 41°22'47.59"N, -77°15'10.60"W).

The project will result in a total of 430 linear feet of stream impacts, 0.12 acre of wetland impacts, and an additional 0.48 acre of floodway impacts all for the purpose of installing a natural gas gathering line, water line, and temporary access roadways for Marcellus well development.

**E0829-072: PVR NEPA Gas Gathering, LLC**, 101 West Third Street, Williamsport, PA 17701, West Burlington Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 12 inch diameter natural gas line and a temporary timber mat bridge impacting 4,472 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41°44'02", Longitude: -76°37'46");

2. a 12 inch diameter natural gas line, an electrical line and a temporary timber mat bridge impacting 1,042 square feet of a Palustrine Scrub-Shrub Wetland (Leroy, PA Quadrangle, Latitude: 41°44'03", Longitude: -76°37'46");

3. a temporary timber mat bridge impacting 628 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41°44'04", Longitude: -76°37'47");

4. a 12 inch diameter natural gas line, an electrical line and a temporary timber mat bridge impacting 16 linear feet of an unnamed tributary to North Branch Towanda Creek (CWF, MF) and impacting 5,973 square feet of an adjacent Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41°44'04", Longitude: -76°37'49");

5. a 12 inch diameter natural gas line, an electrical line, and a temporary timber mat bridge impacting 51 linear feet of an unnamed tributary to North Branch Towanda Creek (CWF, MF) and impacting 2,182 square feet of an adjacent Palustrine Emergent Wetland, 1,107 square feet of a Palustrine Scrub-Shrub Wetland and 606 square feet of a Palustrine Forested Wetland (Leroy, PA Quadrangle, Latitude: 41°44'04", Longitude: -76°37'52");

6. a permanent access road impacting 674 square feet of a Palustrine Emergent Wetland (Leroy, PA Quadrangle, Latitude: 41°44'00", Longitude: -76°38'00");

The project will result in 67 linear feet or 317 square feet of temporary stream impacts and 13,929 square feet (0.32 acre) of PEM wetlands, 2,149 square feet (0.05 acre) of PSS wetland and 606 square feet (0.01 acre) of PFO wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in West Burlington Township, Bradford County. The permittee will provide 0.095 acre of wetland enhancement mitigation and 0.01 acre of wetland creation at the Wittig Mitigation Site (Factoryville, PA Quadrangle, Latitude: 41°37'11", Longitude: -75°46'22").

*Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335*

**E43-08-006, Halcon Field Service LLC**, 1000 Louisiana Street, Suite 6700, Houston, TX 77002-6003, Reges to Pilgram 1H Natural Gas Pipeline in Otter Creek and Delaware Townships, **Mercer County**, ACOE Pittsburgh District (Greenville East and Fredonia, PA Quadrangle, N: 41° 23' 13.55"; W: 80° 18' 36").

The applicant proposes to construct and maintain approximately 14,600 linear feet of 16 inch diameter, steel natural gas pipeline in Otter Creek and Delaware Townships, Mercer County, PA. The proposed pipeline will connect Halcon Field Service LLC's proposed Reges well pads to their proposed Pilgrim 1H well pad.

The water obstructions and encroachments for the purposes of installing the pipeline are described below:

1. One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Otter Creek (TSF), having 45 linear feet of temporary stream impact. 41.381175° N; -80.286441° W

2. One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Otter Creek (TSF), having 40 linear feet of temporary stream impact. 41.378887° N; -80.283665° W

3. One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Otter Creek (TSF), having 60 linear feet of temporary stream impact. 41.378145° N; -80.283616° W

4. One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Otter Creek (TSF), having 60 linear feet of temporary stream impact. 41.376655° N; -80.283535° W

5. One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine Emergent (PEM) wetland, having .05 acre of temporary impact. 41.379715° N; -80.283651° W

6. One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested/ palustrine shrub, scrub (PFO/PSS) wetland, having a crossing length of 750 linear feet. 41.38307° N; -80.295581° W

7. One (1) 16 inch diameter, steel natural gas gathering line to be bored under

a. Otter Creek (TSF), having a crossing length of 20 linear feet.

b. 41.369665° N; -80.280203° W

8. One (1) 16 inch diameter, steel natural gas gathering line to be bored under a palustrine forested/ palustrine emergent (PFO/PEM) wetland, having a crossing length of 86 linear feet. 41.369203° N; -80.279959° W

**ENVIRONMENTAL ASSESSMENTS**

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802*

**EA36-031: Borough of Manheim**, 15 East High Street, Manheim, PA 17545 in Manheim Borough, **Lancaster County**, ACOE Baltimore District

To construct and maintain a stream restoration project along 1,042 feet of Rife Run (WWF, MF) including: 1.) the creation of 458.0 feet of new stream channel; 2.) the removal of 9,500 cubic yards of legacy sediment from the floodway of Rife Run (WWF, MF); 3.) the installation of five log sills; 4.) the construction of 477.0 feet of toe wood structures; 5.) the construction of a 93.0-foot long, 6.0-foot wide pedestrian boardwalk in the floodway of Rife Run (WWF, MF), having an underclearance of 3.12 feet; and 6.) the removal of 35.0 feet of a 12.0 inch CMP pipe from the floodway of Rife Run (WWF, MF) all for the purpose of improving water quality in Rife Run. The project is located near the intersection of Rettew Lane and East High Street (Manheim, PA Quadrangle, Latitude 40°09'25.1"N, Longitude: 76°24'16.2"W) in Manheim Borough, Lancaster County. No wetlands will be impacted by this project.

**DAM SAFETY**

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460*

**D67-548. Forge Hill Orchard, Inc.**, 135 Blossom Drive, Mt. Wolf, PA 17347. To modify, operate, and maintain Naylor Lower Dam across a tributary to Hartman's Run (WWF) for the purpose of modifying an existing spillway structure in order to pass the required design storm (York Haven, PA Quadrangle; Latitude: 40.0425, Longitude: -76.7006) in East Manchester Township, **York County**.

**ACTIONS**

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### I. NPDES Renewal Permit Actions

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0083208— (Sew)	Marlin Harnish Refreshing Mountain Camp, Inc. 455 Camp Road Stevens, PA 17578	Lancaster County / Clay Township	UNT Middle Creek / 7-J	Y
PA0043672— (IW)	Michael Roberto General Dynamics— OTS (PA) Inc. 200 East High Street Red Lion, PA 17356	York County / Red Lion Borough	Fishing Creek / 7-I	Y
PA0088561 (CAFO)	Andrew Harpster Evergreen Farms, Inc. 3102 Evergreen Lane Spruce Creek, PA 16683	Huntingdon County / Franklin Township	Spruce Creek / 11-A	Y

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0219207 Sewage	Sipesville Quecreek Sewage Treatment Plant Village of Quecreek Quecreek, PA 15561	Somerset County Lincoln Township	Quemahoning Creek	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0090590 (Sewage)	Port O' Call MHP 108 Bay Street Butler, PA 16002	Butler County Penn Township	Unnamed Tributary to Glade Run (20-C)	Y
PA0103811 (Industrial Waste)	Northwest Sanitary Landfill, 1436 W Sunbury Road, West Sunbury, PA 16061	Butler County Cherry & Clay Townships	Unnamed Tributaries of South Branch Slippery Rock Creek (20-C)	Y
PA0102768 (Sewage)	Maplewood Jr./Sr. High School 30383 Guys Mills Road Guys Mills, PA 16327	Crawford County Randolph Township	Unnamed Tributary to Woodcock Creek (16-A)	Y



---

**II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions**


---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**NPDES Permit No. PA0262064**, Sewage, **Mike Clancy, The Wago Club**, 1095 Wago Road, Mount Wolf, PA 17347.

This proposed facility is located in East Manchester Township, **York County**.

Description of Proposed Action/Activity: Permit approval for authorization to discharge to Hartman Run in Watershed 7-H.

**NPDES Permit No. PA0083038, Amendment #1**, Sewage, **Ryan J. Morris**, 19 Misty Lane, Biglerville, PA 17307.

This proposed facility is located in Mount Joy Township, **Adams County**.

Description of Proposed Action/Activity: Permit approval for authorization to discharge to UNT Rock Creek in Watershed 13-D.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**NPDES Permit No. PA0025950**, Sewage, **City of Monongahela Municipal Authority**, 521 West Main Street, Monongahela, PA 15063-2615

This existing facility is located in the City of Monongahela, **Washington County**

Description of Existing Action/Activity: Permit issuance for existing discharge of treated sewage.

**NPDES Permit No. PA0026581**, Sewage, **Westmoreland Fayette Municipal Sewer Authority**, PO Box 126, Scottdale, PA 15683-0126

This existing facility is located in East Huntingdon Township, **Westmoreland County**

Description of Existing Action/Activity: Permit issuance for existing discharge of treated sewage.

---

**III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law**


---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. WQG012228**, Sewage, **Cabot Oil & Gas Corporation**, 8279 State Route 29, Montrose, PA 18801.

This proposed facility is located in Dimock Township, **Susquehanna County**.

Description of Proposed Action/Activity: Construction of a small flow treatment facility (SFTF) with a projected flow of 1,900 gpd to serve a new office building and an existing warehouse and second office building. The existing sand mound absorption area will be taken out of service and the proposed SFTF will serve the entire site.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. WQG02221302**, Sewerage, **Halifax Area Water & Sewer Authority**, PO Box 443, Halifax, PA 17032.

This proposed facility is located in Halifax Borough, **Dauphin County**.

Description of Proposed Action/Activity: Permit approval for upgrades to the Boyer Street pump station.

**WQM Permit No. 6713402**, Sewerage, **Mike Clancy, The Wago Club**, 1095 Wago Road, Mount Wolf, PA 17347.

This proposed facility is located in East Manchester Township, **York County**.

Description of Proposed Action/Activity: Permit approval for construction/operation of sewage treatment plant.

**WQM Permit No. 0186410, Transfer #1**, Sewerage, **Ryan J. Morris**, 19 Misty Lane, Biglerville, PA 17307.

This proposed facility is located in Mount Joy Township, **Adams County**.

Description of Proposed Action/Activity: Permit Transfer.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**WQM Permit No. 3013401**, Sewerage, **Morris Township**, 1317 Browns Creek Road, Sycamore, PA 15364

This proposed facility is located in Morris Township, **Greene County**

Description of proposed Action/Activity: Permit issuance for the construction and operation of a sewage treatment plant.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**WQM Permit No. WQG01201304**, Sewage, **Stephanie R. & William J. Burger**, P.O. Box 225, Saegertown, PA 16433.

This proposed facility is located in Hayfield Township, **Crawford County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. WQG018443**, Sewage, Transfer, **Rodney R. Shipton**, 282 Donation Road, Greenville, PA 16125-8008.

This existing facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Transfer of permit for a Single Residence Sewage Treatment Plant to Rodney R. Shipton from Laverne Bovard.

---

#### IV. NPDES Stormwater Discharges from MS4 Permit Actions

---

*Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI132230	Wilson Borough Northampton County, 2040 Hay Terrace, Easton, PA 18042-4617	Northampton	Wilson Borough	Bushkill Creek / Lehigh River HQ-CWF, MF, WWF and MF

---

#### V. NPDES Waiver Stormwater Discharges from MS4 Actions

---

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI138302	Winfield Township Butler County 194 Brose Road, Cabot, PA 16023	Butler	Winfield Township	Little Buffalo Creek N

---

#### VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

---

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI014613010	Matrix CBH, L.P. Forsgate Drive CN 4000 Cranbury, NJ 18512	Montgomery	Cheltenham Township	Unnamed Tributary of Tacony Creek/ Pennypack Creek TSF/MF

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI023907005R(1)	Jaindl Land Company 3150 Coffeetown Road Orefield, PA 18069	Lehigh	Upper Macungie Township	Hassen Creek (HQ-CWF, MF), UNT to Hassen Creek (HQ-CWF, MF)
PAI023907018R	PF1, Lehigh Valley 1, L.P. 729 East Pratt Street Suite 401 Baltimore, MD 21202-3341	Lehigh	Lower Macungie Township	Swabia Creek (HQ-CWF, MF)
PAI024507004R	Mr. Kenneth A. Schuchman P.O. Box 404 East Stroudsburg, PA 18301	Monroe	Smithfield Township	Marshalls Creek (HQ-CWF, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI030612006 (Issued)	Womelsdorf Robesonian Join Authority PO Box 94 Womelsdorf, PA 19567	Berks	Heidelberg Township	Furnace Creek (HQ-CWF, MF)
PAI032113001 (Issued)	US Army; Carlisle Barracks 330 Engineer Avenue Carlisle, PA 17013	Cumberland	North Middleton and Middlesex Townships, Carlisle Borough	Letort Spring Run (HQ-CWF)

*Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI050213004	Gary & Daniela Folino 170 Millview Drive Pittsburgh, PA 152338	Allegheny	Fox Chapel Borough	Squaw Run (HQ-WWF) and Rawlins Run (CWF)
PAI053013001	Morris Township 1317 Browns Creek Road Sycamore, PA 15364	Greene	Morris Township	Browns Creek (HQ-WWF)
PAI056313004	Mark Raymond 1013 Robinwood Drive South Park, PA 15129	Washington	Peters Township	Little Chartiers Creek (HQ-WWF)
PAI056513002	Westinghouse Electric Company PO Box 158 Madison, PA 15663	Westmoreland	Hempfield Township	Sewickley Creek (WWF)

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*McKean County Conservation District, 17137 Route 6, Smethport PA 16749*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI064213001	Foster Township 1185 East Main Street Bradford PA 16701	McKean	Foster Township	Kendall Creek WWF; Foster Brook CWF; Bennett Brook CWF; S. Br. Knapp Creek CWF; Unt S. Br. Cole Creek EV; Lafferty Run WWF

---

## **VII. Approvals to Use NPDES and/or Other General Permits**

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

### **List of NPDES and/or Other General Permit Types**

---

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02**Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Bristol Township Bucks County	PAG0200 0913033	Beneficial Bank 34 S. Sycamore Street Newtown, PA 189401	Newtown Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Chester Borough Chester County	PAG0200 1513023	Stanab, L.P. 433 W. Market Street West Chester, PA 19382	Taylor Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Birmingham Township Chester County	PAG0200 1513031	Bainbridge Homes, Inc. 276A Dilworthtown Road West Chester, PA 19382	Brandywine Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
London Grove Township Chester County	PAG0200 1513025	Jim Yannie P. O. Box 378 West Grove, PA 19390	White Clay Creek CWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Thornbury Township Chester County	PAG0200 1513027	Thornbury Township 8 Township Drive Cheyney, PA 19319	E. Branch Chester Creek (aka Cheyney Run) TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Garden Township Chester County	PAG0200 1513032	Basciani Mushroom Farm 8876 Gap Newport Pike Avondale, Pa 19311	Unnamed Tributary to Egypt Run CWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Thornbury Township Delaware County	PAG0200 2312014-1	Cheyney University of Pennsylvania P. O. Box 260 Cheyney, PA 19319	E. Branch Chester Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Hanover Township Montgomery County	PAG0200 460518R-1	Hanover Woods 1030 Reed Street Reading, PA 19610	Swamp Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Providence Township Montgomery County	PAG0200 4607150R	Andrew Semon 4 Hillman Drive, Suite 120 Chadds Ford, PA 19317	Unnamed Tributary to Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Skippack Township Montgomery County	PAG0200 4613046	Americo Moscariello 24 Donny Brook Way Collegeville, PA 19426	Unnamed Tributary to Skippack Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Weisenberg Twp. Lehigh County	PAG02003913013	John Seiffert Palram Arcadia Real Estate Holdings 9735 Commerce Circle Kutztown, PA 19530	Mill Creek (TSF, MF)	Lehigh County Conservation District 610-391-9583
Upper Saucon Twp. Lehigh County	PAG02003913003	Van Dobson LUP114, LLC 461 Webster Street Bethlehem, PA 18015	Saucon Creek (CWF, MF)	Lehigh County Conservation District 610-391-9583
Tatamy Borough Northampton County	PAG02004813016	Becknell Services, LLC 4242 South 1st Avenue, Suite D Lyons, IL 60534	Schoeneck Creek (WWF, MF)	Northampton County Conservation District 610-746-1971
Auburn Borough Schuylkill County	PAG02005413012	HRI Incorporated 1750 W. College Ave. Suite 2 State College, PA 16801	Bear Creek (CWF, MF) Schuylkill River (CWF, MF)	Schuylkill County Conservation District 570-622-3742

## NOTICES

6431

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
West Hanover Township, Dauphin County	PAG02002208038R (Issued)	Fishing Creek Valley Assoc. LP Richard Yingst 4712 Smith Street Harrisburg, PA 17109	Beaver Creek (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Londonderry Township, Dauphin County	PAG02002210006R(1) (Issued)	Love's Travel Stops & Country Stores 10601 N Pennsylvania Ave Oklahoma City, OK 73120	Swatara Creek (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
City of Altoona, Blair County	PAG02000709002R (Issued)	Eight Hundred Logan Blvd, LP Dan Lawruk 259 Lakemont Park Blvd Altoona, PA 16602	Mill Run (WWF)	Blair Co Conservation District 1407 Blair St Hollidaysburg, PA 16648 814.696.0877
Clay Township, Lancaster County	PAG02003608057R (Issued)	Lincoln Land Group Inc 1737 W Main Street Ephrata, PA 17522	Indian Run & Middle Creek (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Manheim Township, Lancaster County	PAG02003608083R (Issued)	Eden Rock Partners 2137 Embassy Drive Lancaster, PA 17603	UNT to Conestoga River (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
East Cocalico Township, Lancaster County	PAG02003613061 (Issued)	Muddy Creek Partners LLC PO Box 7119 Cumberland, RI 02864	Little Muddy Creek (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
East Lampeter Township, Lancaster County	PAG02003613065 (Issued)	Fisher & Fisher Enterprises LLC 667 Hartman Station Road Lancaster, PA 17601	Stauffer Run (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Manor Township, Lancaster County	PAG02003613069 (Issued)	Michael Rohrer 124 Charlestown Road Washington Boro, PA 17582	UNT to Stamans Run (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Cumru Township, Berks County	PAG02000611034R (Issued)	Alfred Picca, PennDOT 1002 Hamilton Blvd Allentown, PA 18101	Schuylkill River (WWF, MF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
Exeter Township, Berks County	PAG02000613040 (Issued)	Will Carpenter Aldi Inc. 2700 Saucon Valley Road Center Valley, PA 18034	Antietam Creek (CWF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
York Township York County	PAG02006708030R	Wellspan Properties Dr. Kevin Mosser 2500 S George Street York PA 17403	UNT Codorus Creek/ WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Dover Township York County	PAG02006704147R	Faire Wynd Francis McNaughton 4400 Deer Path Road HBG PA 17110	Fox Run/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Fairview Township York County	PAG02006704138R-1	Woodbridge Farm Assoc. Michael Manning 1520 Slate Hill Road Camp Hill PA 17011	Big Springs Run/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAG02006708047R	E Squared Properties LLC 7 Hillchase Court Pikesville MD 21208	Codorus Creek SB/ CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Manchester Township York County	PAG020067130023R	J.C. Bar Properties Inc. 415 Fallowfield Road Suite 301 Camp Hill PA 17011	Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAG02006713026	Richard VanLieshout Paige Properties LLC P.O. Box 206 Phoenix MD 21131	UNT Deer Creek/ CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
East Manchester Township Manchester Township York County	PAG020067013030	Lynn Wagaman Columbia Gas of PA 121 Champion Way Canonsburg PA 15317	Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Wyalusing Borough Bradford County	PAG02000813019	Jay Chadwick The Hayseed Group LLC RR 1 Box 28 Wyalusing PA 18853	Wyalusing Creek WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6
Madison Township Columbia County	PAG02001913009	PPL Generation LLC 2 N 9th St Allentown PA 18101	UNTs to East Chillisquaque Creek & Mud Creek WWF, MF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, X 102
Ralpho Township Northumberland County	PAG02004908007RR	Danson Subdivision 574 Bear Gap Elysburg PA 17824	UNT Shamokin Creek CWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 Phone: (570) 286-7114 ext. 4

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Delaware Township Northumberland County Muncy Creek Township Lycoming County	PAG02004913009	PA Dept of Transportation 715 Jordan Ave Montoursville PA 17754	Warrior Run WWF, MF 2 UNTs to W. B. Susquehanna River WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 Phone: (570) 286-7114 ext. 4

*Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Economy Borough Beaver County	PAG2000404018R2	Maronda Homes, Inc. 11 Timberglen Road Imperial, PA 15126	UNT to Big Sewickley Creek (TSF)	Beaver County CD 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
Patterson Township Beaver County	PAG02000413021	Patterson Township 1600 19th Avenue Beaver Falls, PA 15010	UNT to Walnut Bottom (WWF)	Beaver County CD 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
White Township Cambria County	PAG02001112001	Glendale Valley Municipal Authority 1800 Beaver Valley Road Flinton, PA 16640	Dutch Run (CWF) and Kibler Run (CWF)	Cambria County CD 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Adams Township Cambria County	PAG02001113007	Forest Hills School District 549 Locust Street Sidman, PA 15955	South Fork Little Conemaugh (CWF)	Cambria County CD 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
White Township Indiana County	PAG02003213011	Indiana County Development Corporation 801 Water Street Indiana, PA 15701	Cherry Run (CWF)	Indiana County CD 625 Kolter Drive Suite 8 Indiana, PA 15701 (724) 471-4751
Somerset Township Somerset County	PAG02005609012R-1	Somerset Regional Water Resources, LLC. 207 SR 29N Tunkhannock, PA 18657	UNT to the East Branch of Coxes Creek (TSF)	Somerset County CD 6024 Glades Pike Rd Suite 103 Somerset, PA 15601 (814) 445-4652
Brothersvalley Township Somerset County	PAG02005611007R	Tom McClintock 161 Samuels Road Somerset, PA 15501	Laurel Run (WWF)	Somerset County CD 6024 Glades Pike Rd Suite 103 Somerset, PA 15601 (814) 445-4652
Smith Township Washington County	PAG02006312004R	Burgettstown-Smith Joint Sewer Authority 377 Joffre Bulger Road Burgettstown, PA 15021	UNT to Burgetts Fork (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
Centerville Borough Washington County	PAG02006313024	Robert Duritz, Jr. 217 Vista Drive Weirton, WV 26002	Barneys Run (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098

*Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville PA 16335*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Cranberry Township Butler County	PAG02001012013(1)	Flash Point Partners LLC c/o Mr. Matthew G. Cramer 1350 Old Pond Road Bridgeville PA 15017	Unt Kaufman Run WWF	Butler County Conservation District 724-284-5270
Butler Township Butler County	PAG02001013022	Horizon Properties c/o Mr. John P. Morgan, PM 375 Southpointe Blvd, Suite 410 Cannonsburg PA 15317	Unt Sullivan Run WWF	Butler County Conservation District 724-284-5270
Neshannock Township Lawrence County	PAG02003713008	Apex Healthcare Solutions Attn: Ms. Tamera Weis 1425 McHenry Road Suite 209 & Community Practice Development Attn: Mr. Nick Sica 3 Townline Circle Rochester NY 14623	Unt Shenango River WWF	Lawrence County Conservation District 724-652-4512
Neshannock Township Lawrence County	PAG02003713009	GPS Realty LLC Attn: Mr. Patrick Koch 4200 Casteel Drive Coraopolis PA 15108	Unt Shenango River WWF	Lawrence County Conservation District 724-652-4512

*General Permit Type—PAG-03*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Norristown Municipality Montgomery County	PAR800126	Waste Management of PA, Inc. 310 West Washington Street Norristown, PA 19401	Schuylkill River & Stony Creek—3F	Southeast Region Clean Water Program 484.250.5970
Lenox Township Susquehanna County	PAR212245	J&J Stone Products Inc. 900 Glenwood Road Hop Bottom, PA 18824	Millard Creek— 4-F / CWF-MF	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511

*Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Berks County / Sinking Spring Borough	PAR123550	Marianne Egolf FM Browns Sons, Inc. 205 Woodrow Avenue, PO Box 0116 Sinking Springs, PA 19608-0116	Cacoosing Creek / CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Berks County / Sinking Spring Township	PAR123549	Marianne Egolf FM Browns Sons, Inc. 205 Woodrow Avenue, PO Box 0116 Sinking Springs, PA 19608-0116	UNT Cacoosing Creek / CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707



<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Lancaster County / Upper Leacock Township	PAR203540	Jack Black Ross Technology Corporation 104 North Maple Avenue, PO Box 646 Leola, PA 17540	UNT Groff Creek / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Lancaster County / Denver Borough	PAR203533	Kalas Manufacturing, Inc.,—Plant #1 167 Greenfield Road Lancaster, PA 17601	Little Cocalico Creek / TSF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Franklin County / Chambersburg Borough	PAR803680	LKQ Penn-Mar, Inc.— LKQ Triple Nickel Trucks 500 West Madison Street Suite 2800 Chicago, IL 60661	Back Creek / TSF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

*General Permit Type—PAG-4*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Dimock Township Susquehanna County	PAG042234	Cabot Oil & Gas Corporation 8279 State Route 29 Montrose, PA 18801	Burdick Creek—4-G (CWF, MF)	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Hayfield Township Crawford County	PAG041128	Stephanie R. & William J. Burger P.O. Box 225 Saegertown, PA 16433	Dry/intermittent tributary to French Creek 16-D	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-6*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
North Braddock Borough Allegheny County	PAG066114	North Braddock Borough 600 Anderson Street North Braddock, PA 15104	Turtle Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-13*

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
East Rockhill Township Bucks County	PAG130162	East Rockhill Township Bucks County 1622 North Ridge Road Perkasie, PA 18944	East Branch Perkiomen Creek, Threemile Run and Unnamed Tributary of Tohickon Creek— 2-D and 3-E	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970

*Facility Location:  
Municipality &  
County*

Perkasie Borough  
Bucks County

*Permit No.*

PAG130139

*Applicant Name &  
Address*

Perkasie Borough  
Bucks County  
620 West Chestnut Street  
PO Box 96  
Perkasie, PA 18944

*Receiving  
Water / Use*

East Branch  
Perkiomen Creek,  
Pleasant Spring  
Creek and Unnamed  
Tributary to East  
Branch Perkiomen  
Creek—3-E

*Contact Office &  
Phone No.*

DEP Southeast  
Regional Office  
Clean Water Program  
2 E Main Street,  
Norristown, PA 19401  
484.250.5970

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*NPDES  
Permit No.*

PAG136376  
Waiver

*Applicant Name &  
Address*

Belle Vernon Borough  
110 Main Street  
Belle Vernon, PA 15012

*County*

Fayette

*Municipality*

Belle Vernon  
Borough

*Receiving  
Water / Use*

Dunbar Creek

*DEP Protocol  
(Y/N)*

N

*Facility Location:  
Municipality &  
County*

Dunbar Borough  
Fayette County

*Permit No.*

PAG136137

*Applicant Name &  
Address*

Dunbar Borough  
47 Connellsville Street  
Dunbar, PA 15431

*Receiving  
Water / Use*

Dunbar Creek

*Contact Office &  
Phone No.*

Southwest Regional Office:  
Clean Water Program  
Manager  
400 Waterfront Drive  
Pittsburgh PA 15222-4745  
(412) 442-4000

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act

*Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Permit No. 2400053**, Operations Permit Public Water Supply.

Applicant

**Aqua Pennsylvania, Inc.**  
1 Aqua Way  
Hite Haven, Pa 18661

[Borough or Township]

Exeter Borough

County

**Luzerne**

Type of Facility

PWS

Consulting Engineer

Jonathan Morris, PE GHD  
326 East Second St.  
Bloomsburg, Pa 17815

Permit to Operate  
Issued

9/27/2013

*Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Operations Permit** issued to: **Granville Township Sewer/Water Department**, 4440018, Granville Township, **Mifflin County** on 10/9/2013 for the operation of facilities approved under Construction Permit No. 4411504 MA.

**Operations Permit** issued to: **Aqua Pennsylvania, Inc.**, 3060134, Marion Township, **Berks County** on 9/27/2013 for the operation of facilities submitted under Application No. 3060134.

**Operations Permit** issued to: **Autumn Estates LLC**, 4070054, Blair Township, **Blair County** on 9/26/2013 for the operation of facilities approved under Construction Permit No. 0713503 MA.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1790501-T1-MA**—Operation Public Water Supply.

Applicant **Ansonville Water Authority**  
 Township/Borough Jordan Township  
 County **Clearfield**  
 Responsible Official Roger Dudurich, Chairman  
 Ansonville Water Authority  
 2411 Ansonville Road  
 Irvona, PA 16656  
 Type of Facility Public Water Supply  
 Consulting Engineer N/A  
 Permit Issued 10/3/13  
 Description of Action This permit is hereby amended in response to Ansonville Water Authority's request to remove Bressler Spring Nos. 3 and 4, as sources of supply.

**Permit No. 5513501-MA**—Operation Public Water Supply.

Applicant **Shamokin Dam Borough**  
 Township/Borough Shamokin Dam Borough  
 County **Snyder**  
 Responsible Official Edward J. Hovenstine  
 Borough Manager Shamokin Dam Borough  
 42 West 8th Ave., Suite 1  
 P. O. Box 273  
 Shamokin Dam, PA 17876  
 Type of Facility Public Water Supply  
 Consulting Engineer Rod G. Stahl  
 Stahl Sheaffer Engineering  
 5 South Market Street, Suite 10  
 Selinsgrove, PA 17876  
 Permit Issued 10/3/13  
 Description of Action Change in method of disinfecting pre- and post-filtration water from injecting pure gas chlorine to feeding 12—15% sodium hypochlorite solution.

Elkland Borough Water Authority (Public Water Supply), Tioga County: On October 15, 2013, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for Elkland Borough Water Authority. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (John C. Hamilton, P.E., (570) 327-3650).

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Operations Permit** issued to: **Plum Borough Municipal Authority**, 4555 New Texas Road, Pittsburgh, PA 15239, (PWSID #5020041) Plum Borough, **Allegheny County** on October 7, 2013 for the operation of facilities approved under Construction Permit # 0213527.

**Operations Permit** issued to: **Plum Borough Municipal Authority**, 4555 New Texas Road, Pittsburgh, PA 15239, (PWSID #5020041) Plum Borough, **Allegheny County** on October 7, 2013 for the operation of facilities approved under Construction Permit # 0212505MA.

**Operations Permit** issued to: **Authority of the Borough of Charleroi**, 3 McKean Avenue, PO Box 211, Charleroi, PA 15022, (PWSID #5630039) Fallowfield Township, **Washington County** on October 7, 2013 for the operation of facilities approved under Construction Permit # 6313503MA.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Operation Permit** issued to **Millcreek Township Water Authority**, PWSID #6250076, Millcreek Township, **Erie County**. Permit Number 361W2-T2-MA3 issued October 4, 2013 for the operation of the Public Water Supply system. This permit is issued in response to the submitted Certificate of Construction Completion/Modification and subsequent Bacteriological and VOCs test results to Department of Environmental Protection personnel on September 26, 2013.

**Operation Permit** issued to **Millcreek Township Water Authority**, PWSID #6250076, Millcreek Township, **Erie County**. Permit Number 361W2-T2-MA4 issued October 4, 2013 for the operation of the Public Water Supply system. This permit is issued in response to the submitted Certificate of Construction Completion/Modification and subsequent Bacteriological and VOCs test results to Department of Environmental Protection personnel on September 26, 2013.

**Operation Permit** issued to **Millcreek Township Water Authority**, PWSID #6250076, Millcreek Township, **Erie County**. Permit Number 2501501-MA1 issued October 4, 2013 for the operation of the Public Water Supply system. This permit is issued in response to the submitted Certificate of Construction Completion/Modification and subsequent Bacteriological and VOCs test results to Department of Environmental Protection personnel on September 26, 2013.

**Operation Permit** issued to **Jay Township Water Authority**, PWSID #6240005, Jay Township, **Elk County**. Permit Number 2411502 issued October 8, 2013 for the operation of the six element static mixer, the liquid sodium hypochlorination system, and the dry chemical feeders for sodium bicarbonate and potassium permanganate. This permit is issued in response to a Certificate of Construction Completion/Modification Form, received by the Department of Environmental Protection on September 9, 2013, and a subsequent inspection of the facilities on September 12, 2013, by Department staff.

**Operation Permit** issued to **Erie City Water Authority d/b/a Erie Water Works**, PWSID #6250028, City of Erie, **Erie County**. Permit Number 363W3-T1-MA5 issued October 9, 2013 for the operation of the 3.7 MG Davison Reservoir finished water storage tank, the Davison Avenue Transmission Main, and the Bird Drive Transmission Main. This permit is issued in response to the site inspection conducted by DEP personnel on August 16, 2013 and the submission by the engineering consultant on October 4, 2013 of the Certificate of Construction Completion/Modification form, bacteriological test results and VOC test results.

#### SEWAGE FACILITIES ACT PLAN APPROVAL

#### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Plan Location: Forks Township Act 537 Planning Official Sewage Facilities Plan Update*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Forks Township	1606 Sullivan Trail Easton, PA 18042	Northampton

*Plan Description:* The approved plan provides for the sewage disposal needs of the entire township and consists of the implementation of an On-lot Sewage Management Program. The township will adopt an ordinance, known as the Forks Township On-lot Disposal System Management Ordinance, for the regular inspection, pumping and maintenance of on-lot sewage disposal systems. The Plan provides for the continued use of on-lot sewage disposal systems in areas outside of the designated public sewer service area. No near future expansion or extension of the Forks Township Collection and Conveyance System is proposed in the Plan.

The township's Sewage Management Program will include the following:

- Adopt On-lot Disposal System Ordinance
- Required pumping of OLDS at a minimum of every three years
- Pumper/Inspector report to be completed and given to property owner after each inspection; form to be forwarded to township when repairs are required or a malfunction is observed
- Educate property owners about OLDS and proper operation and maintenance procedures through website, newsletter, and pamphlets available at the township
- Sewage Management Program to be administered and enforced by the township SEO with aid from the Building and Zoning Office; no additional township personnel will be required

The Plan is approved with the following condition:

It is now Forks Township's responsibility to implement the 537 Plan Update in accordance with the schedules contained in the Plan.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Union Township	177 Center Rd., Douglassville, PA 19518	Berks County

*Plan Description:* Approval of a revision to the official plan of Union Township, Berks County. The project is known as the Liberty Bell Motorsports Development. The plan provides for a 1 lot commercial development to generate a total of 5400 gallons of sewage per day to be served by a Sequencing Batch Reactor (SBR) wastewater treatment plant and drip irrigation system. The proposed development is located on Main St. (Rt. 724), Union Township, Berks County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-06968-163-3 and the APS Id is 807906. Any permits must be obtained in the name of Liberty Bell Motorsports Park.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Foster Township	1185 East Main Street, Bradford, PA 16701	McKean

*Plan Description:* The approved plan amends the Foster Township September 2004 plan. The amendment serves to address the Phase III planning area such that environmental concerns are lessened by sewerage by using predominantly small diameter low pressure sewers and horizontal directional drilling installation, rather than the originally proposed gravity sewers. The Phase III area includes a portion of Harrisburg Run, Hedgehog Lane, Hedgehog Hollow, Highways 246 and 646, the Red Rock/Rob Roy area, South Kendall Avenue east of Corwins Corners, Rew Hill and the Village of Rew and includes 335 EDUs. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**HAZARDOUS SITES CLEANUP  
UNDER THE ACT OF  
OCTOBER 18, 1988**

**Notice of Reopening of Administrative Record**

**Mt. Laurel Road Battery Casings Site  
Alsace Township, Berks County**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) had completed an interim response action at the Mt. Laurel Road Battery Casings Site (Site), Alsace Township, Berks County, Pennsylvania in April 2013.

Lead contaminated battery casings and soil were located at various depths on three adjoining residential properties located at 1991, 1993 and 1995 Mt. Laurel Road. The Site is located in a predominately-rural area, with mixed agricultural and residential uses. The lead contamination constituted a release of a hazardous substance which posed a threat to public health or safety through ingestion and dermal contact. Pursuant to the Department's Statement of Decision, the completed response action entailed excavation and offsite disposal of the battery casing material and contaminated soil above the Residential Statewide Health Standard (RSHS). It is not known how or when the battery casing waste was deposited at the Site, but it is suspected the waste was deposited as fill material circa the 1960s. The area was graded and grass was planted to restore the affected areas. Under the selected remedy, institutional controls in the form of environmental covenants attached to the deeds would be required at the properties located at 1991 and 1995 Mt. Laurel Road because battery casing material and contaminated soil above the RSHS was left behind in discrete areas of the property, such as along the foundations of the residences. These battery casings and this contaminated soil were not removed because it was not technically feasible from an engineering perspective and would not be cost-effective to do so. The total cost of the response action, which included the excavation and off-site disposal of all waste, as well as site restoration, was \$916,532.72.

The Department's Analysis of Alternatives and Proposed Response did not discuss environmental covenants for properties located at 1991 and 1995 Mt. Laurel Road. Therefore, the Administrative Record is being reopened with respect to the remedy selected for these two properties to allow the public to raise objections that were impracticable to raise during the original public comment period.

This notice is being provided pursuant to sections 506(g) and (h) of HSCA (35 P. S. §§ 6020.506(g) and (h)), and the publication of this notice in the *Pennsylvania Bulletin* starts the reopening of the administrative record period under HSCA. The Administrative Record that contains information about this site and that supported the Department's decision to perform this action at the site is available for public review and comment. The Administrative Record can be examined Monday through Friday from 8:00 a.m. to 3:30 p.m. at the Department's Southcentral Regional Office located at 909 Elmerton Avenue, Harrisburg, PA 17110, by contacting David Hrobuchak at 717-705-4843. The Administrative Record can also be reviewed at the Alsace Township Building, 65 Woodside Avenue, Temple, PA 19560, telephone 610-929-5324 from 8:30 a.m. to 4:00 p.m., Monday through Friday.

The Administrative Record will be open for comment from the date of publication of this notice in the *Pennsylvania Bulletin* on October 26, 2013, and will remain open for 60 days. Persons may submit written comments regarding this action to the Department before December 26, 2013, by mailing them to Mr. Hrobuchak at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. The Department may hold a public hearing regarding the action if a written request is made to the Department to the above address by Monday, November 25, 2013. The hearing would be held shortly before the closure of the Administrative Record.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media;

benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Cespedes Residence**, 1440 West Linden Street, Allentown City, **Lehigh County**, Dana Boyadjian, ECC Horizon, Inc., has submitted a Final Report on behalf of his client, Angel Cespedes, 1440 West Linden Street, Allentown, PA 18102, concerning the remediation of soil found to have been impacted by #2 fuel oil which was delivered to the wrong address and discharged through a disconnected supply pipe onto a concrete floor. The applicant proposes to remediate the site to meet the Residential Statewide Health Standards for soil. A public notice regarding the submission of the Final Report was published in *The Morning Call* on September 6, 2013.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**JMC Steel Group—Sharon Pipe Plant (fka John Maneely Company—Sharon Pipe Plant)**, 200 Clark Street, City of Sharon, **Mercer County**. TRC Environmental, 11231 Cornell Park Drive, Cincinnati, OH 45242, & ENVIRON International Corporation, 1760 Market Street, Suite 100, Philadelphia, PA 19103, on behalf of JMC Steel Group, 1 Council Avenue, Wheatland, PA 16161, submitted a Final Report concerning the remediation of site soil contaminated with Antimony, Arsenic, Cadmium, Chromium (total), Lead, Mercury, Selenium, Zinc, Aroclor 1248, Aroclor 1254, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Dibenzofuran, Naphthalene, N-nitrosodi-n-propylamine, Ethylbenzene, Tetrachloroethene, Trichloroethene, Xylenes (total) and groundwater contaminated with Chloride, Nitrogen (Ammonia), pH, Sulfate, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium (total), Chromium (III), Chromium (VI), Cobalt, Copper, Iron, Lead, Manganese, Mercury, Nickel, Nitrate as N, Selenium, Thallium, Vanadium, Zinc, PCBs (total), Aroclor 1016, Aroclor 1242, Aroclor 1248, Aroclor 1254, Aroclor 1260, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Bis[2-ethylhexyl]phthalate, Chrysene, Dibenz[a,h]anthracene, Hexachlorobenzene, Indeno[1,23-cd]pyrene, N-nitrosodi-n-propylamine, Pentachlorophenol, Phenanthrene, 2-Picoline, Benzene, Chlorobenzene, 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, 1,2,4-Trichlorobenzene, cis-1,2-Dichloroethene, Methylene Chloride, Tetrachloroethene, Trichloroethene, Vinyl Chloride, Xylenes (total), and 2,3,7,8-TCDD equivalent. The report

is intended to document remediation of the site to meet the Site-Specific, Statewide Health, & Background Standards.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Seneca Street CSO Treatment Facility**, North of Schoolmaker Avenue, City of Monessen, **Westmoreland County**. Gannett Fleming, Inc. 207 Senate Avenue, Camp Hill PA 17011, on behalf of the Mon Valley Sewage Authority, submitted a Combined Remedial Investigation Report, Risk Assessment and Cleanup Plan. The site is contaminated with volatile organic compounds (VOCs) and heavy metals in groundwater and with heavy metals and semi-volatile organic compounds (SVOCs) in soil. The proposed future use of the property will be for the new satellite treatment facility to address combined sewer overflow (CSO) problems near Seneca Street. Notice of the submittal was published in the Valley Independent on August 23 2013.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**The Buncher Company—14th through 21st Street Property (aka Buncher Floating Restaurant**, Buncher 16th Street Property—former Special Industrial Area) City of Pittsburgh, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of The Buncher Company has submitted a Final Report/Combined Statewide Health and Site Specific Standards concerning the remediation of site soil and groundwater contaminated with metals, SVOCs and VOCs. This final report/Combined State Health and Site Specific Standards was received by the Department on October 3, 2013.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of

reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Route 41 Diner**, 42 Route 41, Gap, PA 17527, Sadsbury Township, **Lancaster County**. Hafer Environmental Services, PO Box 4418, Reading, PA 19606, on behalf of the Estate of A. Charles Artinian, c/o ARA Real Estate, Inc., 725 Street Road, Cochranville, PA 19330, and Multani Brothers, Inc., PO Box 326, Gloucester City, NJ 08030-1544, submitted a Final Report for site soils and groundwater contaminated with petroleum hydrocarbons. The Final Report demonstrated attainment of the Site-Specific Standard, and was approved by the Department on October 10, 2013.

**I-81 N & 322-22 W Interchange Diesel Spill**, I-81 North and 322/22 West Interchange, Harrisburg, PA 17110, City of Harrisburg, **Dauphin County**. Environmental Products & Services of Vermont, Inc., 5100 Paxton Street, Harrisburg, PA 17111, on behalf of Tameric Enterprise, LLC, 1468 Pine Road, Carlisle, PA 17015 submitted a Final Report concerning remediation of site soils contaminated with diesel fuel released from a tanker trailer accident and fire. The Final Report demonstrated attainment of the Non-Residential Statewide Health Standard, and was approved by the Department on October 11, 2013. Impacts to the surface waters and sediment within Paxton Creek and Wildwood Lake are being addressed in a separate report.

**Bally Medical Center**, 1311 Route 100 South, Bally, PA 19504, Washington Township, **Berks County**. Barry Isett & Associates, 1003 Egypt Road, Phoenixville, PA 19460, on behalf of Bally Investors, LLP, PO Box 620, Bala Cynwyd, PA 19004 and Lewis Environmental, 155 Railroad Plaza, Royersford, PA 19468, submitted a Final Report concerning remediation of site soils contaminated with gasoline released from a car's ruptured fuel tank. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on October 11, 2013.

*Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Industrial Center of McKeesport**, Industry Road and Center Street, City of McKeesport, **Allegheny County**. KU Resources, Inc. 22 South Linden Street, Duquesne PA 15110, on behalf of Regional Industrial Development Corporation of Southwestern Pennsylvania/RIDC Growth Fund, 425 Sixth Ave, Suite 500, Pittsburgh PA 15219, submitted a Final Report dated June 28 2013 concerning remediation of site soil and groundwater contaminated with metals SVOC's and chlorinated solvents. The Final Report demonstrated attainment of the statewide health and site specific standard, and was approved by the Department on October 9 2013.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409*

**GP7-40-001: Kappa Graphics LP** (50 Rock Street, Hughesstown, PA 18640) on October 10, 2013, to construct and operate a sheet-fed offset lithographic press (1B) at their site in Hughesstown Borough, **Luzerne County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**GP3-08-354A: Robert Johnson Flagstone, Inc.** (3658 Old Stage Coach Road, Wyalusing, PA 18853) on October 2, 2013, to authorize construction and operation of a portable nonmetallic mineral processing plant pursuant to the General Plan Approval And/Or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at their Sandt Quarry in Herrick Township, **Bradford County**.

**GP9-08-354A: Robert Johnson Flagstone, Inc.** (3658 Old Stage Coach Road, Wyalusing, PA 18853) on October 2, 2013, to authorize construction and operation of one (1) Caterpillar model C-9 CLJ04853 engine rated at 350 brake horsepower-hour (bhp-hr), one (1) Caterpillar model C13 RRA04102 engine rated at 440 bhp-hr and three (3) diesel-fired Deutz model TCD2012L04 2V engines, each rated at 100 bhp-hr pursuant to the General Plan Approval And/Or General Operating Permit for Diesel or #2 Fuel-fired Internal Combustion Engines (BAQ-GPA/GP9) at the Sandt Quarry in Herrick Township, **Bradford County**.

**GP3-08-337D: Glenn O Hawbaker, Inc.** (711 East College Avenue, Bellefonte, PA 16823) on September 24, 2013, to authorize relocation and operation of a portable screening unit pursuant to the General Plan Approval And/Or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at their Greens Landing facility in Athens Township, **Bradford County**.

**GP3-08-337E: Glenn O Hawbaker, Inc.** (711 East College Avenue, Bellefonte, PA 16823) on October 4, 2013, to authorize relocation and operation of a portable nonme-

tallic mineral processing plant pursuant to the General Plan Approval And/Or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at their Greens Landing facility in Athens Township, **Bradford County**.

**GP11-08-337E: Glenn O Hawbaker, Inc.** (711 East College Avenue, Bellefonte, PA 16823) on October 4, 2013, to authorize relocation and operation of one (1) 300 bhp CAT model JSC 05460 diesel-fired engine pursuant to the General Plan Approval and General Operating Permit for Nonroad Engines (BAQ-GPA/GP-11) at the Greens Landing facility in Athens Township, **Bradford County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**GP5-16-147B: Pine City Extractions—Exotic Compressor Station** (Route 322 North, Clarion, PA 16214) on October 9, 2013, to operate one (1) rich burn four stroke natural gas engine, Caterpillar Model G3306 NA rated 145 bhp at 1800 rpm, one (1) rich burn four stroke natural gas engine, Caterpillar Model G3306 TA rated 195 bhp at 1800 rpm, one (1) natural gas processing unit, one (1) 4,200 gallon produced water storage tank, with an estimated 22,995 gallons per year throughput, one (1) 30,000 gallon high pressure propane storage tank, with an estimated 540,000 gallons per year throughput (BAQ/GPA-GP-5) in Elk Township, **Clarion County**. This was previously permitted under Cooltech Hydrocarbon, LLC (GP5-16-147A).

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920*

**23-0038E: Delaware County Regional Water Quality Control Authority—DELCOA** (P.O. Box 999, Chester, PA 19016) on October 7, 2013, to replace the existing caustic scrubber controlling odor emissions from the sludge holding tanks with a Biotrickling Filter at the Western Regional Treatment Plant in the City of Chester, **Delaware County**. The Biotrickling Filter uses air permeable inert media to allow microorganisms to attach and degrade odorous compounds, principally hydrogen sulfide (H<sub>2</sub>S) in an inlet air stream. Sludge thickening and grease processing areas, adjacent to the sludge holding tanks, not previously controlled for odors, will be also be tied into the new proposed odor scrubber. The proposed Biotrickling Filter has an air flow rate capacity of 11,500 cubic feet per minute at 70°F. The scrubber will reduce the H<sub>2</sub>S inlet level of a maximum of 80 ppm and an average of 50 ppm to an outlet concentration of 0.5 ppm or a minimum of 99.0% efficiency, whichever case results in a higher concentration of H<sub>2</sub>S. No increases in emissions are authorized with this Plan Approval.

The proposed scrubber is subject to only Commonwealth regulations, including 25 Pa. Code § 123.31, pertaining to odor limitations. The Plan Approval will include monitoring, recordkeeping and work practice conditions to assure optimum operation of the scrubber and compliance with the H<sub>2</sub>S emissions limits.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**57-00005B: Appalachia Midstream Services, LLC** (PO Box 54382, Oklahoma City, OK 73154-1382) on October 11, 2013, to issue a plan approval for construction of a 126 MMSCFD, TEG dehydration process with a reboiler rated for 2.0 MMBtu/hr, heat input for the Cherry Compressor Station (CS) owned by Appalachia Midstream Services, LLC (AMS) in Cherry Township, **Sullivan County**. The application also requested that the individual emission restrictions established in Plan Approval 57-00005A be combined into one restriction that would apply to all of the dehydration process (4 existing and 1 proposed) on combined basis rather than the limit of Plan Approval 57-00005A which applied to each of the existing dehydration process. The plan approval conditions include requirements to comply with all applicable federal and state regulatory requirements.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920*

**23-0114: Henry H. Ottens Manufacturing Co., Inc.** (7800 Holstein Ave, Philadelphia, PA 19053) on October 8, 2013, to operate a savory flavoring manufacturing process in Folcroft Borough, **Delaware County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.*

**67-05030E: CP Converters, Inc.** (15 Grumbacher Road, York, PA 17406) on October 9, 2013, for to construct a new flexographic printing press controlled by a regenerative thermal oxidizer, at their facility in Manchester Township, **York County**. The plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**53-00009D: Morgan AM&T, Inc.** (1118 East Second St., Coudersport, PA 16915) on October 10, 2013, to extend the authorization for the construction of an electric powered de-bind oven (Source ID 122) equipped with a natural gas fired thermal oxidizer (control device ID C122) to control the air contaminant emissions from the oven at their Coudersport plant in Eulalia Township, **Potter County** until April 12, 2014. The plan approval has been extended.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226*

**65-00661C: Derry Construction Co., Inc.** (527 Route 217, Latrobe, PA 15650) on October 8, 2013, to extend the temporary operation period for the counter flow drum mix asphalt plant at the Delmont Asphalt Facility, in Salem

Township, **Westmoreland County**. The new expiration date shall be April 14, 2014. The plan approval has been extended.

**65-00865C: DNP IMS America Corp.** (1001 Technology Drive, Mount Pleasant, PA 15666) on October 10, 2013, to complete compliance testing on new RTO, and to accomplish the peak production on new coating line to a maximum speed at their existing Mt. Pleasant coating line facility in East Huntingdon Township, **Westmoreland County**.

**65-00979A: Laurel Mountain Midstream, LLC** (1550 Coraopolis Heights Road, Suite 140, Moon Township, PA 15108) on October 11, 2013, to extend the period of temporary operation of the Caterpillar G3612LE lean burn natural gas-fired compressor engine rated at 3,550 bhp and controlled by an oxidation catalyst authorized under plan approval PA-65-00979A at the Herminie Compressor Station in South Huntingdon Township, **Westmoreland County**. The plan approval has been extended.

**11-00356C: Peoples Natural Gas Co., LLC** (1201 Pitt Street, Pittsburgh, PA 15221) on October 15, 2013, to allow additional time for the construction of two natural gas compressor engines rated at 1,480 bhp each, to be known as Rager Engines No. 4 & No. 5, until April 26, 2014 at Laurel Ridge—Rager Mountain Station in Jackson Township, **Cambria County**. Temporary operation of a natural gas compressor engine rated at 1,340 bhp known as Laurel Ridge Engine No. 3 and a thermal oxidizer controlling emissions from Dehydrator No.1 and No.2 has also been extended.

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program*

**06-05071: Sealed Air Corp. US** (450 Riverfront Drive, Reading, PA 19602-2600) on October 3, 2013, for their recycled paper manufacturing facility in Reading City, **Berks County**. The Title V permit was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**49-00006: Viking Energy of Northumberland, LLC** (PO Box 7, 90 Plant Road, McAdoo, PA 18237) on September 11, 2013, to issue a renewal Title V Operating Permit for their facility in Point Township, **Northumberland County**. The facility's main sources include a wood-waste fired steam boiler, an emergency generator, a parts washer and ash and wood fuel handling operations. The Title V Operating Permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131*

**24-00083: Mersen USA St Marys** (215 Stackpole Street, St Marys, PA 15857-1401) on October 11, 2013, issued an administrative amendment to the Title V



Operating Permit to incorporate the conditions from plan approval 24-083T into the permit for the facility in St Marys City, **Elk County**.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**19-00015: HRI, Inc.** (1750 West College Avenue, State College, PA 16801) on October 9, 2013, to issue a renewal state only operating permit for their Bloomsburg asphalt plant in Hemlock Township, **Columbia County**. The facility's sources include one (1) 250 ton per hour batch asphalt plant. The renewal state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**56-00298: Garrett Limestone Co., Inc.—Romesburg Quarry** (3307 Garrett Road, Garrett Pa 15542) on October 11, 2013, to issue a renewal State Only Operating Permit for their sand and gravel processing plant in the Black Township, **Somerset County**.

The subject facility consists of a crushing, screening, truck unloading and loading, transfer points and one diesel generators. A 1,106 HP diesel engine provides power to the entire site. The facility is limited to a limestone production of 317,344 tons per year. The 1,106 HP engine is limited to 40,512 gallons of fuel per year. The facility has the potential to emit 9.73 tpy NO<sub>x</sub>, 0.08 tpy CO, 0.43 tpy SO<sub>x</sub>, 0.24 tpy VOC, 20.20 tpy PM, and 20.0 tpy PM<sub>10</sub>. The facility is required to conduct a daily survey of the facility during daylight hours while the facility is operating to ensure compliance with the visible emission, fugitive emission and malodor restrictions. Records of the survey performed must be recorded. Monthly records of processed limestone throughput, hours of operation and amount of diesel fuel consumed are required. The proposed authorization is subject to State and Federal Regulations (40 CFR 63 ZZZZ). The permit includes operation requirements, monitoring requirements, and recordkeeping requirements.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew M. Williams, Environmental Program Manager—Telephone: 814-332-6636*

**10-00375: Harmony Castings, LLC** (251 Perry Highway, Harmony, PA 16037) on October 8, 2013, for an initial natural minor operating permit to operate an Aluminum foundry in Harmony Borough, **Butler County**. The facility's emitting sources include: Aluminum Casting, Parts Washer, and Shot Blast. The emissions of pollutants from the facility are less than Title V threshold limits. Thus, the facility is considered a natural minor. Potential emissions from the facility are: SO<sub>x</sub>: 0.02 TPY; NO<sub>x</sub>: 0.41 TPY, CO: 1.42 TPY, VOC: 42.00 TPY, PM: 4.09 TPY, and, Methanol: 7.36 TPY. The facility is not currently subject to 40 CFR Part 63, Subpart ZZZZZZ because, the annual Aluminum melt production has been less than 600 tons per year (tpy) as stated in § 63.11544(a)(4).

**33-00108: Brookville Hospital** (100 Hospital Road, Brookville, PA 15825-1367) on September 10, 2013, for a renewal of the natural minor operating permit to operate a general medical and, surgical hospital in Brookville Borough, **Jefferson County**. The facility's major emission sources include four boilers and two emergency generators. The emissions of pollutants from the facility are less than Title V threshold limits. Thus, the facility is considered a natural minor. Potential emissions from the four boilers and two emergency generators combined are: PM: 6.81 Tons per year (TPY); SO<sub>x</sub>: 5.82 TPY; NO<sub>x</sub>: 88.85 TPY; and, CO: 19.14 TPY. The boilers are using natural gas as the primary fuel except for emergencies. Thus, the boilers are not subject to 40 CFR Part 63, Subpart JJJJJJ. The two emergency generators that are fueled by natural gas are exempt from 40 CFR Part 63, Subpart ZZZZ because the source is considered an existing institutional emergency stationary RICE (§ 63.6585(f)(3)).

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**23-00056: Honeywell Intl, Inc.** (6100 Philadelphia Pike, Claymont, DE 19703) on October 7, 2013, a Non-Title V, State-Only, Natural Minor facility in Marcus Hook Borough, **Delaware County** submitted an application on September 9, 2013, for a Minor Operating Permit Modification. Honeywell has been approved for the revision of a condition that previously allowed them to operate their Boric Acid Transport Bag Filter with a pressure drop range of 0.1 to 10 inches water column. After data review and evaluation of unloading procedures, the condition was revised to reflect a more accurate pressure drop range. The range is now 0.1 to 35 inches water column only while boric acid is being unloaded. There is no emission increase at the facility. The permit will continue to contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

**ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).**

*Coal Permits Issued*

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**63120102 and NPDES Permit No. PA0252239. Amerikohl Mining, Inc.** (1384 State Route 711, Stahlstown, PA 15687). Permit issued for commencement, operation and reclamation of a bituminous surface mine, located in Fallowfield and Somerset Townships, **Washington County**, affecting 99.2 acres. Receiving streams: unnamed tributaries to Pigeon Creek. Application received: August 30, 2012. Permit issued: October 8, 2013.

**63090101 and NPDES Permit No. PA0251941. Amerikohl Mining, Inc.** (1384 State Route 711, Stahlstown, PA 15687). Revision permit issued for land use change from forestland to pastureland or land occasionally cut for hay to an existing bituminous surface mine, located in Nottingham Township, **Washington County**, affecting 399.3 acres. Receiving streams: unnamed tributaries to Mingo Creek and Sugar Run. Application received: April 30, 2013. Revision permit issued: October 9, 2013.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**33120101. P. and N. Coal Co., Inc.** (P.O. Box 332, Punxsutawney, PA 15767) Revision to an existing bituminous surface mine to add 16.8 acres in Young Township, **Jefferson County** affecting a total of 105.1 acres. Receiving streams: Unnamed tributaries to Sawmill Run. Application received: June 20, 2013. Permit Issued: October 10, 2013.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**17060108 and NPDES PA0256404. RES Coal LLC** (8912 Clearfield-Curwensville Highway, Clearfield PA 16830). Permit renewal issued for reclamation only to existing bituminous surface mine located in Morris Township, **Clearfield County**, affecting 67.8 acres. Receiving stream(s) Unnamed Tributary to Emigh Run classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 2, 2013. Permit issued: October 7, 2013.

*Noncoal Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Javed Mirza)*

**10960301 and NPDES Permit No. PA0227196. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Marion Township, **Butler County** affecting 131.8 acres. Receiving streams: Unnamed tributaries to Blacks Creek and Blacks Creek, one unnamed tributary to Slippery Rock Creek. Application received: July 25, 2013. Permit Issued: October 9, 2013.

**37070302 and NPDES Permit No. PA0258423. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 101.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek. Application received: July 25, 2013. Permit Issued: October 9, 2013.

**37100301 and NPDES Permit No. PA0258890. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 47.0 acres. Receiving streams: Slippery Rock Creek. Application received: July 25, 2013. Permit Issued: October 9, 2013.

**37010301 and NPDES Permit No. PA0241881. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Slippery Rock Township, **Lawrence County** affecting 197.0 acres. Receiving streams: Slippery Rock Creek. Application received: July 25, 2013. Permit Issued: October 9, 2013.

**10060306 and NPDES Permit No. PA0258211. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201) Transfer of an existing large industrial minerals mine and NPDES permit from Quality Aggregates, Inc. in Marion Township, **Butler County** affecting 54.5 acres. Receiving streams: Five unnamed tributaries to Blacks Creek and Blacks Creek, one unnamed tributary to North Branch Slippery Rock Creek. Application received: July 25, 2013. Permit Issued: October 9, 2013.

**10110303 and NPDES Permit No. PA0259080. Allegheny Mineral Corporation** (P.O. Box 1022, Kittanning, PA 16201) Commencement, operation and restoration of a large industrial minerals mine in Washington Township, **Butler County** affecting 309.0 acres. Receiving streams: Unnamed tributaries to South Branch Slippery Rock Creek to Connoquenessing Creek. Application Received: May 3, 2011. Permit Issued: October 9, 2013.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Janet Turner)*

**53090803. Tracy Crosby** (307 East Oak Street, Coudersport, PA 16915). Final bond release for a small industrial minerals surface mine located in Roulette Township, **Potter County**. Restoration of 1.0 acre completed. Receiving stream(s): Fishing Creek. Application received on July 26, 2013. Final bond release approved October 4, 2013.

**53110801. Kelly Crosby** (307 East Oak Street, Coudersport, PA 16915). Final bond release for a small industrial minerals surface mine located in Roulette Township, **Potter County**. Restoration of 1.0 acre completed. Receiving stream(s): Fishing Creek. Application received on July 26, 2013. Final bond release approved October 4, 2013.

**53060802. Robert F. and Cynthia M. Monroe** (675 Southwoods Road, Coudersport, PA 16915). Final bond release for a small industrial minerals surface mine located in Homer Township, **Potter County**. Restoration of 1.0 acre completed. Receiving stream(s): Sinnemahoning Creek. Application received on July 26, 2013. Final bond release approved October 4, 2013.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Issued*

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**63134003. Clayco** (2199 Innerbelt Business Center Dr., St. Louis, MO 63114). Blasting activity permit for the construction of the Southpoint 2 Dev., located in Cecil Township, **Washington County**. The duration of blasting is expected to last 90 days. Blasting permit issued: October 7, 2013.

**30134002. Energy Corp. of America** (501 56th Street SE, Charleston, WV 25304). Blasting activity permit for the construction of the Stelco Well Pad, to conduct seismic activity located in Jefferson Township, **Greene County**. The duration of blasting is expected to last nine months. Blasting permit issued: October 7, 2013.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**41134108. Wampum Hardware Company** (2856 Stoystown Rd, Friedens, PA 15541-7020). Blasting for well pad development located in Anthony Township, **Lycoming County** with an expiration date of December 31, 2014. Permit issued October 7, 2013.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**06134110. American Rock Mechanics, Inc.**, (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Horizon Warehouse in Colebrookdale Township, **Berks County** with an expiration date of October 7, 2014. Permit issued: October 8, 2013.

**36134155. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Emanuel Stoltzfus manure pit in Leacock Township, **Lancaster County** with an expiration date of October 30, 2013. Permit issued: October 8, 2013.

**45134111. Silver Valley Drilling & Blasting, Inc.**, (RR 4 Box 4196, Saylorsburg, PA 18353), construction blasting for Northampton Community College in Pocono Township, **Monroe County** with an expiration date of October 30, 2014. Permit issued: October 8, 2013.

**46134119. American Rock Mechanics, Inc.**, (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Upper Perkiomen YMCA in Hanover Township, **Montgomery County** with an expiration date of October 3, 2014. Permit issued: October 8, 2013.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be

sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

### Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

---

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E46-1092—Pennsylvania Department of Transport**, District 6; 7000 Geerdes Blvd, Upper Merion Township, West Norriton Township, **Montgomery County**. ACOE Philadelphia District

To perform the below-listed water obstruction and encroachment activities across Schuylkill River (WWF-MF) to facilitate the construction of a Pedestrian Bridge connecting the Schuylkill River Trail to public lands of the Valley Forge National Historical Park located on both side of the river. This bridge will be constructed in the right of way of the demolished Old Betzwood Pike Bridge which carried Trooper Road, State Route (SR 3051) over the Schuylkill River at the time:

1. To the remove three old bridge pier foundations (form the demolished Old Betzwood Pike Bridge) and to construction and maintain three new piers in the Schuylkill River to support the proposed multi-use bicycle/pedestrian bridge.
2. To construct and maintain approximately 65,000 cubic yards of rock scour protection around all the proposed piers.
3. To construct temporary rock causeway to access the old pier removal and new pier construction creating temporary impacts to the stream.
4. To place temporary fill of approximately 4,000 SF into the stream to facilitate cofferdams for the removal of the old piers and the construction of the proposed piers.

This project site will have approximately 0.14 acre of permanent stream impact and approximately 0.69 acre of temporary stream impacts. The project site is located approximately 268 feet south of the intersection of Trooper Road and Sullivan Lane at the boundary of West Norriton and Upper Merion Townships, Montgomery County. (PA Valley Forge USGS Quadrangle N: 19.63 inches; W: 6.46 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

**E09-977 Pennsylvania Department of Transport,** District 6, 7000 Geerdes Blvd, King of Prussia, Warminster and Warwick Townships, **Bucks County,** ACOE Philadelphia District

To perform the following water obstruction and encroachment activities associated with the roadway widening and other improvement of approximately 3.9 miles of State Route 263 (York Road) between Bristol Road (S.R. 2025) and just south of Sugar Bottom Road (S.R. 2113) in Warminster and Warwick Townships:

1. To realign the confluence of two unnamed tributaries to Neshaminy Creek to facilitate the natural meandering of the stream at that point and prevent sediment deposits.

2. To remove and replace approximately 13 cubic yards of existing R-6 scour protection around pier 2 of the SR 0263 bridge over the Little Neshaminy Creek (TSF).

3. To place and maintain fill along approximately 31 linear feet of an unnamed tributary to the Little Neshaminy Creek to facilitate temporary construction easement in the vicinity of Road Station 183+50.

4. To place and maintain fill along approximately 79 linear feet of an unnamed tributary to the Little Neshaminy Creek on the southbound side of SR 0263 (Road Station 184+00) to accommodate slope stability improvements.

5. To construct and maintain an 18-inch corrugated metal pipe (CMP) enclosure replacing an existing 18-inch reinforced concrete pipe (RCP) enclosure of an unnamed tributary to the Little Neshaminy Creek at River Station 197+38.

6. To fill approximately 70.36 linear feet (709.96 square feet) of an existing stormwater channel discharging into an unnamed tributary to Neshaminy Creek and divert the source of the stormwater discharge from the existing 24-inch RCP by another route under SR 0263 to the proposed stormwater management BMP device at Sta. 237+50.

7. To construct and maintain a 31-inch by 51-inch arch RCP culvert and wingwalls in place of the existing 35-inch by 57-inch elliptical CMP culvert located approximately at Station 222+00. Work will involve the modification of the roadway approach grading to accommodate the replacement.

8. To construct and maintain a 19-inch by 30-inch reinforced concrete elliptical pipe (RCEP) and a 24-inch by 38-inch pipe in place of an existing 18-inch RCP storm sewer system that conveys an unnamed tributary to Neshaminy Creek which passes under SR 0263 located in the vicinity of Station 279+80.

9. To place and maintain fill within an unnamed tributary to the Neshaminy Creek located between Stations 328+75 and 330+00 to accommodate the proposed roadway widening.

10. To construct and maintain a 73-inch by 45-inch arch RCP culvert at Road station 290+50 replacing an existing 72-inch by 43-inch elliptical CMP culvert.

11. To replace and maintain a 24-inch RCP enclosure, in kind, along an unnamed tributary to Neshaminy Creek located approximately at Station 231+50.

12. To construct and maintain a temporary access road crossing over an unnamed tributary to the Little Neshaminy Creek approximately located at Station 184+00 to facilitate the project objectives.

13. To construct and maintain an 18-inch diameter RCEP stormwater outfall into the Little Neshaminy Creek approximately located at Station 167+97 associated with a proposed stormwater management basin.

14. To construct and maintain an 18-inch diameter RCP stormwater outfall and associated TRM located approximately at Station 196+66 which will discharge stormwater from a trench drain constructed under SR 0263, to an unnamed tributary to the Little Neshaminy Creek

15. To construct and maintain an 18-inch diameter RCP stormwater outfall discharging into an unnamed tributary to Neshaminy Creek approximately located at Station 238+53. The outlet of this pipe will include a proposed wingwall and will collect discharge stormwater from bypass runoff to Waterway T.

16. To construct and maintain an 18-inch RCP outfall structure to an unnamed tributary to Neshaminy Creek located approximately at Station 287+28. The outlet will discharge from a proposed vegetated swale.

17. To construct and maintain a 38-inch by 60-inch diameter RCEP outfall structure to an unnamed tributary to Neshaminy Creek, located approximately at Station 238+36 and discharging stormwater from a proposed stormwater management basin.

18. To place and maintain fill within an unnamed tributary of Neshaminy Creek, located approximately between Stations 265+00 and 266+00, to accommodate the proposed roadway widening.

19. To place and maintain temporary fill within an unnamed tributary to the Neshaminy Creek located approximately between Stations 289+50 and 290+10. The fill will accommodate a temporary erosion and sedimentation control device during construction.

20. To extend and maintain an existing 18-inch CMP outfall by 12 feet at the headwaters of an unnamed tributary to the Neshaminy Creek.

The project site commences at the intersection of Bristol Road and York Road (SR 0263) and ends approximately 3.9 north at the intersection of Sugar Bottom Road and York Road (SR 0263) in Warwick and Warminster Townships, Bucks County, (Latitude 40° 14' 33.95"; Longitude 75° 05' 23.83").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E07-447: Dwayne Ross,** 223 Wilt Lane, Altoona, PA 16601 in Logan Township, **Blair County,** ACOE Baltimore District.

To (1) construct and maintain a 25-foot long 16-foot wide bridge with 8-foot wing walls and R-6 rip rap protection on both sides crossing of Homer Gap Run (WWF, MF), and (2) maintain 500 cubic feet of fill within the floodway of Homer Gap Run (WWF, MF), for the purpose of accessing private property. The project is located on the south side of Homers Gap Road (Altoona, PA Quadrangle Latitude: 40° 33' 38", Longitude -78° 23' 51") in Logan Township, Blair County. This permit was issued on October 7, 2013.

**E06-687: Union Township**, 1445 East Main Street. Douglassville, PA 19518 in Union Township, **Berks County**, ACOE Baltimore District.

To install and maintain 1) two 42.0-foot long 30.0-inch diameter HDPE slipline pipes inside two existing 36.0-inch diameter corrugated metal pipe culverts in an unnamed tributary to Sixpenny Creek (CWF, MF), 2) 58-linear feet of riprap bank protection along an unnamed tributary to Sixpenny Creek (CWF, MF), and 3) a 10-linear foot cross rock vein in an unnamed tributary to Sixpenny Creek (CWF, MF) all in Union Township, Berks County (Latitude: 40°14'46", Longitude: -75°47'1"). The project proposes to permanently impact 113 linear feet of stream, temporarily impact 45 linear feet of stream, and have no wetland impact. This permit was issued on October 7, 2013.

**E22-594: Dauphin County Commissioners**, PO Box 1295, Harrisburg, PA 17108 in Middle Paxton and Susquehanna Townships, **Dauphin County**, ACOE Baltimore District.

To 1) construct and maintain a 17' x 15' non-motorized boat ramp, permanently impacting 0.01 acres of palustrine emergent wetlands and 17.0 lineal feet of the Susquehanna River (WWF, MF); 2.) place and maintain 24 cubic yards of fill in the floodway of the Susquehanna River (WWF, MF) and 54 cubic yards of fill in the floodplain of the Susquehanna River (WWF, MF) (Latitude: 40°20'26", Longitude: -76°54'35"); 3) construct and maintain a stormwater outfall in palustrine emergent wetlands, permanently impacting 0.01 acre of wetlands (Latitude: 40°20'24", Longitude: -76°54'34"); 4) construct and maintain a parking area that is approximately 420' x 30', including placing and maintaining 357 cubic yards of fill in the floodway of the Susquehanna River (WWF, MF) and 1,427 cubic yards of fill in the floodplain of the Susquehanna River (WWF, MF) (Latitude: 40°20'27", Longitude: -76°54'32"); 5) construct and maintain a 15' x 12' non-motorized boat ramp, permanently impacting 12.0 lineal feet of Fishing Creek (WWF, MF) (Latitude: 40°20'38", Longitude: -76°54'34"); and 6) construct and maintain a parking area that is approximately 230' x 190', including placing and maintaining 2,495 cubic yards in the floodway of Fishing Creek (WWF, MF) and 350 cubic yards of fill in the floodplain of Fishing Creek (WWF, MF) (Latitude: 40°20'38", Longitude: -76°54'34"). The project is located near the intersection of Fishing Creek Valley Road and North Front Street (Latitude: 40°20'27", Longitude: -76°54'32") in Middle Paxton Township and Susquehanna Township, Dauphin County.

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.*

**E33-249, PA Department of Transportation**, District 10-0, P.O. Box 429, Indiana, PA 15701 within the Borough of Summerville, **Jefferson County**, ACOE Pittsburgh District to remove the existing three span steel multi-girder bridge and to construct and maintain a 40.0 foot out to out three span steel plate girder bridge having

three normal clear spans of 64.7 feet each and an underclearance of 15.4 feet across Red Bank Creek (TSF) within the flood plain and re-aligned upstream of existing structure. The roadway will also be re-aligned on both approaches of the new structure located on S.R. 3007, Segment 0130, Offset 0144 (Summerville, PA Quadrangle N: 41°, 07', 1.9"; W: 79°, 11', 11.3"). The project also proposes a temporary causeway for construction. A total of 210 linear feet of Red Bank Creek will be impacted as a result of the project.

**E42-362, Foster Township Supervisors**, 1185 East Main Street, Bradford, PA 16701 in Foster Township, **McKean County** ACOE Pittsburgh District to install 69 stream crossings by horizontal directional drill (HDD), including crossings of Bennett Brook, Foster Brook, Kendall Creek, South Branch Cole Creek, and their tributaries, 9 crossings of EV wetlands by HDD, and temporary impact to 15 sq. ft. of EV wetland for one HDD bore pit associated with construction of 93,000 ft of HDPE low pressure force main and 2160 ft. of gravity sewer (Bradford & Derrick City, PA Quadrangle N: 41°, 56', 35"; W: 78°, 35', 18").

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E5829-048. Williams Field Services Company, LLC**; Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275; Gibson Township, **Susquehanna County**, ACOE Baltimore District. To construct, operate, and maintain:

1) a 16-inch natural gas pipeline and timber bridge crossing impacting 92 lineal feet of an unnamed tributary to Bell Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 07" Lat., W -75° 37' 35" Long.),

2) a 16-inch natural gas pipeline and timber bridge crossing impacting 127 lineal feet of an unnamed tributary to Bell Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 06" Lat., W -75° 37' 34" Long.),

3) a 16-inch natural gas pipeline crossing impacting 4 lineal feet of an unnamed tributary to Bell Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 06" Lat., W -75° 37' 29" Long.),

4) a 16-inch natural gas pipeline crossing impacting 10 lineal feet of Bell Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 06" Lat., W -75° 37' 27" Long.),

5) a 16-inch natural gas pipeline crossing impacting 3 lineal feet of an unnamed tributary to Bell Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 06" Lat., W -75° 37' 24" Long.),

6) a 16-inch natural gas pipeline and timber bridge crossing impacting 51 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 17" Lat., W -75° 36' 37" Long.),

7) a 16-inch natural gas pipeline and timber bridge crossing impacting 78 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 50" Lat., W -75° 36' 00" Long.),

8) a 16-inch natural gas pipeline and timber bridge crossing impacting 108 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 55" Lat., W -75° 35' 54" Long.),

9) a 16-inch natural gas pipeline and timber bridge crossing impacting 89 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 46' 58" Lat., W -75° 35' 57" Long.),

10) a 16-inch natural gas pipeline and timber bridge crossing impacting 81 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 47' 09" Lat., W -75° 35' 54" Long.),

11) a 16-inch natural gas pipeline and timber bridge crossing impacting 50 lineal feet of Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 47' 41" Lat., W -75° 35' 11" Long.),

12) a 16-inch natural gas pipeline and timber bridge crossing impacting 81 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 47' 41" Lat., W -75° 35' 08" Long.),

13) a 16-inch natural gas pipeline and timber bridge crossing impacting 59 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; N 41° 47' 41" Lat., W -75° 35' 06" Long.),

14) a 16-inch natural gas pipeline and timber mats impacting 20,473 square feet (0.47 acre) of a PSS wetland (Thompson, PA Quadrangle; N 41° 46' 06" Lat., W -75° 37' 31" Long.),

15) a 16-inch natural gas pipeline and timber mat crossing impacting 2,178 square feet (0.05 acre) of a PEM wetland (Thompson, PA Quadrangle; N 41° 46' 55" Lat., W -75° 35' 54" Long.),

16) a timber mat crossing impacting 871 square feet (0.02 acre) of a PEM wetland (Thompson, PA Quadrangle; N 41° 46' 59" Lat., W -75° 35' 58" Long.),

17) a 16-inch natural gas pipeline and timber mat crossing impacting 16,117 square feet (0.37 acre) of a PEM wetland (Thompson, PA Quadrangle; N 41° 47' 33" Lat., W -75° 35' 37" Long.),

18) a 16-inch natural gas pipeline and timber mat crossing impacting 871 square feet (0.02 acre) of a PEM wetland (Thompson, PA Quadrangle; N 41° 47' 41" Lat., W -75° 35' 11" Long.),

19) a 16-inch natural gas pipeline and timber mat crossing impacting 14,810 square feet (0.34 acre) of a PFO wetland (Thompson, PA Quadrangle; N 41° 47' 41" Lat., W -75° 35' 07" Long.).

The project consists of constructing approximately 4.5 miles of 16" natural gas gathering line from the Reilly J. well pad routed to the Southwest to the Davis pipeline in Gibson Township, Susquehanna County. The project will result in 833 lineal feet of stream channel, 0.46 acre of temporary wetland impact, and 0.81 acre of permanent wetland conversion impacts, all for the purpose of conveying Marcellus Shale natural gas to market.

#### **EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also

available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, Pa 17701*

ESCP 2 # 0813802

Applicant Name Tennessee Gas Pipeline Co. LLC

Contact Person Howdy McCracken

Address 1001 Louisiana Ave., Ste 1000

City, State, Zip Houston, TX 77002

County Bradford

Township(s) Wyalusing Township

Receiving Stream(s) and Classification(s) UNT to Wyalusing Creek—WWF

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, Pa 16335*

ESCGP-1 #ESG13-065-0004—DM Wingard Well Pad

Applicant EQT Production

Contact Todd Klaner

Address 455 Racetrack Road Suite 101

City Washington State PA Zip Code 15301

County Jefferson Township(s) Polk(s)

Receiving Stream(s) and Classification(s) Lucas Run, North Fork Redbank Creek

ESCGP-1 #ESG13-065-0005—Sulgar Pad A

Applicant Seneca Resources Corporation

Contact Mr. Michael Clinger

Address 51 Zents Boulevard

City Brookville State PA Zip Code 15825

County Jefferson Township(s) Warsaw(s)

Receiving Stream(s) and Classification(s) Trib 48577 to Laurel Run (HQ-CWF/HQ-CWF); Trib 48592 to Mill Creek (CWF/CWF)

ESCGP-1 #ESX13-085-0024—Reges To Pilgram 1H Pipeline

Applicant Halcon Field Services, LLC

Contact Rich DiMichele

Address 2984 Kirlia Blvd

City Hermitage State PA Zip Code 16148

County Mercer Township(s) Otter Creek and Delaware(s)

Receiving Stream(s) and Classification(s) Otter Creek, Mathy Run, UNT 35738 to Otter Creek, Neshannock Creek, TSF / WWF

ESCGP-1 #ESX12-085-0002A-Phillips Well Pad-Major Modification

Applicant Halcon Operating Co., LLC

Contact Gregg Stewart

Address 600 Cranberry Woods Drive, Suite 150

City Cranberry Township State PA Zip Code 16066

County Mercer Township(s) West Salem(s)

Receiving Stream(s) and Classification(s) Tributary to Booth Run, Booth Run—WWF

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-1 # ESG13-105-0001  
 Applicant Name UGI Energy Services, Inc.  
 Contact Person Casey Monagan  
 Address One Meridian Blvd., Suite 2C01  
 City, State, Zip Wyomissing, PA 19610  
 County Potter County  
 Township(s) Abbott Township  
 Receiving Stream(s) and Classification(s) Boedler Branch and Germania Branch/Upper Kettle Creek

ESCGP-1 # ESX13-115-0101  
 Applicant Name Bluestone Pipeline Company of PA, LLC  
 Contact Person Herman C. Eck, Jr.  
 Address P.O. Box 839, 1429 Oliver Road  
 City, State, Zip New Milford, PA 18834  
 County Susquehanna County  
 Township(s) Thompson Township  
 Receiving Stream(s) and Classification(s) Great Bend Susquehanna Watershed (CWF/MF)

ESCGP-1 # ESX13-115-0092  
 Applicant Name Chief Oil & Gas LLC  
 Contact Person Jeffrey Deegan  
 Address 6051 Wallace Road Ext., Suite 300  
 City, State, Zip Wexford, PA 15090  
 County Susquehanna County  
 Township(s) Lenox Township  
 Receiving Stream(s) and Classification(s) UNT to Tower Branch (CWF/NRT)

ESCGP-1 # ESX12-115-0221 (01)  
 Applicant Name Williams Field Services Company, LLC  
 Contact Person Lauren Miladinovich  
 Address Park Place Corporate Center 2, 2000 Commerce Drive  
 City, State, Zip Pittsburgh, PA 15275  
 County Susquehanna County  
 Township(s) Lenox Township  
 Receiving Stream(s) and Classification(s) Millard Creek, Tower Branch (CWF-MF/NRT) and Tribs thereto.

ESCGP-1 # ESX13-115-0105  
 Applicant Name Cabot Oil & Gas Corporation  
 Contact Person Kenneth Marcum  
 Address Five Penn Center West, Suite 401  
 City, State, Zip Pittsburgh, PA 15276  
 County Susquehanna County  
 Township(s) Jessup Township  
 Receiving Stream(s) and Classification(s) East Branch Wyalusing Creek and UNTs thereto (CWF/MF)

ESCGP-1 # ESG13-115-0058 (01)  
 Applicant Name Angelina Gathering Company, LLC  
 Contact Person Danny Spaulding  
 Address 2350 N. Sam Houston Pkwy, E., Suite 125  
 City, State, Zip Houston, TX 77032  
 County Susquehanna County  
 Township(s) New Milford Township  
 Receiving Stream(s) and Classification(s) Beaver Creek (HQ-CWF/MF), Martins Creek (CWF/MF) and Tribs thereto.

ESCGP-1 # ESX11-117-0036 (03)  
 Applicant Name SWEPI LP  
 Contact Person Jason Shoemaker  
 Address 2100 Georgetown Drive, Suite 400  
 City, State, Zip Sewickley, PA 15143  
 County Tioga County  
 Township(s) Sullivan Township  
 Receiving Stream(s) and Classification(s) Tribs to Corey Creek (CWF/MF);  
 Secondary: Tioga River (CWF/MF)

ESCGP-1 # ESX13-115-0099  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 County Susquehanna County  
 Township(s) Auburn Township  
 Receiving Stream(s) and Classification(s) Little Meshoppen Creek (CWF/MF);  
 Secondary: Meshoppen Creek (CWF/MF)

ESCGP-1 # ESG13-015-0020 (01)  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 County Bradford and Sullivan Counties  
 Township(s) Overton and Elkland Townships  
 Receiving Stream(s) and Classification(s) Mill Creek;  
 Secondary Little Loyalsock (EV)

ESCGP-1 # ESX13-115-0115  
 Applicant Name PVR NEPA Gas Gathering, LLC  
 Contact Person Nicholas Bryan  
 Address 101 West Third Street  
 City, State, Zip Williamsport, PA 17701  
 County Susquehanna County  
 Township(s) Lathrop Township  
 Receiving Stream(s) and Classification(s) Horton Creek and UNTs thereto (CWF/MF)

ESCGP-1 # ESG13-081-0054  
 Applicant Name Seneca Resources Corporation  
 Contact Person Michael Clinger  
 Address 5800 Corporate Drive, Suite 300  
 City, State, Zip Pittsburgh, PA 15237  
 County Lycoming County  
 Township(s) Lewis and Gamble Townships  
 Receiving Stream(s) and Classification(s) (2) UNTs to Lycoming Creek (HQ/CWF), Mill Creek (TSF-MF/EV);  
 Secondary: Antes-Lycoming Creek (EV)

ESCGP-1 # ESX13-115-0111  
 Applicant Name Williams Field Services Company, LLC  
 Contact Person Lauren Miladinovich  
 Address Park Place Corporate Center 2, 2000 Commerce Drive  
 City, State, Zip Pittsburgh, PA 15275  
 County Susquehanna County  
 Township(s) Brooklyn Township  
 Receiving Stream(s) and Classification(s) Tribs. 28959 & 28961 to Hop Bottom Creek, Hop Bottom Creek (CWF);  
 Secondary: Hop Bottom Creek

ESCGP-1 # ESX13-081-0060  
 Applicant Name Inflection Energy LLC  
 Contact Person Thomas Gillespie  
 Address 49 E. Fourth Street, Suite 101  
 City, State, Zip Williamsport, PA 17701  
 County Lycoming County  
 Township(s) Fairfield Township  
 Receiving Stream(s) and Classification(s) Bennetts Run (WWF);  
 Secondary: West Branch Susquehanna River

*Southwest Region: Oil & Gas Program Mgr. 400 Waterfront Dr. Pittsburgh PA*

ESCGP-2 No: ESX13-125-0040  
 Applicant Name: Range Resources Appalachia LLC  
 Contact Person Mr Glenn D Truzzi  
 Address: 3000 Town Center Boulevard  
 City: Canonsburg State: PA Zip Code: 15317  
 County: Washington Township: Smith

Receiving Stream (s) And Classifications: UNTs to Raccoon Creek / Raccoon Creek Watershed; Other WWF; Siltation—Impaired

ESCGP-2 No.: ESX13-063-0009

Applicant Name: XTO Energy Inc  
Contact Person: Melissa Breitenbach

Address: 502 Keystone Drive  
City: Warrendale State: PA Zip Code: 15086

County: Indiana Township(s): Center

Receiving Stream(s) and Classifications: UNT to Aultmans Run (TSF); Other; Siltation-Impaired

ESCGP-2 No.: ESX13-129-0009

Applicant Name: CNX Gas Company LLC  
Contact Person: Mr Jonathan Madill

Address: 280 Indian Springs Road Suite 333  
City: Indiana State: PA Zip Code: 15701

County: Westmoreland Township(s): Bell

Receiving Stream(s) and Classifications: Kiskimintas River / Trib 43075 to Kiskimintas River; Other WWF; Siltation-Impaired

ESCGP-2 No.: ESX09-129-0007 MAJOR REVISION

Applicant Name: WPX Energy Appalachia LLC

Contact Person: Mr David R Freudenrich  
Address: 6000 Town Center Boulevard Suite 300

City: Canonsburg State: PA Zip Code: 15317

County: Westmoreland Township(s): Derry

Receiving Stream(s) and Classifications: UNTs to Stony Run / Conemaugh River, CWF UNT to Loyalhanna Creek, Loyalhanna Creek, WWF: Other CWF, WWF: Siltation-Impaired

#### OIL AND GAS MANAGEMENT

The following Well Permits have been issued with a waiver under 58 Pa.C.S. § 3215(b)(4) (relating to well location restrictions).

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed which the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not in and of itself create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483.

*Northwest Region District Oil and Gas Operations, Program Manager, 230 Chestnut St., Meadville, PA 16335*

Well Permit #: 081-21335-00-00

Well Farm Name Allegheny Ridge West Hillegas 5

Applicant Name: Inflection Energy, LLC.

Contact Person: Thomas D. Gillespie, P.G.

Address: 1200 17th Street, Suite 1350 Denver, CO 80202

County: Lycoming

Municipality: Upper Fairfield Township

Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Huntersville

Well Permit #: 081-21336-00-00

Well Farm Name Allegheny Ridge West Hillegas 2

Applicant Name: Inflection Energy, LLC.

Contact Person: Thomas D. Gillespie, P.G.

Address: 1200 17th Street, Suite 1350 Denver, CO 80202

County: Lycoming

Municipality: Upper Fairfield Township

Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Huntersville

*Southwest District: District Oil and Gas Operations, Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222*

Well Permit #: 005-31173-00

Well Farm Name: Ralph Myers etux 1M-35

Applicant Name: MDS Energy Development LLC

Contact Person: Randall L. Morris, Jr.

Address: 409 Butler Road, Suite A Kittanning, PA 16201

County: Armstrong

Municipality Name/City, Borough, Township: Gilpin Twp

Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Tributary 42831 to Elder Run

#### SPECIAL NOTICES

##### General NPDES Permit for Stormwater Discharges Associated with Construction Activities

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**PAG-2-27-32-13-001, Forcey Coal, Inc.**, 475 Banion Road, Madera, PA 16661. General NPDES Permit for Stormwater Discharges Associated with Construction Activities on GFCC No. 32-12-01 in Grant Township, **Indiana County**. Receiving streams: East Run tributary to Little Mahoning Creek, classified for the following uses: High Quality-Cold Water Fisheries. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for coverage received: April 15, 2013. Coverage approved: October 7, 2013.

[Pa.B. Doc. No. 13-1991. Filed for public inspection October 25, 2013, 9:00 a.m.]

##### Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.eibrary.dep.state.pa.us>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.



*Ordering Paper Copies of Department Technical Guidance*

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

*Changes to Technical Guidance Documents*

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

*Draft Technical Guidance—Substantive Revision*

**DEP ID:** 012-4180-001. **Title:** Policy for the Consideration of Community Environmental Projects (CEP) in Conjunction with Assessment of Civil Penalty. **Description:** This policy provides guidance on the process Department staff will follow for considering, in appropriate situations, the acceptance of a CEP in lieu of a portion of the amount of a civil penalty. This policy also provides guidance on what types of projects will generally be found to be acceptable and unacceptable.

**Written Comments:** Interested persons may submit written comments on this Draft Policy by 5 p.m. on November 25, 2013. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by electronic mail, must include the originator's name and address. Written comments should be submitted to Holly Cairns, Department of Environmental Protection, 400 Market Street, P. O. Box 2063, Rachel Carson State Office Building, Harrisburg, PA 17105-2063, (717) 787-6490 or electronically to RA-EPpubliccomments@pa.gov.

**Contact:** Questions regarding this action should be directed towards to Holly Cairns at (717) 787-6490 or RA-EPpubliccomments@pa.gov.

**Effective Date:** Upon publication as final in the *Pennsylvania Bulletin*.

*Final Technical Guidance Document—Minor Revision*

**DEP ID:** 262-4500-606. **Title:** Applicable or Relevant and Appropriate Requirements (ARARs) for Cleanup Response and Remedial Actions in Pennsylvania. **Description:** This Technical Guidance Document has been renumbered due to the Department's reorganization. It was formerly published under the document number 253-4500-606 (Bureau of Waste Management) and has been changed to 262-4500-606 (Bureau of Environmental Cleanup and Brownfields). Other changes in this document also reflect the Department's reorganization.

**Contact:** Questions regarding this action should be directed to Mark Conaron at (717) 783-9165 or mconaron@pa.gov.

**Effective Date:** October 26, 2013.

*Final Technical Guidance—Supplementary Comment Period*

**DEP ID:** 021-2100-001. **Title:** Policy for Implementing the Department of Environmental Protection (Department) Permit Review Process and Permit Decision Guarantee. **Description:** On July 24, 2012, Governor Corbett signed Executive Order 2012-11 "Permit Decision Guarantees for the Department of Environmental Protection"

directing the Department to, among other things, establish a Permit Review Process and Permit Decision Guarantee. The executive order also rescinded the Money Back Guarantee created under Executive Order 1995-5.

The Department has evaluated the effectiveness of the new process and guarantee established through this policy on a quarterly basis throughout the first year of implementation. As part of our program evaluation the Department is holding a supplementary comment period on this policy.

Information pertaining to the Department's Permit Review Process and Permit Decision Guarantee can be found on the Department's web site at [www.dep.state.pa.us](http://www.dep.state.pa.us) (DEP Search/Keyword: Permit Decision Guarantee).

**Written Comments:** Interested persons may submit written comments on this Technical Guidance Document by December 4, 2013. Comments submitted by facsimile will not be accepted. All comments, including comments submitted by electronic mail, must include the originator's name and address. Written comments should be submitted to Daniel Coulter, 400 Market Street, Harrisburg PA, 17101, (717) 772-5626, [dcoulter@pa.gov](mailto:dcoulter@pa.gov).

**Contact:** Questions regarding this action should be directed towards to Daniel Coulter at (717) 772-5626 or [dcoulter@pa.gov](mailto:dcoulter@pa.gov).

**Effective Date:** The document became effective on November 3, 2012. Any revisions that may be made in response to public comments will become effective upon publication as final in the *Pennsylvania Bulletin*.

E. CHRISTOPHER ABRUZZO,  
*Acting Secretary*

[Pa.B. Doc. No. 13-1992. Filed for public inspection October 25, 2013, 9:00 a.m.]

### **Extension of General Permit Number WMGR081 for Processing and Beneficial Use of Electronic Equipment and Components by Sorting, Disassembling or Mechanical Processing**

Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P. S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is, by this notice, extending the permit term of General Permit Number WMGR081 for a period of 6 months to April 21, 2014. General Permit WMGR081 is currently scheduled to expire at 12 a.m. on October 21, 2013. This 6-month extension will be effective on October 21, 2013, and will expire at 12 a.m. on April 21, 2014, or upon issuance of an amended General Permit Number WMGR081.

The Department is extending the term of this general permit to complete necessary revisions to the permit and include provisions of the Covered Device Recycling Act (35 P. S. §§ 6031.101—6031.702).

The opportunity to apply for a determination of applicability under General Permit Number WMGR081 will continue to be available from the Department under the current general permit until it is replaced or updated. In addition, the permit documents are on file at the Depart-

ment's Bureau of Waste Management, Rachel Carson State Office Building, 400 Market Street, 14th Floor, Harrisburg, PA 17106.

The permit documents can also be obtained by contacting Peter Arnt at (717) 787-7381 or parnt@pa.gov. Persons with a disability may use the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). General Permit Number WMGR081 is also available on the Department's web site at <http://www.portal.state.pa.us/portal/server.pt?open=514&objID=589685&mode=2>.

E. CHRISTOPHER ABRUZZO,  
*Acting Secretary*

[Pa.B. Doc. No. 13-1993. Filed for public inspection October 25, 2013, 9:00 a.m.]

### **Mine Families First Response and Communications Advisory Council Meeting**

The Department of Environmental Protection (Department), Bureau of Mine Safety, announces a meeting of the Mine Families First Response and Communications Advisory Council (Council) on October 31, 2013, at 10 a.m. in the Fayette County Health Center, Uniontown, PA. The agenda and meeting materials for the October 31, 2013, meeting will be available through the Public Participation Center on the Department's web site at [www.dep.state.pa.us](http://www.dep.state.pa.us) (select "Public Participation Center," "DEP Advisory Committees," "Mine Families First Response and Communications Advisory Council").

Questions concerning the Council's meeting may be directed to Allison D. Gaida, Bureau of Mine Safety, (724) 439-7289 or [agaida@pa.gov](mailto:agaida@pa.gov).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Allison D. Gaida at (724) 439-7289 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,  
*Acting Secretary*

[Pa.B. Doc. No. 13-1994. Filed for public inspection October 25, 2013, 9:00 a.m.]

### **Proposed Revision to the State Implementation Plan for the Motor Vehicle Emissions Budgets in the Scranton/Wilkes-Barre 1997 Eight-Hour Ozone Maintenance Area; Public Hearing**

The Department of Environmental Protection (Department) is revising the motor vehicle emissions budgets for the Scranton/Wilkes-Barre 1997 Eight-Hour Ozone Maintenance Area. The revised budgets, once approved by the United States Environmental Protection Agency (EPA), will allow local transportation planning agencies to better compare highway vehicle emissions in transportation plans with motor vehicle emission budgets in the State Implementation Plan (SIP). The SIP will now include

highway emissions estimated using the same computer model that local planning agencies are required to use for developing their transportation plans.

The EPA developed a new computer model, the Motor Vehicle Emissions Simulator (MOVES), that estimates emissions from highway vehicles more accurately. The Department used the former EPA-approved model, Mobile6, for estimating highway vehicle emissions in the approved maintenance plan for the Scranton/Wilkes-Barre Area. Emissions of oxides of nitrogen and, in some cases, volatile organic compounds are estimated to be at higher levels by the MOVES model than the levels approved by EPA in the Scranton/Wilkes-Barre Maintenance Plan. The Transportation Conformity regulation requires that emissions from updated local transportation improvement plans do not exceed the motor vehicle emissions budget in the area's approved, applicable SIP. By using the same model in transportation planning and the SIP, a more realistic comparison between the two will result, which will offer less chance of transportation projects being delayed.

The Department is also including projected emissions from Marcellus Shale activity that were not included in the previously approved SIP revision. These emissions result from drilling and compressor station activity. In addition, the Department is including emissions that will be produced from building the proposed Bell Bend Nuclear Power Plant for that project to satisfy General Conformity requirements.

This proposal is available on the Department's web site at [www.dep.state.pa.us](http://www.dep.state.pa.us) or through the contact persons listed as follows.

The Department is seeking public comment on updated emissions in this proposed SIP revision, which include changes made to the motor vehicle emissions budget and inclusion of emissions from Marcellus Shale activity, and building of the proposed Bell Bend Nuclear Power Plant in the Scranton/Wilkes-Barre 1997 Eight-Hour Ozone Maintenance Plan. The Department will hold a public hearing to receive comments on the proposal on December 4, 2013, at 1 p.m. in Susquehanna Room A, Department of Environmental Protection's Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA.

Persons wishing to present testimony at the hearing should contact Alex Haas, P. O. Box 8468, Harrisburg, PA 17105, (717) 787-9495 or [alehaas@pa.gov](mailto:alehaas@pa.gov) to reserve a time. If, by November 27, 2013, no person has requested to testify at the hearing, the hearing will be cancelled. If the hearing is cancelled, the Department will notify the public on the Bureau of Air Quality web page <http://www.dep.state.pa.us/dep/deputate/airwaste/air/default.htm>. Witnesses should keep testimony to 10 minutes and should provide two written copies of their statement at the hearing.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Alex Haas at (717) 787-9495 or [alehaas@pa.gov](mailto:alehaas@pa.gov). TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than December 4, 2013. Written comments should be sent to the attention of Kirit Dalal, Chief, Division of Air Resource Management, Bureau of Air Quality, P. O. Box

8468, Harrisburg, PA 17105-8468 or kdalal@pa.gov. Use "Scranton/Wilkes-Barre MVEB Revisions" in the subject line.

E. CHRISTOPHER ABRUZZO,  
Acting Secretary

[Pa.B. Doc. No. 13-1995. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Solid Waste Advisory Committee Meeting Cancellation

The Thursday, November 7, 2013, meeting of the Solid Waste Advisory Committee (Committee) is cancelled. The next meeting is scheduled for Thursday, March 6, 2014, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105.

Questions concerning the next scheduled meeting of the Committee can be directed to Ali Tarquino-Morris at (717) 783-2360 or altarquino@pa.gov. The agenda and meeting materials for the March 6, 2014, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.state.pa.us> (DEP Keywords: "Public Participation, Participate") when available.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,  
Acting Secretary

[Pa.B. Doc. No. 13-1996. Filed for public inspection October 25, 2013, 9:00 a.m.]

## DEPARTMENT OF GENERAL SERVICES

### Lease Office Space to the Commonwealth Lehigh County

Proposals are invited to provide the Department of General Services with 17,914 usable square feet of office space for the Pennsylvania State Police in Lehigh County. For more information on SFP No. 94510, which is due on Thursday, November 14, 2013, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact David Weyandt at (717) 525-5255 or daweyandt@pa.gov.

SHERI PHILLIPS,  
Secretary

[Pa.B. Doc. No. 13-1997. Filed for public inspection October 25, 2013, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Application of Armstrong County Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives

notice that Armstrong County Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 18.3.2.5(1) (relating to gift shops).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-1998. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Bryn Mawr Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bryn Mawr Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-8.5.3.2 (relating to the prescribed size for TDR's to be 12 feet by 14 feet).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and

Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-1999. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Children's Surgery Center of Malvern, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Children's Surgery Center of Malvern, LLC has requested an exception to the requirements of 28 Pa. Code § 551.22(3)(ii) (relating to criteria for performance of ambulatory surgery on pediatric patients).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2000. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Fairgrounds Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Fairgrounds Surgery Center has requested an exception to the requirements of 28 Pa. Code § 553.31(a) (relating to administrative responsibilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2001. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Indiana Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Indiana Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 105.11(b) (relating to access).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2002. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Indiana Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Indiana Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility

specifically requests exemption from the following standards contained in this publication: 3.5-7.2.1 (relating to corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 13-2003. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Lehigh Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 13-2004. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Lehigh Valley Hospital—Muhlenberg for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital—Muhlenberg has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 13-2005. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Monroeville Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Monroeville Surgery Center has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.7-1.3.4(1) (relating to unrestricted area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 13-2006. Filed for public inspection October 25, 2013, 9:00 a.m.]

### **Application of Schuylkill Medical Center East Norwegian Street for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Schuylkill Medical Center East Norwegian Street has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 13-2007. Filed for public inspection October 25, 2013, 9:00 a.m.]

### **Application of Schuylkill Medical Center South Jackson Street for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Schuylkill Medical Center South Jackson Street has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 13-2008. Filed for public inspection October 25, 2013, 9:00 a.m.]

### **Application of Select Specialty Hospital—McKeesport for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Select Specialty Hospital—McKeesport has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 13-2009. Filed for public inspection October 25, 2013, 9:00 a.m.]

### **Application of Select Specialty Hospital—McKeesport for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Select Specialty Hospital—McKeesport has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following

standards contained in this publication: 2.1-8.2.2.1 (relating to ventilation and space-conditioning).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2010. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Select Specialty Hospital—Pittsburgh for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Select Specialty Hospital—Pittsburgh has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-8.2.2.1 (relating to ventilation and space-conditioning).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2011. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Valley Ambulatory Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Valley Ambulatory Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2012. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Application of Washington Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Washington Health System has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2013. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Forbes Center for Rehabilitation and Healthcare  
6655 Frankstown Avenue  
Pittsburgh, PA 15206

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction):

Darway Elder Care Rehabilitation Center  
5865 Route 154  
Forksville, PA 18616  
FAC ID 040102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Friendship Ridge  
246 Friendship Circle  
Beaver, PA 15009

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 13-2014. Filed for public inspection October 25, 2013, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Cashing Thru the Snow Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cashing Thru the Snow.

2. *Price:* The price of a Pennsylvania Cashing Thru the Snow instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Cashing Thru the Snow instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area are: an Angel (ANGEL) symbol, Bell (BELL) symbol, Cabin (CABIN) symbol, Candle (CANDLE) symbol, Cocoa (COCOA) symbol, Cup (CUP) symbol, Drum (DRUM) symbol, Earmuff (EARMF) symbol, Fire (FIRE) symbol, Hat (HAT) symbol, Holly (HOLLY) symbol, Horn (HORN) symbol, Icicle (ICICLE) symbol, Igloo (IGLOO) symbol, Lights (LIGHTS) symbol, Mitten (MITTEN) symbol, Nutcracker (NUTCRKR) symbol, Ornament (ORNAMENT) symbol, Skate (SKATE) symbol, Snowflake (SNOWFLK) symbol, Snowman (SNOWMAN) symbol, Star (STAR) symbol, Stocking (STOCKING) symbol, Toys (TOYS) symbol, Tree (TREE) symbol, Wreath (WREATH) symbol, Reindeer (RNDEER) symbol, and a Candy Cane (CNDYCNE) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: FREE (TICKET), \$2<sup>00</sup> (TWO DOL), \$4<sup>00</sup> (FOR DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$20<sup>00</sup> (TWENTY), \$25<sup>00</sup> (TWY FIV), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO) and \$25,000 (TWYFIVTHO).

5. *Prizes:* The prizes that can be won in this game are: Free \$2 Ticket, \$2, \$4, \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$250, \$500, \$1,000 and \$25,000. The player can win up to 10 times on the ticket.

6. *Second-Chance Drawings:* The Pennsylvania Lottery will conduct two 2013 \$100,000 Jolly Jackpot second-chance drawings for which non-winning Pennsylvania Cashing Thru the Snow instant lottery game tickets may be eligible as provided for in section 10.

7. *Approximate Number of Tickets Printed For the Game:* Approximately 12,000,000 tickets will be printed for the Pennsylvania Cashing Thru the Snow instant lottery game.

#### 8. Determination of Prize Winners:

(a) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$25,000 (TWYFIVTHO) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(b) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$1,000 (ONE THO) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$1,000.



(c) Holders of tickets with a Candy Cane (CNDYCNE) symbol in the play area, and a prize symbol of \$100 (ONE HUN) appears in all ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$500 (FIV HUN) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets with a Candy Cane (CNDYCNE) symbol in the play area, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in all ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$250 (TWOHUNFTY) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$250.

(g) Holders of tickets with a Candy Cane (CNDYCNE) symbol in the play area, and a prize symbol of \$25<sup>00</sup> (TWY FIV) appears in all ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$250.

(h) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$100 (ONE HUN) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets with a Candy Cane (CNDYCNE) symbol in the play area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in all ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$50<sup>00</sup> (FIFTY) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets with a Candy Cane (CNDYCNE) symbol in the play area, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in all ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$40<sup>00</sup> (FORTY) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$40.

(m) Holders of tickets with a Candy Cane (CNDYCNE) symbol in the play area, and a prize symbol of \$4<sup>00</sup> (FOR

DOL) appears in all ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$25<sup>00</sup> (TWY FIV) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$25.

(o) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$20<sup>00</sup> (TWENTY) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets with a Candy Cane (CNDYCNE) symbol in the play area, and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in all ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$5<sup>00</sup> (FIV DOL) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$5.

(s) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$4<sup>00</sup> (FOR DOL) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$4.

(t) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of \$2<sup>00</sup> (TWO DOL) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of \$2.

(u) Holders of tickets with a Reindeer (RNDEER) symbol in the play area, and a prize symbol of FREE (TICKET) in the "Prize" area under that Reindeer (RNDEER) symbol, on a single ticket, shall be entitled to a prize of one Pennsylvania Cashing Thru the Snow instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal A "REINDEER" (RNDEER) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets</i>
FREE	FREE \$2 TICKET	15	800,000
\$2	\$2	75	160,000
\$2 x 2	\$4	30	400,000
\$4	\$4	37.5	320,000
\$5	\$5	25	480,000
\$2 x 5	\$10	100	120,000
\$5 x 2	\$10	150	80,000
\$10	\$10	300	40,000
CANDY CANE w/ (\$2 x 10)	\$20	375	32,000
\$5 x 4	\$20	375	32,000
\$10 x 2	\$20	375	32,000
\$20	\$20	500	24,000
\$5 x 5	\$25	2,400	5,000

Reveal A "REINDEER" (RNDEER)  
Symbol, Win Prize Shown Under  
That Symbol. Win With:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 12,000,000 Tickets
(\$10 × 2) + \$5	\$25	400	30,000
\$25	\$25	2,400	5,000
CANDY CANE w/ (\$4 × 10)	\$40	1,791	6,700
\$5 × 8	\$40	2,400	5,000
\$10 × 4	\$40	2,400	5,000
\$20 × 2	\$40	2,400	5,000
\$40	\$40	2,400	5,000
CANDY CANE w/ (\$5 × 10)	\$50	1,622	7,400
\$10 × 5	\$50	6,000	2,000
\$25 × 2	\$50	6,000	2,000
\$50	\$50	6,000	2,000
CANDY CANE w/ (\$10 × 10)	\$100	6,000	2,000
\$20 × 5	\$100	12,000	1,000
\$50 × 2	\$100	12,000	1,000
\$25 × 4	\$100	12,000	1,000
\$100	\$100	12,000	1,000
CANDY CANE w/ (\$25 × 10)	\$250	40,000	300
\$50 × 5	\$250	120,000	100
(\$100 × 2) + \$50	\$250	120,000	100
\$250	\$250	120,000	100
CANDY CANE w/ (\$50 × 10)	\$500	120,000	100
\$100 × 5	\$500	120,000	100
\$500	\$500	120,000	100
CANDY CANE w/ (\$100 × 10)	\$1,000	120,000	100
\$1,000	\$1,000	120,000	100
\$25,000	\$25,000	1,200,000	10

Reveal a "CANDY CANE" (CNDYCNE) symbol, win all 10 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Second-Chance Drawings' Requirements:*

(a) To be eligible for the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings, players must enter non-winning qualifying Pennsylvania Lottery 2013 holiday instant tickets via the Lottery's website (palottery.com). To enter qualifying non-winning tickets players must visit the Lottery's website, click on the 2013 \$100,000 Jolly Jackpot promotional link, follow the instructions to establish an entry account and enter the identifying information from at least one non-winning qualifying Pennsylvania Lottery 2013 holiday instant lottery ticket.

(1) Players must be members of the Pennsylvania Lottery VIP Players Club to submit entries.

(2) The contents of the entry account must be accurate and complete. Incomplete entry accounts cannot be submitted.

(3) Only one claimant per entry allowed.

(4) Claimant must be 18 years of age or older.

(5) Entries will be limited to players that indicate, at the time of submitting an entry, that their entry is being submitted from an internet connected device located within Pennsylvania.

(6) The only entry method for the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings is via the Lottery's website. Entries mailed or hand-delivered to the Pennsylvania Lottery will be disqualified.

(b) The purchase price of each non-winning qualifying Pennsylvania Lottery 2013 holiday instant ticket entered

will determine the number of entries a player will receive. For example, entering a non-winning PA-1061 Cashing Thru the Snow (\$2) ticket will entitle the player to 2 entries.

(c) The qualifying Pennsylvania Lottery 2013 holiday instant tickets, their respective purchase prices and corresponding number of entries are: PA-1057 Merry Millionaire '13 (\$20) = 20 entries; PA-1058 Sleigh Ride (\$10) = 10 entries; PA-1059 Holiday Gifts '13 (\$5) = 5 entries; PA-1060 Merry Multiplier (\$3) = 3 entries; PA-1061 Cashing Thru the Snow (\$2) = 2 entries; and PA-1062 Snow Days (\$1) = 1 entry.

11. *Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Second-Chance Drawings:*

(a) The Lottery will conduct two second-chance drawings, an Early Bird and a Grand Prize drawing, as part of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot promotion. All time references in this section are Eastern Time.

(1) All Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entries received after 11:59:59 p.m. October 27, 2013, through 11:59:59 p.m. December 2, 2013, will be entered in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing, which will be held between December 3, 2013 and December 7, 2013, and the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, which will be held between January 3, 2014 and January 8, 2014.

(2) All Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entries received after 11:59:59 p.m. December 2, 2013, through 11:59:59 p.m. January 2, 2014, will be entered in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, which will be held between January 3, 2014 and January 8, 2014.

(3) The winners of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing will be announced during the Pennsylvania Lottery's live drawing show on December 7, 2013 and after the live drawing show via social media.

(4) The winners of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing will be announced during the Pennsylvania Lottery's live drawing show on January 8, 2014 and after the live drawing show via social media.

(5) The odds of an entry being selected in a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing depend upon the number of entries received for that drawing.

(b) To be eligible to participate in a particular Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing, entries must have complied with the requirements of section 10.

(c) The Lottery assumes no responsibility for late, lost or misdirected entries not entered into the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings.

(d) If a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entry is rejected during or following a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing, the sole remedy is to select another entry to replace the rejected entry in accordance with these rules and Lottery procedure.

(e) A computer-generated randomizer will be used to select the winners.

(f) A player may only win the prize for which they are first selected in each of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings. Subsequent entries, from the same individual, selected in the same Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing will be disqualified and a replacement entry will be selected.

(g) If any discrepancy exists between the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings rules and any material describing the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings, the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings rules shall govern.

(h) Employees of the Pennsylvania Lottery, MARC Advertising, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings. Offer void where prohibited or restricted.

(i) If, for any reason, the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings are not capable of running as planned due to, without limitation, errors in these rules or advertising, tampering, unauthorized intervention, fraud, technical failures, human error or any other cause beyond the control of the Pennsylvania Lottery that, in the sole judgment of the Pennsylvania Lottery, could corrupt or affect the administration, security, fairness, integrity or proper conduct of the drawings, the Pennsylvania Lottery reserves the right, at its sole

discretion, to cancel, terminate, modify or suspend the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings.

(j) All entries shall be subject to verification by the Pennsylvania Lottery.

(k) The Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot drawings are governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(l) Prizes must be claimed within one year of the drawing date of the drawing in which the prize was won.

(m) Determination of winners will be made by the Secretary, whose judgment will be final and binding.

(n) The payment of a prize awarded in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

#### 12. *Description of Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings prizes:*

(a) The first through the tenth winner selected in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing, held between December 3, 2013 and December 7, 2013, shall each be entitled to a prize of \$10,000, less required federal withholding. This prize shall be paid as a lump-sum cash payment.

(b) The first winner selected in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, held between January 3, 2014 and January 8, 2014, shall be entitled to a prize of \$100,000, less required federal withholding. This prize shall be paid as a lump-sum cash payment.

13. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Cashing Thru the Snow instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

14. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Cashing Thru the Snow, prize money from winning Pennsylvania Cashing Thru the Snow instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Cashing Thru the Snow instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

15. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

16. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote

Pennsylvania Cashing Thru the Snow or through normal communications methods.

DANIEL MEUSER,  
Secretary

[Pa.B. Doc. No. 13-2015. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Pennsylvania Holiday Gifts '13 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Holiday Gifts '13.

2. *Price:* The price of a Pennsylvania Holiday Gifts '13 instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Holiday Gifts '13 instant lottery game ticket will contain one play area featuring 15 play symbols and their captions. The play symbols and their captions, located in the play area are: Angel (ANGEL) symbol, Bell (BELL) symbol, Boot (BOOT) symbol, Cabin (CABIN) symbol, Candle (CANDLE) symbol, Candy Cane (CANE) symbol, Cocoa (COCOA) symbol, Cup (CUP) symbol, Drum (DRUM) symbol, Earmuff (EARMUFF) symbol, Fire (FIRE) symbol, Hat (HAT) symbol, Holly (HOLLY) symbol, Horn (HORN) symbol, Icicle (ICICLE) symbol, Igloo (IGLOO) symbol, Lights (LIGHTS) symbol, Mitten (MITTEN) symbol, Nutcracker (NUTCRACKER) symbol, Ornament (ORNAMENT) symbol, Scarf (SCARF) symbol, Skate (SKATE) symbol, Snowflake (FLAKE) symbol, Star (STAR) symbol, Wreath (WREATH) symbol, Gift (GIFT) symbol, Tree (WIN25) symbol and a Stocking (STKING) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$20<sup>00</sup> (TWENTY), \$25<sup>00</sup> (TWY FIV), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), \$10,000 (TEN THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$400, \$500, \$1,000, \$5,000, \$10,000 and \$100,000. The player can win up to 15 times on the ticket.

6. *Second-Chance Drawings:* The Pennsylvania Lottery will conduct two 2013 \$100,000 Jolly Jackpot second-chance drawings for which non-winning Pennsylvania Holiday Gifts '13 instant lottery game tickets may be eligible as provided for in section 10.

7. *Approximate Number of Tickets Printed For the Game:* Approximately 10,800,000 tickets will be printed for the Pennsylvania Holiday Gifts '13 instant lottery game.

#### 8. *Determination of Prize Winners:*

(a) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$100,000 (ONEHUNTHO) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$10,000 (TEN THO) in

the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$5,000 (FIV THO) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$1,000 (ONE THO) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets with a Stocking (STKING) symbol in the play area a prize symbol of \$50<sup>00</sup> (FIFTY) in ten of the "prize" areas and a prize symbol of \$100 (ONE HUN) in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$500 (FIV HUN) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets with a Stocking (STKING) symbol in the play area, a prize symbol of \$25<sup>00</sup> (TWY FIV) in ten of the "prize" areas and a prize symbol of \$50<sup>00</sup> (FIFTY) in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$400 (FOR HUN) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$400.

(i) Holders of tickets with a Stocking (STKING) symbol in the play area a prize symbol of \$20<sup>00</sup> (TWENTY) in ten of the "prize" areas and a prize symbol of \$40<sup>00</sup> (FORTY) in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(j) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$100 (ONE HUN) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets with a Stocking (STKING) symbol in the play area a prize symbol of \$5<sup>00</sup> (FIV DOL) in ten of the "prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$50<sup>00</sup> (FIFTY) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$40<sup>00</sup> (FORTY) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$25<sup>00</sup> (TWY FIV) appears in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$25.

(o) Holders of tickets with a Tree (WIN25) symbol in the play area, on a single ticket, shall be entitled to a prize of \$25.

(p) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$20<sup>00</sup> (TWENTY) in the "prize" area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$10<sup>00</sup> (TEN DOL) in the “prize” area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets with a Gift (GIFT) symbol in the play area and a prize symbol of \$5<sup>00</sup> (FIV DOL) in the

“prize” area under that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Scratch The Entire Tree Play Area. Reveal A “GIFT” (GIFT) symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets</i>
\$5	\$5	8.57	1,260,000
\$5 × 2	\$10	30	360,000
\$10	\$10	30	360,000
\$5 × 4	\$20	300	36,000
\$10 × 2	\$20	150	72,000
\$20	\$20	150	72,000
\$5 × 5	\$25	600	18,000
\$25 w/ TREE	\$25	75	144,000
\$25	\$25	600	18,000
\$5 × 8	\$40	600	18,000
\$10 × 4	\$40	600	18,000
\$20 × 2	\$40	600	18,000
(\$25 w/ TREE) + \$10 + \$5	\$40	600	18,000
\$40	\$40	600	18,000
\$5 × 10	\$50	600	18,000
\$10 × 5	\$50	600	18,000
\$40 + \$10	\$50	600	18,000
(\$25 w/ TREE) × 2	\$50	600	18,000
\$50	\$50	600	18,000
STOCKING w/ (\$5 × 10) + (\$10 × 5)	\$100	436.36	24,750
\$10 × 10	\$100	4,800	2,250
\$20 × 5	\$100	4,800	2,250
\$50 × 2	\$100	4,800	2,250
(\$25 w/ TREE) × 4	\$100	960	11,250
\$100	\$100	4,800	2,250
STOCKING w/ (\$20 × 10) + (\$40 × 5)	\$400	4,286	2,520
\$40 × 10	\$400	40,000	270
\$50 × 8	\$400	40,000	270
\$100 × 4	\$400	40,000	270
\$400	\$400	40,000	270
STOCKING w/ (\$25 × 10) + (\$50 × 5)	\$500	13,333	810
\$50 × 10	\$500	120,000	90
\$100 × 5	\$500	120,000	90
\$500	\$500	120,000	90
STOCKING w/ (\$50 × 10) + (\$100 × 5)	\$1,000	40,000	270
\$100 × 10	\$1,000	120,000	90
\$500 × 2	\$1,000	120,000	90
\$1,000	\$1,000	120,000	90
\$500 × 10	\$5,000	600,000	18
\$1,000 × 5	\$5,000	600,000	18
\$5,000	\$5,000	600,000	18
\$10,000	\$10,000	400,000	27
\$100,000	\$100,000	1,080,000	10

Reveal a “TREE” (WIN25) symbol, win \$25 instantly.

Reveal a “STOCKING” (STKING) symbol, win all 15 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Pennsylvania Lottery’s 2013 \$100,000 Jolly Jackpot Second-Chance Drawings’ Requirements:*

(a) To be eligible for the Pennsylvania Lottery’s 2013 \$100,000 Jolly Jackpot second-chance drawings, players must enter non-winning qualifying Pennsylvania Lottery 2013 holiday instant tickets via the Lottery’s website

(palottery.com). To enter qualifying non-winning tickets players must visit the Lottery’s website, click on the 2013 \$100,000 Jolly Jackpot promotional link, follow the instructions to establish an entry account and enter the identifying information from at least one non-winning qualifying Pennsylvania Lottery 2013 holiday instant lottery ticket.

(1) Players must be members of the Pennsylvania Lottery VIP Players Club to submit entries.

(2) The contents of the entry account must be accurate and complete. Incomplete entry accounts cannot be submitted.

(3) Only one claimant per entry allowed.

(4) Claimant must be 18 years of age or older.

(5) Entries will be limited to players that indicate, at the time of submitting an entry, that their entry is being submitted from an internet connected device located within Pennsylvania.

(6) The only entry method for the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings is via the Lottery's website. Entries mailed or hand-delivered to the Pennsylvania Lottery will be disqualified.

(b) The purchase price of each non-winning qualifying Pennsylvania Lottery 2013 holiday instant ticket entered will determine the number of entries a player will receive. For example, entering a non-winning PA-1059 Holiday Gifts '13 (\$5) ticket will entitle the player to 5 entries.

(c) The qualifying Pennsylvania Lottery 2013 holiday instant tickets, their respective purchase prices and corresponding number of entries are: PA-1057 Merry Millionaire '13 (\$20) = 20 entries; PA-1058 Sleigh Ride (\$10) = 10 entries; PA-1059 Holiday Gifts '13 (\$5) = 5 entries; PA-1060 Merry Multiplier (\$3) = 3 entries; PA-1061 Cashing Thru the Snow (\$2) = 2 entries; and PA-1062 Snow Days (\$1) = 1 entry.

**11. Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Second-Chance Drawings:**

(a) The Lottery will conduct two second-chance drawings, an Early Bird and a Grand Prize drawing, as part of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot promotion. All time references in this section are Eastern Time.

(1) All Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entries received after 11:59:59 p.m. October 27, 2013, through 11:59:59 p.m. December 2, 2013, will be entered in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing, which will be held between December 3, 2013 and December 7, 2013, and the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, which will be held between January 3, 2014 and January 8, 2014.

(2) All Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entries received after 11:59:59 p.m. December 2, 2013, through 11:59:59 p.m. January 2, 2014, will be entered in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, which will be held between January 3, 2014 and January 8, 2014.

(3) The winners of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing will be announced during the Pennsylvania Lottery's live drawing show on December 7, 2013 and after the live drawing show via social media.

(4) The winners of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing will be announced during the Pennsylvania Lottery's live drawing show on January 8, 2014 and after the live drawing show via social media.

(5) The odds of an entry being selected in a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing depend upon the number of entries received for that drawing.

(b) To be eligible to participate in a particular Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing, entries must have complied with the requirements of section 10.

(c) The Lottery assumes no responsibility for late, lost or misdirected entries not entered into the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings.

(d) If a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entry is rejected during or following a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing, the sole remedy is to select another entry to replace the rejected entry in accordance with these rules and Lottery procedure.

(e) A computer-generated randomizer will be used to select the winners.

(f) A player may only win the prize for which they are first selected in each of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings. Subsequent entries, from the same individual, selected in the same Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing will be disqualified and a replacement entry will be selected.

(g) If any discrepancy exists between the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings rules and any material describing the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings, the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings rules shall govern.

(h) Employees of the Pennsylvania Lottery, MARC Advertising, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings. Offer void where prohibited or restricted.

(i) If, for any reason, the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings are not capable of running as planned due to, without limitation, errors in these rules or advertising, tampering, unauthorized intervention, fraud, technical failures, human error or any other cause beyond the control of the Pennsylvania Lottery that, in the sole judgment of the Pennsylvania Lottery, could corrupt or affect the administration, security, fairness, integrity or proper conduct of the drawings, the Pennsylvania Lottery reserves the right, at its sole discretion, to cancel, terminate, modify or suspend the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings.

(j) All entries shall be subject to verification by the Pennsylvania Lottery.

(k) The Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot drawings are governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(l) Prizes must be claimed within one year of the drawing date of the drawing in which the prize was won.

(m) Determination of winners will be made by the Secretary, whose judgment will be final and binding.

(n) The payment of a prize awarded in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings to a person who dies before receiving the prize

shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

**12. Description of Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings prizes:**

(a) The first through the tenth winner selected in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing, held between December 3, 2013 and December 7, 2013, shall each be entitled to a prize of \$10,000, less required federal withholding. This prize shall be paid as a lump-sum cash payment.

(b) The first winner selected in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, held between January 3, 2014 and January 8, 2014, shall be entitled to a prize of \$100,000, less required federal withholding. This prize shall be paid as a lump-sum cash payment.

**13. Retailer Incentive Awards:** The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Holiday Gifts '13 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

**14. Unclaimed Prize Money:** For a period of 1 year from the announced close of Pennsylvania Holiday Gifts '13, prize money from winning Pennsylvania Holiday Gifts '13 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Holiday Gifts '13 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

**15. Governing Law:** In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

**16. Termination of the Game:** The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Holiday Gifts '13 or through normal communications methods.

DANIEL MEUSER,  
Secretary

[Pa.B. Doc. No. 13-2016. Filed for public inspection October 25, 2013, 9:00 a.m.]

**Pennsylvania Merry Millionaire '13 Instant Lottery Game**

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

**1. Name:** The name of the game is Pennsylvania Merry Millionaire '13.

**2. Price:** The price of a Pennsylvania Merry Millionaire '13 instant lottery game ticket is \$20.

**3. Play Symbols:** Each Pennsylvania Merry Millionaire '13 instant game ticket will contain one play area featur-

ing a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWINYN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWINYN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), Flurries (FLRIES) symbol, \$\$ (WIN250) symbol and a MERRY (MERRY) symbol.

**4. Prize Symbols:** The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$10<sup>00</sup> (TEN DOL), \$20<sup>00</sup> (TWENTY), \$25<sup>00</sup> (TWY FIV), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$2,500 (TWYFIVHUN), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL).

**5. Prizes:** The prizes that can be won in this game are: \$10, \$20, \$25, \$40, \$50, \$100, \$250, \$500, \$1,000, \$2,500, \$100,000 and \$1,000,000. A player can win up to 20 times on a ticket.

**6. Second-Chance Drawings:** The Pennsylvania Lottery will conduct two 2013 \$100,000 Jolly Jackpot second-chance drawings for which non-winning Pennsylvania Merry Millionaire '13 instant lottery game tickets may be eligible as provided for in section 10.

**7. Approximate Number of Tickets Printed For the Game:** Approximately 4,800,000 tickets will be printed for the Pennsylvania Merry Millionaire '13 instant game.

**8. Determination of Prize Winners:**

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1MILL (ONE MIL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. This prize shall be paid as a lump-sum cash payment.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2,500 (TWYFIVHUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a MERRY (MERRY)

symbol and a prize symbol of \$500 (FIV HUN) appears in two of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in twelve of the “prize” areas and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$2,500.

(e) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MERRY (MERRY) symbol and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in all twenty of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MERRY (MERRY) symbol and a prize symbol of \$100 (ONE HUN) appears in three of the “prize” areas, a prize symbol of \$50<sup>00</sup> (FIFTY) appears in twelve of the “prize” areas and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MERRY (MERRY) symbol and a prize symbol of \$25<sup>00</sup> (TWY FIV) appears in all twenty of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a MERRY (MERRY) symbol and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in five of the “prize” areas, a prize symbol of \$20<sup>00</sup> (TWENTY) appears in ten of the “prize” areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$250 (TWOHUNFTY) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$250.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a \$\$ (WIN250) symbol and a prize symbol of \$250 (TWOHUNFTY) appears under the \$\$ (WIN250) symbol, on a single ticket, shall be entitled to a prize of \$250.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Flurries (FLRIES) symbol and a prize symbol of \$100 (ONE HUN) appears under the Flurries (FLRIES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Flurries (FLRIES) symbol and a prize symbol of \$50<sup>00</sup> (FIFTY) appears under the Flurries (FLRIES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40<sup>00</sup> (FORTY) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Flurries (FLRIES) symbol and a prize symbol of \$40<sup>00</sup> (FORTY) appears under the Flurries (FLRIES) symbol, on a single ticket, shall be entitled to a prize of \$40.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a Flurries (FLRIES) symbol and a prize symbol of \$20<sup>00</sup> (TWENTY) appears under the Flurries (FLRIES) symbol, on a single ticket, shall be entitled to a prize of \$20.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

*When Any Of Your Numbers Match  
Any Winning Number, Win Prize  
Shown Under The Matching  
Number. Win With:*

\$10 × 2  
\$20 w/ FLURRIES  
\$20  
\$20 × 2  
\$40 w/ FLURRIES

Win:  
\$20  
\$20  
\$20  
\$40  
\$40

*Approximate  
Odds Are 1 In:*  
20  
20  
15  
60  
60

*Approximate No.  
Of Winners Per  
4,800,000 Tickets*  
240,000  
240,000  
320,000  
80,000  
80,000



When Any Of Your Numbers Match  
Any Winning Number, Win Prize  
Shown Under The Matching  
Number. Win With:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 4,800,000 Tickets
\$40	\$40	60	80,000
\$10 × 5	\$50	60	80,000
(\$20 × 2) + \$10	\$50	60	80,000
\$50 w/ FLURRIES	\$50	60	80,000
\$50	\$50	60	80,000
\$20 × 5	\$100	150	32,000
\$50 × 2	\$100	150	32,000
(\$40 × 2) + (\$10 × 2)	\$100	150	32,000
\$100 w/ FLURRIES	\$100	150	32,000
\$100	\$100	150	32,000
\$50 × 5	\$250	2,400	2,000
(\$20 × 10) + (\$10 × 5)	\$250	1,200	4,000
(\$40 × 5) + (\$10 × 5)	\$250	1,500	3,200
\$250 w/ \$\$	\$250	600	8,000
\$250	\$250	2,400	2,000
MERRY w/ ((\$50 × 5) + (\$20 × 10) + (\$10 × 5))	\$500	10,000	480
MERRY w/ (\$25 × 20)	\$500	10,000	480
\$50 × 10	\$500	12,000	400
\$100 × 5	\$500	12,000	400
(\$250 w/ \$\$) × 2	\$500	9,231	520
(\$250 w/ \$\$) + (\$50 × 5)	\$500	9,231	520
\$500	\$500	12,000	400
MERRY w/ ((\$100 × 3) + (\$50 × 12) + (\$20 × 5))	\$1,000	15,000	320
MERRY w/ (\$50 × 20)	\$1,000	15,000	320
\$100 × 10	\$1,000	15,000	320
\$500 × 2	\$1,000	15,000	320
(\$250 w/ \$\$) × 4	\$1,000	15,000	320
\$1,000	\$1,000	15,000	320
MERRY w/ ((\$500 × 2) + (\$100 × 12) + (\$50 × 6))	\$2,500	480,000	10
\$500 × 5	\$2,500	480,000	10
(((\$250 w/ \$\$) × 5) + (\$250 × 5))	\$2,500	480,000	10
\$2,500	\$2,500	480,000	10
\$100,000	\$100,000	480,000	10
\$1,000,000	\$1,000,000	960,000	5

Reveal a "FLURRIES" (FLRIES) symbol, win prize shown under it automatically.

Reveal a "\$\$" (WIN250) symbol, win \$250 instantly.

Reveal a "MERRY" (MERRY) symbol, win all 20 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

**10. Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Second-Chance Drawings' Requirements:**

(a) To be eligible for the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings, players must enter non-winning qualifying Pennsylvania Lottery 2013 holiday instant tickets via the Lottery's website (palottery.com). To enter qualifying non-winning tickets players must visit the Lottery's website, click on the 2013 \$100,000 Jolly Jackpot promotional link, follow the instructions to establish an entry account and enter the identifying information from at least one non-winning qualifying Pennsylvania Lottery 2013 holiday instant lottery ticket.

(1) Players must be members of the Pennsylvania Lottery VIP Players Club to submit entries.

(2) The contents of the entry account must be accurate and complete. Incomplete entry accounts cannot be submitted.

(3) Only one claimant per entry allowed.

(4) Claimant must be 18 years of age or older.

(5) Entries will be limited to players that indicate, at the time of submitting an entry, that their entry is being submitted from an internet connected device located within Pennsylvania.

(6) The only entry method for the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings is via the Lottery's website. Entries mailed or hand-delivered to the Pennsylvania Lottery will be disqualified.

(b) The purchase price of each non-winning qualifying Pennsylvania Lottery 2013 holiday instant ticket entered will determine the number of entries a player will receive. For example, entering a non-winning PA-1057 Merry Millionaire '13 (\$20) ticket will entitle the player to 20 entries.

(c) The qualifying Pennsylvania Lottery 2013 holiday instant tickets, their respective purchase prices and corresponding number of entries are: PA-1057 Merry Millionaire '13 (\$20) = 20 entries; PA\_1058 Sleigh Ride (\$10) = 10 entries; PA-1059 Holiday Gifts '13 (\$5) = 5 entries; PA—1060 Merry Multiplier (\$3) = 3 entries; PA-1061 Cashing Thru the Snow (\$2) = 2 entries; and PA-1062 Snow Days (\$1) = 1 entry.

11. *Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Second-Chance Drawings:*

(a) The Lottery will conduct two second-chance drawings, an Early Bird and a Grand Prize drawing, as part of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot promotion. All time references in this section are Eastern Time.

(1) All Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entries received after 11:59:59 p.m. October 27, 2013, through 11:59:59 p.m. December 2, 2013, will be entered in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing, which will be held between December 3, 2013 and December 7, 2013, and the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, which will be held between January 3, 2014 and January 8, 2014.

(2) All Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entries received after 11:59:59 p.m. December 2, 2013, through 11:59:59 p.m. January 2, 2014, will be entered in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, which will be held between January 3, 2014 and January 8, 2014.

(3) The winners of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing will be announced during the Pennsylvania Lottery's live drawing show on December 7, 2013 and after the live drawing show via social media.

(4) The winners of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing will be announced during the Pennsylvania Lottery's live drawing show on January 8, 2014 and after the live drawing show via social media.

(5) The odds of an entry being selected in a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing depend upon the number of entries received for that drawing.

(b) To be eligible to participate in a particular Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing, entries must have complied with the requirements of section 10.

(c) The Lottery assumes no responsibility for late, lost or misdirected entries not entered into the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings.

(d) If a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings entry is rejected during or following a Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing, the sole remedy is to select another entry to replace the rejected entry in accordance with these rules and Lottery procedure.

(e) A computer-generated randomizer will be used to select the winners.

(f) A player may only win the prize for which they are first selected in each of the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings. Subsequent entries, from the same individual, selected in the same Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawing will be disqualified and a replacement entry will be selected.

(g) If any discrepancy exists between the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings rules and any material describing the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-

chance drawings, the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings rules shall govern.

(h) Employees of the Pennsylvania Lottery, MARC Advertising, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings. Offer void where prohibited or restricted.

(i) If, for any reason, the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings are not capable of running as planned due to, without limitation, errors in these rules or advertising, tampering, unauthorized intervention, fraud, technical failures, human error or any other cause beyond the control of the Pennsylvania Lottery that, in the sole judgment of the Pennsylvania Lottery, could corrupt or affect the administration, security, fairness, integrity or proper conduct of the drawings, the Pennsylvania Lottery reserves the right, at its sole discretion, to cancel, terminate, modify or suspend the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings.

(j) All entries shall be subject to verification by the Pennsylvania Lottery.

(k) The Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot drawings are governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(l) Prizes must be claimed within one year of the drawing date of the drawing in which the prize was won.

(m) Determination of winners will be made by the Secretary, whose judgment will be final and binding.

(n) The payment of a prize awarded in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

12. *Description of Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot second-chance drawings prizes:*

(a) The first through the tenth winner selected in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Early Bird drawing, held between December 3, 2013 and December 7, 2013, shall each be entitled to a prize of \$10,000, less required federal withholding. This prize shall be paid as a lump-sum cash payment.

(b) The first winner selected in the Pennsylvania Lottery's 2013 \$100,000 Jolly Jackpot Grand Prize drawing, held between January 3, 2014 and January 8, 2014, shall be entitled to a prize of \$100,000, less required federal withholding. This prize shall be paid as a lump-sum cash payment.

13. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Merry Millionaire '13 instant game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

14. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Merry Millionaire '13 instant game, prize money from Pennsylvania Merry Millionaire '13 instant game tickets will be retained by the Secretary for payment to the persons

entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Merry Millionaire '13 instant game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

15. *Governing Law*: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Codes Part V (relating to State Lotteries) and the provisions contained in this notice.

16. *Termination of the Game*: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Merry Millionaire '13 instant game or through normal communications methods.

DANIEL MEUSER,  
*Secretary*

[Pa.B. Doc. No. 13-2017. Filed for public inspection October 25, 2013, 9:00 a.m.]

## DEPARTMENT OF STATE

### Bureau of Corporations and Charitable Organizations; New and Amended Official Forms

The Department of State's Bureau of Corporations and Charitable Organizations (Bureau) published notice at 43 Pa.B. 5553 (September 14, 2013) of the Bureau's intent to amend the forms and instructions currently in 19 Pa. Code Appendix B (relating to official forms) to provide for new forms relating to unincorporated nonprofit associations and revised forms for benefit corporations and change of registered office. The forms and instructions, which do not constitute agency regulations, were subject to the opportunity for public comment under section 201 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P.S. § 1201). The Bureau did not receive any comments during any of the intervening 30-day public comment periods. Therefore, the new and amended forms and instructions are being codified and inserted into 19 Pa. Code Appendix B as they were published at 43 Pa.B. 5553. These forms are effective October 26, 2013.

CAROL AICHELE,  
*Secretary*

[Pa.B. Doc. No. 13-2018. Filed for public inspection October 25, 2013, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Lease of Right-of-Way

Under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been submitted to the Department of Transportation by American Pie Pizzeria, Inc., 8017 Jonestown Road, Harrisburg, PA.

American Pie Pizzeria, Inc. is seeking to lease highway right-of-way located at the eastern corner of Jonestown

Road and Lingelstown Road/North Hershey Road, Harrisburg, West Hanover Township containing 3,952 square feet ±, adjacent to SR LR 22006-03, for purposes of parking.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Michael Keiser, P.E., Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699.

Questions regarding this application or the proposed use may be directed to Paulette Broody Alexander, Chief Negotiator, 2140 Herr Street, Harrisburg, PA 17103-1699, (717) 787-1419.

BARRY J. SCHOCH, P.E.,  
*Secretary*

[Pa.B. Doc. No. 13-2019. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Medical Advisory Board Meeting

The Medical Advisory Board (Board) will meet on Friday, November 8, 2013, at 10 a.m. at the Riverfront Office Center, Transportation University, 1101 South Front Street, Harrisburg, PA. Chairperson Janet L. Dolan will preside. The meeting is open to the public.

Members of the public interested in addressing the Board with a concern relating to medical regulations must contact John Zimmerman at (717) 783-4534 by Friday, November 1, 2013. These concerns will be discussed during "Items from the Floor" on the agenda, which will open at 12 p.m.

The meeting location is accessible to persons with disabilities. Persons with special needs or requiring special aids are also requested to contact John Zimmerman at (717) 783-4534 prior to the meeting so that disability needs may be accommodated.

BARRY J. SCHOCH, P.E.,  
*Secretary*

[Pa.B. Doc. No. 13-2020. Filed for public inspection October 25, 2013, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Additions to List of Class A Wild Trout Waters

The Fish and Boat Commission (Commission) has approved the addition of four stream sections to its list of Class A Wild Trout Streams as set forth at 43 Pa.B. 4291 (July 27, 2013) with one modification. With regard to Rattlesnake Creek, Jefferson County, the Commission reduced the section of the stream subject to the Class A designation. The section of Rattlesnake Creek that the Commission added to its list of Class A Wild Trout Streams is from the headwaters to the Brockway Reservoir slackwaters.

Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renew-

able natural resource and to conserve that resource and the angling that it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. The Commission manages these stream sections for wild trout with no stocking.

JOHN A. ARWAY,  
*Executive Director*

[Pa.B. Doc. No. 13-2021. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Classification of Wild Trout Streams; Addition to List

Of the two waters proposed for listing at 43 Pa. B. 4290 (July 27, 2013), the Fish and Boat Commission (Commission) approved the addition of one new water (Pickings Run, Somerset County) to its list of wild trout streams. The Commission already had designated a portion of the other water proposed for listing at 43 Pa.B. 4290 (Potter Run, Centre County), and therefore, no action was taken with respect to that water. The Commission approved the addition of Potter Run (from the headwaters to SR 0144) to its list of wild trout streams at 33 Pa.B. 6292 (December 20, 2003).

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission's web site at [http://www.fish.state.pa.us/trout\\_repro.htm](http://www.fish.state.pa.us/trout_repro.htm).

JOHN A. ARWAY,  
*Executive Director*

[Pa.B. Doc. No. 13-2022. Filed for public inspection October 25, 2013, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Medical Care Availability and Reduction of Error Fund; Notice of and Amount of Assessment Action; Notice 2013-08

The Insurance Department (Department), Medical Care Availability and Reduction of Error Fund, by Todd Rittle, Executive Director, under section 712 of the Medical Care Availability and Reduction of Error (MCARE) Act (act) (40 P. S. § 1303.712), has determined that the annual assessment to be levied for calendar year 2014 shall be 23% applied to the prevailing primary premium for each participating health care provider.

The act defines "prevailing primary premium" as the schedule of occurrence rates approved by the Insurance Commissioner for the Joint Underwriting Association (JUA). For purposes of the 2014 annual assessment, the rates shall be those currently approved for use by the JUA.

Participating health care providers having approved self-insurance plans shall be assessed an amount equal to

the assessment imposed on a participating health care provider of like class, size, risk and kind as determined by the Department.

This action is subject to 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

TODD RITTLE,  
*Executive Director*

[Pa.B. Doc. No. 13-2023. Filed for public inspection October 25, 2013, 9:00 a.m.]

## MILK MARKETING BOARD

### Hearing and Presubmission Schedule for All Milk Marketing Areas; Over-Order Premium

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on December 4, 2013, at 9:30 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning the level and duration of the Class I over-order premium to be effective January 1, 2014.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 12 p.m. on October 29, 2013, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 12 p.m. on October 29, 2013, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to [deberly@state.pa.us](mailto:deberly@state.pa.us).

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. Copies of the filings will be available on the Board web site at [http://www.mmb.state.pa.us/portal/server.pt/community/public\\_hearings/21456](http://www.mmb.state.pa.us/portal/server.pt/community/public_hearings/21456).

1. By 12 p.m. on November 1, 2013, the petitioner shall file with the Board, in person or by mail, one original and five copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a written report or written testimony explaining the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 12 p.m. on November 15, 2013, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 12 p.m. on November 22, 2013, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, five copies shall be provided for Board use and one copy shall be provided to each interested party.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 12 p.m. on November 19, 2013.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,  
*Secretary*

[Pa.B. Doc. No. 13-2024. Filed for public inspection October 25, 2013, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Intra-Company Changes

**A-2013-2387293; A-2013-2387294; A-2013-2387295; A-2013-2387296; A-2013-2387297; A-2013-2387298; A-2013-2387299. Business Telecom, Inc., Choice One Communications of Pennsylvania, Inc., Conversent Communications of Pennsylvania, LLC, CTC Communications Corporation, DeltaCom, LLC, EarthLink Business, LLC and Lightship Telecom, LLC.** Joint application of Business Telecom, Inc., Choice One Communications of Pennsylvania, Inc., Conversent Communications of Pennsylvania, LLC, CTC Communications Corporation, DeltaCom, LLC, EarthLink Business, LLC and Lightship Telecom, LLC for approval of certain pro forma intra-company changes.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before November 12, 2013. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.state.pa.us](http://www.puc.state.pa.us) and at the applicant's business address.

*Applicants:* Business Telecom, Inc., Choice One Communications of Pennsylvania, Inc., Conversent Communications of Pennsylvania, LLC, CTC Communications Corporation, DeltaCom, LLC, EarthLink Business, LLC and Lightship Telecom, LLC

*Through and By Counsel:* Michael A. Gruin, Esquire, Stevens & Lee, Harrisburg Market Square, 17 North Second Street, 16th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 13-2025. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by November 12, 2013. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2013-2380941. Joseph and Linda Beiler Co-Tenants in Entirety** (2140 Beaver Dam Road, Honey Brook, PA 19344) for the right to begin to transport as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

**A-2013-2381010. Muhammad Ishfaq, t/a Business Class Limousine and Car Services** (222 Roosevelt Avenue, Downingtown, PA 19335) for the right to begin to transport, as a common carrier by motor vehicle, persons in limousine service, from points in Chester County.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.**

**A-2013-2366697. (Revised) Aeja Partners, LLC, t/a You Move Me** (806 East Main Street, Norristown, Montgomery County, PA 19401) household goods in use, from points in the Counties of Montgomery, Delaware, Chester, Bucks and the City and County of Philadelphia, to points in Pennsylvania. *Attorney:* Richard T. Mulcahey, Jr., 121 South Broad Street, 20th Floor, Philadelphia, PA 19107-4533.

**Application of the following for approval to begin operating as contract carriers for transportation of persons as described under the application.**

**A-2012-2291449. Sama Transport Services** (21 Roy Lane, Huntingdon Valley, PA 19006) for the right to begin to transport, as a contract carrier, by motor vehicle, persons for LogistiCare Solutions, LLC, between points, in the City and County of Philadelphia; Lower Moreland

Township, Abington Township, Hatboro Township, Jenkintown Township all in Montgomery County; and the Township of Bensalem in Bucks County. *Attorney:* Mark Feinman, 8171 Castor Avenue, Philadelphia, PA 19152.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 13-2026. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due November 12, 2013, and must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

*Pennsylvania Public Utility Commission, Bureau of Investigation and Enforcement v. Ambucare Ambulance Services Inc; Doc. No. C-2013-2379252*

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Ambucare Ambulance Services Inc, (respondent) is under suspension effective July 24, 2013 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 1725 Bustleton Pike, Unit A, Feasterville, PA 19053.
3. That respondent was issued a Certificate of Public Convenience by this Commission on December 10, 2009, at A-6411144.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

*Wherefore*, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6411144 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hun-

dred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P. O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/21/2013

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, Pennsylvania 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor  
Harrisburg, Pennsylvania 17120

Additionally, please serve a copy on:

Wayne T. Scott, Prosecutor  
Bureau of Investigation and Enforcement  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, Pennsylvania 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in this Complaint. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed Form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the proposed penalty in this Complaint, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth in this Complaint.

F. If you have questions regarding this Complaint or if you would like an alternative format of this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

*Pennsylvania Public Utility Commission, Bureau of Investigation and Enforcement v. Brag, Inc.;*  
*Doc. No. C-2013-2380694*

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Brag, Inc., Respondent, maintains its principal place of business at 320 South Main Street, Athens, PA 18810.
2. That Respondent was issued a Certificate of Public Convenience by this Commission on October 19, 1989, at Application Docket No. A-00108540 F. 3.
3. That by Secretarial Letter issued on March 29, 2011 at C-2010-2178691, Respondent was directed to pay a

civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payments to this Commission.

4. That by Secretarial Letter issued on June 11, 2012 at C-2011-2270729, Respondent was directed to pay a civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payments to this Commission.

5. That Respondent failed to pay fines totaling five hundred dollars (\$500.00) and violated 66 Pa. C.S. § 501(c) for failing to observe, obey and comply with a Secretarial Letter issued on March 29, 2011 at C-2010-2178691, and June 11, 2012 at C-2011-2270729.

A Certificate holder has an obligation to comply with the Commission's rules and regulations. A Certificate of Public Convenience is neither a contract nor a property; it is a privilege. Where that privilege is violated, the Commission may, for due cause, exercise its power to revoke a carrier's privilege to operate. *Paradise v. Pennsylvania Public Utility Commission*, 132 A.2d 754, 184 Pa. Superior Court 8 (1957).

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission issue an Order which revokes the Certificate of Public Convenience held by Respondent at A-00108540 F. 3.

Respectfully submitted,

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P. O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief of Motor Carrier Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/27/2013

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

- a. Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to

file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at:

RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by paying the civil penalty within 20 days. Your check or money order for the civil penalty should be payable to the Commonwealth of Pennsylvania and mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 13-2027. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Water Service

**A-2013-2387343. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval to offer, render, furnish or supply water service to the public in a portion of Jackson Township, Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before November 12, 2013. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on

the Pennsylvania Public Utility Commission's web site at [www.puc.state.pa.us](http://www.puc.state.pa.us) and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, Seth A. Mendelsohn, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 13-2028. Filed for public inspection October 25, 2013, 9:00 a.m.]

## PHILADELPHIA REGIONAL PORT AUTHORITY

### Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 13-091.S, Cleaning Services at PRPA Administration Building, until 2 p.m. on Friday, November 22, 2013. Information can be obtained from the web site [www.philaport.com](http://www.philaport.com) under Procurement or call (215) 426-2600.

JAMES. T. McDERMOTT, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 13-2029. Filed for public inspection October 25, 2013, 9:00 a.m.]

### Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 13-082.1, Pier 82 Refrigeration Piping & Insulation Replacement, until 2 p.m. on Thursday, November 21, 2013, and Project No. 13-088.1, On-Call Roofing Investigation & Repair Contract until 2 p.m. on Wednesday, November 27, 2013. Information (including mandatory prebid information) can be obtained from the web site [www.philaport.com](http://www.philaport.com) under Procurement or call (215) 426-2600.

JAMES. T. McDERMOTT, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 13-2030. Filed for public inspection October 25, 2013, 9:00 a.m.]

## STATE BOARD OF NURSING

**Bureau of Professional and Occupational Affairs v. Marshall E. Angradi, LPN; Doc. No. 0168-51-13**

Marshall E. Angradi, LPN, license no. PN083468L, of East Stroudsburg, Monroe County, had his nursing license indefinitely suspended, retroactive to April 1, 2013, based on findings he is unable to practice nursing with



reasonable skill and safety to patients by reason of mental condition or dependence on drugs or alcohol.

Individuals may obtain a copy of the adjudication by writing to Beth Sender Michlovitz, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the State Board of Nursing's (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

ANN M. COUGHLIN, MBA, MSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 13-2031. Filed for public inspection October 25, 2013, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v.  
Jennifer Noelle Baney, a/k/a Jennifer Noelle Hall  
and Jennifer Brown Grubal, LPN; Doc. No. 1113-  
51-12**

On July 23, 2013, Jennifer Noelle Baney, a/k/a Jennifer Noelle Hall and Jennifer Brown Grubal, LPN, license no. PN259986L, of Osceola Mills, Clearfield County, had her nursing license suspended, for no less than 3 years and until she comes before the State Board of Nursing (Board) to show she has had no further criminal convictions, based on findings she failed to report to the Board prior criminal convictions and pled guilty or a plea of nolo contendere to crimes of moral turpitude.

Individuals who may obtain a copy of the adjudication by writing to Beth Sender Michlovitz, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the Board's final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

ANN M. COUGHLIN, MBA, MSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 13-2032. Filed for public inspection October 25, 2013, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v.  
Heather Lynn Graham, RN; Doc. No. 1337-51-12**

Heather Lynn Graham, RN, license no. RN609908, of Endicott, NY, had her nursing license indefinitely suspended until she can prove to the State Board of Nursing (Board) that she is fit and competent to continue the practice of nursing, based on findings she is unable to practice nursing with reasonable skill and safety by reason of dependence on drugs.

Individuals may obtain a copy of the adjudication by writing to Beth Sender Michlovitz, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the Board's final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

ANN M. COUGHLIN, MBA, MSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 13-2033. Filed for public inspection October 25, 2013, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v.  
Kathleen M. Lynn, RN; Doc. No. 1904-51-12**

Kathleen M. Lynn, RN, license no. RN563194, of Philadelphia, Philadelphia County, had her nursing license indefinitely suspended, retroactive to January 3, 2013, based on her being unable to practice nursing with reasonable skill and safety to patients by reason of mental condition or dependence upon alcohol or drugs.

Individuals may obtain a copy of the adjudication by writing to Beth Sender Michlovitz, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and final order represents the State Board of Nursing's (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

ANN M. COUGHLIN, MBA, MSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 13-2034. Filed for public inspection October 25, 2013, 9:00 a.m.]

## STATE CONSERVATION COMMISSION

### Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

#### Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New or Amended</i>	<i>Action Taken</i>
Allen and Brenda Balmer 2220 Colebrook Road Lebanon, PA 17042	Lebanon County/ North Cornwall Township	73.80	Broilers	New	Approved
Dwight Zimmerman 80 South Northkill Road Bernville, PA 19506	Berks County/ Upper Tulpehocken Township	144.16	Broilers	New	Approved
Hershey Farms 338 Sunnyburn Road Elizabethtown, PA 17022	Lancaster County/ Mt. Joy Township	129.0	Broilers	New	Approved
Jeffrey Netherton 1903 Globe Mills Road Middleburg, PA 17842	Snyder County/ Middlecreek Township	164.22	Broilers	New	Approved
Larry S. Martin 102 Morrisey Drive Lebanon, PA 17046	Lebanon County/ North Lebanon Township	249.66	Broilers	New	Approved
Sandy Valley Training Center 1181 Sandy Valley Road White Haven, PA 18661	Luzerne County/ Foster Township	44	Horses	Amend	Rescind Plan Approval
Nelson and Marilyn Martin 279 Foundry Road McAlisterville, PA 17049	Juniata County/ Fayette Township	108.13	Broilers	New	Approved

GEORGE D. GREIG,  
*Chairperson*

[Pa.B. Doc. No. 13-2035. Filed for public inspection October 25, 2013, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on November 13, 2013, at 2:30 p.m. at the Pennsylvania State Capitol, Room 8E-B, East Wing, Commonwealth Avenue, Harrisburg, PA. The public hearing will end at 5 p.m. or at the conclusion of

public testimony, whichever is sooner. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. The projects are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for December 12, 2013, which will be noticed separately. The public should take note that this public hearing will be the only opportunity to offer oral comment to the Commission for the listed projects. The deadline for the submission of written comments is November 25, 2013.

For further information contact Richard A. Cairo, General Counsel, (717) 238-0423, Ext. 1306, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission Water Resource Portal at [www.srbc.net/wrp](http://www.srbc.net/wrp). Materials and supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at [www.srbc.net/pubinfo/docs/2009-02%20Access%20to%20Records%20Policy%209-10-09.PDF](http://www.srbc.net/pubinfo/docs/2009-02%20Access%20to%20Records%20Policy%209-10-09.PDF).

*Opportunity to Appear and Comment*

Interested parties may appear at the hearing to offer comments to the Commission on any project listed as follows. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Ground rules will be posted on the Commission's web site, [www.srbc.net](http://www.srbc.net), prior to the hearing for review. The presiding officer reserves the right to modify or supplement the rules at the hearing. Written comments on any project listed as follows may also be mailed to Richard Cairo, General Counsel, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through <http://www.srbc.net/pubinfo/publicparticipation.htm>. Comments mailed or electronically submitted must be received by the Commission on or before November 25, 2013, to be considered.

*Supplementary Information*

The public hearing will cover the following projects:

*Public Hearing—Projects Scheduled for Action*

1. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Mifflin Township Water System, Mifflin Township, Columbia County, PA. Application for renewal of groundwater withdrawal of up to 0.432 mgd (30-day average) from Mifflinville Well 3 (Docket No. 19960902).

2. Project Sponsor and Facility: Aqua Infrastructure, LLC (Tioga River), Hamilton Township, Tioga County, PA. Application for surface water withdrawal of up to 2.500 mgd (peak day).

3. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Susquehanna River), Athens Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 1.440 mgd (peak day) (Docket No. 20080906).

4. Project Sponsor and Facility: DS Waters of America, Inc., Clay Township, Lancaster County, PA. Application for renewal of groundwater withdrawal of up to 0.115 mgd (30-day average) from Well 6 (Docket No. 20000203).

5. Project Sponsor and Facility: Energy Corporation of America (West Branch Susquehanna River), Goshen Township, Clearfield County, PA. Application for renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20091203).

6. Project Sponsor: Gettysburg Municipal Authority. Project Facility: York Water Company Interconnection, Straban Township, Adams County, PA. Application for consumptive water use of up to 3.000 mgd (peak day).

7. Project Sponsor and Facility: Houtzdale Municipal Authority, Gulich Township, Clearfield County, PA. Application for groundwater withdrawal of up to 0.537 mgd (30-day average) from Well 14R.

8. Project Sponsor and Facility: Keystone Clearwater Solutions, LLC (Lycoming Creek), Lewis Township, Lycoming County, PA. Modification to low flow protection

requirements and authorization of additional water uses of the surface water withdrawal approval (Docket No. 20110616).

9. Project Sponsor and Facility: LHP Management, LLC (Fishing Creek—Clinton Country Club), Bald Eagle Township, Clinton County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20090906).

10. Project Sponsor and Facility: Millersburg Area Authority, Upper Paxton Township, Dauphin County, PA. Application for renewal of groundwater withdrawal of up to 0.173 mgd (30-day average) from Well 10 (Docket No. 19830309).

11. Project Sponsor and Facility: Millersburg Area Authority, Upper Paxton Township, Dauphin County, PA. Application for renewal of groundwater withdrawal of up to 0.187 mgd (30-day average) from Well 11 (Docket No. 19830309).

12. Project Sponsor and Facility: New Holland Borough Authority, New Holland Borough, Lancaster County, PA. Application for renewal of groundwater withdrawal of up to 0.576 mgd (30-day average) from Well 2 (Docket No. 19830501).

13. Project Sponsor: New Oxford Municipal Authority. Project Facility: Oxen Country Meadows, Oxford Township, Adams County, PA. Application for groundwater withdrawal of up to 0.144 mgd (30-day average) from Oxen Country Meadows Well 1.

14. Project Sponsor: Old Dominion Electric Cooperative. Project Facility: Rock Springs Expansion, Rising Sun District, Cecil County, MD. Application for consumptive water use of up to 7.900 mgd (peak day).

15. Project Sponsor and Facility: Old Dominion Electric Cooperative (Susquehanna River), Fulton Township, Lancaster County, PA. Application for surface water withdrawal of up to 8.700 mgd (peak day).

16. Project Sponsor and Facility: Seneca Resources Corporation (Arnot No. 5 Mine Discharge), Bloss Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.499 mgd (peak day) (Docket No. 20090908).

17. Project Sponsor and Facility: Southwestern Energy Production Company (Lycoming Creek—Bodines), Lewis Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20091207).

18. Project Sponsor and Facility: Southwestern Energy Production Company (Lycoming Creek—Ralston), McIntyre Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20091210).

19. Project Sponsor and Facility: Talisman Energy USA, Inc. (Choconut Creek), Choconut Township, Susquehanna County, PA. Application for surface water withdrawal of up to 0.999 mgd (peak day).

20. Project Sponsor and Facility: Talisman Energy USA, Inc. (Fall Brook—C.O.P. Tioga State Forest), Ward Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20091204).

21. Project Sponsor and Facility: Talisman Energy USA, Inc. (Fellows Creek—C.O.P. Tioga State Forest), Ward Township, Tioga County, PA. Application for re-

newal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20091205).

22. Project Sponsor and Facility: WPX Energy Appalachia, LLC (Turner Lake), Liberty Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.393 mgd (peak day) (Docket No. 20090601).

23. Project Sponsor and Facility: Winner Water Services, Inc. (Manor #44 Deep Mine), Girard Township, Clearfield County, PA. Application for surface water withdrawal of up to 0.144 mgd (peak day).

24. Project Sponsor and Facility: York Water Company (Susquehanna River and South Branch Codorus Creek), Lower Windsor and Spring Garden Townships, York County, PA. Modification to authorize supply of water to Gettysburg Municipal Authority through an interconnection, subject to receipt by Gettysburg Municipal Authority of an interbasin diversion approval (Docket No. 20021023).

*Public Hearing—Projects Scheduled for Action Involving a Diversion*

1. Project Sponsor: Gettysburg Municipal Authority. Project Facility: Hunterstown Wastewater Treatment Plant, Straban Township, Adams County, PA. Modification to increase authorized diversion to accommodate occasional power plant surge (Docket No. 20100916).

2. Project Sponsor: Gettysburg Municipal Authority. Project Facility: York Water Company Interconnection, Straban Township, Adams County, PA. Application for an out-of-basin diversion of up to 3.000 mgd (peak day) to the Potomac River Basin.

*Authority:* Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

*Dated:* October 11, 2013.

ANDREW DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 13-2036. Filed for public inspection October 25, 2013, 9:00 a.m.]