

NOTICES

DEPARTMENT OF AGRICULTURE

Schedule for General Inspection and Testing of Weights and Measures

The Department of Agriculture (Department) gives notice of its schedule for the general inspection and testing of commercially used weighing and measuring devices. This schedule supplants and replaces the Schedule for General Inspection and Testing of Weights and Measures that was published at 28 Pa.B. 4800 (September 26, 1998).

Section 4112 of 3 Pa.C.S. (relating to general testing and inspections) requires that all commercially used weighing and measuring devices be inspected at regular intervals for accuracy. It prescribes specific inspection intervals for some types of weighing and measuring devices and affords the Department discretion to establish the inspection intervals for others. This order presents the inspection intervals for all commercially used weighing and measuring devices in this Commonwealth.

Section 1. 18-Month Maximum Inspection and Testing Interval.

(a) The Department will (as required by § 4112(b) of the Agriculture Code) inspect the following types of commercially used weighing and measuring devices for accuracy at intervals of no greater than 18 months:

- Vehicle scales
- Truck-mounted fuel oil meters
- Truck-mounted liquid petroleum gas meters
- Compressed natural gas meters
- Retail motor fuel dispensers

(b) The required inspection and testing of vehicle scales, truck-mounted liquid petroleum gas meters and compressed natural gas meters may be conducted by:

- (i) a State Inspector employed by the Department; or
- (ii) a county sealer or city sealer performing the inspection in accordance with a memorandum of understanding with the Department; or
- (iii) a Certified Examiner of Weights and Measures.

(c) The required inspection and testing of truck-mounted fuel oil meters and retail motor fuel dispensers may be conducted by:

- (i) a State Inspector employed by the Department; or
- (ii) a county sealer or city sealer performing the inspection and testing in accordance with a memorandum of understanding with the Department.

Section 2. 36-Month Maximum Inspection and Testing Interval.

(a) The Department will (as required by § 4112(c) of the Agriculture Code) inspect the following types of

commercially used weighing and measuring devices for accuracy at intervals of no greater than 36 months:

- Universal Product Code scanning systems
- Price look up devices
- All types of commercially used weighing and measuring devices not specifically assigned an 18-month or 60-month maximum inspection and testing interval in Section 1 or Section 3 of this schedule

(b) The required inspection and testing of any of the weighing and measuring devices described in subsection (a) may be conducted by a State Inspector employed by the Department or by a county sealer or city sealer performing the inspection in accordance with memorandum of understanding with the Department. In addition, if the weighing and measuring devices are small capacity retail computing scales, retail package shipping scales or small platforms scales which weigh items to 1,000 pounds, the required inspection and testing of these devices may also be performed by a Certified Examiner of Weights and Measures.

(c) A Universal Product Code scanning system or price look up device is exempt from the 36-month maximum inspection and testing interval described in subsection (a) if it is inspected at least annually on an unannounced basis as part of a private certification program which conforms with the examination procedures for price verification as adopted by the National Conference of Weights and Measures.

Section 3. 60-Month Maximum Inspection and Testing Interval.

If a local government unit, authority organized by a local government unit or person makes use of parking meters, that using entity shall (as required by § 4112(b.2) of the Agriculture Code)—at intervals of not greater than 60 months—inspect and test the parking meters to ascertain if they are correct.

The local government unit, appropriate authority or person may accept reports of certified parking meter inspectors as sufficient to meet the referenced inspection and testing requirements.

Section 4. Revisions to the Inspection Schedule.

The Department may revise this inspection schedule from time to time. The revisions will be published in the *Pennsylvania Bulletin*.

Section 5. Further Information.

Further information is available by contacting the Department at Bureau of Ride and Measurement Standards, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 787-9089 or RA-wghts&measures@pa.gov.

The foregoing Inspection Schedule is effective as of publication.

GEORGE D. GREIG,
Secretary

[Pa.B. Doc. No. 13-2047. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending October 22, 2013.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-15-2013	<p><i>From:</i> The Jim Thorpe National Bank Jim Thorpe Carbon County</p> <p><i>To:</i> Jim Thorpe Neighborhood Bank Jim Thorpe Carbon County</p> <p>Application for approval to convert from a National banking association to a Pennsylvania State-chartered bank.</p>	Filed

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-22-2013	<p>Peoples Financial Services Corp Hallstead Susquehanna County</p> <p>Application for approval to acquire 100% of Penseco Financial Services Corporation, Scranton, and thereby indirectly acquire 100% of Penn Security Bank and Trust Company, Scranton.</p>	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-22-2013	<p>Peoples Neighborhood Bank Hallstead Susquehanna County</p> <p>Application for approval to merge Penn Security Bank and Trust Company, Scranton, with and into Peoples Neighborhood Bank, Hallstead.</p>	Approved

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-21-2013	<p>Woodlands Bank Williamsport Lycoming County</p>	<p>2 South Main Street Hughesville Lycoming County</p>	Opened

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-3-2013	<p>Susquehanna Bank Lititz Lancaster County</p>	<p>12106 Centennial Road Warminster Bucks County</p>	Closed

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-4-2013	Susquehanna Bank Lititz Lancaster County	4501 Hanover Pike Manchester Carroll County, MD	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	329 North Main Street Chalfont Bucks County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	1262 Vocke Road La Vale Allegheny County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	407 South Broad Street Lansdale Montgomery County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	233 Hershey Road Hummelstown Dauphin County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	14 North Pearl Street Bridgeton Cumberland County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	One College Avenue Grantham Cumberland County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	2305 South Market Street Elizabethtown Lancaster County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	1001 Easton Road Willow Grove Montgomery County	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	1101 Professional Court Hagerstown Washington County, MD	Closed
10-4-2013	Susquehanna Bank Lititz Lancaster County	600 Richmond Drive Lancaster Lancaster County	Closed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
10-22-2013	First Cornerstone Bank King of Prussia Montgomery County Amendment to Article Fifth, Section A of the institution's Articles of Incorporation provides for an increase in the number of authorized shares of its Class A common stock from 100,000,000 to 200,000,000.	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
10-22-2013	White Rose Credit Union York York County Application for approval to merge HD York Federal Credit Union, York, with and into White Rose Credit Union, York.	Filed

Branch Applications**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-18-2013	Belco Community Credit Union Harrisburg Dauphin County	<i>To:</i> Lot 9 Gateway Hanover Hanover York County <i>From:</i> 110 West Eisenhower Drive Hanover York County	Approved

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 13-2048. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, November 13, 2013, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Joe Graci at (717) 787-9293. Persons who wish to participate during the public comment period are encouraged to submit their comments in writing to the Council to Joe Graci, Advisor to CNRAC, 400 Market Street, Harrisburg, PA 17105-8767.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Lauren Adair directly at (717) 787-9293 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

ELLEN FERRETTI,
Acting Secretary

[Pa.B. Doc. No. 13-2049. Filed for public inspection November 1, 2013, 9:00 a.m.]

Request for Bids

The Department of Conservation and Natural Resources is soliciting bids for the following projects. Bid documents can be obtained from the Administrative Services Section, Bureau of Facility Design and Construction at (717) 787-5055:

FDC-320-7202.1—Mansion Roof Replacement, Kings Gap Environmental Education Center, Dickenson Township, Cumberland County. Work included under this contract consists of a roof replacement on the mansion at Kings Gap Environmental Education Center. Work includes the removal of the existing roofing system and the installation of a new EPDM roofing system, to include

flashing and copings. Responsive bidders must hold a current small business certification from the Department of General Services (DGS).

FDC-226-7720.1—Connect Linesville Spillway to STP, Pymatuning State Park, Pine Township, Crawford County. Work included under this contract consists of installation of approximately 4,300 feet of 2" HDPE sewer force main, approximately 900 feet of 1-1/2" HDPE sewer force main and approximately 250 feet of 4" HDPE sewer gravity line. It also includes installation of a complete grinder pump station and of a grinder pump in an existing dosing tank. Responsive bidders must hold a current small business certification from DGS.

FDC-401-6124.1—General Construction, Rehabilitate Sewage Collection System, Frances Slocum State Park, Kingston Township, Luzerne County. Work included under this contract consists of sewage system cleaning and inspection, sewer pipe replacement using open trench trenchless methods and manhole replacement.

Bid documents will be available on or after October 30, 2013. The bid opening will be held on December 5, 2013.

ELLEN FERRETTI,
Acting Secretary

[Pa.B. Doc. No. 13-2050. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF DRUG AND ALCOHOL PROGRAMS

Pennsylvania Advisory Council on Drug and Alcohol Abuse Meeting

The Pennsylvania Advisory Council on Drug and Alcohol Abuse (Council) will hold a public meeting on November 20, 2013, from 1 p.m. to 3:30 p.m. at the Giant Food Store Community Center—Blue Mountain Commons, 2nd Floor, Blue Mountain and Dauphin Meeting Rooms, 2300 Linglestown Road, Harrisburg, PA 17110, (717) 545-0489. The meeting is open to the public. For additional information, visit the Department of Drug and Alcohol Programs' (Department) web site at www.ddap.pa.gov.

The primary focus of this Council meeting is for the Council members to meet to discuss current drug and alcohol issues and challenges facing this Commonwealth, and to serve in an advisory capacity to the Department on these issues.

For additional information, visit the Department's web site or contact Roseann Deutsch at (717) 214-1937.

Persons with disabilities who wish to attend the meeting and require an auxiliary aid, service or other accommodation should contact Roseann Deutsch at (717) 214-1937.

This meeting is subject to cancellation without notice.

GARY TENNIS, Esq.,
Secretary

[Pa.B. Doc. No. 13-2051. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Peirce College to Amend Articles of Incorporation

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval of a Certificate of Authority for Peirce College to amend its Articles of Incorporation.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher and Career Education, 333 Market Street, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Persons wishing to review the application should phone (717) 783-8228 or write to the previous address to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact the Division of Higher and Career Education at (717) 783-8228 to discuss accommodations.

CAROLYN C. DUMARESQ, Ed.D.,
Acting Secretary

[Pa.B. Doc. No. 13-2052. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d). Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063011 (Water Diversion)	Hazleton City Authority Water Department 400 E Arthur Gardner Parkway Hazleton, PA 18201	Luzerne County Hazle Township	Dreck Creek Reservoir (2-B)	Y
PA0053872 (SFTF Sewage)	Red Hill Water Authority Kemmerer Spring WWTP Sigmund Road Upper Milford Twp, PA 18076	Lehigh County Upper Milford Township	Perkiomen Creek (3-E)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PAS113502, Amendment No. 1 (IW—Stormwater)	GE Inspection Technologies LP 50 Industrial Park Road Lewistown, PA 17044	Mifflin County Granville Township	UNT of Juniata River / 12-A	Y

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0115266 (Sewage)	Gregg Township Sewer Authority Wastewater Treatment Plant 259 Kline Road Spring Mills, PA 16875	Centre County Gregg Township	Penns Creek (6-A)	Y
PA0115215 (Industrial Waste)	Lucas Trucking Corp. 9657 North Route 220 Highway Jersey Shore, PA 17740	Lycoming County Piatt Township	UNT to West Branch Susquehanna River (10-A)	Y
PA0209627 (Sewage)	Stoltzfus Farms, Inc. SFTF 137 Wilson Road Wellsboro, PA 16901	Tioga County Shippen Township	UNT to Stowell Run (9-A)	Y
PA0209431 (SRSTP)	Thomas R Shrout Res Orchard Park Road Port Matilda, PA 16870	Halfmoon Township Centre County	UNT of Halfmoon Creek (11-A)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0210030 (Industrial Waste)	Knox Township WTP PO Box 130 Knox Dale, PA 15847-0130	Jefferson County Knox Township	Indiancam Run (17-C)	Y

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PA0222411 (Sewage)	Frank A Leonard SFTF 20 Carey Farms Road Erie, PA 16511	Harborcreek Township Erie County	Lake Erie 15-A	Y
PA0025283 (Sewage)	Knox Borough STP P. O. Box 366 194 McElhatten Road Knox, PA 16232	Knox Borough Clarion County	Canoe Creek 17-B	Y
PA0032549 (Sewage)	Presque Isle State Park West Fisher Avenue Presque Isle State Park Erie, PA 16505	Millcreek Township Erie County	Presque Isle Bay of Lake Erie 15-PI	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0055263, Sewage, SIC Code 4952, **Executive Center Condo Association, C/O B.C. Property Management, Inc.**, Doylestown, PA 18901. Facility Name: Executive Center Condo Association STP. This existing facility is located in Plumstead Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage from a facility located at 5045 Swamp Road, Fountainville, PA, to an unnamed tributary to North Branch Neshaminy Creek.

The receiving stream(s), Unnamed Tributary of North Branch Neshaminy Creek, is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The nearest downstream public water supply is North Park North Wales Authorities located on the North Branch Neshaminy Creek.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.001 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	XXX	Instant. Minimum	Average Monthly	XXX	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	2.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.2	XXX	2.5
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP
- Minimize Chlorine Usage
- Small Stream Discharge
- Notification of Designated Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0244279, Industrial Waste, SIC Code 4941, **Telford Borough Authority Bucks & Montgomery County**, 122 Penn Avenue, Telford, PA 18969. Facility Name: Telford Borough Authority Water System. This existing facility is located in West Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated backwash water from the arsenic removal system of a potable water system (well No. 4). The rate of discharge will be 460 gallons per minute for 10 minutes every two to six weeks.

The receiving stream(s), Unnamed Tributary of East Branch Perkiomen Creek, is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0046 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily	Instant. Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Arsenic	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	1.5	3.0	3.75

In addition, the permit contains the following major special conditions:

- Necessary Property Rights
- Proper Sludge Disposal
- BAT/BCT Requirements
- Small Stream Discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0247391, Sewage, SIC Code 4952, **North Codorus Township Sewer Authority**, 1986 Stoverstown Road, Spring Grove, PA 17362. Facility Name: North Codorus Township STP. This existing facility is located in North Codorus Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.55 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	69	110	XXX	15	24	30
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	137	206	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2000	XXX	10000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	9.0	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	27	XXX	XXX	6.0	XXX	12
Total Phosphorus	9.0	XXX	XXX	2.0	XXX	4.0
Total Copper	XXX	XXX	XXX	XXX	XXX	Report
Total Lead	XXX	XXX	XXX	XXX	XXX	Report
Total Zinc	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)			Concentration (mg/l)		
	Monthly	Annual	Minimum	Monthly Average	Maximum	
	Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	
Total Nitrogen	Report	Report	XXX	Report	XXX	
Total Phosphorus	Report	Report	XXX	Report	XXX	
Net Total Nitrogen	Report	13394	XXX	XXX	XXX	
Net Total Phosphorus	Report	1674	XXX	XXX	XXX	

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0262102, Sewage, SIC Code 4952, **Jack A Larkin**, 275 Pilgert Street, Alburtis, PA 18011. Facility Name: Larkin SR STP. This proposed facility is located in Longswamp Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Little Lehigh Creek, is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
	Flow (MGD)	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0087912, Industrial Waste, SIC Code 5171, **Mechanicsburg Terminals Corporation**, P. O. Box 2621, Harrisburg, PA 17105. Facility Name: Mechanicsburg, PA Bulk Petroleum Storage Terminal. This existing facility is located in Silver Spring Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater.

The receiving stream(s), Trindle Spring Run and Hogestown Run, are located in State Water Plan watershed and are classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average	Maximum	Instant. Maximum
	Oil and Grease	XXX	XXX	XXX	15	30
TRPH	XXX	XXX	XXX	15	30	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.00 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average	Maximum	Instant. Maximum
	Oil and Grease	XXX	XXX	XXX	15	30
TRPH	XXX	XXX	XXX	15	30	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.00 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Minimum	Maximum	Average	Maximum	
Oil and Grease	XXX	XXX	XXX	15	30	XXX
TRPH	XXX	XXX	XXX	15	30	XXX

The proposed effluent limits for IMP 101 are based on a design flow of 0.00 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Minimum	Maximum	Average	Maximum	
Oil and Grease	XXX	XXX	XXX	15	30	XXX
TRPH	XXX	XXX	XXX	15	30	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Requirements for Petroleum Marketing Terminals

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083674, Sewage, SIC Code 3999, 5812, **Rainworth Inc.**, 1979 Biglerville Road, Gettysburg, PA 17325-8038. Facility Name: Rainworth Apartments. This existing facility is located in Straban Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to White Run, is located in State Water Plan watershed 13-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0012 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0032964, Sewage, SIC Code 7999, 8412, **PA DCNR State Parks Bureau**, 6235 Aughwick Road, Fort Loudon, PA 17224-9603. Facility Name: Cowans Gap State Park. This existing facility is located in Todd Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), South Branch Little Aughwick Creek, is located in State Water Plan watershed 12-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly		
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Nov 1 - Apr 30	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	XXX	XXX	XXX	7.5	XXX	15
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0082996, Sewage, SIC Code 4952, **Summit School Of Ministry**, 74 Harrison School Road, Grantville, PA 17028-8222. Facility Name: Summit School of Ministry. This proposed facility is located in East Hanover Township, **Lebanon County**.

Description of Proposed Activity: The application is for a renewal and amendment of existing NPDES permit for discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Indiantown Run, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Total Annual	Minimum	Average Monthly		
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.46	XXX	1.52
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	XXX	XXX	XXX	7.5	XXX	15.0
Total Phosphorus	XXX	Report	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	Report	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.015 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Total Annual	Minimum	Average Monthly		
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.08	XXX	0.26
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Geo Mean</i>	
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	XXX	XXX	XXX	7.5	XXX	15.0
Total Phosphorus	XXX	Report	XXX	Report	XXX	XXX
Total Nitrogen	XXX	Report	XXX	Annl Avg Report Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0246620, Industrial Waste, SIC Code 4011, **Norfolk Southern Railway Company**, 1200 Peachtree Street, N.E., Box 13, Atlanta, GA 30309-0013. Facility Name: Rutherford Intermodal. This existing facility is located in Swatara Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and stormwater.

The receiving stream(s), is located in State Water Plan watershed and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Oil and Grease	XXX	XXX	XXX	XXX	15	30
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0248088 A-1, Sewage, SIC Code 4952, **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033. Facility Name: Cashtown-McKnightstown STP. This existing facility is located in Franklin Township, **Adams County**.

Description of Existing Activity: The application is for a renewal and transfer of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Unnamed Tributary to Marsh Creek, is located in State Water Plan watershed 13-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.500 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.026	XXX	0.084
CBOD ₅	104	167	XXX	25	40	50
		Wkly Avg				

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	125	188	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	8.3	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	25	XXX	XXX	6.0	XXX	12
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0029297, Sewage, SIC Code 8052, **PA DPW South Mountain Restoration Center**, 10058 S Mountain Road, South Mountain, PA 17261-0900. Facility Name: South Mountain Restoration Center. This existing facility is located in Quincy Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Rocky Mountain Creek, is located in State Water Plan watershed 13-C and is classified for High Quality Waters—Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.395 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen						
(Interim)	XXX	XXX	5.0	XXX	XXX	XXX
(Final)	XXX	XXX	5.5	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Nov 1 - Apr 30	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Concentration (mg/l)		
	Monthly	Annual	Minimum	Monthly Average	Maximum
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report			Report	
Total Phosphorus	Report			Report	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3664.

PA0229211, SIC Code 2869, **PA Grain Processing LLC**, 250 Technology Drive, Clearfield, PA 16830-2663. Facility Name: Clearfield Borough Plant. This proposed facility is located in Clearfield Borough, **Clearfield County**.

Description of Proposed Activity: The application is for a new NPDES permit for a discharge of treated wastewater.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.267 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Halogen	XXX	XXX	XXX	0.2	0.5	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Aluminum	XXX	XXX	XXX	0.75	1.50	1.88
Total Iron	XXX	XXX	XXX	1.5	3.0	3.8
Total Manganese	XXX	XXX	XXX	1.0	2.0	2.5
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are:

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
TRPH	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are:

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
TRPH	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are:

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
TRPH	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Disposal of Sludge.
- Using Approved list of Chemical Additives.
- Stormwater Outfalls Maintenance and inspection.
- No net addition of pollutants to non-contact cooling water.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0027057, Sewage, SIC Code 4952, **Williamsport Sanitary Authority**, 253 W 4th Street, Williamsport, PA 17701-6113. Facility Name: Central Plant. This existing facility is located in Williamsport City, **Lycoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 10-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.4 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.217	XXX	0.710
CBOD ₅	1750	2800	XXX	25	40	50
		Wkly Avg			Wkly Avg	
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	2100	3150	XXX	30	45	60
		Wkly Avg			Wkly Avg	
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1000
Oct 1 - Apr 30	XXX	XXX	XXX	2000 Geo Mean	XXX	10000
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
		Wkly Avg			Wkly Avg	
Hexavalent Chromium	Report	Report	XXX	Report	Report	XXX
Total Mercury	Report	Report	XXX	Report	Report	XXX
4,6-dinitro-o-cresol	8.40	10.50	XXX	0.12	0.15	0.30
3,3-Dichlorobenzidine (µg/L)	0.14	0.21	XXX	2.01	3.14	5.02
Pentachlorophenol (µg/L)	0.94	1.48	XXX	13.55	21.15	33.87
Acrolein (µg/L)	0.54	0.84	XXX	7.77	12.12	19.42
Acrylonitrile (µg/L)	0.34	0.53	XXX	4.89	7.63	12.22
Hexachlorobenzene (µg/L)	0.001	0.002	XXX	0.02	0.04	0.05
Benzo(a)Anthracene (µg/L)	0.02	0.03	XXX	0.36	0.56	0.90
Benzo(a)Pyrene (µg/L)	0.02	0.03	XXX	0.36	0.56	0.90
Benzo(k)Fluoranthene (µg/L)	0.02	0.03	XXX	0.36	0.56	0.90
3,4-Benzofluoranthene (µg/L)	0.02	0.03	XXX	0.36	0.56	0.90
Bis(2-Chloroethyl)Ether (µg/L)	0.20	0.31	XXX	2.87	4.49	7.17
Bis(2-Ethylhexyl)Phthalate (µg/L)	Report	Report	XXX	Report	Report	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Chrysene (µg/L)	0.02	0.03	XXX	0.36	0.56	0.90
Dibenzo(a,h)Anthracene (µg/L)	0.02	0.03	XXX	0.36	0.56	0.90
Hexachlorobutadiene (µg/L)	1.08	2.17	XXX	15.54	31.08	38.85
Hexachlorocyclopentadiene (µg/L)	0.54	0.84	XXX	7.77	12.12	19.42
Indeno(1,2,3-cd)Pyrene (µg/L)	0.02	0.03	XXX	0.36	0.56	0.90
N-Nitrosodimethylamine (µg/L)	0.004	0.007	XXX	0.06	0.10	0.15
N-Nitrosodi-N-Propylamine (µg/L)	0.03	0.05	XXX	0.48	0.74	1.20
Phenanthrene (µg/L)	0.54	0.84	XXX	7.77	12.12	19.42
Toxaphene (µg/L)	0.0001	0.0002	XXX	0.002	0.003	0.005
Acute Toxicity—Ceriodaphnia Survival (TUa)	XXX	XXX	XXX	XXX	2.42	XXX
Acute Toxicity—Pimephales Survival (TUa)	XXX	XXX	XXX	XXX	2.42	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)			Concentration (mg/l)	
	Monthly	Annual	Minimum	Monthly Average	Maximum
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	153423			
Net Total Phosphorus	Report	20456			

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department’s Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0238457, Sewage, SIC Code 4952, **Sue A. Brown & Amy J. Wagner**, 562 Wilson Mill Road, New Wilmington, PA 16142. Facility Name: Sue A. Brown & Amy J. Wagner SFTF. This proposed facility is located in Wilmington Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated sanitary wastewater.

The receiving stream, an Unnamed Tributary of the Little Neshannock Creek, is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lbs/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	Report
BOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2285419, Amendment #3, Sewerage, **GSP Management Company, Frank T. Perano**, PO Box 677, Morgantown, PA 19543.

This proposed facility is located in Londonderry Township, **Dauphin County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of modifications to existing dechlorination and post aeration facilities.

WQM Permit No. 0613405, Sewerage, **Ethan Mitchell, Inc., Louis Mascaro**, 2034 East Main Street, Douglassville, PA 19518.

This proposed facility is located in Union Township, **Berks County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a 1-lot commercial development to generate a total of 5,400 gpd to be served by a Sequencing Batch Reactor (SBR) wastewater treatment plant and a drip irrigation system for the Liberty Bell Motorsports Park Development.

WQM Permit No. 2213405, Sewerage, **Middletown Borough Authority**, 60 West Emaus Street, Middletown, PA 17057.

This proposed facility is located in Middletown Borough, **Dauphin County**.

Description of Proposed Action/Activity: Seeking permit approval the South Union Streetscape Project, replacement of approximately 1,700 LF of 18-inch and 24-inch diameter brick sanitary sewer with 18-inch and 21-inch diameter PVC gravity sanitary sewer main, installation of 9 precast concrete sanitary sewer manholes and replacement of sanitary sewer laterals from the main to the limit of the right-of-way.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701

WQM Permit No. 1713403, Sewage, SIC Code 4952, **Christoff Mitchell Petroleum Inc.**, 2719 Walton Street, Philipsburg, PA 16866.

This proposed facility is located in Decatur Township, **Clearfield County**.

Description of Proposed Action/Activity: SFTF proposed to serve a sales office to include septic tank, followed by OrencoRTUV unit prior to discharge.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

WQM Permit No. 1113403, Sewerage, **City of Johnstown**, 401 Main Street, Johnstown, PA 15901-1916

This proposed facility is located in the City of Johnstown, **Cambria County**.

Description of Proposed Action/Activity: Application for construction and operation of a sewer system.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQM Permit No. 0213409, Sewerage, **Pittsburgh Water and Sewer Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222-4211

This proposed facility is located in the City of Pittsburgh, Allegheny County Description of Proposed Action/Activity: Application for the construction and operation of a sewer system.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 4371415, Sewage, Amendment, **Dennis S. Shadron d/b/a Goddard Park Vactionland Campground**, 867 Georgetown Road, Sandy Lake, PA 16145-8601.

This existing facility is located in Deer Creek Township, **Mercer County**.

Description of Proposed Action/Activity: Application for amendment to add aeration and treatment units to improve ammonia removal.

IV. NPDES Applications for Stormwater Discharges from MS4

Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.

PAI138301, MS4, **Millcreek Township Erie County**, 3608 West 26th Street, Erie, PA 16506-2059. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Millcreek Township, **Erie County**.

The receiving stream(s), unnamed tributaries to Mill Creek, Mill Creek, unnamed tributaries to Lake Erie, Lake Erie, unnamed tributaries of Walnut Creek, Walnut Creek and West Branch Cascade Creek, is located in State Water Plan watershed 15 and is classified for Warm Water Fishes and Migratory Fishes (Mill Creek and West Branch Cascade Creek Watershed), High Quality Waters—Cold Water Fishes (Unnamed Tributary (62442) to Walnut Creek), and Cold Water Fishes and Migratory Fishes (Lake Erie, Walnut Creek Watershed), aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be

extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340. The EPA waiver is not in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

PAI134808, MS4, Williamsport Area Joint MS4s, 245 West 4th Street, Williamsport, PA 17701. The application is for a new individual NPDES joint permit for the discharge of stormwater from a regulated municipal separate storm sewer systems (MS4) to waters of the Commonwealth in **Lycoming County**. The following applicants are filing joint permits: City of Williamsport, Montoursville Borough, Penn College, Hepburn Twp. Old Lycoming Twp., Lycoming Twp., Loyalsock Twp., and Fairfield Twp. The receiving stream(s), Bennetts Run, Fox Hollow Run, Bottle Run, Beautys Run, Daugherty Run, Grafius Run, Loyalsock Creek, Lycoming Creek, Mill Creek, McClure, Bull Run, Millers Run, Tules Run, West Branch Susquehanna River, and Unnamed Tributaries to West Branch Susquehanna River, is located in State Water Plan watersheds 10-A, 10-B and 10-D and is classified for Warm Water Fishes, Migratory Fishes, Trout Stocking, Exceptional Value, and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA waiver is not in effect.

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Pike County Conserve District, 556 Route 402, Hawley PA 18428

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025213003	Saeilo Enterprises, Inc. 1 Blue Hill Plaza, Suite 1 Pearl River, NY 10965	Pike	Blooming Grove Township	Little Mud Pond Swamp (HQ-CWF, MF) UNT to Shohola Creek (EV)
PAI025213004	Lehman Township RR 4, Box 4000 Bushkill, PA 18324	Pike	Lehman Township	Little Bushkill Creek (EV, MF)

Lehigh County Conserve District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Road, Allentown PA 18104

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023913010	A.J.W., Inc. c/o Andrew J. Watson 4966 Schochary Road New Tripoli, PA 18066	Lehigh	Weisenberg Township	Unnamed Tributary to Switzer Creek (HQ-CWF, MF)
PAI023913006	Joseph Posh Posh Properties 2216 Willow Park Road Bethlehem, PA 18017	Lehigh	Salisbury Township	Little Lehigh Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033613007	Anthony A. Good 2287 N Penryn Rd Manheim, PA 17545	Lancaster	Penn Township	UNT to Hammer Creek (HQ-CWF), Wetlands (EV)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI044112006	Major Modification Kent Morton Moxie Patriot LLC 612 Center St S Ste 200 Vienna VA 22180	Lycoming	Clinton Township	UNT to W.B. Susquehanna River WWF, MF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

Agricultural Operation Name and Address	County	Total Acres	Animal Equivalent Units	Animal Type	Special Protection Waters (HQ or EV or NA)	Renewal/New
Martin's Egg Ranch Adam Martin 309 Midway Road Behtel, PA 19507	Berks	84.4	262	Layers	NA	Renewal
Dennis Ulrich 9291 & 9251 Old Route 22 Bethel, PA 19507	Berks	17.9	308.7	Layers	NA	Renewal
Hetrickdale Farms Joel and Scott Hetrickdale 69 Hetrick Road Bernville, PA 19506	Berks	2141.6	2449.02	Dairy	NA	Renewal
Joel Rutt 1178 White Oak Road Manheim, PA 17545	Lancaster	250	410.44	Swine / Broilers / Beef	None	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA17110

Permit No. 2213505, Public Water Supply.

Applicant	Halifax Area Water & Sewer Authority
Municipality	Halifax Borough
County	Dauphin
Responsible Official	Fred L Ford, Chairman PO Box 443 Halifax, PA 17032
Type of Facility	Public Water Supply
Consulting Engineer	N Peter Fleszar, P.E. Glance Associates, Inc. 3705 Trindle Road Camp Hill, PA 17011
Application Received:	9/24/2013
Description of Action	Installation of arsenic treatment via blending and the relocation of EP 103.

Permit No. 3613511, Public Water Supply.

Applicant	Turkey Hill Dairy, Inc.
-----------	--------------------------------

Municipality	Manor Township
County	Lancaster
Responsible Official	William P Gregory, Director of Operations Services 2601 River Road Conestoga, PA 17516-9630
Type of Facility	Public Water Supply
Consulting Engineer	Peter Lusardi, P.E. GHD, Inc. 1240 N. Mountain Rd. Harrisburg, PA 17112
Application Received:	10/7/2013
Description of Action	Reverse osmosis nitrate treatment system, softening system and disinfection system for new warehouse.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Permit No. 6513521, Public Water Supply.

Applicant	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
[Township or Borough]	Monroeville, Murrysville and Plum Borough
Responsible Official	Thomas Ceraso, Assistant Manager Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
Type of Facility	Water system
Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street PO Box 853 Latrobe, PA 15650
Application Received Date	September 30, 2013
Description of Action	Installation of approximately 13,560 feet of 24-inch diameter waterline, 7,100 feet of 12-inch diameter waterline, two pump stations and six interconnections to interconnect with Monroeville Municipal Authority and Plum Borough Municipal Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment

noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Mount Penn CVS Store # 10045, Route 422, Howard Boulevard and Fern Street NWC, Reading, PA, Mount Penn Borough, **Berks County**. RT Environmental Services, Inc., 591 East Maiden Street, Washington, PA 15301, on behalf of Summit Realty Advisors, LLC, 201 South Maple Avenue, Suite 100, Ambler, PA 19002, submitted a Notice of Intent to Remediate site soils contaminated with PAHs and VOCs. Historical operations of a gasoline filling station and a paper bag factory have

taken place at this site, which will be remediated to a combination of Residential and Nonresidential Statewide Health standards. Current and future use of the site is a retail pharmacy store. The Notice of Intent to Remediate was published in the *Reading Eagle* on September 7, 2012.

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Childs Property, 1086 White Deer Pike, White Deer Township, **Union County**. Mr. Martin Gilgallon, P.G., Pennsylvania Tectonics, Inc., 723 Main Street, Archbald, PA 18403, on behalf of Mr. Wayne C. Moore, Nationwide Mutual Insurance Company, PO Box 227, Harleysville, PA 18438, submitted a Notice of Intent to Remediate. A release of fuel oil #2 occurred in the basement of the residence during the delivery of fuel oil #2 to the home. An investigation will also be conducted along the exterior of the residence, by PA Tectonics to determine the presence or absence of fuel oil #2 contamination outside the footprint to the structure. The proposed cleanup standard for the site is Statewide Health. The Notice of Intent to Remediate was published in *The Sun-Gazette* on July 18, 2013.

Leighow Oil Company, Inc., 118 Eyer Road, Danville, Pa 17821, Mahoning Township, **Montour County**. United Environmental Services, Inc., 88 Hillside Drive, Drums, Pa 18222, on behalf of Leighow Oil Company, Inc., submitted a Notice of Intent to Remediate. A release of diesel fuel occurred at the facility as the result of vandalism. The property is currently, and will likely continue to be, used as a petroleum bulk storage facility. The Notice of Intent to Remediate was published in *Press Enterprise* on August 14, 2013.

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Application No. WMGR146. Evergreen Recycling Solutions, LLC; 11 Dundar Road, Suite 210; Springfield, NJ 07081-3513; Site: 110 Evergreen Avenue, Newark, NJ 07114-1125. The application is for the beneficial use of alternative fuel produced by the processing of construction and demolition waste, wood, paper, cardboard, plastic, polymers, rubber, textiles and synthetic fibers, and carpet. The application was deemed administratively complete on October 15, 2013.

Persons interested in reviewing the application may contact Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

RESIDUAL WASTE GENERAL PERMITS

Application Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR085D001. Hazleton Creek Properties, LLC, 580 Third Avenue, P. O. Box 1389, Kingston, PA 18704; Site: Property bounded by Routes 924/309 & Broad Street, City of Hazleton, Luzerne County. The permit application for renewal is for the processing of freshwater, brackish and marine dredge material, cement kiln dust, lime kiln dust, coal ash, and cogeneration ash and beneficial use of the processed waste in coal mine reclamation to level an area or bring an area to an approved grade. The application for renewal of General Permit No. WMGR085D001 was determined to be administratively complete by Central Office on September 18, 2013.

Written comments concerning the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Comments may also be submitted via e-mail at rapbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR085D001" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) received for Determination of Applicability under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.

General Permit No. WMGR052. FirstEnergy Generation Corporation, 76 South Main Street, Akron, OH 44308-1812. Request for Determination of Applicability for beneficial use of low permeability cementitious material generated at the Bruce Mansfield Plant located in Shippingport Borough, Beaver County was received on July 26, 2013 and accepted for technical review on September 17, 2013.

Comments concerning the application should be directed to Diane McDaniel, Environmental Engineering Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in obtaining more information about the general permit application may contact the DEP Southwest

Regional Office, Regional Files at 412-442-4000. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 30 days of this notice and may recommend revisions to, and approval or denial of the application.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

General Permit Application No. WMGR025SC002. Columbia Borough, 308 Locust Street, Columbia, PA 17512

The Southcentral Regional Office, Waste Management Program received a determination of applicability (DOA) application under Residual Waste General Permit No. WMGR025 for Columbia Borough, 308 Locust Street, Columbia, PA 17512 for their compost facility located at 254 Blue Lane, Columbia, PA 17512 in Columbia Borough, Lancaster County. This general permit is for composting and beneficial use of pre- and post-consumer food wastes and yard wastes. This application was received on October 3, 2013.

Persons interested in obtaining more information about this determination of applicability may contact John Oren, P.E., Facilities Manager, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701

Permit Application No. 100955. Clinton County Solid Waste Authority, 264 Landfill Lane, McElhattan, PA 17748-0209, Wayne Township, Clinton County. Modification to permit boundary and rail spur stormwater management system. The application was received by Northcentral Regional Office on October 15, 2013. An LMIP meeting will be scheduled.

Comments concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the permit application may contact the Williamsport Regional Office, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approval or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

36-05001I: Armstrong World Industries, Inc. (1507 River Road, Marietta, PA 17547) for replacement of an

existing spray booth at their ceiling tile plant in East Donegal Township, **Lancaster County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received an application and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

Plan Approval No. 36-05001I is for the replacement of the tile finishing line's (Source ID 504) existing spray booth with a 24,000 acfm downdraft Venjakob spray booth. The fully enclosed booth will be controlled by four (4) 6,000 acfm cyclones and will apply coatings with eight (8) automated airless spray guns. Exhaust air from the cyclones will be recirculated to the hood of the booth. The project is expected to increase actual emissions by 0.07 tpy CO, 0.03 tpy NO_x, 0.07 PM₁₀/PM_{2.5}, and 0.30 tpy VOC. The Plan Approval will contain testing, monitoring, recordkeeping & work practice standards designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests, or for requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments, protests, or requests for a public hearing.

Plan approvals issued to sources identified in 25 Pa. Code § 127.44(b)(1)—(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

22-05005A: NRG Energy Center Paxton LLC (101 N 10th Street, Harrisburg, PA 17101) for installation of Carbon Monoxide (CO) Oxidation Catalysts on the facility's two existing non-emergency Stationary RICE in Harrisburg City, **Dauphin County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received an application and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

Plan Approval #22-05005A is for the authorization to install CO catalyst on the facility's two existing Reciprocating Internal Combustion Engines (RICE) to comply with a CO emission limit of 23 ppmvd at 15% oxygen or a percent reduction of at least 70%. The engines are subject to the requirements of 40 CFR Part 63, Subpart ZZZZ. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The project to install the CO catalyst will result in "projected actual emissions" of 60 tpy of NO_x, 8.9 tpy of CO, 6.5 tpy of VOCs, 0.1 tpy of SO_x, 0.2 tpy of PM₁₀/PM_{2.5}.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Plan approvals issues to sources identified in 25 Pa. Code § 127.44(b)(1)–(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00017E: Hitachi Metals Automotive Components USA, LLC (18986 Route 287, Tioga, PA 16946-8815) for a plan approval to modify the material throughput and emission limitations of numerous foundry sources and for the installation of an air cleaning device, a regenerative thermal oxidizer (RTO), for the control of air contaminant emissions from two foundry sources at their in Lawrence Township, **Tioga County**. This is a State Only (Synthetic Minor) facility for which an operating permit has been issued.

The Department's review of the information submitted by Hitachi Metals Automotive Components USA, LLC indicates that modification of the foundry sources and installation of the air cleaning device will meet all applicable air quality regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department intends to approve the application and issue plan approval for modification of the foundry sources and installation of the air cleaning

device. Additionally, if the Department determines the foundry is operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into State Only (Synthetic Minor) operating permit SMOP 59-00017 via an administrative amendment in accordance with 25 Pa. Code § 127.450 at a later date.

The emission of air contaminants from the facility will not exceed the following limits in any 12 consecutive month period: NO_x—22.50 tons; CO—9.24 tons; VOCs—43.79 tons; SO_x—0.25 ton; PM₁₀—97.81 tons; HAPs—8.89 tons.

In addition to the emission limitations, the following is a summary of the types of conditions the Department intends place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. No more than 130,000 tons of metal shall be melted in the two induction furnaces in any 12 consecutive month period.

2. The metallic hazardous air pollutant emissions from the induction melting furnaces shall not exceed 0.0213 pound per ton of metal charged.

3. Ferro-manganese or similar manganese-bearing materials may be added to the metal melted in the induction furnaces in order to meet customer specifications, on the condition that the total quantity of such material added does not exceed 48,000 pounds in any 12 consecutive month period. The permittee shall not intentionally add any alloying material containing nickel, chromium or other substances designated as hazardous air pollutants (other than the manganese authorized herein) to the metal melted in the induction furnaces. Any nickel, chromium, etc. which may be present in the pig iron or scrap fed to the induction furnaces shall not be considered a violation of this condition provided that the content of such substances in the pig iron and scrap is minimal (total combined content of all such substances in any furnace charge not to exceed 1% by weight).

4. The emission of volatile organic compounds from the 2070 pouring and cooling line shall not exceed 1.125 pounds per ton of metal poured and the emission of HAPs shall not exceed 0.2664 pound per ton of metal poured, as measured prior to the RTO.

5. The emission of volatile organic compounds from the 2070 vibrating shakeout conveyor system shall not exceed 0.200 pound per ton of metal poured and the emission of HAPs shall not exceed 0.0473 pound per ton of metal poured, as measured at the stack.

6. The emission of volatile organic compounds from the 2070 cooling/separation drum shall not exceed 0.110 pound per ton of metal poured and the emission of HAPs shall not exceed 0.0261 pound per ton of metal poured, as measured at the stack.

7. The emission of volatile organic compounds from the 2013 pouring and cooling line shall not exceed 1.125 pounds per ton of metal poured and the emission of HAPs shall not exceed 0.2664 pound per ton of metal poured, as measured prior to the RTO.

8. The emission of volatile organic compounds from the 2013 vibrating shakeout conveyor system shall not exceed 0.200 pound per ton of metal poured and the emission of HAPs shall not exceed 0.0473 pound per ton of metal poured, as measured at the stack.

9. The emission of volatile organic compounds from the 2013 cooling/separation drum shall not exceed 0.110

pound per ton of metal poured and the emission of HAPs shall not exceed 0.0261 pound per ton of metal poured, as measured at the stack.

10. The total combined emission of volatile organic compounds from the three core-making machines incorporated in the polyurethane cold box core making operation shall not exceed 8.02 tons in any 12 consecutive month period.

11. The total combined amount of Isocure WTC I and WTC II resins (and/or resins determined by the Department to have an equivalent, or lower, air contaminant emission potential) used in the three core-making machines incorporated in the polyurethane cold box core making operation shall not exceed 329,710 pounds in any 12 consecutive month period.

12. The permittee shall not pneumatically convey material into the two sand/binder storage silos more than 600 hours per silo in any 12 consecutive month period.

13. The ecoat operation shall use no more than 135,600 gallons of coating and no more than 300 gallons of flow control additive in any 12 consecutive month period.

14. The air contaminant emissions from P203 and P207 shall be controlled by a regenerative thermal oxidizer.

15. The regenerative thermal oxidizer shall maintain a minimum combustion temperature of 1,500°F during any time it is being used to control air contaminant emissions.

16. The volatile organic compound emissions from the regenerative thermal oxidizer shall not exceed 0.1125 pound per ton of metal poured.

17. All conditions contained in State Only Operating Permit 59-00017 remain in effect until such time as the RTO is controlling air contaminant emissions. Once this occurs all conditions contained in State Only Operating Permit 59-00017 remain in effect unless superseded or amended by conditions contained in this plan approval. If there is a conflict between a condition or requirement contained in this plan approval and a condition or requirement contained in State Only Operating Permit 59-00017, the permittee shall comply with the condition or requirement contained in this plan approval rather than the conflicting condition or requirement contained in State Only Operating Permit 59-00017.

18. Once the RTO is controlling air contaminant emissions, Plan Approval 59-0017C is hereby terminated.

19. Within 30 calendar days from the date the permittee has selected a vendor for the RTO, the permittee shall submit to the Department final specifications showing the make and model of the RTO and verification that the RTO will comply with all terms and conditions of this plan approval.

The plan approval will also contain applicable recordkeeping, reporting and RTO testing conditions.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this plan approval, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will

exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval (specify Plan Approval No. 59-00017E) and concise statements regarding the relevancy of the information or objections to issuance of the plan approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

08-00045B: Panda Liberty, LLC (4100 Spring Valley Road, Suite 1001, Dallas, TX 75244) to incorporate 232.7 tons per year of nitrogen oxide (NO_x) emission reduction credits (ERCs) and 69.2 tons per year of volatile organic compound (VOC) ERCs prior to the commencement of operation of Source IDs P103 and P104 at their proposed facility. The proposed facility's Plan Approval 08-00045A was issued on October 10, 2012, to Moxie Energy LLC for construction of a natural-gas-fired combined-cycle power plant to produce approximately 936 MW at the Moxie Liberty Generation Plant in Asylum Township, **Bradford County**. On September 9, 2013, the Department received notice from Panda Liberty, LLC informing the Department that Moxie Liberty, LLC had been purchased by Panda Liberty, LLC with no change in the federal Tax ID number and that the facility should be identified as the Panda Liberty Power Project. Moxie Liberty has purchased 232.7 tons of NO_x ERCs and only 33.82 tons of the required 69.2 tons of VOC ERCs. The balance of the VOC ERCs (35.4 tons) will be purchased prior to the operation of the facility. The proposed NO_x and VOC ERCs were purchased from Techneglas, Inc. located in Luzerne County, Pennsylvania. The Department intends to issue Plan Approval 08-00045B to Panda Liberty LLC to incorporate 232.7 tons of NO_x ERCs and 33.82 tons of VOC ERCs for the Panda Liberty Power Project located in Asylum Township, Bradford County. This plan approval proposes to offset the total of the net increase in potential to emit for NO_x and a portion for VOC in order to make the ERCs federally enforceable prior to the ERCs expiring.

The Department's review of the information submitted by Panda Liberty, LLC indicates that the proposed purchase of ERC's will comply with the requirements of 25 Pa. Code § 127.208 pertaining ERC use and transfer requirements. Based on these findings, the Department intends to approve the application and issue a plan approval for the transfer and use of the ERCs. The Department intends to include the following conditions in the proposed plan approval.

1. This plan approval is granted solely for the transfer and use of ERCs according to 25 Pa. Code § 127.208(2), and does not authorize a person to construct, modify, or reactivate an air contaminant source or allow for the installation of an air cleaning device on an air contaminant source.

2. This plan approval authorizes the transfer and use of 232.7 tpy of NO_x ERCs and 33.82 tpy of VOC ERCs from Techneglas Inc. to Panda Liberty, LLC (formerly known as Moxie Liberty LLC) for offset purposes to meet the requirements of 25 Pa. Code Chapter 127.

3. Techneglas Inc. created NO_x ERCs and VOC ERCs from shutdown of sources at Techneglas plant in Luzerne County, a moderate nonattainment area for ozone. The 232.7 tpy of NO_x ERCs and 8.67 tpy VOCs were generated from shutdown of sources on December 17, 2003. The remaining VOC ERCs were generated from shutdown of sources per the following schedule: 11.57 tpy on August 11, 2004 and 13.58 tpy on August 15, 2004.

4. These ERCs are to be used to satisfy emission offset requirements in accordance with 25 Pa. Code §§ 127.206 to 127.210 and Plan Approval No. 0800045A for the NO_x and VOCs emissions increase from the proposed facility.

5. Upon the issuance of this plan approval and the transfer of the ERCs to Panda Liberty, LLC (formerly known as Moxie Liberty LLC), the ERCs are no longer subject to expiration under 25 Pa. Code § 127.206(f), except as specified in 25 Pa. Code § 127.206(g). If the NO_x and VOC ERCs identified in this plan approval are not used and subsequently re-entered into the ERC registry, the applicable 10-year expiration date may not be extended.

6. This approval is in accordance with the requirements of 25 Pa. Code Chapter 127, Subpart E (relating to new source review) including §§ 127.205(4), 127.208(2), 127.209(c) and 127.210.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this plan approval, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval (specify Plan Approval No. 08-00045B) and concise statements regarding the relevancy of the information or objections to issuance of the plan approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

65-01026A: BenBilt Building Systems, LP (123 BenBilt Place, Greensburg, PA 15601) to authorize the temporary operation of surface coating operations for

metal and fiberglass doors and door jambs/frames at their existing plant located in Unity Township, **Westmoreland County**.

Per 25 Pa. Code §§ 127.44—127.46, the Department of Environmental Protection intends to issue a Plan Approval (PA-65-01026A) to BenBilt Building Systems, LP (123 BenBilt Place, Greensburg, PA 15601) to authorize the temporary operation of surface coating operations for metal and fiberglass doors and door jambs/frames at their existing plant located in Unity Township, Westmoreland County.

Air contamination sources proposed for this project include a four (4) paint booths including two clear coat and one stain booth, one (1) manual stain wiping area; one (1) infrared drying oven area; and one (1) natural gas fired air make up unit rated at 6.156 MMBtu/hr connected to an airflow volume of 60,000 cfm. Emissions from each spray booth will be vented to an individual passive (dry) air filter unit each rated at 14,400 acfm to minimize emissions.

Potential to emit from the facility on an annual basis is as follows: 25.1 tons of VOC, 0.6 tons of HAP, and 0.2 ton of PM. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the Plan Approval have been derived from the applicable requirements of 25 Pa. Code Chapters 123, 127, 129, and 135.

Any person wishing to provide DEP with additional information that they believe should be considered prior to the issuance of this Plan Approval, oppose the project by filing a written protest, or request a public hearing may submit the information to DEP at Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (specify PA-65-01026A) and concise statements regarding the relevancy of the information in the proposed Plan Approval or objections to issuance of the Plan Approval.

A public hearing may be held, if DEP, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where DEP determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Jesse Parihar, Air Quality Engineering Specialist, DEP, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4030.

03-00151A: Rosebud Mining Co. (301 Market Street, Kittanning, PA 16201) for a new Froth Flotation process at the Ditch Run Prep Plant in Plumcreek Township, **Armstrong County**. This is a minor facility Plan Approval application submittal.

26-00500B: Alpha PA Coal Terminal, LLC (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370) to authorize construction and temporary operation of a proposed coal handling facility at LaBelle Dock in Luzerne Township, **Fayette County**.

Per Pa. Code §§ 127.44—127.46, the Department of Environmental Protection intends to issue a Plan Approval (PA-26-00500B) to Alpha PA Coal Terminal, LLC (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370)

to authorize the construction and temporary operation of proposed coal handling facility at LaBelle Dock located in Luzerne Township, Fayette County.

The proposed plant will facilitate the storage, reclaim, and railcar loading of clean coal from various sources. Equipment handling the coal includes front end loader, excavator, conveyors, and trucks. Emissions from coal handling facility will be controlled by applying the BAT.

Potential to emit from the facility on an annual basis will not exceed: 7.0 tons of PM, 3.0 tons of PM₁₀, and 0.5 ton of PM_{2.5}. The emission restriction, monitoring, testing, recordkeeping, reporting and work practice conditions of the Plan Approval have been derived from the applicable requirements of 25 Pa. Code Chapters 123, 127, 129 and 135.

Any person wishing to provide DEP with additional information that they believe should be considered prior to the issuance of this Plan Approval, oppose the project by filing a written protest, or request a public hearing may submit the information to DEP at Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (specify PA-26-00500B) and concise statements regarding the relevancy of the information in the proposed Plan Approval or objections to issuance of the Plan Approval.

A public hearing may be held, if DEP, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where DEP determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Jesse Parihar, Air Quality Engineering Specialist, DEP, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4030.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00003: Monroe Energy LLC (4101 Post Road, Trainer, PA 19061) for renewal of the Title V Operating Permit in Trainer Borough, **Delaware County**. The initial permit was issued on February 24, 2003. The facility is a petroleum refinery. As a result of potential emissions of NO_x, SO_x, VOC, CO, PM, and HAP, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

67-05045: Glen-Gery Corp. (1090 East Boundary Avenue, York, PA 17403) for their brick manufacturing plant in Spring Garden Township, **York County**. This is a renewal of the facility's Title V operating permit.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to renew an Air Quality Operating Permit for the abovementioned facility.

The plant is a major facility subject to the operating permit requirements of Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permit requirements). Actual facility emissions for 2012 included 30.1 tons of particulate matter, 1.2 ton of sulfur oxides, 1.5 ton of volatile organic compounds, 22.4 tons of carbon monoxide, 16.5 tons of nitrogen oxides and 6.4 tons of hazardous air pollutants.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests. William R. Weaver, Regional Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

09-00115: Draper DBS, Inc. (1803 North 5th Street, Perkasio, PA 18944) for renewal of a State Only, Synthetic Minor Operating Permit in East Rockhill Township, **Bucks County**. Draper designs, manufactures, and finishes custom wood cabinetry. There have been no changes to any of the sources since the permit was last issued. The facility operates four (4) spray booths in which the primary pollutants of concern are volatile organic compounds (VOC) and Hazardous Air Pollutants (HAP). The company shall continue to take appropriate operating and emission restrictions to maintain a minor operating status. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

46-00248: Pottstown Borough Montgomery County (1269 Industrial Highway, Pottstown, PA 19464) for renewal of a State-Only Operating Permit to operate a sewage sludge dryer in Pottstown Borough, **Montgomery County**. This Operating Permit includes monitoring and

recordkeeping designed to ensure this facility complies with all applicable air quality regulations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409

54-00070: H.M.M.K., LLC—d/b/a Foster Materials (P O Box 196, 2052 Lucon Road, Skippack, PA 19474) for operation of a rock crushing operation and associated air cleaning devices at their facility in Foster Township, **Schuylkill County**. The proposed State Only Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

35-00048: Pioneer Aggregates, Inc. (215 East Saylor Avenue, Wilkes-Barre, PA 18702) for a renewal of State-only (Natural Minor) Operating Permit for operation of a rock crushing operation and associated air cleaning devices at their Simpson Stone Quarry in Fell Township, **Lackawanna County**. The proposed State Only Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

36-03063: Kearney A Snyder Funeral Home, Inc. (141 East Orange Street, Lancaster, PA 17602) for operation of their human crematory facility in Lancaster City, **Lancaster County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the abovementioned facility.

The estimated potential emissions are: 0.34 ton per year of CO, 0.024 ton per year of NO_x, 0.3 ton per year of PM-10, and 0.04 ton per year of SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests or requests for a public hearing. A public hearing may be held, if the

Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Gary Helsel, Acting New Source Review Chief, may be contacted at 814-949-7935, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

28-05033: Leidy's Custom Woodworking, Inc. (11427 Church Hill Road, Mercersburg, PA 17236) for their wood cabinet manufacturing facility in Mercersburg Borough, **Franklin County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility.

The subject facility had the following actual emissions in 2012: 0.9 ton VOC and 0.2 ton total HAPs. The Operating Permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations. The surface coating operations are subject to 25 Pa. Code § 129.52.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests or requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

William R. Weaver, Air Quality Program Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

22-03048: Reiff & Nestor Co. (P. O. Box 147, Lykens, PA 17048) for the steel tap manufacturing plant in Lykens Borough, **Dauphin County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a State Only Air Quality Operating Permit renewal for the above mentioned facility.

The facility's is a minor source of particulate matter emissions attributed to their machining and grinding operations and an insignificant source of chromium emissions from their hard chrome plating operations. The facility's boiler is subject to the area MACT requirements

of 40 CFR Part 63, Subpart JJJJJ, the facility's emergency generator is subject to the area MACT requirements of 40 CFR Part 63, Subpart ZZZZ, and the chrome plating operations are subject to the requirements of 40 CFR Part 63, Subpart N. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests or requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at (717) 705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests, or requests for a public hearing.

38-05018: Lebanon Veterans Administration Medical Center (1700 S. Lincoln Avenue, Lebanon, PA 17042) for the veterans' hospital in South Lebanon Township, **Lebanon County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

Actual 2012 emissions at the facility are estimated to be 6.3 tpy of NO_x, 5.2 tpy of CO, 0.4 tpy of SO_x, 0.5 tpy of PM and 0.3 tpy of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR Part 63, Subpart WWWW—National Emission Standards for Hospital Ethylene Oxide Sterilizers.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain

the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests or requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

22-03013: Pinnacle Health Hosp. (218 South Second Street, Harrisburg PA 17104) for operation of a medical and surgical hospital in Harrisburg City, **Dauphin County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The estimated potential facility emissions are: 1.7 ton of PM per year; 15.6 tons of CO per year; 32.2 tons of NO_x per year; 0.6 ton of SO_x per year; and 1.0 ton of VOCs per year. The Operating Permit will include monitoring, recordkeeping & work practice standards designed to keep the facility operating within all applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests or requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

06-03078: Materion Brush, Inc. (100 Shoemakersville Road, P. O. Box 973, Reading, PA 19603) for its copper alloy finishing operations in Perry Township, **Berks County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has

received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has actual emissions of less than a ton per year of sulfuric acid and caustic mists. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63 (Degreasing operations) and 40 CFR 63 Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines).

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests or requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

65-00769: Raven Industries, Inc. (5049 Center Drive, Latrobe, PA 15650) for a toner and developer manufacturing operating located in Unity Township, **Westmoreland County**. This is a renewal of the State-Only Operating Permit issued in 2008. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal Air Quality Operating Permit for the above mentioned facility.

The subject facility consists of various mixers, extruders, and chippers. Four baghouses are used as controls for particulate emissions before exhausting to the atmosphere. The potential emissions are calculated at 23.5 tons per year particulate matter. All other criteria pollutants are insignificant. The facility is required to conduct daily surveys of the facility to ensure compliance with the visible emission, fugitive emission, and malodor restrictions and maintain records of each survey. The facility is limited to a 0.02 gr/dscf particulate. The proposed authorization is subject to State and Federal regulations. The permit includes additional operational requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address, and telephone number of the person filing the protest, identification of the proposed permit issuance and the relevant facts upon which the objections are based (65-00769) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

11-00062: Quaker Sales Corporation / Northern Cambria Plant (336 Shawna Road Northern Cambria, PA 15714) for the operation of a hot mix asphalt plant located in Susquehanna Township, **Cambria County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue a renewal Air Quality Operating Permit for the above mentioned facility.

The subject facility consists of one hot mix batch asphalt plants rated at 250 tons per hour. The batch plant is limited to 495,000 tons production in any consecutive 12-month period. The site is equipped with (3) asphalt cement tanks and (4) hot mix asphalt storage silos. The facility has the potential to emit: 99 tpy CO; 30 tpy NO_x; 22 tpy SO_x; 13 tpy VOC; 11 tpy PM and 7 tpy PM 10. The facility is required to conduct annual burner tune up tests and stack testing for all criteria pollutants every five years. The facility must perform daily survey of the facility to ensure compliance with the operating permit limitations. The proposed authorization is subject to State and Federal Regulations. The permit includes operation requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 11-00062) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew M. Williams—Telephone: 814-332-6131

10-00359: MarkWest Liberty Bluestone, LLC—Sarsen Plant (774 Prospect Road, Evans City, PA 16033) for issuance of initial Natural Minor Operating Permit in the Jackson Township, **Butler County**. The facility is processing the natural gas and, transporting it to the consumers. The facility's emitting sources include: 1) Inlet Compressors (4), 2) Residue Compressors (3), 3) Refrigerant Compressors (2), 4) Dehydrator /Reboiler, 5) Emergency Generator, 6) Process Heaters, 7) Truck Loading, 8) Condensate Tanks (2) and, 9) Gas processing plant. The emergency generators and compressors are subject to 40 CFR Part 60 Subpart IIII. All applicable conditions of 40 CFR Part 60, Subpart IIII have included in the permit. The sources of this facility is not subject to 40 CFR Part 60 Subpart OOOO because the source were installed before August 23, 2011 as stated in § 60.5360. All applicable conditions of 40 CFR Part 60 Subpart KKK and VV in compressor engines have included in the permit. The facility is natural minor because; the emissions of pollutants from the facility are less than Title V

threshold limits. Potential emissions of the pollutants are NO_x: 40 Tons per year (TPY) CO: 81 TPY, VOC: 37 TPY, PM₋₁₀: 4 TPY, HAPs: 7 TPY, SO_x: 0.3 TPY, CO₂, N₂O and CH₄ (Greenhouse gases) total: 56,675.00 TPY.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409

40-00126A: Hazleton Hiller, LLC—Stockton Mountain Road Site (414 Stockton Mountain Road, P. O. Box 435, Hazleton, PA 18201) for their facility located in Hazle Township, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Hazleton Hiller, LLC (Stockton Mountain Road Site) (414 Stockton Mountain Road, PO Box 435, Hazleton, PA 18201) for their facility located in Hazle Twp, Luzerne County. This Plan Approval No. 40-00126A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 40-00126A is for (1) Willaims Crusher Model Slugger C32, (1) Carrier Vibrating Equipment Model Qad-4860S-20-6. The crushing operation is subject to NSPS Subpart Y requirements. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 40-00126A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program,

2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30841314 and NPDES No. PA0215368. Dana Mining Company of Pennsylvania, LLC, (308 Dents Run Rd., Morgantown, WV 26501). To renew the permit for the Titus Mine in Dunkard and Greene Townships, **Greene County** and related NPDES permit for reclamation only. No additional discharges. The application was considered

administratively complete on October 11, 2013. Application received August 16, 2013.

30841312 and NPDES No. PA0013790. Consolidation Coal Company, (1 Bridge Street, Monongah, WV 26554). To revise the permit for the Blacksville Mine No. 2 in Gilmore Township, **Greene County** and related NPDES permit to install thirteen degasification boreholes. Surface Acres Proposed 13.85. No additional discharges. The application was considered administratively complete on October 16, 2013. Application received August 28, 2013.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

65-13-02 and NPDES Permit No. PA0252352. David L. Patterson, Jr. (12 Short Cut Road, Smithfield, PA 15478). Application for commencement, operation and reclamation for a Government Financed Contractual Contract, located in Loyalhanna Township, **Westmoreland County**, affecting 22.9 acres. Receiving streams: Getty Run and unnamed tributaries to Getty Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: October 3, 2013.

26130101 and NPDES Permit No. PA0252301. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Application for commencement, operation and reclamation of bituminous surface mine, located in Franklin Township, **Fayette County**, affecting 55.5 acres. Receiving streams: unnamed tributaries to Bolden Run and unnamed tributary to Bute Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: July 3, 2013 and accepted October 11, 2013.

04070102 and NPDES Permit No. PA0251259. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal application for reclamation only to an existing bituminous surface mine, located in South Beaver Township, **Beaver County**, affecting 114.5 acres. Receiving streams: Brush Run and unnamed tributaries to Brush Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: October 16, 2013.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

43850105. Grove City Materials, LP (161 Plain Grove Road, Slippery Rock, PA 16057) Revision to an existing bituminous surface and limestone removal mine to add 5.0 acres in Pine & Mercer Townships, **Mercer & Butler Counties** affecting a total of 108.0 acres. Receiving streams: Two unnamed tributaries to Swamp Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: October 11, 2013.

16080102. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous surface mine in Redbank Township, **Clarion County** affecting 73.5 acres. Receiving streams: Two unnamed tributaries to Town Run, classified for the following uses: CWF. The first downstream potable water supply intake from the point of discharge is Redbank Valley Municipal Authority. This application is for reclamation only. Application received: October 16, 2013.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54900101C49. Blackwood, Inc., (PO Box 639, Wind Gap, PA 18091), correction to update the use of biosolids on an existing anthracite surface mine, coal refuse reprocessing, refuse disposal, preparation plant operation in Branch, Reilly and Tremont Townships, **Schuylkill County** affecting 1850.6 acres, receiving streams: Panther Creek and Swatara Creek, classified for the following uses: cold water and migratory fishes. Application received: September 17, 2013.

54880202R5. Morea Cogen, Inc., (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal for reclama-

tion activities only of an existing anthracite coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 200.0 acres, receiving stream: Mahanoy Creek, classified for the following uses: warm water fishes and migratory fishes. Application received: September 18, 2013.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

58970845. Oakridge Bluestone, (1253 Sweeney Road, Brackney, PA 18812), Stage I & II bond release of a quarry operation in Silver Lake Township, **Susquehanna County** affecting 1.0 acre on property owned by Sandra Wood and David Wood. Application received: September 18, 2013.

6376SM2A1C6 and NPDES Permit No. PA0594474. York Building Products, Inc., (PO Box 1708, York, PA 17405), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Jackson Township, **York County** affecting 282.5 acres, receiving stream: Little Conewago Creek. Application received: September 23, 2013.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	Table 2		
	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH* Alkalinity greater than acidity*		greater than 6.0; less than 9.0	

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0269212 (Mining permit no. 11130102) E.P. Bender Coal Co., Inc., P. O. Box 594, Carrolltown, PA 15722, new NPDES permit for surface mine in Reade Township, **Cambria County**, affecting 77.0 acres. Receiving stream: Powell Run, classified for the following use: cold water fishery. This receiving stream is included in the Clearfield Creek TMDL. Application received: May 10, 2013.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for coal mining activities.

The outfalls listed below discharge to Powell Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
006	Y
007	Y

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 006 and 007 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0

<i>Outfalls: 006 and 007</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)	50.0	50.0	50.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			
<i>Outfall Nos.</i>		<i>New Outfall (Y/N)</i>	
001		Y	
002		Y	
003		Y	
004		Y	
005		Y	

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001, 002, 003, 004 and 005</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0234664 (Mining permit no. 56980101) Heritage Mining Company, P. O. Box 126, Cresson, PA 16630, renewal of an NPDES permit for reclamation only on a surface coal mine operation in Shade Township, **Somerset County**, affecting 58.7 acres. Receiving streams: unnamed tributaries to/and Shade Creek, classified for the following use: cold water fishery. This receiving stream is included in the Kiskiminetas-Conemaugh TMDL. Application received: May 14, 2013.

No treatment facilities exist on the permit because of reclamation only status.

The stormwater outfalls listed below discharge to unnamed tributaries to Shade Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N
004	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 003 and 004</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0607231 (Mining permit no. 32823005), Blairsville Associates, P. O. Box 157, Blairsville, PA 15717, renewal of an NPDES permit for bituminous surface mine in West Wheatfield Township, **Indiana County**, affecting 375.5 acres. Receiving stream: unnamed tributary to Palmer's Run, classified for the following use: cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: July 12, 2013.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfalls listed below discharge to unnamed tributary to Palmers Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
010	N
011	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 010 and 011</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	XXX	XXX	7.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0597341 (Mining permit no. 11850107), AMFIRE Mining Co., LLC, One Energy Place, Latrobe, PA 15650, renewal of an NPDES permit for mining Portage Township, **Cambria County**, affecting 85.7 acres. Receiving streams: unnamed tributaries to/and Spring Run and unnamed tributaries to/and Trout Run, classified for the following uses: cold water fisheries. This receiving stream is included in the Kiski-Conemaugh TMDL. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Little Conemaugh River SWI. Application received: August 20, 2013.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfalls listed below discharge to unnamed tributaries to/and Spring Run and unnamed tributaries to/and Trout Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001—Treatment Pond	N
002—Treatment Pond	N
003—Treatment Pond	N
004—Treatment Pond	N
005—Treatment Pond	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001, 002, 003, 004, and 005</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0245454 (Permit No. 33030110). RES Coal, LLC (P. O. Box 228, Armagh, PA 15920) Renewal of an existing NPDES permit for a bituminous surface mine in Snyder Township, **Jefferson County**, affecting 122.5 acres. Receiving streams: Unnamed tributaries to Little Toby Creek, classified for the following uses: CWF. TMDL: Little Toby Creek. Application received: September 25, 2013. Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Little Toby Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
F	N
G	N
H	N
I	N
J	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
		<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		2	4	5
Aluminum (mg/l)		0.75	1.5	1.88
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Little Toby Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	N
B	N
C	N
D	N
E	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5

NPDES No. PA0211834 (Permit No. 10930111). JMW Enterprises, Inc. (P. O. Box 282, Acme, PA 15610) Renewal of an existing NPDES permit for a bituminous surface and auger mine in Washington Township, **Jefferson County**, affecting 115.5 acres. Receiving streams: Six unnamed tributaries to South Branch Slippery Rock Creek and one unnamed tributary to Bear Creek, all classified for the following uses: CWF. TMDL: None. Application received: October 2, 2013.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to South Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TA	N
TA1	N
TA2	N
TB	N
TB1	N
TC	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		2	4	5
Aluminum (mg/l)		2	4	5
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to South Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	N
B	N
C	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5

NPDES No. PA0227846 (Permit No. 61980103). Bedrock Mines, LP (111 Freeport Road, Aspinwall, PA 15215) Renewal of an existing NPDES permit for a bituminous surface mine in Irwin Township, **Venango County**, affecting 111.0 acres. Receiving streams: unnamed tributaries to Scrubgrass Creek, classified for the following uses: CWF. TMDL: Scrubgrass Creek. Application received: August 20, 2013. Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Scrubgrass Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
B	N
C	N
D	N

The proposed effluent limits for the above listed outfall(s) are as follows:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0594296 (Mining permit no. 7575SM1), Hempt Brothers, Inc., 205 Creek Road, P. O. Box 278, Camp Hill, PA 17011, renewal of an NPDES permit for a limestone quarry in Silver Spring Township, **Cumberland County**, affecting 196.2 acres. Receiving streams: Unnamed Tributary to Hogestown Run, classified for the following use: cold water fishery. This receiving stream is included in the Conodoguinet Creek TMDL. Application received: April 30, 2012.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall listed below discharge to Unnamed Tributary to Hogestown Run

Outfall Nos.	New Outfall (Y/N)
002	N

The proposed effluent limits for the above listed outfall(s) are as follows:

Outfall: 002 Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Discharge Rate (mgd)	12.0	12.0	

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should

contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900

E46-1097. Pennsylvania Department of Transport, 7000 Geerdes Blvd, King of Prussia, Franconia Township, **Montgomery County**. ACOE Philadelphia District

To perform the following water obstruction and encroachment activities associated the proposed roadway and intersection realignment requiring the removal and replacement of the two structures approximately 140 feet apart on State Route 1012 (SR 1012, locally known as Godshall Road and Cowpath Road):

1. To replace and maintain a twin-cell concrete box culvert carrying Skippack Creek (TSF-MF) with a cast-in place reinforced concrete frame bridge, aligned to the stream flow direction, skewed 64 degrees to the roadway centerline with a clear span of 24 feet. The proposed bridge has an out-to-out width of approximately 98.2 feet and a hydraulic opening of approximately 68 square feet with a minimum underclearance of 2.96 feet.

2. To replace and maintain a single-span cast-in-place concrete slab bridge over the unnamed tributary (UNT) Skippack Creek (TSF-MF) with a single cell reinforced 12' x 5' concrete box culvert. The proposed box culvert, 95 feet long, aligned to the flow direction, skewed 56 degrees to the roadway centerline, depressed 1'-2" below the

existing streambed, will provide an underclearance of 3'-10" and a hydraulic opening of approximately 46 square feet.

3. To construct and maintain riprap deposits to facilitate scour protection for the two bridges as required.

4. To construct and maintain roadway and bridge approach work to accommodate roadway widening that will facilitate the realignment objectives of the project scope at the two bridges within the floodway of the streams.

5. To construct and maintain eight outfall structures and their associated aprons to accommodate the realignment design of the roadway. Four will discharge to the Skippack Creek. Three of these pipe outlets are contained within the proposed bridge structure wingwalls, while the third pipe discharges between the structures, downstream of the crossing. The other four outfall structures will discharge to the UNT Skippack Creek.

The proposed activities will impact approximately 245 feet of stream length. The project site is located approximately 228 north of the intersection of Broad Street and Godshall Road in Franconia Township, Montgomery County, (Latitude N 40° 17' 50" and Longitude W 75° 19' 58").

E09-975. Bucks County Public Works, 55 East Court Street, Doylestown, Bedminster Township, **Bucks County**. ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the replacement of the Bridge (Bucks County Bridge No. 45) that carries Stone Bridge Road (Township Route 417) over Deep Run (WWF, MF) in Bedminster Township:

1. To remove the existing concrete arch bridge and construct and maintain in its place a prestressed reinforced concrete box beam bridge with approximate span of 50 feet and approximate width of 35 feet.

2. To conduct minor grading and widening of roadway approach areas to facilitate the proposed lane width increase.

The project site is located approximately 0.50 mile Northeast of the intersection Stony Bridge Road and Twin Oaks Drive in Bedminster Township, Bucks County, (Latitude 40° 23' 32"; Longitude 75° 11' 25").

E09-973. Pennsylvania Turnpike Commission; Bensalem, Bristol Middletown Townships, **Bucks County**; ACOE Philadelphia District.

To perform the below listed water obstruction and encroachments associated with Pennsylvania Turnpike Phase III widening and improvement construction activities in Section D10 (Milepost 355.9 to Milepost. 357.6). The activities include the widening and reconstruction of approximately 1.7 miles of eastbound Pennsylvania Turnpike (I-276) to a four-lane roadway between the I-95 overpass and the I-276 Bridge over SR 0013. It also includes the widening and reconstruction of approximately 0.9 mile of westbound I-276 to a four-lane roadway between the I-95 overpass and 1300' east of the I-276 Bridge over New Rodgers Road (SR 0413). Specific water obstruction and encroachments are:

1) To construct and maintain a new ramp-bridge partially over (aerial impact) Mill Creek (WWF, MF) to facilitate the overall purpose of the project

2) To extend and maintained 8 X 6 Culvert (DB 245) at Road Station 222+75.02 by 25 feet carrying unnamed tributary to Mill Creek (WWF)

3) To extend and maintained 6'-8" X 5'6" Culvert (DB 246) at Road Station 513+87.97 by 25 feet carrying Unnamed tributary of Neshaminy Creek

4) To replace and maintain a 127-foot three-span bridge over Mill Creek (WWF, MF) (DB-248). The new structure will be a single span steel plate I-girder bridge with 11 feet under clearance

5) To extend and maintain two existing culverts at stations 489+82 and, 554+66.

6) To fill and maintained wetlands (PFO) at several locations as per route design stations approximately 0.483 acre

7) To fill and maintained wetlands (PSS) at several locations as per route design stations approximately 0.059 acre

8) To fill and maintained wetlands (PEM) at several locations as per route design stations approximately 1.465 acre

9) To fill and maintained wetlands (PEM, EV) at several locations as per route design stations approximately 0.218 acre

10) To relocate and maintain 56 feet of the UNT Mill Creek (WWF), place 35 feet into a new culvert and extend the existing part of the culvert by 18 feet at Station 513+53

11) To relocate and maintain 168 feet of the UNT Mill Creek (WWF), place 64 feet into a new culvert at Station 514+80

12) To relocate and maintain 105 feet of the UNT Mill Creek (WWF) at Station 142+43

13) To relocate a 658 feet section of an existing channelized stream and extend and maintained in its place a new 774 channel, Culvert at station 151+35

14) To remove a 129 feet existing culvert and relocate the channel flow to accommodate road widening at Station 152+64

15) To relocate approximately 342 feet of channel out of 352 feet of existing UNT to Mill creek (WWF) at Station 302+30

16) To remove 79 feet of culvert and relocate the channel at station 304+68

17) To relocate approximately 602 feet of channel out of 697 feet of existing UNT to Mill creek (WWF) at Station 311+50

18) To relocate approximately 137 feet of channel out of 390 feet of existing UNT to Mill creek (WWF) and create a stormwater swale out of the remaining 253 feet at 541+10

19) To relocate approximately 768 feet of channel out of 974 feet of existing UNT to Mill creek (WWF) and place the remaining portion of the channel into 206 feet culvert at Station 560+23

20) To relocate existing culvert at t Station 766+40

21) To relocate approximately 514 feet of channel out of 591 feet of existing UNT to Mill creek (WWF) at Station 547+00 to create a stormwater swale and place the remaining portion in a 77 feet culvert.

22) To fill and maintain the total stream length of 877 linear feet of UNT to Mill Creek (WWF) approximately at stations 489+30, 489+82, 541+10, 142+83, 312+73 and 542+08 to facilitate roadway widening.

23) To create, construct and maintain approximately 3.526 acres of wetland(s) for mitigation of wetland impacted and the quantity lost during proposed project activities

24) To mitigate for stream impact approximately 3,473 feet at several places within the watershed as per the design drawings.

25) To impact the approximately 1.921 acre of Mill Creek (WWF) and some of her unmade tributaries floodways conducting miscellaneous grading, cutting, filling and placement of auxiliary structures to facilitate the overall object of the project at stations 221+15, 681+09, 682+54, 502+17, 690+41, 512+92, 103+25, 546+13, 542+16, 542+05, 537+62, 540+55 and 534+55.

The project has two component areas. It spans from west to east along I-276 starting just west of the proposed interchange where the present I-95 passes over I-276 and runs approximately 1.7 mile and terminates at the Delaware River Turnpike Bridge on the Pennsylvania side. It also spans from north to south extending along I-95 from one mile north of I-276 in Middletown Township, Bucks County to the east bank of the Neshaminy Creek in Bristol Township. This phase of the project passes through Bensalem, Bristol, and Middletown Townships, Bucks County, Center of area Latitude 40° 7' 45", and Longitude 74° 53' 23".

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E39-523. Lower Macungie Township, 3400 Brookside Road, Macungie, PA 18062, in Lower Macungie Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove fill from the floodway/floodplain of the Little Lehigh Creek (HQ-CWF, MF) and construct and maintain an access road for the purpose of accessing a public park. The project is located at 3120 South Cedar Crest Boulevard (Allentown West, PA Quadrangle, Latitude: 40°35'19"; Longitude: -75°31'16").

E54-357. Jim Miller Jr., 295 Marshall Drive, Orwigsburg, PA 17961, in Orwigsburg Borough, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To authorize the maintenance of the following water obstructions and encroachments associated with the Miller Drive Crossing project.

1. To maintain a 12-foot wide single-span, steel beam, wood deck bridge having a 29.5-foot span and a 5.6-foot underclearance across Mahannon Creek (CWF, MF).

2. To maintain approximately 130 linear feet of riprap bank stabilization in the floodway of Mahannon Creek (CWF, MF).

3. To fill 0.03 acre of wetland for the construction of the driveway crossing.

The project is located at 295 Marshall Drive (Orwigsburg, PA Quadrangle, Latitude: 40°39'13"; Longitude: -76°6'26").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E07-448, PA Department of Transportation Engineering District 9-0, 1620 North Juniata Street, Holidaysburg, PA 16648 in Antis Township, **Blair County**, Army Corps of Engineers, Baltimore District

To remove the existing structure and to construct and maintain a 31' 4.5" wide, single span, composite prestressed concrete spread box beam bridge having a clear span of 78' 1", an underclearance of 3' 8.75", and a normal clear span of 53' 8.5" with a minimum underclearance of 3' 4" across Sandy Run (CWF, MF) on the current road alignment for the purpose of improving transportation safety and roadway standards. The out-to-out length will be 28' and on a 45 degree skew. The project will permanently impact 0.08 acre (3,616 square feet) of exceptional value wetlands. Approximately 0.01 of these wetlands impacted will be Palustrine Emergent, 0.04 will be Palustrine Scrub-Shrub, and 0.03 will be Palustrine Forested. There will be 0.08 acre of wetlands replaced at the Mowry Advanced Wetland Compensation Site (0.01 acre of PEM wetlands, 0.04 acre of PSS, and 0.03 acre of PFO, Frankstown, PA Quadrangle Latitude: 40° 26' 56.4"; Longitude: 78° 20' 21.1"). The project is located along SR 4018-04B in Antis Township, Blair County (Latitude: 40° 34' 9.73", Longitude: -78° 21' 4.74").

E06-693, Berks County, Berks County Services Center, 633 Court Street, 16th Floor, Reading, PA 19601, in the City of Reading and West Reading Borough, **Berks County**, U.S. Army Corps of Engineers, Philadelphia District

To 1) repair, replace, and maintain the arch deck/floor beam system and the reinforced concrete superstructure and substructure of the Buttonwood Street Bridge over and across the Schuylkill River (WWF, MF), 2) install and maintain R6 scour protection along the Buttonwood Street Bridge Piers over and across the Schuylkill River (WWF, MF) permanently impacting 60 linear feet and 0.06 acre, and 3) construct a 103-foot long temporary rock causeway with twelve (12) 8-foot diameter CMP pipes, all for the purpose of improving transportation safety and roadway standards and maintain the bridge's ability to service traffic and pedestrians. The project is located along Buttonwood Street (Reading, PA Quadrangle, (Latitude: 40°20'20"N, Longitude: 75°56'32"W) in the City of Reading and West Reading Borough, Berks County.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E04-001-A1. FirstEnergy Generation, LLC Bruce Mansfield Plant, P. O. Box 128, State Route 3016, Shippingport, PA 15077, Shippingport Borough, **Beaver County**; ACOE Pittsburgh District.

Applicant proposes to amend Permit No. E04-001, which authorized the operation and maintenance of an existing harbor at the applicant's Bruce Mansfield steam electric generating plant, to construct and maintain a 29' diameter, steel sheet coffer mooring cell, within the Ohio River (WWF, N), within the existing, permitted harbor; and to construct and maintain a portion of a conveyor system, in the floodplain. The purpose of the project is to convey coal combustion by-products from the plant to barges, for off-site disposal. The plant facility is located at 128 Ferry Hill Road within the Borough of Shippingport, Beaver County. (USGS Midland, PA Quadrangle, N: 1.35 inches; W: 6.75 inches; Latitude: 40° 37' 56.71"; Longitude: 80° 25' 25.08").

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5729-065: Appalachia Midstream Services, LLC, 100 IST Center, Horseheads, NY 14845, Forks Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary access road using a timber mats and a 6 inch diameter well line impacting 6,412 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Overton, PA Quadrangle 41°33'17"N, 76°31'36"W);

2) A temporary access road using a timber mat bridge and a 6 inch diameter well line impacting 191 linear feet of an unnamed tributary to Streby Run (EV) and 842 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Dushore, PA Quadrangle 41°33'17"N, 76°31'37"W).

The project will result in 191 linear feet of temporary stream impacts, and 7,254 square feet (0.17 acre) of temporary wetland impacts all for the purpose of installing a gathering line for Marcellus well development in Forks Township, Sullivan County.

E5729-066: Appalachia Midstream Services, LLC, 100 IST Center, Horseheads, NY 14845, Cherry Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary access road using a timber mats and a 10 inch gathering line 220 linear feet of the Little Loyalsock Creek (EV) (Colley, PA Quadrangle 41°31'58"N, 76°20'09"W);

The project will result in 220 linear feet of temporary stream impacts for the purpose of installing a gathering line for Marcellus well development in Cherry Township, Sullivan County.

E5729-067: Appalachia Midstream Services, LLC, 100 IST Center, Horseheads, NY 14845, Elkland Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary access road using a timber mats and a 10 inch diameter gathering line impacting 80 linear feet of an unnamed tributary to Elk Creek (EV) and 4,202 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Shunk, PA Quadrangle 41°33'05"N, 76°40'36"W);

2) A temporary access road using a timber mat bridge and a 6 inch diameter well line impacting 80 linear feet of an unnamed tributary to Elk Creek (EV) and 7,706 square feet of an exceptional value palustrine emergent/scrub shrub (EV-PEM/PSS) wetland (Shunk, PA Quadrangle 41°33'22"N, 76°40'55"W);

3) A temporary access road using a timber mats and a 10 inch diameter gathering line impacting 1,024 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Shunk, PA Quadrangle 41°33'33"N, 76°40'38"W);

4) A temporary access road using a timber mats and a 10 inch diameter gathering line impacting 150 linear feet of an unnamed tributary to Elk Creek (EV) (Shunk, PA Quadrangle 41°33'34"N, 76°40'36"W);

5) A temporary access road using a timber mats and a 10 inch diameter gathering line impacting 150 linear feet of Elk Creek (EV) (Shunk, PA Quadrangle 41°33'34"N, 76°40'35"W);

6) A temporary access road using a timber mats and a 6 inch diameter well line impacting 80 linear feet of an unnamed tributary to Elk Creek (EV) (Shunk, PA Quadrangle 41°33'43"N, 76°40'21"W);

7) A temporary access road using a timber mats and a 10 inch diameter gathering line impacting 2,134 square

feet of an exceptional value palustrine emergent (EV-PEM) wetland (Shunk, PA Quadrangle 41°33'41"N, 76°40'13"W);

8) A temporary access road using a timber mats and a 10 inch diameter gathering line impacting 1,786 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Shunk, PA Quadrangle 41°33'42"N, 76°39'55"W);

9) A temporary access road using a timber mats and a 10 inch diameter well line impacting 150 linear feet of Lake Run (EV) (Shunk, PA Quadrangle 41°33'42"N, 76°39'52"W);

10) A temporary access road using a timber mats and a 10 inch diameter gathering line impacting 80 linear feet of an unnamed tributary to Lake Run (EV) and 392 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Shunk, PA Quadrangle 41°33'42"N, 76°39'50"W).

The project will result in 770 linear feet of temporary stream impacts, 14,042 square feet (0.32 acre) of temporary wetland impacts, and 3,202 square feet (0.07 acre) of permanent wetland impacts all for the purpose of installing a gathering line for Marcellus well development in Elkland Township, Sullivan County. The permittee will provide 0.07 acre of compensatory mitigation for forested wetland impacts at an offsite location (Overton, PA Quadrangle 41°33'44"N 76°34'31"W) in Elkland Township, Sullivan County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802

EA36-032: Zimmerman Bank Stabilization, Walter Zimmerman, 245 Cabin Road, Ephrata, PA 17522, in East Earl and West Earl Townships, **Lancaster County**, ACOE Baltimore District

To re-grade and maintain 1,525.0 feet of the left bank of the Conestoga River (WWF, MF) for the purposes of reducing sediment loading to the Conestoga River and reducing the frequency of flooding on Cabin Road. The project is located approximately 0.4 mile east of the intersection of Pleasant Valley Road and Cabin Road (Ephrata, PA Quadrangle, Latitude 40°08'57.9"N, Longitude: 76°08'22.6"W) in East and West Earl Townships, Lancaster County. No wetlands will be impacted by this project.

Northcentral Region: Program Manager, Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701

EA60-001 U.S. Fish and Wildlife Service, 315 South Allen Street, Suite 322, State College, PA 16801. Miller Run Stream Restoration Project in East Buffalo Township, **Union County**, ACOE Baltimore District.

To construct and maintain 3,700 feet of stream restoration / enhancements in 4 reaches on the Bucknell University campus. The project begins at Abbey Lane. Reach 4 will enhance 350 feet of stream by creating 0.45 acre of wetland in the adjacent floodplain by constructing multiple zones of varying depths; two grade control structures and two log vanes will stabilize and add habitat. Also on Reach 4, a second wetland area of 0.25 acre will be established along 884 feet of an ephemeral tributary to capture runoff from adjacent agricultural fields; three grade control structures, 9 log vanes and several habitat rocks will guide flow and/or provide habitat. Along Reach 3a, 630 feet of stream will be day lighted into a new open

channel from an existing CMP culvert enclosure; a cattle crossing, three grade control structures and five log vanes will stabilize this section of stream. The stream along Reach 2, which runs parallel to Smoketown Road, is an entrenched and straightened system which will undergo a Priority One restoration, relocating 420 feet of stream; one grade control structure and 10 log vanes will stabilize and add habitat. Further downstream along Reach 2a, a buried coal fill deposit will be removed; braided channels

will be constructed on the flood prone area along 480 feet of existing stream. Reach 1, the most downstream reach, is also entrenched and straightened. A priority one restoration will restore this section of approximately 950 feet along with the creation of 0.25 acre flood prone area wetlands. Habitat structures will consist of 2 cross vanes and 5 log vanes. This reach also parallels Smoketown Road and extends downstream to SR 15.

	<i>Reach 1</i>	<i>Reach 2</i>	<i>Reach 2a</i>	<i>Reach 3a</i>	<i>Reach 4</i>
<i>Area of Disturbance:</i>	0.50 ac.	0.44 ac.	0.52 ac.	1.07 ac.	1.24 ac.
<i>Length of Stream Restored</i>	950 ft.	420 ft.	480 ft.	630 ft.	1,234 ft.
<i>Wetlands Created:</i>	0.25 ac.				0.70 ac.
<i>Grade Control Structures:</i>	2	1		3	5
<i>Log Vanes:</i>	5	10		5	11
<i>Cattle Crossing:</i>				1	
<i>Stream Impacts:</i>	126 ft.	360 ft.	0	560 ft.	72ft.

This project proposes to permanently impact 1,118 linear feet of Miller Run, which is classified as a Warm Water Fishery.

(Lewisburg NE, PA Quadrangle N: 40°56'51.78"; W: 76°53'24.80").

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0064122-A1 (Industrial Waste)	Carpine Bethlehem LLC 2254 Applebutter Road Bethlehem, PA 18015	Northampton County Lower Saucon Township	Lehigh River and an Unnamed Tributary to East Branch Saucon Creek (2-C)	Y
PA0036765 (Sewage)	Tyler Memorial Hospital 880 SR 6 W Tunkhannock, PA 18657	Wyoming County Tunkhannock Township	Unnamed Tributary to Tagues Creek (4-G)	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3664.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0112127 (Industrial Waste)	PA Fish and Boat Commission Tylersville State Fish Hatchery Tylersville Road SR 780 Tylersville, PA 17747	Clinton County Logan Township	Fishing Creek (9-C)	Y
PA0110272 (Sewage)	Cogan Valley MHP 480 Route 973 West Cogan Station, PA 17728	Lycoming County Hepburn Township	Lycoming Creek (10-A)	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N
PA0216739 Industrial Waste	Route 356 Landfill Freeport, PA 16229-1512	Westmoreland County Allegheny Township	Unnamed Tributary to Allegheny River	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

NPDES Permit No. PA0045021, Industrial, **Brightsmith, LLC**, 120 Enterprise Avenue, Morrisville, PA 19067.

This proposed facility is located in Falls Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated wastewater, non-contact from a facility known as Brightsmith IWWTP to Biles Creek in Watershed 2-E.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0007919, Industrial Waste, SIC Code 2621, **Cascades Tissue Pennsylvania**, a Division of Cascades Tissue group, LLC, 901 Sathers Drive, Grimes Industrial Park, Pittston Township, PA 18640.

This existing facility is located in Ransom Township, **Lackawanna County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Industrial wastewater and stormwater runoff.

NPDES Permit No. PA0062341, Sewage, SIC Code 4952, **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010.

This existing facility (Woodloch Springs Wastewater Treatment Facility) is located in Lackawaxen Township, **Pike County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit renewal for an existing discharge of treated Sewage.

NPDES Permit No. PA0065463, Storm Water, SIC Code 2448, **Millwood, Inc. & Liberty Technologies**, 3708 International Boulevard, Vienna, OH 44473.

This proposed facility, CHEP-Millwood Allentown Service Center, is located in Lower Macungie Township, **Lehigh County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of Storm Water.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES Permit No. PA0232386, SIC Code 7997, **Matchplay Management Inc.**, P. O. Box 132, State College, PA 16804-0132.

This proposed facility will be located in Huston Township, **Centre County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

WQM Permit No. 4113403, SIC Code 4952, **Williamsport Sanitary Authority**, 253 West Fourth Street, Williamsport, PA 17701.

The existing facilities are located in Loyalsock Township, **Lycoming County**.

Description of Proposed Action/Activity: Permit issued authorizing the transfer of WQM permits from Loyalsock Township to the Williamsport Sanitary Authority following the sale of the sewer system.

WQM Permit No. 4113404, SIC Code 4952, **Williamsport City Sanitary Authority**, 253 West Fourth Street, Williamsport, PA 17701.

The existing facility is located in Loyalsock Township, **Lycoming County**.

Description of Proposed Action/Activity: Permit issued authorizing the transfer of a WQM permit from Loyalsock Township to the Williamsport Sanitary Authority following the sale of the sewer system.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Edgmont Township Delaware County	PAI130522	Edgmont Township Delaware County PO Box 267 1000 Gradyville Road Gradyville, PA 19039-0267	Rocky Run, Unnamed Tributary to Big Run and Unnamed Tributary to Chester Creek— 3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI132215	Bath Borough Northampton County, 215 E Main Street Suite 1, Bath, PA 18014-1597	Northampton	Bath Borough	Monocacy Creek / HQ-CWF and MF
PAI132214	Bethlehem Township Northampton County, 4225 Easton Avenue, Bethlehem, PA 18020	Northampton	Bethlehem Township	Nancy Run Creek / HQ-CWF, MF and Unnamed Tributary to Lehigh River / CWF, MF and WWF
PAI132227	Lower Saucon Township Northampton County, 3700 Old Philadelphia Pike, Bethlehem, PA 18015-5426	Northampton	Lower Saucon Township	Black River, Saucon Creek, Unnamed Tributary to Black River and Unnamed Tributary to Saucon Creek / HQ-CWF, CWF and MF
PAI132210	Bethlehem City Northampton County, 10 E Church Street, Bethlehem, PA 18018-6005	Northampton	Bethlehem City	Saucon Creek / CWF, Lehigh River / WWF, Monocacy Creek / HQ-CWF

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water / Use
PAI134804	State College Borough, 243 S Allen Street, State College, PA 16801-4806	Centre	State College Borough	Slab Cabin Run, UNTs to Slab Cabin Run, and Big Hollow / CWF, MF, HQ-CWF and MF

V. NPDES Waiver Stormwater Discharges from MS4 Actions

Northcentral Regional Office: Clean Water Program Manager, 208 W. Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water / Use
PAI134809	Benner Township 1224 Buffalo Run Road, Bellefonte, PA 16823	Centre	Benner Township	Spring Creek / HQ-CWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water / Use
PAI01 151131	Southdown Properties, Inc, 55 Country Club Drive, Suite 200 Downingtown, PA 19335	Chester	Caln Township	Unnamed Tributary to Valley Run CWF
PAI01 4613007	Provco Goodman Jenkintown, LP 636 Old York Road Jenkintown, PA 19046	Montgomery	Abington Township	Meadow Brook TFS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water / Use
PAI023912027R(1)	Jaindl Land Company 3150 Coffeetown Road Orefield, PA 18069	Lehigh	Lower Macungie Township, Alburtis Borough	Swabia Creek (HQ-CWF, MF)
PAI023908021R	North Star Real Estate Investment, L.P. 7562 Penn Drive, Suite 100 Allentown, PA 18106	Lehigh	Upper Macungie Township	Iron Run (HQ-CWF, MF)
PAI024513004	Robert and Christina McFadden 443 Belle Lane Harleysville, PA 19438	Monroe	Pocono & Stroud Townships	UNT to Brodhead Creek (HQ-CWF, MF)
PAI025413001	Ultimate Energy Source, Inc. Ryan Solar 1 LLC 200 Prosperity Drive, Suite 207 Knoxville, TN 37923	Schuylkill	Ryan Township	Hosensack Creek (CWF, MF), EV Wetlands

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

Permit #	Applicant Name & Address	County	Municipality	Receiving Water / Use
PAI030608012 (Denied)	Gary McEwen Oak Grove Partners, LLC 380 South Twin Valley Road Elverson, PA 19520	Berks	Robeson Township	Hay Creek (EV)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Bradford Township Chester County	PAG0200 1513035	Peter Latta 855 Conner Road West Chester, PA 19380	Unnamed Tributary to East Branch Brandywine Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Garden Township Chester County	PAG0200 1508006-R	PR New Garden/Chesco, L.P. 200 South Broad Street Philadelphia, PA 19102	Broad Run CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Fallowfield Township	PAG0200 1513028	Stacey L. and Shawn Ware 332 Ross Fording Road Cochranville, PA 19330	Knight Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511320	Cosan, LLC 4455 Castor Avenue Philadelphia, PA 19124	Frankford Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Dickson City Borough Lackawanna County	PAG02003513005(1)	Millett Real Estate 100 Old Lackawanna Trail Clarks Summit, PA 18411	Unnamed Tributary to the Lackawanna River (CWF, MF)	Lackawanna County Conservation District 570-392-3086
Northampton Borough Allen Township Northampton County	PAG02004813004	Edward J. Deichmeister 700 Sipos Dr. Northampton, PA 18067	Dry Run (CWF, MF)	Northampton County Conservation District 610-746-1971

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Jackson Township Luzerne County	PAG02004008019R	Presidential Land Company, LTD c/o Frank Pedriani 435 W. Centre Street Mahanoy City, PA 17948	Huntsville Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
Hazle Township Sugarloaf Township West Hazleton Borough Luzerne County	PAG02004011008	PA Department of Transportation c/o Debbie Noone 55 Keystone Industrial Drive Dunmore, PA 18512	Unnamed Tributary to Black Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
Washington Township Schuylkill County	PAG02005413009	Mr. Lamar Sensenig 439 Birds Hill Road Pine Grove, PA 17963	Unnamed Tributary to Upper Swatara Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Reading Township, Adams County	PAG02000113018 (Issued)	Ira Reed III Hillandale Gettysburg, LP 370 Spicer Rd Gettysburg, PA 17325	Markel Run (WWF)	Adams Co. Conservation District 670 Old Harrisburg Rd, Suite 201 Gettysburg, PA 17325 717.334.0636
Littlestown Borough, Adams County	PAG02000113020 (Issued)	Harry P. McKean Heritage Hills II, LP 126 Onyx Road New Oxford, PA 17350	UNT to Alloway Creek (WWF)	Adams Co. Conservation District 670 Old Harrisburg Rd, Suite 201 Gettysburg, PA 17325 717.334.0636
Tyrone Borough, Blair County	PAG02000713015 (Issued)	Albemarle Corporation PO Box 216 Tyrone, PA 16686	UNT to Bald Eagle Creek (TSF)	Blair Co Conservation District 1407 Blair St Hollidaysburg, PA 16648 814.696.0877
Springfield Township Loganville Borough York County	PAG02006711023R (Issued)	Logan's Reserve Development 8601 Robert Fulton Drive Suite 200 Columbia MD 21046	UNT East Branch Codorus Creek (CWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Fairview Township York County	PAG02006712048 (Issued)	Fairview Oakhill Partners LLC 700 Ayers Ave Lemoyne PA 17043	Yellow Breeches (CWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
York Township York County	PAG02006713037 (Issued)	Wyndridge Farms LTD 885 South Pleasant Ave Dallastown PA 17313	UNT to Inners Creek (CWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

NOTICES

6571

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Franklin Township York County	PAG02006713003 (Issued)	Remcon Inc. 475 Capitol Hill Road Dillsburg PA 17019	NB Bermudian Creek (WWF-MF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Conewago Township York County	PAG02006712016 (Issued)	Vasillios Kostarelos 2212 Bernays Drive York PA 17404	Poplar Run (TSF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Shrewsbury Township York County	PAG02006713025 (Issued)	Phil Robinson 18147 Amanda Lane New Freedom PA 17349	UNT Deer Creek (CWF)	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Athens Township Bradford County	PAG02000811011R	Tim Higley Five Star Equipment Inc PO Box 250 Athens PA 18810	Chemung River WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6
Standing Stone Township Bradford County	PAG02000813014	Neal E Snyder Claverack Rural Electric Cooperative Inc 32750 Route 6 Wysox PA 18854	Vought Creek WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6
Athens Township Bradford County	PAG02000813018	Richard Bean Athens Township Parks & Recreation Commission 45 Herrick Ave Sayre PA 18840	Murray Creek WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6
Snow Shoe Township Centre County	PAG02001403004	Beech Creek Watershed Association PO Box 286 Mill Hall PA 17751	Contrary Run CWF UNT to Contrary Run MF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Worth Township Port Matilda Borough Centre County	PAG02001403035R	The Drucker Company 168 Bradford Dr Port Matilda PA 16870	Bald Eagle Creek TSF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Mifflin Township South Centre Township Columbia County	PAG02001909010R	PA Dept of Transportation District 3-0 PO Box 218 Montoursville PA 17754	Susquehanna River WWF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, X 102
Danville Borough Montour County	PAG02004711004R	Jacob's Landing LLC 519 N Derr Dr Lewisburg PA 17837	Susquehanna River WWF, MF	Montour County Conservation District 112 Woodbine Ln Ste 2 Danville PA 17821 Phone: (570) 271-1140
Ralpho Township Northumberland County	PAG02004910018(1)	SCTJSA WWTP 114 Bridge St Shamokin PA 17872	Shamokin Creek WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 Phone: (570) 286-7114 ext. 4
Shamokin Township Northumberland County	PAG02004913006(1)	Verizon Wireless/Stonington Cell Tower 987 Hollow Rd Sunbury PA 17801	UNT Shamokin Creek CWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 Phone: (570) 286-7114 ext. 4

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Jefferson Hills Borough Allegheny County	PAG2005000203021R	Maronda Homes, Inc. 1383 State Route 30 Clinton, PA 15026	Lick Run (TSF) and UNT to Peters Creek (TSF)	
Kennedy Township Allegheny County	PAG2000203057R-1R	Maronda Homes, Inc. 11 Timberglen Drive Imperial, PA 15126	Chartiers Creek (WWF)	
Plum Borough Allegheny County	PAG2000205130R	Plum Property, Inc. 375 Golfside Drive Wexford, PA 15090	Blacks Run (WWF) and UNT to Plum Creek (WWF)	
Jefferson Hills Borough Allegheny County	PAG02000206057R	Columbus Family Partners, LLP 3525 Lebanon Church Rd West Mifflin, PA 15132	Peters Creek (TSF)	
Pine Township Allegheny County	PAG02000208048R	ShIPLEY Brothers Development, Inc. 12300 Perry Highway Suite 211 Wexford, PA 15090	Breakneck Creek (WWF)	
West Deer Township Allegheny County	PAG02000211050R	Tim Phelps PO Box 12 Curtisville, PA 15032	Little Deer Creek (TSF)	
South Fayette Township Allegheny County	PAG02000211057R	Deerfield Ridge, LP 5949 Steubenville Pike Pittsburgh, PA 15136	Dolphin Run (WWF)	

NOTICES

6573

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
West Mifflin Borough Allegheny County	PAG02000211070R	The Baker Group 305 Camp Hollow Road West Mifflin, PA 15122	Monongahela River (WWF-N)	
Upper St. Clair Township Allegheny County	PAG02000213053	William & Jefferson, Inc. 212 Sussex Way McMurray, PA 15317	Brush Run (WWF)	
Aspinwall Borough Allegheny County	PAG0200213061	Aspinwall Riverfront Park, Inc. 285 River Avenue Pittsburgh, PA 15215	Allegheny River (WWF-N)	
Tarentum Borough Allegheny County	PAG02000213080	Peoples TWP, LLC. 205 North Main St. Butler, PA 16001	UNT to Bull Creek (TSF)	
McDonald Borough and North Fayette Township Allegheny County	PAG02000213081	Pennsylvania American Water Company 300 Galley Road McMurray, PA 15317	Robins Run (WWF)	
City of Pittsburgh Allegheny County	PAG02000213082	Urban Redevelopment Authority of Pittsburgh 200 Ross Street Pittsburgh, PA 15219	Monongahela River (WWF-N)	
Harmar Township Allegheny County	PAG02000213084	Peoples Natural Gas Company 1201 Pitt Street Pittsburgh, PA 15221	Deer Creek (WWF)	
Findlay Township Allegheny County	PAG02000213085	ProMinent Fluid Controls, Inc. 136 Industry Drive Pittsburgh, PA 15275	McClarens Run (TSF)	
Sewickley Borough Allegheny County	PAG02000213092	Presbyterian Church 414 Grant Street Sewickley, PA 15143	UNT to Ohio River (WWF)	
McCandless Township Allegheny County	PAG02000213095	Cozza Enterprises, LLC. PO Box 453 Carnegie, PA 15106	Pine Creek (CWF)	
White Township Indiana County	PAG02003213008	Presbyterian Senior Living One Trinity Drive E Suite 201 Dillsburg, PA 17019	McCarthy Run (CWF)	Indiana County CD 625 Kolter Drive Suite 8 Indiana, PA 15701 (724) 471-4751
Green Township Indiana County	PAG02003213012	Greene Township Community Association PO Box 124 Commodore, PA 15729	Pompey Run (CWF)	Indiana County CD 625 Kolter Drive Suite 8 Indiana, PA 15701 (724) 471-4751
Somerset Township Somerset County	PAG02005610008R	Pennsylvania Turnpike Commission 700 South Eisenhower Blvd Middletown, PA 17057	Kimberly Run (CWF) and Coxes Creek (CWF)	Somerset County CD 6024 Glades Pike Rd Suite 103 Somerset, PA 15601 (814) 445-4652
Stonycreek Township Somerset County	PAG02005613004	Pennsylvania Turnpike Commission PO Box 67676 Harrisburg, PA 17106	UNT to Stonycreek River (CWF)	Somerset County CD 6024 Glades Pike Rd Suite 103 Somerset, PA 15601 (814) 445-4652
Cecil Township Washington County	PAG02006311024R	Cecil Township 3599 Millers Run Road Cecil, PA 15317	McPherson/Chartiers Creek (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098

Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville PA 16335

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Adams Township and Cranberry Township Butler County	PAG02001011021R	Laura Viola 8001 Rowan Road Cranberry Township PA 16066	Unt Kaufman Run WWF and Unt Breakneck Creek WWF	Butler County Conservation District 724-284-5270
City of Corry Erie County	PAG02002513010(1)	Corry DG, LLC 361 Summit Blvd Suite 110 Birmingham AL 36243	Unt Bear Creek CWF	Erie County Conservation District 814-825-6403
Mahoning Township Lawrence County	PAG02003713005	NiSource Midstream Services Attn: Mr. Joseph Giachino, Project Mgr 5151 San Felipe, Suite 3500 Houston TX 77056	Unt Mahoning River WWF	Lawrence County Conservation District 724-652-4512
City of Hermitage Mercer County	PAG02004313012	CCL Container Corporation 1 Llodio Drive Hermitage PA 16148	Shenengo River WWF	Mercer County Conservation District 724-662-2242
Sugar Grove Township Warren County	PAG02006213006	Sugar Grove DPP VIII LLC 9010 Overlook Blvd Brentwood TN 37027	Unt Stillwater Creek CWF	Warren County Conservation District 81-726-1441
Porter Township Clarion County	PAG2091613006	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Licking Creek (CWF), Unnamed Tributary to Licking Creek (CWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

General Permit Type—PAG-03

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Fell Township Lackawanna County	PAR112212	Gentex Corp PO Box 315 Carbondale, PA 18407-0315	Indirect discharge to Lackawanna River through Fell Twp. & Carbondale City Municipal Separate Storm Sewer System (MS4) and Lackawanna River Basin Sewer Authority Combined Sewer System 5-A	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
York County Spring Garden Township	PAR213532	York Building Products Co., Inc. 950 Smile Way York, PA 17404 <hr/> York Building Products Loucks Mill Road Block Plant 915 Loucks Mill Road York, PA 17402	Mill Creek / WWF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Berks County Sing Spring Borough Spring Township	PAR213524	Milroy Enterprises Inc Graffius Burial Vault 100 Park Avenue PO Box 2040 Sinking Spring, PA 19608	Cacoosing Creek / CWF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

NOTICES

6575

*Facility Location:
Municipality &
County*

Lancaster County
Quarryville Borough

Permit No.
PAR603511

*Applicant Name &
Address*
James Groff & Son Inc.
17 North Hess Street
Quarryville, PA 17566-1221

*Receiving
Water / Use*
UNT to Southfork /
TSF

*Contact Office &
Phone No.*
DEP—SCRO—Clean
Water Program
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4707

Juniata County
Susquehanna
Township

PAR223531

Excel Homes Group LLC
10642 S Susquehanna Trail
Liverpool, PA 17045-9518

Susquehanna River /
WWF

DEP—SCRO—Clean
Water Program
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4707

Berks County
Muhlenberg
Township

PAR123558

Readikat Realty LLP
c/o Rubenstein Properties
101 E Main Street
Little Falls, NJ 07424

Crossroads Beverage Group
LLC
1055 Cross Roads Boulevard
Reading, PA 19605

Schuylkill River /
WWF

DEP—SCRO—Clean
Water Program
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4707

General Permit Type—PAG-7

*Facility Location:
Municipality &
County*

York County /
Springettsbury
Township

Permit No.
PAG073503

*Applicant Name &
Address*
Springettsbury Township
Wastewater Treatment Facility
3501 North Sherman Street
York, PA 17406

*Site Name &
Location*
Springettsbury
Township
Wastewater
Treatment Facility
3501 North Sherman
Street
York, PA 17406

*Contact Office &
Phone No.*
DEP-SCRO-Clean
Water Program
909 Elmerton Ave.
Harrisburg, PA
17110-8200
717-705-4707

General Permit Type—PAG-8

*Facility Location:
Municipality &
County*

York County / East
Manchester Township

Permit No.
PAG083529

*Applicant Name &
Address*
Northeastern York County
Sewer Authority
200 North Main Street
Mt. Wolf, PA 17347

*Site Name &
Location*
Mt. Wolf Wastewater
Treatment Plant
175 Chestnut Street
Mt. Wolf, PA 17347

*Contact Office &
Phone No.*
DEP-SCRO-Clean
Water Program
909 Elmerton Avenue
Harrisburg, PA
17110-8200
717-705-4707

General Permit Type—PAG-10

*Facility Location:
Municipality &
County*

West Finley Township
Washington County

Permit No.
PAG106169

*Applicant Name &
Address*
Williams Ohio Valley
Midstream, LLC
Park Place 2
2000 Commerce Drive
Pittsburgh, PA 15275

*Receiving
Water/Use*
Robinson Fork

*Contact Office &
Phone No.*
Southwest Regional
Office:
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh PA
15222-4745
(412) 442-4000

General Permit Type—PAG-12

*Facility Location:
Municipality &
County*

Adams County
Reading Township

Permit No.
PAG123731
Transfer No. 1

*Applicant Name &
Address*
Travis Miller
Mitchel Miller
Round Hill Poultry Farm
255 Lake Meade Road
York Springs, PA 17372

*Receiving
Water/Use*
South Branch of
Mud Run / WWF

*Contact Office &
Phone No.*
DEP—SCRO—Clean
Water Program
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4707

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County Robeson Township	PAG123751	Skyline Acres, Inc. Skyline Acres Dairy Farm 477 Skyline Drive Bernville, PA 19506	UNT Irish Creek / WWF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-13

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Connellsville Township Fayette County	PAG136300	Connellsville Township 166 McCoy Hollow Road Connellsville, PA 15425	Connell Run	Southwest Regional Office: Clean Water Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAG136254 Waiver	Upper Tyrone Township 170 Municipal Drive Connellsville, PA 15425	Fayette	Upper Tyrone Township	Jacobsw Creek, Galley Run	N

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Michael Hege 11437 Gehr Road Waynesboro, PA 17268	Franklin	14.4	309.15	Poultry	NA	Approved
Hillside Poultry Farms, Inc. 1849 Letterkenny Road Chambersburg, PA 17202	Franklin	535.5	1,210.96	Poultry	NA	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Lesher's Poultry Farm, Inc. 1153 Swamp Fox Road Chambersburg, PA 17202	Franklin	2,309.9	1,288.17	Poultry	HQ	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Operations Permit # 0912520 issued to: **Dublin Acres Homeowner Association**, 762 East Main Street, Second Floor, Lansdale, PA 19446 [(PWSID)] Bedminster Township, **Bucks County** on October 16, 2013 for Operation of Chlorine Contact Facilities and Certification of 4-log Treatment of Virses approved under Construction Permit # 0911550

Operations Permit # 1513525 issued to: **Pennsylvania American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033 [(PWSID)] City of Coatesville, **Chester County** on October 16, 2013 for Chloramination, Mixing, Building Structure, and Piping approved under Construction Permit # 1513508.

Operations Permit # 1513526 issued to: **Pennsylvania American Water Company**, 800 West Hershey Park Drive, [(PWSID)] Hershey, PA 17033, City of Coatesville, **Chester County** on October 16, 2013 for Prefabricated

Building, Tank Mixing System, and Relocation of Chlorine and Ammonia Feeds approved under Construction Permit # 1513509.

Permit No. 2313505, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Borough	Middletown
County	Delaware
Type of Facility	PWS
Consulting Engineer	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Permit to Construct Issued	October 16, 2013

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Operations Permit issued to: **Guilford Water Authority**, 7280038, Guilford Township, **Franklin County** on 10/15/2013 for the operation of facilities approved under Construction Permit No. 2808508.

Operations Permit issued to: **Hobo Hollow Campground LLC**, 7360593, Martic Township, **Lancaster County** on 10/15/2013 for the operation of facilities approved under Construction Permit No. 3613506.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 5912502—Operation Public Water Supply.

Applicant	Wellsboro Municipal Authority
Township/Borough	Wellsboro Borough
County	Tioga
Responsible Official	Mr. Daniel K. Strausser Wellsboro Municipal Authority 28 Crafton Street Wellsboro, PA 16901
Type of Facility	Public Water Supply
Consulting Engineer	William S. Bray, P.E. P. O. Box 535 Wellsboro, PA 16901
Permit Issued	October 21, 2013
Description of Action	Operation of the recently constructed Pall Aria Mobile Membrane Filtration System.

Permit No. 1713503MA—Construction Public Water Supply.

Applicant	Treasure Lake Water System
-----------	-----------------------------------

Township/Borough Sandy Township
 County **Clearfield**
 Responsible Official Mr. Jack Walter
 Aqua Pennsylvania, Inc.
 665 South Dock Street
 Sharon, PA 16146

Type of Facility Public Water Supply
 Consulting Engineer William Ladieu, P.E.
 GHD, Inc.
 1240 North Mountain Road
 Harrisburg, PA 17112

Permit Issued October 22, 2013
 Description of Action Authorizes construction and
 operation of 91 ft. of 36-inch
 diameter detention piping at
 Treasure Lake Well N-23, Entry
 Point 105.

Permit No. 4113505-MA—Construction and Operation
 Public Water Supply.

Applicant **SCI Muncy**
 Township/Borough Clinton Township
 County **Lycoming**
 Responsible Official Robert Smith, Superintendent
 SCI Muncy
 6454 Route Highway
 P. O. Box 108
 Muncy, PA 17756

Type of Facility Public Water Supply
 Consulting Engineer Carol A. Piontkowski, P.E.
 Environmental Engineer
 Consultant
 Bureau of Operations
 P. O. Box 598
 Camp Hill, PA 17001

Permit Issued October 22, 2013
 Description of Action Construction and Operation of
 use of the following in the
 treatment and filtration plant:
 DelPAC 2020 in pre-filtration
 water as a chemical coagulant
 and 25% caustic soda solution in
 both pre-filtration and
 post-filtration waters to raise
 pH.

SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania
 Sewage Facilities Act (35 P. S. § 750.5)**

*Northcentral Region: Clean Water Program Manager,
 208 West Third Street, Williamsport, PA 17701*

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Curwensville Borough	c/o Autumn Norris, Secretary 900 Susquehanna Ave. Curwensville, PA 16833	Clearfield

Plan Description: The approved plan provides for construction of a gravity sewage collection system serving 5 homes, 3 of which are known to have malfunctioning

on-lot disposal systems, along Arnoldtown Road. The sewage will flow by gravity to a proposed pump station to be located along the northern shore of the West Branch Susquehanna River, which will pump the sewage through a proposed forcemain, under the river to the existing Curwensville Municipal Authority collection system. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Brady Township	3906 Shamokin Trail PO Box 125 Luthersburg, PA 15848-0125	Clearfield

Plan Description: The approved plan provides for construction of a low pressure sewage collection system serving the Villages of Salem and Luthersburg, and the Route 322/219 corridor between Luthersburg and Salem. Three pump stations are also proposed to convey the sewage. A 0.1 MGD sewage treatment plant will be constructed for treatment, with discharge of treated effluent to an unnamed tributary of the Luthersburg Branch of Sandy Lick Creek. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**LAND RECYCLING AND
 ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995
 PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects

caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Harry Corvi Property, 1343 Neola Road, Jackson Township, **Monroe County**, Richard Trimpi, Trimpi Associates, have submitted a Final Report on behalf of his client, Harry Corvi, 1343 Neola Road, Stroudsburg, PA 18360, concerning the remediation of soil and groundwater found to have been impacted by kerosene as a result from an open bleed value on an aboveground storage tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soil and groundwater. A public notice regarding the submission of the Final Report was published in the *Pocono Record* on September 24, 2013.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Mount Penn CVS Store # 10045, Route 422, Howard Boulevard and Fern Street NWC, Reading, PA, Mount Penn Borough, **Berks County**. RT Environmental Services, Inc., 591 East Maiden Street, Washington, PA 15301, on behalf of Summit Realty Advisors, LLC, 201 South Maple Avenue, Suite 100, Ambler, PA 19002, submitted a Final Report concerning remediation of site soils contaminated with VOCs and PAHs. The report is intended to document remediation of the site to meet a combination of Residential and Nonresidential Statewide Health Standards.

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Arc Tech, Inc., 2600 Reach Road, City of Williamsport, **Lycoming County**. Enviro Sure, Inc., 103 S. High Street, Suite 1, West Chester, Pa 19382, on behalf of Mr. Scott Smith, submitted a Final Report concerning remediation of site soil and groundwater contaminated with various metals, groundwater—VOCs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Terry D. Litzeman Pad A, 938 Acorn Drive, Cogan House Township, **Lycoming County**. GES, 6 Sheraton Drive, Suite #2, Altoona, Pa 16601, on behalf of Rick Hall, Anadarko E & P Onshore LLC, 1201 Lake Robbins Drive, The Woodlands, TX 77380, submitted a Final Report concerning remediation of site soils contaminated with Barium, Iron, Manganese. The report is intended to document remediation of the site to meet the Statewide Health Standard.

E. M. Kutz, Inc., Hydraulic Oil Release Rt. 11/15 Cleanup, Shamokin, Dam, PA 17876, Shamokin Dam Borough, **Snyder County**. Northridge Group, Inc., 1172

Ridge Road, Northumberland, Pa 17857, on behalf of E.M. Kutz Inc., 2456 Morgantown Road, Reading, PA 19607. has submitted a Final Report concerning remediation of site soils contaminated with Benzene, Anthracene, Benzo(a) Anthracene, Benzo(a) Pyrene, Benzo(b) Fluoranthene, Benzo (g,h,i) Perylene, Chrysene, Fluorene, Phenanthrene & Pyrene, Naphthalene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

The Meadows at Watsontown, LLC, 47 Albatross Drive Site, Delaware Township, **Northumberland County**. RT Environmental Services, 215 W. Church Road, King of Prussia, Pa 19406, on behalf of Jason Dempsey, 967 E. Swedesford Road, Exton, PA 19341, has submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Naphthalene, MTBE, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Cumene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Leighow Oil Company, 118 Eyer Road, Mahoning Township, **Montour County**. United Environmental Services, Inc., 86 Hillside Drive, Drums, Pa 18222, on behalf of Glen Leighow has submitted a Final Report concerning remediation of site soils contaminated with MTBE, Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

UPS Freight, State Route 147, near 14th Street, Point Township, **Northumberland County**. Mr. David Bogovich, President, Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857, on behalf of UPS Freight, submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary, Butyl Ether. The report is intended to document remediation of the site to meet the Statewide Health Standard.

JA Trucking Accident, Interstate 80 @ MM224E, Valley Township, **Montour County**. Northridge Group, Inc., on behalf of JA Trucking has submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The report is intended to document remediation of the site to meet the Statewide Health Standard.

C. H. Hamilton, US Route 15N, Jackson Township, **Lycoming County**. Northridge Group, Inc., on behalf of C. H. Hamilton has submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Williams Oil Company, Inc. Release Site, Route 15 Southbound Between Blossburg and Sebring Exits, Liberty Township, **Tioga County**. Mr. Martin Gilgallon, P.G., Pennsylvania Tectonics, Inc., 723 Main Street, Archbald, PA 18403, on behalf of Mr. Gary Wilcox, Safety Director, Williams Oil Company, Inc., 44 Reuter Blvd., Towanda, Pa 18847, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

US Bronze Foundry & Machine (Metals Impacted Soils & Sediments), 18469 Brake Shoe Road, Woodcock Township, **Crawford County**. Geosyntec Consultants, 10220 Old Columbia Road, Suite A, Columbia, MD 21046, on behalf of Pneumo Abex, LLC., c/o Integra Management Company, LLC., 604 Spring Hill Drive, Suite 110, Spring, TX 77386, submitted a Final Report concerning the remediation of site soils contaminated with Antimony, Arsenic, Copper, Lead, and Zinc. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Former Heppenstall Site, 4700 Hatfield Street in the City of Pittsburgh (9th Ward), **Allegheny County**, Pennsylvania. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of The Regional Industrial Development Corporation of Southwestern PA (RIDC) has submitted a Remedial Investigation Report: The report is intended to document remediation of the site soils and groundwater to both Statewide Health and Site Specific Standard which have been found to contain elevated levels of semi-volatile organic compounds, volatile organic compounds, and metals as a result of the site's historical use. Notice of the submittal was published in the *Tribune Review* on 9/28/13.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Former Robert Shaw Controls Property-Phase 3 Development Parcel, Parcel C Millstein Industries Sub-division, Locust Street, Youngwood Borough, **Westmoreland County**. American Geosciences, Inc. 3925 Reed Boulevard, Suite 400, Murrysville, Pennsylvania 15668, on behalf of Millstein Industries, LLC. 2nd Floor 322 Armbrust Road, Youngwood, Pennsylvania 15697 seeking liability, submitted a Final Report concerning remediation of site soil and groundwater contaminated with TCE, cDCE, Vinyl Chloride and VOC's. The report is intended to document the remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a de-

scription of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Zibura Residence, 726 6th Street, Whitehall Township, **Lehigh County**, Richard Trimpi, Trimpi Associates, Inc., has submitted a Final Report to Remediate on behalf of his client, Ms. Carol Hefale, (daughter of Joseph Zibura) 3081 Meadowbrook Circle N, Allentown, PA 18103, concerning the remediation of soil found to have been impacted by #2 fuel oil as a result from a corrosion hole that opened up during a fuel delivery to a 275 gallon aboveground storage tank in the residence basement. The report documented attainment of the Residential Statewide Health Standards for soil and was approved on October 9, 2013.

Okula Property, 2 Deibert Drive, Jackson Township, **Monroe County**. Jim Gibson, Brinkerhoff Environmental Services, Inc., 133 Jackson Road, Suite D, Medford, NJ 08055 has submitted a Final Report (on behalf of his client, Anna Okula, 2 Deibert Drive, Stroudsburg, PA 18360), concerning the remediation of soil and groundwater found to have been impacted by kerosene as a result of a release from a kerosene aboveground storage tank. The report documented attainment of the Residential Statewide Health Standard for soil and was approved on October 9, 2013. Groundwater is not eligible for a relief of liability since the report demonstrated that there were no impacts from the release.

Marston Property, 104 Bone Ridge Road, Paupack Township, **Wayne County**, Thomas Hippensteal, Enviro-

search Consultants, Inc., has submitted a Final Report on behalf of his client, Mr. Charles Marston, 301 Green Road, Berwyn, PA 19312, concerning the remediation of soil found to have been impacted by #2 fuel oil, released from an aboveground storage tank due to vandalism. The applicant proposes to remediate the site to meet the Residential Statewide Health Standards for soil. The report documented attainment of the Residential Statewide Health Standard for soil and groundwater and was approved on October 3, 2013.

A&M Hibbard 2H/4H State Route 29, Dimock Township, **Susquehanna County**, Dawn Washo, Resource Environmental, 36 Taylor Lane, Montrose, PA 18801 has submitted a Final Report, (on behalf of her client, Cabot Oil & Gas Corporation, 5 Penn Center West, Suite 401, Pittsburgh, PA 15276), concerning the remediation of soil found to have been impacted by approximately 1,575 gallons of drilling mud fluid released to the surface. The report documented attainment of the Residential Statewide Health Standards for soil and Background Standard for soil and was approved on October 10, 2013. The report was originally submitted within 90 days of the release.

Gulf Oil Fullerton Terminal, 2451 Main Street, Whitehall Township, **Lehigh County**, Stephanie Grillo, Groundwater & Environmental Services, Inc., has submitted an NIR and RIR, RAR, and CP on behalf of her client, Nathan Stevens, Gulf Oil Limited Partnership, Inc., 2451 Main Street, Whitehall, PA 18052, concerning the remediation of soil and groundwater found to have been impacted by benzene, toluene, ethylbenzene, total xylenes, methyl tertiary butyl ether, naphthalene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene from several incidents which occurred between 9/23/1991 and 1/30/2012. The RIR, Cleanup Plan and RAR submitted were disapproved by the Department on October 10, 2013.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

CNH America Former UST L31 Area, 120 Brubaker Avenue, New Holland, PA 17557, New Holland Borough, **Lancaster County**, Brown & Caldwell, 110 Commerce Drive, Allendale, NJ 07401, on behalf of CNH America LLC, 700 State Street, Racine, WI 53404, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health standard, and was approved by the Department on October 17, 2013.

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Former College Gardens Nursery, 1173 Grays Woods Boulevard, Patton Township, **Centre County**.

Mr. David Swetland, P.G./Senior Geologist, 2738 West College Avenue, State College, Pa 16801, on behalf of Mr. Nick Loutsik, LG. Inc., 450 West Broad Street, Suite 313, Falls Church, VA 22406, submitted a Final Report concerning the remediation of site soil contaminated with unleaded gasoline. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on August 27, 2013.

Lally Transportation, US Route 14N, near Cogan House Exit, Cogan House Township, **Lycoming County**.

Mr. David A. Bogovich, President, Northridge Group, Inc., 1172 Ridge Road, Northumberland, Pa 17857, on behalf of Mr. David A. Bogovich, submitted a,

Notice of Intent, Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The Notice of Intent was published in *The Daily Item* on June 17, 2013. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on August 7, 2013.

Former Faxon Lumber Site, 1700 East Third Street, Loyalsock Township, **Lycoming County**. Mr. Edward Dzidezic, P.G., RETTEW Associates, Inc., 3020 Columbia Avenue, Lancaster, PA 17603, on behalf of Mr. Richard M. Born, Liberty Hospitality Partners, LP, 1500 Sycamore Road, Montoursville, PA 17754, submitted a Final Report concerning the remediation of site soil contaminated with ash, metal and demolition debris. The Final Report demonstrated attainment of the Site-Specific Standard, and was approved by the Department on August 7, 2013.

T.C. Lee Distributors, Inc., Interstate 80 @ MM 190E, Greene Township, **Clinton County**. Mr. David A. Bogovich, President, Northridge Group, Inc., 1172 Ridge Road, Northumberland, Pa 17857, on behalf of Mr. David A. Bogovich, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on August 27, 2013.

Williams Oil Company, Inc. Release Site, Route 15 Southbound Between Blossburg and Sebring Exits, Liberty Township, **Tioga County**. Mr. Martin Gilgallon P.G., Pennsylvania Tectonics, Inc., 723 Main Street, Archbald, Pa 18403, on behalf of Mr. Gary Wilcox, Safety Director, Williams Oil Company, Inc., 44 Reuter Blvd., Towanda, Pa 18848 submitted a Final Report concerning the remediation of site soils contaminated with fuel.

The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on June 27, 2013.

UPS Freight, State Route 147, near 14th Street, Point Township, **Northumberland County**. Mr. David A. Bogovich, President, 1172 Ridge Road, Northumberland, Pa 17857, on behalf of US Freight submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on August 7, 2013.

JA Trucking Accident, Interstate 80 @ MM224E, Valley Township, **Montour County**. Northridge Group, Inc., on behalf of JA Trucking has submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on July 30, 2013.

C. H. Hamilton, US Route 15N, at English Center Exit, Jackson Township, **Lycoming County**. Northridge Group, Inc., on behalf of C. H. Hamilton has submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The Fi-

nal Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on August 7, 2013.

Arc Tech Inc., 2600 Reach Road, City of Williamsport, **Lycoming County**. Enviro Sure, Inc., 103 S. High Street, Suite 1, West Chester, Pa 19382, on behalf of Mr. Scott Smith, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with various metals, groundwater—VOCs. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on September 20, 2013.

Terry D. Litzeman Pad A, 938 Acorn Drive, Cogan House Township, **Lycoming County**. GES, 6 Sheraton Drive, Suite #2, Altoona, Pa 16601, on behalf of Rick Hall, Anadarko E & P Onshore LLC, 1201 Lake Robbins Drive, The Woodlands, TX 77380, submitted a Final Report concerning the remediation of site soils contaminated with Barium, Iron, Manganese. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on October 11, 2013.

E. M. Kutz Inc., Hydraulic Oil Release Rt. 11/15 Cleanup, Shamokin Dam Borough, **Snyder County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, Pa 17857, on behalf of E.M. Kutz Inc., 2456 Morgantown Road, Reading, PA 19607, submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Anthracene, Benzo(a) Anthracene, Benzo(a) Pyrene, Benzo (b) Fluoranthene, Benzo (g,h,i) Perylene, Chrysene, Fluorene, Phenanthrene & Pyrene, Naphthalene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on October 1, 2013.

The Meadows at Watsontown, LLC, 47 Albatross Drive Site, Delaware Township, **Northumberland County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, Pa 19406, on behalf of Jason Dempsey, The Meadows at Watsontown, LLC., 967 E. Swedesford Road, Exton, Pa 19341 has submitted a Type Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Naphthalene, MTBE, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Cumene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on September 30, 2013.

Leighow Oil, 118 Eyer Road, Mahoning Township, **Montour County**. United Environmental Services, Inc., 86 Hillside Drive, Drums, Pa 18222, on behalf of Glen Leighow, submitted a Final Report concerning the remediation of site soils contaminated with MTBE, Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on October 10, 2013.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Quality Components—Daguschahonda Plant, 103 Bridge Street, Ridgway Township, **Elk County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murfreesville, PA 15668-1848, on behalf of CMSJLP, LLC., 5038 Bakerstown Road, Gibsonia, PA 15044, submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soils contaminated with

trichloroethene, 1,1,1-trichloroethane and site groundwater contaminated with cis-1,2-dichloroethene, trans-1,2-dichloroethene, trichloroethene, and vinyl chloride. The Report was disapproved by the Department on October 15, 2013.

Stoneboro Custom Cycles, 9 Branch Street, Borough of Stoneboro, **Mercer County**. URS Corporation, 12420 Milestone Center Drive, Suite 150, Germantown, MD 20876, on behalf of Pennzoil-Quaker State Company, 700 Milam Street, Houston, TX 77002, submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soils and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Total Xylenes, Naphthalene, Isopropylbenzene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, 1,2-Dibromoethane, Methyl tert butyl ether, and Lead. The Report was disapproved by the Department on October 17, 2013.

NLMK Pennsylvania Corporation (Fmr. Dufenco Farrell Corporation Facility), 15 Roemer Boulevard, City of Farrell, **Mercer County**. Cummings/Riter Consultants, Inc., 300 Penn Center Boulevard, Suite 800, Pittsburgh, PA 15235 on behalf of NLMK Pennsylvania Corporation, 15 Roemer Boulevard, Farrell, PA 16121, submitted a Final Report concerning the remediation of site soils contaminated with Arsenic, Barium, Cadmium, Chromium, Iron, Lead, Selenium, Silver, Zinc, PCB—Aroclor 1254, PCB—Aroclor 1260, and Mercury. The Report is intended to document remediation of the site to meet the Site-Specific Standard. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on October 17, 2013.

Burgh Impoundment (Rex Energy), 725 Perry Highway, Lancaster Township, **Butler County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of R. E. Gas Development, 366 Walker Drive, State College, PA 16801, submitted a Final Report concerning the remediation of site soils contaminated with Arsenic, Barium, Cadmium, Chromium, Lead, Selenium, Silver, Benzene, Toluene, Ethylbenzene, and Xylenes. The Report was disapproved by the Department on October 18, 2013.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Armstrong Metalizing Company, Second Avenue, Ford City, **Armstrong County**. Civil & Environmental Consultants, Inc.; 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Scott McDowell, P. O. Box 7159, New Castle, PA 16107 has submitted a Remedial Investigation/Final Report to remediate site soil for metals and groundwater for chlorinated compounds. The Final Report demonstrated attainment of the non-residential site specific standard for soils and groundwater, and was approved by the Department on October 15 2013

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Buffalo Creek Farms, 207 Iron Bridge Road, South Buffalo Township, **Armstrong County**. Harris Environmental Inc., 600 Stone House Road, Clarion PA. 16214, on behalf of Buffalo Creek Farms, submitted a final report for the remediation of contaminated site soils encountered during the removal of two unregulated underground storage tanks that contained gasoline for farm equipment use. The Final Report demonstrated attainment of the residential statewide health standard, and was approved by the Department on October 16 2013.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.

Limpkin's Furniture Stores, Inc., 139 East Chestnut Street, City of Coatesville, **Chester County**. Michael A. Christie, P.G., Penn Environmental & Remediation, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Michael Bernstein, President, Limpkin's Furniture Stores, Inc., 119 East Lincoln Highway, Coatesville, PA 19320 has submitted a Remedial Investigation/Risk Assessment and Final Report concerning the remediation of site soil contaminated with unleaded gasoline. The Remedial Investigation/Risk Assessment and Final Report demonstrated attainment of the site specific standard for soil, and were approved by the Department on September 17, 2013. PF758308

Presidential City Apartments Madison Building, 3900 Presidential Boulevard, City of Philadelphia, **Philadelphia County**. Stephan Brower, Environmental Standards, Inc. 1140 Valley Forge Road, P. O. Box 810 Valley Forge, PA 19482-0810 on behalf of Post Presidential Property Owner, LLC, BLDG, Philadelphia, L.P., 417 Fifth Avenue, New York, NY 10016 has submitted a Cleanup Plan/Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with no. 6 oil fuel. The Cleanup Plan/Remedial Investigation Report demonstrated attainment of the site specific standard for soil and groundwater, and was approved by the Department on September 16, 2013. PF755690

MGM Ridley Parking LP, South of Interest 95 between West Sellers Avenue and South Stewart Avenue, Ridley Township, **Delaware County**. Craig Herr, RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Kim Rinnier, MGM Ridley Parking, LP, 760 Parkers Run, Villanova, PA 19085 has submitted a Final Report concerning the remediation of site soil contaminated with arsenic. The Final report demonstrated attainment of the non-residential statewide health standard and was approved by the Department on August 22, 2013. PF755023

Estate of Kim Greenlee, 48 Chestnut Drive, Newtown Borough, **Bucks County**. Chris A. Jacangelo, P.G., J. Rockwood and Associates, Inc., P. O. Box 1006, Easton, PA 18044, Jeanne Sninski, Esq., 48 Chestnut Drive, Newtown, PA 18940 on behalf of David Sottile, Groundwater Breaking Renovations, Inc., 48 Chestnut Drive Newton, PA 18940, submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the non-residential statewide health standard and was approved by the Department on August 13, 2013. PF761706

CTS @ Springmill Station, 101 East Hector Street, City of Philadelphia, **Philadelphia County**. Victoria M. Ryan, VERTEXE Environmental Services, 700 Turner Way, Aston, PA 19014 on behalf of James H. Turner, Home Properties Whitemarsh, LLC, 8229 Boone Boulevard, Suite 500, Vienna, VA 22181 has submitted a Final Report concerning the remediation of site soil contaminated with no. 4-6 heating oil. The Final report demonstrated attainment of the non-residential statewide health standard and was approved by the Department on September, 30, 2013. PF762426

Madison @ French Creek, 45 North Main Street, Phoenixville Borough, **Chester County**. Stephan D. Brower, P.G., Environmental Standards, Inc., 1140 Valley

Forge road, P. O. Box 810, Valley Forge, PA 19482, John Forde, Madison at French Creek, 3815 West Chester Pike, Newtown Square, PA 19073 on behalf of John Forde, BPG Development Company, LP, 3815 West Chester Pike, Newtown Square, PA 19073 has submitted a Cleanup Plan/Remedial Investigation Report concerning the remediation of site groundwater contaminated with inorganics. The Remedial Investigation/Cleanup Plan demonstrated attainment of the site specific standard for groundwater, and was approved by the Department on August 5, 2013. PF760601

Widdess Property, 520 Lincoln Street, Oxford Township, **Chester County**. Andrew Riggs, Brownfield Associates, Inc., 500 Coatesville Road, West Chester, PA 19390 on behalf of Mike Widdoes, BreadNButter Catering, 520 Lincoln Street, Oxford, PA 19363 has submitted a Remedial Investigation/Final Report concerning the remediation of site groundwater contaminated with leaded gasoline. The Remedial Investigation/final Report demonstrated attainment of the site specific standard for groundwater, and was approved by the Department on August 8, 2013. PF693414

Merton Price Property, 1201 Chester Pike, Ridley Township, **Delaware County**. Michael Christie, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Kenneth Hurwitz, Merton Price Company, 207 Yorktown Place Berwyn, PA 19312 has submitted a Final Report concerning the remediation of site soil contaminated with petroleum hydrocarbons including mtbe. The Final report did not demonstrated attainment of the non-residential statewide health standard and was disapproved by the Department on October, 01, 2013. PF693698.

Sunoco Inc. Philadelphia Refinery Schuylkill River Tank Farm A01-11, 3144 Passyunk Avenue, City of Philadelphia, **Philadelphia County**. James Oppenheim, Sunoco, Inc. 3144 Passyunk Avenue, Philadelphia, PA 19061, Jason Hanna, Langan Engineering and Environmental Services, 2700 Kelly road, Warrington, PA 18976 on behalf of Charles Barksdale, PES, 3144 Passyunk Avenue, Philadelphia, PA 19145 has submitted a Final Report concerning the remediation of site groundwater contaminated with vocs, svocs, phas, and metals. The Final report did not demonstrated attainment of the site specific standard and was disapproved by the Department on September, 26, 2013. PF 745291

Pine Road/Red Lion Road, Red Lion/Pine Roads Lower Moreland Township, **Montgomery County**. Gary Emmanuel, O'Brien & Gere Engineers, Inc., 301 East Germantown Pike 3rd Floor, East Norriton, PA 19401 on behalf of Gregory T. Rogerson, JERC Partners, XII, LP, 171 State Route, 173 Suite 201, Asbury, NJ 08802-1365 has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents. The Final report demonstrated attainment of the non-residential statewide health standard and was approved by the Department on September 6, 2013. PF766153.

AMRA Investment LP, 110 Summit Drive, West Whiteland Township, **Chester County**. Michael S. Welsh, P.E., Welsh Environmental, Inc., 110 Summit Drive, Exton, PA 19341 on behalf of Ann Fisher, AMRA Investments, L. P. 131 Clearview Drive, Downingtown, PA 19355 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Final report demonstrated attainment of the non-residential statewide health standard and site specific standards was approved by the Department on August 22, 2013. PF754394.

Tadlock Residence, 21 Timothy Lane, Falls Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Ty Gawlik, State Farm Insurance, P. O. Box 8061, Ballston Spa, 12020-8016 on behalf of John Tadlock, 21 Timothy Lane, Levittown, PA 19054 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with petroleum. The Final report demonstrated attainment of the non-residential statewide health standard and was approved by the Department on August 16, 2013. PF736576.

Exelon Corporation Condense Tank KIPC, 990 South Steel Road, Falls Township, **Bucks County**. Dale Davis, Exelon Corporation 990 South, Fairless Hill, PA 19030 on behalf of Juddson W. Herr Langan Engineering and Environmental Services, Inc. 2700 Kelly Road, Suite 200, Warrington, PA 18976, Kathleen Mayher, United States Steel Corporation, 600 Grant Street, Pittsburgh, PA 15219 has submitted a Final Report concerning the remediation of site soil contaminated with inorganics. The Final report demonstrated attainment of the non-residential statewide health standard and was approved by the Department on August 23, 2013. PF750863

Ciocco Residence, 509 Collins Drive, Maple Township, **Delaware County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Deb Alessi, State Farm Insurance Company, PA Fir Claims, PO Box 106110, Atlanta, GA 30348-6110 on behalf of Ann Ciocco, 509 Collins Drive, Springfield, PA 19064 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the non-residential statewide health standard and was approved by the Department on September 5, 2013. PF760714

Spring Mill Corporation, 901 Washington Street, Whitmarsh Township, **Montgomery County**. Michael S. Welsh, P.E., Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Robert Haley, Spring Mill Corporation, 194 Greenfield Road, Lancaster, PA 17601 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with inorganics and chlorinated solvents. The Final report did not demonstrated attainment of the site specific standard and was disapproved by the Department on September 5, 2013. PF758570

901 West Girard Avenue, 901 West Girard Avenue, City of Philadelphia, **Philadelphia County**. Angelo Waters, PE, Urban Engineers, Inc., 530 Walnut Street, Philadelphia, PA 19106 on behalf of Richard L. Soloff, 9th Street Marketplace Associates, LLC, One Presidential Boulevard, Suite 202 Bala Cynwyd, PA 19004 has submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with naphthalene, benzo and betx. The Remedial Investigation/Cleanup Plan demonstrated attainment of the site specific standard for soil and groundwater and was approved by the Department on September 11, 2013. PF7689175

Transmontaigne Site, 2751 South 58th Street, City of Philadelphia, **Philadelphia County**. Jennifer L. Gresh, P.G., Duffield Associates, Inc., 211 North 13th Street, Philadelphia, PA 19107 on behalf of Elizabeth Gabor, Philadelphia Authority for Industrial Development, 2600 Centre Square West, 1500 Market Street, Philadelphia, PA 19102 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with inorganics and unleaded gasoline. The Final Report did not demonstrated attainment of the site specific

standard for soil groundwater and was disapproved by the Department on September 11, 2013. PF738660

Pfizer Great Valley Office & Information System Technical Center, East Whiteland Township, **Chester County**. Elizabeth Bongard, Golder Associates Inc., Spring Mill Corporate Center, 55 North Lane, Suite 6057, Conshohocken, PA 19428 on behalf of Matthew Basso, Pfizer Inc., 100 Rout 206N, Peapack, NJ 07977 has submitted a Remedial Investigation Report concerning the remediation of site soil contaminated with arsenic. The Remedial Investigation demonstrated attainment of the site specific standard and statewide health standard for soil and was approved by the Department on September 24, 2013. PF748303

Emico Property, 800 West Chestnut, Perkasio Borough, **Bucks County**. Andrew Fetterman, Synergy Environmental Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468 on behalf of Christopher B. French, Central Bucks Associates, L.P., P. O. Box 252, Bedminster, PA 18910 submitted a Remedial Investigation/Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Remedial Investigation/Final Report demonstrated attainment of the site specific standard for soil and groundwater and was approved by the Department on September 03, 2013. PF738217

2116 Chestnut Site, 2116-2132 Chestnut, City of Philadelphia, **Philadelphia County**. Bill Schmidt, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104, Paul Martino, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104 on behalf of Susan Hammersley, 2116 Chestnut Holding, LLC, One North Wacker Drive, Suite 2400, Chicago, Illinois 60606 has submitted a Remedial Investigation/Cleanup Plan concerning the remediation of site soil contaminated with no. 2 fuel oil. The Remedial Investigation/Cleanup Plan demonstrated attainment of the site specific standard for soil and was approved by the Department on June 3, 2013. PF754432

Citizens Bank, 139 South Easton Road, Cheltenham Township, **Montgomery County**. Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422, Ray Hutchinson, Nova Consulting Group, Inc., One Blue Hill Plaza, 10th Floor, P. O. Box 1672, Pearl River, NY 10965 on behalf of ARCLLC, 106 York Road, Jenkintown, PA 19046 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final Report demonstrated attainment of the statewide health standard for soil and was approved by the Department on September 13, 2013. PF766713

Archiblad Residence, 522 Rosewood Avenue, Lower Southampton Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Jason Richards c/o Nautilus Insurance, Nautilus Insurance, 140 New Britain Boulevard, Chalfont, PA 18914 on behalf of David Archibald, 522 Rosewood Avenue, Trevoise, PA 19053 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final Report demonstrated attainment of the statewide health standard and was approved by the Department on September 13, 2013. PF767307

Nessa Property, 66 Street Road, Upper Makefield Township, **Bucks County**. Mark Fortna, DelVal Soil Environmental Consultant Inc., Sky Run II, Suite A1, 4050 Skyron Drive, Doylestown, PA 18902 on behalf of Judy Ness, 66 Street Road, New Hope, PA 18938 has

submitted a Final Report concerning the remediation of site soil contaminated with heating oil. The Final Report demonstrated attainment of the statewide health standard for soil and was approved by the Department on August 22, 2013. PF752811

Access Services, 201 Chain Street Norristown Borough **Montgomery County**. Staci Cottone, J&J Environmental, P.O. Box 370, Blue Bell, PA 19422, Valentine Dalavai, 5 Office Center Drive, Suite 100, Fort Washington, PA 19034 on behalf of Philip Chat, 45 Creek View Drive, Perkasio, PA 18944 has submitted a Final Report concerning the remediation of site soil contaminated with heating oil. The Final report demonstrated attainment of the statewide health standard and was approved by the Department on August 30, 2013. Pf 767758

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR143. Kurt J. Lesker Company, 1925 Route 51, Jefferson Hills, PA 15025; Site: Kurt J. Lesker Reclaim Facility, 1515 Worthington Avenue, Clairton, PA 15025, **Allegheny County**. The facility is located in Allegheny County. This general permit authorizes the processing of used specialty oils and fluids, including silicones, polyphenyl ethers, halocarbons, perfluorinated polyethers, and organic compounds, by solvent extraction, adsorption, distillation, and filtration for reuse at the point of generation. The used oils and fluids are generated from industrial cooling and other fluid systems. The oils do not include petroleum oils. The permit was issued by Central Office on September 26, 2013.

Persons interested in reviewing the general permit may contact Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP1-09-0100: Aria Health—Bucks County Campus (380 North Oxford Valley Road, Langhorne, PA 19047) on October 11, 2013, to operate two (2) small gas & #2 oil fired combustion units in Fall Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409

GP9-40-005: Mericle Construction, Inc. (East Mountain Corporate Center, Wilkes-Barre, PA 18707) on October 09, 2013, to construct and operate a portable stone crushing plant at their facility in Pittston Township, **Luzerne County**.

GP5-58-010: Appalachia Midstream Services, LLC (P. O. Box 54382, Oklahoma City, OK 73154) on September 17, 2013, to renew the general operating permit GP5 for the operation of a natural gas compressor station at the facility in Rush Township, **Susquehanna County**.

GP9-40-005: Mericle Construction, Inc. (East Mountain Corporate Center, Wilkes-Barre, PA 18707) on October 08, 2013, to construct and operate diesel fired internal combustion engines at their facility in Pittston Township, **Luzerne County**.

GP19-39-001: Victaulic Co. (PO Box 31, Easton, PA 18044-0031) on October 18, 2013, for the renewal of their permit for two shot blast machines at the site located in Alburts Borough, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

GP6-07-03056A: Stevenson's, Inc. (2501 18th Street, Altoona, PA 16601) on October 9, 2013, for the existing petroleum dry cleaning operation, under GP6, at their Altoona City, **Blair County** location.

GP13-21-05042A: Pennsy Supply, Inc. (PO Box 3331, Harrisburg, PA 17105-3331) on October 18, 2013, to install and operate a counter flow drum mix asphalt plant, under GP13, at their Silver Spring Quarry in Silver Spring Township, **Cumberland County**.

GP6-28-03015: Tip Top Cleaners (337 Wayne Avenue, Chambersburg, PA 17201) on October 16, 2013, for the petroleum dry cleaning unit, under GP6, at their dry cleaning facility in the Borough of Chambersburg, **Franklin County**. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP5-41-717: NFG Midstream Trout Run, LLC (6363 Main Street, Williamsville, NY 14221) on October 10, 2013, to construct and operate five (5) 1,380 bhp Waukesha #L5794GSI, natural gas-fired compressor engines, each equipped with a Maxim Silencers #QAC4-67-14 catalytic oxidizer, three (3) 200 kW Capstone #C200 NG, natural gas-fired MicroTurbines, one (1) 100 MMscfd FLOCO #500MD30F12N3PYS TEG dehydration unit equipped with a 0.77 MMBtu/hr natural gas-fired reboiler, one (1) 150 MMscfd FLOCO (or equivalent) TEG dehydration unit equipped with a 3.08 MMBtu/hr natural gas-fired reboiler, one (1) 16,800 gallon production water

storage tank, one (1) 3,000 gallon TEG tank and one (1) 3,000 gallon lube oil tank pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at their Bodine Compressor Station in McIntyre Township, **Lycoming County**.

GP1-49-00004: Resilite Sports Products, Inc. (P. O. Box 764, Sunbury, PA 17801) on October 9, 2013, for the operation of a 13.39 million Btu per hour, natural gas-fired boiler pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-1 (GP-1), Small Gas and No. 2 Oil Fired Combustion Units (BAQ-GPA/GP-1) at their facility located in Northumberland Borough, **Northumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP3-43-368A: Osborn Materials @ Trinity Industries Site (60 Union Street, Greenville, PA 16125) on October 11, 2013, to construct a portable nonmetallic mineral processing plant consisting of a crusher (Pioneer model CS 3042 Portable Jaw Plant, manufactured in 1998 with a rating of 357 tph), a vibratory screen (Sandvik Model QA 340 manufactured in 2012 with a rating of 357 tph), and a conveyor (Edge Model MS65 manufactured in 2013 with a rating of 357 tph) (BAQ/GPA-GP-3) in Greenville Borough, **Mercer County**.

GP11-43-368B: Osborn Materials @ Trinity Industries Site (60 Union Street, Greenville, PA 16125) on October 11, 2013, for the operation of a Cummins diesel engine Model N14-P (engine I.D. 11867507) (EPA engine family name VCE855RGDTRA) 305 bhp diesel engine (date of manufacture of October 1997), this authorization cannot be used with portable nonmetallic mineral processing plants at a location for more than twelve (12) consecutive months (BAQ/GPA-GP-11) at Greenville Borough, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409

48-00031A: Dixie Consumer Products LLC (605 Kuebler Road, Easton, PA 18040-9281) on October 08, 2013, to install new cup forming machines at the facility in Forks Borough, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

38-03057A: Porterfield-Scheid Funeral Directors & Cremation Services, Ltd. (980 Isabel Drive, Lebanon, PA 17042-7482) on October 15, 2013, for their existing human crematory at their facility in North Cornwall Township, **Lebanon County**.

22-05050B: Dauphin Meadows Inc.—Waste Management (425 Perinton Parkway, Fairport, NY 14450) on October 17, 2013, for installation of an open/candlestick (i.e., utility) flare (DEP ID No. C002) to handle reduced landfill gas (LFG) flows at their closed landfill in Washington Township, **Dauphin County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

67-03166A: C & S Wholesale Grocers, Inc. (4875 North Susquehanna Trail, York, PA 17406) on October 9, 2013, for ten existing and/or new backup generators to be used for emergencies, testing/maintenance, and demand response at the distribution/shipping/warehouse facility in York City, **York County**. The plan approval was extended.

28-05045A: PPL Renewable Energy, LLC (Two North Ninth Street (GEN PL2), Allentown, PA 18101) on October 16, 2013, for construction and temporary operation of a landfill gas electric generation facility, to be known as the Blue Ridge Renewable Energy Plant, at the Blue Ridge Landfill, in in Greene Township, **Franklin County**. The Blue Ridge Renewable Energy Plant will consist of a landfill gas treatment system, four (4) landfill gas-fired reciprocating internal combustion engines (RICES), four (4) associated electric generators, and an enclosed ground flare. The plan approval was extended.

06-03117G: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 17606-3266) on October 11, 2013, for construction and temporary operation of a micronizing mill controlled by a fabric collector and final filter, at their custom milling facility in Exeter Township, **Berks County**. The plan approval was extended

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00025A: EQT Gathering, LLC (EQT Plaza, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222) on October 4, 2013, construction and operation of the Tioga natural gas compressor station in Duncan Township, **Tioga County**. The plan approval has been extended to April 1, 2014.

18-00005D: Dominion Transmission, Inc. (PO Box 2450, Clarksburg, WV 26302-2450), on October 15, 2013, to authorize the construction and operation for the construction and operation of a 16,000 brake-horsepower (bhp) natural gas-fired turbine/compressor engine (Source ID P110), a 690 bhp natural gas-fired emergency generator (Source ID P202), a 4.2 million Btu per hour boiler and a 2.5 million Btu per hour boiler (Source ID 042) at their Finnefrock Compressor Station in Leidy Township, **Clinton County**. The plan approval has been extended to April 19, 2014.

08-00010C: Global Tungsten & Powders Corp. (1 Hawes Street, Towanda, PA 18848) on October 16, 2013, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from

October 30, 2013 to April 28, 2014, at their facility in Towanda Borough, **Bradford County**. The plan approval has been extended.

08-00010D: Global Tungsten & Powders Corp. (1 Hawes Street, Towanda, PA 18848) on October 16, 2013, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from October 31, 2013 to April 29, 2014, at their facility in Towanda Borough, **Bradford County**. The plan approval has been extended.

08-313-004K: Global Tungsten & Powders Corp. (1 Hawes Street, Towanda, PA 18848) on October 16, 2013, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from October 30, 2013 to April 28, 2014, at their facility in Towanda Borough, **Bradford County**. The plan approval has been extended.

08-313-004L: Global Tungsten & Powders Corp. (1 Hawes Street, Towanda, PA 18848) on October 16, 2013, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from November 20, 2013 to May 19, 2014, at their facility in Towanda Borough, **Bradford County**. The plan approval has been extended.

08-313-042D: Global Tungsten & Powders Corp. (1 Hawes Street, Towanda, PA 18848) on October 16, 2013, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from November 3, 2013 to May 2, 2014, at their facility located in Towanda Borough, **Bradford County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

03-00229E: Rosebud Mining Co. (301 Market Street, Kittanning PA 16201) on October 18, 2013, to grant a 180 day Plan Approval extension for their Coal Screening Plant at Logansport Mine facility in Bethel Township, **Armstrong County**.

65-00642A: Equitrans LP (625 Liberty Avenue, Pittsburgh, PA 15222) on October 18, 2013, Pennsylvania Department of Environmental Protection modified and extended a Plan Approval that authorized the installation and operation of Cameron Compressor Systems Cleanburn Technology packages (Cleanburn) on three existing Cooper-Bessemer engines, the uprate of the engines from 1,100 hp to 1,350 hp, and the establishment of Federally enforceable synthetic minor emission limitations, and a change of responsible official for the Hartson Station in Finleyville Boro, **Washington County**.

65-00983A: Dominion Transmission, Inc.—Rock Springs Compressor Station (500 Dominion Boulevard, Glenn Allen, VA, 23060) on October 20, 2013, the company has requested a plan approval extension in order to have additional time to prepare and submit an application to convert the plan approval into an operating permit located in Salem Township, **Westmoreland County**. The plan approval is being extended until April 18, 2014.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Norman Frederick, Facilities Permitting Chief—Telephone: 570-826-2409

48-00089: Spray-Tek, LLC (3010 Avenue B, Bethlehem, PA 18017-2114) on September 20, 2013, issued a renewal State Only Operating Permit for a facility in the City of Bethlehem, **Northampton County**

40-00063: Kappa Graphics, LP (50 Rock Street, Pittston, PA 18640-3028) on October 18, 2013, for operation of a lithographic printing operation in Hughestown Borough, **Luzerne County**. The sources consist of three (3) presses and a thermal oxidizer for emission control of volatile organic compounds (VOC's). This is a renewal of a State-Only Operating Permit. The State-Only operating permit includes emissions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

36-03080: Rohrer's Quarry, Inc. (PO Box 365, 70 Lititz Road, Lititz, PA 17543) on October 8, 2013, to renew their state only permit for their quarry and stone crushing facility in Warwick Township, **Lancaster County**.

67-03151: Kenworthy Funeral Home, Inc. (269 Frederick Street, Hanover, PA 17331-3614) on October 15, 2013, for the human crematory unit at their facility in Hanover Borough, **York County**.

36-05099: Pennsy Supply, Inc. (PO Box 4688, Lancaster, PA 17604-4688) on October 15, 2013, their State-only permit was renewed for the McMinn's batch asphalt plant in East Hempfield Township, **Lancaster County**.

07-05044: New Enterprise Stone & Lime Co., Inc. (PO Box 77, New Enterprise, PA 16664-0077) on October 15, 2013, for their limestone crushing operation at the Roaring Spring Quarry in Taylor Township, **Blair County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

60-00011: United States Department of Justice (PO Box 3500, White Deer, PA 17887) on October 9, 2013, for the Allenwood Federal Prison in Gregg Township, **Union County**. Sources at the facility consist of multiple natural gas-fired combustion units less than 2.5 million Btu per hour rated heat input, three (3) 25.1 million Btu per hour, dual-fired boilers, four (4) natural gas-fired emergency generators, two (2) diesel-fired generators, one (1) parts washer and a wood finishing operation. The operating permit includes emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matthew M. Williams, Environmental Program Manager—Telephone: 814-332-6636

33-00174: Brownlee Lumber Company (2652 Hazen Richardsville Road, Brookville 15825) on October 15, 2013, renewed a State Only Operating Permit for the facility in Warsaw Township, **Jefferson County**. The primary sources at the facility are a 125 hp wood boiler and saw mill operations. Potential Emissions for the site are less than the Title V thresholds. The facility is a Natural Minor. The boiler is subject to 40 CFR Part 63 Subpart JJJJJJ, the NESHAP for Area Source Boilers. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00309: Bucks Fabricating, Inc. (3547 Perry Highway, Hadley, PA 16130) on October 15, 2013, renewed a State Only Operating Permit for the roll-off container fabricating facility located in Sandy Creek Township, **Mercer County**. The primary sources at the facility are cleaning and coating operations, two paint booths, and a 13 kW propane-fueled emergency generator. The emergency generator is subject to 40 CFR Part 63 Subpart ZZZZ, the NESHAP for Stationary RICE. Potential Emissions for the site are less than the Title V thresholds. The facility is a Natural Minor. Conditions from previous permits and plan approvals are incorporated into the renewal. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00262: Penn Color, Inc. (2755 Bergey Road, Hatfield, PA 19440) On October 17, 2013, for issuance of a modified State Only Operating Permit to operate pigment manufacturing equipment at the Penn Color, Inc., pigment manufacturing facility located at 2755 Bergey Road, Hatfield, PA 19440, Hatfield Township, **Montgomery County**. Request for Determination (RFD) No. 3821 is being incorporated into the facility synthetic minor operating permit, 46-00262. This Operating Permit shall include monitoring and recordkeeping requirements to ensure that this facility complies with all applicable air quality regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Program Manager—Telephone: 717-705-4702.

06-05104: Berks Products Corp. (167 Berks Products Drive, Leesport, PA 19533) on October 15, 2013, for the stone crushing operations at the Evansville Quarry in Maiden creek Township, **Berks County**. The State-only permit was administratively amended to reflect a change of ownership.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

56111302 and NPDES No. PA0236101. Wilson Creek Energy LLC, (609 Georgian Place, Somerset, PA 15501). To operate the Acosta Deep Mine in Jenner, Lincoln, Quemahoning, and Somerset Townships, **Somerset County**, a new underground mine and related NPDES permit. Surface Acres Proposed 49.8, Underground Acres Proposed 2,776.4, Subsidence Control Plan Acres Proposed 1,785.6. Receiving Stream: Unnamed Tributary to Quemahoning Creek, classified for the following use: CWF. The application was considered administratively complete on November 10, 2011. Application received May 11, 2011. Permit issued October 18, 2013.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56070108 and NPDES No. PA0262323. Hoffman Mining, Inc., 118 Runway Road, P. O. Box 130, Friedens, PA 15541, permit renewal for the continued operation and restoration of a bituminous surface mine in Paint Township, **Somerset County**, affecting 135.5 acres. Receiving stream(s): unnamed tributaries to/and Shade Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 26, 2013. Permit Issued: October 15, 2013.

Permit No. 56060111 and NPDES No. PA0262269. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, permit renewal for the reclamation only of a bituminous surface mine in Black Township, **Somerset County**, affecting 111.3 acres. Receiving streams: unnamed tributaries to/and Coxes Creek classified for the following use: warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: July 17, 2013. Permit Issued: October 15, 2013.

Permit No. 56880101 and NPDES No. PA0598127. Cooney Brothers Coal Co., P. O. Box 246, Cresson, PA 16630, revision of an existing bituminous surface mine to change the land use from forestland and pastureland or land occasionally cut for hay to unmanaged natural habitat, and forestland to industrial/commercial in Paint Township, **Somerset County**, affecting 191.8 acres. Receiving streams: unnamed tributaries to/and Shade Creek

classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: March 25, 2013. Permit Issued: October 15, 2013.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

30803044 and NPDES Permit No. PA0126375. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Transfer of permit formerly issued to State Industries, Inc., for continued operation and reclamation of a bituminous surface mining site located in East Franklin Township, **Armstrong County**, affecting 97.9 acres. Receiving stream: unnamed tributary to Limestone Run. Application received: March 25, 2013. Transfer permit issued: October 11, 2013.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54920201R4. Northeastern Power Company, (PO Box 7, McAdoo, PA 18237), renewal of an existing anthracite surface mine, coal refuse reprocessing and refuse disposal operation in Kline and Packer Townships, **Schuylkill and Carbon Counties** affecting 876.0 acres, receiving stream: Little Schuylkill River. Application received: March 13, 2012. Renewal issued: October 16, 2013.

54920201GP104. Northeastern Power Company, (PO Box 7, McAdoo, PA 18237), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54920201 in Kline and Packer Townships, **Schuylkill and Carbon Counties**, receiving stream: Little Schuylkill River. Application received: August 12, 2013. Permit issued: October 16, 2013.

54851325R5 and NPDES Permit No. PA0223255. B & B Anthracite Coal Company, (225 Main Street, Joliette, PA 17981), renewal of an existing anthracite underground mine operation in Tremont Township, **Schuylkill County** affecting 8.0 acres, receiving stream: Lorberry Creek. Application received: January 24, 2011. Renewal issued: October 18, 2013.

Noncoal Permits Issued

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

1270-10110303-E-1. Allegheny Mineral Corporation (P. O. Box 1020, Kittanning, PA 16201) Application for a stream encroachment to conduct mining support activities no closer than 25 feet and construct a stream crossing over unnamed tributary No. 1 to South Branch Slippery Rock Creek. Receiving streams: One unnamed tributary to Glade Dam Lake, four unnamed tributaries to South Branch Slippery Rock Creek and South Branch Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. In conjunction with this approval, the Department is granting 401 Water Quality Certification certifying that the approved activities will comply with the applicable provisions of Sections 301—303, 306 and 307 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341) and will not violate applicable federal and state water quality standards. Application received: April 27, 2011. Permit Issued: October 9, 2013.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

General Permit for Short-Term Construction Projects

Approval of Registration/Applications under General Permit for Short-Term Construction Project BMR-GP-103

58121003. Nittany Nova Aggregates, LLC, (2840 West Clymer Road, Telford, PA 18969), authorization to extract stone for the Talisman Repine T07-022 Well Site in Choconut Township, **Susquehanna County** affecting 5.0 acres, receiving stream: unnamed tributaries to Choconut Creek. Application received: September 17, 2012. Permit issued: October 18, 2013.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

40134116. Maine Drilling & Blasting, Inc., (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Humboldt Industrial Park Lots 40A-1 & 40A-2 in Hazle Township, **Luzerne County** with an expiration date of October 30, 2014. Permit issued: October 15, 2013.

46134120. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Kingston Hill II in New Hanover Township, **Montgomery County** with an expiration date of October 7, 2014. Permit issued: October 15, 2013.

58134161. Meshoppen Blasting, Inc., (P. O. Box 127, Meshoppen, PA 18630), construction blasting for Southwestern Range 59 in New Milford Township, **Susquehanna County** with an expiration date of February 1, 2014. Permit issued: October 15, 2013.

40134117. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Dave Kliamovich utilities in Union Township, **Luzerne County** with an expiration date of December 31, 2013. Permit issued: October 16, 2013.

45134110. Maine Drilling & Blasting, Inc., (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Kalahari Resort in Tobyhanna Township, **Monroe County** with an expiration date of October 4, 2014. Permit issued: October 16, 2013.

58134160. MD Drilling & Blasting, Inc., (88 Goldledge Avenue, Suite 2, Auburn, NH 03032), construction blasting for Gibson Pipeline Project in Gibson Township, **Susquehanna County** with an expiration date of October 7, 2014. Permit issued: October 16, 2013.

22134108. Douglas Explosives, Inc., (PO Box 77, Philipsburg, PA 16866), construction blasting for Rutherford Yard Project in Swatara Township, **Dauphin County** with an expiration date of October 15, 2014. Permit issued: October 17, 2013.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A.

§§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E46-1092—Pennsylvania Department of Transport, District 6; 7000 Geerdes Blvd, Upper Merion Township, West Norriton Township, **Montgomery County.** ACOE Philadelphia District

To perform the below-listed water obstruction and encroachment activities across Schuylkill River (WWF-MF) to facilitate the construction of a Pedestrian Bridge connecting the Schuylkill River Trail to public lands of the Valley Forge National Historical Park located on both side of the river. This bridge will be constructed in the right of way of the demolished Old Betzwood Pike Bridge which carried Trooper Road, State Route (SR 3051) over the Schuylkill River at the time:

1. To the remove three old bridge pier foundations (form the demolished Old Betzwood Pike Bridge) and to construction and maintain three new piers in the Schuylkill River to support the proposed multi-use bicycle/pedestrian bridge.

2. To construct and maintain approximately 65,000 cubic yards of rock scour protection around all the proposed piers.

3. To construct temporary rock causeway to access the old pier removal and new pier construction creating temporary impacts to the stream.

4. To place temporary fill of approximately 4,000 SF into the stream to facilitate cofferdams for the removal of the old piers and the construction of the proposed piers.

This project site will have approximately 0.14 acre of permanent stream impact and approximately 0.69 acre of temporary stream impacts. The project site is a located approximately 268 feet south of the intersection of Trooper Road and Sullivan Lane at the boundary of West Norriton and Upper Merion Townships, Montgomery County. (PA Valley Forge USGS Quadrangle N: 19.63 inches; W: 6.46 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E09-977 Pennsylvania Department of Transport, District 6, 7000 Geerdes Blvd, King of Prussia, Warminster and Warwick Townships, **Bucks County.** ACOE Philadelphia District

To perform the following water obstruction and encroachment activities associated with the roadway widening and other improvement of approximately 3.9 miles of State Route 263 (York Road) between Bristol Road (S.R. 2025) and just south of Sugar Bottom Road (S.R. 2113) in Warminster and Warwick Townships:

1. To realign the confluence of two unnamed tributaries to Neshaminy Creek to facilitate the natural meandering of the stream at that point and prevent sediment deposits.

2. To remove and replace approximately 13 cubic yards of existing R-6 scour protection around pier 2 of the SR 0263 bridge over the Little Neshaminy Creek (TSF).

3. To place and maintain fill along approximately 31 linear feet of an unnamed tributary to the Little Neshaminy Creek to facilitate temporary construction easement in the vicinity of Road Station 183+50.

4. To place and maintain fill along approximately 79 linear feet of an unnamed tributary to the Little Neshaminy Creek on the southbound side of SR 0263 (Road Station 184+00) to accommodate slope stability improvements.

5. To construct and maintain an 18-inch corrugated metal pipe (CMP) enclosure replacing an existing 18-inch reinforced concrete pipe (RCP) enclosure of an unnamed tributary to the Little Neshaminy Creek at River Station 197+38.

6. To fill approximately 70.36 linear feet (709.96 square feet) of an existing stormwater channel discharging into an unnamed tributary to Neshaminy Creek and divert the source of the stormwater discharge from the existing 24-inch RCP by another route under SR 0263 to the proposed stormwater management BMP device at Sta. 237+50.

7. To construct and maintain a 31-inch by 51-inch arch RCP culvert and wingwalls in place of the existing 35-inch by 57-inch elliptical CMP culvert located approximately at Station 222+00. Work will involve the modification of the roadway approach grading to accommodate the replacement.

8. To construct and maintain a 19-inch by 30-inch reinforced concrete elliptical pipe (RCEP) and a 24-inch by 38-inch pipe in place of an existing 18-inch RCP storm sewer system that conveys an unnamed tributary to Neshaminy Creek which passes under SR 0263 located in the vicinity of Station 279+80.

9. To place and maintain fill within an unnamed tributary to the Neshaminy Creek located between Stations 328+75 and 330+00 to accommodate the proposed roadway widening.

10. To construct and maintain a 73-inch by 45-inch arch RCP culvert at Road station 290+50 replacing an existing 72-inch by 43-inch elliptical CMP culvert.

11. To replace and maintain a 24-inch RCP enclosure, in kind, along an unnamed tributary to Neshaminy Creek located approximately at Station 231+50.

12. To construct and maintain a temporary access road crossing over an unnamed tributary to the Little Neshaminy Creek approximately located at Station 184+00 to facilitate the project objectives.

13. To construct and maintain an 18-inch diameter RCEP stormwater outfall into the Little Neshaminy Creek approximately located at Station 167+97 associated with a proposed stormwater management basin.

14. To construct and maintain an 18-inch diameter RCP stormwater outfall and associated TRM located approximately at Station 196+66 which will discharge stormwater from a trench drain constructed under SR 0263, to an unnamed tributary to the Little Neshaminy Creek

15. To construct and maintain an 18-inch diameter RCP stormwater outfall discharging into an unnamed tributary to Neshaminy Creek approximately located at Station 238+53. The outlet of this pipe will include a proposed wingwall and will collect discharge stormwater from bypass runoff to Waterway T.

16. To construct and maintain an 18-inch RCP outfall structure to an unnamed tributary to Neshaminy Creek located approximately at Station 287+28. The outlet will discharge from a proposed vegetated swale.

17. To construct and maintain a 38-inch by 60-inch diameter RCEP outfall structure to an unnamed tributary to Neshaminy Creek, located approximately at Station 238+36 and discharging stormwater from a proposed stormwater management basin.

18. To place and maintain fill within an unnamed tributary of Neshaminy Creek, located approximately between Stations 265+00 and 266+00, to accommodate the proposed roadway widening.

19. To place and maintain temporary fill within an unnamed tributary to the Neshaminy Creek located approximately between Stations 289+50 and 290+10. The fill will accommodate a temporary erosion and sedimentation control device during construction.

20. To extend and maintain an existing 18-inch CMP outfall by 12 feet at the headwaters of an unnamed tributary to the Neshaminy Creek.

The project site commences at the intersection of Bristol Road and York Road (SR 0263) and ends approximately 3.9 north at the intersection of Sugar Bottom Road and York Road (SR 0263) in Warwick and Warminster Townships, Bucks County, (Latitude 40° 14' 33.95"; Longitude 75° 05' 23.83").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

E51-011T-1. Philadelphia Energy Solutions PES, 3144 W. Passyunk Avenue, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To maintain an existing steel sheet pile bulkhead and an existing crib structure (Case Wharf) along the east bank of the Schuylkill River, beginning at a point immediately south of the Passyunk Avenue Bridge in the City and County of Philadelphia.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5829-046: Williams Field Services Company, LLC, Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275, Dimock and Springville Townships, **Susquehanna County**, ACOE Baltimore District.

To operate and maintain:

1. an 8-inch diameter natural gas gathering pipeline and timber mat crossing impacting 4,710 square feet (0.11 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 16", Long. -75° 52' 38");

2. an 8-inch diameter natural gas gathering pipeline and timber mat crossing impacting 3,181 square feet (0.07 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 21", Long. -75° 53' 01");

3. an 8-inch diameter natural gas gathering pipeline and timber mat crossing impacting 3,816 square feet (0.09 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 21", Long. -75° 53' 04");

4. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,994 square feet (0.05 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 46", Long. -75° 52' 37");

5. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,870 square feet (0.04 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 51", Long. -75° 52' 25");

6. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 44 square feet (0.01 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 58", Long. -75° 52' 15");

7. a 6-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,263 square feet (0.03 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 59", Long. -75° 52' 14");
8. a timber mat crossing impacting 174 square feet (0.01 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 43' 33", Long. -75° 52' 56");
9. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 5,097 square feet (0.12 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 43' 40", Long. -75° 52' 45");
10. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 2,439 square feet (0.06 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 16", Long. -75° 52' 38");
11. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,612 square feet (0.04 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 21", Long. -75° 53' 01");
12. a 4-inch diameter natural gas gathering pipeline and timber mat crossing impacting 11,892 square feet (0.27 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 21", Long. -75° 53' 04");
13. a 2-inch diameter natural gas gathering pipeline and timber mat crossing impacting 828 square feet (0.02 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 46", Long. -75° 52' 37");
14. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 4,269 square feet (0.10 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 51", Long. -75° 52' 25");
15. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,786 square feet (0.04 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 58", Long. -75° 52' 15");
16. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,307 square feet (0.03 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 59", Long. -75° 52' 14");
17. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 2,352 square feet (0.05 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 43' 33", Long. -75° 52' 56");
18. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 5,271 square feet (0.12 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 43' 40", Long. -75° 52' 45");
19. a 2-inch diameter natural gas gathering pipeline and timber mat crossing impacting 4,574 square feet (0.11 acre) of a PSS wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 16", Long. -75° 52' 38");
20. a 2-inch diameter natural gas gathering pipeline and timber mat crossing impacting 4,051 square feet (0.10 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 21" Long. -75° 53' 01");
21. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,089 square feet (0.03 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 21", Long. -75° 53' 04");
22. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1,002 square feet (0.02 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 46", Long. -75° 52' 37");
23. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 87 square feet (0.01 acre) of a PEM/PSS wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 51", Long. -75° 52' 25");
24. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 87 square feet (0.01 acre) of a PSS wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 58", Long. -75° 52' 15");
25. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 87 square feet (0.01 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; Lat. 41° 44' 59", Long. -75° 52' 14");
26. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 3,746 square feet (0.09 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; Lat. 41° 43' 33", Long. -75° 52' 56");
27. a 8-inch diameter natural gas gathering pipeline and timber mat crossing impacting 57 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 37", Long. -75° 52' 15");
28. a 8-inch diameter natural gas gathering pipeline and timber mat crossing impacting 54 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 32", Long. -75° 52' 15");
29. a 8-inch diameter natural gas gathering pipeline and timber mat crossing impacting 56 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 23", Long. -75° 52' 14");
30. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 69 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 20", Long. -75° 52' 00");
31. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 92 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 20", Long. -75° 52' 00");
32. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 50 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 39", Long. -75° 52' 04");
33. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 361 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 39", Long. -75° 52' 04");
34. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 1 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 49", Long. -75° 52' 15");

35. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 2 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 50", Long. -75° 52' 15");

36. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 115 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 58", Long. -75° 52' 36");

37. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 55 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 51", Long. -75° 52' 36");

38. a 4-inch diameter natural gas gathering pipeline and timber mat crossing impacting 89 linear feet of an unnamed tributary to Stevens Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 43' 11", Long. -75° 53' 09");

39. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 50 linear feet of Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 55", Long. -75° 52' 16");

40. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 25 linear feet of Burdick Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 43' 04", Long. -75° 52' 26");

41. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 71 linear feet of an unnamed tributary to Burdick Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 44' 01", Long. -75° 53' 29");

42. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 50 linear feet of Burdick Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 44' 01", Long. -75° 53' 03");

43. a 10-inch diameter natural gas gathering pipeline and timber mat crossing impacting 6 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 45' 00", Long. -75° 52' 16");

44. a 8-inch diameter natural gas gathering pipeline and timber mat crossing impacting 50 linear feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Hop Bottom, PA Quadrangle; Lat. 41° 42' 18", Long. -75° 52' 24").

The 2008 Core Zone Pipeline project consists of operating and maintaining approximately 11.8 miles of previously constructed pipeline within Dimock and Springville Townships, Susquehanna County. The unpermitted Chapter 105 crossings resulted in the impact of 1,253 lineal feet of stream impacts and a total of 1.58 acres (68,825 square feet) of wetland impacts, of which, 0.73 acre (31,767 square feet) are permanent wetlands conversion impacts. The project was installed for the purpose of providing safe and reliable conveyance of natural gas from the Marcellus Shale formation to market.

E5729-051: PVR NEPA Gas Gathering, LLC, 100 Penn Tower, Suite 201 & 202, 25 West Third Street, Williamsport, PA 17701, Davidson and Shrewsbury Townships, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 62 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'08"N, 76°34'55"W);

2) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 62 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'08"N, 76°34'55"W);

3) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 589 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Sonestown, PA Quadrangle 41°21'09"N, 76°35'03"W);

4) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 425 square feet of a palustrine emergent (PEM) wetland (Sonestown, PA Quadrangle 41°21'10"N, 76°35'08"W);

5) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 64 linear feet of Trout Run (EV) (Sonestown, PA Quadrangle 41°21'11"N, 76°35'17"W);

6) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 608 square feet of a palustrine forested (PSS) wetland (Sonestown, PA Quadrangle 41°21'14"N, 76°35'35"W);

7) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 63 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'14"N, 76°35'37"W);

8) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 70 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'16"N, 76°35'55"W);

9) a 12 inch diameter steel gas line impacting 18 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'16"N, 76°36'02"W);

10) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 37 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'16"N, 76°36'08"W);

11) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 61 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'16"N, 76°36'11"W);

12) a temporary road crossing using a timber mat bridge impacting 20 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'15"N, 76°36'11"W);

13) a temporary road crossing using a timber mat bridge impacting 34 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'15"N, 76°36'11"W);

14) a temporary road crossing impacting 100 linear feet of an unnamed tributary to Trout Run (EV) (Sonestown, PA Quadrangle 41°21'09"N, 76°36'18"W);

15) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 1,865 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Sonestown, PA Quadrangle 41°21'01"N, 76°36'23"W);

16) a temporary road crossing using a timber mat bridge impacting 41 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'58"N, 76°36'29"W);

17) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 51 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'55"N, 76°36'32"W);

18) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 51 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'55"N, 76°36'33"W);

19) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 2,131 square feet of an exceptional value palustrine forested (EV-PFO) wetland and 11,395 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Sonestown, PA Quadrangle 41°20'57"N, 76°36'31"W);

20) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 65 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'54"N, 76°36'36"W);

21) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 72 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'53"N, 76°36'39"W);

22) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 61 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'52"N, 76°36'44"W);

23) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 63 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'50"N, 76°36'49"W);

24) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 60 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'47"N, 76°36'54"W);

25) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 52 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'47"N, 76°36'54"W);

26) a temporary road crossing using a timber mat bridge impacting 30 linear feet of an unnamed tributary to Rock Run (EV) (Sonestown, PA Quadrangle 41°20'43"N, 76°37'22"W);

27) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 3,380 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Sonestown, PA Quadrangle 41°20'44"N, 76°37'23"W);

28) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 61 linear feet of Rock Run (EV) (Sonestown, PA Quadrangle 41°20'46"N, 76°37'27"W);

29) a temporary road crossing using a timber mat bridge and a 12 inch diameter steel gas line impacting 824 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Picture Rocks, PA Quadrangle 41°20'47"N, 76°37'31"W).

The project will result in 1,180 linear feet of temporary stream impacts, 6,708 square feet (0.15 acre) of permanent wetland impacts, and 14,509 square feet (0.33 acre) of temporary wetland impacts from the installation of one

12 inch diameter steel gas line and associated access roadways in Davidson and Shrewsbury Townships, Sullivan County. The permittee will provide 32,916 square feet (0.76 acre) of compensatory mitigation at the Hershberger Mitigation Site (Washingtonville, PA Quadrangle 41°05'16"N, 76°42'43"W) in Limestone Township, Montour County.

E4129-068: PVR NEPA Gas Gathering, LLC, 101 West Third Street, Williamsport, PA 17701, Cogan House Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1. one 8-inch gas line and a timber mat bridge impacting 47 linear feet of an unnamed tributary to Roaring Run (EV, MF) (Salladasburg Quadrangle 41°22'18"N 77°10'26"W);

2. one 8-inch gas line and a timber mat bridge impacting 46 linear feet of Roaring Run (EV, MF) (Salladasburg Quadrangle 41°22'18"N 77°10'30"W);

3. one 8-inch gas line and a timber mat bridge impacting 65 linear feet of an unnamed tributary to Roaring Run (EV, MF) (Salladasburg Quadrangle 41°22'17"N 77°10'37"W).

The project will result in 158 linear feet of stream impacts all for the purpose of installing a natural gas gathering line and temporary access roadways for Marcellus well development.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

<i>ESCGP-2 No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
0413004	Mark West Liberty Bluestone, LLC. 4600 J. Barry Court Suite 500 Canonsburg, PA 15317	Beaver County	South Beaver Township, Darlington Township, Darlington Borough, Big Beaver Borough, North Sewickley Township, Franklin Township, Marion Township, Jackson Township, Lancaster Township	Beaver River (WWF), Brush Creek (WWF), Camp Run (WWF), Clarks Run (WWF), Connoquenessing Creek (WWF), Doe Run (WWF), Hazen Run (WWF), Jordan Run (HQ-CWF), Little Connoquenessing Creek (CWF), McCautry Run (HQ-CWF), North Fork Little Beaver Creek (HQ-CWF), Scholars Run (WWF), Thompson Run (WWF), UNTs to Beaver River (WWF), UNTs to Brush Creek (WWF), UNTs to Camp Run (WWF), UNTs to Clarks Run (WWF), UNT to Connoquenessing Creek (WWF), UNTs to Doe Run (WWF), UNTs to Hazen Run (WWF), UNTs to Jordan Run (HQ-CWF), UNTs to Little Connoquenessing Creek (CWF), UNTs to McCautry Run (HQ-CWF), UNTs to North Fork Little Beaver Creek (HQ-CWF), UNTs to Scholars Run (WWF), UNTs to Slippery Rock Creek (CWF), UNTs to Thompson Run (WWF)
11138001-1	Peoples Natural Gas Company, LLC.	Cambria County	Lower Yoder Township, West Taylor Township, Middle Taylor Township, and Jackson Township	St. Clair Run (CWF), Strayer Run (CWF), Conemaugh River (WWF), Laurel Run (HQ-CWF), and Wildcat Run (HQ-CWF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-1 #ESX13-019-0045—West Well Pad
 Applicant R.E. Gas Development LLC
 Contact Michael Endler
 Address 600 Cranberry Woods Drive
 City Cranberry Township State PA Zip Code 16066
 County Butler Township(s) Adams(s)
 Receiving Stream(s) and Classification(s) Unnamed Tributaries to Glad Run—WWF; Slippery Rock Creek Watershed

ESCGP-1 #ESX10-019-0031E-Butler County Project
 Phase Vb, Drushel Well Pad-Major Modification
 Applicant Rex Energy Operating Co
 Contact Michael Endler
 Address 600 Cranberry Woods Drive, Suite 250
 City Cranberry Township State PA Zip Code 16066
 County Butler Township(s) Jackson & Forward(s)
 Receiving Stream(s) and Classification(s) UNT to Connoquenessing Creek (WWF) (Drushel Well Pad), UNT to Breakneck Creek (WWF) (Talarico Well Pad)

ESCGP-1 #ESX13-019-0046—Spang Freshwater Impoundment

Applicant XTO Energy, Inc.
 Contact Melissa Breitenbach
 Address 502 Keystone Drive
 City Warrendale State PA Zip Code 15086
 County Butler Township(s) Penn(s)
 Receiving Stream(s) and Classification(s) UNT to Connoquenessing Creek & Thorn Creek / Connoquenessing Creek—WWF & CWF

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-1 # ESG13-015-0055

Applicant Name Appalachia Midstream Svc., LLC
 Contact Person Randy DeLaune
 Address 100 Ist Center
 City, State, Zip Horseheads, NY 14845
 County Bradford County
 Township(s) Monroe Township
 Receiving Stream(s) and Classification(s) Satterlee Run (HQ-CWF/MF)

ESCGP-1 # ESX13-015-0041

Applicant Name Southwestern Energy Production Company
 Contact Person Dave Sweeley
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657
 County Bradford County
 Township(s) Herrick & Stevens Townships
 Receiving Stream(s) and Classification(s) UNT to Camp Creek, Cold Creek (Both WWF/MF);
 Secondary: Wyalusing Creek (WWF/MF)

ESCGP-1 # ESG13-113-0010

Applicant Name Appalachia Midstream Svc., LLC
 Contact Person Randy DeLaune
 Address 100 Ist Center
 City, State, Zip Horseheads, NY 14845
 County Sullivan County
 Township(s) Fox Township
 Receiving Stream(s) and Classification(s) Trib. 20070 to Porter Creek (EV), Trib. 20083 to Hoagland Branch (EV), Porter Creek (EV), Hoagland Branch (EV);
 Secondary: UNT to the waters listed above.

ESCGP-1 # ESG13-081-0055

Applicant Name Anadarko Marcellus Midstream, LLC
 Contact Person Rane Wilson
 Address 33 W. Third Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming County
 Township(s) Cummings Township
 Receiving Stream(s) and Classification(s) First Fork Larry's Creek (EV/MF);
 Secondary: Larry's Creek (EV/MF)

ESCGP-1 # ESX13-035-0001 (02)

Applicant Name Anadarko Marcellus Midstream, LLC
 Contact Person Rane Wilson
 Address 33 W. Third Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Clinton County
 Township(s) Colebrook, Bald Eagle, & Grugan Townships
 Receiving Stream(s) and Classification(s) Tangascootak Creek, UNT's to Tangascootak Creek (Both CWF), Holland Run, UNT to Holland Run (Both HQ-CWF);
 Secondary: West Branch Susquehanna River (WWF), Tangascootak Creek (CWF), West Branch Susquehanna River (WWF), Holland Run (HQ-CWF) Holland Run is also classified as Wild Trout

OIL AND GAS MANAGEMENT

The following Well Permits have been issued with a waiver under 58 Pa.C.S. § 3215(b)(4) (relating to well location restrictions).

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed which the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not in and of itself create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483.

Southwest District: District Oil and Gas Operations, Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222

Well Permit #: 005-31169-00

Well Farm Name: Marshall Bergad 1M-24

Applicant Name: MDS Energy Development LLC

Contact Person: Randall L. Morris, Jr.

Address: 409 Butler Road Suite A Kittanning, PA 16201-4403

County: Armstrong

Municipality Name/City, Borough, Township: Washington Twp

Name of Stream, Spring, Body of Water as identified on the most current 7 1/2 minute topographic quadrangle map of the United States Geologic Survey subject to the Section 3215(b)(4) waiver: Tributary 47120 to Limestone Run

[Pa.B. Doc. No. 13-2053. Filed for public inspection November 1, 2013, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.e-library.dep.state.pa.us>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance—Substantive Revision

DEP ID: 385-2314-001. **Title:** Act 537 Program Guidance; Training Provider Manual for the Pennsylvania Onlot Sewage System Training Program. **Description:** The purpose of this document is to establish uniform procedures and protocol for reviewing and approving third-party provider-based training courses for prerequisite training for sewage enforcement officer (SEO) certification, continuing education of SEOs and for the training of onlot sewage system installers to ensure application of appropriate recognition or credit for completed training. This document also provides for uniform procedures and protocols for reviewing and approving conferences as continuing education for sewage enforcement officers.

This guidance was published as draft in the *Pennsylvania Bulletin* for a 30-day comment period from July 6, 2013, through August 5, 2013. Two comments were received from one commentator. Revisions to the draft technical guidance document resulting from the public comments are described in the accompanying Comment and Response Document.

Contact: Questions regarding the final technical guidance document should be directed to Nick Hong at (717) 705-0485 or nhong@pa.gov.

Effective Date: November 2, 2013

Final Technical Guidance—New Guidance

DEP ID: 391-2300-002. **Title:** State Board for Certification of Water and Wastewater Systems Operators, Board Guidelines. **Description:** 25 Pa. Code Chapter 302 (relating to administration of the water and wastewater systems operators' certification program) was published as a final rulemaking at 40 Pa.B. 5294 (September 18, 2010). The regulations established requirements for the State Board for Certification of Water and Wastewater Systems Operators (Board) to further clarify procedures for the administration of its responsibilities. These guidelines were developed by the Board to describe its policies and procedures for the implementation of their responsibilities as defined by the Water and Wastewater Systems Operators' Certification Act (63 P.S. §§ 1001—1015.1). The draft guidelines were published at 43 Pa.B. 3297 (June 15, 2013), and no comments were submitted. Subsequent to publication, the Department completed minor edits to improve the readability and accuracy of the guidelines.

Contact: Questions regarding the final technical guidance document should be directed to Cheri Sansoni at (717) 772-5158 or csansoni@pa.gov.

Effective Date: November 2, 2013

DEP ID: 563-2000-301. **Title:** Use of Reclamation Fill at Active Noncoal Sites. **Description:** This guidance describes the procedures in which the Department may permit the use of certain fill materials (deemed "Reclamation Fill") obtained from an off-site source in the reclamation plan of an active noncoal mine site. Criteria for meeting the definition of Reclamation Fill is defined. A previous version of draft guidance was never finalized. This version, drafted in cooperation with the Pennsylvania Aggregate and Concrete Association, replaces the historic draft entirely and includes revisions based on comments submitted through the public participation process.

Contact: Questions regarding the final technical guidance document should be directed to Keith Brady at (717) 787-4814 or kbrady@pa.gov.

Effective Date: November 2, 2013

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2054. Filed for public inspection November 1, 2013, 9:00 a.m.]

Bid Opportunity**OSM 40(1556)103.5, Abandoned Mine Reclamation Project, Hanover Reservoir Exploratory Drilling, Hanover and Newport Townships, Luzerne County.**

The principal items of work and approximate quantities include mobilization and demobilization; implementation of the Erosion and Sediment Control Plan; drilling boreholes (6-inch casing pipe 330 linear feet, 4-inch casing pipe 3,515 linear feet, 3 7/8 drilling); furnishing and installing steel casing (6-inch I.D. casing pipe 330 linear feet, 4-inch I.D. casing pipe 3,840 linear feet, steel well guard including grouting cap, lock and key 29 each, temperature data logger including cable 29 each); sealing boreholes 5 each; and seeding 8.9 acres. This bid issues on November 1, 2013, and bids will be opened on November 21, 2013, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2055. Filed for public inspection November 1, 2013, 9:00 a.m.]

Bid Opportunity**OSM 17(3991)101.1, Abandoned Mine Reclamation Project, Oscela Mills West, Decatur Township, Clearfield County.**

The principal items of work and approximate quantities include mobilization and demobilization; implementation of the Erosion and Sediment Control Plan; clearing and grubbing; grading (grading 19,900 cubic yards, furrow ripping 2 acres); tree planting 2,399 each; ditch excavation 660 cubic yards; high velocity

erosion control mulch blanket 910 square yards; R-5 rock lining with filter material 5 square yards; roadway surface material 922 tons; 24-inch diameter smooth interior corrugated polyethylene pipe; subsurface drain 1,720 linear feet; and seeding 0.3 acre. This bid issues on November 1, 2013, and bids will be opened on November 21, 2013, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2056. Filed for public inspection November 1, 2013, 9:00 a.m.]

Nutrient Credit Trading Program; Interbasin Trading Request

The Department of Environmental Protection (Department) has received a request under the Nutrient Credit Trading Program (Program) for use of credits generated in a river basin other than the river basin in which the credit user is located. See 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed), published at 40 Pa.B. 5790 (October 9, 2010).

Nutrient trading is a market-based program that provides incentives for entities to create nutrient reduction credits (credits) by going beyond statutory, regulatory or voluntary obligations and goals to remove nutrients from the Chesapeake Bay Watershed. The credits can be traded to help others more cost-effectively meet their obligations or goals. The primary purpose of the Program is to provide for more efficient ways for National Pollutant Discharge Elimination System (NPDES) permittees to meet their effluent limits for nutrients. The nutrient credit trading regulation requires that credits generated in the Susquehanna or Potomac River Basin may only be used in the basin in which they were generated, unless otherwise approved by the Department. See 25 Pa. Code § 96.8(h)(2).

Description of the Request

The McConnellsburg Sewer Authority (McConnellsburg) has requested approval to sell nitrogen credits in the Susquehanna and purchase phosphorus credits from the Susquehanna River Basin. The credits will be used to meet NPDES nitrogen and phosphorus limits at its waste water treatment facility (WWTF) located in the Potomac River Basin. McConnellsburg asserts that there are insufficient certified credits within the Potomac River basin to meet the projected phosphorus credit needs at its WWTF.

Request for Written Comments

The Department is requesting comment on McConnellsburg's request for a program for inter-basin trading. The Department intends to publish notice of a final action after it considers any comments it receives. The Department does not intend to provide written responses to the comments, but will take all timely comments into consideration in determining the final action.

Interested persons must submit written comments by November 18, 2013. The Department will accept comments submitted by e-mail, but comments submitted by facsimile will not be accepted. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Jay Braund, Division of Technical and Financial Assistance, Department of Environmental Protection, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-5636, jbraund@pa.gov.

For further information about this request or the Program visit the Department's web site at www.dep.state.pa.us (DEP Keywords: "Nutrient Trading").

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2057. Filed for public inspection November 1, 2013, 9:00 a.m.]

Proposed Fine Particulate Nonattainment Area Designation Recommendations

The Department of Environmental Protection (Department) is seeking public comment on its proposed recommendations to the United States Environmental Protection Agency (EPA) for the designation of areas not meeting the revised annual health-based National Ambient Air Quality Standards (NAAQS) for fine particulates (PM_{2.5}). Reducing concentrations of this pollutant is important because levels above the health-based standard are a serious human health threat and also can cause or contribute to other negative environmental impacts.

The EPA established a revised NAAQS for PM_{2.5} in December 2012. The annual standard for PM_{2.5} was made more protective and changed from 15 micrograms per cubic meter of air (µg/m³) to 12 µg/m³. An area does not attain the annual standard if the annual concentration, averaged over 3 years, is more than 12 µg/m³. Following promulgation of new or revised air standards, states are given the opportunity to submit recommendations for attainment/nonattainment areas, supported by most recent quality-assured and quality-controlled monitoring data.

The proposed designation recommendations are based primarily on air quality ambient monitoring (2010-2012), as well as emissions data, meteorology, geography/topography and jurisdictional boundaries. Based on this information, the Department is seeking comment on recommending that the EPA designate as "nonattainment" areas the Greater Philadelphia Area (which includes Chester, Delaware and Philadelphia Counties), Northampton County Area, Lancaster County Area, Cambria County Area, the Greater Pittsburgh Area (which includes Allegheny and Westmoreland Counties) and the Liberty/Clairton Area. The Department is also seeking comment on recommending that the EPA designate the counties monitoring below the standard as "attainment" areas and the remaining Commonwealth counties as "unclassifiable/attainment" areas.

The Department will be submitting recommendations in December 2013. The EPA is expected to make final designations in December 2014. The Department would then have 18 months to develop a plan for any areas designated as nonattainment to meet the NAAQS. This proposal is available on the Department's web site at <http://www.depweb.state.pa.us> (choose "Air Quality"), or through the contact person listed as follows.

Written comments on the proposed nonattainment area designation recommendations should be sent to Bryan Oshinski, Division of Air Resource Management, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468 or (preferred) boshinski@pa.gov, no later than November 18, 2013. Use “2012 PM_{2.5} Recommended Designations” in the subject line, and include the name, affiliation (if any), mailing address and telephone number of the interested person.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2058. Filed for public inspection November 1, 2013, 9:00 a.m.]

Proposed Reissuance of General Permit BWEW-GP-8: Temporary Road Crossings and Associated 401 Water Quality Certification

The Department of Environmental Protection, under the authority of section 7 of the Dam Safety and Encroachments Act (32 P.S. § 693.7) and 25 Pa. Code Chapter 105, Subchapter L (relating to general permits), proposes to modify and reissue General Permit BWEW-GP-8 (Temporary Road Crossings) as General Permit BWEW-GP-8 (Temporary Road Crossings and Environmental Testing or Monitoring Activities) which allows the construction, operation, maintenance and removal of temporary crossings across regulated waters of this Commonwealth, including wetlands, where no practicable alternatives exist.

The General Permit BDWM-GP-8 was initially published in final-form at 14 Pa.B. 3658 (October 6, 1984) and revised versions were published in final-form at 9 Pa.B. 5165 (December 2, 1989) and 21 Pa.B. 5992 (December 28, 1991). Proposed modifications were published at 25 Pa.B. 5653 (December 9, 1995) but a revised General Permit was never finalized at that time. Most recently the GP-8 was revised along with the other Chapter 105 general permits for consistency with revised Chapter 105 regulations; proposed modifications were published at 43 Pa.B. 1049 (February 16, 2013) and in final-form at 43 Pa.B. 3775 (July 6, 2013).

The majority of Chapter 105 general permits have not been materially revised since 1996 and the revisions to BWEW-GP-8 represent the opportunity to reorganize and establish a better organized and more concise general permit. This opportunity resulted in several changes to the general permit layout and to the contents of the general permit itself. The organizational changes include the following:

- Standardized definitions for consistency and future revisions
- Established an independent set of instructions, forms, examples and sample drawings
- Consolidated Coordination and Notification Section
- Cross-referenced terms and conditions

Additionally the scope of the general permit has been expanded to include the following other temporary activities:

- Expansion of the scope to temporary crossings which includes temporary service lines in addition to road crossings.
- Expansion of the scope to include environmental testing or monitoring activities, including seismic testing lines, that are temporary in nature and are not specific to the waiver provisions of 25 Pa. Code § 105.12(a)(12) (relating to waiver of permit requirements).

The following is the proposed text of the BWEW-GP-8 in accordance with 25 Pa. Code § 105.446(a) (relating to procedure for issuance):

1. *General Description and Authority*—The Department of Environmental Protection hereby authorizes, by General Permit, subject to the terms and criteria set forth below, the construction, operation, maintenance and removal of temporary crossings and environmental testing or monitoring activities conducted or located in, along, under, across, or over regulated waters of this Commonwealth, including wetlands. This authorization is pursuant to Section 7(b) of the Dam Safety and Encroachments Act (“DSEA”), 32 P.S. § 693.7(b), and the rules and regulations promulgated there under at 25 Pa. Code §§ 105.441—105.449 (relating to general permits). This General Permit is subject to the terms and conditions set forth below.

2. *Denial of Authorization*—The Department shall have the discretion, on a case-by-case basis, to deny, revoke or suspend the authorization to use this General Permit for any project which the Department determines to have a significant effect on the safety and protection of life, health, property or the environment or otherwise would not be adequately regulated by the provisions of this General Permit or determines that the representations made in the application to register are not accurate.

3. *Best Management Practices*—Activities conducted under this General Permit which involve an earth disturbance activity must be done in compliance with 25 Pa. Code Chapter 102 (relating to erosion and sediment control). Prior to construction, the applicant must provide an Erosion and Sediment Control Plan (E&S Plan) specific to the activity conducted under this permit, to be reviewed by the appropriate Department Regional Office or delegated County Conservation District in which the activities are proposed. If an existing Chapter 102 authorization includes an E&S Plan showing the earth disturbance for the temporary crossing or activity, an additional E&S Plan is not required. The E&S Plan must be available on site throughout the duration of this project, and all BMPs on the plan must be implemented and maintained prior to, during and after construction. The project site shall at all times be available for inspection by authorized employees of the Department or delegated County Conservation District.

4. *Submerged Lands of this Commonwealth*—This General Permit shall not be effective to authorize any project on, under or over submerged lands of this Commonwealth until the owner has obtained a license from the Department authorizing the occupation of such submerged lands issued under Section 15 of the DSEA, 32 P.S. § 693.15, Section 514 of The Administrative Code of 1929, 71 P.S. § 194, or other applicable laws. Upon receipt of the General Permit Registration form from the owner, the Department will review the project to determine if its location is on, under or over submerged lands of the Commonwealth.

5. *Definitions*—The following terms as used in this General Permit shall have the following meanings:

Along—Touching or contiguous; to be in contact with; to abut upon.

Appurtenant Works—Structures or materials incident to or annexed to dams or water obstructions which are built or maintained in connection with the dams or water obstructions and are essential to their proper functioning.

BMPs—Best Management Practices—Activities, facilities, measures, planning or procedures used to minimize accelerated erosion and sedimentation and manage stormwater to protect, maintain, reclaim, and restore the quality of waters and the existing and designated uses of waters within this Commonwealth before, during, and after earth disturbance activities.

Body of Water—A natural or artificial lake, pond, reservoir, swamp, marsh or wetland.

Bridge—A structure and its appurtenant works erected over the regulated waters of this Commonwealth.

Causeway—An embankment constructed wholly or in part across or along a stream.

Culvert—A structure with appurtenant works which carries a stream under or through an embankment or fill.

Department—The Department of Environmental Protection.

Earth Disturbance Activity—A construction or other human activity which disturbs the surface of the land, including land clearing and grubbing, grading, excavations, embankments, land development, agricultural plowing or tilling, operation of animal heavy use areas, timber harvesting activities, road maintenance activities, oil and gas activities, well drilling, mineral extraction, and the moving, depositing, stockpiling, or storing of soil, rock or earth materials.

E&S Plan—Erosion and Sediment Control Plan—A site-specific plan consisting of both drawings and a narrative that identifies BMPs to minimize accelerated erosion and sedimentation before, during and after earth disturbance activities.

Encroachment—A structure or activity which changes, expands or diminishes the course, current or cross section of a watercourse, floodway or body of water.

Environmental Testing or Monitoring Activities—Investigative activities of a temporary nature, not to exceed one (1) year, including but not limited to soils sampling, borings of soil or rock material, sensor placement and recording devices and other similar or related activities. This term does not include monitoring or testing activities relating to water quality testing waived from permit requirements at 25 Pa. Code § 105.12(a)(12).

Floodplain—The lands adjoining a river or stream that have been or may be expected to be inundated by flood waters in a 100-year frequency flood.

Floodway—The channel of the watercourse and portions of the adjoining floodplains which are reasonably required to carry and discharge the 100-year frequency flood. Unless otherwise specified, the boundary of the floodway is as indicated on maps and flood insurance studies provided by FEMA. In an area where no FEMA maps or studies have defined the boundary of the 100-year frequency floodway, it is assumed, absent evidence to the contrary, that the floodway extends from the stream to 50 feet from the top of the bank of the stream.

Ford—A road crossing of a stream utilizing the existing stream bed.

Install—To construct, place, lay or set in place.

Operation—Elements of the use, control and functioning of a dam, water obstruction or encroachment during the lifetime of the dam, water obstruction or encroachment, including its removal, which may affect primarily the storage, release or flow of water; the structural safety of a dam, water obstruction or encroachment; or navigation, with due consideration of the other purposes of the act.

Owner—A person who owns, controls, operates, maintains, or manages a dam or reservoir, water obstruction, or encroachment.

Person—

(i) A natural person, partnership, association, corporation, public utility, municipality, municipal authority, political subdivision of this Commonwealth, receiver or trustee and a department, board, commission or authority of the Commonwealth.

(ii) Whenever used in a section prescribing and imposing a penalty or sanction, the term includes the members of an association and the officers of a corporation, municipality or municipal authority.

PFBC—Pennsylvania Fish and Boat Commission.

Regulated Waters of the Commonwealth—Watercourses, streams or bodies of water and their floodways wholly or partly within or forming part of the boundary of this Commonwealth.

Road Crossing—The term includes, but is not limited to, a road utilizing a pipe(s), culvert or a series of culverts, a bridge, a ford, a causeway or other similar features which are placed in, along, under, across, or over a regulated water of the Commonwealth.

Service Line Crossing—The term includes, but is not limited to, electric transmission lines, pipelines, telephone lines, water lines and other similar facilities which are placed in, along, under, across, or over a regulated water of this Commonwealth.

Stocked Trout Streams—Streams classified as approved trout waters by the PFBC. Classification shall be verified by contacting the PFBC.

Stream—A watercourse.

Submerged Lands of this Commonwealth—Waters and permanently or periodically inundated lands owned by the Commonwealth, including lands in the beds of navigable lakes and rivers and beds of streams declared public highways which are owned and held in trust by the Commonwealth.

Temporary Crossing—A road crossing or service line crossing placed for a specific period of time not to exceed one (1) year, and removed in its entirety after that period of time.

Watercourse—A channel or conveyance of surface water having defined bed and banks, whether natural or artificial, with perennial or intermittent flow.

Water Obstruction—A dike, bridge, culvert, wall, wingwall, fill, pier, wharf, embankment, abutment or other structure located in, along or across or projecting into a watercourse, floodway or body of water. In the case of ponds, lakes and reservoirs, a water obstruction is considered to be in or along the body of water if, at

normal pool elevation, the water obstruction is either in the water or adjacent to and abutting the water's edge.

Waterway Opening—The cross-sectional area of a structure that is available to convey stream flow. This area is generally expressed in terms of span multiplied by underclearance.

Wetlands—Areas that are inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions, including swamps, marshes, bogs and similar areas.

Wild Trout Streams—A stream identified as supporting naturally reproducing trout populations by the PFBC under 58 Pa. Code § 57.11 (relating to listing of wild trout streams). For a list of wild trout streams, contact the PFBC.

6. *Where General Permit Does Not Apply*—This General Permit does not apply and is not valid under the following circumstances:

A. Temporary road crossings which are to be used by the general public.

B. Temporary service line crossings of reservoirs, lakes and ponds.

C. Temporary service line crossings trenched or bored.

D. Temporary service line crossings on stream beds or inside waterway openings of bridges and culverts.

E. Temporary service line crossings which transmit hazardous or toxic material.

F. Skidding across fords.

G. No regulated activity is authorized under this General Permit in a National Natural Landmark identified in the latest published version of the National Registry of Natural Landmarks.

H. No regulated activity is authorized under this General Permit which is likely to directly or indirectly adversely impact a State or Federal Endangered or Threatened Species, or a species proposed for such designation, as identified under the Endangered Species Act of 1973 ("ESA") (7 U.S.C.A. § 136; 16 U.S.C.A. §§ 4601-9, 460k-1, 668dd, 715i, 715a, 1362, 1371, 1372, 1402 and 1531-1543), the Wild Resource Conservation Act (32 P. S. §§ 5301-5314), 30 Pa.C.S. (relating to the Fish and Boat Code) or 34 Pa.C.S. (relating to the Game and Wildlife Code), or which is likely to destroy or adversely modify the critical habitat of such a species, as identified under the ESA. See Section 7 Notification and Coordination Requirements for additional information.

I. No regulated activity is authorized under this General Permit which will adversely impact properties listed in or eligible for listing in the National Register of Historic Places. See Section 7 Notification and Coordination Requirements for additional information.

7. *Notification and Coordination Requirements*—Registration of proposed use of this General Permit requires notification and coordination with the Department or appropriate County Conservation District and other State and Federal agencies and programs.

A. *Pennsylvania Department of Environmental Protection*

1. *Registration of Proposed Use of General Permit*—Prior to construction the owner of a temporary crossing or a person proposing an environmental testing or monitor-

ing activity shall submit the General Permit Registration form along with the required attachments to the appropriate Department Regional or Conservation District office. The owner shall not begin work until the owner has registered the proposed use of the General Permit with the appropriate Department Regional or Conservation District office and received an acknowledgement in writing of that registration. The General Permit Registration form, required attachments, and acknowledgement must be available on site throughout the duration of the project.

2. *Extension of General Permit*—If the owner of a temporary crossing or activity desires the permitted temporary crossing or activity to remain installed for a period of time exceeding one (1) year from the date of the Department's acknowledgement (Item 7.A.1. above), they may submit a written request to the appropriate Department Regional or Conservation District office. The Department may extend the time, in writing, on a case by case basis not to exceed an additional one (1) year based on the owner's documentation of need. Under no circumstances will a temporary crossing be allowed to remain in place for longer than two (2) years from the date of the Department's original acknowledgement. See Item 7.B.1.a for additional information affecting time extensions for activities or structures that have not been constructed.

3. *Change of Ownership*—If there is a change in ownership of a temporary crossing installed in accordance with this General Permit, the new owner is required to register the crossing or activity with the appropriate Department Regional or Conservation District office.

4. *Construction and Removal of Temporary Crossing or Activity*—The owner must also provide written notice to the appropriate Department Regional or Conservation District office ten (10) days prior to the construction and ten (10) days prior to the removal of the temporary crossing or activity and associated temporary BMPs after termination of its intended use or at the end of the one (1) year period, whichever occurs first, unless extended in writing by the Department. See specific removal conditions in Items 12.A.2. and 12.F.3. below.

B. *Pennsylvania Department of Conservation and Natural Resources*

1. *Species Protection*—

a. General Permit Registrations must include a Pennsylvania Natural Diversity Inventory (PNDI) Project Environmental Review Receipt, and any clearance letters from jurisdictional agencies, as applicable, for impacts to endangered and threatened species and species of special concern. PNDI receipts are valid for two years from the date of the screening or two years from the issuance of a clearance letter or other resolution of a potential impact with a jurisdictional agency. If activities conducted under this General Permit have not commenced construction within two years of the date from acknowledgement of the permit, then the acknowledgement and registration is VOID and the submission of an updated PNDI Receipt must be included with a new registration to the office that originally acknowledged the General Permit.

b. The owner of a temporary crossing or activity must comply with special bog turtle screening requirements.

C. *PFBC*

1. *Notification*—The owner shall notify the PFBC's Regional Field Office Manager (see Exhibit A) responsible for the County where the activities are proposed ten (10) days prior to start of construction. The project site shall

at all times be available for inspection by authorized PFBC officers and employees.

2. *Wild and Stocked Trout Waters*—Activities authorized by this General Permit in regulated waters of this Commonwealth are prohibited in the following streams for the specified time periods listed below unless written approval is obtained from the PFBC or the local Department Regional Office and provided with the General Permit Registration.

Stocked trout streams	March 1 through June 15
Wild trout streams	October 1 through December 31
Lake Erie tributaries	September 1 through April 30

3. *Use of Explosives*—A written permit may be secured from the PFBC under 30 Pa.C.S. § 2906 (relating to permits for use of explosives). The permit must be provided with the General Permit Registration prior to acknowledgement. See Item 14.

4. *Aids to Navigation (ATON)*—An approved ATON plan may be secured from the PFBC under 30 Pa.C.S. §§ 5121—5124 and 58 Pa. Code Chapter 113. The approved ATON plan must be provided with the General Permit Registration prior to acknowledgement. See Item 12.A.3.

D. *Pennsylvania Historical and Museum Commission*

1. No regulated activity is authorized which will adversely impact properties listed in or eligible for listing in the historical, cultural or archaeological sites as identified in the latest published version of the Pennsylvania Inventory of Historic Places or the National Register of Historic Places.

a. Activities on properties that are listed or eligible for listing as described in Item D.1 above must include a no adverse effect determination from the Pennsylvania Historical and Museum Commission, Bureau for Historic Preservation (see Exhibit A) with the General Permit Registration submission.

2. Archaeological artifacts discovered during the performance of work authorized under this General Permit must be adequately protected and their discovery promptly reported to the, Pennsylvania Historical and Museum Commission, Bureau for Historic Preservation (see Exhibit A).

E. *Other Permits and Approvals*—Nothing in this General Permit relieves the owner of the obligation of complying with all Federal, Interstate Compact and State laws, regulations and standards for the construction, operation or maintenance of the temporary crossing or activity. The owner shall secure all other approvals that may be necessary under Federal, State or local laws or regulations.

8. *Fees*—The fee required for a project authorized under this General Permit shall be consistent with 25 Pa. Code § 105.13 (relating to regulated activities—information and fees).

9. *Effective Time Period*—This General Permit will remain in effect indefinitely unless specifically modified, suspended or revised by the Department.

10. *Suspension, Modification or Revocation*—The Department may suspend, modify, or revoke this General Permit at any time upon notice in the *Pennsylvania Bulletin*.

11. *Project Interference*—This General Permit does not authorize any interference with any existing or proposed Local, State, Federal or Federally Licensed Project, and

permittee shall not be entitled to compensation for damage or injury to the work authorized herein which may be caused by or a result of existing or future operations undertaken by the United States, the Commonwealth of Pennsylvania and its political subdivisions in the public interest.

12. *Conditions*—These conditions apply to the construction, operation, maintenance and removal of temporary crossings and environmental testing or monitoring activities conducted or located in, along, under, across, or over regulated waters of this Commonwealth, including wetlands, authorized by this General Permit.

A. *General*—These conditions apply to all temporary crossings and activities, additional conditions for specific crossings and activities are detailed in Items 12.B.—12.G.

1. Temporary crossings and activities may remain installed for a period of time not to exceed one (1) year from the date of the Department's acknowledgement (Item 7.A.1.) unless extended in writing by the Department. The Department may extend the time, on a case by case basis not to exceed an additional one (1) year based on the owner's documentation of need. Under no circumstances will a temporary crossing be allowed to remain in place for longer than two (2) years from the date of the Department's original acknowledgement. See Items 7.A.2 and 7.B.1.a.

2. The site of a temporary crossing, except fords, and activities shall be restored to original topography and stabilized within five (5) days after termination of its intended use or at the end of the one (1) year period, whichever occurs first, unless extended in writing by the Department. The owner must also provide notice to the appropriate office ten (10) days prior to removal of the temporary crossing. See Item 7.A.4.

3. All temporary crossings, excluding fords, shall be of sufficient height and clearance to allow the use of the stream or other body of water in its customary manner. Where this is not practicable, and the waterway is used for motorized or non-motorized boating, an ATON plan must be submitted to and approved by the PFBC prior to the submission of the General Permit Registration Form in accordance with Item 7.C.4.

4. Wetlands shall be identified and delineated in accordance with the 1987 Corps of Engineers Wetlands Delineation Manual and the appropriate Regional Supplements to the Corps of Engineers Wetland Delineation Manual for use in Pennsylvania.

5. Temporary crossings of wetlands shall be avoided if an alternate location is possible. If the crossing of wetlands cannot be avoided, the crossing is permissible if it is located at the narrowest practicable point of the wetland.

6. A temporary wetland crossing shall be conducted, where practicable, utilizing removable, temporary mats, pads or other similar devices to ensure minimization of impact on the wetlands ecology.

7. Temporary crossings of all watercourses must be accomplished at a right angle to the watercourse, except for fords and temporary aerial service line crossing installed on an existing bridge, unless it is physically impossible to cross at a right angle to the watercourse.

8. The waterway openings of temporary crossings shall be kept open and functioning at all times by maintaining the crossings free of debris and other obstructions.

9. Pollution of the waterway, including its floodplains, with harmful chemicals, fuels, oils, greases, bituminous material, acid, and/or other harmful or polluting materials, is prohibited.

10. Temporary crossings shall not approach the stream channel directly downslope, but should traverse the slope obliquely to prevent high velocity road or right of way drainage flows from directly entering the stream channel. Road or right of way drainage shall include proper erosion and sediment control Best Management Practices; as referred to in Item 3.

11. Temporary crossings of all watercourses, including support structures, shall be of sufficient width and size so as not to narrow the existing stream channel.

12. Temporary crossings of all watercourses, including support structures, shall not increase velocity or direct flow so as to result in erosion of the stream bed and banks.

13. Temporary crossings of all watercourses, including support structures, shall be inspected by the owner on a regular basis to provide for continued operation and maintenance during the lifetime of the structure.

14. Temporary crossings of all watercourses, including support structures, shall be structurally sound at all times and placed in such a manner as to not be displaced by flood waters.

15. During construction and operation of the temporary crossing, all public and private property including existing vegetation, landscape features and monuments within, along and adjacent to the work area, shall be protected and preserved to the maximum extent possible. This shall include, but not be limited to precautions taken to minimize damage, erosion, injury or destruction; prevent pollution; provide protection of all trees and other woody plants; special care being taken to protect the natural vegetation and surroundings to include all natural drainage ways, ponds, lakes, swamps, woods and fields; and storage of materials in such a manner to prevent leaching which would be injurious to soils and to plants. Precautions should be taken to prevent damage to pipes, conduits and other underground structures.

B. *Environmental Testing or Monitoring Activities*

1. General Conditions in Subsection 12.A.

2. Temporary activities should be designed to prevent compaction or liquefaction of soft soils in floodways or wetlands as deemed necessary by the activity undertaken.

3. Any cutting or boring liquids shall not be discharged into Regulated Waters of the Commonwealth and shall be in compliance with 25 Pa. Code Chapter 102 (relating to erosion and sediment control). BMPs specific to the activity must be identified and contained within the submitted E&S plan as required under Item 3.

4. Testing lines and sensors may be placed on the beds of streams, provided they can be reasonably secured to prevent flotation and do not constitute a risk to public safety.

5. Sites should be restored to original topography where practicable and any excess materials generated shall be removed from the body of water including their floodways.

C. *Road Crossings*

1. General Conditions in Subsection 12.A.

2. Road and causeway embankments shall consist of only clean sound rock material to prevent stream channel

sedimentation during placement, removal and periods of overtopping. Rock material shall be durable enough to withstand the intended use while remaining stable and not degrade into fine particles.

3. Approach roads to temporary road crossings shall utilize original grades within the floodway. However, removable, temporary mats, pads or other similar devices or clean sound rock material to a depth of six inches above original grade must be utilized for approaches as necessary within the floodway.

4. Causeways shall extend streamward the minimum distance necessary to complete the project and under no circumstances may extend across the entire channel or along a watercourse a distance greater than 300 feet. The combined aerial extent of causeway placement shall not exceed 0.25 acres.

5. Road crossings of wetlands utilizing fill materials shall not occupy an area greater than 0.1 acre of the wetland resource.

6. Fill materials for temporary road crossings of wetlands shall consist of only clean sound rock material and be installed to maintain the hydrology of the wetland utilizing cross drain pipes where necessary.

7. Road crossings of wetlands utilizing fill materials shall install a geo-textile material between the wetland surface and the fill material to prevent migration of the fill material into the wetland soil profile. The geo-textile shall be of sufficient strength to resist tearing during installation and removal of the fill material.

8. Road crossings of wetlands utilizing removable, temporary mats, pads or other similar devices shall extend the minimum distance necessary to complete the project.

D. *Bridges*

1. General Conditions in Subsection 12.A.

2. Road Crossing Conditions in Subsection 12.C.

3. Bridges must be single span from top of bank to top of bank and structurally stable.

4. Temporary bridge crossings of all watercourses, including support structures, shall have a waterway opening sufficient to adequately discharge, at a minimum, the bank-full flow of the watercourse or stream. The waterway opening shall be large enough to minimize and confine any backwater related to the bank-full flow to the owner's property or if applicable, the boundary of the property leased for the crossing. The owner shall be responsible for any damages resulting from increased backwater caused by the temporary crossing. The permittee shall remove the temporary crossing in the event of high waters to prevent the increased backwater.

E. *Culverts*

1. General Conditions in Subsection 12.A.

2. Road Crossing Conditions in Subsection 12.C.

3. Culverts must provide a waterway area sufficient to adequately discharge the normal flow of the watercourse, and shall be of sufficient length to extend beyond the toe of the clean rock fill.

4. Culverts must be installed in such manner that overtopping of the roadway will occur within the banks of the stream channel. This can be accomplished by providing a depressed roadway embankment as shown on attached Drawings No. 3 and No. 4.

5. A culvert having as large a diameter as possible must be provided to minimize placement of excessive fill

and excavation of the stream banks. If the bank height prohibits a large diameter pipe culvert, the crossing could consist of a bridge or a series of culverts. The minimum size diameter culvert to be used is 12 inches.

6. Road Crossings involving a series of pipe culverts shall be installed with a minimum spacing as specified on attached Drawing No. 4.

F. *Fords*

1. General Conditions in Subsection 12.A.
2. Road Crossing Conditions in Subsection 12.C.

3. Fords used as temporary crossings shall have the approaches adequately blocked and stabilized to prevent future use within five (5) days after termination of its intended use or at the end of the one (1) year period, whichever occurs first.

4. Fords are prohibited on streams or water bodies designated as high-quality (HQ) or Exceptional Value (EV) as defined and listed in 25 Pa. Code Chapter 93 (relating to water quality standards), and in watersheds tributary to drinking water intakes or reservoirs for public water supply users, where the ford is within 2,000 feet upstream of such intake or reservoir.

5. Whenever the streambed at the site of a ford does not have a rock bottom, a layer of clean sound rock material to prevent stream channel sedimentation during placement, removal and periods of overtopping must be provided. Rock material shall be durable enough to withstand the intended use while remaining stable and not degrade into fine particles.

6. This layer of clean rock shall not obstruct the stream flow. In addition the approaches must:

- a. be maintained in a firm and stable condition and
- b. enter and exit the stream at less than a 10% grade within 50 feet of the stream,
 - i. enter the stream with the flow and
 - ii. exit the stream against the flow.

G. *Service line crossings*

1. General Conditions in Subsection 12.A.

2. The maximum size temporary service line allowed is 24 inches inside diameter. If multiple lines are necessary to perform the crossing, the total inside cross-sectional area of all lines combined shall not exceed 453 square inches.

3. Sleeving of the temporary service line through a steel or concrete pipe; suspension via cable systems or through other structural means over the watercourse is permitted, however, no vertical support structures, valves, fittings or pipe joints shall be located within a sleeve or above the watercourse.

4. Temporary service lines using sleeves or other devices to support or carry the temporary service line over the watercourse shall be designed in accordance with current engineering standards.

5. Temporary service line crossings of all watercourses transmitting fresh water, which is devoid of any pollutional materials, shall be done by a single continuous span of pipe at a minimum from top of bank to top of bank. No vertical support structures, valves, fittings or pipe joints shall be located in or above the watercourse.

6. Temporary service line crossings of all watercourses transmitting fresh water which may contain any pollutional materials during the lifetime of the temporary crossing shall be done by a single continuous span of pipe at a minimum from the outer limit of the floodway across the watercourse to the other side of the floodway outer limit. No vertical support structures shall be located in or above the watercourse. No valves, fittings or pipe joints shall be located within the floodway limits of the watercourse, including above the watercourse.

7. Temporary service lines carrying fresh water or fresh water which may contain pollutional materials shall consist of materials that meet industry standards for durability, strength and appropriate pressure ratings to handle the anticipated uses and conditions.

8. Temporary service line crossings of all watercourses transmitting fresh water which may contain any pollutional materials during the lifetime of the temporary crossing shall have an operations and maintenance plan which shall include at a minimum the following:

- a. Periodic inspection schedule of the temporary service line.
- b. Shutoff valve exercising or similar assurance of valve performance.

c. Written procedures for terminating transmission of fluids in the event of a leak, break or rupture of the temporary service line including any valves or fittings.

d. Written procedures for terminating service at the end of operations and the collection of remaining fluids in a manner that prevents discharge into any Regulated Waters of the Commonwealth.

e. A written specific emergency response plan addressing actions to be taken in the event of a discharge, leak or spill of materials from the temporary service line. A copy of the plan shall be kept onsite at the operation. The emergency response plan must contain information necessary to meet the notification requirements for reporting discharge, leak or spill events which would result in pollution or create a danger of pollution to regulated waters of this Commonwealth contained in 25 Pa. Code § 91.33 (relating to incidents causing or threatening pollution).

9. Temporary service line crossings of all watercourses transmitting fresh water or fresh water which may contain pollutional materials shall have adequate provisions for shut-off in the event of a leak, break or rupture. Shut-off provisions shall be located at a minimum outside of the floodway limits of the waterway.

10. Temporary service line crossings of all watercourses, including support structures, shall have a waterway opening sufficient to adequately discharge, at a minimum, the bank-full flow of the watercourse or stream. The waterway opening shall be large enough to minimize and confine any backwater related to the bank-full flow to the owner's property or if applicable, the boundary of the property leased for the crossing. The owner shall be responsible for any damages resulting from increased backwater caused by the temporary crossing. The permittee shall remove the temporary crossing in the event of high waters to prevent the increased backwater.

11. Support structures located in the floodplain shall be designed to prevent frost heave, overturning and settlement.

12. Freeze protection shall be provided for temporary service line crossings in place during cold weather periods.

13. Expansion joints shall be provided between above-ground pipelines.

14. During the termination of operations of a temporary service line crossing or removal of a temporary service line crossing the owner must ensure that the contents of the service line crossing shall be disposed of properly and not discharged into any Regulated Waters of the Commonwealth.

13. *Equipment*—Use of motorized vehicles or equipment in a watercourse, stream or body of water is limited to the minimum necessary to complete the project. Motorized vehicles or equipment working in wetlands must be placed on mats or other measures must be taken to minimize disturbance.

14. *Use of Explosives*—Prior to the use of explosives in a watercourse or body of water, the permittee shall secure a written permit from the PFBC under 30 Pa.C.S. § 2906 (relating to permits for use of explosives). See Item 7.C.3.

15. *Proper Maintenance*—Facilities and activities authorized under this General Permit must be operated and maintained to protect public health, safety and the environment.

16. *Aquatic Life Movements*—No regulated activity may substantially disrupt the movement of those species of aquatic life indigenous to the watercourse, stream or body of water, including those species which normally migrate through the area.

17. *Waterfowl Breeding Areas*—Breeding areas for migratory waterfowl must be avoided to the maximum extent practicable.

18. *Fill*—Fill material must be uncontaminated, nonwater-soluble, nondecomposable inert solid material and must be free of asphalt, trash, construction debris, tires, toxic pollutants and never been subject to a spill or release of a contaminated substance. Temporary fills for construction purposes (e.g. road embankments, equipment staging, cofferdams and causeways) shall consist of only clean nonwater-soluble rock material (without fine particles or small-grained materials) to prevent the introduction of sediment to water resources.

19. *Removal of Temporary Fills*—Temporary fills and associated temporary BMPs must be removed in their entirety, and the affected areas stabilized and returned to their pre-existing elevations.

20. *Navigation*—No authorized activity shall permanently hinder commercial or recreational navigation.

21. *Department Inspection*—As a condition of use of this General Permit, and of the owner's authority to conduct the activities authorized by this General Permit, the owner hereby authorizes and consents to allow authorized employees or agents of the Department, without advance notice or a search warrant, at any reasonable time and upon presentation of appropriate credentials, and without delay, to have access to and to inspect all areas where the project is being constructed, operated or maintained. The authorization and consent shall include consent to conduct tests or sampling, to take photographs, to perform measurements, surveys and other tests, to inspect the methods of construction, operation or maintenance,

to examine and copy books, papers and records pertinent to any matter under investigation, and to take any other action necessary to assure that the project is constructed, operated or maintained in accordance with the terms and conditions of the General Permit. This General Permit condition is included pursuant to Section 16 of the DSEA, 32 P.S. § 693.16, and in no way limits any other powers granted under the DSEA.

22. *Activities Not in Accordance with the Terms or Conditions*—If the Department determines, upon inspection, that the construction, operation or maintenance of a project has violated the terms or conditions of this General Permit or of 25 Pa. Code Chapter 105, the Department may take such actions, legal or administrative that it may deem to be appropriate, including revocation of the General Permit with regard to the violation.

23. *Structure Removal*—The owner shall remove all or any portion of the temporary crossing or activity upon written notification to the owner by the Department in the event the project is causing an adverse impact on public health, safety or the environment or in any other manner violates the conditions of this General Permit or Chapter 105.

24. *Property Rights*—This General Permit does not convey any property rights, either in real estate or material, or any exclusive privileges; nor does it authorize any injury to property or invasion of rights or any infringement of Federal, State or local laws or regulations.

25. *Signature*—The General Permit Registration Form shall be signed by the person responsible for installation, operation, maintenance, and removal of the authorized activity.

A copy of the draft revised GP-8 may be obtained by contacting the Department of Environmental Protection, Bureau of Waterways Engineering and Wetlands, Division of Wetlands, Encroachments and Training, P. O. Box 8460, Harrisburg, PA 17105-8460. Persons with a disability may obtain these documents by contacting the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). A copy of the draft modified General Permit will be made available on the Department's web site and may be accessed at www.depweb.state.pa.us, select "Public Participation," select "Public Participation Center," select "Get Involved," select "Technical Guidance and Proposals," select "Proposals Currently Open for Comment," then navigate to the items for "Proposed Revisions to General Permit BWEW-GP-8: Temporary Road Crossings; General Permit BWEW-GP-8."

The Department requests written comments on the proposed modifications to this General Permit by January 10, 2014. Comments received by facsimile will not be accepted. Interested persons may submit written comments, suggestions or objections to the previously listed address or RA-GP8Comments@pa.gov. Questions can be addressed by calling (717) 787-3411 or e-mailing kmurin@pa.gov.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2059. Filed for public inspection November 1, 2013, 9:00 a.m.]

Public Notice of Draft NPDES General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems

The Department of Environmental Protection (Department) is announcing the availability of a draft National Pollutant Discharge Elimination System (NPDES) General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (PAG-06). To access the draft General Permit and related documents visit www.elibrary.dep.state.pa.us and select "Permit and Authorization Packages," "Point and Non-Point Source Management," National Pollutant Discharge Elimination System—NPDES," "General Permits" and "PAG-06 (Draft)."

The PAG-06 General Permit is intended to provide NPDES permit coverage to satellite combined sewer systems with wet weather combined sewer overflow (CSO) discharges to waters of this Commonwealth. The Department extended the existing PAG-06 to September 5, 2014, and published notice of the extension at 43 Pa.B. 4422 (August 3, 2013). The Department is proposing to reissue a final PAG-06 General Permit on or before September 5, 2014.

The draft PAG-06 General Permit includes the following proposed significant changes in comparison to the existing PAG-06 General Permit:

- Following initial coverage under this General Permit, provided the permittee provides the Annual CSO Report (a certification required by Part C III C.4 of the general permit), a separate, subsequent Notice of Intent (NOI) for renewal of coverage is not required. Coverage is automatically extended for the duration of the final renewed, reissued or amended General Permit, unless the Department notifies the permittee in writing that submission of a separate, subsequent NOI is required. This determination was based on the expected nature of CSO discharges, the level of control or capture and treatment required and expected performance of best management practices through implementation of the Nine Minimum Controls and Long Term Control Plans. The determination was also based on the expected volume of the discharges and the potential for toxic or conventional pollutants in the discharges.

- The permit language has been updated to conform to 25 Pa. Code Chapter 92a (relating to National Pollutant Discharge Elimination System permitting, monitoring and compliance).

- Permittees with PAG-06 General Permit coverage must submit inspection results to the Department electronically if required by the Department in writing.

- A copy of the Annual CSO Status Report must be sent to the Department's Central Office with an annual installment payment of the NOI fee by March 31 each year.

The proposed NOI fee for coverage under this General Permit is \$100 per year that the combined sewer system is in operation. The NOI fee is to be paid in installments; \$100 must be included with the NOI and \$100 must be included with the Annual CSO Status Report for each year of continuing permit coverage. The Department anticipates that once coverage under the General Permit is authorized, coverage will continue without the need to submit a separate, subsequent NOI for renewal of coverage as long as the PAG-06 General Permit is renewed, unless the Department specifically requires the submission of a separate, subsequent NOI in writing. The

permittee must agree and certify that the permittee has read and continues to be eligible for coverage under the most recent PAG-06 and that it will comply with any conditions and modifications to those conditions. This certification, which will be included as a part of the Annual CSO Status Report Form, represents the permittee's subsequent NOI for continued coverage under any subsequently renewed PAG-06.

Written Comments: The Department is seeking comments on the draft PAG-06 General Permit, Document No. 3800-PM-BPNPSM0076a-f for a period of 30 days. Interested persons may submit written comments on these documents by December 2, 2013. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Dharmendra Kumar, Department of Environmental Protection, Bureau of Point and Non-Point Source Management, Rachel Carson State Office Building, 11th Floor, P. O. Box 8774, Harrisburg, PA 17105-8774, dkumar@pa.gov. Written comments submitted during the 30-day comment period will be retained by the Department and considered in making a final determination. The Department will provide an opportunity for any interested person or group of persons, any affected state, any affected interstate agency, the United States Environmental Protection Agency or any interested agency, to request or petition for a public hearing with respect to the proposed General Permit. The request or petition for public hearing, which must be filed within the 30-day period allowed for filing of written comments, must indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be held if there is significant public interest.

Contact: Questions regarding the draft PAG-06 General Permit should be directed to Dharmendra Kumar at (717) 787-2288 or the previously listed e-mail address.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2060. Filed for public inspection November 1, 2013, 9:00 a.m.]

2014 Environmental Education Grants Program Application Announcement

Applications for the 2014 Environmental Education Grants Program (Program) are now available from the Department of Environmental Protection (Department). The grants provide funding to public and incorporated private schools, colleges and universities, county conservation districts, incorporated nonprofit organizations, along with incorporated conservation and education organizations and institutions, businesses, municipalities and municipal authorities to create or develop projects that support environmental education in this Commonwealth. Grants will provide environmental education on timely and critically important topics, including the following:

- *Chesapeake Bay and Watershed Education*—Organizations are encouraged to develop environmental education programs that promote the reduction of non-point source pollution, such as nutrient and sediment loads, along with other water-related education programs.

- *Air Quality*—Organizations are encouraged to develop air quality education and outreach programs.

- *Energy Education*—Organizations are encouraged to develop educational programs on energy efficiency and conservation, as well as natural gas, coal, wind, solar and other energy sources and technologies.

- *Brownfields*—Organizations are encouraged to develop education and outreach programs for students, youth, educators, community members, community groups, developers, property owners and others that are interested in brownfield redevelopment and sustainable communities.

- *Environmental Literacy Planning and Programming*—Applicants are encouraged to engage educators and stakeholders in content standards and field-based environmental education. Areas of specific focus should include graduation requirements, professional development on environmental education content knowledge and field-based pedagogy, assessment and evaluation, partnering to build capacity, identifying existing resources and sustainability of programs. Additionally, projects may focus on high performing green schools and buildings; providing high quality programming for children, youth or adults, or both (programs to include STEM, outdoor education, service learning, ensuring access for participants with disabilities); professional development for formal and nonformal educators; environmental service learning programs for youth and adults; and environmental careers/green jobs.

- *Formal and Non-formal EE Certification*—Applicants are encouraged to develop and implement institutionalized and community-based certification programs designed for teachers, naturalists and educators working in schools and environmental education facilities at parks, county conservation districts, nature/EE centers, conservancies and more. It gives educators in these arenas access to a formal credential that standardizes and upgrades professional development, allowing educators to address academic standards in a meaningful and relevant way.

- *STEM Education*—Applicants are encouraged to develop environmental education programs integrating STEM program instruction (science, technology, engineering and mathematics) into programs.

- *Curriculum Integration Projects*—Applicants are encouraged to articulate the Academic Standards for Environment and Ecology into the formal K-12 curriculum, including energy education, for the entire school district, private school or charter school.

- *Curriculum Revision Projects*—Applicants are encouraged to revise current (or write new) lesson plans or units to meet the changes identified in the alignment to the Environment and Ecology Standards, energy education and provide a means for classroom assessment.

- *Outdoor Learning Resource Projects*—Applicants are encouraged to develop resources such as trails, agricultural demonstration areas, energy demonstration areas, ponds, wetland areas, sheltered learning stations, and the like, as well as similar nearby community resources as a framework within which students can learn about natural systems and the interrelationship among natural and manmade communities.

- *Natural Landscaping and Trees*—Applicants are encouraged to develop educational programs on landscaping with native plants; the social, economic and environmen-

tal benefits of trees; and invasive plant management, along with information on how to sustainably maintain these natural landscapes.

- *Connecting Children to Nature*—Applicants are encouraged to develop and facilitate educational programs or infrastructure for such programs designed to align science, environment and ecology and resource learning with immersive activities in the out-of-doors. Students within these programs should receive regular time out-of-doors during instruction or during healthful play.

The Program was established by the Environmental Education Act (35 P. S. §§ 7521—7528), which mandates setting aside 5% of the pollution fines and penalties collected annually by the Department for environmental education in this Commonwealth.

Environmental education grant awards are limited to \$3,000. This announcement opens on November 4, 2013, and grant applications submitted to the Department must be postmarked by January 6, 2014.

Applications may be obtained by contacting the Department of Environmental Protection, Environmental Education Grants Program, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-1828. For additional information and to obtain the electronic copy of the grants manual and application forms, visit the Department's web site at www.dep.state.pa.us (DEP Keyword: EE Grants).

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2061. Filed for public inspection November 1, 2013, 9:00 a.m.]

Water Resources Advisory Committee Meeting Cancellation

The Water Resources Advisory Committee (Committee) meeting scheduled for November 13, 2013, has been cancelled. The date, time and location of the next meeting of the Committee will be announced in the *Pennsylvania Bulletin* in advance of the meeting.

Questions concerning the meeting of the Committee can be directed to Sean Gimbel at (717) 783-4693 or sgimbel@pa.gov. The agenda and meeting materials for the next meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.state.pa.us> (DEP Keywords: "Public Participation, Participate").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-4693 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,
Acting Secretary

[Pa.B. Doc. No. 13-2062. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Divine Providence Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Divine Providence Hospital has requested an exception to the requirements of 28 Pa. Code § 143.4 (relating to medical appraisal of a podiatric patient).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2063. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Divine Providence Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Divine Providence Hospital has requested an exception to the requirements of 28 Pa. Code § 143.5 (relating to medical supervision of podiatric patients).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2064. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Dubois Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Dubois Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.1-3.6, 3.1-3.6.1, 3.1-3.6.9, 3.1-6.6.10, 3.1-6.2, 3.1-6.2.2 and 3.1-6.2.3.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2065. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Dubois Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Dubois Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.1-6.1.1 (relating to vehicular dropoff).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2066. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Forbes Regional Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Forbes Regional Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-3.4.5.1(1) (relating to area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2067. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Milton S. Hershey Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Milton S. Hershey Medical Center has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2068. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Monroeville Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Monroeville Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2069. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Monroeville Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Monroeville Surgery Center has requested an exception to the requirements of 28 Pa. Code § 569.35 (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2070. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of UPMC Northwest for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Northwest has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2071. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Wilkes-Barre General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Wilkes-Barre General Hospital has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2072. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Williamsport Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Williamsport Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 143.4 (relating to medical appraisal of a podiatric patient).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2073. Filed for public inspection November 1, 2013, 9:00 a.m.]

Application of Williamsport Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Williamsport Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 143.5 (relating to medical supervision of podiatric patients).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2074. Filed for public inspection November 1, 2013, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A.

§§ 241(a) and 247b), will hold a public meeting on Wednesday, November 20, 2013, from 9 a.m. to 4 p.m. and Thursday, November 21, 2013, from 9 a.m. to 3:30 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Kenneth McGarvey, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should also contact Kenneth McGarvey at the previously listed number, or at V/TT (717) 783-6514 for speech and/or hearing impaired persons, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2075. Filed for public inspection November 1, 2013, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(j) (relating to electric requirements for existing and new construction):

Jewish Home of Eastern PA
1101 Vine Street
Scranton, PA 18510
FAC ID 360402

The request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 13-2076. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, shall be awarded no contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Dean Bizarre, d/b/a D&D Trucking Company FEIN No. 45-4955531	2879 Quake Road Waverly, PA 18255	10/9/2013

JULIA K. HEARTHWAY,
Secretary

[Pa.B. Doc. No. 13-2077. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Millionaire Raffle XVII Raffle Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 874.4 (relating to notice of raffle lottery game rules), the Secretary of Revenue hereby provides public notice of the rules for the following raffle lottery game:

1. *Name:* The name of the raffle game is Pennsylvania Millionaire Raffle XVII.

2. *Price:* The price of a Pennsylvania Millionaire Raffle XVII lottery game ticket is \$20.

3. *Ticket Sales And Drawing Date:* Pennsylvania Millionaire Raffle XVII lottery game tickets sales will commence on or after November 15, 2013, and will continue until all 500,000 tickets have been sold, or 5:00 p.m. on January 4, 2014, whichever occurs earlier.

4. *Ticket Characteristics:* Each Pennsylvania Millionaire Raffle XVII lottery game ticket will contain one chance consisting of one unique computer-generated eight-digit number between 00000001 and 00500000, the drawing date, amount bet, and validation data.

5. *Prizes:* The prizes that can be won in this game are \$100, \$1,000, \$100,000 and \$1,000,000. A player may only win one time on each ticket or chance.

6. *Maximum Number of Tickets Printed and Sold for the Game:* There will be no more than 500,000 tickets printed and sold for the Pennsylvania Millionaire Raffle XVII lottery game. The chances will be sequentially issued on a statewide basis from the range of individual unique numbers representing the chances available for the game.

7. *Conduct of Drawing:* The results of the Pennsylvania Millionaire Raffle XVII will be televised on January 4, 2013, at or about 7:00 p.m. A computer-generated randomizer will be used to conduct the drawing. Six-thousand (6,000) unique eight-digit numbers will be drawn from the range of numbers representing the chances sold. The first four unique eight-digit numbers drawn will be the first-prize-tier winning numbers. The fifth through eighth unique eight-digit numbers drawn will be the second-prize-tier winning numbers. The ninth through 108th unique eight-digit numbers drawn will be the third-prize-tier winning numbers. The 109th through 6,000th unique eight-digit numbers drawn will be the fourth-prize-tier winning numbers.

8. *Determination of Prize Winners:*

(a) Holders of tickets upon which the unique eight-digit number matches exactly one of the first-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000,000.

(b) Holders of tickets upon which the unique eight-digit number matches exactly one of the second-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which the unique eight-digit number matches exactly one of the third-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which the unique eight-digit number matches exactly one of the fourth-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100.

9. *Number and Description of Prizes and Approximate Odds:* The Pennsylvania Millionaire Raffle XVII prizes and determination of winners are as follows:

<i>Ticket Matching Exactly the Unique Eight-digit Number Drawn:</i>	<i>Win Prize Of:</i>	<i>Maximum Odds Of Winning Are 1 In:</i>	<i>Number Of Winners</i>
First-Prize-Tier	\$1,000,000	125,000	4
Second-Prize-Tier	\$100,000	125,000	4
Third-Prize-Tier	\$1,000	5,000	100
Fourth-Prize-Tier	\$100	84.86	5,892

All Pennsylvania Millionaire Raffle XVII lottery game prize payments, including first-prize-tier prizes, will be made as one-time lump-sum cash payments.

10. *Consumer Promotional Programs:* The Lottery may conduct promotional activities to promote the sale of Pennsylvania Millionaire Raffle XVII lottery game tickets, including offering tickets at a discounted price. Details of any such offering will be disseminated through media used to advertise or promote Pennsylvania Millionaire Raffle XVII or through normal communications methods.

11. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Millionaire Raffle XVII lottery game tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

12. *Unclaimed Prize Money:* Unclaimed prize money on winning Pennsylvania Millionaire Raffle XVII lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the announced close of the Pennsylvania Millionaire Raffle XVII lottery game. If no claim is made within 1 year of the announced close of the Pennsylvania Millionaire Raffle XVII lottery game conducted by the State Lottery, the right of a ticket holder to claim the prize represented by that ticket, if any, expires and the prize money will be paid into the State Lottery Fund and used for purposes otherwise provided for by statute.

13. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

DANIEL MEUSER,
Secretary

[Pa.B. Doc. No. 13-2078. Filed for public inspection November 1, 2013, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Availability of Local Real Estate Tax Reimbursement Grants for Taxes Paid in 2013

The Department of Transportation (Department), Bureau of Aviation (Bureau), is accepting applications for Tax Reimbursement Grants (grant) from qualifying owners of public airports who have paid local real estate taxes for the calendar year ending December 31, 2013.

Each year, under 74 Pa.C.S. Chapter 61, Subchapter B (relating to reimbursement of local real estate taxes for public airports) and 67 Pa. Code Chapter 477 (relating to local real estate tax reimbursement grants), the owner of a public airport shall be eligible for a grant from the local real estate tax reimbursement portion of the Aviation Restricted Account. These grants are available to reimburse airport owners for local real estate taxes paid on those portions of an airport which are aviation related areas, as defined in 74 Pa.C.S. § 5102 (relating to definitions). Prior to applying for a grant, each public airport owner shall enter into an agreement with the Department. This agreement shall specify that the owner shall continue, for a period of not less than 10 years, to

maintain the property, for which the grant will be sought, as an airport at least equal in size and capacity as indicated in the owner's initial grant application. This agreement shall be a covenant, which runs with the land and shall apply to any subsequent purchases of land. Upon acceptance of any grant, the covenant shall be deemed extended for 1 additional year. Any violation of the agreement shall make the owner liable for the repayment of the total appropriation for the year plus a penalty of two times the grant. In any action wherein the owner is found to have violated the agreement, the Department shall receive all costs of prosecution.

The final date for submission of applications for reimbursement of local real estate taxes paid in the calendar year ending December 31, 2013, is the close of business on February 1, 2014. Applications shall be filed with the Bureau using dotGrants, the Department's web-based grants administration program. For more detailed information, review the Department's web site at www.dot.state.pa.us.

Interested persons may direct their request for online participation, inquiries or comments regarding the local real estate tax reimbursement program to Marcia Scott-Williams, Western Region at (717) 705-1205 or Catherine Green, Eastern Region at (717) 705-1222.

BARRY J. SCHOCH, P.E.,
Secretary

[Pa.B. Doc. No. 13-2079. Filed for public inspection November 1, 2013, 9:00 a.m.]

Finding

Under section 2002(b) of The Administrative Code of 1929 (71 P.S. § 512(b)) establishing the Department of Transportation (Department), the Director of the Bureau of Project Delivery, as delegated by the Secretary of Transportation, makes the following written finding:

The Department is planning the projects listed as follows. Environmental and Section 4(f) Documentation has been developed for the projects identified as follows to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE Expert System at <http://www.dotdom2.state.pa.us/ceea/ceeainmain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the proposed projects identified as follows and all reasonable steps have been taken to minimize the effects.

- **SR 0040, Section 136—Menallen Township, Fayette County**

Project Description: Realign two local roadways to create a plus intersection on SR 0040, also known as the National Road, a resource listed on the National Register of Historic Places.

Environmental Documents: Level 1b CEE, approved on July 15, 2003, and a Determination of Section 4(f) De Minimis Use document, approved on July 3, 2012.

Proposed Use of Section 4(f)/2002 Resource: The project will include widening of SR 0040 to provide left-turn lanes at the propose intersection.

• **SR 0119, Section 498 (Homer City North Project) Center Township, Indiana County**

Project Description: The project is to reduce the crashes associated with left-turn movements from SR 0119 to various side roads while maintaining adequate access to the adjacent residential community, businesses and industrial facilities.

Environmental Documents: Level 1b CEE, approved on June 28, 2013, A Programmatic Section 4(f) Checklist (De Minimis Use/No Adverse Use) was approved on June 28, 2013.

Proposed Use of Section 4(f)/2002 Resource: The Hoodlebug Trail (part of the Indiana County Parks and Trails Regional Trails System) is located along the west side of Yankeetown Avenue and generally continues north/south behind the Sheetz convenience store in the project area. A portion of this trail will be realigned and an at-grade crossing will be considered.

• **SR 1015, Section B00 (Carlton Road Bridge) over French Creek—French Creek Township, Mercer County**

Project Description: The proposed project is for the replacement of the Carlton (SR 1015) Bridge over French Creek in French Creek Township, Mercer County, which was closed in 2010 for traffic. The existing structure is an historic resource listed on the National Register of Historic Places.

Environmental Documents: Level 2 CEE, approved on August 7, 2013, and the Letter of Agreement executed on July 10, 2012, under Statewide Programmatic Agreement.

Proposed Use of Section 4(f)/2002 Resource: The existing two-span truss bridge, a resource determined eligible for the National Register of Historic Places will be replaced with a two-span bridge.

• **SR 1027, Section 550 (Egypt Road Bridge) over North Fork Redbank Creek—Polk Township, Jefferson County**

Project Description: The project involves replacement of a structurally deficient bridge with an offline alternative that will improve the horizontal and vertical geometry.

Environmental Documents: Level 1b CEE, approved on June 17, 2013, and De Minimis Use/No Adverse Use Checklist approved on June 14, 2013, under the Statewide Programmatic Agreement.

Proposed Use of Section 4(f)/2002 Resource: The new roadway alignment requires 0.804 acre of permanent right-of-way (ROW) acquisition from State Game Land (SGL) #54. Upon vacating the existing ROW occupied by the existing bridge and roadway approaches, 0.417 acre of land will be returned to the Game Commission for use as a designated parking area for recreational users of SGL #54 and North Fork Redbank Creek.

• **SR 6008, Section L00 Various Roadways in City of Oil City, Cornplanter Township and Rouseville Borough in Venango County**

Project Description: The purpose of the project is to provide safe access and mobility in and around the City of Oil City. Existing roadways and ADA facilities are in deteriorated or substandard condition.

Environmental Documents: CEBRPA approved on August 2, 2013, and a Non-Applicability No-Use form signed on August 2, 2013, and coordinated with Pennsylvania

Historical and Museum Commission through the Projectpath web site.

Proposed Use of Section 4(f)/2002 Resource: Impacted land is within the boundaries of the Historic District but does not contribute. The project is for the milling and repaving of SR 6008 and SR 0097 (Seneca Street). In addition, curb ramps will be replaced, where necessary, to meet the current ADA standards. Pavement markings will be replaced and inlet adjustments will be done where needed.

• **SR 9900, Section LBR, T-402 (Knox Road) over Cowanesque River—Deerfield Township, Tioga County**

Project Description: The project will include replacement of the T-402 (Knox Road) bridge over the Cowanesque River.

Environmental Documents: Level 2 CEE, approved on April 10, 2013, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on March 25, 2013.

Proposed Use of Section 4(f)/2002 Resource: The project will include replacement of the T-402 (Knox Road) bridge, a resource determined eligible for the National Register of Historic Places.

GEORGE W. MCAULEY, Jr., P.E.,
Acting Director
Bureau of Project Delivery

[Pa.B. Doc. No. 13-2080. Filed for public inspection November 1, 2013, 9:00 a.m.]

Motor Carrier and Safety Advisory Committee Meeting

The Motor Carrier and Safety Advisory Committee will hold a meeting on Wednesday, November 6, 2013, from 12:30 p.m. to 3 p.m. at the Pennsylvania Turnpike Commission Building, Middletown, PA. For more information contact Ryan McNary at (717) 787-3656 or rymcnary@pa.gov.

BARRY J. SCHOCH, P.E.,
Secretary

[Pa.B. Doc. No. 13-2081. Filed for public inspection November 1, 2013, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Emerald Coal Resources, LP v. DEP; EHB Doc. No. 2013-182-M

The Emerald Coal Resources, LP has appealed the issuance by the Department of Environmental Protection for an NPDES permit to Emerald Coal Resources, LP for a facility in Franklin Township, Greene County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 13-2082. Filed for public inspection November 1, 2013, 9:00 a.m.]

Pennsylvania Fish and Boat Commission v. DEP; EHB Doc. No. 2013-183-M

The Pennsylvania Fish and Boat Commission has appealed the issuance by the Department of Environmental Protection for an NPDES permit to Pennsylvania Fish and Boat Commission for a facility in Logan Township, Clinton County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 13-2083. Filed for public inspection November 1, 2013, 9:00 a.m.]

Rosebud Mining Company v. DEP; EHB Doc. No. 2013-181-L

The Rosebud Mining Company has appealed the issuance by the Department of Environmental Protection of an NPDES Permit to Rosebud Mining Company for the Coral-Graceton Mine in Center Township, Indiana County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 13-2084. Filed for public inspection November 1, 2013, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meeting: Thursday, November 7, 2013—Council Meeting at 10 a.m.

The meeting will be held at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons in need of accommodation due to a disability who wish to attend the meeting should contact Reneé Greenawalt, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 13-2085. Filed for public inspection November 1, 2013, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
7-480	Environmental Quality Board Regulated Medical and Chemotherapeutic Waste 43 Pa.B. 4858 (August 24, 2013)	9/23/13	10/23/13
14-535	Department of Public Welfare Supplemental Ventilator Care Payment for Medical Assistance Nursing Facilities 43 Pa.B. 4855 (August 24, 2013)	9/23/13	10/23/13

Environmental Quality Board Regulation #7-480 (IRRC #3017)

Regulated Medical and Chemotherapeutic Waste October 23, 2013

We submit for your consideration the following comments on the proposed rulemaking published in the August 24, 2013 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P. S. § 745.5b). Section 5.1(a) of the RRA (71 P. S. § 745.5a(a)) directs the Environmental Quality Board (EQB) to respond to all comments received from us or any other source.

1. Determining whether the regulation is in the public interest; Economic or fiscal impacts; Direct and indirect costs to the Commonwealth or private sector; Reasonableness of requirements.

EQB states in the Preamble that the proposed regulation represents a comprehensive revision of Pennsylvania's existing infectious and chemotherapeutic waste regulations. In developing this proposed regulation, EQB consulted with several advisory committees and met and communicated with members of the regulated community. Merck Sharp and Dohme Corp. (Merck) and Sanofi Pasteur Inc. (Sanofi Pasteur) commented on the regulation, asserting that biologics facilities, a segment of the regulated community, were excluded from providing input on the proposed regulation. We met with Department of Environmental Protection (Department) staff who acknowledged that while they did not meet with this segment of the regulated community during the drafting process, staff is in communication with Merck and Sanofi Pasteur and is considering the issues raised in their comments.

Merck and Sanofi Pasteur assert that biologics facilities are highly regulated by the U.S. Food and Drug Administration, which imposes stringent requirements and mandates practices to ensure the purity and safety of vaccine products. According to Merck and Sanofi Pasteur, biologics facilities assiduously follow the Centers for Disease Control and Prevention (CDC) biosafety guidelines, which require companies to classify infectious agents present at their facilities into one of four biosafety levels based on

the risk that the agents pose. Biosafety Level 1 agents are those that do not pose a risk of disease requiring special precautions or handling. The crux of the comments submitted by Merck and Sanofi Pasteur is that infectious wastes containing only Biosafety Level 1 agents should not be treated as ordinary municipal or residual waste.

Merck and Sanofi Pasteur request EQB amend the regulation, taking into consideration the CDC classification of Biosafety Level 1 agents and the unique activities conducted at biologics facilities. Specifically, Merck and Sanofi Pasteur raise concerns regarding:

- The need to exempt Biosafety Level 1 agents from the definition of "regulated medical waste" because these agents pose no appreciable risk of causing disease;
- The need to exempt the large volume of plastics generated by biologics facilities from the definition of "sharps" because they pose little risk of puncture and are not considered sharps in almost all other jurisdictions;
- The need to define "residue in empty containers";
- The need to clarify the term "cell lines";
- The need to exempt certain biologics facilities from the requirement to segregate regulated medical waste from chemotherapeutic waste; and
- The need to simplify disinfection, monitoring, validation and disposal requirements for certain biologics manufacturing facilities.

Based on the number and significance of the issues raised by Merck and Sanofi Pasteur, we question the reasonableness of the requirements as they relate to biologics facilities, as well as the fiscal or economic impact, and the direct and indirect costs to the private sector. We ask EQB to consider the concerns of this segment of the regulated community, and to continue to engage the entire regulated community to allow for the opportunity to resolve as many concerns as possible prior to the submittal of the final-form regulation. We will

review EQB's response as part of our consideration of whether the final-form regulation is in the public interest.

2. Section 271.1. Definitions.—Protection of the public health, safety and welfare; Clarity; Reasonableness of requirements.

Infectious waste

In order to use terminology that is consistent with other states and the Federal government, EQB is amending the regulation to identify infectious waste as regulated medical waste. EQB proposes that regulated medical waste be defined as "infectious waste," thereby incorporating the existing definition of infectious waste. The use of two terms having the same definition has the potential to cause confusion among the public and regulated community. EQB should explain the need for and compelling public interest that justifies the use of the same definition for two terms, and how the benefits of using the two terms outweigh any adverse effects.

As noted in comment 1, Biosafety Level 1 agents are those that do not pose a risk of disease requiring special precautions or handling. We ask EQB to explain why it is reasonable to include Biosafety Level 1 agents in the definition of infectious waste, as well as in the term infectious agent.

Commentators note that under Clause (i)(A) (relating to cultures and stocks) the definition of "cultures and stocks" uses the undefined term "residue in emptied containers." Commentators request that EQB provide clarity to the regulated community by incorporating the Resource and Conservation and Recovery Act (RCRA) definition of empty containers into this regulation. Commentators request that certain emptied containers meeting the RCRA criteria be exempt from the definition of "infectious waste." We ask EQB to address this clarity concern for the regulated community, or to explain why clarification is not needed.

Commentators further request that certain cell lines that have not been exposed to infectious agents classified as Biosafety Levels 2-4 be exempt from the definition of "infectious waste." We ask EQB to explain why it is reasonable to include these cell lines in the definition of "infectious waste."

Also, under Clause (i)(B) (relating to pathological wastes), EQB is proposing to exempt tissues preserved with formaldehyde from the definition of "pathological waste." Several commentators express confusion over what type of waste this tissue will be considered after the regulation takes effect. Could this confusion among the regulated community affect protection of the public health, safety and welfare? EQB should address this concern or clarify its intent by revising the definition.

Used sharps

We ask EQB to explain the reasonableness of including plasticware generated at biologics facilities in the definition of "used sharps."

3. Section 284.122. Modification of certain requirements.—Determining whether the regulation is in the public interest; Protection of the public health, safety and welfare.

In Subsection (b), EQB is proposing to delete several currently mandatory provisions relating to the legal right of the Department to enter the permitted area, the identification of interested parties, compliance information, verification of the application, and the administration of civil penalties and enforcement actions. EQB

states that these mandatory provisions limit the Department's flexibility to provide applicants with an effective permit.

EQB's explanation for this change is insufficient to show how the deletion of these provisions is in the public interest. EQB should explain in detail how protection of the public health, safety and welfare would not be impacted by the deletion of each of these provisions. For example, why is it in the public interest for the Department to waive its legal right to enter the permitted area?

4. Section 284.321. Regulated medical waste monitoring requirements.—Economic or fiscal impacts; Clarity; Need for the regulation; Reasonableness of requirements; Implementation procedures.

General

Commentators state the following provisions are appropriate when the specific biological composition of the waste is unknown:

- Proposed amendments to Paragraph (a)(2) related to disinfection;
- The monitoring provisions in Subsection (d); and
- Existing regulations referencing this section (Sections 273.411 and 273.511 require Departmental approval for the disposal at a municipal landfill of waste disinfected in accordance with Section 284.321.).

Correspondingly, these commentators state that these provisions are unnecessarily onerous when applied to the well-characterized waste streams from biologics facilities, and raise concerns related to the impact of this section on biologics facilities. We ask EQB to explain how these provisions are reasonable and necessary for biologics facilities.

Annual validation

Paragraph (n)(3) requires the regulated community to validate existing systems at a frequency specified by the manufacturer, but not less than one year. This appears to be a new requirement for the regulated community. Is it possible that a manufacturer requires its product to be validated at a frequency that is greater than one year? If so, EQB should explain why it is reasonable to implement a more stringent timeframe than a manufacturer has set. Will this new requirement have economic or fiscal impacts on the regulated community?

Threshold for procedures

Under Paragraph (n)(4), certain procedures are to be employed when a "significant change" occurs or a "problem is evident." Neither of these phrases sets a clear compliance standard for the regulated community. EQB should define these phrases, or provide examples of what is meant by them.

5. Section 284.322. Autoclave validation testing requirements.—Reasonableness of the requirements.

EQB proposes to set new requirements for autoclave operating parameters. Commentators question the reasonableness of the minimum temperature requirements in Section (5). Is this temperature requirement reasonable for all entities who must comply, including biologic facilities where the waste is known to contain only a well-characterized vaccine or other biologic that is inactivated at a much lower temperature than that proposed? EQB should explain how the requirement is reasonable for all regulated entities.

6. Section 284.411. Segregation.—Clarity, feasibility and reasonableness of the regulation.

Commentators raise concerns that the nature of the work conducted at biologics facilities makes it infeasible to segregate the waste according to EQB's proposed regulation. Commentators further assert that in some cases segregation is unnecessary if the waste is processed and kept entirely on-site. EQB should explain how the proposed regulation is feasible and reasonable for biologics facilities, particularly for facilities where the waste is kept entirely on-site, or amend the regulation to address these concerns.

7. Section 284.414. Marking of containers.—Protection of the public health, safety and welfare; Clarity and lack of ambiguity; Reasonableness of requirements; Implementation procedures.

General

This section addresses the types of information required to be marked on the outermost container; however, we do not see where this section, or any other section of the regulation, states explicitly who is responsible for complying with the requirements of this section. While it is implied that this section applies to generators (particularly in Paragraph (a)(5) which references the date that the generator sealed the container), for the protection of the public health, safety and welfare, we ask EQB to clarify in the final-form regulation who bears responsibility for complying with requirements for marking of containers, thereby ensuring lack of ambiguity.

Implementation timeframe

In Paragraph (a)(3), EQB provides a one-year timeframe for the regulated community to comply with the new requirements for marking containers. Commentators express concern about having sufficient time to use their existing inventory of containers, particularly given that the proposed regulation would extend the length of time that a generator is permitted to hold waste. We agree and ask EQB to review the proposed implementation procedures in light of this concern and consider the reasonableness of extending the implementation timeframe.

Commentators pose a related concern regarding whether having both "infectious waste" and "regulated medical waste" marked on a container would be a violation after the implementation timeframe cited in Paragraph (a)(3). We agree that EQB should clarify for the regulated community whether this would be a violation.

8. Section 284.512. Transportation of regulated medical and chemotherapeutic waste; general provisions.—Protection of the public health, safety and welfare; Clarity; Implementation procedures.

In Subparagraph (c)(iv), EQB is deleting strength and weight requirements on corrugated fiberboard containers. We ask EQB to explain how this amendment to the regulation adequately protects the public health, safety and welfare.

We also ask EQB to consider amending this section to clarify how roll-offs are impacted. For example, in Subsection (e) (relating to commingling of waste), how does the requirement that regulated medical or chemotherapeutic waste may not be transported in the same vehicle as residual waste affect the transportation of roll-offs?

9. Section 284.513. Transportation of regulated medical and chemotherapeutic waste; additional provisions.—Clarity; Reasonableness of requirements; Implementation procedures.

Paragraph (b)(2) requires that vehicles transporting regulated medical or chemotherapeutic waste shall be identified with a placard or decal containing the phrase "regulated medical waste" or "chemotherapeutic waste," or both, as applicable. Commentators request that EQB provide an implementation timeframe. We agree that providing the regulated community a period of time to become compliant is reasonable, and ask EQB to revise the final-form regulation accordingly.

Similar to the concern noted above in Section 284.414 (a)(3), commentators express concern as to whether identifying a vehicle with both "infectious waste" and "regulated medical waste" would be a violation. We agree that EQB should clarify for the regulated community whether this would be a violation.

10. Section 284.724. Transportation limitations.—Protection of the public health, safety and welfare; Clarity and lack of ambiguity.

Paragraph (a)(2) states that a transporter may not accept or transport a shipment of regulated medical or chemotherapeutic waste or processed regulated medical or chemotherapeutic waste if the waste is not labeled or identified as required by Section 284.414 (relating to marking of containers). Commentators suggest that it may be impossible for transporters to verify that all marking requirements are met on containers which a generator has pre-loaded onto a trailer. These commentators question whether in a scenario such as this, transporters would be in violation of this paragraph. In light of the ambiguity regarding responsibility for marking of containers addressed in comment 7, we agree that this could be a point of concern for the regulated community. For the protection of the public health, safety and welfare, we ask EQB to clarify in the final-form regulation who bears responsibility for complying with transportation limitations.

11. Miscellaneous clarity.

Regulatory Analysis Form (RAF)

In its response to the RAF, EQB cites various numbers in terms of how many entities are affected by the regulation. For example:

- In response to #10, EQB states there are an estimated 16,063 generators.
- In response to #15, EQB states that the regulation will affect generators, processors and transporters.
- Also in response to #15, EQB states that 42 transporters will be affected.
- In response to #16, EQB estimates 16,063 entities will be affected by the regulation.

Also, it is unclear to us, based on our review of the RAF, whether EQB includes processors in the total.

We understand through our discussion with the Department that quantifying the number of affected entities is challenging, but we ask EQB to revise its response to the RAF to ensure that, as accurately as possible, all types of entities impacted by the regulation are counted and considered in EQB's response to each question.

Preamble regarding Section 271.1 (relating to definitions)

EQB states regarding the definition of infectious waste: "Also, tubing that is used to connect the intravenous bag

to the patient has been added.” It does not appear that this language regarding tubing has, in fact, been added to the definition of infectious waste. We ask EQB to review the definition and ensure that it has been amended as intended.

Preamble regarding Section 284.711 (relating to use of manifest)

EQB states that language regarding manifests is proposed to be deleted and replaced with logs or shipping papers. For clarity and consistency, EQB should consider whether deleting the word “manifest” from the titles of relevant sections would improve clarity of the regulation. Likewise, commentators state that some sections of the regulation still refer to manifests. For clarity and consistency, EQB should ensure that references to manifests are updated as intended.

Section 271.1. Definitions.

Under infectious waste, the language in Clause (i)(D) (relating to animal wastes) as amended is unclear. It appears that the word “during” should not be deleted, whereas the comma following the deleted language should be deleted. EQB should clarify the language in this clause.

Section 284.111. Application for general permit.

In (b)(3)(viii) EQB should replace the reference to “infectious” waste with the proposed “regulated medical” waste. For clarity and consistency, EQB should ensure that all references to “infectious” waste throughout the regulation are updated as intended.

Section 284.412. Basic storage requirements.

The Celsius temperature equivalent to 45°F should be added to Paragraph (a)(4).

Department of Public Welfare
Regulation #14-535 (IRRC #3019)
Supplemental Ventilator Care Payment for
Medical Assistance Nursing Facilities
October 23, 2013

We submit for your consideration the following comments on the proposed rulemaking published in the

August 24, 2013 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Department of Public Welfare (Department) to respond to all comments received from us or any other source.

Public comments requesting that “trach collar” patients be included in this regulation and reimbursed at the same level as ventilator patients.— Economic impact; Feasibility; Protection of the public health, safety and welfare.

Commentators on this regulation compliment the Department for recognizing and reimbursing the additional costs providers incur for ventilator patients. These same commentators also suggest including “trach collar” patients in this regulation because:

- There is little or no difference in the care of a ventilator dependent patient and a “trach collar” patient and they should receive the same reimbursement, and
- For many reasons, the reimbursement for Medical Assistance patients has declined, making it more difficult to provide medical services.

We recognize there are many factors for the Department to consider when determining the scope of services that can be reimbursed, including the medically required level of patient care, whether a State Plan Amendment is needed, federal requirements along with whether federal and state funds are available. We ask the Department to consider the request by the commentators to include “trach collar” patients at the same reimbursement level as ventilator patients. In the final-form regulation submittal, the Department should provide a thorough explanation supporting the Department’s decision, including an amended Regulatory Analysis Form, if necessary. We will review the Department’s response as part of our consideration of whether the final-form regulation is in the public interest.

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 13-2086. Filed for public inspection November 1, 2013, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
41-21	County Probation and Parole Officers’ Firearm Education Training Commission County Probation and Parole Officers’ Firearm Education Training Commission	10/18/13	11/21/13
6-326	State Board of Education Academic Standards and Assessment	10/18/13	11/21/13

SILVAN B. LUTKEWITTE, III,
Chairperson

[Pa.B. Doc. No. 13-2087. Filed for public inspection November 1, 2013, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board Lease seeks the following new site:

Luzerne County, Wholesale/Warehouse Center #TBD (New Wholesale/Warehouse Facility), Wilkes-Barre, PA

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 18,000 to 24,000 net useable square feet of new or existing warehouse preferably "flex space" within a 4-mile radius of the intersection of Fox Hill Road and Route 315 in Wilkes-Barre, PA. Must have access for tractor-trailer delivery and have at least one loading dock for exclusive use.

Proposals due: November 22, 2013, at 12 p.m.

Department: Liquor Control Board
Location: Bureau of Real Estate
 Northwest Office Building, Room #313
 910 Capital Street
 Harrisburg, PA 17124-0001
Contact: William M. Matsko
 (717) 787-3016
 wmatko@pa.gov

JOSEPH E. BRION,
Chairperson

[Pa.B. Doc. No. 13-2088. Filed for public inspection November 1, 2013, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 1

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 1 on January 8, 2014, at 10 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 1. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the second quarters of calendar years 2012 and 2013; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; monthly adjustments to in-store handling costs; and a reasonable rate of return to milk dealers and stores. In accordance with OGO A-937, evidence and testimony will be considered regarding the heating fuel adjuster in Area 1. In accordance with OGO A-939, evidence and testimony will be considered regarding the diesel fuel cost adjuster in Area 1.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on November 19, 2013, a notice of

appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on November 19, 2013, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on December 6, 2013, Board staff shall file with the Board, in person or by mail, one original and five single-sided copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on December 20, 2013, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on January 3, 2014, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Regardless whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 1 p.m. on December 27, 2013.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 13-2089. Filed for public inspection November 1, 2013, 9:00 a.m.]

Hearing and Presubmission Schedule; Milk Marketing Area No. 2

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 2 on January 8, 2014, at 10:30 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing

Area No. 2. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the second quarters of calendar years 2012 and 2013; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; monthly adjustments to in-store handling costs; and a reasonable rate of return to milk dealers and stores. In accordance with OGO A-937, evidence and testimony will be considered regarding the heating fuel adjuster in Area 2. In accordance with OGO A-939, evidence and testimony will be considered regarding the diesel fuel cost adjuster in Area 2.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on November 19, 2013, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on November 19, 2013, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on December 6, 2013, Board staff shall file with the Board, in person or by mail, one original and five single-sided copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on December 20, 2013, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on January 3, 2014, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Regardless whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 1 p.m. on December 27, 2013.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 13-2090. Filed for public inspection November 1, 2013, 9:00 a.m.]

Hearing and Presubmission Schedule; Milk Marketing Area No. 3

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 3 on January 8, 2014, at 11 a.m. in Room 202, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 3. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the second quarters of calendar years 2012 and 2013; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; monthly adjustments to in-store handling costs; and a reasonable rate of return to milk dealers and stores. In accordance with OGO A-937, evidence and testimony will be considered regarding the heating fuel adjuster in Area 3. In accordance with OGO A-939, evidence and testimony will be considered regarding the diesel fuel cost adjuster in Area 3.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 3 p.m. on November 19, 2013, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on November 19, 2013, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on December 6, 2013, Board staff shall file with the Board, in person or by mail, one original and five single-sided copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on December 20, 2013, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on January 3, 2014, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Regardless whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 1 p.m. on December 27, 2013.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 13-2091. Filed for public inspection November 1, 2013, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by November 18, 2013. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-2013-2373640. 369-Taxi, LLC (706 Rochester Road, Pittsburgh, PA 15237) in call or demand service, in the Townships of McCandless, Marshall, Pine, Richland, Ross, Ohio, Robinson, Moon and Findlay, the Boroughs of Franklin Park, Sewickley and West View, the City of Pittsburgh, all in Allegheny County; and in Cranberry Township, Butler County.

Application of the following for approval to *begin operating as contract carriers for transportation of persons as described under the application.*

A-2013-2387334. Jamie and Christie Hockenberry, Co-Tenants in Entirety (432 Flint Road, Mifflintown, PA 17059) for the right to begin to transport as a contract carrier, by motor vehicle, persons for Hostler Remodeling & Valley View Lumber, between points in Juniata, Mifflin and Perry Counties.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-2092. Filed for public inspection November 1, 2013, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due November 18, 2013, and must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission, Bureau of Investigation and Enforcement v. Gerson Santos t/a Precious Transport Enterprises; Doc. No. C-2013-2373935

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Gerson Santos, t/a Precious Transport Enterprises, (respondent) is under suspension effective June 22, 2013 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 504 Poplar Street, Philadelphia, PA 19123.
3. That respondent was issued a Certificate of Public Convenience by this Commission on June 28, 2012, at A-6413646.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an

Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6413646 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 7/17/2013

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, Pennsylvania 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
Harrisburg, Pennsylvania 17120

Additionally, please serve a copy on:

Wayne T. Scott, Prosecutor
Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, Pennsylvania 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in this Complaint. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate.

Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the proposed penalty in this Complaint, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth in this Complaint.

F. If you have questions regarding this Complaint or if you would like an alternative format of this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

*Pennsylvania Public Utility Commission, Bureau of Investigation and Enforcement v. Marrema Doing Business as Great Valley Cab Company LLC;
Doc. No. C-2013-2376652*

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Marrema Doing Business as Great Valley Cab Company, LLC, (respondent) is

under suspension effective June 07, 2013 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 13 Landmark Drive, Malvern, PA 19355.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 23, 2010, at A-6311591.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6311591 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/6/2013

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, Pennsylvania 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
Harrisburg, Pennsylvania 17120

Additionally, please serve a copy on:

Wayne T. Scott, Prosecutor
Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, Pennsylvania 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in this Complaint. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the proposed penalty in this Complaint, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth in this Complaint.

F. If you have questions regarding this Complaint or if you would like an alternative format of this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

*Pennsylvania Public Utility Commission, Bureau of
 Investigation and Enforcement v. Brag, Inc.;*
Doc. No. C-2013-2380694

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Brag, Inc., Respondent, maintains its principal place of business at 320 South Main Street, Athens, PA 18810.
2. That Respondent was issued a Certificate of Public Convenience by this Commission on October 19, 1989, at Application Docket No. A-00108540 F. 3.
3. That by Secretarial Letter issued on March 29, 2011 at C-2010-2178691, Respondent was directed to pay a civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payments to this Commission.
4. That by Secretarial Letter issued on June 11, 2012 at C-2011-2270729, Respondent was directed to pay a civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payments to this Commission.
5. That Respondent failed to pay fines totaling five hundred dollars (\$500.00) and violated 66 Pa.C.S. § 501(c) for failing to observe, obey and comply with a Secretarial Letter issued on March 29, 2011 at C-2010-2178691, and June 11, 2012 at C-2011-2270729.

A Certificate holder has an obligation to comply with the Commission's rules and regulations. A Certificate of Public Convenience is neither a contract nor a property; it is a privilege. Where that privilege is violated, the Commission may, for due cause, exercise its power to revoke a carrier's privilege to operate. *Paradise v. Pennsylvania Public Utility Commission*, 132 A.2d 754, 184 Pa. Superior Court 8 (1957).

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission issue an Order which revokes the Certificate of Public Convenience held by Respondent at A-00108540 F. 3.

Respectfully submitted,

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief of Motor Carrier Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at

any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/27/2013

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by paying the civil penalty within 20 days. Your check or money order for the civil penalty should be payable to the Commonwealth of Pennsylvania and mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

*Pennsylvania Public Utility Commission, Bureau of
 Investigation and Enforcement v.
 Fantasy Limousine Service, Inc.;*
Doc. No. C-2013-2381955

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Fantasy Limousine Service, Inc., Respondent, maintains its principal place of business at RD 6, Box 49, Greensburg, PA 15801.

2. That Respondent was issued a Certificate of Public Convenience by this Commission on July 17, 1989, at Application Docket No. A-00108359.

3. That by Secretarial Letter issued on March 29, 2011 at C-2010-2180664, Respondent was directed to pay a civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payments to this Commission.

4. That by Secretarial Letter issued on May 20, 2011 at C-2011-2127369, Respondent was directed to pay a civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payments to this Commission.

5. That by Secretarial Letter issued on April 25, 2012 at C-2012-2292652, Respondent was directed to pay a civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payments to this Commission.

6. That Respondent failed to pay fines totaling seven hundred fifty dollars (\$750.00) and violated 66 Pa.C.S. § 501(c) for failing to observe, obey and comply with the Secretarial Letter issued on March 29, 2011 at C-2010-2180664, May 20, 2011 at C-2011-2127369, and April 25, 2012 at C-2012-2292652.

A Certificate holder has an obligation to comply with the Commission's rules and regulations. A Certificate of Public Convenience is neither a contract nor a property; it is a privilege. Where that privilege is violated, the Commission may, for due cause, exercise its power to revoke a carrier's privilege to operate. *Paradise v. Pennsylvania Public Utility Commission*, 132 A.2d 754, 184 Pa. Superior Court 8 (1957).

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission issue an Order which revokes the Certificate of Public Convenience held by Respondent at A-00108359.

Respectfully submitted,

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief of Motor Carrier Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/5/2013

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by paying the civil penalty within 20 days. Your check or money order for the civil penalty should be payable to the Commonwealth of Pennsylvania and mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

*Pennsylvania Public Utility Commission, Bureau of
 Investigation and Enforcement v. Polina Taxi, Inc.;*
Doc. No. C-2013-2382402

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Polina Taxi, Inc., Respondent, maintains its principal place of business at 600 Old Street RD F209, Treose, PA 19053.

2. That Respondent was issued Certificates of Public Convenience by this Commission on June 1, 1998 at A-00114407 F. 1, and on February 26, 2001 at A-00114407 F. 3.

3. That by Secretarial Letter issued on July 8, 2011 at C-2010-2137676, Respondent was directed to pay a civil penalty of two hundred fifty dollars (\$250.00). To date, Respondent has not submitted any payment to this Commission.

4. That Respondent failed to pay fines totaling two hundred fifty dollars (\$250.00) and violated 66 Pa.C.S. § 501(c) for failing to observe, obey and comply with the Secretarial Letter issued on July 8, 2011 at C-2010-2137676.

A Certificate holder has an obligation to comply with the Commission's rules and regulations. A Certificate of Public Convenience is neither a contract nor a property; it is a privilege. Where that privilege is violated, the Commission may, for due cause, exercise its power to revoke a carrier's privilege to operate. *Paradise v. Pennsylvania Public Utility Commission*, 132 A.2d 754, 184 Pa. Superior Court 8 (1957).

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission issue an Order which revokes the Certificates of Public Convenience held by Respondent at A-00114407, Fs. 1 and 3.

Respectfully submitted,

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 9/10/2013

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by paying the civil penalty within 20 days. Your check or money order for the civil penalty should be payable to the Commonwealth of Pennsylvania and mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-2093. Filed for public inspection November 1, 2013, 9:00 a.m.]

Telecommunications

A-2013-2388660. United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Lumos Networks of West Virginia, Inc. Joint petition of United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Lumos Networks of West Virginia, Inc. for approval of adoption of an interconnection, collocation and resale agreement under section 252(i) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Lumos Networks of West Virginia, Inc., by its counsel, filed on October 17, 2013, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection, collocation agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Lumos Networks of West Virginia, Inc. joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov, and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-2094. Filed for public inspection November 1, 2013, 9:00 a.m.]

Telecommunications Services

A-2013-2388976. CallFire, Inc. Application of CallFire, Inc. for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territory of The United Telephone Company of Pennsylvania, d/b/a CenturyLink.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before November 18, 2013. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.state.pa.us, and at the applicant's business address.

Applicant: CallFire, Inc.

Through and By Counsel: Katherine E. Barker Marshall, Esquire, Arent Fox, LLP, 1717 K Street, NW, Washington, DC 20036-5342

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-2095. Filed for public inspection November 1, 2013, 9:00 a.m.]

Water Service

P-2013-2389331. United Water Pennsylvania, Inc. Petition of United Water Pennsylvania, Inc. for approval of a tariff supplement to revise its maximum distribution system improvement charge to 7.5% of billed revenues.

Protests and petitions to intervene must be filed in accordance with 52 Pa. Code §§ 5.61 and 5.74 (relating to answers to complaints, petitions, motions and preliminary objections; and filing of petitions to intervene). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the petitioner, on or before Monday, November 18, 2013. The documents filed in support of the petition are available for inspection and copying in the Pennsylvania Public Utility Commission's (Commission) Secretary's Bureau between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov, and at the petitioner's business address.

Petitioner: United Water Pennsylvania, Inc.

Through and By Counsel: David P. Zambito, Esquire, Joshua L. Belcher, Esquire, Cozen O'Connor, 305 North Front Street, Suite 400, Harrisburg, PA, 17101-1236

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 13-2096. Filed for public inspection November 1, 2013, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Van Edward Scott, MD; Doc. No. 1188-49-13; File No. 10-49-03508

On January 7, 2013, Van Edward Scott, MD, license no. MD064157L, of New Castle, Lawrence County, had his license suspended based on his multiple felony convictions under The Controlled Substance, Drug, Device and Cosmetic Act (35 P. S. §§ 780-101—780-144).

Individuals may obtain a copy of the final order by writing to Wesley J. Rish, Board Counsel, State Board of Medicine, P. O. Box 2649, Harrisburg, PA 17105-2649.

ANDREW J. BEHNKE, MD,
Chairperson

[Pa.B. Doc. No. 13-2097. Filed for public inspection November 1, 2013, 9:00 a.m.]

STATE POLICE

Mobile Video Recording System Equipment Standards and Approved Mobile Video Recording Systems

The State Police, under 18 Pa.C.S. §§ 5704(16)(ii)(C) and 5706(b)(4) (relating to exceptions to prohibition of interception and disclosure of communications; and exceptions to prohibitions in possession, sale, distribution, manufacture or advertisement of electronic, mechanical or other devices), published at 34 Pa.B. 1304 (February 28, 2004) a notice of Mobile Video Recording System Equipment Standards and Approved Mobile Video Recording Systems for use until the next comprehensive list is published.

As an addendum to the listing of approved mobile video recording systems published at 34 Pa.B. 1304, the State

Police, under the authority cited previously, has approved for use, until the next comprehensive list is published, subject to interim amendment, the following additional approved mobile video recording system, which meets the minimum equipment standards published at 34 Pa.B. 1304:

DVB-777 Mobile Video Recorder, Digital Ally, Lenexa, KS
DVM-400 Mobile Video Recorder, Digital Ally, Lenexa, KS
Data 911 Mobile Digital Video System, Data 911 Mobile Computer Systems, Alameda, CA

Comments, suggestions or questions should be directed to State Police, Bureau of Patrol, Department Headquarters, 1800 Elmerton Avenue, Harrisburg, PA 17110.

COLONEL FRANK NOONAN,
Commissioner

[Pa.B. Doc. No. 13-2098. Filed for public inspection November 1, 2013, 9:00 a.m.]

