

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 11, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
3-5-2014	The Bank of Landisburg Landisburg Perry County	2780 Keystone Way Newport Perry County	Filed
3-7-2014	Riverview Bank Marysville Perry County	2800 State Hill Road Reading Berks County	Filed

### SAVINGS INSTITUTIONS

#### Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-17-2014	<i>From:</i> Slovenian Savings and Loan Association Strabane Washington County  <i>To:</i> Slovenian Saving and Loan Association Strabane Washington County	Filed

Application for approval to convert from a Pennsylvania State-chartered savings and loan association to a Pennsylvania State-chartered savings bank.

### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.state.pa.us](http://www.dobs.state.pa.us) includes public notices for more recently filed applications.

GLENN E. MOYER,  
*Secretary*

[Pa.B. Doc. No. 14-591. Filed for public inspection March 21, 2014, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and

Natural Resources (Department) will hold a meeting on Wednesday, March 26, 2014, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Joe Graci at (717) 787-9293. Persons who wish to participate during the public comment period are encouraged to submit their comments in writing to the Council to Gretchen Leslie, Advisor, Conservation and Natural Resources Advisory Council, 400 Market Street, Harrisburg, PA 17105-8767.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Lauren Adair directly at (717) 787-9293 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

ELLEN FERRETTI,  
*Secretary*

[Pa.B. Doc. No. 14-592. Filed for public inspection March 21, 2014, 9:00 a.m.]

**DEPARTMENT  
OF EDUCATION**

**Application of Howard S. Wolstoncroft for Reinstatement of Teaching Certificates; Doc. No. RE-13-04**

**Notice of Opportunity for Hearing and Invitation to Protest**

Under the Educator Discipline Act (act) (24 P. S. §§ 2070.1a—2070.18c), the Professional Standards and Practices Commission (Commission) will consider the application of Howard S. Wolstoncroft for reinstatement of his teaching certificates.

Howard S. Wolstoncroft filed an application for reinstatement of his teaching certificates under section 16 of

the act (24 P. S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.123 (relating to reinstatements). Under section 16 of the act, the Department of Education on February 24, 2014, advised the Commission that it opposes the application for reinstatement.

In accordance with the act, 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 22 Pa. Code § 233.123(d), the Commission will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Commission, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing shall be filed with Carolyn Angelo, Executive Director, Professional Standards and Practices Commission, 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Suzanne Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

CAROLYN ANGELO,  
*Executive Director*

[Pa.B. Doc. No. 14-593. Filed for public inspection March 21, 2014, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Applications, Actions and Special Notices**

**APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT  
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION  
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)  
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the

Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### I. NPDES Renewal Applications

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063754 (Industrial Waste)	Huntsville Water Purification Plant 56 Reservoir Road Dallas Twp, PA 18612	Luzerne County Dallas Township	Huntsville Reservoir (05B)	Y

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0021644— SEW	Dover Borough 46 Butter Road Dover, PA 17315	Dover Borough / York County	Fox Run / 7F	Y
PA0010511— IW	Spring Glen Fresh Foods, Inc. 314 Spring Glen Drive Ephrata, PA 17522	Ephrata Township / Lancaster County	Bowman Run / 7J	Y
PA0034011— Sew	Bedford Materials Company 7676 Allegheny Road Manns Choice, PA 15550	Napier Township / Bedford County	Raystown Branch Juniata River / 11-C	Y

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0022195 (Sewage)	Catawissa Borough Wastewater Treatment Plant PO Box 44 Catawissa, PA 17820-0044	Columbia County Catawissa Borough	Catawissa Creek (5-E)	Y
PA0112305 (Sewage)	Wyalusing Municipal Authority Wastewater Treatment Plant River Street Wyalusing, PA 18853-0061	Bradford County Wyalusing Borough	Susquehanna River (4-D)	N
PA0229181 (SFTF)	Penn's Tavern Pa Route 147 Sunbury, PA 17801	Northumberland County Lower Augusta Township	Susquehanna River (6-B)	Y

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0092533 (Sewage)	Iselin STP Iselin, PA 15761	Indiana County Young Township	Harpers Run (18-C)	Y
PA0205061 (Sewage)	Raccoon Elementary School STP 3949 Patterson Road Aliquippa, PA 15001-1044	Beaver County Raccoon Township	Unnamed Tributary to Gums Run (20-D)	Y
PA0204960 (Sewage)	Big Jims Roadhouse STP 10 Cecil Henderson Road Hendersonville, PA 15339	Washington County Cecil Township	Unnamed Tributary of McPherson Creek (20-F)	Y
PA0023892 (Sewage)	Bessemer Run STP LR 26079 Masontown, PA 15467-1841	Fayette County Masontown Borough	Cats Run (19-G)	Y

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.*

**PA0254584**, Industrial Waste, SIC Code 3339 & 4911, **Horsehead Corporation**, 300 Frankfort Road, Monaca, PA 15061-2210. Facility Name: Horsehead Corporation Landfill. This proposed facility is located in Potter Township, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated residual waste landfill leachate and storm water runoff.

The receiving stream(s), Raccoon Creek, is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 006 are based on a design flow of 0.216 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	3.8	7.0	XXX
Total Antimony						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.08	0.12	XXX
Total Barium	XXX	XXX	XXX	Report	Report	XXX
Total Cadmium	XXX	XXX	XXX	Report	Report	XXX
Total Chromium	XXX	XXX	XXX	Report	Report	XXX
Total Copper	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	5.0	12.0	XXX
Total Lead	XXX	XXX	XXX	Report	Report	XXX
Total Manganese	XXX	XXX	XXX	0.14	0.22	XXX
Total Mercury	XXX	XXX	XXX	Report	Report	XXX
Total Selenium	XXX	XXX	XXX	0.011	0.022	XXX
Dissolved Selenium	XXX	XXX	XXX	Report	Report	XXX
Sulfate	XXX	XXX	XXX	Report	Report	XXX
Total Thallium						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.003	0.005	XXX
Total Zinc	XXX	XXX	XXX	0.6	1.0	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- A Toxics Reduction Evaluation for antimony and thallium; chemical additives requirements; quarterly untreated landfill leachate monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0002208**, Industrial Waste, SIC Code 3339, **Horsehead Corporation**, 300 Frankfort Road, Monaca, PA 15061-2210. Facility Name: Horsehead Corp Monaca Smelter. This existing facility is located in Potter Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), the Ohio River and Poorhouse Run, are located in State Water Plan watershed 20-B and 20-G and are classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 6.1 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Cadmium						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.027	0.042	0.068
Total Copper	XXX	XXX	XXX	Report	Report	XXX
Total Thallium						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.024	0.038	0.060
Total Zinc	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 1.1 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)						
(Interim)	XXX	XXX	6.0	XXX	XXX	10.0
(Final)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	72	108	XXX	10	15	19
Total Dissolved Solids						
(Final)	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	Report	Report	XXX	Report	Report	XXX
Total Arsenic	4.1	10.0	XXX	0.57	1.39	1.7
Total Barium	Report	Report	XXX	Report	Report	XXX
Total Cadmium	0.57	1.4	XXX	0.08	0.2	0.3
Total Chromium	Report	Report	XXX	Report	Report	XXX
Total Copper	4.4	9.2	XXX	0.61	1.28	1.6
Fluoride	XXX	XXX	XXX	Report	Report	XXX
Total Iron	Report	Report	XXX	Report	Report	XXX
Total Lead	0.65	0.72	XXX	0.09	0.10	0.13
Total Manganese	Report	Report	XXX	Report	Report	XXX
Total Mercury	Report	Report	XXX	Report	Report	XXX
Total Selenium	Report	Report	XXX	Report	Report	XXX
Sulfate (Final)	XXX	XXX	XXX	Report	Report	XXX
Total Thallium						
(Interim)	Report	Report	XXX	Report	Report	XXX
(Final)	1.0	1.5	XXX	0.13	0.21	0.33
Total Zinc	3.0	7.3	XXX	0.42	1.02	1.3
Chloride (Final)	XXX	XXX	XXX	Report	Report	XXX
Bromide (Final)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point 201 are based on a design flow of 5.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Heat Rejection Rate (MBTUs/day)						
Jan 1 - Jun 30	XXX	9,790	XXX	XXX	XXX	XXX
Jul 1 - Dec 31	XXX	5,840	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.20 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
Apr 1 - Oct 31	XXX	XXX	XXX	200	XXX	400
Nov 1 - Mar 31	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 90 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	XXX	XXX	0.2
Heat Rejection Rate (MBTUs/day)						
Jan 1 - Jun 30	XXX	119,000	XXX	XXX	XXX	XXX
Jul 1 - Dec 31	XXX	71,200	XXX	XXX	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Hexavalent Chromium	XXX	XXX	XXX	Report	Report	XXX
Total Cobalt	XXX	XXX	XXX	Report	Report	XXX
Sulfate	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.50 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids						
(Interim)	XXX	XXX	XXX	30	100	XXX
(Final)	XXX	XXX	XXX	10	15	19
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Total Arsenic						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.57	1.39	1.7
Total Cadmium						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.08	0.2	0.3
Total Chromium	XXX	XXX	XXX	Report	Report	XXX
Total Copper						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.61	1.28	1.6
Fluoride	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Total Lead						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.09	0.10	0.13
Total Thallium	XXX	XXX	XXX	Report	Report	XXX
Total Zinc						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.42	1.02	1.3

The proposed effluent limits for Outfall 005 are based on a design flow of 0.014 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	100
Total Cadmium	XXX	XXX	XXX	0.2	XXX	0.5
Hexavalent Chromium	XXX	XXX	XXX	0.2	XXX	0.5
Total Lead	XXX	XXX	XXX	0.2	XXX	0.5
Total Selenium	XXX	XXX	XXX	0.2	XXX	0.5

The proposed effluent limits for Outfall 007 are based on a variable design flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	Report
Total Aluminum	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Barium	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Manganese	XXX	XXX	XXX	Report	XXX	Report
Total Mercury	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

The proposed effluent limits for Outfall 008 are based on a variable design flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	Report
Total Aluminum	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Barium	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Manganese	XXX	XXX	XXX	Report	XXX	Report
Total Mercury	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

The proposed effluent limits for Outfall 009 are based on a variable design flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Total Aluminum	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Barium	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Manganese	XXX	XXX	XXX	Report	XXX	Report
Total Mercury	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

The proposed effluent limits for Outfall 010 are based on a variable design flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

The proposed effluent limits for Outfall 011 are based on a design flow of 0.69 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Toxics Reduction Evaluations for Outfall 001 and IMP 101; chemical additive requirements; TRC minimization; and requirements for storm water outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

**PA0214396**, Storm Water, SIC Code 5052, **Three Rivers Marine & Rail Terminal LP**, 17 Arentzen Boulevard, Charleroi, PA 15022. Facility Name: Three Rivers Marine & Rail Dock. This proposed facility is located in Glassport Borough, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Storm Water associated with coal storage and handling.

The receiving stream(s), Monongahela River, is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies. The proposed effluent limits for Outfall 001 are based on a precipitation based flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Total Suspended Solids	XXX	XXX	XXX	35	70	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	7	XXX
					Max	
Total Iron	XXX	XXX	XXX	3.5	7	XXX
Total Manganese	XXX	XXX	XXX	2	4	XXX
Sulfate	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX



The proposed effluent limits for Outfall 002 are based on a precipitation based flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Total Suspended Solids	XXX	XXX	XXX	35	70	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	7	XXX
					Max	
Total Iron	XXX	XXX	XXX	3.5	7	XXX
Total Manganese Sulfate	XXX	XXX	XXX	2	4	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater sampling results must be submitted in accordance with 40 CFR 122.26(c)(i)(E) on Module 13 by March 1, 2015.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970*

**PA0031208**, Sewage, SIC Code 8211, **Garnet Valley School District**, 80 Station Road, Glen Mills, PA 19342-1751. Facility Name: Garnet Valley HS STP. This existing facility is located in Concord Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Green Creek, is located in State Water Plan watershed 3-G and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0222 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.0	XXX	1.5
CBOD <sub>5</sub>						
May 1 - Oct 31	1.85	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	3.7	XXX	XXX	20	XXX	40
Total Suspended Solids	1.85	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	0.56	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	1.67	XXX	XXX	9.0	XXX	18.0
Total Phosphorus						
May 1 - Oct 31	0.18	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	0.37	XXX	XXX	2.0	XXX	4.0

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP When Municipal Sewers Available
- Chlorine Minimization
- Dry Stream Discharge

G. Operator Notification

H. Condition for Phasing Out

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0011851**, Industrial Waste, SIC Code 3317, **Superior Tube Company Inc.**, 3900 Germantown Pike, Collegetown, PA 19426-3112. Facility Name: Superior Tube Collegetown Facility. This existing facility is located in Lower Providence Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of process wastewater, treated groundwater, stormwater, and miscellaneous wastewaters from a tube manufacturing facility. The receiving stream(s), Perkiomen Creek and an unnamed tributary to Perkiomen Creek, is located in State Water Plan watershed 3-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The nearest downstream public water supply intake is for Aqua PA—Perkiomen Creek.

The proposed effluent limits for IMP 108 are based on a design flow of 0.020 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Instant.	Average	Daily	Instant.
	Monthly	Maximum	Minimum	Monthly	Maximum	Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	2.72	5.32	XXX	16.3	31.9	40.8
Oil and Grease	2.5	5.0	XXX	14.7	26.8	36.8
Ammonia-Nitrogen	0.232	0.239	XXX	1.39	1.81	1.85
Total Cadmium	0.022	0.057	XXX	0.130	0.345	0.345
Total Chromium	0.144	0.233	XXX	0.862	1.399	2.05
Total Copper	0.172	0.282	XXX	1.034	1.688	2.585
Total Cyanide	0.054	0.100	XXX	0.325	0.600	0.813
Fluoride	XXX	XXX	XXX	2.5	XXX	5.0
Total Lead	0.036	0.058	XXX	0.215	0.345	0.538
Total Nickel	0.199	0.334	XXX	1.194	2.002	2.985
Total Silver	0.02	0.036	XXX	0.120	0.215	0.300
Total Zinc	0.123	0.218	XXX	0.740	1.304	1.85
Total Toxic Organics	XXX	XXX	XXX	1.06	XXX	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.1485 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Instant.	Average	Daily	Instant.
	Monthly	Maximum	Minimum	Monthly	Maximum	Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75.0
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000	2,500
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Total Cadmium	XXX	XXX	XXX	Report	Report	Report
Total Chromium	XXX	XXX	XXX	Report	Report	Report
Total Copper	XXX	XXX	XXX	Report	Report	Report
Total Lead	XXX	XXX	XXX	Report	Report	Report
Total Zinc	XXX	XXX	XXX	Report	Report	Report
Trichloroethylene	XXX	XXX	XXX	Report	Report	Report
n-Propyl Bromide	XXX	XXX	XXX	Report	Report	Report

The proposed effluent limits for Outfall 002, 004, 005, 006, and 007 are based on a stormwater event.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Minimum	Average	Daily	Instant.
	Monthly	Maximum	Minimum	Monthly	Maximum	Maximum
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Obtain Necessary Property Rights
- Proper Sludge Disposal
- BAT/BCT Reopener
- TTO Definition
- Approved Test Methods
- Chemical additives
- Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0026051**, Sewage, SIC Code 4952, **Chambersburg Borough Franklin County**, 100 S 2nd Street, Chambersburg, PA 17201-2515. Facility Name: Chambersburg Borough STP. This existing facility is located in Chambersburg Borough, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Conococheague Creek, is located in State Water Plan watershed 13-C and is classified for Warm Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an interim design flow of 6.8 MGD and a final design flow of 11.28 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD <sub>5</sub>						
May 1 - Oct 31 (Interim)	850	1,361	XXX	15	24	40
Nov 1 - Apr 30 (Interim)	1,417	2,268	XXX	25	40	50
May 1 - Oct 31 (Final)	1,411	2,257	XXX	15	24	30
Nov 1 - Apr 30 (Final)	2,351	3,763	XXX	25	40	50
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
(Interim)	1,701	2,552	XXX	30	45	60
(Final)	2,822	4,233	XXX	30	45	60
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
UV Intensity (µw/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31 (Interim)	198	XXX	XXX	3.5	XXX	7.0
Nov 1 - Apr 30 (Interim)	567	XXX	XXX	10	XXX	20
May 1 - Oct 31 (Final)	282	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30 (Final)	846	XXX	XXX	9.0	XXX	18

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	124,199			
Net Total Phosphorus	Report	16,560			

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Authorizes use of 4,775 lbs/year of Total Nitrogen Offsets toward compliance with the Annual Net TN mass load limitations based on connection of on-lot sewage disposal systems to the public sewer.

- Schedule of Compliance
- Pretreatment Program Implementation
- Solids Management
- Whole Effluent Toxicity Testing
- Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0084051**, Sewage, SIC Code 6515, **Creekview Farms Mobile Home Park**, 280 Airy View Road, Shermans Dale, PA 17090. Facility Name: Creekview Farms MHPWWTP. This existing facility is located in Carroll Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Sherman Creek, is located in State Water Plan watershed 7-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies. The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Total Annual</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids		Daily Max				
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids		Daily Max				
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	30	XXX	60
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Nitrate-Nitrite as N (lbs/year)	XXX	Report	XXX	Report	XXX	XXX
Total Nitrogen (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX
Total Phosphorus (lbs/year)	XXX	Report	XXX	Annl Avg Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.*

**PA0110582**, Sewage, SIC Code 4952, **Eastern Snyder County Regional Authority**, P O Box 330, Selinsgrove, PA 17870. Facility Name: Eastern Snyder County Regional Authority STP. This existing facility is located in Penn Township, **Snyder County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 6-A and is classified for Warm Water Fishes, Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	417	667	XXX	25	40	50
		Wkly Avg				
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	500	750	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10000
				Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	51,141			
Net Total Phosphorus	Report	6,819			

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Requirements
- Whole Effluent Toxicity—No Permit Limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

**PA0028461 A-2**, Sewage, SIC Code 4952, **Mifflinburg Borough**, 120 North 3rd Street, Mifflinburg, PA 17844-1134. Facility Name: Mifflinburg Borough Wastewater Treatment Plant. This existing facility is located in Mifflinburg Borough, **Union County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Sewage. The receiving stream(s), Buffalo Creek, is located in State Water Plan watershed 10-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies. The proposed effluent limits for Outfall 001 are based on a design flow of 1.4 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
CBOD <sub>5</sub>						
May 1 - Oct 31	99	140	XXX	8.5	12	17
Nov 1 - Apr 30	292	467	XXX	25	40	50
Total Suspended Solids	350	525	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
UV Intensity (%) (Interim)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	30	45	XXX	2.6	3.9	5.2
Nov 1 - Apr 30	91	128	XXX	7.8	11	15
UV Dosage (mjoules/cm <sup>2</sup> ) (Final)	XXX	XXX	Report	XXX	XXX	XXX
Chronic toxicity (Ceriodaphnia) (TUc)						
(Interim)	XXX	XXX	XXX	XXX	Report Max	XXX
(Final)	XXX	XXX	XXX	XXX	2.21 Max	XXX
Chronic toxicity (Pimephales) (TUc)						
(Interim)	XXX	XXX	XXX	XXX	Report Max	XXX
(Final)	XXX	XXX	XXX	XXX	2.21 Max	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen (Final)	Report	25,570			
Net Total Phosphorus (Final)	Report	3,409			

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document #392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

\* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2011. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2012.

\* This permit contains revised WET conditions that reflect the Department's new policy and will become effective upon the issuance of this permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**WQM Permit No. 0207404-A1, Sewage, West Elizabeth Sanitary Authority, 125 Lower First Street, PO Box 503 West Elizabeth, PA 15088-0503** This proposed facility is located in West Elizabeth Township, **Allegheny County**.

Description of Proposed Action/Activity: Improvements to the existing Ferry Street raw sewage lift station which includes construction of a new wet well and replacement of raw sewage pumps, electrical system, control system, valves and piping.

**WQM Permit No. 0213401-A1**, Sewage, **The PNC Financial Services Group**, Two PNC Plaza, 620 Liberty Avenue, Pittsburgh, PA 15222-2719.

This proposed facility is located in the City of Pittsburgh, **Allegheny County**.

Description of Proposed Action/Activity: Replacing the existing UV system with a new ozone system in the PNC Tower Blackwater Treatment System.

**WQM Permit No. 0314400**, Sewage, **Leechburg Borough**, 260 Market Street, Leechburg, PA 15656.

This proposed facility is located in the Leechburg Borough, **Armstrong County**.

Description of Proposed Action/Activity: Installation of approximately 32,470 feet of sanitary sewer pipe in nine (9) areas of the Borough of Leechburg (Leechburg Sewer Separation Project).

**WQM Permit No. 5614200**, Industrial Waste 4941, **Ridge Energy Company, Inc.**, 265 Swamp Road, Clymer, PA 15728.

This proposed facility is located in Stonycreek Township, **Somerset County**.

Description of Proposed Action/Activity: Treatment of stormwater associated with a coal silt drying facility (Coleman Station Road Coal Silt Transfer Facility).

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 5413403**, Sewage, **Pusti Margiya Vashnav Samaj of North America**, 15 Manor Rd, Schuylkill Haven, PA 17972.

This proposed facility is located in Wayne Township, **Schuylkill County**.

Description of Proposed Action/Activity: The project is for the expansion of the existing 0.011 MGD wastewater treatment plant to a 0.051 MGD wastewater treatment plant.

**WQM Permit No. 4506408-A2**, Sewage, **Franconia Mennonite Camping Association, Inc.**, Spruce Lake Retreat, 5389 Route 447, Canadensis, PA 18325-9795.

This existing facility is located in Barrett Township, **Monroe County**.

Description of Proposed Action/Activity: Amendment of a Water Quality Management Permit for an existing 8,323 gpd sewage treatment plant, to revise the effluent criteria for the discharge to the at-grade adsorption beds. The revised effluent criteria are: 20 mg/l CBOD5 and TSS as a 30-day average, and 30 mg/l CBOD5 and TSS as an instantaneous maximum.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**WQM Permit No. WQG01251403**, Sewage, **Eugene Strohmeyer**, 5906 Footemill Road, Erie, PA 16509.

This proposed facility is located in Millcreek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

#### **IV. NPDES Applications for Stormwater Discharges from MS4**

#### **V. Applications for NPDES Waiver Stormwater Discharges from MS4**

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 5114004	Eco-Energy Distribution Services, LLC 725 Cool Springs Blvd., Suite 500 Franklin, TN 37067	Philadelphia	City of Philadelphia	Delaware River WWF—MF

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth PA 18064-9211*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024813014	Palmer, LP 1177 N. Sixth Street Whitehall, PA 18052	Northampton	Palmer Township	Bushkill Creek (HQ-CWF, MF)

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044114001	Ken Martin 288 Caldwell Rd Trout Run PA 17771	Lycoming	Cogan House Township	Buck Run HQ-CWF, MF

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315*

<i>Permit No.</i>	<i>Applicant &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI055613008	Global Tower Partners 750 Park of Commerce Blvd Suite 300 Boca Raton, FL 33487	Somerset	Upper Turkeyfoot Township	UNT to Fall Creek (HQ-CWF)
PAI056313007	Hardy Credit Company, LP 1019 Route 519 Eighty Four, PA 15330	Washington	North Strabane Township	Little Chartiers Creek (HQ-WWF)

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Butler County Conservation District, 122 McCune Drive, Butler PA 16001-6501*

*McKean County Conservation District, 17137 Route 6, Smethport PA 16749*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI061014001	Anthony Gagliardi 120 Dittmer Lane Herman PA 16002	Butler	Summit Township	Unt Rough Run HQ-TSF
PAI064214001	Seneca Resources Corporation 51 Zents Blvd Brookville PA 15825	McKean	Norwich Township	Elk Fork EV

## VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12      CAFOs

### CAFO Notices of Intent Received

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**PAG123575**, CAFO, **Eggs Newburg LLC**, 31 Three Square Hollow Road, Newburg, PA 17240.

This proposed facility is located in Hopewell Township, **Cumberland County**.

Description of Size and Scope of Proposed Operation/Activity: Permit renewal of existing laying hen operation with 743.8 Total AEU's.

The receiving stream, Newburg Run, is in watershed 7-B, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at



the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Application or Action</i>
Keister Family Farms, LLC 105 Keister Farm Lane Middleburg, PA 17842	Snyder	126.5	450.91	Poultry-Turkeys Steers	N/A	Application

**PUBLIC WATER SUPPLY (PWS) PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act**

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Application No. 4014503**, Public Water Supply.

Applicant	<b>Aqua Pennsylvania, Inc.</b> 1 Aqua Way White Haven, Pa 18661
[Township or Borough]	Hazel Twp., <b>Luzerne County</b>
Responsible Official	Patrick R. Burke Aqua Pennsylvania, Inc. 1 Aqua Way White Haven, Pa 18661
Type of Facility	PWS
Consulting Engineer	William A. LaDieu, PE GHD 1240 North Mountain Rd. Harrisburg, Pa 17112
Application Received Date	2/27/2014
Description of Action	The applicant has proposed the replacement of the standard greensand media with Greensand Plus media and to remove one of the three iron and manganese removal units and increase the flow rate for the other two units at their Eagle Rock Well 2 Station.

**Application No. 4814503MA**, Public Water Supply.

Applicant	<b>Pennsylvania American Water Company (PAWC)</b> 800 West Hersheypark Dr. Hershey, Pa 17033
[Township or Borough]	Upper Mt. Bethel Twp., <b>Northampton County</b>
Responsible Official	David Kaufman PAWC 800 West Hersheypark Dr. Hershey, Pa 17033
Type of Facility	PWS
Consulting Engineer	Steve Riley, PE Entech Engineering Inc. 4 South 4th Street Reading, Pa 19603

Application Received Date 2/27/2014

Description of Action PAWC proposes the construction of two, 500,000 gallon, ground level finished water storage tanks, yard piping, effluent meter, telemetry control and alarms. This project will replace the existing 1,000,000 gallon reservoir that has a liner and floating cover.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Permit No. 1114503**, Public Water Supply.

Applicant **Glendale Valley Municipal Authority**  
1800 Beaver Valley Road  
Flinton, PA 16640

[Township or Borough] City of Flinton

Responsible Official Tracy A. Plessinger, Manager  
Glendale Valley Municipal Authority  
1800 Beaver Valley Road  
Flinton, PA 16640

Type of Facility Water system

Consulting Engineer Utility Service Group, Inc.  
535 Courtney Hodges Blvd.  
Perry, GA 31069

Application Received Date March 6, 2014

Description of Action Installation of a PAX mixing system at the Turkey Ridge Tanks #1 & #2.

**Permit No. 0214520**, Public Water Supply.

Applicant **Moon Township Municipal Authority**  
1700 Beaver Grade Road  
Moon Township, PA 15108

[Township or Borough] Moon Township

Responsible Official John F. Riley, General Manager  
Moon Township Municipal Authority  
1700 Beaver Grade Road  
Moon Township, PA 15108

Type of Facility Water system

Consulting Engineer KLH Engineers, Inc.  
5173 Campbells Run Road  
Pittsburgh, PA 15205

Application Received Date March 11, 2014

Description of Action Installation of a compressed air mixing systems at the three Carnot water storage tanks.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Permit No. 1614501**, Public Water Supply

Applicant **Oil City YMCA—Camp Coffman**

Township or Borough Ashland Township

County **Clarion**

Responsible Official Thomas Spence

Type of Facility Public Water Supply

Consulting Engineer Olgierd K. Wodzianksi, P.E.  
Wodzianski Engineering, Inc.  
1322 Elk Street  
Franklin, PA 16323

Application Received Date February 24, 2014

Description of Action Install hypochlorination and flow switch for flow proportional chlorination.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager; 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Charlotte Lent Property**, 232 Route 447, Greene Township, **Pike County**, Martin Gilgallon, PA Tectonics, Inc., has submitted a Notice of Intent to Remediate on behalf of his client, Charlotte Lent, 232 Route 447, Newfoundland, PA 18445, concerning the remediation of soil and groundwater due to a corrosion hole that developed in the bottom of one tank. Two (2) 275 gallon AST's were manifolded together resulting in heating oil being released from both tanks to the gravel surface area immediately beneath the AST's and into drainage pipes. The applicant proposes to remediate the site to meet the residential Statewide Health Standards for soil and groundwater. The intended future use of the site is residential. A summary of the Notice of Intent to Remediate was published in *The Scranton Times* on February 26, 2014.

**Bucher Property**, 1143 B Evergreen Drive, Fell Township, **Lackawanna County**, Martin Gilgallon, PA Tectonics, Inc., has submitted a Notice of Intent to Remediate on behalf of his clients, Mr. & Mrs. Bucher, 321 Rowland Road, Greely, PA 18425, concerning the remediation of soil due to the release of 75-100 gallons of kerosene from an aboveground storage tank located on the property used for heating a mobile home. The applicant proposes to remediate the site to meet the residential Statewide Health Standards for soil. The intended future use of the site is residential. A summary of the Notice of Intent to Remediate was published in *The Scranton Times* on February 26, 2014.

**J. H. Beers, Inc.**, Male Road, Wind Gap Borough, Plainfield & Bushkill Township, **Northampton County**, Scott Campbell, EarthRes Group, Inc., has submitted a Notice of Intent to Remediate on behalf of his client, Robert Zarrizski, PO Box 669 Male Road, Wind Gap, PA 18091, concerning the remediation of soil due to the historical activities on the site from being used as a slate quarry, a processing mill for slate and as a tire pyrolysis processing facility. Past uses have impacted the soil with pyro-oil related organic compounds and low levels of metals and petroleum hydrocarbons. The applicant proposes to remediate the site to meet the Site Specific Standards for soil. The intended future use of the site is for non-residential purposes. A summary of the Notice of Intent to Remediate was published in *The Pocono Record*, on February 14, 2014.

**Pilot/Flying J**, Intersection of Buckeye Road & Tank Farm Road, Upper Milford Township, **Lehigh County**, Robert Byer, Sovereign Consulting, Inc., has submitted a Notice of Intent to Remediate on behalf of his clients, Caleb Gehris, 4968 Buckeye Road, Richard & Clydette Lobach, 4950 Buckeye Road, and Terry Clymer, 3963 Tank Farm Road, Macungie PA 18049, concerning the remediation of soil due to an automobile collision with a

tanker truck containing diesel fuel and gasoline at the intersection of Buckeye Road and Tank Farm Road. Approximately 2,075 gallons of diesel fuel was released to the environment. The applicant proposes to remediate the site to meet the Statewide Health Standards and the Site Specific Standards for soil. The intended future use of the site is residential and commercial. A summary of the Notice of Intent to Remediate was published in *The Morning Call* on February 3, 2014.

**Kinship Square**, 165 North Main Street, Wilkes-Barre City, **Luzerne County**, Dave Fife, Quad3 Group Inc., has submitted a Notice of Intent to Remediate on behalf of his client, Dave Selingo, 345 Market Street, Kingston, PA 18704, concerning the remediation of soil due to historical operations as a dry cleaning operation. UST's (underground storage tanks) of various sizes were present at one time which contained heating oil, diesel, gasoline and solvents. The applicant proposes to remediate the site to meet the Statewide Health Standards for soil. The intended future use of the site is non-residential. A summary of the Notice of Intent to Remediate was published in *The Citizens Voice* on February 2, 2014.

**Easton Hospital**, 250 South 21st Street, Wilson Borough, **Northampton County**, Dave Fife, Quad3 Group Inc., has submitted a Notice of Intent to Remediate on behalf of his client, Terri Martis, 250 South 21st Street, Easton, PA 18042 concerning the remediation of soil and groundwater due to an unknown quantity of fuel oil leaked from cracked piping into the soil from the 1,000 gallon AST (aboveground storage tank). The applicant proposes to remediate the site to meet the Statewide Health Standards for soil and groundwater. The intended future use of the site will remain a staging area for the emergency generator. A summary of the Notice of Intent to Remediate was published in *The Morning Call* on January 13, 2014.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager; 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Mallet and Company, Inc.**, 51 Arch Street Extension, Rosslyn Farms Borough, **Allegheny County**, Gaia Tech, Inc., 135 S. LaSalle Street, Suite 3500, Chicago Illinois, 60603 on behalf of Mallet and Company, Inc., 51 Arch Street Extension, Carnegie, PA 15106 has submitted a Notice of Intent to Remediate, concerning site soils contaminated with 1,2,4-trimethylbenzene, antimony, arsenic, lead, manganese, and mercury and tetrachloroethylene (PCE), dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, aluminum, antimony, arsenic, iron, lead, and manganese in groundwater. Future use of the property is non-residential. This notice was published in the *Pittsburgh Post-Gazette* on February 20, 2014.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager; 2 East Main Street, Norristown, PA 19401*

**Permit Application No. 100817. Waste System Authority of Eastern Montgomery County**, 995 Fitzwater Town Road, Abington PA 19001. This application is for a 10-year permit renewal of the solid waste permit

No. 100817 to continue to operate the Abington Transfer Station, a municipal waste transfer facility located in Upper Dublin Township, **Montgomery County**. The application was received by the Southeast Regional Office on December 26, 2013.

**Permit Application No. 101477. Covanta 4Recovery Philadelphia, LLC**, 2209 South 58th Street, Philadelphia PA 19143. This application is for 10-year permit renewal of the solid waste permit No. 101477 to continue to operate the 58th Street Transfer Station, a municipal waste transfer facility, located at 2209 South 58th Street, Philadelphia, PA, 19413 in the City of Philadelphia, **Philadelphia County**. The application was received by the Southeast Regional Office on January 27, 2014.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

## OPERATING PERMITS

### Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507*

**64-00001: PA Department of Corrections—Waymart** (1920 Technology Parkway, Mechanicsburg, PA 17050) for operation of a Correction Institution in Canaan Township, **Wayne County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G.

The main sources at this facility are three (3) Keeler Boilers and one (1) Emergency Generator. The boilers are subject to 40 CFR Part 63, Subpart JJJJJJ. The Emergency Generator is subject to 40 CFR Part 63, Subpart ZZZZ. The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**19-00006: Big Heart Pet Brands** (6670 Low Street, Bloomsburg, PA 17815) for an application for the significant modification to the Title V Operating Permit TVOP 19-00006 to incorporate terms and conditions contained in the previously issued Plan Approval 19-00006D. The proposed significant modification authorizes the operation of two (2) vertical coolers and independent wet centrifugal collectors to control the air contaminant emissions from the coolers at their Bloomsburg facility in South Centre Township, **Columbia County**. Big Heart Pet Brands has the following potential emissions for all sources at the facility: 44.28 TPY of carbon monoxide; <100.00 TPY of nitrogen oxides; 107.77 TPY of sulfur oxides; 49.82 TPY of particulate matter; 5.10 TPY of volatile organic compounds; 0.66 TPY of total hazardous air pollutants and 30,418 TPY of greenhouse gases.

Big Heart Pet Brands has demonstrated compliance with all applicable air quality regulatory requirements pertaining to the operation of all air contamination sources and the emission of air contaminants authorized by the previously issued plan approval. Based on these findings, the Department intends to modify the Title V operating permit TVOP 19-00006 in order to authorize the continued operation of the two (2) vertical coolers and the wet centrifugal collectors.

The following is a summary of the conditions contained in the previously issued plan approval the Department proposes to place in the Title V operating permit to be issued to ensure compliance with all applicable air quality regulatory requirements:

1. The concentration of particulate matter (PM/PM<sub>10</sub>) emissions from each wet centrifugal collector associated with the vertical coolers shall not exceed 0.005 grain per dry standard cubic foot (gr/dscf) of exhaust gas.

2. The particulate matter (PM/PM<sub>10</sub>) emissions from the exhaust of each wet centrifugal collector shall not exceed 0.89 pound per hour and 3.90 tons in any 12 consecutive month period.

3. The permittee shall not permit the emission into the outdoor atmosphere any visible air contaminants from each wet centrifugal collector associated with the vertical coolers other than water vapor or steam.

4. Each wet centrifugal collector shall be supplied with fresh water without recirculation. Water from the cooling jackets of the extruders can be utilized in each wet centrifugal collector.

5. Each wet centrifugal collector shall be equipped with instrumentation to continuously monitor the water pressure and flow rate to each collector. An alarm shall be activated when the flow rate is below the required rate.

6. The water feed rate to each wet centrifugal collector associated with the vertical coolers shall not be less than 12 gallons per minute at any time.

7. The vertical coolers shall be equipped with interlocks to prevent the operation of said coolers without the simultaneous operations of the respective wet centrifugal collector.

8. The air contaminant emissions from each vertical cooler shall be controlled by an independent wet centrifugal collector at all times each cooler is operational.

9. The permittee shall keep records of the flow rate of water to each wet centrifugal collector at least once per shift. These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

All pertinent documents used in the authorization of the operation of the above sources included in the previous issued plan approval are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3693.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed permit (specify Permit No. TVOP 19-00006); Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570 327 3648.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131*

**42-00009: Pittsburgh Corning Corp.—Port Allegany Plant** (701 N Main Street, Port Allegany, PA 16743-1029) for Modification of a Title V Permit to operate their architecture pressed and blown glass manufacturing facility in Port Allegany Borough, **McKean County**. The modification incorporates the requirements from 25 Pa. Code §§ 129.301—129.310, Control of NO<sub>x</sub> Emissions from Glass Melting Furnaces. The permittee has requested an alternative compliance schedule for Source ID #201—Melting Furnace (Lines 5-8) as permitted under the PA Glass Melting Furnace NO<sub>x</sub> Rule. The language contained in 25 Pa. Code § 129.304(c)(2) allows the permittee to submit a petition in writing, requesting an alternative compliance schedule. In the petition PCC has proposed an extension of the compliance date for Source ID #201 to coincide with its next cold shut down scheduled to occur May 1, 2019. During the next scheduled cold shutdown in 2019, downstream emission control equipment consisting of Selective Catalytic Reduction equipment will be installed to achieve compliance with new 7.0 lb/ton NO<sub>x</sub> emission limitation. The milestones of the installation and design of SCR (Selective Catalytic Reduction) control equipment have been included in the permit in the compliance schedule section.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507*

**54-00017: Lehigh Asphalt Paving & Construction Co.** (P. O. Box 549, Tamaqua, PA 18252) for operation of a rock crushing operation and associated air cleaning devices at their facility in West Penn Township, **Schuylkill County**. The proposed State Only Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**06-05114: Birchcraft Kitchens, Inc.** (425 Richmond Street, Reading, PA 19605) for their wood cabinet manufacturing plant in the City of Reading, **Berks County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility had actual emissions in 2012 of 3.5 tpy of VOC and 1.2 tpy of total HAP. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code§ 129.52.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

**21-03033: Lane Enterprises, Inc.** (1244 Claremont Road, Carlisle, PA 17015) for their custom powder coating facility in Middlesex Township, **Cumberland County**. This is a renewal of the facility's state-only air quality operating permit.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to renew an Air Quality Operating Permit for the abovementioned facility.

The subject facility employs shotblast units, burn-off ovens, powder coating equipment and curing ovens to coat rebar and other steel members for structural concrete reinforcement in commercial building applications and highway projects. The facility has the potential to emit several tons of particulate matter (PM) and volatile organic compounds (VOC) per year. Actual operating hours and emissions are well below maximum estimated levels. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

William R. Weaver, Regional Air Quality Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality

Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**14-00010: Snow Shoe Refractories, LLC** (895 Clarence Road, Clarence PA 16829) for renewal of the State Only (Synthetic Minor) Operating Permit for the Clarence Plant facility in Snow Shoe Township, **Centre County**. The subject facility has reported the following actual emissions, as specified by the approved Air Information Management System (AIMS) data for 2012: 1.59 TPY of CO; 5.31 TPY of NO<sub>x</sub>; 6.66 TPY of SO<sub>x</sub>; 8.42 TPY of PM/PM<sub>10</sub>; and 0.12 TPY of VOC. The levels of Potential to Emit from the facility taken into account the control requirements that are established as enforceable conditions in the current State Only operating permit are as follows: 40.16 TPY of CO; 29.40 TPY of NO<sub>x</sub>; 15.63 TPY of SO<sub>x</sub>; 62.11 TPY of PM/PM<sub>10</sub>; 5.07 TPY of VOC; 6.77 TPY of a single HAP (hydrogen fluoride, HF); 10.77 TPY of combined HAP and 16,800 TPY of GHG.

The emission restriction, testing, monitoring, record-keeping, reporting and work practice conditions in the State Only operating permit for renewal have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. The facility manufactures refractory bricks, and the air contaminant sources include: natural gas-fired small (<0.5 MMBtu/hr) space heaters/combustion units/furnace; a gas-fired boiler with a heat input rating equal to approximately 14 MMBtu/hr; clay/aggregate/brick product processing and handling sources, including wet tempering pans, grinders, mixers and presses; and natural gas-fired kilns/dryers. The renewal State Only operating permit contains monitoring, recordkeeping, reporting and work practice conditions to ensure compliance with all applicable Federal and State air quality regulations.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550. Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Permit No. 14-00010) and concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman,

Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact Daniel Spadoni at 570-327-3659 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

**08-00012: Cargill Meat Solutions Corp.** (P. O. Box 188, Wyalusing, PA 18853-0188) for their facility in Wyalusing Township, **Bradford County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility. The subject facility has the following potential emissions: 83.37 TPY of carbon monoxide; 59.54 TPY of nitrogen oxides; 91.96 TPY of sulfur oxides; 76.33 TPY of particulate matter; 1.99 TPY of volatile organic compounds and 70,494 TPY of greenhouse gases. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 63 Subpart ZZZZ Sections 63.6580 through 63.6675. The operating permit will include emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550. Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Permit No. 08-00012) and concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact Daniel Spadoni at 570-327-3659 or through the

Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

**60-00014: Evangelical Community Hospital** (One Hospital Drive, Lewisburg, PA 17837) to issue a renewal state only operating permit for their facility in Kelly, **Union County**. The facility is currently operating under State Only Operating Permit 60-00012. The facility's sources include a 0.145 million Btu per hour, #2 fuel oil-fired furnace, two 12.55 million Btu per hour, #2 fuel oil-fired boilers, a 5.95 million Btu per hour, natural gas-fired absorption chiller, a 24.7 million Btu per hour, biomass-fired boiler, five natural gas/#2 fuel oil-fired emergency generators, with generating capacities ranging from 85 kilowatts to 600 kilowatts, and a 368 horsepower, #2 fuel oil-fired fire pump. The facility has potential emissions of 51.61 tons per year of nitrogen oxides, 48.88 tons per year of carbon monoxide, 27.57 tons per year of sulfur oxides, 5.31 tons per year of particulate matter, 3.24 tons per year of volatile organic compounds and 38,247 tons of greenhouse gasses. No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the NMOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, 64, 68, 72, 73, 74, 75, 76, 96, 97, 98 and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed operating permit (specify State Only Operating Permit No. 60-00014) and concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**04-00713: USNR Microspheres—Ambridge Drying & Bagging Plant** (212 State Street, Belle Vernon, PA 15012) for drying and bagging of cenosphere in Harmony Township, **Beaver County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The subject facility consists of a 9 MMBtu/hr natural gas fired vibrating fluidized bed dryer, 2.5 MMBtu/hr natural gas fired conveyor dryer, a 7,668 cfm baghouse, 2,500 cfm baghouse and 1,414 cfm baghouse. The facility calculated the potential emissions at: 4.94 tpy NO<sub>x</sub>, 4.15 tpy CO, 0.03 tpy SO<sub>x</sub>, 0.27 tpy VOC, 0.004 tpy HAPs, and 2.61 tpy PM<sub>10</sub>. The proposed authorization is subject to State and Federal Regulations. The facility is required to perform weekly inspections during daylight hours to determine the presence of any visible stack emissions, fugitive emissions, or malodors. The baghouses are limited to 0.04 gr/dscf particulate matter. The permit includes additional operational requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating 04-00713) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly files a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

**65-00378: Buckeye Terminals LLC** (134 BP Tank Lane, Greensburg, PA 15601) for a Synthetic Minor Operating Permit renewal for the operation of a bulk gasoline transfer terminal, known as the Greensburg Terminal, in Hempfield Township, **Westmoreland County**.

The facility contains air contamination sources consisting of five gasoline storage tanks, with storage capacities of 7,300, 16,200, 16,500, 16,500, and 60,595 barrels (bbl, 1 barrel petroleum = 42 US gallons), one ethanol tank with a capacity of 7,300 bbl, four distillate storage tanks with capacities of 4,500, 4,500, 7,300, 8,300, and 51,000 bbl, and gasoline and distillate tank truck loading racks. Gasoline loaded at the facility is limited to 173,200,000 gallons per year and distillate loading is limited to 80,000,000 gallons per year. A vapor recovery unit controls VOC emissions from the loading racks and an internal floating roof in each gasoline or ethanol storage tank also controls emissions of VOC. Facility emissions are 48.4 tons per year of VOC, 2.1 tons per year of benzene, and 3.7 tons per year of all HAPS combined. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to applicable requirements of 25 Pa. Code Chapters 121—145, 40 CFR 60, Subparts A (General Provisions) and Kb (Standards of Performance for Volatile Organic Liquid Storage Vessels Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984, and 40 CFR 63, Subparts A (General Provisions) and BBBBBB (National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities). The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424. A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 65-00378) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Martin L. Hochhauser, P.E., Air Quality Engineering Specialist, Department of Envi-



ronmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Martin Hochhauser at (412) 442-4057.

**26-00121: Crown Cork & Seal Co., Inc.—Plant No. 77** (1840 Baldrige Street, Connellsville, PA 15425) for manufacturing jar and bottle seals for use in the food and beverage industry Connellsville City, **Fayette County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The subject facility consists of a 8.368 MMBtu/hr natural gas fired boiler used for building heat, 0.335 MMBtu/hr natural gas boiler used for process heat, 17 natural gas fired curing ovens (rated between 1.2 and 1.95 MMBtu/hr) and 2 electric curing ovens each equipped with a wet scrubber, 3 parts washers, and approximately 25 process lines. The potential emissions are based on 8,760 hours per year and a 191 lbs/hr rate of plastisol: 18.0 tpy NO<sub>x</sub>, 15.11 tpy CO, 0.11 tpy SO<sub>x</sub>, 46.2 tpy VOC and 1.4 tpy PM<sub>10</sub>. The proposed authorization is subject to State and Federal Regulations. The facility is required to perform weekly inspections during daylight hours to determine the presence of any visible stack emissions, fugitive emissions, or malodors. The facility is required to maintain monthly records of plastisol. The permit includes additional operational requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424. A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating 26-00121) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly files a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

**26-00020: Hanson Aggregates BMC, Inc.—Rich Hill Quarry** (488 Rich Hill Quarry, Connellsville, PA 15425) for the limestone quarry and associated stone crushing and sizing of crushed stone Bullsken Township, **Fayette County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The subject facility consists of five crushers, five screens, one feed bin, one sand classifier, twenty-one conveyors and eight small diesel engines that have a combined horsepower of 300 hp. The process is controlled by various baghouses, wet dust suppression system, and a water truck for the haul roads and stockpiles. The facility is limited to a throughput of 4,992,000 tons per any consecutive 12-month period. The facility's potential emissions are calculated to be 29.02 tpy NO<sub>x</sub>, 6.25 tpy CO, 1.92 tpy SO<sub>x</sub>, 2.31 tpy VOC, 1.1 tpy HAPs, 78.21 tpy PM, and 26.2 tpy PM<sub>10</sub>. The facility is required to perform daily visual inspections of the site. The proposed authorization is subject to State and Federal Regulations (OOO). The permit includes additional operational requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424. A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 26-00020) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by tele-

phone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

**04-00034: Valspar Coatings—Rochester Plant** (372 Cleveland Street, Rochester, PA 15074) for chemical manufacturing of coatings—paints in Rochester Township, **Beaver County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The subject facility consists of three boilers, batch processing, cleanup solvents, solvent reclaim process, and ~74 storage tanks. The facility is limited to a throughput of 30,000,000 gallons per any consecutive 12-month period. The facility's potential emissions are calculated to be 37.14 tpy NO<sub>x</sub>, 11.14 tpy CO, 0.08 tpy SO<sub>x</sub>, 49.50 tpy VOC, 9.5 tpy (Toulene) HAP / 24.5 tpy (all combined) HAPs, 1.60 tpy PM, and 1.60 tpy PM<sub>10</sub>. The facility is required to perform weekly visual inspections of the site. The facility is required to maintain monthly records of total paints and coatings produced. The condenser outlet temperatures must be recorded on a continuous chart recorder for each batch operation. The proposed authorization is subject to State and Federal Regulations (K, Ka, Kb). The permit includes additional operational requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424. A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 04-00034) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time,

place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

**63-00895: Ensinger, Inc.—Washington Facility** (365 Meadowlands Blvd., Washington, PA 15301) for manufacturing of thermoplastic stock shapes and custom profiles in North Strabane Township, **Washington County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The subject facility consists of two sand baths controlled by an afterburner and 36 electric extruder lines controlled by a three-stage filter system. The facility's potential emissions are calculated to be 0.40 tpy NO<sub>x</sub>, 0.60 tpy CO, 0.01 tpy SO<sub>x</sub>, 0.25 tpy VOC, and 0.50 tpy PM. The facility is required to perform weekly visual inspections of the site. The facility must maintain records of the temperature of the sand bath and afterburner every two hours during operation and amount of fuel used on a monthly basis. The afterburner is limited to 0.04 gr/dscf PM. The proposed authorization is subject to State and Federal Regulations. The permit includes additional operational requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424. A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 63-00895) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the

newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities. When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**26980104 and NPDES Permit No. PA0202355. Gary Gioia Coal Co.** (319 Karen Drive, Elizabeth, PA 15037). Revision application for change in permit boundary to an existing bituminous surface mine, located in Wharton Township, **Fayette County**, affecting 156.5 acres. Receiving streams: Big Sandy Creek and unnamed tributary to Big Sandy Creek, classified for the following use: HQ-CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: February 25, 2014.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**17820104 and NPDES No. PA0609218. Sky Haven Coal, Inc.** (5510 State Park Road, Penfield, PA 15849). Permit renewal for the continued operation and restoration of a bituminous surface mine and post mining water treatment located in Boggs and Bradford Townships, **Clearfield County** affecting 479.5 acres. Receiving stream(s): Long Run to Clearfield Creek classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: February 24, 2014.

**17814000 and NPDES No. PA0608769. Rob Holland Enterprises** (52 Holland Lane, Curwensville, PA 16833). Permit renewal for the continued operation and restorations of an existing bituminous surface/auger mine located in Penn and Brady Townships, **Clearfield County** affecting 206.9 acres. Receiving stream(s): Unnamed Tributaries to Irish Run and Irish Run classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: February 28, 2014.

**17020113 and NPDES No. PA0243353. Junior Coal Contracting, Inc.** (2330 Six Mile Road, Philipsburg, PA 16866). Permit renewal for the continued operation and restorations of an existing bituminous surface mine located in Decatur Township, **Clearfield County** affecting 114 acres. Receiving stream(s): Unnamed Tributaries to Laurel Run to Moshannon Creek classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 4, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 49840103R5 and 49840103GP104. Reading Anthracite Company**, (PO Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine operation and General NPDES Stormwater Permit in East Cameron and Mt. Carmel Townships, **Northumberland County** affecting 188.8 acres, receiving stream: Mahanoy Creek, classified for the following use: warm water fishes. Application received: March 5, 2014.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an

Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E64-300. Terrance L. & Linda S. Campbell**, 5 Pine Street, Honesdale, PA 18431, in Clinton Township, **Wayne County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove a portion of Rosner Pond Dam (DEP Dam #D64-190) and to construct and maintain a 12-ft wide road crossing of an Unnamed Tributary to the West Branch of the Lackawanna River (HQ-CWF) consisting of an 80-ft long, 9.5-ft wide, 6.5-ft high arch culvert. The installation of the culvert will lower the normalwater surface elevation in Rosner Pond by approximately 8-ft. The project is located along the north side of Campbell Lane, approximately 0.6 mile northeast of the intersection of S.R. 170 and White Oak Drive (Aldenville, PA Quadrangle, Latitude: 41°39'3"; Longitude: -75°21'10").

**E40-748. Transcontinental Gas Pipeline Company**, 2800 Post Oak Boulevard, Level 17, Houston, TX 77056, in Dorrance, Conyngham and Buck Townships, **Luzerne County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the "Dorrance Loop" of the Leidy Southeast Expansion Project for the purpose of constructing a 5.29 mile long, 42-inch diameter natural gas transmission line. The project begins 0.1 mile north of the intersection of Fairway Drive and Prospect Road (Freeland, PA Quadrangle Latitude: 41° 6' 59.96"; Longitude: -75° 58' 51.38") in Dorrance Township, Luzerne County, and terminates 0.2 mile north of the intersection of Ruckle Hill Road and Cemetery Road (Sybertsville, PA Quadrangle Latitude: 41° 6' 56.44"; Longitude: -76° 4' 53.70") in Conyngham Township, Luzerne County.

A. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) (Latitude: 41° 6' 57.46"; Longitude: -75° 59' 41.33").

B. A 42-inch diameter natural gas transmission line crossing of 11-L.F. of PEM wetlands (Latitude: 41° 6' 57.17"; Longitude: -75° 59' 48.28").

C. A 42-inch diameter natural gas transmission line crossing of 23-L.F. of PEM wetlands (Latitude: 41° 6' 57.17"; Longitude: -75° 59' 53.03").

D. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) (Latitude: 41° 6' 57.08"; Longitude: -75° 59' 56.66").

E. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) (Latitude: 41° 6' 57.05"; Longitude: -76° 0' 0.76").

F. A 42-inch diameter natural gas transmission line crossing of 368-L.F. of EV wetlands (Latitude: 41° 6' 56.88"; Longitude: -76° 0' 5.51").

G. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) (Latitude: 41° 6' 56.88"; Longitude: -76° 0' 10.76").

H. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) and a 138-L.F. crossing of adjacent PEM wetlands (Latitude: 41° 6' 57.08"; Longitude: -76° 0' 26.63").

I. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) (Latitude: 41° 6' 57.11"; Longitude: -76° 0' 51.43").

J. A 42-inch diameter natural gas transmission line crossing of 33-L.F. of PEM wetlands (Latitude: 41° 6' 56.44"; Longitude: -76° 0' 57.73").

K. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) and a 73-L.F. crossing of adjacent EV wetlands (Latitude: 41° 6' 56.47"; Longitude: -76° 2' 25.79").

L. A 42-inch diameter natural gas transmission line crossing of 85-L.F. of PEM wetlands (Latitude: 41° 6' 55.86"; Longitude: -76° 3' 5.48").

M. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Little Wapwallopen Creek (CWF, MF) (Latitude: 41° 6' 55.61"; Longitude: -76° 3' 9.32").

N. A 42-inch diameter natural gas transmission line crossing of 209-L.F. of PEM wetlands (Latitude: 41° 6' 56.24"; Longitude: -76° 4' 7.87").

O. A 42-inch diameter natural gas transmission line crossing of an SS-003-002 (designation unknown) (Latitude: 41° 6' 56.58"; Longitude: -76° 4' 10.42").

P. A 42-inch diameter natural gas transmission line crossing of 10-L.F. of PEM wetlands (Latitude: 41° 6' 56.51"; Longitude: -76° 4' 11.89").

Q. A 42-inch diameter natural gas transmission line crossing of 130-L.F. of PEM wetlands (Latitude: 41° 6' 56.60"; Longitude: -76° 4' 42.36").

In addition to the "Dorrance Loop," portions of the "Franklin Loop" of the Leidy Southeast Expansion Project

occur within Luzerne County and propose to construct and maintain the following water obstructions and encroachments for the purpose of constructing an 11.47 mile long (3.5 miles in Luzerne County, 7.97 miles in Monroe County), 42-inch diameter natural gas transmission line. The project begins 0.2 mile east of the intersection of U.S. Route 115 and Ridgeway Drive (Pleasant View Summit, PA Quadrangle Latitude: 41° 10' 20.32"; Longitude: -75° 40' 14.06") in Buck Township, Luzerne County, and terminates at the Lehigh River (the border of Luzerne County and Monroe County), approximately 0.5 mile east of the intersection of U.S. Route 115 and T-443 (Pleasant View Summit, PA Quadrangle Latitude: 41° 8' 8.68"; Longitude: 75° 37' 41.82") in Buck Township, Luzerne County.

R. A 42-inch diameter natural gas transmission line crossing of 187-L.F. crossing of PEM wetlands (Latitude: 41° 10' 20.32"; Longitude: -75° 40' 14.06").

S. A 42-inch diameter natural gas transmission line crossing of 180-L.F. crossing of PEM wetlands (Latitude: 41° 10' 3.63"; Longitude: -75° 39' 55.44").

T. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Stony Run (HQ-CWF, MF) and a 150-L.F. crossing of adjacent PEM wetlands (Latitude: 41° 10' 3.63"; Longitude: -75° 39' 55.44").

U. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Stony Run (HQ-CWF, MF) and a 129-L.F. crossing of adjacent EV wetlands (Latitude: 41° 09' 40.72"; Longitude: -75° 39' 26.92").

V. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Stony Run (HQ-CWF, MF) (Latitude: 41° 09' 43.93"; Longitude: -75° 39' 30.66").

W. A 12-foot wide gravel access road crossing of stream # SS-006-001 (designation?) (Latitude: 41° 09' 31.48"; Longitude: -75° 39' 39.74").

X. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Kendall Creek (EV, MF) (Latitude: 41° 09' 30.38"; Longitude: -75° 39' 14.21").

Y. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Kendall Creek (EV, MF) (Latitude: 41° 09' 27.15"; Longitude: -75° 39' 10.09").

Z. A 42-inch diameter natural gas transmission line crossing of Kendall Creek (EV, MF) (Latitude: 41° 09' 25.30"; Longitude: -75° 39' 7.66").

AA. A 42-inch diameter natural gas transmission line crossing of 135-L.F. crossing of PEM wetlands (Latitude: 41° 9' 20.84"; Longitude: -75° 39' 2.31").

BB. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Kendall Creek (EV, MF) (Latitude: 41° 09' 16.20"; Longitude: -75° 38' 56.27").

CC. A 42-inch diameter natural gas transmission line crossing of an unnamed tributary to Lehigh River (EV, MF) and a 258-L.F. crossing of adjacent PEM wetlands (Latitude: 41° 08' 41.58"; Longitude: -75° 38' 20.87").

DD. A 42-inch diameter natural gas transmission line crossing of 174-L.F. crossing of PEM wetlands (Latitude: 41° 8' 9.23"; Longitude: -75° 37' 43.64").

EE. A 42-inch diameter natural gas transmission line crossing of the Lehigh River (EV, MF, WTS) (Latitude: 41° 8' 8.18"; Longitude: -75° 37' 41.82").

In Luzerne County, the two projects propose 7.56 acres of temporary wetland impacts.

**F40-012. Nescopeck Borough**, 501 Raber Avenue, Nescopeck, PA 18635, in Nescopeck Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District. To demolish and remove structures located on the following sites in the floodplain of the Susquehanna River and Nescopeck Creek through the HMGP Acquisition Program. Sites will be restored to open space. Sites are located in the Nescopeck Borough, Luzerne County.

1. 99 3rd Street, Nescopeck (Berwick, PA Quadrangle Latitude: 41°03'07.63"; Longitude: -76°13'37.31")

2. 105-111 Third Street, Nescopeck (Berwick, PA Quadrangle Latitude: 41°03'08.36"; Longitude: -76°13'33.32")

3. 115 Third Street, Nescopeck (Berwick, PA Quadrangle Latitude: 41°03'08.62"; Longitude: -76°13'32.13")

4. 119 Third Street, Nescopeck (Berwick, PA Quadrangle Latitude: 41°03'08.64"; Longitude: -76°13'30.89")

5. 305 Cooper Street, Nescopeck (Berwick, PA Quadrangle Latitude: 41°03'07.00"; Longitude: -76°13'34.00")

**F40-011. Plymouth Township**, 925 Main Street, Plymouth, PA 18651, in Plymouth Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District. To demolish and remove structures located on the following sites in the floodplain of the Susquehanna River through the HMGP Acquisition Program (Projects 4030-40-011-01 & 4025-40-011-05). Sites will be restored to open space. Sites are located in the Plymouth Township, Luzerne County.

1. 1008 West Main Street (Wilkes-Barre West, PA Quadrangle Latitude: 41.216699°; Longitude: -75.827767°)

2. 1116 West Main Street (Wilkes-Barre West, PA Quadrangle Latitude: 41.221071°; Longitude: -76.01315°)

3. 380 Canal Street (Nanticoke, PA Quadrangle Latitude: 41.222668°; Longitude: -76.01703°)

4. 4 Bridge Street (Nanticoke, PA Quadrangle Latitude: 41.220332°; Longitude: -76.012341°)

5. 40 West Poplar Street (Nanticoke, PA Quadrangle Latitude: 41.222692°; Longitude: -76.016363°)

6. 72 West Poplar Street (Nanticoke, PA Quadrangle Latitude: 41.222667°; Longitude: -76.018135°)

7. 316 Canal Street (Nanticoke, PA Quadrangle Latitude: 41.21665°; Longitude: -76.009038°)

8. 17 West Poplar Street (Nanticoke, PA Quadrangle Latitude: 41.223015°; Longitude: -76.015227°)

9. 96 West Poplar Street (Nanticoke, PA Quadrangle Latitude: 41.222803°; Longitude: -76.019472°)

10. 6 East Poplar Street (Nanticoke, PA Quadrangle Latitude: 41.222139°; Longitude: -76.014079°)

**F58-004. Oakland Township**, P. O. Box 172, Susquehanna, PA 18847, in Oakland Township, **Susquehanna County**, U.S. Army Corps of Engineers, Baltimore District. To demolish and remove structures located on the following site in the floodplain of the Susquehanna River through the HMGP Acquisition Program. Site will be restored to open space. The site is located in the Oakland Township, Susquehanna County.

1. Galow, 8 Riverside Drive, Susquehanna (Susquehanna, PA-NY Quadrangle Latitude: 41.95460°; Longitude: -75.59300°)

**F39-001. Lower Macungie Township**, 3400 Brookside Road, Macungie, PA 18062, in Lower Macungie Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To demolish and remove structures located on the following sites in the floodplain of the Little Lehigh Creek through the HMGP Acquisition Program. Sites will be restored to open space. The sites are located in the Lower Macungie Township, Lehigh County.

1. 7289 Spring Creek Road, Macungie (Allentown West, PA Quadrangle Latitude: 40°32'18"; Longitude: -75°35'37")

2. 7270 Woodbine Lane, Macungie (Allentown West, PA Quadrangle Latitude: 40°32'18"; Longitude: -75°35'36")

3. 7261 Woodbine Lane, Macungie (Allentown West, PA Quadrangle Latitude: 40°32'20"; Longitude: -75°35'35")

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E07-452: Sheetz, Inc.**, 5700 Sixth Ave, Altoona, PA 16602 in Logan Township, **Blair County**, Baltimore ACOE District (Hollidaysburg, PA Quadrangle Latitude: 40° 28' 37", Longitude -78° 23' 26.3").

To (1) extend and maintain existing stream enclosure 237-linear feet with a 36-inch diameter with R-5 riprap apron for scour protection and within an Unnamed Tributary to Brush Run which is a perianal stream classified as a Warm Water Fishery, (2) place fill in 0.03 acre of Exceptional Value (EV) Palustrine Emergent (PEM) wetland, (3) place fill in 0.13 acre of EV PEM/Palustrine Scrub Shrub (PSS) wetland and temporarily impacting 0.13 acre of this wetland, (4) temporarily impact 0.01 acre of EV PSS wetland, and (5) construct .82 acre of wetlands as compensation for wetland Impacts permanently impacting 0.01 acre of existing EV PEM wetland. The project proposes to directly affect a total of 237-linear feet of stream channel, temporarily impact 0.14 acre of Exceptional Value Wetland and permanently impact 0.17 acre of Exceptional Value Wetland, and proposes to create 0.46 acre of wetland as compensatory mitigation.

**E01-307: Liberty Mountain Resorts**, 78 Country Club Trail, Carroll Valley, PA 17320 in Carroll Valley Borough, **Adams County**, ACOE Baltimore District

To place and maintain fill in 0.10-acre of a pond for the purpose of expanding a commercial facility and improve transportation safety. The project is located at the intersection of Sanders Road and Country Club Trail. (Iron Springs, PA Quadrangle N: Latitude: 39°45'54.4", Longitude: 77°22'22"), in Carroll Valley Borough, Adams County.

**E67-911: Springettsbury Township**, 1501 Mt. Zion Road, York, PA 17402, Springettsbury Township, **York County**, ACOE Baltimore District

To (1) remove the existing structure and to install and maintain a 48.0-inch sanitary sewer line in and across Mill Creek and its floodway (WWF, MF), an unnamed tributary to Mill Creek (WWF, MF) and associated wetlands; (2) to improve and maintain an existing 6.0-foot X 30.0-foot temporary ford crossing in Mill Creek (WWF, MF) all for the purpose of improving traffic safety. The project is located at Mount Rose Avenue, Exit 18, of interstate 83 (York, PA Quadrangle, Latitude: 39°57'26"N, Longitude: 76°41'10.4"W) in Springettsbury Township, York County.

**E67-910: Gregory J. Myers**, 110 Miller Road, York Haven, PA 17370, Newberry Township, **York County**, ACOE Baltimore District

To construct and maintain a single span bridge having a normal span of 60.0 feet, a width of 14.0 feet and an underclearance of 5.0 feet across Bennett Run (WWF, MF) for the purpose of providing access to private residences. The project is located on the west side of Miller Road south of its intersection with Lewisberry Road (Steelton, PA Quadrangle, Latitude: 40°07'42"N, Longitude: 76°49'41.7"W) in Newberry Township, York County.

**E01-307: Liberty Mountain Resorts**, 78 Country Club Trail, Carroll Valley, PA 17320, Carroll Valley Borough, **Adams County**, ACOE Baltimore District

The applicant proposes to place and maintain fill in 0.10-acre of a pond for the purpose of expanding a commercial facility and improve transportation safety. The project is located at the intersection of Sanders Road and Country Club Trail. (Iron Springs, PA Quadrangle N: Latitude: 39°45'54.4", Longitude: 77°22'22"), in Carroll Valley Borough, Adams County.

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1693. Jatyson LLC**, 825 East McMurray Road, Venetia, PA 15367-1029; Upper St. Clair Township, **Allegheny County**; ACOE Pittsburgh District.

The applicant is proposing to remove existing structures and to place and maintain fill in the floodway of Painters Run (WWF); this project is in association with the construction of a new one-story, 11,000 square foot building, located at 631 Painters Run Road (USGS Bridgeville, PA Quadrangle; N: 20.33 inches; W: 9.36 inches; Latitude: 40° 21' 43"; Longitude: -80° 4' 2"), in Upper St. Clair Township, Allegheny County.

**E02-1695. PennDOT District 11-0**, 45 Thoms Run Road Bridgeville, PA 15017; City of Pittsburgh, **Allegheny County**; ACOE Pittsburgh District.

The applicant is proposing to do the following:

1. Fill the existing 896 ft long upper portion of the SR 885, Mifflin Road, 12.0 ft wide, 6.5 ft under clearance box culvert; construct and maintain a relocated 950 ft long by 10 ft to 60 ft wide open channel to an unnamed tributary to Streets Run (WWF) with a drainage area of 1.2 square miles;

2. Construct and maintain a 12 ft wide 175 ft long by 6.5 ft under clearance box culvert replacement under the Slate Street intersection of the existing upper most 100 ft portion of the above noted Mifflin Road box culvert, with a drainage area of 1.2 square miles;

3. Construct and maintain a 12 ft wide 100 ft long by 6.5 ft under clearance box culvert replacement of the existing lower 175 ft portion of the above noted Mifflin Road box culvert, with a drainage area of 1.2 square miles;

4. Construct and maintain a 14 ft wide 60 ft long by 5.5 foot underclearance box culvert replacement of the existing 14 ft span 53 ft long 5 ft under clearance concrete slab bridge on Mifflin Road, with a drainage area of 1.2 square miles;

5. Construct and maintain a 10 ft wide 89 ft long by 4 foot underclearance box culvert replacement of the existing 10 ft wide 89 ft long 3.6 ft clearance box culvert under Mifflin Road, with a drainage area of 0.58 square mile;

6. Construct and maintain a 9 ft wide 119 ft long by 4 foot underclearance box culvert replacement of the existing 9 ft wide 138 ft long 3.7 ft clearance box culvert under Lebanon Road, with a drainage area of 0.42 square mile;

7. In addition install and maintain road associated stormwater outfalls; install and remove temporary encroachments for construction; and provide onsite stream mitigation.

This project is associated with the SR 885 improvement work with the project extending approximately 0.25 mile north of the Lebanon Road and Mifflin Road intersection in the City of Pittsburgh, Allegheny County (Pittsburgh East PA Quadrangle, North 1.5 inches and West 7.7 inches; Latitude 40° 23' and Longitude -79° 55' 50"; to North 0.8 inches and West 7.0 inches; Latitude 40° 22' 46" and Longitude -79° 55' 32").

**E65-958. Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672; South Greensburg Borough and Hempfield Township, **Westmoreland County**; ACOE Pittsburgh District.

The applicant is proposing to construct, operate and maintain two 48" waterline stream crossings across Jacks Run and an unnamed tributary to Jacks Run (WWF). As a result of this project, approximately 78 LF of stream will be impacted. The project is located along Shady Lane, Broadway Avenue and Keystone Street (Greensburg, PA Quadrangle N: 4.0 inches; W: 7.4 inches, Latitude: 40° 15' 27"; Longitude: 79° 33' 23"), in South Greensburg Borough and Hempfield Township, Westmoreland County.

**E65-959. Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672; New Stanton Borough and Hempfield Township, **Westmoreland County**; ACOE Pittsburgh District.

The applicant is proposing to construct, operate and maintain two 48" waterline stream crossings across an unnamed tributary to Sewickley Creek (WWF). As a result of this project, approximately 60 LF of stream and 16,250 SF of wetland will be impacted. The project is located along Center Avenue, and will cross over Bridge Street, Sandworks Road, Sunny Lane, and Corporate Road (Mount Pleasant, PA Quadrangle N: 13.25 inches; W: 14.25 inches, Latitude: 40° 11' 25"; Longitude: 79° 35' 34"), in New Stanton Borough and Hempfield Township, Westmoreland County.

**E65-962. Edith Shapira**, 6550 Beacon Street, Pittsburgh, PA 15217-1843; Fairfield Township, **Westmoreland County**; ACOE Pittsburgh District.

The applicant is proposing to excavate in the floodway of an unnamed tributary to Snyders Run (TSF), to construct and maintain a non-jurisdictional dam across this unnamed tributary and along the floodway of Snyders Run (TSF), with outlet works along Snyders Run, and to construct and maintain an intake structure and a j-hook in Snyders Run, for the purpose of enlarging an existing, approximately 0.2 acre pond, into an approximately 2.0 acre pond. In total, the project will impact approximately 217.5' of watercourse. Two (2) boat and fishing docks will be installed within the enlarged pond. The project is located along Orchard Hollow Road, Ligonier, PA 15658 (Wilpen, PA USGS topographic quadrangle; N: 15.37 inches; W: 10.81 inches; Latitude: 40° 20' 4.6"; Longitude: -79° 12' 9.2"), in Fairfield Township, Westmoreland County.

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**E25-769, Mukina Realty Corporation**, 5401 Gibson Hill Road, Edinboro PA 16412. Highland Estates, in Washington Township, **Erie County**, ACOE Pittsburgh District (Edinboro North, PA Quadrangle N: 41°, 55', 00.3"; W: 80°, 06', 43.9").

To install infrastructure for a 26 lot residential development including roadways, sewer pipeline, and stormwater facilities. Project proposes 5 road crossings of wetlands, 5 directional drilled sewer line crossings of wetlands, 5 stormwater basins, and 2 stormwater outfalls impacting a total of 0.31 acre of wetland. Applicant proposes enhancement of 0.63 acre of wetland adjacent to the project area as mitigation for permanent impacts.

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E0829-097: Appalachia Midstream, LLC**, 100 IST Center, Horseheads, NY 14845, Troy and West Burlington Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 923 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41°47'07", Longitude: -76°41'41");

2. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 4,577 square feet of a Palustrine Emergent Wetland (East Troy, PA Quadrangle, Latitude: 41°47'07", Longitude: -76°42'24");

3. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 150 linear feet of an unnamed tributary to Sugar Creek (TSF, MF) and impacting 3,574 square feet of an adjacent Palustrine Emergent and Palustrine Forested Wetland (East Troy, PA Quadrangle, Latitude: 41°47'36", Longitude: -76°48'48");

4. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 80 linear feet of an unnamed tributary to Sugar Creek (TSF, MF) (East Troy, PA Quadrangle, Latitude: 41°47'30", Longitude: -76°42'51");

5. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 80 linear feet of an unnamed tributary to Sugar Creek (TSF, MF) (East Troy, PA Quadrangle, Latitude: 41°47'20", Longitude: -76°42'50");

6. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 80 linear feet of an unnamed tributary to Sugar Creek (TSF, MF) (East Troy, PA Quadrangle, Latitude: 41°47'15", Longitude: -76°43'06");

7. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 8 linear feet of an unnamed tributary to Sugar Creek (TSF, MF) and impacting 2,992 square feet of an adjacent Palustrine Emergent and Palustrine Scrub-Shrub Wetland (East Troy, PA Quadrangle, Latitude: 41°47'15", Longitude: -76°43'20");

8. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 80 linear feet of an unnamed tributary to Leonard Creek (TSF, MF) (East Troy, PA Quadrangle, Latitude: 41°46'55", Longitude: -76°43'54");

9. a temporary access road impacting 10,202 square feet of an unnamed tributary to Leonard Creek (TSF, MF) floodway (East Troy, PA Quadrangle, Latitude: 41°46'43", Longitude: -76°44'01");

10. an 8 inch diameter natural gas line and a temporary timber mat bridge impacting 161 linear feet of

Leonard Creek (TSF, MF) (East Troy, PA Quadrangle, Latitude: 41°46'49", Longitude: -76°44'13");

The project will result in 639 linear feet or 8,187 square feet of temporary stream impacts and 10,008 square feet (0.23 acre) of temporary PEM and PSS wetland impacts and 2,058 square feet (0.05 acre) of permanent PFO wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Troy and West Burlington, Bradford County.

**E4129-088: Pennsylvania General Energy Company, LLC**, 120 Market Street, Warren, PA 16365, Cummings Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 72 linear feet of an unnamed tributary to Pine Creek (HQ-CWF) (Jersey Mills, PA Quadrangle 41°20'09"N 77°22'40"W);

2) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 1,407 square feet of palustrine emergent (PEM) wetland (Jersey Mills, PA Quadrangle 41°20'18"N 77°22'45"W);

3) a 24-inch gas pipeline and a fiber optic cable impacting 2 linear feet of Bush Run (EV) (Jersey Mills, PA Quadrangle 41°20'29"N 77°22'51"W);

4) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 543 square feet of palustrine emergent (PEM) wetland (Jersey Mills, PA Quadrangle 41°21'12"N 77°22'57"W);

5) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 97 square feet of palustrine emergent (PEM) wetland (Jersey Mills, PA Quadrangle 41°21'24"N 77°23'11"W).

The project will result in a total of 74 linear feet of stream impacts and 0.05 acre of wetland impacts all for the purpose of installing a natural gas gathering line, fiber optic cable, and temporary access roadways for Marcellus well development.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460*

**D13-058EA. David Kemmerer, Director, Bureau of State Parks**, Pennsylvania Department of Conservation and Natural Resources, P. O. Box 8551, RCSOB, 8th Floor, Harrisburg, PA 17105-8551

Project proposes to remove Indian Run Dam for the purpose of eliminating a threat to public safety and restoring the stream to a free-flowing condition. The proposed restoration project consists of breaching the earthen dam by removing the concrete spillway to reestablish a stream channel. The project is located across Indian Run (HQ-CWF) (Weatherly, PA Quadrangle, Latitude: 40.9627; Longitude: -75.7738). Lehigh Township, **Carbon County**, USACOE Philadelphia District.

#### DAM SAFETY

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460*

**Emerald Coal Resources, L.P.**, 158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370. Emerald Coal is proposing to modify two jurisdictional dams and construct a saddle dam (containing one slurry impoundment) within the Coal Refuse Disposal Area No. 2. The embankments will be raised ten feet to accommodate additional slurry disposal. No additional impacts to streams or wetlands are anticipated from this project.

**D30-046. Emerald No. 2 Main Valley Eastern Dam.** To modify, operate, and maintain Emerald No. 2 Main Valley Eastern Dam across a tributary to Smith Creek (WWF) for the purpose of disposal of coal refuse generated by Emerald Mine. (Waynesburg, PA Quadrangle Latitude: 39.883°; Longitude: -80.204°) Franklin Township, **Greene County**.

**D30-050. Emerald No. 2 Back Valley Western Dam.** To modify, operate, and maintain Emerald No. 2 Back Valley Western Dam across a tributary to South Fork Tenmile Creek (HQ-WWF) for the purpose of disposal of coal refuse generated by Emerald Mine. (Waynesburg, PA Quadrangle Latitude: 39.886°; Longitude: -80.210°) Franklin Township, **Greene County**.

**D30-086. Emerald No. 2 South Saddle Dam.** To construct, operate, and maintain Emerald No. 2 South Saddle Dam across a tributary to Smith Creek (WWF) for the purpose of disposal of coal refuse generated by Emerald Mine. (Waynesburg, PA Quadrangle Latitude: 39.882°; Longitude: -80.209°) Franklin Township, **Greene County**.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver



<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

## **I. NPDES Renewal Permit Actions**

*Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063231 (Sewage)	Lehigh Township Municipal Authority— Pennsville WWTP 1069 Municipal Road Walnutport, PA 18088	Northampton County Lehigh Township	Indian Creek (2-C)	Y

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0087581— Sew	Centre Twp Munc Auth of Berks County 449 Bucks Hill Road Mohrsville, PA 19541	Berks County Centre Township	UNT to Irish Creek/ 3-B	Y
PA0086771— Sew	Centre Twp Munc Auth of Berks County 449 Bucks Hill Road Mohrsville, PA 19541-9340	Berks County Centre Township	Irish Creek / 3-B	Y
PA0246654— Sew	Centre Twp Munc Auth of Berks County 449 Bucks Hill Road Mohrsville, PA 19541-9340	Berks County Centre Township	UNT of Irish Creek / 3-B	Y

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0032824 (Sewage)	PA DOT Safety Rest Area Site 38 I-80 Westbound Mifflin Twp, PA 17814	Columbia County Mifflin Township	Unnamed Tributary to Nescopeck Creek (5-D)	N

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0110485 (Sewage)	United Water PA WWTP RR 11 Interstate 80 Bloomsburg, PA 17815	Columbia County South Centre Township	Susquehanna River (5-D)	Y
<i>Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0240150 (Sewage)	Norwich Township STP 3853 West Valley Road, Smethport, PA 16749	McKean County Norwich Township	Potato Creek (16-C)	Y
PA0103250 (Industrial Waste)	Urlick Foundry Company 1501 Cherry Street, Erie, PA 16502	Erie County Erie City	Unnamed Tributary to the Presque Isle Bay (15-A)	Y
PA0222801 (Sewage)	Sarah Heinz House Camp Heinz Camp Road, Pittsburgh, PA 15212	Lawrence County Wayne Township	Slippery Rock Creek (20-C)	Y

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**NPDES Permit No. PA0062103**, Sewage, SIC Code 4952, **Spring Brook Township Sewer Authority**, P.O. Box 1100, Moscow, PA 18444.

This existing facility is located in Roaring Brook Township, **Lackawanna County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

**NPDES Permit No. PA0041742**, Sewage, SIC Code 4952, **Nazareth Borough Municipal Authority**, PO Box A, Nazareth, PA 18064.

This existing facility is located in Lower Nazareth Township, **Northampton County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

*Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

**NPDES Permit No. PA0114821**, Sewage, SIC Code 4952, **Gregg Township Municipal Authority Union County**, 16436 Route 15, Allenwood, PA 17810.

This existing facility is located in Gregg Township, **Union County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

**NPDES Permit No. PA0232441**, SIC Code 0273, **Cedar Springs Trout Hatchery**, 207 Trout Lane, Mill Hall, PA 17751.

This proposed facility is located in Porter Township, **Clinton County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for an existing discharge of fish hatchery wastewater.

## III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900*

**WQM Permit No. WQG02461402**, Sewage, **Horsham Water & Sewer Authority**, 617 Horsham Road, Horsham, PA 19044.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Installation of a 2" low pressure sewer system.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 5010401, Amendment #1**, Sewerage, **William Rousch, Millerstown Borough Municipal Authority**, PO Box E, 44 North High Street, Millerstown, PA 17062.

This proposed facility is located in Greenwood Township, **Perry County**.

Description of Proposed Action/Activity: Permit approval for the construction / operation of a new 69,100 gallon sludge storage tank.

*Northcentral Region: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

**WQM Permit No. 02491401**, Sewage, SIC Code 4952, **Milton Region Sewer Authority Northumberland County**, 5585 State Route 405, Milton, PA 17847.

This proposed facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Proposed Action/Activity: Phase 2A-A of Rolling Ridge Subdivision sewer extension consisting of 15 grinder pump units and force main.

**WQM Permit No. 02171401**, Sewage, SIC Code 4952, **Servants Heart Camp**, P.O. Box 244, Ramey, PA 16671.

This proposed facility is located in Ramey Borough, Woodward Township, and Gulich Township, **Clearfield County**.

Description of Proposed Action/Activity: Construction of a sewer extension and pump station.

**WQM Permit No. 4910404 A-1**, SIC Code 4952, **Lewis Township Northumberland County**, 1428 Rovendale Drive, Watsonstown, PA 17777.

This existing facility is located in Lewis Township, **Northumberland County**.

Description of Proposed Action/Activity: Permit amendment issued authorizing the replacement of the existing chlorine disinfection system with an ultraviolet disinfection system.

**WQM Permit No. 1414201**, CAFO Operation, SIC Code 0241, **Murmac Farms LLC**, 2336 Zion Road, Bellefonte, PA 16823.

This proposed facility is located in Spring Township, **Centre County**.

Description of Proposed Action/Activity: Construction of a leachate collection and storage system. Permitting of 2 existing manure lagoons. Lagoon #1 has a capacity of 1.2 million gallons and Lagoon #2 has a capacity of 9.0 million gallons.

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**WQM Permit No. WQG026144**, SIC Code 9900, **Central Indiana County Joint Sewer Authority**, 603 South Main Street Ext, Homer City, PA 15748.

This proposed facility is located in Center Township, **Indiana County**.

Description of Proposed Action/Activity: construction of a pump station, force main and gravity sewer extension.

**WQM Permit No. 6314400**, **Washington East Washington Joint Authority**, 60 E Beau Street, Washington, PA 15301.

This proposed facility is located in Canton Township, **Washington County**.

Description of Proposed Action/Activity: The applicant proposes to replace approximately 1,550 linear feet of 18-inch interceptor sewer with 30-inch sewer along an eroding Chartiers Creek bank.

**WQM Permit No. 0213405**, Ohio Township **Sanitary Authority of Allegheny County**, 1719 Roosevelt Road, Pittsburgh, PA 15237.

This proposed facility is located in Ohio and Kilbuck Township, **Allegheny County**.

Description of Proposed Action/Activity: The Authority proposes to construct two pump stations and force mains to serve the Traditions of America development at Sewickley Ridge.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**WQM Permit No. WQG01621302**, Sewage, **Clifford Wyble**, 7613 Fitzsimmons Street, Verona, PA 15147.

This proposed facility is located in Limestone Township, **Warren County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

**WQM Permit No. WQG01251323**, Sewage, **Douglas J. Parker**, 6751 Route 6N West, Edinboro, PA 16410.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

**WQM Permit No. WQG01621203**, Sewage, **Kenneth Eckman**, 180 Wilise Road, Frewsburg, NY 14738.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

**IV. NPDES Stormwater Discharges from MS4 Permit Actions**

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipalities</i>	<i>Receiving Water / Use</i>
PAI134808	City of Williamsport 245 West 4th Street, Williamsport, PA 17701	Lycoming	City of Williamsport, Montoursville Borough, Penn College, Hepburn Twp., Old Lycoming Twp., Lycoming Twp., Loyalsock Twp., and Fairfield Twp	Lycoming Creek (EV), Beautys Run (WWF), Bottle Run (WWF), Fox Hollow Run (WWF), Daughertys Run (WWF), West Branch Susquehanna River (WWF), Grafius Run (WWF), McClure (WWF), Mill Creek (TSF), Loyalsock Creek (EV), Tules Run (WWF), Bennetts Run (WWF), Bull Run (WWF), and Millers Run (WWF)

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI136124 (Waiver)	Bell Acres Borough 1153 Camp Meeting Road, Sewickley, PA 15143	Allegheny	Bell Acres Borough	Big Sewickley Creek and Unnamed Tributary to Little Sewickley Creek / HQ-TSF and TSF
PAI136124 (Waiver)	Bell Acres Borough 1153 Camp Meeting Road, Sewickley, PA 15143	Allegheny	Bell Acres Borough	Big Sewickley Creek and Unnamed Tributary to Little Sewickley Creek / HQ-TSF and TSF

**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI01 510704R(1)	SugarHouse HSP Gaming, L.P. 1080 N. Delaware Avenue Suite 800 Philadelphia, PA 19125	Philadelphia	City of Philadelphia	Delaware River WWF—MF

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI030713002 (Issued)	PennDOT Engineering District 9-0 1620 North Juniata Street Hollidaysburg, PA 16648	Blair	Antis Township	Sandy Run (HQ-CWF)
PAI032113002 (Issued)	Raymond Hoover 515 Bullshead Road Newville, PA 17241	Cumberland	North Newton Township	Big Spring Creek (HQ-CWF)

**VII. Approvals to Use NPDES and/or Other General Permits**

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

**List of NPDES and/or Other General Permit Types**

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Richland Township Bucks County	PAG0200 0912035R	Gorski Engineering 1 Iron Bridge Road Collegeville, PA 19426	Tohickon Creek Delaware River TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAG0200 0914007	Hallmark Homes Group 865 Easton Road Warrington, PA 18976	Unnamed Tributary to Neshaminy Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warrington Township Bucks County	PAG0200 0913074	Shihadeh Contracting, LLC 2357 Tohickon Lane Warrington, PA 18976	Little Neshaminy Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Thornbury Township Delaware County	PAG0200 2313016	Sweetwater Road Corporation 219 East Chestnut Street West Chester, PA 19380	Unnamed Tributary to Chester Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lansdale Borough Montgomery County	PAG0200 4613083	North Penn Y M C A 2506 N. Broad Street, Suite 208 Colmar, PA 18915	Wissahickon Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Plymouth Township Montgomery County	PAG0200 4613101	DRKZ Associates, LP 1300 East Ridge Pike Plymouth Meeting, PA 19462	Schuylkill River WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAG0200 4608007R(1)	131 & 151 Rock Hill Associates, LP 2701 Renaissance Blvd, 4th Floor King of Prussia, PA 19406	Gully Run to Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511319	Phase C, LLC 86 Tomlinson Road, Suite B Huntingdon Valley, PA 19006	Pennypack Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

*Facility Location:  
Municipality &  
County*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG02003513022	Robert J. Fiume 800 North South Road Scranton, PA 18504	Lackawanna River (CWF, MF)	Lackawanna County Conservation District 570-392-3086
PAG02003913014	Rudy Amelio WBP Associates, LLC 1348 Hamilton Blvd. Allentown, PA 18102	Trout Creek (TSF, MF)	Lehigh County Conservation District 610-391-9583
PAG02004013022	Gary Grossman 2138 Route 522 Selinsgrove, PA 17870	Mill Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
PAG02004013023	PPL Electric Utilities c/o Nathan Chaney 2 North Ninth Street Allentown, PA 18101	Gardner Creek (CWF, MF) Hicks Creek (CWF, MF) Obendoffers Creek (CWF, MF) Susquehanna River (WWF, MF)	Luzerne Conservation District 570-674-7991
PAG02004013020	Route 315 Realty Corp., Inc. Gene Cosklo 1092 Route 315 Wilkes-Barre, PA 18702	Mill Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
PAG02005414001	McDonald's USA, LLC 801 Lakeview Drive Suite 302 Blue Bell, PA 19422	Mill Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802*

*Facility Location:  
Municipality &  
County*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG02000109004R (Issued)	John Krichten D.J. Homes, LLC 415 Cedar Ridge Road New Oxford, PA 17350	Gardner Run (WWF)	Adams Co. Conservation District 670 Old Harrisburg Rd, Suite 201 Gettysburg, PA 17325 717.334.0636
PAG02000111009(2) (Issued)	Richard A. Klein BLK-RAK, Inc. 601 Mason Dixon Road Gettysburg, PA 17325	UNT to Opossum Creek (TSF, MF)	Adams Co. Conservation District 670 Old Harrisburg Rd, Suite 201 Gettysburg, PA 17325 717.334.0636
PAG02000614011R	Maidencreek Plaza Company LLC PO Box 96 Temple PA 19560	Willow Creek (CWF, MF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142
PAG02000624056	Joseph Lachina 1126 Meade Street Reading, PA 19611	UNT to Angelica and Allegheny Creeks (CWF, MF)	Berks County Conservation Dist. 1238 County Welfare Rd, Ste 200 Leesport, PA 19533-9710 610.372.4657, Ext. 142

## NOTICES

1811

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Hampden Township Cumberland County	PAG02002109005(1)	CART 38, LTD 5020 Trindle Road Mechanicsburg, PA 17050	UNT to Cedar Run (CWF)	Cumberland Co Conservation Dist. 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.7812
Hampden Township Cumberland County	PAG02002113050	Mt. Zion Associates, LP 3400 Gateway Drive, Suite 100 Pompano Beach, FL 33069	Sears Run (WWF)	Cumberland Co Conservation Dist. 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.7812
Shippensburg and Southampton Townships Cumberland County	PAG02002110002R	Shippensburg University Foundation 1871 Old Main Drive Shippensburg, PA 17257	Burd Run/Middle Spring Creek (CWF)	Cumberland Co Conservation Dist. 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.7812
Penn Township Cumberland County	PAG02002113040	KTR PA Cent LLC Key Logistics Park Unit C 300 Barr Harbor Drive, Suite 150 Conshohocken, PA 19428	Mount Rock Spring Creek (WWF)	Cumberland Co Conservation Dist. 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.7812
Swatara Township Dauphin County	PAG02002213049	7G Associates LLC 107 St. Johns Road Camp Hill, PA 17011	Spring Creek (CWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
West Hanover Township Dauphin County	PAG02002211044R	Richard E. Yingst, Jr. 4712 Smith Street Harrisburg, PA 17109	Walnut Run (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Middle Paxton Township Dauphin County	PAG02002208043R	Kathleen Hagy 1001 Drayer Court Carlisle, PA 17013	Susquehanna River (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Lower Paxton Township Dauphin County	PAG02002213051	Lower Paxton Township Authority 425 Prince Street Suite 139 Harrisburg, PA 17109	Beaver Creek (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Susquehanna Township Dauphin County	PAG02002214005	Doli Construction Corp 120 Independence Lane Chalfont, PA 18914	Paxton Creek (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Londonderry Township Dauphin County	PAG02002211001R(1)	Friends in Action International USA PO Box 323 Elizabethtown, PA 17022	Lynch Run (TSF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Swatara Township Dauphin County	PAG02002207024R	Triple Crown Corp. 5351 Jaycee Avenue Harrisburg, PA 17112	Beaver Creek (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Lower Paxton Township Dauphin County	PAG02002213053	Classic Communities 2151 Linglestown Road Suite 300 Harrisburg PA 17110	Paxton Creek (WWF, MF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Middletown Borough Dauphin County	PAG02002211029R	Westporte Centre, LLC PO Box 442 Hershey, PA 17033	Swatara Creek (WWF)	Dauphin Co Conservation District 1451 Peters Mountain Rd Dauphin, PA 17018 717.921.8100
Conoy Twp Lancaster County	PAG02003603117R	Myers Valley Farm LLC 3121 Mount Joy Road Mount Joy, PA 17552	UNT Susquehanna River (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Fayette Township Juniata County	PAG02033411004R	Don Haubert 15 Central Blvd Camp Hill, PA 17011	Little Lost Creek (TSF)	Juniata Co. Conservations District 146 Stoney Creek Drive, Suite 4 Mifflintown, PA 17059 717.436.8953
West Lampeter Township Lancaster County	PAG02003608064R	Lot 5 Associates LLC 144 East Stiegel Street Manheim, PA 17545	Big Spring Run (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Lancaster Township Lancaster County	PAG02003611096R	School District of Lancaster 1020 Lehigh Avenue Lancaster, PA 17602	UNT to Conestoga River (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Clay Township Lancaster County	PAG02003612016R	Refreshing Mountain Camp 455 Camp Road Stevens, PA 17578	UNT to Middle Creek (TSF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
East Hempfield Township Lancaster County	PAG02003613088	Dutch Gold Honey 2220 Dutch Gold Drive Lancaster, PA 17601	Little Conestoga Creek (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
West Lampeter Township Lancaster County	PAG02003614003	BVP 2012 LLC 12400 High Bluff Drive Suite 600 San Diego, CA 92130	UNT to Big Spring Run (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
East Hempfield Township Lancaster County	PAG02003614005	City of Lancaster 120 N. Duke Street Lancaster, PA 17608	UNT to Brubaker Run (WWF, MF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
Penn Township Lancaster County	PAG02003614006	KN Farms LP 1452 Woodlot Road Manheim, PA 17545	Chiques Creek (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5



## NOTICES

1813

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Manheim Township Lancaster County	PAG02003614019	AlecxiH City Holdings LLC 2372 Franklin Road Columbia, PA 17512	Landis Run, UNT Conestoga River (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
East Earl Township Lancaster County	PAG02003614021	Weaverland Auction Inc. 485 Quarry Road New Holland, PA 17557	Conestoga River (WWF)	Lancaster Co Conservation Dist. 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717.299.5361, Ext. 5
North Lebanon Township, Lebanon County	PAG02003813043 (Issued)	Michele Grumbine 41 South Fairlane Ave Myerstown, PA 17067	Tulpehocken Creek (TSF)	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717.272.3908, Ext. 4
North Lebanon Township, Lebanon County	PAG02003813047 (Issued)	Larry S. Martin 102 Morrissey Drive Lebanon, PA 17046	Trib 10717 & 10718 to Little Swatara Creek (WWF)	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717.272.3908, Ext. 4
North Annville Township, Lebanon County	PAG02003814001 (Issued)	Harold Weaver 47 Palmyra-Bellgrove Road Annville, PA 17003	Quittapahilla Creek (TSF, MF)	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717.272.3908, Ext. 4
North Lebanon Township, Lebanon County	PAG02003814004 (Issued)	Cheri Grumbine 725 Kimmerlings Road Lebanon, PA 17046	UNT to Little Swatara Creek (WWF)	Lebanon Co Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717.272.3908, Ext. 4
Hellam and Springettsbury Townships York County	PAG02006712037	Weir American Hydro 135 Stonewood Road York, PA 17402	Kreutz Creek (WWF)	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Chanceford Township York County	PAG02006713055	Water's Edge United Methodist Church 10085 Chapel Church Road Red Lion, PA 17356	Fishing Creek (TSF)	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
York Township York County	PAG02006714006	Panorama Hills Interceptor Venture LLC 2700 Philadelphia Road Edgewood, MD 21040	Kreutz Creek (WWF) Mill Creek (WWF)	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Manchester Township York County	PAG02006713015	3625 Mia Brae LP 3955 North George Street Ext. Manchester, PA 17345	Codorus Creek (WWF)	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Shrewsbury Borough & Shrewsbury Township York County	PAG02006703063R	DAK Properties, LP 610 Edgegrove Road Hanover, PA 17331	UNT to South Branch Codorus Creek (WWF)	York Co Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Beaver, Sugarloaf Twps. Columbia County	PAG02001913002	Buck Mountain Wind Energy LLC Pattern Energy Group LP Pier 1 Bay 3 San Francisco CA 94111	Beaver Run, CWF, MF Black Creek CWF, MF Catawissa Creek CWF, MF Tahicken Creek CWF, MF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, X 102
Fairfield & Muncy Twps. Lycoming County	PAG02004112029(2)	Aubrey Alexander Blaise Alexander Family LP 10 Alexander Dr Muncy PA 17756	UNT to Twin Run WWF Twin Run WWF Turkey Run WWF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003

*Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Hampton Township Allegheny County	PAG02000206088-1R	Christopher Kaclik 1272 Mars-Evans City Rd Evans City, PA 16033	Crouse Run (TSF)	Allegheny County CD 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 241-7645
Kilbuck Township Allegheny County	PAG02000213077	Stroyne Family LP 300 Camp Horn Road Pittsburgh, PA 15211	UNT to Ohio River (WWF) and Toms Run (WWF)	Allegheny County CD 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 241-7645
Stowe Township Allegheny County	PAG02000213104-1	Brooktrout Development, Inc. 906 Grandview Ave Pittsburgh, PA 15211	Ohio River (WWF-N)	Allegheny County CD 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 241-7645
Sewickley Borough Allegheny County	PAG02000213110	William Titus & Martha Zak 1040 Savannah Ave Pittsburgh, PA 15221	UNT to Kilbuck Run (CWF)	Allegheny County CD 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 241-7645
Hampton Township Allegheny County	PAG02000213113	J.C. Bar Development, LLC. 415 Fallowfield Road Suite 301 Camp Hill, PA 17011	Crouse Run (TSF)	Allegheny County CD 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 241-7645
Municipality of Monroeville Allegheny County	PAG02000213120	Monroeville Municipal Authority 219 Speelman Lane Monroeville, PA 15146	Abers Creek (TSF)	Allegheny County CD 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 241-7645
Kittanning Township and Manor Township Armstrong County	PAG02000312002R	PennDOT Dist 10-0 2550 Oakland Ave PO Box 429 Kittanning, PA 15701	UNT to Garretts Run (WWF) and UNT to Cowanshannock Creek (TSF)	Armstrong County CD Armsdale Administrative Bldg. 124 Armsdale Road Kittanning, PA 16201 (724-548-3425)

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Hastings Borough and Elder Township Cambria County	PAG02001113020	Hastings Municipal Authority 207-1 Fifth Ave PO Box 559 Hastings, PA 16646	UNT to Brubaker Run (CWF)	Cambria County CD 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Richland Township Cambria County	PAG02001114002	First National Bank One FNB Blvd Hermitage, PA 16148	UNT to Stonycreek River (CWF)	Cambria County CD 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Cecil Township Washington County	PAG02006309008R	Mission Hills LLC 102 West Pike Street Suite 200 Houston, PA 15342	UNT to Brush Run (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
Amwell Township Washington County	PAG02006312010R	Amwell Township 885 Amity Ridge Road Amity, PA 15311	UNT to Ten Mile Creek (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
California Borough Washington County	PAG02006314001	The Perryman Company 213 Vandale Drive Houston, PA 15342	UNT to Pike Run (TSF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098

*Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville PA 16335*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Adams Township Butler County	PAG02001010003R	Echo5, LLC c/o Mr. James A. West Jr. 100 Arthur Drive Wexford PA 15239	Unt Breakneck Creek WWF	Butler County Conservation District 724-284-5270
Forward Township Butler County	PAG02001011025R	Meadow Ridge Partners c/o Steve Victr 241 Emmet Road Wexford PA 15090	Connoquenessing Creek WWF	Butler County Conservation District 724-284-5270
Slippery Rock Borough Butler County	PAG02001013031	Slippery Rock Volunteer Fire Company & Rescue Team 162 Elm Street Slippery Rock PA 16057	Unt Slippery Rock Creek CWF	Butler County Conservation District 724-284-5270
Jackson Township Butler County	PAG02001013034	MarkWest Liberty Bluestone LLC 4600 J. Barry Ct, Ste. 500 Canonsburg PA 15317	Connoquenessing Creek WWF	Butler County Conservation District 724-284-5270
Fairview Township Erie County	PAG02002514004	Pleasant Lake Family LP 4193 Stone Creek Drive Erie PA 16509	Lake Erie CWF; MF	Erie County Conservation District 814-825-6403
Cranberry Township Venango County	PAG02006113005	Clarion University Venango Campus 1801 West First Street Oil City PA 16701	Unt Two-Mile Run CWF	Venango County Conservation District 814-676-2832

*General Permit Type—PAG-03**Facility Location:  
Municipality &  
County**Permit No.**Applicant Name &  
Address**Receiving  
Water / Use**Contact Office &  
Phone No.*

Lower Mount Bethel Township Northampton County	PAR122208	ConAgra Foods Inc. 4888 South Delaware Drive P.O. Box 193 Martins Creek, PA 18063	Delaware River—1-F	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
York County Jackson Township	PAR803701	ECM Transport LLC 15 27th Street Pittsburgh, PA 15222 <hr/> ECM Transport LLC York Terminal 146 Bowman Road York, PA 17404	Honey Run / TSF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Williamsport City Lycoming County	PAR204821	Williamsport Foundry Co. Inc. 164 Maynard Street Williamsport, PA 17701	West Branch Susquehanna River—10-C WWF	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Wysox Township Bradford County	PAG034803	New Enterprise Stone & Lime Co. Inc. DBA Eastern Industries, Inc. 4401 Camp Meeting Road Center Valley, PA 18034	Susquehanna River—4-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Pine Township Mercer County	PAG038303	General Electric 660 Barkeyville Road, Grove City, PA 16127-2513	Unnamed Tributaries of Wolf Creek 20-C	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-4**Facility Location:  
Municipality &  
County**Permit No.**Applicant Name &  
Address**Receiving  
Water / Use**Contact Office &  
Phone No.*

Berks County Alsace Township	PAG043718	Larry Hain PO Box 191 Mohrsville, PA 19541	Bernhart Creek / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Limestone Township Warren County	PAG041139	Clifford Wyble 7613 Fitzsimmons Street Verona, PA 15147	Allegheny River 16-F	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Washington Township Erie County	PAG041138	Douglas J. Parker 6751 Route 6N West Edinboro, PA 16410	Unnamed Tributary of Cussewago Creek 16-D	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*Facility Location:  
Municipality &  
County*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG041141	Kenneth Eckman 180 Wiltise Road, Frewsburg, NY 14738	Store House Run	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-13*

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>	<i>DEP Protocol (Y/N)</i>
PAG133598	Marietta Borough 111 East Market Street Marietta, PA 17547	Lancaster County	Marietta Borough	Susquehanna River, Unnamed Stream and UNT to Susquehanna River / WWF and MF	Y

*General Permit Type—MS4 PAG 13 Waiver*

*Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000*

*Facility Location:  
Municipality &  
County*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG136111	Allenport Borough PO Box 186 Allenport, PA 15412	Monongahela River 19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
PAI136138	Darlington Borough PO Box 8 Darlington, PA 16115	North Fork Little Beaver Creek 20-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—MS4 PAG13*

*Facility Location:  
Municipality &  
County*

<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
PAG136202	Cecil Township 3599 Millers Run Road Suite 101 Cecil, PA 15321	Chartiers Creek and Millers Run 20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
PAG136374	Borough of Freeport 414 Market Street Freeport, PA 16229	Allegheny River and Buffalo Creek— 18-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
PAG136210	Canton Township 655 Grove Avenue Washington, PA 15301	Catfish Creek and Chartiers Creek 20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
New Eagle Borough Washington County	PAG136262	New Eagle Borough 157 Main Street New Eagle, PA 15067	Dry Run and Mingo Creek 19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Canonsburg Borough Washington County	PAG136103	Canonsburg Borough 68 E Pike Street Canonsburg, PA 15317	Chartiers Creek Brush Run 20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Houston Borough Washington County	PAG136213	Houston Borough 42 Western Avenue Houston, PA 15342	Chartiers Run and Plum Run 20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

### STATE CONSERVATION COMMISSION

#### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

#### NUTRIENT MANAGEMENT PLAN PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Paul Newton Eht 93 Deck Road Womelsdorf, PA 19567	Berks	112.9	36.9 271.5	Steer Layers	NA	Approved
Barry Good 1695 Rake Road Mohrsville, PA 19541	Berks	199	1.58	Layers	NA	Approved
Mason Dixon Farms 1800 Mason Dixon Road Gettysburg, PA 17325	Adams	3,103.5	4,738.35	Dairy	NA	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Hillandale Gettysburg, LP 370 Spicer Road Gettysburg, PA 17325	Adams	1,152.5	16,189.1	Layers and Pullets	NA	Approved
Robert L. Brubaker Jr. 2205 Camp Road Manheim, PA 17545	Lancaster	35.3	427.4	Broilers	NA	Approved
Pork Champ, LLC, Hibred Swine Lori Stone 415 Forest Road Denver, PA 17517	Lancaster	10.4	603.9	Swine	HQ	Approved
Walnut Run Farms 292 Elm Road Lititz, PA 17543	Lancaster	1,250	1,370	Dairy	NA	Approved
Mike Rohrer 124 Charlestown Road Washington Boro, PA 17582	Lancaster	840	2,283.75	Dairy	NA	Approved
Flintrock Farms Daniel Heller 16 East Brubaker Valley Road Lititz, PA 17543	Lancaster	95.5	791.63	Broilers	NA	Approved
Delmar Martin 1375 West Route 897 Denver, PA 17517	Lancaster	26.1	955.48	Swine	HQ	Approved
Glenn & Joel Martin 2077 Mountain Road Manheim, PA 17545	Lancaster	212.1	128.16	Ducks	NA	Approved
Lamar Moyer 180 Endsloew Road Marietta, PA 17547	Lancaster	12	353.21	Broilers	NA	Approved

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

## SAFE DRINKING WATER

### Actions taken under the Pennsylvania Safe Drinking Water Act

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**Operations Permit# 1512521** issued to: **Lake Road Mobile Home Park**, P.O. Box 465, Toughkenamon, PA 19374 [(PWSID)] London Grove Township, **Chester County** on March 5, 2014 for the operation 4-Log Treatment of Viruses at Entry Point 101.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 6714502 MA, Minor Amendment**, Public Water Supply.

Applicant

**The York Water Company**

Municipality

Springettsbury Township

County

**York**

Responsible Official Mark S. Snyder,  
Engineering Manager  
130 East Market Street  
PO Box 15089  
York, PA 17405-7089

Type of Facility Repainting of the Rocky Ridge  
Standpipe.

Consulting Engineer Mark S. Snyder, P.E.  
The York Water Company  
130 East Market Street  
PO Box 15089  
York, PA 17405-7089

Permit to Construct Issued 3/3/2014

**Permit No. 3613514, Minor Amendment, Public Water Supply.**

Applicant **Tamarack & Spread Eagle MHP**

Municipality Providence Township

County **Lancaster**

Responsible Official Larry L. Miller,  
Water System Operator  
2021 Horseshoe Road  
Lancaster, PA 17602

Type of Facility Installation of a new pumphouse,  
clearwell, pumpstation and  
demonstrator and 4-log  
treatment of viruses.

Consulting Engineer David T. Lewis, P.E.  
Columbia Water Company  
220 Locust Street  
Columbia, PA 17512

Permit to Construct Issued 3/5/2014

**Operation Permit No. 0610541** issued to: **Birdsboro Municipal Authority** (PWS ID No. 3060010), Birdsboro Borough, **Berks County** on 3/5/2014 for facilities approved under Construction Permit No. 0610541.

**Comprehensive Operation Permit No. 4310014** issued to: **DPW Youth Forestry Camp No. 3** (PWS ID No. 4310014), Todd Township, **Huntingdon County** on 3/5/2014 for the operation of facilities approved under Construction Permit No. 3113505 E.

**Operation Permit No. 0613502 MA** issued to: **Keystone Mobile Homes, Inc.** (PWS ID No. 3060061), Exeter Township, **Berks County** on 2/28/2014 for facilities approved under Construction Permit No. 0613502 MA.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 5913502MA**—Construction Public Water Supply.

Applicant **Duncan Township Municipal Authority**

Township/Borough Duncan Township

County **Tioga**

Responsible Official Mr. Ronald Johnson  
Duncan Township  
Municipal Authority  
42 Duncan Township Road  
Wellsboro, PA 16901

Type of Facility Public Water Supply

Consulting Engineer Gregory Cummings, P.E.  
Larson Design Group  
1 West Market Street, Suite 301  
Corning, NY 14830

Permit Issued March 6, 2014

Description of Action Improvements to the Authority's  
chemical feed systems, including  
replacement of the gas  
chlorination with a sodium  
hypochlorite disinfection facility,  
relocation of chlorine and soda  
ash injection points, and  
installation of new soda ash and  
polyphosphate pumps.

**Bellefonte Borough Water Authority (Public Water Supply), Centre County:** On March 7, 2014, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for Bellefonte Borough Water Authority. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (John C. Hamilton, P.E., (570) 327-3650).

**Milesburg Borough Water Authority (Public Water Supply), Centre County:** On March 7, 2014, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for Milesburg Borough Water Authority. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection (John C. Hamilton, P.E., (570) 327-3650).

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Permit No. 0313506WMP, Minor Amendment.** Public Water Supply.

Applicant **Parks Township Municipal Authority**  
1106 Highland Avenue  
Vandergrift, PA 15690

[Borough or Township] Parks Township

County **Armstrong**

Type of Facility Bulk water station

Consulting Engineer Bankson Engineers, Inc.  
267 Blue Run Road  
Indianola, PA 15051

Permit to Operate Issued March 10, 2014

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Permit No. 3713503** Public Water Supply

Applicant **David J. and Glenda K. Smith d/b/a Eastbrook Apartments**



Township or Borough Hickory Township  
 County **Lawrence**  
 Type of Facility Public Water Supply  
 Consulting Engineer William P. Deemer, P.E.  
 William P. Deemer & Associates  
 205-B South Duffy Road  
 Butler, PA 16001

Permit to Construct March 4, 2014  
 Issued

**Permit No. 3713505** Public Water Supply

Applicant **New Castle Estates, LLC**

Township or Borough North Beaver Township  
 County **Lawrence**  
 Type of Facility Public Water Supply  
 Consulting Engineer Charles Ni Claus, P.E.  
 Ni Claus Engineering Corporation  
 804 Sarah Street  
 Stroudsburg, PA 18360

Permit to Construct March 11, 2014  
 Issued

## HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

### Notice of Proposed Interim Response

#### Churchville TCE Site, Upper Southampton and Northampton Townships Bucks County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.102—6020.1303), is proposing an interim response action at the Churchville TCE Site, Upper Southampton and Northampton Townships, Bucks County, Pennsylvania.

The Churchville TCE Site is located near the intersection of Bustleton Pike, Churchville Lane and Bristol Road on the border of Upper Southampton and Northampton Townships. The Department sampled forty private residential wells between May 2011 and December 2013. To date, this sampling revealed that five residences have Tetrachloroethylene (PCE) and/or Trichloroethylene (TCE) in their private drinking water supply above their respective Safe Drinking Water Act Maximum Contaminant Levels.

To address the release and threat of release of hazardous substances at the Site and corresponding threats to human health and the environment, the Department proposes to implement a response action at the Site under Section 501(a) of HSCA, 35 P. S. § 6020.501(a). The Department hereby proposes the installation of a waterline, including the water mains and the lateral connections to the public water supply. This proposed alternative complies with Applicable, Relevant and Appropriate Requirements (ARARs) and is feasible and cost-effective. Other possible alternatives include no action or the installation and continued monitoring and maintenance of whole-house carbon filtration units and/or supplying bottled water. All alternatives with the exception of the no action alternative include groundwater use restrictions.

This notice is being provided pursuant to Section 506(b) of HSCA, 35 P. S. § 6020.506(b). The administrative record which contains the information that forms the

basis and documents the selection of this response action is available for public review and comment. The administrative record is located at the Department's office at 2 East Main Street, Norristown, PA 19401 and is available for review Monday through Friday from 8:00 am until 4:00 pm. Those interested in examining the Administrative Record at the Department's office should contact Margaret Pollich at 484.250.5731 to arrange for an appointment. Additional copies of the administrative record are available for review at the Upper Southampton and Northampton Township Buildings.

The administrative record will be open for comment from March 22, 2014 until June 20, 2014. Persons may submit written comments into the record during this time only, by sending them to Margaret Pollich, Solid Waste Specialist at the Pennsylvania Department of Environmental Protection, 2 East Main Street, Norristown, PA 19401 or by email at [mpollich@pa.gov](mailto:mpollich@pa.gov). In addition, persons may present oral comments, for inclusion in the administrative record, at the public hearing. The Department has scheduled the hearing on May 7, 2014 at 7 PM at the Northampton Township Building, 55 Township Road, Richboro, PA 18954. Individuals wishing to present comments must register by calling the Department's Community Relations Coordinator, Lynda Rebarchak, at 484.250.5820.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Ms. Rebarchak at 484.250.5820 or the Pennsylvania AT & T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If re-

quired, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984. The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Former Canteen Vending**, 201-203 Maynard Street, Williamsport City, **Lycoming County**. Professional Petroleum Service Company, 2500 New Lawn Avenue, Williamsport, PA 17701, on behalf of Pennsylvania College of Technology, submitted a Final Report concerning remediation of site soils contaminated with Fuel Oil No. 2 (petroleum distillates). The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**City Auto Mart**, State & Highland Avenue, Clark Summit Borough, **Lackawanna County**, Susan Yarger, TTL Associates, Inc., 1915 North 12th Street, Toledo, Ohio 43608, has submitted a RIR (Remedial Investigation Report) and a CP (Corrective Action Plan) on behalf of her client, Denis Lello, City Auto Mart, concerning the remediation of three underground storage tanks previously containing gasoline were abandoned in place. The applicant proposes to remediate the site to meet the Site Specific Standard for soil and groundwater. The intended future use of the site is commercial for use of a pharmacy. A summary of the RIR and CP was published in *The Scranton Times*, on January 30, 2014.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Geraldine Ronan Rental Property**, 729 Petersburg Road, Carlisle, PA 17015, South Middleton Township, **Cumberland County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Geraldine Ronan, 759 Petersburg Road, Carlisle, PA 17015, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Site Specific standard.

**Christian Thorne Property**, 3 Poplar Avenue, Temple, PA 19560, Alsace Township, **Berks County**. Liberty Environmental, Inc., 50 North Fifth Street, 5th Floor, Reading, PA 19601, on behalf of Christian Thorne, 3 Poplar Avenue, Temple, PA 19560, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health standard.

**Brett Messimer Residence**, 118 Bosler Avenue, Lemoyne, PA, Lemoyne Borough, **Cumberland County**. Environmental Maintenance Company, Inc., 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Brett and Janet Messimer, 118 Bosler Avenue, Lemoyne, PA

17043; Keystone Oil Products Corporation, Inc., PO Box 157, Camp Hill, PA 17011; and Ambrose Environmental Management, 5 Cherry Hill Drive, Suite L100, Danvers, MA 01923, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health standard.

**BWISE Manufacturing LLC / Route 283 Gasoline Release**, State Route 283 Westbound and Route 772, Mount Joy, PA, Rapho Township, **Lancaster County**. Environmental Products & Services of Vermont, Inc., 5100 Paxton Street, Harrisburg, PA 17111, on behalf of Ridgewood Manor, 223 North Strickler Road, Manheim, PA 17545 and BWISE Manufacturing, LLC, 1086 Wayne Avenue, Chambersburg, PA 17201, submitted a Final Report concerning remediation of site soils contaminated with unleaded gasoline released in a vehicle accident. The report is intended to document remediation of the site to meet the Residential Statewide Health standard.

**REC Oil / Former Sunoco Bulk Storage Facility**, 280 North East Street, York, PA 17403, City of York, **York County**. Enviro Trac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of REC-Oil, 280 North East Street, York, PA 17403 and Environmental Compliance Management, 345 King Street, Myerstown, PA 17067, submitted a combined Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with PAHs, VOCs and lead. The report is intended to document remediation of the site to meet a combination of Non-Residential Statewide Health and Site-Specific Standards.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Honeywell Farmers Valley Wax Plant Main** (Main Plant Area Farmers Valley Wax Plant), Keating Township, **McKean County**. URS Corporation, 12420 Milestone Center Drive, Suite 150, Germantown, MD 20876 on behalf of Pennzoil-Quaker State Company, 700 Milam, Houston, TX 77002 has submitted a Cleanup Plan concerning the remediation of site soil contaminated by petroleum refining substances including but not limited to 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Benzene, Ethylbenzene, Toluene, Iron, Arsenic and site groundwater contaminated by petroleum refining substances including but not limited to Iron, Manganese, Arsenic, Aluminum, 1,2,4-Trimethylbenzene, Benzene, bis[2-ethylhexyl]phthalate, Cobalt, Lead, Methyl tert-butyl ether, 1,3,5-Trimethylbenzene, Ethylbenzene, Naphthalene, Toluene, Xylenes Total. The plan is intended to document remediation of the site to meet the Site-Specific Standard.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Federal Laboratories—Area 11**, Treece Road, Saltsburg, PA 15681, **Indiana County**. EHS Support, LLC., 103 Rogers Court, Pittsburgh, PA 15120 on behalf of Breeze-Eastern Corporation, 35 Melanie Lane, Whippany, NJ 07981 has submitted a Final Report concerning site remediation of site soils contaminated with metals. The Final Report is intended to document remediation of the site to meet the non-residential Statewide Health Standard. This notice was published in the *Indiana Gazette* on February 22, 2014.

**Sherwood Valve—Washington Plant (formerly Superior Valve/Amcast)** 2200 North Main Street, Washington, 15301, Chartiers Township, **Washington County**.

Cummings/Riter Consultants, 300 Penn Ctr. Blvd., Ste 800, Pittsburgh, PA 15235 on behalf of Sherwood Valve, LLC., 220 North Main Street, Washington, PA 15301, submitted a Remedial Investigation Report concerning remediation of site groundwater contaminated with Trichloroethene, cis-1,2-Dichloroethene and Tetrachloroethene. The report is intended to document remediation of the site to meet the non-residential Site Specific standard. Notice of the report was published in the *Observer-Reporter* on March 1, 2014.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701 Former Canteen Vending, 201-203 Maynard Street, Williamsport City, Lycoming County.*

**Professional Petroleum Service Company**, 2500 New Lawn Avenue, Williamsport, Pa 17701 on behalf of Pennsylvania College of Technology submitted a Final Report concerning the remediation of site soils contaminated with Fuel Oil No. 2 (petroleum distillates). The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on February 18, 2014.

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Former ITT and Triton Facility**, 3100 Charlotte Avenue, Palmer Township, **Northampton County**, Matthew Cousino, AECOM Technical Services, has submitted a Final Report (on behalf of his client, Mr. Angel Venegas/Project Manager, Exelis Inc., 77 River Road, Clifton, NJ 07014-2000), concerning the remediation of soil containing manganese, arsenic and PCB as a result from historical operations conducted at the site. The report documented attainment of the Residential/Non Residential Statewide Health Standards for soil and was approved on January 3, 2014.

**Hinkley 2H/3H/4H Well Site**, Springville Township, **Susquehanna County**, C. Minturn, Civil & Environmental Consultants, Inc., submitted a Final Report on behalf of his client, Cabot Oil & Gas Corporation, Five Penn Center West, Suite 401, Pittsburgh, PA 15276, concerning the remediation of soil found to have been impacted below and adjacent to the reserve pit liner. The report documented attainment of the Residential Statewide Health Standard for VOC's SVOCs and /or Background Standard for metals in soil and was approved on December 6, 2013.

**M. Depaola Well Pad**, 7831 State Rte 29, Dimock Township, **Susquehanna County**, Dawn Washo, Resource Environmental, 36 Taylor Lane, Montrose, PA 18801 has submitted a Final Report, (on behalf of her client, Cabot Oil & Gas Corporation, 5 Penn Center West, Suite 401, Pittsburgh, PA 15276), concerning the remediation of approximately 20 barrels of flowback fluid released to the soil on the tank pad. The report documented attainment of the Residential Statewide Health Standard and Background Standard for soil expect for potassium where background concentrations were found to be highly variable and was approved on January 14, 2014. The report was originally submitted within 90 days of the release.

**Anthony Reinish Property**, 551 East 9th Street, Northampton Borough, **Northampton County**, John Lydzinski, Cardno MM&A, has submitted a Final Report on behalf of his client, Mr. & Mrs. Anthony Reinish, 551 East 9th Street, Northampton, PA 18067-1717, concerning the remediation of soil due to an overflow to an aboveground storage tank located in the basement of the home. The report documented attainment of the Residential Statewide health Standards for soil and was approved on January 22, 2014. The report was originally submitted within 90 days of the release.

**Bethlehem Commerce Center Site—SI-1 Area**, City of Bethlehem, **Northampton County**, James Koval, HDR Engineering, Inc., 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015-2165 had submitted a Final Report

on behalf of his client Mr. Kerry Wrobel, Lehigh Valley Industrial Park, Inc., 1720 Spillman Drive, Suite 150, Bethlehem, PA 18015-2164, concerning the proposed remediation measures will include fencing off the entire site to restrict access and with portions of the site capped with an appropriate soil cover which will eliminate the potential for any long-term direct contact exposure pathways. Land use restrictions will also be placed on the site to prohibit future development and the construction of buildings and sub-grade infrastructure. The report was submitted to document attainment of the Site Specific Standard for soil and was approved by Central Office on January 31, 2014.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**GP1-22-03026A: Milton Hershey School** (PO Box 830, 1201 Homestead Lane, Hershey, PA 17033-0830) on March 5, 2014, for three (3) existing natural gas-fired boilers under GP1 in Derry Township, **Dauphin County**. This is a renewal of the GP1 permit.

**GP1-22-03013A: Pinnacle Health System—Harrisburg Hospital** (111 South Front Street, Harrisburg, PA 17101) on March 4, 2014, for a new natural gas and #2 oil-fired boiler (20.1 MMBtu/hr) under GP1, at the Harrisburg Hospital in Harrisburg City, **Dauphin County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**GP5-41-710B: NFG Midstream Trout Run, LLC** (6363 Main Street, Williamsville, NY 14221-5887) on February 26, 2014, to authorize construction and operation of ten (10) natural gas-fired compressor engines, four (4) natural gas-fired micro turbines, two (2) storage tanks and a 200 million cubic foot per day tri-ethylene dehydrator pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas, Coal Bed Methane or Gob Gas Production or Recovery Facilities (BAQ-GPA/GP5) at their Hagerman Compressor Station in Lewis Township, **Lycoming County**.

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920*

**46-0029F: Glasgow, Inc.** (Route 309 & Hartman Road, Montgomeryville, PA 18936) on March 5, 2014, for replacement of the current rotary drum on the Hot Mix Asphalt (HMA) plant with a new rotary drum at their

existing facility in Montgomery Township, **Montgomery County**. The current drum is 39' 4" long and 84" in diameter. The new rotary drum is 28' long and 88" in diameter. The capacity/throughput for the HMA will not change; it will remain at 200 tons/hr as established in the current operating permit. There is no expected increase in emissions as a result of this modification. The following parameters will remain the same: percent of fines added in the aggregate mixture, gas velocity in the dryer drum, rate of rotation of the dryer, and feed rate of aggregate to the dryer. The company will be required to source test for particulate matter emissions. The Plan Approval also contains work practice standards, monitoring and recordkeeping requirements, and operating restrictions designed to keep the sources and facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507*

**54-00082A: Future Power PA, Inc.** (72 Glenmaura National Blvd., Moosic, PA 18507) on March 4, 2014, for construction and operation of a Natural Gas fired NGCC (Natural Gas Combined Cycle) plant with controls at their facility to be in Porter and Frailey Township, **Schuylkill County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**06-05002I: Lehigh Cement Co., LLC —Evansville Cement Plant and Quarry** (537 Evansville Road, Fleetwood, PA 19522-8541) on March 4, 2014, for replacement of the two (2) existing Fuller fabric filter dust collectors (Control Ids C25 & C26), currently capturing and controlling emissions generated by Clinker Coolers No. 1 & 2 (Source Ids 125 & 126), with two (2) approximately 115,730 acfm Dustex fabric filter dust collectors (or equivalent) and associated exhaust stacks, at their cement manufacturing facility in Maiden Creek Township, **Berks County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**01-05039A: Tucker Surface Finishing Center, Inc.** (224 East King Street, East Berlin, PA 17316) on March 3, 2014, for construction and temporary operation of six conveyor painting lines, two enclosed truck booths, a preparation booth, facility pretreatment wash operations, a cure oven, solvent cleaning operations and dry panel filters at the surface coating facility located in East Berlin Borough, **Adams County**. The plan approval was extended.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226*

**63-00979A: Liquidmetal Coatings, LLC** (50 Technology Drive, California, PA 15423) on March 6, 2014, to grant 180 days Plan Approval extension for their abrasive blasting and liquid metal coating operations at their facility in California Borough, **Washington County**. The plan approval has been extended.

**03-00244: Dominion Transmission, Inc.** (445 West Main Street, Clarksburg, WV 26301-2886) on March 5, 2014, to issue a plan approval extension to authorize the continued operation of a natural gas compressor station at the Rural Valley Compressor Station, in Valley Township, **Armstrong County**. Additional time is being granted for applicant to prepare and submit an initial State Only Operating Permit application. Sources approved include: 2 Caterpillar compressor engines; 1 Model G3612, 3550 bhp and 1 Model G3606, 1775 bhp, each equipped with air/fuel ratio controls and individual cylinder ignition timing (ADEM III control system) and oxidation catalysts to control emissions, a NATCO glycol dehydration system (Model 150-275) with a 0.275 mmBtu/hr natural gas fired reboiler, emissions controlled by a 4 mmBtu/hr Questar Technology Thermal Oxidizer (Model Q100), a 690 bhp Caterpillar (Model G-3412 TA HCR) auxiliary generator for back-up power to the facility, emissions controlled by three-way oxidation catalyst, a 5,000-gallon Produced Fluids storage tank (vapor pressure greater than 1.5 psia) equipped with appropriate pressure and vacuum vents, other smaller supporting sources. Emissions from this facility are estimated to be 28.81 tons of NO<sub>x</sub>, 10.94 tons of CO, 47.52 tons of VOCs, 0.11 ton of SO<sub>2</sub>, 5.88 tons of HAPs and 1.81 tons of PM per year. The plan approval has been extended.

**65-00857B: Saint-Gobain Ceramics** (4702 Route 982, Latrobe, PA 15650) on March 7, 2014, to extend the period of temporary operation of the Roller Hearth Kiln for 180-days at the Latrobe Plant in Derry Township, **Westmoreland County**. The new expiration date is September 11, 2014. The plan approval has been extended.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**37-331A: RWE Holding Co.—West Pittsburgh Plant** (535 Rundle Road, New Castle, PA 16101) on March 4, 2014, effective March 31, 2014, will issue a plan approval extension for post-construction of a slag handling, anti-skid mining, coke screening, bulk carbon loading and graphite drying operation. This facility is located in Taylor Township, **Lawrence County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**65-00125: Allegheny Ludlum LLC.** (100 River Road, Brackenridge, PA 15014) on March 6, a Title V Operating Permit (TVOP-65-00125) was issued to Allegheny Ludlum, LLC for the production and operation of a high tech specialty stainless steel ingots at their Latrobe facility, located in Derry Township, **Westmoreland County**.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**09-00142: ML 35 LLC** (35 Runway Road, Levittown, PA 19057) on March 6, 2014, for a data center facility that operates various electricity generating engines at 35 Runway Road, Levittown, Bristol Township, **Bucks County**. This action is a renewal of the facility's Synthetic Minor State Only Operating Permit originally issued on March 20, 2008. The renewal does not allow any new changes other than updating of source inventory and changes of minor significance. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**08-00013: Cooley Tioga Point Cremation and Burial Options, Inc.** (802 North Main Street, Athens, PA 18810-1826) on March 5, 2014, to issue a state only operating permit for their human remains crematory incinerator in Athens Borough, **Bradford County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426*

**S13-017: Verizon-Pennsylvania, Inc.—Market Central Office** (900 Race Street, Philadelphia, PA 19107) on February 26, 2014, to operate a telecommunications facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include four (4) 1500 kW Emergency Generators firing diesel, Kerosene or No. 2 Fuel oil, and one (1) 300 kW Emergency Generators firing diesel.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131*

**25-00006: Russell Standard Corp.—Waterford Plant** (PO Box 86, Union City, PA 16438) on March 5, 2014, issued an administrative amendment to the State Only Operating Permit for their facility in Le Beouf Township, **Erie County**. The amendment incorporates the change of the responsible official.

**25-00929: Russell Standard Corp.—Millcreek Plant** (PO Box 86, Union City, PA 16438) on March 5, 2014, to issue an administrative amendment to the State Only Operating Permit for their facility in Millcreek Township, **Erie County**. The amendment incorporates the change of the responsible official.

---

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

---

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**65-00354: Sunoco Pipeline Partners M&T** (5733 Butler Street, Pittsburgh, PA 15201) Per Title 25 Pa Code Section 127.449(i), this Notice is for the following de minimis emission increase at the Sunoco Pipeline Partners M&T Delmont facility located in Salem Township, **Westmoreland County**.

The installation and operation of a John Zink 4'X30' Enclosed ZTOF Flare to control emissions from the Delmont Pumping Station on the Mariner East Pipeline Project. Potential to emit including emissions from equipment leaks from the project will not exceed 0.25 tpy VOC, 0.01 tpy NO<sub>x</sub>, and 0.2 tpy CO. The project will not trigger the requirements of 25 PA Code Subchapter E or 40 CFR Part 52.

The list of de minimis increases includes only this project.

**30-00077: Texas Eastern Transmission, L.P.** (PO Box 1642, Houston TX 77251-1642) Per Title 25 Pa Code Section 127.449(i), this Notice is for the following de minimis emission increases at the Texas Eastern Transmission, L.P. Holbrook Compressor Station located in Richhill Township, **Greene County**.

Two projects to install new and modify existing piping and valves. The emission increase from the facility as a result of these two projects will not exceed 3.7 tpy VOC; authorized de minimis emissions over the term of the permit do not exceed 1.0 tpy from a single source; authorized de minimis emissions over the term of the permit total 4.34 tpy VOC; any actual emission increase will be included in the annual emission inventory; and this project will not trigger the requirements of Title 25 PA Code Subchapter E or 40 CFR Part 52 at the facility.

The list of de minimis increases at this facility is as follows:

October 2013 Installation of new piping components/physical change to existing piping components.

November 2013 Backhaul Project.

March 2014 South Expansion Project.

March 2014 U2GC Valve & Piping Components.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a).** The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

---

### Coal Permits Issued

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company, LLC**, (1525 Pleasant Grove Road, PO Box J, Claysville, PA 15323). To revise the permit for the Bailey Mine & Prep Plant in Richhill Township, **Greene County** to install the 1L to 17A waterline and 17A borehole. Surface Acres Proposed 19.0. No additional discharges. The application was considered administratively complete on December 11, 2012. Application received June 12, 2012. Permit issued March 4, 2014.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 56030105 and NPDES No. PA0249726. Croner, Inc.**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, revision of an existing bituminous surface and auger mine to change the land use from woodland to crop land in Brothersvalley Township, **Somerset County**, affecting 317.2 acres. Receiving streams: unnamed tributaries to/and Blue Lick Creek, unnamed tributaries to/and Buffalo Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: November 4, 2013. Permit Issued: February 27, 2014

**Permit No. 32080102 and NPDES No. PA0262595. Britt Energies, Inc.**, P.O. Box 515 Indiana, PA 15701, permit renewal for the reclamation only of a bituminous surface mine in Pine Township, **Indiana County**, affecting 85.2 acres. Receiving stream: Leonard Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received September 20, 2013. Permit Issued: February 27, 2014.

**Permit No. 56980108 and NPDES No. PA0234915. Fieg Brothers**, 3070 Stoystown Road, Stoystown, PA 15563, permit renewal for reclamation only of a bituminous surface mine in Milford Township, **Somerset County**, affecting 160.7 acres. Receiving streams: unnamed tributaries to Coxes Creek classified for the following use: warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: November 19, 2013. Permit Issued: February 27, 2014.

**Permit No. 11080102 and NPDES No. PA0262641. Bell Resources, Inc.**, 1340 Hoyt Road, Curwensville, PA 16833, revision of an existing bituminous surface mine to add 5.0 acres to the existing permit area in Susquehanna Township, **Cambria County**, affecting 28.4 acres. Receiving stream West Branch Susquehanna River classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 19, 2013. Permit Issued: March 4, 2014.

**Permit No. 56803020 and NPDES No. PA0121177. Rosebud Mining Co.**, 1117 Shaw Mines Road, Meyersdale, PA 15552, permit renewal for reclamation only of a bituminous surface and coal refuse disposal mine in Summit Township, **Somerset County**, affecting 79.5 acres. Receiving streams: unnamed tributary to/and Blue Lick Creek and an unnamed tributary to the Casselman River classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: November 18, 2013. Permit Issued: March 5, 2014.

**Permit No. 32020106 and NPDES No. PA0249271. Britt Energies, Inc.**, P.O. Box 515, Indiana, PA 15701, permit renewal for the reclamation only of a bituminous surface and auger mine in Center Township, **Indiana County**, affecting 274.5 acres. Receiving streams: unnamed tributaries to Yellow Creek and unnamed tributaries to Tearing Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received September 3, 2013. Permit Issued: March 5, 2014.

**Permit No. 56823033 and NPDES No. PA0607541. Croner, Inc.**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface and auger mine in Brothersvalley Township, **Somerset County**, affecting 126.6 acres. Receiving streams: unnamed tributaries to/and Blue Lick Creek and unnamed tributaries to/and Swamp Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 24, 2013. Permit Issued: March 5, 2014.

**Permit No. 56930104 and NPDES No. PA0212415, Rosebud Mining Co.**, 301 Market Street, Kittanning, PA 15501, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Brothersvalley Township, **Somerset County**, affecting 129.0 acres. Receiving streams: unnamed tributaries to/and Buffalo Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: September 23, 2013. Permit Issued: March 5, 2014.

**Permit No. 11960202 and NPDES No. PA0234311. Ebensburg Power Co.**, 2840 New Germany Road, P.O. Box 845, Ebensburg, PA 15931, permit renewal for reclamation only of a bituminous surface coal refuse reprocessing mine in Cambria Township, **Cambria County** affecting 29.8 acres. Receiving stream: South Branch Blacklick Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 18, 2013. Permit Issued: March 5, 2014.

**Permit No. 11880201 and NPDES No. PA0598208. Ebensburg Power Co.**, 2840 New Germany Road, P.O. Box 845, Ebensburg, PA 15931, permit renewal for reclamation only of a bituminous surface coal refuse reprocessing mine in Cambria Township, **Cambria County** affect-

ing 56.5 acres. Receiving streams: unnamed tributary to/and South Branch Blacklick Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 18, 2013. Permit Issued: March 5, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 54030102R2. Timber Coal Company, LLC**, (P.O. Box 188, Sacramento, PA 17968), renewal of an existing anthracite surface mine and coal refuse disposal operation in Hegins and Porter Townships, **Schuylkill County** affecting 316.7 acres, receiving stream: East Branch Rausch Creek. Application received: July 16, 2013. Renewal issued: March 4, 2014.

**Permit No. 54030102GP104. Timber Coal Company, LLC**, (P.O. Box 188, Sacramento, PA 17968), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54030102 in Hegins and Porter Townships, **Schuylkill County**, receiving stream: East Branch Rausch Creek. Application received: July 16, 2013. Permit issued: March 4, 2014.

**Permit No. 54030102C2. Timber Coal Company, LLC**, (P.O. Box 188, Sacramento, PA 17968), correction to an existing anthracite surface mine and coal refuse disposal operation to update the post-mining land use in Hegins and Porter Townships, **Schuylkill County** affecting 316.7 acres, East Branch Rausch Creek. Application received: July 16, 2013. Correction issued: March 4, 2014.

**Permit No. 54060202T. YZ-05, Inc.**, (169 Victor Road, Sunbury, PA 17801), transfer of an existing anthracite coal refuse reprocessing operation in Frailey Township, **Schuylkill County** affecting 25.0 acres, receiving stream: Good Spring Creek. Application received: March 27, 2012. Transfer issued: March 7, 2014

**Permit No. 54060202R. YZ-05, Inc.**, (169 Victor Road, Sunbury, PA 17801), renewal of an existing anthracite coal refuse reprocessing operation in Frailey Township, **Schuylkill County** affecting 25.0 acres, receiving stream: Good Spring Creek. Application received: March 27, 2012. Renewal issued: March 7, 2014

**Permit No. 54060202GP104. YZ-05, Inc.**, (169 Victor Road, Sunbury, PA 17801), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54060202 in Frailey Township, **Schuylkill County**, receiving stream: Good Spring Creek. Application received: March 27, 2012. Permit issued: March 7, 2014.

#### *Noncoal Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**4675SM18-GP-104. G. L. Carlson, Inc.** (P.O. Box 97, Turtlepoint, PA 16750-9700) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 4675SM18 in Annin Township, **McKean County**. Receiving streams: Allegheny River. Application received: January 6, 2014. Permit Issued: March 6, 2014.

**37860305. Three Rivers Aggregates, LLC** (1807 Shenango Road, New Galilee, PA 16141) Renewal of NPDES Permit No. PA0212032, Plain Grove Township,

**Lawrence County.** Receiving streams: Taylor Run. Application received: December 23, 2013. Permit Issued: March 6, 2014.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**53970803. Clayton C. Reed** (464 Black Hole Road, Coudersport, PA 16915). Final bond release for a small non coal mining operation in Summit Township, **Potter County.** Restoration of 1.0 acre completed. Receiving stream(s): Unnamed Tributary to Borie Branch. Application received: January 27, 2014. Final bond release approved: February 28, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 58122513. Nittany Nova Aggregates, LLC,** (2840 West Clymer Road, Suite 400, Telford, PA 18969), commencement, operation and restoration of a GP105 bluestone quarry operation in Choconut Township, **Susquehanna County** affecting 10.0 acres, receiving stream: unnamed tributary to Choconut Creek. Application received: August 17, 2012. Permit issued: March 6, 2014.

**Permit No. 58122513GP104. Nittany Nova Aggregates, LLC,** (2840 West Clymer Road, Suite 400, Telford, PA 18969), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58122513 in Choconut Township, **Susquehanna County,** receiving stream: unnamed tributary to Choconut Creek. Application received: August 17, 2012. Permit issued: March 6, 2014.

**Permit No. 58132507. Rock Ridge Stone, Inc.,** (631 SR 1039, Montrose, PA 18801), commencement, operation and restoration of a GP105 bluestone quarry operation in Harford Township, **Susquehanna County** affecting 10.0 acres, receiving stream: Nine Partners Creek. Application received: June 18, 2013. Permit issued: March 6, 2014.

**Permit No. 58132507GP104. Rock Ridge Stone, Inc.,** (631 SR 1039, Montrose, PA 18801), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58132507 in Harford Township, **Susquehanna County,** receiving stream: Nine Partners Creek. Application received: June 18, 2013. Permit issued: March 6, 2014

**PRIMACY BOND FORFEITURES PROJECT**

*Pottsville District Mining Office: 5 West Laurel Blvd., Pottsville, PA 17901, Telephone (570) 621-3466*

Primacy Bond Forfeitures Project	PBF 54851343
Location	Frailey Township, <b>Schuylkill County</b> Pennsylvania
Description	Buck Mountain Coal Company
Contractor	Penn Equipment Corporation 15 Main Street PO Box 8 Port Carbon, PA 17965
Amount	\$24,665.00
Date of Award	February 27, 2014

**ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Issued*

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**02144001. Geokinetics** (P.O. Box 487, Washington, PA 15301). Blasting activity permit for the Bunola 3D Phase 3, to conduct seismic activity located in South Park, Elizabeth, Forward, South Versailles, and White Oak Townships; Jefferson Hills, Glassport, Lincoln and Versailles Boroughs; Clarton City, **Allegheny County;** Rostraver, Sewickley and North Huntingdon Townships, **Westmoreland County,** with an exploration date of February 1, 2015. Blasting permit issued: March 4, 2014.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**24144003. ARG Resources, Inc.** (285 Custom Lumber Lane, Kane, PA 16735) Blasting activity permit for stone removal for oil & gas well pad in Highland Township, **Elk County.** This blasting activity permit will expire on February 11, 2015. Permit Issued: March 5, 2014.

**24144001. Advanced Disposal Services Greentree Landfill, LLC** (635 Toby Road, Kersey, PA 15846) Blasting activity permit for overburden shooting for daily cover at Greentree Landfill in Fox Township, **Elk County.** This blasting activity permit will expire on February 11, 2015. Permit Issued: March 5, 2014.

**24144002. Seneca Resources Corporation** (51 Zents Boulevard, Brookville, PA 15825) Blasting activity permit for stone removal for oil & gas well pad in Jones Township, **Elk County.** This blasting activity permit will expire on July 1, 2014. Permit Issued: March 6, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 36144108. Keystone Blasting Service,** (15 Hopeland Road, Lititz, PA 17543), construction blasting for Harry Zimmerman single dwelling in Clay Township, **Lancaster County** with an expiration date of June 30, 2014. Permit issued: March 4, 2014.

**Permit No. 40144103. Maine Drilling & Blasting, Inc.,** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Center Point West in Pittston Township, **Luzerne County** with an expiration date of March 31, 2015. Permit issued: March 4, 2014.

**Permit No. 40144104. Maine Drilling & Blasting, Inc.,** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Center Point East in Jenkins and Pittston Townships, **Luzerne County** with an expiration date of March 31, 2015. Permit issued: March 4, 2014.

**Permit No. 58144111. DW Drilling & Blasting,** (9990 Coconut Road, Bonita Springs, FL 34135), construction blasting for Stickney Gas Pad in Choconut Township, **Susquehanna County** with an expiration date of February 28, 2015. Permit issued: March 5, 2014.

**Permit 58144110. Maine Drilling & Blasting, Inc.,** (P.O. Box 1140, Gardiner, ME 04345), construction blast-



ing for Millard Pad in Jessup Township, **Susquehanna County** with an expiration date of February 27, 2015. Permit issue: March 7, 2014.

**Permit 58144112. DW Drilling & Blasting**, (9990 Coconut Road, Bonita Springs, FL 34135), construction blasting for NW1 Gathering Line in New Milford and Franklin Townships, **Susquehanna County** with an expiration date of March 4, 2015. Permit issue: March 7, 2014.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E09-973. PA Turnpike Commission**, P.O. Box 67676, Harrisburg, PA 17106-7676, Bensalem Bristol, and Middletown Townships, **Bucks County**, ACOE Philadelphia District.

To perform the below-listed water obstruction and encroachments associated with Pennsylvania Turnpike Phase III widening and improvement construction activities in Section D10 (Milepost 355.9 to Milepost 357.6). The activities include the widening and reconstruction of approximately 1.7 miles of eastbound Pennsylvania Turnpike (I-276) to a four-lane roadway between the I-95 overpass and the I-276 Bridge over SR 0013. It also includes the widening and reconstruction of approximately 0.9 mile of westbound I-276 to a four-lane roadway between the I-95 overpass and 1,300' east of the I-276 Bridge over New Rodgers Road (SR 0413). Specific water obstruction and encroachments are:

1. To construct and maintain a new ramp-bridge partially over (aerial impact) Mill Creek (WWF, MF) to facilitate the overall purpose of the project.

2. To extend and maintain 8 x 6 culvert (DB 245) at Road Station 222+75.02 by 25 feet carrying an unnamed tributary (UNT) to Mill Creek (WWF).

3. To extend and maintain 6'8" x 5'6" culvert (DB 246) at Road Station 513+87.97 by 25 feet carrying an UNT of Neshaminy Creek.

4. To replace and maintain a 127-foot three-span bridge over Mill Creek (WWF, MF) (DB-248). The new structure will be a single span steel plate I-girder bridge with 11 feet underclearance.

5. To extend and maintain two existing culverts at stations 489+82 and 554+66.

6. To fill and maintain wetlands (PFO) at several locations as per route design stations, approximately 0.483 acre.

7. To fill and maintain wetlands (PSS) at several locations as per route design station, approximately 0.059 acre.

8. To fill and maintain wetlands (PEM) at several locations as per route design stations, approximately 1.465 acres.

9. To fill and maintain wetlands (PEM, EV) at several locations as per route design stations, approximately 0.218 acre.

10. To relocate and maintain 56 feet of the UNT Mill Creek (WWF), place 35 feet into a new culvert and extend the existing part of the culvert by 18 feet at Station 513+53.

11. To relocate and maintain 168 feet of the UNT Mill Creek (WWF), place 64 feet into a new culvert at Station 514+80.

12. To relocate and maintain 105 feet of the UNT Mill Creek (WWF) at Station 142+43

13. To relocate a 658 feet section of an existing channelized stream and extend and maintain in its place a new 774 channel culvert at Station 151+35.

14. To remove a 129 feet existing culvert and relocate the channel flow to accommodate road widening at Station 152+64.

15. To relocate approximately 342 feet of channel out of 352 feet of existing UNT to Mill Creek (WWF) at Station 302+30.

16. To remove 79 feet of culvert and relocate the channel at Station 304+68.

17. To relocate approximately 602 feet of channel out of 697 feet of existing UNT to Mill Creek (WWF) at Station 311+50.

18. To relocate approximately 137 feet of channel out of 390 feet of existing UNT to Mill Creek (WWF) and create a stormwater swale out of the remaining 253 feet at Station 541+10.

19. To relocate approximately 768 feet of channel out of 974 feet of existing UNT to Mill Creek (WWF) and place the remaining portion of the channel into 206 feet culvert at Station 560+23.

20. To relocate existing culvert at Station 766+40.

21. To relocate approximately 514 feet of channel out of 591 feet of existing UNT to Mill Creek (WWF) at Station 547+00 to create a stormwater swale and place the remaining portion in a 77 feet culvert.

22. To fill and maintain the total stream length of 877 linear feet of UNT to Mill Creek (WWF) approximately at Stations 489+30, 489+82, 541+10, 142+83, 312+73, and 542+08 to facilitate roadway widening.

23. To create, construct, and maintain approximately 3.526 acres of wetland(s) for mitigation of wetland impacted and the quantity lost during proposed project activities.

24. To mitigate for stream impact approximately 3,473 feet at several places within the watershed as per the design drawings.

25. To impact the approximately 1.921 acres of Mill Creek (WWF) and some of the unnamed tributaries floodways conducting miscellaneous grading, cutting, filling, and placement of auxiliary structures to facilitate the overall object of the project at Stations 221+15, 681+09, 682+54, 502+17, 690+41, 512+92, 103+25, 546+13, 542+16, 542+05, 537+62, 540+55, and 534+55.

The project has two component areas. It spans from west to east along I-276 starting just west of the proposed interchange where the present I-95 passes over I-276 and runs approximately 1.7 miles and terminates at the Delaware River Turnpike Bridge on the Pennsylvania side. It also spans from north to south extending along I-95 from one mile north of I-276 in Middletown Township, Bucks County to the east bank of the Neshaminy Creek in Bristol Township. This phase of the project passes through Bensalem, Bristol, and Middletown Townships, Bucks County, center of area Latitude 40°7'45", and Longitude 74°53'23".

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

**E09-981. Historic Bristol Borough**, 250 Pond Street, Bristol, PA 19007, Bristol Borough, **Bucks County**, ACOE Philadelphia District.

To construct and maintain an access pier and day docks in and along the Delaware River. The access pier will be "L-shaped". The portion of the access pier perpendicular to the shoreline will be approximately 111 feet long and will be 12-feet wide. The portion of the access pier that will be parallel to the shoreline will be approximately 200 feet long and will be 15 feet wide.

Two (2) floating day docks will be installed from two (2) points of the perpendicular access pier.

The inshore day dock will be approximately 247 feet long and will be 181/2 feet wide. The approximate number of boats to use this day dock will be fourteen (14) with a maximum length of 25-feet.

The outshore day dock will be approximately 280 feet long and 181/2 feet wide. The approximate number of boats to use this day dock area will be seven (7) with a maximum length of 40 feet. The piers and day docks will be constructed of steel pipe piles and pre-cast concrete platform sections.

The site is located near Otter and Mill Streets (Bristol, PA-NJ Quadrangle map (Latitude: 40° 05' 37"; Longitude: 74° 51' 20").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act [33 U.S.C.A. 1341(a)].

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-1915, Telephone 570-826-2511.*

**E39-523. Lower Macungie Township**, 3400 Brookside Road, Macungie, PA 18062. Lower Macungie Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 24-foot wide access road in the floodway/floodplain of Little Lehigh Creek (HQ-CWF, MF) for the purpose of providing access to a public park. The project is located at 3120 South Cedar Crest Boulevard. The project is located at 3120 South Cedar Crest Boulevard. (Allentown West Quadrangle Latitude: 40°35'19"; Longitude: -75°31'16"). Subbasin: 2C

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E31-228: Franklin Township Supervisors**, 5054 Greystone Lane, Tyrone, PA 16686 in Franklin Township, **Huntingdon County**, ACOE Baltimore District.

To 1) remove the existing structure and to construct and maintain a 28' 3.75" wide, single span, adjacent box beam bridge with reinforced concrete wingwalls having a clear span of 71' 6", an underclearance of 5' 3.5", and a normal clear span of 68' 6" with a minimum underclearance of 3' 9" across Spruce Creek (CWF, MF, HQ) 50' upstream of the existing structure for the purpose of improving transportation safety and roadway standards. The out-to-out width will be 27' 4.5" and on a 90 degree skew. The project will permanently impact 0.015 acre (653 square feet) of exceptional value Palustrine Emergent wetlands. The amount of wetland impact is considered a de minimus impact and wetland mitigation is not required. The project is located along T-548 in Franklin Township, Huntingdon County (Franklinville, PA Quadrangle, N: 12.3", W: 3.6"; Latitude: 40° 41' 40", Longitude: -78° 01' 41").

*District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E4129-069: Anadarko E&P Company LP**, 33 West Third Street, Suite 200, Williamsport, PA 17701, Pine Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) fill for a permanent access road impacting 1083 square feet of a palustrine forested (PFO) wetland (White Pine, PA Quadrangle 41°29'48"N 77°14'48"W);

2) one 60-inch diameter, 30-foot-long culvert and associated fill for a permanent access road impacting 57 linear feet of an unnamed tributary to Rock Run (EV) (Nauvoo, PA Quadrangle 41°31'24"N 77°14'04"W);

3) one 66x51-inch elliptical, 34-foot-long culvert and associated fill for a permanent access road impacting 68 linear feet of Rock Run (EV) (Nauvoo, PA Quadrangle 41°31'34"N 77°14'27"W);

4) one 30-inch diameter, 28-foot-long culvert and associated fill for a permanent access road impacting 53 linear feet of an unnamed tributary to Rock Run (EV) (Nauvoo, PA Quadrangle 41°31'30"N, 77°14'30"W);

5) fill for a permanent access road impacting 106 square feet of a palustrine emergent (PEM) wetland (Nauvoo, PA Quadrangle 41°30'47"N 77°14'34"W);

6) one 18-inch diameter, 20-foot-long culvert and associated fill for a permanent access road impacting 25 linear feet of an unnamed tributary to Texas Creek (EV) (Morris, PA Quadrangle 41°30'31"N, 77°15'04"W);

7) one 18-inch diameter culvert and associated fill for a permanent access road impacting 58 square feet of a palustrine emergent (PEM) wetland (Morris, PA Quadrangle 41°30'58"N, 77°15'04"W);

8) fill for a permanent access road impacting 46 square feet of a palustrine emergent (PEM) wetland (Morris, PA Quadrangle 41°31'03"N, 77°15'04"W);

9) fill for a permanent access road impacting 243 square feet of a palustrine forested (PFO) wetland (Morris, PA Quadrangle 41°31'11"N, 77°15'07"W);

10) one 18-inch diameter culvert and associated fill for a permanent access road impacting 77 square feet of a palustrine emergent (PEM) wetland (Morris, PA Quadrangle 41°31'18"N, 77°15'15"W);

11) one single-span prestressed concrete beam bridge having a span of 74 feet, a width of 24 feet, and an under-clearance of 7.75 feet, two log deflector fish habitat structures, and a 20-foot-wide temporary causeway consisting of seven 48-inch diameter culverts impacting 219 linear feet of Texas Creek (EV) (Morris, PA Quadrangle 41°31'27"N, 77°15'19"W);

12) one precast concrete arch culvert having a span of 36 feet, a width of 45 feet, and an under-clearance of 6.5 feet impacting 140 linear feet Hughes Run (EV) (Morris, PA Quadrangle 41°32'07"N 77°15'10"W).

The project will result in a total of 0.04 acre of wetland impacts and 562 linear feet of stream impacts all for the purpose of installing a permanent access roadway to multiple well sites for Marcellus well development.

*Southwest Regional Office, Oil and Gas Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**[Permit #E65-07-006] CNX Gas Company LLC**, 280 Indian Springs Road, Suite 333, Indiana, PA 15701. To replace a culvert located in Tributary 42938 to Beaver Run (TSF) along an existing access road to a proposed gas well pad, in Washington Township, **Westmoreland County**, Pittsburgh ACOE District, State Water Plan Basin 18B, (Vandergrift Quadrangle, 5.875 inches N, 10.5625 inches W; Latitude N 40°31'57.21", Longitude W -79°34'13.00"). The applicant proposes to install 53 feet of 60" HDPE culvert at the stream crossing for a permanent 30 feet wide access road for the Marco Gas Well Pad. Proposed Linear Impact of the crossing is approximately 75 ft within the project area. The proposed access road also encroaches upon the floodway (50 ft) of T42938 to Beaver Run (TSF). Impacts to the floodway are approximately 435 linear feet within the project area. The upstream watershed drainage at the access road crossing is approximately 1,700 acres (2.65 mi<sup>2</sup>).

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.*

<i>ESCGP-2 No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
0413003-1	Sunoco Pipeline, LP 525 Fritztown Road Sinking Springs, PA 19608	Beaver	Chippewa Township, Brighton Township, South Beaver Township, and Darlington Township	North Fork Little Beaver (HQ-CWF), South Branch Bradys Run (TSF) and Twomile Run (WWF)
0413005	National Fuel Gas Supply Corporation 1100 State Street Erie, PA 16501	Beaver	North Sewickley Township	UNT to Brush Creek (WWF) and UNT to Bennett Run (WWF)

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335*

ESCGP-1 #ESG14-047-0001—Clermont Pad H to Pad NF A Pipeline

Applicant Seneca Resources Corporation

Contact Doug Kepler

Address 5800 Corporate Drive, Suite 300

City Pittsburgh State PA Zip Code 15237

County Elk Township(s) Jones(s)

Receiving Stream(s) and Classification(s) Naval Hollow, Briggs Hollow, Straight Creek, EV

ESCGP-1 #ESX13-019-0060A—Shipley Well Pad-Major Modification

Applicant R.E. Gas Development LLC

Contact Michael Endler

Address 600 Cranberry Woods Drive

City Cranberry Township State PA Zip Code 16066

County Butler Township(s) Connoquenessing(s)

Receiving Stream(s) and Classification(s) UNT's to Connoquenessing Creek, Slippery Rock Creek Watershed-WWF

ESCGP-1 #ESG13-065-0010—Raymond Project

Applicant EQT Production Company

Contact Mr. Todd Klaner

Address 455 Racetrack Road, Suite 101

City Washington State PA Zip Code 15301

County Jefferson Township(s) Washington(s)

Receiving Stream(s) and Classification(s) Unnamed Tributary to Beaverdam Run

ESCGP-1 #ESG14-019-0002—Trillith to Bluestone Pipeline

Applicant Markwest Liberty Bluestone LLC

Contact Rick Lowry

Address 4600 J Barry Court, Suite 500

City Canonsburg State PA Zip Code 15317

County Lancaster & Jackson Township(s) Butler(s)

Receiving Stream(s) and Classification(s) UNT's to Connoquenessing Creek and Little Connoquenessing Creek, Connoquenessing Creek, Little Connoquenessing Creek, UNT's to Little Yellow Creek and Yellow Creek, Little Yellow Creek and Yellow Creek, UNT's to Crab Run

ESCGP-1 #ESX13-073-0015—Mahoning Patton Well Pad

Applicant Hilcorp Energy Company

Contact Stephanie McMurray

Address 1201 Louisiana Street, Suite 1400

City Houston State TX Zip Code 77002

County Lawrence Township(s) Mahoning(s)

Receiving Stream(s) and Classification(s) UNT 35851 to Shenango River—WWF

ESCGP-1 #ESX13-073-0019—Mahoning—Allison Central Processing Facility

Applicant Hilcorp Energy Company

Contact Stephanie McMurray

Address 1201 Louisiana Street, Suite 1400

City Houston State TX Zip Code 77002

County Lawrence Township(s) Mahoning(s)

Receiving Stream(s) and Classification(s) UNT Shenango River Watershed, Shenango River—WWF

ESCGP-1 #ESG14-019-0008—Cypher Gas Pipeline

Applicant Mountain Gathering, LLC

Contact Dewey Chalos

Address 810 Houston Street

City Fort Worth State TX Zip Code 76102

County Butler Township(s) Clearfield & Summit(s)

Receiving Stream(s) and Classification(s) UNT Little Buffalo Run, Little Buffalo Run, UNT Bonnie Brook, Bonnie Brook / Buffalo Creek, Connoquenessing Creek, Allegheny River, Beaver River HQ-CWF, WWF

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-1 # ESG13-115-0136

Applicant Name Southwestern Energy Production Company

Contact Person Dave Sweeley

Address 917 State Route 92 North

City, State, Zip Tunkhannock, PA 18657

County Susquehanna County

Township(s) Great Bend Township

Receiving Stream(s) and Classification(s) Salt Lick Creek (HQ, CWF/FM) and UNTs thereto

ESCGP-1 # ESX29-115-14-0008

Applicant Name Southwestern Energy Production Company

Contact Person Dave Sweeley

Address 917 State Route 92 North

City, State, Zip Tunkhannock, PA 18657

County Susquehanna County

Township(s) Oakland and Great Bend Township

Receiving Stream(s) and Classification(s) UNT to Denton Creek (CWF/MF);

Secondary: Susquehanna River (WWF/MF)

ESCGP-1 # ESX29-015-14-0008

Applicant Name Talisman Energy USA, Inc.

Contact Person Benjamin Younkin

Address 337 Daniel Zenker Drive

City, State, Zip Horseheads, NY 14845

County Bradford County

Township(s) Warren Township

Receiving Stream(s) and Classification(s) Wappasening Creek (CWF/MF)

ESCGP-1 # ESG29-081-0005

Applicant Name Southwestern Energy Production Company

Contact Person Dave Sweeley

Address 917 State Route 92 North

City, State, Zip Tunkhannock, PA 18657

County Lycoming County

Township(s) Cogan House and Jackson Townships

Receiving Stream(s) and Classification(s) UNT to Blockhouse Creek and Steam Valley Run (EV);

Secondary; Blockhouse Creek

ESCGP-1 # ESG29-081-14-0004

Applicant Name Chief Oil & Gas, LLC

Contact Person Jeffrey Deegan

Address 6051 Wallace Road Ext., Suite 300

City, State, Zip Wexford, PA 15090

County Lycoming County

Township(s) McNett Township

Receiving Stream(s) and Classification(s) Rock Run (EV);

Secondary: Yellow Dog Run

---

## SPECIAL NOTICES

---

### Notice of Request for Proposals for Municipal Solid Waste Capacity Montgomery County

The following notice(s) is placed through the Department of Environmental Protection as required by Section 502(d) of Act 101 of 1988: the Municipal Waste Planning, Recycling and Waste Reduction Act.

Montgomery County is revising its Municipal Waste Management Plan in accordance with Act 101 for the purpose of including additional waste processing and disposal capacity for the county. Waste facilities to be considered in the plan must be permitted and fully available for use prior to January 1, 2014. For detailed

information, interested facility owners should write to: Montgomery County Planning Commission, Drew Shaw, P. O. Box 311, Norristown PA 19404-0311. All inquiries should be in writing and made no later than 30 calendar days from the date this notice is published.

**Mining Activity NPDES Permit Notice of Settlement**

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**Notice of Settlement of NPDES Permit Appeal pursuant to 25 Pa. Code Section 92a.88**

**Rosebud Mining Company** (Logansport Mine) v. Commonwealth of Pennsylvania, Department of Environmental Protection; EHB Docket No. 2013-004-R

The above matter involved the appeal of the National Pollutant Discharge Elimination System Permit No. PA0235407 ("NPDES Permit"), which was incorporated into the revised Bituminous Coal Mining Activity Permit No. 3991301 (Coal Mining Permit), both of which were issued to Rosebud on December 10, 2012, authorizing operations at the Logansport Mine. The NPDES Permit authorized the discharge of treated wastewater from mine drainage treatment facilities at Outfalls 001, 002, 003, 004 and 005 to waters of the Commonwealth.

The Department's final action to resolve this NPDES Permit appeal was a settlement as reflected by a February 2014 Consent Order and Agreement entered into by the Department and Rosebud. The major provisions of the settlement require Rosebud to agree to abide by new proposed effluent limitations based upon Rosebud's combining certain outfalls and relocating certain outfalls to the Allegheny River. Rosebud agreed not to challenge these effluent limitations upon their final issuance by the Department and in the interim agreed to abide by the terms and conditions in the existing NPDES Permit, until such time as Rosebud has completed the combining and relocation of the outfalls and the new Amended Permit is issued by the Department. The public notice of a draft Amended Permit was published in the *Pennsylvania Bulletin*, Vol. 44, No. 5, February 1, 2014, page 677.

Copies of the full agreement are in the possession of Charney Regenstein, Assistant Counsel, Commonwealth of Pennsylvania, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4262; and Kevin J. Garber, Babst, Calland, Clements and Zomnir, P.C., Two Gateway Center, 603 Stanwix Street, 6th Floor, Pittsburgh, PA 15222, (412) 394-5400 and may be reviewed by an interested person on request during normal business hours.

Any person believing himself aggrieved by the above Consent Order and Agreement has a right to appeal to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, Pennsylvania 17105-8457 Appeals must be filed within thirty (30) days of this publication.

If information concerning this notice is required in an alternative form, please contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Service at 1-800-654-5984.

**Individual NPDES Permit for Stormwater Discharges Associated with Construction Activities**

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**PAI 05-32-14-001, Forcey Coal, Inc.**, 475 Banion Road, Madera, PA 16661. Individual NPDES Permit for Stormwater Discharges Associated with Construction Activities on GFCC No. 32-12-01 in Grant Township, **Indiana County**. Receiving streams: East Run tributary to Little Mahoning Creek, classified for the following use: High Quality Cold Water Fishery. There are no potable water supply intakes within 10 miles downstream. Notice of Intent for coverage received: February 3, 2014.

[Pa.B. Doc. No. 14-594. Filed for public inspection March 21, 2014, 9:00 a.m.]

**Clean Air Interstate Rule; Proposed 2018 New Unit Annual and Ozone Season CAIR Nitrogen Oxides Allowance Allocations**

In accordance with 25 Pa. Code §§ 145.211(d)(3) and 145.221(d)(3) (relating to timing requirements for CAIR NO<sub>x</sub> allowance allocations; and timing requirements for CAIR NO<sub>x</sub> Ozone Season allowance allocations), the Department of Environmental Protection (Department) is providing notice and an opportunity to comment on the proposed 2018 annual and ozone season Clean Air Interstate Rule (CAIR) nitrogen oxides (NO<sub>x</sub>) allowance allocations for new units. The Commonwealth's total 2018 NO<sub>x</sub> budget for the annual CAIR program contains 82,541 NO<sub>x</sub> allowances and the Commonwealth's total 2018 NO<sub>x</sub> budget for the ozone season CAIR program contains 35,143 NO<sub>x</sub> allowances.

New unit CAIR NO<sub>x</sub> allocations for the annual and ozone season programs are made in accordance with 25 Pa. Code §§ 145.212(e) and 145.222(e) (relating to CAIR NO<sub>x</sub> allowance allocations; and CAIR NO<sub>x</sub> Ozone Season allowance allocations). CAIR NO<sub>x</sub> allowances and CAIR NO<sub>x</sub> Ozone Season allowances are issued in amounts equal to each new unit's 2013 annual and ozone season emissions prior to making regular allocations to other units.

For each new unit receiving a CAIR NO<sub>x</sub> allocation, Table 1 lists the following information: Facility name, County, ORIS Code, Unit ID, 2013 Annual NO<sub>x</sub> Emission, 2013 Ozone Season NO<sub>x</sub> Emission, Operation Date, 2018 Annual New Unit Allocation and 2018 New Unit Ozone Season Allowance Allocation.

**Table 1: Proposed 2018 CAIR New Unit Allocations**

Facility Name	County	ORIS Code	Unit ID	2013	2013	Operation Date (EPA Data)	2018 CAIR	2018 CAIR
				Annual NO <sub>x</sub> Emissions (tons)	Ozone Season NO <sub>x</sub> Emissions (tons)		New Unit Annual NO <sub>x</sub> Allowance Allocation	New Unit Ozone Season NO <sub>x</sub> Allowance Allocation
Hunlock Creek Energy Center	Luzerne	3176	CT5	13.1	5.2	6/2/2011	13	5

<i>Facility Name</i>	<i>County</i>	<i>ORIS Code</i>	<i>Unit ID</i>	<i>2013 Annual NO<sub>x</sub> Emissions (tons)</i>	<i>2013 Ozone Season NO<sub>x</sub> Emissions (tons)</i>	<i>Operation Date (EPA Data)</i>	<i>2018 CAIR New Unit Annual NO<sub>x</sub> Allowance Allocation</i>	<i>2018 CAIR New Unit Ozone Season NO<sub>x</sub> Allowance Allocation</i>
Hunlock Creek Energy Center	Luzerne	3176	CT6	12.6	5.1	5/27/2011	12	5
York Energy Center	York	55524	1	18.7	8.6	3/2/2011	18	8
York Energy Center	York	55524	2	18.4	8.5	3/2/2011	18	8
York Energy Center	York	55524	3	18.5	8.4	3/2/2011	18	8
Total							79	34

Owners and operators of new units should be aware that CAIR NO<sub>x</sub> allowances and CAIR NO<sub>x</sub> Ozone Season allowances do not constitute property rights and that action at the Federal or State level, including court proceedings in *EPA v. EME Homer City Generation, L.P.*, U.S. No. 12-1182, could affect these allocations, once final.

#### *Written Comments*

Written comments on the new unit proposed annual and ozone season CAIR NO<sub>x</sub> allowance allocations for 2018 should be sent to the attention of Randy Bordner, Environmental Group Manager, Air Resource Management Division, Bureau of Air Quality, Department of Environmental Protection, P. O. Box 8468, Harrisburg, PA 17105-8468, ranbordner@pa.gov no later than April 6, 2014. Written comments (including e-mails) should include the name, affiliation (if any), mailing address and telephone number of the interested person and contain "Proposed 2018 New Unit Annual and Ozone Season CAIR Nitrogen Oxides (NO<sub>x</sub>) Allowance Allocations" in the subject line.

Questions concerning this notice should be directed to Randy Bordner at (717) 772-3921. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

E. CHRISTOPHER ABRUZZO,  
*Secretary*

[Pa.B. Doc. No. 14-595. Filed for public inspection March 21, 2014, 9:00 a.m.]

### **Clean Air Interstate Rule; 2014 Allocation of 2013 Vintage Nitrogen Oxides Allowances Set Aside to Offset Sulfur Dioxide Emissions**

In accordance with 25 Pa. Code § 145.212(f)(2) (relating to CAIR NO<sub>x</sub> allowance allocations), the Department of

Environmental Protection (Department) is providing notice of the issuance of 2013 vintage Clean Air Interstate Rule (CAIR) nitrogen oxides (NO<sub>x</sub>) allowances to owners or operators of certain CAIR sulfur dioxide (SO<sub>2</sub>) units for the purpose of offsetting SO<sub>2</sub> emissions. These units were exempted under the Federal Acid Rain Program provisions in section 405(g)(6)(A) of the Clean Air Act (42 U.S.C.A. § 7651(g)(6)(A)) and therefore did not receive SO<sub>2</sub> allowances, yet are subject to the CAIR SO<sub>2</sub> Trading Program. The Department allocated the CAIR NO<sub>x</sub> allowances identified in this notice on a ratio of 1 CAIR NO<sub>x</sub> allowance to every 8 tons of SO<sub>2</sub> emitted in 2013 in response to written requests submitted to the Department by January 31, 2014. Up to 1.3% of the Commonwealth's CAIR NO<sub>x</sub> Annual Trading Program budget is available for allocation to these units, as described in 25 Pa. Code § 145.212(f)(2) and (4).

The Commonwealth's CAIR NO<sub>x</sub> Annual Trading Program budget contained 99,049 CAIR NO<sub>x</sub> allowances for 2013; 97,761 of the CAIR NO<sub>x</sub> allowances were allocated at 40 Pa.B. 297 (January 9, 2010). The remaining 1,288 CAIR NO<sub>x</sub> allowances, 1.3% of the CAIR NO<sub>x</sub> Annual Trading Program budget for 2013, were set aside for this allocation. Six requests were dated prior to the January 31, 2014, deadline for additional CAIR NO<sub>x</sub> allowances.

The Department is allocating these allowances on a ratio of 1 CAIR NO<sub>x</sub> allowance to every 8 tons of SO<sub>2</sub> emitted by the unit in 2013, minus any excess CAIR NO<sub>x</sub> allowances already allocated to the unit for the 2013 control period that were not used to cover NO<sub>x</sub> emissions for the 2013 control period. The result is an allocation of 988 CAIR NO<sub>x</sub> allowances.

For every facility that submitted a request, the table lists the facility name, ORIS number and unit identification number and the number of CAIR NO<sub>x</sub> allowances to be allocated.

<i>Facility Name</i>	<i>ORIS #</i>	<i>Unit ID</i>	<i># of NO<sub>x</sub> Allowances</i>
Cambria Cogen	10641	1 & 2	320
Colver Power Project	10143	AAB01	344
Ebensburg Power Company	10603	31	49
Scrubgrass Generating Plant	50947	1 & 2	170
WPS Westwood Generation	50611	31	39
Wheelabrator Frackville	50879	GEN1	66

There were 1,288 CAIR NO<sub>x</sub> allowances set aside and 988 CAIR NO<sub>x</sub> allowances being issued. In accordance with 25 Pa. Code § 145.212(f)(5), the Department may consider requests, in writing, for the remaining NO<sub>x</sub> allowances. The remaining NO<sub>x</sub> allowances would be allocated by the Department on a pro rata basis; the allocations would be subject to a 30-day public comment period after providing notice in the *Pennsylvania Bulletin*.

Owners and operators of qualifying units should be aware that CAIR NO<sub>x</sub> allowances do not constitute property rights and that actions at the Federal or State level, including court proceedings in *EPA v. EME Homer City Generation, L.P.*, U.S. No. 12-1182, could affect these allocations.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the

Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Questions concerning this notice should be directed to Randy Bordner, Chief, Stationary Source Section, Bureau of Air Quality, (717) 772-3921, [ranbordner@pa.gov](mailto:ranbordner@pa.gov). TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

E. CHRISTOPHER ABRUZZO,  
Secretary

[Pa.B. Doc. No. 14-596. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Nutrient Credit Trading Program: Actions

The Department of Environmental Protection (Department) has approved the following requests for certification of pollutant reduction activities to generate nitrogen (N) and phosphorus (P) credits under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed). Proposed pollutant reduction activities include the installation of advanced wastewater treatment processes (AWT) at sewage treatment plants and the following agriculture best management practices: continuous no-till planting methods (CNT); conservation tillage planting methods (CT); planting cover crops (CC); and the export of poultry litter (EPL). These certification request approvals authorize the generation of nitrogen and/or phosphorus credits for use by facilities with National Pollutant Discharge Elimination System (NPDES) permits in the compliance year in which the credits are generated. These approvals are valid until September 30, 2015, provided the pollution reduction activities are implemented, maintained and verified in accordance with the plans contained in the approved certification requests. The approvals are listed chronologically by Certification Date.

Applicant/ Consultant	Generator/ Source	County	Pollutant Reduction Activity	N Credits	P Credits	Public	Certification Date
						Comment Notice Date	
Red Barn Trading Co.	Shank Farm	Lancaster	CNT, CC	674	0	1-Sep-12	11-Dec-12
Red Barn Trading Co.	Rohr Farm	Lancaster	CNT, CC	22807	0	20-Oct-12	11-Dec-12
Red Barn Trading Co.	Meadow Vista Farm	Lancaster	CNT, CC	18697	0	20-Oct-12	11-Dec-12
Red Barn Trading Co.	Keystone Farm	Lancaster	CNT, CC	16501	0	20-Oct-12	11-Dec-12
Red Barn Trading Co.	Hess Farm	Lancaster	CNT, CC	6969	0	20-Oct-12	11-Dec-12
Red Barn Trading Co.	Martin Farm	Lancaster	CNT, CC	382	0	20-Oct-12	11-Dec-12
Material Matters	Longenecker Farm	Lancaster	CNT, CC	12,719	0	2-Feb-13	7-Mar-13
Buchart Horn	York City Sewage Treatment Plant	York	AWT	131,505	17,534	10-Aug-13	13-Mar-13

<i>Applicant / Consultant</i>	<i>Generator / Source</i>	<i>County</i>	<i>Pollutant Reduction Activity</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Public Comment Notice Date</i>	<i>Certification Date</i>
Sunbury Municipal Authority Sewage Treatment Plant	Sunbury Municipal Authority Sewage Treatment Plant	Northumberland	AWT	22,866	10,228	2-Feb-13	13-Mar-13
JJ Carl PE	Mansfield Municipal Sewage Authority	Tioga	AWT	6,966	353	16-Feb-13	22-Mar-13
Hollidaysburg Regional Sewage Treatment Plant	Hollidaysburg Regional Sewage Treatment Plant	Blair	AWT	47,896	0	6-Mar-13	4-Jun-13
Kulpmont-Marion Heights Joint Municipal Authority	Kulpmont-Marion Heights Joint Municipal Authority	Northumberland	AWT	3,611	0	27-Oct-12	16-Jul-13
CET Engineering Services	Tyrone Borough Sewage Treatment Plant	Blair	AWT	0	4,400	8-Jun-13	16-Jul-13
CS Davidson	Jefferson Codorus Joint Sewer Authority	York	AWT	4,200	250	8-Jun-13	16-Jul-13
EADS Group	Duncansville Sewage Treatment Plant	Blair	AWT	9,684	0	8-Jun-13	16-Jul-13
James Holley Assoc.	Stewartstown Sewage Treatment Plant	York	AWT	5,413	918	8-Jun-13	16-Jul-13
Lycoming Conservation District	Ulmer Farm	Lycoming	CNT, CT, CC	15,659	0	15-Jun-13	6-Aug-13
Lycoming Conservation District	Martin Farm	Lycoming	CNT, CT, CC	182	0	15-Jun-13	6-Aug-13
Lycoming Conservation District	Fogelman Farm	Lycoming	CNT, CT, CC	306	0	10-Aug-13	7-Aug-13
Lycoming Conservation District	Koons Farm	Lycoming	CNT, CT, CC	670	0	10-Aug-13	8-Aug-13
Lycoming Conservation District	Knepp Farm	Lycoming	CNT, CT, CC	204	0	10-Aug-13	8-Aug-13
Lycoming Conservation District	Vandine Farm	Lycoming	CNT, CC	677	0	10-Aug-13	8-Aug-13
Greater Hazleton Joint Sewer Authority Wastewater Treatment Plant	Greater Hazleton Joint Sewer Authority Wastewater Treatment Plant	Luzerne	AWT	75,683	3,960	27-Jul-13	6-Sep-13
Chesapeake Nutrient Management	Hershey Farm	Lancaster	PLE	45,030	5,629	27-Jul-13	6-Sep-13
Hanover Borough Sewage Treatment Plant	Hanover Borough Sewage Treatment Plant	York	AWT	0	2,719	27-Jul-13	6-Sep-13



<i>Applicant / Consultant</i>	<i>Generator / Source</i>	<i>County</i>	<i>Pollutant Reduction Activity</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Public Comment Notice Date</i>	<i>Certification Date</i>
Salzman Hughes/ Chambersburg	Pugh Farm	Franklin	CC	993	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Falling Springs Farm	Franklin	CC	1,329	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Frey's Farm Dairy	Franklin	CC	1,509	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Hissong Farm	Franklin	CC	6,309	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Jo-Bri-Den Farm	Franklin	CC	1,327	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Martin Farm	Franklin	CC	4,358	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Marshall Farm	Franklin	CC	1,248	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Mercer View Farms	Franklin	CC	32,843	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Rotz Farms	Franklin	CC	6,242	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Slate Ridge Dairy	Franklin	CC	373	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Witter Farm	Franklin	CC	3,719	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Brandt Farm	Cumberland	CC	4,680	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Brymesser Farms LLC	Cumberland	CC	6,318	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Creekside Dairy	Cumberland	CC	2,615	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Hockenberry Farm	Cumberland	CC	12,282	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Jet Rae Farm	Cumberland	CC	3,660	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Foster Farm	Cumberland	CC	1,875	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Mt Rock Jerseys Farm	Cumberland	CC	3,740	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Mt View Nursery	Cumberland	CC	6,597	32	10-Aug-13	12-Sep-13

<i>Applicant / Consultant</i>	<i>Generator / Source</i>	<i>County</i>	<i>Pollutant Reduction Activity</i>	<i>N Credits</i>	<i>P Credits</i>	<i>Public Comment Notice Date</i>	<i>Certification Date</i>
Salzman Hughes/ Chambersburg	Nealand Farm	Cumberland	CC	4,106	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Sunday Farm	Cumberland	CC	10,446	0	10-Aug-13	12-Sep-13
Salzman Hughes/ Chambersburg	Weary's Dairy	Cumberland	CC	7,707	0	10-Aug-13	12-Sep-13
Stiffler McGraw	Logan Township Sewage Treatment Plant	Blair	AWT	6,278	465	10-Aug-13	1-Oct-13
Williamsport Sanitary Authority— Central Sewage Treatment Plant	Williamsport Sanitary Authority— Central Sewage Treatment Plant	Lycoming	AWT	96,229	3,291	12-Oct-13	28-Oct-13
Bloomsburg Municipal Authority	Bloomsburg Municipal Authority	Columbia	AWT	29,979	1,715	12-Oct-13	29-Oct-13
Gannet Fleming	Lewisburg Joint Authority East Buffalo	Union	AWT	10,679	1,751	12-Oct-13	30-Oct-13
Material Matters	Gettysburg Sewage Treatment Plant	Adams	AWT	11,774	2,586	9-Nov-13	25-Nov-13
Larson Design Group	Wellsboro Municipal Authority	Tioga	AWT	1,356	152	9-Nov-13	25-Nov-13
Danville Borough Sewage Treatment Plant	Danville Borough Sewage Treatment Plant	Columbia	AWT	18,223	1,654	9-Nov-13	25-Nov-13
Gwin Dobson & Forman	Altoona East Sewage Treatment Plant	Blair	AWT	28,919	1,355	9-Nov-13	25-Nov-13

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For further information about this action or the Nutrient Credit Trading Program, contact Jay Braund, Bureau of Point and Non-Point Source Management, Department of Environmental Protection, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-5636, jbraund@pa.gov or visit the Department's web site at [www.dep.state.pa.us](http://www.dep.state.pa.us) (DEP Keywords: "Nutrient Trading").

E. CHRISTOPHER ABRUZZO,  
Secretary

[Pa.B. Doc. No. 14-597. Filed for public inspection March 21, 2014, 9:00 a.m.]

**State Board for Certification of Sewage Enforcement Officers; 2014 Sewage Enforcement Officers Examinations Announcement**

The State Board for Certification of Sewage Enforcement Officers (Board) and the Department of Environmental Protection (Department) have scheduled four examinations for 2014. To qualify to sit for the certification examination, all Sewage Enforcement Officers (SEO) candidates must complete the Pre-Certification Academy. Complete and correct examination applications must be received by the Board (not postmarked), by close of business on the deadlines indicated as follows. Applications received after these dates will not be considered for examination. Applications that do not contain all the necessary required information will be returned and will not be considered for the examination. The examination schedule for 2014 is as follows (*Note: registration for all exams begins at 8:30 a.m.; all exams are held from 9 a.m. to 12:30 p.m.*):

Examination Date: Monday, March 10, 2014  
 Examination Application Deadline: February 7, 2014  
 Location: DEP Rachel Carson State Office Building  
 11th Floor Conference Room B  
 400 Market Street, Harrisburg, PA

Examination Date: Monday, June 16, 2014  
 Examination Application Deadline: May 16, 2014  
 Location: DEP South Central Regional Office  
 Susquehanna Room A and B  
 909 Elmerton Avenue, Harrisburg, PA

Examination Date: Monday, September 15, 2014  
 Examination Application Deadline: August 15, 2014  
 Location: DEP South Central Regional Office  
 Susquehanna Room A and B  
 909 Elmerton Avenue, Harrisburg, PA

Examination Date: Monday, December 15, 2014  
 Examination Application Deadline: November 14, 2014  
 Location: DEP South Central Regional Office  
 Susquehanna Room A and B  
 909 Elmerton Avenue, Harrisburg, PA

Additional examination dates will be posted as scheduled.

The SEO written examination contains 100 multiple-choice questions covering planning requirements, administration and enforcement of the permit program and technical criteria for soils and disposal systems with a 3.5-hour time limit. The passing grade is 50% correct responses in each subject area and an overall minimum of 70 correct answers on the entire examination. This is an open book examination. Applicants are not permitted to bring their own materials. Necessary reference materials will be provided at the test site.

Examination applications may be obtained by contacting the Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-2186.

Applicants will receive an admittance letter from the Board prior to the date of the examination.

Persons who anticipate the need for a testing accommodation due to a disability should contact the Board at

(717) 772-5157 or through Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss the request. This request must be submitted with the application form.

E. CHRISTOPHER ABRUZZO,  
*Secretary*

[Pa.B. Doc. No. 14-598. Filed for public inspection March 21, 2014, 9:00 a.m.]

**DEPARTMENT OF  
 GENERAL SERVICES**

**Lease Office Space to the Commonwealth  
 Butler County**

Proposals are invited to provide the Department of General Services with 5,700 usable square feet of office space for the Pennsylvania Board of Probation and Parole in Butler County. Downtown locations will be considered. For more information on SFP No. 94574, which is due on Friday, May 23, 2014, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate at (717) 787-4394.

SHERI PHILLIPS,  
*Secretary*

[Pa.B. Doc. No. 14-599. Filed for public inspection March 21, 2014, 9:00 a.m.]

**Lease Retail Space to the Commonwealth  
 Lancaster County**

Proposals are invited to provide the Department of General Services with 5,000 to 6,000 usable square feet of retail space for the Liquor Control Board in Lancaster County. For more information on SFP No. 94572, which is due on Friday, April 25, 2014, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate at (717) 787-4394.

SHERI PHILLIPS,  
*Secretary*

[Pa.B. Doc. No. 14-600. Filed for public inspection March 21, 2014, 9:00 a.m.]

**Lease Retail Space to the Commonwealth  
 Snyder County**

Proposals are invited to provide the Department of General Services with 5,000 to 6,000 usable square feet of retail space for the Liquor Control Board in Snyder County. For more information on SFP No. 94573, which is due on Friday, May 2, 2014, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate at (717) 787-4394.

SHERI PHILLIPS,  
*Secretary*

[Pa.B. Doc. No. 14-601. Filed for public inspection March 21, 2014, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Application of Butler Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Butler Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.5-7.2.2.1(4) (relating to inpatient bedrooms and bathrooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 14-602. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Application of Holy Redeemer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Holy Redeemer Hospital has requested an exception to the requirements of 28 Pa. Code § 147.43 (relating to ventilation system).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 14-603. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Application of Indiana Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Indiana Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-8.5.3.2 (relating to size of Technology Distribution Rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
Secretary

[Pa.B. Doc. No. 14-604. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Application of Penn State Hershey Rehabilitation LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Penn State Hershey Rehabilitation LLC has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained

in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1-8.5.3.2 (relating to size of Technology Distribution Rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 14-605. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Application of The Renaissance Center for Plastic Surgery for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Renaissance Center for Plastic Surgery has requested an exception to the requirements of 28 Pa. Code § 551.21 (relating to criteria for ambulatory surgery), specifically subsection (a)(1).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 14-606. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Care Pavilion Nursing and Rehabilitation Center  
6212 Walnut Street  
Philadelphia, PA 19139  
FAC ID 292002

Cliveden Nursing and Rehabilitation Center  
6400 Greene Street  
Philadelphia, PA 19119  
FAC ID 330402

Maplewood Nursing and Rehabilitation Center  
125 West Schoolhouse Lane  
Philadelphia, PA 19144  
FAC ID 033002

Tucker House Nursing and Rehabilitation Center  
1001-11 Wallace Street  
Philadelphia, PA 19123  
FAC ID 369402

York Nursing and Rehabilitation Center  
7101 Old York Road  
Philadelphia, PA 19126  
FAC ID 023802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Penn State Hershey Transitional Care  
1135 West Chocolate Avenue  
Hummelstown, PA 17036  
FAC ID 21700201

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Crestview Center  
262 Toll Gate Road  
Langhorne, PA 19047  
FAC ID 030802

Fairview Care Center of Papermill Road  
850 Papermill Road  
Glenside, PA 19038  
FAC ID 580502

Memorial Hospital, Inc. Skilled Nursing Unit  
91 Hospital Drive  
Towanda, PA 18848  
FAC ID 650202

Parkhouse Providence Pointe  
1600 Black Rock Road  
Royersford, PA 19468  
FAC ID 133402

Pennypack Center  
8015 Lawndale Street  
Philadelphia, PA 19111  
FAC ID 941002

Phoebe Wyncote  
208 Fernbrook Avenue  
Wyncote, PA 19095  
FAC ID 232102

Powerback Rehabilitation 3485 Davisville Road  
3485 Davisville Road  
Hatboro, PA 19040  
FAC ID 069002

Silver Stream Center  
P. O. Box 397, 905 Penllyn Pike  
Spring House, PA 19477  
FAC ID 192702

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 14-607. Filed for public inspection March 21, 2014, 9:00 a.m.]

### **Sexual Assault Victim Emergency Services Regulation; Listing of Hospitals that may not Provide Emergency Contraception and Hospitals that may not Provide any Sexual Assault Emergency Services**

The Department of Health (Department) published final-form sexual assault victim emergency services regulations at 38 Pa.B. 573 (January 26, 2008). The sexual assault victim emergency services regulations became effective on January 26, 2008, and amended 28 Pa. Code Part IV, Subpart B (relating to general and special hospitals) to add specific requirements for hospitals relating to the provision of sexual assault emergency services. See 28 Pa. Code §§ 117.51—117.58 (relating to sexual assault victim emergency services).

Hospitals that decide they may not provide emergency contraception due to a stated religious or moral belief contrary to providing this medication are required to give notice to the Department of the decision. See 28 Pa. Code § 117.57 (relating to religious and moral exemptions). Hospitals that refer all emergency patients to other hospitals after institution of essential life-saving measures and decide not to provide any sexual assault emergency services are required to give notice to the Department of the decision. See 28 Pa. Code § 117.58 (relating to exemption for hospitals providing limited emergency services).

Sections 117.57(1)(ii) and 117.58(1)(ii) of 28 Pa. Code state that the Department will annually publish the lists of hospitals in the *Pennsylvania Bulletin* that have chosen not to provide emergency contraception under 28 Pa. Code § 117.57 or any sexual assault emergency services under 28 Pa. Code § 117.58. The following lists are published in accordance with those provisions and do not create any new obligations for hospitals or relieve hospitals of any existing obligations.

#### *Hospitals that may not Provide Emergency Contraception*

Under 28 Pa. Code § 117.57(1)(ii), the Department publishes the following list of hospitals that have provided notice to the Department that the hospital may not provide emergency contraception due to a stated religious or moral belief:

<i>Hospital Name</i>	<i>City, Zip Code</i>
Holy Spirit Hospital	Camp Hill, 17011
Jersey Shore Hospital	Jersey Shore, 17740
Mercy Fitzgerald Hospital	Darby, 19023
Mercy Hospital Scranton	Scranton, 18501
Mercy Philadelphia Hospital	Philadelphia, 19143
Mercy Suburban Hospital	Norristown, 19401
Millcreek Community Hospital	Erie, 16509
Nazareth Hospital	Philadelphia, 19152
Muncy Valley Hospital	Muncy, 17756
Physicians Care Surgical Hospital	Royersford, 19468
St. Joseph Regional Health Network	Reading, 19603
St. Mary Medical Center	Langhorne, 19047
UPMC Mercy Hospital	Pittsburgh, 15219
Williamsport Hospital	Williamsport, 17701

#### *Hospitals that may not Provide any Sexual Assault Emergency Services*

Under 28 Pa. Code § 117.58(1)(ii), the Department publishes the following list of hospitals that have provided notice to the Department that the hospital may not provide any sexual assault emergency services due to the limited services provided by the hospital:

<i>Hospital Name</i>	<i>City, Zip Code</i>
Allied Services Institute of Rehabilitation—Scranton	Scranton, 18501
John Heinz Institute of Rehabilitation Medicine—Wilkes-Barre	Wilkes-Barre Township, 18702
Millcreek Community Hospital	Erie, 16509
Physicians Care Surgical Hospital	Royersford, 19468
Rothman Specialty Hospital	Bensalem, 19020
Shamokin Area Community Hospital	Coal Township, 17866-9697
Triumph Philadelphia Long-Term Acute Care Hospital	Philadelphia, 19145

Additional information regarding the sexual assault victim emergency services regulations and emergency contraception and an up-to-date list of hospitals not providing emergency contraception under 28 Pa. Code § 117.57 or not providing any sexual assault emergency services under 28 Pa. Code § 117.58 is available on the Department's web site at [www.health.state.pa.us](http://www.health.state.pa.us).

The notice in the *Pennsylvania Bulletin* or on the Department's web site of the lists of hospitals not providing emergency contraception under 28 Pa. Code § 117.57, or not providing any sexual assault emergency services under 28 Pa. Code § 117.58, may not be deemed an acknowledgement or confirmation by the Department that the hospitals are in compliance with the requirements of the regulations.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Joanne Salsgiver, Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0701, (717) 783-8980, fax (717) 772-2163 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 14-608. Filed for public inspection March 21, 2014, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Prevailing Wage Appeals Board Public Meeting

The Prevailing Wage Appeals Board will hold a public meeting on Wednesday, March 26, 2014, at 10:30 a.m. in the Capitol Associates Building, 901 North Seventh Street, 3rd Floor Conference Room, Harrisburg, PA.

The Americans with Disabilities Act contact is Gina Meckley, (717) 783-9276.

JULIA K. HEARTHWAY,  
*Secretary*

[Pa.B. Doc. No. 14-609. Filed for public inspection March 21, 2014, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Mother's Day '14 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Mother's Day '14.

2. *Price:* The price of a Pennsylvania Mother's Day '14 instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Mother's Day '14 instant lottery game ticket will contain one play area and a separate "Bonus" area. The "Bonus" area is played separately. The play symbols and their captions, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRTY), MOM (MOM) symbol and a Flower (FLOWER) symbol. The play symbols and their captions located in the "Bonus" area are: Balloon (BALLOON) symbol, Candy (CANDY) symbol, Car (CAR) symbol, Diamond (DIAMOND) symbol, Emerald (EMERALD) symbol, Mink (MINK) symbol, Rose (ROSE) symbol,

Necklace (NCKLACE) symbol, Ring (RING) symbol, House (HOUSE) symbol and a Gift (GIFT) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$15<sup>00</sup> (FIFTN), \$25<sup>00</sup> (TWY FIV), \$30<sup>00</sup> (THIRTY), \$75<sup>00</sup> (SVY FIV), \$100 (ONE HUN), \$300 (THR HUN), \$1,000 (ONE THO) and \$50,000 (FTY THO). The prize symbols and their captions, located in the "Bonus" area are: \$10<sup>00</sup> (TEN DOL), \$15<sup>00</sup> (FIFTN), \$25<sup>00</sup> (TWY FIV), \$50<sup>00</sup> (FIFTY) and \$75<sup>00</sup> (SVY FIV).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$25, \$30, \$75, \$100, \$300, \$1,000 and \$50,000. The prizes that can be won in the "Bonus" area are: \$10, \$15, \$25, \$50 and \$75. The player can win up to 16 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 4,800,000 tickets will be printed for the Pennsylvania Mother's Day '14 instant lottery game.

#### 7. *Determination of Prize Winners:*

(a) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$50,000 (FTY THO) appears in the "prize" area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$300 (THR HUN) appears in the "prize" area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$300.

(d) Holders of tickets with a Flower (FLOWER) symbol in the play area, and a prize symbol of \$25<sup>00</sup> (TWY FIV) appears in ten of the "prize" areas, a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in four of the "prize" areas, and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$300.

(e) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets with a Flower (FLOWER) symbol in the play area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in five of the "prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in the "prize" area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$75.

(h) Holders of tickets with a Flower (FLOWER) symbol in the play area, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in all fifteen of the "prize" areas, on a single ticket, shall be entitled to a prize of \$75.

(i) Holders of tickets with a Gift (GIFT) symbol in the "Bonus" area, and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in the "prize" area to the right of that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$75.

(j) Holders of tickets with a Gift (GIFT) symbol in the “Bonus” area, and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the “prize” area to the right of that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in the “prize” area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$30.

(l) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$25<sup>00</sup> (TWY FIV) appears in the “prize” area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$25.

(m) Holders of tickets with a Gift (GIFT) symbol in the “Bonus” area, and a prize symbol of \$25<sup>00</sup> (TWY FIV) appears in the “prize” area to the right of that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$25.

(n) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$15<sup>00</sup> (FIFTN) appears in the “prize” area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$15.

(o) Holders of tickets with a Gift (GIFT) symbol in the “Bonus” area, and a prize symbol of \$15<sup>00</sup> (FIFTN) appears in the “prize” area to the right of that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$15.

(p) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “prize” area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets with a Gift (GIFT) symbol in the “Bonus” area, and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “prize” area to the right of that Gift (GIFT) symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets with a MOM (MOM) symbol in the play area, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the “prize” area under that MOM (MOM) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal A “MOM” (MOM) Symbol, Win Prize Shown Under That Symbol, Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 4,800,000 Tickets</i>
\$5	\$5	12	400,000
\$5 × 2	\$10	30	160,000
\$10	\$10	30	160,000
\$5 × 3	\$15	300	16,000
\$10 + \$5	\$15	100	48,000
(\$10 w/ BONUS) + \$5	\$15	60	80,000
\$15	\$15	300	16,000
\$5 × 5	\$25	200	24,000
(\$5 × 2) + \$15	\$25	200	24,000
\$25 w/ BONUS	\$25	200	24,000
\$25	\$25	600	8,000
\$5 × 6	\$30	300	16,000
\$10 × 3	\$30	600	8,000
(\$15 w/ BONUS) + \$15	\$30	200	24,000
(\$25 w/ BONUS) + \$5	\$30	200	24,000
\$30	\$30	600	8,000
FLOWER w/ (\$5 × 15)	\$75	266.67	18,000
(\$50 w/ BONUS) + \$25	\$75	533.33	9,000
\$75	\$75	960	5,000
FLOWER w/ ((\$10 × 5) + (\$5 × 10))	\$100	685.71	7,000
\$10 × 10	\$100	4,800	1,000
\$25 × 4	\$100	4,000	1,200
(\$30 × 3) + \$10	\$100	3,429	1,400
(\$25 w/ BONUS) + (\$5 × 15)	\$100	1,200	4,000
\$100	\$100	3,429	1,400
FLOWER w/ ((\$25 × 10) + (\$5 × 4) + \$30)	\$300	120,000	40
\$30 × 10	\$300	120,000	40
\$100 × 3	\$300	120,000	40
(\$75 w/ BONUS) + (\$15 × 15)	\$300	12,000	400
\$300	\$300	60,000	80
\$100 × 10	\$1,000	60,000	80
\$1,000	\$1,000	120,000	40
\$50,000	\$50,000	480,000	10

Reveal a “FLOWER” (FLWER) symbol, win all 15 prizes shown!

BONUS: Reveal a “GIFT” (GIFT) symbol, win prize shown to the right of it automatically.

Bonus played separately.



Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Mother's Day '14 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Mother's Day '14, prize money from winning Pennsylvania Mother's Day '14 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Mother's Day '14 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Mother's Day '14 or through normal communications methods.

DANIEL MEUSER,  
*Secretary*

[Pa.B. Doc. No. 14-610. Filed for public inspection March 16, 2014, 9:00 a.m.]

## DEPARTMENT OF STATE

### Corporation Bureau Advisory Committee Meeting

The Corporation Bureau Advisory Committee (Committee), under 15 Pa.C.S. § 155(c) (relating to disposition of funds), has scheduled a meeting for Tuesday, April 8, 2014, at 11 a.m. for discussion of the Corporation Bureau's budget. The meeting will be held in Room 303/304, 3rd Floor, Executive Office Conference Room, Department of State, North Office Building, Harrisburg, PA 17120. The public is invited to attend. Persons who need accommodation due to a disability and wish to attend the meeting should contact Barbara Kennedy at (717) 783-9210 so that arrangements can be made.

CAROL AICHELE,  
*Secretary*

[Pa.B. Doc. No. 14-611. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Electronic Recording Commission Meeting

Public notice is hereby given of the meeting of the Electronic Recording Commission (Commission) established under Uniform Real Property Electronic Recording Act (act) (21 P.S. §§ 483.1—483.9). The meeting will be held on Monday, June 9, 2014, at 2 p.m. at the Sheraton Erie Bayfront Hotel, 55 West Bay Drive, Erie, PA 16507.

The purpose of the meeting will be for the Commission to continue consideration of regulations to implement the act. Visit [www.dos.state.pa.us](http://www.dos.state.pa.us) for more information and to view a copy of the complete agenda.

CAROL AICHELE,  
*Secretary*

[Pa.B. Doc. No. 14-612. Filed for public inspection March 21, 2014, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, February 27, 2014, and announced the following:

#### *Action Taken—Regulation Disapproved:*

Department of Banking and Securities #3-51: Assessments (adds Chapter 5 to 10 Pa. Code)

### Disapproval Order

Public Meeting Held  
February 27, 2014

*Commissioners Voting:* John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Lawrence J. Tabas, Esq.; Dennis A. Watson, Esq.

*Department of Banking and Securities—  
Assessments;*

*Order Issued March 5, 2014  
Regulation No. 3-51 (#3021)*

On September 10, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Banking and Securities (Department). This rulemaking adds Chapter 5 to 10 Pa. Code. The proposed regulation was published in the September 14, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on January 8, 2014.

This final-form rulemaking establishes an assessment schedule for the Commonwealth's state-chartered institutions. Section 5.5(a) of the rulemaking sets forth criteria for the adjustment of assessments based upon an optional adjustment for inflation. We find that this section of the rulemaking is not in the public interest. We believe the inflation adjustment would be difficult to implement because the mechanism for determining what the adjustment should be is unclear. 71 P.S. § 745.5b(3).

As explained by the Department at the Commission's meeting, if the Department determines that an adjustment is needed, it will be based on the June Consumer Price Index indicated by the "Consumer Price Index—All Urban Consumers: U.S. All Items 1982-1984 = 100" (CPI) published by the United States Department of Labor, Bureau of Labor Statistics, or other similar index published by the United States Department of Labor, Bureau of Labor Statistics of the prior year. The Department will determine the rate of adjustment by calculating the percentage change of the immediate prior June CPI to the

June CPI issued twelve months prior. This percentage increase will be applied to the next two semi-annual assessments. While this method of implementing the inflation adjustment may be appropriate, Section 5.5(a) does not clearly set forth that this is the methodology that will be used in implementing the CPI. Therefore, we suggest that the methodology be clarified in the regulation. This will ensure a more stable and predictable regulatory environment as the assessment schedule and the inflation adjustment is implemented in the future.

We have determined that this regulation is consistent with the statutory authority of the Department (71 P. S.

§ 733-202.C) and the intention of the General Assembly. However, after considering all of the other criteria of the Regulatory Review Act discussed above, we find promulgation of this regulation is not in the public interest.

*By Order of the Commission:*

This regulation is disapproved.

GEORGE D. BEDWICK,  
*Vice Chairperson*

[Pa.B. Doc. No. 14-613. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the dates noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
14-537	Department of Public Welfare Payment for Nursing Facility Services Provided by Special Rehabilitation Nursing Facilities	3/6/14	4/10/14
11-252	Insurance Department Rules and Procedural Requirements for Insurance Holding Company Systems	3/6/14	4/10/14
57-288	Pennsylvania Public Utility Commission Licensing Requirements for Natural Gas Suppliers	3/12/14	5/1/14

JOHN F. MIZNER, Esq.,  
*Chairperson*

[Pa.B. Doc. No. 14-614. Filed for public inspection March 21, 2014, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Affordable Care Act; Guidance for Compliance Submissions; Notice 2014-04

The Affordable Care Act—that is, Patient Protection and Affordable Care Act (Pub. L. No. 111-148) and the Health Care and Education Reconciliation Act of 2010 (Pub. L. No. 111-152), collectively and as amended—along with regulations and subregulatory guidance issued pursuant thereto (collectively, the ACA), sets forth market reform requirements for plan years beginning on or after January 1, 2015, for, inter alia, individual and small group health insurance policies that provide “major medical” coverage, which is comprehensive health coverage, including PPO and HMO coverage. The ACA also sets forth requirements for a plan to be a qualified health plan (QHP), so that the plan may be certified for offering on an exchange. Finally, the ACA contains several provisions that will impact rate development.

The Insurance Department (Department) provides the following guidance to insurance entities seeking to demonstrate compliance with the ACA relative to new or modified policy forms offered, issued or renewed in this Commonwealth. This guidance applies to new policy forms, as well as to policy forms for which an insurance entity (insurer) is not seeking to make any changes other than as necessary to make the policy form comply with the ACA. Further, it applies to any plan an insurer anticipates may be certified as a QHP.

If an insurer is required under the act of December 22, 2011 (P. L. 614, No. 134) to file a policy form or policy form modification with the Department for prior approval, it should file the form in SERFF and is requested to submit a “Compliance Checklist and Certification” as described as follows to assist the Department in its review. If an insurer is intending to use after January 1, 2015, a form not required to be filed, that is, a “product” as contemplated by the ACA, the Department requests that the form be submitted in SERFF in conjunction with any rate filing. For any form not required to be filed, the Commonwealth will accept as evidence of satisfying the ACA market reform requirements a “Compliance Checklist and Certification,” with the Market Reform portion of the Compliance Checklist filled out and the Certification executed by an authorized representative of the insurer. In each case, it is suggested that the Compliance Checklist and Certification be substantially identical to the “Compliance Checklist and Certification” as Attachment A. Attachment A is also available on the Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). File a form with each policy form or policy form modification being submitted.

If an insurer is anticipating that any form/product along with its associated plans may be certified as a QHP and offered on an exchange, the Commonwealth will accept as evidence of satisfying the ACA QHP requirements a Compliance Checklist and Certification, with both the Market Reform and the QHP portions of the Compliance Checklist filled out and the Certification executed by an authorized representative of the insurer,

where the Compliance Checklist and Certification is substantially identical to the "Compliance Checklist and Certification" following as Attachment A. Attachment A is also available on the Department's web site. File a Compliance Checklist and Certification with each form/product and its associated plans being submitted. In addition to any Federally-facilitated exchange filing requirement (that is, HIOS), also include the QHP Application Templates in the SERFF filing, as instructed in SERFF.

Further, with respect to the ACA rating requirements, including those amending the Public Health Service Act (PHSA) (42 U.S.C.A. §§ 201—300mm-61) and as further explained in Federal regulations, the Department requests that an actuarial memorandum be submitted as part of a rate filing for a product or plan subject to the ACA. In that actuarial memorandum, submitters are requested to:

- State the anticipated loss ratio (see ACA § 1001, PHSA § 2718, noting also compliance with 31 Pa. Code § 89.83(b) (relating to rates)).
- State the actuarial level of coverage (see ACA § 1302(d)).
- State the insurer's intention regarding whether the product or plan will be offered on or off the Federal Marketplace.
- Specify compliance with the rating requirements in the ACA, that is, use of no rating factors other than: (i) age (premium band ratio not exceeding 3:1 and Federally approved standard age curve); (ii) tobacco use (premium band ratio not exceeding 1.5:1); (iii) family size (as specified in Federal regulation); and (iv) geography (State rating regions as Federally approved, listed in Attachment B and also shown in map form on the Department's web site) (see ACA § 1201, PHSA § 2701).
- Specify compliance with the single risk pool per market (individual or small group) requirement (see ACA § 1312).

Additional information may be found in the general instructions in SERFF.

Finally, while certain forms and rates referenced in this notice are subject to review and approval by the Department prior to use, the Department reminds filing entities that those forms and rates (and all forms and rates used in this Commonwealth) remain subject to, and must comply in all respects with, the Commonwealth's insurance laws and regulations and the Department retains its ability to take after-use enforcement action and seek any available remedy for noncompliant forms or rates. An insurer will be responsible for assuring that all of its insureds are provided the full benefits provided by the ACA.

Questions regarding this notice may be directed to Peter Camacci, Director, Bureau of Life, Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120, (717) 787-0762, pcamacci@state.pa.us.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

#### Attachment A

#### Compliance Checklist and Certification

If an entity (the "Company") submits a form filing to the Commonwealth, or intends to use after January 1,

2014 a form not required to be filed, that is, a "product" as contemplated by the ACA, where that form/product is intended to comply with the market reform requirements or the market reform and qualified health plan requirements of the Affordable Care Act (ACA), the Commonwealth will accept as demonstrating compliance with those requirements a compliance checklist and certification submitted with your contract/ endorsement via SERFF as a Form Schedule document, substantially identical to this Compliance Checklist and Certification. These ACA requirements apply only to policies for health insurance coverage referred to as "major medical" in the statute, which is comprehensive health coverage, including PPO and HMO coverage. This checklist identifies the requirements for small group and individual plans, and, where specified, for grandfathered plans (coverage in effect prior to March 23, 2010). Refer to the relevant statute and any applicable regulations to ensure compliance. Complete each item applicable to your product category to confirm that diligent consideration has been given to each statutory requirement as to each plan encompassed by the identified form/product. Additionally, complete the QHP Requirements portion of this checklist for any policy form/product intended to be offered as a qualified health plan.

Bookmark the provision(s) in the form(s) that satisfy the requirement OR identify the page/paragraph where this provision appears in the form by use of the last column in the checklist below.

Company Name:

NAIC Number:

SERFF Tracking Number(s):

Type of Insurance (TOI):

Product Category:

- Individual
- Grandfathered Individual
- Small Group
- Grandfathered Small Group

Form Number(s) of Policy Being Submitted/Endorsed:

#### Certification

I hereby certify that the above-referenced policy form submission and related rate filing, required to be in compliance with the requirements of the Patient Protection and Affordable Care Act, P. L. 111-148, 124 Stat. 119, and the Health Care and Education Reconciliation Act of 2010, P. L. 111-152, 124 Stat. 1051, together and as modified referred to as the ACA, has been drafted or modified to be in compliance with the ACA and the regulations promulgated thereunder.

I am aware that accident and health rates and forms may be disapproved, or otherwise give rise to remedies or sanctions, if they fail to comply with applicable law or regulations. See, e.g., 40 P. S. § 3801.304(b); 40 P. S. § 1171.5(a)(5)(prohibiting knowingly filing a false statement of material fact with a supervisory or public official).

I hereby warrant that I have full, complete and final authority to attest to the representations of the Company as set forth herein, and do hereby attest that the representations set forth in this Compliance Checklist and Certification Form are true, correct and complete.

Date

Name and Title of Authorized Representative of the Company

## Compliance Checklist

Please confirm, by checking the appropriate box, the compliance status of the above referenced form(s) with each specified ACA requirement.

<i>Statutory Requirement</i>	<i>ACA/PHSA Section</i>	<i>Product Applicability</i>	<i>Certification of Compliance</i>
<i>Market Reforms</i>			
Elimination of Annual Limits	ACA § 1001/PHSA § 2711	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual <input checked="" type="checkbox"/> Grandfathered Group	<input type="checkbox"/> Yes <input type="checkbox"/> No
Elimination of Lifetime Limits	ACA § 1001/PHSA § 2711	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual <input checked="" type="checkbox"/> Grandfathered Group <input checked="" type="checkbox"/> Grandfathered Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Prohibition of Rescission	ACA § 1001/PHSA § 2712	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual <input checked="" type="checkbox"/> Grandfathered Group <input checked="" type="checkbox"/> Grandfathered Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Preventive Health Services	ACA § 1001/PHSA § 2713	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Extension of Dependent Coverage	ACA § 1001/PHSA § 2714	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual <input checked="" type="checkbox"/> Grandfathered Group <input checked="" type="checkbox"/> Grandfathered Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Uniform Explanations of Coverage and Standardized Definitions	ACA § 1001/PHSA § 2715	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual <input checked="" type="checkbox"/> Grandfathered Group <input checked="" type="checkbox"/> Grandfathered Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Prohibition on Discrimination in Favor of Highly Compensated Individuals	ACA § 1001/PHSA § 2716	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Appeals Process	ACA § 1001/PHSA § 2719	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Patient Protections	ACA § 1001/PHSA § 2719A	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Prohibition of Pre-Existing Condition Exclusions	ACA § 1201/PHSA § 2704	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual <input checked="" type="checkbox"/> Grandfathered Group	<input type="checkbox"/> Yes <input type="checkbox"/> No
Fair Premiums (limited rating factors)	ACA § 1201/PHSA § 2701	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Guaranteed Availability	ACA § 1201/PHSA § 2702	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Guaranteed Renewability	ACA § 1201/PHSA § 2703	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Prohibition on Discrimination Based on Health Status	ACA § 1201/PHSA § 2705	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Non-Discrimination in Health Care	ACA § 1201/PHSA § 2706	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No

<i>Statutory Requirement</i>	<i>ACA/PHSA Section</i>	<i>Product Applicability</i>	<i>Certification of Compliance</i>
Comprehensive Coverage	ACA § 1201/PHSA § 2707	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Prohibition on Excessive Waiting Periods	ACA § 1201/PHSA § 2708	✓ Group ✓ Individual ✓ Grandfathered Group ✓ Grandfathered Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Coverage for Participating in Approved Clinical Trials	ACA § 1201/PHSA § 2709	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Essential Health Benefits Package	ACA § 1302	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
EHB Package—Pediatric	ACA § 1302	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
EHB Package—Habilitative Services	ACA § 1302	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
EHB Package—Prescription Drug Coverage	ACA § 1302	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Requirements Related to Cost-Sharing	ACA § 1302	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Actuarial Value/Metal Level	ACA § 1302	✓ Group ✓ Individual	<input type="checkbox"/> Yes (included in binder) <input type="checkbox"/> No
Child-Only Plan	ACA § 1302(f)	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Special Rules Relating to Coverage of Abortion Services	ACA § 1303	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Mental Health Parity	ACA § 1563/PHSA § 2726	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Health Insurance Reform Regulatory Requirements for the Group Health Insurance Market	45 C.F.R. Subtitle A Subchapter B Part 146	✓ Group ✓ Grandfathered Group (as applicable)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Health Insurance Reform Regulatory Requirements for the Group and Individual Health Insurance Markets	45 C.F.R. Subtitle A Subchapter B Part 147	✓ Group ✓ Individual ✓ Grandfathered Group (as applicable) ✓ Grandfathered Individual (as applicable)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Health Insurance Reform Regulatory Requirements for the Individual Health Insurance Market	45 C.F.R. Subtitle A Subchapter B Part 148	✓ Individual ✓ Grandfathered Individual (as applicable)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Health Insurance Reform Regulatory Requirements—Essential Health Benefits	45 C.F.R. Subtitle A Subchapter B Part 156 Subpart B	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
<i>QHP Requirements</i>			
Definition of Qualified Health Plan	ACA § 1301	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Marketing Requirements	ACA § 1311(c)(1)	✓ Group ✓ Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No

<i>Statutory Requirement</i>	<i>ACA/PHSA Section</i>	<i>Product Applicability</i>	<i>Certification of Compliance</i>
Network Adequacy Requirements	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes—Submitted to Dept. of Health directly or via Excel upload to SERFF on: _____ <input type="checkbox"/> No
Essential Community Providers Requirement	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Accreditation Requirement	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes—Accred. Body: NCQA/URAC Date of Accred.: _____ <input type="checkbox"/> No
Quality Improvement Strategy	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Uniform Enrollment Form	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Standard Format for Health Benefit Options	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Quality Measures for Performance Information	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Pediatric Quality Reporting measures	ACA § 1311(c)(1)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Mental Health Parity	ACA § 1311(j)	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Exchange Functions: Certification of Qualified Health Plan Regulations	45 C.F.R. Subtitle A Subchapter B Part 155 Subpart K	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No
Exchange Health Insurance Issuers Standards Regulations	45 C.F.R. Subtitle A Subchapter B Part 156	<input checked="" type="checkbox"/> Group <input checked="" type="checkbox"/> Individual	<input type="checkbox"/> Yes <input type="checkbox"/> No

**Attachment B**

**Pennsylvania Geographic Rating Areas (Individual and Small Group Markets)**

(listing counties alphabetically in each “Federal System” Rating Area ID)

*Rating Area 1*—Clarion, Crawford, Erie, Forest, McKean, Mercer, Venango, Warren

*Rating Area 2*—Cameron, Elk, Potter

*Rating Area 3*—Bradford, Carbon, Clinton, Lackawanna, Luzerne, Lycoming, Monroe, Pike, Sullivan, Susquehanna, Tioga, Wayne, Wyoming

*Rating Area 4*—Allegheny, Armstrong, Beaver, Butler, Fayette, Greene, Indiana, Lawrence, Washington, Westmoreland

*Rating Area 5*—Bedford, Blair, Cambria, Clearfield, Huntingdon, Jefferson, Somerset

*Rating Area 6*—Centre, Columbia, Lehigh, Mifflin, Montour, Northampton, Northumberland, Schuylkill, Snyder, Union

*Rating Area 7*—Adams, Berks, Lancaster, York

*Rating Area 8*—Bucks, Chester, Delaware, Montgomery, Philadelphia

*Rating Area 9*—Cumberland, Dauphin, Franklin, Fulton, Juniata, Lebanon, Perry

[Pa.B. Doc. No. 14-615. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Application for Domestic Certificate of Authority by Radian Investor Surety, Inc.

Radian Investor Surety, Inc. has applied for a Certificate of Authority to operate as a stock casualty insurance company in this Commonwealth. The initial filing was received on March 10, 2014, and was made under The Insurance Company Law of 1921 (40 P.S. §§ 341—1007.15).

Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda E. Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or cbybee@pa.gov.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-616. Filed for public inspection March 21, 2014, 9:00 a.m.]

### John Hancock Life Insurance Company; Proposed Rate Increase for Several LTC Forms

John Hancock Life Insurance Company is requesting approval to increase the premium an aggregate 24.8% on the following individual LTC forms: LTC-PA-91, NH-PA-91, LTC-94 PA, LTC-94 PA 2/95, NH-94 PA, NH-94 PA 2/95, LTC-96 PA 9/96, LTC-96 PA 6/98, LTC-96FR PA 6/98, LTC-96CL PA 9/96, NH-99 PA 4/99, NH-99FR PA 4/99, LTC2000 PA 4/00, LTC-02 PA, LTC-02FR PA, BSC-02 PA, BSC-02FR PA, LTC-03 PA, LTC-03FR PA, LTC-03 PA and LTC-03FR.

The increase will affect 17,303 policyholders in this Commonwealth.

Unless formal administrative action is taken prior to June 5, 2014, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). Under the tab "How to Find . . ." click on the link "PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Insurance Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-617. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of William A. Himchak, III; file no. 14-114-157835; United Services Automobile Association; Doc. No. P14-02-012; April 17, 2014, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-618. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the

company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of William A. Himchak, III; file no. 14-114-157836; United Services Automobile Association; Doc. No. P14-02-013; April 17, 2014, 11 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-619. Filed for public inspection March 21, 2014, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Acquire Customers

**A-2014-2408895 and A-2014-2408898. Business Discount Plan, Inc. and Central Telecom Long Distance, Inc.** Joint application of Business Discount Plan, Inc. and Central Telecom Long Distance, Inc. for approval of Business Discount Plan, Inc. to acquire the customers of Central Telecom Long Distance, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before April 7, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.state.pa.us](http://www.puc.state.pa.us), and at the applicant's business address.

nia Public Utility Commission's web site at [www.puc.state.pa.us](http://www.puc.state.pa.us), and at the applicant's business address.

*Applicants:* Business Discount Plan, Inc., Central Telecom Long Distance, Inc.

*Through and By Counsel:* Michael A. Gruin, Esquire, Stevens & Lee, 17 North 2nd Street, 16th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-620. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Natural Gas Distribution Service

**A-2014-2408732. UGI Penn Natural Gas Company.** Application of UGI Penn Natural Gas Company for approval to supply natural gas distribution service to the public in the additional service territory of Canaan Township, Wayne County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before April 7, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* UGI Penn Natural Gas Company

*Through and By Counsel:* Mark C. Morrow, Esquire, UGI Corporation, 460 North Gulph Road, King of Prussia, PA 19406

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-621. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Petition of Peco Energy Company

**P-2014-2409362. Peco Energy Company.** Petition of Peco Energy Company for approval of its default service program for the period from June 1, 2015, through May 31, 2017.

Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the petitioner and a copy provided to the Administrative Law Judge, on or before April 1, 2014. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the petitioner's business address.



*Applicant:* Peco Energy Company

*Through and By Counsel:* Anthony E. Gay, Associate General Counsel, Exelon Business Services Company, Legal Department, P. O. Box 8699, Philadelphia, PA 19101-8699

### Prehearing Conference

An initial prehearing conference on the previously-captioned case will be held as follows:

*Date:* Thursday, April 10, 2014

*Time:* 2 p.m.

*Location:* In an available 4th Floor Hearing Room—Philadelphia Parties (take one of the last four elevators at the far end of the lobby)  
801 Market Street (enter on 8th Street)  
Philadelphia, PA 19107

*Location:* Hearing Room 2—Harrisburg Parties  
Plaza Level  
Commonwealth Keystone Building  
400 North Street  
Harrisburg, PA

*Presiding:* Administrative Law Judge  
Cynthia W. Fordham  
Suite 4063  
801 Market Street  
Philadelphia, PA 19107  
(215) 560-2105  
Fax: (215) 560-3133

Individuals representing themselves are not required to be represented by an attorney. All others (corporation, partnership, association, trust, or governmental agency or subdivision) must be represented by an attorney. Representing attorneys should file a notice of appearance before the scheduled hearing date.

Persons with a disability who wish to attend the hearing should contact the Commission to make arrangements for their special needs. Call the scheduling office at the Commission at least 5 business days prior to the hearing to submit a request.

For persons who require an interpreter to participate in the hearings, the Commission will make every reasonable effort to have an interpreter present. Call the scheduling office at the Commission at least 10 business days prior to the hearing to submit a request.

- Scheduling Office: (717) 787-1399
  - Pennsylvania AT&T Relay Service number for persons who are deaf or hearing-impaired: (800) 654-5988
- ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-622. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it ap-

plies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by April 7, 2014. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

### Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

**A-2013-2390504. Selam Cab, LLC** (2627 Northfield Drive, East Petersburg, Lancaster County, PA 17520) for the right to transport, as a common carrier, by motor vehicle, persons in call and demand service, from points in the Counties of Berks, Dauphin, Lancaster, Lebanon, Philadelphia and York, to points in Pennsylvania, and return.

**A-2013-2392748. Flanagan's Car Service, LLC** (540 Penn Avenue, Drexel Hill, Delaware County, PA 19026) for the right to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties Delaware and Philadelphia, to points in Pennsylvania, and return.

**A-2013-2397693. Mesfin Ashamte and Negash Hadgu, t/a Brothers Cab** (258 Elliot Street, Lancaster, Lancaster County, PA 17603) for the right to transport, as a common carrier, by motor vehicle, persons in call and demand service, from points in the City and County of Lancaster, to points in Pennsylvania, and return.

**Revised A-2014-2399048. Wheels Take You There Transportation Service, LLC** (73 Vance Avenue, Sicklerville, NJ 08081) persons in paratransit service, between points in the City and County of Philadelphia, and from points in the City and County of Philadelphia to SCI Camp Hill, SCI Graterford and SCI Somerset, limited to persons requiring transportation to said correctional facilities, and return.

**A-2014-2400416. Anthracite Region Center for Independent Living, Ltd** (8 West Broad Street, Suite 228, Hazleton, PA 18201) for the right to begin to transport, as a common carrier by motor vehicle, persons in paratransit service, from points in the Counties of Carbon, Luzerne and Schuylkill. *Attorney:* George R. Hludzik, Hludzik Law Offices, PC, 67 West Butler Drive, Drums, PA 18222-2308

**Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.***

**A-2014-2402297. Zaman Enterprises, LLC, t/a ASR Limousine** (105 Paoli Pike, Malvern, Montgomery County, PA 19355) for the right to begin to transport as a common carrier, by motor vehicle, persons in limousine service, between points in Pennsylvania, excluding service that is between points in Allegheny County and service that is under the jurisdiction of the Philadelphia Parking Authority; which is to be a transfer of all the rights from A-00110269 issued to Aspire Limousine Service, Inc. t/a AA Direct Town Car.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.**

**A-2014-2400623. A.A. Atkinson Moving, Inc.** (758 Selmer Road, Philadelphia, Philadelphia County, PA 19116) for the right to begin to transport, as a Class B carrier, household goods and office furnishings in use and electrical equipment between points in the City and County of Philadelphia; and to transport, as a Class D carrier, household goods and office furnishings in use from points in the City of Philadelphia to other points in Pennsylvania within an airline distance of 250 statute miles of the Philadelphia City Hall and vice versa; which is to be a transfer of all the rights from A-00098581 issued to John P. Atkinson (deceased). *Attorney:* Richard T. Mulcahey, Jr., Esquire, Schubert, Gallagher, Tyler & Mulcahey, 121 South Broad Street, 20th Floor, Philadelphia, PA 19107-4533.

**Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.**

**A-2014-2401083. Donovan L. Yaukey** (25 South Queen Street, Shippensburg, Cumberland County, PA 17257) for the discontinuance of service and cancellation of the certificate as a common carrier, by motor vehicle, persons in limousine service, between points in the Counties of Franklin and Fulton.

**A-2014-2401277. Phantom Shadow Limousines & Sedan Services, LLC** (25 South Queen Street, Shippensburg, Cumberland County, PA 17257) for the discontinuance of service and cancellation of the certificate as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Franklin, Fulton, Adams, Cumberland and Dauphin, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-623. Filed for public inspection March 21, 2014, 9:00 a.m.]

### Transfer of Control

**A-2014-2408780. SNET America, Inc. and Frontier Communications Corporation.** Application of SNET America, Inc. and Frontier Communications Corporation for approval of a transfer of control of SNET America, Inc. from AT&T Inc. to Frontier Communications Corporation.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before April 7, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.state.pa.us](http://www.puc.state.pa.us), and at the applicant's business address.

*Applicants:* SNET America, Inc., Frontier Communications Corporation

*Through and By Counsel:* Michelle Painter, Esquire, Painter Law Firm, PLLC, 13017 Dunhill Drive, Fairfax, VA 22030

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-624. Filed for public inspection March 21, 2014, 9:00 a.m.]

## PHILADELPHIA REGIONAL PORT AUTHORITY

### Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 14-032.S, Vegetation Control Services at Various PRPA Facilities, until 2 p.m. on Tuesday, April 15, 2014. Information (including mandatory prebid information) can be obtained from the web site [www.philaport.com](http://www.philaport.com) under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 14-625. Filed for public inspection March 21, 2014, 9:00 a.m.]

## PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

### Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of Claimant's request concerning the indicated account.

The hearing will be held before a hearing officer at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

May 14, 2014      Dorothy A. Gambardella      1 p.m.  
(Effective Date of Retirement)

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Barb Book, Assistant to the Executive Director at (717) 720-4617 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matter will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administra-

tive Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,  
*Executive Director*

[Pa.B. Doc. No. 14-626. Filed for public inspection March 21, 2014, 9:00 a.m.]

## STATE BOARD OF FUNERAL DIRECTORS

**Bureau of Professional and Occupational Affairs v.  
Michael G. McCleary, FD; Doc. No. 1135-48-2012**

On December 16, 2013, Michael G. McCleary, FD, license no. FD012861L, Philadelphia, Philadelphia County, was suspended for no less than 1 year retroactive to October 16, 2013, and was assessed a \$1,000 civil penalty because he refused to release remains until compensated.

Individuals may obtain a copy of the adjudication by writing to Wesley J. Rish, Board Counsel, State Board of Funeral Directors, P. O. Box 2649, Harrisburg, PA 17105-2649.

This final order represents the State Board of Funeral Director's (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

WILLIAM G. HARRIS,  
*Chairperson*

[Pa.B. Doc. No. 14-627. Filed for public inspection March 21, 2014, 9:00 a.m.]

## STATE CONSERVATION COMMISSION

### Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

### Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/ Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended, or Existing</i>	<i>Action Taken</i>
Robert L. Brubaker, Jr. Camp Road Farm 2205 Camp Road Manheim, PA 17545	Lancaster County/ Mount Joy Township	427.4	Broilers	Amended	Approved
Daniel Hershberger 203 Greenleaf Road Danville, PA 17821	Montour County/ Derry Township	93.87	Veal	New	Disapproved
Christian Beiler 282 Strawberry Ridge Road Danville, PA 17821	Montour County/ Derry Township	47.12	Veal	New	Disapproved
William Dietz 185 Stricklers Lane York, PA 17406	York County/ Hellam Township	130.49	Broilers	New	Approved

## NOTICES

<i>Ag Operation Name, Address</i>	<i>County/ Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended, or Existing</i>	<i>Action Taken</i>
Thistle Creek Farm, LLC 10696 Jonestown Road Annville, PA 17003	Lebanon County/ East Hanover Township	106.45	Broilers	Amended	Approved
Aaron Glick, Jr. 65 High Road Catawissa, PA 17820	Montour County/ Mayberry Township	78.77	Veal / Equine	New	Approved

GEORGE D. GREIG,  
*Chairperson*

[Pa.B. Doc. No. 14-628. Filed for public inspection March 21, 2014, 9:00 a.m.]