

NOTICES

DEPARTMENT OF AGING DEPARTMENT OF PUBLIC WELFARE

Pennsylvania Long-Term Care Commission; Notice of Public Input Meetings

On January 31, 2014, Governor Tom Corbett issued an Executive Order creating the Pennsylvania Long-Term Care Commission (Commission). Part of the Governor's Healthy Pennsylvania plan is to ensure access to quality, affordable health care in this Commonwealth. The Commission consists of 25 members, including consumers and their families and representatives from Area Agencies on Aging, the physical disabilities community, medical community, providers of long-term care, managed care organizations and members of the General Assembly. Secretary of Public Welfare Beverly Mackereth and Secretary of Aging Brian Duke, serve as the Commission's cochairs.

Governor Corbett has charged the Commission with evaluating and developing recommendations to improve this Commonwealth's long-term care system, including identifying effective ways to provide a better coordinated approach to delivering services and support and ensuring quality health care for older residents of this Commonwealth and individuals with physical disabilities. The Commission must report its findings and recommendations to the Governor by December 31, 2014.

The Commission believes that public input is critical to fulfilling its mission. Over the next several months, the Commission will be convening a series of public input meetings throughout this Commonwealth. The first meeting was held on April 11, 2014, in Harrisburg. The remaining meetings will be held at the times and locations noted as follows. The Commission invites interested persons to attend these meetings and offer their input to assist the Commission in understanding the current long-term care system and recommending ways in which it can be improved.

While the Commission will accept all comments, the Commission is particularly interested in receiving feedback on the following topics:

- *Prevention and caregiver support:* What services, supports and other activities are currently available or should be provided to consumers and their caregivers to improve health and well-being, prevent or delay nursing facility admissions and enable consumers to remain in their own homes as long as possible?

- *Accessibility:* How do consumers currently obtain privately and publically funded long-term services and supports and how could the process, including intake and assessment, be improved to provide better access to individuals and families who need those services and supports? What is the capacity of the healthcare system to meet the growing number and needs within long-term care?

- *Provision of service:* What should be done to improve coordination of social, medical and long-term care services within the long-term care continuum? What are best

practices in care coordination? What changes should be made to promote a person-centered system for the delivery of long-term care services?

- *Quality outcomes and measurement:* What measures are currently being taken or should be adopted, to monitor the quality and cost-effectiveness of long-term care services and supports? What information and data is, or should be, collected and used to measure quality of care and to promote and improve health outcomes for consumers?

Locations, Dates and Times

Mercer—Thursday, May 8, 2014
Mercer County Career Center
776 Greenville Road
Mercer, PA 16137
9 a.m. to 12 p.m.

Allegheny—Friday, May 9, 2014
A.W. Beattie Career Center
9600 Babcock Boulevard
Allison Park, PA 15101
1 p.m. to 4 p.m.

Lycoming—Friday, May 30, 2014
Pennsylvania College of Technology
1 College Avenue
Williamsport, PA 17701
9 a.m. to 12 p.m.

Montgomery—Friday, June 6, 2014
Montgomery County Community College
Central Blue Bell Campus
340 Dekalb Pike
Blue Bell, PA 19422
1 p.m. to 4 p.m.

Pike—Friday, June 20, 2014
Pike County Training Center
135 Pike County Boulevard
Lords Valley, PA 18428
9 a.m. to 12 p.m.

Registering for a Public Meeting

Persons who wish to provide verbal comments at a public meeting must register prior to the date. Registration is not required for persons attending to listen, but the Commission is requesting those interested in attending register to help ensure there is adequate seating. If there are capacity limitations, priority will be given to those who have registered to attend.

To register to present verbal comments or to attend the public meeting go to www.dpw.state.pa.us and follow the registration instructions. Individuals may also register by calling (717) 425-5719 or (800) 654-5984 (TDD users) with name and telephone number.

Verbal comments at the public meeting will be limited to 5 minutes to allow others time to share their comments. To assist the Commission in accurately capturing verbal comments, individuals are asked to submit a written copy of their comments by submitting a copy at the hearing, e-mailing them or mailing them to the address noted as follows.

Submitting Written Comments and Feedback

If individuals cannot attend the public meetings but would still like to provide input to the Commission, the Commission will be accepting written comments and feedback through June 27, 2014.

Submit written comments to the Department of Public Welfare, P. O. Box 8025, Attn: OLTL Policy, Harrisburg, PA 17105-8025, ra-LTCCommission@pa.gov.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BRIAN M. DUKE,
Secretary of Aging

BEVERLY D. MACKERETH,
Secretary of Public Welfare

[Pa.B. Doc. No. 14-817. Filed for public inspection April 18, 2014, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 8, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
4-2-2014	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	100 Buffalo Plaza Sarver Butler County (Limited Service Facility)	Approved
4-2-2014	Riverview Bank Marysville Perry County	2800 State Hill Road Reading Berks County	Approved

SAVINGS INSTITUTIONS

No Activity

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
4-8-2014	White Rose Credit Union York York County Application for approval to merge HD York Federal Credit Union, York, with and into White Rose Credit Union, York.	Approved

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 14-818. Filed for public inspection April 18, 2014, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of May 2014

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of May, 2014, is 5 3/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and

which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 3.23 to which was added 2.50 percentage points for a total of 5.73 that by law is rounded off to the nearest quarter at 5 3/4%.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 14-819. Filed for public inspection April 18, 2014, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0035271 (Sewage)	Tall Timbers Village TTV 6 Factoryville, PA 18419	Lackawanna County La Plume Township	South Branch Tunkhannock Creek (4-F)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0038318— SEW	Pequea Valley School District (Salisbury Elementary School) PO Box 130 Kinzer, PA 17535	Lancaster County / Salisbury Township	Pequea Creek / 7-K	Y
PA0038326— SEW	Pequea Valley School District (Pequea Valley High School) PO Box 130 Kinzer, PA 17535	Lancaster County / Leacock Township	Pequea Creek / 7-K	Y
PA0013862— IW	Corixa Corp dba Glaxo Kline Vaccines 325 N. Bridge Street Marietta, PA 17547	Lancaster County / East Donegal Township	UNT Chickies Creek / 7-G	Y
PA0051781— IW	Reading Area Water Authority 1801 Kutztown Road Reading, PA 19604	Berks County / Reading City & Ontelaunee Townships	Maiden Creek / 3-B	Y
PA0082457— IW	Alexandria Borough Water Authority 7561 Bridge Street, Suite 3 PO Box 336 Alexandria, PA 16611	Huntingdon County / Porter Township	Robinson Run / 11-A	Y
PA0085502— SEW	Ward Realty 210 Verdan Drive York, PA 17403	Dauphin County / East Hanover Township	Manada Creek / 7-D	Y
PA0082937— IW	RR Donnelley 1375 Harrisburg Pike Lancaster, PA 17601-2612	Lancaster County / Lancaster City	Little Conestoga Creek / 7-J	Y
PA0086266— SEW	Northern Lancaster County Authority 983 Beam Road Denver, PA 17517	Lancaster County / Brecknock Township	Little Muddy Creek / 7-J	Y
PA0009741— IW	Exelon Generation Company, LLC Muddy Run Pumped Storage Facility 300 Exelon Way Kennett Square, PA 19348	Lancaster County / Drumore Township	Susquehanna River / 7-K	Y
PA0247596— IW	Ephrata Area Joint Authority 124 South State Street Ephrata, PA 17522-2611	Lancaster County / Ephrata Township	Cocalico Creek / 7-J	Y

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PA0044547 (Sewage)	Hills Creek State Park 111 Spillway Road Wellsboro, PA 16901	Tioga County	Hills Creek (4-A)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0008575 (Industrial Waste)	Wirerope Works, Inc. 100 Maynard Street Williamsport, PA 17701	Lycoming County, City of Williamsport	West Branch Susquehanna River (10-B)	N
PA0228737 (Sewage)	Westover Borough Wastewater Treatment Plant 143 Tannery Road Westover, PA 16692	Clearfield County Westover Borough	Chest Creek (8-B)	Y
PA0217697 (Sewage)	Sarah Mine STP 1639 Klines Mill Road Boswell, PA 15541	Somerset County Jenner Township	Unnamed Tributary to Roaring Run (18-E)	Y
PA0024163 (Sewage)	Revloc STP Bethlehem Mine Road Revloc, PA 15948	Cambria County Cambria Township	South Branch Blacklick Creek (18-D)	Y
PA0093408 (Sewage)	Crucible WPCF Sr 1052 Crucible Road Carmichaels, PA 15320	Greene County Cumberland Township	Monongahela River 19-B	Y
PA0094382 (Sewage)	Metzgar Elementary School STP New Alexandria, PA 15670-9803	Westmoreland County Salem Township	Loyalhanna Lake (18-C)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0221643 (Sewage)	Sligo Borough STP 78 Limestone Flat Road Sligo, PA 16255	Clarion County Sligo Borough	Mineral Run (17-B)	Y
PA0000701 (Sewage)	PFV Enterprises Whse 225015 Titusville Road Titusville, PA 16354	Venango County Oilcreek Township	Unnamed tributary of Pine Creek (16-E)	Y
PA0103551 (Sewage)	Drake Well Museum 202 Museum Lane Titusville, PA 16354-8902	Venango County Cherrytree Township	Oil Creek (16-E)	Y
PA0043834 (Sewage)	Chestnut Run Swimming Beach STP State Route 486, Hermitage, PA 16148	Mercer County South Pymatuning Township	Pymatuning Creek (Shenango River Reservoir) (20-A)	Y
PA0222283 (Sewage)	Corsica Borough STP Intersection Of 322 & Summerville Road Corsica, PA 15829	Jefferson County Corsica Borough	Welch Run (17-C)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: (412) 442-4000.

PA0204765, SIC Code 5171, **Shell Chemicals LP**, 910 Louisiana Street, Houston, TX 77002-4999. Facility Name: Great Lakes Terminal & Transportation Corp. This existing facility is located in Industry Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial wastewater associated with a petroleum marketing terminal.

The receiving stream(s), Ohio River, is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a precipitation based flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH	XXX	XXX	6	XXX	9
Oil and Grease	XXX	XXX	XXX	15	30
TRPH	XXX	XXX	XXX	15	30

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0051616, IW, SIC Code 4941, **PA American Water Co.**, 800 West Hershey Park Drive, Hershey, PA 17033. Facility Name: Shady Lane Water Treatment Plant. This existing facility is located in East Vincent Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated wastewater from water filtration operations only during emergency situations.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.7	XXX	2.0
Total Suspended Solids	19	38	XXX	30	60	75
Total Aluminum	2.54	5.07	XXX	4.0	8.0	10.0
Total Iron	1.27	2.54	XXX	2.0	4.0	5.0
Total Manganese	0.64	1.28	XXX	1.0	2.0	2.5
Chlorodibromomethane	XXX	XXX	XXX	XXX	Report	XXX
Dichlorobromomethane	XXX	XXX	XXX	XXX	Report	XXX
Chloroform	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- I.
 - A. Property Rights
 - B. Proper Sludge Disposal
 - C. BAT/BCT
 - D. Special sampling requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0042978, Sewage, SIC Code 8412, **Pennsylvania Historical & Museum Commission**, 400 North Street, Harrisburg, PA 17120. Facility Name: Washington Crossing Historic Park. This existing facility is located in Solebury Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Delaware River is located in State Water Plan watershed and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.025 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Minimum	Instant. Maximum	Average Monthly	Instant. Maximum	Instant. Maximum
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	20	XXX	40
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2.0

In addition, the permit contains the following major special conditions:

- TRC Minimization
- Sludge Disposal
- Special Protection Waters

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0056847, Sewage, SIC Code 4952, **East Rockhill Township**, 1622 Ridge Road, Perkasio, PA 18944. Facility Name: E Rockhill Township WWTP. This existing facility is located in East Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), East Branch Perkiomen Creek, is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.113 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅ Influent	Report	Report	XXX	Report	Report	XXX
CBOD ₅ May 1 - Oct 31	19	28	XXX	20	30	40
Nov 1 - Apr 30	24	38	XXX	25	40	50
BOD ₅ Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	28	42	XXX	30	45	60
Total Suspended Solids Influent	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Fecal Coliform (CFU/100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
UV Intensity (mW/cm ²)	XXX	XXX	XXX	Report	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen May 1 - Oct 31	9.4	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	14.1	XXX	XXX	15	XXX	30
Total Phosphorus	1.9	XXX	XXX	2.0	XXX	4.0

In addition, the permit contains the following major special conditions:

- Notification of Responsible Operator
- Change of Ownership
- Proper Screening/Sludge Disposal
- Lab Certification
- Operation and Maintenance Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0057339, SIC Code 8811, **Brian & Cheryl Davidson**, 209 Poplar Road, Honey Brook, PA 19344. Facility Name: Davidson SRSTP. This existing facility is located in Honey Brook Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Brandywine Creek, is located in State Water Plan watershed 3-H and is classified for High Quality Waters—Trout Stocking and Mi, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass (lb/day)		Instant. Minimum	Concentration (mg/l)		Instant. Maximum
	Daily Average	Daily Maximum		Average Monthly	Daily Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	XXX	1.0	XXX
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

- A. AMR to DEP
- B. DMR to DEP if Attached
- C. 1/year Measure Depth of Septage and Scum
- D. Septic Tanks Pumped Once Every Three Years
- E. Total Residual Chlorine Requirement
- F. No Stormwater
- G. Necessary Property Rights
- H. Proper Sludge Disposal
- I. Abandon STP when Municipal Sewers Available
- J. Remedial Measures if Unsatisfactory Effluent

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0246565, Industrial Waste, SIC Code 3273, **Kinsley Concrete**, 629 Loucks Mill Road, York, PA 17403-1010. Facility Name: Kinsley Concrete Plant. This existing facility is located in Spring Garden Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.540 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	50
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
pH (S.U.)						
Instream Monitoring	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids						
Instream Monitoring	XXX	XXX	XXX	Report	XXX	Report

The proposed effluent limits for Outfall 101 are based on a design flow of 0.540 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	50
Total Aluminum	3.80	7.61	XXX	0.843	1.69	2.11
Dissolved Iron	2.37	4.73	XXX	0.526	1.05	1.32
Hexavalent Chromium	0.08	0.18	XXX	0.018	0.04	0.05
Total Phenolics	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Sulfate	Report	Report	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0023604, Sewage, SIC Code 4952, **McAlisterville Area Joint Authority**, P. O. Box 61, McAlisterville, PA 17049. Facility Name: McAlisterville WWTP. This existing facility is located in Fayette Township, **Juniata County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Little Lost Creek, is located in State Water Plan watershed 12-A and is classified for Trout Stocking, aquatic life, water supply and recreation.

The discharge is not expected to affect public water supplies. The proposed effluent limits for Outfall 001 are based on a design flow of 0.13 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.17	XXX	0.56
CBOD ₅	27	43	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	32	49	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	2.1	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	6.5	XXX	XXX	6.0	XXX	12
Total Phosphorus	2.1	XXX	XXX	2.0	XXX	XXX
Total Nitrogen (lbs/year)	XXX	Report	XXX	Report	XXX	XXX
		Annl Avg		Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0272809, Sewage, SIC Code 8811, **Rabbitt Peter J**, 17381 Adamsville Road, Cochranon, PA 16314. Facility Name: Peter Rabbitt SRSTP. This proposed facility is located in Greenwood Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a small flow treatment facility.

The receiving stream, Williams Run, is located in State Water Plan watershed 16-D and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Minimum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Geo Mean</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	20	XXX	40
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Prohibition of Stormwater Discharges
- Right of Way
- Department Revocation of Permit
- Septic Tank Pumping Requirement
- Abandonment of the Treatment System
- Submittal of an Annual Maintenance Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0028487, Sewage, SIC Code 4900, 4952, **Hermitage Municipal Authority Mercer County**, 800 North Hermitage Road, Hermitage, PA 16148. Facility Name: Hermitage Municipal Authority STP. This existing facility is located in Hermitage City, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream is the Shenango River, located in State Water Plan watershed 20-A and classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.7 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	1,605	2,569	XXX	25	40	50
		Wkly Avg				
BOD ₅ Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,927	2,890	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
UV Intensity (µw/cm ²)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	706	XXX	XXX	11	XXX	22
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Copper	XXX	XXX	XXX	0.018	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
Chlordane	XXX	XXX	XXX	0.00003	XXX	0.00006

The proposed effluent limits for Outfall 002, 003, 004, and 004 are based on storm water design.

Parameters	Mass (lb/day)		Concentration (mg/l)		Instant. Maximum
	Average Monthly	Minimum	Average Monthly	Geo Mean	
Fecal Coliform (CFU/100 ml) Oct 1 - Apr 30	XXX	XXX	2,000	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.000000 MGD.

In addition, the permit contains the following major special conditions: Pretreatment

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. WQG02461406, Sewage, **Springfield Township**, 1510 Paper Mill Road, Wyndmoor, PA 19038-7032.

This proposed facility is located in Springfield Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sanitary sewer system.

WQM Permit No. WQG02151407, Sewage, **Valley Township**, P. O. Box 467, 890 West Lincoln Highway, Coatesville, PA 19320.

This proposed facility is located in Valley Township, **Chester County**.

Description of Action/Activity: Construction and operation of a new duplex non-clog sewage pump station to serve 115 single family homes.

WQM Permit No. WQG02461408, Sewage, **Borough of Lansdale**, 1 Vine Street, Lansdale, PA 19446.

This proposed facility is located in Lansdale Borough, **Montgomery County**.

Description of Action/Activity: Upgrades to the existing Broad St. & Hancock St. sewer interceptor.

WQM Permit No. 2314402, Sewage, **Episcopal Academy**, 1785 Bishop White Drive, Newtown Square, PA 19073.

This proposed facility is located in Newtown Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Dr, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0214402, Sewage, **Pittsburgh Water Sewer Authority**, Penn Liberty Plaza I, Pittsburgh, PA 15222.

This proposed facility is located in Pittsburgh City, **Allegheny County**.

Description of Proposed Action/Activity: Installation of an Aerobic Digester Blower.

WQM Permit No. 0214401, Sewage, **Pittsburgh Water Sewer Authority**, 1200 Penn Avenue, Pittsburgh, PA 15222.

This proposed facility is located in Pittsburgh City, **Allegheny County**.

Description of Proposed Action/Activity: construction of dedicated sanitary sewer line.

WQM Permit No. 5689412 A-1, Sewage, **Berlin Borough Municipal Authority Somerset County**, 700 North St, Berlin, PA 15530-1125.

This existing facility is located in Berlin Borough, **Somerset County**.

Description of Proposed Action/Activity: Installation of a new aerobic digester blower.

WQM Permit No. 0213410, Sewage, **McCandless Township Sanitary Authority**, 418 Arcadia Drive, Pittsburgh, PA 15237-5597.

This proposed facility is located in Pine Township, **Allegheny County**.

Description of Proposed Action/Activity: Construction of sanitary sewer extension and manholes.

IV. NPDES Applications for Stormwater Discharges from MS4

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PAI136122, MS4, **Nottingham Township Washington County**, 909 Sugar Run Road, Eighty Four, PA 15330. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal

separate storm sewer system (MS4) to waters of the Commonwealth in Nottingham Township, **Washington County**. The receiving stream(s), Mingo Creek and Peters Creek, is located in State Water Plan watershed 19-C and is classified for Trout Stocking and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is not in effect.

PAI136127, MS4, **Mount Pleasant Township**, PO Box 158, 208 Poker Road, Mammoth, PA 15664-0158. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Mount Pleasant Township, **Westmoreland County**. The receiving stream(s), Sewickley Creek, Shupe Run and Unnamed Tributary to Jacobs Creek, are located in State Water Plan watershed 19-D and is classified Warm Water Fishes and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is not in effect.

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1514014	Alliance HSP Malvern Office, LP 40 Morris Avenue, Suite 230 Bryn Mawr, PA 19010	Chester	East Whiteland Township	Little Valley Creek EV
PAI01 4614001	Boos Development Group, Inc. 2651 McCormick Drive Clearwater, FL 33759	Montgomery County	Pottstown Borough	Schuylkill River WWF—MF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lackawanna County Conservation District, 1038 Montdale Road, Suite 109, Scott Twp., PA 18447

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023514001	Scranton Lackawanna Industrial Building Company 222 Mulberry Street P. O. Box 431 Scranton, PA 18501-0431	Lackawanna	Jessup Borough	Grassy Island Creek (HQ-CWF, MF) Sterry Creek (CWF, MF)

Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth PA 18064-9211

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024814003	William A. Eaton 6051 Main Boulevard West Bath, PA 18014	Northampton	Moore Township and East Allen Township	UNT to Monocacy Creek (HQ-CWF, MF)

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI056314002	Kurt Subrick 121 W. Patterson Road Eighty Four, PA 15330	Washington	North Strabane Township	UNT to Little Chartiers Creek (HQ-WWF)
PAI056514003	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672	Westmoreland and Allegheny	North Huntingdon Township and White Oak Borough	Long Run (HQ-TSF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
--------	-------

CAFO Notices of Intent Received

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

PAG123685, CAFO, **Thomas L. Zartman, Zartman Farms LLC**, 820 Hilltop Road, Ephrata, PA 17522.

This proposed facility is located in Clay Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Renewal of general permit with an existing operation of 2200 finishing pigs—625.95 AEU and six beef steers—5.7 AEU.

The receiving stream, UNT to Middle Creek, is in watershed 7-J, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123778, CAFO, **Daniel S. Sensenig**, 65 Halteman Lane, Lebanon, PA 17046.

This proposed facility is located in Swatara Township, **Lebanon County**.

Description of Size and Scope of Proposed Operation/Activity: New NPDES (PAG) for 314 AEU finishing swine operation.

The receiving stream, UNT to Little Swatara Creek, is in watershed 7-D, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123681, CAFO, **Justin Beamesderfer, Thistle Creek Farm, LLC**, 10702 Jonestown Road, Annville, PA 17003-8410.

This proposed facility is located in East Hanover Township, **Lebanon County**.

Description of Size and Scope of Proposed Operation/Activity: Renewal for poultry operation.

The receiving stream, UNT to Reeds Creek, is in watershed 7-D, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 4614503 Public Water Supply

Applicant **Pennsylvania American Company**

City **Montgomery**

Township Lower Providence

Responsible Official David R. Kauffman
800 West Hershey Park Drive
Hershey, PA 17033

Type of Facility PWS

Consulting Engineer URS Corporation
Iron Hill Corporate Center
4051 Ogletown Road, Suite 300
Newark, DE 19713

Application Received Date March 25, 2014

Description of Action Construction of a new booster station to support an interconnection between PA American Norristown and PA American Royersford.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Application No. 4814504 Public Water Supply.

Applicant **PA American Water**
800 W. Hersheypark Drive
Hershey, PA. 17033

[Township or Borough] Upper Nazareth Township
Northampton County

Responsible Official Mr. David Kaufman
Vice President-Engineering

Type of Facility Public Water Supply

Consulting Engineer Mr. Christopher Hannum, PE
Entech Engineering, Inc.
4 S. 4th Street
PO Box 32
Reading, PA. 19603-0032

Application Received Date April 2, 2014

Description of Action This project provides for the construction of a booster pump station and transmission main to provide domestic water and fire protection to the 48 lot residential development know as Scenic View Estates III.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2814504, Public Water Supply.

Applicant **Borough of Chambersburg**

Municipality Chambersburg Borough

County **Franklin**

Responsible Official Lance D. Anderson, Water superintendent
100 South Second Street
Chambersburg, PA 17201

Type of Facility Public Water Supply

Consulting Engineer Jacob L. Rainwater, P.E.
AECOM
1700 Market Street
Philadelphia, PA 17103

Application Received: 3/17/2014

Description of Action Upgrades to the Julio D. Lecuona Water Treatment Plant filters. Work will include the replacement of filter media and renovation of existing concrete filter tanks. Air scour piping will also be installed for the ability to include air scour at a later date without disturbing the filter media.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 2514502, Public Water Supply

Applicant **Albion Borough**

Township or Borough Albion Borough

County **Erie**

Responsible Official Becky Marshall

Type of Facility Public Water Supply

Consulting Engineer August E. Maas, P.E.
Hill Engineering, Inc.
8 Gibson Street
North East, PA 16428

Application Received Date March 10, 2014

Description of Action Construction of 1,240,000 gallon storage tank for distribution system; 75,000 gallon storage tank for Pont Well supply; pump station for Point Well supply; and booster chlorination system at storage tank site.

Permit No. 6114501, Public Water Supply

Applicant **Country Estates Mobile Home Park**

Township or Borough Clinton Township

County **Venango**

Responsible Official Andrew Narlee

Type of Facility Public Water Supply

Consulting Engineer Steven R. Halmi, P.E.
Deiss & Halmi Engineering, Inc.
105 Meadville Street
Edinboro, PA 16412

Application Received Date April 2, 2014

Description of Action Replace manganese greensand filtration system for removal of iron, manganese, aluminum; modify disinfection to meet 4-log treatment requirements of GWR.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Application No. 2520031, Minor Amendment.

Applicant **LW Mobile Home Park LLC**
24 Pinewood Drive
Covington Township, Pa 18424

[Township or Borough] Lackawaxen Township
Pike County

Responsible Official Mr. Glenn Khoury

Type of Facility Public Water Supply

Consulting Engineer N/A

Application Received Date 4/3/2014

Description of Action This application proposes the transfer of PWS facilities under PWS Permit No. 2520031

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Application No. 0214524MA, Minor Amendment.

Applicant **Pittsburgh Water & Sewer Authority**
Penn Liberty Plaza I
1200 Penn Avenue
Pittsburgh, PA 15222

[Township or Borough] City of Pittsburgh

Responsible Official James Good, Executive Director
Pittsburgh Water & Sewer Authority
Penn Liberty Plaza I
1200 Penn Avenue
Pittsburgh, PA 15222

Type of Facility Water system

Consulting Engineer Chester Engineers
1555 Coraopolis Heights Drive
Moon Township, PA 15108

Application Received Date April 3, 2014

Description of Action Painting and rehabilitation of the Allentown Tank #1.

Application No. 0214525MA, Minor Amendment.

Applicant **Pittsburgh Water & Sewer Authority**
Penn Liberty Plaza I
1200 Penn Avenue
Pittsburgh, PA 15222

[Township or Borough] City of Pittsburgh

Responsible Official James Good, Executive Director
Pittsburgh Water & Sewer Authority
Penn Liberty Plaza I
1200 Penn Avenue
Pittsburgh, PA 15222

Type of Facility Water system

Consulting Engineer Chester Engineers
1555 Coraopolis Heights Drive
Moon Township, PA 15108

Application Received Date April 3, 2014

Description of Action Painting and rehabilitation of the Allentown Tank #2.

Application No. 3014502WMP, Minor Amendment.

Applicant **Municipal Authority of the Borough of Carmichaels**
104 North Pine Street
Carmichaels, PA 15320

[Township or Borough] Carmichaels Borough

Responsible Official John Konkus, Jr.
Municipal Authority of the Borough of Carmichaels
104 North Pine Street
Carmichaels, PA 15320

Type of Facility Water system

Consulting Engineer KLH Engineers, Inc.
5173 Campbells Run Road
Pittsburgh, PA 15205

Application Received Date April 4, 2014

Description of Action Installation of four bulk water loading stations.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Application No. 1011502-MA1, Minor Amendment.

Applicant **Evans City Water and Sewer Authority**

Township or Borough Forward and Jackson Townships

Responsible Official Timothy Schoeffel

Type of Facility Public Water Supply

Consulting Engineer Corbet G. Martin, P.E.
Herbert, Rowland & Grubic, Inc.
200 West Kensing Drive,
Suite 400
Cranberry Township, PA 16066

Application Received Date March 19, 2014

Description of Action Installing meter devices on two existing fire hydrants.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person

proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Heritage Hills Resort, 2800 Mount Rose Avenue, York, PA 17402, York Township, **York County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Heritage Hills Associates, 2700 Mount Rose Avenue, York, PA 17402, submitted a Notice of Intent to Remediate site soils contaminated with diesel fuel. The site will be remediated to the Residential Statewide Health standard and remain residential. The Notice of Intent to Remediate was published in the *York Dispatch / York Daily News* on March 10, 2014.

Marian Berry Residence, 923 Franklin Street, Carlisle, PA 17013, Borough of Carlisle, **Cumberland County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Marian Berry, 923 Franklin Street, Carlisle, PA 17013; and State Farm

Insurance Company, PA Fire Claims, PO Box 106110, Atlanta Georgia 30348-6110, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health standard and remain residential. The Notice of Intent to Remediate was published in *The Sentinel* on March 22, 2014.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Parcel 25-04-20-06, 450 feet Northeast of Northernmost end of Mitchell Avenue, Cornplanter Township, **Venango County**. URS Corporation, 12420 Milestone Center Drive, Suite 150, Germantown, MD 20876, on behalf of Shell Oil Products US, 17 Junction Drive, PMB #399, Glen Carbon, IL 62034, submitted a Notice of Intent to Remediate. Environmental investigation findings indicate that historic site operations associated with crude oil production, storage, or distribution likely resulted in the release of petroleum constituents. The primary contaminants to be addressed in soil are 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and benzo[a]pyrene. Future use of the property is anticipated to be non-residential. The proposed cleanup standard for the site is Statewide Health. The Notice of Intent to Remediate was published in *The Derrick* on March 7, 2014.

Southeast Region: Environmental Cleanup Program Manager, Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass

Crossing Pipe Line Release Site, State Route 332, Newtown Township, **Bucks County**. Martin Liebhardt, P.G., Evergreen Resources Management Operations, 2 Righter Parkway, Suite 200, Wilmington, DE 19803, James Mulry, Mulry and Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343 on behalf of Brian Flores, 101 Swamp Road, Newtown, PA 18940-1151 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of btex, mtbe, naphthalene. The residual impact is limited to Tyler State Park, which is intended to remain to Public Park for the foreseeable future. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on March 10, 2014. PF620491.

US Steel Fairless Works Lot 8 KIPC, One Ben Fairless Drive, Falls Township, **Bucks County**. Kathleen M. Mayher, United States Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburg, PA 15222 on behalf of John A. Garges, Conestoga-Rovers & Associates, Inc., 410 Eagleview Blvd, Suite 110, Exton, PA 19341 has submitted a Notice of Intent to Remediate. Soil at site has been impacted with the release of vocs, svocs, metals and pcbs. The KIPC Facility and the site is currently zoned for heavy industrial use and future use is nonresidential involving storage, manufacturing, and industrial uses. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on February 21, 2014. PF696036.

Baldt Inc., 801 West 6th Street, City of Chester, **Chester County**. Bill Johnson, Linebach Funkhouse, Inc., 114 Fairfax Avenue, Louisville, KY 40207 on behalf of Susan Suplee, Baldt, Inc., 801 West 6th Street, Chester, PA 19013 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been

impacted with the release of pahs. The future use of the site will remain the same. The Notice of Intent to Remediate was published in the *Delaware County Daily Times* on March 15, 2014. PF774462.

Colonial Heritage Trailer Park, 173 Wooded Drive, Doylestown Township, **Bucks County**. Staci Cottone, J&J Spill Service & Supplies, Inc., P. O. Box 370, Blue Bell, PA 19422 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel. The future use of the property will remain residential. The Notice of Intent to Remediate was published in the *Intelligencer* on February 16, 2014. PF725969.

Yutkowitz Residence, 4 Robin Circle, Horsham Township, **Montgomery County**. Staci Cottone, J&J Sill Service & Supplies, Inc., P. O. Box 370, Blue Bell, PA 19422 on behalf of Jonathon and Susan Yutkowitz, 4 Robin Circle, Horsham, PA 19044 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 heating oil. The intended future use of the property will remain residential. The Notice of Intent to Remediate was published in the *Intelligencer* on February 14, 2014. PF774473.

Girard Medical Center, 8th Street and Girard Avenue, City of Philadelphia, **Philadelphia County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of George Walmsley, Girard Medical Center, 8th Street and Girard Avenue, Philadelphia, PA 19112 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The current future use of the site is commercial and residential. The Notice of Intent to Remediate was published in the *Intelligencer* on February 9, 2014. PF619292.

Colonial Heritage Mobil Home Park, 433 Gladiola Lane, Doylestown Township, **Bucks County**. Staci Cottone, J&J Spill Service & Supplies, Inc., P. O. Box 370, Blue Bell, PA 19422 on behalf of Jim Perano, Colonial Village LLC, P. O. Box 677, Morgantown, PA 19543 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel. The intended future use of the property will remain residential. The Notice of Intent to Remediate was published in the *Intelligencer* on February 21, 2014. PF774290.

Hayward Residence, 5997 Stover Mill Road, Solebury Township, **Bucks County**. Staci Cottone, J&J Sill Service & Supplies, Inc., P. O. Box 370, Blue Bell, PA 19422 on behalf of Jonathon and Bette Hayward, 5997 Stovers Mill Road, Doylestown, PA 18901 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 heating oil. The Notice of Intent to Remediate was published in the *Intelligencer* on February 6, 2014. PF772058.

Chestnut Street Property, 1118-1128 Chestnut Street, City of Philadelphia, **Philadelphia County**. Greg Helfin, BJP Chestnut Owner, LLC, 701 Market Street, Philadelphia, PA 19106 on behalf of Scott Bisbort, Ransom Environmental, 2127 Hamilton Avenue, Hamilton, NJ 08619 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of pahs and pcbs. The new structure will be a 6-story building with retail use in the basement, first and second floors and apartments on the above floors (3rd through

6th). A Notice of Intent to Remediate was published in the *Philadelphia Daily News* on February 17, 2014. PF773956.

RESIDUAL WASTE GENERAL PERMITS

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Application No. WMGR147. GMA Garnet Corporation, 1800 Hughes Landing, Suite 350, The Woodlands, TX 77380; Site: Fairless Hills Recycling Facility, 25 Sorrells Boulevard, Fairless Hills, PA 19030, **Bucks County**. This general permit application is for the processing and beneficial use of garnet used in waterjet cutting and abrasive blasting. The processing includes sizing, separation, extraction, and drying. The reprocessed garnet will be beneficially used for its original purpose. The application was determined to be administratively complete by Central Office on March 26, 2014.

Written comments concerning the application should be directed to Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR147" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

Registration Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

General Permit Application No. WMGR123SW009. Fluid Recovery Services, LLC., 5035 Route 110, P. O. Box 232, Creekside, PA 15732. FRS Creekside Site, 5035 Route 110, P. O. Box 232, Creekside, PA 15732. An application for a residual waste general permit for the processing and beneficial use of oil and gas liquid waste to be used as a water supply to develop or hydraulically fracture and oil or gas well. The application was received by the Regional Office on March 14, 2014.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Application(s) Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilke-Barre, PA 18701-1915

Permit Application No. 300002. GenOn Northeast Management Company, 121 Champion Way, Suite 300, Canonsburg, PA 15317-5817. Application for major permit modification for modification of the closure plan at this residual waste landfill known as the Bangor Ash Disposal Site located at the Portland Generating Station in Upper Mount Bethel Township, **Northampton County**. The application was received by the Regional Office on March 21, 2014 and accepted as complete on March 27, 2014.

Permit Application No. 101247. Keystone Sanitary Landfill, Inc., 249 Dunham Drive, Dunmore, PA 18512. An application for major permit modification for Phase III Site Development. The Phase III Site Development consists of a 435 acre expansion of the municipal solid waste landfill located in Dunmore and Throop Boroughs, **Lackawanna County**. The application was received by the Regional Office on March 20, 2014.

Comments concerning these applications should be directed to William Tomayko, Regional Waste Management Program Manager, Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18704-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

**PLAN APPROVAL AND OPERATING PERMIT
APPLICATIONS
NEW SOURCES AND MODIFICATIONS**

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed

documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

04-00699H: NGC Industries, LLC (168 Shippingport Hill Road, Shippingport, PA 15077) to increase hours for specialty wallboard products at their Shippingport Plant in Shippingport Borough, **Beaver County**. This is a major facility Plan Approval application submittal.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

16-132K: Clarion Boards, Inc. (143 Fiberboard Road, Shippensburg, PA 16254) for exhausting the 2nd and 3rd stage dryers to atmosphere through baghouses, for removal of the press enclosure, and for inclusion of existing sources not included in the facility operating permit in Paint Township, **Clarion County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

53-00004M: Dominion Transmission, Inc. (5000 Dominion Boulevard, Glen Allen, VA 23060) to establish

performance or emission standards for the boilers and process heaters at their Harrison Compressor Station in Harrison Township, **Potter County**. The Department has incorporated the major source boiler MACT requirements as codified in 40 CFR Part 63 Subpart DDDDD applicable to the boilers and process heaters at the facility in the proposed plan approval. All other air quality regulatory requirements remain in effect for the boilers and process heaters under the facility's operating permit. There will be no increase in emissions of air contaminants associated with this plan approval.

Based on the above, the Department intends to issue a plan approval for the incorporation of boiler MACT requirements for the facility's boilers and process heaters listed in the application. The facility will continue to be a major (Title V) facility. Additionally, if the Department determines that the proposed sources are operating in compliance with all of the plan approval conditions, the conditions established in the plan approval will be incorporated into a Title V Operating Permit by means of an administrative amendment pursuant to 25 Pa. Code § 127.450 and pursuant to the operating permit requirements of 25 Pa. Code Subchapter F. The following is a summary of the conditions that the Department included in the proposed plan approval to ensure compliance with the applicable air quality regulatory requirements:

1. No later than 180 days after the compliance date of January 31, 2016, the permittee shall demonstrate compliance for Source IDs 045, 057, 058, 039, 040, 041, and 042 by completing an initial tune-up by following the procedures described in § 63.7540 and a one-time energy assessment as specified in Table 3 to 40 CFR Part 63 Subpart DDDDD.

a) For Source IDs 045, 058, and 040, subsequent tune-ups shall be performed every five (5) years, no more than 61 months after the previous tune-up.

b) For Source IDs 041 and 042, subsequent tune-ups shall be performed every two (2) years, no more than 25 months after the previous tune-up.

c) For Source IDs 057 and 039, subsequent tune-ups shall be performed every year, no more than 13 months after the previous tune-up.

2. At all times, the permittee shall operate and maintain Source IDs 045, 057, 058, 039, 040, 041, and 042, and any associated air pollution control and monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions.

a) By the compliance date of January 31, 2016, the permittee shall demonstrate compliance with the emission limitations, fuel specifications, and work practice standards established for Source IDs 045, 057, 058, 039, 040, 041, and 042 in 40 CFR Part 63 Subpart DDDDD as specified in § 63.7530.

b) After the compliance date, the permittee shall demonstrate continuous compliance via the methods specified in 40 CFR § 63.7540.

3. The permittee shall submit a complete plan no later than 12 months prior to the compliance date of 40 CFR Part 63 Subpart DDDDD in order to satisfy the Department of their intent to comply with the provisions of Subpart DDDDD.

4. The permittee shall comply with all applicable recordkeeping requirements specified in 40 CFR § 63.7555 and 40 CFR § 63.7560 pertaining to Source IDs 045, 057, 058, 039, 040, 041, and 042.

5. The permittee shall submit the required notifications specified in 40 CFR § 63.7545 pertaining to Source IDs 045, 057, 058, 039, 040, 041, and 042.

6. The permittee shall submit all required reports specified in 40 CFR § 63.7550 pertaining to Source IDs 045, 057, 058, 039, 040, 041, and 042.

7. Source IDs 045, 057, 058, 039, 040, 041, and 042 are subject to 40 CFR Part 63 Subpart DDDDD—National Emissions Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters. Source IDs 045, 057, 058, 039, 040, 041, and 042 shall comply with all applicable requirements of Subpart DDDDD.

8. Pursuant to 40 CFR § 63.7495, for Source IDs 045, 057, 058, 039, 040, 041, and 042 the compliance date for Subpart DDDDD is January 31, 2016.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Muhammad Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection, Air Quality Program, 208 West Third St., Suite 101, Williamsport, Pa. 17701. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Permit No. 53-00004M), and concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570.327.3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800.654.5984.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-1043A: Barrel O' Fun Snack Foods Co.—East (821 Route 97 South, Waterford, PA 16441) for the proposed construction of 6 Batch Kettle Fryers (2,700 #/hr of chips), a Corn Puff Line, a Corn Popper, and a hot water boiler in Waterford Township, **Erie County**. This is a State Only facility. The public notice is required for

sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or 127.505, be incorporated into the State Only operating permit at a later date.

The proposed construction of 6 Batch Kettle Fryers with a high efficiency oil mist eliminator (2,700 #/hr of chips), a Corn Puff Line, a Corn Popper, and a hot water boiler will result in projected actual emissions of 0.7 tpy for VOC, 9.6 tpy for NO_x, 8.1 tpy for CO, 4.8 tpy for PM, and 0.6 tpy for SO_x. This Plan Approval will contain emission restriction, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source including, but are not limited to, the following:

- Source 110 (6 Batch Kettle Fryers)
 - No person may permit the emission into the outdoor atmosphere of particulate matter in a manner that the concentration of total particulate matter (both filterable and condensable) in the effluent gas from the outlet of the control device exceeds 0.040 grain per dry standard cubic foot.
 - Emissions from all the fryer's control devices (C110) shall not exceed the following:
 - PM (both filterable and condensable): 4.02 tpy based on a 12-month rolling total
 - PM₁₀: 4.02 tpy based on a 12-month rolling total
 - PM_{2.5}: 4.02 tpy based on a 12-month rolling total
 - Emissions from all the fryer's combustion stacks shall not exceed the following:
 - PM (both filterable and condensable): 0.63 tpy based on a 12-month rolling total
 - PM₁₀: 0.63 tpy based on a 12-month rolling total
 - PM_{2.5}: 0.63 tpy based on a 12-month rolling total
 - NO_x: 8.2 tpy based on a 12-month rolling total
 - SO_x: 0.05 tpy based on a 12-month rolling total
 - VOC: 0.45 tpy based on a 12-month rolling total
 - CO: 6.89 tpy based on a 12-month rolling total
 - The facility shall test initially and once every 5 years at operating permit renewal at the outlet of the combustion stack for total particulate matter (both filterable and condensable), NO_x, SO_x, CO, and VOC and at the outlet of the control device for total particulate matter (both filterable and condensable) and VOC. During the initial testing, only one fryer needs to be tested. Subsequent testing should be conducted on a different fryer rotating through all 6 fryers.
 - The permittee shall perform a weekly operational inspection of the control device which consists of measuring the pressure drop across the mesh pads prior to and after cleaning; cleaning the mesh pads; and inspecting the mesh pads for wear.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [25-1043A] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

38-05035: PPL Renewable Energy, LLC (1610 Russell Road, Lebanon, PA 17046) for the two landfill gas fired engine generators in North Annville Township, **Lebanon County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility had actual 2012 emissions of 63 tpy of CO, 14.6 tpy of NO_x, 3.3 tpy of PM₁₀, 3.7 tpy of SO_x, 1.9 tpy of VOCs, 0.3 tpy of Formaldehyde and 14, 622 tpy of CO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Zaman, Environmental Program Manager—Telephone: 570-327-3648

TIVOP 08-00045: Panda Liberty LLC (4100 Spring Valley Road, Suite 1001, Dallas, TX 75244) for the proposed Panda Liberty Power Project in Asylum Township, **Bradford County**. This Title V facility is subject to the Acid Rain Requirements of Title IV of the Clean Air Act. The application is subject to the regulatory requirements specified in 40 CFR Part 72. The Acid Rain Permit will cover the two (2) combined cycle combustion turbine units at the facility. The Acid Rain Permit incorporates the applicable requirements to the units, as specified in 25 Pa. Code § 127.531 and 40 CFR Parts 72 through 80. The SO₂ allowance allocated by the Acid Rain Program pursuant to 40 CFR Part 73 for this facility is zero. The Title IV permit includes special permit conditions for the allowance tracking system. The units are not subject to the NO_x emission limitations of 40 CFR Part 96 since they are only authorized to combust natural gas for operation. Based on the information presented above and included in the application for the initial Acid Rain Permit, TIVOP 08-00045, the Department intends to issue TIVOP 08-00045 for the Panda Liberty Power Project. The proposed permit will become effective 180 days from the commencement of commercial operation date and expire five years from the issued date. The Acid Rain Permit will be incorporated into the initial Title V operating permit for the facility.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments; Identification of the proposed permit (specify TIVOP 08-00045); Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570.327.3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800.654.5984.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

65-00207: OMNOVA Solutions, Inc. / Jeannette Plant (1001 Chambers Ave. Jeannette, PA 15644-3207) for the operation of a plastic film plant located the City of Jeannette, **Westmoreland County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue a renewal Air Quality Operating Permit for the above mentioned facility.

The subject facility consists of 2-12.5 MMBtu/hr natural gas boilers, 3-5.2 MMBtu/hr natural gas make-up heaters, 4 calender lines, 2 embossers/laminator lines, liquid storage tanks, 6 resin silos, scrap reclaiming system, and a 50 hp natural gas generator.

This facility is limited to 40 tons per year of VOC from each calender line and a maximum combined (from all 4 calender lines) limit of 150 tons per year VOC. The 2 embossers/laminator lines are limited to a combined 8 tons per year of VOC. Based on AP-42 emissions factors and RACT limits; the facility has the potential to emit: 159.10 tons VOC, 17.37 tons NO_x, 14.5 tons CO, 0.114 ton SO_x, 0.013 ton HAPs, 186.74 tons PM, and 55.34 tons PM₁₀. In 2013, the facility reported their annual emissions as: 35.2 tons VOC, 0.6 ton NO_x, 0.4 ton CO, and 7.6 tons PM/PM₁₀. No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting, and work practice conditions of the TVOP have been derived from all applicable requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 65-00207) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

32-00065: Specialty Tires of America, Inc. (1600 Washington St., Indiana, PA 15701-2893). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Title V Operating Permit (TV-32-00065) to Specialty Tires of America, Inc. (STA) for the operation of their Indiana Plant located in Indiana Borough, **Indiana County**.

The main sources of emissions at the facility include one Steam Boiler, Undertread Cementing, Tread End Cementing, Green Tire Building, Other Solvent Usage, Jetzone Pellet Dryer, Banbury Mixers, Tire Buffers, Carbon Black Transfer Station and Plant Space Heaters.

The Indiana Plant is a major facility subject to the operating permit requirements of Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F and G (relating to operating permit requirements; and Title V operating permit requirements). In 2013, STA reported emitting the following type and quantity of air contaminants (on an annual basis) from the Indiana Plant: 6.9 tons of carbon monoxide (CO), 10.0 tons of nitrogen oxides (NO_x), 4.5 tons of particulate matter less than 10-microns (PM₁₀), 0.1 ton of sulfur oxides (SO_x), and 162.9 tons of volatile organic compounds (VOC). STA also reported emissions of 11,005 tons of greenhouse gases (GHGs) in 2013.

The emission restrictions and testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, 61, 63, and 70, and 25 Pa. Code Chapters 121—145.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Title V Operating Permit 32-00065); and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests, and requests for a public hearing should be directed to Nicholas J. Waryanka, Air Quality Engineer, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Nicholas J. Waryanka at (412) 442-4172.

03-00060: In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a Title V Operating Permit (TVOP-03-00060) to **Allegheny Ludlum LLC.** for the operation of the Bagdad facility, located in Leechburg Boro, **Armstrong County**. The name and address of the applicant is Allegheny Ludlum LLC., 100 River Road, Brackenridge, PA 15014

The main sources at this facility consist of various furnaces, bliss mill, cleaning and coating lines and other miscellaneous equipment associated with this type of operation. The bliss mill is equipped with a mist eliminator. Coil cleaning lines No. 66 and No. 67 are equipped with baghouse. This facility has the potential to emit the following type and quantity of air contaminants (on an annual basis): 577.9 tons of carbon monoxide, 328.6 tons of nitrogen oxides, 128.1 tons of particulate matter, 1.3 ton of sulfur oxides, and 123.4 tons of volatile organic compounds. No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 64 and 25 Pa. Code Chapters 121—145.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Wa-

terfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 03-00060) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Noor Nahar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, and 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Noor Nahar at 412-442-5225.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00189: Eureka Stone Quarry (Route 611, Warrington, PA 18976), for the renewal of a State Only, Synthetic Minor Operating Permit in East Warrington Township, **Bucks County**. The company operates a quarrying and stone crushing operation at this site. The proposed renewal of the Operating Permit does not authorize any increase in air emissions, of regulated pollutants, above previously approved levels. The renewed permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, state, and federal air quality requirements.

15-00112: PPD Vaccines & Biologics, LLC (466 Devon Park Drive, Wayne, PA 19087; Attn: Mr. Edward Kaercher) for the renewal of a Natural Minor Operating Permit in Tredyffrin Township, **Chester County**. The initial operating permit was issued on January 22, 2004, and was effective March 01, 2004. PPD Vaccines &

Biologics, LLC is a pharmaceutical Research and Development (R&D) facility. Sources of emissions from the facility are two boilers and two emergency generators. The boilers (Source ID 032) are subject to 40 CFR Part 60, Subpart Dc. One emergency generator (Source ID 101) is subject to 40 CFR Part 63, Subpart ZZZZ. The other emergency generator (Source ID 103) is subject to 40 CFR Part 60, Subpart IIII. Applicable requirements have been incorporated into the operating permit. Potential emissions from the facility are: PM/PM₁₀/PM_{2.5}—2.36 TPY, NO_x—12.39 TPY, CO—11.45 TPY, SO_x—4.83 TPY, VOC—0.70 TPY, and HAP—0.33 TPY. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

35-00057: Finch Hill Vet Clinic (436 Route 106, Greenfield Township, PA 18407-3904) to issue a renewal State Only Operating Permit for their facility in Greenfield Township, **Lackawanna County**. Sources at the facility include one (1) crematory oven. The proposed State Only Operating Permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping and reporting conditions regarding compliance with all applicable requirements are included.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

67-03056: SKF USA, Inc. (20 Industrial Drive, Hanover, PA 17331) for their spherical roller bearing manufacturing facility in Penn Township, **York County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility.

The subject facility had the following estimated actual emissions in 2013: 6.7 tons VOC. The Operating Permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office at 909 Elmerston Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period from the date of publication of this notice in the *Pennsylvania Bulletin* will exist for the submission of comments or protests.

William R. Weaver, Air Quality Program Manager, may be contacted at 717-705-4702, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

34-05004: Jay Fulkroad & Sons, Inc. (198 Quarry Rd., McAlisterville, PA 17049) for operation of a limestone crushing plant and two batch asphalt plants in Fayette Township, **Juniata County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the abovementioned facility.

The 2013 actual emissions of the facility were 0.2 ton of PM per year, 3.1 tons of CO per year, 0.92 ton of NO_x per year, 0.7 ton of SO_x per year, 0.3 ton of VOC per year. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. The facility is subject to 40 CFR Part 60, Subpart I-Standard of Performance for Hot Mix Asphalt Facilities, and 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Gary Helsel, Acting New Source Review Chief, may be contacted at 814-949-7935, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

38-05024: Pennsy Supply Inc. (200 Prescott Road, Lebanon, PA 17042) for the quarry in South Lebanon Township, **Lebanon County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the abovementioned facility.

The subject facility has actual emissions for March 2013 through February 2014 of 3.97 tons of PM₁₀. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived 40 CFR

Part 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

01-05020: Knouse Food Coop, Inc.—Biglerville Fruit Processing Plant (PO Box 807, Biglerville, PA 17307-0807) for a fruit processing operation located in Biglerville Borough, **Adams County**. This is a renewal of their State-Only Operating Permit issued in March 2009.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to renew an Air Quality Operating Permit for the abovementioned facility.

Knouse Food Coop, Biglerville plant is a synthetic minor facility subject to the operating permit requirements of 25 Pa. Code Chapter 127, Subchapter F (relating to operating permit requirements). The primary emissions from the facility is the No. 1 boiler combusting fuel oil; based on AP-42 emission factors, the potential emissions are SO_x 68.7 tpy, NO_x 50.4 tpy, CO 4.6 tpy, and PM 7.2 tpy. The boilers' actual 2013 emissions while combusting natural gas were NO_x 4.1 tons and CO 3.44 tons.

Copies of the renewal application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

Gary Helsel, Acting New Source Review Chief, may be contacted at 814-949-7935, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00012: Dairy Farmers of America, Inc. (72 Milk Plant Road, Middlebury Center, PA 16935) for renewal of the State Only Operating Permits for their facility in Middlebury Township, **Tioga County**. The facility is currently operating under the State Only operating permit 59-00012. The facility's sources include two natural gas fired boilers and a natural gas fired powder milk dryer. The facility has potential emissions of 18.44 tons per year of nitrogen oxides, 15.03 tons per year of carbon monoxide, 0.43 ton per year of sulfur oxides, 5.55 tons per year of particulate matter, 4.12 tons per year of volatile organic compounds, 0.24 ton per year of total hazardous air pollutants (HAPs), and 19,750 tons per year of carbon dioxide equivalents (greenhouse gases). No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting, and work practice conditions of the NMOP have been derived from the applicable requirements of 40 CFR Part 60, and Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570 327-0550.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed operating permit (specify State Only Operating Permit No. 59-00012) and concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570.327.3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800.654.5984.

08-00017: Northern Tier Solid Waste Authority (PO Box 10, Burlington, PA 18814) for renewal of the State Only Operating Permit for their landfill in West Burlington Township, **Bradford County**. The facility is

currently operating under the State Only operating permit 08-00017. The facility's sources include the municipal waste landfill and a leachate treatment operation. The facility has potential emissions of 24.6 tons per year of nitrogen oxides, 91.3 tons per year of carbon monoxide, 15.1 tons per year of sulfur oxides, 15.9 tons per year of particulate matter, 13.8 tons per year of volatile organic compounds, 7.8 tons per year of total hazardous air pollutants (HAPs). The emission restriction, testing, monitoring, recordkeeping, reporting, and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Part 60, 40 CFR Part 63 and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed operating permit (specify State Only Operating Permit No. 08-00017) and concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570.327.3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800.654.5984.

12-00004: GE Transportation (55 South Pine Street, Emporium, PA 15834-1529) to issue a renewal State Only Operating Permit for their Emporium Plant located in Emporium Borough, **Cameron County**. The facility is currently operating under State Only Operating Permit 12-00004. The facility's main sources include a red rubber primer surface coating line controlled by an afterburner, a motor coil burnout oven controlled by an afterburner, quench and venturi scrubber, a vacuum pressure impregnation operation and a spray booth.

The facility has potential/actual emissions of 4.82 TPY CO, 5.98 TPY NO_x, 0.06 TPY SO_x, 1.14 TPY PM₁₀, 1.15 TPY HAPs and 12.49 TPY VOCs. Changes in operation of the surface coating operation has resulted in a 1.1 TPY increase in HAPs and a 2 TPY increase in VOCs.

The facility is subject to 40 CFR Part 63 and Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories.

The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 63.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed operating permit (specify State Only Operating Permit No. 12-00004) and concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570.327.3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800.654.5984.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

04-00226: Hanson Aggregates BMC, Inc. (2200 Springfield Pike, Connellsville, PA 15425) for asphalt paving mixture and block manufacturing at the Sewickley Creek Asphalt Plant in Economy Borough, **Beaver County**. This is a State-Only Operating Permit renewal application submittal.

65-00871: OPCO, Inc. / Latrobe Plant (205 Harrison Ave. West, Latrobe, PA 15650) for the manufacturing of expandable polystyrene products located in Latrobe Borough, **Westmoreland County**. In accordance with 25

Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and is providing public notice that it intends to issue an Air Quality Operating Permit renewal for the above mentioned facility.

The subject facility consists of expandable polystyrene (EPS) molding (expander, silos, mold press and warehousing). The facility's potential emissions are calculated to be 49.93 tpy VOC and less than 0.5 tpy for all other criteria pollutants (NO_x, CO, SO_x, PM and PM₁₀). The facility is required to perform weekly visual inspections of the site. The facility is required to maintain monthly records of amount and percent VOC content of each expandable resin used, as well as manufacturer's certificate of analysis for each expandable resin formulation used. The proposed authorization is subject to State and Federal Regulations. The permit includes additional operational requirements, monitoring requirements, and recordkeeping requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 65-00871) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Sheila Shaffer, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Sheila Shaffer at (412) 442-5227.

63-00636: McGrew Welding & Fabricating, Inc.—Donora Site (30 S. Washington St., Donora, PA, 15033) Operating permit renewal for the facility located in the borough of Donora, **Washington County**. Equipment at this facility includes a surface coating operation, a con-

veyor system, barge unloading, coal storage piles, sand/gravel storage piles, paved/unpaved roads and material handling/truck unloading. Actual emissions from the sources at this facility are between 3.0 and 5.0 tons per year of VOC and 5.0 tons per year of particulate matter less than ten microns. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments or object to the operating permit or a proposed condition thereof by filing a written protest with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

A protest to a proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest shall include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 63-00636) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Nick Waryanka, Air Quality Engineer, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Mr. Waryanka at (412) 442-4172.

65-00378: Buckeye Terminals LLC (134 BP Tank Lane, Greensburg, PA 15601), Synthetic Minor Operating Permit renewal for the operation of a bulk gasoline transfer terminal, known as the Greensburg Terminal, located in Hempfield Township, **Westmoreland County**.

The facility contains air contamination sources consisting of five gasoline storage tanks, with storage capacities of 7,300, 16,200, 16,500, 16,500, and 60,595 barrels (bbl, 1 barrel petroleum = 42 US gallons), one ethanol tank with a capacity of 7,300 bbl, three distillate storage tanks with capacities of 4,500, 4,500, and 8,300 bbl, and gasoline and distillate tank truck loading racks. Gasoline loaded at the facility is limited to 173,200,000 gallons per year and distillate loading is limited to 80,000,000 gallons per year. A vapor recovery unit controls VOC emissions from the loading racks and an internal floating roof in each gasoline or ethanol storage tank also controls emissions of

VOC. Facility emissions are 47.3 tons per year of VOC, 2.1 tons per year of benzene, and 3.6 tons per year of all HAPS combined. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to applicable requirements of 25 Pa. Code Chapters 121—145, 40 CFR 60, Subparts A (General Provisions) and Kb (Standards of Performance for Volatile Organic Liquid Storage Vessels Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984), and 40 CFR 63, Subparts A (General Provisions) and BBBBBB (National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities). The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 65-00378) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Martin L. Hochhauser, P.E., Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Martin Hochhauser at (412) 442-4057.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

10-00326: Oesterling Sandblasting & Painting, Inc. (686 Glenwood Way, Butler, PA 16001-8422) to renew a State Only Operating Permit for their facility in Center Township, **Butler County**. The facility is a Natural Minor. The primary sources at the facility include abrasive blasting operations, 2 paint booths for spray painting, and natural gas fueled space heaters. The potential emissions from the facility are less than the Title V thresholds. The permit includes a federally enforceable restriction on VOC emissions not to exceed 20 tons per year. The permit renewal contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00055: Bonsal American, Inc. (97 Main Street, Fredonia, PA 16124) for renewal of their natural minor operating permit to operate a concrete mix products facility in Fredonia Borough, **Mercer County**. The facility's emitting sources include: 1) Bagging and Bins, 2) Degreasers (2) and, 3) Rotary Drum Dryer. The emissions of pollutants from the facility are less than Title V threshold limits. Thus, the facility is considered a natural minor. Actual emissions from the sources rotary drum dryer and bagging and bins operation, stated in original permit application were: PM: 0.408 Ton per year, NO_x: 0.528 TPY, CO: 0.834 TPY.

62-00150: Superior Tire & Rubber Corp. (1818 Pennsylvania Avenue, Warren, PA 16365) for a Synthetic Minor Permit to operate a tire and inner tube manufacturing facility in the City of Warren, **Warren County**. The emitting sources are Boiler-1, Boiler-2; Spray finishing 1, Spray finishing 2, Burn off oven, Degreaser unit, Miscellaneous Natural Gas Usage, and a Kohler Emergency Generator. This facility has taken a restriction on emission of VOC less than 50 tons per year, a restriction on individual HAPs less than 10 tons per year, and a restriction on multiple HAPs less than 25 tons per year. The emergency generator is subject to 40 CFR Part 60, Subpart JJJJ. All applicable conditions of subpart JJJJ have been included in the source level of the permit. The facility has reported emissions of VOC less than 50 Tons per year (TPY), emissions of individual HAPs less than 10 TPY, and emissions of combined HAPs less than 25 TPY.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on

a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

32921601 and NPDES No. PA0095117. Sprankle Mills Tipple, (PO Box 343, Punxsutawney, PA 15767). To renew the permit for the Valier Coal Yard in North Mahoning and Perry Townships, **Indiana and Jefferson Counties** and related NPDES Permit. No additional discharge. The application was considered administratively complete on April 1, 2014. Application received November 4, 2013.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56090107 and NPDES No. PA0262790. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, transfer of an existing bituminous surface and auger mine from Rosebud Mining Company—Meyersdale Division, 1117 Shaw Mines Road, Meyersdale, PA 15552, located in Stonycreek Township, **Somerset County** affecting 108.7 acres. Receiving stream: unnamed tributary to Stonycreek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: March 14, 2014.

Permit No. 56663069 and NPDES No. PA0120944. Rosebud Mining Co., P. O. Box 157, Meyersdale, PA 15552, permit renewal for the continued operation and restoration of a bituminous surface mine in Elk Lick and Summit Townships, **Somerset County**, affecting 3,040 acres. Receiving streams: unnamed tributary to/and Caselman River and an unnamed tributary to/and Elk Lick Creek, classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: March 5, 2014. This notice was originally published March 29, 2014 and is being republished due to an error in the operational status.

Permit No. 56970104 and NPDES No. PA0234541. Sherpa Mining Contractors, Inc., 337 Benny Road, Hooversville, PA 15936, permit for reclamation only of a bituminous surface and auger mine in Shade Township, **Somerset County**, affecting 95.1 acres. Receiving stream: unnamed tributary to Stony Creek classified for the following use: cold water fishery. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Somerset County Municipal Authority Stonycreek SWI. Application received: March 12, 2014.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

03910115 and NPDES Permit No. PA0200174. Allegheny Mineral Corp. (P. O. Box 1022, Kittanning, PA 15201). Renewal application for continued operation and reclamation to an existing bituminous surface mine, located in West Franklin Township, **Armstrong County**, affecting 468.8 acres. Receiving stream: Buffalo Creek, classified for the following use: HQ-TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: March 31, 2014.

65080101 and NPDES Permit No. PA0251526. V.P. Smith Company, Inc. (257 Derry Lane, Blairsville, PA 15717). Renewal application for continued operation and reclamation to an existing bituminous surface mine, located in Derry Township, **Westmoreland County**, affecting 14.6 acres. Receiving stream: unnamed tributary to Stony Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: April 1, 2014.

26-13-01 and NPDES Permit No. PA0252425. Fayette Coal & Coke, Inc. (195 Enterprise Lane, Connellsville, PA 15425). Application for commencement, operation and reclamation for a Government Financed Contractual Contract, located in Franklin Township, **Fayette County**, affecting 45.9 acres. Receiving streams: unnamed tributaries to Bolden Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: March 21, 2014.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

24980105 and NPDES Permit No. PA0227871. Tam-burlin Brothers Coal Co., Inc. (P. O. Box 1419, Clearfield, PA 16830) Renewal of an existing bituminous surface and auger mine and associated NPDES permit in Horton Township, **Elk County**, affecting 139.0 acres. Receiving streams: Karnes Run, Johnson Run, and unnamed tributary to Brandy Camp Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: March 28, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54070202R. Coaldale Energy, LLC, (PO Box 502, Tamaqua, PA 18252), renewal of an existing anthracite coal refuse reprocessing operation in Coaldale and Tamaqua Boroughs, **Schuylkill County** affecting 195.0 acres, receiving stream: Panther Creek, classified for the following uses: cold water and migratory fishes. Application received: March 24, 2014.

54-305-010-G12R. Coaldale Energy, LLC, (PO Box 502, Tamaqua, PA 18252), renewal of a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54070202 in Coaldale and Tamaqua Borough, **Schuylkill County**. Application received: March 24, 2014.

Coal Applications Returned

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

65091301 and NPDES No. PA0235873. C&D Coal Company, LLC, (145 Ivy Lane, Tazewell, VA 24651), to revise the permit for the Kingston West Mine in Derry Township, **Westmoreland County** to add subsidence control plan permit acres for full-extraction (retreat) mining. Subsidence Control Plan Acres Proposed 311. No additional discharges. The application was considered administratively complete on October 24, 2013. Application received August 22, 2013. Application returned April 1, 2014.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 05920301 and NPDES No. PA0212261, New Enterprise Stone & Lime Co., Inc., P. O. Box 77, Church Street, New Enterprise, PA 16664, renewal of NPDES permit located in Snake Spring Township, **Bedford County**. Receiving streams: Cove Creek and Raystown Branch of the Juniata River classified for the following uses: exceptional value; trout stocked fishery. There are no potable water supply intakes within 10 miles downstream. Application received: March 14, 2014.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*			
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit

applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Noncoal NPDES Draft Permits

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0258768 (Permit No. 37090302). Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Revision and renewal of an NPDES permit for a large industrial minerals surface mine in Slippery Rock Township, **Lawrence County**, affecting 104.1 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek, classified for the following uses: CWF. TMDL: None. Application received: March 31, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
003 (TP-3)	N
004 (TP-4)	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		2	4	5
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001 (SP-1)	N
002 (SP-2)	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5
Suspended Solids (mg/l)				90

NPDES No. PA0258457 (Permit No. 37070301). Terra Resources, LLC (267 Gilmore Road, Enon Valley, PA 16120) Renewal of an NPDES permit for a large industrial minerals surface mine in Slippery Rock Township, **Lawrence County**, affecting 74.0 acres. Receiving streams: Unnamed tributaries to Slippery Rock Creek and Unnamed tributary to Brush Run, classified for the following uses: CWF. TMDL: None. Application received: March 25, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Slippery Rock Creek and unnamed tributary to Brush Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TP-A	N
TP-B	N
TP-C	N

The proposed effluent limits for the above listed outfall(s) are as follows:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		2	4	5
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Slippery Rock Creek and unnamed tributary to Brush Run:

Outfall No.	New Outfall (Y/N)
SP-A	N
SP-B	N
SP-C	N

The proposed effluent limits for the above listed outfall(s) are as follows:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
pH ¹ (S.U.)	6.0			9.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5
Suspended Solids (mg/l)				90

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E45-589. PPL Electric Utilities Corporation, Two North 9th Street, Allentown, PA 18101, in Stroud Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a fill area that is approximately 216-foot long by 77-foot wide by 6-foot high within the 100-year floodplain of the Brodhead Creek (HQ-CWF, MF) for the purpose of expanding the PPL North Stroudsburg Substation. The project is located approximately 0.6 mile west of the intersection of Crowe Road and Mill Creek Road (East Stroudsburg, PA Quadrangle, Latitude: 41°1'29"; Longitude: -75°12'6").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E36-926, PA Department of Transportation Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, in Ephrata Borough, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District

The applicant proposes to: 1) remove the existing structure and to construct and maintain a three-span composite pre-stressed concrete PA bulb-tee beam bridge skewed 75°, having a total clear span of 177.98', a width varying from 55.54' to 57.5', and an underclearance of 10.4' to 17.8', across Cocalico Creek (WWF, MF), and 2) construct and maintain four stormwater outfall structures with associated headwalls and riprap aprons along Cocalico Creek (WWF, MF), all for the purpose of improving transportation safety and roadway standards, temporarily impacting 0.05 acre (2,010 square feet) of Palus-

trine Emergent/Palustrine Scrub-Shrub wetlands and permanently impacting 65 square feet of PEM/PSS wetlands. Construction will include a two-phase temporary cofferdam and causeway. The project is located approximately one mile south of the SR 0272/US 322 interchange in Ephrata Borough, Lancaster County (Latitude: 40° 10' 31", Longitude: -76° 11' 47"). Permanent wetland impacts are considered de minimus and wetland replacement is not required.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E30-245. PA Game Commission, 4820 Route 711, Bolivar, PA 15923; Whiteley Township, **Greene County**; ACOE Pittsburgh District

Applicant is proposing to re-grade the stream banks, and to install and maintain stream bank toe rock stabilization along the stream banks, at multiple locations along an approximately 2,085' long reach of Whiteley Creek (TSF), and to install and maintain rock vane deflectors and to randomly place boulders within the watercourse, to improve fish habitat. The project is located within State Game Land #223, approximately 900' east of the intersection of Kirby-Garards Fort Road and McCoy Road (Garards Fort, PA USGS Quadrangle, N: 11.27 inches; W: 9.3 inches; Latitude: 39°48'39.7"; Longitude: -80°4'19.9"), in Whiteley Township, Greene County.

E63-653. Kurt and Kristin Subrick, 121 W. Patterson Road, Eighty Four, PA 15330-2144; North Strabane Township, **Washington County**; ACOE Pittsburgh District.

Applicant is proposing to excavate material from the floodway of three (3) unnamed tributaries to Little Chartiers Creek (HQ-WWF) in association with the construction of a non-jurisdictional dam across one of these tributaries, for the purpose of providing a water source for fire protection, crop irrigation and recreation. The project will cumulatively affect approximately 914 linear feet of the three (3) watercourses, and is located on the applicant's property, near the intersection of W. Patterson Road and Meyers Road (Hackett, PA USGS topographic quadrangle map, N: 13.97 inches; W: 15.4 inches; Latitude: 40°12'6.9"; Longitude: -80°6'36.95"), in North Strabane Township, Washington County.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5829-074. Williams Field Services Company, LLC; Park Place Corporate Center 2, 2000 Commerce Park Drive, Pittsburgh, PA 15275; Brooklyn and Harford Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 16-inch diameter natural gas pipeline and temporary timber mat crossing impacting 28,324 square feet (0.65 acre) of a PEM wetland (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 47' 15" Long.),

2) a 16-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 117 lineal feet of unnamed tributaries to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 47' 00" Long.),

3) a 16-inch diameter natural gas pipeline and temporary timber mat crossing impacting 4,150 square feet (0.10 acre) of a PFO/PSS wetland (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 47' 00" Long.),

4) a 16-inch diameter natural gas pipeline and temporary timber mat crossing impacting 1,560 square feet (0.04 acre) of a PEM wetland (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 47' 00" Long.),

5) a 16-inch diameter natural gas pipeline and temporary timber mat crossing impacting 1,850 square feet (0.04 acre) of a PSS wetland (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 46' 54" Long.),

6) a 16-inch diameter natural gas pipeline and temporary timber mat crossing impacting 1,539 square feet (0.04 acre) of a PEM wetland (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 46' 54" Long.),

7) a 16-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 144 lineal feet of unnamed tributaries to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 55" Lat., W -75° 46' 25" Long.),

8) a 16-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 204 lineal feet of unnamed tributaries to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 54" Lat., W -75° 46' 25" Long.),

9) a temporary timber bridge crossing impacting 100 lineal feet of floodway to an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 55" Lat., W -75° 46' 23" Long.),

10) a 16-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 83 lineal feet of unnamed tributaries to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 55" Lat., W -75° 46' 23" Long.),

11) a 16-inch diameter natural gas pipeline and temporary timber mat crossing impacting 159 square feet (0.01 acre) of a PEM wetland (Montrose East, PA Quadrangle; N 41° 47' 57" Lat., W -75° 46' 19" Long.),

12) a 16-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 74 lineal feet of Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 57" Lat., W -75° 46' 19" Long.),

13) a 16-inch diameter natural gas pipeline and temporary construction access/culvert crossing impacting 174 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 58" Lat., W -75° 46' 16" Long.),

14) a 16-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 158 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 57" Lat., W -75° 46' 16" Long.),

15) a temporary timber bridge crossing impacting 183 lineal feet of floodway to an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 59" Lat., W -75° 46' 01" Long.),

16) a 16-inch diameter natural gas pipeline and temporary timber mat crossing impacting 11,059 square feet (0.25 acre) of a PEM wetland (Montrose East, PA Quadrangle; N 41° 48' 00" Lat., W -75° 45' 59" Long.),

17) a 16-inch and a 20-inch diameter natural gas pipeline and temporary timber mat crossing impacting 12,870 square feet (0.30 acre) of a PFO wetland (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 45' 18" Long.),

18) a 16-inch diameter and a 20-inch diameter natural gas pipeline and temporary timber mat crossing impact-

ing 4,154 square feet (0.10 acre) of a PEM wetland (Montrose East, PA Quadrangle; N 41° 48' 01" Lat., W -75° 45' 18" Long.),

19) a 16-inch and a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 105 lineal feet of an unnamed tributary to Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 59" Lat., W -75° 45' 14" Long.),

20) a 16-inch and a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 124 lineal feet of an unnamed tributary to East Branch Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 48' 00" Lat., W -75° 45' 14" Long.),

21) a 16-inch and a 20-inch diameter natural gas pipeline and temporary timber mat crossing impacting 874 square feet (0.02 acre) of a PSS wetland (Montrose East, PA Quadrangle; N 41° 48' 00" Lat., W -75° 45' 14" Long.),

22) a 16-inch and a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 66 lineal feet of an unnamed tributary to East Branch Martins Creek (CWF-MF) (Montrose East, PA Quadrangle; N 41° 47' 55" Lat., W -75° 44' 45" Long.),

23) a 16-inch and a 20-inch diameter natural gas pipeline and temporary timber mat crossing impacting 20,800 square feet (0.48 acre) of a PSS wetland (Montrose East, PA Quadrangle; N 41° 47' 55" Lat., W -75° 44' 45" Long.).

The project consists of constructing approximately 16,856 lineal feet (3.19 miles) of 16" natural gas gathering line (Alford Pipeline) and 8,441 lineal feet (1.60 miles) of 20" natural gas gathering line (Reynolds Pipeline), located within a 75' permanent right of way in Brooklyn and Harford Townships, Susquehanna County. The Reynolds Pipeline is co-located within the Alford Pipeline right of way. The project will result in 186 lineal feet of temporary stream impacts, 1.07 acres of temporary wetland impacts, and 0.93 acre of permanent conversion impacts, all for the purpose of conveying Marcellus Shale natural gas to market.

E5829-075: Lenox Township, PVR NEPA Gas Gathering, LLC; 101 West Third Street, Williamsport, PA 17701; Lenox Township, **Susquehanna County;** ACOE Baltimore District.

To construct, operate, and maintain:

1) an 8 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 85 lineal feet of unnamed tributary to Willow Brook (CWF, MF) (Hop Bottom, PA Quadrangle, N 41° 41' 18", W -75° 45' 16"),

2) an 8 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 80 lineal feet of unnamed tributary to Willow Brook (CWF, MF) (Hop Bottom, PA Quadrangle, N 41° 41' 16", W -75° 45' 21"),

3) an 8 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 76 lineal feet of unnamed tributary to Willow Brook (CWF, MF) (Hop Bottom, PA Quadrangle, N 41° 40' 55", W -75° 45' 12"),

4) an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 613 square feet (0.01 acre) of PEM wetlands (Susquehanna, PA Quadrangle, N 41° 40' 45", W -75° 44' 57"),

5) an 8 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 52 lineal feet of unnamed tributary to Willow Brook (CWF, MF) (Hop Bottom, PA Quadrangle, N 41° 40' 45", W -75° 44' 58"),

6) an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 91 square feet (0.01 acre) of PEM wetlands (Susquehanna, PA Quadrangle, N 41° 40' 45", W -75° 44' 58"),

7) an 8 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 65 lineal feet of Willow Brook (CWF, MF) (Hop Bottom, PA Quadrangle, N 41° 40' 02", W -75° 45' 06"),

8) an 8 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 75 lineal feet of unnamed tributary to Willow Brook (CWF, MF) (Hop Bottom, PA Quadrangle, N 41° 40' 00", W -75° 45' 07"),

9) an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 27,679 square feet (0.64 acre) of PEM wetlands (Susquehanna, PA Quadrangle, N 41° 39' 59", W -75° 45' 08").

The Spencer Well Connect Pipeline consists of approximately 18,480 feet (3.5 miles) of 8" steel natural gas gathering line located in Lenox Township, Susquehanna County. The project will result in 433 lineal feet of temporary stream impacts and 28,383 square feet (0.65 acre) of temporary wetland impacts all for the purpose of development and conveyance of Marcellus Shale natural gas.

E5829-078: Auburn Township, Appalachia Midstream Services, LLC, 100 IST Center, Horseheads, NY 14845, Auburn Township, **Susquehanna County,** ACOE Baltimore District.

To construct, operate, and maintain:

1. a 6 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 49 lineal feet of Riley Creek (Springville, PA Quadrangle; Lat. 41° 40' 27", Long. -75° 59' 56"),

2. a 6 inch diameter natural gas pipeline and temporary timber mat crossing impacting 817 square feet (0.02 acre) of a PEM wetland (Springville, PA Quadrangle; Lat. 41° 40' 27", Long. -75° 59' 54"),

3. a 6 inch diameter natural gas pipeline and temporary timber mat crossing impacting 1,212 square feet (0.03 acre) of a PEM wetland (Springville, PA Quadrangle; Lat. 41° 40' 28", Long. -75° 59' 54"),

4. an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 1,894 square feet (0.04 acre) of a PEM wetland (Springville, PA Quadrangle; Lat. 41° 39' 54", Long. -75° 59' 39"),

5. an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 4,764 square feet (0.11 acre) of a PEM wetland (Springville, PA Quadrangle; Lat. 41° 39' 34", Long. -75° 59' 45").

The Hooker and O'Dowd South Well Lines consist of a 6" gas gathering line from Hooker Well Pad to the O'Dowd Well Pad and an 8" gas gathering line from the O'Dowd Well Pad to the connection with the Riley Pipeline all located within Auburn Township, Susquehanna County. The project will result in 49 linear feet of temporary stream impacts, 8,687 (0.20 acre) square feet of temporary wetland impacts all for the purpose of conveying Marcellus Shale natural gas to market.

DAM SAFETY

Southwest Regional Oil and Gas Manager, 400 Water-front Drive, Pittsburgh, PA 15222-4745

Permit # 95-7-37312-26, Marchand Centralized Impoundment. CNX Gas Company LLC, 280 Indian Springs Rd Ste 333, Indiana, PA 15701. Applicant CNX Gas Company LLC proposes a project to operate and maintain March and Centralized Impoundment as a centralized wastewater impoundment to store 53.23 ac-ft

or 17.35 MG fracturing fluids for the six Crawford W 5B-5G wells, three Marchand 3H-3J wells, five Sub Indiana 3A-3E wells, and future other wells in the area.

PA Quadrangle: Marion Center; Latitude: N 40° 51' 15.57", Longitude: W 79° 2' 4.76", in North Mahoning Township, **Indiana County**. ACOE: Pittsburgh District

State Water Plan Subbasin 17-D, Mahoning Creek Watershed (HQ-CWF).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0061948 (Sewage)	Leighton Land Company Otto's Blue Mountain RV & Camping Resort 1500 Rock Street Leighton, PA 18235	Carbon County Franklin Township	Pohopoco Creek (2-B)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060895 (Sewage)	Pocono Mountains Industries, Inc. (Pocono Mountains Corporate Center East WWTP) Kolb Court Tobyhanna, PA 18466	Monroe County Coolbaugh Township	UNT to Red Run (2-A)	Y

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0217913 (Sewage)	Urling Mine 1 & 2 Main Portal STP Anthony Run Road Shelocta, PA 15774	Indiana County Armstrong Township	Anthony Run (17-E)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0023451 (Sewage)	Mount Jewett WWTP 1 Kinzua Street, Mount Jewett, PA 16740	McKean County Mount Jewett Borough	Unnamed Tributary to the Kinzua Creek (16-B)	Y
PA0240214 (Sewage)	Wen-Li Wang SRSTP 7673 East Lake Road, Erie, PA 16511	Erie County Harborcreek Township	Unnamed Tributary to the Scott Run (15-A)	Y
PA0239518 (Sewage)	Meadow Ridge STP Rt 68 & Buhl Hill Road Evans City, PA 16033	Butler County Forward Township	Unnamed Tributary to Connoquenessing Creek (20-C)	Y
PAS208302 (IW)	Keystone Powdered Metal Lewis Run, 8 Hanley Drive, Lewis Run, PA 16738	McKean County Lewis Run Borough	Unnamed tributary to the East Branch Tunungwant Creek (16-C)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

NPDES Permit No. PA0050644, Industrial, **Borough of East Greenville**, 206 Main Street, East Greenville, PA 18041.

This proposed facility is located in East Greenville Borough, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge 0.016 MGD of treated filter backwash and sedimentation basin cleaning wastewater from a facility known as East Greenville Water Filtration Plant to Perkiomen Creek in Watershed 3-E.

NPDES Permit No. PA0056014, Industrial, **Ametek Inc.**, 900 Clymer Avenue, Sellersville, PA 18960.

This proposed facility is located in Sellersville Borough, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated water from groundwater remediation system from a facility known as Ametek's US Gauge Division to East Branch Perkiomen Creek in Watershed 3-E.

NPDES Permit No. PA0054780, Sewage, **Concord Township**, 43 Thornton Road, Glen Mills, PA 19342.

This proposed facility is located in Concord Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated Sewage from a facility known as Riviera at Concord STP to Green Creek in Watershed 3-G.

NPDES Permit No. PA0054305, Stormwater, **Sunoco Partners Marketing & Terminals, L.P.**, 4041 Market Street, Aston, PA 19014.

This proposed facility is located in West Whiteland Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated Storm Water from a facility known as Sunoco Exton Terminal to Unnamed Tributary to Valley Creek in Watershed 3-H.

NPDES Permit No. PA0244422, Stormwater, **Norfolk Southern Railway Company**, 1200 Peachtree Street, N.E., Box 13, Atlanta, GA 30309-0013.

This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated Storm Water from a facility known as Norfolk Southern Abrams Yard to Crow Creek and Schuylkill River (via unnamed tributaries/drainage swales) in Watershed 3-F.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

PABIG-9903, Synagro, 1605 Dooley Road, PO Box B, Whiteford, MD 21160 in Fawn Township, **York County** has applied to have their biosolids approved for beneficial use by land applications.

Kenneth Moore #2 Farm, Route 850 & Anderson Road.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

NPDES Permit No. PA0026352, Sewage, SIC Code 4952, **Riverview Sanitary Authority**, 3100 University Boulevard, Moon Township, PA 15108-2530.

This existing facility is located in Coraopolis Borough, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0103896, Industrial Waste, SIC Code 4953, **County Landfill, Inc.**, P. O. Box 237, Leeper, PA 16233. Facility Name: County Landfill. This existing facility is located in Farmington Township, **Clarion County**.

Description of Existing Activity: Renewal of an NPDES permit for an existing discharge of treated landfill leachate and stormwater.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. WQG02461404, Sewage, **Yvette L. Smith**, Owner, Red Fox Farm Inc., 1895 Skippack Pike, Blue Bell, PA 19422.

This proposed facility is located in Whitpain Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewer extension single residence sewage treatment plant.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 5413403, Sewage, SIC Code 4952, **Pusti Margiya Vashnav Samaj Of North America**, 15 Manor Road, Schuylkill Haven, PA 17972.

This proposed facility is located in Wayne Township, **Schuylkill County**.

Description of Proposed Action/Activity: The project is for the expansion of the existing 0.011 MGD wastewater treatment plant to a 0.051 MGD wastewater treatment plant.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01621401, Sewage, **Elizabeth Allen**, 4813 Yankee Bush Road, Warren, PA 16365. Address

This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

WQM Permit No. 6188404, Sewage, Amendment No. 2, **Pleasantville Borough**, 114 West State Street, Pleasantville, PA 16341.

This existing facility is located in Pleasantville Borough, **Venango County**.

Description of Proposed Action/Activity: Amendment to permit existing modifications of alum feed, chlorination, and dechlorination.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

Facility Location

Municipality & County	Permit No.	Applicant Name & Address	Receiving Water / Use	Contact Office & Phone No.
Newtown Township Delaware County	PAI130502	Newtown Township Delaware County 209 Bishop Hollow Road Newtown Square, PA 19073-0393	Darby Creek, Foxes Run, Julip Run, Lewis Run, Preston Run, Reeses Run, Saw Mill Run, Thomas Run, Unnamed Tributary to Crum Creek, Unnamed Tributary to Darby Creek and Unnamed Tributary to Hunter Run—3-G	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Phoenixville Borough Chester County	PAI130003	Phoenixville Borough Chester County 140 Church Street Phoenixville, PA 19460	French Creek and Schuylkill River— 3-D	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI132204	Upper Milford Township Lehigh County, PO Box 210, Old Zionsville, PA 18068-0210	Lehigh	Upper Milford Township	Leibert Creek, Unnamed Tributary of Hosensack Creek, Unnamed Tributary to Leibert Creek, Unnamed Tributary to Little Lehigh Creek and Unnamed Tributary to Swabia Creek, Saucon Creek / CWF, MF, HQ-CWF and MF

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI136107	Dunbar Township Fayette County, 128 Township Drive, Dunbar, PA 15431	Fayette	Dunbar Township	Dickerson Run, Gist Run, Opossum Run and Youghiogheny River / WWF, TSF, HQ-WWF
PAI136103	Edgeworth Borough 301 Beaver Road, Edgeworth, PA 15143	Allegheny	Edgeworth Borough	Little Sewickley Creek Ohio River HQ-TSF and WWF
PAI136118	South Strabane Township 550 Washington Road, Washington, PA 15301-9621	Washington	South Strabane Township	Chartiers Creek and Unnamed Tributary of Chartiers Creek / HQ-WWF and WWF

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water / Use</i>
PAI01 1513014(1)	Valley Forge National Historic Park 1400 North Outer Line Drive King of Prussia, PA 19406	Chester	Tredyffrin Township	Valley Creek EV

NOTICES

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI026413003	PPL Electric Utilities Corporation Two North 9th Street Allentown, PA 18101	Lackawanna & Wayne Counties	Covington Madison Dreher Lehigh Paupack Salem Sterling	Roaring Brook (HQ-CWF, MF) East Branch of Roaring Brook (HQ-CWF, MF) Unnamed Tributaries to East Branch of Roaring Brook (HQ-CWF, MF) Butternut Creek (EV) Unnamed Tributaries to Butternut Creek (EV) Rockport Creek (HQ-CWF, MF) Unnamed Tributaries to Rockport Creek (HQ-CWF, MF) Wallenpaupack Creek (HQ-CWF, MF) Unnamed Tributaries to Wallenpaupack Creek (HQ-CWF, MF) West Branch of Wallenpaupack Creek (HQ-CWF, MF) Ariel Creek (HQ-CWF, MF) Unnamed Tributaries to Ariel Creek (HQ-CWF, MF) Purdy Creek (HQ-CWF, MF) Unnamed Tributary to Purdy Creek (HQ-CWF, MF) Unnamed Tributary to Spinner Brook (HQ-CWF, MF) Unnamed Tributary to Wangum Creek (HQ-CWF, MF) Lehigh River (EV) Unnamed Tributaries to Lehigh River (EV) West Fork of Lehigh River (EV) Unnamed Tributaries to West Fork of Lehigh River (EV)
PAI023913017	Upper Macungie Authority 8330 Schantz Road Breinigsville, PA 18031	Lehigh County	Upper Macungie Township	Little Cedar Creek (HQ-CWF, MF) and Cedar Creek (HQ-CWF, MF)
PAI023913016	Restaurant Depot 15-24 132nd Street College Point, NY 11356	Lehigh County	City of Bethlehem	Monocacy Creek (HQ-CWF, MF)
PAI024013001	Geisinger Clinic 100 North Academy Ave. Danville, PA 17822	Luzerne County	Fairview Township	Big Wapwallopen Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030611008(2) Issued	East Penn Manufacturing Company Deka Road, PO Box 147 Lyon Station, PA 19536	Berks	Richmond and Maxatawny Townships Lyons Borough	Moselem Creek (HQ-CWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

General Permit Type—PAG-02

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Buckingham Township Bucks County	PAG0200 0914016	Central Bucks School District 320 W. Swamp Road Doylestown, PA 18901	Unnamed Tributary to Mill Creek CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Richlandtown Borough Richland Township Bucks County	PAG0200 0911074	Phoebe Richland Health Care Center 1925 Turner Street Allentown, PA 18104	Tohickon Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Newtown Township Bucks County	PAG0200 0914016	Toll Brothers, Inc. 250 Gibraltar Road Horsham, PA 19044	Newtown and Houghs Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAG0200 4613032(1)	Lower Merion School District 301 East Montgomery Avenue Ardmore, PA 19003	Unnamed Tributary to Schuylkill River WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAG0201 511402	U.S. Construction, Inc. 400 Market Street, Suite 415 Philadelphia, PA 19106	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511408	Liberty Property Trust, LP 1628 John F. Kennedy Boulevard, Suite 1100 Philadelphia, PA 19103	Tidal Schuylkill Watershed WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
East Brunswick Township Schuylkill County	PAG02005409004RR	Phillip Joswick 44 Ricks Road New Ringgold, PA 17960	Keenigs Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742
Pine Grove Township Pine Grove Borough Schuylkill County	PAG02005404014RR	Pine Vista Estates 45 Tremont Road Pine Grove, PA 17963	Daubert Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742
Middletown Township Susquehanna County	PAG02005814003	James Lai 102 Valley Road Media, PA 19063	Baldwin Creek (CWF, MF) North Branch Wyalusing Creek (CWF, MF) Wyalusing Creek (CWF, MF)	Susquehanna County Conservation District 570-278-4600

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Exeter Township, Berks County	PAG02000613057 (Issued)	Berks Homes PO Box 7 Mohnton, PA 19540	Antietam Creek/ CWF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610.372.4657
Swatara Township, Dauphin County	PAG02002214002 (Issued)	United Parcel Service 301 East Oak Avenue Lawnside, NJ 08045	Spring Creek (West)/ CWF	Dauphin Co Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Conewago Township, Dauphin County	PAG020022038R (Issued)	Deodate Associates, LP 4499 Deer Path Road Harrisburg, PA 17110	Brills Run / TSF and Lynch Run / TSF	Dauphin Co Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Silver Spring Township, Cumberland County	PAG02002114002 (Issued)	Dallas Acquisitions, LLC Trindle Spring Center 770 Route 220, Suite 1 Muncy Valley, PA 17758	Conodoguinet Creek/ WW, MF	Cumberland County Conservation District 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.6169
Upper Allen Township, Cumberland County	PAG02002114004 (Issued)	635 Associates, LLC Mountain View Office Park Lot 2 5 Kacey Court Mechanicsburg, PA 17055	Yellow Breeches Creek/CWF	Cumberland County Conservation District 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.6169

NOTICES

2457

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Silver Spring Township, Cumberland County	PAG02002114005 (Issued)	JJLH Associates, LTD Faulkner Automobile Dealership 4437 Street Road Trevose PA 19053	Hogestown Run/ CWF	Cumberland County Conservation District 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.6169
Lower Allen Township, Cumberland County	PAG02002113044 (Issued)	Lower Allen Township 2233 Gettysburg Road Camp Hill, PA 17011	Unt TO Cedar Run/ CWF, MF	Cumberland County Conservation District 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.6169
Lower Frankford Township, Cumberland County	PAG02002113024 (Issued)	Nelson High 1406 Fonderwhite Road Lebanon, PA 17042	Locust Creek/WWF	Cumberland County Conservation District 310 Allen Road, Suite 301 Carlisle, PA 17013 717.240.6169
Feremanagh Township, Juniata County	PAG02003414001 (Issued)	PV Transport, Inc. 2704 Clemens Road Hatfield, PA 19440	UNT to Schweyer Run/CWF	Juniata County Conservation District 146 Stoney Creek Drive, Suite 4, Mifflintown, PA 17059 717. 436.8953 ext. 5
Union Township, Lebanon County	PAG02003809011(19) (Issued)	Training Site Headquarters (FTIG-GC) Building T-0-1, FTIG Annville PA 17003	Aires Run/WWF	Lebanon County Conservation District 2120 Cornwall Road, Suite 5 Lebanon, PA 17042-9788 717.272.5314
North Londonderry Township, Lebanon County	PAG02003814006 (Issued)	Jared A. Reed 1829 Creek View Drive Palmyra, PA 17078	UNT to Swatara Creek/WWF	Lebanon County Conservation District 2120 Cornwall Road, Suite 5 Lebanon, PA 17042-9788 717.272.5314
Palmyra Borough, Lebanon County	PAG02003814007 (Issued)	Roger Powl 325 South Railroad Street, Suite 3 Palmyra, PA 17078-2400	Discharges to an existing EPA Class V Injection Well with no direct discharge to surface waters	Lebanon County Conservation District 2120 Cornwall Road, Suite 5 Lebanon, PA 17042-9788 717.272.5314
North Annville Township, Lebanon County	PAG02003813046 (Issued)	Michael Zimmerman 1447 Dridge Hill Road Lititz, PA 17543-8967	UNT to Swatara Creek/WWF, Swatara Creek/WWF, UNT to Swatara Creek/WWF	Lebanon County Conservation District 2120 Cornwall Road, Suite 5 Lebanon, PA 17042-9788 717.272.5314
Union Township, Lebanon County	PAG02003812007R (Issued)	Andrew C. Kolb One Meadowlands Plaza, Suite 100 East Rutherford, NJ 07073	Forge Creek/WWF	Lebanon County Conservation District 2120 Cornwall Road, Suite 5 Lebanon, PA 17042-9788 717.272.5314
Spring Garden Township, York County	PAG02006713051 (Issued)	York College of Pennsylvania 441 Country Club Road York, PA 17403-3651	UNT to Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 71402 717.840.7430
Shrewsbury Township, York County	PAG02006713033 (Issued)	Steven L. & Heidi S. Berman c/o James Krout 1274 Oakwood Road New Freedom, PA 17349	Deer Creek/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 71402 717.840.7430

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Fairview Township, York County and Steelton Borough, Dauphin County	PAG02006714007 (Issued)	UGI Utilities, Inc. 2525 N. 12th Street Suite 360 PO Box 12677 Reading, PA 19612	Susquehanna River/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 71402 717.840.7430
<i>Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.</i>				
<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Redbank Township Armstrong County	PAG02000314001	Peoples TWP, LLC. 205 North Main Street Butler, PA 16001	UNT to Little Mudlick Creek (CWF)	Armstrong County CD Armsdale Administration Bldg 124 Armsdale Road Suite B-2 Kittanning, PA 16201 (724) 548-3425
Bethel Township Armstrong County	PAG02000314003	PennDOT Engineering District 11-0 2550 Oakland Avenue Indiana, PA 15701	Taylor Run (WWF) and Spur Run (WWF)	Armstrong County CD Armsdale Administration Bldg 124 Armsdale Road Suite B-2 Kittanning, PA 16201 (724) 548-3425
German Township Fayette County	PAG02002611015R	Veolia ES Chestnut Valley Landfill, Inc. 1184 McClellandtown Rd McClellandtown, PA 15458	UNT to North Branch of Browns Run (WWF)	Fayette County CD 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
Dunbar Township Fayette County	PAG02002612029	Fay-Penn Economic Development Council 1040 Eberly Way Suite 200 Lemont Furnace, PA 15456	UNT to Gist Run (TSF)	Fayette County CD 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
South Union Township Fayette County	PAG02002613004	Maxim Development 121 Regency Drive Uniontown, PA 15401	UNT to Lick Run (WWF)	Fayette County CD 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
Menallen Township Fayette County	PAG02002613012	PennDOT Engineering District 12-0 PO Box 459 Uniontown, PA 15401	UNT to Salt Lick Run (WWF)	Fayette County CD 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
North Union Township Fayette County	PAG02002613013	Private Industry Council of Westmoreland/ Fayette, Inc. 219 Donohoe Rd. Greensburg, PA 15601	UNT to Cove Run (WWF)	Fayette County CD 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
Somerset Township Somerset County	PAG02005614002	Plum Contracting, Inc.	UNT to East Branch of Coxes Creek (TSF)	Somerset County CD 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652
Canonsburg Borough Washington County	PAG0200630531R	Maronda Homes, Inc. 1383 State Route 30 Clinton, PA 15026	Brush Run (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Chartiers Township Washington County	PAG02006313018	Robert Quarture 596 Justabout Road Venetia, PA 15367	UNT to Chartiers Creek (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
Rostraver Township Westmoreland County	PAG0200651009R	PennDOT Engineering District 12-0 PO Box 472 Latrobe, PA 15650	UNT to Monongahela River (WWF)	Westmoreland County CD 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Municipality of Murrysville Westmoreland County	PAG02006513048	Branmexpress, LLC. 100 Hafner Avenue Pittsburgh, PA 15223	UNT to Turtle Creek (TSF)	Westmoreland County CD 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271
Sewickley Township Westmoreland County	PAG02006513060	Columbia Gas of PA, Inc. 4000 Energy Drive Bridgeville, PA 15017	Little Sewickley Creek (TSF)	Westmoreland County CD 218 Donohoe Road Greensburg, PA 15601 (724) 837-5271

Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville PA 16335

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Callery Borough Butler County	PAG02001013032	Callery Industrial Park Inc c/o Michael Foley 10 Mars-Evans City Road Mars PA 16046	Breakneck Creek WWF	Butler County Conservation District 724-284-5270

General Permit Type—PAG-03

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Upper Merion Township Montgomery County	PAR150009	Coopers Creek Chemical Corp 884 River Road West Conshohocken, PA 19428	Schuylkill River-3F	Southeast Region Clean Water Program 484.250.5970
Muncy Creek Township Lycoming County	PAR224850	Muncy Homes Inc. 1567 Pa Route 442 Muncy, PA 17756	Little Muncy Creek—10-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Shenango Township Mercer County	PAR608327	Patrick Sickafuse d/b/a Route 18 Auto Wrecking 4287 New Castle Road, Pulaski, PA 16143	Unnamed Tributary to the Shenango River 20-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942
Kane Borough McKean County	PAR318308	Seneca Resources Corporation PO Box 808 Kane PA 16735	Wilson Run and Hubert Run 17-A and 16-B	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-4**Facility Location:
Municipality &
County*Conewango
Township
Warren County*Permit No.*
PAG041144*Applicant Name &
Address*
Elizabeth Allen
4813 Yankee Bush Road,
Warren, PA 16365*Receiving
Water / Use*
Unnamed Tributary
to Irvine Run 16-B*Contact Office &
Phone No.*
DEP
NWRO
Clean Water Program
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942Cranberry
Township
Butler County*Permit No.*
PAG041148*Applicant Name &
Address*
Kathy L. & Steven E.
Kimmel,
140 Hope Road,
Cranberry Township, PA
16066*Receiving
Water / Use*
Unnamed Tributary
to Wolfe Run 20-G*Contact Office &
Phone No.*
DEP
NWRO
Clean Water Program
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942*General Permit Type—PAG-7**Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.**Facility Location:
Municipality &
County*Fawn Township
York County*Permit No.*
PAG070003,
PAG070005,
PAG073508*Applicant Name &
Address*
Synagro
1605 Dooley Road
PO Box B
Whiteford, MD 21160*Site Name &
Location*
Kenneth Moore #2
Farm, Route 850 &
Anderson Road

Fawn Township /
York County*Contact Office & Phone
No.*
DEP—SCRO—
Clean Water Program
909 Elmerton Ave.
Harrisburg, PA
17110-8200
717-705-4707*General Permit Type—PAG-8**Facility Location:
Municipality &
County*Borough of Phoenixville
WWTP
Chester County
Phoenixville Borough*Permit No.*
PAG080003*Applicant's Name &
Address*
Borough of Phoenixville
351 Bridge Street
Phoenixville, PA 19460*Contact Office &
Telephone No.*
Southeast Region
Clean Water Program
484.250.5970*Facility Location:
Municipality &
County*Newport Borough /
Perry County*Permit No.*
PAG083558—
REVOCATION
DATE: 3/25/2014*Applicant Name &
Address*
Newport Borough
Authority
231 Market Street
Newport, PA 17074*Site Name &
Location*
Newport Wastewater
Treatment Plant /
Newport Borough,
Perry County*Contact Office &
Phone No.*
DEP—SCRO—
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
717-705-4707Freedom
Township /
Blair*Permit No.*
PAG083589*Applicant Name &
Address*
Freedom Township
Water & Sewer Authority
131 Municipal Street
East Freedom, PA 16637*Site Name &
Location*
Freedom Township
Water & Sewer
Authority
60 East Standish
Lane
Duncansville, PA
16635*Contact Office &
Phone No.*
DEP—SCRO—
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
717-705-4707

*General Permit Type—PAG-8 (SSN)**Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Site Name &
Location**Contact Office & Phone
No.*Freedom Township /
York CountyPAG080002,
PAG080003,
PAG080004,
PAG080005,
PAG080006,
PAG080008,
PAG080011,
PAG080018,
PAG080021,
PAG082203,
PAG082211,
PAG082219,
PAG083501,
PAG083502,
PAG083506,
PAG083510,
PAG083515,
PAG083517,
PAG083518,
PAG083522,
PAG083535,
PAG083540,
PAG083542,
PAG083547,
PAG083551,
PAG083556,
PAG083565,
PAG083567,
PAG083573,
PAG083596,
PAG083597,
PAG083600,
PAG083605,
PAG083825,
PAG089903,
PAG089904,
PAG089905,
PAG089909,
PAG089910,
WMGR-099Synagro
1605 Dooley Road
PO Box B
Whiteford, MD 21160Kenneth Moore #2
Farm Route 850 &
Anderson RoadFawn Township /
York CountyDEP—SCRO—
Clean Water Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
717-705-4707*General Permit Type—PAG-13**Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Receiving
Water / Use**Contact Office &
Phone No.*Upper Chichester
Township
Delaware County

PAG130082

Upper Chichester
Township
Delaware County
PO Box 2187
Boothwyn, PA 19061Delaware River,
East Branch
Naaman Creek,
Spring Run and
Unnamed Tributary
to Marcus Hook
Creek—3-GDEP Southeast
Regional Office
Clean Water Program
2 E Main Street,
Norristown, PA 19401
484.250.5970West Sadsbury
Township
Chester County

PAG130170

West Sadsbury Township
Chester County
6400 North Moscow Road
Parkesburg, PA 19365

Valley Creek—7-K

DEP Southeast
Regional Office
Clean Water Program
2 E Main Street,
Norristown, PA 19401
484.250.5970

*General Permit Type—MS4 PAG 13**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Borough of Mount Pleasant Westmoreland County	PAG136179	Borough of Mount Pleasant 1 Etze Avenue Mount Pleasant, PA 15666	Shupe Run 19-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
City of Monessen Westmoreland County	PAG136283	City of Monessen Monessen Municipal Complex 1 Wendell Ramey Lane Suite 423 Monessen, PA 15062	Monongahela River 19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Chartiers Township Washington County	PAG136212	Chartiers Township 2 Buccaneer Drive Houston, PA 15342	Chartiers Run, Georges Run, Plum Run, Unnamed Tributary to Chartiers Creek and Unnamed Tributary to Plum Run 20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. 721.1—721.17).**

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 2406498, Operations Permit Public Water Supply.

Applicant	Nature's Way Springs, LP 164 Commerce Rd. Pittston, Pa 18701
[Borough or Township]	Foster Township
County	Luzerne
Type of Facility	PWS
Consulting Engineer	N/A
Permit Rescinded	March 13, 2014

Permit No. 3396552, Operations Permit Public Water Supply.

Applicant	Niagara Bottling, LLC 5675 East Concourse Street Ontario, CA 91764
[Borough or Township]	Upper Macungie Township
County	Lehigh
Type of Facility	PWS
Consulting Engineer	N/A
Permit Rescinded	March 13, 2014

Permit No. 2406411, Operations Permit Public Water Supply.

Applicant	Nature's Way Purewater Systems, Inc. 164 Commerce Rd. Pittston, Pa 18701
[Borough or Township]	Dupont Borough
County	Luzerne
Type of Facility	PWS
Consulting Engineer	N/A
Permit Rescinded	March 17, 2014

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 5713501—Construction—Public Water Supply.

Applicant **Red Rock Job Corps**
 Township/Borough Colley Township
 County **Sullivan**
 Responsible Official Mr. John R. Fite
 Red Rock Job Corps
 U.S. Department of Labor
 P. O. Box 218
 Lopez, PA 18628-0218

Type of Facility Public Water Supply
 Consulting Engineer Ashok Bhatia, P.E.
 BBIX, LLC
 67 Public Square, Suite 510
 Wilkes-Barre, PA 18701

Permit Issued April 2, 2014
 Description of Action Authorizes development of Well No. 5, with related appurtenances. New source treatment will be via the existing greensand filtration plant.

Permit No. 1214501-MA—Operation Public Water Supply.

Applicant **Emporium Water Company**
 Township/Borough Emporium Borough
 County **Cameron**
 Responsible Official Ron Andrews, President
 Emporium Water Company
 174 Nickler Road
 Emporium, PA 15834

Type of Facility Public Water Supply
 Consulting Engineer Craig J. Bauer, P.E.
 KLH Engineers, Inc.
 5173 Campbells Run Road
 Pittsburgh, PA 15205

Permit Issued April 7, 2014
 Description of Action Operation of the non-potable bulk water loading station located at 201 Sizerville Road.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745

Operations Permit issued to: **Cowanshannock Township Municipal Authority**, Box 127, NuMine, PA 16244 (PWSID #5030047), Cowanshannock Township, **Armstrong County** on April 3, 2014 for the operation of facilities approved under Construction Permit # 0310510MA.

Operations Permit issued to: **Cowanshannock Township Municipal Authority**, Box 127, NuMine, PA 16244 (PWSID #5030047), Cowanshannock Township, **Armstrong County** on April 3, 2014 for the operation of facilities approved under Construction Permit # 0310507GWR.

Operations Permit issued to: **Indiana County Municipal Authority**, 602 Kolter Drive, Indiana, PA 15701, (PWSID #5320109), Conemaugh, Cherry Hill and Armstrong Townships, **Indiana County** on April 2, 2014 for the operation of facilities approved under Construction Permit # 3209505MA.

Operations Permit issued to: **Indiana County Municipal Authority**, 602 Kolter Drive, Indiana, PA 15701, (PWSID #5320109), Conemaugh, Cherry Hill and Armstrong Townships, **Indiana County** on April 2, 2014 for the operation of facilities approved under Construction Permit # 3210501.

Permit No. 6514503MA, Minor Amendment. Public Water Supply.

Applicant **Latrobe Municipal Authority**
 104 Gueirrier Road
 Latrobe, PA 15650

[Borough or Township] Derry Township
 County **Westmoreland**
 Type of Facility Site water storage tank
 Consulting Engineer Gibson-Thomas Engineering Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Permit to Construct Issued April 2, 2014

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 4313506 Public Water Supply

Applicant **Aqua Pennsylvania, Inc.**
 Township or Borough City of Sharon
 County **Mercer**
 Type of Facility Public Water Supply
 Consulting Engineer Mark A. Tompeck, P.E.
 Hatch Mott MacDonald
 27 Bleeker Street
 Millburn, NJ 07041

Permit to Construct Issued April 3, 2014

Permit No. 2510505-MA1 Public Water Supply

Applicant **Erie City Water Authority d/b/a Erie Water Works**
 Township or Borough Millcreek Township
 County **Erie**
 Type of Facility Public Water Supply
 Consulting Engineer Edward J. St. John, P.E. CDM Smith
 1468 West 9th Street
 Cleveland, OH 44113

Permit to Construct Issued April 7, 2014

Permit No. 3713506 Public Water Supply

Applicant **Pennsylvania American Water Company**
 Township or Borough Ellwood City Borough
 County **Lawrence**
 Type of Facility Public Water Supply
 Consulting Engineer William Lage, Project Manager
 Pennsylvania American Water Co.
 2736 Ellwood Road
 New Castle, PA 16101

Permit to Construct Issued April 7, 2014

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WA 39-1003, Water Allocation, **City of Bethlehem**, 10 East Church St., Bethlehem, PA 18018, City of Bethlehem, **Lehigh County**. This action rescinds permit WA 39-1003 which granted the right to purchase up to 18,750 gpd, based on a 30-day average, from the City of Allentown. Permit rescinded on April 8, 2014.

WA 54-968, Water Allocation, **Hegins-Hublely Authority**, 915 West Maple Street, P. O. Box 144, Valley View, PA 17983-0144, Hubley Township, **Schuylkill County**. This action rescinds permit WA 54-968 which granted the right to purchase up to 50,000 gpd, based on a 30-day average, from the Hegins Township Authority. Permit rescinded on April 8, 2014.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bethel Township	PO Box 24 Bethel, PA 19507	Berks County

Plan Description: Approval of a revision to the official plan of Bethel Township, Berks County. The project is known as Prologis Midway Industrial Development. The plan provides for a 1 lot industrial development to generate a total of 6090 gallons of sewage per day to be served by a private pump station tributary to the Bethel wastewater treatment plant. The proposed development is located on Old Rt. 22., Bethel Twp. Berks County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-06922-251-3A and the APS Id is 603333. Any permits must be obtained in the name of Authority.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Newberry Township	1915 Old Trail Road, Etters, PA 17319	York County

Plan Description: Bobby Jones Sanitary Sewer Extension: The approved plan provides for the construction of a 900 linear foot interceptor extending from Mulligan Drive to Sam Snead Circle, which will eliminate the Bobby Jones Pump Station. The interceptor will serve 92 existing EDU's, with all sewage flows ultimately tributary to the Newberry Township Wastewater Treatment Plant. The proposed interceptor will be located in Newberry Township, York County. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Hamiltonban Township	23 Carroll's Tract Road, Fairfield, PA 17320	Adams County
Franklin Township	55 Scott School Road, Cashtown, PA 17310	Adams County
Highland Township	3641 Fairfield Road, Gettysburg, PA 17325	Adams County

Plan Description: Hamiltonban-Franklin Sewer Connection: The approved plan provides for the decommissioning of the Hamiltonban Township Wastewater Treatment Plant, the construction of a pump station at the site of the decommissioned wastewater treatment plant and a force main for ultimate connection to Franklin Township's collection and conveyance system. Total estimated sewage flows are 50,000 gpd, and they will be treated by the Franklin Township Wastewater Treatment Plant. The proposed pump station will be located on the east side of Orrtanna Road at its intersection with Carroll's Tract Road in Highland Township. The force main will run from this point along Orrtanna Road to Sunset Road in Franklin Township, and from Sunset Road to Flohr's Church Road, where it will connect to an existing man-hole near the intersection of Flohr's Church Road and Old Route 30. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Richmond Township	PO Box 474, Fleetwood, PA 19522	Berks

Plan Description: The approved plan provides for a modification of the existing Walnuttown public sewer service area of Richmond Township to incorporate the additional parcel known as the Grande Tract. The alternative of choice to be implemented for the expanded Walnuttown area is a gravity collection system connecting to the existing Fleetwood Borough Municipal Authority sewer system. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in

environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

RH Crawford, Inc., Diesel Fuel Release, 6475 York Road, Spring Grove, PA 17362, Heidelberg Township, **York County**. Environmental Products and Services of Vermont, Inc., 5100 Paxton Street, Harrisburg, PA 1711, on behalf of RH Crawford, Inc., 341 Moulstown Road, Hanover, PA 17331, and Phillip A. and Lora A. Stambaugh, 6475 York Road, Spring Grove, PA 17362, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel released in a vehicle accident. The report is intended to document remediation of the site to meet the Residential Statewide Health standard.

Campus Grille, 430 Harrisburg Avenue, Lancaster, PA 17603, City of Lancaster, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Oak Tree Development Group, LLC, 2450 Marietta Avenue, Lancaster, PA 17601 and William Thomas/Campus Grille, 430 Harrisburg Avenue, Lancaster, PA 17603 submitted a Final Report concerning remediation of site soils and gasoline contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the Site Specific and Nonresidential Statewide Health standards.

4419 & 4421 East Prospect Road, York, PA 17406, Lower Windsor Township, **York County**. Taylor GeoServices, Inc., 38 Bishop Hollow Road, Newtown Square, PA 19073, on behalf of Republic Services of PA, LLC, 4400 Mount Pisgah Road, York, PA 17406 and John J II and Barbara S. Bowser, 4415 East Prospect Road, York, PA 17406, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health standard.

Marian Berry Residence, 923 Franklin Street, Carlisle, PA 17013, Borough of Carlisle, **Cumberland**

County. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Marian Berry, 923 Franklin Street, Carlisle, PA 17013; and State Farm Insurance Company, PA Fire Claims, PO Box 106110, Atlanta Georgia 30348-6110, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Bradford Mall, 1001 East Main Street, Foster Township, **McKean County**. Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440, on behalf of Brixmor Properties Group, 420 Lexington Avenue, 7th Floor, New York, NY 10170, submitted a Cleanup Plan concerning the remediation of site soils contaminated with Chlorinated Volatile Organic Compounds. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Former GM Pittsburgh Stamping Plant, 1451 Lebanon School Road, Borough of West Mifflin, **Allegheny County**. KU Resources, 22 South Linden Street, Duquesne, PA 15110 on behalf of Mifflin, LLC., 1650 Des Peres Road, Suite 303, St. Louis, Missouri, 63131 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with metals, volatile and semi-volatile organic compounds, and PCB's. The Final Report is intended to document remediation of the site to meet the Site-Specific Standard. Notice of the report was published in the Pittsburgh Post-Gazette on March 26, 2014.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass 484-250-5787

MNM Group Inc., 2421-A Wyandotte Road, Upper Moreland Township, **Montgomery County**. Mr. Scott Smith, PE, LEED AP, EnviroSure, Inc., 103 South High Street, Suite 1, West Chester, PA 19382 on behalf of Mr. Greg Carson, MNM Group, Inc., 2421-A Wyandotte Road, Willow Grove, PA 19090 has submitted a Remedial Investigation/Final Report concerning remediation of site soil contaminated with arsenic. The report is intended to document remediation of the site to meet the Site Specific Standard. PF769585.

Toners Beef & Ale Restaurant, 101 Bethlehem Pike, Upper Darby Township, **Montgomery County**. Mr. John Toner, Jr., Mr. Lawrence Toner, Mr. Robert J. Toner, Toner's Beef & Ale, 101 East Pennsylvania Avenue, Fort Washington, PA 19454 on behalf of Mr. Phil Gray, Jr., Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454 has submitted a Remedial Investigation Report /Cleanup Plan concerning remediation of site soil and groundwater contaminated with leaded and unleaded gasoline. The report is intended to document remediation of the site to meet the Site Specific Standard. PF764905.

Fleagle Property, 659 Vine Street, Honey Brook Township, **Chester County**. Mr. John Fleagle, 659 Vine Street, Honey Brook, PA 19344 on behalf of Mr. Michael Raffoni, Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 has submitted a Final Report

concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF773563.

Hayward Residence, 5997 Stover Mill Road, Solebury Township, **Bucks County**. Ms. Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422 on behalf of Mr. Johnathon & Bette Hayward, 5997 Stovers Mill Road, PA 18901 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF772058.

Colonial Heritage MHP, 433 Gladiola Lane, Doylestown Township, **Bucks County**. Ms. Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422 on behalf of James Perano-GSP Management, Colonial Valley LLC, P. O. Box 677, Morgantown, PA 19543 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF774290.

Yutkowitz Residence, 4 Robin Circle, Horsham Township, **Montgomery County**. Ms. Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422 on behalf of Mr. Jonathan Yutkowitz, 4 Robin Circle, Horsham, PA 19044 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF774473.

TK Budd Company Die, Storage Yard, 2800R Fox Street, City of Philadelphia, **Philadelphia County**. Mr. Larry Cohen, JMDH Real Estate of Hunting Park, 15-29 132 Street, College Point, NY 11356 on behalf of Robert Ehlenberger, AMEC E&I, 751 Arbor Way, Suite 180, Blue Bell, PA 19422 has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Site Specific Standard. PF665678

Ursinus College, 601 Main Street, Collegeville Township, **Montgomery County**. Andrew Feick, Ursinus College, 601, Main Street, Collegeville, PA 19426 on behalf of Gilbert Marshall, Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426, Darryl Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004 has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Site Specific Standard. PF648108.

Davis Residence, 809 Bryn Mawr Avenue, Radnor Township, **Delaware County**. Richard Ubert, Petro Care, 2187 Atlantic Street, Stamford, CT 06092 on behalf of Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF768382.

Zieger Rose Nursery, 1756 and 1760 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Mr. Richard McBride, The Cutler Group, 5 Apollo Road, Suite 2, Plymouth Meeting, PA 19462 on behalf of Mark Fortna, DelVal Soil & Environmental Consultants, Inc., 4050 Skyron Drive, Suite A-1, Doylestown, PA 18902 has submitted a Remedial Investigation/Cleanup Plan and Risk Assessment Report concerning remediation of site

soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Site Specific Standard. PF713282.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Christian Thorne Property, 3 Poplar Avenue, Temple, PA 19560, Alsace Township, **Berks County**.

Liberty Environmental, Inc., 50 North Fifth Street, 5th Floor, Reading, PA 19601, on behalf of Christian Thorne, 3 Poplar Avenue, Temple, PA 19560, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the Residential Statewide Health standard, and was disapproved by the Department on March 31, 2014.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Rex Energy Ballie Trust, 568 1/2 Lindsay Road, Jackson Township, **Butler County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of R. E. Gas Development, 366 Walker Drive, State College, PA 16801, submitted a Final Report concerning the remediation of site soils contaminated with Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium, Silver, Benzene, Toluene, Ethylbenzene, and Xylenes. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 28, 2014.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Former First Student Bus Garage (First Student 20516) 235 Chartiers Ave., City of Pittsburgh, **Allegheny County**. American Geosciences Inc., 3925 Reed Blvd., Ste. 400 Murrysville, PA 15668 on behalf of Christine J. Roman, 1245 Anderson Road, Pittsburgh, PA 15209 submitted a Remedial Investigation Report and Addendum to Remedial Investigation concerning the remediation of site soil and groundwater contaminated with unleaded/leaded gasoline and diesel fuel/heating oil. The Remedial Investigation Report and Addendum was approved by the Department on April 2, 2014.

HAZARDOUS WASTE ACTION

Variations issued under the Solid Waste Management Act, P. L. (35 P. S. §§ 6018.101—6018.1003) and regulations for hazardous waste management facilities.

Southwest Regional Office: Regional Manager, Waste Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

American Iron Oxide Company (AMROX), Two Wheeling Pittsburgh Steel Drive, Allenport, PA 15412. Renewal of a variance from solid waste classification for spent pickle liquor used by AMROX for acid regeneration and iron oxide production at its facility in Allenport Borough, **Washington County** was approved by the Regional Office on April 4, 2014.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 400558. Covanta Plymouth Renewable Energy Limited Partnership, 1155 Conshohocken

Road, Conshohocken PA 19428. This Application is for the 10-year renewal of the existing solid waste permit (400558) for Covanta Plymouth Renewable Energy, LP facility, a municipal waste resource recovery facility located at 1155 Conshohocken Road, Conshohocken, PA 19428 in Plymouth Township, **Montgomery County**. The permit was issued by the Southeast Regional Office on March 24, 2014.

Southwest Regional Office, Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412.442.4000.

Permit ID No. 300558. FirstEnergy Generation, LLC, 76 South Main Street, Akron, OH 44308. Bruce Mansfield Plant, 128 Ferry Hill Road, Shippingport, PA 15077. Major permit modification approving a Closure Plan for the Little Blue Run Residual Waste Disposal Impoundment located in Greene Township, **Beaver County**, Pennsylvania and Grant District, Hancock County, West Virginia was issued in the Regional Office on April 3, 2014.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

GP9-58-017: Meshoppen Stone, Inc. (P. O. Box 127, Meshoppen, PA 18630) on April 03, 2014, to construct and operate diesel fired internal combustion engines at their facility in Oakland Township, **Susquehanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

GP3-22-03093: Liberty Excavators, Inc. (4402 Gettysburg Road, Camp Hill, PA 17011) on April 4, 2014, for a portable nonmetallic mineral processing plant under GP3 at the Fed Ex Ground site, in Lower Swatara Township, **Dauphin County**.

GP11-22-03093: Liberty Excavators, Inc. (4402 Gettysburg Road, Camp Hill, PA 17011) on April 4, 2014, for three nonroad engines under GP11, to power portable nonmetallic mineral processing equipment at the Fed Ex Ground site, in Lower Swatara Township, **Dauphin County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP3-26-00597D: Bullskin Stone & Lime, LLC (P. O. Box 528, Latrobe, PA 15650) on March 31, 2014, authorized to construct and operate sources and controls associated with a portable non-metallic mineral processing plant at their Bullskin No. 1 Mine in Bullskin Township, **Fayette County**.

GP9-26-00597D: Bullskin Stone & Lime, LLC (P. O. Box 528, Latrobe, PA 15650) on March 31, 2014, autho-

rized to construct and operate a diesel or #2 fuel-fired internal combustion engine associated with a portable non-metallic mineral processing plant at their Bullskin No. 1 Mine in Bullskin Township, **Fayette County**.

GP3-26-00597E: Bullskin Stone & Lime, LLC (P. O. Box 528, Latrobe, PA 15650) on March 31, 2014, authorized to construct and operate sources and controls associated with a portable non-metallic mineral processing plant at their Bullskin No. 1 Mine in Bullskin Township, **Fayette County**.

GP9-26-00597E: Bullskin Stone & Lime, LLC (P. O. Box 528, Latrobe, PA 15650) on March 31, 2014, authorized to construct and operate a diesel or #2 fuel-fired internal combustion engine associated with a portable non-metallic mineral processing plant at their Bullskin No. 1 Mine in Bullskin Township, **Fayette County**.

GP3-04-00739: Brandenburg Industrial Service Co. (2217 Spillman Drive, Bethlehem, PA 18015) on April 1, 2014, to install and operate a portable nonmetallic mineral processing plant including one crusher with attached conveyor and operated by a diesel-fired engine at Horsehead Corporation's Monaca Zinc Smelter in Potter Township, **Beaver County**.

GP5-03-00261: EQT Gathering, LLC (EQT Plaza 625 Liberty Ave., Suite 1700, Pittsburgh, PA 15222) on January 9, 2014, to authorize the installation and operation of a natural gas compressor station consisting of four lean burn natural gas-fired compressor engines rated at 1,775 bhp each and controlled by oxidation catalysts, one tri-ethylene glycol dehydrator (including reboiler) rated for 50 MMSCF/day and controlled by an enclosed flare, and one 8,820 gallon produced fluids tank. Other miscellaneous sources include lube oil, ethylene glycol, and tri-ethylene glycol storage tanks, two rich burn natural gas-fired generator engines rated at 566 bhp each and controlled by nonselective catalytic reduction, and one natural gas-fired line heater rated at 0.54 MMBtu/hr in West Franklin Township, **Armstrong County**. The facility will be authorized under GP-5 for natural gas production, named Trout Compressor Station, and located in West Franklin Township, **Armstrong County**. This is a correction a notice previously published on January 25, 2014.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP9-10-265B: Iron Mountain Information Management, Inc. (1137 Branchton Road, Boyers, PA 16020) on March 31, 2014, to operate two (2) diesel or #2 fuel fired internal combustion engines, Cummins model QSK 60, Cummins model QSB 7 (BAQ-GPA/GP-9) in Cherry Township, **Butler County**.

GP1-20-294B: International Waxes, Inc. (1007 East Spring Street, Titusville, PA 16354) on March 28, 2014, to operate one (1) York-Shipley natural fuel fired boiler, model SPHC-700-N-209203, rated 23.45 MMBtu/hour (BAQ-GPA/GP-1) in City of Titusville, **Crawford County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

09-0152C: Gelest, Inc. (11 East Steel Road, Morrisville, PA 19067) on April 3, 2014, to install a gas scrubber with 99% efficiency to serve as a back-up control device, and also retrofit an existing source in **Bucks County**. The company currently manufactures metal organics, silane, and silane specialty chemicals. The pollutant of concern is Volatile organic Compound (VOC). This facility is a Minor facility. There will be potential increase of 1.92 ton of VOC & 1.91 ton of HAPs emissions due to this modification. The Plan Approval will contain monitoring and recordkeeping requirements to keep the source operating within the allowable emissions and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

64-00017A: Northeast Pennsylvania Pet Cremation Services, Inc. (256 Southwoods Court, Hawley, PA 18428) on March 21, 2014, to install and operate an incinerator in Lake Township, **Wayne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

06-03117H: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 19606) on April 2, 2014, for installation of a Micronizing Mill No. 38, controlled by a fabric filter, and for installation of Nuisance Dust Collection System #2 fabric filter at the micronized resin and plastic manufacturing facility located in Exeter Township, **Berks County**.

36-03030A: ICM of Pennsylvania, Inc. (638 Lancaster Avenue, Malvern, PA 19355) to reauthorize the operation of a portable crushing facility previously authorized under State-only Operating Permit No. 36-03030 at the Talmage quarry in Upper Leacock Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog and Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

32-00230B: Texas Eastern Transmission, LP (PO Box 1642, Houston, TX 77251) on April 2, 2014 for construction and temporary operation of one (1) Solar Titan 130 lean-premixed dry low-NOX natural gas-fired combustion turbine (to drive a centrifugal natural gas compressor) and other ancillary sources at the Armagh Compressor Station, an existing facility located in West Wheatfield Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

33-172A: Original Fuels, Inc. (St Jacobs Church Road, Punxsutawney, PA 15767) on April 1, 2014, to modify conditions for Source 101 (Primary Diesel Generator) operating under the GP9 in Perry Township, **Jefferson County**. This is a State Only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

06-05069U: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19536) on April 3, 2014, for modifying the A-2 Facility operations at the lead-acid battery assembly facility in Richmond Township, **Berks County**. The plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

32-00055F: NRG Homer City Services, LLC (1750 Power Plant Rd., Homer City, PA 15748) on April 1, 2014, to extend the period of temporary operation of the 313 MMBtu/hr distillate oil-fired auxiliary boiler authorized under plan approval PA-32-00055F, until October 4, 2014, at Homer City Generating Station located in Black Lick and Center Townships, **Indiana County**.

63-00549A: Arden Landfill, Inc. (200 Rangos Lane, Washington, PA 15301) on April 2, 2014, to extend the temporary operation period for the landfill gas renewable energy facility at the Arden Landfill located in Chartiers Township, **Washington County**. The new expiration date shall be October 5, 2014.

63-00549B: Arden Landfill, Inc. (625 Cherrington Parkway, Moon Township, PA 15108) on April 2, 2014, to extend the temporary operation period for the landfill expansion at Arden Landfill located in Chartiers Township, **Washington County**. The new expiration date shall be November 3, 2014.

63-00943A: Dominion Transmission, Inc. (500 Dominion Blvd., Glenn Allen, VA 23060) on April 2, 2014, for a Plan Approval Extension issuance date effective April 04, 2014, to extend the temporary operation to facilitate the shake-down of sources, until October 04, 2014, at their Charleroi Propane Station in Fallowfield Township, **Washington County**.

03-00253A: Western Allegheny, LLC (301 Market Street, Kittanning, PA 16201-9642) on April 7, 2014, to extend the period of construction and temporary operation 180 days of the 800,000 tons per year Parkwood Mine Coal Preparation Plant in Plumcreek Township, **Armstrong County**. The new expiration date shall be October 10, 2014.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

62-032I: Ellwood National Steel (3 Front Street, Irvine, PA 16329) on April 2, 2014, effective April 30, 2014, will issue a plan approval extension for the construction of a new vacuum oxygen decarburization (VOD) unit and seventh annealing furnace in Brokenstraw Township, **Warren County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

21-05038: Holy Spirit Hospital (503 N. 21st Street, Camp Hill, PA 17011-2288) on April 2, 2014, for their hospital facility in East Pennsboro Township, **Cumberland County**. The Title V permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481 Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6131

24-00009: Domtar Paper Co.—Johnsonburg Mill (100 Center Street, Johnsonburg, PA 15845) on April 2, 2014, for a minor operating permit modification of the Title V Operating Permit to incorporate the requirements of an alternative operating scenario approved under Request for Determination (RFD) #4051 for the facility located in Johnsonburg Borough, **Elk County**. This alternate operating scenario will occur during periods when the recovery furnace is firing natural gas only. During these periods, the recovery furnace will not be subject to the current concentration-based carbon monoxide (CO) limit of 300 ppmvd (corrected to 8% O₂), and the emissions will not exceed the current mass-based limit of 167.1 lb/hr. The RFD was approved on January 29, 2014 and the RFD required Domtar to submit a minor operating permit modification to incorporate the alternate operating scenario into the TV permit.

42-00028: Saint-Gobain Containers, Inc.—SGCI (1, Glass Place, Port Allegany, PA 16743-1154) on April 1, 2014, for the renewal of a Title V Permit to operate a glass container manufacturing facility in Port Allegany Borough, **McKean County**. The facility's emitting sources include, 1) Boilers, 2) Furnace #1, 3) Furnace #3, 4) Batch house feed, 5) Batch house cullet piles, 6) Forming / Finishing Lines Furnace #1 and, #3, 7) Hot end treatment furnace #1 and, #3, 8) Mold swab furnace #1 and, #3, 9) Miscellaneous natural gas usage, 10) Two degreaser units and, 11) Emergency generator, and, 12) Fritting Channel. The facility is a major facility for Title V due to its potential to emit of Oxides of Nitrogen and Oxides of Sulfur. The emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ. All applicable conditions of Subpart ZZZZ are included in the permit. The applicable conditions of 40 CFR Part 63, Subpart SSSSSS for glass furnaces were previously included in the permit and have not been changed by this renewal. The facility provided the following actual emissions for 2012: NO_x: 229.62 Tons per year (TPY), SO₂: 140.33, CO: 187.64 TPY, VOC: 20.89 TPY, PM-10: 82.62 TPY, Ethane: 1.12 TPY, Methane: 1.02 TPY, Sulfuric Acid: 41.56 TPY, CO₂: 67,149.52TPY, Nitrous Oxide: 0.11 TPY, Hydrochloric Acid: 1.99 TPY (HAP), Methyl Ethyl Ketone: 0.03 TPY (HAP).

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00171: John Evans' Sons, Inc. (1 Spring Avenue, Lansdale, PA 19446) on March 19, 2014, for the renewal of a Non-Title V Facility, State-Only, Natural Minor Permit in Lansdale Borough, **Montgomery County**. John Evans' Sons, Inc. operates a boiler, a parts washer, and a number of spring forming machines. The facility has a potential to emit 3 tons of hazardous air pollutants per year, and less than 2.7 tons of n-propyl bromide. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

09-00136: Powdersize, Inc. (20 Pacific Drive, Quakertown, PA 18951-3601) on March 19, 2014, for operation of pulverizing and screening powder form products to meet customer specifications in Richland Township, **Bucks County**. This action is a renewal of the State Only Operating Permit (Natural Minor). The original State Only Operating Permit was issued on January 29, 2004. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-03076: New Enterprise Stone & Lime Co., Inc. (PO Box 550, Blue Ball, PA 17506-5550) on April 1, 2014, for their limestone crushing operations at the Weaverland Quarry in East Earl Township, **Lancaster County**. The State-only permit was renewed.

67-03018: Penn Mar Castings, Inc. (500 Broadway, Hanover, PA 17331-2001) on March 18, 2014, for the gray iron foundry in Hanover Borough, **York County**. The State-only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

04-00714: Ashland, Inc. (3499 Blazer Parkway, Lexington, KY 40509) On April 7, 2014, the Department issued the State Only Operating Permit for the operation of a lubricant blending and packaging facility, known as the Rochester Facility, located in Rochester Borough, **Beaver County**.

The facility contains air contamination sources consisting of sixty-eight above ground storage tanks ranging in capacity from 997 gallons to 1,052,685 gallons, packaging lines, and two (8 and 5.2 MMBtu/hr) natural gas-fired boilers. Oil throughput is limited to 134,600,000 gallons per year.

No emission or equipment changes have been approved by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Parts 52 and 60 and Pa. Code Title 25, Article III, Chapters 121 through 145.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-00066: Accuride Erie LP (1015 E. 12th Street, Erie, PA 16503-1520) on April 1, 2014, for renewal of the Synthetic Minor Operating Permit to operate nonferrous forging facility located in City of Erie, **Erie County**. The emitting sources included: Source ID # 102: 8000 ton forging press (22-13), Source ID # 103: 7000 ton forging press (22-17), Source ID # 104: 2000 heat treating furnaces (9-1, 9-2, & 10-1), Source ID # 106A: 1995 solution furnace (26-4), Source ID # 106B: 1995 quench tank (26-5), Source ID #106C: 1995 age furnace (26-6), Source ID # 107: (2) cold cleaning machines (4-4 & 22-7), Source ID # 108: Process heating—natural gas usage, Source ID # 109: Miscellaneous natural gas usage, Source ID# 110: (9) Wheel Washers (5-6, 5-7, 5-10, 285, 585, 785, 885, 985, and, ML), Source ID# 111: (2) Carbottom furnaces (22-22 & 22-23) (Bldg. 22), Source ID # 112A: 2006 solution furnace, Source ID # 112B: 2006 Quench tank, Source ID #112C: 2006 Age Furnace, Source ID # 113: 7000 Ton forge line 5, Source ID # 114: 7000 ton forge line 6, Source ID # 115: Wheel machining lines 2, 8 & 9, Source ID # 116: polishing cells, Source ID# 117: Emergency Generator, Source 118: Emergency fire water pump. The emergency fire water pump, (Source ID #118) is subject to 40 CFR Part 60, Subpart IIII. All applicable conditions of Subpart IIII have been included in the source level of the permit. The facility has taken a restriction of emissions of Carbon Monoxide (CO) from the facility to not exceed 95 Tons per year (TPY) and maintains the status of Synthetic Minor. The facility reported the following emissions in 2012: CO, Carbon Monoxide: 24.5 Tons per year, NO_x, Oxides of Nitrogen: 9.65 TPY, PM-10, Particulate matter less than 10 micron: 9.80 TPY, PM-2.5, Particulate matter less than 2.5 micron: 9.8 TPY, SO_x, Oxides of Sulfur: 2.13 TPY, VOC, Volatile organic compound: 5.79 TPY, Methane: 0.10 TPY, N₂O, Nitrous Oxide: 0.10 TPY, CO₂, Carbon Di Oxide: 9,888.40 TPY.

62-00176: Allegheny Pellet Corp. (PO Box 183, Matthews Run Road, Youngsville, PA 16371-0183) on April 1, 2014, issued a State Operating Permit for the wood pellet manufacturing plant in Brokenstraw Township, **Warren County**. The facility's primary emission sources include two small wood fired boilers for building heat (each 140,000 btu/hr), a small pellet stove for building heat (50,000 btu/hr), a rotary dryer, dry sawdust truck dumping, green sawdust truck dumping, a metering bin, a hammermill, screening, three pellet mills, three storage silos, a parts washer, and an emergency diesel generator. The rotary dryer is subject to the requirements of plan approval 62-176A. The particulate matter from the dry sawdust truck dumping and the hammermill is controlled by a baghouse. The screening is controlled by a cartridge collector. The silos are controlled by bin vent collectors. The engine is subject to 40 CFR 63 Subpart ZZZZ—NESHAPs for Stationary Reciprocating Internal Combustion Units. The potential emissions from the facility are less than the following: NO_x 27.5 TPY; CO 59.5 TPY; VOC 17.7 TPY; SO_x 2.59 TPY; and, particulate matter 29.8 TPY. The operating permit contains applicable emission restrictions, testing requirements, monitoring requirements, reporting requirements, work practice requirements, and additional requirements in accordance with the Clean Air Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

53-00003: National Fuel Gas Supply Corp. (PO Box 2081, Erie, PA 16512) on April 1, 2014, issued a revised Title V operating permit for their Ellisburg Natural Gas Compressor Station in Allegany Township, **Potter County**. The revision was for the incorporation of terms and conditions from Plan Approval 53-00003D. The revised Title V operating permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

32-00059: GenOn Northeast Management Company (121 Champion Way, Suite 200, Canonsburg, PA 15317). Per Title 25 Pa. Code Section 127.449(i), this Notice is for the following de minimis emission increase

at the GenOn Northeast **Management Company**, Conemaugh Power Plant, located in West Wheatfield Township, Indiana County: Project to apply additives to coal prior to combustion for mercury and NO_x emission control. Total emissions from this project will not exceed 0.3 tpy PM₁₀.

The list of de minimis increases for this facility includes only this project.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-00267: Alcoa Commercial Windows LLC (71 Progress Avenue, Cranberry Township, PA 16066) for facility located in Cranberry Township, **Butler County**. The de minimis emission increase is due to the installation of a sulfuric acid anodizing tank to source 112 (Acid Anodizing Tanks 3). The Department has started a list of de minimis increases as prescribed in 25 Pa. Code § 127.449(i).

Since the September 22, 2010, TV Operating Permit issuance date, Alcoa Commercial Windows LLC has notified the Department of the following de minimis emission increases at the Facility:

<i>Date</i>	<i>Source</i>	<i>PM₁₀ (tons)</i>	<i>SO_x (tons)</i>	<i>NO_x (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
03-21-14	Installation of an anodizing tank to Source 112.	0.00004	-	-	-	-
Total Reported Increases		0.00004	-	-	-	-
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

56773707 and NPDES No. PA0215775 and GP12-56773707-R8. PBS Coals, Inc., (1576 Stoystown Road,

PO Box 260, Friedens, PA 15541). To renew the permit for the Cambria Fuel Refuse Disposal Area in Stonycreek Township, **Somerset County** and related NPDES permit, and Air Quality GPA/GP12 Authorization. Approval is authorized under General Permit BAQ-GAP/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56773707-R8. No additional discharges. GPA/GP12 received and accepted May 2, 2011. The application was considered administratively complete on August 31, 2011. Application received March 25, 2011. Permit issued March 31, 2014.

30841313 and NPDES No. PA0022594. Consol Mining Company LLC, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To transfer the permit and related NPDES permit for the Dilworth Mine in Cumberland Township, **Greene County** from Consolidation Coal Company to Consol Mining Company LLC. No additional discharges. The application was considered administratively complete on January 27, 2014. Application received January 6, 2014. Permit issued April 1, 2014.

Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, 724-925-5500

65010101 and NPDES Permit No. PA0202908. M.B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717). Permit renewal issued for continued treatment of discharge to an existing bituminous surface mine, located in Derry Township, **Westmoreland County**, affecting 197

acres. Receiving streams: unnamed tributary to Miller Run and Saxman Run. Application received: September 23, 2013. Permit issued: April 4, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17070111 and NPDES PA0256579. RES Coal LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920). Renewal for the continued operation and restoration of a bituminous surface and auger mine in Girard Township, **Clearfield County** affecting 370.0 acres. Receiving stream(s): Bald Hill Run and Surveyor Run classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: November 6, 2013. Permit issued: March 27, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

54980102R3. Tuscarora Mine & Minerals Corp., (PO Box 131, Tuscarora, PA 17982), renewal of an existing anthracite surface mine operation in Blythe Township, **Schuylkill County** affecting 144.6 acres, receiving stream: Silver Creek. Application received: May 24, 2013. Renewal issued: April 3, 2014.

54980102GP104. Tuscarora Mine & Minerals Corp., (PO Box 131, Tuscarora, PA 17982), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54980102 in Blythe Township, **Schuylkill County**, receiving stream: Silver Creek. Application received: May 24, 2013. Permit issued: April 3, 2014.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56763036 and NPDES No. PA0125015, Shade Landfill, Inc., 1176 No. 1 Road, Cairnbrook, PA 15924, permit renewal for the continued operation and restoration of a bituminous surface mine in Shade Township, **Somerset County**, affecting 84.2 acres. Receiving stream: Miller Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received October 1, 2013. Permit Issued: March 27, 2014.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

3074SM13 and NPDES Permit No. PA0107433. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Revision to an existing large industrial minerals mine to add 49.1 acres of additional land and delete 49.1 acres in Slippery Rock Township, **Butler County**. The total acreage will remain 1,058.5 acres. This revision also includes a land use change from pasturelands/lands occasionally cut for hay to industrial/commercial land and unmanaged natural habitat on the Allegheny Mineral Corporation property. Receiving streams: Five unnamed tributaries to Slippery Rock Creek and two unnamed tributaries to Wolf Creek. Application received: September 9, 2013. Permit Issued: March 31, 2014.

3074SM13. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201) Renewal of NPDES Permit No. PA0107433 in Slippery Rock Township, **Butler County**. Receiving streams: Five unnamed tributaries to Slippery Rock Creek and two unnamed tributaries to Wolf Creek. Application received: September 9, 2013. Permit Issued: March 31, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

4773SM2 and NPDES PA0596680. Hanson Aggregates Pennsylvania LLC (7660 Imperial Way, Allentown, PA 18195). Renewal of the NPDES permit on an existing industrial mineral mine located in Potter Township, **Centre County** affecting 15 acres. Receiving stream(s): Unnamed Tributary to Cedar Run classified for the following use(s): Cold Water Fishes and Migratory Fishes. Application received: February 21, 2014. Permit issued: April 2, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58131001. Pennsy Supply, Inc., (PO Box 3331, Harrisburg PA 17105), commencement, operation and restoration of a short-term construction project (GP103) in Auburn Township, **Susquehanna County** affecting 5.0 acres, receiving stream: unnamed tributary to Nick Creek. Application received: November 14, 2013. Permit issued: April 2, 2014.

Permit No. 58131001GP104. Pennsy Supply, Inc., (PO Box 3331, Harrisburg PA 17105), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58131001 in Auburn Township, **Susquehanna County**, receiving stream: Nick Creek. Application received: November 14, 2013. Permit issued: April 2, 2014

Permit No. 58132804. Larry Donald Rood, (8605 SR 2067, Susquehanna, PA 18847), commencement, operation and restoration of a quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres, receiving stream: East Branch Martin's Creek. Application received: November 18, 2013. Permit issued: April 2, 2014.

Permit No. 58132804GP104. Larry Donald Rood, (8605 SR 2067, Susquehanna, PA 18847), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58132804 in New Milford Township, **Susquehanna County**, receiving stream: East Branch Martin's Creek. Application received: November 18, 2013. Permit issued: April 2, 2014.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

57144101. John H Brainard (3978 SR 2073, Kingsley, PA 18826-7039). Blasting for Insinger Excavating single dwelling located in Cherry Township, **Sullivan County** with an expiration date of May 31, 2014. Permit issued: April 1, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58144119. Holbert Explosives, Inc., (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Linde Corp. Hop Bottom Pipeline in

Brooklyn and Harford Townships, **Susquehanna County** with an expiration date of March 25, 2015. Permit issued: April 2, 2014.

Permit No. 58144120. DW Drilling & Blasting, (9990 Coconut Road, Bonita Springs, FL 34135), construction blasting for Grasavage Gas Pad & Tank Farm in Jessup Township, **Susquehanna County** with an expiration date of March 27, 2015. Permit issued: April 2, 2014.

Permit No. 58144118. John H. Brainard, (3978 SR 2073, Kingsley, PA 18826), construction blasting for NR 15 Hughes Pad and Road in Great Bend Township, **Susquehanna County** with an expiration date of December 31, 2014. Permit issued: April 3, 2014.

Permit No. 67144103. Maine Drilling & Blasting, Inc., (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Spring Woods in York Township, **York County** with an expiration date of April 1, 2015. Permit issued: April 3, 2014.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501–508 and 701–704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-1915, Telephone 570-826-2511.

E40-743. Shannon Properties, LP, P. O. Box 803, Bloomsburg, PA 18715. Conyngham Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the construction of a commercial building:

1. To place and maintain fill in approximately 0.2 acre of the floodway of an Unnamed Tributary to Nescopeck Creek (CWF, MF) for the purpose of constructing an asphalt parking lot and two stormwater management impoundment areas.

2. To construct and maintain a stormwater outfall consisting of a 15-inch diameter pipe and an 18-inch diameter pipe with a riprap apron in the floodway of an Unnamed Tributary to Nescopeck Creek.

3. To construct and maintain a 26-foot wide driveway crossing of an Unnamed Tributary to Nescopeck Creek and a de minimus area of adjacent wetlands equal to 0.04 acre consisting of a box culvert having a 16-foot span and a 5-foot underclearance. The driveway crossing was previously authorized under General Permit No. GP074010412, but has since expired.

The project is located along S.R. 93, approximately 300-ft south of the intersection of S.R. 93 and Brookhill Road (Conyngham, PA Quadrangle Latitude: 40° 59' 36.8"; Longitude: -76° 04' 09") in Conyngham Borough, Luzerne County. Subbasin: 5D

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

F31-229: Petersburg Borough, 223 Penn Street, Huntingdon PA 16652 in Petersburg Borough, **Huntingdon County**, ACOE Baltimore District.

To remove structures from the floodplain at the locations listed. The projects propose to temporarily affect approximately .1 acre of floodplains. The issuance of this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341). The permit was approved.

	<i>Address</i>	<i>Waterway</i>	<i>Chapter 93 Designation</i>	<i>USGS Quadrangle</i>	<i>Latitude</i>	<i>Longitude</i>
1	424 Columbia St. Petersburg, PA 16669	Shavers Creek	HQ-CWF	Alexandria, PA	40.5735	-78.0494

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1681. Pennsylvania Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676; Harmar & Indiana Townships, **Allegheny County**; ACOE Pittsburgh District.

Has been given consent to permanently impact a total of approximately 2,274 linear feet (LF) of various watercourses and 0.75 acre of wetland, and to temporarily impact a total of approximately 1,167 LF of various watercourses and 0.384 acre of wetland, in association with the widening and reconstruction of the Pennsylvania Turnpike (Interstate 70/76), between milepost (MP) 43.56 and MP 47.07. This construction activity is one (1) of eight (8) subprojects that is associated with a total reconstruction of a portion of the PA Turnpike, between MP 39 and 47, between the Butler Valley and Allegheny Valley Interchanges (a.k.a. the PTC 40-48 Project) in Harmar and Indiana Townships, Allegheny County (Starting at Glenshaw, PA Quadrangle N: 15.54 inches; W: 0.08 inch; Latitude: 40° 35' 8" ; Longitude: -79° 52' 32" and ending at New Kensington West, PA Quadrangle N: 8.58 inches; W: 10.30 inches; Latitude: 40° 32' 50" Longitude: -79° 49' 27"). Water Obstruction and Encroachment Permits have already been issued for three (3) of the other subprojects (Permit Nos. E02-1651, GP070211202 and E02-1669).

E02-1692. Eastman Chemical Resins, Inc., 2200 State RT 837, P. O. Box 545, West Elizabeth, PA 15088-0545; Jefferson Hills Borough, **Allegheny County**; ACOE Pittsburgh District.

Has been given consent to operate and maintain an existing 60-ft long, 60-inch diameter CMP culvert, and an approximately 44-ft long extension of this pipe. The existing pipe was extended to secure a pipe bent foundation supporting bridge, which carries process and supply pipelines across an unnamed tributary to the Monongahela River (WWF). This extension was previously authorized by Emergency Permit #EP0213210. This stream enclosure is located within the aforementioned watercourse, at the Eastman Chemical Resins, Inc.—Jefferson Site facility (Glassport, PA Quadrangle; N: 2.81 inches; W: 3.77 inches; Latitude: 40°15'55.7"; Longitude: -79°54' 7.24") in Jefferson Hills Borough, Allegheny County.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, 16335.

E20-592, Crawford Area Transportation Authority, 214 Pine Street, Meadville, PA 16335 in the City of Meadville, **Crawford County**, ACOE Pittsburgh District

To construct and maintain a bus shelter measuring approximately 13 feet wide by 8 feet long and associated grading occupying a total area of approximately 20 feet wide by 15 feet long within the mapped FEMA floodway of French Creek at the southwest corner of the intersection of Rogers Ferry Road and Asbury Manor East entrance driveway. (Meadville, PA Quadrangle N: 41°, 39', 07"; W: -80°, 09', 56")

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E4129-079: Pennsylvania General Energy Company, LLC, 120 Market Street, Warren, PA 16365, Cummings Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 73 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°17'58"N 77°18'43"W);

2) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 70 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°17'59"N 76°18'43"W);

3) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 64 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°18'34"N 77°18'51"W);

4) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 60 linear feet of an unnamed tributary to Ramsey Run (HQ-CWF) and 3,809 square feet of adjacent palustrine emergent (PEM) wetland (Waterville, PA Quadrangle 41°19'02"N 77°19'04"W);

5) a 24-inch gas pipeline, fiber optic cable, and a timber mat bridge impacting 61 linear feet of Ramsey Run (HQ-CWF) (Waterville, PA Quadrangle 41°19'13"N 77°19'34"W).

The project will result in a total of 328 linear feet of stream impacts and 0.09 acre of wetland impacts all for the purpose of installing a natural gas gathering line, fiber optic cable, and temporary access roadways for Marcellus well development.

E5829-062. Williams Field Services Company, LLC; Park Place Corporate Center 2, 2000 Commerce Park Drive, Pittsburgh, PA 15275; Springville Township, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1. a 16-inch diameter natural gas pipeline and timber mat crossing impacting 1,035 square feet (0.02 acre) of PEM wetlands (Springville, PA Quadrangle; N 41° 39' 09" Lat., W -75° 52' 54" Long.),

2. a 16-inch diameter natural gas pipeline and timber mat crossing impacting 78 linear feet of an unnamed tributary to Monroe Creek (CWF-MF) (Springville, PA Quadrangle; N 41° 39' 09" Lat., W -75° 52' 54" Long.),

3. a 16-inch diameter natural gas pipeline and timber mat crossing impacting 3,046 square feet (0.07 acre) of PEM wetlands (Springville, PA Quadrangle; N 41° 39' 03" Lat., W -75° 53' 11" Long.),

4. a 16-inch diameter natural gas pipeline impacting 23 square feet (0.01 acre) of PEM wetlands (Springville, PA Quadrangle; N 41° 39' 19" Lat., W - 75° 53' 24" Long.),

5. a 16-inch diameter natural gas pipeline impacting 185 square feet (0.01 acre) of PEM wetlands (Springville, PA Quadrangle; N 41° 39' 21" Lat., W -75° 53' 23" Long.),

6. a 16-inch diameter natural gas pipeline impacting 1 linear foot of an unnamed tributary to Pond Brook (CWF-MF) (Springville, PA Quadrangle; N 41° 39' 21" Lat., W -75° 53' 23" Long.),

7. a timber mat crossing impacting 133 square feet (0.01 acre) of PEM wetlands (Springville, PA Quadrangle; N 41° 39' 34" Lat., W - 75° 53' 35" Long.),

8. an 8-inch diameter natural gas pipeline and timber mat crossing impacting 102 linear feet of Pond Brook (CWF-MF) (Springville, PA Quadrangle; N 41° 39' 46" Lat., W -75° 53' 40" Long.).

The project consists of constructing approximately 13,063 lineal feet of 8" transitioning to 16" natural gas gathering line, within a 50 to 75 foot permanent right of way, routed to connect the Garrison Road Pipeline and the Pijanowski well pad located in Springville Township, Susquehanna County. The project will result in 132 lineal feet of temporary stream impacts, 0.10 acre of temporary wetland impacts, all for the purpose of conveying Marcellus Shale natural gas to market.

Southwest Region: Oil and Gas Management Program Manager 400 Waterfront Drive, Pittsburgh PA, 15222

E30-07-006: Penneco Oil Company Inc., 6608 Rte. 22, Delmont, PA 15626-2408, Center Township, **Greene County**, ACOE Pittsburgh District.

Penneco Oil Company Inc., shall construct a prefabricated Steel bridge, 50 feet long across Jacob's Creek, a High Quality, Warm Water Fishery, to access an existing gas well pad and eliminate a ford crossing, in Center Township, **Greene County**, Pittsburgh ACOE District (Rogersville Quadrangle, Latitude N 39° 53' 49.20" Longitude -80° 21' 08.04"). This project will permanently impact 50 feet of stream and 0.02 acre of PEM wetland. The upstream watershed drainage area is 1.97 square miles.

ENVIRONMENTAL ASSESSMENTS

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

EA56-007. National Park Service Flight 93 National Memorial, PO Box 911, Shanksville, PA 15560; Stoneycreek Township, **Somerset County**; ACOE Pittsburgh District

On November 3, 2009, the Department approved an Environmental Assessment and granted 401 Water Quality Certification, under Section 401(a) of the Federal Clean Water Act, to the National Park Service (NPS), regarding the following activities:

1. to place and maintain fill, to construct and maintain a road with multiple pipes (18" or 30" minimum diameter) and to construct and maintain a boardwalk in 1.79 acres of wetland (PEM/POW),
2. To place and maintain fill in 0.2 acre of open water,
3. To remove 0.09 acre of wetland through the modification of an existing pond, and
4. To place and maintain fill in approximately 521 feet of an unnamed tributary within the Grove Run watershed (CWF),

This approval is for the purpose of constructing Phase 1A of the Flight 93 National Memorial. In addition, 2.09 acres of wetland (PEM/POW) will be temporarily im-

acted from the construction of a cofferdam and causeway, and 2.36 acres of open water will be temporarily dewatered, during the construction of the memorial. The project is located off of Skyline Road, approximately 1.2 miles southeast of this roadway's intersection with Lambertsville Road, in Stonycreek Township, Somerset County. To compensate for the permanent impacts, 2.55 acres of replacement wetland, 0.2 acre of open water and 1,314 feet of channel will be constructed. If successfully created, the additional wetland replacement acreage of approximately 0.67 acre will be utilized to compensate for potential impacts that may result from the construction of future phases of the memorial (Pittsburgh ACOE District, Stoystown, Pa Quadrangle, N 9.5", West 4.2"; Latitude 40° 3' 8", Longitude 78° 54' 16").

The Department is now approving the environmental assessment and granting 401 Water Quality Certification to the National Park Service, to temporarily impact approximately 1.01 acres of wetland (PEM/POW), to construct temporary access roads, to facilitate the construction of the pedestrian bridge/boardwalk, which was granted 401 Water Quality Certification with the previous/forementioned environmental assessment approval. The temporary access roads will be removed, and the temporarily affected wetland areas will be restored, after construction of the pedestrian bridge/boardwalk is completed.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.

<i>ESCGP-2 No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
65138006-1	Sunoco Pipeline, LP 525 Fritztown Rd Sinking Springs, PA 19608	Westmoreland, Washington, and Allegheny	Hempfield, Jeanette, Murrysville, Sewickley, South Huntingdon, Elizabeth, Forward, Chartiers, North Strabane, Nottingham, Union	Chartiers Run (WWF), UNT to Chartiers Run (WWF), UNT to Chartiers Creek (WWF), UNT to Little Chartiers Creek (HQ), UNT to Peters Creek (HQ-TSF), UNT to Froman Run (TSF), Froman Run (TSF), Monongahela River (WWF), UNT to Bunola Run (WWF), Bunola Run (WWF), Kelly Run (WWF), Perry Mill Run (WWF), UNT to Sunfish Run (WWF), Sunfish Run (WWF), UNT to Beckers Run (WWF), UNT to Gillespie Run (WWF), UNT to Pollock Run (WWF), Pollock Run (WWF), Sewickley Creek (WWF), Youghiogeny River (WWF), UNT to Sewickley Creek (WWF), UNT to Little Sewickley Creek (WWF), UNT to Brush Creek (TSF), Brush Creek (TSF), UNT to Bushy Run (TSF), Bushy Run (TSF), UNT to Turtle Creek (TSF), Turtle Creek (TSF), UNT to Beaver Run (TSF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-1 #ESX13-019-0006—Morrow Well Pad—Major Modification

Applicant EM Energy Pennsylvania, LLC
Contact Mr. Hugh Caperton
Address 601 Technology Drive, Suite 300
City Canonsburg State PA Zip Code 15317
County Butler Township(s) Concord(s)
Receiving Stream(s) and Classification(s) UNT1 and
UNT2 to Pine Run / Trib 35326 of Connequenessing
Creek / Connequenessing Watershed

ESCGP-1 #ESX14-085-0009—Delaware Capatho Russian Church Well Pad

Applicant Hilcorp Energy Company
Contact Stephanie McMurray
Address 1201 Louisiana Street Suite 1400
City Houston State TX Zip Code 77002
County Mercer Township(s) Delaware(s)
Receiving Stream(s) and Classification(s) UNT to
Shenango River

ESCGP-1 #ESX14-019-0018—AK Steel Well Pad D

Applicant XTO Energy
Contact Melissa Breitenbach
Address 502 Keystone Drive
City Warrendale State PA Zip Code 15086
County Butler Township(s) Butler(s)

Receiving Stream(s) and Classification(s) Connoquenessing Creek, UNT to Connoquenessing Creek WWF

ESCGP-1 #ESX14-085-0010—Delaware Dickson Well Pad

Applicant Hilcorp Energy
Contact Stephanie McMurray
Address 1201 Louisiana Street, Suite 1400
City Houston State TX Zip Code 77002
County Mercer Township(s) Delaware(s)
Receiving Stream(s) and Classification(s) UNT 36048 to
Shenango River WWF

ESCGP-1 #ESX10-083-0031A—Heartwood Well Pad D—Major Modification

Applicant PA General Energy Co LLC
Contact Jim Ashbaugh
Address 120 Market Street
City Warren State PA Zip Code 16365
County Mckean Township(s) Norwich(s)
Receiving Stream(s) and Classification(s) Parker Run
(EV-NRWTS)

ESCGP-1 #ESX14-085-0003—Pymatuning McKnight Well Pad

Applicant Hilcorp Energy Company
Contact Stephanie McMurray
Address 1201 Louisiana Street, Suite 1400
City Houston State TX Zip Code 77002
County Mercer Township(s) Pymatuning(s)
Receiving Stream(s) and Classification(s) UNT to

Shenango River, UNT to Big Run, Shenango River,
and Big Run WWF

ESCGP-1 #ESX14-085-0011—Delaware Douds Well Pad
Applicant Hilcorp Energy Company
Contact Stephanie McMurray
Address 1201 Louisiana Street, Suite 1400
City Houston State TX Zip Code 77002
County Mercer Township(s) Delaware(s)
Receiving Stream(s) and Classification(s) UNT to
Shenango River, Shenango River WWF

ESCGP-1 #ESG14-085-0005—Sandy Lake Morton Well
Pad
Applicant Hilcorp Energy Company
Contact Stephanie McMurray
Address 1201 Louisiana Street, Suite 1400
City Houston State TX Zip Code 77002
County Mercer Township(s) Pymatuning(s)
Receiving Stream(s) and Classification(s) UNT to Little
Sandy Creek HQ-CWF, Allegheny River WWF

ESCGP-1 #ESX14-073-0008—Ambrosia South Gathering
Pipeline
Applicant Hilcorp Energy Company
Contact Stephanie McMurray
Address 1201 Louisiana Street, Suite 1400
City Houston State TX Zip Code 77002
County Lawrence Township(s) Mahoning(s)
Receiving Stream(s) and Classification(s) UNTs to Mahon-
ing River WWF

*Eastern Region: Oil & Gas Management Program Man-
ager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-1 # ESG29-023-14-0001
Applicant Name Seneca Resources Corporation
Contact Person Michael Clinger
Address 5800 Corporate Drive, Suite 300
City, State, Zip Pittsburgh, PA 15237
County Cameron County
Township(s) Shippen Township
Receiving Stream(s) and Classification(s) Right Branch
Cooks Run/Sinnemahoning Creek (EV and Wild Trout);
Secondary: Driftwood Branch Sinnemahoning Creek

ESCGP-1 # ESG29-115-14-0009
Applicant Name Southwestern Energy Production
Company
Contact Person Dave Sweeley
Address 917 State Route 92 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna County
Township(s) New Milford Township
Receiving Stream(s) and Classification(s) UNT to Martins
Creek (CWF/MF) and UNTs to Beaver Creek (HQ,
CWF/MF)

ESCGP-1 # ESX29-115-14-0023
Applicant Name Southwestern Energy Production
Company
Contact Person Dave Sweeley
Address 917 State Route 92 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna County
Township(s) Oakland Township
Receiving Stream(s) and Classification(s) Drinker Creek
(CWF/MF)

ESCGP-1 # ESX11-115-0143 (02)
Applicant Name Williams Field Services Company, LLC
Contact Person Julie Nicholas
Address 1212 S. Abington Road
City, State, Zip Clarks Summit, PA 18411
County Susquehanna County

Township(s) Dimock Township
Receiving Stream(s) and Classification(s) West Branch
Meshoppen Creek (CWF/MF)

ESCGP-1 # ESX29-117-14-0004
Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Drive, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga County
Township(s) Richmond Township
Receiving Stream(s) and Classification(s) UNT to Canoe
Camp Creek (CWF/MF);
Secondary: Canoe Camp Creek

ESCGP-1 # ESG13-081-0018 (01)
Applicant Name Pennsylvania General Energy Company,
LLC
Contact Person James Ashbaugh
Address 120 Market Street
City, State, Zip Warren, PA 16365
County Lycoming County
Township(s) Cummings and McHenry Townships
Receiving Stream(s) and Classification(s) Callahan Run,
Love Run, Hackett Ford, UNT to Little Pine Creek;
(EV);
Secondary: Pine Creek, Little Pine Creek

ESCGP-1 # ESG29-023-14-0002
Applicant Name Seneca Resources Corporation
Contact Person Michael Clinger
Address 5800 Corporate Drive, Suite 300
City, State, Zip Pittsburgh, PA 15237
County Cameron County
Township(s) Shippen Township
Receiving Stream(s) and Classification(s) Nicholas Run,
Brewer Fork/Sinnemahoning Creek (HQ/EV) Stream
Sections Supporting Natural Production of Trout;
Secondary: Elk Fork

ESCGP-1 # ESX29-115-14-0030
Applicant Name Susquehanna Gathering Company, LLC
Contact Person Herman Van Eck, Jr.
Address 1299 Oliver Road
City, State, Zip New Milford, PA 18834
County Susquehanna County
Township(s) Jackson Township
Receiving Stream(s) and Classification(s) Tunkhannock
Creek (CWF)

ESCGP-1 # ESG29-015-14-0005
Applicant Name Appalachia Midstream Services, LLC
Contact Person Randy DeLaune
Address 100 IST Center
City, State, Zip Horseheads, NY 14845
County Bradford County
Township(s) Wilmot Township
Receiving Stream(s) and Classification(s) Two UNTs to
Foster Branch Sugar Run, Foster Branch Sugar Run
Watershed (CWF, Wild Trout);
Secondary: Susquehanna River

ESCGP-1 # ESX29-115-14-0004
Applicant Name Cabot Oil & Gas Corporation
Contact Person Kenneth Marcum
Address Five Penn Center West, Suite 401
City, State, Zip Pittsburgh, PA 15276
County Susquehanna County
Township(s) Bridgewater Township
Receiving Stream(s) and Classification(s) Meshoppen
Creek (CWF/MF)

ESCGP-1 # ESX12-131-0033 (01)
 Applicant Name UGI Energy Services, LLC
 Contact Person Jeff England
 Address 1 Meridian Boulevard
 City, State, Zip Wyoming, PA 19610
 County Wyoming County
 Township(s) Washington Township
 Receiving Stream(s) and Classification(s) UNT to
 Susquehanna River/Little Mehoopany Creek-Lower
 Susquehanna River (HUC 12) (WWF/MF);
 Secondary: Susquehanna River (WWF/MF)

ESCGP-1 # ESX29-115-14-0027
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Randy DeLaune
 Address 100 IST Center
 City, State, Zip Horseheads, NY 14845
 County Susquehanna County
 Township(s) Auburn Township
 Receiving Stream(s) and Classification(s) Dority Creek
 (CWF/MF), Baker Creek (CWF/MF) and Riley Creek
 (CWF/MF)

ESCGP-1 # ESG29-015-14-0003
 Applicant Name Appalachia Midstream Services LLC
 Contact Person Randy DeLaune
 Address 100 1ST Center
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Terry and Wilmot
 Receiving Stream(s) and Classification(s) 2 UNTs to Fos-
 ter Branch Sugar Run Foster Branch Sugar Run Water-
 shed (CWF-Wild Trout)
 Secondary—Susquehanna River

ESCGP-1 # ESG29-015-14-0007
 Applicant Name Appalachia Midstream Services LLC
 Contact Person Randy DeLaune
 Address 100 1ST Center
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Terry
 Receiving Stream(s) and Classification(s) Panther Lick
 Creek (CWF-Wild Trout Fishes) Sugar Run Creek
 (CWF) Panther Lick Creek Watershed (CWF-Wild Trout
 Fishes) Sugar Run Creek Watershed (CWF)
 Secondary—Susquehanna River

ESCGP-1 # ESG29-081-14-0011
 Applicant Name Pennsylvania General Energy Company,
 LLC
 Contact Person James Ashbaugh
 Address 120 Market Street
 City, State, Zip Warren, PA 16365
 County Lycoming County
 Township(s) Cummings and McHenry
 Receiving Stream(s) and Classification(s) Boone Run
 (EV);
 Secondary: Little Pine Creek (HQ/TSF)

ESCGP-1 # ESG13-081-0073
 Applicant Name Seneca Resources Corporation
 Contact Person Doug Kepler
 Address 51 Zents Blvd.
 City, State, Zip Brookville, PA 15825
 County Lycoming County
 Township(s) Gamble and Lewis Townships
 Receiving Stream(s) and Classification(s) Trout Run,
 UNTs to Lycoming Creek (HQ-CWF/MF), Lycoming
 Creek (CWF, MF, EV), Trib. 19854 to Mill Creek, UNTs
 to Mill Creek (TSF/MF, EV)/all to lower West Branch of
 Susquehanna;
 Secondary: Susquehanna River

ESCGP-1 # ESX11-131-0041 (01)
 Applicant Name Williams Field Services Co, LLC
 Contact Person Julie Nicholas
 Address 1212 Abington Road
 City, State, Zip Clarks Summit, PA 18411
 County Wyoming County
 Township(s) Washington Township
 Receiving Stream(s) and Classification(s) Meshoppen
 Creek (CWF);
 Secondary: Susquehanna River

SPECIAL NOTICES

General NPDES Permit for Stormwater Discharges Associated with Construction Activities

*Cambria District Mining Office: 286 Industrial Park
 Road, Ebensburg, PA 15931, 814-472-1900*

PAG-2-27-56-14-001, Ridge Energy Company, Inc.,
 265 Swamp Road, Clymer, PA 15728. General NPDES
 Permit for Stormwater Discharges Associated with Con-
 struction Activities on GFCC Permit No. 56-12-01 in
 Conemaugh Township, **Somerset County**. Receiving
 streams: Stonycreek River classified for the following use:
 warm water fishery. There are no potable water supply
 intakes within 10 miles downstream. Notice of Intent for
 coverage received: November 21, 2013. Coverage Ap-
 proved: February 18, 2014.

[Pa.B. Doc. No. 14-820. Filed for public inspection April 18, 2014, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the
 Department of Environmental Protection's (Department)
 web site at www.elibrary.dep.state.pa.us. The "Technical
 Guidance Final Documents" heading is the link to a menu
 of the various Department bureaus where each bureau's
 final technical guidance documents are posted. The "Tech-
 nical Guidance Draft Documents" heading is the link to
 the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to
 view and download technical guidance documents. When
 this option is not available, persons can order a paper
 copy of any of the Department's draft or final technical
 guidance documents by contacting the Department at
 (717) 783-8727.

In addition, bound copies of some of the Department's
 documents are available as Department publications.
 Check with the appropriate bureau for more information
 about the availability of a particular document as a
 publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons
 who have questions or comments about a particular
 document should call the contact person whose name and
 phone number is listed with each document.

Final Technical Guidance—Substantive Revision

DEP ID: 012-4180-001. **Title:** Policy for the Consider-
 ation of Community Environmental Projects in Conjunction
 with Assessment of Civil Penalty. **Description:** The
 Department staff will consider the performance of a
 Community Environmental Project (CEP), in appropriate
 situations, in lieu of a portion of the amount of civil

penalty it will accept as a settlement. The Department may, in determining the amount of civil penalty to collect, consider projects that have substantial public health or environmental benefits. The Department may consider CEPs in situations it decides are appropriate, as an exercise of its enforcement discretion. Additional consideration may be given to CEPs proposed in areas that are susceptible to disproportionate environmental impacts and projects that will benefit conditions in an environmental justice area. The Department sought input from the Citizens Advisory Council and the Environmental Justice Advisory Board in the development of this policy. Where possible, those comments were included in the version that was shared with the public for comment. Due to the early involvement of both advisory groups prior to public comment, neither had additional comments on the version published for public comment. This revised guidance was published as draft at 43 Pa.B. 6450 (October 26, 2013), for a 30-day public comment period. Comments were received from two commentators. Subsequent to publication, the Department completed minor edits in response to the public comments. Revisions to the draft technical guidance document resulting from the public comments are described in the accompanying Comment-Response Document.

Contact: Questions regarding this action should be directed to Laura Henry at (717) 705-3769 or lahenry@pa.gov.

Effective Date: April 19, 2014

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-821. Filed for public inspection April 18, 2014, 9:00 a.m.]

Bid Opportunity

OSM 14(6787)101.1, Abandoned Mine Reclamation Project, Beauty Camp Far West, Snoeshoe and Burnside Townships, Centre County. The principal items of work and approximate quantities include mobilization and demobilization; clearing and grubbing; brush barrier 6,680 linear feet; removal of solid waste 20 tons; subsurface drain 3,350 linear feet; grading 749,000 cubic yards; tree planting 5,600 trees; and seeding. This bid issues on April 18, 2014, and bids will be opened on May 15, 2014, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-822. Filed for public inspection April 18, 2014, 9:00 a.m.]

Bid Opportunity

OSM 02(0351)102.1, Abandoned Mine Reclamation Project, Clinton Southeast, PIT Radar Tower Spoil Fire, Findlay Township, Allegheny County. The principal items of work and approximate quantities include mobilization and demobilization; clearing and grubbing;

excavation and backfilling 429,500 cubic yards; water 5,000 gallons; firefighting foam 200 gallons; alkaline addition 1,330 tons; roadway surface material 480 tons; and seeding 12.2 acres. This bid issues on April 18, 2014, and bids will be opened on May 15, 2014, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it the Surface Mining Control and Reclamation Act of 1977 (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-823. Filed for public inspection April 18, 2014, 9:00 a.m.]

Bid Opportunity

OOGM 13-8R, Cleaning Out and Plugging One Abandoned Gas Well (Kenneth R. Eppley and Lynn L. Brillhart Property), Benezette Township, Elk County. The principal items of work and approximate quantities are to clean out and plug one abandoned gas well, estimated to be 7,200 feet in depth, to Department of Environmental Protection specifications; to prepare and restore well sites/site; and to mobilize and demobilize plugging equipment. This project issues on April 18, 2014, and bids will be opened on May 29, 2014, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A mandatory prebid meeting will be held on May 2, 2014, at 10 a.m. Contact the Construction Contracts Section at (717) 787-7820 or dhopp@pa.gov for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-824. Filed for public inspection April 18, 2014, 9:00 a.m.]

Bid Opportunity

OOGM 13-6R, Cleaning Out and Plugging One Abandoned Oil Well (Diane Ford Stewart, Executrix, Raymond Steigerwald Estate Property), Glen Osborne Borough, Allegheny County. The principal items of work and approximate quantities are to clean out and plug one abandoned oil well, estimated to be 2,500 feet in depth, to Department of Environmental Protection specifications; to prepare and restore well site; and to mobilize and demobilize plugging equipment. This project issues on April 18, 2014, and bids will be opened on May 29, 2014, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A prebid meeting will be held on May 6, 2014, at 11 a.m. Contact the Construction Contracts Section at (717) 787-7820 or dhopp@pa.gov for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-825. Filed for public inspection April 18, 2014, 9:00 a.m.]

Bid Opportunity

OOGM 13-9R, Cleaning Out and Plugging Three Abandoned and Orphan Gas Wells (Anthony D. Rossi, Jr., Partner and Perry A. Rossi, Partner, Mr. and Mrs. Thomas J. Adams and Buncher Company, c/o Edward A. Very, V.P., Properties), Kennedy and Robinson Townships, Allegheny County. The principal items of work and approximate quantities are to clean out and plug three abandoned and orphan gas wells, estimated to be 3,000 feet in depth, to Department of Environmental Protection specifications; to prepare and restore well sites/site; and to mobilize and demobilize plugging equipment. This project issues on April 18, 2014, and bids will be opened on May 29, 2014, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A prebid meeting will be held on May 6, 2014, at 12:30 p.m. Contact the Construction Contracts Section at (717) 787-7820 or dhopp@pa.gov for more information on this bid.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-826. Filed for public inspection April 18, 2014, 9:00 a.m.]

Chesapeake Bay Management Team Meeting

The Department of Environmental Protection (Department) will hold a Chesapeake Bay Management Team meeting on Wednesday, May 7, 2014, at 9:30 a.m. in Susquehanna Rooms A and B of the Department South-central Regional Office, 909 Elmerton Avenue, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Rhonda Manning at (717) 772-4472 or rmanning@pa.gov. The agenda and meeting materials for the May 7, 2014, meeting will be available through the Interstate Waters Office web site at www.dep.state.pa.us (DEP Keywords: "Interstate Waters Office").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-4693 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-827. Filed for public inspection April 18, 2014, 9:00 a.m.]

Final Assessment and Listing Methodology Notice of Availability

The Department of Environmental Protection (Department) is providing its final Assessment and Listing Methodology (methodology) following the public comment period of September 28, 2013, through November 27, 2013. Sections 303(d) and 305(b) of the Federal Clean Water Act (33 U.S.C.A. §§ 1313(d) and 1315(b)) require states to report on the condition of all their waters in the biennial Integrated Report (report). The methodologies

referred to in this public notice will be used to assess the quality of the Commonwealth's waters under this legal mandate.

Stream and lake evaluations presented in the report must be supported by assessment methodologies based on sound science and technical procedures that are clear and complete. The methodology is a compilation of the protocols being used to assess waters that may appear in the 2014 Pennsylvania Integrated Water Quality Monitoring and Assessment Report (Integrated Report) and subsequent Integrated Reports.

The protocols comprising the methodology describe the field data collection procedures and data analysis methods used to obtain and evaluate water quality data. The individual protocols apply to a wide range of water resource types, data sources and environmental indicators.

The methodology is available on the Department's web site at www.dep.state.pa.us (DEP Keyword "Water Quality Standards"). Because of the large number of pages, the methodology will not be available in hard copy.

The 2013 Assessment Methods includes the following documents: Instream Comprehensive Evaluations; Limestone Steams; Multi-Habitat Pool/Glide Streams; Riffle/Run Freestone Streams; Continuous Instream Monitoring; Periphyton; Streambed Sediment; Surface Water Collection; Semi-Quantitative Fish Sampling Protocol; Lake Assessment Protocol; Aquatic Macrophyte Cover; Lake Fisheries; Evaluations of Phosphorus Discharges to Lakes, Ponds and Impoundments; Plankton Sampling; Chlorophyll A Sampling; Chemistry—Bacteriological Evaluations; Fish Tissue Sampling; Natural Pollutant Sources; Outside Agency Data; Appendix A—Sources and Cause Definitions; Appendix B—Taxa Tolerances; Appendix C—Biological Field Methods; Appendix C1—Habitat; Appendix C2—Benthic Macroinvertebrates; Appendix C3—Fish; and Appendix C4—Taxonomic Reference.

Questions concerning the methodology should be directed to Gary Walters, Division of Water Quality Standards, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 787-9637, gawalters@pa.gov.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-828. Filed for public inspection April 18, 2014, 9:00 a.m.]

Radiation Protection Advisory Committee Rescheduled Meeting

The April 24, 2014, meeting of the Radiation Protection Advisory Committee (Committee) has been rescheduled to June 12, 2014, at 9 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the next scheduled meeting of the Committee can be directed to Joseph Melnic at (717) 783-9730 or jmelnic@pa.gov. The agenda and meeting materials for the June 12, 2014, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (DEP Keywords "Public Participation").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should con-

tact the Department at (717) 787-3720 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-829. Filed for public inspection April 18, 2014, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth Erie County

Proposals are invited to provide the Department of General Services with 2,413 usable square feet of office space for the Department of Community and Economic Development and the Office of the Governor in Erie County. For more information on SFP No. 94524, which is due on Tuesday, May 27, 2014, visit www.dgs.state.pa.us or contact Rebecca Kuhn at (717) 787-7412 or rekuhn@pa.gov.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 14-830. Filed for public inspection April 18, 2014, 9:00 a.m.]

Lease Office Space to the Commonwealth Pike County

Proposals are invited to provide the Department of General Services with 5,491 usable square feet of office space for the Department of Public Welfare in Pike County. For more information on SFP No. 94526, which is due on Tuesday, May 27, 2014, visit www.dgs.state.pa.us or contact Rebecca Kuhn at (717) 787-7412 or rekuhn@pa.gov.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 14-831. Filed for public inspection April 18, 2014, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Ambulatory Surgery Center at Jefferson, Pain & Rehab for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Ambulatory Surgery Center at Jefferson, Pain & Rehab has requested an exception to the requirements of 28 Pa. Code § 569.35(7) (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-832. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Dermatology) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Dermatology, 90 Beaver Drive, Suite 122D, DuBois, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-7.2.2.3(1)(a), 3.1-3.2.4.2(2), 3.1-3.8.1 and 3.1-6.1.1.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-833. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Family/Internal Medicine) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Family/Internal Medicine, 531A and 531B Hannah Street, Clearfield, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.6.6.1, 3.1-3.6.6.2, 3.1-3.6.6.3, 3.1-3.6.6.4 and 3.1-6.1.4.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-834. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Family/Internal Medicine) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Family/Internal Medicine, 1095 Million Dollar Highway, St. Marys, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.2.2.2(2) and 3.1-3.2.4.2(2) (relating to examination rooms; and treatment rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-835. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Family Medicine) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Family Medicine, 502 Park Avenue, Clearfield, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.2.2.3, 3.1-6.1.4 and 3.1-3.2.4.2(1) (relating to hand washing stations; public toilets; and area).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-836. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Family Medicine—Phillipsburg) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Family Medicine—Phillipsburg) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.2.4.2(1) and 3.1-3.6.6.2 (relating to treatment rooms; and sinks).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-837. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands General Surgery) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands General Surgery, 123 South Street, Ridgeway, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-7.2.2.2.1(1) and 3.1-7.2.2.3(1)(a)(b) (relating to public corridors; and doors and hardware).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-838. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands General Surgery) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands General Surgery, 761 Johnsonburg Road, Suite 130, St. Marys, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-7.2.2.3(1)(a)(b) and 3.1-3.8.1 (relating to doors and hardware; and toilets).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-839. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands General Surgery/Urology) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives

notice that DuBois Regional Medical Center (Penn Highlands General Surgery/Urology, 807 Turnpike Avenue, Suite 220, Clearfield, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.2.2.2(1) and 3.1-3.8.1 (relating to exam/observation areas; and toilets).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-840. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands OB/GYN) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands OB/GYN, 807 Turnpike Avenue, Clearfield, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemption from the following standards contained in this publication: 3.1-7.2.2.2(2) (relating to exam/observation areas).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so, should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-841. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Orthopedics) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Orthopedics, 807 Turnpike Avenue, Suite 120, Clearfield, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-7.2.2.1(1), 3.1-7.2.2.3(1)(a)(b), 3.1-3.2.2.2(1)(2), 3.1-3.2.4.2(2), 3.1-3.6.6.2 and 3.1-3.8.1.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-842. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Pediatrics) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Pediatrics, 135B Midway Drive, DuBois, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the

following publication: *American Institute of Architects*. The facility specifically requests exemption from the following standards contained in this publication: 3.1-3.2.4.2(1) (relating to treatment rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-843. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Pediatrics) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Pediatrics, 529 Sunflower Drive, DuBois, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-6.1.4 (relating to public toilets).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-844. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Pediatrics) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Pediatrics, 2834 Maplevale Road, Brookville, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemption from the following standards contained in this publication: 3.1-6.1.4 (relating to toilets).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-845. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of DuBois Regional Medical Center (Penn Highlands Q-Care) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center (Penn Highlands Q-Care, 761 Johnsonburg Road, Suite 160, St. Marys, PA) has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publica-

tion: 3.1-3.8.1 and 3.2-6.3 (relating to toilets; and support areas for staff).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-846. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of Mount Nittany Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Mount Nittany Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemption from the following standards contained in this publication: 6.4.2 (relating to filter banks).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-847. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of Robert Packer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Robert Packer Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-848. Filed for public inspection April 18, 2014, 9:00 a.m.]

Application of UPMC Altoona for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Altoona has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.2.2.2(1)(2), 3.1-3.2.4.2(1)(2), 3.1-3.9.2, 3.1-7.2.2.1 and 3.1-7.2.2.2.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-849. Filed for public inspection April 18, 2014, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Care Pavilion Nursing and Rehabilitation Center
6212 Walnut Street
Philadelphia, PA 19139
FAC ID 292002

Millville Health and Rehabilitation Center
Box 320, 48 Haven Lane
Millville, PA 17846
FAC ID # 022202

Milton Nursing and Rehabilitation Center
743 Mahoning Street
Milton, PA 17847
FAC ID # 379902

Pembroke Health and Rehabilitation Center
1130 West Chester Pike
West Chester, PA 19382
FAC ID 230602

Powerback Rehabilitation Phoenixville
3000 Balfour Circle
Phoenixville, PA 19460
FAC ID # 21760201

Spruce Manor Nursing and Rehabilitation Center
220 South 4th Avenue
West Reading, PA 19611
FAC ID # 180302

Statesman Health and Rehabilitation Center
2629 Trenton Road
Levittown, PA 19056
FAC ID 193702

Watsonstown Nursing and Rehabilitation Center
245 East Eighth Street
Watsonstown, PA 17777
FAC ID # 110702

Willowbrooke Court at Brittany Pointe Estates
1001 Valley Forge Road
Lansdale, PA 19446
FAC ID # 740902

Willowbrooke Court at Southampton Estates
238 Street Road
Southampton, PA 18966
FAC ID # 151302

Willowbrooke Court at Spring House Estates
728 Norristown Road
Lower Gwynedd, PA 19002
FAC ID 971502

The following long-term care nursing facility is seeking exceptions to 28 Pa. Code § 211.3(c) (relating to oral and telephone orders):

UPMC McKeesport Long Term Care Facility
1500 Fifth Avenue
McKeesport, PA 15132
FAC ID # 650402

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-850. Filed for public inspection April 18, 2014, 9:00 a.m.]

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board, established under section 1252 of the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a public meeting on Friday, May 2, 2014, from 10 a.m. to 3 p.m. The meeting will be held in the large conference room of the Community Center, 2nd Floor, Giant Food Store, 2300 Linglestown Road, Harrisburg, PA 17110.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Joshua Goodling, Division of Child and Adult Health Services at (717) 772-2762, or for speech and/or hearing impaired persons contact V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984.

This meeting is subject to cancellation without notice.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-851. Filed for public inspection April 18, 2014, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania On A Roll Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania On A Roll.

2. *Price:* The price of a Pennsylvania On A Roll instant lottery game ticket is \$3.

3. *Play Symbols:* Each Pennsylvania On A Roll instant lottery game ticket will contain one play area consisting of "GAME 1," "GAME 2," "GAME 3," "GAME 4," "GAME 5," "GAME 6," "GAME 7," "GAME 8," "GAME 9," and "GAME 10." Each "GAME" features a "ROLL NEEDED" area, a "YOUR ROLLS" area, and a "PRIZE" area. Each "GAME" is played separately. There will be five dice play symbols located in the "YOUR ROLLS" area for each "GAME." The dice play symbols and their captions located in the "YOUR ROLLS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE) and 6 (SIX). The play symbols that will be located in the "ROLL NEEDED" area, that convey the "ROLL NEEDED" conditions, are: ROLL ALL EVEN NUMBERS, ROLL ONE EVEN NUMBER, ROLL TWO EVEN NUMBERS, ROLL ALL ODD NUMBERS, ROLL ONE ODD NUMBER, ROLL THREE ODD NUMBERS, ROLL A 1, ROLL A 2, ROLL A 3, ROLL A 4, ROLL A 5, ROLL A 6, ROLL TWO 1S, ROLL TWO 2S, ROLL TWO 3S, ROLL TWO 4S, ROLL TWO 5S, ROLL TWO 6S, ROLL THREE 1S, ROLL THREE 2S, ROLL THREE 3S, ROLL THREE 4S, ROLL THREE 5S, ROLL THREE 6S, ROLL FOUR 1S, ROLL FOUR 2S, ROLL FOUR 3S, ROLL FOUR 4S, ROLL FOUR 5S, ROLL FOUR 6S, ROLL ALL 1S, ROLL ALL 2S, ROLL ALL 3S, ROLL ALL 4S, ROLL ALL 5S, ROLL ALL 6S, ROLL A 1 AND 2, ROLL A 1 AND 3, ROLL A 1 AND 4, ROLL A 1 AND 5, ROLL A 1 AND 6, ROLL A 2 AND 3, ROLL A 2 AND 4, ROLL A 2 AND 5, ROLL A 2 AND 6, ROLL A 3 AND 4, ROLL A 3 AND 5, ROLL A 3 AND 6, ROLL A 4 AND 5, ROLL A 4 AND 6, ROLL A 5 AND 6.

4. *Prize Symbols:* The prize symbols and their captions located in the "PRIZE" area for each "GAME" are: \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$300 (THR HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), and \$50,000 (FIFTY THO).

5. *Prizes:* The prizes that can be won in this game are: \$3, \$5, \$10, \$20, \$25, \$50, \$100, \$150, \$300, \$1,000, \$5,000, and \$50,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,200,000 tickets will be printed for the Pennsylvania On A Roll instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$50,000 (FTY THO) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$5,000 (FIV THO) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$300 (THR HUN) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$300.

(e) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$150 (ONEHUNFTY) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$150.

(f) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$25.

(i) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets upon which the "ROLL NEEDED" condition is satisfied by the dice play symbols contained in the "YOUR ROLL" area for the same "GAME," and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "PRIZE" area to the right of that "GAME," on a single ticket, shall be entitled to a prize of \$5.

(1) Holders of tickets upon which the “ROLL NEEDED” condition is satisfied by the dice play symbols contained in the “YOUR ROLL” area for the same “GAME,” and a prize symbol of \$3⁰⁰ (THR DOL) appears in the “PRIZE” area to the right of that “GAME,” on a single ticket, shall be entitled to a prize of \$3.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

*Scratch Across Each Game.
When A Roll Needed
Condition Is Satisfied By
Your Roll For The Same
Game Win Prize Shown To
The Right of That Game. Win
With:*

<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,200,000 Tickets</i>
\$3	9.09	1,122,000
\$5	13.70	744,600
\$5 × 2	58.82	173,400
\$10	58.82	173,400
\$5 × 4	500	20,400
\$10 × 2	500	20,400
(\$3 × 5) + \$5	250	40,800
\$20	500	20,400
\$5 × 5	1,000	10,200
(\$5 × 2) + (\$3 × 5)	1,000	10,200
(\$10 × 2) + \$5	500	20,400
\$25	1,000	10,200
\$5 × 10	2,000	5,100
\$25 × 2	2,000	5,100
(\$20 × 2) + \$10	2,000	5,100
(\$10 × 3) + (\$3 × 5) + \$5	2,000	5,100
\$50	2,000	5,100
\$10 × 10	2,000	5,100
\$20 × 5	8,000	1,275
\$25 × 4	8,000	1,275
(\$25 × 2) + \$50	4,000	2,550
\$100	4,000	2,550
\$25 × 6	12,000	850
\$50 × 3	12,000	850
(\$20 × 5) + (\$10 × 5)	6,000	1,700
(\$20 × 6) + (\$10 × 3)	12,000	850
\$100 + \$50	8,000	1,275
\$150	12,000	850
\$50 × 6	15,000	680
\$150 × 2	40,000	255
(\$50 × 4) + (\$20 × 5)	40,000	255
(\$50 × 2) + (\$25 × 8)	12,000	850
(\$100 × 2) + (\$25 × 4)	40,000	255
\$300	40,000	255
\$100 × 10	30,000	340
(\$300 × 2) + (\$100 × 4)	30,000	340
\$1,000	30,000	340
\$5,000	120,000	85
\$50,000	680,000	15

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania On A Roll instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000

shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will

not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania On A Roll, prize money from winning Pennsylvania On A Roll instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania On A Roll instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania On A Roll or through normal communications methods.

DANIEL MEUSER,
Secretary

[Pa.B. Doc. No. 14-852. Filed for public inspection April 18, 2014, 9:00 a.m.]

DEPARTMENT OF STATE

Bureau of Corporations and Charitable Organizations; Adopted Official Forms

The Department of State's Bureau of Corporations and Charitable Organizations (Bureau) published notice at 44 Pa.B. 1401 (March 8, 2014) of the Bureau's intent to amend the forms currently in 19 Pa. Code Appendix B (relating to official forms) to provide for a new form relating to expedited services—Form DSCB:15-153(a)(16) (Expedited Service Request). Notice of expedited services and a copy of Form DSCB:15-153(a)(16) was also published at 43 Pa.B. 7515 (December 21, 2013). Form DSCB:15-153(a)(16), which does not constitute agency regulations, was subject to the opportunity for public comment under section 201 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. § 1201), known as the Commonwealth Documents Law. The Bureau did not receive any comments during the intervening 30-day public comment period. Therefore, the new form is being codified and inserted into 19 Pa. Code Appendix B as it was published at 44 Pa.B. 1401.

CAROL AICHELE,
Secretary

[Pa.B. Doc. No. 14-853. Filed for public inspection April 18, 2014, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from www.irrc.state.pa.us.

<i>Final-Omit Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
57-305	Pennsylvania Public Utility Commission Amending Regulations Regarding Disclosure Statement for Residential and Small Business Customers and the Provision of Notices of Contract Expiration or Changes in Terms for Residential and Small Business Customers	4/8/14	5/22/14
57-306	Pennsylvania Public Utility Commission Amending Regulations Regarding Standards for Changing a Customer's Electricity Generation Supplier	4/8/14	5/22/14

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 14-854. Filed for public inspection April 18, 2014, 9:00 a.m.]

Notice of Filing of Final Rulemakings; Correction

An error occurred in the notice published at 44 Pa.B. 2142 (April 5, 2014). The date of the public meeting for consideration of final-form rulemaking 7-483 was incorrect. The correct information follows. The remainder of the notice was accurate as published.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
7-483	Environmental Quality Board Oil and Gas Well Fee Amendments	3/21/14	5/1/14

[Pa.B. Doc. No. 14-855. Filed for public inspection April 18, 2014, 9:00 a.m.]

INSURANCE DEPARTMENT**Health Maintenance Organization Certificate of Authority Application Filed by Oxford Health Plans (NJ), Inc.**

Notice is given that on February 10, 2014, Oxford Health Plans (NJ), Inc. filed an application with the Department of Health and the Insurance Department for a certificate of authority to establish, operate and maintain a health maintenance organization (HMO) under the Health Maintenance Organization Act (40 P. S. §§ 1551—1567), Department of Health HMO regulations (28 Pa. Code §§ 9.631—9.654) and the Insurance Department HMO regulations (31 Pa. Code §§ 301.1—301.204).

The proposed service area of the applicant is Allegheny, Beaver, Berks, Butler, Erie, Fayette, Greene, Lancaster, Lawrence, Lehigh, Northampton, Westmoreland and York Counties.

A copy of the application is available for public inspection, by appointment only, at the following locations:

Department of Health
Bureau of Managed Care
Room 912, Health and Welfare Building
Harrisburg, PA 17109-0900
Telephone: (717) 787-5193

Insurance Department
Company Licensing Division
1345 Strawberry Square
Harrisburg, PA 17120
Telephone: (717) 787-2735

Interested parties are invited to submit written comments to William Wiegmann, Department of Health or Steven Yerger, Insurance Department at the previously listed addresses. Persons who wish to submit written comments regarding the application may do so within 7 days of publication of this notice in the *Pennsylvania Bulletin*. Persons with disabilities may submit information and comments through alternative formats, such as by audio tape, Braille or using the Department of Health TDD (717) 783-6514. Persons with a disability requesting alternative forms may contact William Wiegmann so that he may make the necessary arrangements.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-856. Filed for public inspection April 18, 2014, 9:00 a.m.]

Health Maintenance Organization Certificate of Authority Application Filed by UnitedHealthCare of New England, Inc.

Notice is given that on February 14, 2014, UnitedHealthCare of New England, Inc. filed an application with the Department of Health and the Insurance Department for a certificate of authority to establish, operate and maintain a health maintenance organization (HMO) under the provisions of the Health Maintenance Organization Act (40 P. S. §§ 1551—1567), Department of Health HMO regulations (28 Pa. Code §§ 9.631—9.654) and the Insurance Department HMO regulations (31 Pa. Code §§ 301.1—301.204).

The proposed service area of the applicant is Berks and Bucks Counties.

A copy of the application is available for public inspection, by appointment only, at the following locations:

Department of Health
Bureau of Managed Care
Room 912, Health and Welfare Building
Harrisburg, PA 17109-0900
Telephone: (717) 787-5193

Insurance Department
Company Licensing Division
1345 Strawberry Square
Harrisburg, PA 17120
Telephone: (717) 787-2735

Interested parties are invited to submit written comments to William Wiegmann, Department of Health or Steven Yerger, Insurance Department at the previously listed addresses. Persons who wish to submit written comments regarding the application may do so within 7 days of publication of this notice in the *Pennsylvania Bulletin*. Persons with disabilities may submit information and comments through alternative formats, such as by audio tape, Braille or using the Department of Health TDD (717) 783-6514. Persons with a disability requesting alternative forms may contact William Wiegmann so that he may make the necessary arrangements.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-857. Filed for public inspection April 18, 2014, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policies. The hearings will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Philadelphia, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Rhonda Christensen; file no. 14-114-158347; State Farm; Doc. No. P14-04-004; May 13, 2014, 9:30 a.m.

The following hearings will be held in Strawbridge and Clothier, Justice Hearing Room 4030, 801 Market Street, Philadelphia, PA 19107.

Appeal of Brian Torres; file no. 14-188-158687; Nationwide Affinity Insurance Company; Doc. No. P14-03-013; May 8, 2014, 9 a.m.

Appeal of Yi Feng; file no. 14-116-157562; GEICO Casualty Company; Doc. No. P14-04-002; May 8, 2014, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-858. Filed for public inspection April 18, 2014, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in Strawbridge and Clothier, Justice Hearing Room 4030, 801 Market Street, Philadelphia, PA 19107.

Appeal of Melvin Gowans; file no. 14-130-159614; Foremost Insurance Company; Doc. No. P14-04-003; May 8, 2014, 11 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-859. Filed for public inspection April 18, 2014, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 205.12—Financial Disclosures Required of Former Public Employees and Former Public Officials by the Public Official and Employee Ethics Act, 65 Pa.C.S. Sections 1101—1113, Amended March 27, 2014.

Management Directive No. 245.16—Pennsylvania Justice Network (JNET) Governance Structure, Amended March 18, 2014.

Management Directive No. 305.7—Interest Penalties for Late Payments, Amended March 10, 2014.

LAURA CAMPBELL,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 14-860. Filed for public inspection April 18, 2014, 9:00 a.m.]

LIQUOR CONTROL BOARD

Request for Proposals

Proposals are invited to provide the Liquor Control Board with approximately 9,000 to 10,000 net useable square feet of new or existing space within a 1-mile radius of SR 132 and SR 611, Warrington, Bucks County.

JOSEPH E. BRION,
Chairperson

[Pa.B. Doc. No. 14-861. Filed for public inspection April 18, 2014, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Intra-Company Changes

A-2014-2415216 and A-2014-2415219. Sidera Networks, LLC and NEON Connect, Inc. Joint application of Sidera Networks, LLC and NEON Connect, Inc., for approval of certain pro forma intra-company changes.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 5, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: Sidera Networks, LLC, NEON Connect, Inc.

Through and By Counsel: Michael A. Gruin, Esquire, Stevens & Lee, Harrisburg Market Square, 17 North 2nd Street, 16th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-862. Filed for public inspection April 18, 2014, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by May 5, 2014. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2014-2400613. Vantastic Limo, LLC (626 Crane Avenue, Pittsburgh, Allegheny County, PA 15216) in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Allegheny, Armstrong, Beaver, Butler, Cambria, Clarion, Fayette, Forest, Greene, Indiana, Jefferson, Lawrence, Mercer, Somerset, Venango, Washington and Westmoreland, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2014-2403346. Choice Cab Company (20857 Rt. 68, Clarion, Clarion County, PA 16214) for the right to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Butler, Clarion, Forest, Jefferson and Venango, to points in Pennsylvania, and return.

A-2014-2404166. DN Safety Transit, LLC (2943 Elbridge Street, Philadelphia, Philadelphia County, PA 19149) for the right to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia and the Counties of Bucks, Chester, Delaware and Montgomery, to points in Pennsylvania, and return.

A-2014-2415045. Lyft, Inc. (548 Market Street #68514, San Francisco, CA 94104)—a corporation of the State of Delaware—for the right to begin to transport, by motor vehicle, persons in the experimental service of Transportation Network Company for passenger trips between points in Allegheny County. *Attorney:* James P. Dougherty, 100 Pine Street, P. O. Box 1166, Harrisburg, PA 17108-1166.

A-2014-2415047. Lyft, Inc. (548 Market Street #68514, San Francisco, CA 94104)—a corporation of the State of Delaware—for the right to begin to transport, by motor vehicle, persons in the experimental service of Transportation Network Company for passenger trips between points in Pennsylvania. *Attorney:* James P. Dougherty, 100 Pine Street, P. O. Box 1166, Harrisburg, PA 17108-1166.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-863. Filed for public inspection April 18, 2014, 9:00 a.m.]

Telecommunications

A-2014-2414812. Verizon North, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access. Joint petition of Verizon North, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access for approval of adoption of interconnection agreement under section 252(i) of The Telecommunications Act of 1996.

Verizon North, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access, by its counsel, filed on April 4, 2014, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov, and at the applicant's business address. Copies of the Verizon North, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-864. Filed for public inspection April 18, 2014, 9:00 a.m.]

Telecommunications

A-2014-2414793. Verizon Pennsylvania, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access. Joint petition of Verizon Pennsylvania, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access for approval of adoption of an interconnection agreement under section 252(i) of The Telecommunications Act of 1996.

Joint petition of Verizon Pennsylvania, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access by its counsel, filed on April 4, 2014, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at www.puc.pa.gov, and at the applicant's business address. Copies of the joint petition of Verizon Pennsylvania, LLC and North Penn Long Distance Corporation, d/b/a North Penn Access are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-865. Filed for public inspection April 18, 2014, 9:00 a.m.]

STATE BOARD OF BARBER EXAMINERS

**Bureau of Professional and Occupational Affairs v.
Qwan McIntyre; Doc. No. 0287-42-2014**

On September 30, 2008, Qwan McIntyre, of Steelton, Dauphin County, had his license no. BL052352 to practice barbering suspended under the Order of the Court of Common Pleas in Philadelphia County dated February 14, 2014, which the court issued under 23 Pa.C.S. § 4355 (relating to denial or suspension of licenses). This suspension is effective immediately.

Individuals may obtain a copy of the adjudication by writing to Cynthia K. Montgomery, Senior Board Counsel, State Board of Barber Examiners, P. O. Box 2649, Harrisburg, PA 17105-2649.

JOHN E. PAYNE, Jr.,
Chairperson

[Pa.B. Doc. No. 14-866. Filed for public inspection April 18, 2014, 9:00 a.m.]

STATE ETHICS COMMISSION

Public Meeting

Under 65 Pa.C.S. §§ 1101—1113 (relating to Public Official and Employee Ethics Act) (act) the State Ethics Commission (Commission) is required to hold at least two public hearings each year to seek input from persons and organizations who represent any individual subject to the provisions of the act and from other interested parties.

The Commission will conduct a public meeting in Room 307, Finance Building, Harrisburg, PA on April 25, 2014, beginning at 9 a.m. for purposes of receiving input and for the conduct of other Commission business. Public officials, public employees, organizations and members of the general public may attend.

Persons seeking to testify or present any statement, information or other comments in relation to the act, the regulations of the Commission or Commission operations should contact Heather Mulhollan at (717) 783-1610 or (800) 932-0936. Written copies of any statement should be provided at the time of the meeting.

ROBERT P. CARUSO,
Executive Director

[Pa.B. Doc. No. 14-867. Filed for public inspection April 18, 2014, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on May 8, 2014, at 2:30 p.m. at the Pennsylvania State Capitol, Room 8E-B, East Wing, Commonwealth Avenue, Harrisburg, PA. The public hearing will end at 5 p.m. or at the conclusion of public testimony, whichever is sooner. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. The projects are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for June 5, 2014, which will be noticed separately. The Commission will also hear testimony on: (1) amending its Regulatory Program Fee Schedule; (2) amending its Records Processing Fee Schedule; and (3) amending the Comprehensive Plan for the Water Resources of the Susquehanna River Basin. The public should take note that this public hearing will be the only opportunity to offer oral comment to the Commission for the listed projects and other items. The deadline for the submission of written comments is May 19, 2014.

For further information contact Richard A. Cairo, General Counsel, (717) 238-0423, Ext. 1306, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission Water Resource Portal at www.srbc.net/wrp. Materials and supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at www.srbc.net/pubinfo/docs/2009-02%20Access%20to%20Records%20Policy%209-10-09.PDF.

Supplementary Information

The public hearing will cover: (1) amendment to its Regulatory Program Fee Schedule; (2) amendment to its Records Processing Fee Schedule; and (3) amendment to the Comprehensive Plan for the Water Resources of the Susquehanna River Basin. The public hearing will also cover the following projects:

Public Hearing—Projects Scheduled for Action

1. Project Sponsor and Facility: DS Waters of America, Inc., Clay Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.115 mgd (30-day average) from Well 6.

2. Project Sponsor and Facility: Healthy Properties, Inc. (Sugar Creek), North Towanda Township, Bradford County, PA. Application for renewal and modification to increase surface water withdrawal by an additional 0.549 mgd (peak day), for a total of up to 0.999 mgd (peak day) (Docket No. 20100308).

3. Project Sponsor and Facility: IBM Corporation, Village of Owego, Tioga County, NY. Application for groundwater withdrawal of up to 0.002 mgd (30-day average) from Well 415.

4. Project Sponsor and Facility: Jay Township Water Authority, Jay Township, Elk County, PA. Application for groundwater withdrawal of up to 0.265 mgd (30-day average) from Byrnedale Well #1.

5. Project Sponsor and Facility: LDG Innovation, LLC (Tioga River), Lawrenceville Borough, Tioga County, PA.

Application for renewal of surface water withdrawal of up to 0.750 mgd (peak day) (Docket No. 20100311).

6. Project Sponsor: Leola Sewer Authority. Project Facility: Upper Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.075 mgd (30-day average) from Well 13 (Docket No. 19820601).

7. Project Sponsor and Facility: Mountain Energy Services, Inc. (Tunkhannock Creek), Tunkhannock Township, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 1.498 mgd (peak day) (Docket No. 20100309).

8. Project Sponsor and Facility: Newport Borough Water Authority, Oliver Township, Perry County, PA. Application for groundwater withdrawal of up to 0.162 mgd (30-day average) from Well 1.

9. Project Sponsor: Pennsylvania Department of Environmental Protection—South-central Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location: Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.576 mgd (30-day average) from Stoltzfus Well.

10. Project Sponsor: Pennsylvania Department of Environmental Protection—South-central Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location: Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.432 mgd (30-day average) from Township Well.

11. Project Sponsor and Facility: Pennsylvania General Energy Company, LLC (Pine Creek), Watson Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 0.918 mgd (peak day) (Docket No. 20100610).

12. Project Sponsor and Facility: Pro-Environmental, LLC (Martins Creek), Lathrop Township, Susquehanna County, PA. Application for surface water withdrawal of up to 0.999 mgd (peak day).

13. Project Sponsor and Facility: Southwestern Energy Production Company (Martins Creek), Brooklyn and Harford Townships, Susquehanna County, PA. Modification to low flow protection requirements of the surface water withdrawal approval (Docket No. 20110312).

14. Project Sponsor and Facility: Southwestern Energy Production Company (Susquehanna River), Great Bend Township, Susquehanna County, PA. Application for surface water withdrawal of up to 3.000 mgd (peak day).

15. Project Sponsor and Facility: Sugar Hollow Water Services, LLC (Bowman Creek), Eaton Township, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 0.249 mgd (peak day) (Docket No. 20100310).

16. Project Sponsor and Facility: Susquehanna Gas Field Services, LLC, Meshoppen Borough, Wyoming County, PA. Application for renewal of groundwater withdrawal of up to 0.216 mgd (30-day average) from Meshoppen Pizza Well (Docket No. 20100612).

17. Project Sponsor and Facility: Susquehanna Gas Field Services, LLC (Susquehanna River), Meshoppen Township, Wyoming County, PA. Application for surface water withdrawal of up to 2.000 mgd (peak day).

18. Project Sponsor and Facility: Talisman Energy USA, Inc. (Fall Brook), Troy Township, Bradford County, PA. Application for renewal and modification of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20100304).

19. Project Sponsor and Facility: Talisman Energy USA, Inc. (Unnamed Tributary to the North Branch Sugar Creek), Columbia Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20100305).

Public Hearing—Project Scheduled for Action Involving a Diversion

1. Project Sponsor: EOG Resources, Inc. Project Facility: Blue Valley Abandoned Mine Drainage Treatment Plant, Horton Township, Elk County, PA. Application for renewal of into-basin diversion from the Ohio River Basin of up to 0.322 mgd (peak day) (Docket No. 20100616).

Opportunity to Appear and Comment

Interested parties may appear at the hearing to offer comments to the Commission on any project listed or other items listed previously. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Ground rules will be posted on the Commission's web site

at www.srbc.net prior to the hearing for review. The presiding officer reserves the right to modify or supplement the rules at the hearing. Written comments on any project or other items listed previously may also be mailed to Richard Cairo, General Counsel, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, Pa. 17110-1788, or submitted electronically through <http://www.srbc.net/pubinfo/publicparticipation.htm>. Comments mailed or electronically submitted must be received by the Commission on or before May 19, 2014, to be considered.

Authority: Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: April 4, 2014.

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 14-868. Filed for public inspection April 18, 2014, 9:00 a.m.]

