

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 24, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-19-2014	Bryn Mawr Bank Corporation Bryn Mawr Montgomery County Application for Bryn Mawr Bank Corporation to acquire 100% of Continental Bank Holdings, Inc., Plymouth Meeting, and thereby indirectly acquire Continental Bank, Plymouth Meeting.	Filed

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-19-2014	The Bryn Mawr Trust Company Bryn Mawr Montgomery County Application for approval to merge Continental Bank, Plymouth Meeting, with and into The Bryn Mawr Trust Company, Bryn Mawr.	Filed

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-6-2014	Marion Center Bank Indiana Indiana County	279 Beaver Street Hastings Cambria County	Opened

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-20-2014	Royal Bank America Narberth Montgomery County	<i>To:</i> 1651 Blackwood Clementon Road Blackwood Camden County, NJ <i>From:</i> 1990 New Brooklyn Road Sicklerville Gloucester County, NJ	Filed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
6-20-2014	William Penn Bank Levittown Bucks County Amendment to Article 2 of the institution's Articles of Incorporation provides for a change in principal place of business from 8150 Route 13, Levittown, Bucks County, PA 19057 to 1309 South Woodbourne Road, Levittown, Bucks County, PA 19057.	Filed

CREDIT UNIONS
Branch Applications
De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-19-2014	TruMark Financial Credit Union Trevose Bucks County	275 Swamp Road Newtown Bucks County	Approved

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 14-1390. Filed for public inspection July 3, 2014, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Execution of Oil and Gas Lease for Publicly-Owned Streambeds

Effective January 31, 2014, an Oil and Gas Lease for Publicly-Owned Streambeds, Contract No. M-2102025-04, was executed by and between the Commonwealth, acting through the Department of Conservation and Natural Resources (Department) (lessor), and Vantage Energy Appalachia, LLC (lessee), with its principal place of business located at 116 Iverness Drive East, Suite 107, Englewood, CO 80112.

The lease is for Streambed Tract 2025, encompassing a total of approximately 80.423 acres of submerged lands located in Jefferson and Waynesburg Townships, Greene County. The lease was recorded at the Greene County courthouse on March 27, 2014, instrument no. 201400001688, Book 467, page 723-729. The lease allows for the development of oil and natural gas below and between the ordinary low water marks of Tenmile Creek solely by means of directional, including horizontal, drilling on a nondevelopment basis that will not disturb the river or its bed. Contract No. M-2102025-04 may be viewed online at <http://contracts.patreasury.gov/View.aspx?ContractID=263776>.

Questions regarding this lease should be directed to the Department's Bureau of Forestry, Minerals Division at (717) 787-2703.

ELLEN M. FERRETTI,
Secretary

[Pa.B. Doc. No. 14-1391. Filed for public inspection July 3, 2014, 9:00 a.m.]

Execution of Oil and Gas Lease for Publicly-Owned Streambeds

Effective February 25, 2014, an Oil and Gas Lease for Publicly-Owned Streambeds, Contract No. M-2102029-6, was executed by and between the Commonwealth, acting through the Department of Conservation and Natural Resources (Department) (lessor), and XTO Energy, Inc.

(lessee), with its principal place of business located at 810 Houston Street, Fort Worth, TX 76102.

The lease is for Streambed Tract 2029 and includes two separate parcels encompassing a total of approximately 18.7 acres of submerged lands located in Burrell, Center, Brush Valley and West Wheatfield Townships, Indiana County. The lease was recorded at the Indiana County courthouse on March 11, 2014, instrument no. 2014-250248. The lease allows for the development of oil and natural gas below and between the ordinary low water marks of Blacklick Creek solely by means of directional, including horizontal, drilling on a nondevelopment basis that will not disturb the river or its bed. Contract No. M-2102029-6 may be viewed online at <http://contracts.patreasury.gov/View.aspx?ContractID=263778>.

Questions regarding this lease should be directed to the Department's Bureau of Forestry, Minerals Division at (717) 787-2703.

ELLEN M. FERRETTI,
Secretary

[Pa.B. Doc. No. 14-1392. Filed for public inspection July 3, 2014, 9:00 a.m.]

Wild Resource Conservation Program Hearing

A hearing will be held on Tuesday, August 5, 2014, to comment on the applications submitted to the Wild Resource Conservation Program for grant funding in Fiscal Year 2014-2015. The hearing will be held at 10:30 a.m. in the 6th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this hearing can be directed to Jennifer Girton at (717) 787-3212, jgirton@pa.gov or Greg Czarnecki at (717) 783-1337, gczarnecki@pa.gov. Individuals who plan to make comments should contact Jennifer Girton or Greg Czarnecki.

Persons in need of accommodations as provided for the Americans with Disability Act of 1990 should contact Greg Czarnecki directly or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department of Conservation and Natural Resources may accommodate their needs.

ELLEN FERRETTI,
Secretary

[Pa.B. Doc. No. 14-1393. Filed for public inspection July 3, 2014, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060755 (Sewage)	Wyoming County Housing Authority (Meshoppen Towne House Apartments) 133 SJ Bailey Road Nicholson, PA 18446	Wyoming County Meshoppen Township	Little Meshoppen Creek (4-G)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0263478 (Sewage)	Edward F. & Lorraine D. Selvoski SFTF 3287 West Washington Street, Bradford, PA 16701	McKean County Corydon Township	Willow Creek (16-B)	Y
PA0239381 (Sewage)	Silva SRSTP 680 Hilltop Drive, Pittsfield, PA 16340	Warren County Deerfield Township	Unnamed Tributary to the Rock Hollow Run (16-F)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

PA0012726, Industrial Waste, SIC Code 3354, **Sapa Extrusions, Inc.**, P. O. Box 187, 53 Pottsville Street, Cressona, PA 17929-0187. Facility Name: Sapa Extrusions, Inc. This existing facility is located in Cressona Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial wastewater.

The receiving stream, West Branch Schuylkill River, is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 (discharge from IMP 010, stormwater and noncontact cooling water) are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total PCBs	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 007 (stormwater and groundwater infiltration) are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total PCBs	XXX	XXX	XXX	0.00175	XXX	XXX

The proposed effluent limits for Outfall 008 (stormwater and groundwater infiltration) are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total PCBs	XXX	XXX	XXX	0.00175	XXX	XXX

The proposed effluent limits for Outfall 009 (stormwater and groundwater infiltration) are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total PCBs	XXX	XXX	XXX	0.00175	XXX	XXX

The proposed effluent limits for Internal Monitoring Point 010 are based on a discharge flow of 0.100 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Total Suspended Solids	218	413	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	Report	XXX	XXX	4,000	XXX
Oil and Grease	12.5	25.0	XXX	15	30	30
Total Aluminum						
(Interim)	27.2	57.6	XXX	Report	Report	XXX
(Final)	12.7	19.8	XXX	15.2	23.7	38.0
Total Chromium	1.53	3.73	XXX	Report	Report	XXX
Total Cyanide	0.94	2.28	XXX	Report	Report	XXX
Total Iron	Report	XXX	XXX	Report	XXX	XXX
Total Manganese	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Thallium						
(Interim)	Report	Report	XXX	Report	Report	XXX
(Final)	0.0120	0.0188	XXX	0.0144	0.0225	0.0360
Total Zinc	4.76	11.46	XXX	Report	Report	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX
Total PCBs	Avg Qrtly XXX	XXX	XXX	Avg Qrtly 0.00175	XXX	XXX

In addition, the permit contains the following major special conditions:

- WQBELs Below Quantitation Limits
- Total PCBs
- Treatment System for PCBs
- Schedule of Compliance for Total Thallium
- Chemical Additives
- Requirements Applicable to Stormwater Outfalls.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0009733, Industrial Waste, SIC Code 4911, **Exelon Generation Company LLC**, 1848 Lay Road, Delta, PA 17314-9032. Facility Name: Peach Bottom Atomic Power Station. This existing facility is located in Peach Bottom Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-1 and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2292 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	XXX	XXX	0.2
Temperature (°F)	XXX	XXX	XXX	Report	Report	110
Nalco H150M	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen Intake	Avg. Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus Intake	Report	XXX	XXX	Report	XXX	XXX
Total PCBs	XXX	XXX	XXX	XXX	XXX	Report
Total PCBs Intake	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0.528 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	XXX	XXX	0.2
Temperature (°F)	XXX	XXX	XXX	Report	Report	Report
Total PCBs	XXX	XXX	XXX	XXX	XXX	Report

Discharge limited to Raw Intake Screen Backwash Only.

Debris collected on the intake screens shall be collected and not discharged back to the river.

The proposed effluent limits for Outfall 003 are based on a design flow of 0.026 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30
Total Aluminum	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.067 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30

The proposed effluent limits for Outfall 005 are based on a design flow of 0.05 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	Report
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0
Total Nitrogen	XXX	Report	XXX	Report	XXX	XXX
Total Phosphorus	XXX	Annual Avg. Report	XXX	Annual Avg. Report	XXX	XXX
		Annual Avg.		Annual Avg.		

The proposed effluent limits for Outfall 006 are based on a design flow of 0.0 MGD (emergency only).

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30

The proposed effluent limits for Outfall 007 are based on a design flow of 0.528 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	XXX	XXX	0.2

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (°F)	XXX	XXX	XXX	Report	Report	Report
Total PCBs	XXX	XXX	XXX	XXX	XXX	Report

Discharge limited to Raw Intake Screen Backwash Only.

Debris collected on the intake screens shall be collected and not discharged back to the river.

The proposed effluent limits for Outfall 008 are based on a design flow of 0.32 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX
Total PCBs	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 901 (i.e., Outfall 009a) are based on a design flow of 0.021 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30

The proposed effluent limits for Outfalls 009 (i.e., Outfall 009b), 010, 012 through 022 and 025 through 033 are based on a design flow of 0.0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX
Total PCBs	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- 316(a) Thermal Variance Condition
- 316(b) Cooling Water Intake Structure(s)
- Chemical Additives
- Stormwater Requirements
- Releases of Radioactive Material
- PCB Discharge Prohibition
- No Net Addition of Pollutants for Non-Contact Cooling Water
- Total Residual Minimization/Effective Disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0028487, Sewage, SIC Code 4900, 4952, **Hermitage Municipal Authority Mercer County**, 800 North Hermitage Road, Hermitage, PA 16148. Facility Name: Hermitage Municipal Authority STP. This existing facility is located in Hermitage City, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream is the Shenango River, located in State Water Plan watershed 20-A and classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.7 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	1,605	2,569	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,927	2,890	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
UV Intensity (µw/cm ²)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	706	XXX	XXX	11	XXX	22
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Antimony	XXX	XXX	XXX	0.044	0.050	0.090
Total Copper	XXX	XXX	XXX	0.020	0.030	0.040
Chlordane	XXX	XXX	XXX	0.00003	0.00005	0.00007

In addition, the permit contains the following major special conditions: Pretreatment, Storm Water, and Toxicity Reduction Evaluation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

PA0029122, Sewage, SIC Code 4952, **Saxonburg Area Authority**, 420 W Main Street, Saxonburg, PA 16056-9517. Facility Name: Saxonburg Area Authority STP. This existing facility is located in Jefferson Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Connoquenessing Creek, is located in State Water Plan watershed 20-C and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.05 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅						
May 1 - Oct 31	256	427	XXX	15	25	30
Nov 1 - Apr 30	427	684	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids	513	769	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
UV Intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	77	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30	231	XXX	XXX	13.5	XXX	27
Total Phosphorus	34.2	XXX	XXX	2	XXX	4

In addition, the permit contains the following major special conditions:

- Annual Whole Effluent Toxicity Testing Requirement
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01621403, Sewage, **Albert Reist**, 2751 Scranton Hollow Road, Warren, PA 16365.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

WQM Permit No. WQG01621404, Sewage, **Mary Mangione**, P. O. Box 604, Sheffield, PA 16347.

This proposed facility is located in Glade Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

IV. NPDES Applications for Stormwater Discharges from MS4

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PAI132218, MS4, **Hanover Township**, 3630 Jacksonville Road, Bethlehem, PA 18017.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Hanover Township, **Northampton County**. The receiving streams, Monocacy Creek, Unnamed Tributary to Catasauqua Creek and Unnamed Tributary to Monocacy Creek, are located in State Water Plan watershed 2-C and are classified for High Quality Waters—Cold Water Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is not in effect.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI01 1514022	The Vanguard Group 1041 West Valley Road, 415 Wayne, PA 19087	Chester	Tredyffrin Township	Little Valley Creek EV
PAI01 1514024	Pennsylvania Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106	Chester	Charlestown Township	Valley Creek EV Pickering Creek HQ—TSF—MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 4612002-1	Montgomery County Montgomery County Courthouse P. O. Box 311 Norristown, PA 19401	Montgomery	Norristown Borough Plymouth Township	Schuylkill River Basin (Stony Creek to unnamed Tributary 00926) WWF—MF Diamond Run WWF—MF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Wayne County Conserve District, 648 Park Street, Honesdale PA 18431

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI026414003	Zaremba Program Development, LLC 14600 Detroit Avenue Lakewood, OH 44107	Wayne	Waymart Borough	UNT Van Auken Creek (HQ-TSF, MF)

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI052614001	Verizon Wireless 18 Abele Road Bridgeville, PA 15017	Fayette	Dunbar Township	Morgan Run (HQ-CWF)

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Stone Chimney Hollow Robert Gochenaur 3449 Delta Road Airville, PA 17302	York	120	534.12	Swine / Poultry	None	Renewal

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Pocono Manor Inn and Golf Resort, PO Box 38, Tobyhanna Township, **Monroe County**, Jeffery Mulligan, Ecol Sciences, Inc., has submitted a Notice of Intent to Remediate on behalf of his client, Jim Cahill, Pocono Manor Investors, LP, The Inn at Pocono Manor, PO Box 38, Pocono Manor, PA 18349, concerning the remediation of soil from PAH's, Arsenic and Lead due to historical operations at the site. The applicant proposes to remediate the site to meet the Non-Residential Statewide Health Standards for soil. The intended future use of the site is Non-residential. A Summary of the Notice of Intent to Remediate was published in *The Pocono Record* on May 13, 2014.

Young Property, 1462 E University Avenue, Lower Saucon Township, **Northampton County**, Jeremy Fox, EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017, had submitted a Notice of Intent to Remediate on behalf of his client, Arden Young, 1562 E University Avenue, Bethlehem, PA 18015, concerning the remediation of soil due to the release of an unknown volume of heating oil from a hole found in the bottom of an aboveground storage tank. The applicant proposes to remediate the site to meet the residential Statewide Health Standards for soil. The intended future use of the site is residential. A summary of the Notice of Intent to Remediate was published in *The Morning Call* on May 23, 2014.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

PAD981737109. Safety-Kleen Systems, Inc., 600 Stewart Road, Wilkes-Barre, PA 18706. This application is for the 10-year renewal of the existing RCRA Part B Permit for a Hazardous Waste Treatment, Storage and Disposal facility located in Hanover Township, **Luzerne County**. The application was received by the Northeast Regional Office on June 12, 2014 and accepted as complete on June 17, 2014.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 101619. Joseph J. Brunner, Inc., 211 Brunner Road, Zelienople, PA 16063. Brunner Recycling Center, 2973 Duss Avenue, Ambridge, PA 15003. Application for the renewal of a permit to operate a municipal waste processing facility located in Harmony Township, **Beaver County**, was accepted in the Regional Office on June 18, 2014.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS NEW SOURCES AND MODIFICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office listed before the applications. Persons interested in reviewing the application files should contact the appropriate regional office to schedule appointments.

Persons wishing to receive a copy of a proposed Plan Approval or Operating Permit shall indicate interests to the Department regional office within 30 days of the date of this notice and shall file protests or comments on a proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed documents to persons or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that hearings be held concerning a proposed Plan Approval or Operating Permit. A comment or protest filed with the Department regional office shall include a concise statement of the objections to the issuance of the Plan Approval or Operating Permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

04-00009: Beaver Falls Tubular Products, LLC (6051 Wallace Road Ext, Suite 200, Wexford PA 15090) to authorize the continued operation of their Beaver Falls iron and steel pipe and tube manufacturing plant located in Beaver Falls City, **Beaver County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Beaver Falls Tubular Products, LLC to authorize the continued operation of their Beaver Falls iron and steel pipe and tube manufacturing plant located in Beaver Falls City, Beaver County.

The facility consists of two boilers, two normalizer furnaces, a baf furnace, two sulfuric acid pickling tanks, a phosphoric preparation, a lubricant tank, rinse tanks, and other miscellaneous equipment associated with this type of operation. This facility has the potential to emit 1.15 ton per year of PM₁₀, 45.66 ton per year of NO_x and 1.11 ton per year of VOC. The proposed SOOP renewal contains conditions relating to monitoring, recordkeeping and work practice standards.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 04-00009) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Noor Nahar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, and 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Noor Nahar at 412-442-5225.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35

P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 32090201 and NPDES No. PA0262854. Britt Energies, Inc., P. O. Box 515, Indiana, PA 15701, permit renewal for the continued operation and restoration of a bituminous surface coal refuse reprocessing mine in Conemaugh Township, **Indiana County**, affecting 11.9 acres. Receiving streams: unnamed tributaries to/and Sulfur Run classified for the following use: cold water

fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 2, 2014.

Permit No. 56080109 and NPDES No. PA0262706. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Somerset Township, **Somerset County**, affecting 320.7 acres. Receiving streams: unnamed tributaries to Wells Creek to Stonycreek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 4, 2014.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

30010101 and NPDES Permit No. PA0202975. Patriot Mining Company, Inc. (2708 Cranberry Square, Morgantown, WV 26508). Revision application to construct a passive treatment system for continued treatment to an existing bituminous surface mine, located in Dunkard and Perry Townships, **Greene County**, affecting 336 acres. Receiving stream: Dooley Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: June 18, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17110106 and NPDES No. PA0257672. Black Cat Coal, LLC (107 W. First Ave., Clearfield, PA 16830). Revision to an existing bituminous surface and auger mine for an incidental boundary revision and modification to the NPDES permit located in Brady Township, **Clearfield County** affecting 116.0 acres. Receiving streams: Unnamed Tributaries to East Branch Mahoning Creek classified for High Quality Cold Water Fishes and Stump Creek classified for Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 16, 2014.

17663136 and NPDES PA0126870. EnerCorp, Inc. (1310 Allport Cutoff, Morrisdale, PA 16858). Permit renewal of an existing bituminous surface mine located in Graham Township, **Clearfield County** affecting 202 acres. Receiving streams: Mons Run and Flat Run classified as the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: June 17, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54773215R6. Jeddo-Highland Coal Company, (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an anthracite coal refuse reprocessing operation in Reilly and Frailey Townships, **Schuylkill County** affecting 46.4 acres, receiving stream: Middle Creek, classified for the following use: cold water fishes. Application received: June 6, 2014.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity*			

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

08140301. Dalrymple Gravel & Contracting Company, Inc. (2105 South Broadway, Pine City, NY 14871). Commencement, operation and restoration of a large industrial sand and gravel mine located in Athens Township, **Bradford County** affecting 12.5 acres. NPDES permit PA0608874 associated with adjacent surface mine permit 08830301 will be modified to include this permit. Receiving stream(s): Chemung River classified as the following use(s): Warm Water Fishes and Migratory Fishes. Application received: June 9, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 06980301C4 and NPDES Permit No. PA0223883. Highway Materials, Inc., (1750 Walton Road, Blue Bell, PA 19422), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Alsace Township, **Berks County** affecting 52.5 acres, receiving stream: unnamed tributary to Bernhart Creek, classified for the following use: warm water fishes. Application received: June 4, 2014.

Permit No. 64042803. Kevin Schrader, (PO Box 262, Lake Como, PA 18437), Stage I & II bond release of a quarry operation in Preston and Buckingham Townships, **Wayne County** affecting 5.0 acres on property owned by Nicholas Shursky. Application received: June 5, 2014.

Permit No. 67990301C3 and NPDES Permit No. PA0223999. Glen-Gery Corp., (PO Box 7001, Reading, PA 19610), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Dover Township, **York County** affecting 40.0 acres, receiving stream: unnamed tributary to Fox Run, classified for the following uses: trout stock and migratory fishes. Application received: June 9, 2014.

Permit No. 58010831. Douglas P. Pasco, (2049 SR 2009, Hop Bottom, PA 18824), Stage I & II bond release of a quarry operation in Brooklyn Township, **Susquehanna County** affecting 1.0 acre on property owned by Joe Keeves. Application received: June 9, 2014.

Permit No. 58090811. Diaz Stone & Pallet, Inc., (7686 SR 167, Kingsley, PA 18826), Stage I & II bond release of a quarry operation in Forest Lake Township, **Susquehanna County** affecting 4.0 acres on property owned by Adam Diaz. Application received: June 9, 2014.

Permit No. 7775SM4C5 and NPDES Permit No. PA0594563. Lehigh Cement Co., LLC, (7660 Imperial Way, Allentown, PA 18195), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Oley Township, **Berks County** affecting 180.19 acres, receiving stream: unnamed tributary to Manatawny Creek, classified for the following use: cold water fishes. Application received: June 10, 2014.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91–96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0249254 (Mining Permit No. 11020202), Ebensburg Power Company, 2840 New Germany Road P. O. Box 845 Ebensburg, PA 15931-0845, renewal of an NPDES permit for coal refuse reprocessing and Circulating Fluidized Bed ash placement in Nanty Glo Borough, Jackson Township, **Cambria County**, affecting 41 acres. Receiving stream: Pergrin Run classified for the following use: cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: April 2, 2014.

The outfall listed below discharge to Pergrin Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003 (Sediment Pond 3)	N

The proposed effluent limits for the above listed outfall during all precipitation conditions are as follows:

<i>Outfall: 003 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	N/A	N/A	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0234991 (Mining Permit No. 56980301), Keystone Lime Company, P. O. Box 278, Springs, PA 15562, renewal of an NPDES permit for a large noncoal underground mine with surface mine activities in Elk Lick Township, **Somerset County**, affecting 223.2 acres. Receiving streams: unnamed tributary to/and Christner Run; unnamed tributary to Zechner Run, classified for the following use: High Quality Cold Water Fishery. This receiving stream is included in the Casselman River TMDL. Application received: February 14, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfalls listed below discharge to unnamed tributary to/and Christner Run; unnamed tributary to Zechner Run.

*The outfall (007) listed below uses non-discharge alternative technology.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001—Sediment Pond D/Mine Drainage	N
002—Sediment Pond A N	
003—Sediment Pond E	N
004—Sediment Trap T1	N
005—Sediment Pond F/Mine Drainage	N
006—Sediment Pond G/Mine Drainage	N
*007—Sediment Pond H/Infiltration Gallery (Non-Discharge Alternative)	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001, 005 and 006 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

<i>Outfalls: 002, 003 and 004 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (ml/l)			0.5

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

*007 listed above utilizes non-discharge technology (infiltration gallery)

Waters entering the infiltration system serving facility 007 must meet the following instantaneous limitations:

<i>Parameter</i>	<i>Instant Maximum</i>	<i>Measurement Frequency</i>
Total Suspended Solids	90.0 mg/l	2/month
Oil and Grease	Monitor Only	Once/year

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33

U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person

commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900

E46-1106. Douglass Township, 136 Municipal Drive, P. O. Box 370, Gilbertsville, PA 19525-0370, Douglass Township, **Montgomery County**, ACOE Philadelphia District.

Within the floodplain of Minister Creek from the confluence of Little Oley Creek and Minister Creek, along Minister Creek to the Minister Creek Pump Station #1: To replace and maintain the sanitary sewer interceptor lines and manholes for 1,627 lineal feet through the floodway from sanitary manhole 166 at the confluence of Minister Creek and Little Oley Creek through sanitary manholes 276-280. Minister Creek Pump station #1 improvements include an addition to the pump station building, a new wet well, valve vault, and valve metering pit.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E67-912: Transcontinental Gas Pipe Line Company LLC, 2800 Post Oak Boulevard, Level 17, Houston, TX 77056, Lower Chanceford Township, **York County**, U.S. Army Corps Of Engineers, Baltimore District

To modify and maintain an existing gas line facility that will temporally impact 0.97 acre of wetlands within the Susquehanna River Watershed for the purpose of improving pipe line safety. The project is located east of River Road approximately 1.6 mile south of Route 372/ Holtwood Road (Holtwood, PA Quadrangle, Latitude: 39°47'51.2"N, Longitude: 76°18'26.0"W) in Lower Chanceford Township, York County.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E02-1697. PA Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676; Indiana Township, **Allegheny County**; ACOE Pittsburgh District

The applicant is requesting to do the following:

1. Relocate and reconstruct approximately 390' of unnamed tributary (UNT) 23 (CWF), approximately 159' of which is currently enclosed within an existing 30" CPP, as 344' of open watercourse;

2. To place and maintain fill in approximately 358' of UNT-23A (CWF) and 0.04 acre of PEM and PSS wetlands;

for the purposes of widening approximately 660' of the PA Turnpike (a.k.a. Interstate 70/76), replacing the bridge that carries State Route (SR) 1013 (a.k.a. Saxonburg Boulevard) over this portion of the PA Turnpike, and constructing associated stormwater management facilities. This project will also permanently affect approximately 80' of the right descending stream bank of Cedar Run (CWF), and will temporarily impact 8' of UNT-23 and 0.02 acre of wetlands. This project is one (1) of eight (8) subprojects of a larger project that will widen the PA Turnpike from mile post (MP) 39 to 47 (a.k.a. the PA Turnpike Commission 40-48 Reconstruction Project). This mainline reconstruction project will widen the PA Turnpike from four (4) lanes to six (6) lanes, and will widen the median. Some of the other subprojects have already received separate Water Obstruction and Encroachment Permits (WO&EP #E02-1651, #E02-1669, #E02-1681 and GP070211202); while additional applications for WO&EPs are anticipated for future subprojects that are associated with the larger mainline reconstruction project. The current subproject (a.k.a. the SR 1013/Saxonburg Boulevard bridge replacement over the PA Turnpike) is located at MP 43.13 of the PA Turnpike (USGS Quad: Glenshaw, PA; Latitude: 40° 35' 14"; Longitude: -79° 52' 45"), in Indiana Township, Allegheny County.

Southwest District Oil and Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh PA, 15222-4745

Permit # E30-07-007. This is an after-the-fact Joint Permit Application to address approximately 1,433 linear feet of stream impact (fill) as a result of a geotechnical failure of the Walter Stinger Well Pad 1in Aleppo Township, **Greene County**, Pittsburgh ACOE District, State Water Plan Basin 20E (Cameron, WV Quadrangle; Latitude: N 39° 48' 14.66"; Longitude: W -80° 30' 9.65"). The slide impacted a total of 7 unnamed tributaries to Harts Run (WWF) through direct fill from the slide. The applicant proposes to restore approximately 757 linear feet of these tributaries and create an additional 303 linear feet of streams onsite. That will leave approximately 373 linear feet of stream that will have fill permanently placed in them. The applicant will provide offsite mitigation at a 2:1 ratio along Harts Run (near the entrance to the Water Stinger Well Pad) for those remaining permanent impacts.

Permit # E02-07-001. CONSOL Gas Company, 280 Indian Springs Road, Suite 333, Indiana, PA 15701. To construct and maintain a 2,900 foot long access road to Allegheny County Airport Authority (ACAA) Well Pad 3, that will impact a total of 19 acres, in Findlay Township, **Allegheny County**, Pittsburgh ACOE District, State Water Plan Basin 20-G (Aliquippa, PA Quadrangle; Latitude: N 40.512967 Longitude: W -80.285120). The project will consist of 2 stream (unnamed tributaries to Raredon Run) and floodway and 1 wetland road crossings. A total of 206 linear feet of streams, 0.34 acre of floodway, and 0.05 acre of wetland will be permanently impacted and 0.19 acre of floodway will be temporarily impacted as a result of this project. Mitigation for CNX's entire ACAA Well Development will be included within this joint permit application. Mitigation will consist of 240 linear

feet of stream preservation, 720 linear feet of stream rehabilitation, 0.526 acre of wetland preservation, 0.014 acre of wetland creation, and 3.2 acres of riparian buffer preservation, within the Raccoon Creek Watershed.

[Permit # E02-07-002]. CONE Gathering LLC, 200 Evergreene Dr Waynesburg, PA 15370. To construct and maintain 20,980 feet of 16-inch natural gas pipeline, 20,980 feet of 16-inch waterline, and 20,981 feet of another 16-inch waterline to connect CNX's ACAA Well

Pad 3 to Pipeline Nos. 2 and 4, and eventually to an off-airport pipeline in Findlay Township, **Allegheny County**, Pittsburgh ACOE District, State Water Plan Basin 20-G (Aliquippa, PA Quadrangle). The project will consist of 21 utility line/temporary road crossings of streams and 9 wetlands. A total of 6,962 square feet acres of wetland and 8,685 square feet of numerous named and unnamed tributaries to Montour Run (TSF) and Raredon Run (WWF) will be temporarily impacted.

<i>Wetland Name</i>	<i>Coordinates</i>	<i>Proposed Linear Impact</i>
Wetland 121	40° 29' 1.08" 80° 16' 11.94"	64 ft.
Wetland 118B	40° 29' 1.58" 80° 16' 13.13"	25 ft.
Wetland 118	40° 29' 17.66" 80° 16' 25.98"	0.003 acre
Wetland 117	40° 29' 18.43" 80° 16' 25.86"	0.029 acre
Wetland 114	40° 29' 29.36" 80° 16' 28.94"	75 ft.
Wetland 303	40° 29' 32.25" 80° 16' 35.86"	123 ft.
Wetland 109	40° 30' 6.61" 80° 17' 7.00"	25 ft.
Wetland 108A	40° 30' 12.97" 80° 17' 2.87"	0.001 acre
Wetland 107B	40° 30' 26.51" 80° 16' 58.93"	0.012 acre
<i>Stream Name</i>	<i>Coordinates</i>	<i>Proposed Linear Impact</i>
UNT to Montour Run	40° 28' 23.32" 80° 15' 9.03"	51 ft.
UNT to Montour Run	40° 28' 35.72" 80° 15' 19.64"	50 ft.
UNT to Montour Run	40° 28' 43.82" 80° 15' 31.85"	22 ft.
UNT to Montour Run	40° 28' 46.72" 80° 15' 37.43"	52 ft.
Tributary 36718 to Montour Run	40° 28' 51.74" 80° 15' 45.11"	55 ft.
UNT to Montour Run	40° 28' 59.81" 80° 16' 8.96"	100 ft.
Tributary 36720 to Montour Run	40° 29' 1.08" 80° 16' 11.94"	120 ft.
Tributary to Montour Run	40° 29' 1.42" 80° 16' 12.74"	119 ft.
Tributary to Montour Run	40° 29' 17.22" 80° 16' 26.59"	53 ft.
Tributary 36710 to Montour Run	40° 29' 17.71" 80° 16' 26.30"	47 ft.
Tributary to Montour Run	40° 29' 25.35" 80° 16' 26.33"	24 ft.
Tributary to Montour Run	40° 29' 28.9" 80° 16' 28.64"	20 ft.
Tributary 36710 to Montour Run	40° 29' 35.25" 80° 16' 35.86"	207 ft.
Tributary to Montour Run	40° 29' 42.16" 80° 16' 50.12"	52 ft.

<i>Stream Name</i>	<i>Coordinates</i>	<i>Proposed Linear Impact</i>
Tributary to Montour Run	40° 29' 42.37" 80° 17' 4.53"	71 ft.
Tributary to Raredon Run	40° 29' 59.09" 80° 17' 11.88"	170 ft.
Tributary 33655 to Raredon Run	40° 30' 6.61" 80° 17' 7.00"	123 ft.
Tributary to Raredon Run	40° 30' 12.97" 80° 17' 2.87"	57 ft.
Raredon Run	40° 30' 26.51" 80° 16' 58.93"	64 ft.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460

D52-181. Wild Acres Lakes Property Owners Association (RR 1 Box 500). To modify, operate, and maintain South Pond Dam across a tributary to Hornbecks Creek (HQ-CWF, MF), having 0.01 acre of permanent impact to wetlands, for the purpose of complying with the Commonwealth's regulations. (Lake Maskenzoha, PA Quadrangle Latitude: 41.205°; Longitude: -74.946°) in Delaware Township, **Pike County**.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0070190 (Sew)	Allegheny East Conference PO Box 266 Pine Forge, PA 19548	Berks County Douglass Township	Manatawny Creek / 3-D	Y
PA0086550 (Sew)	Jeffrey & Rose Siddens 65 Stonewall Lane Alburtis, PA 18011-2608	Berks County Longswamp Township	UNT to Swabia Creek / 2-C	Y
PAS803504 (Stormwater)	UPS Freight 1821 South 19th Street Harrisburg, PA 17104	Cumberland County Hampden Township	UNT to Trindle Spring Run / 7-B	Y
PA0021075 (Sew)	Borough of Myerstown 101 E Washington Avenue Myerstown, PA 17067-1142	Lebanon County Jackson Township	Tulpehocken Creek / 3-C	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0000701 (Sewage)	PFV Enterprises Whse 225015 Titusville Road Titusville, PA 16354	Venango County Oilcreek Township	Unnamed tributary of Pine Creek (16-E)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0063606, Industrial Waste, SIC Code 4911, **NRG REMA LLC**, 121 Champion Way, Suite 300, Canonsburg, PA 15317.

This existing facility is located in Bangor Borough, **Northampton County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of industrial wastewater.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0080004, Sewage, **Hartman Snack Group Inc.**, 6647 Molly Pitcher Highway South, Chambersburg, PA 17202.

This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of Conococheague Creek in Watershed 13-C.

NPDES Permit No. PA0265870, Industrial Waste, **Rolling Frito-Lay Sales LP**, 7075 Samuel Morris Drive, Suite 240, Columbia, MD 21046.

This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to Sandy Run in Watershed 11-A.

NPDES Permit No. PA0265888, Industrial Stormwater, **Kovalchick Corporation**, PO Box 279, Indiana, PA 15701.

This proposed facility is located in Burnham Borough, **Mifflin County**.

Description of Proposed Action/Activity: Authorization to discharge to Kishacoquillas Creek in Watershed 12-A.

NPDES Permit No. PA0262188, CAFO, **Henry M. Hershey, Henry Hershey Farm**, 135 Herr Drive, Peach Bottom, PA 17563.

This proposed facility is located in Fulton Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a Dairy, Cow / Heifer / Calves and Poultry operation with 391.22 AEU's in Watershed 7-K.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2814402, Sewerage, **Hartman Snack Group Inc.**, 6647 Molly Pitcher Highway South, Chambersburg, PA 17202.

This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Permit number change from an industrial waste permit to a sewage permit approving the operation of sewage facilities consisting of an existing surge / dosing tank, two septic tanks with Zabel filter, two Ecoflo peat filters, tablet chlorinator, chlorine contact tank and tablet dechlorinator.

WQM Permit No. 0613405, Sewerage, **Ethan Michael Inc.**, 2034 East Main Street, Douglassville, PA 19518-9127.

This proposed facility is located in Union Township, **Berks County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewage facilities consisting of a duplex pumping station (PS-1), a single 8,770 gallon septic tank, a single 4,500 gallon EQ Tank, a simplex pumping station (PS-2), a single 17,080 gallon SBR, a 58,500 ft² drip field composed of twelve 4,875 ft² drip zones.

WQM Permit No. 2889426 Amendment A-0, Sewerage, **Whitetail Mountain Operations Corp.**, 13805 Blairs Valley Road, Mercersburg, PA 17236.

This proposed facility is located in Montgomery Township, **Franklin County**.

Description of Proposed Action/Activity: Permit amendment approving the construction of sewage facilities consisting of a treated effluent spray irrigation system designed to handle new sewage flows of 17,418 gpd.

WQM Permit No. 0713401 A-1, Sewerage, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601.

This proposed facility is located in Altoona City, **Blair County**.

Description of Proposed Action/Activity: Permit amendment transfer approving of the construction of a new Diversion Chamber, 266' of 24" gravity sanitary sewer and a pump station off Valley View Road near Health South Building.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01251407, Sewage, **Jason Burke**, 8531 Remington Road, North East, PA 16428.

This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI014613008	Ambler Crossings Development Partners, L.P. 201 South Maple Avenue, Suite 100 Ambler, PA 19002	Montgomery	Ambler Borough	Wissahickon Creek TSF—MF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021305005R	Bryan Baumgartner R.R. #4, Box 4290 Kunkletown, PA 18058	Carbon County	Towamensing Township	Wild Creek (EV,MF) UNT to Beltzville Lake (HQ-CWF, MF)
PAI024013006	Pennsylvania Department of Transportation 55 Keystone Industrial Park Dunmore, PA 18512	Luzerne County	Dorrance Township	Balliett Run (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030514002 Issued	Centerville Area Municipal Authority 1030 Dark Hollow Road Bedford, PA 15522	Bedford	Cumberland Valley Township	UNT Evitts Creek (HQ-CWF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems

PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

General Permit Type—PAG-02

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Makefield Township Bucks County	PAG0200 0914026	Zaveta Custom Homes 4030 Skyron Drive, Suite H Doylestown, PA 18902	Houghs Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Northampton Township Bucks County	PAG0200 0914035	Diakon Lutheran Social Ministries 1018 North Union Street Middletown, PA 17057	Unnamed Tributary to Neshaminy Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Plumstead Township Bucks County	PAG0200 0905014R	Carriage Hill, JV, LLC 124 Cedar Avenue Conshohocken, PA 19428	Unnamed Tributary to North Branch Neshaminy Creek WWF—MF Pine Run TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Newtown Township Bucks County	PAG0200 0914001(1)	County Builders 76 Griffiths Miles Circle Warminster, PA 18974	Core Creek CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Britain Township Bucks County	PAG0200 0914006(1)	Pine Valley Crossing Associates, L.P. 1030 Reed Avenue, Suite 100 Wyomissing, PA 19610	Pine Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Borough Bucks County	PAG0200 0914037	Borough, LLC 202 Black Matt Road Douglasville, PA 19518	Cooks Run WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Salford Township Montgomery County	PAG0200 4614009	Mikelen, LLC P. O. Box 243 2695 W. Germantown Pike Fairview Village, PA 19409	West Brank Skipack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Montgomery Township Montgomery County	PAG0200 4613084	Chic Fil A 5200 Buffington Road Atlanta, GA 30349	Wissahickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Gwynedd Township Montgomery County	PAG0200 4610089R	Donald E. Dion, Jr. 937 Morris Road Landsdale, PA 19446	Tributary to Towamencin Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Worcester Township Montgomery County	PAG0200 4614026	Southfields Farm LLC 6208 Sheaff Lane Ft. Washington, PA 19034	Unnamed Tributary to Skippack Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 5108037R	City of Philadelphia Municipal Services Building Room 830 1401 John F. Kennedy Boulevard Philadelphia, PA 19102	Frankford Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Stroudsburg Borough Monroe County	PAG02004512003R	East Stroudsburg University University Properties, Inc. 200 Prospect Street East Stroudsburg, PA 18301	Brodhead Creek (HQ-CWF, MF)	Monroe County Conservation District 570-629-3060

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Oxford Township Adams County	PAG02000114003 Issued	Oxford Township PO Box 36 780 Hanover Street New Oxford, PA 17350	UNT to South Branch of Conewago Creek/ WWF	Adams County Conservation District 670 Old Harrisburg Road., Suite 201 Gettysburg, PA 17325 717.334.0636
Colerain Township Lancaster County	PAG02003614049 Issued	Roland F Miller 130 Good Hope Rd Landenberg PA 19350	Coopers Run/ TSF, MF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
York Township York County	PAG02006714028 Issued	Dallastown Area School District 700 New School Lane Dallastown, PA 17313	Inners Creek / CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Fairview Township York County	PAG02006713038 Issued	Defense Distribution Center Susquehanna DS-FSE 5750 3rd Street Building 750 New Cumberland, PA 17070-4439	Marsh Run / WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Shrewsbury Township & Shrewsbury Borough York County	PAG02006711028-1 Issued	Heathcote Glen II LP Joelle Pignon & Phil Robinson 18147 Amanda Drive New Freedom, PA 17349	Trout Run / WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Peach Bottom Township York County	PAG02006712006R Issued	Ron Leubecker Lands of LDR LLC 6715 Quad Avenue Baltimore, MD 21237	Scotts Creek / TSF, MF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Fairview Township York County	PAG02006714013 Issued	UGI Utilities Inc. 1301 AIP Drive Middletown, PA 17058	Marsh Run / WWF, MF; Susquehanna River / WWF, MF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Dover Township York County	PAG02006705112R Issued	KPH Donwood LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	UNT to Fox Run / TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Lower Windsor Township York County	PAG02006712030R Issued	Landmark Builders Inc. 1656 West Main Street Ephrata, PA 17522	UNT to Canadochly Creek / WWF & Klines Run / WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
West Manchester Township York County	PAG02006714020 Issued	Next 5, LLC 2159 White Street Suite 3 Box 301 York, PA 17404	Codorus Creek / WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Center Township Beaver County	PAG02000414005	Lodging Construction 506 S. Wilson Street Aberdeen, SD 57402	Ohio River (WWF-N)	Beaver County CD 156 Cowpath Rd Aliquippa, PA 15001 (724) 378-1701
Richland Township Cambria County	PAG02001114007	Forrest Spangler 146 McCaffrey Lane Johnstown, PA 15905	UNT to Brubaker Run (CWF)	Cambria County CD 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
White Township Indiana County	PAG02003214004	S&T Bank 355 N. 5th Street Indiana, PA 15701	McCarthy Run (CWF)	Indiana County CD 625 Kolter Drive Suite 8 Indiana, PA 15701 (724) 471-4751
Elk Lick Township Somerset County	PAG02005613012	Countryside Produce, LLC 1695 Savage Rd Salisbury, PA 15558	Tub Mill Run (CWF)	Somerset County CD 6024 Glades Pike Suite 103 Somerset, PA 15301 (814) 445-4652
Paint Township Somerset County	PAG02005614005	Iron Horse Sports, LLC 302 Unity Plaza Latrobe, PA 15650	Seese Run (CWF)	Somerset County CD 6024 Glades Pike Suite 103 Somerset, PA 15301 (814) 445-4652

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
North Strabane Township Washington County	PAG02006307031R	Maronda Homes, Inc. 1383 State Route 30 Clinton, PA 15026	Chartiers Creek (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
Peters Township Washington County	PAG02006312016R	Ted Taylor Builders 608 East McMurray Road Suite 101 McMurray, PA 15317	UNT to Peters Creek (TSF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
North Franklin Township Washington County	PAG02006314012	Eugene Raggi 770 West Chestnut Street Washington, PA 15301	UNT to Chartiers Creek (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098
Cecil Township Washington County	PAG02006314017	Fairfield Southpointe, LP 102 Cecil Henderson Road Canonsburg, PA 15317	McPherson Creek (WWF)	Washington County CD 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Mercer Borough Mercer County	PAR608332	John A. Carter d/b/a Mercer Auto Wreckers 748 Wilson Avenue Mercer, PA 16137	Unnamed Tributary to the Cool Spring Creek 20-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
North East Township Erie County	PAG041160	Jason Burke 8531 Remington Road, North East, PA 16428	Unnamed Tributary to Lake Erie 15-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

*General Permit Type—PAG-10**Facility Location:**Municipality & County**Permit No.**Applicant Name & Address**Receiving Water / Use**Contact Office & Phone No.*Auburn Township
Susquehanna County

PAG102314

Williams Field Services
Company, LLC
(Anderson Dehydration Facility)
310 State Route 29 North
Tunkhannock, PA 18657-6817Unnamed Tributary
to Dority Creek—4-GDEP Northeast
Regional Office
Clean Water Program
2 Public Square,
Wilkes-Barre, PA
18701-1915
570.826.2511**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER**Actions taken under the Pennsylvania Safe Drinking Water Act**

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 4614501, Public Water Supply.
Applicant **Superior Water Company**
P. O. Box 525
Gilbertsville, PA 19525
Township New Hanover
County **Montgomery**
Type of Facility PWS

Consulting Engineer Castle Valley Consultants, Inc.
83 Chestnut Road
P. O. Box 447
Paoli, PA 19301
Permit to Construct May 12, 2014
Issued

Permit No. 0913523, Public Water Supply.
Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010
Township Bristol
County **Bucks**
Type of Facility PWS
Consulting Engineer GHD
1240 North Mountain Road
Harrisburg, PA 17112
Permit to Construct June 17, 2014
Issued

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 3914502, Public Water Supply.
Applicant **City of Allentown**
641 S. 10th St., 3rd Floor
Allentown, Pa 18103-3173
[Borough or Township] City of Allentown
County **Lehigh**
Type of Facility PWS
Consulting Engineer Phillip M. DePoe, P.E.
Lehigh County Authority
1053 Spruce St.
P. O. Box 3348
Allentown, Pa 18106
Permit to Construct June 19, 2014
Issued

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Operation Permit issued to **Arthur Savitz d/b/a Star Route Estates**, PWSID No. 6200040, East Mead Township, **Crawford County**. Permit Number 2013506 issued June 17, 2014 for the operation of the Star Route Estates Public Water Supply. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on June 13, 2014.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Hotel Traylor, LLC, 1444 West Hamilton Street, City of Allentown, **Lehigh County**, Jeffrey Walsh, Penn Environmental & Remediation, Inc., has submitted an NIR, RIR and Final Report on behalf of his clients, Jim Baiman and David Bodnar, Hotel Traylor, LLC, 1444 W. Hamilton St., Allentown, PA 18102, concerning the remediation of soil due to historical operations at the site. Contaminants include: Anthracene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Cumene, Ethyl Benzene, Fluorene, MTBE, Phenanthrene,

Pyrene, Trimethyl Benzene 1,3,4, Trimethyl Benzene 1,3,5, Naphthalene and Benzo(a)pyrene.

The applicant proposes to remediate the site to meet the Statewide Health Standard and the Site Specific Standard for soil. The intended use of the site will be for residential purposes. A summary of the Notice of Intent to Remediate, RIR (Remedial Investigation Report) and Final Report were published in *The Morning Call* on June 8, 2014.

Easton Hospital, 250 South 21st Street, Wilson Borough, **Northampton County**, Dave Fife, Quad3 Group Inc., has submitted a Final Report on behalf of his client, Terri Martis, 250 South 21st Street, Easton, PA 18042 concerning the remediation of soil and groundwater due to an unknown quantity of fuel oil leaked from cracked piping into the soil from the 1,000 gallon AST (aboveground storage tank). The applicant proposes to remediate the site to meet the Statewide Health Standards for soil and groundwater. The intended future use of the site will remain a staging area for the emergency generator. A summary of the Final Report was published in *The Morning Call* on March 5, 2014.

Walsh Residence, 1700 North Delaware Drive, Forks Township, **Northampton County**, Mark Ellis, MEA, Inc., has submitted an NIR and Final Report on behalf of his client, Matt Walsh, 19 Bridge St, Chatham, NJ 07928, concerning the remediation of soil due to a fuel oil spill discharged from the delivery truck hose as it was being wound. The applicant proposes to remediate the soil to meet the Residential Statewide Health Standards for soil. The intended use of the site is residential. A summary of the NIR and Final Report was published in *The Express Times*, on April 10, 2014.

Lockheed Martin Missiles and Fire Control, 459 Kennedy Drive, Archbald Borough, **Lackawanna County**, Sonya Ward, H2M Associates, Inc., has submitted an RIR (Remedial Investigation Report), RAR (Risk Assessment Report) and a Final Report, (on behalf of her client, Mr. Timothy Seechock, Facilities-ESH Manager, Lockheed Martin Corporation, 459 Kennedy Drive, Archbald, PA 18403), concerning the remediation of chlorinated compounds (trichloroethene, 1,1,1-trichloroethane, 1,1-dichloroethane, and tetrachloroethene in soil and trichloroethene, 1,1-dichloroethene and vinyl chloride in groundwater) at the property location cited above as a result due to historical operations. The applicant proposes to remediate the site to meet the Non-Residential Site Specific Standard for soils and Statewide Health for soil and groundwater. A summary of the RIR, RAR and Final Report was published in *The Scranton Times* on March 19, 2014.

555 Union Boulevard-buildings 4 & 5, 555 Union Blvd, City of Allentown, **Lehigh County**, William Ahlert, HDR Engineering Inc., has submitted a Notice of Intent to Remediate and a Final Report on behalf of his client Mr. Sam Brill, 555 Union Blvd LLP, concerning the remediation of soil due to the presence of VOC's and metal from historical operations at the site. The applicant proposes to remediate the site to meet the Statewide Health Standards for soil. The intended future use will be converted in to a school. A summary of the NIR and Final Report was published in *The Morning Call* on May 31, 2014.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

CVS Store 1654, 1700-1720 North George Street, York, PA 17404, Manchester Township, **York County**. ECS Mid-Atlantic, LLC, 56 Grumbacher Road, Suite D, York, PA 17406, on behalf of JC Bar Properties, Inc., 415

Fallowfield Road, Suite 301, Camp Hill, PA 27022, submitted a Final Report concerning the remediation of site soils contaminated with heating oil from an underground storage tank. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on June 18, 2014.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.

General Permit No. WMGR123SW015. Range Resources—Appalachia, LLC, Bare Tank Site, Bavington Road, Burgettstown, PA 15021. Processing and beneficial use of oil and gas liquid waste to be used as a water supply to develop or hydraulically fracture and oil or gas well at the Bare Tank Site in Smith Township, **Washington County**. The permit was issued by the Regional Office on June 19, 2014.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 32990110 and NPDES No. PA0235164. KMP Associates, Inc., 1094 Lantz Road, Avonmore, PA 15618, revision of an existing bituminous surface and auger mine to change the land use from Forestland and Unmanaged Natural Habitat to Unmanaged Natural Habitat, Industrial/Commercial, Wildlife Habitat and Pastureland in Young Township, **Indiana County**, affecting 41.3 acres. Receiving streams: unnamed tributary to/and Harpers Run, Blacklegs Creek and Kiskiminetas River classified for the following uses: cold water fishery and warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: March 27, 2014. Permit Issued: June 4, 2014.

Permit No. 56813006 and NPDES No. PA0125466, PBS Coals, Inc., P. O. Box 260, 1576 Stoystown Road, Friedens, PA 15541, permit renewal for the continued operation and restoration of a bituminous surface mine in Stonycreek Township, **Somerset County**, affecting 285.9 acres. Receiving streams: unnamed tributaries to/and Clear Run and to Boone Run classified for the following use: cold water fisheries. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Municipal Authority Stonycreek SWI. Application received: October 2, 2013. Permit Issued: June 5, 2014.

Permit No. 56890101 and NPDES No. PA0598364. Croner, Inc., P. O. Box 260, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface and coal refuse disposal mine in Brothersvalley Township, **Somerset County**, affecting 226.6 acres. Receiving streams: unnamed tributary to/and Buffalo Creek, classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application Received: March 3, 2014. Permit Issued: June 5, 2014.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500

26130101 and NPDES Permit No. PA0252301. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Permit issued for commencement, operation, and reclamation of a bituminous surface mine, located in Franklin Township, **Fayette County**, affecting 55.5 acres. Receiving stream: unnamed tributary to Bolden Run. Application received: July 3, 2013. Permit issued: June 13, 2014.

26100104 and NPDES Permit No. PA0252158. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Permit revision issued for land use change from some of the affected area from forestland to pastureland and/or land occasionally cut for hay, and some of the affected area from pastureland and/or land occasionally cut for hay to forestland to an existing bituminous surface mine, located in Wharton Township, **Fayette County**, affecting 100.6 acres. Receiving streams: unnamed tributaries to Mill Run and Mill Run. Application received: March 14, 2014. Permit issued: June 19, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

GFCC No. 17-10-02 and NPDES PA0257737. RES Coal LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920), Mine No. 34 Operation, Lawrence Township, Clearfield County (Wolf Run—Upper West Branch Watershed): A no-cost construction contract has been awarded to RES Coal, LLC that will result in the reclamation of approximately 9.4 acres of abandoned mine land, the reclamation of 1,220-feet of abandoned highwall and the recovery of approximately 40,100 tons of remaining coal reserves. The site will be reclaimed and regraded to approximate original contour. Alkaline addition in the form of waste lime will be added to the mining area. A total of at least 14,670 tons of alkaline waste lime will be placed on the site. The estimated value of the reclamation work is \$310,000 which will be done at no cost to the Commonwealth. The site is located approximately 1/4 mile west of SR 879 adjacent to Interstate 80 on lands formerly mined and subsequently abandoned by

Shawville Coal Company in the late 1950's. Blasting has been approved as part of the reclamation activities. Refuse reprocessing is prohibited at the site. Application received: April 22, 2011. Permit issued: June 16, 2014.

Noncoal Permits Issued

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37080303. Three Rivers Aggregates, LLC (1807 Shenango Road, New Galilee, PA 16141) Revision to an existing large industrial mineral mine to add 0.6 acres in Scott & Plain Grove Townships, **Lawrence County**, affecting a total of 71.6 acres. Receiving streams: Unnamed tributary to Taylor Run and Taylor Run. Application received: January 21, 2014. Permit Issued: June 12, 2014.

24589-37080303-E-1. Three Rivers Aggregates, LLC (1807 Shenango Road, New Galilee, PA 16141) Application for a stream encroachment to construct and maintain the conveyor stream crossing over Taylor Run in Scott & Plain Grove Townships, **Lawrence County**. Receiving streams: Unnamed tributary to Taylor Run and Taylor Run. Application received: January 21, 2014. Permit Issued: June 12, 2014.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

20144001. Hal D. Lilley (8323 Oxbow Road, North East, PA 16428) Blasting Activity Permit for silo demolition in East Fairfield Township, **Crawford County**. This blasting activity permit expires April 16, 2015. Permit Issued: June 18, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 15414107. J Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting for The Preserves at Hide A Way Farm in West Brandywine Township, **Chester County** with an expiration date of June 13, 2015. Permit issued: June 17, 2014.

Permit No. 38144106. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Greystone Crossings in North Cornwall and Lebanon Townships, **Lebanon County** with an expiration date of June 30, 2015. Permit issued: June 17, 2014.

Permit No. 64144001. Northeast Blasting, (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for Patrisso house foundation in Damascus Township, **Wayne County** with an expiration date of May 27, 2015. Permit issued: June 18, 2014.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water

Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

DAM SAFETY

Southwest Regional Oil and Gas Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Permit # 95-7-37312-14A, Mor9SH Centralized Impoundment. CNX Gas Company LLC, 200 Evergreene Dr., Waynesburg, PA 15370.

CNX Gas Company LLC proposes a project to amend the location of the currently existing pump building to operate and maintain the approved Mor9SH Centralized Pit as a centralized impoundment to collect and store 4.33 MG fracturing fluids from the NV-34R-HS Well Site (Permit # 125-27170), NV-60D~H and J Well Site (Permit # 125-27071, 27080, 27078, 27079, 27081, 27082), NV-60L~N Well Sites (Permit # 125-27255, 27256, 27257), GH-56A~C Well Sites (Permit #059-26331, 26332, 26214), and future wells in the area.

PA Quadrangle; Rogersville, Latitude: N 39° 58' 50.15", Longitude: W 80° 21' 37.83", in Morris Township, **Greene County**. ACOE: Pittsburgh District

State Water Plan Subbasin 20-E, Wheeling—Buffalo Creeks Watershed (WWF).

[Pa.B. Doc. No. 14-1394. Filed for public inspection July 3, 2014, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.elibrary.dep.state.pa.us. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance Document—Minor Revisions

DEP ID: Refer to the list as follows. *Title:* Refer to the list as follows. *Description:* These Technical Guidance Documents relate to various activities in the Bureau of Mining Programs, specifically coal mining, industrial mineral mining and explosives storage, handling and use. As a result of the reorganization of the Department, the Bureau of Mining and Reclamation name was changed to the Bureau of Mining Programs. These Technical Guidance Documents were updated to change the bureau name throughout each document. References to other bureaus and divisions within the Department whose names have changed were also made. In addition, references to forms were updated to reflect the new bureau name. The location on the Department's web site for these documents has also been updated.

Contact: Questions regarding this action should be directed to William Allen at (717) 787-5103 or wallen@pa.gov.

Effective Date: July 5, 2014

<i>Document Number</i>	<i>Title</i>
562-2000-703	Changes to Licenses, Bonds & Permits
562-2000-705	Mining Contract Operator Approval
562-3000-102	Coal & Industrial Mineral Mining Inspections

<i>Document Number</i>	<i>Title</i>	<i>Document Number</i>	<i>Title</i>
562-4000-102	Increased Operation & Maintenance Costs of Replacement Water Supplies (on All Coal & Surface Noncoal Sites)	562-2500-702	Insurance Requirements and Water Supply Replacement Assurance
563-2000-610	Validating Abandoned Underground Mine Maps and Establishing Barrier Pillars	562-2504-312	Surety Reclamation of Bond Forfeiture Sites
563-2000-655	Surface Water Protection—Underground Bituminous Coal Mining Operations	562-3000-105	Field Evaluations of Pit Size Variances
563-2112-101	Aboveground Storage Tanks on Coal Mine Permit Areas	562-3000-110	Applicant Violator System (AVS) Inspections
563-2504-002	Land Maintenance Financial Guarantees	562-3000-802	Coal Mining Applicant Violator System (AVS) Compliance Manual
563-2504-201	Blanket Bond Program for Coal Surface Mine Sites	562-3200-203	Fixing Water Samples
560-0700-302	Review of Surface Mine Permit Applications by the Pennsylvania Fish and Boat Commission	562-3200-205	Normal/Favorable Planting Season
560-0700-303	Review of Surface Mine Permit Applications by the Pennsylvania Game Commission	562-3900-402	Citizens' Requests: Receiving, Tracking, Investigating, Appealing, and Filing
560-5000-001	Mine Drainage Treatment Trust Real Property Disposition Guidelines	562-4000-101	Water Supply Replacement and Compliance
561-2305-201	Small Operator Assistance Program (SOAP) and Remining Operator's Assistance Program (ROAP) Application Processing and Preassignment Field Conference	562-4100-301	Compliance/Enforcement Procedures
561-2305-203	Small Operator Assistance Program (SOAP) and Remining Operator's Assistance Program (ROAP) Report Review	562-4100-307	Alternative Enforcement
561-2305-601	Small Operator Assistance Program (SOAP) and Remining Operator's Assistance Program (ROAP) Applicant Liability and Reimbursement Procedure	562-4100-311	Explosives Program Compliance/Enforcement Procedures
561-5300-101	Insurance Sales Guidance	562-4170-308	Bond Forfeiture
561-5300-201	Damage Claim Processing	562-4180-101	Noncoal Civil Penalty Assessments
562-2000-001	Environmental Good Samaritan Projects	562-4180-102	Noncoal Compliance/Enforcement Procedures
562-2100-001	Blasting Activity Permits and Permits-by-Rule	562-4180-306	Civil Penalty Assessments
562-2100-002	Alternative Peak Particle Velocity or Airblast Level	562-4180-309	Reclamation in Lieu of Cash Payment for Civil Penalties
562-2100-704	Municipal Mining Licenses, Permits, and Bonds	562-4180-310	Bankrupt Surety Company Bond Replacement Requirements and Civil Penalty Calculations
562-2112-315	Prompt Closure of Abandoned Underground Mine Openings	562-4180-311	Civil Penalty Collections
562-2112-316	Sealing Bituminous Underground Mine Openings	563-0300-101	Engineering Manual for Mining Operations
562-2112-317	Sealing Anthracite Underground Mine Openings	563-2000-001	Government-Financed Construction Contracts
562-2112-503	Blasting Near Utility Lines on Mining and Construction Sites and Bituminous Coal Mining Within the Right-of-Way or Easement of Utility Lines	563-2000-003	Incidental Coal Extraction for Government-Financed Construction Projects or Government-Financed Reclamation Projects
562-2112-504	Blasting Complaint Protocol	563-2000-102	Coal Exploration
562-2402-501	Blaster's License Suspension & Revocation Procedure	563-2000-203	Noncoal Underground Mine Permit Applications
		563-2000-204	Homeowner Notification of Right to Pre-Blast Survey
		563-2000-208	Right of Entry
		563-2000-223	Review Process for Approval of a Bituminous Coal Blast Plan
		563-2000-602	Beneficial Use of Sewage Sludge at Active Mine Sites
		563-2000-609	Roads Associated with Coal Mining Activities
		563-2100-216	Permit Renewals
		563-2111-101	Noncommercial Exemption from Requirements of the Noncoal SMCRA

<i>Document Number</i>	<i>Title</i>	<i>Document Number</i>	<i>Title</i>
563-2111-102	Building Construction Exemption from Requirements of the Noncoal SMCRA	563-2112-657	Underground Mining—Delineating Protection Zones for Public Water Supplies
563-2111-111	Stabilizing Pre-Act Highwalls, Noncoal Operations	563-2112-658	Imminent Hazards Associated with Subsidence from Active Mining
563-2111-112	Highwall Stability In Long-Term, Multiple Bench Quarries	563-2113-660	Coal Refuse Disposal—Site Selection
563-2111-115	Borrow Pits for Oil and Gas Well Development Activities	563-2500-401	Noncoal Surface Mining Payment in Lieu of Bond
563-2112-203	Boundary Changes to Mining Permits	563-2504-405	Anthracite Mine Operator's Emergency Bond Loan (A.E.B.L.) Program
563-2112-205	Review Guide and Written Findings	563-2504-101	Procedures for calculating mine subsidence bonds
563-2112-211	Completeness Review for Acceptance of Coal Mining Activity Permit Applications	563-2504-407	Bonding Direct-Submittal of Bonds
563-2112-212	Evaluation and Approval of Land Use Changes for Surface Coal Mine Operations	563-2504-409	Phased Deposit of Collateral Coal and Noncoal Mining
563-2112-214	Coal Surface Mining Activity Permit Pre-Application Review	563-2504-411	Processing Completion Reports
563-2112-215	Review of Accepted Coal Mining Activity Permit Applications	563-2504-412	Evaluating Postmining Discharges
563-2112-217	Alkaline Addition for Surface Coal Mines	563-2504-451	Bonding, Anthracite Underground Mines
563-2112-218	Permits Transfers	563-2504-501	Qualifying, Processing, and Tracking Financial Guarantees and Bond Credits
563-2112-219	Cumulative Hydrologic Impact Assessments (CHIAs)	563-2504-612	Monitoring, Compliance and Bond Release for Subchapter F or G Permits
563-2112-222	Coal Surface Mining—Oil and Gas Well Barriers		E. CHRISTOPHER ABRUZZO, <i>Secretary</i>
563-2112-603	Evaluation and Approval of Innovative Mining and Reclamation Techniques		[Pa.B. Doc. No. 14-1395. Filed for public inspection July 3, 2014, 9:00 a.m.]
563-2112-604	Auger Mining		
563-2112-605	Water Supply Replacement and Permitting		
563-2112-606	Procedures for Establishing the Quantity of Water in Low-Yield Wells		
563-2112-607	Marketing of Anthracite Coal Reject Materials		
563-2112-608	Constructed Wetlands for Mine Drainage Treatment		
563-2112-610	Determining Eligibility of Pre-existing Pollutational Discharges under Subchapter F of 25 Pa. Code Chapter 87, Subchapter G of 25 Pa. Code Chapter 88		
563-2112-611	Permitting Pre-existing Pollutational Discharges under Subchapter F of 25 Pa. Code Chapter 87, Subchapter G of 25 Pa. Code Chapter 88		
563-2112-652	Underground Mining Near Oil and Gas Wells		
563-2112-653	Permitting Ventilation Boreholes for Underground Coal Mines		
563-2112-654	Technical Review, Mine Stability		
563-2112-656	Liners—Impoundments, Stockpiles, and Coal Refuse Disposal Areas		

Cleanup Standards Scientific Advisory Board Meeting

A Cleanup Standards Scientific Advisory Board meeting has been scheduled for July 24, 2014, at 9 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105.

Questions concerning this meeting can be directed to Troy Conrad, Environmental Cleanup and Brownfields, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 783-7816, tconrad@pa.gov. The agenda and meeting materials for the July 24, 2014, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5551 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-1396. Filed for public inspection July 3, 2014, 9:00 a.m.]

Pennsylvania Alternative Fuel Incentive Grant Program; Availability of Rebates

The Department of Environmental Protection (Department) announces the continued availability of grants to Commonwealth residents under the Pennsylvania Alternative Fuel Vehicle Rebate Program (program). The program, administered by the Department through the program, provides rebates to Commonwealth residents to assist individuals with the incremental costs of purchasing an alternative fuel vehicle.

To qualify for the rebate, the alternative fuel vehicle must be registered in this Commonwealth and be operated primarily within this Commonwealth. The rebate will be offered on a first-come, first-served basis in the order in which requests are received. Rebate request forms and required documentation must be submitted to the Department no later than 6 months after the vehicle is purchased.

The following rebates are offered:

- \$2,000 rebate for a plug-in hybrid electric vehicle (PHEV) (battery system capacity equal/greater than 10 kWh) or battery electric vehicle (EV) (battery system capacity equal/greater than 10 kWh); does not include electric motorcycle, scooter, ATV or low speed electric vehicle.
- \$1,000 rebate for a PHEV or EV (battery system capacity less than 10 kWh); does not include electric motorcycle, scooter, ATV or low speed electric vehicle.
- \$1,000 rebate for a natural gas fueled vehicle; OEM/certified retrofit only.
- \$1,000 rebate for a propane fueled vehicle; OEM/certified retrofit only.
- \$1,000 rebate for a hydrogen or fuel cell vehicle, or both.
- \$500 rebate for an electric motorcycle, scooter, ATV or other low speed electric vehicle if registered in this Commonwealth.

There are a limited number of rebates left at \$2,000. The rebate program offered will be reassessed upon payment of the first 500 rebates at \$2,000 or December 31, 2014, whichever occurs first. The Department encourages interested applicants to visit the web site for rebate forms and an up-to-date listing of rebate availability at www.dep.state.pa.us (DEP keyword: Alternative Fuel Vehicle Rebates). The remaining rebates available for PHEVs or EVs (battery system capacity equal/greater than 10 kWh) will be updated weekly.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-1397. Filed for public inspection July 3, 2014, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Warehouse Space to the Commonwealth Washington County

Proposals are invited to provide the Department of General Services with 7,000 to 10,000 usable square feet

of warehouse space for the Liquor Control Board in Washington, Washington County. For more information on SFP No. 94627, which is due on August 15, 2014, visit www.dgs.state.pa.us or contact the Bureau of Real Estate at (717) 787-4394.

SHERI PHILLIPS,
Secretary

[Pa.B. Doc. No. 14-1398. Filed for public inspection July 3, 2014, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

Prearrest Breath Testing Devices

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace

alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices on 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISDs) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

Evidential Breath Testing Devices

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted this standard to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984). Those instruments are identified in this notice with an asterisk.

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 BAC, to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and

which have been determined to meet the Model Specifications, as revised and published in 1993. Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993).

On December 19, 2013, the NHTSA indicated that it has approved the Intoxilyzer 500 (aka: Alcometer 500, Lion Laboratories) as an evidential breath testing device and that it will be removing the Intoxilyzer 500 as a prearrest breath testing device. The Department received confirmation of this change in a letter dated February 17, 2014.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Dr. James R. Lute at the address given as follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law

enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at 800-654-5984 (TT).

CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey ¹	<ul style="list-style-type: none"> • AlcoScan AL-2500. • SafeMate.² • SafeDrive. • AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). • AlcoMate Accu Cell AL-9000. • AlcoMate Pro.³ • AlcoMate Core.⁴ • AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} • AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} • AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol ✓ .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE.
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02 ^{TM9} .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> • Alco Tector Mark X. • Mark X Alcohol Checker. • Alcotector WAT89EC-1. • Alcotector WAT90.
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> • BACTRACK Select S50.¹⁰ • BACTRACK Select S80.¹⁰ • BACTRACK Element. • BACTRACK S 75 Pro.
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> • PAS Vr. • Alcovisor MARS.
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> • AlcoHAWK Precision. • AlcoHAWK Slim. • AlcoHAWK Slim 2. • AlcoHAWK Elite. • AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). • AlcoHAWK Micro. • AlcoHAWK PRO (aka: AlcoMate by AK Solutions). • AlcoHAWK PT 500. • CA2010.
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.

Distributors/Manufacturers	Devices
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷
Varian, Inc., Lake Forest, California	On-Site Alcohol. ¹⁰

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the U.S. by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the U.S. market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of re-calibrating the device, a new calibrated detector can be installed. The device comes with 4 detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of re-calibrating the device, a new calibrated detector can be installed. This device comes with 5 detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol ✓ .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (i.e., within a minute), the device meets the Model Specifications and the results persist for 10—15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

¹⁰ While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer’s instructions. Readings should be taken one (1) minute after a sample is introduced at or above 30°C (86°F); readings should be taken after two (2) minutes at 18°C—29°C (64.4°F—84.2°F); and readings should be taken after five (5) minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before five (5) minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD *	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF [®] IR Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer *	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer *	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
400	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	—
400PA	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
1400	X	X
4011 *	X	X
4011A *	X	X
4011AS *	X	X
4011AS-A *	X	X
4011AS-AQ *	X	X
4011 AW *	X	X
4011A27-10100 *	X	X
4011A27-10100 with filter *	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
PAC 1200 *	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger Safety, Inc. (aka: National Draeger) Irving, Texas:		
Alcotest Model:		
6510	X	X
6810	X	X
7010 *	X	X
7110 *	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A *	X	X
900BG *	X	X
7410	X	X
7410-II	X	X
EnviteC by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Photo Electric Intoximeter *	—	X
GC Intoximeter MK II *	X	X
GC Intoximeter MK IV *	X	X
Auto Intoximeter *	X	X
Intoximeter Model:		
3000	X	X
3000 (rev B1) *	X	X
3000 (rev B2) *	X	X
3000 (rev B2A) *	X	X
3000 (rev B2A) w/FM option *	X	X
3000 (Fuel Cell) *	X	X
3000 D *	X	X
3000 DFC *	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000) ...	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	X	X
Portable Intox EC/IR	—	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2 *	X	X
Breath Alcohol Meter PAM 101B *	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0	X	X
EV 30	X	X
FC 10	X	X
FC 20	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	—
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
SD-2 *	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
EBA *	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000 *	—	X
2000 *	—	X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc., Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011 *	X	X
4011AW *	X	X
PAS International, Fredericksburg, Virginia:		
Mark V Alcovisor	X	X
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4 *	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemens-Allis, Cherry Hill, New Jersey:		
Alcomat *	X	X
Alcomat F *	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900 *	X	X
900A *	X	X
1000 *	X	X
2000 *	X	X
2000 (non-Humidity Sensor) *	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900 *	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier *	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II *	X	X

Instruments marked with an asterisk () meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1399. Filed for public inspection July 3, 2014, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P. S. §§ 2151—2165) or section 353 of the Federal Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department’s Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and

3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Laboratories approved to perform screening analyses are designated on the approval list by an “S” followed by the letters “B” for blood or “Se” for serum, or both. Laboratories approved to screen both blood and serum would therefore have “SBSe” listed after their laboratory name. Laboratories approved to offer confirma-

tory analyses are designated on the approval list by a "C" followed by the letters "B" for blood or "Se" for serum, or both. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after their laboratory name. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood and/or serum analyses are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

30483
AIT LABORATORIES—SBS_e, CBS_e
2265 EXECUTIVE DRIVE
INDIANAPOLIS, IN 46241
(317) 243-3894

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SBS_e,
CBS_e
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—
SBS_e, CBS_e
728 LARKFIELD ROAD
EAST NORTHPORT, NY 11731
(631) 923-0166

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SBS_e,
CBS_e
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

31684
BUCKS COUNTY CRIME LABORATORY—SBS_e, CBS_e
850 EAGLE BOULEVARD
WARMINSTER, PA 18974
(609) 802-7399

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SS_e
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00977
DRUGSCAN INC—SBS_e, CBS_e
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(267) 960-3407

24655
HEALTH NETWORK LABORATORIES—SBS_e, CBS_e
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

09003
MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—
SS_e, CS_e
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 538-6449

05574
MEDTOX LABORATORIES INC—SBS_e, CBS_e
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SBS_e,
CBS_e
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 366-1222

29741
NORTHERN TIER RESEARCH—SBS_e, CBS_e
1302 MADISON AVE
DUNMORE, PA 18509
(570) 209-7913

30984
OFFICE OF THE DISTRICT ATTORNEY—SS_e, CB
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17013
(717) 240-6526

00250
PARKWAY CLINICAL LABORATORIES—SSe
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112

31399
QUEST DIAGNOSTICS—SB, CB
1777 MONTREAL CIRCLE ES/F1 2
TUCKER, GA 30084
(770) 936-5007

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBS_e,
CBS_e
14225 NEWBROOK DRIVE PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA INC—SBS_e, CBS_e
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SBS_e, CBS_e
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00151
ST JOSEPH QUALITY MEDICAL LAB—SBS_e, CBS_e
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141
YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1400. Filed for public inspection July 3, 2014, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to deter-

mine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be

directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:

S = approved for serum and plasma analyses
 B = approved for blood analyses
 SB = approved for serum, plasma and blood analyses

00212

ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 (215) 481-2324

32917

ACCURATE DIAGNOSTIC LABS, INC—S
 3000 HADLEY ROAD
 SOUTH PLAINFIELD, NJ 07080
 (732) 839-3300

00233

ALBERT EINSTEIN MEDICAL CENTER—S
 5501 OLD YORK RD- LABS-TOWER BLDG
 GROUND FL
 PHILADELPHIA, PA 19141-3001
 (215) 456-6157

00671

ALLEGHENY COUNTY MED EX DIV OF LABS—SB
 1520 PENN AVENUE, 2ND FLOOR
 PITTSBURGH, PA 15222
 (412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
 320 E NORTH AVENUE
 PITTSBURGH, PA 15212
 (412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S
 1307 FEDERAL STREET
 PITTSBURGH, PA 15212
 (412) 359-6886

00100

ALLEGHENY VALLEY HOSPITAL LAB—S
 1301 CARLISLE STREET
 NATRONA HEIGHTS, PA 15065
 (724) 224-5100

00192

ARIA HEALTH—S
 380 NORTH OXFORD VALLEY ROAD
 LANGHORNE, PA 19047-8304
 (215) 934-5227

00236

ARIA HEALTH—S
 FRANKFORD AVE & WAKELING STREET
 PHILADELPHIA, PA 19124
 (215) 831-2068

00341

ARIA HEALTH—S
 10800 KNIGHTS ROAD
 PHILADELPHIA, PA 19114
 (215) 612-4000

00041

ARMSTRONG COUNTY MEMORIAL HOSP—S
 1 NOLTE DRIVE
 KITTANNING, PA 16201
 (724) 543-8500

00047

ASSOCIATED CLINICAL LABORATORIES—SB
 1526 PEACH STREET
 ERIE, PA 16501
 (814) 461-2400

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
 3520 PROGRESS DRIVE UNIT C
 BENSALEM, PA 19020
 (267) 525-2470

00251

AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
 800 SPRUCE STREET
 PHILADELPHIA, PA 19107
 (215) 829-3541

00320

BARNES KASSON HOSPITAL LAB—S
 400 TURNPIKE STREET
 SUSQUEHANNA, PA 18847
 (570) 853-5059

00001

BERWICK HOSPITAL LABORATORY—S
 701 EAST 16TH STREET
 BERWICK, PA 18603
 (570) 759-5110

00301

BHS LABORATORY—S
 ONE HOSPITAL WAY (911 E BRADY STREET)
 BUTLER, PA 16001
 (724) 284-4513

00033

BRADFORD REGIONAL MEDICAL CENTER—S
 116-156 INTERSTATE PKWY
 BRADFORD, PA 16701-0218
 (814) 362-8247

00296

BRANDYWINE HOSPITAL—S
 201 REECEVILLE ROAD
 COATESVILLE, PA 19320
 (610) 383-8000

00053

BROOKVILLE HOSPITAL LAB—S
 100 HOSPITAL ROAD
 BROOKVILLE, PA 15825
 (814) 849-2312

31684

BUCKS COUNTY CRIME LABORATORY—SB
 850 EAGLE BOULEVARD
 WARMINSTER, PA 18974
 (609) 802-7399

00107

CANONSBURG HOSPITAL—S
 100 MEDICAL BOULEVARD
 CANONSBURG, PA 15317
 (724) 745-3916

00131

CARLISLE REGIONAL MEDICAL CENTER—S
 361 ALEXANDER SPRING ROAD
 CARLISLE, PA 17015-9129
 (717) 249-1212

00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD.
MAIN BLDG.-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 221-8969

00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

33142
CLINICAL REFERENCE LABORATORY, INC.—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00125
CONEMAUGH VALLEY MEMORIAL HOSP—SB
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-3221

00326
CORY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

00209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000

00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SB
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(267) 960-3407

00027
DUBOIS REG MED CTR-WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
(814) 371-2200

00175
EASTON HOSPITAL LABORATORY—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19401
(484) 662-1000

00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
25 GROW AVENUE
MONTROSE, PA 18801-1103
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00032
ERHC ST MARYS LABORATORY—B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 537-1550

00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2566

32455
FORENSIC LABORATORIES—B
ROCKY MOUNTAIN TOX, LLC
4895 JOLIET STREET, 7-G
DENVER, CO 80239
(720) 287-8111

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169

00002
GEISINGER BLOOMSBURG—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124

00005
GEISINGER CMC LABORATORY—S
1800 MULBERRY STREET
ATTN 68-44
SCRANTON, PA 18510
(570) 969-7140

00138
GEISINGER LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7474

00173
GEISINGER MEDICAL CENTER—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338

00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845

00122
GETTYSBURG HOSPITAL LABORATORY—S
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 337-4120

00152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083

00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7986

00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4528

00061
GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125

00024
GUTHRIE CLINIC LAB AT TROY COMM—S
275 GUTHRIE LANE
TROY, PA 16947
(570) 297-9289

00654
GUTHRIE CLINIC LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-5797

00239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
(215) 762-1783

00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 633-2150

00155
HARRISBURG HOSPITAL LABORATORY—SB
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 231-6323

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-8150

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(610) 402-8150

24655
HEALTH NETWORK LABORATORIES—SB
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

00166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605

00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000

00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 741-6600

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206

00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080

00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347

00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

00034
KANE COMMUNITY HOSPITAL—S
4372 ROUTE 6
KANE, PA 16735
(814) 837-4570

01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE, PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 481-4933

00010
LEHIGH VALLEY HOSPITAL—HAZLETON—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4152

00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

09003
MAYO CLINIC LABS-ROCHESTER MAIN
CAMPUS—SB
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 538-6449

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17403
(717) 843-8623

00023
MEMORIAL HOSPITAL LAB—SB
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181

00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 292-6501

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 955-3941

00231
MEYERSDALE MEDICAL CENTER LABORATORY—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 634-5911

00269
MID-VALLEY HOSPITAL—S
1400 MAIN STREET
PECKVILLE, PA 18452
(570) 383-5520

00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2100

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD ATTN: LAB
ELKINS PARK, PA 19027
(215) 456-6150

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 366-1222

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

29741
NORTHERN TIER RESEARCH—SB
1302 MADISON AVE
DUNMORE, PA 18509
(570) 209-7913

30984
OFFICE OF THE DISTRICT ATTORNEY—SB
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17013
(717) 240-6526

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

00334
PALMERTON HOSPITAL—SB
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100

31516
PAML LLC—SB
110 W. CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8645

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

00157
PINNACLE HEALTH AT COMMUNITY GENERAL
HOSPITAL—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00022
POCONO MEDICAL CENTER LAB—SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

22715
QUEST DIAGNOSTICS—SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

31399
QUEST DIAGNOSTICS—SB
1777 MONTREAL CIRCLE ES/F1 2
TUCKER, GA 30084
(770) 936-5007

27461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4502

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150
READING HOSPITAL & MEDICAL CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(484) 628-8615

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS ATTN LAB DEPT
ALLENTOWN, PA 18102
(610) 776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER—S
LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5386

00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00183
SCHUYLKILL MC S JACKSON ST—SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262

00064
SHARON REGIONAL HEALTH SYSTEM—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911

00039
SOLDIERS & SAILORS MEM HOSP—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000

00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 267-2640

00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134
(215) 427-4207

00151
ST JOSEPH QUALITY MEDICAL LAB—SB
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

- 00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8724
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 00195
ST LUKES QUAKERTOWN HOSPITAL—S
1021 PARK AVENUE
QUAKERTOWN, PA 18951
(215) 538-4681
- 32021
ST. LUKES HOSPITAL-ANDERSON LAB—S
1872 RIVERSIDE CIRCLE
EASTON, PA 18045
(484) 503-1075
- 00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4353
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
DEPT OF PATH & LAB MED-2ND FL. OPB RM 249
PHILADELPHIA, PA 19140
(215) 707-4353
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET 204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-3941
- 00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 32914
TRIDENT LABORATORIES, INC—SB
6011 RODMAN STREET #107
HOLLYWOOD, FL 33023
(954) 304-1293
- 00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705
- 00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384
- 00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340
- 00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3555
- 32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD.
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682
- 00046
UPMC HAMOT—S
201 STATE STREET
ERIE, PA 16550
(814) 877-2463
- 00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233
- 00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831
- 00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
(412) 367-6700
- 05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370
- 00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3136

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WESTERN PENN HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-3741

25064
WVU HOSPITAL CLINICAL LABS—S
1 MEDICAL CENTER DR PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1401. Filed for public inspection July 3, 2014, 9:00 a.m.]

Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another

state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

00212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 481-2324

32917
ACCURATE DIAGNOSTIC LABS, INC—S
3000 HADLEY ROAD
SOUTH PLAINFIELD, NJ 07080
(732) 839-3300

27908
ACM MEDICAL LABORATORY—SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
(716) 429-2264

33614
ADVANCED CLINICAL LABORATORY SOLUTIONS,
INC—SC
813 QUENTIN ROAD SUITE 205
BROOKLYN, NY 11223

31193
ADVANCED LABORATORY SERVICES, INC.—SC
501 ELMWOOD AVENUE
SHARON HILL, PA 19079
(484) 494-6125

33583
ADVANCED MEDICAL LABORATORIES INC—SC
1690 US HWY 1 SOUTH, SUITE D
ST AUGUSTINE, FL 32084
(305) 790-9798

31695
AEGIS SCIENCES CORPORATION—SC
515 GREAT CIRCLE ROAD
NASHVILLE, TN 37228
(615) 255-2400

30483
AIT LABORATORIES—SC
2265 EXECUTIVE DRIVE
INDIANAPOLIS, IN 46241
(317) 243-3894

00233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD- LABS-TOWER BLDG GROUND
FL
PHILADELPHIA, PA 19141-3001
(215) 456-6157

24496
ALERE TOXICOLOGY SERVICES—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

26008
ALERE TOXICOLOGY SERVICES INC—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989

00116
ALLE KISKI MED CNTR NEW KENSINGTON—S
651 FOURTH AVENUE
NEW KENSINGTON, PA 15068
(724) 226-7089

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SC
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077
ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

00100
ALLEGHENY VALLEY HOSPITAL LAB—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC
728 LARKFIELD ROAD
EAST NORTHPORT, NY 11731
(631) 923-0166

31814
AMERITOX, LTD.—SC
486 GALLIMORE DAIRY ROAD
GREENSBORO, NC 27409
(336) 387-7600

26620
AMMON ANALYTICAL LABORATORY—S
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
(908) 862-4404

- 00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227
- 00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068
- 00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-4000
- 00047
ASSOCIATED CLINICAL LABORATORIES—S
PATHOLOGY ASSOCIATES OF ERIE, INC.
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 31171
AVEE LABORATORIES INC—SC
14440 MYERLAKE CIRCLE
CLEARWATER, FL 33760
(727) 424-4151
- 33067
AVERTEST—S
11 E MARKET STREET, SUITE 104
YORK, PA 17401
(804) 955-5246
- 00251
AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541
- 00320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059
- 00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110
- 00301
BHS LABORATORY—S
ONE HOSPITAL WAY (911 E BRADY STREET)
BUTLER, PA 16001
(724) 284-4513
- 27615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771
- 27616
BIOLOGICAL SPECIALTY CORPORATION—S
1236 VETERANS HIGHWAY #851
BRISTOL, PA 19007
(215) 826-9282
- 27617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
(610) 375-9862
- 22757
BIOREFERENCE LABORATORIES INC—SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000
- 00472
BROOKSIDE CLINICAL LAB INC—S
2901 W. DUTTONS MILLS ROAD, SUITE 100
ASTON, PA 19014
(610) 872-6466
- 31684
BUCKS COUNTY CRIME LABORATORY—S
850 EAGLE BOULEVARD
WARMINSTER, PA 18974
(609) 802-7399
- 32486
BURLINGTON LABORATORIES, INC.—SC
199 MAIN STREET
COURTHOUSE PLAZA
BURLINGTON, VT 05401
(802) 863-4105
- 29116
CALLOWAY LABORATORIES—SC
12 GILL STREET, SUITE 4000
WOBURN, MA 01801
(781) 224-9899
- 00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 00131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212
- 00751
CEDAR CREST EMERGICENTER—S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
(610) 435-3111
- 00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153

- 00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510
- 00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182
- 00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113
- 00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD.
MAIN BLDG.-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446
- 00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 221-8969
- 00026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVENUE PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280
- 27845
CLINICAL REFERENCE LABORATORY—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652
- 33139
CLINICAL REFERENCE LABORATORY, INC—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652
- 33142
CLINICAL REFERENCE LABORATORY, INC—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652
- 24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106
- 33386
COLORADO UNIVERSITY TOXICOLOGY—C
1999 N FITZSIMMONS PARKWAY, SUITE 100
AURORA, CO 80045
(303) 724-7346
- 00125
CONEMAUGH VALLEY MEMORIAL HOSP—S
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-3221
- 33431
CONFIRMATRIX LABORATORY, INC—C
1770 CEDARS ROAD, SUITE 200
LAWRENCEVILLE, GA 30045
- 00326
CORRY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORRY, PA 16407
(814) 664-4641
- 00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000
- 00209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000
- 00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100
- 00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423
- 32240
DOMINION DIAGNOSTICS, LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(401) 667-0891
- 00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250
- 00977
DRUGSCAN INC—SC
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(267) 960-3407
- 00175
EASTON HOSPITAL LABORATORY—S
250 SOUTH 21ST ST
EASTON, PA 18042
(610) 250-4819
- 00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19401
(484) 662-1000
- 00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081
- 31625
EMPIRE CITY LABORATORIES—S
4306 3RD AVENUE, 2ND FLOOR
BROOKLYN, NY 11232
(516) 941-7244

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
25 GROW AVENUE
MONTROSE, PA 18801-1103
(570) 278-3801

00164
EHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EHRATA, PA 17522
(717) 733-0311

00032
ERHC ST MARYS LABORATORY—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

32030
EXCEL MEDICAL LAB INC.—S
DBA EVEREST MEDICAL LABORATORY
99-107 GLENDALE AVE
EDISON, NJ 08817
(732) 777-9222

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 537-1550

33432
EXCELTOX LABORATORIES, LLC—SC
15375 BARRANCA PKWY, SUITE F-104
IRVINE, CA 92618
(877) 202-7019

00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2566

32455
FORENSIC LABORATORIES—S
ROCKY MOUNTAIN TOX, LLC
4895 JOLIET STREET, 7-G
DENVER, CO 80239
(720) 287-8111

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

20644
FRIENDS HOSPITAL—S
4641 ROOSEVELT BOULEVARD
LABORATORY
PHILADELPHIA, PA 19124
(215) 831-6934

09163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
(412) 247-4417

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169

30188
GARCIA CLINICAL LABORATORY INC—S
2195 SPRING ARBOR ROAD
JACKSON, MI 49201
(517) 787-9200

00002
GEISINGER BLOOMSBURG—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124

00005
GEISINGER CMC LABORATORY—S
1800 MULBERRY STREET
ATTN 68-44
SCRANTON, PA 18510
(570) 969-7140

00138
GEISINGER LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7474

00173
GEISINGER MEDICAL LABORATORIES—SC
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338

00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845

00185
GEISINGER-SHAMOKIN AREA COMMUNITY
HOSPITAL—S
4200 HOSPITAL ROAD
COAL RUN, PA 17866-9697
(570) 644-4200

00152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083

00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7986

32790
GREATER PHILADELPHIA SPINE AND PAIN, PC—S
700 E. TOWNSHIP LINE ROAD, 1ST FLOOR
HAVERTOWN, PA 19083
(610) 689-9120

00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-5797

- 00239
 HAHNEMANN UNIVERSITY HOSPITAL—S
 BROAD & VINE STS MS 113
 PHILADELPHIA, PA 19102
 (215) 762-1783
- 00139
 HANOVER HOSPITAL LABORATORY—S
 300 HIGHLAND AVE
 HANOVER, PA 17331
 (717) 637-2150
- 00155
 HARRISBURG HOSPITAL LABORATORY—S
 100 SOUTH 2ND STREET
 HARRISBURG, PA 17101
 (717) 231-6323
- 26799
 HEALTH AND WELLNESS CENTER-HAZLETON—S
 50 MOISEY DRIVE SUITE 208
 HAZLETON, PA 18202
 (570) 501-6805
- 00169
 HEALTH NETWORK LABORATORIES—S
 1627 WEST CHEW STREET
 ALLENTOWN, PA 18102
 (610) 402-8150
- 00549
 HEALTH NETWORK LABORATORIES—S
 1200 SOUTH CEDAR CREST BLVD
 ALLENTOWN, PA 18103
 (610) 402-8150
- 00600
 HEALTH NETWORK LABORATORIES—S
 2545 SCHOENERSVILLE ROAD
 BETHLEHEM, PA 18017-7384
 (610) 402-8150
- 24655
 HEALTH NETWORK LABORATORIES—SC
 2024 LEHIGH STREET
 ALLENTOWN, PA 18103-4798
 (610) 402-8150
- 00166
 HEART OF LANCASTER REGIONAL MEDICAL
 CENTER—S
 1500 HIGHLANDS DRIVE
 LITITZ, PA 17543
 (717) 625-5605
- 00205
 HERITAGE VALLEY BEAVER—S
 1000 DUTCH RIDGE ROAD
 BEAVER, PA 15009
 (724) 728-7000
- 00101
 HERITAGE VALLEY SEWICKLEY LAB—S
 720 BLACKBURN RD
 SEWICKLEY, PA 15143
 (412) 741-6600
- 00103
 HIGHLANDS HOSPITAL—S
 401 EAST MURPHY AVENUE
 CONNELLSVILLE, PA 15425
 (724) 628-1500
- 00216
 HOLY REDEEMER HOSPITAL—S
 1648 HUNTINGDON PIKE
 MEADOWBROOK, PA 19046
 (215) 947-3000
- 00130
 HOLY SPIRIT HOSPITAL—S
 503 N 21ST STREET
 CAMP HILL, PA 17011-2288
 (717) 763-2206
- 00052
 INDIANA REGIONAL MEDICAL CENTER—S
 835 HOSPITAL ROAD
 PO BOX 788
 INDIANA, PA 15701-0788
 (724) 357-7167
- 33607
 INSIGHT DIAGNOSTICS, LLC—C
 357 RIVERSIDE DR SUITE 1004
 FRANKLIN, TN 37064
 (615) 465-6529
- 33604
 INTEGRALABS, INC—C
 7020 KIT CREEK ROAD SUITE 240
 RESEARCH TRIANGLE PARK, NC 27709
 (423) 328-0527
- 00135
 J C BLAIR MEMORIAL HOSPITAL—S
 1225 WARM SPRINGS AVENUE
 HUNTINGDON, PA 16652
 (814) 643-8645
- 00054
 JAMESON MEMORIAL HOSPITAL—S
 1211 WILMINGTON AVENUE
 NEW CASTLE, PA 16105
 (724) 656-4080
- 00240
 JEANES HOSPITAL—S
 7600 CENTRAL AVE
 PHILADELPHIA, PA 19111
 (215) 728-2347
- 00038
 JEFFERSON REGIONAL MED CTR—S
 PO BOX 18119, 565 COAL VALLEY ROAD
 PITTSBURGH, PA 15236
 (412) 469-5723
- 00200
 JENNERSVILLE REGIONAL HOSPITAL—S
 1015 WEST BALTIMORE PIKE
 WEST GROVE, PA 19390
 (610) 869-1080
- 00312
 JERSEY SHORE HOSPITAL—S
 1020 THOMPSON STREET
 JERSEY SHORE, PA 17740
 (570) 398-0100
- 21306
 LAB CORP OCCUPATIONAL TEST SRVCS—SC
 1120 STATELINE ROAD WEST
 SOUTHAVEN, MS 38671
 (886) 827-8042
- 20512
 LABCORP OCCUPATIONAL TESTING SER—SC
 1904 ALEXANDER DRIVE PO BOX 12652
 RESEARCH TRIANGLE PARK, NC 27709
 (919) 572-6900
- 01088
 LABCORP OF AMERICA HOLDINGS—SC
 69 FIRST AVENUE PO BOX 500
 RARITAN, NJ 08869
 (908) 526-2400

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET, PO BOX 3555
LANCASTER, PA 17604
(717) 544-4331

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE, PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4933

32311
LEBANON PAIN RELIEF—S
918 RUSSELL DRIVE
LEBANON, PA 17042

00010
LEHIGH VALLEY HOSPITAL-HAZLETON—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4152

00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

27684
MARWORTH—S
BOX 36 LILLY LAKE ROAD
WAVERLY, PA 18471
(570) 563-1112

09003
MAYO CLINIC LABS-ROCHESTER MAIN
CAMPUS—SC
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 538-6449

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SC
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 286-6217

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
YORK, PA 17403
(717) 843-8623

00023
MEMORIAL HOSPITAL LAB—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181

00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 292-6501

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 955-3941

00269
MID-VALLEY HOSPITAL—S
1400 MAIN STREET
PECKVILLE, PA 18452
(570) 383-5520

31050
MILLENIUM LABORATORIES—SC
16981 VIA TAZON, SUITE F
SAN DIEGO, CA 92127
(858) 451-3535

00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

28907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
(484) 227-1426

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

- 00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD ATTN: LAB
ELKINS PARK, PA 19027
(215) 456-6150
- 00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117
- 00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282
- 00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 366-1222
- 00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245
- 27246
NORCHEM DRUG TESTING LABORATORY—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011
- 29741
NORTHERN TIER RESEARCH—SC
1302 MADISON AVE
DUNMORE, PA 18509
(570) 209-7913
- 30984
OFFICE OF THE DISTRICT ATTORNEY—S
37 E HIGH STREET, FORENSIC LAB
CARLISLE, PA 17013
(717) 240-6526
- 00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161
- 31798
PAIN CONTROL CENTER OF PITTSBURGH—S
3627 BROADHEAD ROAD
MONACA, PA 15061
(724) 728-7880
- 00334
PALMERTON HOSPITAL—S
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100
- 31516
PAML LLC—SC
110 W. CLIFF AVENUE
SPOKANE, WA 99202
(509) 755-8645
- 00250
PARKWAY CLINICAL LABORATORIES—S
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112
- 33054
PATHOLOGY LABORATORIES, INC.—S
1946 NORTH 13TH STREET
TOLEDO, OH 43604
(419) 255-4600
- 33194
PEACHSTATE HEALTH MANAGEMENT—C
2225 CENTENNIAL DRIVE
GAINESVILLE, GA 30504
(678) 276-8412
- 00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435
- 00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353
- 22533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 31082
PHAMATECH INC—SC
10151 BARNES CANYON ROAD
SAN DIEGO, CA 92121
(858) 643-5555
- 32887
PHOENIX TOXICOLOGY & LAB SERVICES—C
2320 W PEORIA AVE SUITE D-132
PHOENIX, AZ 85029
(602) 374-4097
- 00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612
- 31965
PHYSICIANS CHOICE LABORATORY SERVICES,
LLC—SC
854 PARAGON WAY
ROCK HILL, SC 29730
(336) 407-1499
- 32215
PHYSICIANS TOXICOLOGY LABORATORY, LLC—SC
4433 MANCHESTER ROAD
KALAMAZOO, MI 49001
(239) 269-0035
- 00157
PINNACLE HEALTH AT COMMUNITY GENERAL
HOSPITAL—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

33480
PINNACLE HEALTH WEST SHORE HOSPITAL
LABORATORY—S
1995 TECHNOLOGY PARKWAY
MECHANICSBURG, PA 17050
(717) 782-3582

33621
PITTSBURGH DRUG SCREENING LAB—S
440 ROSS STREET
PITTSBURGH, PA 15219

00022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130

33487
PRECISION TOXICOLOGY—SC
3030 BUNKER HILL SUITE 201
SAN DIEGO, CA 92109

31800
PREMIER PAIN, SPINE AND SPORTS MEDICINE
PC—S
391 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 872-9800

21648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820

32205
QDX PATHALLIANCE, PC—S
70 JACKSON DRIVE UNIT H3
CRANFORD, NJ 07016

22715
QUEST DIAGNOSTICS—SC
10101 RENNEN BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

31399
QUEST DIAGNOSTICS—SC
1777 MONTREAL CIRCLE ES/F1 2
TUCKER, GA 30084
(770) 936-5007

00315
QUEST DIAGNOSTICS CLINICAL LABS INC—SC
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

27461
QUEST DIAGNOSTICS INC—SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4502

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

24249
QUINTILES LABORATORIES LTD—S
1600 TERRELL MILL ROAD SUITE 100
MARIETTA, GA 30067
(770) 373-3500

00150
READING HOSPITAL LABORATORY—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(484) 628-8615

25348
REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958

00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

33170
RIVER CROSSING LABS LLC—SC
4115 W. SPRUCE STREET
TAMPA, FL 33607
(813) 884-8200

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

30821
RXTOX INC—SC
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300
PITTSBURGH, PA 15236
(412) 460-1310

00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS ATTN LAB DEPT
ALLENTOWN, PA 18102
(610) 776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

- 00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558
- 00328
SAINT MARY MEDICAL CENTER—S
LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 29838
SAN DIEGO REFERENCE LABORATORY—SC
6565 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995
- 00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 00183
SCHUYLKILL MC S JACKSON ST—S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262
- 28471
SECON OF LOUISIANA—S
825 KALISTE SALOOM RD, BRANDYWINE 1
SUITE 100
LAFAYETTE, LA 70508
(337) 235-3712
- 29038
SECON OF NEW ENGLAND—SC
415 MAIN STREET 4TH FLOOR
WORCESTER, MA 01608
(508) 831-0703
- 00064
SHARON REGIONAL HEALTH SYSTEM—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911
- 00421
SKIPPACK MEDICAL LABORATORY—S
3887 SKIPPACK PIKE
SKIPPACK, PA 19474
(610) 584-1669
- 27649
SMA MEDICAL LABORATORIES—S
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590
- 00039
SOLDIERS & SAILORS MEM HOSP—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133
- 00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000
- 00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 267-2640
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134
(215) 427-4207
- 00151
ST JOSEPH QUALITY MEDICAL LAB—SC
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8724
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 29015
STERLING HEALTHCARE HOLDINGS, LLC—SC
2617 EAST L STREET #A
TACOMA, WA 98421-2205
(253) 552-1551
- 00187
SUNBURY COMMUNITY HOSPITAL—S
350 NORTH 11TH STREET
SUNBURY, PA 17801
(570) 286-3492
- 31474
TASC INC—SC
2234 N 7TH STREET
PHOENIX, AZ 85006
(602) 257-7588
- 00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4353
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
DEPT OF PATH & LAB MED—2ND FL. OPB RM 249
PHILADELPHIA, PA 19140
(215) 707-4353
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET 204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-3941

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

32914
TRIDENT LABORATORIES, INC.—S
6011 RODMAN STREET #107
HOLLYWOOD, FL 33023
(954) 304-1293

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384

00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3555

32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD.
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00046
UPMC HAMOT—S
201 STATE STREET
ERIE, PA 16550
(814) 877-2463

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831

00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
LABORATORY
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

33106
US ACCUSCREEN, LLC—SC
3365 CYPRESS MILL ROAD #9
BRUNSWICK, GA 31520
(912) 265-9277

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

33357
UTC LABORATORIES, LLC—SC
1441 CANAL STREET, SUITE 401
NEW ORLEANS, LA 70112

00335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT REGIONAL MEDICAL CENTER—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1402. Filed for public inspection July 3, 2014, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P. S. §§ 2151–2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the [Department's] Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the [Department's] Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter (µg/dL) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

31609
ACCU REFERENCE MEDICAL LABATORY—L
1901 EAST LINDEN AVENUE
SUITE 4
LINDEN, NJ 07036
(908) 474-1004

22912
ACL LABORATORIES—LP
8901 WEST LINCOLN AVE
WEST ALLIS, WI 53227
(414) 328-7945

00016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278

21613
ARUP LABORATORIES INC—L
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

22757
BIOREFERENCE LABORATORIES INC—L
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600

20506
CENTRAL PA ALLIANCE LABORATORY—L
1803 MT ROSE AVENUE SUITE C3-C4
YORK, PA 17403
(717) 851-1426

00228
CHILDRENS HOSP OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD.
MAIN BLDG.—5TH FLOOR—ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

31847
DOCTOR'S DATA, INC.—L
3755 ILLINOIS AVENUE
ST. CHARLES, IL 60174-2420
(630) 377-8139

00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361

00332
ELLWOOD CITY HOSPITAL—LP
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

31378
ENZO CLINICAL LABS—L
60 EXECUTIVE BLVD
FARMINGDALE, NY 11735
(631) 755-5500

00173
GEISINGER MEDICAL CENTER—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338

25914
GENOVA DIAGNOSTICS—L
63 ZILICOA STREET
ASHEVILLE, NC 28801
(828) 253-0621

32839
GENOVA DIAGNOSTICS—L
3425 CORPORATE WAY
DULUTH, GA 30096
(678) 638-2918

00654
GUTHRIE MEDICAL GROUP LABORATORIES—L
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-5797

24655
HEALTH NETWORK LABORATORIES—L
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300

21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(800) 334-5161

01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00242
MAIN LINE HOSPITALS LAB-LANKENAU—L
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—L
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-6449

29251
MAYO MEDICAL LABORATORIES NEW
ENGLAND—LP
160 DASCUMB ROAD
ANDOVER, MA 01810
(978) 658-3600

24668
MCMURRAY PEDIATRIC & ADOLESCENT
MEDICINE—L
6000 WATERDAM PLAZA DRIVE #280
MCMURRAY, PA 15317
(724) 941-8199

20802
MERITUS MEDICAL LABORATORY, LLC—L
11110 MEDICAL CAMPUS RD STE 230
HAGERSTOWN, MD 21742
(301) 790-8670

00504
NATIONAL MED SVCS INC/DBA NMS LABS—LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 366-1222

30553
NATIONWIDE CHILDRENS HOSPITAL—LP
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5376

23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

31516
PAML LLC—L
110 W. CLIFF AVENUE
SPOKANE, WA 99204
(509) 755-8645

02125
PED ALLIANCE ST CLAIR PED DIV—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121

22533
PENNSYLVANIA DEPT OF HEALTH—LP
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00022
POCONO MEDICAL CENTER LAB—L
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00324
PRIMARY HEALTH CARE SERVICES INC—L
7227 HAMILTON AVE
PITTSBURGH, PA 15208
(412) 244-4728

00255
PUBLIC HEALTH LAB CITY OF PHILA—L
500 SOUTH BROAD STREET ROOM 359
PHILADELPHIA, PA 19146
(215) 685-6501

22715
QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

00669
QUEST DIAGNOSTICS INCORPORATED—LP
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—L
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150
READING HOSPITAL LABORATORY—L
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(484) 628-8615

31527
SHIEL MEDICAL LABORATORY—L
63 FLUSHING AVENUE
BROOKLYN NAVY YARD UNIT 336
BROOKLYN, NY 11205
(718) 552-1000

27649
SMA MEDICAL LABORATORIES—L
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590

00151
ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

32074
UNITED MEDICAL LABORATORY INC.—L
495 N 13TH STREET
NEWARK, NJ 07107

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00018
WBGH COMMONWEALTH HEALTH LAB SVS—L
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

26198
WRIGHT CENTER MEDICAL GROUP, PC—L
5 SOUTH WASHINGTON AVENUE
JERMYN, PA 18433
(570) 383-9934

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1403. Filed for public inspection July 3, 2014, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Bucktail Medical Center
1001 Pine Street
Renovo, PA 17764
FAC ID # 549602

Golden LivingCenter—Doylestown
432 Maple Street
Doylestown, PA 18901
FAC ID # 040502

The Hearthside Rehabilitation and Nursing Center
450 Waupelani Drive
State College, PA 16801
FAC ID # 940502

Mountain View, A Nursing and Rehabilitation Center
2050 Trevorton Road
Coal Township, PA 17866
FAC ID # 390302

Nottingham Village
58 Neitz Road, P. O. Box 32
Northumberland, PA 17857
FAC ID # 401002

Ohesson Manor
276 Green Avenue
Lewistown, PA 17044
FAC ID # 151202

Philadelphia Nursing Home
Girard and Corinthian Avenues
Philadelphia, PA 19130
FAC ID # 163902

Rockhill Mennonite Community
3250 State Road
Sellersville, PA 18960
FAC ID # 182802

Twining Hall
280 Middle Holland Road
Holland, PA 18966
FAC ID # 071202

Vibra Rehabilitation Center
707 Shepherdstown Road
Mechanicsburg, PA 17055
FAC ID # 069302

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(d) and (e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Sugar Creek Station Skilled Nursing and Rehabilitation Complex
351 Causeway Drive
Franklin, PA 16323
FAC ID # 220602

UPMC McKeesport
1500 Fifth Avenue
McKeesport PA 15132
FAC ID # 650402

UPMC Northwest Transitional Care Unit
100 Fairfield Drive
Seneca, PA 16346
FAC ID # 151002

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(b) (relating to nurses' station):

Manchester Commons
6351 West Lake Road
Erie, PA 16505
FAC ID # 075602

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(c)(3):

Frey Village
1020 North Union Street
Middletown, PA 17057-2199
FAC ID # 062102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1404. Filed for public inspection July 3, 2014, 9:00 a.m.]

Vehicle, Equipment and Supply Requirements for Ground and Air Ambulances

Under 28 Pa. Code § 1027.3(c) (relating to licensure and general operating standards), the Department of Health (Department) has the authority to publish in the *Pennsylvania Bulletin*, and update as necessary, vehicle construction and equipment and supply requirements for emergency medical services (EMS) agencies based upon the types of services they provide and the EMS vehicles they operate. Under to this section, EMS agencies must have the required equipment and supplies readily available, in working order and carried on their EMS vehicles.

A. Vehicle Standards

Basic life support (BLS) ambulances, Advanced life support (ALS) ambulances, ALS squad vehicles and air ambulances shall continue to meet vehicle standards as published at 41 Pa.B. 2296 (April 30, 2011).

B. Equipment and Supply Standards

BLS ambulances, ALS ambulances, ALS squad vehicles and air ambulances shall continue to meet equipment and supply standards as published at 41 Pa.B. 2296.

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape, Braille) should contact George Aupperlee, Department of Health, Bureau of Emergency Medical Services, Room 606, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0701, (717) 787-8740. Speech or hearing impaired persons may use V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1405. Filed for public inspection July 3, 2014, 9:00 a.m.]

Vehicle, Equipment and Supply Requirements for Quick Response Services

Under 28 Pa. Code § 1027.3(c) (relating to licensure and general operating standards), an emergency medical services agency that is licensed to operate as a quick response service (QRS) by the Department of Health (Department) under 28 Pa. Code §§ 1027.1 and 1027.32 (relating to general provisions; and quick response service), as well as an applicant for an emergency medical services agency license to operate as a QRS, shall maintain and have readily available in working order the following vehicle, equipment and supply requirements. This notice supersedes the notice published at 41 Pa.B. 3274 (June 25, 2011).

A. Vehicle Requirements

Although a QRS is not required to have a vehicle to respond to emergencies, if it does, the vehicle being used on the highways of this Commonwealth must conform to all applicable requirements of 75 Pa.C.S. (relating to Vehicle Code). If the QRS will not be using a vehicle, it must provide information to the Department on how it will transport its personnel and its equipment and supplies to the scene of an emergency.

B. Required Equipment and Supplies

The following equipment and supplies must be carried and readily available and in working order for use by a QRS.

1. Portable suction unit with wide-bore tubing. The unit must achieve a vacuum of 300 mm/Hg or 11.8" of water in 4 seconds.
2. Suction catheters:
 - Pharyngeal (2).
3. Airways:
 - a. Nasopharyngeal (5 different sizes to include at least one between size 16-24 fr. and one between size 26-34 fr.).
 - b. Oropharyngeal (6 different sizes to include at least one size 0-1, one 2-3 and one size 4-5).
4. Sphygmomanometer:
 - Child, Adult and Thigh (large) (1 each). Interchangeable gauges are permitted.
5. Stethoscope:
 - Adult (1) and Pediatric (1).
6. Penlight (1).
7. Portable Oxygen Unit (1):
 - Cylinder with a capacity of at least 300-liters, (D size) with 500 psi Yoke Cylinder with a minimum total pressure of 500 psi.
8. Gauge/flow meter not gravity dependent and capable of delivering 0-25 liters per minute.
9. Nonsparking wrench/tank opening device.
10. Full spare cylinder with a 300-liter capacity.
11. Oxygen Delivery Devices:
 - a. Nasal cannula, adult and pediatric (1 each).
 - b. High concentration mask capable of providing 80% or greater concentration—adult, pediatric and infant (1 each).
 - c. Pocket mask with one-way valve and oxygen port (1).
 - d. Bag-valve-mask devices—hand operated adult (1) and hand operated infant/pediatric (450-700cc) (1) that must be capable of high concentration oxygen delivery with adult and pediatric masks.
12. Dressings:
 - a. Multi trauma (10" x 30") (2).
 - b. Occlusive (3" x 4") (4).
 - c. Sterile gauze pads (3" x 3") (12).
 - d. Soft self-adhering (4 rolls).
13. Adhesive tape:
 - 4 rolls assorted, one of which must be hypoallergenic.
14. Sterile burn sheet (4' x 4') (2).
15. Triangular bandages (4).
16. Commercial Tourniquet (1).
17. Bandage shears (1).
18. Regional Approved Triage tags (20).
19. Blankets (2).
20. Instant glucose (40% dextrose-d-glucose gel) 45 grams.
21. Emergency BLS Jump Kit (1).

22. Personal Protective Equipment (PPE):

Helmet, eye protection and high-visibility safety apparel (1 per provider).

23. Emergency Response Guidebook published by the United States Department of Transportation, current edition.

24. Radio communications equipment:

Equipment, per regional requirements, capable of communicating with a public safety answering point (PSAP) and ambulance services within the response areas of the QRS. A cellular phone may only be used as a backup means of communication.

25. Automated External Defibrillator (AED).

26. Personal Infection Control Kit set for each crew member, consisting of:

a. Eye protection, clear disposable (1 per crew member).

b. Patient Exam/Treatment Gloves (1 set per crew member).

c. Face Mask, disposable (N-95, 1 per crew member).

27. Infection control plan as part of licensure.

28. Alcohol based hand disinfectant—Nonwater hand cleaner/disinfectant (1 container).

29. Copy of most current appropriate version Statewide EMS Protocols.

All equipment that may be used in direct contact with patients must be reasonably clean and easily cleaned of blood and body fluids. No drugs, medications or supplies may be carried beyond an expiration date assigned to it.

C. *Recommendation Regarding Latex*

Some patients and QRS personnel may have an allergy to latex. It is recommended, but not required, that when possible, latex free supplies and equipment should be carried.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact George Aupperlee, Department of Health, Bureau of Emergency Medical Services, Room 606, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0701, (717) 787-8740. Persons with speech or hearing impairment may telephone V/TT (717) 783-6154 or use the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1406. Filed for public inspection July 3, 2014, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Designated Exceptional Durable Medical Equipment

In accordance with the Department of Public Welfare's (Department) currently approved State Plan, the Department is required to publish an annual list of exceptional Durable Medical Equipment (DME) by notice in the *Pennsylvania Bulletin* in July of each year. Interested

persons may petition the Department to consider additions to the exceptional DME list by submitting a written request to the Department. Requests received on or before December 31 will be considered in developing the list for the following July.

During calendar year 2013, the Department received one written request for an addition to the list of exceptional DME. The request was to add the LifeVest/Wearable Cardiac Defibrillator (LifeVest) to the list of exceptional DME. The Department found, after discussions with cardiologists and the manufacturer of LifeVest, that the LifeVest is generally used only in a hospital as a short-term solution (average of 3 to 10 days) for residents with an above average risk for ventricular fibrillation (sudden death) since the usual standard of cardiac care in this type of resident is to implant a pacemaker/defibrillator. The Department also found that the LifeVest is not offered for sale and is available only on a rental basis with a rental cost of approximately \$2,000 per month.

Upon review, the Department determined that the use of the LifeVest would not meet the acquisition cost of \$5,000 or more necessary to qualify as an item of exceptional DME. In addition, the Department determined that the LifeVest does not meet the criteria to qualify as an item of "Specially Adapted DME" since the vest is not substantially adapted or modified in a way to meet the needs of a specific resident and, therefore, is suitable for the contemporaneous use by numerous other persons. Further, the Department has decided that the request for the addition of the unconventional use of the LifeVest in a nursing facility setting as a separate category of exceptional DME is unwarranted at this time. Accordingly, this notice makes no changes in either the acquisition cost or the list of qualifying DME.

"Exceptional DME" is defined as DME that has an acquisition cost of \$5,000 or more and is either Specially Adapted DME or other DME that is designated as exceptional DME by the Department annually by notice in the *Pennsylvania Bulletin*.

"Specially Adapted DME" is DME that is uniquely constructed or substantially adapted or modified in accordance with the written orders of a physician for the particular use of one resident, making its contemporaneous use by another resident unsuitable.

The list of exceptional DME that has been designated by the Department is as follows:

(1) *Air fluidized beds*. The pressure relief provided by this therapy uses a high rate of airflow to fluidize fine particulate material (for example, beads or sand) to produce a support medium that has characteristics similar to liquid. May have a Gortex cover.

(2) *Powered air flotation bed (low air loss therapy)*. A semi-electric or total electric bed with a fully integrated powered pressure-reducing mattress which is characterized by all of the following:

(a) An air pump or blower with a series of interconnected woven fabric air pillows which provides sequential inflation and deflation of the air cells or a low interface pressure throughout the mattress allowing some air to escape through the support surface to the resident. May have a Gortex cover.

(b) Inflated cell height of the air cells through which air is being circulated is 5 inches or greater.

(c) Height of the air chambers, proximity of the air chambers to one another, frequency of air cycling (for

alternating pressure mattresses) and air pressure provide adequate patient lift, reducing pressure and prevent bottoming out.

(d) A surface designed to reduce friction and shear.

(e) May be placed directly on a hospital bed frame.

(f) Automatically readjusts inflation pressures with change in position of bed (for example, head elevation, and the like).

(3) *Augmentative communication devices.* Used by residents who are unable to use natural oral speech as a primary means of communication. The specific device requested must be appropriate for use by the resident and the resident must demonstrate the abilities or potential abilities to use the device selected. Portable devices need to supplement, aid or serve as an alternative to natural speech for residents with severe expressive communication disorders. Nonportable devices may be covered only if required for visual enhancement or physical access needs that cannot be accommodated by a portable device.

(4) *Ventilators (and related supplies).*

(a) Used by residents 21 years of age and older who require full ventilator support for a minimum of 8 hours per day to sustain life.

(b) Used by residents 20 years of age and younger who require ventilator support to sustain life (no minimum time requirement).

Effective Date

This notice is effective upon publication in the *Pennsylvania Bulletin*.

Public Comment

Interested persons are invited to submit petitions for the Department to consider additions to the Exceptional DME list or written comments regarding this notice to the Department of Public Welfare, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-879. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 14-1407. Filed for public inspection July 3, 2014, 9:00 a.m.]

DEPARTMENT OF REVENUE

Realty Transfer Tax; 2013 Common Level Ratio; Real Estate Valuation Factors

The following real estate valuation factors are based on sales data compiled by the State Tax Equalization Board in 2013. These factors are the mathematical reciprocals of

the actual common level ratio (CLR). For Pennsylvania Realty Transfer Tax purposes, these factors are applicable for documents accepted from July 1, 2014, to June 30, 2015, except as indicated below. The date of acceptance of a document is rebuttably presumed to be its date of execution, that is, the date specified in the body of the document as the date of the instrument (61 Pa. Code § 91.102).

<i>County</i>	<i>CLR Factor</i>
Adams	.82
Allegheny	1.10
Armstrong	2.38
Beaver	3.41
Bedford	1.05
Berks	1.31
Blair	6.99
Bradford	3.13
Bucks	9.26
Butler	8.77
Cambria	3.60
Cameron	2.19
Carbon	2.11
Centre	3.46
Chester	1.73
Clarion	3.89
Clearfield	6.85
Clinton	1.11
Columbia	3.61
Crawford	2.56
Cumberland	.99
Dauphin	1.35
Delaware	1.47
Elk	1.96
Erie	1.04
Fayette	1.26
Forest	4.78
Franklin	6.90
Fulton	2.30
Greene	1.26
Huntingdon	3.64
Indiana	5.03
Jefferson	2.07
Juniata	4.95
Lackawanna	4.72
Lancaster	1.26
Lawrence	1.11
Lebanon	.93
Lehigh	.97
Luzerne	.94
Lycoming	1.33
McKean	1.14

<i>County</i>	<i>CLR Factor</i>	<i>County</i>	<i>CLR Factor</i>
Mercer	3.17	Tioga	1.47
Mifflin	2.10	Union	1.28
Monroe	4.27	Venango	1.09
Montgomery	1.74	Warren	2.46
Montour	1.22	Washington	9.17
Northampton	2.84	Wayne	1.17
Northumberland	3.30	Westmoreland	5.18
Perry	1.03	Wyoming	5.43
Philadelphia	(1) 1.00	York	1.14
Pike	4.33		
Potter	2.75		
Schuylkill	2.24		
Snyder	5.85		
Somerset	2.66		
Sullivan	1.51		
Susquehanna	3.03		

(1) Adjusted by the State Tax Equalization Board (STEB) to reflect an assessment base change effective January 1, 2014.

DANIEL MEUSER,
Secretary

[Pa.B. Doc. No. 14-1408. Filed for public inspection July 3, 2014, 9:00 a.m.]

FISH AND BOAT COMMISSION

Triploid Grass Carp Permit Application

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following application to stock triploid grass carp in waters having a surface area of greater than 5 acres is currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
Arndt Kliche	Kliche Pond 41°44.3193 75°21.7057	Mount Pleasant Wayne County	18-acre lake which discharges into an Unnamed Tributary to the West Branch Dyberry Creek	<i>Elodea Canadensis</i> <i>Utricularia spp</i> <i>Potamogeton spp.</i>

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 14-1409. Filed for public inspection July 3, 2014, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meetings: Tuesday, July 8, 2014—Executive Committee Meeting at 12 p.m. and Thursday, July 10, 2014—Council Meeting at 10 a.m.

The meetings will be held at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons in need of accommodation due to a disability who wish to attend the meeting should contact Renee Greenawalt at (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 14-1410. Filed for public inspection July 3, 2014, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, June 19, 2014, and announced the following:

Regulation Deemed Approved Pursuant to Section 5(g) of the Regulatory Review Act—Effective June 18, 2014

Department of Public Welfare #14-536: Rate Setting for County Nursing Facilities that Change Ownership (amends 55 Pa. Code §§ 1187.2, 1187.97 and 1189.2)

Action Taken—Regulations Approved:

Pennsylvania Higher Education Assistance Agency #58-24: Student Financial Aid (amends 22 Pa. Code Chapter 121)

Environmental Hearing Board #106-10: Practice and Procedure (amends 25 Pa. Code Chapter 1021)

Philadelphia Parking Authority #126-6: Taxicab Medallion Sales (adds 52 Pa. Code Chapter 1013, Subchapter C)

Approval Order

Public Meeting Held
June 19, 2014

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*Pennsylvania Higher Education Assistance Agency—
Student Financial Aid;
Regulation No. 58-24 (#3020)*

On August 22, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Higher Education Assistance Agency (PHEAA). This rulemaking amends 22 Pa. Code Chapter 121. The proposed regulation was published in the October 26, 2013, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 25, 2014. This final-form regulation was tolled and simultaneously resubmitted by PHEAA on June 3, 2014, to correct the formatting of amendments and to make a minor amendment to the Preamble.

This regulation updates the requirements and definitions in Chapter 121 Student Financial Aid to comply with current standards for student and institutional eligibility for the Pennsylvania Higher Education Grant Program.

We have determined this regulation is consistent with the statutory authority of PHEAA (24 P. S. § 5156) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 19, 2014

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*Environmental Hearing Board—
Practice and Procedure;
Regulation No. 106-10 (#3008)*

On April 26, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Hearing Board (Board). This rulemaking amends 25 Pa. Code Chapter 1021. The proposed regulation was published in the May 11, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 30, 2014.

This rulemaking amends existing practice and procedure regulations from the Board. It requires electronic filing and service in nearly all matters and provides more specific guidance to parties on how to present their interests before the Board.

We have determined this regulation is consistent with the statutory authority of the Board (35 P. S. § 7515(c)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
June 19, 2014

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*Philadelphia Parking Authority—
Taxicab Medallion Sales by the Authority;
Regulation No. 126-6 (#3039)*

On October 29, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Philadelphia Parking Authority (Authority). This rulemaking adds 52 Pa. Code Chapter 1013, Subchapter C. The proposed regulation was published in the November 9, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 8, 2014.

This regulation implements Act 119 of 2012 by establishing the public bidding process to sell taxicab medallions.

We have determined this regulation is consistent with the statutory authority of the Philadelphia Parking Authority (53 Pa.C.S.A. §§ 5711 and 5722) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 14-1411. Filed for public inspection July 3, 2014, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the dates noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from the web site at www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
#74-1	Department of Drug and Alcohol Programs Standards for Licensure of Freestanding Treatment Facilities	6/20/14	7/24/14

<i>Final-Omit Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
#74-2	Department of Drug and Alcohol Programs Drug and Alcohol Facilities and Services	6/20/14	7/24/14

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 14-1412. Filed for public inspection July 3, 2014, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Millville Mutual Insurance Company; file no. 14-116-165139; Robert C. Smiley; Doc. No. P14-06-010; July 29, 2014, 9:30 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-1413. Filed for public inspection July 3, 2014, 9:00 a.m.]

State Farm Mutual Automobile Insurance Company; Rate Increase Filing for LTC Form 97058PA

State Farm Mutual Automobile Insurance Company is requesting approval to increase the premium an aggregate 37% on 1,109 policyholders with forms 97058PA.

Unless formal administrative action is taken prior to September 18, 2014, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-1414. Filed for public inspection July 3, 2014, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Actions Taken at June Meeting

As part of its regular business meeting held on June 5, 2014, in Entriiken, PA, the Susquehanna River Basin Commission (Commission) took the following actions: 1) approved or tabled the applications of certain water resources projects; 2) accepted settlements instead of penalty from Somerset Regional Water Resources, LLC, Susquehanna Gas Field Services, LLC and Tioga Downs Racetrack, LLC; and 3) took additional actions, as set forth in the Supplementary Information as follows.

For further information, contact Richard A. Cairo, General Counsel, (717) 238-0423, Ext. 1306, fax (717) 238-2436, rcairo@srbc.net; or regular mail inquiries may be sent to Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. See also the Commission web site at www.srbc.net.

Supplementary Information

In addition to the actions taken on projects identified in the summary and the listings as follows, the following items were also presented or acted upon at the business meeting: 1) an informational presentation from the United States Army Corps of Engineers supervisory park ranger Jude Harrington on the Raystown Lake project; 2) election of the member from New York State as Chair of the Commission and the member from the Commonwealth of Pennsylvania as the Vice Chair of the Commission for the period of July 1, 2014, to June 30, 2015; 3) adoption of the Fiscal Year (FY) 2015-2016 Water Resources Program; 4) adoption of the American Eel Restoration Plan for the Susquehanna River Basin; 5) amendments to the Comprehensive Plan for the Water Resources of the Susquehanna River Basin; 6) adoption of revisions to the Commission's Information Technology Services Fee Schedule; 7) amendments to a Regulatory Program Fee Schedule, effective July 1, 2014; 8) adoption of an FY 2015-2016 budget for the period July 1, 2015, to June 30, 2016; and 9) approval of two grants.

Compliance Matters

The Commission approved settlements instead of civil penalty for the following projects:

1. Somerset Regional Water Resources, LLC (Salt Lick Creek), New Milford Township, Susquehanna County, PA—\$12,000.

2. Susquehanna Gas Field Services, LLC (Meshoppen Creek), Meshoppen Borough, Wyoming County, PA—\$2,500.

3. Tioga Downs Racetrack, LLC, Town of Nichols, Tioga County, NY—\$62,000

Project Applications Approved

The Commission approved the following project applications:

1. Project Sponsor and Facility: DS Waters of America, Inc., Clay Township, Lancaster County, PA. Groundwater withdrawal of up to 0.115 mgd (30-day average) from Well 6.

2. Project Sponsor and Facility: Healthy Properties, Inc. (Sugar Creek), North Towanda Township, Bradford County, PA. Renewal and modification to increase surface

water withdrawal by an additional 0.549 mgd (peak day), for a total of up to 0.999 mgd (peak day) (Docket No. 20100308).

3. Project Sponsor and Facility: LDG Innovation, LLC (Tioga River), Lawrenceville Borough, Tioga County, PA. Renewal of surface water withdrawal of up to 0.750 mgd (peak day) (Docket No. 20100311).

4. Project Sponsor and Facility: Mountain Energy Services, Inc. (Tunkhannock Creek), Tunkhannock Township, Wyoming County, PA. Renewal of surface water withdrawal of up to 1.498 mgd (peak day) (Docket No. 20100309).

5. Project Sponsor and Facility: Pennsylvania General Energy Company, LLC (Pine Creek), Watson Township, Lycoming County, PA. Renewal of surface water withdrawal of up to 0.918 mgd (peak day) (Docket No. 20100610).

6. Project Sponsor and Facility: Pro-Environmental, LLC (Martins Creek), Lathrop Township, Susquehanna County, PA. Surface water withdrawal of up to 0.999 mgd (peak day).

7. Project Sponsor and Facility: Southwestern Energy Production Company (Susquehanna River), Great Bend Township, Susquehanna County, PA. Surface water withdrawal of up to 3.000 mgd (peak day).

8. Project Sponsor and Facility: Sugar Hollow Water Services, LLC (Bowman Creek), Eaton Township, Wyoming County, PA. Renewal of surface water withdrawal of up to 0.249 mgd (peak day) (Docket No. 20100310).

9. Project Sponsor and Facility: Susquehanna Gas Field Services, LLC, Meshoppen Borough, Wyoming County, PA. Renewal of groundwater withdrawal of up to 0.216 mgd (30-day average) from Meshoppen Pizza Well (Docket No. 20100612).

10. Project Sponsor and Facility: Susquehanna Gas Field Services, LLC (Susquehanna River), Meshoppen Township, Wyoming County, PA. Surface water withdrawal of up to 1.650 mgd (peak day).

11. Project Sponsor and Facility: Talisman Energy USA, Inc. (Fall Brook), Troy Township, Bradford County, PA. Renewal and modification of surface water withdrawal of up to 0.176 mgd (peak day) (Docket No. 20100304).

12. Project Sponsor and Facility: Talisman Energy USA, Inc. (Unnamed Tributary to the North Branch Sugar Creek), Columbia Township, Bradford County, PA. Renewal of surface water withdrawal of up to 0.926 mgd (peak day) (Docket No. 20100305).

Project Application Approved Involving a Diversion

1. Project Sponsor: EOG Resources, Inc. Project Facility: Blue Valley Abandoned Mine Drainage Treatment Plant, Horton Township, Elk County, PA. Renewal of into-basin diversion from the Ohio River Basin of up to 0.322 mgd (peak day) (Docket No. 20100616).

Project Applications Tabled

The Commission tabled action on the following project applications:

1. Project Sponsor and Facility: IBM Corporation, Village of Owego, Tioga County, NY. Application for groundwater withdrawal of up to 0.002 mgd (30-day average) from Well 415.

2. Project Sponsor and Facility: Jay Township Water Authority, Jay Township, Elk County, PA. Application for

groundwater withdrawal of up to 0.265 mgd (30-day average) from Byrnedale Well #1.

3. Project Sponsor: Leola Sewer Authority. Project Facility: Upper Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.075 mgd (30-day average) from Well 13 (Docket No. 19820601).

4. Project Sponsor and Facility: Newport Borough Water Authority, Oliver Township, Perry County, PA. Application for groundwater withdrawal of up to 0.162 mgd (30-day average) from Well 1.

5. Project Sponsor: Pennsylvania Department of Environmental Protection—Southcentral Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location: Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.576 mgd (30-day average) from Stoltzfus Well.

6. Project Sponsor: Pennsylvania Department of Environmental Protection—Southcentral Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location:

Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.432 mgd (30-day average) from Township Well.

Project Application Withdrawn

The following project application was withdrawn by the project sponsor:

1. Project Sponsor and Facility: Southwestern Energy Production Company (Martins Creek), Brooklyn and Harford Townships, Susquehanna County, PA. Modification to low flow protection requirements of the surface water withdrawal approval (Docket No. 20110312).

Authority: Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: June 20, 2014.

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 14-1417. Filed for public inspection July 3, 2014, 9:00 a.m.]

