

# NOTICES

## CAPITOL PRESERVATION COMMITTEE

### Request for Proposals

**CPC 14.146: Clock Conservation and Maintenance.** This project involves the following cyclical maintenance: onsite oiling; studio cleaning; installation of temporary clocks; weekly winding, general maintenance; condition assessment reports; and documentation of historic wall and mantle clocks. A \$100 deposit is required for issuance of project documents. Issue date of the request for proposal will be September 4, 2014. A mandatory preproposal conference and walk through will be held on September 18, 2014, at 10 a.m. in Room 630, Main Capitol Building, Harrisburg, PA. The proposal receipt date is October 14, 2014, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,  
*Executive Director*

[Pa.B. Doc. No. 14-1630. Filed for public inspection August 1, 2014, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Order of Quarantine; Thousand Cankers Disease of Walnut

#### Recitals

A. Thousand Cankers Disease (TCD), a disease complex that kills walnut trees, *Juglans spp.*, has been detected in the Commonwealth. There is no cure for a tree once it is infected. The fungus *Geosmithia morbida* is vectored by the walnut twig beetle, *Pityophthorus juglandis*, causing small cankers under the bark of the tree. The beetle introduces the fungus while it tunnels beneath the bark. As more beetles attack the tree, the number of cankers increases until they coalesce to girdle twigs and branches, restricting movement of nutrients and eventually killing the tree. Thousand Cankers Disease has been detected in the Commonwealth and has the potential to spread to uninfested areas by natural means or through the movement of infested articles.

B. The Plant Pest Act (Act) (3 P. S. §§ 258.1—258.27) empowers The Department of Agriculture (Department) to take various measures to detect, contain and eradicate plant pests. These powers include the authority to establish quarantines to prevent the spread of plant pests within this Commonwealth.

C. Under the authority of section 258.20 of the Act (3 P. S. § 258.20) the Department may declare a pest to be a public nuisance when the Department determines a plant pest to be dangerous or destructive to the agriculture, horticulture or forests of this Commonwealth. For the reasons set forth in Paragraph A above, the Department

declares TCD, the fungus *Geosmithia morbida* and the walnut twig beetle, *Pityophthorus juglandis*, to be plant pests.

D. Where the Department detects or confirms any of the plant pests established in this Order of Quarantine—Thousand Cankers Disease, *Geosmithia morbida* or *Pityophthorus juglandis*—the place or area in which any of these plant pests are detected or confirmed shall be subject to this Order of Quarantine.

E. The place or area in which the plant pest is detected or confirmed shall be added to this Order of Quarantine through an addendum delineating the specific location and geographic parameters of the area or place. Such addendum shall be published in the *Pennsylvania Bulletin* and enforcement of this Order of Quarantine with regard to that place or area shall become effective immediately upon such publication in the *Pennsylvania Bulletin*.

#### Order

Under authority of section 21 of the act (3 P. S. § 258.21), and with the Recitals previously listed incorporated into this Order of Quarantine by reference, the Department orders the following:

##### 1. *Establishment of Quarantine.*

A quarantine is hereby established with respect to Bucks, Chester, Delaware, Montgomery and Philadelphia counties and any other area or place delineated in an addendum to this Order of Quarantine as set forth in Paragraphs D. and E. of the “Recitals” to this Order of Quarantine.

2. *Regulated Articles and Limitations Imposed.* The plant pests established by this Order of Quarantine—Thousand Cankers Disease, *Geosmithia morbida* and *Pityophthorus juglandis*—along with any material or object that may carry or spread those plant pests, such as the following objects or materials, are considered regulated articles under this Order of Quarantine and may not be moved out of the quarantined area, unless done in accordance with Paragraph 3 of this Order of Quarantine:

- Any life stage of the walnut twig beetle, *Pityophthorus juglandis*.
- The fungal pathogen, *Geosmithia morbida*.
- Firewood of any non-coniferous (hardwood) species.
- All plants and plant parts of the genus *Juglans*. This shall include, but is not limited to, all live, dead, infected or non-infected trees of the genus *Juglans*, nursery stock, budwood, scionwood, green lumber, firewood, and other material living, dead, cut, fallen including stumps, roots, branches, mulch, and composted and uncomposted chips.

- Any other article or means of conveyance when it is determined by an inspector to present a risk of spread of Thousand Cankers Disease or the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis*.

Specific exemptions include nuts, nut meats, hulls, processed lumber (which is one hundred percent bark-free and kiln-dried, with squared edges) and finished wood products without bark, including walnut furniture, musical instruments, and other items derived from the genus *Juglans*.

3. *Movement of regulated articles from quarantined areas.* A regulated article, delineated in Paragraph 2 of

this Order of Quarantine, may be moved from a quarantined area only under the following circumstances:

a. With a valid certificate or limited permit attached and issued in accordance with the provisions of Paragraph 4 or Paragraph 6 of this Order of Quarantine. The valid certificate or limited permit shall be attached to the regulated article(s) as set forth in Paragraph 5 of this Order of Quarantine.

b. Without a certificate or limited permit attached and issued in accordance with the provisions of Paragraph 4 of this Order of Quarantine if the regulated article originates outside the quarantined area and is moved intrastate through the quarantined area under the following conditions:

i. The points of origin and destination are indicated on a waybill accompanying the regulated article; and

ii. The regulated article, if moved through the quarantined area during the period of May 1 through August 31 or when the ambient air temperature is 40°F or higher, is moved in an enclosed vehicle or is completely covered, such as by a tarp or full shrink wrapping, to prevent exposure to Thousand Cankers Disease or the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis* or access to the regulated article by any of the plant pests established in this Order of Quarantine; and

iii. The regulated article is moved directly through the quarantined area without stopping (except for refueling or for traffic conditions, such as traffic lights or stop signs), or has been stored, packed or handled at locations approved by the Department inspector as not posing a risk of infestation by or exposure to Thousand Cankers Disease or the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis*; and

iv. The article has not been combined or commingled with other articles so as to lose its individual identity.

4. *Obtaining a Certificate or Limited Permit from the Department for Movement of Articles.* The Department or a person operating under a compliance agreement, as set forth in Paragraph 6 of this Order of Quarantine, may issue a certificate or limited permit authorizing the movement of a regulated article, delineated in Paragraph 2 of this Order of Quarantine, if it is satisfied that all of the following criteria are accurate and will be met:

a. The regulated article is to be moved in compliance with the provisions of this Order of Quarantine and any additional emergency conditions that the Department may impose under the Plant Pest Act in order to prevent the artificial spread of Thousand Cankers Disease, the fungus *Geosmithia morbida* and the twig beetle *Pityophthorus juglandis*; and

b. The regulated article is either of the following:

i. The regulated article is determined to be free of Thousand Cankers Disease, the fungus *Geosmithia morbida* and the twig beetle *Pityophthorus juglandis*, based on inspection; or the regulated article has been grown, produced, manufactured, stored or handled in a manner that, in the judgment of the Department, prevents the regulated article from presenting a risk of spreading Thousand Cankers Disease, the fungus *Geosmithia morbida* and the twig beetle *Pityophthorus juglandis*; or

ii. The regulated article is to be moved to a specified destination for specific processing, handling or utilization (the destination and other conditions to be listed on the advance written permission), and the Department has

determined this movement will not result in the spread of Thousand Cankers Disease, the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis* because those plant pests will have been destroyed by the specific processing, handling or utilization process undertaken and completed prior to movement of the regulated article.

5. *Documentation to Accompany Regulated Articles in Movement from a Quarantined Area.* If a regulated article(s), delineated in Paragraph 2 of this Order of Quarantine, is to be moved from a quarantined area, the regulated article(s) shall be plainly marked with the name and address of the consignor and any person utilized in processing the regulated article for movement and the name and address of the consignee and must have a copy of the applicable Department-issued or Department-authorized (by compliance agreement as described in Paragraph 6 of this Order of Quarantine) certificate or limited permit securely attached to each regulated article itself or the container carrying each regulated article and such certificate or limited permit shall be attached to the consignee's copy of the accompanying waybill at all times during movement. The description of the regulated article(s) on the certificate or limited permit, and on the waybill, shall be sufficient to identify each regulated article. The consignor shall be responsible for compliance with such documentation standards and shall assure the carrier furnishes the certificate or limited permit authorizing the movement of the regulated article to the consignee at the destination of the shipment. The consignor, carrier and the consignee shall keep a copy of the certificate or limited permit. All such records shall be maintained by the consignee, consignor and carrier for a period of 2 years. Such records shall be made available to the Department for inspection upon request.

6. *Compliance Agreements.* The Department will consider entering into a compliance agreement with any person that demonstrates an understanding of the requirements of this Order of Quarantine and satisfies the Department that said person is capable of issuing certificates or limited permits in accordance with the requirements of this Order of Quarantine. The Department shall either provide blank certificates and limited permits to a person operating under a compliance agreement or authorize reproduction of the certificates or limited permits on shipping containers, or both, as requested by the person operating under the compliance agreement. These certificates and limited permits may then be completed and used, as needed, for the movement of regulated articles that have met all of the requirements of Paragraph 4 of this Order of Quarantine. Originals of each certificate or limited permit issued by a person operating under a compliance agreement shall be kept by said person for a period of 3 years and shall be made available to the Department upon request.

7. *Cancellation of a Certificate, Limited Permit or Compliance Agreement.* Any certificate or limited permit or any Compliance Agreement may be canceled orally or in writing by the Department whenever the Department determines that the holder of the certificate or limited permit or the Compliance Agreement has not complied with a provision of the Act or this Order of Quarantine. If the cancellation is oral, the cancellation will become effective immediately, and the cancellation and the reasons for the cancellation will be confirmed in writing as soon as circumstances permit.

8. *Prohibited entry into Pennsylvania.* The movement of a regulated article, delineated in Paragraph 2 of this Order of Quarantine, originating in states known to have Thousand Cankers Disease, the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis* or from any other area of the United States where federal or state plant regulatory officials have determined Thousand Cankers Disease, the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis* to be present, is prohibited unless prior written approval is issued by the Department. States with known areas of infestation of Thousand Cankers Disease, the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis* include, but are not limited to, Arizona, California, Colorado, Idaho, Indiana, Maryland, Nevada, New Mexico, North Carolina, Ohio, Oregon, Tennessee, Utah, Virginia, and Washington.

Consideration by the Department for entry of a regulated article, delineated in Paragraph 2 of this Order of Quarantine, into Pennsylvania may be given if:

- The plant regulatory agency of the state of origin issues a document certifying that the regulated article is determined to be free of Thousand Cankers Disease, the fungus *Geosmithia morbida* and the twig beetle *Pityophthorus juglandis*, based on inspection; or that the regulated article has been grown, produced, manufactured, stored, processed or handled in a manner that, in the judgment of the state regulatory agency, will prevent the regulated article from presenting a risk of spreading Thousand Cankers Disease, the fungus *Geosmithia morbida* and the twig beetle *Pityophthorus juglandis*; or

- The regulated article is to be moved to a specified destination for specific processing, handling or utilization (the destination and other conditions to be listed on the advance written permission), and this movement will not result in the spread of Thousand Cankers Disease, the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis* because all those plant pests will be destroyed by the specific processing, handling or utilization undertaken and completed prior to movement of the regulated article; or

- The movement of the regulated article is for research purposes to a facility with appropriate containment conditions and the movement to that facility will not result in the spread of Thousand Cankers Disease, the fungus *Geosmithia morbida* or the twig beetle *Pityophthorus juglandis* because the packaging or other shipping methods to be utilized, which were undertaken and completed prior to movement of the regulated article will act to contain all said plant pests; and

- The regulated article will be moved in a manner consistent with the provisions of Paragraph 3(b)(ii) of this Order of Quarantine; and

- The regulated article will be identified, moved and recorded in a manner consistent with the provisions of Paragraph 5 of this Order of Quarantine.

Any person or business receiving a regulated article(s) from outside the Commonwealth who finds that the shipment or entry of the regulated article(s) into the Commonwealth does not fully comply with the requirements of this Paragraph 8 (related to prohibited entry into Pennsylvania) shall report that information or observation to the Department immediately upon discovery. Failure to do so shall constitute a violation of this Order of Quarantine by the person(s) receiving the regulated article(s).

9. *Federal Requirements for Interstate Movement of Articles.* This Order of Quarantine is distinct from, and in addition to, any Federal statute, regulation or quarantine order addressing the movement of articles from the quarantined area or this Commonwealth.

10. *Contacting the Department.* A person seeking information about the requirements of this Order of Quarantine, or a limited permit or certificate for movement of a regulated article(s), or a compliance agreement for intra-state movement of a regulated article(s), shall contact the Department at: Pennsylvania Department of Agriculture, Bureau of Plant Industry, Attention: Dana Rhodes, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-5205, danrhodes@pa.gov.

11. *Violations.* In accordance with the provisions of section 258.22 of the Act (3 P. S. § 258.22) it shall be unlawful to violate or fail to comply with any provision of the Act, regulations or this Order of Quarantine.

12. *Criminal and Civil Penalties.* A person who violates this Order of Quarantine may face summary criminal prosecution carrying up to 90 days imprisonment and a fine of up to \$300 with respect to each violation. In addition, a person who violates this Order of Quarantine may be assessed a civil penalty of up to \$20,000 with respect to each violation.

13. *Cooperation with other agencies.* As authorized by section 258.26 of the Act (3 P. S. § 258.26), the Department will consult with other State agencies and the Pennsylvania State University Cooperative Extension with respect to the most efficacious measures to survey for and detect Thousand Cankers Disease, the fungus *Geosmithia morbida* and the twig beetle *Pityophthorus juglandis* to slow the spread or eradicate these plant pests.

14. *Effective Date.* This quarantine is effective upon publication in the *Pennsylvania Bulletin*, and shall remain in effect until rescinded by subsequent order.

GEORGE D. GREIG,  
Secretary

[Pa.B. Doc. No. 14-1631. Filed for public inspection August 1, 2014, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 22, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300,

Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
7-14-2014	Union Community Bank Mount Joy Lancaster County	600 Richmond Drive Lancaster Lancaster County	Opened
7-15-2014	First Resource Bank Exton Chester County	1 East Uwchlan Avenue Exton Chester County (Limited Service Facility)	Opened
7-17-2014	PeoplesBank, A Codorus Valley Company York York County	3100 Market Street Camp Hill Cumberland County	Filed

##### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
7-14-2014	Merchants Bank of Bangor Bangor Northampton County	<i>To:</i> 46 Centre Square Easton Northampton County  <i>From:</i> 1 Centre Square Easton Northampton County	Effective

##### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
4-11-2014	Lafayette Ambassador Bank Bethlehem Northampton County	Route 512 and Crawford Drive Bethlehem Northampton County	Closed
4-11-2014	Lafayette Ambassador Bank Bethlehem Northampton County	402 State Road Emmaus Lehigh County	Closed

### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.state.pa.us](http://www.dobs.state.pa.us) includes public notices for more recently filed applications.

GLENN E. MOYER,  
*Secretary*

[Pa.B. Doc. No. 14-1632. Filed for public inspection August 1, 2014, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Corrected Revision of the Substantial Amendment for the Community Development Block Grant— Disaster Recovery 2012 Allocation

Due to corrections needing to be made to the revised substantial amendment of the Commonwealth's Fiscal Year 2012 Community Development Block Grant—Disaster Recovery (CDBG-DR) Action Plan of May 24, 2014, a corrected version of the revised substantial amendment is being proposed by the Department of

Community and Economic Development (Department). Notice is hereby given for a public comment period to review the corrected revised substantial amendment. The public comment period is from August 2, 2014, through August 10, 2014.

The United States Department of Housing and Urban Development (HUD) issued a notice at 77 FR 22583 (April 16, 2012) which awarded \$27,142,501 of CDBG-DR funds to the Commonwealth to be administered by the Department. An Action Plan for these funds was submitted to HUD on July 23, 2012, and subsequently approved. As the needs for disaster relief in the various areas of funding have changed since the submission of the original Action Plan, due to completion of the first round of applications for assistance by affected municipalities, changes needed to be made to those areas in the original Action Plan. In addition a more definitive unmet needs

survey was completed and was presented in the revised substantial amendment of May 24, 2014. Upon submission of the revised substantial amendment, HUD identified some corrections needed in the area of economic development and required the document to be posted in Spanish during the comment period. For these reasons the revised substantial amendment was denied and returned to the Commonwealth for correction.

The corrected revised substantial amendment to the Action Plan and supporting documentation is available for a 7-day public comment period and can be viewed on the Department's web site under the CDBG-DR section at <http://www.newpa.com/community/documents-publications/cdbg-dr>. The text is available to visual-impaired persons by means of the Department's web site at the link listed previously. A translation into Spanish will also be available on the Department's web site. The final version of

the Substantial Amendment will be submitted to HUD no later than August 12, 2014.

Persons who would like to provide written comment on the revised substantial amendment to the CDBG-DR Action Plan may send those comments electronically to [RA-DCEDcdbg&homequestions@pa.gov](mailto:RA-DCEDcdbg&homequestions@pa.gov) or mail to the attention of Mary J. Smith, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Harrisburg, PA 17120. Comments must be received before 9 a.m. on August 11, 2014.

C. ALAN WALKER,  
*Secretary*

[Pa.B. Doc. No. 14-1633. Filed for public inspection August 1, 2014, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### I. NPDES Renewal Applications

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0060551 (Sewage)	Rivercrest WWTF Route 92 and Black Diamond Beach Road Tunkhannock Township, PA 18657	Wyoming County Tunkhannock Township	Susquehanna River (4-G)	Y

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0083909— Sew	Conestoga Wood Specialties Corporation PO Box 158 245 Reading Road East Earl, PA 17519	Lancaster County / East Earl Township	7J—Conestoga River	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0113743 (Sewage)	Grove Township Crestline STP State Route 2001 Sinnamahoning, PA 15861	Cameron County Grove Township	Sinnemahoning Creek (8-A)	Y
PA0228877 (Sewage)	Lazafame SRSTP 15 Stony Brook Road Orangeville, PA 17859	Columbia County Orange Township	Stony Brook (5-C)	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PA0020541 (Sewage)	Girard Borough STP Waterworks Park Drive Girard, PA 16417	Erie County Girard Borough	Elk Creek (15-A)	Y

### II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0085979**, Sewage, SIC Code 7033, **Guest Farm Village Inc.**, 525 Hilltop Circle, Greencastle, PA 17225. Facility Name: Guest Farm Development STP. This existing facility is located in Montgomery Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed tributary to Licking Creek, is located in State Water Plan watershed 13C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0372 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	0.4	XXX	1.2
(Final)	XXX	XXX	XXX	0.18	XXX	0.61
CBOD <sub>5</sub>	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Nitrate-Nitrite as N						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	1.7	XXX	3.4
Nov 1 - Apr 30	XXX	XXX	XXX	5.1	XXX	10
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0260975**, Sewage, SIC Code 4952, **Richmond Township Berks County**, 11 Kehl Drive, Fleetwood, PA 19522-9285. Facility Name: Richmond Township-Virginville STP. This existing facility is located in Richmond Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Sacony Creek, is located in State Water Plan watershed 3-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.023 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	4.8	XXX	XXX	25	XXX	50
BOD <sub>5</sub>						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	5.7	XXX	XXX	30	XXX	60
Total Suspended Solids (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total						
Total Suspended Solids (lbs)	XXX	1,716.9 Total Annual	XXX	XXX	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen	3.8	XXX	XXX	20	XXX	40
Total Phosphorus	Report	XXX	XXX	2.0	XXX	XXX
Total Phosphorus (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total						
Monthly						

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Phosphorus (lbs)	XXX	57.2	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Annual Avg Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- The facility's discharge is to a receiving water within the jurisdiction of the Delaware River Basin Commission (DRBC) who may have additional effluent limits and conditions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect: the receiving water is subject to a Total Maximum Daily Load (TMDL) for Total Suspended Solids and for Total Phosphorus.

**PA0261106**, Industrial Wastewater, SIC Code 3339, **Voith Hydro, Inc.**, PO Box 712, York, PA 17405. Facility Name: Voith Hydro, Inc. This existing facility is located in West Manchester Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial wastewater.

The receiving stream, Unnamed Tributary of Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX
Total Mercury	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX



You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0031968**, Sewage, SIC Code 7032, **PA DPW**, 4534 Tar Kiln Road, James Creek, PA 16657. Facility Name: Youth Forestry Camp 3. This existing facility is located in Todd Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, UNT to Great Trough Creek, is located in State Water Plan watershed 11-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0095 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	5.5	XXX	11
Nov 1 - Apr 30	XXX	XXX	XXX	16.5	XXX	33
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

### III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P.S. §§ 691.1—691.1001)

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Dr, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 0214405 A-0**, Sewage, **Penn Hills Municipal Allegheny County**, 12245 Frankstown Road, Penn Hills, PA 15235.

This existing facility is located in Penn Hills Township, **Allegheny County**.

Description of Proposed Action/Activity: Sewer Extension.

### VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI01 0914005	Temple Partners I, LP 251 Veterans Way Warminster, PA 18974	Bucks	Solebury Township	Paunnaucussing Creek HQ—CWF—MF
PAI01 1513016(1)	The Vanguard Group 400 Devon Park Drive Wayne, PA 19087	Chester	East Whiteland Township & Tredyffrin Township	Little Valley Creek EV
PAI01 1514017	Westbrook IP, LLC 540 White School Road Honey Brook, PA 19344	Chester	Honey Brook Township	West Branch Brandywine Creek HQ—TSF

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 510704R(2)	Sugarhouse HSP Gaming, L.P. 1600 Arch Street, Suite 201 Philadelphia, PA 19103	Philadelphia	City of Philadelphia	Delaware River WWF—MF
PAI01 5114006-1	Liberty Property 18th & Arch, L.P. 1628 John F. Kennedy Boulevard Suite 1100 Philadelphia, PA 19103	Philadelphia	City of Philadelphia	Schuylkill River WWF—MF

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth PA 18064-9211*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024814009	Kenneth G. Voorhees, Jr. Ungerer & Company 4 Bridgewater Lane Lincoln Park, NJ 07035-1439	Northampton	Hanover Township	Monocacy Creek (HQ-CWF, MF)
PAI024812016(1)	Blaine Phillips Phillips & Phillips 3747 Hecktown Road Easton, PA 18045	Northampton	Lower Nazareth Township	UNT to Bushkill Creek (HQ-CWF, MF)

*Pike County Conservation District, 556 Route 402, Hawley PA 18428*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025214001	Cellco Partnership d/b/a Verizon Wireless 4642 Jonestown Road Suite 200 Harrisburg, PA 17109	Pike	Shohola Township	Twin Lakes Creek (HQ-CWF, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030614004	Pennsylvania Department of Transportation	Berks	Richmond & Perry Townships	Maiden Creek (WWF, MF)

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041414002	PA Dept of Transportation 2-0 1924 Daisy St Ext Clearfield PA 16830	Centre	Potter Township	UNT to Laurel Run HQ-CWF, MF UNT to Potters Run HQ-CWF, MF
PAI041414003	Daniel W Herr 6103 Penns Valley Rd Aaronsburg PA 16820	Centre	Haines Township	Quarry Road Tributary EV

*Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041814006	Wag-Myr Woodlands Subd 236 Wag-Myr Ln Loganton PA 17747	Clinton	Greene Twp	Fishing Creek HQ-CWF, MF

*Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044114003	Tom Clemens Smiling Porker Farms LLC 2700 Clemens Rd Hatfield PA 19440	Lycoming	Pine Township	Hughes Run HQ-CWF UNT to Hughes Run EV, CWF

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315*

<i>Permit No.</i>	<i>Applicant &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI055614001	PA Turnpike Commission PO Box 67676 Harrisburg, PA 17106	Somerset	Jefferson, Lincoln, and Somerset Townships	Clear Run, Keller Run, Crab & UNT to Crab Run (HQ-CWF); UNT to Quemahoning Creek (CWF); UNT to East Branch of Coxes Creek (WWF)

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Erie County Conservation District, 1927 Wager Road, Erie PA 16509*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062514001	Midwest XV LLC Attn: Peter Oleszczuk 403 Oak Street Spring Lake MI 49456	Erie	Waterford Township	LeBoeuf Creek TSF

---

#### **VII. List of NOIs for NPDES and/or Other General Permit Types**

---

PAG-12            CAFOs

### **STATE CONSERVATION COMMISSION**

#### **PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**APPLICATIONS  
NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET**

*Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Downs Racing L.P. d/b/a Mohegan Sun at Pocono Downs 1280 Highway 315 Wilkes-Barre, PA 18702	Luzerne	216	308.98	Horse	N/A	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Application or Action</i>
Phillip Courter, 6527 Jacksonville Rd, Mill Hall, PA 17751	Clinton	146.3	690.01	Swine, Heifers, Goats	Cedar Run HQ	Application

**PUBLIC WATER SUPPLY (PWS)  
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act**

*Central Office: Bureau Director, Safe Drinking Water, PO Box 8467, Harrisburg, PA 17105-8467*

---

<b>Permit No. [9996600]</b> , Public Water Supply.
Applicant <b>[Waters of America, LLC]</b>
[Township or Borough] <b>[Woodridge, Illinois]</b>
Responsible Official <b>[Chris Yakel, Site Manager]</b>
Type of Facility <b>[Out of State Bottled Water System]</b>
Application Received Date <b>[July 16, 2014]</b>
Description of Action <b>[Applicant requesting Department approval to sell bottled drinking water in Pennsylvania under the brand name: Cabela's Purified Drinking Water.]</b>

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<b>Permit No. 2414501</b> , Public Water Supply
Applicant <b>Jay Township Water Authority</b>
Township or Borough <b>Jay Township</b>
County <b>Elk</b>
Responsible Official <b>Martin Rosenfeld</b>
Type of Facility <b>Public Water Supply</b>
Consulting Engineer <b>James S. Garvin, Jr., P.E. Garvin Engineering &amp; Municipal Mgmt. 184 East Market Street Blairsville, PA 15717</b>
Application Received Date <b>June 17, 2014</b>
Description of Action <b>Construction of new water well of existing drinking water system.</b>

---

**MINOR AMENDMENT**


---

**Applications Received Under the Pennsylvania Safe Drinking Water Act**


---

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Application No. 3914506MA, Minor Amendment.**

Applicant	<b>Lehigh County Authority</b> PO Box 3348 Allentown, PA 18106-3348
[Township or Borough]	Lower Macungie, Upper Macungie, North Whitehall, Heidelberg, Lynn, Lower Milford and Upper Milford Townships <b>Lehigh County</b>
Responsible Official	Mr. Aurel M. Arndt Lehigh County Authority 1053 Spruce Street PO Box 3348 Allentown, PA 18106-3348
Type of Facility	Public Water Supply
Consulting Engineer	Edward L. Hoyle, Jr., P.E. Lehigh County Authority PO Box 3348 Allentown, PA 18106-3348
Application Received Date	July 16, 2014
Description of Action	This application proposes the replacement of pulsation pumps with peristaltic pumps to feed the sodium hypochlorite disinfectant at fifteen water supply wells, located within six public water supply systems owned and operated by the Lehigh County Authority.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**
**UNDER ACT 2, 1995  
PREAMBLE 1**


---

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)**


---

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup

standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Cathy Balliet Property**, 4235 Manor Drive, South Whitehall Township, **Lehigh County**, Derek Bartram, EP&S of Vermont, has submitted a Notice of Intent to Remediate on behalf of his client, Catherine Balliet, 4235 Manor Drive, Allentown, PA 18104, concerning the remediation of soil from kerosene due to a leaking aboveground storage tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standards for soil. The intended future use of the site is residential. A Summary of the Notice of Intent to Remediate was published in *The Morning Call* on June 13, 2014.

**Simon Silk Mill and Moon Property**, 671 North 13th Street and 1250 Bushkill Drive, City of Easton, **Northampton County**, Elizabeth Schamberger, Moonstone Environmental, has submitted a Notice of Intent to Remediate on behalf of his client, Gretchen Longenbach, Redevelopment Authority of Easton, PA, concerning the remediation of soil and groundwater from VOC's, SVOC's, PCB's, and heavy metals due to the site's long history of industrial and commercial use. The applicant proposes to remediate the site to meet the Site Specific Standards for soil and groundwater. The intended future use of the site is for it to be used as a multi-use arts destination with anticipated end uses such as artist' lofts, restaurants, offices, retail space, apartments, schools, etc. A Summary of the Notice of Intent to Remediate was published in *The Morning Call* on June 28, 2014.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Former Cumberland Valley Motors Property**, 6714-6726 Carlisle Pike, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Hafer Environmental Services, Inc., PO Box 4418, Reading, PA 19606, on behalf of JLLH Associates, Ltd., 4437 Street Road, Trevoise, PA 19053, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with VOCs and arsenic. The site will be remediated to a combination of Background, Residential and Nonresidential Statewide Health, and Site Specific Standards. Future use of the site remains commercial for automotive sales and service. The Notice of Intent to Remediate was published in the *Patriot News* on June 26, 2014.

*Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass*

**Silva Residence**, 124 Berkeley Road, Easttown Township, **Chester County**. Richard Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Ken Gramo, Westfield Insurance, 201 East Oregon Road, P. O. Box 3010, Lancaster, PA 17604 on behalf of Michele Silva, 124 Berkeley Road, Devon, PA 19333 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The present and intended future use of the property is residential. The Notice of Intent to Remediate was published in the *Daily Local News* on June 16, 2014. PF777643

**Baldwin Property**, 18 Derstine Road, Hatfield Township, **Montgomery County**. Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422 on behalf of Jay Baldwin, 1304 Sumneytown Pike, Lower Gwynedd, PA 19002 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 heating oil. The property use will remain residential. The Notice of Intent to Remediate was published in *The Reporter* on May 2, 2014. PF777847

**Lifestyle Real Estate, L.P.**, 1 and 2 New Road, Bensalem Township, **Bucks County**. Andrew Basehoar, GIT, TTI Environmental, Inc., 1253 North Church Street, Moorestown, NJ 08057 on behalf of Dr. Fred Rappaport, Lifestyle Real Estate, LP, 790 Tardley Newtown Road, Suite 425, Newtown, PA 18940 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on June 1, 2014. PF777848

#### **OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Application(s) Approved Under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Permit Application No. 603456. Greater Hazleton Joint Sewer Authority**, P. O. Box 651, Hazleton, PA 18201. A permit authorizing the construction and operation of a sewage sludge incinerator at the Greater

Hazleton Wastewater Treatment Plant located in West Hazleton Borough, **Luzerne County**. The permit was approved by the Regional Office on July 17, 2014.

Persons interested in reviewing the permit may contact William Tomayko, Regional Waste Management Program Manager, Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

## **AIR QUALITY**

### **PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS**

The Department of Environmental Protection (Department or DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application, and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed Plan Approval/Operating Permit including the permit number; and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin*, or by telephone, where the DEP determines such notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Subchapters D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise appli-

cable Federal requirements may be submitted to the U.S. Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507*

**66-00001C: Proctor and Gamble Paper Products Co.** (P. O. Box 32, State Route 87 South, Mehoopany, PA 18629) for modification to one converting line (MC2) at their facility in Washington Township, **Wyoming County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920*

**09-00114: Active Brass Foundry, Inc.** (330 Progress Drive, Telford, PA 18969) for renewal of State Only (Natural Minor) Operating Permit No. 09-00114 in Hilltown Township, **Bucks County**. The facility's main sources of air contaminant emissions are four electric induction furnaces, two No. 2 fuel oil-fired crucible furnaces, and various operations for producing metal castings at the facility. The facility operates several dust collectors to control particulate matter (PM) emissions from each of these sources or operations except the crucible furnaces. No changes have occurred at the facility since the State Only Operating Permit ("SOOP") was last renewed. The renewed SOOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00080: Milford Enterprises, Inc.** (450 Commerce Drive Quakertown, PA 18951) for manufacturing of custom display cases that are used for commercial, architectural, and other professional applications, in Milford Township, **Bucks County**. This action is a renewal of a State Only Operating Permit (Synthetic Minor), which

was issued on December 18, 2008. The permit is for a non-Title V (State Only) facility. The facility has elected to cap Volatile Organic Compounds (VOCs) to less than 25 tons per year making the facility a Synthetic Minor. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**07-03002A: Pittsburgh Glass Works, LLC** (4408 East Pleasant Valley Boulevard, Tyrone, PA 16686) for construction of two new urethane bonding lines and an autoclave to support the existing automotive safety glass plant in Antis Township, **Blair County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received an application and intends to issue a Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

Plan Approval 07-03002A authorizes the construction of two additional urethane bonding lines used to affix metal or plastic hardware to automotive glass. They will be the third and fourth such lines at the facility. The new autoclave will join an existing unit that is used to thermally bond a polymeric film between the sheets of automotive glass. The proposed installations will increase the facility's VOC emission potential by 9 tons per year and its potential hazardous air pollutant (HAP) emissions by 0.64 ton per year.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests.

William R. Weaver, Air Quality Manager, may be contacted at 717-705-4702, or at DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

**28-05002J: Letterkenny Army Depot—US Department of Defense** (One Overcash Avenue, Chambersburg, PA 17201) to construct a new AP Rocket Motor Destruction (ARMD) Facility in Greene/Letterkenny Townships, **Franklin County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received an application and intends to issue a

Plan Approval to the abovementioned company for the abovementioned project. This plan approval may be incorporated into the company's facility-wide permit via an administrative amendment at a later date.

28-05002J is for construction and temporary operation of a new AP Rocket Motor Destruction (ARMD) Facility within the Letterkenny Munitions Center (LEMC) ammunition storage area. The company shall be subject to and comply with the requirements of Best Available Technology (BAT) in accordance with 25 Pa. Code §§ 127.1 and 127.12(a)(5). Best available technology (BAT) for this source is limiting NO<sub>x</sub> emissions to 35 tons per year through managing the type and throughput rate of the various rocket motors. The facility shall be subject to and comply with the requirements of 25 Pa. Code § 123.45—Alternative Opacity Limitations. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The potential air emissions from the proposed project are 35 tons per year of NO<sub>x</sub>; 2.54 tons of CO; 3.55 tons per year of combined HAPs and less than 1 ton per year each of SO<sub>2</sub>, PM<sub>10/2.5</sub> and VOCs.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at DEP's Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

A person may oppose the proposed plan approval, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the following; name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests, or for requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Gary Helsel, P.E., Acting New Source Review Chief, may be contacted at 814-949-7935, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments, protests or requests for a public hearing.

Plan approvals issues to sources identified in 25 Pa. Code § 127.44(b)(1)—(4) or plan approvals issued to sources with limitations on the potential to emit may become part of the SIP, and will be submitted to EPA for review and approval.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**12-00013A: Endeavour Operating Corp.** (1125 17th Street, Suite 1525, Denver, CO 80202) for construction of a 1,380 bhp Caterpillar G3516B four stroke, ultra lean burn, natural gas-fired compressor engine equipped with an oxidation catalyst at the company's Pad D facility in Shippen Township, **Cameron County**.

The Department of Environmental Protection's (Department) review of the information submitted by Endeavour Operating Corporation indicates that the air contamination source to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Sections 63.6580 through 63.6675, the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Sections 60.4230 through 60.4248, 25 Pa. Code Chapter 123 and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The emissions from the proposed engine will not exceed the following limits: 0.5 g/bhp-hr and 6.66 TPY NO<sub>x</sub>, 0.17 g/bhp-hr and 2.27 TPY CO, 0.25 g/bhp-hr and 3.33 TPY VOCs, 0.000588 lb/MMBtu and 0.03 TPY SO<sub>x</sub>, 0.00999 g/bhp-hr and 0.50 TPY PM/PM<sub>10</sub>/PM<sub>2.5</sub>, 0.047 g/bhp-hr and 0.63 TPY formaldehyde; no visible emissions equal to or greater than 10% for a period or periods aggregating more than three minutes in any 1 hour and equal to or greater than 30% at any time.

In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements.

Performance testing requirement for the engine to verify compliance with the emissions limitations.

Restrict the engine to natural gas firing only.

In addition to performance testing, establish a follow-up, periodic portable analyzer testing for NO<sub>x</sub> and CO for the engine.

The plan approval will also contain applicable monitoring, recordkeeping and reporting conditions.

The facility is a State Only (Natural Minor) facility. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 12-00013A, the applicant will subsequently apply for a State Only (Natural Minor) Operating Permit in accordance with 25 Pa. Code Subchapter F.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed permit (specify Permit No. 12-00013A); Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that



such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570-327-3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800-654-5984.

**12-00014A: Endeavour Operating Corp.** (1125 17th Street, Suite 1525, Denver, CO 80202) for construction of a 1,380 bhp Caterpillar G3516B four stroke, ultra lean burn, natural gas-fired compressor engine equipped with an oxidation catalyst at the company's Pad E facility in Shippen Township, **Cameron County**.

The Department of Environmental Protection's (Department) review of the information submitted by Endeavour Operating Corporation indicates that the air contamination source to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Sections 63.6580 through 63.6675, the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Sections 60.4230 through 60.4248, 25 Pa. Code Chapter 123 and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The emissions from the proposed engine will not exceed the following limits: 0.5 g/bhp-hr and 6.66 TPY NO<sub>x</sub>, 0.17 g/bhp-hr and 2.27 TPY CO, 0.25 g/bhp-hr and 3.33 TPY VOCs, 0.000588 lb/MMBtu and 0.03 TPY SO<sub>x</sub>, 0.00999 g/bhp-hr and 0.50 TPY PM/PM<sub>10</sub>/PM<sub>2.5</sub>, 0.047 g/bhp-hr and 0.63 TPY formaldehyde; no visible emissions equal to or greater than 10% for a period or periods aggregating more than three minutes in any 1 hour and equal to or greater than 30% at any time.

In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements.

Performance testing requirement for the engine to verify compliance with the emissions limitations.

Restrict the engine to natural gas firing only.

In addition to performance testing, establish a follow-up, periodic portable analyzer testing for NO<sub>x</sub> and CO for the engine.

The plan approval will also contain applicable monitoring, recordkeeping and reporting conditions.

The facility is a State Only (Natural Minor) facility. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan

Approval 12-00014A, the applicant will subsequently apply for a State Only (Natural Minor) Operating Permit in accordance with 25 Pa. Code Subchapter F.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed permit (specify Permit No. 12-00014A); Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3648.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570-327-3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800-654-5984.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226*

**32-00436A: John A. Lefdahl Funeral Home** (898 Old Route 119 North, Indiana, PA 15701) to authorize construction and temporary operation of one (1) Matthews International-Cremation Division IEB-16 natural gas-fired crematory incinerator for the cremation of animal remains at the above identified facility in White Township, **Indiana County**.

In accordance with 25 Pa. Code §§ 127.44—127.46, the Department of Environmental Protection ("Department") intends to issue Air Quality Plan Approval PA-32-00436A to authorize construction and temporary operation of one (1) Matthews International-Cremation Division IEB-16 natural gas-fired crematory incinerator for the cremation of animal remains at the above identified facility located in White Township, Indiana County. The proposed crematory incinerator has a maximum cremation rate of 100 pounds per hour.

The proposed crematory incinerator has an annual potential to emit (PTE) of less than 1 ton each of nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), sulfur oxides (SO<sub>x</sub>), total particulate matter (PM, PM<sub>10</sub>, and PM<sub>2.5</sub>), and volatile organic compounds (VOC); and less than 0.1 ton of total hazardous air pollutants (HAP). Best available technology (BAT) for the proposed crematory incinerator includes good combustion practices; operation and maintenance in accordance with the manufacturer's specifications and instructions; multi-chamber design with a minimum secondary chamber temperature of 1800°F; and a pollution control system with stack opacity monitor. The proposed crematory is subject to applicable portions of 25 Pa. Code Chapters 123 and 127. The proposed Plan Approval has been conditioned to ensure compliance with all applicable regulations and includes limitations on emissions and hours of operation, and also work practice, monitoring, recordkeeping, and reporting requirements.

A person may oppose the proposed plan approval by filing a written protest with the Department through Devin P. Tomko, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA, 15222. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-32-00436A) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

All comments must be received prior to the close of business 30 days after the date of this publication.

For additional information you may contact Devin P. Tomko at 412-442-5231.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**10-028J: Armstrong Cement & Supply Corp.** (100 Clearfield Road, Cabot, PA 16023) for the installation of a baghouse and carbon injection system to control emissions from Kiln 1 & 2 and the removal of the COM and COM requirements for the kilns and clinker coolers in Winfield Township, **Butler County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

Plan approval No 10-028J is for the proposed installation of two new baghouses and a carbon injection system to further reduce emissions to meet new federal emission requirements (40 CFR 63 Subpart LLL) and to remove the COM and COM conditions associated with the kilns and clinker coolers. The projected actual emissions from the kilns are 825 tpy of NO<sub>x</sub>, 1065 tpy of SO<sub>x</sub>, 99 tpy of PM, 97 tpy of PM<sub>10</sub>, 94 tpy of PM<sub>2.5</sub>, 49.3 tpy of CO, and 4.76 tpy of VOC. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Kilns 1 & 2 (Source 101 & 121)
  - NO<sub>x</sub> emissions shall not exceed 4.85 #/ton.
  - NO<sub>x</sub> emissions shall not exceed 936 tpy.
  - Subject to 40 CFR 63 Subpart LLL including the CPMS requirements.
  - Deleted all conditions that referenced the COM because the COM is no longer required by the Federal requirements.
  - Deleted all conditions that referenced the ESP because the ESP is not the control device after installation of baghouse.
  - The permittee shall update the AIMs Inventory for PM/PM<sub>10</sub>/PM<sub>2.5</sub> to include both filterable and condensable emissions. The update should include year 2005 to the present. If applicable, the permittee shall revise their AIMs Emission Fee submittals for those same years.
  - All the conditions from the facility operating permit revised on August 1, 2013, remain in effect unless modified in this plan approval.
- Clinker Coolers 1 & 2 (Source 105 & 122)
  - Deleted all conditions that referenced the COM because the COM is no longer required by the Federal requirements.
  - All conditions from the facility operating permit revised on August 1, 2013, remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8 a.m. to 4 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [10-028J] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

*Department of Public Health, Air Management Services:  
321 University Avenue, Philadelphia, PA 19104*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426*

**AMS 14149: Philadelphia Energy Solutions Refining and Marketing, LLC.** (3144 Passayunk Avenue, Philadelphia, PA 19145) to install a 350 MMBTU/hr boiler at No. 3 Boilerhouse. The boiler (Boiler # 45) will be installed with low NO<sub>x</sub> burners (LNB), flue gas recirculation (FGR), CO Oxidation catalyst, selective catalytic reduction (SCR) system, a wet electrostatic precipitator (WESP), and continuous oxygen trim system. The annual emissions (NO<sub>x</sub>, SO<sub>2</sub>, CO, PM/PM<sub>10</sub>, and VOC) of this boiler (Boiler # 45) and the three (3) existing boilers at the No. 3 Boilerhouse will be limited by existing combined emission caps. The four boilers (Boiler # 45 and the three existing boilers) will be limited to the existing combined heat input of 12,685,000 MMBTU/yr. The permit will include operating, monitoring, and recordkeeping requirements to assure compliance.

**AMS 14192: Kearsley Rehabilitation & Nursing Center** (2100 North 49th Street, Philadelphia, PA 19131) for installation of two (2) boilers less than 2.5 MMBTU/hr and two (2) boilers each 0.50 MMBTU/hr, one 250 KW emergency generator and one 100KW emergency generator. The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

**AMS 14198: Philadelphia Cold Fill Bottling Facility** (11701 Roosevelt Blvd, Philadelphia, PA 19154) for installing Ink printers, twelve Syrup mix tank and Bottle line cleaning solvent, Bottle line lubricant, and two (2) parts washers. There will be a potential emission increase of 20 tons of volatile organic chemical (VOC) per year for the facility. The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**36-05136: Granger Energy of Honeybrook, LLC.** (16980 Wood Road, Lansing, MI 48909) for a major modification to the facility's Title V Operating Permit 36-05136, issued on March 19, 2012, for the operation of two (2) landfill gas-fired engine generator sets in Caernarvon Township, **Lancaster County**.

In accordance with 25 Pa. Code § 127.541(a) and (b), the Department of Environmental Protection (DEP) has received an application and intends to issue a major operating permit modification to the abovementioned company for the abovementioned project.

The operating permit modification will remove the requirements for the pre-test sampling of HAPs at the inlet of the two (2) approved landfill gas-fired engine generator sets and will also remove the stack testing requirements for HAPs other than formaldehyde. The proposed modification will not increase any emissions from the facility.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, by filing a written protest with the Department at the address listed above. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments or protests, or for requests for a public hearing. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received.

Thomas Hanlon, Facilities Permitting Chief, may be contacted at 717-705-4862, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments or protests.

##### **Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**28-05018: Knouse Foods Cooperative, Inc.** (P. O. Box 807, Biglerville, PA 17307) to operate their Chambersburg fruit processing facility located in Chambersburg Borough, **Franklin County**.

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the abovementioned facility.

Actual 2013 emissions at the facility are estimated to be approximately 2.93 tons of NO<sub>x</sub>, 2.49 tons of CO and less than one ton each of SO<sub>x</sub>, VOC, HAPs, and PM<sub>10</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are

available for public review during normal business hours at the PA DEP Southcentral Regional Office, at 909 Elmerton Avenue, Harrisburg, PA 17110.

A person may oppose the proposed operating permit, or may provide the Department with additional information to consider in its review, or may request a public hearing, by filing a written protest with the Department at the address listed above. Each written comment must contain the following; name, address and telephone number of the person submitting the comments, identification of the proposed permit by the permit number listed above and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A 30-day comment period, from the date of publication of this notice in the *Pennsylvania Bulletin*, will exist for the submission of comments, protests or requests for a public hearing.

Gary Helsel, P.E., Acting New Source Review Chief, may be contacted at 814-949-7935, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, for additional information or for the submission of comments, protests or requests for a public hearing.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**55-00020: Meckley's Limestone Products, Inc.** (1543 State Route 225, Herndon, PA 17830-7332) a state only operating permit renewal for their Beavertown Plant facility in Franklin Township, **Snyder County**. In accordance with 25 Pa. Code § 127.425, the Department of Environmental Protection (DEP) has received an application and intends to renew State Only (Synthetic Minor) Operating Permit 55-00020 for the abovementioned facility. The facility has potential to emit levels of pollutants that are all below major thresholds. The levels of potential to emit are as follows, 10.6 tons per year (TPY) of CO; 5 TPY of NO<sub>x</sub>; 6.9 TPY of SO<sub>x</sub>; 25.1 TPY of PM; 25.1 TPY of PM-10; 25.1 TPY of PM<sub>2.5</sub>; 2.7 TPY of VOC; 0.8 TPY of HAP and 4,000 TPY of CO<sub>2e</sub>. The facility's primary operation is an asphalt plant which includes a rotary stone dryer fired on reclaimed oil or No. 2 oil. The Department has determined that the air contaminant sources, (or sources), at the facility meet the applicable state and federal regulatory requirements pertaining to the sources. This renewal operating permit includes monitoring, recordkeeping, and reporting conditions to demonstrate compliance with the applicable regulatory requirements. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions in the state only operating permit have been derived from the applicable regulatory requirements as codified at 40 CFR Parts 52, 60, 63, 64, 68, 72, 73, 74, 75, 76, 96, 97, 98 as well as Title 25, Article III of the rules and regulations of the Department of Environmental Protection.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's North Central Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this

publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed permit (specify Permit No. 55-00020); Concise statements regarding the relevancy of the information or objections to issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, North Central Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3648.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact Daniel Spadoni at 570-327-3659 or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

**19-00031: Press Enterprise, Inc.** (3185 Lackawanna Avenue, Bloomsburg, PA 17815) to issue a state only operating permit for their facility located in Scott Township, **Columbia County**. The facility is currently operating under State Only Operating Permit 19-00031. The facility's sources include two heatset lithographic printing presses, three non-heatset lithographic printing presses, a digital press, a piezoelectric printer, a small degreaser and an 80 kilowatt emergency generator. The facility has potential emissions of 1.89 ton of NO<sub>x</sub>, 0.68 ton of CO, 14.78 tons of VOCs, 0.01 ton of SO<sub>x</sub>, 0.13 ton of PM/PM<sub>10</sub>, 3.28 tons of HAPs, and 1,827 tons GHG's as carbon dioxide equivalent. No emission or equipment changes are being proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, 64, 68, 72, 73, 74, 75, 76, 96, 97, 98 and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this operating permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the following: Name, address and telephone number of the person submitting the comments; Identification of the proposed operating permit (specify State Only Operating Permit No. 19-00031); Concise statements regarding the relevancy of the information or objections to issuance of the operating permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that

such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to David M. Shimmel, P.E., Chief, New Source Review Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570.327.3568.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodation to participate should contact the Northcentral Regional Office at 570.327.3659. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800.654.5984.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**56-00302: Lincoln Contracting & Equipment Co.** (2478 Lincoln Highway, Stoytown, PA 15531) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Lincoln Contracting & equipment Co. to authorize the continued operation of a metal fabrication and painting facility located in Jenner Township, **Somerset County**.

The facility's operations include abrasive blasting, welding and painting. Other air emission sources at this facility are a .3 mmbtu/hr natural gas fired boiler, a 1 mmbtu/hr coal-fired boiler, a solvent cleaning machine, and other miscellaneous equipment associated with this type of operation. There is a dust collector to control particulate emissions from blasting and a filter to control particulate emissions from painting operations. The estimated facility wide emissions are 15 tons per year of VOC, 1 ton per year of PM<sub>10</sub>, 1 ton per year of NO<sub>x</sub>, and 5 tons per year of SO<sub>2</sub>. The proposed SOOP renewal contains conditions relating to monitoring, recordkeeping and work practice standards.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating 56-00302) and

a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Noor Nahar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, and 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Noor Nahar at 412-442-5225.

**56-00303: Lincoln Contracting & equipment Co.** (2478 Lincoln Highway, Stoytown, PA 15531) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Lincoln Contracting & equipment Co. to authorize the continued operation of a metal fabrication and painting facility located in Somerset Township, **Somerset County**.

The facility's operations include abrasive blasting, welding and painting. Other air emission sources at this facility are two small natural gas fired boilers, a solvent cleaning machine, and other miscellaneous equipment associated with this type of operation. There are dust collectors to control particulate emissions from blasting and a filter to control particulate emissions from painting operations. The estimated facility wide emissions are 11 tons per year of VOC, 1 ton per year of PM<sub>10</sub>, 1 ton per year of NO<sub>x</sub>, and negligible amount of SO<sub>2</sub>. The proposed SOOP renewal contains conditions relating to monitoring, recordkeeping and work practice standards.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 56-00303) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Noor Nahar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, and 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Noor Nahar at 412-442-5225.

**11-00280: Northern Cambria School District** (600 Joseph St., Barnesboro, PA, 15714-1233). Synthetic Minor Operating Permit renewal for the Northern Cambria High School located in Northern Cambria Boro, **Cambria County**. Equipment at this facility includes one tri-fuel boiler equipped to burn either coal or fuel oil, a fuel oil-fired boiler, and an emergency generator fired on propane. Potential emissions from the facility are based on a limit of burning 2,000 tons of coal per consecutive 12-month period in the tri-fuel boiler, 8,760 hours of operation for the fuel oil-fired boiler, and 500 hours of operation per consecutive 12-month period for the emergency generator and are estimated to be 12.8 tons NO<sub>x</sub>, 1.4 ton VOCs, 1.4 ton CO, 5.1 tons particulate matter and 89.1 tons SO<sub>x</sub>. Actual emissions from the facility are much lower as the boilers do not generally operate from May through September and only one of the boilers operates at a time with the other serving as a backup unit. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments or object to the operating permit or a proposed condition thereof by filing a written protest with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

A protest to a proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest shall include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 11-00280) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted

based on the information received. All persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Nick Waryanka, Air Quality Engineer, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Mr. Waryanka at (412) 442-4172.

**65-00732: Latrobe Hospital** (1 Mellon Way, Latrobe, PA, 15650-1197) Synthetic Minor Operating Permit renewal for the Latrobe Hospital, city of Latrobe, **Westmoreland County**. Equipment at this facility includes two 35.7 mmbtu/hr natural gas-fired boilers with No. 2 fuel oil as back-up. There are also four (4) No. 2 fuel oil-fired emergency generators located at the hospital an Ethylene Oxide Sterilizer. Potential emissions from the emission sources at this facility are based on a limit of burning natural gas in the boilers for 8,760 hours per year and No. 2 fuel oil in the emergency generators for 300 hours per year per generator and are estimated to be 30.8 tons NO<sub>x</sub>, 1.7 ton VOCs, 25.6 tons CO, 2.4 tons particulate matter and 1.7 ton SO<sub>2</sub>. Actual emissions from the facility are much lower considering only one boiler operates at a time. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments or object to the operating permit or a proposed condition thereof by filing a written protest with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

A protest to a proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest shall include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (Operating Permit 65-00732) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests and requests for a public hearing should be directed to Nick Waryanka, Air Quality Engineer, Department of Environmental Protection, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional information concerning the permit or the issuance procedure, contact Mr. Waryanka at (412) 442-4172.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131*

**25-00972: Insul-Board** (2120 Colonial Avenue, PO Box 8103, Erie, PA 16505) for the renewal of a State Only operating permit for the expanded polystyrene insulation & packing material molding facility in Millcreek Township, **Erie County**. The sources at the facility include a 5.2 million Btu/hr natural gas fueled boiler, 4 natural gas fueled space heaters each rated less than 500,000 Btu/hr, pre-expanded pellet heating, pre-expanded pellet storage, molding of product, and storage of finished goods. The facility is a Synthetic Minor due to its potential to emit Pentane which is a VOC. The potential emissions from the facility are as follows: NO<sub>x</sub>, 0.1 tpy; CO, 0.1 tpy; and VOCs not more than 35 tpy. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

#### PLAN APPROVALS

**Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507*

**40-00128A: InterMetro Industries Corp.** (651 North Washington Street, Wilkes-Barre, PA 18705) for their facility in Wilkes-Barre City, **Luzerne County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to InterMetro Industries Corporation (651 North Washington Street, Wilkes-Barre, PA 18705) for their facility located in Wilkes-Barre City, Luzerne County. This Plan Approval No. 40-00128A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 40-00128A is for revisions to their current plan approval 40-399-077 pertaining to the natural gas fired boiler. The company request conditions within plan approval 40-399-077 be removed as they do not apply to the boiler. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 40-00128A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

**48-00089A: Spray Tek LLC** (3010 Avenue B, Bethlehem, PA 18017) for their facility in Bethlehem City, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Spray Tek LLC (3010 Avenue B, Bethlehem, PA 18017) for their facility located in Bethlehem City, Northampton County. This Plan Approval No. 48-00089A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 48-00089A is the installation and operation of a spray dryer system at their location. The main emissions from the source is VOCs. The new source will meet all applicable requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00089A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

**54-00085A: Ringtown Wilbert Vault Works, Inc.** (710 West Main Street, Ringtown, PA 17967) for their facility located in Ringtown Borough, **Schuylkill County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Ringtown Wilbert Vault Works, Inc. (710 West Main Street, Ringtown, PA 17967) for their facility located in Ringtown Borough, Schuylkill County. This Plan Approval No. 54-00085A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 54-00085A is the installation and operation of an animal crematory. The new source will meet all applicable state and federal requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 54-00085A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district

mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**32111601 and NPDES No. PA0236039, Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201), to operate the Blairsville Preparation Plant in Burrell Township, **Indiana County** to operate a new coal preparation plant and related NPDES permit with three NPDES outfalls, Surface Acres Proposed 44.4. Receiving Stream: Unnamed Tributaries to Conemaugh River, classified for the following use: CWF. The application was considered administratively complete on May 26, 2011. Application received January 13, 2011. Application returned July 10, 2014.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 05130101 and NPDES No. PA0279307. Robindale Energy Services, Inc.**, 224 Grange Hall Road, Armagh, PA 15920 commencement, operation and restoration of a bituminous surface and auger mine in Broadtop Township, **Bedford County**, affecting 302.5 acres. Receiving streams: unnamed tributaries to/and Longs Run, Shreves Run and Six Mile Run classified for the following use: warm water fishery. The first downstream potable water supply intake from the point of discharge is Saxton Municipal Authority. Application received: June 20, 2014.

The application includes a stream encroachment to mine through and reconstruct the lower reaches of unnamed tributaries A and F to Longs Run. The application also includes a wetland encroachment for the construction of diversion ditch DD-4 through a wetland. These wetland



impacts will be temporary. The application also includes a request for a section 401 Water Quality Certification.

**Permit No. 32080103 and NPDES No. PA0262676. KMP Associates, Inc.**, 3756 State Route 981, Saltsburg, PA 15681, permit renewal for reclamation only of a bituminous surface and auger mine in Young Township, **Indiana County**, affecting 66.0 acres. Receiving streams: unnamed tributaries to/and Harpers Run and unnamed tributaries to Blacklegs Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 26, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 40840202R6 & NPDES Permit No. PA0613703. Silverbrook Anthracite, Inc.**, (1 Market Street, Laflin, PA 18702), renewal of an existing anthracite coal refuse reprocessing and preparation plant operation and NPDES Permit for discharge of treated mine drainage in Laflin Borough, **Luzerne County** affecting 30.3 acres, receiving stream: Gardner Creek, classified for the following use: cold water fishes. Application received: July 1, 2014.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**37880304. Allegheny Mineral Corporation** (P. O. Box 1022, Kittanning, PA 16201) Revision to add 6.5 acres to the existing large industrial minerals permit and delete 6.5 unaffected acres in Slippery Rock Township, **Lawrence County**, affecting 227.5 acres. Receiving streams: Unnamed tributary to Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: July 3, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 64030301C9 and NPDES Permit No. PA0224332. Middle Creek Quarry, Inc.**, (2893 Owego Turnpike, Hawley, PA 18428), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Palmyra Township, **Wayne County** affecting 94.3 acres, receiving stream: Middle Creek, classified for the following use: HQ—cold water fishes. Application received: July 8, 2014.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity\*

\*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a

precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation—Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**NPDES No. PA0262731 (Mining Permit No. 32090101), Britt Energies**, P. O. Box 515 Indiana, PA 15701, renewal of an NPDES permit for discharge of water resulting from surface mining of coal in Conemaugh Township, **Indiana County**, affecting 43.7 acres. Receiving stream: Sulfur Run, classified for the following use: cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: June 17, 2014.

The outfalls listed below discharge to Sulfur Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
004	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001 and 002 (Sediment Ponds) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5

<i>Outfalls: 001 and 002 (Sediment Ponds)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Aluminum (mg/l)	N/A	N/A	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			
<i>Outfalls: 003 and 004 (Treatment Ponds)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	N/A	N/A	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900*

**E46-1103. FEF, Inc.**, 10 Schoolhouse Road, Suite 1, Souderton, PA 18964, New Hanover Township, **Montgomery County**, ACOE Philadelphia, District.

To place fill in an existing 0.36 acre of manmade pond in and along an UNT to Minister Creek (TSF, MF) due to liability concerns for children with special needs. This project also includes replacement of an existing 36-inch culvert and endwalls which will serve as a driveway crossing.

The site is located near the intersection of Big Road (S.R. 0073) and Church Road (Sassamanville, PA USGS map, Lat. 401845, Long. 753308).

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E36-930: Elizabethtown Borough**, 600 South Hanover Street, Elizabethtown, Pennsylvania, 17022 in Elizabethtown Borough, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District

To 1) install and maintain a 33.0-foot long by 10.0-foot wide pedestrian bridge over Conoy Creek (TSF, MF); 2) to remove 1 cubic yard of fill from the floodway of Conoy Creek; and 3) to install and maintain an 80.0-foot long by 11.0-foot wide handicap accessible ramp and 1 cubic yard of fill in the floodway of Conoy Creek (TSF, MF), all for the purpose of relocating pedestrians from high traffic areas. The project is located approximately 0.06 mile southeast of the intersection of West High Street and Brown Street (Latitude: 40° 8' 55.28"N; Longitude: 76° 36' 34.43"W) in Elizabethtown Borough, Lancaster County. No wetlands will be impacted by this activity.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636*

**E49-332. Pennsylvania State Sportsmen's Association**, 405 Monastery Road, Elysburg, PA 17824. Culvert Extension in Ralpho Township, **Northumberland County**, ACOE Baltimore District (Shamokin, PA Quadrangle Latitude: 40° 52' 2"; Longitude: -76° 32' 18").

The proposed project is intended to extend the currently in place 60 inch reinforced concrete culvert system by an additional 110 linear feet. The current culvert conveys flow from an unnamed tributary to Shamokin Creek, Warm Water Fishery, though the trap and skeet range. The culvert extension will eliminate the potential for shotgun shot to enter the stream system and be carried downstream. The proposed project will not impact any landowners upstream since the Sportsmen's Association owns all properties that may be impacted by a

backwater from the system. This project is located 0.78 mile east on SR 487 from the intersection with SR 54 in Ralpho Township, **Northumberland County**.

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**E65-957. PennDOT Engineering District 12-0**, 825 North Gallatin Avenue Ext, Uniontown, PA 15401; Derry Borough, **Westmoreland County**; ACOE Pittsburgh District

The applicant is proposing to do the following:

1. Remove the existing SR 217 two lane, multiple span, high level bridge; construct and maintain adjacent to and to the south a replacement two lane, multiple span, high level bridge over an enclosed UNT to McGee Run (CWF) with a drainage area of 0.88 square mile;

2. Remove an existing 193 foot long, 72 inch diameter concrete pipe portion of approximately 2,000 LF enclosure: construct and maintain a replacement 193 foot long, 4 foot 7 inch by 8 foot 8 inch box culvert with a drainage area of 0.88 square mile to an UNT to McGee Run;

3. In addition, place and maintain fill in 0.16 acre of PEM wetland; install and maintain project associated stormwater outfalls; install and maintain culvert connection boxes; wetland mitigation will occur at the PennDOT District 10-0 Indiana County (Cindric) Wetland Bank;

4. Temporarily impact 244 LF of an UNT to McGee Run by installing and then removing a temporary diversion, as an erosion and sediment pollution control measure, during construction.

This project is associated with the SR 217 bridge and road improvement project in Derry Borough, Westmoreland County, (Derry Quadrangle, North 15.3 inches and West 7.1 inches; Latitude 40° 20' 3" and Longitude -79° 18' 12.3").

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E4129-092: Pennsylvania General Energy Company, LLC**, 120 Market St, Warren, PA 16365; Cummings, McHenry, & Pine Townships; **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

(1) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 2,156 square feet of palustrine forested (PFO) wetland (Cammal, PA Quadrangle 41°24'35"N 77°23'21"W);

(2) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 40 linear feet of Ott Fork (HQ-CWF) (Cammal, PA Quadrangle 41°24'51"N 77°23'21"W);

(3) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 46 linear feet of an unnamed tributary to Benny's Run (HQ-CWF) (Cammal, PA Quadrangle 41°25'37"N 77°23'30"W);

(4) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 42 linear feet of an unnamed tributary to Benny's Run (HQ-CWF) (Cammal, PA Quadrangle 41°25'39"N 77°23'29"W);

(5) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 41 linear feet of Bark Cabin Run (HQ-CWF) (Cammal, PA Quadrangle 41°25'49"N 77°23'28"W);

(6) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 41 linear feet of Silver Branch (HQ-CWF) (Cammal, PA Quadrangle 41°26'21"N 77°23'23"W);

(7) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 54 linear feet of an unnamed tributary to Silver Branch (HQ-CWF) (Cammal, PA Quadrangle 41°26'52"N 77°23'02"W);

(8) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 53 linear feet of an unnamed tributary to Left Fork of Otter Run (CWF) and 179 square feet of adjacent palustrine emergent (PEM) wetland (Cammal, PA Quadrangle 41°27'59"N 77°23'08"W);

(9) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 2,262 square feet of palustrine forested (PFO) wetland (Cammal, PA Quadrangle 41°28'05"N 77°22'59"W);

(10) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 64 linear feet of an unnamed tributary to Left Fork of Otter Run (CWF-MF) (Cammal, PA Quadrangle 41°28'25"N 77°22'31"W);

(11) Two 24-inch gas pipelines, two 8-inch water pipelines, two 4-inch conduits, and a timber mat bridge impacting 1,619 square feet of palustrine forested (PFO) wetland (English Center, PA Quadrangle 41°28'46"N 77°21'01"W).

The project will result in a total of 381 linear feet of stream impacts and 0.14 acre of wetland impacts all for the purpose of installing a natural gas gathering lines, water lines, electric lines, and temporary access roadways for Marcellus well development.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460*

**D42-079EA. Doug Zaffino, President, Wildcat Park Board of Directors**, P. O. Box 125, Ludlow, PA 16333-0125. Hamilton Township, **McKean County**, USACOE Pittsburgh District.

Project proposes to remove the Wildcat Park Dam for the purpose of eliminating a threat to public safety and to restore the stream to a free-flowing condition. The dam is located across Twomile Run (HQ-CWF) (Ludlow, PA Quadrangle, Latitude: 41.7201; Longitude: -78.9246).

---

**ACTIONS**


---

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**
**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

**I. NPDES Renewal Permit Actions**


---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0088749— Sew	Mark Guise Gettysburg Municipal Authority PO Box 3307, 601 East Middle Street Gettysburg, PA 17325	Adams County / Straban Township	Beaverdam Creek / 7-F	Y
PA0023604— Sew	Cory Fronk McAlisterville Area Joint Authority PO Box 61 McAlisterville, PA 17049	Juniata County / Fayette Township	Little Lost Creek / 12-A	Y
PA0080349— Sew	Adam Martin Chesapeake Estates of Thomasville 585 Martin Road Gettysburg, PA 17325	York County / Jackson Township	Little Conewago Creek / 7-F	Y

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0246921— Sew	Gerald Peters Lenhartsville Borough PO Box 238 Lenhartsville, PA 19534	Berks County / Lenhartsville Borough	Furnace Creek / 3-B	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0111937 (Sewage)	Patriot Treatment Plant 10 Baker Lane Bloomsburg, PA 17815	Columbia County South Centre Township	Unnamed Tributary of Susquehanna River (5-D)	Y
PA0020672 (Sewage)	Washingtonville Municipal Authority Sewer System STP Water Street Washingtonville, PA 17884	Montour County Derry Township	(10-D)	Y
PA0111830 (IW)	Emporium Specialties Austin Metal Plant 94 Foster Street Austin, PA 16720	Potter County Austin Borough	Freeman Run (8-A)	Y
PA0112305 (Sewage)	Wyalusing Municipal Authority Wastewater Treatment Plant River Street Wyalusing, PA 18853-0061	Bradford County Wyalusing Borough	Susquehanna River (4-D)	N

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0217751 (Industrial Waste)	Sewickley Borough Water System Route 65 North Sewickley, PA 15143	Allegheny County Sewickley Borough	Unnamed Stream and Unnamed Tributary to Ohio River (20-G)	Y
PA0096971 (Industrial Waste)	Bakerton System 191 Mitchel Road Bakerton, PA 15737-0374	Cambria County West Carroll Township	West Branch Susquehanna River (8-B)	Y
PA0098132 (Industrial Waste)	Garrett Borough Water System Water Works Road Garrett, PA 15542	Somerset County Garrett Borough	Casselman River (19-F)	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0239160 (Sewage)	McCalmont Township WWTP 127 Firehouse La Anita, PA 15711	Jefferson County McCalmont Township	Elk Run (17-D)	Y

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Actions

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**PA0272761**, Storm Water, SIC Code 2421, **ITL Corporation**, 23925 Commerce Park Boulevard, Beachwood, OH 44122. Facility Name: Industrial Timber & Lumber Marienville Facility. This proposed facility is located in Jenks Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of Storm Water runoff from a sawmill.

The receiving streams, an Unnamed Tributary to the Salmon Creek and an Unnamed Tributary to the Maple Creek, are located in State Water Plan watersheds 16-F and 17-B and are classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

**PA0239500**, Sewage, SIC Code 4952, 8811, **Spellman Richard L**, 2200 Brickyard Road, North East, PA 16428. Facility Name: Richard L Spellman SRSTP. This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated sewage.

The receiving stream is an unnamed tributary to Twelve mile Creek, located in State Water Plan watershed 15-A and classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

---

### III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

---

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900*

**WQM Permit No. WQG02091412**, Sewage, **Hilltown Township Sewer & Water Authority**, P. O. Box 365, Sellersville, PA 18960.

This proposed facility is located in Hilltown Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a pump station.

**WQM Permit No. 0914402**, Sewage, **Bedminster Municipal Authority**, 432 Elephant Road, Perkasio, PA 18944.

This proposed facility is located in Bedminster Township, **Bucks County**.

Description of Action/Activity: Upgrades of pumps and UV disinfection system to bring plant to maximum capacity of SBR units.

**WQM Permit No. 2314403**, Sewage, **DELCORA**, 100 East Fifth Street, P. O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in Edgmont Township, **Chester County**.

Description of Action/Activity: Construction and operation of a new pump station to replace the community STP.

**WQM Permit No. 2314404**, Sewage, **DELCORA**, 100 East Fifth Street, P. O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in Edgmont Township, **Chester County**.

Description of Action/Activity: Construction and operation of a new pump station to replace the community STP.

**WQM Permit No. 2314405**, Sewage, **DELCORA**, 100 East Fifth Street, P. O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in Edgmont Township, **Chester County**.

Description of Action/Activity: Construction and operation of a new pump station to replace the community STP.

**WQM Permit No. WQG02151405**, Sewage, **Phoenix Village PA, LP**, 100 Front Street, Suite 945, West Conshohocken, PA 19428.

This proposed facility is located in Phoenixville Borough, **Chester County**.

Description of Action/Activity: Construction and operation of a sewer extension.

**WQM Permit No. 4695428**, Sewage, Amendment, **Lower Salford Township Authority**, P. O. Box 243, Harleysville, PA 19438-2515.

This proposed facility is located in Lower Salford Township, **Montgomery County**.

Description of Action/Activity: Modifications with a new bard screen influent pumps, force main, splitter box bypass, VFD's on orbal aerations.

**WQM Permit No. 1501417**, Sewage, Renewal, **Nantmeal Warwick Sewer Co., Inc.**, 26 East Main Street, P. O. Box 20, Elverson, PA 19520.

This proposed facility is located in Warwick Township, **Chester County**.

Description of Action/Activity: Renewal of the existing WQM permit.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 2813201, Amendment #1**, CAFO, **Clinton Burkholder**, Burk Lea Farms, 3125 Grand Point Road, Chambersburg, PA 17202.

This proposed facility is located in Greene Township, **Franklin County**.

Description of Proposed Action/Activity: Permit approval for the construction / operation of 2 concrete storage units: A 60' diameter, 12" deep circular concrete storage with 211,507 gallons of capacity at a 24-inch freeboard including a leak detection observation pit with shut off valves and pump to replace the earthen storage at the Virginia style heifer barn on the Home Farm and a 102' diameter, 12" deep circular concrete storage with 611,254 gallons of capacity at a 24-inch freeboard including a leak detection observation pit with shut off valves to replace the earthen storage at the Kuhn's Farm heifer barn. The design will include 2 concrete collection screen boxes that will collect the stormwater runoff from the two concrete barnyards for conveyance to the new storage.

**WQM Permit No. 0607402, Amendment #1**, Sewerage, **Earl Rothermel, Maiden creek Township Authority Berks County**, PO Box 289, 1 Quarry Road, Blandon, PA 19510.

This proposed facility is located in Maiden creek Township, **Berks County**.

Description of Proposed Action/Activity: Permit approval for the construction / operation of the Phosphorus Removal System Project at the existing wastewater treatment plant.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

**WQM Permit No. WQG01251409**, Sewage, **Barbara A Chapman**, 11362 West Greene Road, Waterford, PA 16441.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

#### VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI023913018	Lehigh Parkway Apartments, LLC 2268 S. 12th Street, Suite 101 Allentown, PA 18103	Lehigh	City of Allentown	Little Lehigh Creek (HQ-CWF, MF)
PAI024813014	Palmer, LP c/o Mr. Abraham Atiyeh 1177 N. Sixth Street Whitehall, PA 18052	Northampton	Palmer Township	Bushkill Creek (HQ-CWF, MF)
PAI024814005	Lehigh Valley Industrial Park, Inc. 1720 Spillman Drive, Suite 150 Bethlehem, PA 18015	Northampton	City of Bethlehem and Lower Saucon Township	Saucon Creek (CWF, MF) Saucon Creek (HQ-CWF, MF); East Branch Saucon Creek (CWF, MF); Lehigh River (WWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI032107004(R)	Dave Strong 3064 Bricker Road Manheim, PA 17545	Cumberland	Hampden Township, Mechanicsburg Borough	Trindle Spring Run HQ-CWF
PAI033613013	Amos Stoltzfus 355 Jacobs Road Narvon, PA 17555	Lancaster	Salisbury Township	UNT Pequa Creek (HQ-CWF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041403017(4)	Penn State Univ 106A Physical Plant Bldg University Park PA 16802	Centre	State College Boro	Thompson Run HQ

#### VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

#### List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage



PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02**Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Bensalem Township Bucks County	PAG0200 0914012	Bensalem Township School District 3000 Donallen Drive Bensalem, PA 19020	Unnamed Tributary to Neshaminy Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Bensalem Township Bucks County	PAG0200 0906172R	Beechwood Investors, LP 370 East Maple Avenue Suite 101 Langhorne, PA 19047	Poquessing Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Middletown Township Bucks County	PAG0200 0912005R	St. Mary Medical Center 1201 Newtown-Langhorne Road Langhorne, PA 19047	Neshaminy Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Richland Township Bucks County	PAG0200 0912021(1)	Hidden Ponds Associates, LP 1574 Easton Road Warrington, PA 18976	Beaver Run Creek TSF Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAG0200 0914036	Delaware Valley College 700 East Butler Avenue Doylestown, PA 18901	Unnamed Tributary to Neshaminy Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG0200 2312017R	Boathouse Realty Associates, LP 1595 Paoli Pike West Chester, PA 19380	Unnamed Tributary to Meadowbrook Run CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Haverford Township Delaware County	PAG0200 2312008R	Radnor Haverford Marple Sewer Authority 600 Glendale Road Havertown, PA 19083	Darby Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Edgmont Township Delaware County	PAG0200 2314009	DELCORA 100 E. Fifth Street Chester, PA 19013	Crum Creek CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Newtown Township Delaware County	PAG0200 2311018-1	BPG Properties Ltd. 3815 West Chester Pike Newtown Square, PA 19073	Crum Creek CWF—MF Darby Creek CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
City of Chester Delaware County	PAG0200 2314011	Widener University One University Place Chester, PA 19013	Chester Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Concord Township Delaware County	PAG0200 2308044R	Main Line Health Services 240 Radnor Chester Road Suite 270 Radnor, PA 19087	Chester Creek via Webb Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG0200 2313017-1	Thomas P. Nerney 400 Inverary Road Villanova, PA 18085	Little Darby Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAG0200 4614056	David Magerman 1357 Hearthstone Lane Gladwyne, PA 19035	Schuylkill River CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAG0200 4614029	Thistlewood Properties, LLC 745 Newtown Road Villanova, PA 19085	Mill Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAG0200 4611060R	St. Mary's & Kyrillos Coptic Orthodox Church 2880 Bergey Road P. O. Box 340 Hatfield, PA 19440	West Branch Neshaminy WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511419	Saint Joseph's Preparatory School 1733 Girard Avenue Philadelphia, PA 19130	Delaware River WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Dickson City Borough Lackawanna County	PAG02003514007	John Grow—Gibbons Real Estate, LLC 950 Main Street Dickson City, PA 18519	Lackawanna River (CWF, MF)	Lackawanna County Conservation District 570-392-3086
Hazle Township Luzerne County	PAG02004014008	All Pro Airport Road, L.P. Michael Saporito c/o Hamilton Honda 655 US Highway 130 Hamilton, NJ 08691	Black Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Dallas Township Luzerne County	PAG02004014014	C & N Dining, LLC Perry Dunford, Sr. PO Box 70 Dallas, PA 18612	UNT to Huntsville Reservoir (CWF, MF)	Luzerne Conservation District 570-674-7991
Hanover Township Luzerne County	PAG02004014004	Schiel Development, LLC Francis Schiel 30 Hanover Street Wilkes-Barre, PA 18702	Solomons Creek (CWF, MF)	Luzerne Conservation District 570-674-7991

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Reading Township Adams County	PAG02000114018 Issued	Porto Vecchio Properties, LLC 113 Westminster Road, Suite 200 Reisterstown, MD 21136	UNT to West Branch Conewago Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717.334.0636
Conewago Township Adams County	PAG02000114015 Issued	Borough of Hanover Hanover Municipal Water Works 44 Frederick Street Hanover, PA 17331	South Branch Conewago Creek/WWF, MF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717.334.0636
Paradise Township Lancaster County	PAG02003607039R Issued	BB Real Estate Partners 5306 Lincoln Highway Gap, PA 17527	UNT to Pequea Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
Manheim Township Lancaster County	PAG02003610037R Issued	Simeral Construction 129 West Airport Road Lititz, PA 17543	Little Conestoga Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
Columbia Borough Lancaster County	PAG02003612047R Issued	Susquehanna Valley Nursing and Rehabilitation 745 Old Chickies Hill Road Columbia, PA 17512	UNT Susquehanna River/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
West Earl Township Lancaster	PAG02003614025 Issued	Lloyd Ray Weaver 395 South Farmersville Road Ephrata, PA 17522	Groff Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
East Earl Township Lancaster County	PAG02003614041 Issued	Weaverland Mennonite Church 2010 Weaverland Valley Road East Earl, PA 17519	UNT Conestoga River/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121

## NOTICES

5251

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Penn Township Lancaster	PAG02003614043 Issued	Michael Cassel 259 Auction Road Manheim PA 17545	Chiques Creek/WWF; MF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
Leacock Township Lancaster County	PAG02003614046 Issued	PA Dept. of Environmental Protection 909 Elmerton Avenue Harrisburg, PA 17110	Muddy Run/WWF; UNT to Muddy Run/WWF; Pequea Creek/WWF; UNT to Pequea Creek/CWF; Watson Run/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
East Cocalico Township Lancaster	PAG02003614050 Issued	Cherry Place Properties LP 755 White Oak Road Denver, PA 17517	Cocalico Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
Manheim Township Lancaster County	PAG02003614056 Issued	Lancaster Bible College 902 Eden Road Lancaster, PA 17601	Conestoga River/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
Caernarvon Township Berks County	PAG02000612020R Issued	TIMET 900 Hemlock Road Morgantown, PA 19543	UNT to Conestoga River/WWF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610.372.4657
Oley and Pike Townships Berks County	PAG02000614027 Issued	Dutch Valley Property Management 486 Landis Store Road Boyertown, PA 19512	Little Manatawny Creek/CWF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610.372.4657
Lower Heidelberg Township Berks County	PAG02000612031R Issued	Legacy Paper Mill Associates, LP 49 Fairwood Avenue Sinking Spring, PA 19608	Tulpehocken and Cacoosing Creeks/CWF, MF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610.372.4657

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Douglass Township Berks County	PAG02000614032 Issued	GW Packaging, Inc. PO Box 567 Douglassville, PA 19518	Schuylkill River/WWF, MF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Tulpehocken Township Berks County	PAG02000607011(1)R Issued	Mount Aetna Developers, Inc. 530 West Trout Run Road Ephrata, PA 17522	Little Swatara Creek/CWF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
West Cocalico Township Lancaster County	PAG02003614057 Issued	Michael K. Leininger 1365 West Route 897 Denver, PA 17517	UNT Blue Lake/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
Denver Borough Lancaster County	PAG02003614058 Issued	Cocalico School District 800 South 4th Street PO Box 800 Denver, PA 17517	Cocalico Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717.299.5361 Ext. 121
Swatara Township Lebanon County	PAG02003810013R Issued	Mark Will 400 North Cedar Street Lititz, PA 17543-1153	UNT to Little Swatara Creek/ WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon PA 17042 717.272.3908 Ext. 4
Hummelstown Borough Dauphin County	PAG02002213054 Issued	Hummelstown Swim Club 270 Linden Road Hummelstown, PA 17036	Swatara Creek/WWF	Dauphin County Conservation District 1451 Peter's Mountain Road Dauphin, PA 17018-9504 717.921.8100
Lower Paxton Township Dauphin County	PAG020022100119R Issued	Kings Crossing Phase C 4079 Derry Street Harrisburg, PA 17111	Beaver Creek/ WWF, MF	Dauphin County Conservation District 1451 Peter's Mountain Road Dauphin, PA 17018-9504 717.921.8100

NOTICES

5253

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Southampton Township Franklin County	PAG02002814016 Issued	Konrad Strawmyre PO Box 159 Newburg, PA 17240	Furnace Run/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg PA 17202 717.264.5499
Guilford Township Franklin County	PAG02002812009R Issued	Chambersburg Waste Paper PO Box 975 Chambersburg, PA 17201	Conococheague Creek/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg PA 17202 717.264.5499
Shippensburg Borough, Southampton Township Franklin County	PAG02002812007(2)R Issued	Volvo Construction Equipment 312 Volvo Way Shippensburg, PA 17257	UNT to Rowe Run/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg PA 17202 717.264.5499
Guilford Township Franklin County	PAG02002810004R Issued	Hostettler Clean Fill Site/ Jeryl Martin 4961 Cumberland Highway Chambersburg, PA 17202	Conococheague Creek/WWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg PA 17202 717.264.5499
Montgomery Township Franklin County	PAG02002811011R Issued	Whitetail Mountain Resort 13085 Blair Valley Rd Mercersburg PA 17236	UNT to Licking Creek/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg PA 17202 717.264.5499
Montgomery Franklin County	PAG02002804021R Issued	Mountain Side Chalet 11144 Old Forge Road Waynesboro PA 17268	UNT to Little Conococheague Creek/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg PA 17202 717.264.5499

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Bradford County Athens Township	PAG02000814008	Steven Bell TL Cannon Mgmt Corp 180 Lawrence Bell Dr Ste 100 Buffalo NY 14221	Chemung River WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Bradford County Sheshequin Township	PAG02000814009	Kevin Dobrinski Dobrinski Brothers Inc RR 1 Box 482B Fall PA 18615	Susquehanna River WWF Mallory Creek WWF	Bradford County Conservation District Stoll Natural Resource Center RR 5, Box 5030C Towanda, PA 18848 (570) 265-5539, X 6
Centre County Patton Township	PAG02001404017R	Wooded Hills LP 1836 Waddle Rd State College PA 16803	UNT to Big Hollow CWF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Centre County Ferguson Township	PAG02001412009R	DGKC Properties LLC 2029 Cato Ave State College PA 16801	Big Hollow Run CWF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Centre County Patton Township	PAG02001414007	Pinnacle Development 2121 Old Gatesburg Rd State College PA 16803	UNT to Spring Creek CWF	Centre County Conservation District 414 Holmes Avenue, Suite 4 Bellefonte, PA 16823 (814) 355-6817
Clinton County Bald Eagle Township	PAG02001808006R	Frank Mills PO Box 504 North Bend PA 17760	UNT to Bald Eagle Creek CWF	Clinton County Conservation District 45 Cooperation Lane Mill Hall, PA 17751 (570) 726-3798
Lycoming County Clinton & Muncy Twps	PAG02004114010	Edward Dunlap UGI Penn Natural Gas 1 UGI Ctr Wilkes-Barre PA 18711	Carpenters Run WWF, MF Turkey Run WWF, MF Wolf Run CWF, MF W B Susquehanna River WWF, MF	Lycoming County Conservation District 542 County Farm Rd Suite 202, Montoursville, PA 17754, (570) 433-3003
Montour County Mayberry Township	PAG02004714002	Aaron & Abner Glick 65 High Rd Catawissa PA 17820	UNT to Roaring Creek CWF	Montour County Conservation District 112 Woodbine Ln Ste 2 Danville PA 17821 Phone: (570) 271-1140
Northumberland Cnty Ralpho Township	PAG02004909010R	Whitetail Run 2095 State Route 54 Elysburg PA 17824	Miller's Run CWF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 Phone: (570) 286-7114 ext. 4

## NOTICES

5255

*Facility Location:  
Municipality &  
County*Tioga County  
Duncan Township*Permit No.*

PAG02005911003R(2)

*Applicant Name &  
Address*Hydro Recovery-Antrim LP  
7 Plaza Ln  
Blossburg PA 16912*Receiving  
Water / Use*UNT to Wilson  
Creek  
CWF*Contact Office &  
Phone No.*Tioga County  
Conservation  
District  
50 Plaza Lane  
Wellsboro, PA 16901  
(570) 724-1801, X 3*Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.**Facility Location:  
Municipality &  
County*East Franklin  
Township  
Armstrong County*Permit No.*

PAG02000314004

*Applicant Name and  
Address*R.E.D. Mantini, LLC.  
717 Sixth Avenue  
Ford City, PA 16226*Receiving  
Water / Use*UNT to Glade Run  
(TSF)*Contact Office and  
Phone No.*Armstrong County  
CD  
124 Armsdale Road  
Kittanning, PA  
16201  
(724) 548-3425East Franklin  
Township  
Armstrong County

PAG02000314005

Armstrong County Memorial  
Hospital  
One Nolte Drive  
Kittanning, PA 16201UNT to Glade Run  
(TSF)Armstrong County  
CD  
124 Armsdale Road  
Kittanning, PA  
16201  
(724) 548-3425Brighton Township  
Beaver County

PAG02000414008

Brighton Township  
1300 Brighton Road  
Beaver, PA 15009Two Mile Run  
(WWF)Beaver County CD  
156 Cowpath Rd  
Aliquippa, PA 15001  
(724) 378-1701Chartiers Township  
Washington County

PAG02006308008-1R

The Meritage Group  
772 Pine Valley Drive  
Pittsburgh, PA 15239Chartiers Creek  
(WWF)Washington County  
CD  
2800 North Main St  
Suite 105  
Washington, PA  
15301  
(724) 705-7098*Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville PA 16335**Facility Location:  
Municipality &  
County*Adams Township  
Butler County*Permit No.*

PAG02001014006

*Applicant Name &  
Address*Valencia Sports Park LP  
302 Westburn Court  
Seven Fields PA 16046*Receiving  
Water / Use*Unt Glade Run  
WWF*Contact Office &  
Phone No.*Butler County  
Conservation  
District  
724-284-5270Summit Township  
Erie County

PAG02002512023R

Auto Row LLC  
8430 Peach Street  
Erie PA 16509Unt Walnut Creek  
CWF; MFErie County  
Conservation  
District  
814-825-6403Waterford Township  
Erie County

PAG02002514017

Erie County General Authority  
5240 Knowledge Parkway  
Erie PA 16510

LeBeouf Creek TSF

Erie County  
Conservation  
District  
814-825-6403



*General Permit Type—PAG-03**Facility Location:  
Municipality &  
County**Permit No.**Applicant Name &  
Address**Receiving  
Water / Use**Contact Office &  
Phone No.*Wayne Township  
Schuylkill County

PAR222204

Reynmil, Inc.  
(Formerly Reynolds Sawmill)  
344 Summer Hill Road  
Schuylkill Haven, PA 17972Unnamed Tributary  
to Lower Little  
Swatara Creek  
7-D—CWFDEP Northeast  
Regional Office  
Clean Water Program  
2 Public Square,  
Wilkes-Barre, PA  
18701-1915  
570.826.2511Hazleton City  
Luzerne County

PAR122215

Aryzta LLC  
2 Chestnut Hill Drive  
Hazleton, PA 18201Tomhicken  
Creek—5-E / CWFDEP Northeast  
Regional Office  
Clean Water Program  
2 Public Square,  
Wilkes-Barre, PA  
18701-1915  
570.826.2511Allentown City  
Lehigh County

PAR202213

Olson Tech Inc.  
160 Walnut Street  
Allentown, PA 18102

Lehigh River—2-C

DEP Northeast  
Regional Office  
Clean Water Program  
2 Public Square,  
Wilkes-Barre, PA  
18701-1915  
570.826.2511Berks County  
Bern Township

PAR203511

Heyco Metals Inc.  
1069 Stinson Drive  
Reading, PA 19605UNT to Schuylkill  
River / WWF and  
MFDEP—SCRO—Clean  
Water Program  
909 Elmerton Avenue  
Harrisburg, PA 17110  
717-705-4707Fulton County  
Belfast Township

PAR223502

Mellott Wood Preserving  
Company, Inc.  
PO Box 209  
1398 Sawmill Road  
Needmore, PA 17238-0209UNT to Palmer  
Run / WWF and MFDEP—SCRO—Clean  
Water Program  
909 Elmerton Avenue  
Harrisburg, PA 17110  
717-705-4707Dauphin County  
Lower Swatara  
Township

PAG033505

Highspire Terminals  
Corporation  
PO Box 2621  
Harrisburg, PA 17105-2621  
Highspire Petroleum Storage  
Terminal  
900 Eisenhower Blvd  
Middletown, PA 17057UNT to Buser Run /  
WWF and MFDEP—SCRO—Clean  
Water Program  
909 Elmerton Avenue  
Harrisburg, PA 17110  
717-705-4707Clinton Township  
Lycoming County

PAG034809

Koppers Inc.  
436 Seventh Avenue  
Pittsburgh, PA 15219Unnamed Tributary  
to West Branch  
Susquehanna  
River—10-CDEP Northcentral  
Regional Office  
Clean Water Program  
208 W Third Street  
Suite 101,  
Williamsport, PA  
17701-6448  
570.327.0530Pine Creek Township  
Jefferson County

PAG038307

BWP Hardwoods, Inc.  
12942 Route 322  
Brookville, PA 15825-6946Unnamed Tributary  
to the Fivemile Run  
17-CDEP  
NWRO  
Clean Water Program  
230 Chestnut Street  
Meadville, PA  
16335-3481  
814/332-6942

*General Permit Type—PAG-4*

*Facility Location & Municipality & County*

McKean Township  
Erie County

*Permit No.*  
PAG041170

*Applicant Name & Address*  
Barbara A Chapman  
11362 West Greene Road,  
Waterford, PA 16441

*Receiving Water/Use*  
Unnamed Tributary  
to the Lamson Run  
15

*Contact Office & Phone No.*  
DEP  
NWRO  
Clean Water Program  
230 Chestnut Street  
Meadville, PA  
16335-3481  
814/332-6942

*Permit Type—PAG-5*

*Facility Location & Municipality*

Adams County  
Arendtsville Borough

*Permit No.*  
PAG053605

*Applicant Name & Address*  
Getty Properties Corp.  
125 Jericho Turnpike  
Suite 303  
Jericho, NY 11753-1016

*Receiving Water/Use*  
Conewago Creek /  
CWF and MF

*Contact Office & Phone No.*  
DEP—SCRO—CW  
Program  
909 Elmerton Avenue  
Harrisburg, PA 17110  
717-705-4707

*General Permit Type—PAG-13*

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

*NPDES Permit No.*

PAG133561

*Applicant Name & Address*  
Newberry Township  
1915 Old Trail Road  
Etters, PA 17319

*County*  
York County

*Municipality*  
Newberry  
Township

*Receiving Water/Use*  
Bennett Run, Conewago  
Creek, Fishing Creek,  
Susquehanna River and  
Unnamed Tributary of  
Fishing Creek / TSF, MF,  
WWF and MF

*DEP Protocol (Y/N)*  
Y

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act**

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Rescission of Operation Permit No. 6787507** issued to: **Forest Lakes Water Association** (PWS ID No. 7670106), Shrewsbury Township, **York County** on 7/7/2014. Action is for the Entire rescission of facilities approved under Operation Permit No. 6787507.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1814501**—Construction—Public Water Supply.

Applicant	<b>Suburban Lock Haven Water Authority</b>
Township/Borough	City of Lock Haven
County	<b>Clinton</b>
Responsible Official	Mr. Jack Peters Suburban Lock Haven Water Authority 7893 Nittany Valley Drive Mill Hall, PA 17751
Type of Facility	Public Water Supply

Consulting Engineer David Swisher, P.E.  
HRG, Inc.  
474 Windmere Drive,  
Suite 100  
State College, PA 16801

Permit Issued July 17, 2014

Description of Action Authorizes an upgrade of Irwin Street Booster Pump Station, replacement of Sunset Pines Tank with a new 54,000 gallon tank, and replacement of sections of the distribution piping in Bald Eagle Township and Mill Hall Borough.

**Permit No. 4113509MA**—Operation—Public Water Supply.

Applicant **Harvest Moon Mobile Home Park**

Township/Borough Woodward Township

County **Lycoming**

Responsible Official Mr. David A. Liberti  
Harvest Moon Mobile Home Park  
38 Harvest Moon Park Road  
Linden, PA 17744

Type of Facility Public Water Supply

Consulting Engineer N/A

Permit Issued July 21, 2014

Description of Action Operation of the recently installed EcoWater EWS 160T triplex ion exchange system for iron and manganese removal.

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**Permit No. 1114514**, Public Water Supply.

Applicant **Glendale Valley Municipal Authority**  
1800 Beaver Valley Road  
Flinton, PA 16640

[Borough or Township] White Township

County **Cambria**

Type of Facility Water system

Consulting Engineer Keller Engineers, Inc.  
420 Allegheny Street  
PO Box 61  
Hollidaysburg, PA 16648

Permit to Construct Issued July 11, 2014

**Operations Permit** issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (PWSID #5020025) White Oak Borough, **Allegheny County** on July 16, 2014 for the operation of facilities approved under Construction Permit # 0212504.

**Permit No. 3014512MA, Minor Amendment.** Public Water Supply.

Applicant **Southwestern Pennsylvania Water Authority**  
PO Box 187  
1442 Jefferson Road  
Jefferson, PA 15344

[Borough or Township] Morgan Township

County **Greene**

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.  
Suite 200  
267 Blue Run Road  
Cheswick, PA 15024

Permit to Construct Issued July 16, 2014

**WATER ALLOCATIONS**

**Actions taken on applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.**

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745*

**WA30-1001**, Water Allocations. **Mount Morris Water and Sewage Authority**, PO Box 340, Mount Morris, PA 15349, **Greene County**. The right to purchase up to 150,000 gallons of water per day (peak month, 30-day average) from Southwestern Pennsylvania Water Authority.

**WA3-1001A**, Water Allocations. **Mahoning Township Municipal Authority**, PO Box 60, Distant, PA 16223, **Armstrong County**. The right to purchase up to 85,000 gallons of water per day (peak month, 30-day average) from Redbank Valley Municipal Authority.

**SEWAGE FACILITIES ACT PLAN APPROVAL**

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)**

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Exeter Township	4975 Demoss Rd., Reading, PA 19606	Berks County

*Plan Description:* Approval of a revision to the official plan of Exeter Township, Berks County. The project is known as Stonersville Social Club Property. The plan provides for a proposed small flow treatment facility (SFTF) to replace the existing temporary holding tanks at the Stonersville Social Club commercial property, which generates 700 gallons of sewage per day. The SFTF will discharge to Owatin Creek. The proposed development is located at 5580 Boyertown Pike, Exeter Twp., Berks County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-06932-284-3S and the APS Id is 842725.

## SEWAGE FACILITIES ACT PLAN DISAPPROVAL

### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.*

#### Plan Location:

Borough or Township	Borough or Township Address	County
Derry Township	P O Box 445 Yeagertown, PA 17099	Mifflin

*Plan Description:* The Request for Planning Exemption for the Richard Macknair Subdivision, DEP Code No. A3-44907-181-2E, APS Id 847635, consisting of two new single family residential lots to be served by individual on-lot sewage disposal systems, is disapproved. The proposed development is located on Vira Road, Derry Township, Mifflin County. The submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of on-lot sewage disposal systems in an area underlain by carbonate geology as per Chapter 71, Section 71.51(b)(1)(ii).

#### Plan Location:

Borough or Township	Borough or Township Address	County
Buffalo Township	22 Cherry Road Liverpool, PA 17045	Perry

*Plan Description:* The Request for Planning Exemption for the James C. Witmer Subdivision, DEP Code No. A3-50904-107-2E, APS Id 807061, consisting of two new single family residential lots to be served by individual on-lot sewage disposal systems, is disapproved. The submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of on-lot sewage disposal systems and each lot of the subdivision does not have separate sites available for both a permittable primary soil absorption area or spray field and a replacement soil absorption area or spray field as per Chapter 71, Section 71.51(b)(1)(v).

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate

that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Johnson Sabaratnam, DBA J.K.N.G. Transport**, State Route 147S, Point Township, **Northumberland County**. Northridge Group, Inc., P. O. Box 231, Northumberland, PA 17857, on behalf of Johnson Sabaratnam, DBA J.K.N.G. Transport, submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Pennsylvania Department of Transportation**, Intersection of Blockhouse Road, (State Route Business 15) and Sebring Lane (T-320), Township of Liberty, **Tioga County**. Cardno MM&A, 2 Gunpowder Road, Mechanicsburg, PA 17050, on behalf of Joseph Gennuso, D&D Freight Systems, 10 Corinne Lane, North Chili, NY 14514 submitted a Final Report concerning remediation of site soils contaminated with Diesel Fuel and Used Motor Oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Szymanski Residence**, 132 Meadowridge Acres Road, Milford, PA 18337, Delaware Township, **Pike County**, Kevin D. Orabone, Applied Service Corp., has submitted an NIR, and Final Report on behalf of his clients, James Szymanski & Elisabeth Cologne, 132 Meadowridge Acres Road, Milford, PA 18337, concerning the remediation of soil due to removal of corroded Underground Storage Tank. The applicant proposes to remediate the site to meet the Statewide Health Standard for soil. The intended use of the site will be for residential purposes. A summary of the Notice of Intent to Remediate, and Final Report were published in *The Pike County Courier* on April 18, 2014.

**YOU Trucking**, 527-529 South Church Street, City of Hazleton, **Luzerne County**, Lori Girvin, Barry Isett &

Associates, has submitted a Site Characterization and an RIR, on behalf of her clients, YOU Trucking 527 South Church Street, Hazleton, PA 18201, concerning the remediation of soil and groundwater due to historical operations at the site. The applicant proposes to remediate the site to meet the Statewide Health Standard and the Site Specific Standard for soil and groundwater. The intended use of the site will be for vehicle sales and a service garage. A summary of the Site Characterization and, RIR (Remedial Investigation Report) were published in *The Standard Speaker* on June 12, 2014.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**IAC Carlisle LLC / Former Masland Carpets**, Carlisle Borough, **Cumberland County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA on behalf of IAC Carlisle, LLC, 50 Carlisle Springs Road, Carlisle, PA 17013, and Carlisle Auto Industries, Inc., 1000 Bryn Mawr Road, Carlisle, PA 17013, submitted a Remedial Investigation Report concerning site soils and groundwater contaminated with VOCs, SVOCs, and metals. The report is intended to document remediation of the site to meet a combination of Statewide Health (residential and non-residential) and Site-Specific Standards.

**Christian Thorne Property**, 3 Poplar Avenue and 6 Walnut Avenue, Temple, PA 19560, Alsace Township, **Berks County**. Liberty Environmental, Inc., 50 North Fifth Street, 5th Floor, Reading, PA 19601, on behalf of Christian Thorne, 3 Poplar Avenue, Temple, PA 19560, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

*Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.*

**5026 City Line Avenue**, 5026 City Avenue, City of Philadelphia, **Philadelphia County**. Keith T. D'Ambrosio, P.E., Whitestone Associates, Inc., 160 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Louis Lincoln Muchnick, 5026 City Line Associates, L.P., 822 Montgomery Avenue Suite 209, Narberth, PA 19072 has submitted a Remedial Investigation and Final Report concerning remediation of site soil contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the Site Specific Standard. PF770630

**Silva Residence**, 124 Berkeley Road, Easttown Township, **Chester County**. Richard D. Trimpi, PG, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Kevin Gramo, Westfield Insurance, 201 East Oregon Road, P. O. Box 3010, Lancaster, PA 17604 on behalf of Michele Silva, 124 Berkeley Road, Devon, PA 19333 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF777643

**Baldwin Property**, 18 Derstine Road, Hatfield Township, **Montgomery County**. Staci Cottone, J&J Environmental, P. O. Box 370, Blue Bell, PA 19422 on behalf of Jay Baldwin, 1304 Sunnyside Pike, Lower Gwynedd, PA 19002 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF777847

**Piskorski Residence**, 103 Plumtree Road, Levittown Township, **Bucks County**. Jason Pero, Brilliant Environmental Services, 3070 Bristol Pike, Building 2, Suite 105, Bensalem, PA 19020, Dan Forrest, Bristol Environmental Services, 3111 State Road, Croydon, PA 19056 on behalf of Edward Piskorski, 103 Plumtree Road, Levittown, PA 19056 has submitted a 90 day Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF775595

**Markloff Residence**, 1 Candlewood Court, Newtown Township, **Bucks County**. Michael Kern, P.G., Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Margaret Markloff, 1 Candlewood Court Newtown, PA 19894 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF776323

**312-320 Walnut Street & 319 Willings Alley**, 312-320 Walnut Street & 319 Willings Alley City of Philadelphia, **Philadelphia County**. Thomas A. Petrecz, Penn E&R Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Arrus I. farmer, PMC property Group, 1608 Walnut Street, Suite 1400, Philadelphia, PA 19103 has submitted a Remedial Investigation/Cleanup Plan concerning remediation of site soil and groundwater contaminated with no. 4, 5, and no. 6 fuel oil. The report is intended to document remediation of the site to meet the Site Specific Standard. PF777120

**Frankford & Darrah Site**, 5129-5135 Frankford Avenue, City of Philadelphia, **Philadelphia County**. Kenneth M. Yoder, PG, BL Companies, Inc., 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011 on behalf of Loren Aloi, Rite Aid of Pennsylvania Inc., 30 Hunter Lane, Camp Hill, PA 17011 has submitted a Final Report concerning remediation of site groundwater contaminated with no. 2 fuel and chlorinated solvents. The report is intended to document remediation of the site to meet Site Specific Standard. PF716772.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

---

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

---

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup

standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Earl Brown Jr. Trucking**, Colonel John Kelly Road, West Buffalo Township, **Union County**. Northridge Group, Inc., P. O. Box 231, Northumberland, PA 17857, on behalf of their client Earl Brown Jr. Trucking, 150 Elbow Road, Linden, Pa 17744 submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, and Methyl Tertiary Butyl Ether. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on July 1, 2014.

**Johnson Sabaratnam**, DBA J.K.N.G. Transport, State Route 147S, Point Township, **Northumberland County**. Northridge Group, Inc., P. O. Box 231, Northumberland, PA 17857, on behalf of Johnson Sabaratnam, DBA, J.K.N.G. Transport, submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The Final Report demonstrated attainment of the Statewide Health standard, and was approved by the Department on July 8, 2014.

**Pennsylvania Department of Transportation**, Intersection of Blockhouse Road, (State Route Business 15) and Sebring Lane (T-320), Liberty Township, **Tioga County**. Cardno MM&A, 2 Gunpowder Road, Mechanicsburg, PA 17050, on behalf of their client Joseph Gennuso, D&D Freight Systems, 10 Corinne Lane, North Chili, NY 14514 submitted a Final Report concerning the remediation

of site soils contaminated with Diesel Fuel and Used Motor Oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on July 7, 2014.

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**J.H. Beers Inc.**, Male Road, Wind Gap Borough, Plainfield & Bushkill Township, **Northampton County**, Scott Campbell, EarthRes Group, Inc., has submitted a RIR (Remedial Investigation Report), on behalf of his client, Robert Zarrizski, P. O. Box 669 Male Road, Wind Gap, PA 18091, concerning the remediation of soil due to the historical activities on the site from being used as a slate quarry, a processing mill for slate and as a tire pyrolysis processing facility. Past uses have impacted the soil with pyro-oil related organic compounds and low levels of metals and petroleum hydrocarbons. The report documented attainment of the Site Specific Standards for soils and was approved on July 14, 2014.

**Lubson Property**, 2571 Bart Garden Drive, Upper Saucon Township, **Northampton County**, Thomas Martinelli, JMT Environmental has submitted an NIR (Notice of Intent To Remediate, and a Final Report, (on behalf of his client, Hal Lubson, Oak Leaf Properties, 824 Eighth Avenue, Bethlehem, PA 18018, concerning the remediation of soil due to a five gallon #2 heating oil release from one 275 gallon aboveground storage tank. The report documented attainment of the Residential Statewide Health Standard for soils and was approved on July 7, 2014. The report was originally submitted within 90 days of the release.

**Equity LifeStyle Properties, Inc.**, (Li'l Wolf Circle), 3510 Li'l Wolf Circle, North Whitehall Township, **Lehigh County**, Tom Schreffler, Light-Heigel & Associates, has submitted a Notice of Intent to Remediate and a Final Report on behalf of his client, Jerry Fenstermaker, Equity LifeStyle Properties, Inc., 3411 Li'l Wolf Drive, Orefield, PA 18069, concerning the remediation of soil due to approximately 10 gallons of #2 fuel oil which leaked from an above ground storage tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standards for soil. The report documented attainment of the Statewide Health Standards for soils and was approved on July 9, 2014 .

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Brian Ritchey Residence**, formerly Olga Kohl Residence, 27 Fairview Road, McVeytown, PA 17051, Wayne Township, **Mifflin County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Brian Ritchey, 15820 Kenwood Drive, Middlefield, OH 44062, and State Farm Insurance, PO Box 106110, Atlanta, GA 30348-6110, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil released from an aboveground storage tank. The Final Report did not demonstrate attainment of the Residential Statewide Health Standard, and was disapproved by the Department on July 15, 2014.

**IAC Carlisle LLC / Former Masland Carpets**, Carlisle Borough, **Cumberland County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA on behalf of Former IAC Carlisle, LLC, 50 Carlisle Springs Road, Carlisle, PA 17013, and Carlisle Auto Industries, Inc., 1000 Bryn Mawr Road, Carlisle, PA 17013, submitted a Remedial Investigation Report concerning site soils and

groundwater contaminated with VOCs, SVOCs, and metals. The Remedial Investigation Report was administratively incomplete and was disapproved by the Department on July 15, 2014.

**Christian Thorne Property**, 3 Poplar Avenue and 6 Walnut Avenue, Temple, PA 19560, Alsace Township, **Berks County**. Liberty Environmental, Inc., 50 North Fifth Street, 5th Floor, Reading, PA 19601, on behalf of Christian Thorne, 3 Poplar Avenue, Temple, PA 19560, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on July 15, 2014.

**Judy Myers-Moore Residence**, 344 Main Street, Landisville, PA 17538, East Hempfield Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Judy Myers-Moore, 344 Main Street, Landisville, PA 17538, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on July 16, 2014.

*Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.*

**Merton Price Company**, 1201 Chester Pike, Ridley Township, **Delaware County**. Michael Christie, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440, Darryl Borrelli, Manko, Gold, Katcher, & Fox, LLP, 401 Coty Avenue, Suite 500, Bala Cynwyd, PA 19004 on behalf of Kenneth Hurwitz, Merton Price Company, 207 Yorktown Place, Berwyn, PA 19312 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents and petroleum hydrocarbons including mtbe. The Final report demonstrated attainment of the Site Specific and Statewide Health Standard and was approved by the Department on July 10, 2014. PF689687

**2413-2429 North Broad Street Site**, 2413-2429 Broad Street, City of Philadelphia, **Philadelphia County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Janet Stearns, Project H.O.M.E. 1845 North 23rd Street, Philadelphia, PA 19121 has submitted a Remedial Investigation/ Risk Assessment and Cleanup Plan concerning the remediation of site soil contaminated with used motor oil, pahs, carbazole, and lead. The Remedial Investigation/ Risk Assessment and Cleanup Plan were approved by the Department on July 9, 2014. PF769618

**The Reserve at Hidden Ponds**, Lot 14 & 15, Quaker Way, Richland Township, **Bucks County**. James P. Cinelli, P. E., Liberty Environmental Inc., 50 North Fifth Street, 5th Floor, Reading PA 19601 on behalf of Pamela A. Northrop, Hidden Ponds Associates, LP, 1574 Easton Road, Warrington, PA 18976 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 9, 2014. PF767760

## REGISTRATION FOR MUNICIPAL WASTE GENERAL PERMITS

**Registration for General Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities (25 Pa. Code § 271.811 relating to authorization for general permit).**

*South Central Regional Office: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**General Permit No. WMGM042-SC009. Scott Kreider, S&A Kreider and Sons Inc.**, 714 Spring Valley Road, Quarryville, PA 17566. The Department of Environmental Protection has issued a registration under General Permit WMGM042 to Scott Kreider of S&A Kreider & Sons Inc. This registration is for their location at 714 Spring Valley Road, Quarryville, PA 17566, in East Drumore Township, **Lancaster County**. The registration was issued on July 17, 2014.

Persons interested in reviewing the general permit may contact John Oren, Facilities Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920*

**GP3-09-0053: B. Blair Corp.** (95 Louise Drive, Ivyland, PA 18974) on July 16, 2014, was authorized to operate a portable nonmetallic mineral processing plant in Warrington Township, **Bucks County**.

**GP9-09-0123: B. Blair Corp.** (95 Louise Drive, Ivyland, PA 18974) on July 16, 2014, was authorized to operate one (1) diesel or #2 fuel-fired internal combustion engine in Warrington Township, **Bucks County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507*

**GP5-58-015: Williams Field Service Co., LLC** (1212 South Abington Road, Clark Summit, PA 18411) on March 6, 2014, to operate existing equipment permitted under plan approval and to construct and operate additional equipment at its Natural Gas Compression Station at their Central Compressor Station, Bridgewater/Brooklyn Township, **Wyoming County**.

**GP5-58-018: Williams Field Service Company, LLC** (250 South 21st Street, Easton, PA 18042) on February 25, 2014, to operate existing equipment permitted under plan approval and to construct and operate additional equipment at its Natural Gas Compression Station at their Zick Compressor Station, Lenox Township, **Wyoming County**.

**GP1-48-002: Northampton Hospital Company, LLC** (1212 South Abington Road, Clark Summit, PA 18411) on March 6, 2014, to construct and operate a Unilux Steam Boiler at their facility in, Wilson Borough, **Northampton County**.

**GP5-66-005: UGI Energy Services, Inc.** (1 Meridian Boulevard, Wyomissing, PA 19610) on March 10, 2014, to operate existing equipment permitted under General Permit GP5-66-001 and to construct and operate additional equipment at its Natural Gas Compression Station at their Manning Compressor Station, Washington Township, **Wyoming County**.

**GP22-48-001: Bethlehem Renewable Energy, LLC** (1300 N. 17th Street, Suite 1500, Arlington VA 22209) on March 31, 2014, to construct and operate One (1) Solar Turbine, Model Taurus 60 T7801 at their facility at 2325 Applebutter Road, Lower Saucon Township, **Northampton County**.

**GP3-58-021: Meshoppen Stone, Inc.** (PO Box 127, Meshoppen, PA 18630) on April 24, 2014, to construct and operate crushers, screens, and conveyors controlled by water sprays at their Four Star Quarry facility in, Wilson Borough, **Northampton County**.

**GP9-58-021: Meshoppen Stone, Inc.** (PO Box 127, Meshoppen, PA 18630) on April 24, 2014, to construct and operate four (4) Caterpillar Generators at their Four Star Quarry facility in, Wilson Borough, **Northampton County**.

**GP3-64-004: Middle Creek Quarry, Inc.** (2893A Owego Turnpike, Hawley PA 18428) on May 13, 2014, to construct and operate crushers, screens, and conveyors controlled by water sprays at their Middle Creek Quarry facility in Palmyra Township, **Wayne County**.

**GP9-64-004: Middle Creek Quarry, Inc.** (2893A Owego Tpk, Hawley PA 18428) on May 13, 2014, to construct and operate of one (1) Caterpillar Generators at their Middle Creek Quarry facility in Palmyra Township, **Wayne County**.

**GP9-58-023: Edward Green & Sons, Inc.** (PO Box 275, Susquehanna, PA 18847) on May 13, 2014, to construct and operate one (1) Caterpillar Generator at their 3204 Bear Swamp Road facility in, Harmony Township, **Susquehanna County**.

**GP4-40-001: Cornell Iron Works** (24 Elmwood Road, Mountain Top, PA 18707) on June 10, 2014, to construct and operate one (1) Burn Off Oven, fired by Natural Gas (275 Mbtu/hr) with Secondary Chamber Afterburner at their facility in, Wright Township, **Luzerne County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**GP4-21-03065: RAM Industrial Services, LLC** (2850 Appleton Street, Suite D, Camp Hill, PA 17011) on July 16, 2014, for three (3) natural gas-fired burnoff ovens under GP4, at the motor reconditioning facility in Lower Allen Township, **Cumberland County**. The General Permit authorization was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**GP5-41-723: Pennsylvania General Energy Co., LLC** (120 Market Street, Warren, PA 16365) on July 1, 2014, to construct and operate eight 1,775 bhp Caterpillar model G3606 LE four-stroke, lean-burn, natural gas-fired compressor engines, two 60 MMscf/day triethylene glycol dehydration units, each equipped with 2.31MMBtu/hr reboilers, eight various storage tanks and the COP Tract 293 Well Pads E & G under the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the COP Tract 293 Compressor Station in McHenry Township, **Lycoming County**.

**GP1-17-518: WhiteWave Foods Operating Co.** (2592 Oklahoma-Salem Road, DuBois, PA 15801) on July 9, 2014, authorized the construction and operation of a 20.215 million Btu per hour, Cleaver Brooks model OL103617 natural gas-fired boiler pursuant to the General Plan Approval and General Operating Permit for Small Gas and No. 2 Oil Fired Combustion Units (BAQ-GPA/GP-1) located in Sandy Township, **Clearfield County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226*

**GP5-30-00216A: Regency Marcellus Gas Gathering, LLC** (101 West Third Street, Williamsport, PA 17701) on July 16, 2014, to construct and operate one (1) 690 bhp Caterpillar G3508B natural gas-fired compressor engine controlled by an oxidation catalyst and continued operation of the previously authorized sources at the Milesky Compressor Station in Center Township, **Greene County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**GP13-10-230A: Lindy Paving, Inc.—Zelienople Asphalt Plant** (158 Lindsay Rd., Zelienople, PA 16063) on July 16, 2014, to operate the Counter Flow Drum Mix Plant to be installed at the Zelienople Plant (BAQ-GPA/GP-13) in Jackson Township, **Butler County**.

**GP5-16-151C: Peoples Natural Gas Co., LLC** (606 Limestone Road, Summerville, PA 15864) on July 11, 2014, to operate two (2) 1,150 bhp compressor engines (Caterpillar, Serial No. WPT01501 and WPT01505), a 0.375 MMBtu/hr TEG Dehydrator and a seven (7) storage tanks (BAQ-GPA/GP-5) in Limestone Township, **Clarion County**.

---

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**ER-28-05012D: Volvo Construction Equipment NA, LLC** (312 Volvo Way, Shippensburg, PA 17257-9209) on July 18, 2014, for an Air Quality Emission Reduction Credit (ERC) approval of 6.78 tons of volatile organic compounds (VOC) from the shutdown of Sources 101



(Building 2 Paint Booth) and 103 (Building 2 Big Paint Booth), at the heavy construction equipment manufacturing facility in Shippensburg Borough, **Franklin County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**18-00011J: Croda, Inc.** (8 Croda Way, Mill Hall, PA 17751) on July 21, 2014, issued plan approval for the modification of the facility's Super Refined Oil (SRO) process at the Mill Hall Facility in Bald Eagle Township, **Clinton County**.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**06-05069Q: East Penn Mfg. Co., Inc.** (Deka Road, PO Box 147, Lyon Station, PA 19536) on July 11, 2014, for modifications and additions to the A-4 battery assembly plant and lead oxide mills at the lead acid battery manufacturing facility located in Richmond Township, **Berks County**. The plan approval was extended.

**06-05077B: Can Corp. of America** (326 June Ave., P. O. Box 170, Blandon, PA 19510) on July 11, 2014, to install a new oven for a metal sheet coater controlled by a new oxidizer at the Blandon Plant in Maiden Creek Township, **Berks County**. The plan approval was extended.

**36-05160A: Morgan Truck Body LLC** (1656 Dry Tavern Road, Denver, PA 17517) on July 17, 2014, to construct a new drive-thru paint booth and for an increase in production of an existing spray paint booth at the Denver Plant in Brecknock Township, **Lancaster County**. The plan approval was extended.

**06-05128A: Reading Truck Body, LLC** (P. O. Box 650, Reading, PA 19607-0650) on July 17, 2014, to remove individual source volatile organic compound (VOC) emission caps for sources at the facility, and to revise the surface coating VOC content limit for Source 111 (Chassis Pool Booth) to 6.67 lb. VOC/gallon applied solids. The heavy duty truck manufacturing facility is located in the City of Reading, **Berks County**. The plan approval was extended.

**06-05115B: Granger Energy of Morgantown, LLC** (16980 Wood Road, Lansing, MI 48906-1044) on July 18, 2014, to install two (2) landfill gas-fired engines, two (2) additional compressors and one (1) 2,000 acfm enclosed flare in in Caernarvon Township, **Berks County**. The plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**08-00030B: Angelina Gathering Co.** (2350 North Sam Houston Parkway East, Houston, TX 77009) on July 16, 2014, to extend authorization for the construction of one natural-gas-fired compressor engine equipped with an oxidation catalyst at the Greenzweig Compressor Station

in Herrick Township, **Bradford County** to January 13, 2015. The plan approval has been extended.

**57-00003A: Sullivan County School District** (777 South Street, Laporte, PA 18626-9800) on July 21, 2014, to extend authorization to operate a 4.0 million Btu per hour, biomass-fired boiler in Laporte Borough, **Sullivan County** on a temporary basis to January 17, 2015. The plan approval has been extended.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226*

**32-00387B: Crooked Creek Coal Preparation Plant—Rosebud Mining Co.** (301 Market Street, Kittanning, PA 16201) on July 16, 2014, to allow time to obtain approval from the Mining Department for their surface facility site changes at their proposed coal preparation plant to be located in Washington Township, **Indiana County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920*

**15-00104: Flowers Baking Co. Oxford, Inc.** (700 Lincoln Street, Oxford, PA 19363; Attn: Mr. Dan Scott) on July 15, 2014, for renewal of the Title V Operating Permit in Oxford Borough, **Chester County**. The initial permit was issued on September 23, 2008, for their bakery. The facility is a major source for VOC. Sources include boilers, heating processes, a fire pump, fryer lines, oven lines, and other miscellaneous bakery components. The fryers are equipped with mist eliminators. All other sources have been deemed uncontrollable at this time. The fire pump (Source ID 036) is subject to 40 CFR Part 63, Subpart ZZZZ. This permit renewal also incorporates the requirements of Plan Approval No. 15-0104D and an exempt 60 kW emergency generators. Applicable requirements have been incorporated into the Title V Operating Permit renewal. The following are current potential site-wide emission rates for this facility: NO<sub>x</sub>—14.8 TPY; SO<sub>x</sub>—0.2 TPY; PM<sub>10</sub>—5.6 TPY; PM<sub>2.5</sub>—5.6; CO—11.5 TPY; VOC—41.7 TPY; HAP—0.3 TPY; and GHG—23,742.6 TPY (reported as CO<sub>2</sub>e). Allowable emissions from the facility have not increased as a result of this permit renewal. Individual limits apply to the various sources at the facility. The operating permit contains requirements to keep the facility operating within all applicable air quality requirements for this source.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**46-00274: Sonoco Protective Solutions, Inc.** (161 Corporate Drive, Montgomeryville, PA 18936) on July 15, 2014, for issuance of their initial operating permit for an insulated shipping container manufacturing operation in Montgomery Township, **Montgomery County**. Sonoco

Protective Solutions is a synthetic minor facility. The manufacturing process is a closed mold, rigid polyurethane foam molding operation which uses materials containing Volatile Organic Compounds (VOC). The facilities potential VOC emission limit is 8.0 tpy. All the VOC emissions are fugitive and are reduced by: reduction of clean up solvent used, more efficient injection equipment, and good housekeeping practices. The operating permit also includes work practice standards, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**01-05033: Knouse Foods Coop, Inc.** (PO Box 807, Biglerville, PA 17307-0807) on July 15, 2014, for their fruit processing facility in Tyrone Township, **Adams County**. The State-only permit was renewed.

**36-05159: Covance Research Products, Inc.** (310 Swamp Bridge Road, Denver, PA 17517-8723) on July 15, 2014, for the animal crematory and emergency generators at the West Cocalico Township facility in **Lancaster County**. The State-only permit was renewed.

**36-05032: Versatek Enterprises, LLC** (508 Front Street, Lititz, PA 17543-1708) on July 16, 2014, for their display case and speaker box manufacturing facility in Lititz Borough, **Lancaster County**. The State-only permit was renewed.

**38-03033: East Indies Coffee & Tea Co.** (7 Keystone Drive, Lebanon, PA 17042-9791) on July 17, 2014, for their coffee manufacturing facility in South Lebanon Township, **Lebanon County**. The State-only permit was renewed.

**01-05020: Knouse Foods Coop, Inc.** (PO Box 807, Biglerville, PA 17307-0807) on July 21, 2014, for their fruit processing and canning facility in Biglerville Borough, **Adams County**. The State-only permit was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**49-00053: Shumaker Industries, Inc.** (PO Box 206, Northumberland, PA 17857) on July 3, 2014, issued State Only operating permit for their facility located in Northumberland Borough, **Northumberland County**. The State Only operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

**14-00020: Hanson Aggregates Pennsylvania, LLC** (7660 Imperial Way, Allentown, PA 18195) on July 8, 2014, issued a State Only operating permit for their Oak Hall facility located in College Township, **Centre County**. The State Only operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

**41-00052: Hanson Aggregates Pennsylvania, LLC** (7660 Imperial Way, Allentown, PA 18195) on July 2, 2014, issued a State Only operating permit renewal for their Pine Creek Quarry located in Limestone Township, **Lycoming County**. The State Only operating permit renewal contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

**59-00019: Metalkraft Industries, Inc.** (PO Box 606, Wellsboro, PA 16901-0606) on July 10, 2014, issued a State Only operating permit renewal for their facility located in Charleston Township, **Tioga County**. The State Only operating permit renewal contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636*

**10-374A: Three Rivers Aggregates, LLC** (1807 Shenango Road, New Galilee, PA 16141) on July 1, 2014, issued a new State Only Operating Permit for the Black Run Mine in Worth Township, **Butler County**. The primary sources at the facility are sand and gravel crushing and screening operations, sand and gravel stockpiles, and truck transporting of material. The permit includes a restriction on operating hours for the plant of 3,000 hours per year and a throughput restriction of 1,000,000 tons of material processed per year. The facility is a Natural Minor. The only criteria pollutant is particulate matter for which the potential emissions are 29.914 tpy. The plant is subject to 40 CFR Part 60 Subpart OOO, the Standards of Performance for Nonmetallic Mineral Processing Plants. It is also subject to the conditions of the previously issued plan approval. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**20-00094: Ainsworth Pet Nutrition, Inc.** (18746 Mill Street, Meadville, PA 16335) on July 16, 2014, renewed a State Only Operating Permit for the facility in Vernon Township, **Crawford County**. The facility is a Natural Minor. The primary sources at the facility include 2 natural gas fueled boilers rated at 12.5 million Btu/hr and 20.9 million Btu/hr; 17 natural gas fuel space heaters each rated less than 2.5 million Btu/hr each and 2 propane fueled boilers each rated less than 2.5 million Btu/hr; a 200,000 Btu/hr waste oil fueled space heater; a natural gas fueled space heater rated at 3.7 million Btu/hr; a natural gas fueled space heater rated at 3.2 million Btu/hr; 2 natural gas fueled drying ovens each rated at 8.5 million Btu/hr; and pet food conveying, milling, and transfer operations. The potential emissions from the facility are below the Title V thresholds. The facility is subject to 40 CFR Part 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**24-00111: Penn Highlands, Elk—previously Elk Regional Health Center** (763 Johnsonburg Road, Saint Marys, PA 15857-3417) on July 16, 2014, to renew the

facility's State Only Operating Permit for the Saint Marys Health Center in the City of Saint Marys, **Elk County**. The facility is a Natural Minor. The primary sources at the facility include a wood fired biomass boiler (18.5 mmbtu/hr), two dual fired (gas/oil) backup boilers rated approximately 8 mmbtu/hr each, and two emergency generators. The Biomass Boiler is subject to 40 CFR Part 63, Subpart JJJJJ. All applicable conditions of Subpart 6J have included in the source level of the permit. The potential emissions as stated in the facility renewal permit application are: PM<sub>10</sub>—19.4 Tons per year (TPY); CO—48.62 TPY; NO<sub>x</sub>—28.77 TPY; SO<sub>x</sub>—2.03 TPY; and, VOC—1.38 TPY.

**25-00995: Essentra Components** (3123 Station Road, Erie, PA 16510) on July 15, 2014, renewed a State Only Operating Permit for their facility in the City of Erie, **Erie County**. The facility is a Natural Minor. The primary sources at the facility include a 3 million Btu/hr natural gas fueled heating furnace, 2 plastisol dip lines, and a parts washer. The potential emissions from the facility are NO<sub>x</sub>, 1.4 tpy; CO, 1.12 tpy; VOCs, 9.54 tpy; HAP's, 0.009 tpy; PM less than 1 tpy; SO<sub>x</sub> less than 1 tpy. The renewed permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**09-00157: Barrett Asphalt, Inc.** (7503 Weymouth Road, Hammonton, NJ 08037; Attn: Mr. Jack Barrett) on July 15, 2014, is a non-Title V facility in Falls Township, **Bucks County**. The Synthetic Minor Operating Permit has undergone a minor modification to make No. 2 fuel oil strictly a backup fuel, with natural gas as the primary fuel for their Drum Mix Asphalt Plant (Source ID 101), located at 14 Steel Road North, Morrisville, PA. Additionally, the 5-year source testing requirement for this source has been revised to be performed while the source operates on natural gas in lieu of No. 2 fuel oil. If the facility ever uses No. 2 fuel oil for 30 cumulative days or more within a 12-month rolling period, then the facility is required to test the source while operating on fuel oil, in addition to the 5-year testing while operating on natural gas. There shall be no increase in emissions as a result of this modification. The operating permit continues to contain testing, monitoring, recordkeeping, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00096: Suburban Heating Oil Partners, LLC** (3115 State Road, Telford, PA 18969-1076) on July 15, 2014, to modify a State Only, Synthetic Minor Operating Permit in West Rockhill Township, **Bucks County**. Suburban Heating Oil operates a bulk petroleum terminal at this site.

During the renewal of this operating permit in 2013 the VOC emission limits were calculated with a 98% control efficiency on storage tanks, source 102 and 103. This was incorrect, as the storage tanks have floating roofs which provide the accepted control requirement of 40 CFR Part

60 Subpart Kb and 40 CFR part 65 Subpart C and do not have a 98% control efficiency. Therefore with this modification the facility VOC emission limit will be modified to reflect that source 102 and 103 have internal floating roofs. The facility VOC emission limit will be listed as 4.00 tons per year rather than 2.00 tons per year.

There are no changes to any other conditions in this modification of the operating permit. The facility maintains a synthetic minor operating status by maintaining total VOC emissions to less than 4.00 tons per year. The modified permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, state, and federal air quality requirements.

**09-00122: Arkema, Inc.—Altuglas Int.—Bristol Plant** (100 PA Route 413, Bristol, PA 19007) on July 15, 2014, for their facility in Bristol Township, **Bucks County**. The facility manufactures a variety of acrylic molding resins that are used as the raw material in a variety of applications (i.e., lighting applications, tail light lenses, faucet handles, etc.). The amended Title V Operating Permit, issued on July \_\_\_\_\_, 2014, contains monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. Pursuant to 25 Pa. Code § 127.450, the permit was reopened to administratively amend the source-level monitoring requirement (Condition #005) for the Bldg. 66 Plastic Additives Process (Source ID: 100) to read as follows:

“(a) The permittee shall, using a LDAR Program or other Department approved method, monitor the VOC emissions from Bldg. 66 fugitive and transfer piping; and,

(b) The permittee shall calculate the VOC emissions from the Bldg. 66 Scrubbers (Source ID: C03) and Bldg. 66 fugitive and transfer piping on a monthly basis and as 12-month rolling sum.”

Other revisions in the amended Title V Operating Permit include the following:

(1) The source-level testing conditions for the following sources:

- Source ID: 100, Condition #004
- Source ID: 117, Condition #002
- Source ID: 500, Condition #003
- Source ID: 723, Condition #004

(2) The source-level fuel restriction requirement (Condition #004) for the two (2) Small Natural Gas & No. 2 Fuel Oil Boilers (Source ID: 031).

(3) The source-level fuel testing requirement (Condition #006) for the two (2) Small Natural Gas & No. 2 Fuel Oil Boilers (Source ID: 031).

(4) The site-level volatile organic compound (VOC) emission limit restriction (Condition #007) has been revised to reflect the summation of all the permitted emission limits for all of the VOC-emitting source at the facility (e.g., 59.7 tpy).

This Administrative Amendment of the Title V Operating Permit is issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

**09-00219: Premium Excavating, LLC** (P. O. Box 190, Morrisville, PA 19067) on July 15, 2014, has been

amended to modify work practice requirements for Source IDs 102 and 103 in accordance with 25 Pa. Code § 127.450. The amended Operating Permit includes monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

*Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**36-05008: Tyson Poultry, Inc.** (403 S. Custer Avenue, PO Box 1156, New Holland, PA 17557-0901) on July 9, 2014, for their poultry processing facility in Earl Township, **Lancaster County**. The State-only permit was administratively amended to reflect a change of name.

**67-05047: Republic Services of PA, LLC** (4400 Mt. Pisgah Road, York, PA 17406-8240) on July 15, 2014, for their modern landfill waste disposal facility in Lower Windsor Township, **York County**. The Title V permit underwent a minor modification to remove the engine generator sources (IDs 104,105, and 106) and related conditions from the permit, since the units have been removed from the facility.

**67-05056: Ardent Mills LLC** (2800 Black Bridge Road, York, PA 17406-9703) on July 21, 2014, for their flour milling facility in Manchester Township, **York County**. The State-only permit was administratively amended to reflect a change of ownership.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**03-00093: Murray Keystone Processing, Inc.**, (46226 National Road W, Saint Clairsville, OH 43950) Administrative Amendment issued on July 21, 2014 to change the name of the Owner/Operator, Responsible Official, and Environmental Contact. The owner/operator is now Murray Keystone Processing, Inc. Robert D. Moore is now the Responsible Official, and Charlie Sestak is now the Environmental Contact. The Keystone Cleaning Plant is located in Plumcreek Township, **Armstrong County**.

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**04-00033: NOVA Chemicals, Inc.** (400 Frankfort Road, Monaca, PA 15061). Per 25 Pa Code § 127.449(i), this Notice is for the following de minimis emission increase at the NOVA Chemicals facility located in Potter Township, **Beaver County**.

For a project which results in venting of styrene from nine trucks. VOC and HAP emissions from this project will not exceed 0.0036 tons; any actual emission increase will be included in the annual emission inventory; and this project will not trigger the requirements of 25 Pa. Code Subchapter E or 40 CFR Part 52

The list of de minimis increases includes the following:

- April 2014—Styrene Truck Venting
- June 2014—Bag Ballooning Study
- July 2014—Styrene Truck Venting

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636*

**37-00317: Ellwood Mill Product** (712 Moravia Street, New Castle, PA 16101) for its facility located in New Castle City, **Lawrence County**. The De minimis emission increase is for construction of a new Ringmill machine with dust collector. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the Title V Operating Permit issuance on May 8, 2012.

<i>Date</i>	<i>Source</i>	<i>PM<sub>10</sub> (tons)</i>	<i>SO<sub>x</sub> (tons)</i>	<i>NO<sub>x</sub> (tons)</i>	<i>VOC (tons)</i>	<i>CO (tons)</i>
7-17-14	Ringmill with dust collector	0.0172				
Total Reported Increases		0.0172				
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**GP5-41-648A: SWEPI LP** (2100 Georgetown Drive, Sewickley, PA 15143) terminated General Plan Approval and/or General Operating Permit for Natural Gas, Coal Bed Methane or Gob Gas Production or Recovery Facil-

ities (BAQ-GPA/GP-5) on July 8, 2014, for their Graham #2 Well Site located in McNett Township, **Lycoming County**. The facility emits all air contaminants below the exemption emission thresholds.

**GP5-53-118: SWEPI LP** (2100 Georgetown Drive, Sewickley, PA 15143), terminated General Plan Approval and/or General Operating Permit for Natural Gas, Coal Bed Methane or Gob Gas Production or Recovery Facilities (BAQ-GPA/GP-5) on July 8, 2014, for their Allegany #900 Well Site located in Allegany Township, **Potter County**. The facility emits all air contaminants below the exemption emission thresholds.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).**

### Coal Permits Issued

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**30841312 and NPDES No. PA0013790. Consolidation Coal Company**, (1 Bridge Street, Monongah, WV 26554). To revise the permit for the Blacksville Mine No. 2 in Jackson, Gilmore and Wayne Townships, **Greene County** to add underground permit and subsidence control plan area acres for longwall mining. Potential stream restoration for stream flow loss from longwall mining may be necessary for three areas of Bloody Run, two areas of Roberts Run, and one area of Negro Run. In conjunction with this approval, the Department is granting 401 Water Quality Certification certifying that the approved activities will comply with the applicable provisions of sections 301—303, 306, and 307 of the Federal Water Pollution Control Act (33 USCA § 1341) and will not violate Federal and State water quality standards. Underground Acres Proposed 2161.1, Subsidence Control Plan Acres Proposed 3260.8. No additional discharges. The application was considered administratively complete on March 15, 2012. Application received July 19, 2011. Permit issued July 14, 2014.

**30841307. Emerald Coal Resources, LP**, (158 Portal Road, PO Box 1020, Waynesburg, PA 15370). To revise the permit for the Emerald Mine No. 1 in Franklin Township, **Greene County** to add subsidence control plan area acres for development mining. Subsidence Control Plan Acres Proposed 20.88. No additional discharges. The application was considered administratively complete on January 24, 2012. Application received November 18, 2011. Permit issued July 14, 2014.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 56980109 and NPDES No. PA0234931. Mountaineer Mining Corporation**, 1010 Garrett Shortcut Road, Berlin, PA 15530, revision of an existing bituminous surface mine to change the land use from Woodland and Residential to Pastureland in Brothersvalley Township, **Somerset County**, affecting 26.5 acres. Receiving streams: unnamed tributaries to/and Tubs Run, Unnamed Tributaries to/and Hayes Run and Unnamed Tributaries to/and Buffalo Creek classified for the following use: cold water fisheries. There are no potable water

supply intakes within 10 miles downstream. Application received: January 31, 2014. Permit Issued: July 16, 2014.

*Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**65890104 and NPDES Permit No. PA0591734. Coal Loaders, Inc.** (210 E. Main Street, Ligonier, PA 15658). Permit renewal issued for reclamation only to an existing bituminous surface mine, located in South Huntingdon Township, **Westmoreland County**, affecting 92.5 acres. Receiving streams: unnamed tributary to Barren Run. Application received: June 10, 2014. Permit issued: July 14, 2014.

**03080104 and NPDES Permit No. PA0251496. Rosebud Mining Co.** (301 Market Street, Kittanning, PA 16201). Permit renewal issued for reclamation only to an existing bituminous surface mine, located in East Franklin and North Buffalo Townships, **Armstrong County**, affecting 114.8 acres. Receiving streams: unnamed tributaries to Glade Run. Application received: April 22, 2014. Permit issued: July 16, 2014.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**17850127 and NPDES PA0596451. King Coal Sales, Inc.** (P. O. Box 712, Philipsburg, PA 16866). Permit renewal for reclamation only to an existing bituminous surface mine located in Morris Township, **Clearfield County** affecting 233.0 acres. Receiving stream: Alder Run classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 18, 2014. Permit issued: July 16, 2014.

### Noncoal Permits Issued

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 6477SM5 and NPDES No. PA0009059. Specialty Granules, Inc.**, 1455 Old Waynesboro Road, Blue Ridge Summit, PA 17214, revision of an existing bituminous surface mine to redesign 23 acres within the current permitted area from support to mining and will include associated enhanced reclamation plans in Hamiltonban Township, **Adams County**, affecting 306.6 acres. Receiving stream: unnamed tributaries to Toms Creek classified for the following use: high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 11, 2012. Permit Issued: July 16, 2014.

**Permit No. 01930302 and NPDES No. PA0223239. Specialty Granules, Inc.**, 1455 Old Waynesboro Road, Blue Ridge Summit, PA 17214, revision of an existing bituminous surface mine to redesign 23 acres within the current permitted area from support to mining and will include associated enhanced reclamation plans in Hamiltonban Township, **Adams County**, affecting 313.2 acres. Receiving stream: unnamed tributaries to Toms Creek classified for the following use: high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 11, 2012. Permit Issued: July 16, 2014.

*Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**2969BSM24 and NPDES Permit No. PA0252018. Potato Ridge, LLC** (520 West Short Street, Lexington KY 40507). NPDES permit renewal and revised the

chemical treatment system for a mine drainage permit, located in Stewart Township, **Fayette County**, affecting 169.8 acres. Receiving stream: unnamed tributary to Laurel Run. Application received: September 7, 2010. Permit issued: July 16, 2014.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**37930305. Three Rivers Aggregates, LLC** (1807 Shenango Road, New Galilee, PA 16141) Revision to an existing large industrial minerals mine to change the post-mining land use from cropland and forestland to unmanaged water impoundment on the Cunningham Heirs and Kenneth E. Meals properties in Plain Grove Township, **Lawrence County**. Receiving streams: Unnamed tributary to Taylor Run and Taylor Run. Application received: May 14, 2014. Permit Issued: July 16, 2014.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**41990301 and NPDES PA238287. Glenn O. Hawbaker, Inc.** (1952 Waddle Road, State College, PA 16803-1649). NPDES renewal for continue operation and reclamation of a large noncoal surface mining site located in Armstrong Township, **Lycoming County** affecting 41.27 acres. Receiving stream(s): Hagerman's Run. Application received: June 5, 2014. Renewal issued: July 16, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 38120301. Greater Lebanon Refuse Authority**, (1610 Russell Road, Lebanon, PA 17046), commencement, operation and restoration of quarry operation in North Annville Township, **Lebanon County** affecting 170.0 acres, receiving stream: Swatara Creek Watershed. Application received: October 4, 2012. Permit issued: July 16, 2014.

**Permit No. 38120301GP104, Greater Lebanon Refuse Authority**, (1610 Russell Road, Lebanon, PA 17046), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 38120301 in North Annville Township, **Lebanon County**, receiving stream: Swatara Creek Watershed. Application received: October 4, 2012. Permit issued: July 16, 2014.

**Permit No. 58010301T3 and NPDES Permit No. PA0224171. Pennsy Supply, Inc.**, (PO Box 3331, Harrisburg, PA 17105), transfer of an existing quarry operation and renewal of NPDES Permit for discharge of treated mine drainage in Bridgewater Township, **Susquehanna County** affecting 41.96 acres, receiving stream: unnamed tributary to South Branch Wyalusing Creek. Application received: February 26, 2013. Transfer issued: July 18, 2014.

**Permit No. 58142501. Nielton Dias**, (503 Morgan Highway, Clarks Summit, PA 18411), commencement, operation and restoration of a General Permit for Bluestone (GP105) quarry operation in Lathrop Township, **Susquehanna County** affecting 10.0 acres, receiving stream: Horton Creek. Application received: February 10, 2014. Permit issued: July 21, 2014.

**Permit No. 58142501GP104. Nielton Dias**, (503 Morgan Highway, Clarks Summit, PA 18411), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58142501 in Lathrop Township, **Susquehanna County**, receiving stream: Horton Creek. Application received: February 10, 2014. Permit issued: July 21, 2014.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

---

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

---

### *Blasting Permits Issued*

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500*

**63144106. Wampum Hardware Co.** (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for the construction of the utility pipeline, located in Bentleyville Borough, **Washington County** and Waynesburg Borough, **Greene County** with an exploration date of December 31, 2014. Blasting permit issued: July 10, 2014.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**17144101. Wampum Hardware Company** (2856 Stoystown Rd, Friedens, PA 15541-7020). Blasting on mine site for RES Coal LLC, GFCC 17-10-02, Mine #34 located in Lawrence Township, **Clearfield County** with an expiration date of December 31, 2015. Permit issued: July 15, 2014.

**41144003. Pennsylvania General Energy LLC** (120 Market Street, Warren, PA 16365). Blasting for construction of SLG 75 Pad A located in McHenry Township, **Lycoming County** with an expiration date of July 31, 2015. Permit issued: July 15, 2014.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 06144108. Rock Work, Inc.**, (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for St. Mark's Place in Birdsboro Borough, **Berks County** with an expiration date of July 1, 2015. Permit issued: July 15, 2014.

**Permit No. 40144107. Hayduk Enterprises, Inc.**, (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Fairmont Township Shale Pit in Fairmont Township, **Luzerne County** with an expiration date of July 30, 2015. Permit issued: July 15, 2014.

**Permit No. 58144147. DW Drilling & Blasting**, (9990 Coconut Road, Bonita Springs, FL 34135), construction blasting for Fontana Gas Pad in Bridgewater Township, **Susquehanna County** with an expiration date of June 30, 2015. Permit issued: July 15, 2014.

**Permit No. 58144148. John H. Brainard**, (3978 SR 2073, Kingsley, PA 18826), construction blasting for Jones Compressor Station in Middletown Township, **Susquehanna County** with an expiration date of December 14, 2014. Permit issued: July 15, 2014.

**Permit No. 67144110. Brubacher Excavating, Inc.**, (P. O. Box 528, Bowmansville, PA 17507), construction blasting in Gifford Pinchot State Park in Warrington Township, **York County** with an expiration date of July 1, 2015. Permit issued: July 15, 2014.

**Permit No. 35144105. Hayduk Enterprises, Inc.**, (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Northeast Reliability Project in

Covington Township, **Lackawanna County** with an expiration date of July 31, 2016. Permit issued: July 16, 2014.

**Permit No. 06144109. J Roy's, Inc.**, (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Willow Glen in Ontelaunee Township, **Berks County** with an expiration date of July 17, 2015. Permit issued: July 17, 2014.

**Permit No. 06144110. J Roy's, Inc.**, (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Woods Edge Phase 3C in Amity Township, **Berks County** with an expiration date of July 17, 2015. Permit issued: July 17, 2014.

**Permit No. 06144111. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for River Bend Estates in Marion Township, **Berks County** with an expiration date of July 31, 2015. Permit issued: July 17, 2014.

**Permit No. 23144101. American Rock Mechanics, Inc.**, (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Webster Farms in Bethel Township, **Delaware County** with an expiration date of July 10, 2015. Permit issued: July 17, 2014.

**Permit No. 38144108. Maine Drilling & Blasting, Inc.**, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Zinns Mill Road Lot in Cornwall Borough, **Lebanon County** with an expiration date of July 16, 2015. Permit issued: July 17, 2014.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335 814-332-6860*

**E43-08-002, Halcon Field Service LLC**, 1000 Louisiana Street, Suite 6700, Houston, TX 77002-6003, Cude to Yoder Pipeline in West Salem Township, **Mercer County**, ACOE Pittsburgh District (Greenville West, PA Quadrangle, N: 41.406297°; W: 80.44925°).

The applicant proposes to construct and maintain approximately 6.53 miles of 16 inch diameter, steel natural gas pipeline in West Salem Township, Mercer County, PA. The proposed pipeline will connect Halcon Field Services, LLC's Cude and Yoder well pads to their proposed Phillips to Yoder Pipeline.

The water obstructions and encroachments for the purposes of installing the pipeline are described below:

- 1 One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Shenango River (WWF) and its associated floodway consisting of palustrine emergent/palustrine forested/palustrine shrub-scrub (PEM/PFO/PSS) wetland. 41.429602° N; -80.427435°W
- 1 One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine emergent/palustrine forested/palustrine shrub-scrub (PEM/PFO/PSS) wetland. 41.429602° N; -80.427435°W
- 2 One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine forested (PFO) wetland. 41.424717° N; -80.427911°W
- 3 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine emergent (PEM) wetland, having .07 acre of temporary impact. 41.423897°N; -80.428071°W
- 4 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine Emergent (PEM) wetland, having .01 acre of temporary impact. 41.422106°N; -80.428167°W
- 5 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 60 linear feet of temporary stream impact. 41.421198° N; -80.428955°W

- |    |  |    |  |
|----|--|----|--|
| 6  | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 64 linear feet of temporary stream impact. 41.420927° N; -80.429321°W | 21 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath Big Run (WWF) 41.396285° N; -80.449502°W   |
| 7  | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine Emergent (PEM) wetland, having .006 acre of temporary impact. 41.420337°N; -80.430116°W | 22 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 29 linear feet of temporary stream impact. 41.391304° N; -80.448865°W |
| 8  | A temporary road to cross a palustrine Emergent (PEM) wetland, having .003 acre of temporary impact. 41.419908°N; -80.430563°W   | 22 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine emergent (PEM) wetland, having .006 acre of temporary impact. 41.391304°N; -80.448865°W |
| 9  | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine forested/palustrine shrub-scrub (PFO/PSS) wetland. 41.415149° N; -80.431260°W   | 23 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.389734° N; -80.448608°W  |
| 10 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine forested/palustrine shrub-scrub (PFO/PSS) wetland. 41.414155° N; -80.433870°W   | 24 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.389275° N; -80.448551°W  |
| 11 | A temporary road to cross a palustrine Emergent (PEM) wetland, having .008 acre of temporary impact. 41.411479°N; -80.432452°W   | 25 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.386398° N; -80.448218°W  |
| 12 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 39 linear feet of temporary stream impact. 41.412433° N; -80.444739°W | 25 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine emergent/palustrine shrub-scrub (PEM/PSS) wetland. 41.386398° N; -80.448218°W   |
| 13 | A permanent access road to cross a UNT to Big Run (WWF), having 26 linear feet of temporary stream impact. 41.408074° N; -80.449207°W  | 26 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 47 linear feet of temporary stream impact. 41.382255° N; -80.453988°W |
| 14 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 60 linear feet of temporary stream impact. 41.407606° N; -80.448916°W | 27 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine emergent (PEM) wetland, having .3 acre of temporary impact. 41.380708°N; -80.453857°W   |
| 15 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine emergent (PEM) wetland. 41.405336° N; -80.450753°W  | 28 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine emergent (PEM) wetland, having .03 acre of temporary impact. 41.380016°N; -80.453906°W  |
| 16 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.405116° N; -80.450648°W  | 29 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 50 linear feet of temporary stream impact. 41.379241° N; -80.453867°W |
| 17 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine emergent (PEM) wetland, having .003 acre of temporary impact. 41.39983°N; -80.450118°W  | 30 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a palustrine emergent (PEM) wetland, having .006 acre of temporary impact. 41.378966°N; -80.45386°W  |
| 18 | One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 47 linear feet of temporary stream impact. 41.398237° N; -80.44967°W  | 31 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.378882° N; -80.456216°W  |
| 19 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine emergent (PEM) wetland. 41.397036° N; -80.449566°W  | 31 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine emergent (PEM) wetland. 41.378882° N; -80.456216°W  |
| 20 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a palustrine emergent (PEM) wetland. 41.396563° N; -80.449526°W  | 32 | One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.378884° N; -80.456776°W  |



- 33 One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.378881° N; -80.457193°W
- 34 One (1) 16 inch diameter, steel natural gas gathering line to be bored underneath a UNT to Big Run (WWF) 41.378870° N; -80.458600°W
- 35 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 55 linear feet of temporary stream impact. 41.378606° N; -80.459353°W
- 35 A temporary road to cross a palustrine emergent (PEM) wetland, having .008 acre of temporary impact. 41.378606°N; -80.459353°W
- 36 One (1) 16 inch diameter, steel natural gas gathering line with associated right-of-way and a temporary road to cross a UNT to Big Run (WWF), having 55 linear feet of temporary stream impact. 41.377333° N; -80.459333°W
- 37 A temporary road to cross a palustrine emergent (PEM) wetland, having .0008 acre of temporary impact. 41.373081°N; -80.468014°W

*District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E5829-072. Gibson and Clifford Townships, Williams Field Services Company, LLC**, Park Place Corporate Center 2, 2000 Commerce Park Drive, Pittsburgh, PA 15275; Gibson and Clifford Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

- 1) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 1,262 square feet of floodway to an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 27" Lat., W -75° 35' 25" Long.),
- 2) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 55 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 26" Lat., W -75° 35' 28" Long.),
- 3) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 57 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 26" Lat., W -75° 35' 29" Long.),
- 4) a 20-inch diameter natural gas pipeline and temporary timber mat crossing impacting 4,747 square feet (0.11 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 43' 25" Lat., W -75° 35' 31" Long.),
- 5) a temporary timber mat crossing impacting 45 square feet (0.01 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 43' 25" Lat., W -75° 35' 32" Long.),
- 6) a 20-inch diameter natural gas pipeline and temporary timber mat crossing impacting 10,548 square feet (0.24 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 43' 22" Lat., W -75° 35' 33" Long.),
- 7) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 75 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 18" Lat., W -75° 35' 32" Long.),
- 8) a 20-inch diameter natural gas pipeline and temporary timber mat crossing impacting 802 square feet (0.02 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 43' 18" Lat., W -75° 35' 32" Long.),

9) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 72 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 17" Lat., W -75° 35' 31" Long.),

10) a 20-inch diameter natural gas pipeline crossing impacting 695 square feet of floodway of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 16" Lat., W -75° 35' 30" Long.),

11) a 20-inch diameter natural gas pipeline crossing impacting 3 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 16" Lat., W -75° 35' 29" Long.),

12) a 20-inch diameter natural gas pipeline crossing impacting 3 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 16" Lat., W -75° 35' 29" Long.),

13) a 20-inch diameter natural gas pipeline crossing impacting 5 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 43' 16" Lat., W -75° 35' 29" Long.),

14) a 20-inch diameter natural gas pipeline crossing impacting 143 square feet (0.01 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 43' 16" Lat., W -75° 35' 29" Long.),

15) a 20-inch diameter natural gas pipeline and temporary timber mat crossing impacting 4,858 square feet (0.11 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 43' 13" Lat., W -75° 35' 26" Long.),

16) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 53 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 42' 56" Lat., W -75° 35' 19" Long.),

17) a 20-inch diameter natural gas pipeline impacting 51 square feet (0.01 acre) of a PSS wetland and a temporary timber mat crossing impacting 693 square feet (0.02 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 42' 55" Lat., W -75° 35' 18" Long.),

18) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 53 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 42' 54" Lat., W -75° 35' 16" Long.),

19) a 20-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 50 lineal feet of an unnamed tributary to Idlewild Creek (CWF-MF) (Clifford, PA Quadrangle; N 41° 42' 41" Lat., W -75° 35' 08" Long.),

20) a temporary timber mat crossing impacting 1,018 square feet (0.02 acre) of a PEM wetland (Clifford, PA Quadrangle; N 41° 42' 40" Lat., W -75° 35' 07" Long.).

The project consists of constructing approximately 8,554 lineal feet (1.62 miles) of 20" natural gas gathering line, within a maintained 50 to 75 foot permanent right of way located in Gibson, and Clifford Townships, Susquehanna County. The project will result in 426 lineal feet of temporary stream impacts, 2,883 square feet of temporary floodway impacts, 0.48 acre of temporary wetland impacts, and 0.02 acre of wetland bore impacts, all for the purpose of conveying Marcellus Shale natural gas to market.

**E0829-087. Appalachia Midstream, LLC**, 100 IST Center, Horseheads, NY 14845, Overton Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 6 inch diameter natural gas line and a temporary timber mat bridge impacting 10,844 square feet of a

Palustrine Emergent and Palustrine Scrub-Shrub Wetland (EV) (Colley, PA Quadrangle, Latitude: 41°33'54", Longitude: -76°20'12");

2. a 6 inch diameter natural gas line and a temporary timber mat bridge impacting 24 linear feet of an unnamed tributary to North Branch Mehoopany Creek (CWF, MF) and impacting 3,110 square feet of an adjacent Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41°33'55", Longitude: -76°20'18");

3. a 6 inch diameter natural gas line and a temporary timber mat bridge impacting 1,073 square feet of a Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41°33'55", Longitude: -76°20'33");

4. a 6 inch diameter natural gas line and a temporary timber mat bridge impacting 1,420 square feet of a Palustrine Emergent Wetland (EV) (Colley, PA Quadrangle, Latitude: 41°33'57", Longitude: -76°20'45");

The project will result in 24 linear feet or 172 square feet of temporary stream impacts and impacts 16,447 square feet (0.38 acre) of temporary PEM and PSS wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Wilmot Township, Bradford County.

**E5829-066: Franklin, Great Bend, and New Milford Townships, Angelina Gathering Company, LLC, 2350 North Sam Houston Parkway E, Suite125, Houston, TX 77032; Franklin, Great Bend, and New Milford Townships, Susquehanna County, ACOE Baltimore District.**

To construct, operate, and maintain:

(1) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 71 linear feet of Dubois Creek (CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 55' 07" Lat., W -75° 46' 06" Long.),

(2) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 39 linear feet of an unnamed tributary to Dubois Creek (CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 55' 07" Lat., W -75° 46' 07" Long.),

(3) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 40,075 square feet (0.92 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 55' 01" Lat., W -75° 46' 20" Long.),

(4) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 9,785 square feet (0.22 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 51" Lat., W -75° 46' 21" Long.),

(5) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 1,101 square feet (0.03 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 51" Lat., W -75° 46' 21" Long.),

(6) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 83 linear feet of an unnamed tributary to Dubois Creek (CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 54' 50" Lat., W -75° 46' 21" Long.),

(7) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 2,298 square feet (0.05 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 26" Lat., W -75° 46' 24" Long.),

(8) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 69 linear feet of an unnamed tributary to Dubois Creek (CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 54' 24" Lat., W -75° 46' 24" Long.),

(9) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 78 linear feet of an unnamed tributary to Dubois Creek (CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 54' 22" Lat., W -75° 46' 25" Long.),

(10) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 502 square feet (0.01 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 22" Lat., W -75° 46' 25" Long.),

(11) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 1,452 square feet (0.03 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 13" Lat., W -75° 46' 32" Long.),

(12) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 71 linear feet of an unnamed tributary to Dubois Creek (CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 54' 11" Lat., W -75° 46' 32" Long.),

(13) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 982 square feet (0.02 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 10" Lat., W -75° 46' 36" Long.),

(14) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 1,985 square feet (0.05 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 09" Lat., W -75° 46' 36" Long.),

(15) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 725 square feet (0.02 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 54' 09" Lat., W -75° 46' 41" Long.),

(16) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 70 linear feet of an unnamed tributary to Dubois Creek (CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 54' 08" Lat., W -75° 46' 36" Long.),

(17) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 20,453 square feet (0.47 acre) of PFO wetlands (Franklin Forks, PA Quadrangle; N 41° 53' 50" Lat., W -75° 46' 35" Long.),

(18) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 1,946 square feet (0.04 acre) of PEM wetlands (Franklin Forks, PA Quadrangle; N 41° 53' 44" Lat., W -75° 46' 34" Long.),

(19) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber bridge crossing impacting 8 linear feet of an unnamed tributary to Beaver Creek (HQ, CWF-MF) (Franklin Forks, PA Quadrangle; N 41° 53' 40" Lat., W -75° 46' 334" Long.),

(20) two 12-inch diameter natural gas pipeline, a 16-inch HDPE waterline, and temporary timber mat crossing impacting 5,663 square feet (0.13 acre) of PFO wetlands (Franklin Forks, PA Quadrangle; N 41° 53' 40" Lat., W -75° 46' 35" Long.).

The project consists of constructing approximately 2.8 miles of dual 12" natural gas gathering lines at a depth of 4' and a 16" waterline at a depth of 5', within a maintained 50 foot permanent right of way located in Franklin, Great Bend, and New Milford Townships, Susquehanna County. The project will result in 489 lineal feet of temporary stream impacts, 1.39 acre of temporary wetland impacts, and 0.60 acre of permanent wetland conversion impacts, all for the purpose of conveying Marcellus Shale natural gas to market.

**ENVIRONMENTAL ASSESSMENT**

*Cambria District: Contact Person: Patrick M. Webb, 286 Industrial Pk Rd, Ebensburg, PA 15931-4119.*

**EA1109-005. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation,** Cambria Office, 286 Industrial Park Rd., Ebensburg, PA 15931. Abandoned Mine Land Reclamation Project, in Croyle and East Taylor Townships and Ehrenfeld Borough, **Cambria County,** Pittsburgh ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 17,200 linear feet of dangerous highwall. The project will also include the backfilling of 0.66 acre of PEM wetlands that have developed within the open surface mine pits of which 0.43 acre will require mitigation. A 0.43 acre replacement wetland will be constructed with the project. (Geistown Quadrangle 40° 22' 25" N, 78° 48' 54" W).

**DAM SAFETY**

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460*

**D15-125. Hershey Mill Dam,** East Goshen Township, 1580 Paoli Pike, West Chester, PA 19380. To modify, operate, and maintain Hershey Mill Dam across Ridley Creek (HQ-TSF, MF), impacting 0 acre of wetlands (PEM) with no proposed impacts to the stream channel, for the purpose of rehabilitating the dam by constructing a new spillway. (Malvern, PA Quadrangle Latitude: 40.0132, Longitude: -75.5573) in East Goshen Township, **Chester County.**

**D67-545. Forest Lakes Water Association, Inc.** (649 Well Drive, New Freedom, PA 17349). To modify, operate and maintain Forest Lakes No. 2 Dam across a tributary to Deer Creek (CWF-MF) for the purpose of constructing a new spillway structure in order to pass the required 50-year design storm. (New Freedom, PA Quadrangle N: 21.55 inches; W: 12.1 inches) in Shrewsbury Township, **York County.**

**EROSION AND SEDIMENT CONTROL**

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802*

<i>ESCGP No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESCGP222138011	Texas Eastern Team 2014 890 Winter Street, Suite 300 Waltham, MA 02451	Dauphin	Middle Paxton and West Hanover Townships	Stony Creek/CWF and Fishing Creek/WWF

*Northcentral Region: Waterways & Wetlands Program Manager, 208 W Third Street, Williamsport, Pa 17701*

ESCP 2 #	ESG 00059140002			
Applicant Name	Dominion Transmission Inc			
Contact Person	Leslie Hartz			
Address	500 Dominion Blvd			
City, State, Zip	Glen Allen, VA 23060			
County	Tioga			
Township(s)	Gaines & Clymer			
Receiving Stream(s) and Classification(s)	Baker Branch (EV); UNT's to Baker Branch (EV); UNT's to Bend Gully Run (CWF); Shin Hollow (HQ), Pine Creek (EV), Whitney Hollow (HQ), Lick Run (HQ) & UNT's to Lick Run (HQ).			

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-4745.*

<i>ESCGP-2 No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG00059140003	Equitrans, LP 625 Liberty Avenue Pittsburgh, PA 15222	Greene	Washington Township	UNT to Garners Run (HQ-WWF) and Garners Run (HQ-WWF)
ESG00059140004	Dominion Transmission, Inc. 5000 Dominion Blvd Glen Allen, PA 23060	Greene	Franklin & Richhill Townships	Purman Run (WWF) and Poland Run (TSF)
0063138007-2	Columbia Gas Transmission, LLC.	Washington and Greene	Franklin, Washington, and Amwell Townships	Redd Run (WWF), Little Ten Mile Run (WWF), Horne Run (WWF), Bane Creek (WWF), Ten Mile Creek (TSF), Ten Mile Creek (WWF), Ruff Creek (WWF), Wallers Run (WWF), South Fork Ten Mile Creek (HQ-WWF), Wisecarver Run (HQ-WWF), Mud Lick Run (HQ-WWF), Browns Creek (HQ-WWF)

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335*

ESCGP-2 #ESG14-019-0041—West Pad 55  
Applicant PennEnergy Resources LLC  
Contact Robert Crissinger  
Address 1000 Commerce Drive, Park Place One, Suite 100  
City Pittsburgh State PA Zip Code 15275  
County Butler Township(s) Jefferson(s)  
Receiving Stream(s) and Classification(s) Sarver Run, HQ, TSF

ESCGP-2 #ESX14-019-0034—Bell Properties Wells Lateral Line  
Applicant Markwest Liberty Bluestone, LLC.  
Contact Richard Lowry  
Address 4600 J. Barry Court, Suite 500  
City Canonsburg State PA Zip Code 15317  
County Butler Township(s) Jackson(s)  
Receiving Stream(s) and Classification(s) UNT to Glade Run/UNT to Likens Run, Glade Run (WWF)

ESCGP-2 #ESG14-083-0007—Clermont 24 inch Mainline Extension  
Applicant NFG Midstream Clermont LLC  
Contact Duane Wassum  
Address 6363 Main St.  
City Williamsville State NY Zip Code 14221  
County McKean Township(s) Sergeant  
Receiving Stream(s) and Classification(s) East Branch Clarion River; Trib (HQ-CWF) 50853 to East Branch Clarion River (HQ-CWF); Warner Brook (HQ-CWF)/ East Branch Clarion River & Warner Brook Watersheds

ESCGP-2 #ESG14-083-0006-CRV Pad C08-J Pad  
Applicant Seneca Resources Corporation  
Contact Doug Kepler  
Address 5800 Corporate Drive, Suite 300  
City Pittsburgh State PA Zip Code 15237  
County McKean Township(s) Norwich(s)  
Receiving Stream(s) and Classification(s) Murdock

Branch & (1) UNT to same, and Rocky Run/Potato-Oswago Creeks; Elk Fork/Sinnemahoning Creek.

ESCGP-2 #ESG14-019-0039—Landgraf A B Well Pad  
Applicant XTO Energy, Inc.  
Contact Melissa Breitenbach  
Address 502 Keystone Drive  
City Warrendale State PA Zip Code 15086-7537  
County Butler Township(s) Donegal(s)  
Receiving Stream(s) and Classification(s) UNT Little Buffalo Run (HQ-CWF),  
Secondary Receiving Water Buffalo Creek (HQ-TSF)

ESCGP-2 #ESG14-047-0008—Pad F10-F  
Applicant Seneca Resources Corp  
Contact Michael Clinger  
Address 51 Zents Blvd  
City Brookville State PA Zip Code 15825  
County Elk Township(s) City of St. Mary's and Jones(s)  
Receiving Stream(s) and Classification(s) Long Branch (HQ-CWF/EV); UNT to Crooked Creek (HQ-CWF/HQ-CWF)

## SPECIAL NOTICE

**Water Quality Certification under Section 401 of the Federal Clean Water Act for the Extended Power Uprate (EPU) for Exelon Generation Company, LLC (Exelon) Peach Bottom Atomic Power Station (PBAPS); DEP File No. EA 67-024; NRC Doc. ID- NRC-2013-0232**

On July 23, 2014 the Commonwealth of Pennsylvania (Commonwealth) Department of Environmental Protection (Department, DEP or PADEP), issued Section 401 Water Quality Certification to Exelon for the PBAPS EPU project. The PADEP certifies that the construction, operation and maintenance of the EPU complies with the applicable provisions of sections 301—303, 306, 307 and 316 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316, 1317 and 1326) and appropriate requirements of state law. The Department further certi-

fies that the construction, operation and maintenance of the EPU complies with Commonwealth applicable water quality standards and that the construction, operation and maintenance of the EPU does not violate applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the EPU complies with the conditions of this certification, including the criteria and conditions of the following conditions and permits:

1. *Discharge Permit*—PBAPS shall obtain and comply with a PADEP National Pollutant Discharge Elimination System (NPDES) permit for the discharge of pollutants pursuant to Pennsylvania's Clean Streams Law (35 P. S. §§ 691.1—691.1001) and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—PBAPS shall obtain and comply with a PADEP's NPDES Permit for Stormwater Discharges Associated with Construction Activity pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P. S. §§ 680.1—680.17) and all applicable implementing regulations (25 Pa. Code Chapter 102) for any earth disturbance activities that require said permit.

3. *Water Obstruction and Encroachment Permits*—PBAPS shall obtain and comply with a PADEP Chapter 105 Water Obstruction and Encroachment Permit or Dam Permit for the construction, operation and maintenance of all dams, water obstructions or encroachments associated with the project pursuant to Pennsylvania's Clean Streams Law (35 P. S. §§ 691.1—691.1001), Dam Safety and Encroachments Act (32 P. S. §§ 673.1—693.27), and Flood Plain Management Act (32 P. S. §§ 679.101—679.601.) and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Susquehanna River Basis Commission*—PBAPS shall implement the Consumptive Water Use Mitigation Plan as approved and conditioned by the Susquehanna River Basin Commission including any future amendments to that plan.

5. *Habitat Improvement Projects*—

a. Commencing on the first March 1 after completion of the EPU of Unit 2, and by March 1 of each year thereafter, PBAPS shall provide a total ONE HUNDRED THOUSAND DOLLARS (\$100,000.00) annually in compensatory mitigation to the Pennsylvania Fish and Boat Commission (PFBC), or to such other conservation district, resource agency or 501(c)(3) organization as directed by the PADEP, for the implementation of habitat/sediment improvement projects. This will include stream improvement projects, agricultural pasture and barnyard best management practices, and small dam removal projects.

b. This annual compensatory mitigation shall be by corporate check, or the like, made payable to the PFBC in the amount of ONE HUNDRED THOUSAND DOLLARS (\$100,000.00) for habitat/sediment improvement projects in Lancaster or York Counties or to such other entities as the PADEP shall direct. PBAPS and PADEP shall receive from PFBC an annual accounting of projects implemented and fund expenditures. The funds shall be deposited by the PFBC into a special non-lapsing interest bearing account established and to be used only for the HIP Projects required by this Water Quality Certification ("PBAPS HIP Funds"). Such payments shall be made for the duration of the operation of PBAPS as an electric generation facility, unless otherwise modified and approved in writing by PADEP in accordance with paragraph 5.d., below.

c. PADEP shall ensure that each project proposed by the PFBC shall be submitted to the DEP South-central Regional Office Waterways and Wetlands Program Manager, or the successor position, for approval. No single project shall receive more than \$75,000.00 in compensatory mitigation funding from the PBAPS HIP Fund. Funding priority shall be given for projects that include stream forested buffers of at least 50 feet in width and wetland creation projects. Project funding shall not include any indirect administrative costs and, except where specifically authorized by the DEP, shall not include direct administrative costs. In no case shall direct administrative costs be greater than 10% of the project funding. At PBAPS's option, and subject to land owner approval, for each project signage shall be displayed acknowledging PBAPS's funding of the habitat improvement.

d. Exelon may request that the PADEP revise the compensatory mitigation in response to actions or activities by Exelon that reduce the degree of impingement and/or entrainment at the PBAPS.

6. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by PBAPS.

7. *Operation*—For the EPU under this certification, PBAPS shall at all times properly operate and maintain the PBAPS facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this Certification and all required permits. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by PBAPS.

8. *Inspection*—The PBAPS, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP to determine compliance with this Certification, including all required permits, appropriate requirements of state law and Pennsylvania's Water Quality Standards. A copy of this Certification shall be available for inspection by the PADEP during such inspections of the Projects.

9. *Transfer of Projects*—If the owners of PBAPS intend to transfer any legal or equitable interest in the PBAPS, they shall serve a copy of this Certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the PADEP Regional Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of Certification responsibility, coverage, and liability between them.

10. *Correspondence*—All correspondence with and submittals to PADEP concerning this Certification shall be addressed to the Department of Environmental Protection, Southcentral Regional Office, Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

11. *Reservation of Rights*—PADEP may suspend or revoke this Certification if it determines that PBAPS has not complied with the terms and conditions of this Certification. PADEP may require additional measures to achieve compliance with applicable law, subject to PBAPS's applicable procedural and substantive rights.

12. *Other Laws*—Nothing in this Certification shall be construed to preclude the institution of any legal action or relieve PBAPS from any responsibilities, liabilities, or penalties established pursuant to any applicable federal or state law or regulation.

13. *Severability*—The provisions of this Certification are severable and should any provision of this Certification be declared invalid or unenforceable, the remainder of the Certification shall not be affected thereby.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P. S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, 717.787.3483. TDD users may contact the Board through the Pennsylvania Relay Service, 800.654.5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717.787.3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the board within 30 days. You do not need a lawyer to file an appeal with the board.

Important legal rights are at stake, however, so you should show this document to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the secretary to the board (717.787.3483) for more information.

[Pa.B. Doc. No. 14-1634. Filed for public inspection August 1, 2014, 9:00 a.m.]

### **Clean Air Interstate Rule; Final 2018 Annual and Ozone Season CAIR Nitrogen Oxides Allowance Allocations; Final Redistribution of 2012 Allowances for Certain Facilities; and Final Extension of CAIR Nitrogen Oxides Set Aside Program for Offsetting Sulfur Dioxide Emissions**

In accordance with 25 Pa. Code §§ 145.211(d) and 145.221(d) (relating to timing requirements for CAIR NO<sub>x</sub> allowance allocations; and timing requirements for CAIR NO<sub>x</sub> Ozone Season allowance allocations), the Department of Environmental Protection (Department) is providing notice of finalization of the 2018 annual and ozone season Clean Air Interstate Rule (CAIR) nitrogen oxides (NO<sub>x</sub>) allowance allocations, final redistribution of 2012 allowances for certain facilities and extension of the CAIR NO<sub>x</sub> set aside program for sulfur dioxide (SO<sub>2</sub>) emissions.

Notice of the proposed allocations of 2018 allowances, the proposed redistribution of 2012 allowances and the proposed extension was published at 44 Pa.B. 3177 (May 24, 2014). One comment was received that requested clarification on the population affected by this notice. The Department responded to the commentator by identifying the affected population of the notice, which consists of facilities that participate in the CAIR program, but no changes to the final allocations were made.

The Commonwealth's 2018 NO<sub>x</sub> budget for the annual CAIR program contains 82,541 NO<sub>x</sub> allowances; 81,389 NO<sub>x</sub> allowances are allocated. A remaining 1,073 (1.3% of the annual CAIR program budget) NO<sub>x</sub> allowances are set aside for future allocation as described as follows. Final notice of 79 vintage year 2018 allowances to new units was published at 44 Pa.B. 3284 (May 31, 2014). The allocation of additional NO<sub>x</sub> allowances to offset SO<sub>2</sub> emissions may be extended after a 30-day public comment period provided in accordance with 25 Pa. Code § 145.212(f)(5) (relating to CAIR NO<sub>x</sub> allowance allocations). The comment period ended on June 23, 2014, and no adverse comments were received.

In this notice, the Department is finalizing the extension of the set aside program described in 25 Pa. Code § 145.212(f)(2)—(4) to include a set aside of 2018 vintage year CAIR NO<sub>x</sub> allowances. The Department is maintaining the 1.3% set aside for future allocation of additional CAIR NO<sub>x</sub> allowances to offset SO<sub>2</sub> emissions to units exempted by section 405(g)(6)(A) of the Clean Air Act (42 U.S.C.A. § 7651d(g)(6)(A)).

This extension is appropriate in light of the continued implementation of the CAIR program that has resulted from an appellate court vacating the Federal Cross State Air Pollution Rule (CSAPR) on August 21, 2012, in *EME Homer City Generation, L.P. v. EPA* (D.C. Cir. 11-1302). While the Supreme Court of the United States reversed the lower court's vacatur of CSAPR and remanded the case to the appellate court on April 29, 2014 (*EPA v. EME Homer City Generation, U.S.*, No. 12-1182), CAIR remains in place until further direction is provided. The CSAPR is the United States Environmental Protection Agency's intended replacement for the CAIR rule.

The Commonwealth's 2018 NO<sub>x</sub> budget for the ozone season CAIR program contains 35,143 NO<sub>x</sub> allowances; 35,109 CAIR ozone season NO<sub>x</sub> allowances are allocated. Final notice of 34 vintage year 2018 allowances to new units was published at 44 Pa.B. 3284.

In accordance with 25 Pa. Code § 145.212(c) and (f)(4), the Department is finalizing the distribution of 525 vintage 2012 annual NO<sub>x</sub> allowances that remained after the Department's allocations last year to units exempted under the Federal Acid Rain Program provisions in section 405(g)(6)(A) of the Clean Air Act but not exempted from the CAIR requirements. See 43 Pa.B. 1659 (March 23, 2013), 43 Pa.B. 2677 (May 11, 2013) and 43 Pa.B. 5660 (September 21, 2013). No comments were received and no changes to the final allocations were made.

For each CAIR unit and qualifying resource receiving a NO<sub>x</sub> allocation, Tables 1 and 2 as follows list the following: facility name; county; ORIS Code; unit ID; either the gross loading, steam loading, useful thermal energy, and/or total heat energy of steam, converted heat input from the base year, and final 2018 annual allowance allocation or final 2018 ozone season allowance allocation.

Table 3 lists each CAIR unit and qualifying resource that is allocated vintage 2012 NO<sub>x</sub> allowances from the 525 allowances that remained after the 2013 allocation to the units exempted from the Acid Rain Program.

Owners and operators of units should be aware that CAIR NO<sub>x</sub> allowances and CAIR NO<sub>x</sub> Ozone Season allowances do not constitute property rights and that action at the Federal or State level, including Federal court proceedings in the legal challenges to the CSAPR, could affect these allocations, once final.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board (Board), Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create

any right of appeal beyond that permitted by applicable statutes and decision law.

A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Questions concerning this notice should be directed to Randy Bordner at (717) 772-3921. TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

E. CHRISTOPHER ABRUZZO,  
*Secretary*

Table 1: Final 2018 CAIR NO<sub>x</sub> Annual Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final 2018 CAIR NO <sub>x</sub> Allowance Allocation
AES Beaver Valley LLC	Beaver	10676	32	-	-	4,293,346.00	-	5,366,682.50	396
AES Beaver Valley LLC	Beaver	10676	33	-	-	4,293,246.00	-	5,366,557.50	395
AES Beaver Valley LLC	Beaver	10676	34	-	-	4,065,998.00	-	5,082,497.50	375
AES Beaver Valley LLC	Beaver	10676	35	-	-	1,998,167.00	-	2,497,708.75	184
Springdale Power Station (AE Units 1&2)	Allegheny	55196	1	19,091.00	-	-	-	127,432.43	9
Springdale Power Station (AE Units 1&2)	Allegheny	55196	2	18,232.00	-	-	-	121,698.60	9
Springdale Power Station (AE Units 3&4)	Allegheny	55710	3	1,092,429.00	-	-	-	7,291,963.58	537
Springdale Power Station (AE Units 3&4)	Allegheny	55710	4	995,244.00	-	-	-	6,643,253.70	490
Gans Power Station (AE Units 8 & 9)	Fayette	55377	8	18,270.00	-	-	-	121,952.25	9
Gans Power Station (AE Units 8 & 9)	Fayette	55377	9	18,426.00	-	-	-	122,993.55	9
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	1	44,250.00	-	-	-	295,368.75	22
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	2	42,466.33	-	-	-	283,462.75	21
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	3	50,496.01	-	-	-	337,060.87	25
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	4	50,902.00	-	-	-	339,770.85	25
Armstrong Power Station	Armstrong	3178	1	281,861.37	-	-	-	2,226,704.82	164
Armstrong Power Station	Armstrong	3178	2	91,853.02	-	-	-	725,638.86	53
Bethlehem Power Plant	Northampton	55690	1	885,659.23	-	-	-	5,911,775.36	436
Bethlehem Power Plant	Northampton	55690	2	892,716.26	-	-	-	5,958,881.04	439
Bethlehem Power Plant	Northampton	55690	3	904,488.30	-	-	-	6,037,459.40	445
Bethlehem Power Plant	Northampton	55690	5	897,606.30	-	-	-	5,991,522.05	442
Bethlehem Power Plant	Northampton	55690	6	921,416.74	-	-	-	6,150,456.74	453
Bethlehem Power Plant	Northampton	55690	7	921,806.36	-	-	-	6,153,057.45	453
Bruce Mansfield	Beaver	6094	1	6,100,565.00	-	-	-	48,194,463.50	3,552
Bruce Mansfield	Beaver	6094	2	6,209,627.00	-	-	-	49,056,053.30	3,615
Bruce Mansfield	Beaver	6094	3	6,680,852.00	-	-	-	52,778,730.80	3,890
Brunner Island	York	3140	1	1,119,135.00	-	-	-	8,841,166.50	652



Table 1: Final 2018 CAIR NO<sub>x</sub> Annual Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final 2018 CAIR NO <sub>x</sub> Allowance Allocation
Brunner Island	York	3140	2	2,082,814.00	-	-	-	16,454,230.60	1,213
Brunner Island	York	3140	3	3,333,354.00	-	-	-	26,333,496.60	1,941
Brunot Island Power Station	Allegheny	3096	2A	6,848.29	-	-	-	45,712.34	3
Brunot Island Power Station	Allegheny	3096	2B	11,412.12	-	-	-	76,175.90	6
Brunot Island Power Station	Allegheny	3096	3	9,586.59	-	-	-	63,990.49	5
Cambria Cogen	Cambria	10641	1	-	-	5,016,665.05	-	6,270,831.31	462
Cambria Cogen	Cambria	10641	2	-	-	5,016,873.85	-	6,271,092.31	462
Chambersburg Units 12 & 13	Franklin	55654	12	28,714.00	-	-	-	191,665.95	14
Chambersburg Units 12 & 13	Franklin	55654	13	27,352.00	-	-	-	182,574.60	13
Cheswick	Allegheny	8226	1	2,652,930.94	-	-	-	20,958,154.43	1,545
Colver Power Project	Cambria	10143	AAB01	1,000,623.00	-	-	-	7,904,921.70	583
Conemaugh	Indiana	3118	1	5,594,629.35	-	-	-	44,197,571.87	3,257
Conemaugh	Indiana	3118	2	5,781,428.20	-	-	-	45,673,282.78	3,366
Croydon Generating Station	Bucks	8012	11	753.00	-	-	-	5,026.28	-
Croydon Generating Station	Bucks	8012	12	839.00	-	-	-	5,600.33	-
Croydon Generating Station	Bucks	8012	21	739.00	-	-	-	4,932.83	-
Croydon Generating Station	Bucks	8012	22	452.00	-	-	-	3,017.10	-
Croydon Generating Station	Bucks	8012	31	503.00	-	-	-	3,357.53	-
Croydon Generating Station	Bucks	8012	32	605.00	-	-	-	4,038.38	-
Croydon Generating Station	Bucks	8012	41	166.00	-	-	-	1,108.05	-
Croydon Generating Station	Bucks	8012	42	291.00	-	-	-	1,942.43	-
Duke Energy Fayette, II LLC	Fayette	55516	CTG1	2,195,886.00	-	-	-	14,657,539.05	1,080
Duke Energy Fayette, II LLC	Fayette	55516	CTG2	2,208,874.00	-	-	-	14,744,233.95	1,087
Ebensburg Power Company	Cambria	10603	31	-	-	4,611,649.00	-	5,764,561.25	425

Table 1: Final 2018 CAIR NO<sub>x</sub> Annual Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final 2018 CAIR NO <sub>x</sub> Allowance Allocation
Eddystone Generating Station	Delaware	3161	2	-	-	-	-	-	-
Eddystone Generating Station	Delaware	3161	3	33,950.00	-	-	-	226,616.25	17
Eddystone Generating Station	Delaware	3161	4	59,416.00	-	-	-	396,601.80	29
Elrama	Washington	3098	1	-	-	-	-	-	-
Elrama	Washington	3098	2	10,668.29	-	-	-	84,279.49	6
Elrama	Washington	3098	3	9,483.91	-	-	-	74,922.89	6
Elrama	Washington	3098	4	87,434.56	-	-	-	690,733.02	51
FPL Energy Marcus Hook, LP	Delaware	55801	1	1,110,475.59	-	-	-	7,412,424.56	546
FPL Energy Marcus Hook, LP	Delaware	55801	2	1,047,925.06	-	-	-	6,994,899.78	516
FPL Energy Marcus Hook, LP	Delaware	55801	3	1,007,642.48	-	-	14,132.10	3,456,748.91	255
Fairless Energy, LLC	Bucks	55298	1A	2,105,697.75	-	-	-	14,055,532.48	1,036
Fairless Energy, LLC	Bucks	55298	1B	2,172,268.25	-	-	-	14,499,890.57	1,069
Fairless Energy, LLC	Bucks	55298	2A	2,045,589.15	-	-	-	13,654,307.58	1,006
Fairless Energy, LLC	Bucks	55298	2B	2,078,220.85	-	-	-	13,872,124.17	1,022
Fairless Hills Generating Station	Bucks	7701	PHBLR4	173,689.00	-	-	-	1,159,374.08	85
Fairless Hills Generating Station	Bucks	7701	PHBLR5	64,305.00	-	-	-	429,235.88	32
Gilberton Power Company	Schuylkill	10113	31	-	2,021,661.01	-	-	2,439,260.36	180
Gilberton Power Company	Schuylkill	10113	32	-	2,041,339.80	-	-	2,463,004.05	182
Grays Ferry Cogen Partnership	Philadelphia	54785	2	664,995.99	-	-	3,275,986.23	6,364,614.10	469
Grays Ferry Cogen Partnership	Philadelphia	54785	25	-	-	2,087,576.00	-	2,609,470.00	192
Handsome Lake Energy	Venango	55233	EU-1A	11,377.00	-	-	-	75,941.48	6
Handsome Lake Energy	Venango	55233	EU-1B	11,359.00	-	-	-	75,821.33	6
Handsome Lake Energy	Venango	55233	EU-2A	10,980.00	-	-	-	73,291.50	5
Handsome Lake Energy	Venango	55233	EU-2B	10,951.00	-	-	-	73,097.93	5
Handsome Lake Energy	Venango	55233	EU-3A	11,207.00	-	-	-	74,806.73	6
Handsome Lake Energy	Venango	55233	EU-3B	11,267.00	-	-	-	75,207.23	6
Handsome Lake Energy	Venango	55233	EU-4A	13,134.00	-	-	-	87,669.45	6

Table 1: Final 2018 CAIR NO<sub>x</sub> Annual Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final 2018 CAIR NO <sub>x</sub> Allowance Allocation
Handsome Lake Energy	Venango	55233	EU-4B	13,157.00	-	-	-	87,822.98	6
Handsome Lake Energy	Venango	55233	EU-5A	11,887.00	-	-	-	79,345.73	6
Handsome Lake Energy	Venango	55233	EU-5B	11,850.00	-	-	-	79,098.75	6
Hatfield's Ferry Power Station	Greene	3179	1	3,305,126.40	-	-	-	26,110,498.56	1,924
Hatfield's Ferry Power Station	Greene	3179	2	3,525,679.88	-	-	-	27,852,871.05	2,053
Hatfield's Ferry Power Station	Greene	3179	3	3,664,922.88	-	-	-	28,952,890.75	2,134
Hazleton Generation	Luzerne	10870	TURB2	498.50	-	-	-	3,327.49	-
Hazleton Generation	Luzerne	10870	TURB3	500.06	-	-	-	3,337.90	-
Hazleton Generation	Luzerne	10870	TURB4	480.81	-	-	-	3,209.41	-
Hazleton Generation	Luzerne	10870	TURBIN	1,072.63	-	-	-	7,159.81	1
Homer City	Indiana	3122	1	3,115,946.24	-	-	-	24,615,975.30	1,814
Homer City	Indiana	3122	2	3,674,055.85	-	-	-	29,025,041.22	2,139
Homer City	Indiana	3122	3	3,778,172.46	-	-	-	29,847,562.43	2,200
Hunlock Creek Energy Center	Luzerne	3176	CT5	238,366.00	-	-	-	1,591,093.05	117
Hunlock Creek Energy Center	Luzerne	3176	CT6	141,310.00	-	-	-	943,244.25	70
Hunlock Unit 4	Luzerne	56397	4	4,732.00	-	-	-	31,586.10	2
Hunterstown Combined Cycle	Adams	55976	CT101	1,545,814.69	-	-	-	10,318,313.06	760
Hunterstown Combined Cycle	Adams	55976	CT201	1,347,441.57	-	-	-	8,994,172.48	663
Hunterstown Combined Cycle	Adams	55976	CT301	1,565,785.74	-	-	-	10,451,619.81	770
Keystone	Armstrong	3136	1	5,503,604.42	-	-	-	43,478,474.92	3,204
Keystone	Armstrong	3136	2	4,718,661.87	-	-	-	37,277,428.77	2,747
Liberty Electric Power Plant	Delaware	55231	1	1,949,524.26	-	-	-	13,013,074.44	959
Liberty Electric Power Plant	Delaware	55231	2	1,953,366.74	-	-	-	13,038,722.99	961
Lower Mount Bethel Energy	Northampton	55667	CT01	1,515,872.89	-	-	-	10,118,451.54	746
Lower Mount Bethel Energy	Northampton	55667	CT02	1,837,937.01	-	-	-	12,268,229.54	904
Martins Creek	Northampton	3148	3	804,114.00	-	-	-	5,367,460.95	396
Martins Creek	Northampton	3148	4	965,016.00	-	-	-	6,441,481.80	475

Table 1: Final 2018 CAIR NO<sub>x</sub> Annual Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final 2018 CAIR NO <sub>x</sub> Allowance Allocation
Mitchell Power Station	Washington	3181	1	750.51	-	-	-	5,009.65	-
Mitchell Power Station	Washington	3181	2	-	-	-	-	-	-
Mitchell Power Station	Washington	3181	3	751.80	-	-	-	5,018.27	-
Mitchell Power Station	Washington	3181	33	1,267,322.25	-	-	-	10,011,845.78	738
Montour	Montour	3149	1	4,280,225.50	-	-	-	33,813,781.45	2,492
Montour	Montour	3149	2	4,281,518.00	-	-	-	33,823,992.20	2,493
Mountain	Cumberland	3111	31	2,338.00	-	-	-	15,606.15	1
Mountain	Cumberland	3111	32	3,708.00	-	-	-	24,750.90	2
Mt. Carmel Cogeneration	Northumberland	10343	SG-101	-	-	1,263,805.00	-	1,579,756.25	116
New Castle	Lawrence	3138	3	129,847.17	-	-	-	1,025,792.64	76
New Castle	Lawrence	3138	4	123,226.20	-	-	-	973,486.98	72
New Castle	Lawrence	3138	5	159,448.86	-	-	-	1,259,645.99	93
North East Cogeneration Plant	Erie	54571	1	-	-	-	-	-	-
North East Cogeneration Plant	Erie	54571	2	-	-	-	-	-	-
Northampton Generating Plant	Northampton	50888	NGC01	1,030,307.00	-	-	-	8,139,425.30	600
Northeastern Power Company	Schuylkill	50039	31	430,813.00	-	-	-	3,403,422.70	251
Ontelaunee Energy Center	Berks	55193	CT1	1,730,989.00	-	-	-	11,554,351.58	852
Ontelaunee Energy Center	Berks	55193	CT2	1,770,640.00	-	-	-	11,819,022.00	871
PEI Power Corporation	Lackawanna	50279	2	20,351.00	-	-	-	135,842.93	10
PPL Ironwood, LLC	Lebanon	55337	1	2,017,919.00	-	-	-	13,469,609.33	993
PPL Ironwood, LLC	Lebanon	55337	2	2,462,480.00	-	-	-	16,437,054.00	1,211
Panther Creek Energy Facility	Carbon	50776	1	373,990.00	-	-	-	2,954,521.00	218
Panther Creek Energy Facility	Carbon	50776	2	372,320.00	-	-	-	2,941,328.00	217
Piney Creek Power Plant	Clarion	54144	31	302,715.00	-	-	-	2,391,448.50	176
Portland	Northampton	3113	1	58,642.63	-	-	-	463,276.78	34
Portland	Northampton	3113	2	114,121.41	-	-	-	901,559.14	66
Portland	Northampton	3113	5	1,150.99	-	-	-	7,682.86	1
Richmond	Philadelphia	3168	91	728.00	-	-	-	4,859.40	-
Richmond	Philadelphia	3168	92	904.00	-	-	-	6,034.20	-

Table 1: Final 2018 CAIR NO<sub>x</sub> Annual Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final 2018 CAIR NO <sub>x</sub> Allowance Allocation
Schuylkill	Philadelphia	3169	1	408.00	-	-	-	2,723.40	-
Scrubgrass Generating Plant	Venango	50974	1	392,664.75	-	-	-	3,102,051.53	229
Scrubgrass Generating Plant	Venango	50974	2	395,181.25	-	-	-	3,121,931.88	230
Seward	Indiana	3130	1	875,841.12	-	-	-	6,919,144.85	510
Seward	Indiana	3130	2	1,239,841.88	-	-	-	9,794,750.85	722
Shawville	Clearfield	3131	1	240,154.17	-	-	-	1,897,217.94	140
Shawville	Clearfield	3131	2	292,316.63	-	-	-	2,309,301.38	170
Shawville	Clearfield	3131	3	507,397.16	-	-	-	4,008,437.56	295
Shawville	Clearfield	3131	4	469,324.45	-	-	-	3,707,663.16	273
St. Nicholas Cogeneration Project	Schuylkill	54634	1	815,960.00	-	-	-	6,446,084.00	475
Sunbury	Snyder	3152	1A	34,978.00	-	-	-	276,326.20	20
Sunbury	Snyder	3152	1B	34,807.00	-	-	-	274,975.30	20
Sunbury	Snyder	3152	2A	22,864.00	-	-	-	180,625.60	13
Sunbury	Snyder	3152	2B	-	-	-	-	-	-
Sunbury	Snyder	3152	3	65,298.00	-	-	-	515,854.20	38
Sunbury	Snyder	3152	4	24,405.00	-	-	-	192,799.50	14
Titus	Berks	3115	1	38,838.98	-	-	-	306,827.94	23
Titus	Berks	3115	2	31,246.60	-	-	-	246,848.14	18
Titus	Berks	3115	3	38,560.49	-	-	-	304,627.87	22
Tolna	York	3116	31	581.00	-	-	-	3,878.18	-
Tolna	York	3116	32	521.00	-	-	-	3,477.68	-
Veolia Energy Philadelphia - Schuylkill	Philadelphia	50607	23	-	-	15,565.00	-	19,456.25	1
Veolia Energy Philadelphia - Schuylkill	Philadelphia	50607	24	-	-	-	-	-	-
Veolia Energy Philadelphia - Schuylkill	Philadelphia	50607	26	-	-	552,674.00	-	690,842.50	51
WPS Westwood Generation, LLC	Schuylkill	50611	31	227,082.00	-	-	-	1,793,947.80	132
Warren	Warren	3132	5	6,825.00	-	-	-	45,556.88	3
Wheelabrator - Frackville	Schuylkill	50879	GEN1	-	3,388,815.08	-	-	4,088,817.19	301
York Energy Center	York	55524	1	1,190,430.00	-	-	-	7,946,120.25	586
York Energy Center	York	55524	2	1,189,579.00	-	-	-	7,940,439.83	585
York Energy Center	York	55524	3	1,171,950.00	-	-	-	7,822,766.25	577
								<b>1,104,396,360.11</b>	<b>81,389</b>

Table 2: Final 2018 CAIR NO<sub>x</sub> Ozone Season Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final Calculated 2018 CAIR NO <sub>x</sub> Ozone Season Allowance Allocation
AES Beaver Valley LLC	Beaver	10676	32	-	-	1,775,255.00	-	2,219,068.75	156
AES Beaver Valley LLC	Beaver	10676	33	-	-	1,750,994.00	-	2,188,742.50	154
AES Beaver Valley LLC	Beaver	10676	34	-	-	1,610,812.00	-	2,013,515.00	141
AES Beaver Valley LLC	Beaver	10676	35	-	-	810,728.00	-	1,013,410.00	71
Springdale Power Station (AE Units 1 & 2)	Allegheny	55196	1	14,726.00	-	-	-	98,296.05	7
Springdale Power Station (AE Units 1 & 2)	Allegheny	55196	2	14,013.00	-	-	-	93,536.78	7
Springdale Power Station (AE Units 3 & 4)	Allegheny	55710	3	479,733.00	-	-	-	3,202,217.78	225
Springdale Power Station (AE Units 3 & 4)	Allegheny	55710	4	486,467.00	-	-	-	3,247,167.23	228
Gans Power Station (AE Units 8 & 9)	Fayette	55377	8	14,271.00	-	-	-	95,258.93	7
Gans Power Station (AE Units 8 & 9)	Fayette	55377	9	14,655.00	-	-	-	97,822.13	7
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	1	34,738.00	-	-	-	231,876.15	16
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	2	37,344.00	-	-	-	249,271.20	17
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	3	44,045.00	-	-	-	294,000.38	21
Armstrong Energy Ltd Partnership, LLP	Armstrong	55347	4	46,091.00	-	-	-	307,657.43	22
Armstrong Power Station	Armstrong	3178	1	225,696.01	-	-	-	1,782,998.48	125
Armstrong Power Station	Armstrong	3178	2	16,664.97	-	-	-	131,653.26	9
Bethlehem Power Plant	Northampton	55690	1	388,077.91	-	-	-	2,590,420.05	182
Bethlehem Power Plant	Northampton	55690	2	388,569.56	-	-	-	2,593,701.81	182
Bethlehem Power Plant	Northampton	55690	3	397,659.47	-	-	-	2,654,376.96	186
Bethlehem Power Plant	Northampton	55690	5	372,839.05	-	-	-	2,488,700.66	175
Bethlehem Power Plant	Northampton	55690	6	377,388.35	-	-	-	2,519,067.24	177
Bethlehem Power Plant	Northampton	55690	7	370,458.40	-	-	-	2,472,809.82	174
Bruce Mansfield	Beaver	6094	1	2,351,495.00	-	-	-	18,576,810.50	1,303
Bruce Mansfield	Beaver	6094	2	2,824,337.00	-	-	-	22,312,262.30	1,565

Table 2: Final 2018 CAIR NO<sub>x</sub> Ozone Season Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final Calculated 2018 CAIR NO <sub>x</sub> Ozone Season Allowance Allocation
Bruce Mansfield	Beaver	6094	3	2,915,815.00	-	-	-	23,034,938.50	1,616
Brunner Island	York	3140	1	665,918.00	-	-	-	5,260,752.20	369
Brunner Island	York	3140	2	926,247.00	-	-	-	7,317,351.30	513
Brunner Island	York	3140	3	1,554,863.00	-	-	-	12,283,417.70	862
Brunot Island Power Station	Allegheny	3096	2A	2,801.42	-	-	-	18,699.48	1
Brunot Island Power Station	Allegheny	3096	2B	5,336.08	-	-	-	35,618.33	2
Brunot Island Power Station	Allegheny	3096	3	4,797.50	-	-	-	32,023.31	2
Cambria Cogen	Cambria	10641	1	-	-	2,076,613.15	-	2,595,766.44	182
Cambria Cogen	Cambria	10641	2	-	-	2,145,905.75	-	2,682,382.19	188
Chambersburg Units 12 & 13	Franklin	55654	12	18,566.00	-	-	-	123,928.05	9
Chambersburg Units 12 & 13	Franklin	55654	13	18,164.00	-	-	-	121,244.70	9
Cheswick	Allegheny	8226	1	1,290,587.62	-	-	-	10,195,642.20	715
Colver Power Project	Cambria	10143	AAB01	432,079.00	-	-	-	3,413,424.10	239
Conemaugh	Indiana	3118	1	2,682,685.00	-	-	-	21,193,211.50	1,487
Conemaugh	Indiana	3118	2	2,650,579.00	-	-	-	20,939,574.10	1,469
Croydon Generating Station	Bucks	8012	11	753.00	-	-	-	5,026.28	-
Croydon Generating Station	Bucks	8012	12	839.00	-	-	-	5,600.33	-
Croydon Generating Station	Bucks	8012	21	710.00	-	-	-	4,739.25	-
Croydon Generating Station	Bucks	8012	22	452.00	-	-	-	3,017.10	-
Croydon Generating Station	Bucks	8012	31	473.00	-	-	-	3,157.28	-
Croydon Generating Station	Bucks	8012	32	605.00	-	-	-	4,038.38	-
Croydon Generating Station	Bucks	8012	41	166.00	-	-	-	1,108.05	-
Croydon Generating Station	Bucks	8012	42	291.00	-	-	-	1,942.43	-
Duke Energy Fayette, II LLC	Fayette	55516	CTG1	970,583.00	-	-	-	6,478,641.53	455
Duke Energy Fayette, II LLC	Fayette	55516	CTG2	977,099.00	-	-	-	6,522,135.83	458

Table 2: Final 2018 CAIR NO<sub>x</sub> Ozone Season Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final Calculated 2018 CAIR NO <sub>x</sub> Ozone Season Allowance
Ebensburg Power Company	Cambria	10603	31	-	-	1,968,898.00	-	2,461,122.50	173
Eddystone Generating Station	Delaware	3161	2	-	-	-	-	-	-
Eddystone Generating Station	Delaware	3161	3	33,599.00	-	-	-	224,273.33	16
Eddystone Generating Station	Delaware	3161	4	55,864.00	-	-	-	372,892.20	26
Elrama	Washington	3098	1	-	-	-	-	-	-
Elrama	Washington	3098	2	4,389.08	-	-	-	34,673.73	2
Elrama	Washington	3098	3	5,453.08	-	-	-	43,079.33	3
Elrama	Washington	3098	4	60,317.80	-	-	-	476,510.62	33
FPL Energy Marcus Hook, LP	Delaware	55801	1	476,418.32	-	-	-	3,180,092.29	223
FPL Energy Marcus Hook, LP	Delaware	55801	2	470,651.51	-	-	-	3,141,598.83	220
FPL Energy Marcus Hook, LP	Delaware	55801	3	452,115.74	-	-	13,999.90	1,560,570.90	109
Fairless Energy, LLC	Bucks	55298	1A	967,823.60	-	-	-	6,460,222.53	453
Fairless Energy, LLC	Bucks	55298	1B	967,854.40	-	-	-	6,460,428.12	453
Fairless Energy, LLC	Bucks	55298	2A	928,929.24	-	-	-	6,200,602.68	435
Fairless Energy, LLC	Bucks	55298	2B	955,116.76	-	-	-	6,375,404.37	447
Fairless Hills Generating Station	Bucks	7701	PHBLR4	78,554.00	-	-	-	524,347.95	37
Fairless Hills Generating Station	Bucks	7701	PHBLR5	21,478.00	-	-	-	143,365.65	10
Gilberton Power Company	Schuylkill	10113	31	-	732,646.41	-	-	883,983.68	62
Gilberton Power Company	Schuylkill	10113	32	-	741,103.56	-	-	894,187.76	63
Grays Ferry Cogen Partnership	Philadelphia	54785	2	351,275.00	-	-	1,507,202.00	3,082,904.08	216
Grays Ferry Cogen Partnership	Philadelphia	54785	25	-	-	502,054.00	-	627,567.50	44
Handsome Lake Energy	Venango	55233	EU-1A	8,669.00	-	-	-	57,865.58	4
Handsome Lake Energy	Venango	55233	EU-1B	8,669.00	-	-	-	57,865.58	4
Handsome Lake Energy	Venango	55233	EU-2A	8,272.00	-	-	-	55,215.60	4
Handsome Lake Energy	Venango	55233	EU-2B	8,243.00	-	-	-	55,022.03	4
Handsome Lake Energy	Venango	55233	EU-3A	7,711.00	-	-	-	51,470.93	4



Table 2: Final 2018 CAIR NO<sub>x</sub> Ozone Season Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final Calculated 2018 CAIR NO <sub>x</sub> Ozone Season Allowance Allocation
Handsome Lake Energy	Venango	55233	EU-3B	7,769.00	-	-	-	51,858.08	4
Handsome Lake Energy	Venango	55233	EU-4A	9,673.00	-	-	-	64,567.28	5
Handsome Lake Energy	Venango	55233	EU-4B	9,716.00	-	-	-	64,854.30	5
Handsome Lake Energy	Venango	55233	EU-5A	8,653.00	-	-	-	57,758.78	4
Handsome Lake Energy	Venango	55233	EU-5B	8,618.00	-	-	-	57,525.15	4
Hatfield's Ferry Power Station	Greene	3179	1	1,571,433.47	-	-	-	12,414,324.41	871
Hatfield's Ferry Power Station	Greene	3179	2	1,492,213.32	-	-	-	11,788,485.23	827
Hatfield's Ferry Power Station	Greene	3179	3	1,545,240.15	-	-	-	12,207,397.19	857
Hazleton Generation	Luzerne	10870	TURB2	444.58	-	-	-	2,967.57	-
Hazleton Generation	Luzerne	10870	TURB3	438.45	-	-	-	2,926.65	-
Hazleton Generation	Luzerne	10870	TURB4	420.76	-	-	-	2,808.57	-
Hazleton Generation	Luzerne	10870	TURBIN	941.21	-	-	-	6,282.58	-
Homer City	Indiana	3122	1	1,552,060.69	-	-	-	12,261,279.45	860
Homer City	Indiana	3122	2	1,487,105.04	-	-	-	11,748,129.82	824
Homer City	Indiana	3122	3	1,415,238.84	-	-	-	11,180,386.84	784
Hunlock Creek Energy Center	Luzerne	3176	CT5	122,553.00	-	-	-	818,041.28	57
Hunlock Creek Energy Center	Luzerne	3176	CT6	89,994.00	-	-	-	600,709.95	42
Hunlock Unit 4	Luzerne	56397	4	2,793.00	-	-	-	18,643.28	1
Hunterstown Combined Cycle	Adams	55976	CT101	689,091.13	-	-	-	4,599,683.29	323
Hunterstown Combined Cycle	Adams	55976	CT201	585,372.57	-	-	-	3,907,361.90	274
Hunterstown Combined Cycle	Adams	55976	CT301	721,363.30	-	-	-	4,815,100.03	338
Keystone	Armstrong	3136	1	2,685,579.71	-	-	-	21,216,079.71	1,489
Keystone	Armstrong	3136	2	2,352,215.94	-	-	-	18,582,505.93	1,304
Liberty Electric Power Plant	Delaware	55231	1	769,371.86	-	-	-	5,135,557.17	360
Liberty Electric Power Plant	Delaware	55231	2	776,852.14	-	-	-	5,185,488.03	364
Lower Mount Bethel Energy	Northampton	55667	CT01	677,993.09	-	-	-	4,525,603.88	318
Lower Mount Bethel Energy	Northampton	55667	CT02	885,742.41	-	-	-	5,912,330.59	415

Table 2: Final 2018 CAIR NO<sub>x</sub> Ozone Season Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final Calculated 2018 CAIR NO <sub>x</sub> Ozone Season Allowance Allocation
Martins Creek	Northampton	3148	3	554,763.00	-	-	-	3,703,043.03	260
Martins Creek	Northampton	3148	4	646,551.00	-	-	-	4,315,727.93	303
Mitchell Power Station	Washington	3181	1	750.51	-	-	-	5,009.65	-
Mitchell Power Station	Washington	3181	2	-	-	-	-	-	-
Mitchell Power Station	Washington	3181	3	751.80	-	-	-	5,018.27	-
Mitchell Power Station	Washington	3181	33	721,506.97	-	-	-	5,699,905.06	400
Montour	Montour	3149	1	2,024,118.60	-	-	-	15,990,536.94	1,122
Montour	Montour	3149	2	1,993,619.00	-	-	-	15,749,590.10	1,105
Mountain	Cumberland	3111	31	1,294.00	-	-	-	8,637.45	1
Mountain	Cumberland	3111	32	1,581.00	-	-	-	10,553.18	1
Mt. Carmel Cogeneration	Northumberland	10343	SG-101	-	-	542,815.00	-	1,579,756.25	111
New Castle	Lawrence	3138	3	86,713.93	-	-	-	685,040.05	48
New Castle	Lawrence	3138	4	96,785.71	-	-	-	764,607.11	54
New Castle	Lawrence	3138	5	118,349.81	-	-	-	934,963.50	66
North East Cogeneration Plant	Erie	54571	1	-	-	-	-	-	-
North East Cogeneration Plant	Erie	54571	2	-	-	-	-	-	-
Northampton Generating Plant	Northampton	50888	NGC01	426,833.00	-	-	-	3,371,980.70	237
Northeastern Power Company	Schuylkill	50039	31	195,116.00	-	-	-	1,541,416.40	108
Ontelaunee Energy Center	Berks	55193	CT1	797,786.00	-	-	-	5,325,221.55	374
Ontelaunee Energy Center	Berks	55193	CT2	798,893.00	-	-	-	5,332,610.78	374
PEI Power Corporation	Lackawanna	50279	2	16,330.00	-	-	-	109,002.75	8
PPL Ironwood, LLC	Lebanon	55337	1	795,456.90	-	-	-	5,309,674.81	373
PPL Ironwood, LLC	Lebanon	55337	2	859,698.80	-	-	-	5,738,489.49	403
Panther Creek Energy Facility	Carbon	50776	1	164,791.00	-	-	-	1,301,848.90	91
Panther Creek Energy Facility	Carbon	50776	2	162,528.00	-	-	-	1,283,971.20	90
Piney Creek Power Plant	Clarion	54144	31	123,049.00	-	-	-	972,087.10	68
Portland	Northampton	3113	1	44,733.32	-	-	-	353,393.23	25
Portland	Northampton	3113	2	98,691.69	-	-	-	779,664.35	55

Table 2: Final 2018 CAIR NO<sub>x</sub> Ozone Season Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final Calculated 2018 CAIR NO <sub>x</sub> Ozone Season Allowance Allocation
Portland	Northampton	3113	5	1,150.99	-	-	-	7,682.86	1
Richmond	Philadelphia	3168	91	696.00	-	-	-	4,645.80	-
Richmond	Philadelphia	3168	92	632.00	-	-	-	4,218.60	-
Schuylkill	Philadelphia	3169	1	408.00	-	-	-	2,723.40	-
Scrubgrass Generating Plant	Venango	50974	1	174,850.55	-	-	-	1,381,319.35	97
Scrubgrass Generating Plant	Venango	50974	2	174,723.45	-	-	-	1,380,315.26	97
Seward	Indiana	3130	1	448,847.29	-	-	-	3,545,893.59	249
Seward	Indiana	3130	2	575,091.71	-	-	-	4,543,224.51	319
Shawville	Clearfield	3131	1	153,273.38	-	-	-	1,210,859.70	85
Shawville	Clearfield	3131	2	145,730.48	-	-	-	1,151,270.79	81
Shawville	Clearfield	3131	3	210,815.94	-	-	-	1,665,445.93	117
Shawville	Clearfield	3131	4	197,291.92	-	-	-	1,558,606.17	109
St. Nicholas Cogeneration Project	Schuylkill	54634	1	334,696.00	-	-	-	2,644,098.40	186
Sunbury	Snyder	3152	1A	-	-	-	-	-	-
Sunbury	Snyder	3152	1B	-	-	-	-	-	-
Sunbury	Snyder	3152	2A	7,072.00	-	-	-	55,868.80	4
Sunbury	Snyder	3152	2B	-	-	-	-	-	-
Sunbury	Snyder	3152	3	65,298.00	-	-	-	515,854.20	36
Sunbury	Snyder	3152	4	24,405.00	-	-	-	192,799.50	14
Titus	Berks	3115	1	37,571.72	-	-	-	296,816.59	21
Titus	Berks	3115	2	29,784.39	-	-	-	285,296.68	17
Titus	Berks	3115	3	36,641.85	-	-	-	289,470.62	20
Tolna	York	3116	31	493.00	-	-	-	3,290.78	-
Tolna	York	3116	32	519.00	-	-	-	3,464.33	-
Veolia Energy Philadelphia - Schuylkill	Philadelphia	50607	23	-	-	310.00	-	387.50	-
Veolia Energy Philadelphia - Schuylkill	Philadelphia	50607	24	-	-	-	-	-	-
Veolia Energy Philadelphia - Schuylkill	Philadelphia	50607	26	-	-	5,486.00	-	6,857.50	-
WPS Westwood Generation, LLC	Schuylkill	50611	31	97,248.00	-	-	-	768,259.20	54
Warren	Warren	3132	5	6,667.00	-	-	-	44,502.23	3

Table 2: Final 2018 CAIR NO<sub>x</sub> Ozone Season Allowance Allocation

FACILITY NAME	COUNTY	ORIS CODE	UNIT ID	GROSS LOAD (Megawatt Hours)	STEAM LOAD (Thousand Lbs. of Steam)	Useful Thermal Energy (mmBTU)	Total Heat Energy of Steam Produced by Heat Recovery Steam Gen. (mmBTU)	2012 Converted Heat Input mmBTU	Final Calculated 2018 CAIR NO <sub>x</sub> Ozone Season Allowance Allocation
Wheelabrator - Frackville	Schuylkill	50879	GEN1	-	1,324,187.98	-	-	1,597,715.56	112
York Energy Center	York	55524	1	500,190.00	-	-	-	3,338,768.25	234
York Energy Center	York	55524	2	500,328.00	-	-	-	3,339,689.40	234
York Energy Center	York	55524	3	498,622.00	-	-	-	3,328,301.85	234
								<b>500,395,343.59</b>	<b>35,109</b>

**Table 3: Final Vintage 2012 NO<sub>x</sub> Allowance Redistribution to Certain Facilities**

<b>FACILITY NAME</b>	<b>ORIS CODE</b>	<b>UNIT ID</b>	<b>COUNTY</b>	<b>2nd Revised 2012 CAIR NO<sub>x</sub> Allowance Allocation</b>	<b>Additional to 4-16-2011 Published Total</b>
AES Beaver Valley LLC	10676	32	Beaver	297	1
AES Beaver Valley LLC	10676	33	Beaver	319	1
AES Beaver Valley LLC	10676	34	Beaver	293	1
AES Beaver Valley LLC	10676	35	Beaver	154	1
AES Ironwood	55337	1	Lebanon	283	1
AES Ironwood	55337	2	Lebanon	258	2
Allegheny Energy Hunlock Unit 4	56397	4	Luzerne	13	0
Allegheny Energy Unit 1 and Unit 2	55196	1	Allegheny	14	0
Allegheny Energy Unit 1 and Unit 2	55196	2	Allegheny	13	0
Allegheny Energy Unit 8 and Unit 9	55377	8	Fayette	10	0
Allegheny Energy Unit 8 and Unit 9	55377	9	Fayette	10	0
Allegheny Energy Units 3, 4 & 5	55710	3	Allegheny	37	0
Allegheny Energy Units 3, 4 & 5	55710	4	Allegheny	41	0
Armstrong Energy Ltd Part	55347	1	Armstrong	9	0
Armstrong Energy Ltd Part	55347	2	Armstrong	11	0
Armstrong Energy Ltd Part	55347	3	Armstrong	12	0
Armstrong Energy Ltd Part	55347	4	Armstrong	4	0
Armstrong Power Station	3178	1	Armstrong	650	4
Armstrong Power Station	3178	2	Armstrong	689	4
Bethlehem Power Plant	55690	1	Northampton	99	0
Bethlehem Power Plant	55690	2	Northampton	99	1
Bethlehem Power Plant	55690	3	Northampton	96	1
Bethlehem Power Plant	55690	5	Northampton	108	0
Bethlehem Power Plant	55690	6	Northampton	108	0
Bethlehem Power Plant	55690	7	Northampton	104	0
Bruce Mansfield	6094	1	Beaver	5091	27
Bruce Mansfield	6094	2	Beaver	3797	20
Bruce Mansfield	6094	3	Beaver	4996	27
Brunner Island	3140	1	York	1599	9
Brunner Island	3140	2	York	1995	10
Brunner Island	3140	3	York	3010	16
Brunot Island Power Station	3096	2A	Allegheny	2	0
Brunot Island Power Station	3096	2B	Allegheny	2	0

**Table 3: Final Vintage 2012 NO<sub>x</sub> Allowance Redistribution to Certain Facilities**

<b>FACILITY NAME</b>	<b>ORIS CODE</b>	<b>UNIT ID</b>	<b>COUNTY</b>	<b>2nd Revised 2012 CAIR NO<sub>x</sub> Allowance Allocation</b>	<b>Additional to 4-16-2011 Published Total</b>
Brunot Island Power Station	3096	3	Allegheny	2	0
Cambria Cogen	10641	1	Cambria	368	1
Cambria Cogen	10641	2	Cambria	360	2
Chambersburg Units 12 and 13	55654	12	Franklin	33	0
Chambersburg Units 12 and 13	55654	13	Franklin	33	1
Cheswick	8226	1	Allegheny	2033	11
Colver Power Project	10143	AAB01	Cambria	584	3
Conemaugh	3118	1	Indiana	5280	28
Conemaugh	3118	2	Indiana	5108	27
Cromby	3159	1	Chester	509	3
Cromby	3159	2	Chester	43	0
Croydon Generating Station	8012	11	Bucks	0	0
Croydon Generating Station	8012	12	Bucks	2	0
Croydon Generating Station	8012	21	Bucks	0	0
Croydon Generating Station	8012	22	Bucks	1	0
Croydon Generating Station	8012	31	Bucks	1	0
Croydon Generating Station	8012	32	Bucks	1	0
Croydon Generating Station	8012	41	Bucks	2	0
Croydon Generating Station	8012	42	Bucks	1	0
Ebensburg Power Company	10603	31	Cambria	513	3
Eddystone Generating Station	3161	1	Delaware	1064	6
Eddystone Generating Station	3161	2	Delaware	1174	7
Eddystone Generating Station	3161	3	Delaware	47	0
Eddystone Generating Station	3161	4	Delaware	42	0
Elrama	3098	1	Washington	308	2
Elrama	3098	2	Washington	303	2
Elrama	3098	3	Washington	316	2
Elrama	3098	4	Washington	718	4
FPL Energy Marcus Hook, LP	55801	1	Delaware	289	1
FPL Energy Marcus Hook, LP	55801	2	Delaware	292	1
FPL Energy Marcus Hook, LP	55801	3	Delaware	290	1

**Table 3: Final Vintage 2012 NO<sub>x</sub> Allowance Redistribution to Certain Facilities**

<b>FACILITY NAME</b>	<b>ORIS CODE</b>	<b>UNIT ID</b>	<b>COUNTY</b>	<b>2nd Revised 2012 CAIR NO<sub>x</sub> Allowance Allocation</b>	<b>Additional to 4-16-2011 Published Total</b>
Fairless Energy, LLC	55298	1A	Bucks	377	2
Fairless Energy, LLC	55298	1B	Bucks	383	2
Fairless Energy, LLC	55298	2A	Bucks	432	2
Fairless Energy, LLC	55298	2B	Bucks	409	3
Fairless Hills Generating Station	7701	PHBLR3	Bucks	0	0
Fairless Hills Generating Station	7701	PHBLR4	Bucks	25	0
Fairless Hills Generating Station	7701	PHBLR5	Bucks	106	0
Fayette Energy Facility	55516	CTG1	Fayette	95	0
Fayette Energy Facility	55516	CTG2	Fayette	93	0
G F Weaton	50130	34	Beaver	204	2
G F Weaton	50130	35	Beaver	211	1
Gilberton Power Company	10113	31	Schuylkill	353	2
Gilberton Power Company	10113	32	Schuylkill	349	2
Grays Ferry Cogen Partnership	54785	2	Philadelphia	73	1
Grays Ferry Cogen Partnership	54785	25	Philadelphia	294	2
Handsome Lake Energy	55233	EU-1A	Venango	6	0
Handsome Lake Energy	55233	EU-1B	Venango	6	0
Handsome Lake Energy	55233	EU-2A	Venango	5	0
Handsome Lake Energy	55233	EU-2B	Venango	5	0
Handsome Lake Energy	55233	EU-3A	Venango	6	0
Handsome Lake Energy	55233	EU-3B	Venango	6	0
Handsome Lake Energy	55233	EU-4A	Venango	5	0
Handsome Lake Energy	55233	EU-4B	Venango	5	0
Handsome Lake Energy	55233	EU-5A	Venango	5	0
Handsome Lake Energy	55233	EU-5B	Venango	5	0
Hatfields Ferry Power Station	3179	1	Greene	2804	15
Hatfields Ferry Power Station	3179	2	Greene	2235	12
Hatfields Ferry Power Station	3179	3	Greene	1674	9
Homer City	3122	1	Indiana	3258	17
Homer City	3122	2	Indiana	3052	16
Homer City	3122	3	Indiana	2662	15
Hunlock Power Station	3176	6	Luzerne	181	1
Hunterstown Combined Cycle	55976	CT101	Adams	109	1
Hunterstown Combined Cycle	55976	CT201	Adams	73	0
Hunterstown Combined Cycle	55976	CT301	Adams	107	1
Keystone	3136	1	Armstrong	4253	23

**Table 3: Final Vintage 2012 NO<sub>x</sub> Allowance Redistribution to Certain Facilities**

<b>FACILITY NAME</b>	<b>ORIS CODE</b>	<b>UNIT ID</b>	<b>COUNTY</b>	<b>2nd Revised 2012 CAIR NO<sub>x</sub> Allowance Allocation</b>	<b>Additional to 4-16-2011 Published Total</b>
Keystone	3136	2	Armstrong	4980	26
Liberty Electric Power Plant	55231	1	Delaware	186	1
Liberty Electric Power Plant	55231	2	Delaware	194	1
Lower Mount Bethel Energy	55667	CT01	Northampton	281	2
Lower Mount Bethel Energy	55667	CT02	Northampton	284	1
Martins Creek	3148	1	Northampton	470	3
Martins Creek	3148	2	Northampton	326	2
Martins Creek	3148	3	Northampton	158	1
Martins Creek	3148	4	Northampton	86	1
Martins Creek	3148	AUX4B	Northampton	0	0
Mitchell Power Station	3181	1	Washington	2	0
Mitchell Power Station	3181	2	Washington	1	0
Mitchell Power Station	3181	3	Washington	2	0
Mitchell Power Station	3181	33	Washington	1212	6
Montour	3149	1	Montour	3841	21
Montour	3149	2	Montour	4010	22
Mountain	3111	31	Cumberland	4	0
Mountain	3111	32	Cumberland	2	0
Mt. Carmel Cogeneration	10343	SG-101	Northumberland	202	1
New Castle	3138	3	Lawrence	228	2
New Castle	3138	4	Lawrence	252	1
New Castle	3138	5	Lawrence	356	2
North East Cogeneration Plant	54571	1	Erie	9	0
North East Cogeneration Plant	54571	2	Erie	8	0
Northampton Generating Plant	50888	NGC01	Northampton	690	4
Northeastern Power Company	50039	31	Schuylkill	334	2
Ontelaunee Energy Center	55193	CT1	Berks	400	2
Ontelaunee Energy Center	55193	CT2	Berks	409	2
Panther Creek Energy Facility	50776	1	Carbon	273	2
Panther Creek Energy Facility	50776	2	Carbon	263	2
Piney Creek Power Plant	54144	31	Clarion	210	1
Portland	3113	1	Northampton	652	4
Portland	3113	2	Northampton	920	5
Portland	3113	5	Northampton	4	0
Richmond	3168	91	Philadelphia	2	0



Table 3: Final Vintage 2012 NO<sub>x</sub> Allowance Redistribution to Certain Facilities

FACILITY NAME	ORIS CODE	UNIT ID	COUNTY	2nd Revised 2012 CAIR NO <sub>x</sub> Allowance Allocation	Additional to 4-16-2011 Published Total
Richmond	3168	92	Philadelphia	3	0
Schuylkill	3169	1	Philadelphia	18	0
Scrubgrass Generating Plant	50974	1	Venango	280	2
Scrubgrass Generating Plant	50974	2	Venango	274	1
Seward	3130	1	Indiana	1265	6
Seward	3130	2	Indiana	1294	7
Shawville	3131	1	Clearfield	493	3
Shawville	3131	2	Clearfield	551	3
Shawville	3131	3	Clearfield	761	4
Shawville	3131	4	Clearfield	778	4
St. Nicholas Cogeneration Project	54634	1	Schuylkill	741	3
Sunbury	3152	1A	Snyder	150	1
Sunbury	3152	1B	Snyder	147	1
Sunbury	3152	2A	Snyder	137	1
Sunbury	3152	2B	Snyder	156	1
Sunbury	3152	3	Snyder	289	2
Sunbury	3152	4	Snyder	317	2
Titus	3115	1	Berks	299	1
Titus	3115	2	Berks	257	1
Titus	3115	3	Berks	307	2
Tolna	3116	31	York	1	0
Tolna	3116	32	York	1	0
Trigen Energy - Schuylkill	50607	23	Philadelphia	47	0
Trigen Energy - Schuylkill	50607	24	Philadelphia	60	0
Trigen Energy - Schuylkill	50607	26	Philadelphia	56	1
Trigen Energy Corporation-Edison St	880006	1	Philadelphia	0	0
Trigen Energy Corporation-Edison St	880006	2	Philadelphia	0	0
Trigen Energy Corporation-Edison St	880006	3	Philadelphia	0	0
Trigen Energy Corporation-Edison St	880006	4	Philadelphia	0	0
WPS Westwood Generation, LLC	50611	31	Schuylkill	162	0
Warren	3132	5	Warren	0	0
Wheelabrator - Frackville	50879	GEN1	Schuylkill	355	2
Williams Generation Co (Hazleton)	10870	TURB2	Luzerne	4	0
Williams Generation Co (Hazleton)	10870	TURB3	Luzerne	4	0

**Table 3: Final Vintage 2012 NO<sub>x</sub> Allowance Redistribution to Certain Facilities**

FACILITY NAME	ORIS CODE	UNIT ID	COUNTY	2nd Revised 2012 CAIR NO <sub>x</sub> Allowance Allocation	Additional to 4-16-2011 Published Total
Williams Generation Co (Hazleton)	10870	TURB4	Luzerne	4	0
Williams Generation Co (Hazleton)	10870	TURBIN	Luzerne	3	0
Bear Creek Windfarm & Locust Ridge Windfarm		RE		15	0
				<b>98286</b>	<b>525</b>

[Pa.B. Doc. No. 14-1635. Filed for public inspection August 1, 2014, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Application of Hanover Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hanover Hospital has requested an exception to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 14-1636. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Application of Surgery Center at Penn Medicine University City for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Surgery Center at Penn Medicine University City has requested an exception to the requirements of 28 Pa. Code § 569.35(7) (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of

Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 14-1637. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Manorcare Health Services—Allentown  
1265 South Cedar Crest Boulevard  
Allentown, PA 18103  
FAC ID # 381102

New Eastwood Healthcare and Rehabilitation Center  
2125 Fairview Avenue  
Easton, PA 18042  
FAC ID # 050102

River Run Rehabilitation and Nursing Center  
615 Wyoming Avenue  
Kingston, PA 18704  
FAC ID # 381402

Spirit of Mercy Skilled Nursing Center  
746 Jefferson Avenue  
Scranton, PA 18501  
FAC ID # 650902

Village at Pennwood  
909 West Street  
Pittsburgh, PA 15221  
FAC ID # 016002

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(d) and (e) (relating to prevention, control and surveillance of tuberculosis (TB)):

UPMC Magee—Women's Hospital Transitional Care Unit  
300 Halket Street  
Pittsburgh, PA 15213  
FAC ID # 65030201

UPMC Transitional Care Unit  
200 Lothrop Street  
Pittsburgh, PA 15213  
FAC ID # 136602

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Blough Healthcare Center, LLC  
316 East Market Street  
Bethlehem, PA 18018  
FAC ID # 022602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,  
*Secretary*

[Pa.B. Doc. No. 14-1638. Filed for public inspection August 1, 2014, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

**Fish and Boat Commission v. DEP and Sunbury  
Generation, LP, Permittee; EHB Doc. No. 2014-  
097-M**

The Fish and Boat Commission has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Sunbury Generation, LP for a facility in Monroe Township, Snyder County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 14-1639. Filed for public inspection August 1, 2014, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Mentored Youth Fishing Day Program; Panfish

Acting under the authority of 58 Pa. Code § 65.20 (relating to Mentored Youth Fishing Day Program), the Executive Director has designated September 1, 2014, as a Mentored Youth Fishing Day for panfish in "Panfish Enhancement Lakes" previously designated under 58 Pa. Code § 65.11 (relating to panfish enhancement special regulation). This designation under 58 Pa. Code § 65.20 will be effective upon publication of this notice in the *Pennsylvania Bulletin*.

To participate, anglers 16 years of age or older (adult anglers) must possess a valid Pennsylvania fishing license and be accompanied by a youth (less than 16 years of age) who has obtained a mentored youth permit or a voluntary youth license from the Fish and Boat Commission (Commission). Youth anglers must obtain a mentored youth permit or a voluntary youth license from the Commission and be accompanied by an adult angler to participate.

There are 17 lakes that are currently managed under panfish enhancement special regulations, which normally have a minimum size of 7 inches for sunfish and 9 inches for crappie and yellow perch. On September 1, 2014, there will be no minimum size for panfish but the daily limits will remain in effect. Other Commonwealth inland regulations will apply. It is unlawful to fish in waters designated as part of the Mentored Youth Fishing Day Program (program) except in compliance with the requirements of 58 Pa. Code § 65.20 when participating in the program.

On September 1, 2014, the identified waters will be open to all anglers but only program participants may possess panfish of less than the normal minimum size limits. The "Panfish Enhancement Lakes" included in the Mentored Youth Fishing Day on September 1 are:

<i>County</i>	<i>Water</i>
Berks	Blue Marsh Reservoir
Cambria	Beaverdam Run Reservoir
Cambria	Hinkston Run Reservoir
Cambria	Wilmore Dam
Centre	Foster Joseph Sayers Lake
Chester	Chambers Lake
Montour	Lake Chillisquaque
Monroe	Bradys Lake
Monroe	Gouldsboro Lake
Pike	Lower Lake (Lower Promised Land Lake)
Pike	Promised Land Lake (Upper Promised Land Lake)
Somerset	High Point Lake
Somerset	Quemahoning Reservoir
Washington	Cross Creek Lake
Westmoreland	Lower Twin Lake
Westmoreland	Northmoreland Lake
Westmoreland	Upper Twin Lake

JOHN A. ARWAY,  
*Executive Director*

[Pa.B. Doc. No. 14-1640. Filed for public inspection August 1, 2014, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, July 10, 2014, and announced the following:

*Action Taken—Regulation Disapproved:*

State Board of Medicine #16A-4937: Genetic Counselors (amends 49 Pa. Code Sections 16.11 and 16.13 and adds Sections 18.701 to 18.710)

### Disapproval Order

Public Meeting Held  
July 10, 2014

*Commissioners Voting:* John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Lawrence J. Tabas, Esq.; Dennis A. Watson, Esq.

*State Board of Medicine—  
Genetic Counselors;  
Order Issued July 22, 2014  
Regulation No. 16A-4937 (#3034)*

On October 7, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Medicine (Board). This rulemaking amends 49 Pa. Code Sections 16.11 and 16.13 and adds Sections 18.701 to 18.710. The proposed regula-

tion was published in the October 19, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on June 5, 2014.

This regulation implements Act 125 of 2011 (Act 125) which established licensure and regulation of genetic counselors. The regulation includes fees, provisions for three types of licensure, biennial registration, disciplinary actions, continuing education and professional liability insurance.

We find that this regulation does not meet the criterion of clarity. 71 P. S. § 745.5b(b)(3). As explained below, we find that there are two areas of the regulation that we believe should be clarified.

First, the titles in the regulation of “genetic counselor” and “graduate genetic counselor” are not sufficiently differentiated so that the public can understand which title represents a fully licensed practitioner. Under 63 P. S. § 422.13d(b), use of the title “genetic counselor” is specified as:

An individual who holds an active license as provided by this act may hold himself out to the public *by any title or description of services incorporating the term “genetic counselor”* or use any words or symbols indicating that the individual is a genetic counselor, except as otherwise provided by this act. [Emphasis added.]

Another category of licensure, a “provisional license,” is provided under 63 P. S. § 422.13d(g). This provision states the Board may issue a provisional license to practice genetic counseling to a person who meets all of the qualifications for licensure as a genetic counselor but has not yet passed the certification examination. We believe the statute provides the Board with flexibility to specify titles that distinguish between a fully licensed genetic counselor and a person practicing on a provisional license (e.g., who has not yet passed the certification examination).

The regulation defines the term “genetic counselor” in Section 18.702 and this term is used throughout the regulation, but the term “licensed genetic counselor” is used as well. Subsection 18.705(f) of the regulation specifies that a person holding a provisional genetic counselor license may use the title “graduate genetic counselor.” Our comments questioned whether the public, who would be receiving the counseling services, will clearly understand that the title “graduate genetic counselor” is a lesser qualification than “genetic counselor.” We asked the Board to review this title and consider whether another title would be clearer from the perspective of the public.

The Board responded that it does not believe the public will be confused by this title. We disagree and find that a clear distinction between titles is needed in the regulation so that the public can clearly understand there is a difference in the qualifications of the respective practitioners. Also, these titles should be used consistently throughout the regulation.

Our second concern is with the clarity of Section 18.708 (relating to Disciplinary action for applicants and licensed genetic counselors). Our comments asked the Board to amend Section 18.708 to directly relate disciplinary actions to unprofessional conduct and immoral conduct. The Board declined to make these amendments stating that it does not want to narrow disciplinary action to just these

provisions since the act authorizes the Board to discipline for violating the regulations and for immoral or unprofessional conduct.

Our specific concern is that the reader of Section 18.708 is not given clear direction on the actions that could result in disciplinary action by the Board. Subsection (a) references the statute at 63 P. S. §§ 422.22 and 422.41, but there are several other specific actions in regulation that could also result in discipline. The following Subsections (b) and (c) essentially define unprofessional conduct and immoral conduct for genetic counselors, but Subsection (a) does not directly state a licensee could be disciplined for not conforming to them. The Board's existing regulation already addresses unprofessional and immoral conduct at 49 Pa. Code § 16.61, which should be referenced in Section 18.708. Additionally, Section 18.708 should be amended to clarify that Subsections (b) and (c) are supplemental to Section 16.61 and in the event of inconsistencies with Section 16.61, Subsections (b) and (c) take precedence. Another provision that could result in discipline is the reporting requirements at 49 Pa. Code

§ 16.16. (relating to Reporting of disciplinary actions, criminal dispositions and other licenses, certificates or authorizations to practice). We believe Section 18.708 should incorporate all of these provisions so that licensees are given clear notice of the actions that could result in discipline.

We have determined this regulation is consistent with the statutory authority of the Board and the intention of the General Assembly. However, after considering all of the other criteria of the Regulatory Review Act discussed above, we find promulgation of this regulation is not in the public interest.

*By Order of the Commission:*

The regulation #16A-4937 (IRRC #3034) from the State Board of Medicine was disapproved on July 10, 2014.

JOHN F. MIZNER, Esq.,  
Chairperson

[Pa.B. Doc. No. 14-1641. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
#7-486	Environmental Quality Board Administration of the Land Recycling Program 44 Pa.B. 2980 (May 17, 2014)	06/17/14	07/17/14

#### Environmental Quality Board

#### Regulation #7-486 (IRRC #3057)

#### Administration of the Land Recycling Program

July 17, 2014

We submit for your consideration the following comments on the proposed rulemaking published in the May 17, 2014 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P. S. § 745.5b). Section 5.1(a) of the RRA (71 P. S. § 745.5a(a)) directs the Environmental Quality Board (EQB) to respond to all comments received from us or any other source.

#### 1. Appendix A, Tables 1 and 3a.—Statutory authority; Determining whether the regulation is in the public interest; Protection of the public health, safety and welfare; Acceptable data.

##### *Methyl Tertiary-Butyl Ether (MTBE)*

Section 5.2 of the RRA (71 P. S. § 745.5b) directs this Commission to determine whether a regulation is in the public interest. When making this determination, the Commission considers criteria such as economic or fiscal impact and reasonableness. To make that determination, the Commission must analyze the text of the proposed regulation and the reasons for the new or amended language. The Commission also considers the information a promulgating agency is required to provide under § 745.5(a) in the Regulatory Analysis Form (RAF).

The Department of Environmental Protection (Department) regulations require the Department to review new scientific information that is used to calculate Medium-Specific Concentrations (MSC) used to demonstrate the statewide health standard, and propose appropriate changes at least every 36 months.

The Department's Cleanup Standards Scientific Advisory Board (CSSAB), created for the purpose of assisting the Department and EQB in developing the statewide health standards, reviewed and approved the proposed regulation, with one exception. In its recommendation to EQB, CSSAB wrote that it does not support the MSCs for MTBE in proposed Tables 1 and 3a "because those MSCs are not calculated using specific health-based criteria available from authorized sources as required in Act 2 and the regulations promulgated thereunder." CSSAB stated that the proposed MSCs for MTBE are "based on aesthetic considerations . . . thereby treating MTBE differently than other regulated substances in contravention of the mandate of Act 2 to establish health-based cleanup standards through the application of sound science."

The Storage Tank Advisory Committee (STAC), which is authorized by the Pennsylvania Tank Act to provide advice to the Department on regulations related to the Storage Tank and Spill Prevention Act, also reviewed and approved the regulation with the exception of the proposed MTBE value in Table 1, Appendix A. STAC wrote that it "did not support using DEP's interpretation of the

MTBE drinking water advisory for odor, versus a more quantitative calculation in conjunction with EPA's methodology."

We ask EQB to address the advisory committees' concerns related to the MSCs for MTBE in the Preamble and RAF of the final-form regulation. EQB should explain how the MTBE standards meet the criteria established in Act 2, and how the MTBE standards adequately protect the public health, safety and welfare. If the MSCs for MTBE are not calculated using health-based criteria as required by Act 2, then EQB should explain its statutory authority for its method of calculating the MTBE standards in the final-form regulation.

**2. Appendix A, Table 4.—Economic or fiscal impacts; Protection of the public health, safety and welfare; Need for the regulation; Acceptable data.**

*Vanadium, Arsenic*

A commentator raises concerns related to residential MSC for vanadium and arsenic. The commentator asserts that the decreased residential soil MSC for vanadium in Appendix A—Table 4 is overly restrictive and could result

in nearly every property in Pennsylvania exceeding the residential MSC and clean fill limits for vanadium. The commentator states that this same problem exists with other metals in Pennsylvania that have MSCs below regional background conditions, such as arsenic.

EQB states in response to RAF #18 that it believes there will be little, if any, adverse effects from this regulation. In response to RAF #19, EQB states that the regulation is not expected to increase costs. We ask EQB to explain the scientific data that EQB relied on for lowering the MSCs for vanadium and arsenic, and to explain how the new standards are necessary to protect the public health. If the new standards are expected to impact a greater number of people, EQB should also explain why it believes the new standards should have no adverse effects, nor increase costs for the regulated community.

JOHN F. MIZNER, Esq.,  
*Chairperson*

[Pa.B. Doc. No. 14-1642. Filed for public inspection August 1, 2014, 9:00 a.m.]

**Notice of Filing of Final Rulemakings**

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from the web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
#18-431	Department of Transportation Roadside Rest Area	7/16/14	9/4/14

JOHN F. MIZNER, Esq.,  
*Chairperson*

[Pa.B. Doc. No. 14-1643. Filed for public inspection August 1, 2014, 9:00 a.m.]

**INSURANCE DEPARTMENT**

**Children's Health Insurance Program Advisory Council Meeting**

The Insurance Department has scheduled a meeting of the Children's Health Insurance Program Advisory Council (Council) on Tuesday, October 14, 2014, at 10 a.m. at the Department of Education, Honors Suite, 1st Floor, 333 Market Street, Harrisburg, PA 17126. The Children's Health Care Act (40 P. S. §§ 991.2301—991.2362) charges the Council with the responsibilities of overseeing outreach activities and evaluating access and quality of service provided to children enrolled in the Children's Health Insurance Program. The public is invited to attend. Persons who need accommodations due to a disability who wish to attend the meeting should contact Pete Salvatore, Insurance Department, 1326 Strawberry Square, Harrisburg, PA 17120, (717) 787-4429, at least 24 hours in advance so that arrangements can be made.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-1644. Filed for public inspection August 1, 2014, 9:00 a.m.]

**Review Procedure Hearings; Cancellation or Refusal of Insurance**

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Patricia Watson; file no. 14-119-166728; Erie Insurance Company; Doc. No. P14-07-007; September 17, 2014, 9:30 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or

photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-1645. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Allstate Property and Casualty Insurance; file no. 14-115-165132; Nathan Diehl; Doc. No. P14-07-008; September 10, 2014, 9:30 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial

action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-1646. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with their company's termination of the insureds' homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Michael and Dawn McNalis; file no. 14-130-167374; Knightbrook Insurance Company; Doc. No. P14-07-006; September 3, 2014, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,  
*Insurance Commissioner*

[Pa.B. Doc. No. 14-1647. Filed for public inspection August 1, 2014, 9:00 a.m.]

# OFFICE OF ADMINISTRATION

## Coverage Amount of Group Life Insurance for Commonwealth Employees

The following schedules provide the coverage amount of group life insurance for employees of the Commonwealth as required by section 1503-A of The Fiscal Code (72 P. S. § 1503-A). The coverage amount is one times annual salary rounded to the nearest one thousand, up to the maximum stated in the schedule. There are three schedules because some groups of employees have a different maximum of coverage. The three schedules are as follows: 1) Class 1, which is most employees (including participating independent agencies); 2) Pennsylvania State Police Members as well as State System of Higher Education Faculty and Management; and 3) University Presidents of the State System of Higher Education.

KELLY POWELL LOGAN,  
Secretary

### Schedule of Life Insurance Class 1 employees

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
less than \$2,500	\$2,500	\$1,625	\$1,250
\$2,500 & less than \$3,500	\$3,000	\$1,950	\$1,500
\$3,500 & less than \$4,500	\$4,000	\$2,600	\$2,000
\$4,500 & less than \$5,500	\$5,000	\$3,250	\$2,500
\$5,500 & less than \$6,500	\$6,000	\$3,900	\$3,000
\$6,500 & less than \$7,500	\$7,000	\$4,550	\$3,500
\$7,500 & less than \$8,500	\$8,000	\$5,200	\$4,000
\$8,500 & less than \$9,500	\$9,000	\$5,850	\$4,500
\$9,500 & less than \$10,500	\$10,000	\$6,500	\$5,000
\$10,500 & less than \$11,500	\$11,000	\$7,150	\$5,500
\$11,500 & less than \$12,500	\$12,000	\$7,800	\$6,000
\$12,500 & less than \$13,500	\$13,000	\$8,450	\$6,500
\$13,500 & less than \$14,500	\$14,000	\$9,100	\$7,000
\$14,500 & less than \$15,500	\$15,000	\$9,750	\$7,500
\$15,500 & less than \$16,500	\$16,000	\$10,400	\$8,000
\$16,500 & less than \$17,500	\$17,000	\$11,050	\$8,500
\$17,500 & less than \$18,500	\$18,000	\$11,700	\$9,000
\$18,500 & less than \$19,500	\$19,000	\$12,350	\$9,500
\$19,500 & less than \$20,500	\$20,000	\$13,000	\$10,000
\$20,500 & less than \$21,500	\$21,000	\$13,650	\$10,500
\$21,500 & less than \$22,500	\$22,000	\$14,300	\$11,000
\$22,500 & less than \$23,500	\$23,000	\$14,950	\$11,500
\$23,500 & less than \$24,500	\$24,000	\$15,600	\$12,000
\$24,500 & less than \$25,500	\$25,000	\$16,250	\$12,500
\$25,500 & less than \$26,500	\$26,000	\$16,900	\$13,000
\$26,500 & less than \$27,500	\$27,000	\$17,550	\$13,500
\$27,500 & less than \$28,500	\$28,000	\$18,200	\$14,000
\$28,500 & less than \$29,500	\$29,000	\$18,850	\$14,500
\$29,500 & less than \$30,500	\$30,000	\$19,500	\$15,000
\$30,500 & less than \$31,500	\$31,000	\$20,150	\$15,500
\$31,500 & less than \$32,500	\$32,000	\$20,800	\$16,000
\$32,500 & less than \$33,500	\$33,000	\$21,450	\$16,500
\$33,500 & less than \$34,500	\$34,000	\$22,100	\$17,000
\$34,500 & less than \$35,500	\$35,000	\$22,750	\$17,500
\$35,500 & less than \$36,500	\$36,000	\$23,400	\$18,000
\$36,500 & less than \$37,500	\$37,000	\$24,050	\$18,500
\$37,500 & less than \$38,500	\$38,000	\$24,700	\$19,000



<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
\$38,500 & less than \$39,500	\$39,000	\$25,350	\$19,500
\$39,500 & over	\$40,000	\$26,000	\$20,000

**Schedule of Life Insurance PA State Police Enlisted Members and  
PA State System of Higher Education Faculty and Management Staff**

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
less than \$2,500	\$2,500	\$1,625	\$1,250
\$2,500 & less than \$3,500	\$3,000	\$1,950	\$1,500
\$3,500 & less than \$4,500	\$4,000	\$2,600	\$2,000
\$4,500 & less than \$5,500	\$5,000	\$3,250	\$2,500
\$5,500 & less than \$6,500	\$6,000	\$3,900	\$3,000
\$6,500 & less than \$7,500	\$7,000	\$4,550	\$3,500
\$7,500 & less than \$8,500	\$8,000	\$5,200	\$4,000
\$8,500 & less than \$9,500	\$9,000	\$5,850	\$4,500
\$9,500 & less than \$10,500	\$10,000	\$6,500	\$5,000
\$10,500 & less than \$11,500	\$11,000	\$7,150	\$5,500
\$11,500 & less than \$12,500	\$12,000	\$7,800	\$6,000
\$12,500 & less than \$13,500	\$13,000	\$8,450	\$6,500
\$13,500 & less than \$14,500	\$14,000	\$9,100	\$7,000
\$14,500 & less than \$15,500	\$15,000	\$9,750	\$7,500
\$15,500 & less than \$16,500	\$16,000	\$10,400	\$8,000
\$16,500 & less than \$17,500	\$17,000	\$11,050	\$8,500
\$17,500 & less than \$18,500	\$18,000	\$11,700	\$9,000
\$18,500 & less than \$19,500	\$19,000	\$12,350	\$9,500
\$19,500 & less than \$20,500	\$20,000	\$13,000	\$10,000
\$20,500 & less than \$21,500	\$21,000	\$13,650	\$10,500
\$21,500 & less than \$22,500	\$22,000	\$14,300	\$11,000
\$22,500 & less than \$23,500	\$23,000	\$14,950	\$11,500
\$23,500 & less than \$24,500	\$24,000	\$15,600	\$12,000
\$24,500 & less than \$25,500	\$25,000	\$16,250	\$12,500
\$25,500 & less than \$26,500	\$26,000	\$16,900	\$13,000
\$26,500 & less than \$27,500	\$27,000	\$17,550	\$13,500
\$27,500 & less than \$28,500	\$28,000	\$18,200	\$14,000
\$28,500 & less than \$29,500	\$29,000	\$18,850	\$14,500
\$29,500 & less than \$30,500	\$30,000	\$19,500	\$15,000
\$30,500 & less than \$31,500	\$31,000	\$20,150	\$15,500
\$31,500 & less than \$32,500	\$32,000	\$20,800	\$16,000
\$32,500 & less than \$33,500	\$33,000	\$21,450	\$16,500
\$33,500 & less than \$34,500	\$34,000	\$22,100	\$17,000
\$34,500 & less than \$35,500	\$35,000	\$22,750	\$17,500
\$35,500 & less than \$36,500	\$36,000	\$23,400	\$18,000
\$36,500 & less than \$37,500	\$37,000	\$24,050	\$18,500
\$37,500 & less than \$38,500	\$38,000	\$24,700	\$19,000
\$38,500 & less than \$39,500	\$39,000	\$25,350	\$19,500
\$39,500 & less than \$40,500	\$40,000	\$26,000	\$20,000
\$40,500 & less than \$41,500	\$41,000	\$26,650	\$20,500
\$41,500 & less than \$42,500	\$42,000	\$27,300	\$21,000
\$42,500 & less than \$43,500	\$43,000	\$27,950	\$21,500

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
\$43,500 & less than \$44,500	\$44,000	\$28,600	\$22,000
\$44,500 & less than \$45,500	\$45,000	\$29,250	\$22,500
\$45,500 & less than \$46,500	\$46,000	\$29,900	\$23,000
\$46,500 & less than \$47,500	\$47,000	\$30,550	\$23,500
\$47,500 & less than \$48,500	\$48,000	\$31,200	\$24,000
\$48,500 & less than \$49,500	\$49,000	\$31,850	\$24,500
\$49,500 and over	\$50,000	\$32,500	\$25,000

**Schedule of Life Insurance PA State System of Higher Education University Presidents**

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
less than \$2,500	\$2,500	\$1,625	\$1,250
\$2,500 & less than \$3,500	\$3,000	\$1,950	\$1,500
\$3,500 & less than \$4,500	\$4,000	\$2,600	\$2,000
\$4,500 & less than \$5,500	\$5,000	\$3,250	\$2,500
\$5,500 & less than \$6,500	\$6,000	\$3,900	\$3,000
\$6,500 & less than \$7,500	\$7,000	\$4,550	\$3,500
\$7,500 & less than \$8,500	\$8,000	\$5,200	\$4,000
\$8,500 & less than \$9,500	\$9,000	\$5,850	\$4,500
\$9,500 & less than \$10,500	\$10,000	\$6,500	\$5,000
\$10,500 & less than \$11,500	\$11,000	\$7,150	\$5,500
\$11,500 & less than \$12,500	\$12,000	\$7,800	\$6,000
\$12,500 & less than \$13,500	\$13,000	\$8,450	\$6,500
\$13,500 & less than \$14,500	\$14,000	\$9,100	\$7,000
\$14,500 & less than \$15,500	\$15,000	\$9,750	\$7,500
\$15,500 & less than \$16,500	\$16,000	\$10,400	\$8,000
\$16,500 & less than \$17,500	\$17,000	\$11,050	\$8,500
\$17,500 & less than \$18,500	\$18,000	\$11,700	\$9,000
\$18,500 & less than \$19,500	\$19,000	\$12,350	\$9,500
\$19,500 & less than \$20,500	\$20,000	\$13,000	\$10,000
\$20,500 & less than \$21,500	\$21,000	\$13,650	\$10,500
\$21,500 & less than \$22,500	\$22,000	\$14,300	\$11,000
\$22,500 & less than \$23,500	\$23,000	\$14,950	\$11,500
\$23,500 & less than \$24,500	\$24,000	\$15,600	\$12,000
\$24,500 & less than \$25,500	\$25,000	\$16,250	\$12,500
\$25,500 & less than \$26,500	\$26,000	\$16,900	\$13,000
\$26,500 & less than \$27,500	\$27,000	\$17,550	\$13,500
\$27,500 & less than \$28,500	\$28,000	\$18,200	\$14,000
\$28,500 & less than \$29,500	\$29,000	\$18,850	\$14,500
\$29,500 & less than \$30,500	\$30,000	\$19,500	\$15,000
\$30,500 & less than \$31,500	\$31,000	\$20,150	\$15,500
\$31,500 & less than \$32,500	\$32,000	\$20,800	\$16,000
\$32,500 & less than \$33,500	\$33,000	\$21,450	\$16,500
\$33,500 & less than \$34,500	\$34,000	\$22,100	\$17,000
\$34,500 & less than \$35,500	\$35,000	\$22,750	\$17,500
\$35,500 & less than \$36,500	\$36,000	\$23,400	\$18,000
\$36,500 & less than \$37,500	\$37,000	\$24,050	\$18,500
\$37,500 & less than \$38,500	\$38,000	\$24,700	\$19,000

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
\$38,500 & less than \$39,500	\$39,000	\$25,350	\$19,500
\$39,500 & less than \$40,500	\$40,000	\$26,000	\$20,000
\$40,500 & less than \$41,500	\$41,000	\$26,650	\$20,500
\$41,500 & less than \$42,500	\$42,000	\$27,300	\$21,000
\$42,500 & less than \$43,500	\$43,000	\$27,950	\$21,500
\$43,500 & less than \$44,500	\$44,000	\$28,600	\$22,000
\$44,500 & less than \$45,500	\$45,000	\$29,250	\$22,500
\$45,500 & less than \$46,500	\$46,000	\$29,900	\$23,000
\$46,500 & less than \$47,500	\$47,000	\$30,550	\$23,500
\$47,500 & less than \$48,500	\$48,000	\$31,200	\$24,000
\$48,500 & less than \$49,500	\$49,000	\$31,850	\$24,500
\$49,500 & less than \$50,500	\$50,000	\$32,500	\$25,000
\$50,500 & less than \$51,500	\$51,000	\$33,150	\$25,500
\$51,500 & less than \$52,500	\$52,000	\$33,800	\$26,000
\$52,500 & less than \$53,500	\$53,000	\$34,450	\$26,500
\$53,500 & less than \$54,500	\$54,000	\$35,100	\$27,000
\$54,500 & less than \$55,500	\$55,000	\$35,750	\$27,500
\$55,500 & less than \$56,500	\$56,000	\$36,400	\$28,000
\$56,500 & less than \$57,500	\$57,000	\$37,050	\$28,500
\$57,500 & less than \$58,500	\$58,000	\$37,700	\$29,000
\$58,500 & less than \$59,500	\$59,000	\$38,350	\$29,500
\$59,500 & less than \$60,500	\$60,000	\$39,000	\$30,000
\$60,500 & less than \$61,500	\$61,000	\$39,650	\$30,500
\$61,500 & less than \$62,500	\$62,000	\$40,300	\$31,000
\$62,500 & less than \$63,500	\$63,000	\$40,950	\$31,500
\$63,500 & less than \$64,500	\$64,000	\$41,600	\$32,000
\$64,500 & less than \$65,500	\$65,000	\$42,250	\$32,500
\$65,500 & less than \$66,500	\$66,000	\$42,900	\$33,000
\$66,500 & less than \$67,500	\$67,000	\$43,550	\$33,500
\$67,500 & less than \$68,500	\$68,000	\$44,200	\$34,000
\$68,500 & less than \$69,500	\$69,000	\$44,850	\$34,500
\$69,500 & less than \$70,500	\$70,000	\$45,500	\$35,000
\$70,500 & less than \$71,500	\$71,000	\$46,150	\$35,500
\$71,500 & less than \$72,500	\$72,000	\$46,800	\$36,000
\$72,500 & less than \$73,500	\$73,000	\$47,450	\$36,500
\$73,500 & less than \$74,500	\$74,000	\$48,100	\$37,000
\$74,500 & less than \$75,500	\$75,000	\$48,750	\$37,500
\$75,500 & less than \$76,500	\$76,000	\$49,400	\$38,000
\$76,500 & less than \$77,500	\$77,000	\$50,050	\$38,500
\$77,500 & less than \$78,500	\$78,000	\$50,700	\$39,000
\$78,500 & less than \$79,500	\$79,000	\$51,350	\$39,500
\$79,500 & less than \$80,500	\$80,000	\$52,000	\$40,000
\$80,500 & less than \$81,500	\$81,000	\$52,650	\$40,500
\$81,500 & less than \$82,500	\$82,000	\$53,300	\$41,000
\$82,500 & less than \$83,500	\$83,000	\$53,950	\$41,500
\$83,500 & less than \$84,500	\$84,000	\$54,600	\$42,000
\$84,500 & less than \$85,500	\$85,000	\$55,250	\$42,500

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
\$85,500 & less than \$86,500	\$86,000	\$55,900	\$43,000
\$86,500 & less than \$87,500	\$87,000	\$56,550	\$43,500
\$87,500 & less than \$88,500	\$88,000	\$57,200	\$44,000
\$88,500 & less than \$89,500	\$89,000	\$57,850	\$44,500
\$89,500 & less than \$90,500	\$90,000	\$58,500	\$45,000
\$90,500 & less than \$91,500	\$91,000	\$59,150	\$45,500
\$91,500 & less than \$92,500	\$92,000	\$59,800	\$46,000
\$92,500 & less than \$93,500	\$93,000	\$60,450	\$46,500
\$93,500 & less than \$94,500	\$94,000	\$61,100	\$47,000
\$94,500 & less than \$95,500	\$95,000	\$61,750	\$47,500
\$95,500 & less than \$96,500	\$96,000	\$62,400	\$48,000
\$96,500 & less than \$97,500	\$97,000	\$63,050	\$48,500
\$97,500 & less than \$98,500	\$98,000	\$63,700	\$49,000
\$98,500 & less than \$99,500	\$99,000	\$64,350	\$49,500
\$99,500 & less than \$100,500	\$100,000	\$65,000	\$50,000
\$100,500 & less than \$101,500	\$101,000	\$65,650	\$50,500
\$101,500 & less than \$102,500	\$102,000	\$66,300	\$51,000
\$102,500 & less than \$103,500	\$103,000	\$66,950	\$51,500
\$103,500 & less than \$104,500	\$104,000	\$67,600	\$52,000
\$104,500 & less than \$105,500	\$105,000	\$68,250	\$52,500
\$105,500 & less than \$106,500	\$106,000	\$68,900	\$53,000
\$106,500 & less than \$107,500	\$107,000	\$69,550	\$53,500
\$107,500 & less than \$108,500	\$108,000	\$70,200	\$54,000
\$108,500 & less than \$109,500	\$109,000	\$70,850	\$54,500
\$109,500 & less than \$110,500	\$110,000	\$71,500	\$55,000
\$110,500 & less than \$111,500	\$111,000	\$72,150	\$55,500
\$111,500 & less than \$112,500	\$112,000	\$72,800	\$56,000
\$112,500 & less than \$113,500	\$113,000	\$73,450	\$56,500
\$113,500 & less than \$114,500	\$114,000	\$74,100	\$57,000
\$114,500 & less than \$115,500	\$115,000	\$74,750	\$57,500
\$115,500 & less than \$116,500	\$116,000	\$75,400	\$58,000
\$116,500 & less than \$117,500	\$117,000	\$76,050	\$58,500
\$117,500 & less than \$118,500	\$118,000	\$76,700	\$59,000
\$118,500 & less than \$119,500	\$119,000	\$77,350	\$59,500
\$119,500 & less than \$120,500	\$120,000	\$78,000	\$60,000
\$120,500 & less than \$121,500	\$121,000	\$78,650	\$60,500
\$121,500 & less than \$122,500	\$122,000	\$79,300	\$61,000
\$122,500 & less than \$123,500	\$123,000	\$79,950	\$61,500
\$123,500 & less than \$124,500	\$124,000	\$80,600	\$62,000
\$124,500 & less than \$125,500	\$125,000	\$81,250	\$62,500
\$125,500 & less than \$126,500	\$126,000	\$81,900	\$63,000
\$126,500 & less than \$127,500	\$127,000	\$82,550	\$63,500
\$127,500 & less than \$128,500	\$128,000	\$83,200	\$64,000
\$128,500 & less than \$129,500	\$129,000	\$83,850	\$64,500
\$129,500 & less than \$130,500	\$130,000	\$84,500	\$65,000
\$130,500 & less than \$131,500	\$131,000	\$85,150	\$65,500
\$131,500 & less than \$132,500	\$132,000	\$85,800	\$66,000

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
\$132,500 & less than \$133,500	\$133,000	\$86,450	\$66,500
\$133,500 & less than \$134,500	\$134,000	\$87,100	\$67,000
\$134,500 & less than \$135,500	\$135,000	\$87,750	\$67,500
\$135,500 & less than \$136,500	\$136,000	\$88,400	\$68,000
\$136,500 & less than \$137,500	\$137,000	\$89,050	\$68,500
\$137,500 & less than \$138,500	\$138,000	\$89,700	\$69,000
\$138,500 & less than \$139,500	\$139,000	\$90,350	\$69,500
\$139,500 & less than \$140,500	\$140,000	\$91,000	\$70,000
\$140,500 & less than \$141,500	\$141,000	\$91,650	\$70,500
\$141,500 & less than \$142,500	\$142,000	\$92,300	\$71,000
\$142,500 & less than \$143,500	\$143,000	\$92,950	\$71,500
\$143,500 & less than \$144,500	\$144,000	\$93,600	\$72,000
\$144,500 & less than \$145,500	\$145,000	\$94,250	\$72,500
\$145,500 & less than \$146,500	\$146,000	\$94,900	\$73,000
\$146,500 & less than \$147,500	\$147,000	\$95,550	\$73,500
\$147,500 & less than \$148,500	\$148,000	\$96,200	\$74,000
\$148,500 & less than \$149,500	\$149,000	\$96,850	\$74,500
\$149,500 & less than \$150,500	\$150,000	\$97,500	\$75,000
\$150,500 & less than \$151,500	\$151,000	\$98,150	\$75,500
\$151,500 & less than \$152,500	\$152,000	\$98,800	\$76,000
\$152,500 & less than \$153,500	\$153,000	\$99,450	\$76,500
\$153,500 & less than \$154,500	\$154,000	\$100,100	\$77,000
\$154,500 & less than \$155,500	\$155,000	\$100,750	\$77,500
\$155,500 & less than \$156,500	\$156,000	\$101,400	\$78,000
\$156,500 & less than \$157,500	\$157,000	\$102,050	\$78,500
\$157,500 & less than \$158,500	\$158,000	\$102,700	\$79,000
\$158,500 & less than \$159,500	\$159,000	\$103,350	\$79,500
\$159,500 & less than \$160,500	\$160,000	\$104,000	\$80,000
\$160,500 & less than \$161,500	\$161,000	\$104,650	\$80,500
\$161,500 & less than \$162,500	\$162,000	\$105,300	\$81,000
\$162,500 & less than \$163,500	\$163,000	\$105,950	\$81,500
\$163,500 & less than \$164,500	\$164,000	\$106,600	\$82,000
\$164,500 & less than \$165,500	\$165,000	\$107,250	\$82,500
\$165,500 & less than \$166,500	\$166,000	\$107,900	\$83,000
\$166,500 & less than \$167,500	\$167,000	\$108,550	\$83,500
\$167,500 & less than \$168,500	\$168,000	\$109,200	\$84,000
\$168,500 & less than \$169,500	\$169,000	\$109,850	\$84,500
\$169,500 & less than \$170,500	\$170,000	\$110,500	\$85,000
\$170,500 & less than \$171,500	\$171,000	\$111,150	\$85,500
\$171,500 & less than \$172,500	\$172,000	\$111,800	\$86,000
\$172,500 & less than \$173,500	\$173,000	\$112,450	\$86,500
\$173,500 & less than \$174,500	\$174,000	\$113,100	\$87,000
\$174,500 & less than \$175,500	\$175,000	\$113,750	\$87,500
\$175,500 & less than \$176,500	\$176,000	\$114,400	\$88,000
\$176,500 & less than \$177,500	\$177,000	\$115,050	\$88,500
\$177,500 & less than \$178,500	\$178,000	\$115,700	\$89,000
\$178,500 & less than \$179,500	\$179,000	\$116,350	\$89,500

<i>Annual Salary</i>	<i>Amount of Insurance Under Age 70</i>	<i>Amount of Insurance Age 70 Through 74</i>	<i>Amount of Insurance Age 75 and Older</i>
\$179,500 & less than \$180,500	\$180,000	\$117,000	\$90,000
\$180,500 & less than \$181,500	\$181,000	\$117,650	\$90,500
\$181,500 & less than \$182,500	\$182,000	\$118,300	\$91,000
\$182,500 & less than \$183,500	\$183,000	\$118,950	\$91,500
\$183,500 & less than \$184,500	\$184,000	\$119,600	\$92,000
\$184,500 & less than \$185,500	\$185,000	\$120,250	\$92,500
\$185,500 & less than \$186,500	\$186,000	\$120,900	\$93,000
\$186,500 & less than \$187,500	\$187,000	\$121,550	\$93,500
\$187,500 & less than \$188,500	\$188,000	\$122,200	\$94,000
\$188,500 & less than \$189,500	\$189,000	\$122,850	\$94,500
\$189,500 & less than \$190,500	\$190,000	\$123,500	\$95,000
\$190,500 & less than \$191,500	\$191,000	\$124,150	\$95,500
\$191,500 & less than \$192,500	\$192,000	\$124,800	\$96,000
\$192,500 & less than \$193,500	\$193,000	\$125,450	\$96,500
\$193,500 & less than \$194,500	\$194,000	\$126,100	\$97,000
\$194,500 & less than \$195,500	\$195,000	\$126,750	\$97,500
\$195,500 & less than \$196,500	\$196,000	\$127,400	\$98,000
\$196,500 & less than \$197,500	\$197,000	\$128,050	\$98,500
\$197,500 & less than \$198,500	\$198,000	\$128,700	\$99,000
\$198,500 & less than \$199,500	\$199,000	\$129,350	\$99,500
\$199,500 & over	\$200,000	\$130,000	\$100,000

[Pa.B. Doc. No. 14-1648. Filed for public inspection August 1, 2014, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Eligible Telecommunications Carriers; Lifeline Service

The Pennsylvania Public Utility Commission (Commission) invites comment on the following pending wireless carrier's petition for designation as eligible telecommunications carriers (ETC) for purposes of providing Lifeline service:

Boomerang Wireless, LLC; Doc. No. P-2014-2421056

The Commission, at its July 29, 2010, public meeting adopted a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers. This notice informs telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission.

Interested parties are invited to file comments at the relevant docket number within 20 days of publication of this notice. Reply comments of the carrier are due within 10 days thereafter. Interested parties may review the pending petition at the Commission web site [www.puc.pa.gov](http://www.puc.pa.gov) or hard copies are available for a fee by means of written request to the Secretary of the Commission, Pennsylvania Public Utility Commission, Rosemary Chiavetta, Secretary, P. O. Box 3265, Harrisburg, PA 17105-3265.

The contact for questions regarding this notice is David E. Screven, Assistant Counsel, Law Bureau (717) 787-5000.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1649. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Local Exchange Carrier Services

**A-2014-2433356. Block Line Systems, LLC.** Application of Block Line Systems, LLC for approval to offer, render, furnish or supply competitive local exchange carrier services to the public in the service territory of The United Telephone Company of Pennsylvania, d/b/a CenturyLink.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* Block Line Systems, LLC

*Through and By Counsel:* Thomas T. Niesen, Esquire, Charles E. Thomas, III, Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 600, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1650. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Pro Forma Change of Indirect Ownership

**A-2014-2433349. Zayo Group, LLC.** Application of Zayo Group, LLC for approval of a pro forma change of indirect ownership.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* Zayo Group, LLC

*Through and By Counsel:* Michael A. Gruin, Esquire, Stevens & Lee, Harrisburg Market Square, 17 North Second Street, 16th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1651. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by August 18, 2014. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2014-2409949. Pottstown Memorial Ambulance Company, LLC, t/a Pottstown Medical Transport** (1600 East High Street, Pottstown, Montgomery County, PA 19464) in paratransit service, limited to persons requiring service to and from nursing facilities, hospitals, clinics, dialysis centers and medical appointments, between points in the area bound between PA Route 100, PA Route 73, PA Route 113 and the Schuylkill River.

**A-2014-2421267. Colonial Liberty Cab Co, LLC, t/a Colonial Liberty Limo** (1902 Johnson Road, Plymouth Meeting, PA 19462) persons, in limousine service, from points in the Counties of Bucks, Chester, Delaware and Montgomery, to points in Pennsylvania, and return, excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* David P. Temple, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.**

**A-2014-2423972. (Corrected) Lifestar Response of Maryland, Inc.** (3710 Commerce Drive, Suite 1006, Baltimore, MD 21227) in paratransit service, in the City and County of Philadelphia, and the County of Delaware, which is to be a transfer of all rights authorized under the certificate issued at A-6410147 to Medcross Ambulance, Inc., subject to the same limitations and conditions. *Attorney:* Brian Richmond, 21540 30th Drive SE, Suite 250, Bothell, WA 98021.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.**

**A-2014-2423938. (Corrected) 1-800-Pack-Rat, LLC** (6400 Goldsboro Road, Suite 300, Bethesda, MD 20817) for the right to begin to transport, as a Class B carrier, household goods in use, between points in the City of Pittsburgh, Allegheny County and as a Class D carrier, household goods in use, from points in the City of Pittsburgh, Allegheny County, to points within 10 miles by the usually traveled highways of the City-County Building in the said city, and vice versa; which is to be a transfer of all the rights from A-00106620, F.2 issued to William T. Malloy, t/d/b/a Are You Moving (*Attorney:* David M. O'Boyle, Esquire, Wick, Streiff, Meyer, O'Boyle & Szeligo, PC, 1450 Two Chatham Center, 112 Washington Place, Pittsburgh, PA 15219).

**Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of household goods by transfer of rights as described under the application.**

**A-2014-2415247. Zody's Moving & Storage, Inc.** (11737 Wharf Road, Waynesboro, Franklin County, PA 17268) for the amended right to begin to transport, as a common carrier, by motor vehicle, household goods in use, from points in the Borough of Waynesboro, Franklin County and within 15 miles by the usually traveled highways of the limits of the said borough, to points in Pennsylvania within 175 miles by the usually traveled highways of the limits of the said borough, and vice versa; and household goods in use, between points in the Borough of Waynesboro, Franklin County and within an airline distance of 3 statute miles of the limits of the said borough; which is to be a transfer of all the rights from A-00119984 issued to Pro Moving & Storage, Inc.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1652. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Telecommunications

**A-2014-2432370. Verizon Pennsylvania, LLC and Guidance Telecom, LLC.** Joint petition of Verizon Pennsylvania, LLC and Guidance Telecom, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Guidance Telecom, LLC, by its counsel, filed on July 11, 2014, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and Guidance Telecom, LLC joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1653. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Telecommunications Services

**A-2014-2433543 and A-2014-2433544. Charter Fiberlink—Pennsylvania, LLC.** Application of Charter Fiberlink—Pennsylvania, LLC for approval to offer, render, furnish or supply telecommunications services to the public as a competitive local exchange carrier in the service territories of Pymatuning Independent Telephone Company and Windstream Pennsylvania, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* Charter Fiberlink—Pennsylvania, LLC

*Through and By Counsel:* Deanne M. O'Dell, Esquire, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1654. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Telecommunications Services

**A-2014-2433358, A-2014-2433359 and A-2014-2433361. Line Systems, Inc., Infinite Communication, LLC, Magellan Hill Technologies, LLC and Block Line Systems, LLC.** Joint general rule application of Line Systems, Inc., Infinite Communication, LLC, Magellan Hill Technologies, LLC and Block Line Systems, LLC for approval of: 1) the transfer of substantially all of the telephone system assets and the Pennsylvania customer base of Line Systems, Inc., Infinite Communication, LLC and Magellan Hill Technologies, LLC to Block Line Systems, LLC; and 2) the abandonment by Line Systems, Inc., Infinite Communication, LLC and Magellan Hill Technologies, LLC of their telecommunications service authority in Pennsylvania.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* Line Systems, Inc., Infinite Communication, LLC, Magellan Hill Technologies, LLC, Block Line Systems, LLC

*Through and By Counsel:* Thomas T. Niesen, Esquire, Charles E. Thomas, III, Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 600, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1655. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Wastewater Service

**A-2014-2433202. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval to offer, render, furnish or supply wastewater service to the public in a portion of West Sadsbury Township, Chester County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, Seth A. Mendelsohn, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1656. Filed for public inspection August 1, 2014, 9:00 a.m.]



### Water Service

**A-2014-2433207. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval to offer, render, furnish or supply water service to the public in an additional portion of Franklin Township and Connoquenessing Township, Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, Seth A. Mendelsohn, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1657. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Water Service

**A-2014-2433209. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval to offer, render, furnish or supply water service to the public in an additional portion of Lancaster Township and Connoquenessing Township, Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, Seth A. Mendelsohn, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1658. Filed for public inspection August 1, 2014, 9:00 a.m.]

### Water Service

**A-2014-2433205. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval to offer, render, furnish or supply water service to the public in an additional portion of Lancaster Township (Rt. 19 Warner Lane), Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before August 18, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov), and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, Seth A. Mendelsohn, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 14-1659. Filed for public inspection August 1, 2014, 9:00 a.m.]

## STATE BOARD OF NURSING

**Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Terri O'Neal Smith, RN, Respondent; File No. 12-51-05175; Doc. No. 1479-51-12**

On August 17, 2012, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Nursing, alleging that you have violated certain provisions of the Pennsylvania Professional Nurse Law, Act of May 22, 1951, P. L. 317, ("Act"). This notice is being published pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

### Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P. O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary  
Department of State  
2601 North Third Street  
P. O. Box 2649  
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

ANN M. COUGHLIN, MBA, MSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 14-1660. Filed for public inspection August 1, 2014, 9:00 a.m.]

---

## STATE SYSTEM OF HIGHER EDUCATION

### Bloomsburg University of Pennsylvania; Study and Life Cycle Cost Analysis

A study and life cycle cost analysis will be performed within the next 90 days to determine if Bloomsburg University of Pennsylvania (University), located in Bloomsburg, should be exempted from the requirements of section 2420 of The Administrative Code of 1929 (71 P. S. § 650). The finding from this study may result in the conversion of the University coal-fired boiler heating system to a fuel other than coal.

For additional information, contact Eric Ness, Assistant Vice President, Facilities Management, Bloomsburg University of Pennsylvania, 400 East Second Street, Bloomsburg, PA (570) 389-4517, fax (570) 389-3070, eness@bloomu.edu.

ERIC R. NESS,  
*Assistant Vice President of Facilities Management  
Bloomsburg University*

[Pa.B. Doc. No. 14-1661. Filed for public inspection August 1, 2014, 9:00 a.m.]

---

