

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking and Securities Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending September 2, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
8-29-2014	CB Financial Services, Inc. Carmichaels Greene County	Approved

Application for approval to acquire 100% of FedFirst Financial Corporation, Monessen, and thereby indirectly acquire 100% of First Federal Savings Bank, Monessen.

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
8-29-2014	Community Bank Carmichaels Greene County	Approved

Application for approval to merge First Federal Savings Bank, Monessen, with and into Community Bank, Carmichaels.

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-28-2014	PeoplesBank, A Codorus Valley Company York York County	3100 Market Street Camp Hill Cumberland County	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 14-1908. Filed for public inspection September 12, 2014, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of October 2014

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of October, 2014, is 5 1/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary

Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the

Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 2.85 to which was added 2.50 percentage points for a total of 5.35 that by law is rounded off to the nearest quarter at 5 1/4%.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 14-1909. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Substantial Amendments for the 2008 Action Plan—Neighborhood Stabilization and 2011 Action Plan—Neighborhood Stabilization Programs

A public comment period will be held to review the proposed substantial amendment to the Commonwealth Action Plans for Fiscal Years 2008 and 2011, specifically the substantial amendments for the Neighborhood Stabilization Program (NSP) from September 13, 2014, through October 14, 2014.

Annually the Department of Community and Economic Development (Department) prepares the Action Plan which outlines the method of distribution for Federal funding received by the Department. This Federal funding includes the Neighborhood Stabilization 1 and 3 programs. A substantial amendment for the NSP 1 funds was finalized and submitted to the United States Department of Housing and Urban Development (HUD) on November 25, 2008, and the substantial amendment for the NSP 3 funds was finalized and submitted to HUD on February 28, 2011. The Department is in the process of closing out the two NSPs and therefore changes to existing open grants and the use of future program income is being proposed. These changes, based on the Pennsylvania Citizen Participation Plan for the Consolidated Plan, constitute a significant change in the distribution of funds under the program and thus necessitate a second substantial amendment to the original Action Plans.

The second substantial amendments to the Action Plans and supporting documentation are available for a 30-day public comment period and can be viewed on the Department's web site at <http://www.newpa.com/>. The text is available to sight and hearing-impaired persons using technological assisted devices by means of the Department's web site at the link listed previously. A translation into Spanish will also be available on the Department's web site for citizen comment. The final version of the second substantial amendments will be submitted to HUD no later than October 17, 2014.

Persons who would like to provide written comment on the draft second substantial amendments to the 2008 and 2011 Action Plans may send those comments electronically to RA-DCEDcdbg&homequestions@pa.gov or mail to the attention of Mary J. Smith, Department of Community and Economic Development, Center for Community

Financing, 400 North Street, 4th Floor, Harrisburg, PA 17120. Comments must be received before 4 p.m. on October 14, 2014.

C. ALAN WALKER,
Secretary

[Pa.B. Doc. No. 14-1910. Filed for public inspection September 12, 2014, 9:00 a.m.]

Substantial Amendments to 2013 Action Plan; 2008 Action Plan—Neighborhood Stabilization Program; 2011 Action Plan—Neighborhood Stabilization Program; Public Meeting

The Department of Community and Economic Development (Department) is amending the following Action Plans: 2013, 2008—Neighborhood Stabilization and 2011—Neighborhood Stabilization. The Action Plans must be submitted and approved by the United States Department of Housing and Urban Development (HUD) when a substantial amendment is warranted to the original Action Plan due to a change in the method of distribution of funding, a significant change in the allocation of funds or changes in the program requirements, or both, warrant public comment on how the program will be administered. Interested persons may view the substantial amendments currently being available for public comment at <http://www.newpa.com/community/federal-program-resource-library/consolidated-plan-and-related-documents> or request a copy following the same procedures as listed under Written Comments as follows.

Public Meeting

A public meeting for the substantial amendments to the 2013 Action Plan, 2008 Action Plan—Neighborhood Stabilization and 2011 Action Plan—Neighborhood Stabilization will be conducted electronically by means of the Internet on Wednesday, September 24, 2014. Access to the discussion by means of the Internet will occur from 1 p.m. to 2 p.m. This more widely available personal computer access will replace the onsite public meeting. The format will be more accessible than in an in-person meeting because those who wish to make comment may participate directly from their personal computer or from a computer located at their public library.

Individuals or organizations may give testimony or comments by means of the Internet. Citizen comments will be taken on the substantial amendments. The Commonwealth encourages public participation in this process.

Individuals who want to participate must register in advance. Contact Megan Snyder at (717) 720-7404 to receive registration instructions for the web meeting at least 24 hours prior to the meeting date. During the meeting, if support is required, call (717) 787-5327. The meeting will be shortened if there is no one to testify or there is minimal response.

Individuals who have a disability and wish to participate in the public meeting should contact Megan Snyder, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7404, to discuss how the Department can accommodate their needs. Text telephone calls can be placed through the

Pennsylvania AT&T Relay System at (800) 654-5984. Calls will be relayed to the Department's number listed previously.

Written Comments

Written testimony, instead of web testimony, must be submitted by:

- For the substantial amendment to the 2013 Action Plan by 4 p.m. on Tuesday, September 30, 2014.
- For the substantial amendments to the 2008 Action Plan or 2011 Action Plan, or both, for the Neighborhood Stabilization Program by 4 p.m. on Tuesday, October 14, 2014.

Submit comments to Megan Snyder, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225 or RA-DCEDcdbg&homequestions@pa.gov.

C. ALAN WALKER,
Secretary

[Pa.B. Doc. No. 14-1911. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Index Calculation Required by the Taxpayer Relief Act

Under section 333(l) of the Taxpayer Relief Act (53 P. S. § 6926.333(l)), the Department of Education (Department) has calculated the index for Fiscal Year (FY) 2015-2016.

The index is the average of the percentage increase in the Statewide average weekly wage and the Employment Cost Index. For FY 2015-2016, the base index is 1.9%.

For school districts with a market value/income aid ratio greater than 0.4000, an adjusted index will be posted on the Department's web site at www.education.state.pa.us by September 30, 2014.

CAROLYN C. DUMARESQ, Ed.D.,
Acting Secretary

[Pa.B. Doc. No. 14-1912. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063959 (Sewage)	Feldman Single Residence Sewage Treatment Plant (SRSTP) 187 Spur Road Pocono Lake, PA 18347	Monroe County Tobyhanna Township	Deep Run (2-A)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0012211— IW	Boyertown Foundry Company PO Box 443 9th and Rothermel Drive New Berlinville, PA 19545	Berks County / Boyertown Borough	West Branch Swamp Creek / 3D	Y
PA0088021— Sew	Susan L. Christman 183 Christman Road Lenhartsville, PA 19534-9177	Berks County Windsor Township	UNT to Maiden Creek / 3-B	Y
PA0088404— CAFO	Kulp Family Dairy, LLC 1691 Millerstown Road Martinsburg, PA 16662	Blair County North Woodbury Township	UNT of Clover Creek / 11-A	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0233846 (CAFO)	Drew Remley Farm Liberty Township Tioga County 1170 Salt Spring Road Roaring Branch, PA 17765	Tioga County Liberty Township	Unnamed Tributary to Salt Spring Run (10-A)	N
PA0228648 (Sewage)	Jackson Township Municipal Authority Millerton Sewer System STP State Route 328 Millerton, PA 16936	Tioga County Jackson Township	Unnamed Tributary to Seeley Creek (4-B)	Y

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0217883 (Sewage)	Encotech Incorporated Encotech STP PO Box 305 Eighty Four, PA 15330	Washington County North Strabane Township	Drainage Swale Tributary to Little Chartiers Creek (20-F)	Y
PA0096601 (Sewage)	Williamstown STP SR 2039 Main Street Jefferson, PA 15344	Washington County East Bethlehem Township	(19-B)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0253766 (Sewage)	Kimberly Run Mine Stutzmantown Road Somerset, PA 15501	Somerset County Somerset Township	Unnamed Tributary to Kimberly Run (19-F)	Y
PA0253715 (Sewage)	Cambria Fuel Prep Plant 182 Coal Road Berlin, PA 15530	Somerset County Stonycreek Township	Schrock Run (18-E)	Y
PA0041441 (Sewage)	Wells Creek STP 356 Coleman Station Road Friedens, PA 15541	Somerset County Somerset Township	Wells Creek (18-E)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0222780 (Sewage)	Scott W. Zimmerman SFTF 4822 Glen Hazel Road, Wilcox, PA 15870	Elk County Jones Township	Unnamed Tributary to the East Branch Clarion River (17-A)	Y
PA0101516 (Sewage)	Oakland Elementary School 2111 Creek Road, Cooperstown, PA 16317	Venango County Oakland Township	Dry/Intermittant Tributary of Twomile Run (16-D)	Y
PA0034215 (Sewage)	White Haven Campground 4007 Westford Road Jamestown, PA 16134	Crawford County South Shenango Township	Unnamed Tributary to Shenango River (20-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

PA0096342, Sewage, **Fairchance-Georges Joint Municipal Sewage Authority**, 141 Big Six Road, Smithfield, PA 15478. Facility Name: Fairchance-Georges STP. This existing facility is located in Georges Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage, and proposed expansion of said discharge.

The receiving stream, Georges Creek, is located in State Water Plan Watershed 19-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The following effluent limits for Outfall 001 are effective for the existing design flow of 0.75 MGD, until either permit expiration or STP expansion for a proposed design flow of 1.5 MGD is completed:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
May 1 - Oct 31	93.9	144.0	XXX	15	23	30
Nov 1 - Apr 30	156.5	237.8	XXX	25	38	50
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids	156.5	237.8	XXX	25	38	50
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
UV Transmittance (%)	XXX	XXX	Report	Geo Mean Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Ammonia-Nitrogen						
May 1 - Oct 31	12.5	18.8	XXX	2.0	3.0	4.0
Nov 1 - Apr 30	28.2	42.5	XXX	4.5	6.8	9.0
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum	XXX	XXX	XXX	XXX	Daily Max	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese	XXX	XXX	XXX	XXX	Daily Max	XXX

The following effluent limits for Outfall 001 are effective after STP expansion for a proposed design flow of 1.5 MGD is completed, until permit expiration:

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
May 1 - Oct 31	125.1	187.7	XXX	10	15	20
Nov 1 - Apr 30	250.2	375.3	XXX	20	30	40
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	312.8	475.4	XXX	25	38	50
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
UV Transmittance (%)	XXX	XXX	Report	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen					Daily Max	
May 1 - Oct 31	25.1	37.5	XXX	2.0	3.0	4.0
Nov 1 - Apr 30	43.8	66.3	XXX	3.5	5.3	7.0
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Total Aluminum	XXX	XXX	XXX	XXX	Daily Max	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Manganese	XXX	XXX	XXX	XXX	Daily Max	XXX

In addition, the permit contains the following major special conditions:

The permittee shall obtain a Water Quality Management (WQM) permit from DEP for construction of treatment facilities for an expanded design flow of 1.5 MGD, and complete construction in accordance with the WQM permit application, prior to commencing the expanded discharge authorized by this NPDES permit.

The EPA Waiver is not in effect.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0042641, Sewage, SIC Code 8412, **PA DCNR State Parks Bureau**, 2808 Three Mile Run Road, Perkasio, PA 18944-2065. Facility Name: Nockamixon State Park STP. This existing facility is located in Haycock Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Tohickon Creek, is located in State Water Plan watershed 2-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Instant. Minimum	Instant. Maximum	Average Monthly	Daily Max	Instant. Maximum
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	33	XXX	XXX	20	30	40
Nov 1 - Apr 30	42	XXX	XXX	25	40	50
Total Suspended Solids	50	XXX	XXX	30	45	60
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000*
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	3	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	7	XXX	XXX	4.0	XXX	8.0
Total Phosphorous	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX

* See permit's Part C. I. Other Requirements (J).

In addition, the permit contains the following major special conditions:

I. Other Requirements

A. No Flow Receiving Stream

B. No Stormwater

C. Property Rights

D. Sludge Removal

E. Act 537 Approvals

F. TRC Requirements

G. Responsible Operator

H. O&M Plan

I. EMP for SPW

J. Fecal Coliforms DRBC

K. I/I Reduction Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0085235, Sewage, SIC Code 5800, **Degrazia LLC**, 604 Memorial Drive, Fleetwood, PA 19522-8812. Facility Name: Emily's Pub. This existing facility is located in Robeson Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Allegheny Creek, is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0012 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Instant. Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Geo Mean</i>	
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.64
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	20	XXX	40

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261157, Sewage, SIC Code 6514, **Kerstetter Velma E**, 6710 Rte 235, Mcalisterville, PA 17049. Facility Name: Velma Kerstetter Res. This existing facility is located in Delaware Township, **Juniata County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Delaware Creek, is located in State Water Plan watershed 12-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Geo Mean</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0055352, Sewage, SIC Code 6515, **Berks Properties Inc.**, 3613 Seisholtzville Road, Hereford, PA 18056. Facility Name: Woodland MHP. This existing facility is located in Hereford Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Perkiomen Creek, is located in State Water Plan watershed 3-E and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Geo Mean</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.64
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	20	XXX	40
Total Phosphorus	0.059	XXX	XXX	0.5	XXX	1.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0261289, Sewage, SIC Code 6514, **Wilkins Garren**, 10538 Hyndman Road, Manns Choice, PA 15537. Facility Name: Wilkins Res STP. This existing facility is located in Harrison Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary of Buffalo Run, is located in State Water Plan watershed 11-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Minimum	Minimum	Average Monthly	Geo Mean	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083909, Sewage, SIC Code 2431, **Conestoga Wood Specialties Corp**, 245 Reading Road, East Earl, PA 17519-0158. Facility Name: Conestoga Wood Specialties. This existing facility is located in East Earl Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Conestoga River, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.019 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Geo Mean	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0081442, Sewage, SIC Code 8211, **South Eastern School District**, 377 Main Street, Fawn Grove, PA 17321. Facility Name: South Eastern School District WWTP. This existing facility is located in Fawn Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Unnamed Tributary to Falling Branch, is located in State Water Plan watershed 7-I and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Total Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report Avg Mo	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
UV Intensity (mW/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
		Total Annual				
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.5	XXX	7.0
Nov 1 - Apr 30	XXX	XXX	XXX	10.5	XXX	21
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
		Total Annual				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083623, Industrial Waste, SIC Code 3568, **TB Wood's Incorporated**, 440 Fifth Avenue, Chambersburg, PA 17201-1778. Facility Name: TB Wood's Incorporated. This existing facility is located in Chambersburg Borough, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving streams, Falling Spring Branch and Unnamed Tributary to Falling Spring Branch, are located in State Water Plan watershed 13-C and is classified for Trout Stocking, Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001, 002, and 004 are based on design flows of 0.36 MGD, 0.0028 MGD, and 0.00144 MGD, respectively.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Jul 1-31	XXX	XXX	XXX	XXX	85	XXX
Aug 1 - Jun 30	XXX	XXX	XXX	XXX	110	XXX

The proposed effluent limits for Outfall 005, 006, 007, 008, and 009 are based on a design flow of 0.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0272825, Industrial Waste, SIC Code 9511, **Slippery Rock Municipal Authority**, 116 Crestview Road, Slippery Rock, PA 16057. Facility Name: Slippery Rock Borough WTP. This proposed facility is located in Slippery Rock Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of industrial wastewater associated with the production of drinking water.

The receiving stream, an Unnamed Tributary to the Wolf Creek, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0087 MGD.

Parameters	Mass (lbs/day)			Concentration (mg/l)		
	Average Monthly	Annual Average	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Dissolved Solids	Report	5,000	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	4.0	8.0	10.0
Total Iron	XXX	XXX	XXX	2.0	4.0	5.0
Total Manganese	XXX	XXX	XXX	1.0	2.0	2.5

In addition, the permit contains the following major special conditions:

- Requirement to Use eDMR System
- Chemical Additives

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. 2314406, Sewage, **Middletown Township Sewer Authority**, P. O. Box 9, Lima, PA 19037.

This proposed facility is located in Middletown Township, **Delaware County**.

Description of Action/Activity: Upgrades to meet future wastewater disposal.

WQM Permit No. 1503412, Sewage, Amendment, **Avondale Borough**, 110 Pomeroy Avenue, P. O. Box 247, Avondale, PA 19311-0247.

This proposed facility is located in Avondale Borough, **Chester County**.

Description of Action/Activity: Increase the permit organic capacity from 1,010 lbs/day to 1,317 lbs/day.

WQM Permit No. WQG02151416, Sewage, **West Bradford Township**, 1385 Campus Drive, Downingtown, PA 19335.

This proposed facility is located in West Bradford Township, **Chester County**.

Description of Action/Activity: Construction and operation of a proposed low pressure sewer system for 13 EDU's.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0596408, Amendment #5, Sewerage, **Chestnut Ridge Area Joint Municipal Authority**, 320 Lane Metal Road, New Paris, PA 15554-9238.

This proposed facility is located in East St. Clair Township, **Bedford County**.

Description of Proposed Action/Activity: Seeking permit amendment approval for upgrading their solids dewatering system by replacing their existing belt filter press, polymer feed, and sludge pump with a new Volute Screw Press, sludge pump, and polymer system at their existing wastewater treatment plant.

Southwest Regional Office: Regional Clean Water Program Manager, 400 WATERFRONT DR, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. WQG02111401, Sewage, **Blacklick Valley Municipal Authority**, PO Box 272, Twin Rocks, PA 15960-0272.

This proposed facility is located in Jackson Township, **Cambria County**.

Description of Proposed Action/Activity: Sewer extension and pump station to serve 53 family residential dwellings in the Fords Corner area of Jackson Twp. Cambria County.

WQM Permit No. 1114403, Sewage, **Westmont Borough**, 1000 Luzerne Street, Johnstown, PA 15905.

This existing facility is located in Westmont Borough, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of sanitary sewer rehabilitation for the sewered areas of Westmont Borough.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 2703403, Sewage, Amendment, **Pennsylvania Department of Corrections**, 153 Woodland Dr, Marienville, PA 16239.

This existing facility is located in Jenks Township, **Forest County**.

Description of Proposed Action/Activity: Upgrade of pre-treatment pump station at Forest-SCI.

WQM Permit No. WQG02331401, Sewage, **Brookville Municipal Authority**, 30 Darrah Street, Brookville, PA 15825.

This proposed facility is located in Pine Creek Township, **Jefferson County**.

Description of Proposed Action/Activity: Sanitary sewer line extension (force main and pump station) south of I-80 to a point north of I-80 along SR 28.

WQM Permit No. 4214402, Sewage, **Walter Wojcik**, 1015 Buffalo Street, Olean, NY 14760.

This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to repair a malfunctioning on-lot system.

WQM Permit No. 1614201, Industrial Waste, **Piney Creek LP & Clarion Altela Environmental Services LLC**, 428 Power Lane, Clarion, PA 16214.

This proposed facility is located in Piney Township, **Clarion County**.

Description of Proposed Action/Activity: Construction of an industrial wastewater treatment facility.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI014614004	Mainline Trees, LLC 550 Bedford Road Bedford Hills, NJ 10507	Montgomery	Conshohocken Borough	Plymouth Creek CWF—MF

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030614006	BET Investments, Inc. 2600 Philmont Avenue Huntingdon Valley, PA 19006-5308	Berks	Kutztown Borough	Saony Creek Designated Use (TSF, MF) Existing Use (TSF, MF, Wild Trout)
PAI033614005	Steve Long 1919 Furniss Road Drumore, PA 17518	Lancaster	Drumore Township	Wissler Run (HQ, WWF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041814008	Calvin King Pine Creek Structures Inc 74 Airstrip Dr Mill Hall PA 17751	Clinton	Lamar Township	Fishing Creek HQ-CWF

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**APPLICATIONS
NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Tyler Snider 22357 Mountain Foot Road Neelyton, PA 17239	Huntingdon	82.5 acres owned for manure application	466.23 AEU's 5.65 AEU's/ac	Swine/ Beef	NA	Renewal
Doug Wolgemuth 2914 Orchard Road Mount Joy, PA 17552	Lancaster	938.7	1,229.05	Swine/ Poultry	NA	R

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 0614509, Public Water Supply.

Applicant	Western Berks Water Authority
Municipality	Lower Heidelberg Township
County	Berks
Responsible Official	Leonard E. Bilger II, Executive Director 91 Water Road Sinking Spring, PA 19608

Type of Facility Public Water Supply
 Consulting Engineer John P. Spitko, P.E.
 Spotts Stevens and McCoy Inc
 1047 North Park Road
 Reading, PA 19610-0307

Application Received: 8/18/2014
 Description of Action Permit for us of Blue March
 Lake as a source of supply.

Permit No. 2214503, Public Water Supply.

Applicant **Royalton Borough Authority**
 Municipality Royalton Borough
 County **Dauphin**
 Responsible Official John Hulsberg, Authority
 Chairman
 110 Northumberland Street
 Royalton, PA 17057

Type of Facility Public Water Supply
 Consulting Engineer Joshua T. Fox, P.E.
 Herbert, Rowland & Grubic, Inc.
 369 East Park Drive
 Harrisburg, PA 17111

Application Received: 8/25/2014
 Description of Action Installation of individual
 residential water booster pumps
 for fifteen customers in the
 Upper Wrad of Royalton
 Borough. Description of Action
 Rehabilitation of filter Nos. 1
 and 2 at the Rabold Water
 Treatment Plant.

Permit No. 5014503, Public Water Supply.

Applicant **Department of General
 Services**
 Municipality Tyrone Township
 County **Perry**
 Responsible Official David S. Folk, Executive
 Portfolio Manager
 18th & Herr Streets
 Harrisburg, PA 17120

Type of Facility Public Water Supply
 Consulting Engineer Daniel S. Hershey
 Rettew Associates Inc
 3020 Columbia Avenue
 Lancaster, PA 17603

Application Received: 8/4/2014
 Description of Action Construction of a new membrane
 treatment plant.

*Northcentral Region: Safe Drinking Water Program
 Manager, 208 West Third Street, Suite 101, Williamsport,
 PA 17701-6448*

Application No. 0814503—Construction Public Wa-
 ter Supply.

Applicant **Towanda Municipal
 Authority**
 [Township or Borough] Towanda Township
 County **Bradford**

Responsible Official Fred Johnson, Superintendent
 Towanda Municipal Authority
 P. O. Box 229
 724 Main Street
 Towanda, PA 18848

Type of Facility Public Water Supply
 Consulting Engineer Frederick E. Ebert, P.E.
 Ebert Engineering, Inc.
 P. O. Box 540
 4092 Skippack Pike, Suite 202
 Skippack, PA 19474

Application Received August 25, 2014
 Description of Action Construction of a potable water
 booster pump station and
 distribution system to service a
 52 lot residential subdivision.
 Potable water will be supplied by
 Towanda Municipal Authority.

*Northwest Region: Safe Drinking Water Program Man-
 ager, 230 Chestnut Street, Meadville, PA 16335-3481*

Permit No. 3714502, Public Water Supply
 Applicant **Borough of Wampum**
 Township or Borough Wampum Borough
 County **Lawrence**
 Responsible Official Charles G. Kelly
 Type of Facility Public Water Supply
 Consulting Engineer Ronald Anthony Rizzo, P.E.
 R.A.R. Engineering Group, Inc.
 1135 Butler Avenue
 New Castle, PA 16101

Application Received August 14, 2014
 Date
 Description of Action Water system upgrades.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

*Southwest Region: Water Supply Management Program
 Manager, 400 Waterfront Drive, Pittsburgh, Pa 15222-
 4745*

Application No. 0486503-T3, Minor Amendment.

Applicant **UMH Properties, Inc.**
 150 Clay Street
 Suite 450
 Morgantown, WV 26501
 [Township or Borough] Independence Township
 Responsible Official Jeffrey V. Yorick, P.E.
 Vice President of Engineering
 UMH Properties, Inc.
 150 Clay Street
 Morgantown, WV 26501

Type of Facility Water system
 Consulting Engineer
 Application Received August 6, 2014
 Date
 Description of Action Transfer of Independence MHP
 from Stonewood Family LP to
 UMH Properties, Inc.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Patton B Unit No. 7H, 1313 Whitestown Road, Connoquenessing Township, **Butler County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of XTO Energy, Inc., 395 Airport Road, Indiana, PA 15701, submitted a Notice of Intent to Remediate. A valve release occurred at the site resulting in fracturing fluid being spilled onto the soil. The selected remediation standard is a combination of the Site-Specific and Statewide Health Standards. The intended future use of the property will be residential. The Notice of Intent to Remediate was published in the *Butler Eagle* on August 15, 2014.

Former Vogel's Market, 309 Venango Avenue, Cambridge Springs Borough, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Mercer County State Bank, 3279 South Main Street, Sandy Lake, PA 16145, submitted a Notice of Intent to Remediate. Historically, the site operated as a retail fueling facility from 1950's through the 1970's. Site soil and site groundwater has been found to be impacted with petroleum related contamination from four underground storage tanks. The proposed remediation standard is a combination of Site-Specific and Statewide Health Standards. The intended future use of the property will be commercial. The Notice of Intent to Remediate was published in *The Meadville Tribune* on August 15, 2014.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit Application No. 101429. Richard S. Burns & Company Inc., 4300 Rising Sun Avenue, Philadelphia PA 19140-2720. This application is for 10-year permit renewal to continue operation at the Richard S. Burns and Company Transfer Station Facility, a municipal waste and construction/demolition waste transfer and processing facility, located at 4300 Rising Sun Avenue in the City of Philadelphia, **Philadelphia County**. The application was received by the Southeast Regional Office on August 25, 2014.

Permit Application No. 101609. BFI Transfer Systems of Pennsylvania, LLC, d.b.a. River Road Transfer Station, 400 River Road, West Conshohocken PA 19428-2600. This application is for 10-year permit renewal under Solid Waste Permit No. 101609 for the River Road Transfer Station, a municipal waste transfer station located at 400 River Road in Upper Merion Township, **Montgomery County**. The application was received by the Southeast Regional Office on May 15, 2014.

Permit Application No. 100973. Republic Services of Pennsylvania, LLC, 2960 E. Orthodox Street, Philadelphia PA 19137, City of Philadelphia, **Philadelphia County**. This application is for 10-year permit renewal to continue to operate at the Quickway Transfer Station, a municipal waste transfer facility, located at 2960 E.

Orthodox Street, Philadelphia, PA 19137-2019. The application was received by the Southeast Regional Office on May 30, 2014.

Permit Application No. 101463. BFI Transfer Systems of Pennsylvania, LLC, d.b.a. TRC Transfer Station, 2904 South Christopher Columbus Boulevard, Philadelphia PA 19148-5106. This application is for 10-year permit renewal to continue to operate under Solid Waste Permit No. 101463 for the TRC Transfer Station, a municipal waste transfer station located at 2904 South Columbus Boulevard in the City of Philadelphia, **Philadelphia County**. The application was received by the Southeast Regional Office on August 27, 2014.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application, and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments; identification of the proposed Plan Approval/Operating Permit including the permit number; and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin*, or by telephone, when the Department determines this notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Subchapters D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise appli-

cable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

23-0119C: Sunoco Partners Marketing & Terminals, L.P.—SPMT (2nd and Green Streets, Marcus Hook, PA 19061-0426) for installation of a 30,000 gallon per minute cooling tower to be used to condense the gaseous propane and ethane at a facility, in Marcus Hook Borough, **Delaware County**. The plan approval is for a Title V facility. This project, by itself or aggregated with previous projects, does not trigger applicability toward PADEP's NSR regulations or the federal PSD regulations. As this project is technically and economically dependent to a previous project it is being treated as a major modification to an existing plan approval (number 23-0119). The installation of this source is not subject to any federal NSPS or NESHAP regulations. Potential annual emissions from this source are: VOC—5.52 ton, PM—0.25 ton, PM₁₀—0.23 ton, and PM_{2.5}—0.01 ton. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-0033F: Waste Management Disposal Services of PA—WMDSPI (1425 Sell Road, Pottstown, PA 19464) for installation of a new open landfill gas (LFG) flare. Pottstown Landfill, a closed landfill, is a Title V Facility in **Montgomery County**. This flare serves as a backup control device. There are no emission increases with this plan approval. The Plan Approval will contain monitoring, recordkeeping and operating restrictions designed to minimize emissions and keep the facility operating within all applicable State and Federal air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05107D: Pepperidge Farm, Inc. (2195 North Reading Road, Denver, PA 17517) for installation of a new Catalytic Oxidizer 5 to control Cracker Oven 8 and re-routing the exhaust so only Cracker Oven 7 exhausts to Catalytic Oxidizer 4 at their Pepperidge Farm bakery

in East Cocalico Township, **Berks County**. The expected increases in potential emissions as a result of the changes proposed are: 0.7 tpy of CO, 0.9 tpy of NO_x, 8.1 tpy of VOCs and 0.6 tpy of Acetylaldehyde. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 25 Pa. Code § 123.13 Process Particulate Matter. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

*Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104*

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

AMS14193: The Purolite Co. (3620 G Street, Philadelphia, PA 19134) for installation of a replacement of DR02 Witte Dryer with a new Batch Dryer (BD02) (Fluid bed, steam heated, with cyclone), Manufacturer: Stainless Fabrication incorporated, Model: 18'x2' Fluid bed dryer, with rated capacity of 5,600 lbs/batch. And replacement of existing ROX1 Copolymer Reactor, with a new same capacity, Paul Mueller reactor in the City of Philadelphia, **Philadelphia County**. The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

56-00166: PBS Coals, Inc. (1576 Stoystown Road, Friedens, PA 25541) for the continued operation of a coal preparation plant, known as the Shade Creek Coal Preparation Plant, in Shade Township, **Somerset County**.

In accordance with 25 Pa. Code §§ 127.441, 127.425 and 127.521, the Department is providing notice that they intend to issue a Title V Operating Permit for the continued operation of a coal preparation plant, known as the Shade Creek Coal Preparation Plant, located in Shade Township, Somerset County.

The facility is a coal preparation plant. Coal is blended and crushed at this facility. The applicant can process bituminous coal through each of the processes at the maximum rates listed below. Coal brought to the site for processing is off-loaded from trucks. There are storage piles for coal refuse, as well as run of mine (ROM) and processed coal. These throughput rates are physical, not regulatory limitations. The coal throughput of the plant is both mined at the site and delivered to the facility from

other sites for processing. Coal breakers, screens, and raw coal transfer points are totally enclosed. Process coal transfer points are partially enclosed. Plant roads are swept and watered.

This facility has the potential to emit the following type and quantity of pollutants: 368 tons per year of PM₁₀. Sources at the facility are subject to 40 CFR Part 60 Subpart Y—Standards of Performance for Coal Preparation and Processing Plants, and 25 Pa. Code Chapters 121—145. No equipment or emission changes are being approved by this action. The permit includes emission limitations and operational, monitoring, testing, recordkeeping, and reporting requirements for the facility.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

37-023F: NRG Power Midwest LP—New Castle Plant (2189 State Route 168 South, West Pittsburgh, PA 16160) for the gas addition project for the 3 existing coal fired boilers in Taylor Township, **Lawrence County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 37-023F is for the proposed addition of gas burners to Boilers #3, 4, & 5 to include the capability of burning natural gas. This project will allow the boilers to achieve compliance with the upcoming Mercury and Air Toxics Standards (MATS) promulgated under 40 CFR 63 Subpart UUUUU and thereby continue operating beyond the MATS compliance date. This project will result in projected actual emissions of 2.7 tpy for PM (TSP), 10.9 tpy for PM₁₀, 10.9 tpy for PM_{2.5}, 214.2 tpy for NO_x, 0.9 tpy for SO_x, 171.4 tpy for CO, 7.9 tpy for VOC, and 171,451.0 for CO₂(e) from the 3 existing boilers when burning natural gas. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- The quality of gas combusted in the source shall be pipeline quality natural gas.
- Stack test for PM (both filterable and condensable), CO, and VOC when burning natural gas with the ESP not energized.
- Maintain monthly records of the natural gas usage for each boiler.
- The ESP does not have to be energized during natural gas combustion.
- The permittee shall update the AIMS Inventory for all PSD/NSR pollutants that were revised as part of this application. The update should include year 2008 to the present. If applicable, the permittee shall revise their AIMS Emission Fee submittals for those same years upon Department approval of the revised reports.
- All conditions from the facility operating permit revised on June 26, 2013, remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applica-

tions, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [37-023F] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

43-00142: Salem Tube, Inc. (951 4th Street, Reynolds Industrial Park, Greenville, PA 16125-8253) for renewal of a Title V Permit to operate a process steel tube manufacturing facility in Pymatuning Township, **Mercer County**. The facility's emitting sources included 1) Degreaser system boiler, 2) Miscellaneous natural gas usage, 3) Boiler for pickling tank, 4) TCE degreasing system, 5) Annealing furnaces (3) [#2, #7, and #5 Standby], 6) General solvent cleaning, 7) Lubricating operation, 8) TCE Storage tank, 9) Solvent cleaning degreaser, 10) Batch pickling tank, 11) Vacuum cleaning and degreasing machine, 12) TCE storage tank and, 13) Groundwater TCE Clean-Up. The facility is a Title V facility due to its potential to emit Trichloroethylene, a hazardous air pollutant (HAP). The facility provided the following emission inventory for the 2013 calendar year: Ammonia: 0.0076 Ton per year, CO: 0.1991 TPY, Methane: 0.0184 TPY, Carbon Di Oxide: 974.60 TPY, Nitrous Oxide: 0.002 TPY, HAP (TCE): 12.4 TPYVOC (Non-HAP): 5.839 TPY, VOC (including HAP): 18.34 TPY, NO_x: 0.84 TPY, SO_x: 0.0049 TPY, PM10: 0.0071 TPY. The facility shall maintain the emission of TCE from entire site to not exceed 14, 100 Kg or 15.51 Tons per year as stated in 40 CFR § 63.471. This emission restriction is more stringent than the RACT permit #43-172, condition #8, emission restriction of 68.4 tons per year.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00075: D.G. Yuengling and Sons, Inc. (310 Mill Creek Avenue, Pottsville, PA 17901) for operation of a brewing operation in Pottsville Borough, **Schuylkill County**. The sources at the facility consist of three (3) boilers and an aerobic reactor. The control devices for the reactor are a packed tower scrubber and carbon adsorber unit. This is a renewal of a State-Only Operating Permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

54-00049: US Department of Justice—FCI Schuylkill (P. O. Box 700, Minersville, PA 17954) for operation of a prison in Butler Township, **Schuylkill County**. The sources consist of three (3) boilers and an emergency generator. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

39-00102: R.R. Donnelley and Sons Co. (700 Nestle Way Suite 200, Breinigsville, PA 18031) for operation of a printing operation in Upper Macungie Township, **Lehigh County**. The sources consist of eight (8) printing machines. This is a new State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

22-03063: Chemetron Railway Products, Inc. (215 South Front Street, Steelton, PA 17113) to issue a State Only Operating Permit for their rail welding facility in Steelton Borough, **Dauphin County**. Potential particulate matter emissions from the facility are estimated to be around 10.5 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

67-03046: Cycle Chem, Inc. (550 Industrial Road, Lewisberry, PA 17339) to issue a State Only Operating Permit for operation of two waste solvent storage tanks at their facility in Fairview Township, **York County**. The potential emissions are estimated at 4 tons per year of VOC, and 1.1 ton per year of Total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

21-05035: Hempt Brothers, Inc. (P. O. Box 488, Hollidaysburg, PA 16648) to issue a State Only Operating Permit for operation of a crushing plant, a batch asphalt plant, and a concrete plant in Silver Spring Township, **Cumberland County**. The 2013 actual emissions of the facility were 0.76 ton of PM, 7.25 tons of CO, 0.45 ton of NO_x, 0.08 ton of SO_x, 1.5 ton of VOC, and 0.14 ton of total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations, including 40 CFR Part 60, Subpart I—Standard of Performance for Hot Mix Asphalt Facilities, and 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

49-00005: Hoegaens Corp. (4330 Paradise Road, Watontown, PA 17777) to issue a renewal State Only Operating Permit for their Watontown Plant located Delaware Township, **Northumberland County**. The facility is currently operating under State Only Operating Permit 49-00005. The facility's main sources include two #2-fuel-oil fired boilers, twenty five small #2-fuel-oil fired space heaters, metal powder blending and bonding operations controlled by cartridge collectors and fabric collectors, metal powder manufacturing operations controlled by cartridge collectors, specialty blended metals processes controlled by cartridge collectors and fabric collector, AGM delivery system controlled by fabric collectors, distaloy screen system controlled by fabric collectors, a sample production process controlled by a cartridge collector, and a 50 kW diesel-fired emergency generator.

The facility has potential emissions of 0.56 ton in any 12 consecutive month period (tpy) of carbon monoxide, 2.70 tpy of nitrogen oxides, 8.11 tpy of sulfur oxides, 0.02 tpy of volatile organic compounds, 36.14 tpy of particulate matter less than 10 microns in size, 36.02 tpy of particulate matter less than 2.5 microns in size, and 8138 tpy of greenhouse gases (i.e. carbon dioxide equivalent). Revisions include incorporating controlling fugitive emissions from a flexbag unloading station, incorporating a portable dust sweeper and portable dust collector, the operation of a hand-add station to be controlled by an existing cartridge collector, and to remove a throughput limitation that is no longer applicable.

The boilers are subject to 40 CFR Part 63 Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The emergency engine is subject to 40 CFR Part 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 63.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williams-

port, PA 17701. Appointments for scheduling a review must be made by calling (570) 327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

56-00219: Berwind Coal Sales Co. (509 15th Street, Windber, PA 15963) for a Natural Minor Operating Permit for the operation of a coal preparation plant, known as the Huskin Run Tipple, in Shade Township, **Somerset County**. The facility contains air contamination sources consisting of coal stockpiles, conveyers, one coal feed hopper/bin, one rotary breaker, radial stacker, coal loadout, and roadways. Air pollution prevention equipment at the Facility includes enclosures, conveyors, rotary breaker, water truck, tarping of truck loads, and periodic chipping and maintenance as of roadways. ROM coal throughput is limited to a maximum of 5,000,000 tons per year. Facility emissions are 17.4 tons per year of PM₁₀. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review must be made by calling 412-442-4000.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the operating permit or a proposed condition thereof, by filing such submissions in writing with the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All requests for a public hearing, and all protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). A protest must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 56-00219) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Written comments, protests, and requests for a public hearing should be directed to Martin L. Hochhauser, P.E., Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. For additional

information concerning the permit or the issuance procedure, contact Martin L. Hochhauser, P.E. at (412) 442-4057.

32-00365: Rosebud Mining Company (301 Market Street, 435, Kittanning, PA 16201) for an initial facility-wide Natural Minor Operating Permit for the operation of a coal preparation plant, known as the Dutch Run Parker Mine Site Coal Preparation Plant, in Washington Township, **Indiana County**. The facility contains air contamination sources consisting of coal stockpiles, conveyers, screens, and roadways. Air pollution prevention equipment at the facility includes covers, enclosures, a water truck, and tarping of truck loads. Coal throughput is limited to a maximum of 1,000,000 tons per year. Facility emissions are 23.1 tons of PM₁₀ and 1.5 ton of NO_x per year. The facility is limited to a maximum opacity from any processing equipment of 20 percent. The facility is subject to 40 CFR 60, Subpart Y, 40 CFR 63, Subpart ZZZZ, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations, and operational, monitoring, testing, reporting and recordkeeping requirements for the facility.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

61-00204: Franklin Bronze & Alloy Co., Inc. (655 Grant Street, Franklin, PA 16323) to issue the renewal of the State Only Operating Permit for the foundry facility in the City of Franklin, **Venango County**. The primary sources at the facility include a 1 million Btu/hr natural gas fueled mold de-wax furnace; 2 natural gas fueled shell pre-heat furnaces, rated at 600,000 Btu/hr and 850,000 Btu/hr; 5 induction furnaces; a 750,000 Btu/hr natural gas fueled de-wax oven; saws and grinders; 9 natural gas fueled space heaters; and a parts washer. The facility is a Natural Minor. Potential emissions are less than the Title V thresholds. The facility is subject to 40 CFR Part 63 Subpart ZZZZZZ, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

OPERATING PERMITS

PUBLIC HEARINGS

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104

Contact: Edward Wiener, Chief—Telephone: 215-685-9426

The City of Philadelphia, Air Management Services (AMS) intends to modify a Minor State Only Operating Permit for the following facility:

S13-013: Clean Earth of Philadelphia (3201 South 61st Street, Philadelphia, PA 19153) for operation of for the operation of a soil and non-soil treatment facility in the City of Philadelphia, **Philadelphia County** intent to Modify Operating Permit to include the following changes:

A quality control sampling and finger print analysis frequency for incoming material to insure only soils matching their original approved profiles are received and processed at the facility. The facility will perform sampling and finger print analysis of incoming truck load instead of each and every truck load.

The Synthetic Minor Operating Permit was originally issued on December 9, 2013.

The operating permit will be renewed under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and

a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56090104 and NPDES No. PA0262749. Rosebud Mining Co., 1117 Shaw Mines Road, Meyersdale, PA 15552, permit renewal for reclamation only of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 60 acres. Receiving streams: unnamed tributaries to/and Buffalo Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 6, 2014.

Permit No. 32830113 and NPDES No. PA0605778. Beilchick Brothers, P. O. Box 7, Heilwood, PA 15745, permit renewal of a bituminous surface and auger mine in Buffington Township, **Indiana County**, affecting 410.5 acres. Receiving streams: unnamed tributaries to/and Mardis Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 19, 2014.

Permit No. 32040102 and NPDES No. PA0249491. Britt Energies, Inc., 2450 Philadelphia Street, Indiana, PA 15701, permit renewal, for reclamation only, of a bituminous surface and auger mine in Center Township, **Indiana County**, affecting 201.2 acres. Receiving stream: unnamed tributary to Yellow Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 20, 2014.

Permit No. 56090109 and NPDES No. PA0262838. Wilson Creek Energy, LLC, 609 Georgian Place, Somerset, PA 15501, commencement, operation and restoration of a bituminous surface and auger mine to change the land use from woodland to unmanaged natural habitat in Lincoln Township, **Somerset County**, affecting 30.4 acres. Receiving stream: unnamed tributaries to Quemahoning Creek classified for the following use: cold water fishery. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority. Application received: August 20, 2014.

Permit No. 05753004 and NPDES No. PA0124869. J&J Svonavec Excavating, Inc., 618 Samuels Road, Somerset, PA 15501, permit renewal of a bituminous surface mine in Broad Top and Carbon Townships, **Bedford and Huntingdon Counties**, affecting 222.1 acres. Receiving streams: unnamed tributaries to/and

Coal Bank Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 21, 2014.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

30793024 and NPDES Permit No. PA0117650. Beazer East, Inc. c/o Three Rivers Management, Inc., (Manor Oak One, Suite 200, 1910 Cochran Road, Pittsburgh, PA 15220). NPDES revision application for Pond 4/S-10 to an existing passive treatment system, located in Morgan Township, **Greene County**, affecting 327.7 acres. Receiving streams: unnamed tributaries to South Fork of Tenmile Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: August 22, 2014.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

24980102 and NPDES Permit No. PA0227781. Tamburlin Brothers Coal Co., Inc. (P. O. Box 1419, Clearfield, PA 16830) Renewal of an existing bituminous surface and auger mine and associated NPDES permit in Fox Township, **Elk County**, affecting 196.0 acres. Receiving streams: Limestone Run and Little Toby Creek, both classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 28, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17793044 and NPDES PA0119334. River Hill Coal Company, Inc. (P. O. Box 141, Kylertown, PA 16847). Permit renewal for an existing bituminous surface mine and a revision to reduce the permit boundary to cover the post mining treatment facility in Karthaus Township, **Clearfield County** affecting 26.4 acres. Receiving stream(s): Saltlick Run classified for the following use(s): High Quality-Cold Water Fishes and Migratory Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 22, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54880203R5. Rausch Creek Land, LP, (978 Gap Street, Valley View, PA 17983), renewal for reclamation activities only of an existing anthracite coal refuse reprocessing operation in Tremont Township, **Schuylkill County** affecting 15.8 acres, receiving stream: Lorberry Creek, classified for the following use: cold water fishes. Application received: July 9, 2014.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal

minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

37140302. Slippery Rock Materials, Inc. (704 Golf Course Road, Volant, PA 16156) Commencement, operation and restoration of a large industrial minerals mine in Plain Grove & Washington Townships, **Lawrence County**, affecting 157.0 acres. Receiving streams: Four unnamed tributaries to Taylor Run and Taylor Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. This application includes a request for a post-mining landuse change from cropland, forestland, and unmanaged natural habitat to wildlife habitat, unmanaged water impoundment, and wetlands on the lands of Slippery Rock Materials, Inc. and John Venasco. Application received: August 18, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58990811. Dennis R. Bevin, (136 Barbour Lane, Hallstead, PA 18822), Stage I & II bond release of a quarry operation in Silver Lake Township, **Susquehanna County** affecting 1.0 acre on property owned by Joseph Nagy. Application received: August 15, 2014.

Permit No. 58020826. Dennis R. Bevin, (136 Barbour Lane, Hallstead, PA 18822), Stage I & II bond release of a quarry operation in Silver Lake Township, **Susquehanna County** affecting 2.0 acres on property owned by Joseph Nagy. Application received: August 15, 2014.

Permit No. 58070824. Courtland Birchard, (3065 Stone Street, Montrose, PA 18801), Stage I & II bond release of a quarry operation in Middletown Township, **Susquehanna County** affecting 5.0 acres on property owned by John Maloney and Ronald Powers. Application received: August 18, 2014.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mg/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

NPDES No. PA0095966 (Mining Permit No. 32851601), P & N Coal Company, (PO Box 332, Punxsutawney, PA 15767). A revision to the NPDES and mining activity permit for the Hillman Tipple in Banks Township, **Indiana County** to discharge treated wastewater with a PH greater than 9.0, but not greater than 12.0. Surface Acres Affected 18.0. Receiving stream: Bear Run, classified for the following use: CWF. Bear Run Watershed TMDL. The application was considered administratively complete on June 23, 2014. Application received June 23, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 001 discharges to: UNT Bear Run

The proposed effluent limits for Outfall 001 (Lat: 40° 54' 11" Long: 78° 50' 54") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Instant. Maximum</i>	<i>Daily Maximum</i>
Flow	(mgd)	-	0.0011	-
Iron	(mg/l)	3.0	6.0	7.0
Manganese	(mg/l)	2.0	4.0	5.0
Aluminum	(mg/l)	2.0	4.0	5.0
Osmotic Pressure	(mos/kg)	50	100	125
Total Suspended Solids	(mg/l)	35	70	90
Osmotic Pressure	(mos/kg)	-	-	REPORT
Sulfates	(mg/l)	-	-	REPORT
Total Dissolved Solids	(mg/l)	-	-	REPORT
Chlorides	(mg/l)	-	0.0011	-

Outfall 002 discharges to: Bear Run

The proposed effluent limits for *Outfall 002* (Lat: 40° 54' 09" Long: 78° 50' 56") are:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	0.0011	-
Iron	(mg/l)	3.0	6.0	7.0
Manganese	(mg/l)	2.0	4.0	5.0
Aluminum	(mg/l)	2.0	4.0	5.0

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Osmotic Pressure	(mos/kg)	50	100	125
Total Settleable Solids	(ml/l)	35	70	90
Sulfates	(mg/l)	-	-	REPORT
Total Dissolved Solids	(mg/l)	-	-	REPORT
Chlorides	(mg/l)	-	-	REPORT

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0605891 (Mining Permit No. 56813050), Shade Mining Company, P. O. Box 130 118 Runway Road Friedens, PA 15541, renewal of an NPDES permit for treatment of a post mining discharge in Quemahoning, Shade, and Stonycreek Townships, **Somerset County**, affecting 150.7 acres. Receiving stream: unnamed tributary to Oven Run, classified for the following use: cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: March 27, 2014.

The outfall(s) listed below discharge to an unnamed tributary to Oven Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
003 (WD-2)	N

The proposed effluent limit for the above listed outfall is as follows:

<i>Outfall: 003 (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 10.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0212300 (Mining Permit No. 56920113), Rosebud Mining Company, 1117 Shaw Mines Road Meyersdale, PA 15552, renewal of an NPDES permit for discharge to surface waters resulting from coal surface mining in Summit and Elk Lick Townships, **Somerset County**, affecting 108 acres. Receiving streams: unnamed tributaries to/and Casselman River, classified for the following uses: cold water fishery and warm water fishery. This receiving stream is included in the Casselman River TMDL. Application received: May 2, 2014.

The outfalls listed below discharge to unnamed tributaries to/and Casselman River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
003	N
004	N
005	N
006	N
007	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001 & 003 (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	N/A	N/A	3.7
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

<i>Outfalls: 004—007 (Dry Weather) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	N/A	N/A	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Outfalls: 004—007 (≤ 10 -yr / 24-hr Precip.

Event)

Parameter

Iron (mg/l)

Total Settleable Solids (ml/l)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

30-Day
Average

N/A

N/A

Daily
Maximum

N/A

N/A

Instant.
Maximum

7.0

0.5

NPDES No. PA0109088 (Mining Permit No. 56733038), Geiger Development Corporation, 1207 Stoystown Road Friedens, PA 15541, renewal of an NPDES permit for treatment of a post mining discharge in Somerset Township, **Somerset County**. Receiving stream: unnamed tributary to the East Branch of Coxes Creek, classified for the following use: trout stocked fishery. This receiving stream is included in the Coxes Creek TMDL. Application received: August 1, 2014.

The outfall listed below discharges to an unnamed tributary to the East Branch of Coxes Creek.

Outfall No.	New Outfall (Y/N)
001	N

The proposed effluent limits for the above listed outfall is as follows:

Outfall: 001 (All Weather Conditions)

Parameter

Iron (mg/l)

Manganese (mg/l)

Aluminum (mg/l)

Total Suspended Solids (mg/l)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times

Alkalinity must exceed acidity at all times

30-Day
Average

3.0

2.0

0.75

35.0

Daily
Maximum

6.0

4.0

1.5

70.0

Instant.
Maximum

7.0

5.0

1.8

90.0

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E13-179. The Lofts at Birch Wild, LLC, 474 Mulberry Drive, Walnutport, PA 18088, in East Penn Township, **Carbon County**, U.S. Army Corps of Engineers, Philadelphia District.

To fill 0.05 acre of PEM wetlands for the purpose of constructing a stormwater management facility associated with the expansion of an existing bed and breakfast. The project is located approximately 1.65 mile northeast of the intersection of S.R. 895 and Andreas Road (Nesquehoning, PA Quadrangle, Latitude: 40°45'49"; Longitude: -75°45'54").

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5829-084. Apolacon Township; Talisman Energy USA, Inc.; 337 Daniel Zenker Drive, Horseheads, NY 14845; Apolacon Township, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1. One 12 inch diameter steel natural gas pipeline and one 6 inch diameter waterline crossing impacting 511 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Friendsville, PA Quadrangle: 41° 58' 45" N; -76° 05' 39" W),

2. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber mat bridge crossing impacting 79 square feet (0.01 acre) of a

palustrine emergent wetland (PEM) (Friendsville, PA Quadrangle: 41° 58' 44" N; -76° 05' 39" W),

3. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber mat bridge crossing impacting 1,219 square feet (0.03 acre) of a palustrine emergent wetland (PEM) (Friendsville, PA Quadrangle: 41° 58' 43" N; -76° 05' 37" W),

4. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber bridge crossing impacting 105 lineal feet of an unnamed tributary to Apalachin Creek (CWF, MF) (Friendsville, PA Quadrangle: 41° 58' 42" N; -76° 05' 36" W),

5. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber bridge crossing impacting 81 lineal feet of an unnamed tributary to Apalachin Creek (CWF, MF) (Friendsville, PA Quadrangle: 41° 58' 35" N; -76° 05' 32" W),

6. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber bridge crossing impacting 28 lineal feet of an unnamed tributary to Apalachin Creek (CWF, MF) (Friendsville, PA Quadrangle: 41° 58' 34" N; -76° 05' 31" W),

7. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber mat bridge crossing impacting 34 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Friendsville, PA Quadrangle: 41° 58' 26" N; -76° 05' 33" W),

8. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber mat bridge crossing impacting 10,007 square feet (0.23 acre) of a palustrine emergent wetland (PEM) (Friendsville, PA Quadrangle: 41° 58' 24" N; -76° 05' 33" W),

9. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber bridge crossing impacting 14 lineal feet of an unnamed tributary to Apalachin Creek (CWF, MF) (Friendsville, PA Quadrangle: 41° 58' 22" N; -76° 05' 33" W),

10. One 12 inch diameter steel natural gas pipeline, one 6 inch diameter waterline, and a timber mat bridge crossing impacting 1,366 square feet (0.03 acre) of a palustrine emergent wetland (PEM) (Friendsville, PA Quadrangle: 41° 58' 22" N; -76° 05' 33" W).

The project consists of constructing approximately 0.94 mile of 12" steel natural gas gathering line and a 6" waterline connecting well sites located in Apolaccon Township, Susquehanna County, to connect the Thorne 080 well pad to the Hillis Field Riser. The project will result in 228 lineal feet of temporary stream impacts and 13,216 square feet (0.30 acre) of temporary wetland impacts all for the purpose of conveyance of Marcellus Shale natural gas to market.

E4129-093: Anadarko Marcellus Midstream, LLC, 33 West Third Street, Suite 200, Williamsport, PA 17701, McHenry Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 50-foot long, 5'-0" X 2'-7 1/2" bottomless arch culvert and associated fill, two 6-inch gas pipelines, one 12-inch water pipeline, two 6-inch water pipelines, and a fiber optic/electric line impacting 108 linear feet of an

unnamed tributary to Second Big Fork (HQ-CWF) and 630 square feet of adjacent palustrine emergent (PEM) wetlands (Slate Run, PA Quadrangle 41°23'59"N 77°32'21"W);

2) a 50-foot long, 5'-0" X 2'-2 1/2" bottomless arch culvert and associated fill, two 6-inch gas pipelines, one 12-inch water pipeline, two 6-inch water pipelines, and a fiber optic/electric line impacting 83 linear feet of Second Big Fork (HQ-CWF) and 1,279 square feet of adjacent palustrine emergent (PEM) wetland (Slate Run, PA Quadrangle 41°23'42"N 77°32'24"W).

The project will result in a total of 0.04 acre of wetland impacts and 191 linear feet of stream impacts all for the purpose of installing water line, natural gas gathering line, and a permanent access roadway to natural gas well sites for Marcellus well development.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335, 814-332-6860

EA43-08-001, Halcon Field Service LLC, 2984 Kirila Blvd., Hermitage, Pa 16148, Colpetzer Surface Site in Perry Township, **Mercer County**, ACOE Pittsburgh District (Jackson Center, PA Quadrangle, N: 41° 22' 16.878"; W: 80° 13' 22.64").

To reduce the overall length of a 298 feet stream enclosure to 100 feet, for the purpose of stabilizing and restoring 198 linear feet of stream bank on UNT 36280 to Little Shenango River (TSF). The remaining 100 feet of culvert will be used as permanent access to the site off of Pa State Route 19. No wetlands will be impacted by this project.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-605: Dauphin County Board of Commissioners, PO Box 1295 Harrisburg, PA 17108 in South Hanover Township and Hummelstown Borough, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District

To 1.) remove an existing structure; 2.) construct and maintain a 300.0-foot long, 34.67-foot wide three-span concrete spread box beam bridge with R-8 rip rap scour protection across Swatara Creek (WWF, MF) having an underclearance ranging from 4.3 feet to 14.2 feet; 3.) construct and maintain a gravel parking lot and geotextile boat ramp in the floodway of Swatara Creek (WWF, MF); and to install and maintain 1.) 82 feet of 24.0-inch diameter reinforced concrete pipe and R-6 rip rap scour protection; 2.) 34 feet of 24.0-inch diameter reinforced concrete pipe with R-6 rip rap scour protection; 3.) 35 feet of 18.0-inch diameter reinforced concrete pipe with R-6 rip rap scour protection; 4.) 57 feet of 24.0-inch diameter reinforced concrete pipe with R-6 rip rap scour protection; 5.) an 18.0-inch diameter reinforced concrete pipe outfall, all discharging to Swatara Creek (WWF, MF); and 6.) two temporary construction causeways in Swatara Creek (WWF, MF), all for the purpose of providing sustainable, safe and efficient crossing of Swatara Creek. The project is located near the intersection of N. Duke Street and N. Railroad Street (Latitude: 40° 16' 14.1"N, Longitude 76° 42' 57.9"W) in South Hanover Township and Hummelstown Borough, Dauphin County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063878 (Sewage)	Northeastern Schuylkill Joint Municipal Authority WWTP P. O. Box 170 Barnesville, PA 18214	Schuylkill County Rush Township	Pine Creek (03A)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0265934— CAFO	David S. Morrow Farm 237 Briar Road Loysville, PA 17047	Perry County / Southwest Madison Township	Cisna Run / HQ-CWF / 7-A	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0233722 (Sewage)	Richard Zerby SFTF 211 Wills Hollow Road Port Matilda, PA 16870	Centre County Worth Township	Wills Hollow Run (9-C)	Y

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0025810 (Sewage)	Shade Central City Joint Authority SR 0160 Central City, PA 15926	Somerset County Shade Township	Dark Shade Creek (18-E)	N

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0222372 (Sewage)	VFW Post 740 10613 Route 98 Edinboro, PA 16412	Erie County Franklin Township	Unnamed Tributary to Little Elk Creek (15-A)	Y
PA0101800 (Industrial Waste)	Lord Saegertown 601 South Street Saegertown, PA 16433	Crawford County Saegertown Borough	French Creek (Outfall 001) Woodcock Creek (Outfalls 002 & 003) (16-A)	Y
PA0239381 (Sewage)	Silva SRSTP 680 Hilltop Drive, Pittsfield, PA 16340	Warren County Deerfield Township	Unnamed Tributary to the Rock Hollow Run (16-F)	Y
PA0104141 (Sewage)	Jay Township Weedville STP 1766 Redwood Avenue Weedville, PA 15868	Elk County Jay Township	Bennett Branch (8-A)	Y
PA0238988 (Sewage)	Greene Meadows STP 2500 Deer Run Trail Erie, PA 16509	Erie County Greene Township	Unnamed Tributary of East Branch LeBoeuf Creek (16-A)	Y
PA0100625 (Industrial Waste)	Brookville Travel Center 245 Allegheny Boulevard, Brookville, PA 15825	Jefferson County Brookville Borough	Clement Run (17-C)	Y
PA0104353 (Sewage)	Oakleaf Estates MHP 88 Mitchell Road West Middlesex, PA 15159	Mercer County Shenango Township	Unnamed Tributary to the Shenango River (20-A)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Actions

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0036994 A-1, Sewage, SIC Code 4952, **Pleasantville Borough**, 114 West State Street, Pleasantville, PA 16341-9741. Facility Name: Pleasantville Borough STP.

This existing facility is located in Pleasantville Borough, **Venango County**.

Description of Existing Activity: Amendment of an NPDES permit for an existing discharge of treated sewage. The amendment adds effluent limits for TRC to the permit.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. WQG02461109, Sewage, **PA Air National Guard**, 617 Horsham Road, Horsham, PA 19044.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Construction of a new sanitary pump station along with the installation of a new force main.

WQM Permit No. 4614402, Sewage, **Worcester Township**, 1721 Valley Forge Road, P. O. Box 767, Worcester, PA 19490-0767.

This proposed facility is located in Worcester Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a low pressure sewer system.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 1114402, SIC Code 4952, **Stonycreek Township**, 1610 Bedford Street, Johnstown, PA 15902.

This proposed facility is located in Stonycreek Township, **Cambria County**.

Description of Proposed Action/Activity: Construction of sanitary sewer rehabilitation project in Stonycreek Township-Cambria County.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the Water Quality Management (Part II) Permit has not identified any significant environmental impacts resulting from this proposal.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 6286201, Industrial Waste, Amendment No. 6, **Waste Treatment Corporation**, P. O. Box 558, Washington, PA 15301-0558.

This existing facility is located in City of Warren, **Warren County**.

Description of Proposed Action/Activity: Amendment to existing Water Quality Management permit for the installation of an Evaporator System in order to treat high TDS and high chloride wastewater.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 0909003R	Mr. Joseph Bonargo 3461 Durham Road Doylestown, PA 18901	Bucks	Buckingham Township	Paunacussing Creek HQ—CWF
PAI01 0914003	The Municipal Authority of the Borough of Morrisville 35 Union Street Morrisville, PA 19067	Bucks	Falls Township	Delaware Canal WWF—MF
PAI01 1514023	TC NE Metro Development, Inc. 300 Conshohocken State Road Suite 250 Conshohocken, PA 19428	Chester	Tredyffrin Township	Valley Creek EV—MF
PAI01 1513030	Diament Building Corporation 144 Byers Road P. O. Box 471 Uwchland, PA 19480	Chester	West Pikeland Township	Unnamed Tributary to Pickering Creek HQ—TSF
PAI01 1514008	Upper Uwchlan Township 140 Pottstown Pike Chester Springs, PA 19425	Chester	Upper Uwchlan Township	Unnamed Tributary to Marsh Creek HQ—TSF—MF
PAI01 4612002	Montgomery County County Commissioners' Office Montgomery County Courthouse P. O. Box 311 Norristown, PA 19404	Montgomery	Norristown Borough and Plymouth Township	Schuylkill River Basin (Stony Creek to Unnamed Tributary to 00926) WWF—MF Diamond Run WWF—MF
PAI01 4613014	Jacksonville Green, LLC 260 West Walnut Lane Philadelphia, PA 19144	Montgomery	Hatboro Borough	Pennypack Creek TSF
PAI01 5114010	The Church of Jesus Christ of Latter-day Saints 50 East North Temple Street Salt Lake City, UT 84150	Philadelphia	City of Philadelphia	Schuylkill River WWF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024814004	Pennsylvania American Water Company 4 Wellington Boulevard, Suite 2 Wyomissing, PA 19610	Northampton	Upper Mount Bethel Township	West Fork Martins Creek (CWF, MF), Wetlands (EV)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024813011	E&M Logistics, LLC 928 North Ninth Street Allentown, PA 18102	Northampton	Hanover Township	Monocacy Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041414002	PA Dept of Transportation 2-0 PO Box 342 Clearfield PA 16830	Centre	Potter Township	UNT to Laurel Creek HQ-CWF, MF UNT to Potters Run HQ-CWF, MF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041814004	PA Dept of Conservation & Natural Resources 15187 Renovo Rd Renovo PA 17764	Clinton	Gallagher Township	Lick Run EV

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

General Permit Type—PAG-02

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
West Bradford Township Chester County	PAG0200 1504014R	Sawmill Realty Associates, LP 1595 Paoli Pike West Chester, PA 19380	Sawmill Run, East Branch Brandywine Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Caln Township Chester County	PAG0200 1512016-R	Skelp Level Associates 1171 Lancaster Avenue Berwyn, PA 19312	Tributary to East Branch Brandywine Creek WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Whiteland Township Chester County	PAG0200 1514010	Whitford Country Club 600 Whitford Hills Road Exton, PA 19341	Unnamed Tributary to Valley Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Goshen Township Chester County	PAG0200 1514012	West Chester Area School District 1181 McDermott Drive West Chester, PA 19380	Chester Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Phoenixville Borough Chester County	PAG0200 1512003-R	David H Moskowitz 1890 Rose Cottage Lane Malvern, PA 19355	French Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Kennett Township Chester County	PAG0200 1514006	Hionis Properties 780 Baltimore Pike Concordville, PA 19331	Burroughs Brook CWF Craigs Mill Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Oxford Township Chester County	PAG0200 1504016R	Woodstone Homes 70 Pottstown Pike P.O. Box 814 Uwchland, PA 19480	Unnamed Tributary to Leech Run, East Branch Octararo Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Newlin Township Chester County	PAG0200 1514011	Marlborough Farm 940 Marlborough Springs Road Kennett Square, PA 19348	Pocopson Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Goshen Township Chester County	PAG0200 1511039-R	Greystone South Property Corporation 101 W. Washington Street Conshohocken, PA 19428	Taylor Run TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Caln Township Chester County	PAG0200 1514013	Aaron E. Glick, Jr. 640 Old Wilmington Road Coatesville, PA 19320	Unnamed Tributary to West Branch Brandywine Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Valley Township Chester County	PAG0200 1506024(1)R	All County Partnership 2500 East High Street Suite 610 Pottstown, PA 19464	Sucker Run WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Caln Township Chester County	PAG0200 1503137-R	Rouse/Chamberlin LTD 500 Exton Commons Exton, PA 19341	Beaver Creek CWF Unnamed Tributary to Beaver Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Parkesburg Borough Chester County	PAG0200 1505036-R	David, Amberto & Gregory Mattioni 202 W. Uwchlan Drive Downingtown, PA 19335	Back Run TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Oxford Borough Chester County	PAG0200 1513012-R	PHI d/b/a Presbyterian Senior Living One Trinity Drive East Suite 201 Dillsburg, PA 17019	Unnamed Tributary to Tweed Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Whiteland Township Chester County	PAG0200 1514008	J. Lowe & Associates, Inc. 55 Country Club Drive Suite 200 Downingtown, PA 19355	Valley Creek CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
City of Chester Delaware County	PAG0200 2314017	Covanta Delaware Valley, L.P. 10 Highland Avenue Chester, PA 19013	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Media Borough Delaware County	PAG0200 2314013	Jefferson Street Associates, LLC 181 Dam View Drive Media, PA 19063	Ridley Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Concord Township Delaware County	PAG0200 2313030	Kwang Lee 175 Thompson Drive Hockessin, DE 19707	West Branch of Chester Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG0200 2314008	Enrico Partners, L.P. 795 E. Lancaster Avenue Villanova, PA 19085	Brown's Run CWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Chester Township Delaware County	PAG0200 2313027	MIM-Hayden Aston Development Partners, L.P. One Fayette Street, Suite 400 Conshohocken, PA 19428	Unnamed Tributary to Chester Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Limerick Township Montgomery County	PAG0200 4614042	Limerick Township 646 West Ridge Pike Limerick, PA 19438	Lodal Creek TSF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Springfield Township Montgomery County	PAG0200 4614046	Saint Joseph Villa 110 W. Wissahickon Avenue Flourtown, PA 19031	Wissahickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511334	Paramount Realty 1195 Route 70, Suite 2000 Lakewood, NJ 08701	Tacony-Frankford Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201 511424	Girard Squarer, A NY LP 900 Seventh Street, NW Suite 900 Washington, DC 20001	Delaware River WWF—MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Cass Township Schuylkill County	PAG02005414007	Trillium CNG 2150 South 1300 East Suite 450 Salt Lake City, UT 84106	West Branch Schuylkill River (CWF, MF)	Schuylkill County Conservation District 570-622-3742
Washington Township Schuylkill County	PAG02005407005RR	High Builders 539 Woleber Road Myerstown, PA 17067	Lower Little Swatara Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742
Wayne Township Schuylkill County	PAG02005414006	Jarod Frantz 79 Stone Mountain Road Schuylkill Haven, PA 17972	Beaver Creek (CWF, MF)	Schuylkill County Conservation District 570-622-3742
Nicholson Township Wyoming County	ESCGP026614001	Oxbow Creek Energy LLC 6051 Wallace Road Ext. Suite 100 Wexford, PA 15090	Horton Creek (CWF, MF)	Wyoming County Conservation District 570-836-2589

NOTICES

5913

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636

Facility Location:

Municipality & County	Permit No.	Applicant Name & Address	Receiving Water / Use	Contact Office & Phone No.
Bradford County Canton Township	PAG02000814007	Jay Myer Canton Mennonite Church 13019 Route 414 Roaring Branch PA 17765	Mill Creek CWF	Bradford County Conservation District Stoll Natural Resource Ctr RR 5, Box 5030C Towanda PA 18848 (570) 265-5539, X 6
Centre County Ferguson Township	PAG02001410014R(1)	Johnson Farm Associates 2121 Old Gatesburg Rd State College PA 16801	Big Hollow CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte PA 16823 (814) 355-6817
Clearfield County Lawrence Township	PAG02001714004	NVP Inc 1401 Pontiac Ct Export PA 15632	Clearfield Creek WWF	Clearfield County Conservation District 650 Leonard St Clearfield PA 16830 (814) 765-2629
Clearfield County Bradford Township	PAG02001714005	Walker Lumber 148 Tipple Ln Woodland PA 16881	Roaring Run CWF	Clearfield County Conservation District 650 Leonard St Clearfield PA 16830 (814) 765-2629
Clearfield County Sandy Township	PAG02001714006	Russel Stone Products Inc 2640 Greenville Pike Grampian PA 16838	Sandy Lick Creek CWF	Clearfield County Conservation District 650 Leonard St Clearfield PA 16830 (814) 765-2629
Lycoming County Muncy Creek Twp	PAG02004114015	West Branch Regional Auth 117 Old Glade Run Rd PO Box 428 Muncy PA 17756	W B Susquehanna River WWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville PA 17754 (570) 433-3003
Lycoming County Wolf Township	PAG02004114017	Carlton Decker 872 Elm Dr Hughesville PA 17737	Muncy Creek TSF, MF Greggs Run CWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville PA 17754 (570) 433-3003
Northumberland County Milton Borough	PAG02004912007R	Milton Regional Sewer Auth 5585 State Route 405 Milton PA 17847	W B Susquehanna River WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury PA 17801 (570) 286.7114 X 4
Snyder County W Perry Twp	PAG02005514005	Dale Weaver 4370 Heister Valley Rd Richfield PA 17086	UNT of NB Mahantango TSF	Snyder County Conservation District 403 W Market St Middleburg PA 17842 (570) 837-0007, X 5
Snyder County Shamokin Dam Monroe Township	PAG02005514008	Sunbury Generation LP PO Box 514 Old Trail Shamokin Dam PA 17876	Susquehanna River WWF, MF	Snyder County Conservation District 403 W Market St Middleburg PA 17842 (570) 837-0007, X 5
Tioga County Blossburg Boro	PAG02005910002R(1)	Hydro Recovery LP 238 Main St Lobby 2 Blossburg PA 16912	Johnson Creek CWF	Tioga County Conservation District 50 Plaza Ln Wellsboro PA 16901 (570) 724-1801, X 3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Union County Kelly Township	PAG02006014009	Mark DiRocco, Superintendent Lewisburg School Dist 1951 Washington Ave Lewisburg PA 17837	UNT to Buffalo Creek CWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg PA 17837 (570) 524-3860
Chest Township, Cambria County	PAG2091114005	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Wyerough Run (CWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

General Permit Type—PAG-03

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Scranton City Lackawanna County	PAR602215	Lackawanna Recycling Center Inc. 3400 Boulevard Avenue Scranton, PA 18512	Lackawanna River—5-A (CWF)	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Towanda Borough Bradford County	PAG034807 A-1	Jacam Chemicals, LLC P.O. Box 96 Sterling, KS 67579	Susquehanna River—4-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Millcreek Township Erie County	PAR808347	UPS Inc. 521 N Center Avenue New Stanton, PA 15672	Storm sewer leading to Walnut Creek 15	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-4

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bedford County / Broad Top Township	PAG043567	Broad Top Township— Barton Residence 187 Municipal Road Defiance, PA 16633	UNT Longs Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043636	Broad Top Township— Banco Residence 187 Municipal Road Defiance, PA 16633	UNT Sixmile Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043666	Broad Top Township— Aller Residence 187 Municipal Road Defiance, PA 16633	UNT Sixmile Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

NOTICES

5915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bedford County / Broad Top Township	PAG043663	Broad Top Township— Figard Residence 187 Municipal Road Defiance, PA 16633	UNT Longs Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043653	Broad Top Township Morningstar Residence 187 Municipal Road Defiance, PA 16633	Sherman Valley Run / CWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043639	Broad Top Township Kline Barton Residence 187 Municipal Road Defiance, PA 16633	Sandy Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043667	Broad Top Township Grimes Residence 187 Municipal Road Defiance, PA 16633	UNT Sixmile Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043647	Broad Top Township Foor Residence 187 Municipal Road Defiance, PA 16633	Sixmile Run	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043665	Broad Top Township Fleck & Righenour Residence 187 Municipal Road Defiance, PA 16633	UNT Sixmile Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043662	Broad Top Township Fisher Residence 187 Municipal Road Defiance, PA 16633	Sherman Valley Run / CWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043717	Broad Top Township Snyder Residence 187 Municipal Road Defiance, PA 16633	Sandy Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043677	Broad Top Township Weaver Residence 187 Municipal Road Defiance, PA 16633	UNT Shoup Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043669	Broad Top Township Walk Residence 187 Municipal Road Defiance, PA 16633	UNT Coffee Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043687	Broad Top Township Sibiriakoff Residence 187 Municipal Road Defiance, PA 16633	UNT Sixmile Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043689	Broad Top Township Shuke Residence 187 Municipal Road Defiance, PA 16633	Sherman Valley Run / CWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bedford County / Broad Top Township	PAG043628	Broad Top Township Rankin Residence 187 Municipal Road Defiance, PA 16633	UNT Sixmile Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043661	Broad Top Township Russell Pittman Residence 187 Municipal Road Defiance, PA 16633	Sherman Valley Run / CWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043659	Broad Top Township Pittman Residence 187 Municipal Road Defiance, PA 16633	Sherman Valley Run / CWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County / Broad Top Township	PAG043627	Broad Top Township Musser & Foor Residence 187 Municipal Road Defiance, PA 16633	Sandy Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Broad Top Township / Bedford County	PAG043589	Broad Top Township Williams Residence 187 Municipal Road Defiance, PA 16633	UNT Tub Mill Run / WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-10

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Carroll Township Washington County	PAG106182	Rice Poseidon Midstream LLC 400 Woodcliff Drive Canonsburg, PA 15317	Barneys Run, Browns Run, North Branch Fishpot Run, Unnamed Tributary of Pike Run, Unnamed Tributary of South Fork Tenmile Creek, Unnamed Tributary to Monongahela River—19-B and 19-C / WWF and TSF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropri-

ate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 4014505MA, Public Water Supply.

Applicant **Hazleton City Authority**
400 E. Arthur Gardner Parkway
Hazleton, Pa 18201

[Borough or Township] City of Hazleton, Hazle
Township, Packer Township

County **Luzerne & Carbon**

Type of Facility PWS

Consulting Engineer John Synoski, PE
Hazleton City Authority
400 E. Arthur Gardner Parkway
Hazleton, Pa 18201

Permit to Construct August 24, 2014
Issued

Permit No. 4814503MA, Public Water Supply.

Applicant **Pennsylvania American
Water Company**
800 W. Hersheypark Dr.
Hershey, Pa 17033

[Borough or Township] Upper Mount Bethel Township

County **Northampton**

Type of Facility PWS

Consulting Engineer Jason Reichert, PE
Entech Engineering, Inc.
P. O. Box 32
Reading, Pa 19603

Permit to Construct August 25, 2014
Issued

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 6714503 MA, Public Water Supply.

Applicant **Stewartstown Water
Authority**

Municipality Hopewell Township

County **York**

Responsible Official Gary S. Hook, Authority
Chairman
Borough Office
6 North Main Street
Stewartstown, PA 17363

Type of Facility Relocating of Route 851 chlorine
booster station equipment from a
pit to a prefabricated building.

Consulting Engineer Dennis E. Sarpen, P.E.
Holley & Assoc.
18 S. George St.
York, PA 17402

Permit to Construct 8/26/2014
Issued

Permit No. 6714504 MA, Minor Amendment, Public Water Supply.

Applicant **United Water Pennsylvania,
Inc.**

Municipality Fairview Township

County **York**

Responsible Official John D. Hollenbach, Vice
President
4211 East Park Circle
Harrisburg, PA 17111-0151

Type of Facility Rehabilitation of filter Nos. 1
and 2 at the Rabold Water
Treatment Plant.

Consulting Engineer Arthur C. Saunders, P.E.
United Water Pennsylvania
4211 East Park Circle
Harrisburg, PA 17111

Permit to Construct 8/19/2014
Issued

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Operation Permit issued to **Pennsylvania American Water Company**, PWSID No. 5100012, Center Township, **Butler County**. Permit Number 1069502-T1-MA10 issued August 26, 2014 for the operation of the recently renovated "Butler Washwater Tank #1" and "Butler Washwater Tank #2" at the Butler District water treatment plant. This permit is issued in response to satisfactory VOC and bacteriological sample results and a Construction Completion/Modification Certificate which was received on August 20, 2014.

Operation Permit issued to **Pennsylvania American Water Company**, PWSID No. 6370011, Lancaster Township, **Butler County**. Permit Number 3713504 issued August 27, 2014 for the operation of the Butler District Route 19 Booster Station located near the intersection of Meinert Lane and S.R. 19 in Lancaster Township, Butler County, PA. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on August 19, 2014.

Permit No. 6105501-MA1 Public Water Supply

Applicant **Sugarcreek Borough**

Township or Borough Sugarcreek Borough

County **Venango**

Type of Facility Public Water Supply

Consulting Engineer Joseph A. Roddy, P.E.
Stiffler McGraw Northwest
16424 Route 62
P. O. Box Q
Tidioute, PA 16351

Permit to Construct August 28, 2014
Issued

Operation Permit issued to **John A. and Rebecca R. Venezia**, PWSID No. 5100301, Harrisville Borough, **Butler County**. Permit Number 1014501 issued August 29, 2014 for the operation of the water treatment system located within the "Venezia Building" at 106 South Main Street, Harrisville, Pennsylvania. This permit is issued in response to satisfactory VOC and bacteriological sample

results and a Construction Completion/Modification Certificate which was received on August 21, 2014 and site inspection conducted by the Department on August 26, 2014.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fayette Township	181 Bunkertown Rd, McAlisterville, PA 17049	Juniata

Plan Description: The Component 1 planning module for William H. Fronk, DEP Code No. A3-34903-213-1, APS Id 850871, consisting of subdivision of one new single family residential lot using an on-lot sewage disposal system, is disapproved. The submission does not qualify as an exception to the requirement to revise your Official Sewage Facilities Plan because the subdivision proposes the use of on-lot sewage disposal systems in an area within 1/4 mile of water supplies documented to exceed 5 PPM nitrate-nitrogen as per Chapter 71, Section 71.55(a)(2) and Chapter 71, Section 71.62(c)(2)(iii), and Fayette Township's approved Official Plan. A Component 2 planning module with a preliminary hydrogeologic evaluation must be completed.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects

caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Little Mountain Estates Lot 30 / Oyler Residence, 398 Kings Highway, Marysville, PA 17053, Marysville Borough, **Perry County.** Cardno MM&A, 2 Gunpowder Road, Mechanicsburg, PA 17050, on behalf of P. C. Sekhar Chadaga, d/b/a Little Mountain Estates, 110 Inverness Drive, Blue Bell, PA 19422-3202, and Property Management, Inc., 1300 Market Street, PO Box 622, Lemoyne, PA 17043-0622, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the

presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

George Sultzaberger Property, 1716 Wayne Street, Harrisburg, PA 17104, City of Harrisburg, **Dauphin County**. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of George Sultzaberger, 1716 Wayne Street, Harrisburg, PA 17104, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on August 25, 2014.

RH Crawford, Inc., Diesel Fuel Release, 6475 York Road, Spring Grove, PA 17362, Heidelberg Township, **York County**. Environmental Products and Services of Vermont, Inc., 5100 Paxton Street, Harrisburg, PA 17111, on behalf of RH Crawford, Inc., 341 Moulstown Road, Hanover, PA 17331, and Phillip A. and Lora A. Stambaugh, 6475 York Road, Spring Grove, PA 17362, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel and unleaded gasoline released in a vehicle accident. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on August 27, 2014.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.

General Permit No. WMGR017SW001. Somerset County General Authority—Somerset County (Quemahoning) Water System, Somerset, PA 15501. Determination of Applicability for coverage under residual waste general coverage under WMGR017 for the beneficial use of water supply treatment plant sludge as a supplemental soil by land application on agricultural lands, generated by the Water Filter Plant, located at 458 Mastillo Road, PA 15935, in Jenner Township, **Somerset County**. Determination of Applicability for coverage under the permit was issued by the Regional Office on August 26, 2014.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

General Permit No. WMGM044SE001. NDV Scrap Metal, Inc., 3630 North 2nd Street, Philadelphia PA 19140-4605. This Determination of Applicability is for the processing and beneficial use of unpainted and untreated wood waste; gypsum board; brick, block and concrete waste; non-asbestos containing asphalt shingles; pallets; skids; saw dust; source segregated paper; cardboard and newspaper; plastic waste; scrap metal; unused structural sound building materials; and architectural elements under General Permit No. (WMGM044SE001) at "NDV Scrap Metal, Inc." located in the City of Philadelphia, **Philadelphia County**. The application for determination of applicability was issued on August 21, 2014.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

General Permit Application No. WMGR096. Program I.D. WMGR096-NE004. Bethlehem Earth LP, 491 Old York Road, Jenkintown, PA 19046. A General Permit Determination of Applicability (DOA) for the beneficial use of regulated fill as construction material at the former Bethlehem Steel site in Bethlehem City, **Northampton County**. The application for determination of applicability was approved by the Regional Office on July 28, 2014.

Persons interested in viewing the permit should contact William Tomayko, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790 at 570-826-2511. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401 Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP3-09-0124: Miller Materials, Inc. (887 Mill Creek Road, Rushland, PA 18956) on August 22, 2014, was authorized to operate a Terex Pegson portable nonmetallic mineral processing plant in Wrightstown Township, **Bucks County**.

GP9-09-0054: Miller Materials, Inc. (887 Mill Creek Road, Rushland, PA 18956) on August 22, 2014, was authorized to operate a Caterpillar diesel fuel-fired engine in Wrightstown Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

GP3-58-029: Pennsy Supply Inc. (PO Box 3331, 1001 Paxton Street, Harrisburg, PA 17105) on August 12, 2014, for installation and operation of a portable crushing operation at their site in Middletown Township, **Susquehanna County**.

GP11-58-006: Pennsy Supply Inc. (PO Box 3331, 1001 Paxton Street, Harrisburg, PA 17105) on August 12, 2014, for installation and operation of diesel engines at their site in Middletown Township, **Susquehanna County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP5-41-726: Anadarko Marcellus Midstream, LLC (1201 Lake Robins Drive, The Woodlands, TX 77380) on August 29, 2014, to authorize construction and operation of eight (8) gas-fired compressor engines, two (2) natural gas-fired micro turbines, one (1) natural gas-fired emergency generator, two (2) triethylene dehydrators and four (4) storage tanks pursuant to the General Plan Approval And/Or General Operating Permit for Natural Gas, Coal Bed Methane or Gob Gas Production or Recovery Facilities (BAQ-GPA/GP5) at the Duncan Compressor Station in Cascade Township, **Lycoming County**.

GP3-41-727: Simonds Excavating, Inc. (301 Shepard Road. Sayre, PA 18840) on August 26, 2014, to authorize relocation of a portable crushing and sizing operation pursuant to the General Plan Approval And/Or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP3) at HRI's Williamsport asphalt plant in City of Williamsport, **Lycoming County**.

GP3-19-205: Simonds Excavating, Inc. (301 Shepard Road. Sayre, PA 18840) on August 26, 2014, to authorize relocation of a portable crushing and sizing operation pursuant to the General Plan Approval And/Or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP3) at HRI's Bloomsburg asphalt plant in Hemlock Township, **Columbia County**.

GP4-19: Patriot Metal Products, Inc. (1005 North Vine Street Berwick, PA 18603) on August 29, 2014, to authorize construction and operation of a 2.0 MMBTU/hr natural gas fired JBI model BBO-10915 burn off oven pursuant to the General Plan Approval And/Or General Operating Permit for Burn Off Ovens (BAQ-GPA/GP4) at their facility in Berwick Borough, **Columbia County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

GP3-26-00597F: Bullskin Stone & Lime, LLC (P.O. Box 528, Latrobe, PA 15650) on August 26, 2014, received authorization for construction and operation of additional sources and controls associated with a portable non-metallic mineral processing plant at the Bullskin No. 1 Mine in Bullskin Township, **Fayette County**.

GP9-26-00597F: Bullskin Stone & Lime, LLC (P.O. Box 528, Latrobe, PA 15650) on August 26, 2014, received authorization for construction and operation of a an additional diesel or #2 fuel-fired internal combustion engine associated with a portable non-metallic mineral processing plant at the Bullskin No. 1 Mine in Bullskin Township, **Fayette County**.

GP19-63-00154: MCC International Inc. (110 Centrifugal Court, McDonald PA-15057) on August 29, 2014, to allow installation and operation of a sandblasting booth controlled by dust collector rated at 10,000 ACFM at their facility in McDonald Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP5-43-351B: South Mercer Pipeline System (24 Rock School Rd., Greenville, PA 16125) on August 26, 2014, for authorization to construct and/or operate one (1) rich burn 4 stroke natural gas engine (Waukesha Model F1197G rated 163 bhp), one (1) 4200 gal produced water/residual compressor oil storage tank (Source ID SM 100 bb), and one (1) TJS Natural Gas Dehydrator (SN 5489 Triethylene Glycol) which is associated with a .15 mmBtu/hr Reboiler (BAQ-GPA/GP5) in Delaware Township, **Mercer County**.

GP4-62-150A: Superior Tire & Rubber Co. (1818 Pennsylvania Avenue West, Warren, PA 16365) on August 25, 2014, for authorization to use a burn off oven (Model 565 BA-R) (BAQ-GPA/GP4) in the City of Warren, **Warren County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

46-0283A: Danco General Contracting, Inc. (485 Texas Road, Morganville, NJ 07751) on August 27, 2014, for installation of a replacement diesel-fired engine to power a portable crusher that will be operated at the Silvi Concrete facility in Limerick Township, **Montgomery County**. The Plan Approval will contain recordkeep-

ing and operating restrictions designed to keep the facility operating within allowable emissions and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00022B: SAPA Extrusions, Inc. (53 Pottsville Road, Cressona, PA 17929) on August 26, 2014, to install Oxy-Fire burners on M5 at their facility in Cressona Borough, **Schuylkill County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

12-00011A: GrafTech International (PO Box 269, Emporium, PA 15834-0269) on August 19, 2014, to construct eleven (11) natural gas fired carbon bake furnaces and one (1) double arm mixer with associated fabric collector at their facility in Shippen Township, **Cameron County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

03-00151A: Rosebud Mining Co. (301 Market Street, Kittanning, PA 16201) on August 26, 2014, to allow continuing operation of the previously installed sources at their Dutch Run Plant, a coal preparation facility in Plumcreek Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

24-167B: E Carbon America (806 Theresia Street, Saint Marys, PA 15857) on August 29, 2014, to issue a plan approval for modification of the facility operating conditions associated with the operation of the control device established in plan approval 24-167A in Saint Marys City, **Elk County**. This is a Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

09-0024H: Waste Management of Pennsylvania (1000 New Ford Mill Road, Morrisville, PA 19067) on August 26, 2014, to operate landfill gas fired 2233 hp IC engine in Tullytown Borough, **Bucks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00005G: Dominion Transmission, Inc. (501 Martindale St. Suite 400, Pittsburgh, PA 15212-5817) on August 28, 2014, to extend authorization for the construction of a 2370 horsepower, natural-gas fired reciprocating

internal combustion compressor engine controlled by a prechambered combustion system, an LE-54C air/fuel ratio controller and an EAS model EN4YE28 oxidation catalyst, for the construction of a 5810 horsepower (49.98 million Btu per hour heat input), natural-gas fired compressor turbine, controlled by a dry low NO_x (SoLoNO_x) combustion system and a Universal Silencer oxidation catalyst and for the construction of eight 65 kilowatt model C65 NG Low NO_x Capstone MicroTurbines, at the Sabinsville Station located in Clymer Township, **Tioga County**. The plan approval has been extended to February 25, 2015

55-00001E: Sunbury Generation, LP (Old Trail Road, PO Box 517, Shamokin Dam, PA 17876) on August 25, 2014, to extend authorization for the repowering of their facility. The project consists of the construction of three (3) natural gas fired combined cycle turbines controlled by a selective catalytic reduction units and oxidation catalyst, a natural gas fired auxiliary boiler to assist with start-up and shut down and a natural gas fired heater at their facility located in Shamokin Dam Borough, **Snyder County**. The plan approval has been extended to March 31, 2017

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-00006: Russell Standard Corporation—Waterford Plant (PO Box 86, Union City, PA 16438) on August 29, 2014, issued an administrative amendment to the State Only Operating Permit for their facility in Le Beouf Township, **Erie County**. The amendment incorporates the change of the responsible official and permit contact.

25-00929: Russell Standard Corporation—Millcreek Plant (PO Box 86, Union City, PA 16438) on August 29, 2014, issued an administrative amendment to the State Only Operating Permit for their facility in Millcreek Township, **Erie County**. The amendment incorporates the change of the responsible official and permit contact.

37-331A: RWE Holding Co.—West Pittsburgh Plant (535 Rundle Road, New Castle, PA 16101) on August 25, 2014, effective September 30, 2014, will issue a plan approval extension for post-construction of a slag handling, anti-skid mining, coke screening, bulk carbon loading and graphite drying operation. This facility is located in Taylor Township, **Lawrence County**. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

46-00162: Hammond Lead Products, Inc. (10 South Grosstown Road, Pottstown, PA 19464) on August 27, 2014, for operation of a lead oxide manufacturing plant in West Pottsgrove Township, **Montgomery County**. Particulate matter and lead emissions from each source are collected by baghouses and then controlled by high efficiency particulate air (HEPA) filter systems. The existing facility is considered a Title V facility as of March 21, 2013 due to a National Emission Standard for Hazardous

Air Pollutants (NESHAP) requirement. All sources located at the facility are subject to the requirements of 40 CFR Part 63, Subpart VVVVVV—National Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources (producing NAICS Code 325 materials). The facility is an area source for Hazardous Air Pollutants (HAP). The Title V Operating Permit will supersede the Natural Minor Operating Permit in its entirety. There are no new sources at this facility; however, new source identification numbers have been created in order to separate grouped sources. The permit contains all applicable requirements including monitoring, recordkeeping and reporting. The Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64 do not apply to sources located at Hammond according to 40 CFR § 64.2(b)(1)(i). The NEHSAP standard for lead (a metal HAP) emissions applicable to Hammond (40 CFR Part 63 Subpart VVVVVV) was proposed by the Administrator after November 15, 1990 pursuant to Section 112 of the Act. The source is not a major source for Greenhouse Gases (GHG).

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00127: Bracalente Manufacturing Co., Inc. (P.O. Box 570, Trumbauersville, PA 18970) on August 27, 2014, for renewal of a State-Only Operating Permit for cold cleaning machines in Trumbauersville Township, **Bucks County**. This Operating Permit contains all applicable state and federal regulations applicable to the facility including emission limitations, operating restrictions, work practice, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

46-00239: SEI Investments Co. (100 Cider Mill Road, Oaks, PA 19456) On August 27, 2014, for Renewal of a State Only, Synthetic Minor Operating Permit in Upper Providence Township, **Montgomery County**. The company has 3 emergency generators less than 750 KW and 2 emergency generators of 1,250 kW operated using No. 2 fuel oil. Each of two 1,250-kW emergency generators shall be limited to 200 hours of operation for a 12-month rolling basis. The facility is limited to NO_x emissions of 7.77 tons per ozone season and 11.62 tons per year on a 12-month rolling basis. The permit will include monitoring, record keeping and reporting requirements designed to address all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00125: Sunlight Crematory of Wilkes-Barre, LLC (628 C Nanticoke Street, Hanover Township, PA 18706) on August 26, 2014, to operate two (2) crematories in Hanover Township, **Luzerne County**. This is a new State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

40-00038: Lion Brewing Company (700 North Pennsylvania Avenue, Wilkes-Barre, PA 18705) on August 26, 2014, to operate a malt beverage manufacturing facility in the City of Wilkes-Barre, **Luzerne County**. The sources consist of two (2) boilers, parts washer, generator and raw material unloading. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

39-00103: Bosch Rexroth Corp. (2315 City Line Road, Bethlehem, PA 18017-2131) on August 27, 2014, to operate a surface coating facility in the City of Bethlehem, **Lehigh County**. The sources consist of four (4) paint booths and (4) four particulate filters for the booths. This is an initial State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

39-00035: Allentown City WWTP (112 West Union Street, Allentown, PA 18102-4912) on August 26, 2014, issued a renewal State only operating permit for a wastewater treatment plant in the City of Allentown, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

67-03013: Georgia Pacific Corp. (25 Walnut Street, PO Box 906, Mount Wolf, PA 17347) on August 25, 2014, for their corrugated cardboard box manufacturing facility in Mount Wolf Borough, **York County**. The State-only permit was renewed.

21-03029: Pennsy Supply, Inc. (1001 Paxton Street, PO Box 3331, Harrisburg, PA 17105-3331) on August 25, 2014, for their sandstone crushing plant at the Mt. Holly Quarry in Dickinson Township, **Cumberland County**. The State-only permit was renewed.

28-03026: Gish Logging, Inc. (PO Box 282, Fort Loudon, PA 17224-9732) on August 22, 2014, for their bundled, kiln-dried firewood manufacturing facility in Metal Township, **Franklin County**. The State-only permit was renewed.

01-05040: Texas Eastern Transmission LP (PO Box 1642, Houston, TX 77251-1642) on August 26, 2014, for their Heidlersburg Compressor Station in Tyrone Township, **Adams County**. The State-only permit was renewed.

36-03187: Allied Veterinary Cremation, Ltd. (1966 Mastersonville Road, Manheim, PA 17545) on August 28, 2014, for their four (4) veterinary cremation units at the facility in Rapho Township, **Lancaster County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

47-00011: Hanson Aggregates (PA) Inc. (7660 Imperial Way Allentown, PA 18195) on August 27, 2014, for the Milton Quarry in Limestone and Liberty Townships, **Montour County**. The State Only operating permit contains requirements including monitoring, recordkeep-

ing, and reporting conditions to ensure compliance with applicable Federal and State regulations.

12-00011: GraffTech International (PO Box 269 Emporium, PA 15834-0269) on August 21, 2014, for their facility in Shippen Township, **Cameron County**. The State Only operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

08-00017: Northern Tier Solid Waste Authority (PO Box 269 Burlington, PA 18814-0010) on August 22, 2014, for the Bradford County Landfill in West Burlington Township, **Bradford County**. The State Only operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

03-00050: Creekside Mushrooms Ltd. (One Moonlight Drive, Worthington, PA 16262) on August 28, 2014, to issue the State Only Operating Permit for the a mushroom processing facility, known as the Creekside Mushrooms, located in West Franklin Township, **Armstrong County**.

The facility contains air contamination sources consisting of two NG-fired boilers with heat input capacities of 12.8 and 25.1 MMBtu/hr each, a 1,700-bhp diesel powered emergency electrical generator, and a 23.7 MMBtu/hr NG fired soil pasteurizer and blender. Facility emissions are 37.2 tons of NO_x, 25.0 tons of CO, 2.4 tons of PM₁₀, 1.8 tons of VOC and 33,100 tons of CO_{2e} per year.

No emission or equipment changes have been approved by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Parts 52 and 63 and Pa. Code Title 25, Article III, Chapters 121 through 145.

63-00943: Dominion Transmission, Inc. (5000 Dominion Blvd.—2NW, Glenn Allen, VA 23060) on August 28, 2014, to issue a Natural Minor Operating Permit for the operation of a bulk propane terminal, known as the Charleroi Propane Station, located in Fallowfield Township, **Washington County**.

The facility contains air contamination sources consisting of six, 90,000 gallon, pressurized storage tanks and two truck loading racks. Fuel throughput is limited to a maximum of 4,000 truck load-outs per year. Facility emissions are 5.0 tons per year of VOC. The facility is limited to a maximum opacity from any processing equipment of 20 percent.

No emission or equipment changes have been approved by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SOOP have been derived from the applicable requirements of 40 CFR Part 52 and PA Code Title 25, Article III, Chapters 121 through 145.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

43-00037: Development of Sharpsville Furnace LTD (2 North 6th Street, Sharpsville, PA 16150-0257) on August 26, 2014, issued a renewal of the State Only

Operating Permit for the non-metallic mineral processing operations located in Sharpsville Boro, **Mercer County**. The facility is a Natural Minor. The primary sources at the facility include a crusher rated at 130 HP, screening and conveying equipment rated at 75 TPY, and fugitive emissions from plant roadways. The equipment uses pole power. The renewal application provided estimates of the potential particulate emissions from the facility crushing, screening, and loading of 19.66 TPY (PM). The PM₁₀ emissions were identified as 9.44 TPY. The potential emissions are based on 8,760 hours of operation. The actual estimated emissions provided in the application for screening and processing were 4.67 TPY (PM) and 2.24 TPY (PM₁₀). Emissions from vehicular traffic at the site based on actual emissions are 17.48 and 3.5 TPY, respectively for PM and PM₁₀ emissions.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas J. Hanlon, Facility Permitting Chief—Telephone: 717-705-4862 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05146: PPL Renewable Energy, LLC (2 North Ninth Street, GENPL2, Allentown, PA 18101-1139) on August 19, 2014, for their landfill gas-to-energy facility associated with the Frey Farm landfill in Manor Township, **Lancaster County**. The Title V permit was administratively amended to incorporate the requirements of Plan Approval No. 36-05146B.

36-03085: Goodhart Sons, Inc. (2515 Horseshoe Road, Lancaster, PA 17601-5939) on August 22, 2014, for their metal products manufacturing facility in Upper Leacock Township, **Lancaster County**. The State-only permit was administratively amended to correct an error in the reporting requirements.

34-05001: AC Products, Inc. (12393 William Penn Highway, Thompsettown, PA 17094-8649) on August 26, 2014, for their wood cabinet manufacturing facility in Delaware Township, **Juniata County**. The Title V permit was administratively amended to incorporate the requirements of Plan Approval No. 34-05001D5.

67-03052: Bimax, Inc. (158 Industrial Road, Glen Rock, PA 17327-8626) on August 26, 2014, for their specialty chemicals manufacturing facility in Springfield Township, **York County**. The State-only permit was administratively amended to incorporate the requirements of Plan Approval No. 67-03052B.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

04-00013: Jewel Acquisition, LLC (100 River Road, Brackenridge, PA 15014) on August 26, 2014, for a modification to Title V operating Permit to include the replacement of the ozone generator with an SCR to control NO_x emissions from the existing DRAP Line mixed acid pickling process at Jewel Acquisition located in Midland, **Beaver County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

65-00207: OMNOVA Solutions, Inc. (1001 Chambers Avenue, Jeanette, PA 15644). Per 25 Pa. Code § 127.449(i), this Notice is for the following de minimis emission increase at the Omnova Solutions, Inc., Jeanette Plant located in Jeanette, **Westmoreland County**.

The project consists of the installation and operation of an inkjet printing system on the existing Embosser/Laminator line at the above referenced facility. Authorized de minimis emissions over the term of the permit do not exceed 0.4 tpy VOC from a single source; authorized de minimis emissions over the term of the permit total 0.4 tpy VOC; any actual emission increase will be included in the annual emission inventory; and this project will not trigger the requirements of 25 PA Code Subchapter E or 40 CFR Part 52 at the facility

The list of de minimis increases at this facility includes only this project.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724.769.1100

30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, (1525 Pleasant Grove Road, PO Box J, Claysville, PA 15323). To revise the permit for the Bailey Mine and Prep Plant in Richhill Township, **Greene County** to install three gob degasification boreholes. Surface Acres Proposed 18.7. No additional discharges. The application was considered administratively complete on March 18, 2014. Application received January 10, 2014. Permit issued August 21, 2014.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 11020202 and NPDES No. PA0249254. Ebensburg Power Company, 2840 New Germany Road, P.O. Box 845, Ebensburg, PA 15931, permit renewal for the continued operation and restoration of a bitumi-

nous coal refuse reprocessing surface mine in Nanty Glo Borough and Jackson Township, **Cambria County**, affecting 48.2 acres. Receiving streams: Tributary to South Branch Blacklick Creek to Blacklick Creek to Two Lick Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 2, 2014. Permit issued: August 19, 2014.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

63130101 and NPDES Permit No. PA0252395. S & K Energy, Inc. (5945 Pudding Stone Lane, Bethel Park, PA 15102). Permit issued for commencement, operation and restoration of a bituminous surface mine, located in Smith Township, **Washington County**, affecting 72.0 acres. Receiving streams: unnamed tributaries to Raccoon Creek and Little Raccoon Creek. Application received: January 29, 2014. Permit issued: August 28, 2014.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

04070101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous surface mine in North Sewickley Township, **Beaver County**, affecting 151.7 acres. Receiving streams: Unnamed tributary to Beaver River. This renewal is issued for reclamation only. Application received: July 10, 2014. Permit Issued: August 26, 2014.

33140104 and NPDES Permit No. PA0259489. MSM Coal Company, Inc. (P.O. Box 243, DuBois, PA 15801) Commencement, operation and restoration of a bituminous surface and auger mine and associated NPDES permit in Pine Creek Township, **Jefferson County**, affecting 197.5 acres. Receiving streams: Unnamed tributary to Sandy Lick Creek. Application received: April 11, 2014. Permit Issued: August 26, 2014.

Noncoal Permits Issued

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

65930601 and NPDES Permit No. PA0200379. Hoover Stone Quarry LLC (3497 Route 981, Saltsburg, PA 15681). Revision permit issued for incidental boundary correction and change post mining land use to unmanaged natural habitat to an existing large noncoal surface mine, located in Loyalhanna Township, **Westmoreland County**, affecting 77.4 acres. Receiving stream: unnamed tributary to Conemaugh River. Application received: March 18, 2014. Permit revision issued: August 28, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 7974SM1C7. Hanson Aggregates PA, LLC, (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Rockhill Township, **Bucks County** affecting 103.2 acres, receiving stream: unnamed tributary to Thicken Creek. Application received: February 19, 2013. Renewal issued: August 26, 2014.

Permit No. 7974SM2A2C11 and NPDES Permit No. PA0611999. Hanson Aggregates BMC, Inc., (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Nockamixon Township, **Bucks County** affecting 83.5 acres, receiving stream: Rapp Creek. Application received: August 16, 2013. Renewal issued: August 26, 2014.

Permit No. 8173SM1C17 and NPDES Permit No. PA0594148. Hanson Aggregates PA, LLC, (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Caln and West Whiteland Townships, **Chester County** affecting 355.0 acres, receiving stream: East Branch Brandywine Creek. Application received: September 13, 2013. Renewal issued: August 26, 2014.

Permit No. 6275SM2C12 and NPDES Permit No. PA0594539. Hanson Aggregates PA, LLC, (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Limestone & Liberty Townships affecting 285.5 acres, receiving streams: unnamed tributary to Chillisquaque Creek and Chillisquaque Creek. Application received: January 13, 2014. Renewal issued: August 26, 2014.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 22144109. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Millstone Development in West Hanover Township, **Dauphin County** with an expiration date of August 22, 2015. Permit issued: August 26, 2014.

Permit No. 36144147. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Bent Creek in Manheim and East Hempfield Townships, **Lancaster County** with an expiration date of August 21, 2015. Permit issued: August 26, 2014.

Permit No. 46144109. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Northgate in Upper Hanover Township, **Montgomery County** with an expiration date of August 19, 2015. Permit issued: August 26, 2014.

Permit No. 58144163. Midstream Explosives, LLC, (289 Southside Drive, Newville, PA 17241), construction blasting for Union Dale lateral pipeline in Union Dale Borough, Herrick and Clifford Townships, **Susquehanna County** with an expiration date of August 19, 2015. Permit issued: August 26, 2014.

Permit No. 45144102. Holbert Explosives, Inc., (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Pocono Substation in Coolbaugh Township, **Monroe County** with an expiration date of August 22, 2015. Permit issued: August 28, 2014.

Permit No. 45144104. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for SRI Development in Jackson Township, **Monroe County** with an expiration date of August 31, 2015. Permit issued: August 28, 2014.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E60-220, Buffalo Valley Recreational Authority, 220 Brookpark Circle, Suite #9, Lewisburg, PA 17837. Buffalo Valley Rail Trail in Lewisburg Borough, **Union County**, ACOE Baltimore District (Lewisburg, PA Quadrangle; Latitude: 40°57'49"N; Longitude: -76°53'23"W).

To construct and maintain: 1) a glued laminated timber deck with a length of 35.25 feet on new timber railing on the existing steel I-beam bridge, 2) concrete repairs to the existing abutments, 3) removing existing earthen approaches next to the bridge and replacing the material with pedestrian trail materials, 4) 360 cubic yards of fill placed within the FEMA 100 year flood fringe of Bull Run due to slight widening of the trail in order to create a pedestrian trail in the location of the abandoned West Shore Railroad bed located on the Buffalo Valley Trail (Lewisburg, PA Quadrangle; Latitude: 40°57'49"N; Longitude: -76°53'23"W) in Lewisburg Borough, Union County. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5829-081: Springville Township, PVR NEPA Gas Gathering, LLC; 101 West Third Street, Williamsport, PA 17701; Springville Township, **Susquehanna County;** ACOE Baltimore District.

To construct, operate, and maintain:

1. an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 3,686 square feet (0.08 acre) of a palustrine emergent wetland (PEM) (Springville, PA Quadrangle, N 41° 41' 36", W -75° 56' 18"),
2. an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 3,301 square feet (0.08 acre) of a palustrine emergent wetland (PEM) (Springville, PA Quadrangle, N 41° 41' 37", W -75° 56' 16"),
3. an 8 inch diameter natural gas pipeline and temporary timber mat crossing impacting 13,615 square feet (0.31 acre) of a palustrine emergent wetland (PEM) (Springville, PA Quadrangle, N 41° 41' 40", W -75° 56' 06"),
4. an 8 inch diameter natural gas pipeline and temporary timber bridge crossing impacting 62 lineal feet of unnamed tributary to White Creek (CWF, MF) (Springville, PA Quadrangle, N 41° 41' 43", W -75° 55' 53").

The Kupscznk D. Well Connect Pipeline consists of approximately 3,670 feet (0.70 mile) of 8" steel natural gas gathering line located in Springville Township, Susquehanna County. The project will result in 62 lineal feet of temporary stream impacts and 20,602 square feet (0.47 acre) of temporary wetland impacts all for the purpose of development and conveyance of Marcellus Shale natural gas.

E5729-073: Appalachia Midstream Services, LLC, 100 IST Center, Horseheads, NY, 14845 Cherry Township, **Sullivan County,** USACE Baltimore District.

To construct, operate, and maintain:

- (1) A temporary road crossing using timber mats and a 6-inch diameter well line impacting 2,624 square feet of an exceptional value palustrine forested (EV-PFO) wetland, 168 linear feet of an unnamed tributary to Mill Creek (EV), and 345 square feet of an exceptional value palustrine scrub-shrub and emergent (EV-PSS/PEM) wetland (Dushore Quadrangle 41°31'12"N, 76°28'15"W);
- (2) A temporary road crossing using timber mats and a 6-inch diameter well line impacting 633 square feet of an

exceptional value palustrine emergent (EV-PEM) wetland (Dushore Quadrangle 41°31'11"N, 76°28'19"W);

(3) A temporary road crossing using timber mats and a 6-inch diameter well line temporarily impacting 840 square feet of a palustrine emergent (PEM) wetland, and 139 linear feet of an unnamed tributary to Mill Creek (EV) (Dushore Quadrangle 41°31'10"N, 76°28'21"W);

(4) A temporary road crossing using timber mats and a 6-inch diameter well line impacting 7,194 square feet of an exceptional value palustrine forested (PFO) wetland (Dushore Quadrangle 41°31'10"N, 76°28'23"W);

(5) A temporary road crossing using timber mats and a 6-inch diameter well line impacting 203 linear feet of Mill Creek (EV) (Dushore Quadrangle 41°31'10"N, 76°28'29"W);

(6) A temporary road crossing using timber mats and a 6-inch diameter well line impacting 74 square feet of an exceptional value palustrine emergent (PEM) wetland (Dushore Quadrangle 41°31'11"N, 76°28'29"W);

(7) A temporary road crossing using timber mats and a 6-inch diameter well line impacting 207 linear feet of an unnamed tributary to Mill Creek (EV) (Dushore Quadrangle 41°31'07" N, 76°28'39"W);

(8) A temporary road crossing using timber mats and a 6-inch diameter well line impacting 142 linear feet of an unnamed tributary to Mill Creek (EV) (Dushore Quadrangle 41°31'07"N, 76°28'41"W).

The project will result in approximately 11,710 square feet of temporary wetland impacts and approximately 859 linear feet of temporary stream impacts for the purpose of installing a well line for Marcellus Shale gas development in Cherry Township, Sullivan County. The permittee will provide 0.85 acre of compensatory mitigation at the Wilmot Mitigation Site (Colley, PA Quadrangle 41°36'44"N 76°17'27"W) in Wilmot Township, Bradford County.

E4129-085: Anadarko Marcellus Midstream, L.L.C., 33 West Third Street, Suite 200, Williamsport, PA 17701, Cogan House and Cummings Townships, **Lycoming County,** ACOE Baltimore District.

To construct, operate, and maintain:

- 1) two 6-inch natural gas lines, two 6-inch water lines, one 12-inch water line, one fiber optic/ electric line, and a timber mat bridge impacting 95 linear feet of an unnamed tributary to Little Pine Creek (EV, MF) and 23 square feet of adjacent palustrine emergent (PEM) wetland (English Center, PA Quadrangle 41°28'21"N, 77°15'12"W);
- 2) two 6-inch natural gas lines, two 6-inch water lines, one 12-inch water line, one fiber optic/ electric line, and a timber mat bridge impacting 62 linear feet of an unnamed tributary to Texas Creek (EV, MF) and 232 square feet of adjacent palustrine emergent (PEM) wetland (English Center, PA Quadrangle 41°28'23"N, 77°15'07"W);
- 3) two 6-inch natural gas lines, two 6-inch water lines, one 12-inch water line, one fiber optic/ electric line, and a timber mat bridge impacting 70 linear feet of Texas Creek (EV, MF) (English Center, PA Quadrangle 41°28'24"N, 77°15'05"W);
- 4) two 6-inch natural gas lines, two 6-inch water lines, one 12-inch water line, and one fiber optic/ electric line impacting 18 linear feet of an unnamed tributary to Blockhouse Creek (EV, MF) and 1931 square feet of adjacent palustrine emergent (PEM) wetland (White Pine, PA Quadrangle 41°28'27"N, 77°14'56"W).

The project will result in a total of 245 linear feet of stream impacts and 0.05 acre of wetland impacts all for the purpose of installing a natural gas gathering line, water line, and temporary access roadways for Marcellus well development.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

E0514-002, Department of General Services, Bureau of Engineering and Architecture, 18th and Herr Streets, Harrisburg, PA 17125. Hyndman Borough, **Bedford County,** ACOE Baltimore District. Final Action.

To repair, improve and maintain the Hyndman Borough Flood Protection Project in and along approximately 1,250 linear feet of Wills Creek (CWF) including the construction and maintenance of: (1) nine (9) stream channel grade control structures; (2) 3,370 square yards of grouted riprap bank protection; (3) 115 feet of permanent project access ramp; (4) 203 linear feet of reinforced concrete wall with grouted riprap protection; (5) two (2) temporary ford crossings to provide construction access; (6) 700 linear feet of a 15-foot wide temporary causeway; and (7) 1,100 square yards of erosion control matting and 150 square yards of turf reinforcement matting to the project channel banks. The project begins at the upstream end of the existing flood protection project (Hyndman, PA Quadrangle N: 13.95 inches; W: 14.10 inches) and ends approximately 1,250 linear feet downstream (Hyndman, PA Quadrangle N: 13.70 inches; W: 19.9 inches).

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESX14-019-0040—Superior Metering Station
Applicant NiSource Midstream Services, LLC.
Contact Mr. Clifford Abbott
Address 5151 San Felipe, Suite 2500

City Houston State TX Zip Code 77056
County Butler Township(s) Clinton(s)
Receiving Stream(s) and Classification(s) Lardintown Run, TSF (Trout Stocking)

ESCGP-2 #ESG13-019-0062A—Bergbigler Well Pad Major Modification
Applicant XTO Energy Inc.
Contact Ms. Melissa Breitenbach
Address 502 Keystone Drive
City Warrendale State PA Zip Code 15086-7537
County Butler Township(s) Clearfield(s)
Receiving Stream(s) and Classification(s) UNT Littler Buffalo Run (HQ-CWF) HQ,
Secondary Receiving Water Buffalo Creek (HQ-TSF)

ESCGP-2 #ESG14-053-0002—Monross C-2 Lease and Fogle Lease
Applicant Titusville Oil & Gas Associates
Contact William Henderson
Address 16899 Jerusalem Corners Road
City Pleasantville State PA Zip Code 16341
County Forest Township(s) Harmony(s)
Receiving Stream(s) and Classification(s) McArthur Run & West Hickory Creek—EV

ESCGP-2 #ESX14-019-0052—Guiher to Patton Gas Pipeline
Applicant Mountain Gathering, LLC.
Contact Mr. Dewey Chalos
Address 810 Houston Street
City Fort Worth State TX Zip Code 76102
County Butler Township(s) Connoquenessing Twp.(s)
Receiving Stream(s) and Classification(s) Semiconon Run/Connoquenessing Creek CWF,
Secondary Receiving Water Little Connoquenessing Creek, Connoquenessing Creek, Beaver River

ESCGP-2 #ESG14-047-0012—EO8-D Access Road
Applicant Seneca Resources Corporation
Contact Mr. Doug Kepler
Address 5800 Corporate Drive, Suite 300
City Pittsburgh State PA Zip Code 15237
County McKean & Elk Township(s) Sergeant and Jones Twp(s)
Receiving Stream(s) and Classification(s) County Line Run & 2 UNTS to same, Doe Run, Lukes Run & UNT to same, Straight Creek, UNT to N Fork Straight Creek, Ospeck Hollow, and E Branch Clarion River Lake/Upper Clarion River (HQ), CWF,
Secondary Receiving Water East Br Clarion River.

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESX29-015-14-0059
Applicant Name Talisman Energy USA, Inc.
Contact Person Joseph Katruska
Address 50 Pennwood Drive
City, State, Zip Warrendale, PA 15086
County Bradford County
Township(s) Troy Township
Receiving Stream(s) and Classification(s) Northern Branch Towanda Creek (CWF/MF)

ESCGP-2 # ESG29-115-14-0048
Applicant Name Regency Marcellus Gas Gathering
Contact Person Nicholas Bryan
Address 101 West Third Street
City, State, Zip Williamsport, PA 17701
County Susquehanna County
Township(s) Lenox Township
Receiving Stream(s) and Classification(s) UNT to Utlely Brook, Millard Creek, UNT to Tower Branch (All

- CWF/MF);
Secondary: Tunkhannock Creek (CWF/MF)
- ESCGP-2 # ESX11-033-0013 (01)
Applicant Name Carrizo (Marcellus), LLC
Contact Person Gary Byron
Address PO Box 231
City, State, Zip Drifting, PA 16834
County Clearfield County
Township(s) Woodward Township
Receiving Stream(s) and Classification(s) UNT to Goose Run (CWF/MF);
Secondary: Clearfield Creek (8C)
- ESCGP-2 # ESX29-015-14-0037
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford County
Township(s) Tuscarora Township
Receiving Stream(s) and Classification(s) Mill Creek (CWF/MF), UNT to Wyalusing Creek (WWF);
Secondary: Susquehanna River, Tuscarora Creek (Both WWF/MF)
- ESCGP-2 # ESX11-033-0012 (01)
Applicant Name Carrizo (Marcellus), LLC
Contact Person Gary Byron
Address PO Box 231
City, State, Zip Drifting, PA 16834
County Clearfield County
Township(s) Beccaria Township
Receiving Stream(s) and Classification(s) Turner Run, Blain Run (CWF/MF);
Secondary: Clearfield Creek
- ESCGP-2 # ESX29-115-14-0034 (01)
Applicant Name Williams Field Services Company, LLC
Contact Person Julie Nicholas
Address 310 State Route 29 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna County
Township(s) Meshoppen Township
Receiving Stream(s) and Classification(s) UNT to Dority Creek, Dority Creek and UNT to Little Meshoppen Creek (CWF);
Secondary: Little Meshoppen Creek, Dority Creek
- ESCGP-2 # ESG29-015-14-0048
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford County
Township(s) Overton Township
Receiving Stream(s) and Classification(s) Black Creek, Trib to Little Loyalsock Creek (EV), UNT to Level Branch Lick Creek, Trib to Loyalsock Creek (EV);
Secondary: Loyalsock Creek (EV), Little Loyalsock Creek (EV)
- ESCGP-2 # ESX11-081-0055(01)
Applicant Name Anadarko E&P Onshore, LLC
Contact Person Rane Wilson
Address 33 W. Third Street, Suite 200
City, State, Zip Williamsport, PA 17701
County Lycoming County
Township(s) Cummings Township
Receiving Stream(s) and Classification(s) UNT First Fork Larry's Creek (EV);
Secondary: First Fork Larry's Creek (EV)
- ESCGP-2 # ESG29-081-14-0020
Applicant Name Anadarko E&P Onshore, LLC
Contact Person Rane Wilson
Address 33 W. Third Street, Suite 200
City, State, Zip Williamsport, PA 17701
County Lycoming County
Township(s) McIntyre Township
Receiving Stream(s) and Classification(s) Lycoming Creek (EV)
- ESCGP-2 # ESG29-115-14-0059
Applicant Name Williams Field Services Company, LLC
Contact Person Julie Nicholas
Address 310 State Route 29 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna County
Township(s) Gibson Township
Receiving Stream(s) and Classification(s) Rock Creek (HQ, CWF/MF) and UNTs thereto
- ESCGP-2 # ESG29-015-14-0053
Applicant Name Chief Oil & Gas, LLC
Contact Person Jeffrey Deegan
Address 6051 Wallace Road Ext., Suite 300
City, State, Zip Wexford, PA 15090
County Bradford County
Township(s) Overton Township
Receiving Stream(s) and Classification(s) UNT to Lick Creek (EV/MF);
Secondary: Loyalsock Creek
- ESCGP-2 # ESX29-115-14-0069
Applicant Name Cabot Oil and Gas Corporation
Contact Person Kenneth Marcum
Address Five Penn Center West, Suite 401
City, State, Zip Pittsburgh, PA 15276
County Susquehanna County
Township(s) Brooklyn Township
Receiving Stream(s) and Classification(s) East Branch Martins Creek and Martins Creek (CWF/MF)
- ESCGP-2 # ESX29-115-14-0078
Applicant Name Williams Field Services Company, LLC
Contact Person Lauren Miladinovich
Address 2000 Commerce Drive
City, State, Zip Pittsburgh, PA 15276
County Susquehanna County
Township(s) Brooklyn Township
Receiving Stream(s) and Classification(s) UNT Horton Creek (CWF/MF); Watersheds: Horton Creek (CWF/MF);
Secondary: Tunkhannock Creek
- ESCGP-2 # ESG13-113-0010 (01)
Applicant Name Appalachia Midstream Services, LLC
Contact Person Randy DeLaune
Address 100 IST Center
City, State, Zip Horseheads, NY 14845
County Sullivan County
Township(s) Fox Township
Receiving Stream(s) and Classification(s) Trib 20070 to Porter Creek (EV), Trib 20083 to Hoagland Branch (EV), Porter Creek (EV) Hoagland Branch (EV);
Secondary: Elk Creek
- ESCGP-2 # ESG29-015-14-0033
Applicant Name Appalachia Midstream Services, LLC
Contact Person Randy DeLaune
Address 100 IST Center
City, State, Zip Horseheads, NY 14845
County Bradford County
Township(s) Overton Township
Receiving Stream(s) and Classification(s) UNT to Black Creek (EV/MF)

ESCGP-2 # ESG29-113-14-0011
 Applicant Name Chief Oil & Gas, LLC
 Contact Person Jeffrey Deegan
 Address 6051 Wallace Road Ext., Suite 300
 City, State, Zip Wexford, PA 15090
 County Sullivan County
 Township(s) Elkland Township
 Receiving Stream(s) and Classification(s) UNT Elk Creek
 (CWF);
 Secondary: Elk Creek

*Southwest Region: Oil & Gas Program Mgr: 400 Water-
 front Dr. Pittsburgh PA*

ESCGP-2 No.: ESX14-059-0037
 Applicant Name: EQT Production Company
 Contact Person Mr Todd Klaner
 Address: 455 Racetrack Road Suite 101
 City: Washington State: PA Zip Code: 15301
 County: Greene Township: Morgan
 Receiving Stream (s) And Classifications: UNT Castile
 Run (WWF)/ Tenmile Creek (Watershed); Other WWF

ESCGP-2 No.: ESX11-051-0038
 Applicant Name: Chevron Appalachia LLC
 Contact Person: Mr Branden Weimer
 Address: 800 Mountain View Drive
 City: Smithfield State: PA Zip Code: 15478
 County: Fayette Township(s): Franklin
 Receiving Stream(s) and Classifications: UNT to
 Crabapple Run, Crabapple Run/Middle Monongahela
 River Watershed; Other WWF; Siltation-Impaired

ESCGP-2 No.: ESX14-125-0046
 Applicant Name: EQT Production Company
 Contact Person: Mr Todd Klaner
 Address: 455 Racetrack Road
 City: Washington State: PA Zip Code: 15301
 County: Washington Township(s): Deemston Boro & East
 Bethlehem Twp
 Receiving Stream(s) and Classifications: Tenmile Creek &
 UNT to Tenmile Creek; Other TSF

ESCGP-2 No.: ESG13-125-0084
 Applicant Name: MarkWest Liberty Midstream &
 Resources LLC
 Contact Person: Mr Rick Lowry
 Address: 4600 J Barry Court Suite 500

City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Donegal
 Receiving Stream(s) and Classifications: UNTs to Dutch
 Fork; HQ

ESCGP-2 No.: ESX13-125-0089 Major Revision
 Applicant Name: Rice Drilling B LLC
 Contact Person: Mr Joe Mallow
 Address: 171 Hillpointe Drive Suite 301
 City: Canonsburg State: PA Zip Code: 15317
 COUNTY Washington Township(s): West Pike Run
 Receiving Stream(s) and Classifications: #28665 Pike Run
 and #26576 UNT to Pike Run/Lower Monongahela
 River; Other TSF (Trout Stocking)

ESCGP-2 No.: ESG14-059-0025
 Applicant Name: PA Land Resources LLC DBA PL
 Resources LLC
 Contact Person: Mr Nick Mongelluzzo
 Address: PO Box 247
 City: Waynesburg State: PA Zip Code: 15370
 County: Greene Township(s): Franklin
 Receiving Stream(s) and Classifications: UNT to Smith
 Creek (WWF) South Fork Ten Mile Creek; Stewart Run
 (HQ-WWF) South Fork Ten Mile Creek; HQ; Other
 WWF

ESCGP-2 No.: ESX14-129-0005
 Applicant Name: Chevron Appalachia LLC
 Contact Person: Mr Branden Weimer
 Address: 800 Mountain View Drive
 City: Smithfield State: PA Zip Code 15478
 County: Westmoreland Township(s): South Huntingdon
 Receiving Stream(s) and Classifications: UNT to
 Sewickley Creek/Lower Youghiogheny River Watershed;
 Other WWF

ESCGP-2 No.: ESX14-005-0005
 Applicant Name: Snyder Brothers Inc
 Contact Person: Mr Carl Rose
 Address: PO Box 1022
 City: Kittanning State: PA Zip Code: 16201
 County: Armstrong Township(s): East Franklin
 Receiving Stream(s) and Classifications: Tributary 46963
 to Allegheny River; Tributary 46964 to Allegheny River;
 Other WWF; Siltation-Impaired

SPECIAL NOTICES

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of August 2014 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Carl Allison, II Liberty Inspections, LLC	627 Old Hickory Flats Somerset, PA 15501	Testing
Michael Biechler	2466 Roundtop Rd. Middletown, PA 17057	Testing
Gregory Ferguson	762 Ferguson Dr. Altoona, PA 16601	Testing
Raymond Fonos	1216 Edgewood Drive West Homestead, PA 15120	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Steven Haslam	3650 Concorde Pkwy., Ste. 100 Chantilly, VA 20151	Testing
Daniel Keogh	518 Kimberton Rd., Ste. 311 Phoenixville, PA 19460	Testing
Russell Knarr	707 Sutton St. Punxsutawney, PA 15767	Testing
Christopher Marshall	4638 Curly Hill Rd. Doylestown, PA 18902	Testing
Karen Quick	2643 Eldridge Ave. Easton, PA 18045	Testing
Radon Testing Corporation of America	2 Hayes St. Elmsford, NY 10523	Laboratory Analysis
Troy Rudy	PO Box 4214 Lancaster, PA 17603	Mitigation
Jon Shaffer	1115 Cornell St. Pittsburgh, PA 15212	Testing
Dennis Skladanowski	5140 Amherst Rd. Erie, PA 16506	Testing
Jeffrey Smith	PO Box 223 Altoona, PA 16603	Testing
John Staz, III	1738 N. 3rd St. Harrisburg, PA 17102	Testing
Robert Wills	877 Williams Pl. Warminster, PA 18974	Testing

Water Quality Management Permit; Notice of Public Hearing

The Pennsylvania Department of Environmental Protection has scheduled a public hearing to receive testimony and comments on the Water Quality Management Permit (WQM No. 2914201) application submitted by CFC Fulton Properties. The proposal is for the Bivouac Sow Farm for the construction of a new swine facility which includes three (3) barns with underneath storages for a 2,978.55 Animal Equivalent Unit sow/nursery swine operation located at 15197 Great Cove Road, Big Cove Tannery, PA 17212. Bivouac Sow Farm is proposed to be located in Ayr Township, Fulton County. The hearing will be held on Wednesday, October 22, 2014 at 7:00 pm at the McConnellsburg Fire Hall, 112 E Maple St, McConnellsburg, PA 17233.

Any person intending to testify at the hearing should register by Wednesday, October 15, 2014 by contacting Ms. Eileen Bitting at 717.705.4703 or eilbitting@pa.gov. If DEP does not receive any testimony registration requests by 4:00 pm on Wednesday, October 15, 2014, the public hearing will be cancelled.

All testimony should be to the point and pertain to the WQM permit application. Each individual will have up to five (5) minutes for his/her presentation. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time will be prohibited. DEP will respond in writing to relevant testimony provided during the public hearing and submitted written comments. Further details relating to the procedures to be followed at the hearing will be outlined at the beginning of the proceedings.

For those who prefer to only present their comments in writing or are unable to attend the hearing, written testimony may be submitted by 4:00 pm on October 22, 2014 to Maria Bebenek, P.E., Clean Water Program Manager, DEP Southcentral Regional Office, 909 Elmerton Ave., Harrisburg, PA 17110.

An appointment may be scheduled to review the permit application at the Southcentral Regional Office in Harrisburg by contacting the file room at 717.705.4732 between the hours of 8:00 a.m. and 4:00 p.m., Monday through Friday. If you are unable to schedule an appointment with our file room to review the application, other accommodations can be made by contacting Eileen.

If you are a person with a disability and you wish to attend the hearing but you require an auxiliary aid, service or other accommodations to participate in the proceedings, please contact the Eileen at the number above for assistance. TDD users may use the AT&T Relay Services at 1.800.654.5984.

[Pa.B. Doc. No. 14-1913. Filed for public inspection September 12, 2014, 9:00 a.m.]

Chesapeake Bay Management Team Meeting

The Department of Environmental Protection (Department) will hold a meeting of the Chesapeake Bay Management Team on Thursday, September 18, 2014, at 9:30 a.m. at the Department's Bureau of Laboratories, 2575 Interstate Drive, Harrisburg, PA.

Questions concerning the meeting can be directed to Rhonda Manning at (717) 772-4472 or rmanning@pa.gov. The agenda and meeting materials for the meeting will be available through the Department Interstate Waters Office web site at www.dep.state.pa.us (DEP Keywords: "Interstate Waters Office").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-4693 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-1914. Filed for public inspection September 12, 2014, 9:00 a.m.]

Small Business Compliance Advisory Committee Change in Meeting Location

The October 22, 2014, meeting of the Small Business Compliance Advisory Committee will convene at an alternate location than originally published at 43 Pa.B. 7503 (December 21, 2013). The meeting will be held at 10 a.m. at the Emerging Technology Applications Center, Northampton Community College, 511 East Third Street, Bethlehem, PA 18105.

Questions concerning the meeting can be directed to Susan Foster at (717) 787-7019 or sufoster@pa.gov. The agenda and meeting materials for the meeting will be available through the Public Participation center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (DEP Keywords "Public Participation").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-7019 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-1916. Filed for public inspection September 12, 2014, 9:00 a.m.]

Municipal Waste Disposal Capacity and Optional Integrated Waste and Recycling Program Support; Solicitation of Interest

McKean County, in northwest Pennsylvania, is updating its County Municipal Waste Management Plan in accordance with the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) (Act 101). As required in Act 101, the County has prepared a Solicitation of Interest (SOI) for the purpose of obtaining 10-year commitments (beginning on or about July 1, 2015, and continuing through June 30, 2025, including renewal options) for disposal capacity for the municipal waste (MSW) generated within McKean County during that period. The waste facilities to be considered in the McKean County Plan Update must be permitted and fully available for use prior to July 1, 2015. SOI respondents are also asked to consider supporting the sustainability of integrated waste and recycling programs in McKean County. Transfer stations handling MSW from McKean County during this time period should also visit the web page listed as follows to find their submission requirements, to be included in the McKean County Plan Update. Further SOI details can be found at www.bartonandloguidice.com/McKeanCountyMWMP.htm. To obtain a hard copy or electronic copy of the SOI, contact Terry Keene, PE, in writing, at Barton & Loguidice, 3901 Hartzdale Drive, Suite 101, Camp Hill, PA 17011, tkeene@bartonandloguidice.com. Submittals are due to the previously listed address no later than 4 p.m. on Friday, October 10, 2014.

E. CHRISTOPHER ABRUZZO,
Secretary

[Pa.B. Doc. No. 14-1915. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Geisinger Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Health System has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2010*. The facility specifically requests exemption from the following standards contained in this publication: 2.1-8.5.3.1 (relating to size of technology distribution rooms (TDRs)).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1917. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application of Grand View Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Grand View Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2010*. The facility specifically requests an exemption from the following standards contained in this publication: 3.12-3.2.2.1(5) (relating to sinks).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1918. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application of Holy Redeemer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Holy Redeemer Hospital has requested exceptions to the requirements of 28 Pa. Code § 107.62(a) and (b) (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1919. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application of Nazareth Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Nazareth Hospital has requested exceptions to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1920. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application of Penn Highlands DuBois Internal Medicine (St. Marys) for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Penn Highlands DuBois Internal Medicine, 757 Johnsonburg Road, Suite 100, St. Marys, has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-7.2.2.1(1) and 3.2-6.3(1) (relating to corridors; and support areas for staff).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1921. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application of Reading Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Reading Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *American Institute of Architects*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.6.5.1, 3.1-3.2.4.2(1) and 3.1-3.6.6 (relating to hand-washing stations; area; and medication distribution stations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1922. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application of Somerset Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Somerset Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2010*. The facility specifically requests an exemption from the following standards contained in this publication: 2.2-3.1.4.4(2) (relating to secure holding rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1923. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application of St. Mary Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Mary Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities 2010*. The facility specifically requests exemption from the following standards contained in this publication: 2.2-2.6.2.2(2) and 2.1-8.5.3.2 (relating to clearances; and size of technology distribution rooms (TDRs)).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1924. Filed for public inspection September 12, 2014, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Ephrata Manor
99 Bethany Road
Ephrata, PA 17522
FAC ID # 053502

Golden LivingCenter—Gettysburg
741 Chambersburg Road
Gettysburg, PA 17325
FAC ID # 132802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Masonic Village at Elizabethtown
One Masonic Drive
Elizabethtown, PA 17022-2119
FAC ID # 131502

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.3 (relating to definitions):

Gettysburg Lutheran Nursing and Retirement Care
1075 Old Harrisburg Road
Gettysburg, PA 17325
FAC ID # 124402

Lutheran Retirement Village at Utz Terrace
2100 Utz Terrace
Hanover, PA 17331
FAC ID # 17620201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department

and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-1925. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Prevailing Wage Appeals Board; Constructors Association of Western Pennsylvania, Inc.; Doc. No. PWAB-3G-2014

Notice to Potential Interested Parties

This serves to provide notification, under 34 Pa. Code § 213.8(e) (relating to grievances arising from administration of the act), that the Prevailing Wage Appeals Board (Board) received a grievance in the previously-referenced matter regarding application of the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17) to survey work performed by Mosites Construction Company on the Mon Fayette Expressway Project—Bridge Construction (S-006-3-04), Washington County, Serial No. 13-05562. A copy of this grievance can be obtained by contacting Gina Meckley, Administrative Assistant for the Board at (717) 783-9276.

Persons claiming a right to intervene or an interest of such nature that intervention is necessary or appropriate to the administration of the act should file a petition to intervene under 1 Pa. Code §§ 35.27—35.32 (relating to intervention) by September 29, 2014.

Petitions to intervene shall be filed with the Prevailing Wage Appeals Board, Department of Labor and Industry, 901 North 7th Street, 3rd Floor North, Harrisburg, PA 17102. Copies of all petitions to intervene shall be served on counsel of the parties of record as follows:

*Bureau of Labor Law
Compliance*

Richard C. Lengler
Deputy Chief Counsel
Office of Chief Counsel
Department of Labor and
Industry
651 Boas Street, 10th Floor
Harrisburg, PA 17121

*Constructors Association of
Western Pennsylvania, Inc.*

William Bevan, III, Esquire
Reed Smith, LLP
Reed Smith Centre
225 Fifth Avenue
Pittsburgh, PA 15222-2716

Answers to petitions to intervene shall be filed with the Board, at the address listed previously, by October 9, 2014.

JULIA K. HEARTHWAY,
Secretary

[Pa.B. Doc. No. 14-1926. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Final Fee Schedule Rates for Personal Assistance Services (Agency) in the Medical Assistance Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program

This notice announces the Department of Public Welfare's (Department) final fee schedule rates for Personal Assistance Services (Agency) in the Medical Assistance (MA) Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program under 55 Pa. Code § 52.45(a) and (b) (relating to fee schedule rates). Under 55 Pa. Code § 52.42(b) (relating to payment policies), the Department is also announcing the waivers in which Personal Assistance Services (Agency) are provided. The final rates for this service will be effective July 1, 2014.

Rate-Setting Methodology

The Department will use the same rate methodology for the fee schedule rates as that used in the public notice published at 42 Pa.B. 3343 (June 9, 2012).

Personal Assistance Services (Agency) Final Fee Schedule Rates

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Rate	Unit
1	X	X	X	X	X	X	W1793	\$4.38	15 min
2	X	X	X	X	X	X	W1793	\$4.87	15 min
3	X	X	X	X	X	X	W1793	\$4.58	15 min
4	X	X	X	X	X	X	W1793	\$4.88	15 min

CC = COMMCARE IW = Independence OW = OBRA

Public Process

The Department published a notice announcing its proposed fee schedule rates for Personal Assistance Services (Agency) in the MA Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program at 44 Pa.B. 4058 (June 28, 2014) and invited interested persons to submit comments. The Department received one comment through the public comment process in favor of the rate change.

Fiscal Impact

The Department anticipates that this change will result in a cost of \$8.911 million (\$4.214 million in State funds) in Fiscal Year 2014-2015: Aging Waiver—\$4.896 million (\$2.240 million in State funds); Attendant Care Waiver—\$0.867 million (\$0.414 million in State funds); Act 150 Program—\$0.220 million (\$0.220 million in State funds); COMMCARE Waiver—\$0.199 million (\$0.091 million in State funds); OBRA Waiver—\$0.457 million (\$0.209 million in State funds); and Independence Waiver—\$2.272 million (\$1.040 million in State funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Elaine Smith, P. O. Box 8025, Harrisburg, PA 17105-8025, RA-waiverstandard@pa.gov. Comments received within 30 days will be considered in subsequent revisions to the fee schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-900. (1) General Fund;

(7) Home and Community-Based Services; (2) Implementing Year 2014-15 is \$2,240,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$2,240,000; (4) 2013-14 Program—\$225,008,000; 2012-13 Program—\$184,500,000; 2011-12 Program—\$175,162,000;

(7) Attendant Care; (2) Implementing Year 2014-15 is \$634,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$634,000; (4) 2013-14 Program—\$116,084,000; 2012-13 Program—\$107,830,000; 2011-12 Program—\$102,704,000;

(7) Services to Persons with Disabilities; (2) Implementing Year 2014-15 is \$1,340,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$1,340,000; (4) 2013-14 Program—\$233,104,000; 2012-13 Program—\$195,135,000; 2011-12 Program—\$163,987,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 14-1927. Filed for public inspection September 12, 2014, 9:00 a.m.]

Final Fee Schedule Rates for Personal Assistance Services (Consumer) in the Medical Assistance Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program

This notice announces the Department of Public Welfare's (Department) final fee schedule rates for Personal Assistance Services (Consumer) in the Medical Assistance (MA) Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program under 55 Pa. Code § 52.45(a) and (b) (relating to fee schedule rates). Under 55 Pa. Code § 52.42(b) (relating to payment policies), the Department is also announcing the waivers in which Personal Assistance Services (Consumer) are provided. The final rates for this service will be effective July 1, 2014.

Rate-Setting Methodology

The Department will use the same rate methodology for the fee schedule rates as that used in the public notice published at 42 Pa.B. 3343 (June 9, 2012).

Personal Assistance Services (Consumer) Final Fee Schedule Rates

<i>Region</i>	<i>Aging</i>	<i>Attendant Care</i>	<i>Act 150</i>	<i>CC</i>	<i>IW</i>	<i>OW</i>	<i>Procedure Code</i>	<i>Rate</i>	<i>Unit</i>
1	X	X	X	X	X	X	W1792	\$3.41	15 min
2	X	X	X	X	X	X	W1792	\$3.26	15 min
3	X	X	X	X	X	X	W1792	\$3.57	15 min
4	X	X	X	X	X	X	W1792	\$4.01	15 min

CC = COMMCARE IW = Independence OW = OBRA

Public Process

The Department published a notice announcing its proposed fee schedule rates for Personal Assistance Services (Consumer) in the MA Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program at 44 Pa.B. 4059 (June 28, 2014) and invited interested persons to submit comments. No comments were received by the Department in response to the proposed rate notice.

Fiscal Impact

The Department anticipates that this change will result in a cost of \$7.094 million (\$3.396 million in State funds) in Fiscal Year 2014-2015: Aging Waiver—\$2.449 million (\$1.121 million in State funds); Attendant Care Waiver—\$1.930 million (\$0.883 million in State funds); Act 150 Program—\$0.277 million (\$0.277 million in State funds); COMMCARE Waiver—\$0.159 million (\$0.073 million in State funds); OBRA Waiver—\$0.515 million (\$0.235 million in State funds); and Independence Waiver—\$1.764 million (\$0.807 million in State funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Elaine Smith, P. O. Box 8025, Harrisburg, PA 17105-8025, RA-waiverstandard@pa.gov. Comments received within 30 days will be considered in subsequent revisions to the fee schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-899. (1) General Fund;

(7) Home and Community-Based Services; (2) Implementing Year 2014-15 is \$1,121,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$1,121,000; (4) 2013-14 Program—\$225,008,000; 2012-13 Program—\$184,500,000; 2011-12 Program—\$175,162,000;

(7) Attendant Care; (2) Implementing Year 2014-15 is \$1,160,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$1,160,000; (4) 2013-14 Program—\$116,084,000; 2012-13 Program—\$107,830,000; 2011-12 Program—\$102,704,000;

(7) Services to Persons with Disabilities; (2) Implementing Year 2014-15 is \$1,115,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$1,115,000; (4) 2013-14 Program—\$233,104,000; 2012-13 Program—\$195,135,000; 2011-12 Program—\$163,987,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 14-1928. Filed for public inspection September 12, 2014, 9:00 a.m.]

Final Fee Schedule Rates for Service Coordination Services in the Medical Assistance Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program

This notice announces the Department of Public Welfare's (Department) final fee schedule rates for Service Coordination Services in the Medical Assistance (MA) Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program under 55 Pa. Code § 52.45(a) and (b) (relating to fee schedule rates). Under 55 Pa. Code § 52.42(b) (relating to payment policies), the Department is also announcing the waivers in which Service Coordination Services are provided. The final rates for this service will be effective July 1, 2014.

Rate-Setting Methodology

The Department will use the same rate methodology for the fee schedule rates as that used in the public notice published at 42 Pa.B. 3343 (June 9, 2012).

Service Coordination Final Fee Schedule Rates

<i>Region</i>	<i>Aging</i>	<i>Attendant Care</i>	<i>Act 150</i>	<i>CC</i>	<i>IW</i>	<i>OW</i>	<i>Procedure Code</i>	<i>Rate</i>	<i>Unit</i>
1	X	X	X	X	X	X	W1011	\$18.49	15 min
2	X	X	X	X	X	X	W1011	\$20.21	15 min
3	X	X	X	X	X	X	W1011	\$18.78	15 min
4	X	X	X	X	X	X	W1011	\$21.47	15 min

CC = COMMCARE

IW = Independence

OW = OBRA

Public Process

The Department published a notice announcing its proposed fee schedule rates for Service Coordination Services in the MA Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program at 44 Pa.B. 4060 (June 28, 2014) and invited interested persons to submit comments. No comments were received by the Department in response to the proposed rate notice.

Fiscal Impact

The Department anticipates that this change will result in a cost of \$4.978 million (\$2.351 million in State funds) in Fiscal Year 2014-2015: Aging Waiver—\$2.673 million (\$1.223 million in State funds); Attendant Care Waiver—\$0.802 million (\$0.367 million in State funds); Act 150 Program—\$0.136 million (\$0.136 million in State funds); COMMCARE Waiver—\$0.090 million (\$0.041 million in State funds); OBRA Waiver—\$0.229 million (\$0.105 million in State funds); and Independence Waiver—\$1.048 million (\$0.479 million in State funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Elaine Smith, P. O. Box 8025, Harrisburg, PA 17105-8025, RA-waiverstandard@pa.gov. Comments received within 30 days will be considered in subsequent revisions to the fee schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-901. (1) General Fund;

(7) Home and Community-Based Services; (2) Implementing Year 2014-15 is \$1,223,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$1,223,000; (4) 2013-14 Program—\$225,008,000; 2012-13 Program—\$184,500,000; 2011-12 Program—\$175,162,000;

(7) Attendant Care; (2) Implementing Year 2014-15 is \$503,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$503,000; (4) 2013-14 Program—\$116,084,000; 2012-13 Program—\$107,830,000; 2011-12 Program—\$102,704,000;

(7) Services to Persons with Disabilities; (2) Implementing Year 2014-15 is \$625,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$625,000; (4) 2013-14 Program—\$233,104,000; 2012-13 Program—\$195,135,000; 2011-12 Program—\$163,987,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 14-1929. Filed for public inspection September 12, 2014, 9:00 a.m.]

Payment for Nursing Facility Services Provided by County Nursing Facilities; County Nursing Facility Supplementation Payment for Fiscal Year 2014-2015

This announcement provides advance notice that the Department of Public Welfare (Department) intends to continue to make an additional payment to certain county nursing facilities in Fiscal Year (FY) 2014-2015.

Background

The act of July 18, 2013 (P. L. 574, No. 71), among other things, directed the Department to distribute \$2 million in additional funds from the funds appropriated for Medical Assistance—Long-Term Care to certain county nursing facilities in FY 2013-2014. The act of July 10, 2014 (P. L. 1053, No. 126) (Act 126) directs the Department to continue to make an additional payment to qualified county nursing facilities for FY 2014-2015.

Proposed Payment

The Department will make a county nursing facility supplementation payment to each qualified county nursing facility. As directed by Act 126, a county nursing facility must have a Medical Assistance (MA) occupancy rate of at least 85% and be located in a home rule county that was formerly a county of the second class A to qualify for this supplementation payment. The MA occupancy rate will be determined using the latest acceptable annual cost report as of September 30, 2014, in accordance with 55 Pa. Code § 1189.71(b) (relating to cost reporting).

The Department will calculate each qualified county nursing facility's supplementation payment for FY 2014-2015 by dividing total funds by the number of qualified county nursing facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare and Medicaid Services (CMS). If the CMS approves the SPA, the total funds will consist of both State and Federal funding. The Depart-

ment will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from the CMS.

Fiscal Impact

This change will result in a cost of \$4.151 million (\$2 million in State funds) for FY 2014-2015.

Public Comment

Interested persons are invited to submit written comments regarding these proposed changes to the Department of Public Welfare, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-897. (1) General Fund; (2) Implementing Year 2014-15 is \$2,000,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$0; (4) 2013-14 Program—\$820,409,000; 2012-13 Program—\$770,903,000; 2011-12 Program—\$737,356,000; (7) MA—Long-Term Care; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 14-1930. Filed for public inspection September 12, 2014, 9:00 a.m.]

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities; Medical Assistance Day One Incentive Payments to Nonpublic Nursing Facilities for Fiscal Year 2014-2015

This announcement provides advance notice that the Department of Public Welfare (Department) intends to continue to make Medical Assistance Day One Incentive (MDOI) payments to qualified nonpublic nursing facilities for Fiscal Year (FY) 2014-2015. The MDOI payments to nonpublic nursing facilities will provide incentives to nonpublic nursing facilities to provide services to individuals who are Medical Assistance (MA) eligible on the day of admission. The MDOI payments are intended to encourage nonpublic nursing facilities to increase access to care for the poor and indigent citizens of this Commonwealth.

Background

The act of July 9, 2013 (P. L. 369, No. 55), among other things, directed the Department to make quarterly MDOI payments for FY 2013-2014 to qualified nonpublic nursing facilities. The act of July 10, 2014 (P. L. 1053, No. 126) directs the Department to continue to make quarterly MDOI payments to qualified nonpublic nursing facilities for FY 2014-2015. The Department will use the Total Pennsylvania Medical Assistance (PA MA) days and Total Resident Days as reported by nonpublic nursing facilities under Article VIII-A of the Public Welfare Code (62 P. S. §§ 801-A—815-A), regarding nursing facility assessments, to determine eligibility and calculate payments.

To qualify for MDOI payments, the nursing facility must be a nonpublic nursing facility for the full Resident

Day quarter prior to the applicable quarterly reporting due dates of October 31, January 31, April 30 and July 31. In addition, the nonpublic nursing facility shall have an overall occupancy rate of at least 85% and an MA occupancy rate of at least 65% during the Resident Day quarter. A nursing facility's overall occupancy rate for these payments will be determined as follows: Overall occupancy rate = (Total Resident Days ÷ (licensed bed capacity at the end of the quarter x the number of calendar days in the quarter)). A nursing facility's MA occupancy rate for these payments will be determined as follows: MA occupancy rate = Total PA MA days ÷ Total Resident Days.

Using the nursing facility assessment quarterly resident day reporting forms available on October 31, January 31, April 30 and July 31, the Department will calculate each qualified nonpublic nursing facility's MDOI quarterly payment based on the following formula:

(i) The MDOI quarterly per diem will be 1/4 of the total funds appropriated for the rate year divided by the Total PA MA days as reported by all qualifying nonpublic nursing facilities.

(ii) Each qualified nonpublic nursing facility's quarterly MDOI payment will be the quarterly per diem multiplied by a nonpublic nursing facility's Total PA MA days.

The MDOI payments for each quarter of the rate year will be paid in the following quarter. The Department will not retroactively revise an MDOI payment amount based on a nursing facility's late submission or revision of its report related to the previously listed dates. The Department may recoup payments based on an audit of a nursing facility's report.

The Department will submit a Medicaid State Plan Amendment (SPA) to the Centers for Medicare and Medicaid Services (CMS). If the CMS approves the SPA, the Department will have the authority to make MDOI payments to nonpublic nursing facilities for FY 2014-2015.

Fiscal Impact

The fiscal impact of this change is estimated at \$16.604 million (\$8 million in State funds) for FY 2014-2015.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-898. (1) General Fund; (2) Implementing Year 2014-15 is \$8,000,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$0; (4) 2013-14 Program—\$820,409,000; 2012-13 Program—\$770,903,000; 2011-12 Program—\$737,356,000; (7) MA—Long-Term Care; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 14-1931. Filed for public inspection September 12, 2014, 9:00 a.m.]

Preventable Serious Adverse Events in Nonpublic and County Nursing Facilities

The purpose of this notice is to announce the issuance of the following final bulletin by the Department of Public Welfare (Department) under section 4(d) of the Preventable Serious Adverse Events Act (Act 1) (35 P. S. § 449.94(d)). In addition, the Department intends to amend its methods and standards for payment of Medical Assistance (MA) to nonpublic and county nursing facilities for preventable serious adverse events (PSAE) beginning October 1, 2014.

Background

The Department announced its intent to issue a bulletin addressing PSAEs in nonpublic and county nursing facilities at 40 Pa.B. 6042 (October 16, 2010). In developing this proposed bulletin, the Department consulted representatives of the nursing facility trade associations, representatives of individual nursing facilities and the Long-Term Care Delivery System Subcommittee of the Medical Assistance Advisory Committee (LTC Subcommittee). There were 35 commentator responses to the proposed bulletin during the 30-day public comment period.

Subsequent to the publication of the proposed bulletin, the Centers for Medicare and Medicaid Services (CMS) published a final rule at 76 FR 32816 (June 6, 2011) that included, among other things, the addition of 42 CFR 447.26 (relating to prohibition on payment for provider-preventable conditions). This new Federal regulation requires that no MA will be paid for provider-preventable conditions (PPC) as defined in 42 CFR 447.26. The PPCs are divided into two parts, health care-acquired conditions and other provider-preventable conditions (OPPCs). OPPCs apply to nursing facilities. The three mandatory OPPCs (wrong surgical or other invasive procedure performed on a patient; surgical or other invasive procedure performed on the wrong body part; surgical or other invasive procedure performed on the wrong patient) are included in the Commonwealth's currently approved State Plan effective July 1, 2011. The State Plan will be amended so that nonpublic and county nursing facility payment policies and procedures for the three mandatory OPPCs align with the PSAEs for nonpublic and county nursing facilities. All other PSAE events listed in Appendix A will be considered "additional OPPCs" for nonpublic and county nursing facilities under the Commonwealth's State Plan.

In addition, the Department met with the nursing facility trade associations again in 2012, 2013 and 2014 for further discussion and review and comment on the final bulletin. The Department considered those comments and Federal regulations in developing the following final bulletin.

Public Comment—Discussion of Comments and Major Changes

Following is a summary of the major comments received within the public comment period following publication of the proposed bulletin and the Department's response to those comments.

PSAEs—Criteria

Numerous commentators contended that the definition and criteria of a PSAE is broad and subjective and determining if an event is a PSAE is not a task that will be easily accomplished. Commentators requested the Department provide specific examples of PSAEs like the screening codes, ICD-9 and E-codes, found in MA Bulletin

01-07-11, Preventable Serious Adverse Events, which addresses PSAEs in acute care hospitals. In addition, several commentators questioned what constitutes a system failure and what is within the control of a nursing facility.

Response

An event qualifies as a PSAE if it was preventable, serious, within the control of the nursing facility and a result of an error or other system failure within the nursing facility. Each nursing facility has policies and procedures in place to assure appropriate resident treatment and safety based on Nationally accepted standards of care, such as The Joint Commission, the National Quality Forum, the Centers for Disease Control and Prevention (CDC) and the CMS. The nursing facility is responsible for the development, review and revision of individual resident care plans and for the actions of staff. If an event occurs, because of a breakdown in the nursing facility's policies or procedures or because the nursing facility fails to follow the individual resident's care plan while providing care for the resident, this would constitute a system failure.

Hospitals are very dependent on Diagnosis Related Groups and ICD-9 codes for billing. E-codes permit the classification of environmental events, circumstances and conditions as the cause of injury, poisoning and other adverse effects. The specificity required for hospitals made defining their PSAEs by code easier. Nursing facilities, however, are not required to use ICD-9 codes and E-codes as extensively. For any incident or accident, the nursing facility is required to investigate the circumstances internally for the Quality Assurance process. For instance, if a resident is given insulin intended for the roommate with resultant unconsciousness and hospitalization, the event may be a PSAE, but no code would be used by a nursing facility.

PSAEs—Events

The Department received numerous comments inquiring if a particular event listed in Appendix A in a specific set of circumstances would be considered a PSAE. In addition, commentators asked for certain events to be eliminated or modified in Appendix A, as some stated that these events may be unpreventable even under the best of circumstances and when given proper medical care. Others asked for further clarification of the events listed. In addition, a commentator stated that Act 1 is one in a series of similar legislation that affect patient safety and provider accountability and recommended that the PSAE list be combed to eliminate redundant reviews covered under the act of July 20, 2007 (P. L. 331, No. 52), regarding health care-associated infections, and other legislation. Also, a few commentators asked if certain events were on the list of PSAEs for hospitals. Another commentator requested that when the National Quality Forum serious reportable events (SRE) in health care list is updated that the Department consider reconvening the stakeholder workgroup to compare the National Quality Forum SREs list to the Department's PSAE list for nursing facilities and modify as deemed appropriate.

Response

The Department recognizes that not every event listed in Appendix A will be a PSAE. The Department cannot list every possible set of circumstances that would result in an event being a PSAE. The Department will consider if the event listed in Appendix A was: (1) preventable; (2) serious; (3) within the control of the nursing facility; and (4) a result of an error or other system failure within the nursing facility.

All four of these criteria must be met for the event to be considered a PSAE. The list of PSAEs was developed in accordance with the requirements of Act 1. The Department will consult with representatives of the nursing facility trade associations, representatives of individual nursing facilities and the LTC Subcommittee and provide a 30-day public comment period prior to any future modifications to the list of events.

After considering all the viewpoints, the National Quality Forum SREs list as of November 4, 2013, and in consultation with a panel of physicians representing the Department, the LTC Subcommittee, the Pennsylvania Health Care Association and the Pennsylvania Association of County Affiliated Homes, Appendix A has been modified with major changes as follows:

The following events were deleted from the proposed PSAE events list:

- Under Surgical Events, (1)(D) Unintended retention of a foreign object in a resident after surgery or other procedure.
- Under Care Management Events:
 - o (4)(B) Severe allergic reaction.
 - o (4)(C) A hemolytic reaction due to the administration of ABO/HLA-incompatible blood or blood products.
 - o (4)(E) Catheter-associated Urinary Tract Infection.
 - o (4)(F) An event related to spinal manipulative therapy.
 - o (4)(G) Vascular catheter-associated infection.
 - o (4)(H) An event related to hyper- or hypoglycemia (Diabetic ketoacidosis, Nonketotic hyperosmolar coma, Diabetic coma, Hypoglycemic coma) the onset of which occurs while the resident is being cared for in a nursing facility.
- Under Environmental Events, (5)(B), An event related to a fall (fractures/dislocations/intracranial injuries/crush injuries/burns) while being cared for in a nursing facility.

The following event was added under Care Management Events—"resident death or serious injury resulting from failure to follow up or communicate laboratory, pathology, or radiology test results."

The Department also made several modifications to the events list. The surgical events were modified to mirror the Federal regulation in 42 CFR 447.26(b)(v). The Department also added "resident death or serious injury" at the beginning of most events.

Under Patient Protection Events relating to suicide, the Department added "or self-harm that results in serious injury" and relating to elopement deleted "for more than four hours" for a disappearance. Under Care Management Events relating to ulcers, the Department added "any preventable" before Stage 3, "unstoppable" before pressure ulcers and "presentation" after "admission."

Under Environmental Events, relating to oxygen or other gas delivered to a patient, the Department added "no gas" to the list and relating to restraints added "physical" before restraints.

Under Potential Criminal Events the following changes were made: for the event relating to sexual assault added "abuse" before "assault" and "within or on the grounds of a nursing facility" after "resident" and for the event

relating to physical assault added "within or on the grounds of a nursing facility" after "battery."

The scope of this bulletin does not include hospitals. Two MA Bulletins (01-07-11, Preventable Serious Adverse Events and 01-08-11, Preventable Serious Adverse Events) were issued for hospitals on January 14, 2008, and November 26, 2008. Another MA Bulletin (01-12-30, Provider Preventable Conditions) was issued for multiple providers including hospitals on June 15, 2012. These MA Bulletins are available on the Department's web site at <http://www.dpw.state.pa.us/publications/bulletinsearch/index.htm>.

Identification and Review of a PSAE and Services Required to Correct or Treat a PSAE—Appeals

A commentator questioned how the Bureau of Hearings and Appeals (BHA) will interact with the Department regarding decision processes and how many appeals are anticipated. Two commentators asked what the time frame is for filing an appeal. Another commentator recommended the Department better define the review and adjudication process that will be followed in addressing alleged violations.

Response

The Department will include appeal information in the final notification letter likewise found within nursing facility audit and rate letters. If the nursing facility does not agree with the Department's determination, the nursing facility may appeal to the BHA under 55 Pa. Code Chapter 41 (relating to Medical Assistance provider appeal procedures). The appeal must be filed within 33 days of the date of the final notification letter. The Department anticipates the number of confirmed PSAEs to be minimal; therefore, costs and the number of appeals should also be minimal.

Identification and Review of a PSAE and Services Required to Correct or Treat a PSAE—Existing Departmental Reviews

One commentator stated that it is unclear when claims reviews, utilization management reviews and Department integrity reviews will occur. Another commentator contended that the bulletin duplicates some of the utilization medical reviews of the resident assessments submitted by each nursing facility.

Response

This bulletin does not change the routine of these existing reviews. Further, PSAE reviews will not duplicate reviews completed by staff in the Division of Nursing Facility Field Operations. They may coincidentally review the same resident record; however, the review criteria are different. When Field Operations reviews a resident assessment, they are looking to see if the documentation in the resident's clinical record supports the Minimum Data Set (MDS) item response. When the PSAE team reviews a record, they will be looking to see if an adverse event is a PSAE. On occasion, Field Operations has made a referral to the Department of Health (DOH) or the Ombudsman regarding quality care issues (for example, suspected abuse) after discussion with the nursing facility.

Identification and Review of a PSAE and Services Required to Correct or Treat a PSAE—Reporting

Commentators stated that the method to report a PSAE is not identified. Another commentator questioned if PSAE reporting should apply for a resident in a nursing

facility whose care is being paid for by private pay, Medicare or other third-party payment.

Response

Instructions for reporting a PSAE will be posted on the Department's web site at <http://www.dpw.state.pa.us/provider/doingbusinesswithdpw/longtermcarecasemixinformation/index.htm>. PSAE reporting applies to any resident receiving MA.

Identification and Review of a PSAE and Services Required to Correct or Treat a PSAE—Residents' Rights

Commentators asserted that the bulletin fails to recognize that residents often make choices that are not in their best interest medically, including the right to refuse professional intervention.

Response

The Department agrees that residents have rights and can make their own choices assuming they have decision making capacity; thus, nursing facilities should ensure that residents' decisions are documented on their care plans in the event a PSAE review occurs.

Identification and Review of a PSAE and Services Required to Correct or Treat a PSAE—Review Determination Process

A few commentators recommended that the review process be included as an appendix to the PSAE bulletin. One commentator asserted that facilities should have the ability to discuss Department findings before a final determination is rendered. A commentator asked who is responsible when determining that an event qualifies as a PSAE, whether it is done by a person, committee, panel or physician. Another commentator suggested the Department have an arbitrary panel of geriatricians review PSAEs, because from a provider's perspective, a Medical Director hired by the Commonwealth may be in conflict with the overall determination.

Response

The nursing facility's representative will have an opportunity to discuss the initial findings with the Department before a final notification letter is sent as referenced in the PSAE review and determination process posted on the Department's web site at <http://www.dpw.state.pa.us/provider/doingbusinesswithdpw/longtermcarecasemixinformation/index.htm>. All potential PSAEs will be investigated by a panel of physicians to include a review of the resident's care plans and whether the established care plans were followed. The Department will review events from a quality control perspective, as a result of care protocols including those supported by The Joint Commission, the National Quality Forum, the CDC and the CMS. The PSAE review process will be posted on the Department's web site. The Department will notify all nursing facilities when revisions to the review process have been posted on its web site. As with other instances regarding an audit, review or survey, a provider may appeal if the provider does not agree with the Department's determination.

Claims—Bed Hold

One commentator requested clarification on whether the bed hold requirement is 15 days or if it is held indefinitely if a PSAE occurs. Another commentator asked how the bed hold calculations would be impacted.

Response

The hospital bed hold requirement is 15 days per hospitalization whether a PSAE is identified or not. In

accordance with 55 Pa. Code § 1187.104(b)(1)(i) (relating to limitations on payment for reserved beds), a resident receiving nursing facility services is eligible for a maximum of 15 consecutive reserved bed days per hospitalization. The final bulletin does not infringe on the bed hold occupancy percentage calculation.

Claims—Billing

The Department received numerous comments about billing procedures and billing questions for a specific set of circumstances. Commentators questioned submissions and processing in PROMISE, computer programming changes, billing to Medicare and Medicaid, billing after a hospital stay, services for a PSAE and comorbidity, Case Mix Index (CMI) changes, MA-11 reporting requirements and the procedures for resident assessments. Several commentators recommended that the Department include billing procedures in the final bulletin or post the procedures on the Department's web site. A few commentators expressed concerns with Medicaid rates not being current and the potential for incorrect billing.

Response

The Department will post billing instructions on its web site at <http://www.dpw.state.pa.us/provider/doingbusinesswithdpw/longtermcarecasemixinformation/index.htm> pertaining to submission of claims relating to PSAEs and claims relating to services to correct or treat a PSAE as referenced in the final bulletin. Section 2 of the final bulletin (relating to guidelines: claims relating to PSAEs and to services to correct or treat the PSAE) provides minimum claims guidelines for compliance with Act 1. For example, a claim may not be submitted for a PSAE involving an MA resident and if a claim is incorrectly billed, a claim adjustment may be processed by the Department. In addition, the day of the event and hospital reserve bed days related to a PSAE shall be recorded as a private pay and other day for purposes of Pennsylvania's Nursing Facility Assessment Program and as a noncovered day or days on the resident census. Also, exceptional durable medical equipment costs related to a PSAE shall be reported as nonallowable costs on the cost report. The Department does not anticipate that any computer programming changes related to the billing process will be necessary for nursing facility providers or the Department. In addition, the requirements for submitting a resident assessment have not changed.

Claims—Eligibility

A commentator asked whether the bulletin is strictly for Medicaid residents or if it pertains to Medicare dual eligible and managed care providers as well. Some commentators asked how the county nursing facilities and State veterans homes would adjust the resident care portion of their rate since their rates are calculated differently than the nonpublic nursing facilities.

Response

This bulletin only applies to MA residents, including MA managed care and dual eligibles, within general, hospital-based, special rehabilitation and county nursing facilities.

In addition, the final bulletin does not direct a nursing facility to adjust the resident care portion of the MA per diem rate related to a PSAE or for services to correct or treat a PSAE.

Claims—Estimate

A commentator asked for an estimate of the number of PSAE claims expected within the first few years of implementation.

Response

The Department anticipates the number of confirmed PSAEs to be minimal, but currently cannot provide future projections on PSAE claims.

Claims—Payment Reduction

A commentator supported the proposed provision that only the resident care portion of the MA payment will be affected rather than the full per diem amount. In time, the commentator hopes that this approach may be refined for determining what a facility should or should not be paid. A commentator also recommended PSAEs fall under the process similar to the imposition of a civil monetary penalty or overpayment recoupment. As a result, it would keep the process simple, avoids costly computer programming for either the provider or the Commonwealth and avoids patient day reconciliation issues on audits.

Response

The Department agrees and will continue discussions with the nursing facility trade associations looking for opportunities to improve the methodology. Under section 3 of Act 1 (35 P. S. § 449.93), a health care provider may not knowingly seek payment from a health payor or patient for a PSAE or any services required to correct or treat the problem created by a PSAE. In addition, 42 CFR 447.26 also directs the payment policy for PPCs which impacts OPPCs and PSAEs. No MA will be paid for PPCs. The final bulletin reflects significant changes to the guidelines related to claims thus simplifying the process for PSAE-related claims. Also, the Department does not anticipate any computer programming changes related to the billing process will be necessary for nursing facility providers or the Department. In addition, the final bulletin does not change the requirements for reporting patient days on the cost report.

Claims—Refunds by Provider

Several commentators claimed that 30 days is not sufficient time to resolve and administer PSAE refunds, both for the provider and the Department. One commentator asserted that it is unfair to require a facility to refund money prior to a PSAE review process. Another commentator contended that the Department is holding providers to a higher than reasonable standard and asked whether there are additional penalty provisions when at first an incident does not qualify as a PSAE, but then at a later date the Department cites the event as a PSAE.

Response

The Department disagrees. Once a nursing facility concludes that a PSAE has occurred, section 3(b) of Act 1 requires that payment shall be refunded within 30 days of discovery or receipt of payment for a PSAE or services to correct or treat a PSAE, whichever is later. The bulletin does not increase standards for quality nursing home care and does not address any additional penalty provisions.

Claims—Refunds by the Department

A commentator requested a retrospective reimbursement within 15 days if the Department determines the PSAE did not occur. Another commentator stated that the timing of reimbursement payments is unclear.

Response

Retrospective reimbursements will be processed when the nursing facility submits a claim adjustment. The usual time frame for the processing of claim adjustments is 30 days.

Duration of Payment—Clinical Reviews and Redetermination

Several commentators stated that nursing facilities should be allowed to request a clinical review any time it is necessary, instead of every 90 days. The commentators asked for more flexibility and requested a clinical review be permitted whenever the facility's Medical Director or the resident's attending physician determines that the resident's condition warrants a clinical review. A commentator stated that if a resident's higher CMI is no longer due to the PSAE, the payment restriction should be retroactive to the date of the facility's written request for a clinical review. Another commentator questioned how the Department will determine if the post-PSAE score is attributable to reasons other than the PSAE and if the facility will be reimbursed at a higher rate if the resident's health condition is not related to a PSAE. One commentator contended that trying to figure out decline, preventable or not, is extremely difficult to determine as it is a normal part of the aging trajectory. A commentator asked if an algorithm exists for determining a significant change on the MDS. One commentator requested the Department clarify the standards to be used to identify the duration for which the facility will see a reduction in payment for the event.

Response

After careful consideration of the comments and further discussion with the nursing facility trade associations, the Department made significant changes to the bulletin, including deleting section 2(b)(v) in the proposed bulletin (relating to duration of payment restrictions). Section 2(b) in the final bulletin (relating to claims relating to services to correct or treat a PSAE) provides minimum guidelines for purposes of determining the value of claims relating to services to correct or treat problems caused by the PSAE.

Duration of Payment—Payment Standards

Some commentators stated the duration of payment standards for nursing facilities are inconsistent with those of acute care hospitals, as acute care hospitals are not penalized beyond the time period of the PSAE or the treatment of the PSAE. One commentator requested clarification regarding the time limit for a review. A few commentators asked the Department to identify the duration for which the facility will see a reduction in payment and suggested changing the time limit from using its best efforts to complete the process within 30 days to no longer than 30 days, while another commentator believes the 30-day process is too long.

Response

The Department agrees that circumstances relating to a PSAE in an acute care hospital are significantly different than in a nursing facility regarding payment and rate setting; therefore, the bulletin reflects this difference.

Further, as mentioned previously, the Department made significant changes to the bulletin, including deleting section 2(b)(v) in the proposed bulletin (relating to duration of payment restrictions). Section 2(b) in the final bulletin provides minimum guidelines for purposes of determining the value of claims relating to services to correct or treat problems caused by the PSAE.

Fiscal Impact

One commentator asked if any cost analysis data was completed to determine whether there is a fiscal impact. Several commentators also remarked that the bulletin indicates no fiscal impact to the Commonwealth, but

believe there will be resulting from added care staff, appeals, education, trainings and meetings. Commentators are also concerned that there will be a financial burden due to an increase in administrative costs to comply with the requirement to not “knowingly seek payment for a PSAE, or for any services required to correct or treat a PSAE,” as well as for the additional requirement to recalculate Resource Utilization Group (RUG) scores after the PSAE or if hospitalized.

Response

The provisions of this bulletin should not increase the nursing facility’s staff time. Participating nursing facilities are required to address quality assessments and assurances as an established requirement of participation in the MA Program. The Department is authorized to request and review medical and fiscal records, including a facility’s policies and procedures, under 55 Pa. Code §§ 1101.71 and 1187.22(9) (relating to utilization control; and ongoing responsibilities of nursing facilities), section 1402(b) of the Public Welfare Code (62 P. S. § 1402(b)) and 42 CFR Part 483 (relating to requirements for states and long term care facilities). The DOH licensure regulations also include provisions for quality assurance and patient safety. In addition, section 3 of Act 1 directs the payment policy for PSAEs. A health care provider may not knowingly seek payment from a health payor or patient for a PSAE or any services required to correct or treat the problem created by a PSAE. See section 3(a) of Act 1. The bulletin does not require any additional resident assessment requirements or the recalculation of the RUG scores.

Department functions related to PSAEs will be handled by the existing staff complement.

General—Care Protocols and Policies

One commentator recommended the Department develop a list of care protocols and policies, create a list of best practices and make the information available to nursing facility providers to help minimize potential PSAEs.

Response

The nursing facility is responsible for developing a care plan that is appropriate for the resident’s conditions and needs and reflects the resident’s choices regarding their care. For example, the Resident Assessment Instrument (RAI) manual contains care protocols and current practices and is available on the CMS’s web site at <http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/NursingHomeQualityInits/MDS30RAIManual.html>. The RAI manual is currently used by nursing facilities to assist with the development of policies and procedures that assure appropriate resident treatment and safety. A nursing facility is responsible to determine the root cause and review their protocols, processes, policies and procedures and revise as necessary to prevent recurrences if there is an incident, accident or event involving a resident. As a courtesy, references pertaining to care protocols and current practices that can be used to assist nursing facilities with the development of policies and procedures will be posted on the Department’s web site at <http://www.dpw.state.pa.us/provider/doingbusinesswithdpw/longtermcarecasemixinformation/index.htm>.

General—Compliance

Commentators expressed concerns over compliance with the Health Insurance Portability and Accountability Act (HIPAA) and corporate compliance regulations during the review process.

Response

The Department issued the PSAE bulletin in accordance with Act 1. The bulletin does not infringe on HIPAA provisions or jeopardize compliance with HIPAA requirements and compliance with Federal participation requirements.

General—Resident Outcomes

A commentator contested that the proposed PSAE bulletin does not focus on improved resident outcomes, but instead towards more unnecessary paperwork.

Response

In an effort to improve quality of care, Act 1 was enacted on June 10, 2009. Act 1 directed the Department to issue a PSAE bulletin for nursing facilities, which was developed in accordance with this act. See section 4 of Act 1.

The final bulletin includes a list of events, based on those adopted by the National Quality Forum, which occur in a health care facility and are within the health care provider’s control to avoid. If a PSAE occurs, nursing facilities should take appropriate actions when there is an incident, accident or event involving a resident. The facility should determine the root cause of the event and review their protocols, processes, policies and procedures and revise as necessary to prevent recurrences. The Department expects the number of PSAEs to be minimal; however, if a potential PSAE is identified, paperwork is a necessity for the review and determination process. Under 55 Pa. Code §§ 1101.71 and 1187.22(9), section 1402(b) of the Public Welfare Code and 42 CFR Part 483, the Department is authorized to request and review medical and fiscal records, including policies and procedures, from the facility.

General—Litigations and Consequences

Commentators asserted that PSAEs will put a burden on facilities, expose them to lawsuits and create a time-consuming process. Another commentator asked if the information requested will be used for any consequences or targeting.

Response

Under section 3(d) of Act 1, “Any information provided to any health payor or health care provider, in compliance with subsections (b) and (c), shall not be discoverable or admissible in any civil or administrative action related to the act of March 20, 2002 (P. L. 154, No. 13), known as the Medical Care Availability and Reduction of Error (Mcare) Act.”

General—Services to MA Residents

A few commentators questioned whether these new procedures contain flaws that jeopardize services to MA individuals and seniors, potentially inhibiting their access to long-term care. In addition, several commentators expressed concern that consumers may be denied access to care because of their likelihood to develop an event. Another commentator suggested that there may be costs to consumers as a result of the bulletin. One commentator claimed their costs will soar because hospitals will not be able to find placement for residents with histories of falls, infections and wounds. A commentator contended that the Department needs to deal with problem facilities directly. Another commentator asserted that the bulletin is being used to penalize facilities and not as an enhancement to quality.

Response

The Department disagrees. Under section 4 of Act 1, the Department is required to issue a PSAE bulletin for

nursing facilities that specifies PSAEs. The bulletin does not specifically direct or recommend any preclusion for admission and does not affect access decisions by nursing facilities. In addition, the event must meet all four PSAE criteria. The Department will review the records of the nursing facility to determine if the event was preventable, serious, within the control of the nursing facility and a result of an error or other system failure within the nursing facility.

General—Stakeholder Guidance

Commentators suggested that further reviews and additional meetings be held to stay in constant communication, to share data related to retrospective reviews and screening methodologies and to fully incorporate the stakeholders' suggestions because opportunities were missed relating to such issues as billing, quality assurance, collaborative effort, Appendix A and self-reporting, among others.

Response

The Department agrees it is important to be transparent with its stakeholders. The Department held numerous meetings with stakeholders regarding the proposed bulletin and has carefully considered all public comments received in response to the proposed bulletin. The Department will continue to review the National Quality Forum list to determine if the bulletin should be revised. Before making any PSAE modifications, the Department will consult with representatives of the nursing facility trade associations, representatives of individual nursing facilities and the LTC Subcommittee. Further, under section 7(c) of Act 1 (35 P. S. § 449.97(c)), any modifications to the bulletin require a 30-day comment period. The Department intends to monitor the program and share data as appropriate with both providers and the nursing facility trade associations by means of the LTC Subcommittee.

General—Training

Several commentators requested that the Department provide education and technical training to providers. A commentator stated that most nurses do not have the training or desire to understand Medicaid and CMI, but instead are focused on communication and resident needs. Other commentators stated the importance of allocating a sufficient implementation time frame. Also, commentators questioned the costs associated with training.

Response

The Department will provide training and a provider hotline is available at (800) 932-0939 for technical assistance. Training information will be e-mailed to nonpublic and county nursing facility providers by the Bureau of Quality and Provider Management. Further, the DOH licensure regulations include provisions for quality assurance and patient safety.

Fiscal Impact

There is no cost to MA recipients as a result of this bulletin. The costs associated with this bulletin apply to MA nursing facility providers. The fiscal impact is specific to the PSAE within a specific MA nursing facility. The nursing facility will not be paid for the PSAE or for services required to correct or treat the problem created by a PSAE.

Effective Date

This final bulletin is effective October 1, 2014, and is contingent upon approval of a related State Plan Amendment by the CMS.

Public Comment

Interested persons are invited to submit written comments regarding this bulletin to the Department of Public Welfare, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered for any subsequent revision of the bulletin.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

BEVERLY D. MACKERETH,
Secretary

Fiscal Note: 14-NOT-896. No fiscal impact; (8) recommends adoption.

FINAL PSAE BULLETIN

SUBJECT

Preventable Serious Adverse Events in Nonpublic and County Nursing Facilities

PURPOSE

The purpose of this bulletin is to identify Preventable Serious Adverse Events (PSAEs) for nursing facilities that are enrolled in the Medical Assistance (MA) Program and to notify those facilities how they may fulfill the obligations not to knowingly seek payment from the MA Program for PSAEs or for services required to correct or treat PSAEs.

SCOPE

This bulletin applies to MA-enrolled county and nonpublic (including hospital-based and special rehabilitation) nursing facilities.

BACKGROUND/INTRODUCTION

In 2009, the General Assembly enacted legislation that imposed payment restrictions on health care providers when a PSAE occurs. See Act of June 10, 2009 (P. L. 1, No. 1), codified at 35 P. S. §§ 449.91—449.97 (Act 1). As a general principle, a health care provider may not knowingly seek payment from a health payor or from a patient for a PSAE or for any corrective services. 35 P. S. § 449.93(a). Additionally, if the health care provider unknowingly seeks payment for the PSAE or for any corrective services and, later, discovers the issue, then the provider is further obligated to notify the health payor or patient and to pay a refund. 35 P. S. § 449.93(c). The phrase "health payor" includes the MA Program. With respect to the MA Program specifically, Act 1 directs the Department of Public Welfare ("the Department") to issue a bulletin that contains a list of PSAEs for nursing facilities. 35 P. S. §§ 449.94(a) and 449.97(g).

Subsequent to the codification of Act 1, the Centers for Medicare and Medicaid Services (CMS) published a final rule at 76 FR 32816 (June 6, 2011) that includes, among other things, the addition of 42 CFR § 447.26 (relating to prohibition on payment for provider-preventable conditions). These new Federal regulations require that no Medical Assistance will be paid for "provider-preventable conditions" (PPCs) as defined in 42 CFR § 447.26. The PPCs are divided into two parts, health care-acquired conditions and other provider-preventable conditions (OPPCs). OPPCs apply to nursing facilities. The three mandatory OPPCs (wrong surgical or other invasive procedure performed on a patient; surgical or other invasive procedure performed on the wrong body part; surgical or other

invasive procedure performed on the wrong patient) are included in the Commonwealth's currently approved State Plan effective July 1, 2011. The State Plan will be amended so that all other PSAE events listed in Appendix A will be considered additional OPPCs for nonpublic and county nursing facilities for purposes of the Commonwealth's State Plan.

This bulletin sets forth guidance for purposes of nursing facility compliance with Act 1 and 42 CFR § 447.26 as it relates to the MA Program. If an MA-enrolled nursing facility follows the guidelines in this bulletin, then the Department will consider the MA-enrolled nursing facility as having met its obligations to the Department under Act 1. However, the nursing facility should not construe satisfactions of the guidelines as compliance with other requirements under Act 1 or any other law.

PSAEs

The events listed in Appendix A qualify as a PSAE if all of the following criteria are satisfied:

1. The event was preventable. To be preventable, the event could have been anticipated and prepared for, but, nonetheless, occurred because of an error or other system failure.
2. The event was serious. The event is serious if the event subsequently results in death or loss of body part, disfigurement, disability or loss of bodily function lasting more than 7 days or still present at the time of discharge from a nursing facility.
3. The event was within the control of the nursing facility. Control means that the nursing facility had the power to avoid the error or other system failure.
4. The event occurred as a result of an error or other system failure within the nursing facility.

The Department may modify both the list of PSAEs identified in Appendix A and its payment policies and procedures in the future subject to receiving an approved State Plan Amendment. Before making any modification to the PSAEs, the Department will consult with representatives of the nursing facility trade associations, representatives of individual nursing facilities, and the Long-Term Care Delivery System Subcommittee of the Medical Assistance Advisory Committee. The Department will also provide for a 30-day public comment period.

COMPLIANCE WITH ACT 1:

1. Identification and Review of a PSAE and of the Services Required to Correct or Treat a PSAE

a. Responsibilities of the Nursing Facility

As a general principle, a health care provider may not knowingly seek payment from a health payor or from a patient for a PSAE or for any corrective services. 35 P. S. § 449.93(a). Therefore, whenever an event listed in Appendix A occurs in a nursing facility, the nursing facility must independently determine whether the event satisfies the PSAE criteria specified above and whether it has complied with the requirements of Act 1.

If the nursing facility concludes that the event constitutes a PSAE, the nursing facility may not submit a claim for payment of services associated with the PSAE or for payment of any services required to correct or treat the PSAE.

If the nursing facility discovers that payment has unknowingly been sought for a PSAE or for services required to correct or treat problems created by the PSAE, then the nursing facility shall immediately notify

the MA Program. Information relating to such reports can be found on the Department's website.

In the event that the nursing facility received payment for the PSAE or for any services that were required to correct or treat the problems created by the PSAE, then the nursing facility shall refund any payment received within 30 days of discovery or receipt of payment, whichever is later.

b. Authority of the Department

The Department may identify potential PSAEs or the services required to correct or treat PSAEs and seek recovery of money through its existing claims review process, its utilization management review process, or its program integrity review process. See 55 Pa. Code §§ 1101.71, 1101.77 and 1101.83 (relating to utilization control; enforcement actions by the Department; and restitution and repayment).

With both facility-reported PSAEs and Department-identified PSAEs, the Department will determine whether the event meets the criteria of a PSAE and whether the guidelines of the bulletin have been satisfied.

In the event the Department initiates a review of an event, the Department will notify the nursing facility, in writing, that it has initiated its review. As part of its review, the Department may request medical and fiscal records, including policies and procedures, from the facility concerning the resident or the event, or both. Based on its review, the Department may recover or adjust MA payments or return money already refunded by the nursing facility. The Department's review process, including how the Department's physicians will be involved in the case review and the opportunities that a nursing facility's designated staff will have to interact with the Department through the review process is available on the Department's website at <http://www.dpw.state.pa.us/provider/doingbusinesswithdpw/longtermcarecasemixinformation/index.htm>.

The Department will send a written notice of its determination to the nursing facility. In the event of an adverse determination, the Department's notice to the nursing facility will outline the reasons for the determination and whether the Department will recover or adjust MA payments. If the nursing facility does not agree with the Department's determination, the nursing facility may appeal to the Bureau of Hearings and Appeals under 55 Pa. Code Chapter 41 (relating to medical assistance provider appeal procedures).

2. Guidelines: Claims Relating to PSAEs and to Services to Correct or Treat the PSAE

The Department pays MA-enrolled nursing facilities for services provided to MA-eligible persons through a prospective per diem rate and other additional payments (for example, allowable cost payment related to Pennsylvania's Nursing Facility Assessment Program and supplemental payments in accordance with the Commonwealth's Medicaid State Plan). In the context of this payment system, the Department sets forth the following minimum claims guidelines for compliance with Act 1.

a. Claims relating to PSAEs

In those instances where a PSAE occurs, the nursing facility may not submit a claim for payment of the MA per diem rate for the day of the event and shall record the day as a non-covered day on the resident census. In addition, the nursing facility shall record the day of the event as a private pay and other day on the quarterly Resident Day Reporting Form (RDR Form) related to

Pennsylvania's Nursing Facility Assessment Program. Further, the nursing facility shall not seek payment from any other payor source, including the resident, for the day of the event.

b. Claims Relating to Services to Correct or Treat a PSAE

For purposes of determining the value of claims relating to services to correct or treat problems caused by the PSAE, the nursing facility must satisfy the following minimum guidelines:

i. Hospital Reserve Bed Days

If the resident is transferred to a hospital or other institution as a result of the PSAE, then the nursing facility may not submit a claim to the Department, or otherwise receive payment, to reserve the resident's nursing facility bed during the resident's absence (the nursing facility remains obligated to reserve the bed in accordance with Federal and State Medicaid participation requirements). The nursing facility shall record any PSAE-related hospital reserve bed days as non-covered days on the resident census. In addition, the nursing facility shall record those days as private pay and other days on the quarterly Resident Day Reporting Form (RDR Form) related to Pennsylvania's Nursing Facility Assessment Program.

ii. Durable Medical Equipment

In any circumstance, the nursing facility may not seek any payment through an exceptional durable medical equipment (DME) grant for equipment or services required to correct or treat a problem created by a PSAE. In addition, the nursing facility shall report those exceptional DME costs as nonallowable costs on their cost report.

If an MA-enrolled nursing facility follows the guidelines in this bulletin, the Department will consider the nursing facility as having satisfied its Act 1-related obligations to the Department. Nonetheless, Act 1 specifically directs the health care providers to not knowingly seek payment for PSAEs and for corrective services. Therefore, the nursing facility remains obligated not to seek or to receive payments for the PSAE or for services to correct or treat problems caused by the PSAE, to provide appropriate notice and to refund applicable payments.

Appendix A

Preventable Serious Adverse Events ("PSAEs") for Nursing Facilities Enrolled in the Medical Assistance Program

If an event listed below occurs in a nursing facility, then the event is a PSAE when all of the following criteria are satisfied:

1. The event was preventable. To be preventable, the event could have been anticipated and prepared for, but, nonetheless, occurred because of an error or other system failure.
2. The event was serious. The event is serious if the event subsequently results in death or loss of body part, disfigurement, disability or loss of bodily function lasting more than 7 days or still present at the time of discharge from a nursing facility.
3. The event was within the control of the nursing facility. Control means that the nursing facility had the power to avoid the error or other system failure.
4. The event is the result of an error or other system failure within the nursing facility.

1. Surgical or Invasive Procedure Events
 - A. Wrong surgical or other invasive procedure performed on a patient
 - B. Surgical or other invasive procedure performed on the wrong body part
 - C. Surgical or other invasive procedure performed on the wrong patient
2. Product or Device Events
 - A. Resident death or serious injury associated with the use of contaminated drugs, devices, or biologics provided by the nursing facility
 - B. Resident death or serious injury associated with the use or function of a device in patient care, in which the device is used or functions other than as intended
 - C. Resident death or serious injury associated with intravascular air embolism that occurs while being cared for in a nursing facility
3. Patient Protection Events
 - A. Resident death or serious injury associated with resident elopement (disappearance)
 - B. Resident suicide, attempted suicide, or self-harm that results in serious injury, while being cared for in a nursing facility
4. Care Management Events
 - A. Resident death or serious injury associated with a medication error (such as, errors involving the wrong drug, wrong dose, wrong patient, wrong time, wrong rate, wrong preparation, or wrong route of administration)
 - B. Any preventable Stage 3, Stage 4, and unstageable pressure ulcers acquired after admission/presentation to a nursing facility
 - C. Resident death or serious injury resulting from failure to follow up or communicate laboratory, pathology, or radiology test results
5. Environmental Events
 - A. Resident death or serious injury associated with an electric shock in the course of a patient care process in a nursing facility
 - B. Any incident in which systems designated for oxygen or other gas to be delivered to a patient contains no gas, the wrong gas, or are contaminated by toxic substances
 - C. Resident death or serious injury associated with a burn incurred from any source in the course of a patient care process in a nursing facility
 - D. Resident death or serious injury associated with the use of physical restraints or bedrails while being cared for in a nursing facility
6. Potential Criminal Events
 - A. Any instance of care ordered by or provided by someone impersonating a physician, nurse, pharmacist, or other licensed healthcare provider
 - B. Abduction of a resident of any age
 - C. Sexual abuse/assault on a resident within or on the grounds of a nursing facility
 - D. Death or serious injury of a resident resulting from a physical assault (i.e., battery) that occurs within or on the grounds of a nursing facility

[Pa.B. Doc. No. 14-1932. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF STATE

Commonwealth of Pennsylvania, Bureau of Charitable Organizations v. Brecht Forum, Respondent; File No. 14-98-03557; Doc. No. 0003-98-14

Notice to Brecht Forum, Matt Birkhold, Executive Director:

On March 24, 2014, Respondent, Brecht Forum, filed an appeal from a Cease and Desist Order issued by the Secretary of the Commonwealth in the matter captioned: *Commonwealth of Pennsylvania, Bureau of Charitable Organizations v. Brecht Forum*. The Department of State Prothonotary has attempted unsuccessfully to serve a copy of the Notice of Hearing on Respondent at the last registered address on file with the Secretary of the Commonwealth. Therefore, pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

Notice

Please take notice that a hearing will be conducted before Hearing Examiner Marc A. Moyer, Esquire, at 9:30 a.m. on October 17, 2014 at 2601 N. Third Street, One Penn Center, Harrisburg, PA 17110.

The hearing will be conducted in accordance with the General Rules of Administrative Practice and Procedure, 1 Pa. Code §§ 31.1—35.251. You have the right and opportunity to appear in person at the hearing, to be represented by an attorney, and to have an interpreter provided should you request it. A request for an interpreter shall be made in writing no later than 20 days prior to the hearing and shall specify the language required.

Requests for continuance of hearings shall be in writing, timely filed, stating the facts on which the application rests and whether the other participants agree or disagree. Requests for continuance should be made no later than 10 days prior to the hearing except in emer-

gency circumstances. No request for continuance will be granted except for good cause shown. All motions or requests shall be filed with the Prothonotary, P. O. Box 2649, Harrisburg, PA 17105-2649.

CAROL AICHELE,
Secretary

[Pa.B. Doc. No. 14-1933. Filed for public inspection September 12, 2014, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P. S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following is the property available for sale by the Department.

Athens Township, Bradford County. Location of property—approximately 0.7 mile north of SR 220/SR 4014 intersection and ± 200 feet east of the SR 220 cartway. The parcel contains 1.34 acres of unimproved land. The estimated fair market value is \$3,000.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Jeffrey M. Wenner, R/W Administrator, Department of Transportation, P. O. Box 218, Montoursville, PA 17754.

BARRY J. SCHOCH, PE,
Secretary

[Pa.B. Doc. No. 14-1934. Filed for public inspection September 12, 2014, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the dates noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or a copy can be obtained from the web site at www.irrc.state.pa.us.

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
#125-170	Pennsylvania Gaming Control Board Table Games Rules of Play	8/26/14	10/9/14
#16A-6807	State Board of Examiners in Speech-Language and Hearing Continuing Education	8/27/14	10/9/14
<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Resubmitted</i>	<i>Public Meeting</i>
#16A-4937	State Board of Medicine Genetic Counselors	8/29/14	9/18/14

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Tolled/Resubmitted</i>	<i>Public Meeting</i>
#7-480	Environmental Quality Board Regulated Medical and Chemotherapeutic Waste	8/29/14	9/18/14

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 14-1935. Filed for public inspection September 12, 2014, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; John Albert Funari, Jr.; Doc. No. SC14-01-005

Notice is hereby given of the Order to Show Cause issued on July 3, 2014, by the Deputy Insurance Commissioner in the previously-referenced matter. Violation of the following is alleged: section 6(a)(5), (12) and (13) of the act of December 20, 1983 (P. L. 260, No. 72) (63 P. S. § 1606(a)(5), (12) and (13)).

Respondent shall file a written answer to the Order to Show Cause within 20 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to special rules of administrative practice and procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna Fleischauer, Agency ADA Coordinator at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-1936. Filed for public inspection September 12, 2014, 9:00 a.m.]

Application and Request for Plan Approval of a Mutual-to-Stock Conversion and Subsequent Acquisition of Control

Saucon Mutual Insurance Company (Saucon), a Pennsylvania domiciled mutual property insurance company, submitted a plan of conversion which provides for conversion from a mutual property insurance company to a stock property insurance company. The filing, received on September 2, 2014, was made under the Insurance Company Mutual-to-Stock Conversion Act (40 P. S. §§ 911-A—929-A).

In conjunction with the mutual-to-stock conversion, Saucon Holding Company, a Pennsylvania domiciled stock corporation, submitted a request for approval to acquire

control of all of the capital stock of Saucon upon consummation of the previously-referenced conversion. Included within the request was the identity of three individuals anticipated to hold a controlling interest in Saucon Holding Company upon completion of the conversion and acquisition. The acquisition filing, received on September 2, 2014, was made under Article XIV of The Insurance Company Law of 1921 (40 P. S. §§ 991.1401—991.1413).

The filings are available on the Insurance Department's (Department) web site www.insurance.pa.gov. After first scheduling an appointment, consumers may also view the application and supplemental documents at the Department's Harrisburg office at (717) 787-0877.

Persons wishing to comment on the grounds of public or private interest are invited to submit a written statement to the Department within 45 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov.

Comments received will be part of the public record regarding the filing and will be forwarded to the applicant for appropriate response.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-1937. Filed for public inspection September 12, 2014, 9:00 a.m.]

Pennsylvania Compensation Rating Bureau; Filing for Rate and Rule Manual Revisions

On August 28, 2014, the Insurance Department received from the Pennsylvania Compensation Rating Bureau (Bureau) a filing proposing revisions to their rate and rule manual. The filing includes the following proposed changes:

- * Revisions to mapping of direct employment classifications into temporary staffing classifications, Codes 520—529.

- * Clarification of Code 892 language pertaining to early intervention services.

- * Use of published decennial census data only as the basis for populations of areas served by volunteer fire companies subject to Code 994.

* Revision of manual language pertaining to tips for premium computations purposes in recognition of IRS ruling regarding "Service Charges."

* Other manual revisions intended to make the manual language clearer and less ambiguous.

The filing is available for review on the Bureau's web site at www.pcrb.com in the "Filings" section.

Interested parties are invited to submit written comments, suggestions or objections to James Di Santo, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, jadisanto@pa.gov within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-1938. Filed for public inspection September 12, 2014, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Application For Merger

A-2014-2440466. DQE Communications Network Services, LLC. Application of DQE Communications Network Services, LLC for all necessary authority, approvals and certificates of public convenience to merge with and into DQE Communications, LLC as part of the reorganization of Duquesne Light Holdings, Inc.'s communications businesses.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before September 29, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: DQE Communications Network Services, LLC

Through and By Counsel: Michael W. Gang, Esquire, Anthony D. Kanagy, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

Lisa M. Meyer, Esquire, Duquesne Light Company, 411 Seventh Avenue, 16th Floor, Pittsburgh, PA 15219

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1939. Filed for public inspection September 12, 2014, 9:00 a.m.]

Investigation of Pennsylvania's Retail Natural Gas Supply Market; Doc. No. I-2013-2381742

Tentative Order

Chapter 22 of 66 Pa.C.S. (relating to Natural Gas Choice and Competition Act), effective July 1, 1999, requires the Pennsylvania Public Utility Commission

(Commission) to convene stakeholders and explore avenues to encourage increased competition in the natural gas supply market. See 66 Pa.C.S. § 2204(g) (relating to implementation). On September 12, 2013, the Commission issued an Order at Docket No. I-2013-2381742 initiating the Investigation of Pennsylvania's Retail Natural Gas Supply Market.

In a Tentative Order adopted at its August 21, 2014, public meeting at this Docket number, the Commission summarizes comments filed in response to the Commission's September 12, 2013 Order, disposes of some issues, and seeks to identify any additional issues in the retail natural gas supply market to facilitate improvements and encourage competition for the benefit of consumers in this Commonwealth. A copy of the Tentative Order can be found on the Commission's website at http://www.puc.pa.gov/utility_industry/natural_gas/natural_gas_rmi.aspx.

Upon review of the comments to the September 12, 2013 Order, the Commission announces specific topics and issues in the August 21, 2014 Tentative Order that the Commission intends to pursue in this Investigation. The Commission also invites interested parties to further comment on any issues or market enhancements that have not already been discussed or identified as matters to be addressed in this Investigation, or both. Interested parties have 30 days from the date of the publication of this notice to file written comments with the Secretary of the Commission, referencing Docket No. I-2013-2381742.

The Commission's Office of Competitive Markets Oversight will consider all positions of interested parties in developing recommendations for the Commission's consideration.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1940. Filed for public inspection September 12, 2014, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 30, 2014. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2014-2428632. Billtown Cab Co., Inc. (357S West Fourth Street, Williamsport, PA 17701)—a corporation of the Commonwealth of Pennsylvania—for the right to begin to transport, by motor vehicle, persons in the experimental service of Transportation Network Service for passenger trips from Lycoming County to points in

Pennsylvania, excluding service that is under the jurisdiction of the Philadelphia Parking Authority. (*Attorney: Lloyd R. Persun, P. O. Box 659, Mechanicsburg, PA 17055-0659.*)

A-2014-2428671. MTR Transportation, Inc., t/a K-Cab Co. (P. O. Box 274, Mifflinville, PA 18631)—a corporation of the Commonwealth of Pennsylvania—for the right to begin to transport, by motor vehicle, persons in the experimental service of Transportation Network Service for passenger trips from points in the Counties of Columbia and Montour, the Townships of Salem and Nescopeck and the Borough of Nescopeck, Luzerne County and the Borough of Riverside, Northumberland County to points in Pennsylvania, excluding service that is under the jurisdiction of the Philadelphia Parking Authority. (*Attorney: Lloyd R. Persun, P. O. Box 659, Mechanicsburg, PA 17055-0659.*)

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1941. Filed for public inspection September 12, 2014, 9:00 a.m.]

Transfer of Telephone System Assets

A-2014-2440493; A-2014-2440526; A-2014-2440527; A-2014-2440528; A-2014-2440529; A-2014-2440530; A-2014-2440531; A-2014-2440532; A-2014-2440533; A-2014-2440534; A-2014-2440535; A-2014-2440536. Cavalier Telephone Mid-Atlantic, LLC, Intellifiber Networks, Inc., LDMI Telecommunications, Inc., McLeodUSA Telecommunications Services, LLC, PAETEC Communications, Inc., Talk America, Inc., US LEC of Pennsylvania, LLC, Windstream Communications, Inc., Windstream D&E Systems, Inc., Windstream KDL, Inc., Windstream Norlight, Inc. and Windstream NTI, Inc. Joint general rule application of Cavalier Telephone Mid-Atlantic, LLC, Intellifiber Networks, Inc., LDMI Telecommunications, Inc., McLeodUSA Telecommunications Services, LLC, PAETEC Communications, Inc., Talk America, Inc., US LEC of Pennsylvania, LLC, Windstream Communications, Inc., Windstream D&E Systems, Inc., Windstream KDL, Inc., Windstream Norlight, Inc. and Windstream NTI, Inc. for approval of the transfer of telephone system assets to Communications Sales and Leasing, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before September 29, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: Cavalier Telephone Mid-Atlantic, LLC, Intellifiber Networks, Inc., LDMI Telecommunications, Inc., McLeodUSA Telecommunications Services, LLC, PAETEC Communications, Inc., Talk America, Inc., US LEC of Pennsylvania, LLC, Windstream Communications, Inc., Windstream D&E Systems, Inc., Windstream KDL, Inc., Windstream Norlight, Inc., Windstream NTI, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Charles E. Thomas, Esquire, Thomas, Niesen & Thomas, LLC, 212 Locust Street, Suite 600, Harrisburg, PA 17101
ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1942. Filed for public inspection September 12, 2014, 9:00 a.m.]

Wastewater Service

A-2014-2439909 and A-2014-2439910. Aqua Pennsylvania Wastewater, Inc. and Bunker Hill Sewer Company, Inc. Joint application of Aqua Pennsylvania Wastewater, Inc. and Bunker Hill Sewer Company, Inc. for approval of: 1) the acquisition by Aqua Pennsylvania Wastewater, Inc. of the wastewater system assets of the Bunker Hill Sewer Company, Inc. situated in a portion of Clinton Township, Wyoming County; 2) the right of Aqua Pennsylvania Wastewater, Inc. to begin to supply wastewater service to the public in a portion of Clinton Township, Wyoming County; and 3) the abandonment by Bunker Hill Sewer Company, Inc. of public wastewater service in a portion of Clinton Township, Wyoming County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before Monday, September 29, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site www.puc.pa.gov, and at the applicant's business address.

Applicant: Aqua Pennsylvania Wastewater, Inc., Bunker Hill Sewer Company, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Niesen and Thomas, 212 Locust Street, Suite 600, P. O. Box 9500, Harrisburg, PA 17108-9500

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1943. Filed for public inspection September 12, 2014, 9:00 a.m.]

Water Service

A-2014-2439880 and A-2014-2439883. Aqua Pennsylvania, Inc. and Factoryville Bunker Hill Water Company, Inc. Joint application of Aqua Pennsylvania, Inc. and Factoryville Bunker Hill Water Company, Inc. for approval of: 1) the acquisition by Aqua Pennsylvania, Inc. of the water system assets of Factoryville Bunker Hill Water Company, Inc. situated in a portion of Clinton Township, Wyoming County; 2) the right of Aqua Pennsylvania, Inc. to begin to supply water service to the public in a portion of Clinton Township, Wyoming County; and 3) the abandonment by Factoryville Bunker Hill Water Company, Inc. of public water service in a portion of Clinton Township, Wyoming County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utili-

ties). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before Monday, September 29, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site www.puc.pa.gov, and at the applicant's business address.

Applicant: Aqua Pennsylvania, Inc., Factoryville Bunker Hill Water Company, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Niesen and Thomas, 212 Locust Street, Suite 600, P. O. Box 9500, Harrisburg, PA 17108-9500

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1944. Filed for public inspection September 12, 2014, 9:00 a.m.]

Water Service

A-2014-2440042 and A-2014-2440043. Aqua Pennsylvania, Inc. and Robin Hood Lakes Water Company, Inc. Joint application of Aqua Pennsylvania, Inc. and Robin Hood Lakes Water Company, Inc. for approval of: 1) the acquisition by Aqua Pennsylvania, Inc. of the water system assets of Robin Hood Lakes Water Company situated in a portion of Polk Township, Monroe County; 2) the right of Aqua Pennsylvania, Inc. to begin to supply water service to the public in a portion of Polk Township, Monroe County; and 3) the abandonment by Robin Hood Lakes Water Company of public water service in a portion of Polk Township, Monroe County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before Monday, September 29, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site www.puc.pa.gov, and at the applicant's business address.

Applicant: Aqua Pennsylvania, Inc., Robin Hood Lakes Water Company

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Niesen and Thomas, 212 Locust Street, Suite 600, P. O. Box 9500, Harrisburg, PA 17108-9500

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1945. Filed for public inspection September 12, 2014, 9:00 a.m.]

Water Service

A-2014-2440523. The York Water Company. Application of The York Water Company for approval to begin to offer, render, furnish or supply water service to the public in an additional portion of Paradise Township, York County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before September 29, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov, and at the applicant's business address.

Applicant: The York Water Company

Through and By Counsel: Michael W. Hassell, Esquire, Devin T. Ryan, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-1946. Filed for public inspection September 12, 2014, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Motor Carrier Transfer Application for Limousine Service in the City of Philadelphia

Permanent authority to render services as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD) by the following named applicant at Docket No. A-14-08-03 and published on September 13, 2014, in the *Pennsylvania Bulletin*. The company has applied to transfer the rights held by Aspire Limousine Service, Inc. (CPC No. 1014999-07) to transport persons in luxury limousine service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Zaman Enterprises, LLC, 105 Paoli Pike, Malvern, PA 19355, registered with the Commonwealth on December 31, 2007.

Attorney for Applicant: David P. Temple, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority). Filings must be made at the offices of the TLD with the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148 by September 29, 2014. Documents filed in support of the application are available for inspection at the TLD office (contact Charles Milstein) between 9 a.m. and 4:30 p.m. Monday to Friday or may be inspected at the business address of the applicant. The protest fee is \$2,500 (certified check or money order payable to PPA).

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 14-1947. Filed for public inspection September 12, 2014, 9:00 a.m.]

Notice of Citation Complaints

Pursuant to § 1001.51, Service by the Authority:

Tyree Nesmith, Last Known Address: 5020 Greene Street, Philadelphia, PA 19144; Doc. No. C-14-08-012

Citation T-17526, Taxicab and Limousine Regulations; § 1021.12, Operating or Soliciting while outside of Rights—penalty of \$350.00

Citation T-17527, Taxicab and Limousine Regulations; § 1021.2, Certification Required—penalty of \$350.00

On August 1, 2014, Enforcement Officers of the Taxicab and Limousine Division (TLD) observed G-91 respond to a hail while outside of Germantown Cab Co.'s (Germantown) operating authority. The officers observed you transport these passengers to a point that was also outside of Germantown's operating authority for a metered fair. Further investigation revealed that you are not a properly certified driver, as required to operate a taxicab in Philadelphia. As a result of this investigation, the above referenced citations were mailed to your address of record as it appeared on your Pennsylvania Driver's License, via proof of US Mail on August 1, 2014. This mailing was returned to the Authority by the post office as undeliverable, unable to forward on August 18, 2014.

If you wish to contest these citations, you must file a written request for a hearing to the Office of the Clerk at the address below within 15 days after the date of this publication. Otherwise, payment of the aforementioned penalties must be submitted to the Office of the Clerk in the form of a money order or certified bank check payable to the Philadelphia Parking Authority.

Office of the Clerk
Taxicab & Limousine Division
The Philadelphia Parking Authority
2415 S. Swanson Street
Philadelphia, PA 19148
T (215) 683-9498
F (215) 683-9568

By William P. Schmid, Deputy Director of the TLD
VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 14-1948. Filed for public inspection September 12, 2014, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 14-049.1, Roof Replacement at the Port Administration Building, until 2 p.m. on Thursday, October 16, 2014. Information (including mandatory prebid information) can be obtained from the web site at www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 14-1949. Filed for public inspection September 12, 2014, 9:00 a.m.]

STATE BOARD OF CHIROPRACTIC

**Bureau of Professional and Occupational Affairs v.
James Laborde, DC; Doc. No. 1662-43-13; File
No. 12-43-11714**

On July 25, 2014, James Laborde, DC, license number DC004160L, of DuBois, Clearfield County, was suspended for no less than 3 years based on findings that he is unable to practice chiropractic with reasonable skill and safety.

Individuals may obtain a copy of the adjudication by writing to Jason E. McMurry, Board Counsel, State Board of Chiropractic, P. O. Box 2649, Harrisburg, PA 17105-2649.

KATHLEEN G. McCONNELL, DC,
Chairperson

[Pa.B. Doc. No. 14-1950. Filed for public inspection September 12, 2014, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 14-0011A for Baykal press brake or approved equal and press brake tooling for the metals fabrication and welding technology labs. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 14-1951. Filed for public inspection September 12, 2014, 9:00 a.m.]

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 14-1458 for a center pivot tilting melting furnace or approved equal for the metal casting technology lab. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 14-1952. Filed for public inspection September 12, 2014, 9:00 a.m.]

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 14-0002A for electro-mechanical technology equipment to complete the lab and training center. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 14-1953. Filed for public inspection September 12, 2014, 9:00 a.m.]

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 14-0004A for Haas MiniMill Vertical Machining Center or other approved equal. Bid documents can be obtained from Carrie Harmon, Thaddeus

Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 14-1954. Filed for public inspection September 12, 2014, 9:00 a.m.]

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 14-0003A for Haas ST-10 CNC Turning Center or other approved equal. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 14-1955. Filed for public inspection September 12, 2014, 9:00 a.m.]

