

NOTICES

DEPARTMENT OF AGRICULTURE

Fiscal Year 2014-2015 Annual Plan for Awarding Grants under the Pennsylvania Agricultural Fair Act

The Department of Agriculture (Department), under the authority of section 8(a) of the Pennsylvania Agricultural Fair Act (act) (3 P.S. § 1508(a)), announces that the Secretary of Agriculture (Secretary), with the advice and assistance of the Agricultural Fair Advisory Committee (Committee) at its meeting of November 7, 2014, adopted the Fiscal Year (FY) 2014-2015 Annual Plan on the awarding of grants to eligible organizations under the act.

The act authorizes the Department to make grants to organizations conducting eligible agricultural fairs, State-wide agricultural organizations which contribute to the development of agriculture and agribusiness and to eligible agricultural youth groups for support of their programs. The Secretary, with the advice and assistance of Committee created by the act, is to adopt an Annual Plan for awarding of grants subject to the limitations specified in section 5 of the act (3 P.S. § 1505).

The Annual Plan, as adopted by the Secretary, provides for the award of grants to each eligible organization subject to the availability of funds on the following basis:

1. For operating expenses, the maximum payment allowed for each Class Fair under section 5(1)(i)(A) of the act will be paid.
2. For premium reimbursement, the maximum payment allowed under section 5(1)(i)(B) of the act will be paid.
3. For reimbursement to each eligible organization conducting harness horse racing at its annual fair, other than races for colts and fillies 2 and 3 years of age, the maximum amount of reimbursement allowed under section 5(1)(iii) of the act will be paid.
4. For reimbursement to each eligible organization conducting races for colts and fillies 2 and 3 years of age at its annual fair, the maximum amount of reimbursement allowed under section 5(1)(iv) of the act will be paid.
5. For reimbursement of operating costs and premiums, a maximum amount of \$2,000 and in addition a maximum amount of \$10,000 based on a sum equal to 50% of the amount spent by the eligible Statewide agricultural organizations for premium's that are not in the \$2,000

payment as provided under section 5(2) of the act. The total maximum payment hereunder will not exceed \$12,000.

6. For actual expenses incurred for activities which contribute to the advancement of agriculture or agribusiness by 4-H youth groups, a payment which will be calculated according to the following formula:

Tier 1: \$2,000 for total enrollment of up to 1,000 members plus \$1 for each traditional member and \$0.50 for each school enrichment/special interest member.

Tier 2: \$2,500 for total enrollment of 1,001 to 2,000 members plus \$1 for each traditional member and \$0.50 for each school enrichment/special interest member.

Tier 3: \$3,000 for total enrollment of 2,001 to 3,000 members plus \$1 for each traditional member and \$0.50 for each school enrichment/special interest member.

Tier 4: \$3,500 for total enrollment of 3,001+ members plus \$1 for each traditional member and \$0.50 for each school enrichment/special interest member, a maximum reimbursement of \$9,000.

7. For actual expenses incurred for activities which contribute to the advancement of agriculture or agribusiness by Future Farmers of America (FFA) youth groups, a payment which will be calculated according to the following formula:

Tier I: County FFA organizations with 100 members or less will receive base funding of \$1,000 with an additional \$2 per member.

Tier II: County FFA organizations with 101 to 210 members inclusive will receive a \$2,000 base funding with no additional moneys on a per member basis.

Tier III: County FFA organizations with 211 members or more will receive funding of \$2,000 with an additional \$2 per member for every member over 210.

8. Any funds remaining after the previously listed grants have been awarded shall be utilized for capital improvement as provided in section 5(1)(ii) of the act.

9. The Secretary will endeavor to disburse the previously listed payments in accordance with the following schedule:

(a) By February 1, 2015, for payment under paragraphs 1—7.

(b) By April 1, 2015, for payment approved and authorized in FY 2014-2015 under paragraph 8.

GEORGE D. GREIG,
Secretary

[Pa.B. Doc. No. 14-2509. Filed for public inspection December 5, 2014, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the Act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the Act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 25, 2014.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-28-2014	PeoplesBank, A Codorus Valley Company York York County	3100 Market Street Camp Hill Cumberland County	Opened
11-20-2014	Mid Penn Bank Millersburg Dauphin	2305 South Market Street Elizabethtown Lancaster County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-29-2014	Union Community Bank Mount Joy Lancaster County	108 North Reading Road Ephrata Lancaster County	Closed
11-14-2014	Northwest Savings Bank Warren Warren County	259 Seneca Street Oil City Venango County	Closed

Branch Consolidations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-14-2014	Wayne Bank Honesdale Wayne County	<i>Into:</i> 308 Stroud Mall Road Stroudsburg Monroe County <i>From:</i> 334 North Ninth Street Stroudsburg Monroe County	Effective

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.state.pa.us includes public notices for more recently filed applications.

GLENN E. MOYER,
Secretary

[Pa.B. Doc. No. 14-2510. Filed for public inspection December 5, 2014, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Manufactured Home Community Rights Act; Maximum Relocation Fees Payable in the Event of Community Closure

Section 11.2(c) of the Manufactured Home Community Rights Act (68 P. S. § 398.11.2(c)) requires that the Department of Community and Economic Development annually adjust relocation fees that may be owed to manufactured home owners in the event that the community closes. The fees are adjusted based on an increase on the Consumer Price Index.

The base amount of this fee in effect for calendar year 2013 was \$4,000 for single section manufactured homes and \$6,000 for multisection manufactured homes. The Consumer Price Index Inflation Calculator as provided by the United States Department of Labor adjusts the fees for calendar year 2015 is \$4,087 for single section manufactured homes and \$6,131 for multisection manufactured homes.

Inquiries regarding the act should be directed to the Office of the Attorney General.

C. ALAN WALKER,
Secretary

[Pa.B. Doc. No. 14-2511. Filed for public inspection December 5, 2014, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS212203 (Storm Water)	Rock Hill Concrete Inc. Bossardsville Plant 5841 Upper Cherry Valley Road Stroudsburg, PA 18360	Monroe County Hamilton Township	Unnamed Tributary to Lake Creek (1-E)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0061476 (Sewage)	Edgewood MHP 124 Gardner Lane Clarks Summit, PA 18411	Lackawanna County Glenburn Township	Unnamed Tributary to Ackerly Creek (04F)	Y

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0252476 (Sewage)	Shuppe Rentals Trailer Park STP SR 2010 Dillner, PA 15327	Greene County Dunkard Township	Unnamed Tributary to Dunkard Creek (19-G)	Y
PA0093874 (Sewage)	250 3rd St Saltsburg PA 15981 250 3rd Street Saltsburg, PA 15681	Westmoreland County Loyalhanna Township	Unnamed Tributary to Kiskiminetas River (18-C)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0001295, Industrial Waste, SIC Code 9999, **Ashland Inc.**, 5200 Blazer Parkway DS-4, Dublin, OH 43017. Facility Name: Ashland, Inc.—Freedom Terminal. This existing facility is located in Freedom Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated storm water and groundwater.

The receiving stream(s), the Ohio River, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.62 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	20	40	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Dissolved Iron	XXX	XXX	XXX	XXX	XXX	7.0
Total BTEX	XXX	XXX	XXX	0.1	XXX	0.25
Benzene	XXX	XXX	XXX	0.001	XXX	0.0025
Ethylbenzene	XXX	XXX	XXX	Report	XXX	Report
Toluene	XXX	XXX	XXX	Report	XXX	Report
Total Xylenes	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

- Requirements for the use of chemical additives

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0002208, Industrial Waste, SIC Code 3339, **Horsehead Corporation**, 300 Frankfort Road, Monaca, PA 15061-2210. Facility Name: Horsehead Corp Monaca Smelter. This existing facility is located in Potter Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste. This is a revision to draft limits published on March 22, 2014.

The receiving streams, Ohio River, Poorhouse Run, Rag Run and an unnamed stream, are located in State Water Plan watershed 20-B and 20-G and are classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 1.1 MGD. Effluent monitored at IMP 101 discharges through Outfall 001.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	72	108	XXX	10	15	19
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	Report	Report	XXX	Report	Report	XXX
Total Arsenic	4.1	10.0	XXX	0.57	1.39	1.7
Total Barium	Report	Report	XXX	Report	Report	XXX
Total Cadmium	0.57	1.4	XXX	0.08	0.2	0.3
Total Chromium	Report	Report	XXX	Report	Report	XXX
Total Copper	4.4	9.2	XXX	0.61	1.28	1.6
Fluoride	XXX	XXX	XXX	Report	Report	XXX
Total Iron	Report	Report	XXX	Report	Report	XXX
Total Lead	0.65	0.72	XXX	0.09	0.10	0.13
Total Manganese	Report	Report	XXX	Report	Report	XXX
Total Mercury	Report	Report	XXX	Report	Report	XXX
Total Selenium	Report	Report	XXX	Report	Report	XXX
Total Nickel Sulfate	Report XXX	Report XXX	XXX	Report	Report	XXX
Total Thallium (Interim)	Report	Report	XXX	Report	Report	XXX
(Final)	1.0	1.5	XXX	0.13	0.21	0.33
Total Zinc Chloride	3.0 XXX	7.3 XXX	XXX	0.42 Report	1.02 Report	1.3 XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.20 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
Apr 1 - Oct 31	XXX	XXX	XXX	200	XXX	400
Nov 1 - Mar 31	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 90 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	XXX	XXX	0.2
Heat Rejection Rate (MBTUs/day)						
Jan 1 - Jun 30	XXX	119,000	XXX	XXX	XXX	XXX
Jul 1 - Dec 31	XXX	71,200	XXX	XXX	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Hexavalent Chromium	XXX	XXX	XXX	Report	Report	XXX
Total Cobalt	XXX	XXX	XXX	Report	Report	XXX
Sulfate	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.720 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids						
(Interim)	XXX	XXX	XXX	30	100	XXX
(Final)	XXX	XXX	XXX	10	15	19
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Total Arsenic						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.57	1.39	1.7
Total Cadmium						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.08	0.2	0.3
Total Chromium	XXX	XXX	XXX	Report	Report	XXX
Total Copper						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.61	1.28	1.6
Fluoride	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Total Lead						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.09	0.10	0.13
Total Thallium	XXX	XXX	XXX	Report	Report	XXX
Total Zinc						
(Interim)	XXX	XXX	XXX	Report	Report	XXX
(Final)	XXX	XXX	XXX	0.42	1.02	1.3

The proposed effluent limits for Outfall 005 are based on a design flow of 0.014 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	100
Total Cadmium	XXX	XXX	XXX	0.2	XXX	0.5
Hexavalent Chromium	XXX	XXX	XXX	0.2	XXX	0.5
Total Lead	XXX	XXX	XXX	0.2	XXX	0.5
Total Selenium	XXX	XXX	XXX	0.2	XXX	0.5

The proposed effluent limits for Outfalls 007 and 008 are for storm water discharges.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	Report
Total Aluminum	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Barium	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Manganese	XXX	XXX	XXX	Report	XXX	Report
Total Mercury	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

The proposed effluent limits for Outfall 009 are for storm water discharges.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Total Aluminum	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Barium	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Manganese	XXX	XXX	XXX	Report	XXX	Report
Total Mercury	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

The proposed effluent limits for Outfall 010 are for storm water discharges.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

The proposed effluent limits for Outfall 011 are based on a design flow of 0.69 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 013 are based on a design flow of 0.720 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	10	15	19
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Total Aluminum	XXX	XXX	XXX	Report	Report	XXX
Total Arsenic	XXX	XXX	XXX	0.57	1.39	1.7
Total Cadmium	XXX	XXX	XXX	0.08	0.2	0.3
Total Chromium	XXX	XXX	XXX	Report	Report	XXX
Total Copper	XXX	XXX	XXX	0.61	1.28	1.6
Fluoride	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Total Lead	XXX	XXX	XXX	0.09	0.10	0.13
Total Nickel	XXX	XXX	XXX	Report	Report	XXX
Total Thallium	XXX	XXX	XXX	Report	Report	XXX
Total Zinc	XXX	XXX	XXX	0.42	1.02	1.3

The proposed effluent limits for Outfalls 017, 018, 019, 020 and 021 are for storm water discharges.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Aluminum	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfalls 104, 204, 304, 404, 504, 604, 713 and 813 and Internal Monitoring Points 113 and 114 are for storm water overflows.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH	XXX	XXX	XXX	Report	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	Report
Total Aluminum	XXX	XXX	XXX	Report	XXX	Report
Total Arsenic	XXX	XXX	XXX	Report	XXX	Report
Total Barium	XXX	XXX	XXX	Report	XXX	Report
Total Cadmium	XXX	XXX	XXX	Report	XXX	Report
Total Chromium	XXX	XXX	XXX	Report	XXX	Report
Total Copper	XXX	XXX	XXX	Report	XXX	Report
Fluoride	XXX	XXX	XXX	Report	XXX	Report
Total Iron	XXX	XXX	XXX	Report	XXX	Report
Total Lead	XXX	XXX	XXX	Report	XXX	Report
Total Manganese	XXX	XXX	XXX	Report	XXX	Report
Total Mercury	XXX	XXX	XXX	Report	XXX	Report
Total Nickel	XXX	XXX	XXX	Report	XXX	Report
Total Zinc	XXX	XXX	XXX	Report	XXX	3.34

In addition, the permit contains the following major special conditions:

- Schedule of compliance for IMP 101 thallium limits; chemical additive requirements; TRC minimization; and requirements for storm water outfalls associated with industrial activities and construction activities

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0204889, Industrial Waste, SIC Code 4111, **Allegheny County Port Authority**, 345 Sixth Avenue, Pittsburgh, PA 15222-2527. Facility Name: Harmar Garage Port Authority Allegheny County. This existing facility is located in Harmar Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Unnamed Tributary to Deer Creek, is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
BOD ₅	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Dissolved Iron	XXX	XXX	XXX	3.5	7.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.00 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
BOD ₅	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Dissolved Iron	XXX	XXX	XXX	3.5	7.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0204901, Industrial Waste, SIC Code 4111, **Allegheny County Port Authority**, 345 6th Avenue Floor 3, Pittsburgh, PA 15222-2527. Facility Name: Port Authority Ross Township Garage. This existing facility is located in Ross Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Nelson Run, is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
BOD ₅	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Dissolved Iron	XXX	XXX	XXX	3.5	7.0	XXX
Total Xylenes	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.00 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
BOD ₅	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Dissolved Iron	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0204862, Industrial Waste, SIC Code 3211, **Guardian Industries Corporation**, 1000 Glass House Road, Jefferson Hills, PA 15025-2551. Facility Name: Floreff Plant. This existing facility is located in Jefferson Hills Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for existing discharges of cooling tower blowdown and storm water. This is a revision to draft limits published on May 4, 2013.

The receiving stream, the Monongahela River, is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001 and 003—012 are for storm water discharges.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Internal Monitoring Point 101.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements for chemical additives and storm water outfalls.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0244449, SIC Code 4911, 4931, **FPL Energy Marcus Hook LP**, 100 Green Street, Marcus Hook, PA 19061. Facility Name: Marcus Hook Generating Station. This existing facility is located in Marcus Hook Borough, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial wastewater.

The receiving stream(s), Delaware River Estuary-Zone 4, is located in State Water Plan watershed 3-G and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.32 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.05	XXX	0.1
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	95.0
CBOD ₅	1,080	2,161	XXX	30	60	75
CBOD ₂₀	1,082	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	1,080	3,602	XXX	30	100	XXX
Total Dissolved Solids	180,144	360,288	XXX	5,000	10,000	12,500
Oil and Grease	540	720	XXX	15	20	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	Report
Total Cadmium	XXX	XXX	XXX	Report	Report	Report
Total Copper	XXX	XXX	XXX	Report	Report	Report
Bromide	XXX	XXX	XXX	Report	Report	Report
PCBs (Dry Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Acute Toxicity—						
Ceriodaphnia Survival (TUa)	XXX	XXX	XXX	XXX	Report	XXX
Chronic Toxicity—						
Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Acquire Necessary Property Rights
- Proper Sludge Disposal
- WQM Permit Condition
- BAT/ELG Reopener
- Chlorine Optimization
- Thermal Impact
- Thermal Mixing Zone
- Annual Inspection of Stormwater
- WET Requirement
- Chemical Additives Requirement
- PCB/PMP Requirement
- Cooling Water Intake Structure Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0042889, Sewage, SIC Code 8211, **Octorara Area School District**, 228 Highland Road, Atglen, PA 19310-1603. Facility Name: Octorara Area School District STP. This existing facility is located in West Fallowfield Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sanitary wastewater from Octorara Area School District STP.

The receiving stream(s), Unnamed Tributary to Knight Run, is located in State Water Plan watershed 7-K and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Geo Mean	
Flow (GPD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	5.0	XXX	XXX	0.04
CBOD ₅	6.25	XXX	XXX	0.02	XXX	50
Total Suspended Solids	7.5	XXX	XXX	25	XXX	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	30	XXX	1,000
				200	XXX	
Ammonia-Nitrogen				Geo Mean		
May 1 - Oct 31	0.5	XXX	XXX	2.0	XXX	4.0
Nov 1 - Apr 30	1.5	XXX	XXX	6.0	XXX	12.0
Total Phosphorus	0.5	XXX	XXX	2.0	XXX	4.0
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

I. Special Requirements

- A. No Stormwater
- B. All Necessary Rights
- C. Sludge Removal
- D. Abandon STP
- E. TRC Minimization
- F. Small Receiving Stream
- G. Fecal Coliform

II. EDMR Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0244481, SIC Code 8811, **Baughman Sharon**, 1007 Forrest Road, Doylestown, PA 18902. Facility Name: Baughman SRSTP. This existing facility is located in West Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Ridge Valley Creek, is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Minimum	Minimum	Average Monthly	Geo Mean	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	XXX	XXX	XXX	10	XXX	20

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	XXX	Minimum	Average Monthly	XXX	
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

In addition, the permit contains the following major special conditions:

- I. Other Requirements
 - A. AMR to DEP
 - B. DMR to DEP
 - C. Depth Measurement
 - D. Septic Tank Pumping
 - E. No Stormwater
 - F. Property Rights
 - G. Sludge Removal
 - H. Abandon Use

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0085073, Sewage, SIC Code 4952, **Wood-Broad Top-Wells Joint Municipal Authority**, P. O. Box 7, Wood, PA 16694. Facility Name: Wood-Broad Top-Wells STP. This existing facility is located in Wood Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Great Trough Creek, is located in State Water Plan watershed 11-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.084 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	18	Wkly Avg	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	21	Wkly Avg	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Ammonia-Nitrogen						
May 1 - Oct 31	1.4	XXX	XXX	2	XXX	4
Nov 1 - Apr 30	4.2	XXX	XXX	6	XXX	12
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Restrictions on acceptance of hauled-in wastes at the treatment facility under certain conditions, unless otherwise approved by DEP in writing
- Solids management and reporting requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0083526, Industrial Waste, SIC Code 3321, **R. H. Sheppard Co., Inc.**, 101 Philadelphia Street, Hanover, PA 17331. Facility Name: R. H. Sheppard Co., Inc. This existing facility is located in Hanover Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream, Unnamed Tributary to Oil Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 005 are based on a design flow of 0.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.0 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0.144 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.065 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0087513, Sewage, SIC Code 4952, **Mapleton Borough Area Joint Municipal Authority Huntingdon County**, 13343 Smith Valley Road, Mapleton Depot, PA 17052-0415. Facility Name: Mapleton Area STP. This existing facility is located in Union Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Hares Valley Creek, is located in State Water Plan watershed 12-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	21	33	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	25	38	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	4.2	XXX	XXX	5	XXX	10
Nov 1 - Apr 30	12.5	XXX	XXX	15	XXX	30
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Restrictions on acceptance of haulein wastes at the treatment facility under certain conditions, unless otherwise approved by DEP in writing.
- Solids management and reporting requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No. PA0026841, Sewage, SIC Code 4952, **Borough of Oakmont**, P. O. Box 206, Oakmont, PA 15139-0206.

This existing facility is located in Oakmont Borough, **Allegheny County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

Northwest Regional Office: Regional Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Telephone: 814.332.6942.

PA0102288, Industrial Waste, SIC Code 4953, **Casella Waste Management of PA, Inc. and Cares McKean, LLC**, 19 Ness Lane, Kane, PA 16735. Facility Name: McKean County Landfill. This existing facility is located in Sergeant Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste consisting of treated Shale Gas Extraction (SGE) wastewater from the Marcellus Shale region, treated Industrial Waste consisting of landfill leachate, and stormwater runoff.

The receiving streams, an Unnamed Tributary to the Little Sicily Run (Outfalls 001-006 and 010), an Unnamed Tributary to the Sevenmile Run (Outfall 007), the Rocky Run (Outfall 008), and the Sicily Run (Outfall 009), are located

in State Water Plan watershed 17-A and are classified for Cold Water Fishes (Outfalls 001-006, 008-010) and High Quality—Cold Water Fishes (Outfall 007), aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.55 MGD.

<i>Parameters</i>	<i>Mass (lbs/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.55 MGD.

<i>Parameters</i>	<i>Mass (lbs/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅						
(Interim)	207.2	310.8	XXX	46.8	70.2	93.6
CBOD ₅ (°F) (Final)	194.4	291.6	XXX	46.6	69.9	93.2
Total Suspended Solids	Report	Report	XXX	11.3	29.6	37.0
Total Dissolved Solids	2,085	4,170	XXX	500	1,000	1250
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	51.4	102.8	128.5
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Ammonia-Nitrogen						
May 1 - Oct 31	7.6	11.4	XXX	1.8	2.7	3.6
Nov 1 - Apr 30	22.8	34.2	XXX	5.4	8.1	10.8
Total Antimony						
(Interim)	0.1301	0.2602	XXX	0.0312	0.111	0.1388
(Final)	0.024	0.048	XXX	0.0058	0.0116	0.0145
Total Arsenic						
(Interim)	0.0830	0.1660	XXX	0.0199	0.0993	0.1241
(Final)	0.041	0.082	XXX	0.01	0.02	0.025
Total Barium						
(Interim)	41.7	83.4	XXX	10	20	25
(Final)	10.4	20.8	XXX	2.5	5.0	6.25
Total Cadmium						
(Interim)	0.0425	0.0851	XXX	0.0102	0.0172	0.0215
(Final)	0.0012	0.0024	XXX	0.0003	0.0006	0.00075
Total Chromium	Report	Report	XXX	0.0522	0.167	0.2087
Total Cobalt	0.083	0.166	XXX	0.02	0.04	0.05
Total Copper	0.037	0.075	XXX	0.009	0.018	0.022
Total Lead	0.012	0.025	XXX	0.003	0.006	0.007
Total Mercury	0.00020	0.00041	XXX	0.00005	0.00010	0.00012
Total Nickel	0.225	0.450	XXX	0.054	0.108	0.135
Total Selenium	0.020	0.041	XXX	0.005	0.010	0.012
Total Silver	0.008	0.016	XXX	0.002	0.004	0.005
Total Strontium	41.7	83.4	XXX	10	20	25
Total Uranium (µg/L)	Report	Report	XXX	Report	Report	Report
Total Tin	Report	Report	XXX	0.0367	0.0955	0.1194
Total Titanium	Report	Report	XXX	0.00612	0.0159	0.0199
Total Vanadium	Report	Report	XXX	0.0518	0.0628	0.0785
Total Zinc	0.317	0.634	XXX	0.076	0.152	0.190
o-Cresol	Report	Report	XXX	0.561	1.92	2.40
2,4,6-Trichlorophenol	0.0075	0.0150	XXX	0.0018	0.0036	0.0045
Phenol	Report	Report	XXX	1.08	3.65	4.56
Acetone	15	30	XXX	3.6	7.2	9.0
Acetophenone	Report	Report	XXX	0.0562	0.114	0.143
Butyl Benzyl Phthalate	0.15	0.30	XXX	0.036	0.072	0.090
Chloride	1,042	2,085	XXX	250	500	625
Bromide	Report	Report	XXX	Report	Report	Report
2-Butanone	Report	Report	XXX	1.85	4.81	6.01
Bis(2-Ethylhexyl)Phthalate	0.008	0.016	XXX	0.002	0.004	0.005
Fluoranthene	Report	Report	XXX	0.0268	0.0537	0.0671
Carbazole	Report	Report	XXX	0.276	0.598	0.748
n-Decane	Report	Report	XXX	0.437	0.948	1.185
n-Octadecane	Report	Report	XXX	0.302	0.589	0.736
p-Cresol	0.688	1.376	XXX	0.165	0.330	0.412
Pyridine	Report	Report	XXX	0.182	0.37	0.46

Parameters	Mass (lbs/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Tetrachloroethylene (Interim)	Report	Report	XXX	Report	Report	Report
(Final)	0.0038	0.0077	XXX	0.0009	0.0019	0.0023
Gross Alpha (pCi/L)	XXX	XXX	XXX	Report	Report	Report
Radium 226/228, Total (pCi/L)	XXX	XXX	XXX	Report	Report	Report

The proposed effluent limits for Outfall 201 are based on a design flow of 0.55 MGD.

Parameters	Mass (lbs/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
CBOD ₅	XXX	XXX	XXX	36.5	54.8	73.0
Total Suspended Solids	XXX	XXX	XXX	27	88	110
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Ammonia-Nitrogen	XXX	XXX	XXX	4.7	7.0	9.4
Total Zinc	XXX	XXX	XXX	0.098	0.196	0.245
Phenol	XXX	XXX	XXX	0.015	0.026	0.032
a-Terpineol	XXX	XXX	XXX	0.016	0.033	0.041
Benzoic Acid	XXX	XXX	XXX	0.071	0.12	0.18
p-Cresol	XXX	XXX	XXX	0.014	0.025	0.031

In addition, the permit contains the following major special conditions:

- Requirement to Use eDMR System
- Equivalent Treatment Determination
- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Dr, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0214407, Sewage, **Pittsburgh Water and Sewer Authority**, 1200 Penn Ave, Pittsburgh, PA 15233.

This proposed facility is located in City of Pittsburgh, **Allegheny County**.

Description of Proposed Action/Activity: Installation of sanitary sewer lines and appurtenances.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 6214402, Sewage, **Ronald Hunter**, 4848 Route 957, Russell, PA 16345.

This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI01 0913001(1)	Waste Management of Fairless, LLC 100 New Ford Mill Road Morrisville, PA 19067	Bucks	Falls Township	Delaware River WWF—MF
PAI01 1514040	Upper Uwchlan Township Municipal Authority 140 Pottstown Pike Chester Springs, PA 19425	Chester	Upper Uwchlan Township	Unnamed Tributary to Marsh Creek HQ—TSF Pickering Creek HQ—TSF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 2313007	City of Philadelphia Division of Aviation Terminal D-E Philadelphia International Airport Philadelphia, PA 19153	Delaware	Tinicum Township	Delaware River WWF—MF
PAI01 5114011-2	Liberty Property Trust 1628 John F. Kennedy Boulevard Philadelphia, PA 19103	Philadelphia	City of Philadelphia	Delaware River WWF—MF
PAI01 5114011-3	Liberty Property/Synterra Limited Partnership 1628 John F. Kennedy Boulevard Philadelphia, PA 19103	Philadelphia	City of Philadelphia	Delaware River WWF—MF
PAI01 5114019	Grace Townhomes Limited Partnership 100 West Oxford Street Suite E-2300 Philadelphia, PA 19122	Philadelphia	City of Philadelphia	Delaware River WWF—MF

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032807003R	Thomas B. Mongold 18182 Fort Davis Road Mercersburg, PA 17236	Franklin	Guilford Township	UNT Raccoon Creek (HQ-CWF) Rocky Mountain Creek (HQ-CWF)
PAI030714002	Laverne Nolt 2705 Henrietta Road Martinsburg, PA 16662	Blair	North Woodbury Township	UNT to Yellow Creek/HQ, CWF
PAI030714004	Allegheny Township Sewer and Water Authority 3131 Colonial Drive Duncansville, PA 16635	Blair	Allegheny Township	Spencer Run/WWF, MF and UNT to Spencer Run
PAI030714005	Lexington One, Inc. 620 Howard Avenue Altoona, PA 16601	Blair	Allegheny Township	Brush Run/WWF, MF
PAI032114006	South Middleton School District 4 Forge Road Boiling Springs, PA 17007	Cumberland	South Middleton Township	Yellow Breeches Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044114005	Duncan Masemore Cellco Partnership d/b/a Verizon Wireless 4642 Jonestown Rd Ste 200 Harrisburg PA 17109	Lycoming	Pine Township	Otter Run EV

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Clarion County Conservation District, 330 West Main Street, Room 9, Clarion PA 16214

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI061614002	DCNR Bureau of Facility Design PO Box 8451 Harrisburg PA 17105	Clarion	Farmington Twp	Toms Run EV

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Jeff & Aretha Funk Funk Family Farm 18255 Ft. Davis Road Mercersburg, PA 17236	Franklin	374.6	677.64	Swine / Beef	NA	Renewal
Robbie & Danyell Dickinson 199 West McKinleyville Road Hustontown, PA 17229	Fulton	100.9	341.42	Swine Finisher	UNT Sideling Hill Creek-HQ; CWF	New

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

**Applications Received Under the Pennsylvania Safe
Drinking Water Act**

*Northcentral Region: Safe Drinking Water Program
Manager, 208 West Third Street, Suite 101, Williamsport,
PA 17701-6448*

Application No. 0814504—Construction Public Water Supply.

Applicant	Saxe Pond
[Township or Borough]	Wilmot Township
County	Bradford
Responsible Official	Michael B. Saxe, Owner Saxe Pond 42 Saxe Pond Road Dushore, PA 18614

Type of Facility Public Water Supply
 Consulting Engineer Edmund G. Slocum, P.E.
 Milnes Engineering, Inc.
 12 Frear Hill Road
 Tunkhannock, PA 18657
 Application Received November 12, 2014
 Description of Action Addition of ion exchange
 equipment to existing public
 water supply system for
 softening and nitrate removal.

Application No. 0814505—Construction Public Wa-
 ter Supply.

Applicant **Jones RV Park**
 [Township or Borough] Ulster Township
 County **Bradford**
 Responsible Official Myron M. Rosh, Jr.
 Jones RV Park
 401 East Frederick Street
 Athens, PA 18810

Type of Facility Public Water Supply
 Consulting Engineer Edmund G. Slocum, P.E.
 Milnes Engineering, Inc.
 12 Frear Hill Road
 Tunkhannock, PA 18657
 Application Received November 17, 2014
 Description of Action Addition of ion exchange
 equipment to existing public
 water supply system for
 softening and nitrate removal.

*Southwest Region: Safe Drinking Water Program Man-
 ager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

Permit No. 6514508, Public Water Supply.
 Applicant **Highridge Water Authority**
 17 Maple Avenue
 Blairsville, PA 15717
 [Township or Borough] East Wheatfield Township
 Responsible Official George Sulkosky, Executive
 Director
 Highridge Water Authority
 17 Maple Avenue
 Blairsville, PA 15717

Type of Facility Water system
 Consulting Engineer Gibson-Thomas Engineering,
 Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650
 Application Received November 4, 2014
 Date
 Description of Action Relocation of the SR 56 pump
 station.

Permit No. 6514511, Public Water Supply.
 Applicant **Municipal Authority of
 Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672
 [Township or Borough] Washington Township

Responsible Official William Castelli, Distribution
 Facility Superintendent
 Municipal Authority of
 Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system
 Consulting Engineer Gibson-Thomas Engineering,
 Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650
 Application Received November 5, 2014
 Date
 Description of Action Painting of the interior and
 exterior; and installation of a
 PAX mixing system at the
 250,000 gallon North
 Washington water storage tank.

Permit No. 6514512, Public Water Supply.
 Applicant **Municipal Authority of
 Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672
 [Township or Borough] Hempfield Township
 Responsible Official William Castelli, Distribution
 Facility Superintendent
 Municipal Authority of
 Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system
 Consulting Engineer Gibson-Thomas Engineering,
 Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650
 Application Received November 5, 2014
 Date
 Description of Action Painting of the interior and
 exterior; and installation of a
 PAX mixing system at the
 550,000 gallon Kiski #2 water
 storage tank.

Permit No. 6514513, Public Water Supply.
 Applicant **Municipal Authority of
 Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672
 [Township or Borough] Leechburg Township
 Responsible Official William Castelli, Distribution
 Facility Superintendent
 Municipal Authority of
 Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system
 Consulting Engineer Gibson-Thomas Engineering,
 Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014
 Description of Action Painting of the interior and exterior; and installation of a PAX mixing system at the 1,000,000 gallon Leechburg water storage tank.

Permit No. 2614506, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672

[Township or Borough] Hempfield Township

Responsible Official William Castelli, Distribution Facility Superintendent
 Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014

Description of Action Painting of the interior and exterior; and installation of a PAX mixing system at the 2,000,000 gallon North Greensburg water storage tank.

Permit No. 2614507, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672

[Township or Borough] Hempfield Township

Responsible Official William Castelli, Distribution Facility Superintendent
 Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014

Description of Action Painting of the interior and exterior; and installation of a PAX mixing system at the 130,000 gallon Hempfield water storage tank.

Permit No. 2614508, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672

[Township or Borough] Unity Township

Responsible Official William Castelli, Distribution Facility Superintendent
 Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014

Description of Action Painting of the interior and exterior; and installation of a PAX mixing system at the 2,000,000 gallon Charter Oaks #2 water storage tank.

Permit No. 2614509, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672

[Township or Borough] Hempfield Township

Responsible Official William Castelli, Distribution Facility Superintendent
 Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014

Description of Action Painting of the interior and exterior; and installation of a PAX mixing system at the 250,000 gallon Greengate water storage tank.

Permit No. 2614510, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672

[Township or Borough] South Connellsville

Responsible Official William Castelli, Distribution Facility Superintendent
 Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system
 Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014

Description of Action Painting of the interior and exterior; and installation of a PAX mixing system at the 2,000,000 gallon Reagentown water storage tank.

Permit No. 2614511, Public Water Supply.

Applicant **Municipal Authority of Westmoreland County**
 124 Park & Pool Road
 New Stanton, PA 15672

[Township or Borough] South Huntingdon Township

Responsible Official William Castelli, Distribution Facility Superintendent
 Municipal Authority of Westmoreland County
 124 Park & Pool Road
 New Stanton, PA 15672

Type of Facility Water system
 Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014

Description of Action Painting of the interior and exterior; and installation of a PAX mixing system at the 2,000,000 gallon Gibson #2 water storage tank.

Permit No. 1114522, Public Water Supply.

Applicant **Greater Johnstown Water Authority**
 640 Franklin Street
 PO Box 1407
 Johnstown, PA 15901

[Township or Borough] Conemaugh Township

Responsible Official Michael Kukura, Manager
 Greater Johnstown Water Authority
 640 Franklin Street
 PO Box 1407
 Johnstown, PA 15901

Type of Facility Water system
 Consulting Engineer Gibson-Thomas Engineering, Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650

Application Received Date November 5, 2014

Description of Action Installation of a PAX mixing system at the 520,000 gallon Spring Hill Farm water storage tank.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northeast Region: Safe Drinking Water Program Manager; 2 Public Square, Wilkes-Barre, PA 18701-1915.

WA 54-95A, Water Allocation, **Tower City Borough Authority**, 219 Colliery Avenue, Tower City, PA 17980, Tower City Borough, **Schuylkill County**. The applicant is requesting the Department rescind the aforementioned water allocation permit which approved a total average daily withdrawal of 250,000 gallons per day from Reservoirs 1 and 3 due to their history of nonuse.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation.

tion and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Xpedited Services, Interstate 80 @ MM183W, crossover, Lamar Township, **Clinton County**. Northridge Group, Inc, P. O. Box 231, Northumberland, PA 17857, on behalf of Xpedited Services, 418 Duncan Avenue, Jersey City, NJ 07306 has submitted a Notice of Intent to Remediate. A release of approximately 125-gallons of diesel fuel occurred adjacent to the roadway and was contained utilizing absorbent booms. The site is to be restored to PENNDOT pre-incident specifications utilizing 2A stone, seed, fertilizer and straw. The Notice of Intent to Remediate was published in *The Daily Item* on October 13, 2014.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person

submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05158A: Perdue Grain & Oil Seed, LLC (PO Box 1537, Salisbury, MD 21802-1537) on November 3, 2014, with additional supporting information submitted on November 12, 2014 (dated November 7, 2014), for modification of the pending plan approval application for a soybean processing facility in Conoy Township, **Lancaster County**, to include application updates, including the revision of soybean throughput rates, associated particulate matter emissions, and a revised truck traffic assessment.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a Plan Approval # 39-00006B to **American Craft Brewery**, 7880 Penn Drive, Breinigsville, PA 18031-1508, for their plant located in Upper Macungie Township, **Lehigh County**. The facility currently has Title V Permit No. 39-00006. This plan approval will be incorporated into the Title V operating permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*.

Plan Approval No. 39-00006B is for the replacement of Packaging-Bottle Filler No.2 (Bottle Filler No.2) with a new bottle filler to fill malt beverage products. The new bottle filler is capable of filling bottles with any products without deteriorating the bottling equipment. The new Bottle Filler No.2 will have a maximum capacity of 1,200 bottles per minute. The bottle filler will be operated 24 hours/day, 7 days /week and 8,760 hours/year.

Only VOC emissions are expected to increase due to this project. The new operational conditions will result in a higher VOC potential to emit (PTE) for the bottle filler compared to current operations. The increased filling capacity for Bottle Filler No.2 is to allow for filler equipment flexibility only and does not increase any brewing, pasteurizing or packaging capacity at the facility. Therefore, the project will not affect production or capacity at any other sources or units at the facility. VOC emission increases related to this project will be offset by buying emissions reduction credits.

A review of the information submitted by the company indicates that the proposed project will meet all applicable state and federal air quality requirements. Based upon these findings, DEP plans to approve the application and issue a permit for the facility.

The following table summarizes the VOC emissions from the new bottle line.

<i>Sources</i>	<i>VOC Emissions TPY</i>
Bottling line #2	16.21

The emissions of these pollutants are within all applicable emissions limitations.

In order to assure compliance with the applicable standards, DEP will place conditions in the plan approval.

The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 39-00006B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, P.E., Environmental Group Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2511 within 30 days after publication date.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

05-05021B: Hill & Smith Holdings, Inc. dba Creative Pultrusions, Inc. (214 Industrial Lane, Alum Bank, PA 15521) for the construction of a TR102 pultrusion machine to their existing Source ID 101, and a 35 kW Kohler propane fired generator at their facility located in West St. Clair Township, **Bedford County**. The expected increase in facility emissions as a result of the construction proposed are approximately: 2.05 tons per year VOC/HAP. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 63, Subpart WWW—National Emissions Standards for Hazardous Air Pollutants: Reinforced Plastic Composites Production and 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

04-00059: In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a Title V Operating Permit renewal to **IPSCO Koppel Tubulars, LLC** (P. O. Box 750, Beaver Falls, PA 15010) for the operation of melting and hot forming of alloy or carbon steels into solid steel “blooms” at their facility located in the Boroughs of Koppel and Big Beaver, **Beaver County**, Pennsylvania.

Koppel melts scrap steel and additives using a 100-ton capacity Electric Arc Furnace (EAF). The Plant also has steel tube finishing operations where steel tube from another location may be heat treated, straightened, cleaned (brushed), coated, and cut to end user specifications. This facility include various heat treating furnaces, saws, straighteners, lathes, tube upsetters, acid bath, torches, draft station and coaters. There are several baghouses to control particulate emissions.

Facility-wide emissions reported for the 2013 calendar year include approximately 116.87 tons of NO_x, 6.96 tons of filterable PM₁₀, 63.33 tons of VOC, 28.30 tons of CO, and 0.57 ton of SO_x. Ambridge is a Title V facility because it's potential to emit (PTE) NO_x is greater than the major source threshold (100 tpy). The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

16-00128: County Landfill, Inc. / County Environmental Services, Inc. (P. O. Box 237, 344 Walley Run Road, Leeper, PA 16233-0237) This notice is for the intent to re-issue a Title V Permit to operate the landfill gas collection and control system at this now closed municipal waste landfill located in Farmington Borough, **Clarion County**. This is a major facility due to its potential to emit VOC emissions from the landfill gas.

This facility continues to be subject to the existing requirements of 40 CFR 60—Subpart WWW, Standards of Performance for Municipal Solid Waste Landfills and 40 CFR 63—Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills.

The Emergency Power Generator at this facility is now subject to the requirements of 40 CFR 63—Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

The potential emissions from this facility are as follows. (All values are in tons/year.) PM—2.75, PM₁₀/PM_{2.5}—2.75, SO_x—3.21, NO_x—10.34, VOC—5.28, CO—34.49, CO_{2e}—99,948.00, and Total HAPs—2.37.

20-00040: Advanced Cast Products (18771 Mill Street, Meadville PA 16335) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b) that the Department of Environmental Protection (DEP) intends to issue a plan approval for the construction and operation of a PM emission source at their existing facility located in Vernon Township, **Crawford County**. The facility currently has a Title V permit. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

This is a Title V facility which has a potential to emit PM₁₀ emissions at a rate which exceeds the Title V threshold. This plan approval (20-040J) concerns the construction and operation of a silo used to store pre-mix material which is consumed in the casting mold making process. PM emissions will be emitted as a result of this project however they will be controlled by a Torit cartridge dust collector which is considered BAT. This source, after the emission control device, has the potential to emit 0.08 tpy of filterable particulate matter.

This Plan Approval will contain emission restrictions along with testing, monitoring, recordkeeping, reporting, work practice, and additional requirements, which will satisfy 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Edward Orris, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6636.

Any persons wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown below. The Department will consider any written comments received within 30 days of the publication of this notice. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (Plan Approval No. 20-040J) and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by contacting Edward Orris or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate your needs.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00043: Crestwood Membranes, Inc. (755 Oakhill Road, Crestwood Industrial Park, Mountaintop, PA 18707) for the operation of a plastics manufacturing facility in Wright Township, **Luzerne County**. The sources consist of boilers, calenders, laminator, and a rotogravure press. The calenders and laminators emis-

sions are controlled by inertial separators and the press is controlled by a regenerative thermal oxidizer (RTO). This is a renewal of a State-Only Operating Permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

48-00054: Praxair, Inc. (145 Shimersville Road, Bethlehem, PA 18015) The Department intends to issue a renewal State only operating permit for a gas cylinder filling and repackaging facility in Bethlehem City, **Northampton County**. The proposed operating permit contains all applicable Federal and State regulations including emissions, monitoring, record keeping, reporting and work practice requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

22-05047: Dura-Bond Pipe, LLC (2716 South Front Street, Steelton, PA 17113) for operation of their pipe and structural shapes manufacturing facility in Steelton Borough, **Dauphin County**. The permit is for a Title V facility. In accordance with 25 Pa. Code § 127.542, the operating permit is being opened for cause to correct the regulatory applicability of certain sources and to clarify requirements for Source 101. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

07-03040: Key State Ag Service, LLC (106 South Railroad Street, Martinsburg, PA 16662) to issue a State Only Operating Permit for the Martinsburg Mill located in Martinsburg Borough, **Blair County**. The potential emissions from the facility are estimated to be 11.5 tons per year of particulate matter. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

25-00266: Electro-Tech, Inc., (100 W. Poplar Street, Meadville, PA 16335), to renew a State Only Operating Permit for the facility located in the City of Meadville, **Crawford County**. The facility is a Natural Minor. The primary sources at the facility include 3 Chrome electroplating tanks, a parts washer, and natural gas combustion for building heat. The potential emissions from the facility are below the Title V thresholds. The facility is subject to 40 CFR Part 63 Subpart N, National Emission Standards for Chromium Emissions from Hard and Decorative Electroplating and Chromium Anodizing Tanks. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

65-00595: Excelsa Health (532 W. Pittsburgh St., Greensburg, PA 15601-2282) for renewal of an Air Quality Natural Minor State Only Operating Permit (SOOP) to authorize the operation of the Westmoreland Regional Hospital located in the city of Greensburg, **Westmoreland County**. Equipment at this facility includes two large heating boilers, three emergency generators, a “summer” boiler, and several small hot water boilers. Potential emissions from the facility are as follows: 33.2 tons per year of NO_x, 13.1 tons per year of CO, 47.2 tons per year of SO₂, 3.7 tons per year of particulate matter, and 0.7 ton per year of VOC. No emission or equipment changes are being proposed by this action. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed SOOP renewal includes conditions relating to applicable emissions restrictions, testing, monitoring, recordkeeping, reporting and work practice standards requirements.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant’s newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 11040102 and NPDES No. PA0249688. E.P. Bender Coal Co., Inc., P. O. Box 594, Main and Lehmer Streets, Carrolltown, PA 15722, permit renewal for reclamation only of a bituminous surface and auger mine in Chest and White, Chest and Beccaria Townships, **Cambria and Clearfield Counties**, affecting 136.0 acres. Receiving streams: unnamed tributaries to/and South Witmer Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 30, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17080102 and NPDES PA0256722. Forcey Coal, Inc. (P. O. Box 225, 475 Banion Road, Madera, PA 16661). Permit renewal for the continued operation and restoration of a bituminous surface mine in Bigler Township, **Clearfield County** affecting 100.0 acres. Receiving stream(s): Unnamed Tributary to Banian Run, Banian Run, and Unnamed Tributaries to Muddy Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 3, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570-621-3118

Permit No. 54040103R2. Hammond Mining Co., Inc., (PO Box 427, Minersville, PA 17954), renewal of an existing anthracite surface mine and coal refuse disposal in Blythe and Schuylkill Townships, **Schuylkill County** affecting 785.0 acres, receiving streams: Bushey Creek, unnamed tributary to Schuylkill River and Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: October 22, 2014.

Permit No. 54850201R6. Joe Kuperavage Coal Company, (916 Park Avenue, Port Carbon, PA 17965), renewal of an existing anthracite coal refuse reprocessing operation in Blythe Township, **Schuylkill County** affecting 31.3 acres, receiving streams: Schuylkill River and unnamed tributary to Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: October 23, 2014.

Permit No. 54850201C2. Joe Kuperavage Coal Company, (916 Park Avenue, Port Carbon, PA 17965), correction of an existing anthracite coal refuse reprocessing operation to update the post-mining land use to unmanaged natural habitat in Blythe Township, **Schuylkill County** affecting 31.3 acres, receiving streams: Schuylkill River and unnamed tributary to Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: October 23, 2014.

Permit No. 40940203R5. Newport Aggregate, Inc., (76 Main Road, Glen Lyon, PA 18617), renewal of an existing anthracite surface mine, coal refuse reprocessing, refuse disposal and preparation plant operation (transfer pending from Hudson Anthracite) in Jenkins Township, **Luzerne County** affecting 174.1 acres, receiving stream: Susquehanna River, classified for the following use: warm water fishes. Application received: October 28, 2014

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570-621-3118

Permit No. 58020809. Richard Marcho, (2297 Great Bend Turnpike, Susquehanna, PA 18847), Stage I & II bond release of a quarry operation in Gibson Township, **Susquehanna County** affecting 5.0 acres on property owned by Richard Marcho. Application received: October 20, 2014.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900

E46-1111. Lower Merion Township, 75 East Lancaster Avenue, Ardmore, PA 19003, Lower Merion Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a timber pedestrian bridge across Gully run (WWF, MF) having an approximate waterway opening of 24 feet wide by 4-feet high and measuring approximately 4-feet in length associated with the Gully Run Park access for various Veteran's Memorial events.

The site is located about 100 feet southeast of the intersection of Manayunk Road and Conshohocken State Road (Germantown, PA USGS Quadrangle Latitude: 40.01848; Longitude: -75.2447).

E23-508. DELCORA, 100 E. Fifth Street, Chester, PA 19013, Edgemont Township, **Delaware County**, ACOE Philadelphia District.

To construct and maintain a new sanitary sewer line/expansion known as Phase 1, crossing Crum Creek and its tributaries including Springton Reservoir at seven different locations, utilizing open cut and directional drillings.

The site is located near the intersection of Gladysville Road and Providence Roads (Media, PA USGS Map; L at: 399172; Long; -75.4551).

E23-510. Radnor Township, 301 Iven Avenue, Radnor, PA 19087, Radnor Township, **Delaware County**, ACOE Philadelphia District.

To expand the existing parking lot facility which is located in the 100-year flood plain of Ithan Creek. The new parking lot will be matching the existing grade and will be located at the Township property0 (301 Iven Avenue); Norristown; PA USGS map (lat. 40.0210; Long. -75.2222).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-762. Gregory M. Hughes, 1305 Snowbird Drive, Frazier Park, CA 93225, in Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 1,810 sq. ft. boat dock/boat house in Harveys Lake (HQ-CWF). The project is located at Pole 65 along Lakeview Drive (Harveys Lake, PA Quadrangle, Latitude: 41°22'17"; Longitude: -76°2'21").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E67-917: PA DCNR Bureau of State Parks, 400 Rachel Carson State Office Building, Harrisburg, PA 17105-8451, Warrington Township, **York County**, U.S. Army Corps of Engineers, Baltimore District

To install and maintain a 470.0 foot wetland crossing and its associated drainage piping for the purpose of improving public safety. The project is located on the Lakeside Trail along the southwest side of Pinchot Lake (Wellsville, PA Quadrangle, Latitude: 40°03'42.4"N, Longitude: 76°54'24.0"W) in Warrington Township, York County.

EA67-025: North Muddy Fish and Game Association, 14390 Laurel Road, Felton, PA 17322, in East Hopewell and Chanceford Townships, **York County**, U.S. Army Corps Of Engineers Baltimore District

The applicant proposes construct and maintain

(1) six (6) digger logs in and along North Branch Muddy Creek (CWF, MF),

(2) three (3) random boulder placements in and along North Branch Muddy Creek (CWF, MF),

(3) four (4) J-hook log vanes in and along North Branch Muddy Creek (CWF, MF),

(4) two (2) modified mud sills in and along approximately 200 linear feet of North Branch Muddy Creek (CWF, MF),

(5) two (2) J-Hook rock vanes in and along North Branch Muddy Creek (CWF, MF),

(6) grading and reshaping of a gravel bar in and along approximately 120 linear feet of North Branch Muddy Creek (CWF, MF),

(7) one (1) gravel toe bench in and along approximately 110 linear feet of North Branch Muddy Creek (CWF, MF),

(8) seven (7) toe wood habitat structures and associated stream bank grading in and along approximately 1,150 linear feet of North Branch Muddy Creek (CWF, MF),

(9) one (1) saw tooth deflector in and along approximately 130 linear feet of North Branch Muddy Creek (CWF, MF),

(10) two (2) cross rock vanes in and along the North Branch Muddy Creek (CWF, MF),

(11) one (1) cross log vane in and along the North Branch Muddy Creek (CWF, MF),

(12) three (3) cross rock vanes in and along an Un-named Tributary to North Branch Muddy Creek (CWF, MF), and

(13) three (3) cross rock vanes in and along an Un-named Tributary to North Branch Muddy Creek (CWF, MF) all for the purpose of improving fish habitat and restoring 3,300 feet of North branch Muddy Creek (CWF, MF).

The project location is between Laurel Road and Fenmore Road on the property of North Muddy Fish and Game Association (Stewartstown, PA Quadrangle beginning at Latitude: 39°49'40.9"N", Longitude: 76°31'4.4"W and terminates at Latitude: 39°49'35.9"N, Longitude: 76°30'45.2"W) in East Hopewell and Chanceford Townships, York County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E17-485. PA Waste, LLC, 175 Bustleton Pike, Feasterville, PA 19053-6456. PA Waste, LLC Camp Hope Run Landfill Project, Boggs Township, Clearfield County, ACOE Baltimore District (Glen Richey PA Quadrangle, Latitude: 40° 55' 49.63": Longitude -78° 22' 59.10").

The applicant is seeking authorization to construct, operate and maintain an 845-acre solid waste landfill and appurtenances, which include but are not limited to leachate storage, leachate pipeline, wastewater treatment, stormwater treatment and acid drainage treatment facilities. Construction of the solid waste landfill and appurtenances require the following nine (9) floodway, five (5) stream and seventeen (17) wetland encroachments:

<i>Feature ID</i>	<i>Regulated Feature</i>	<i>Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Impact</i>	<i>Water Quality</i>
1-E3	Wetland	Landfill	40.94117°	-78.3991°	636-ft ²	Other
CHR-01	Floodway	Stormwater Outfall	40.9363°	-78.3905°	160-ft ²	CWF, MF
1H-1	Wetland	Landfill	40.9332°	-78.3925°	1,237-ft ²	Other
1-G	Wetland	Leachate Pipeline	40.9324°	-78.3856°	309-ft ²	Other
1-G	Wetland	Temporary Construction Access	40.9324°	-78.3856°	2,876-ft ²	Other
CHR-04	Stream	Leachate Pipeline	40.93341°	-78.4014°	27-ft ²	CWF, MF
CHR-04	Stream	Temporary Construction Access	40.93341°	-78.4014°	198-ft ²	CWF, MF
CHR-02	Floodway	Stormwater Outfall	40.9415°	-78.4014°	160-ft ²	CWF, MF
CHR-03	Floodway	Stormwater Outfall	40.9421°	-78.4057°	160-ft ²	CWF, MF
UNT CHR-01	Floodway	Stormwater Outfall	40.9389°	-78.4088°	160-ft ²	CWF-MF
WET-5	Wetland	Landfill	40.9314°	-78.3951°	889-ft ²	Other
3A2	Wetland	Landfill	40.9308°	-78.3942°	3,386-ft ²	Other
3A1	Wetland	Landfill	40.9308°	-78.3944°	454-ft ²	Other
UNT SBR-01	Floodway	Stormwater Outfall	40.9302°	-78.3960°	160-ft ²	CWF, MF
3CB	Wetland	Landfill	40.9266°	-78.3946°	4,035-ft ²	Other
SB-6A	Wetland	Landfill	40.9396°	-78.4075	7,219-ft ²	Other
SB-6	Wetland	Landfill	40.9394°	-78.4080°	165-ft ²	Other
UNT CHR-02	Stream	Landfill	40.9394°	-78.4081°	93-ft ²	CWF, MF
WET-3	Wetland	Landfill	40.9392°	-78.4077°	529-ft ²	Other
SB-10A	Wetland	Landfill	40.9401°	-78.4037°	745-ft ²	Other
UNT SBR-02	Floodway	Stormwater Outfall	40.9283°	-78.4065°	160-ft ²	CWF, MF
UNT SBR-03	Floodway	Stormwater Outfall	40.9336°	-78.4046	160-ft ²	CWF, MF
UNT SB-04	Floodway	Stormwater Outfall	40.9336°	-78.4072°	160-ft ²	CWF, MF
UNT SBR-05	Floodway	Stormwater Outfall	40.9315°	-78.4112°	160-ft ²	CWF, MF
WET 1-3	Wetland	Landfill	40.9394°	-78.4003°	739-ft ²	Other
WET 1-4	Wetland	Leachate Pipeline	40.9340°	-78.3852°	409-ft ²	Other
WET 1-4	Wetland	Temporary Construction Access	40.9340°	-78.3852	3,935-ft ²	Other
WET 8	Wetland	Leachate Pipeline	40.9361°	-78.3847°	119-ft ²	Other
WET 8	Wetland	Temporary Construction Access	40.9361°	-78.3847°	1,680-ft ²	Other
UNT CHR-03	Stream	Leachate Pipeline	40.9361°	-78.3847°	14-ft ²	CWF, MF
UNT CHR-03	Stream	Temporary Construction Access	40.9361°	-78.3847°	175-ft ²	CWF, MF
CR-1	Stream	Treated Effluent Outfall	40.9544°	-78.4038°	160-ft ²	WWF, MF

All temporary construction access crossing streams and wetlands shall be performed by temporary bridges, timber mats or equally effective low impact crossing methods. No ford crossing of streams or construction equipment tra-

versing through wetlands is authorized by this permit. Leachate pipeline construction being conducted in-stream shall be performed in dry work conditions by boring, dam and pumping, fluming or diverting stream flow around

the stream section where construction is to be conducted. As proposed, construction of the Camp Hope Run Landfill and appurtenances will temporarily impact 0.20-acre of wetlands and 97-feet of stream; whereas, 1,440-square feet of floodway, 0.48-acre of wetlands and 101-feet of stream will be permanently impacted. As mitigation for all permanent impacts incurred for landfill and appurtenance construction, PA Waste, LLC has agreed to construct, operate and maintain an acid mine treatment system treating base flow of unnamed tributary to Camp Hope Run that will provide acceptable hydrology to 2.3-acres of replacement wetland. PA Waste, LLC Camp Hope Run Solid Waste Landfill is located along the western right-of-way of SR 0153 approximately 2.3-miles north of SR 2012 (Sanborn Road) and SR 0153 (Crooked Sewer Road) intersection.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E63-657. J. Angelides Enterprises, LP, 20 Carnegie Avenue, Staten Island, NY 10314; South Strabane Township; **Washington County**; ACOE Pittsburgh District

The applicant is proposing to construct and maintain features associated with a new residential development. These features include:

- 1.) a 28' wide, 9' tall, 80' long box culvert crossing of an unnamed tributary to Chartiers Creek (WWF),
- 2.) an 8" diameter PVC sanitary sewer line crossing of the same unnamed tributary to Chartiers Creek,
- 3.) and a 15" HDPE stormwater outfall structure that discharges to the aforementioned tributary,
- 4.) 0.07 acre of PEM/PSS wetland fill associated with a road crossing,
- 5.) a 40 linear foot emergency road stream crossing of another UNT to Chartiers Creek (WWF),

6.) an 8" diameter PVC sanitary sewer line crossing of the aforementioned tributary,

7.) one (1) 15" HDPE storm sewer line crossing of the aforementioned tributary,

8.) and a 16' long, 8' wide walking bridge crossing of the aforementioned tributary,

Cumulatively, the proposed features will permanently impact approximately 153 linear feet, and temporarily impact 20 linear feet of unnamed tributaries to Chartiers Creek (WWF), and 0.07 acre of PEM/PSS wetlands. A 0.17 acre wetland replacement area is proposed to compensate for permanent wetland impacts. The project is located near the intersection of Country Club Road (S.R. 1045) and Kirk Lane (USGS Washington East Quadrangle; N: inches; W: inches; Latitude: 40° 12' 06.67"; Longitude: -80° 14' 31.63"), in South Strabane Township, Washington County.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E42-366, Trans-Allegheny Interstate Line Company, 76 South Main Street, Akron OH 44308. Pierce Brook Substation, in Keating Township, **McKean County**, ACOE Pittsburgh District (Smethport, PA Quadrangle N: 41°, 50', 33"; W: 78°, 24', 25").

Applicant proposes to construct a new electric substation, associated electric lines and access road. Project will permanently impact 125 LF of Pierce Brook (CWF), 0.40 acre of Pierce Brook floodway, and 0.04 acre PEM wetland for the permanent access road; project will temporarily impact 427 LF of Pierce Brook and 2 UNTs Pierce Brook and 0.59 acre floodway for access during construction. Temporary impacts will be restored to original conditions upon completion of construction. The permanent crossing of Pierce Brook will utilize a 10 ft by 6 ft concrete box culvert with baffles to maintain fish passage and habitat.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PAS802204 (Stormwater)	Lehigh & Northampton Transportation Authority 1060 Lehigh Street Allentown, PA 18103	Lehigh County Allentown City	Little Lehigh Creek (2-C)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0239178 (sewage)	David J Mays SFTF 13 Church Street Westline, PA 16751	McKean County Lafayette Township	Unnamed tributary of Kinzua Creek (16-B)	Y
PA0220876 (sewage)	Country Greens STP 8850 PA Route 18 Girard, PA 16417	Erie County Elk Creek Township	East Branch Conneaut Creek (15-A)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

NPDES Permit No. PA0029441, Sewage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976.

This proposed facility is located in Dublin Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as Upper Dublin Wastewater Treatment Plant to an Unnamed Tributary to Sandy run in Watershed 3-F.

NPDES Permit No. PA0056421, Sewage, **Warwick Township Water & Sewer Authority**, 1733 Township Greene, P.O. Box 315, Jamison, PA 18929.

This proposed facility is located in Warwick Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated sewage from a facility known as Country Crossing Wastewater Treatment Plant to Unnamed Tributary to Little Neshaminy Creek (001) and a storage pond that overflows to Little Neshaminy Creek (002) in Watershed 2-F.

NPDES Permit No. PA0051926, Industrial, **Exelon Generation Co., LLC**, 3146 Sanatoga Road, Pottstown, PA 19464-3418.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal of an NPDES permit to discharge treated industrial waste, cooling water blow down, boiler blow down and storm water from a facility known as Exelon Limerick Generating Station to Schuylkill River, Possum Hollow Run, and Sanatoga Creek in Watershed 3-D.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

NPDES Permit No. PAS326102, Storm Water, SIC Code 1442, **Glacial Sand & Gravel Co.**, P.O. Box 1022, Kittanning, PA 16201.

This proposed facility is located in East Franklin Township, **Armstrong County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a discharge of untreated Storm Water.

NPDES Permit No. PA0254738, SIC Code 5051, **Toma Metals Inc.**, P.O. Box 336, Johnstown, PA 15907.

This proposed facility is located in West Taylor Township, **Cambria County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of untreated stormwater runoff.

NPDES Permit No. PA0254720, Storm Water, SIC Code 3273, **Dennis Lumber Co. Inc.**, 4888 National Pike, Markleysburg, PA 15459.

This proposed facility is located in North Union Township, **Fayette County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for an existing discharge of untreated Storm Water.

NPDES Permit No. PA0254711, Storm Water, SIC Code 2491, **Great Southern Wood Inc.**, 115 West Road, Fombell, PA 16123.

This proposed facility is located in Marion Township, **Beaver County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of untreated Storm Water.

NPDES Permit No. PA0254703, Storm Water, SIC Code 5093, **B & R Recycling**, 145 Bellview Road, Connellsville, PA 15425.

This proposed facility is located in Bullskin Township, **Fayette County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Storm Water.

NPDES Permit No. PA0025968, Sewage, **Municipal Water Authority of Aliquippa**, 160 Hopewell Avenue, Aliquippa, PA 15001.

This existing facility is located in City of Aliquippa, **Beaver County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No.1514402, Sewage, **Upper Uwchlan Township Municipal Authority**, 140 Pottstown Pike, Chester Springs, PA 19425.

This proposed facility is located in Upper Uwchlan Township, **Chester County**.

Description of Action/Activity: Construction and operation of a gravity sewer system, two collection and conveyance pumping stations and combined force main.

WQM Permit No. WQG010044, Sewage, **Adam Slawecki**, 2448 Schaffer Road, Pottstown, PA 19464.

This proposed facility is located in New Hanover Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a 400 gpd small flow treatment plant that serves an existing dwelling with a failing on-lot system.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0278207, Industrial Waste, SIC Code 3312, **US Steel Corp**, 400 State Street, Clairton, PA 15025-1855.

This existing facility is located in Braddock Borough, **Allegheny County**.

Description of Proposed Action/Activity: This permit is for the installation of a new belt filter press at the US Steel, Edgar Thomson Plant, located in Braddock Borough. The new belt filter press will be an 80' belt width skid mounted filter press.

WQM Permit No. 0494201, Industrial Waste, SIC Code 9999, **CBS Corp**, 20 Stanwix Street, Pittsburgh, PA 15222.

This existing facility is located in Vanport Township, **Beaver County**.

Description of Proposed Action/Activity: Modification of existing groundwater treatment system. Replacement of canister filters with bag filters. Filter pore size may vary to ensure a pressure drop of less than 2.0 psig across the clean filter.

WQM Permit No. 0210202, Industrial Waste, SIC Code 4499 & 4492, **Ingram Barge Co.**, 100 Atlantic Avenue, Elizabeth, PA 15037-0238.

This existing facility is located in Elizabeth Borough, **Allegheny County**.

Description of Proposed Action/Activity: Modification of existing treatment system to increase total capacity by approximately 7%.

WQM Permit No. 1114403, Sewage, **Westmont Borough**, 1000 Luzerne Street, Johnstown, PA 15905.

This existing facility is located in Westmont Borough, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of sanitary sewer rehabilitation for the sewered areas of Westmont Borough.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the Water Quality Management (Part II) Permit has not identified any significant environmental impacts resulting from this proposal.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1514024	Pennsylvania Turnpike Commission P.O. Box 67676 Harrisburg, PA 17106	Chester	Charlestown Township	Valley Creek Watershed EV-MF Pickering Creek Watershed HQ-TSF-MF
PAI01 1514032	Mr. Leon K. & Mrs. Elizabeth King 1775 Walnut Road Honey Brook, PA 19344	Chester	Honey Brook Township	Unnamed Tributary to West Branch of Brandywine Creek HQ-TSF-MF
PAI01 1514029	Mr. Benuel Stoltzfus 140 Birdell Road Honey Brook, PA 19344	Chester	Honey Brook Township	East Branch Brandywine Creek HQ-TSF-MF
PAI01 5114012	Forest City Residential Group, Inc. 1 Metrotech Center North Brooklyn, NY 11201	Philadelphia	City of Philadelphia	Lower Schuylkill River WWF-MF

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041414003	Daniel Herr 6103 Penns Valley Rd Aaronsburg, PA 16820	Centre	Haines Township	Quarry Rd Tributary EV
PAI041414004	Evergreen Farm Inc 3102 Evergreen Ln Spruce Creek, PA 16683	Centre	Ferguson Township	UNT to Half Moon Creek HQ-CWF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041814001	Triple D Truss Levi J Esh 64 W Dunkle Rd Mill Hall, PA 17751	Clinton	Lamar Township	Trib 22463 to Fishing Creek HQ-CWF, MF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage

- PAG-9 General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
- PAG-9 (SSN) Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
- PAG-10 General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
- PAG-11 (To Be Announced)
- PAG-12 Concentrated Animal Feeding Operations (CAFOs)
- PAG-13 Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
- PAG-14 (To Be Announced)
- PAG-15 General Permit for Discharges From the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
South Whitehall Township Lehigh County	PAG02003910003R(1)	Eric Rohrbach R Enterprises, LTD 2076 Wooded Ridge Circle Fogelsville, PA 18051	Jordan Creek (TSF, MF)	Lehigh County Conservation District 610-391-9583
Borough of Fountain Hill Lehigh County	PAG02003914011	Rick Prill Borough of Fountain Hill 941 Long Street Fountain Hill, PA 18015	Lehigh River (WWF, MF)	Lehigh County Conservation District 610-391-9583
Pittston Township, Luzerne County and Moosic Borough, Lackawanna County	PAG02004014010	Bi-County Board of Commissioners c/o Stephen Mykulyn, Director of Engineering 100 Terminal Drive Avoca, PA 18641	Spring Brook (CWF, MF) Lidy Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Matamoras Borough Pike County	PAG02005214001	Delaware Valley School District 238 Route 6 & 209 Milford, PA 18337	Delaware River (WWF, MF)	Pike County Conservation District 570-226-8220
Auburn Township Susquehanna County	PAG02005814002(2)	Roundtop Energy 6051 Wallace Road Suite 100 Wexford, PA 15090	Little Meshoppen Creek (CWF, MF)	Susquehanna County Conservation District 570-278-4600
Dimock Township Susquehanna County	PAG02005814007(2)	Leatherstocking Utility 49 Court Street Binghamton, NY 13902	West Creek (CWF, MF) White Creek (CWF, MF)	Susquehanna County Conservation District 570-278-4600

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
South Heidelberg Township Berks County	PAG02000614058 Issued	Greth Development Group PO Box 305 Reading, PA 19605	Hospital Creek/TSF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610.372.4657
Dickinson Township and South Middleton Township Cumberland County	PAG02002107013R Issued	Mountain Creek Owner, LLC 100 Front Street Suite 265 West Conshohocken, PA 19428	Alexander Spring Creek/CWF, MF	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Susquehanna Township Dauphin County	PAG02002209041R Issued	Custer Development Company 3805 Old Post Road Suite 200 Harrisburg, PA 17110	Paxton Creek/WWF	Dauphin County Conservation District 1451 Peter's Mountain Road Dauphin, PA 17018-9504 717.921-8100
Mifflin Township Dauphin County	PAG02002214053 Issued	Advanced Scientifics Inc. 163 Research Lane Millersburg, PA 17061	Little Wiconisco Creek/WWF	Dauphin County Conservation District 1451 Peter's Mountain Road Dauphin, PA 17018-9504 717.921-8100
Derry Township Dauphin County	PAG02002214048 Issued	EG Stoltzfus Homes LLC 474 Mount Sidney Road Lancaster, PA 17602	Spring Creek/WWF	Dauphin County Conservation District 1451 Peter's Mountain Road Dauphin, PA 17018-9504 717.921-8100
Halifax Township Dauphin County	PAG02002212042R Issued	Donco Construction PO Box 123 Dauphin, PA 17018-0123	Susquehanna River/ WWF	Dauphin County Conservation District 1451 Peter's Mountain Road Dauphin, PA 17018-9504 717.921-8100
Reading Township Adams County	PAG02000114025 Issued	Derek Smith 455 Turkey Pit Road New Oxford, PA 17350	UNT to Conewago Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325
King Township Bedford County	PAG02000514006	John Corle 114 Rosemont Lane Imler, PA 16655	UNT to Mud Run/ CWF, MF	Bedford County Conservation District 702 West Pitt Street, Suite 4 Bedford, PA 15522 814.623.8099
Fairview Township York County	PAG02006714056 Issued	DLA Installation Support 5750 3rd Street Building 750 New Cumberland, PA 17070-5076	Marsh Run/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Fairview Township York County	PAG02006714011 Issued	Michael R. Wilson 636 Saw Mill Road Mechanicsburg, PA 17055	UNT to Stony Run Creek/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Dover Township York County	PAG02006707021R Issued	J. G. Leasing Co., Inc. 2780 York Haven Road York Haven, PA 17370	Fox Run/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
York Township York County	PAG02006704070R Issued	Charter Homes at Springwood, Inc. 1190 Dillerville Road Lancaster, PA 17601	Mill Creek Tributary of Codorus Creek/ WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430
Fairview Township York County	PAG02006706003R Issued	Olde Orchard Hill Development Company, LLC 4712 Smith Street Harrisburg, PA 17112	UNT to Fishing Creek/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717.840.7430

*Facility Location:
Municipality &
County*Shrewsbury
Township
York County*Permit No.*PAG02006714061
Issued*Applicant Name &
Address*Carpenter Custom Homes
2420 Oakmont Road
Dover, PA 17315*Receiving
Water/Use*UNT to SB Codorus
Creek/CWF*Contact Office &
Phone No.*York County
Conservation District
118 Pleasant Acres Road
York, PA 17402
717.840.7430*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701,
570.327.3636**Facility Location &
Municipality*Centre County
Patton Township*Permit No.*

PAG02001408004R

*Applicant Name &
Address*Keystone Real Estate
Group LLC
444 E College Ave Ste 540
State College, PA 16801*Receiving
Water/Use*UNT to Big Hollow
CWF*Contact Office &
Phone No.*Centre County
Conservation District
414 Holmes Ave Ste 4
Bellefonte, PA 16823
(814) 355-6817Montour County
Liberty TownshipPAR104724R(1) Old
PAG02004714003R(1)
NewEdward Rothermel
2007 Oakwood Dr
Danville, PA 17821UNT to Beaver Run
WWFMontour County
Conservation District
14 E Mahoning St
Danville, PA 17821
(570) 271-1140Snyder County
West Perry
Township

PAG02005514009

Richfield DPP X LLC
9010 Overlook Blvd
Brentwood, TN 37027Mahantango Creek
CWFSnyder County
Conservation District
403 W Market St
Middleburg, PA 17842
(570) 837-3000 X110*Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville, PA 16335**Facility Location &
Municipality*Union and North
Beaver Townships
Lawrence County*Permit No.*

PAG02003714012

*Applicant Name &
Address*Columbia Gas of PA
4000 Energy Drive
Bridgeville, PA 15017*Receiving
Water/Use*UNT Mahoning
River; Mahoning
River WWF*Contact Office &
Phone No.*Lawrence County
Conservation District
724-652-4512City of Hermitage
Mercer County

PAG02004314006

Linden Asset Advisors LP
2450 Shenango Valley
Freeway
Hermitage, PA 16148

Bobby Run WWF

Mercer County
Conservation District
724-662-2242*General Permit Type—PAG-03**Facility Location
Municipality &
County*Northampton
County*Permit No.*

PAR202214

*Applicant Name &
Address*Phoenix Tube Co. Inc.
1185 Win Drive
Bethlehem, PA 18018*Receiving
Water/Use*Unnamed Tributary
to Lehigh Coal And
Navigation
Canal—2-C*Contact Office &
Phone No.*DEP Northeast
Regional Office
Clean Water Program
2 Public Square,
Wilkes-Barre, PA
18701-1915
570.826.2511Springdale Borough
Allegheny County

PAR216105

R I Lampus Co.
816 R I Lampus Avenue
PO Box 167
Springdale, PA
15144-0167Allegheny
River—18-ADEP Southwest
Regional Office
Clean Water Program
400 Waterfront Drive,
Pittsburgh, PA 15222-4745
412.442.4000North Union
Township
Fayette County

PAG036123

Universal Well
Services Inc.
2198 University Drive
Lemont Furnace, PA
15456Unnamed Tributary
to Gist Run—19-DDEP Southwest
Regional Office
Clean Water Program
400 Waterfront Drive,
Pittsburgh, PA 15222-4745
412.442.4000

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Wayne Township Greene County	PAR606168	Neil Chisler 107 Chrissy Lane, P.O. Box 98 Brave, PA 15316	Dunkard Creek— (19-G)/WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Somerset Township Somerset County	PAR126111	Valley Proteins Inc. PO Box 3588 Winchester, VA 22604	Unnamed Stream and Unnamed Tributary to East Branch Coxes Creek—19-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Oakmont Borough Allegheny County	PAR236101	Chelsea Bldg Products Inc. 565 Cedar Way Oakmont, PA 15139	Allegheny River—18-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Big Beaver Borough Beaver County	PAR806267	Valley Waste Service Inc. 121 Brickyard Road Mars, PA 16046	Wallace Run—20-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Crescent Township Allegheny County	PAR506117	Iron City Express Inc. 1306 Main Street Glenwillard, PA 15046	Ohio River—20-G	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Somerset Township Somerset County	PAG036108	Nuverra Environmental Solutions Inc. 300 Cherrington Parkway Coraopolis, PA 15108	Kimberly Run—19-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Springhill Township Fayette County	PAR806211	Gallatin Fuels Inc. 250 West Main Street Uniontown, PA 15401	Monongahela River—19-G / WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Allegheny Township Westmoreland County	PAR506105	Mccutcheon Enterprises Inc. 250 Park Road Apollo, PA 15613-8730	Unnamed Tributary of Pine Run—18-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Bethel Park Borough Allegheny County	PAR236126	Parker Plastics Corp 3585 Valley Drive Pittsburgh, PA 15234	Sawmill Run—20-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Vanport Township Beaver County	PAR806113	Interstate Chemicals Co. Inc. 2797 Freedland Road Hermitage, PA 16148	Unnamed Tributary to Ohio River—20-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

NOTICES

7599

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Hopewell Township Beaver County	PAG036101	Aliquippa Metal Recovery LLC 100 Bet Tech Drive Aliquippa, PA 15001	Ohio River—20-G	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
West Deer Township Allegheny County	PAR606220	Phelps Timothy D PO Box 12 Curtisville, PA 15032	Little Deer Creek—18-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
City of St. Marys Elk County	PAR218322	Dubrook Inc. PO Box 376 Falls Creek, PA 15840-0376	Unnamed Tributary to the Elk Creek 17-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-4

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
New Hanover Township Montgomery County	PAG040197	Slawecki Adam 2448 Schaffer Road Pottstown, PA 19464	Sanatoga Creek—3-D	DEP Southeast Regional Office Clean Water Program 2 E Main Street, Norristown, PA 19401 484.250.5970
Mercer County Greene Township	PAG048782	Harold R. McClelland 127 Pitts Road, Jamestown, PA 16134	Unnamed Tributary to the Shenango River 20-A	DEP NWRO Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814/332-6942

General Permit Type—PAG-05

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Springfield Township Fayette County	PAG056239	Speedy Meedys Inc. 111 Woodvale Street Dunbar, PA 15431-1565	—	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Richland Township Allegheny County	PAG056213	Collier Keith B 3201 Sample Road Hermitage, PA 16148-5901	Glade Run—20-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Bentleyville Borough Washington County	PAG056256	Coen Oil Co. 1045 W Chesnut Street Washington, PA 15301	Pigeon Creek—19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Freedom Borough Beaver County	PAG056254	Pine Run Market 101 Pine Run Road Freedom, PA 15042-2135	—	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
<i>General Permit Type—PAG-10</i>				
<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Middletown Township Susquehanna County	PAG102327	Williams Field Service Co. LLC—Rigsby Pipeline Park Place Corp Center 2 2000 Commerce Drive Pittsburgh, PA 15275	Terry Creek and Unnamed Tributary to North Branch Wyalusing Creek— 4-D-/ CWF & WWF	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Middletown Township Susquehanna County	PAG102325	Williams Field Service Co. LLC 310 State Route 29 North Tunkhannock, PA 18657	North Branch Wyalusing Creek and Middle Branch Wyalusing Creek (CWF, MF)	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Richhill Township Greene County	PAG106180	Appalachia Midstream Service, LLC 190 Midstream Way Jane Lew, WV 26378	Kent Run—20-E TSF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
<i>General Permit Type—PAG13</i>				
<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Springdale Township Allegheny County	PAG136153	Springdale Township Allegheny County PO Box 177 Harwick, PA 15049	Riddle Run, Tawney Run and Yutes Run 18-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
West View Borough Allegheny County	PAG136195	West View Borough 441 Perry Highway Municipal Building Pittsburgh, PA 15229	Girty's Run 18-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Swissvale Borough Allegheny County	PAG136200	Swissvale Borough 7560 Roslyn Street Pittsburgh, PA 15218	Ninemile Run 19-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
South Versailles Township Allegheny County	PAG136136	South Versailles Township PO Box 66 Coulter, PA 15028	Youghiogheny River 19-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Township of Wilkins Allegheny County	PAG136122	Township of Wilkins 110 Peffer Road Turtle Creek, PA 15145-1192	Chalfant Run, Sawmill Run and Thompson Run 19-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Snider Swine Operation Tyler Snider 22357 Mountain Foot Road Neelyton, PA 17239	Huntingdon	82.5 acres owned for manure application	466.23 AEU's 5.65 AEU's/ac	Swine Beef	Not Applicable	Approved
Chickies Creek Farm LLC Dustin Ginder 2537 Risser Mill Road Mount Joy, PA 17552	Lancaster	91.2	1190.16	Layers	NA	Approved
Graywood Farms, LLC Byron Graybeal 225 Mason Dixon Road Peach Bottom, PA 17563	Lancaster	854.2	1643.82	Dairy	HQ	Approved
Joel Rutt 1178 White Oak Road Manheim, PA 17545	Lancaster	194	410.44	Swine / Broiler / Beef	NA	Approved
David Sweigart III 189 Ridge View Road Elizabethtown, PA 17022	Lancaster	465.2	1015.25	Dairy / Swine	NA	Approved
Steven R. Hershey 2024 Donegal Springs Road Mount Joy, PA 17552	Lancaster	192.6	524.13	Pullet / Steer / Swine	HQ	Approved
Mark Rohrer 505A Paradise Lane Strasburg, PA 17562	Lancaster	34	109.26	Broiler	NA	Approved

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES Permit No. PA0252905, SIC Code 7999, **Washington Trotting Association**, 210 Racetrack Road, Washington, PA 15301.

This existing facility is located in North Strabane Township, **Washington County**.

Description of Existing Action/Activity: Authorization to operate a 845 Animal Equivalent Unit (AEU) horse racetrack operation situated near Chartiers Creek in Chartiers Creek Watershed.

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilke-Barre, PA 18701-1915

Permit No. 2450087, Operations Permit Public Water Supply.

Applicant	LKS Enterprises, LLC P.O. Box 841 Easton, PA 18043
[Borough or Township]	Middle Smithfield Township
County	Monroe
Type of Facility	PWS
Consulting Engineer	N/A
Permit to Operate Issued	11/4/2014

Permit No. 2641033, Operations Permit Public Water Supply.

Applicant	Wayne Economic Development Corporation 32 Commercial St., Suite A Honesdale, PA 18431
[Borough or Township]	Sterling Township
County	Wayne
Type of Facility	PWS
Consulting Engineer	N/A
Permit to Operate Issued	11/3/2014

Permit No. 2359008, Operations Permit Public Water Supply.

Applicant	PA American Water Company (Archbald White Oak Tank) 800 West Hersheypark Drive Hershey, PA 17033
[Borough or Township]	Archbald Borough
County	Lackawanna
Type of Facility	PWS
Consulting Engineer	N/A
Permit to Operate Issued	November 20, 2014

Permit No. 6614501, Operations Permit Public Water Supply.

Applicant	Tunkhannock Hospital Company LLC
[Borough or Township]	Tunkhannock Township
County	Wyoming County
Type of Facility	PWS
Consulting Engineer	Francis Mark Voyack Quad Three Group, Inc 37 North Washington Street Wilkes-Barre, PA 18701
Permit to Operate Issued	11/13/2014

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 3814502, Public Water Supply.

Applicant	Fredericksburg Sewer & Water Authority
Municipality	Bethel Township
County	Lebanon
Responsible Official	James A. Heisey, Authority Chairman 113 East Main Street PO Box 161 Fredericksburg, PA 17026

Type of Facility Installation of a booster pumping station and booster chlorination/recirculation station at the East Water Storage Tower.

Consulting Engineer Stephen J. Cordaro, P.E.
Steckbeck Engineering & Surveying, Inc
279 North Zinns Mill Road
PO Box 161
Lebanon, PA 17042

Permit to Construct Issued 11/18/2014

Comprehensive Operation Permit No. 3614501 issued to: **Spring Lake Park (PWS ID No. 7360076)**, Elizabeth Township, **Lancaster County** on 1/14/2014 for the operation of facilities approved under Construction Permit No. 7360076.

Comprehensive Operation Permit No. 7380435 issued to: **Lebanon Valley Livestock Market (PWS ID No. 7380435)**, Bethel Township, **Lebanon County** on 11/18/2014 for the operation of facilities approved under Construction Permit No. 3814504.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 4114504—Construction—Public Water Supply.

Applicant **Timberend MHP, LLC**

Township/Borough Fairfield Township

County **Lycoming**

Responsible Official Mr. Ryan Hotchkiss
Timberend MHP, LLC
2131 Espey Court, Suite 1
Crofton, MD 21114

Type of Facility Public Water Supply

Consulting Engineer Ed Brown, P.E.
Larson Design Group, Inc.
1000 Commerce Park Drive
Williamsport, PA 17701

Permit Issued November 12, 2014

Description of Action Authorizes the following modifications at Timberend Wellhouse #1: Replacement of the existing BIRM iron and manganese removal system, with a GreensandPlus iron, manganese, and arsenic filtration system; relocation of the chlorine injection point; installation of a new caustic soda feed system; conversion of one of four existing 120-gallon hydropneumatic tanks to a contact tank; and abandonment of one 120-gallon pressure tank.

Permit No. 4913503MA—Operation—Public Water Supply.

Applicant **Cherokee Water Treatment Plant**

Township/Borough Riverside Borough

County **Northumberland**

Responsible Official Brian Killen, Plant Manager
Cherokee Pharmaceuticals, LLC,
a Subsidiary of Merck Sharp & Dohme Corp.
100 Avenue C
Riverside, PA 17868

Type of Facility Public Water Supply

Consulting Engineer N/A

Permit Issued November 17, 2014

Description of Action Operation of Sand Filter #1 following the coating of its ceiling area with CIM 1000/1061.

Permit No. Minor Amendment—Operation—Public Water Supply.

Applicant **Montoursville Borough**

Township/Borough Montoursville Borough

County **Lycoming**

Responsible Official Mr. Ron Smith
Montoursville Borough
617 North Loyalsock Avenue
Montoursville, PA 17754

Type of Facility Public Water Supply

Consulting Engineer David Walters, P.E.
Larson Design Group
1000 Commerce Park Drive
Williamsport, PA 17701

Permit Issued November 18, 2014

Description of Action Expansion of the Well #4 treatment building, including a separate gas chlorine room and relocation of the polyphosphate chemical feed system and conversion from sodium hypochlorite to gas chlorine disinfection at Well #3 site.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Operations Permit issued to: **Ambridge Water Authority**, PO Box 257, 600 Eleventh Street, Ambridge, PA 15003, (PWSID #5040008) County on November 6, 2014 for the operation of facilities approved under Construction Permit # 0413506.

Operations Permit issued to: **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, (PWSID #4110017) County on November 10, 2014 for the operation of facilities approved under Construction Permit # 1113518MA.

Operations Permit issued to: **Central Indiana County Water Authority**, 30 East Wiley Street, Homer City, PA 15748, (PWSID #5320040) County on November 10, 2014 for the operation of facilities approved under Construction Permit # 3213515MA.

Operations Permit issued to: **Jefferson Township Water and Sewer Authority**, 786 Mountain View Road, Somerset, PA 15501, (PWSID #4560018) County on November 11, 2014 for the operation of facilities approved under Construction Permit # 5612502.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Operations Permit issued to **Fair Winds Manor, LP**, PWSID No. 5100063, Winfield Township, **Butler County**.

Permit Number 1013503 issued November 19, 2014 for the operation of the Fair Winds Manor water treatment system upgrades. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on November 4, 2014.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southwest Regional Office, Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000

Plan Location:

Borough or Township	Borough or Township Address	County
North Huntingdon Township	Mr. John M. Shepard, Secretary 11279 Center Highway North Huntingdon, PA 15642	Westmoreland
Hempfield Township	Mr. Andrew Waltz, Manager 1132 Woodward Drive, Suite A Greensburg, PA 15601	
Penn Township	Mr. Alex Graziani, Secretary/ Manager 2001 Municipal Court Harrison City, PA 15636	
Borough of Irwin	Ms. Mary L. Benko, Manager 424 Main Street Irwin, PA 15642	
Borough of Manor	Mr. Joseph N. Lapia, Secretary 44 Main Street Manor, PA 15665	
Borough of North Irwin	Ms. Adele Nehas, Secretary 21 Second Street North Irwin, PA 15642	

Plan Description: In 2011, the Western Westmoreland Municipal Authority entered into a Consent Order & Agreement during wet weather events. The COA required the WWMA to plan, design, (COA) with the Department for illegal discharges of wastewater into Brush Creek construct and implement controls to eliminate wastewater overflows from the Wastewater Treatment Plant (WWTP) and all points in the WWMA interceptor sewer system. This will be achieved by implementing a three phased project. The first phase will include construction of a pump station, a 7.0 MG flow storage tank and some head-works modifications at the Brush Creek Sewage Treatment Plant. The second phase encompasses the upgrade of Brush Creek Interceptor and the third phase covers upgrades of the Bushy Run, Paintertown and Manor interceptor lines.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts results from this proposal.

Any required NPDES Permits or WQM Permits must be obtained in the name of the Western Westmoreland Municipal Authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location:

Borough or Township	Borough or Township Address	County
Fawn Grove Borough	PO Box 131, Fawn Grove, PA 17321	York

Plan Description: The Act 537 Plan (DEP CODE NO. A2-67920-ACT) chosen alternative to meet the long term wastewater disposal needs of the residents of Fawn Grove Borough by the continued use of on-lot sewage disposal systems within the Borough is disapproved. The chosen alternative does not adequately address the long term sewage disposal needs of the Borough as required by Chapter 71, Section 71.21(a)(6). The Borough failed to designate the portion of Fawn Grove Borough that would have the greatest need as a future (10 year) public sewer service area.

Plan Location:

Borough or Township	Borough or Township Address	County
McVeytown Borough	PO Box 321, McVeytown, PA 17051	Mifflin

Plan Description: The planning module for Spring Run Church, DEP Code No. A3-44910-003-3, APS Id 856832, consisting of one single family residential lot using sewer service provided by McVeytown Borough Authority, is disapproved. The proposed development is located on the west side of Dull Street. This plan is disapproved because Component 3, Section J—Chapter 94 Consistency Determination was not completed.

HAZARDOUS SITES CLEAN-UP

Notice of Proposed Federal Consent Decree

Everglade Junkyard Site

Hempfield Township, Westmoreland County

Notice is hereby given that the Department of Environmental Protection ("Department") has entered into a proposed federal Consent Decree with West Penn Power. The Consent Decree memorializes West Penn Power's resolution of claims made by the Department for recovery of costs and applicable interest incurred and to be incurred in the Department's investigation and cleanup of the Everglade Junkyard Site, located in Hempfield Township, Westmoreland County, Pennsylvania.

The terms of the settlement are set forth in the Consent Decree. The Department will receive and consider comments relating to the Consent Decree for sixty (60) days from the date of this notice. The Department has reserved the right to withdraw the Consent Decree for entry by the presiding court if comments concerning the Consent Decree disclose facts or considerations which indicate that the Consent Decree is inappropriate, improper, or inadequate.

Copies of the Consent Decree are available for inspection at the Department's Southwest Regional Office. Comments may be submitted, in writing, to Barbara Gunter, PA Department of Environmental Protection, Hazardous Sites Cleanup, 400 Waterfront Drive, Pitts-

burgh, PA 15222. Further information may be obtained by contacting Ms. Gunter at 412-442-4000.

TDD users may contact the Department through the Pennsylvania Relay Service at 800-645-5984.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Former Industrial Fabricators Facility, 2891 South Reach Road, City of Williamsport, **Lycoming County**. McKee Environmental, Inc., 218 Washington Avenue, Bellefonte, PA 16823, on behalf of SJ Holdings, LLC, 726 Washington Blvd., Williamsport, PA 17701, submitted a Final Report concerning remediation of site soils contaminated with historical overfills of heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former TRW Inc. Danville Site, 601 East Market Street, City of Danville, **Montour County**. Brown &

Caldwell, 2 Park Way, Suite 2A, Upper Saddle River, NJ 07458 has submitted a Final Report concerning remediation of site soils contaminated with Chloroethane, 1,1-Dichloroethane, 1,1-Dichloroethylene, cis-1,2-Dichloroethylene, 1,4-Dioxane, Methylene Chloride, Tetrachloroethylene, 1,1,1-Trichloroethane, Trichloroethylene, Vinyl Chloride. The report is intended to document remediation of the site to meet the Site-Specific and Statewide Health Standard.

Growmark FS LLC Property, 200 Packer Avenue, Towanda Borough, **Bradford County**. Pennsylvania Technics, Inc., 723 Main Street, Archbald, PA 18403, on behalf of Growmark FS, LLC, 308 NE Front Street, Milford, DE 19963 has submitted a Final Report concerning remediation of site soils contaminated with Alachloreyc_& Env Remediatjon Preamble 2r, Atrazine. The report is intended to document remediation of the site to meet the Site-Specific Standard.

RBM Carriers, Inc., Route 15 Southbound, Lewis Township, **Lycoming County**. EP & S Vermont, Inc., 11 Academy Road Suite 2, Cogan Station, PA 17728, on behalf of RBM Carriers Inc., 21374 2nd Concession North, Queensville, Ontario L3YY 4V8 submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Napthalene, Cumene, Methyl Tert-Butyl Ether (MTBE), 1,2,4-Trimethyl Benzene, 1,3,5-Trimethyl Benzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Xpedited Services, Interstate 80 @ MM183W, cross-over, Lamar Township, **Clinton County**. Northridge Group, Inc, P.O. Box 231, Northumberland, PA 17857, on behalf of Xpedited Services, 418 Duncan Avenue, Jersey City, NJ 07306 has submitted a Notice of Intent to Remediate. A release of approximately 125-gallons of diesel fuel occurred adjacent to the roadway and was contained utilizing absorbent booms. The site is to be restored to PENNDOT pre-incident specifications utilizing 2A stone, seed, fertilizer and straw. The Notice of Intent to Remediate was published in The Daily Item on October 13, 2014.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Wesley Nolt Residence, 1332 Red Run Road, Stevens, PA 17578, East Cocalico Township, **Lancaster County**. The Vertex Companies, Inc., 700 Turner Way Aston, PA 19014, on behalf of Mr. and Mrs. Wesley Nolt, 1332 Red Run Road, Stevens, PA 17578, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Kurtland Farms, 4350 Main Street, Elverson, PA 19520, Caernarvon Township, **Berks County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of Kurtland Farms, 4350 Main Street, Elverson, PA 19520, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Custom Tool & Die (former), 2970 Old Tree Drive, East Hempfield Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of William Woratyla, 3932 Marietta Avenue, Columbia, PA 17512, submitted a Remedial

Investigation Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The combined report is intended to document remediation of the site to meet the Site Specific Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Northwest Medical Partners, 729, 809, 821 East Main Street, Girard Borough, **Erie County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Northwest Medical Partners, 116 Union Avenue, Altoona, PA 16602, submitted a Remedial Investigation/Risk Assessment/Final Report concerning the remediation of site soil contaminated with Tetrachloroethene, Dichlorodifluoromethane, 2-Butanone, Dibromochloromethane, Arsenic, Lead, Chromium, and Barium. The report is intended to document remediation of the site to meet the Site-Specific & Statewide Health Standards.

Kenan Advantage Group Tanker Incident, State Route 8, Venango Township, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16414, on behalf of Kenan Advantage Group, Inc., 4366 Mt. Pleasant Street NW, North Canton, OH 44720, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Xylenes (Total), Methyl tertiary butyl ether (MTBE), Naphthalene, Cumene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Salem Tube, 951 Fourth Street, Pymatuning Township, **Mercer County**. Groundwater Sciences Corporation, 2601 Market Place Street, Harrisburg, PA 17110, on behalf of Salem Tube, Inc., 951 Fourth Street, Greenville, PA 16125, submitted a Cleanup Plan concerning the remediation of site groundwater contaminated with trichloroethylene (TCE) and its degradation products, as well as, other incidental volatile organic compounds (VOCs). The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

XTO Energy—Wyatt Seanor #7 Well Site, Bigam Road, Salem Township, **Westmoreland County**. Groundwater & Environmental Services, Inc., 301 Commerce Drive, Cranberry Township, PA 16066 on behalf of XTO Energy, Inc., 395 Airport Road, Indiana, PA 15701 has submitted a Final Report concerning the remediation of site soils contaminated with volatile and semi-volatile organic compounds (VOC's & SVOC's), metals and chlorides from a release of crude oil and brine that occurred at the well site. The Final Report is intended to document remediation of the site to meet a combination of the (residential and non-residential) Statewide Health and Site Specific Standards. Notice of the Final Report was published in the *Tribune Review* on October 14, 2014.

Former Edgewater Steel Property, 300 College Avenue, Borough of Oakmont, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Kacin Companies, Inc., 3875 Old William Penn Highway, Murrysburg, PA 15668 has submitted Final Report concerning the remediation of site soils and groundwater contaminated with volatile & semi-volatile organic compounds (VOC's & SVOC's), inorganics, lead, and heavy metals. The Final Report is intended to document remediation of the site to meet the

Site Specific standard. Notice of the Final Report was published in the *Valley News Dispatch* on November 12, 2014.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Former Industrial Fabricators Facility, 2891 South Reach Road, City of Williamsport, **Lycoming County**.

McKee Environmental, Inc., 218 Washington Avenue, Bellefonte, PA 16823, on behalf of SJ Holdings, LLC, 726 Washington Blvd. Williamsport, PA 17701, submitted a Final Report concerning the remediation of site soils contaminated with historical overfills of heating oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on November 5, 2014.

Growmark FS, LLC Property, 200 Packer Avenue, Towanda Borough, **Bradford County**. Pennsylvania Tectonics, Inc., 723 Main Street, Archbald, PA 18403, on behalf of Growmark FS, LLC, 308 NE Front Street, Milford, DE 19963, submitted a Final Report concerning the remediation of site soils contaminated with Alachlor, Atrazine. The Final Report demonstrated attainment of Site-Specific Standard, and was approved by the Department on October 17, 2014.

RBM Carriers, Inc., Route 15 Southbound, Lewis Township, **Lycoming County**. EP & S of Vermont, Inc., 11 Academy Road Suite 2, Cogan Station, PA 17728, on behalf of RBM Carriers Inc., 21374 2nd Concession North, Queensville, Ontario L3Y 4V8 submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethyl Benzene, Naphthalene, Cumene, Methyl Tert-Butyl Ether (MTBE), 1,2,4-Trimethyl Benzene 1,3,5-Trimethyl Benzene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on November 3, 2014.

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Pilot/Flying J, Intersection of Buckeye Road & Tank Farm Road, Upper Milford Township, **Lehigh County**, Richard P. Cerbone, Sovereign Consulting Inc., 111-A North Gold Drive, Robbinsville, NJ 08691, has submitted a Final Report on behalf of his client, Joey Cupp, Pilot Travel Centers LLC, 5508 Lonas Drive, Knoxville, TN 37939-0146, concerning the remediation of soil due to a vehicular collision with a tanker truck containing diesel fuel at the intersection of Buckeye Road and Tank Farm Road. Approximately 2,075 gallons of diesel fuel was released to the environment. The applicant proposes to remediate the site to meet the Statewide Health Standards and the Site Specific Standards for soil. The intended use of the site will be for residential and commercial purposes. The report was approved on November 10, 2014.

YOU Trucking, 527-529 South Church Street, City of Hazleton, **Luzerne County**, Lori Girvin, Barry Isett & Associates, has submitted a Site Characterization and an RIR, on behalf of her clients, YOU Trucking 527 South Church Street, Hazleton, PA 18201, concerning the remediation of soil and groundwater due to historical operations at the site. The applicant proposes to remediate the site to meet the Statewide Health Standard and the Site Specific Standard for soil and groundwater. The intended use of the site will be for vehicle sales and a service garage. The report was approved on November 19, 2014.

Airline Petroleum Bulk Plant, 1143 B Evergreen Drive Property, Clinton Township, **Wyoming County**, Martin Gilgallon, Pennsylvania Tectonics Inc., has submitted an NIR and Final Report, on behalf of his client, Mr. Joseph Gentile Jr, JOJO Oil Company Inc., 1031 Reeves Street, Dunmore, PA 18512, concerning the remediation of soil from heating oil due to a release as a

result of overfilling a delivery truck. The applicant proposes to remediate the site to meet the Statewide Health Standard for soil. The intended use of the site is non-residential. The report was approved on November 18, 2014.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Donna Burke Residence, 106 Sponsler Road, Everett, PA 15537, West Providence Township, **Bedford County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Nationwide Agribusiness, 1100 Locust Street, #3011, Des Moines, IA 50391, and Donna Burke, 106 Sponsler Road, Everett, PA 15537, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on November 14, 2014.

RWT, Inc. I-81 Diesel Fuel Release, Northbound MM 24, Southampton Township, **Franklin County**. Environmental Products & Services of Vermont, Inc., 5100 Paxton Street, Harrisburg, PA 17111, on behalf of RWT, Inc. PO Box 1307, Chatsworth, GA 30705, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel released in a tractor trailer accident. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on November 19, 2014.

Wesley Nolt Residence, 1332 Red Run Road, Stevens, PA 17578, East Cocalico Township, **Lancaster County**. The Vertex Companies, Inc., 700 Turner Way Aston, PA 19014, on behalf of Mr. and Mrs. Wesley Nolt, 1332 Red Run Road, Stevens, PA 17578, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard. The Final Report was administratively incomplete and was disapproved by the Department on November 20, 2014.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Northwest Medical Partners, 729, 809, 821 East Main Street, Girard Borough, **Erie County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Northwest Medical Partners, 116 Union Avenue, Altoona, PA 16602, submitted a Remedial Investigation/Risk Assessment/Final Report concerning the remediation of site soil contaminated with Tetrachloroethene, Dichlorodifluoromethane, 2-Butanone, Dibromochloromethane, Arsenic, Lead, Chromium, and Barium. The Report was disapproved by the Department on November 6, 2014.

Parcel 25-04-20-06, 450 feet Northeast of the northernmost end of Mitchell Avenue, Cornplanter Township, **Venango County**. URS Corporation, 12420 Milestone Center Drive, Germantown, MD 20876, on behalf of Shell Oil Products, US, 17 Junction Drive, PMB #399, Glenn Carbon, IL 62034, submitted a Final Report concerning the remediation of site soil contaminated with Acenaphthene, Acenaphthylene, Anthracene, Benzene, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Benzoic Acid, Bis[2-ethylhexyl]phthalate, Butylbenzene, N-butylbenzene, Sec-butylbenzene, Carbazole, Chrysene, o-cresol, 3 & 4-methylphenol, Cumene, Cyclohexane,

Dibenzo[a,h]anthracene, Dibenzofuran, 2,4-dimethylphenol, Dimethyl Phthalate, Ethyl Benzene, Fluoranthene, Fluorene, Ideno[1,2,3-cd]pyrene, p-isopropyltoluene, 2-methylnaphthalene, Naphthalene, Phenanthrene, Phenol, N-propylbenzene, Pyrene, Toluene, 1,3,4-trimethylbenzene, o-xylene, m,p-xylene, Xylenes, Arsenic, Barium & Compounds, Cadmium, Chromium, Lead, Mercury, and Silver. The Report was disapproved by the Department on November 13, 2014.

Buffalo & Pittsburgh Railroad Butler, 100 B&P Lane, Butler and Summit Townships, **Butler County**. SE Technologies, LLC., 98 Vanadium Road, Bridgeville, PA 15017, on behalf of Buffalo & Pittsburgh Railroad, Inc., 100 B&P Lane, Butler, PA 16001, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Ethylbenzene, Isopropylbenzene (Cumene), MTBE, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Anthracene, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Chrysene, Fluorene, Phenanthrene, Pyrene and site groundwater contaminated with Benzene, Ethylbenzene, Isopropylbenzene (Cumene), MTBE, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Anthracene, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Chrysene, Fluorene, Ideno[1,2,3-cd]pyrene, Phenanthrene, and Pyrene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 17, 2014.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP5-59-214A: SWEPI, LP (2100 Georgetown Drive, Sewickley, PA 15143-8782) on October 23, 2014, authorize the construction and operation of one (1) 1,340 brake-horsepower, Caterpillar model G3516LE, 4-stroke, lean-burn, natural gas-fired compressor engine, one (1) 4 million cubic foot per day, J.W. Williams model 4.0-COMBO-UP-A triethylene glycol dehydrator, two (2) 10 million cubic foot per day, J.W. Williams model 10.0-COMBO-UP-A triethylene glycol dehydrators, seven (7) 0.75 million Btu per hour, natural gas-fired separator heaters and four (4) 42,000 gallons (1,000 barrel) Produced Water Tanks pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression or Processing Facilities (BAQ-GPA/GP5) at the Thomas 808 Well Site located in Elk Township, **Tioga County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

23-0119C: Sunoco Partners Marketing & Terminals, L.P.—SPMT (2nd and Green Streets, Marcus Hook, PA 19061-0426) On November 19, 2014, for installation of a 30,000 gallon per minute cooling tower to be used to condense the gaseous propane and ethane at a facility, in Marcus Hook Borough, **Delaware County**. The plan approval is for a Title V facility. This project, by itself or aggregated with previous projects, does not trigger applicability toward PADEP's NSR regulations or the federal PSD regulations. As this project is technically and economically dependent to a previous project it is being treated as a major modification to an existing plan approval (number 23-0119). The installation of this source is not subject to any federal NSPS or NESHAP regulations. Potential annual emissions from this source are: VOC—5.52 tons, PM—0.25 ton, PM₁₀—0.23 ton, and PM_{2.5}—0.01 ton. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

09-0064A: CRC Industries, Inc. (885 Louis Drive, Warminster, PA 18974) On November 19, 2014, for a non-Title V, Synthetic Minor facility in Warminster Township, **Bucks County**. This plan approval will allow an increase in volatile organic compounds (VOC) for the facility. No new equipment will be added to the facility. The facility will remain a Synthetic Minor. The main emissions for this facility are VOC, of which the facility will be limited to less than 24.5 tons per year of emissions, and hazardous air pollutants, will remain at 10 tons per year for any single hazardous air pollutant and less than 25 tons per year for all of the hazardous air pollutants combined. The Plan Approval will contain monitoring, recordkeeping, and operating conditions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

46-0033F: Waste Management Disposal Services of PA—WMDSPI (1425 Sell Road, Pottstown, PA 19464) On November 20, 2014, for installation of a new open landfill gas (LFG) flare. Pottstown Landfill, a closed landfill, is a Title V Facility in **Montgomery County**. This flare serves as a backup control device. There are no emission increases with this plan approval. The Plan Approval will contain monitoring, recordkeeping and operating restrictions designed to minimize emissions and keep the facility operating within all applicable State and Federal air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

06-05069W: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19536) on November 13, 2014, for removing a site level Btu limit from the permit for the Lyon Station battery manufacturing campus located in Richmond Township, Berks County. The plan approval also authorizes the transfer and use of 59.46 tons of NO_x Emission Reduction Credits (ERCs) for offset purposes from Kelman Bottles, LLC (formerly known as Port Glenshaw Glass, LLC), **Allegheny County**, to East Penn Manufacturing Co., Inc.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-090E: Zurn Industries LLC (1301 Raspberry St., Erie, PA 16502) on November 13, 2014, has issued a plan approval for the removal of annual operation hour limits for the facility and sources 102 (Molding, Pouring, Cooling), 107 (Paint Dip Operation) and 110 (Electric Induction Melt Furnaces 4) at their facility in the City of Erie, **Erie County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

09-0186E: Kinder Morgan Bulk Terminals, Inc. (1000 South Port Road, Fairless Hills, PA 19030) On November 18, 2014, for the operation of the fertilizer transfer and storage area in Falls Township, **Bucks County**.

09-0007E: Waste Management Disposal Services of PA, Inc. (1000 New Ford Mill Road, Morrisville, PA 19067) On November 18, 2014, for the operation of (2) two propane fired crystallizers in Falls Township, **Bucks County**.

09-0030A: Brightsmith, LLC (120 Enterprise Avenue, Morrisville, PA 19067) On November 19, 2014, for the operation of the prime oven oxidizer and finish prime oxidizer in Falls Township, **Bucks County**.

46-0200E: John Middleton Company (P.O. Box 85108, Richmond, VA 23285) On November 13, 2014, for the operation of the new regenerative thermal oxidizer and emissions changes in Upper Merion Township, **Montgomery County**.

46-0027C: Janssen Research & Development, LLC. (1400 McKean Road, Spring House, PA 19477) On November 13, 2014, for the operation of a 3.8 MW natural gas fired internal combustion engine in Lower Gwynedd Township, **Montgomery County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

57-00004A: Central New York Oil & Gas Co., LLC (800 Robinson Road, Owego, NY 13827-6801) on November 17, 2014 to extend the authorization to operate a natural gas compressor station in Davidson Township, **Sullivan County** on a temporary basis to May 16, 2015. The plan approval has been extended.

59-00002C: Dominion Transmission, Inc. (445 West Main St., Clarksburg, WV 26301) on November 18, 2014, to extend the authorization for the installation of oxidation catalysts (Control Devices C101 and C102) to control the carbon monoxide and non-methane hydrocarbon emissions from the two (2) existing natural gas-fired compressor engines (Source ID P101 and P102) and to modify the volatile organic compounds emission limitations for Source IDs P101 and P102 at the Dominion Transmission, Inc. Tioga Compressor Station located in Farmington Township, **Tioga County** to May 18, 2015. The plan approval has been extended.

59-00005J: Dominion Transmission, Inc. (445 West Main St., Clarksburg, WV 26301) on November 18, 2014, to extend the authorization for the construction of a 12.07

million Btu per hour ETI model THE-1207 natural-gas fired salt bath heater (Source ID 044) and a 3.0 million Btu per hour Ajax model WRF-3000 natural-gas fired boiler (Source ID 045) at the Sabinsville Compressor Station located in Clymer Township, **Tioga County** to May 18, 2015. The plan approval has been extended.

14-00016A: Penns Valley Area School District (4528 Penns Valley Road, Spring Mills, PA 16875) on November 18, 2014, to extend the authorization for the construction of a wood-fired boiler at their facility located in Penn Township, **Centre County** to May 18, 2015. The plan approval has been extended.

17-00063A: Pennsylvania Grain Processing, LLC (250 Technology Drive, Clearfield, PA 16830) on November 6, 2014, to extend the authorization an additional 180 days from November 8, 2014 to May 6, 2015, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources. The extension authorization allows continued operation of the ethanol production plant located in Clearfield Borough, **Clearfield County**. The plan approval has been extended.

17-00063B: Pennsylvania Grain Processing, LLC (250 Technology Drive, Clearfield, PA 16830) on November 6, 2014, to extend the authorization an additional 180 days from November 8, 2014 to May 6, 2015, in order to continue the compliance evaluation and permit operation pending issuance of an operating permit for the sources. The extension authorization allows continued operation of the ethanol production plant located in Clearfield Borough, **Clearfield County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: M. Gorog & B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226

32-00424A: Western Allegheny Energy, LLC (301 Market Street, Kittanning, PA 16201) on November 17, 2014, to grant a 180 day Plan Approval extension to allow time to obtain an Operating Permit from the Department for their coal preparation plant, located in Center Township, **Indiana County**.

11-00423A: Johnstown Wire Technologies, Inc. (124 Laurel Avenue, Johnstown, Cambria County, PA 15906-2246) Plan Approval Extension issuance date effective December 17, 2014, to continue the 180-day period of temporary operation and receive an Operating Permit for their facility at Johnstown Wire Plant located in Johnstown Township, **Cambria County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

37-332B: Amerikohl Aggregates (609 Chewton-Wurtemberg Rd., Wampum, PA 16157) on November 14, 2014, effective November 30, 2014, will issue a plan approval extension for the increase in the facility's throughput limit from 650,000 to 840,000 tpy, the installation of a second crusher, and two (2) diesel-fired engines.

42-00011-MACT: International Waxes, Inc./Farmers Valley (45 Route 446, Smethport, PA 16749-5413) on November 14, 2014, effective November 30, 2014 will issue a plan approval which will require the facility to

comply with the Boiler MACT by January 31, 2016, at your facility in **McKean County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00010: Teva Pharmaceuticals USA, Inc. (650 Cathill Road, Sellersville, PA 18960) On November 20, 2014, for a non-Title V, State Only, Synthetic Minor Operating Permit in West Rockhill Township, **Bucks County**. This action is a second renewal of the State Only Operating Permit. The permit was initially issued on 12/16/2004 and was subsequently renewed on 3/2/2009. TEVA Pharmaceuticals USA Inc. manufactures granular pharmaceutical products that emit volatile organic compounds in the drying process. Volatile organic compounds are limited through this permit to 24.0 tons per year from these drying processes. The facility also has three (3) boilers, two (2) emergency generators, and two (2) fire pumps that burn No. 2 fuel oil. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

22-05035: New Enterprise Stone & Lime Co., Inc. (PO Box 177, Winfield, PA 17889-0177) on November 13, 2014, for the stone crushing and batch asphalt operations at the Elizabethtown Quarry located in Washington Township, **Dauphin County**. The State-only permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636

25-00996: Advanced Finishing USA, (7401 Klier Drive, Fairview, PA 16415) on November 18, 2014, issued the renewal of the State Only Operating Permit for the coating facility located in Fairview Township, **Erie County**. The primary sources at the facility include 2 paint booths; 10 natural gas fueled process ovens; and a 475,000 Btu/hr natural gas fueled burn off oven. The facility is a Natural Minor. Potential emissions are 12 tpy VOC; 73.43 tpy PM; 15.20 tpy NO_x; 12.77 tpy CO; less than 1 tpy SO_x; and less than 1 tpy HAPs. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

33-00147: Dominion Transmission, Inc., (455 West Main Street, Clarksburg, WV 26302) on November 12, 2014, issued the renewal of the State Only Operating Permit for the natural gas compressor station located in Gaskill Township, **Jefferson County**. The primary sources at the facility include a 1,775 hp natural gas fueled compressor engine and a glycol dehydrator equipped with a 500,000 Btu/hr natural gas fueled burner. The facility is a Natural Minor. Potential emis-

sions are 11.84 tpy VOC; 30.07 tpy CO; 6.63 tpy NO_x; 1.91 tpy for all HAPs combined; and less than 1 tpy SO_x. The compressor engine is subject to 40 CFR Part 63 Subpart ZZZZ, the NESHAP for Stationary RICE. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

61-00204: Franklin Bronze Precision Components, LLC, (655 Grant Street, Franklin, PA 16323) on November 18, 2014, issued the renewal of the State Only Operating Permit for the foundry facility located in the City of Franklin, **Venango County**. The primary sources at the facility include a 1 million Btu/hr natural gas fueled mold de-wax furnace; 2 natural gas fueled shell pre-heat furnaces, rated at 600,000 Btu/hr and 850,000 Btu/hr; 5 induction furnaces; a 750,000 Btu/hr natural gas fueled de-wax oven; saws and grinders; 9 natural gas fueled space heaters; and a parts washer. The facility is a Natural Minor. Potential emissions are 3.19 tpy NO_x; 11.21 tpy PM; 1.74 tpy CO; and less than 1 tpy SO_x, VOC, and HAPs. The facility is subject to 40 CFR Part 63 Subpart ZZZZZ, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Iron & Steel Foundries. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00086: Griffin Industries LLC—dba Bakery Feeds (97 Westbrook Drive, Honey Brook, PA 19344) On November 19, 2014, for an animal feed processing facility in Honey Brook Township, **Chester County**. Bakery Feeds is a non-Title V (State only) facility. The major operation at the facility is drying of processed bakery products by heat from a biomass burner, which is controlled for volatile organic compounds (VOC) by a regenerative thermal oxidizer (RTO) with the efficiency of 98%. Natural gas, sawdust and bakery product packaging materials are approved as fuels for the biomass burner.

The facility's permit is proposed to undergo a significant modification pursuant to Section B, Condition #011 (d) of State Only Operating Permit 15-00086. A modification that does not qualify as a minor permit modification or an administrative amendment pursuant to 25 Pa. Code §§ 127.462 and 127.450 is treated as a significant modification subject to the public notification requirements of 25 Pa. Sections 127.424 and 127.425. The following changes are proposed with the modification. Limitations for concentration of hydrogen chloride (HCl) in the stack effluent of the RTO are removed and replaced with limitations for facility wide hazardous air pollutants (HAP) of 10 tons per 12-month rolling period for a single pollutant and 25 tons per 12-month rolling period for all pollutants. HCl is a HAP pursuant to Section 112(b) of the Clean Air Act. In addition, monthly limitations are added for sawdust and bakery product packaging fuels of 660 tons per month for both fuels, with bakery packaging fuel not to exceed 430 tons per month. These limits have

been shown through the Department of Environmental Protection's (DEP) Air Modeling and Risk Analysis methodology not to present an unacceptable inhalation risk from HCl, that might be emitted from the bakery product processing. The once in 5 years testing requirement for HCl in the bakery process line stack is removed. The applicable test method, EPA Method 26, has known interferences from chlorides, other than hydrogen chloride, that may occur in bakery products.

Emission limits for criteria pollutants are not proposed to be changed and will remain at the following levels from the RTO stack: nitrogen oxides (NO_x): 5 lbs/hr and less than 25.0 tons per 12-month rolling period from the facility; particulate matter (PM) the more stringent of 0.04 grain/dscf or 8.4 lb/hr and 37.0 tons per 12-month rolling period; carbon monoxide (CO): 1.1 lb/hr and 4.8 tons per 12-month rolling period; VOC: 2.5 lb/hr and less than 25.0 tons per 12-month rolling period from the facility. Minor wording changes in standard facility wide conditions and names of process streams are made. The operating permit will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements and limitations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00043: HRI, Inc. (1750 West College Avenue, State College, PA 16801), issued a revised State Only operating permit on November 13, 2014, through an administrative amendment to change the responsible official of the Williamsport Asphalt Plant located in the City of Williamsport, **Lycoming County**. This revised operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

14-00027: HRI, Inc. (1750 West College Avenue, State College, PA 16801), issued a revised State Only operating permit on November 13, 2014, through an administrative amendment to change the responsible official of the Curtain Gap Asphalt Plant located in the Marion Township, **Centre County**. This revised operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

05-05006: Columbia Gas Transmission, LLC (1700 MacCorkle Avenue SE, Charleston, WV 25314). Pursuant to 25 Pa. Code § 127.449(i), this PA Bulletin Notice is for a de minimis emissions increase of 0.51 TPY VOC resulting from the increase of the daily natural gas (NG) throughput of each of the three triethylene glycol dehydration units (Source IDs 036, 037 and 038) from 120 mmCF/day to 400 mmCF/day with an aggregate daily NG throughput of 400 mmCF/day for all three units at its Artermas Compressor Station located in Mann Township, **Bedford County**. This is the first de minimis emissions increase at the facility during the term of the current operating permit.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

56061301 and NPDES No. PA0235709. RoxCOAL, Inc., (PO Box 149, Friedens, PA 15541). To revise the permit for the Kimberly Run Mine in Somerset Township, **Somerset County** and related NPDES permit for surface support facilities and for a new NPDES discharge point. Surface Acres Proposed 40.0. Receiving Stream: Unnamed Tributary to Kimberly Run, classified for the following use: CWF. The application was considered administratively complete on May 25, 2012. Application received on October 14, 2011. Permit issued on November 13, 2014.

30841312. Consolidation Coal Company, (1 Bridge Street, Monongah, WV 26554). To revise the permit for the Blacksville Mine No. 2 in Gilmore Township, **Greene County** to install 15 degasification boreholes. Surface Acres Proposed 13.7. No additional discharges. The application was considered administratively complete on March 6, 2013. Application received on October 24, 2012. Permit issued on November 14, 2014.

11743703 and NPDES No. PA0214671. Robindale Energy Services, Inc., (PO Box 38, Blossburg, PA 16912). To renew the permit for the Lancashire No. 25 in West Carroll and Barr Townships, **Cambria County** and related NPDES permit for post-mining water treatment. No additional discharge. The application was considered administratively complete on January 31, 2006. Application received on November 28, 2005. Permit issued on November 14, 2014.

03841305. Consol Mining Company LLC, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To transfer the permit for the Emilie No. 1 and 2 Mine in Plumcreek and Cowanshannock Townships, **Armstrong County** from Keystone Coal Mining Corporation to Consol Mining Company LLC. No additional discharges. The application was considered administratively complete on January 27, 2014. Application received: January 6, 2014. Permit issued: November 14, 2014.

03801302 and NPDES No. PA0235385. Consol Mining Company LLC, (CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317). To transfer the permit and related NPDES permit for the Margaret No. 7 Mine Water Treatment Plant in Plumcreek and Cowanshan-

nock Townships, **Armstrong County** from Keystone Coal Mining Corporation to Consol Mining Company LLC. No additional discharges. The application was considered administratively complete on January 27, 2014. Application received: January 6, 2014. Permit issued: November 17, 2014.

17823701 and NPDES No. PA0617083. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Bigler Coal Refuse Disposal Area No. 1 in Brandford Township, **Clearfield County** and related NPDES permit. No additional discharges. The application was considered administratively complete on August 6, 2013. Application received: June 17, 2013. Permit issued: November 17, 2014.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 32040102 and NPDES No. PA0249491. Britt Energies, Inc., 2450 Philadelphia Street, Indiana, PA 15701, permit renewal, for reclamation only, of a bituminous surface and auger mine in Center Township, **Indiana County**, affecting 201.2 acres. Receiving stream: unnamed tributary to Yellow Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 20, 2014. Permit issued: November 12, 2014.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17820129 and NPDES PA0610623. Kasubick Brothers Coal Company (501 David Street, Houtzdale, PA 16651). Permit renewal for the continued operation and restoration of a bituminous surface and auger mine located in Woodward Township, **Clearfield County** affecting 161.8 acres. Receiving streams: Unnamed Tributaries to Upper Morgan Run and North Branch to Morgan Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: June 5, 2014. Permit issued: November 4, 2014.

17030120 and NPDES No. PA0243663. RES Coal, LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for reclamation only of a bituminous surface and auger mine located in Beccaria and Bigler Townships, **Clearfield County** affecting 96.3 acres. Receiving streams: Unnamed Tributary to Banian Run classified for CWF. There are no potable water supply intakes within 10 miles downstream. Application received: July 9, 2014. Permit issued: November 3, 2014.

17813048 and NPDES PA0609994. Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849). Permit renewal for reclamation only of a bituminous surface and auger mine located Lawrence Township, **Clearfield County** affecting 407.3 acres. Receiving streams: Wolf Run and Unnamed Tributary to West Branch Susquehanna River classified for the following use(s): CWF and WWF respectively. There are no potable water supply intakes within 10 miles downstream. Application received: July 10, 2014. Permit issued: November 6, 2014.

17813901 and NPDES PA0127230. Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849). Permit renewal for reclamation only of a bituminous surface and auger mine located in Graham and Morris Townships, **Clearfield County** affecting 196.3 acres. Receiving streams: Unnamed Tributaries to Alder Run classified for the following use(s): CWF. There are no potable water

supply intakes within 10 miles downstream. Application received: August 4, 2014. Permit issued: November 6, 2014.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570-621-3118

Permit No. 54040101R2. Char-Pac Coal Company, (PO Box 81, Minersville, PA 17954), renewal of an existing anthracite surface mine operation in Foster Township, **Schuylkill County** affecting 200.5 acres, receiving stream: Hans Yost Creek. Application received: September 3, 2014. Renewal issued: November 17, 2014.

Permit No. 54040101GP104. Char-Pac Coal Company, (PO Box 81, Minersville, PA 17954), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54040101 in Foster Township, **Schuylkill County**, receiving stream: Hans Yost Creek. Application received: September 3, 2014. Permit issued: November 17, 2014.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570-621-3118

Permit No. 06144117. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Stonecroft Village in Merion Township, **Berks County** with an expiration date of November 30, 2014. Permit issued: November 13, 2014.

Permit No. 36144161. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Warren Nolt manure pit in Penn Township, **Lancaster County** with an expiration date of December 30, 2014. Permit issued: November 13, 2014.

Permit No. 36144162. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Summerlynn Green in Ephrata Township, **Lancaster County** with an expiration date of November 30, 2015. Permit issued: November 13, 2014.

Permit No. 36144163. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Clair Beyer Farm in Clay Township, **Lancaster County** with an expiration date of May 30, 2015. Permit issued: November 13, 2014.

Permit No. 36144164. Abel Construction Co., Inc., (PO Box 476, Mountville, PA 17554), construction blasting for NRB Peters in Earl Township, **Lancaster County** with an expiration date of March 31, 2015. Permit issued: November 13, 2014.

Permit No. 38144117. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Falcon Crest Development in South Lebanon Township, **Lebanon County** with an expiration date of December 31, 2014. Permit issued: November 13, 2014.

Permit No. 09144107. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Woodlands Development in Warwick Township, **Bucks**

County with an expiration date of November 5, 2015. Permit issued: November 17, 2014.

Permit No. 09144108. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Mill Creek Development in Buckingham Township, **Bucks County** with an expiration date of November 30, 2015. Permit issued: November 17, 2014.

Permit No. 22144111. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Hershey High Meadows Campground in Derry Township, **Dauphin County** with an expiration date of May 30, 2015. Permit issued: November 17, 2014.

Permit No. 46144115. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Highland Ridge in Franconia Township, **Montgomery County** with an expiration date of November 5, 2015. Permit issued: November 17, 2014.

Permit No. 66144109. Holbert Explosives, Inc., (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for 879 Adams Pond Road in Berlin Township, **Wayne County** with an expiration date of November 12, 2015. Permit issued: November 17, 2014.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E30-245. PA Game Commission, 4820 Route 711, Bolivar, PA 15923; Whitely Township, **Greene County**; ACOE Pittsburgh District.

Has been given consent to re-grade the stream banks to slope of 2 (Horizontal): 1 (Vertical), and install and maintain stream bank toe rock stabilization along the stream banks, at multiple locations along an approximately 2085' long reach of Whiteley Creek (TSF), and to install and maintain rock vane deflectors and to randomly place boulders within the watercourse, to improve fish habitat. The project is located within State Game Land #223, approximately 900' east of the intersection of Kirby-Garards Fort Road and McCoy Road (Garards Fort, PA USGS Quadrangle, N: 11.27 inches; W: 9.3 inches; Latitude: 39°48'39.7"; Longitude: -80°4'19.9"), in Whiteley Township, **Greene County**.

E65-958. Municipal Authority of Westmoreland County, 124 Park and Pool Road, New Stanton, PA 15672; South Greensburg Borough and Hempfield Township, **Westmoreland County**; ACOE Pittsburgh District.

Has been given consent to construct, operate and maintain two 48-inch waterline stream crossings across Jacks Run and an unnamed tributary to Jacks Run (WWF). As a result of this project, approximately 78 LF of stream will be impacted. The project is located along Shady Lane, Broadway Avenue and Keystone Street (Greensburg, PA Quadrangle N: 4.0 inches; W: 7.4 inches, Latitude: 40° 15' 27"; Longitude: -79° 33' 23"), in South Greensburg Borough and Hempfield Township, **Westmoreland County**.

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E0829-098: Appalachia Midstream, LLC, 400 IST Center Suite 404, Horseheads, NY 14845, Wilmot Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 6 inch diameter natural gas line and a temporary timber mat bridge impacting 634 square feet of a Palustrine Emergent Wetland (EV) (Jenningsville, PA Quadrangle, Latitude: 41°35'15", Longitude: -76°12'39");
2. a 6 inch diameter natural gas line and a temporary timber mat bridge impacting 3,723 square feet of a Palustrine Emergent Wetland (EV) (Jenningsville, PA Quadrangle, Latitude: 41°35'15", Longitude: -76°12'38").

The project will result in 4,357 square feet (0.10 acre) of PEM wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Wilmot Township, Bradford County.

E5829-079: Jackson Township, Susquehanna Gathering, LLC, 1429 Oliver Road, New Milford, PA 18834, Jackson Township, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber bridge crossing impacting 51 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; Lat. 41° 51' 17" N., Long. -75° 35' 45" W.),

2. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 7,905 square feet (0.18 acre) of a palustrine forested wetland (PFO) (Thompson, PA Quadrangle; Lat. 41° 51' 17" N., Long. -75° 35' 44" W.),

3. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber bridge crossing impacting 56 lineal feet of an unnamed tributary to Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; Lat. 41° 51' 18" N., Long. -75° 35' 44" W.),

4. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 8,745 square feet (0.20 acre) of a palustrine forested wetland (PFO) (Thompson, PA Quadrangle; Lat. 41° 51' 20" N., Long. -75° 35' 39" W.),

5. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 4,868 square feet (0.11 acres) of a palustrine forested wetland (PFO) (Thompson, PA Quadrangle; Lat. 41° 51' 17" N., Long. -75° 35' 36" W.),

6. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 1,842 square feet (0.04 acre) of a palustrine emergent wetland (PEM) (Thompson, PA Quadrangle; Lat. 41° 51' 06" N., Long. -75° 35' 12" W.),

7. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 6,985 square feet (0.16 acre) of a palustrine forested wetland (PFO) (Thompson, PA Quadrangle; Lat. 41° 51' 06" N., Long. -75° 35' 11" W.),

8. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 22,043 square feet (0.51 acre) of a palustrine forested wetland (PFO) (Thompson, PA Quadrangle; Lat. 41° 51' 13" N., Long. -75° 35' 05" W.),

9. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 11,569 square feet (0.27 acre) of a palustrine forested wetland (PFO) (Thompson, PA Quadrangle; Lat. 41° 51' 16" N., Long. -75° 34' 56" W.),

10. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber bridge crossing impacting 65 lineal feet of the Tunkhannock Creek (CWF-MF) (Thompson, PA Quadrangle; Lat. 41° 51' 16" N., Long. -75° 34' 54" W.).

The Leonard Pipeline consists of a 12" gas gathering line and a 16" waterline all located within Jackson Township, Susquehanna County. The project will result in 172 linear feet of temporary stream impacts, 1,842 square feet (0.04 acre) of temporary wetland impacts, and 62,115 square feet (1.43 acre) of wetland conversion impacts; all for the purpose of conveying Marcellus Shale natural gas to market.

Wilkes-Barre: Attn: Mike Korb Environmental Program Manager, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701

EA5411-001. Pennsylvania Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, Wilkes-Barre Office, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701. Abandoned Mine Land Reclamation Project, in Newport Township, **Luzerne County**, Baltimore ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 7 acres of Dangerous Pile and Embankment. The project will include the backfilling of 1.06 acres of open water that has developed within the open surface mine pits. (Nanticoke Quadrangle 41° 10'47", 76°1'49.564"W.)

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESX12-019-0136A—Burgh Well Pad
Applicant R.E. Gas Development, LLC

Contact Mr. Michael Endler

Address 600 Cranberry Woods Drive, Suite 250

City Cranberry Township State PA Zip Code 16066

County Bulter Township(s) Lancaster(s)

Receiving Stream(s) and Classification(s) (2) Unnamed Tributaries to Little Yellow Creek-CWF; Little Yellow Creek-CWF; Unnamed Tributary to Scholars Run-WWF, and Slippery Rock Creek Watershed

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESX29-015-14-0083

Applicant Name Chesapeake Appalachia, LLC

Contact Person Eric Haskins

Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840

County Bradford County

Township(s) Monroe Township
Receiving Stream(s) and Classification(s) UNT to South
Branch of Towanda Creek (CWF/MF);
Secondary: South Branch of Towanda Creek (CWF/MF)

ESCGP-2 # ESX29-015-14-0081
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford County
Township(s) Smithfield Township
Receiving Stream(s) and Classification(s) Wet Branch
Tomjack Creek (TSF/MF);
Secondary: Sugar Creek (WWF/MF)

ESCGP-2 # ESX09-131-0002 (03)
Applicant Name Warren E&P, Inc.
Contact Person Heather Burkhart
Address 39 Washington Park Road
City, State, Zip Tunkhannock, PA 18657
County Wyoming County
Township(s) Washington Township
Receiving Stream(s) and Classification(s) Susquehanna
River (WWF)

ESCGP-2 # ESX29-115-14-0107
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Susquehanna County
Township(s) Auburn Township
Receiving Stream(s) and Classification(s) UNT to Tusca-
rora Creek (CWF);
Secondary: Tuscarora Creek (CWF/MF)

ESCGP-2 # ESX10-015-0093 (01)
Applicant Name Talisman Energy USA, Inc.
Contact Person Joseph Katruska
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Bradford County
Township(s) Wells Township
Receiving Stream(s) and Classification(s) UNT Beckwith
Creek (CWF/MF), UNT to South Creek (CWF/MF)

ESCGP-2 # ESX10-015-0095 (01)
Applicant Name Talisman Energy USA, Inc.
Contact Person Joseph Katruska
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Bradford County
Township(s) Columbia Township
Receiving Stream(s) and Classification(s) UNT to Sugar
Creek (CWF/MF)

ESCGP-2 # ESX10-015-0250 (01)
Applicant Name Talisman Energy USA, Inc.
Contact Person Joseph Katruska
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086
County Bradford County
Township(s) Orwell Township
Receiving Stream(s) and Classification(s) UNT to Trout
Stream (CWF/MF)

ESCGP-2 # ESX29-115-14-0096
Applicant Name Williams Field Services Company, LLC
Contact Person Julie Nicholas
Address 310 State Route 29 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna County
Township(s) Brooklyn Township

Receiving Stream(s) and Classification(s) Hop Bottom
Creek (CWF/MF) and UNTs thereto

ESCGP-2 # ESX29-113-14-0025
Applicant Name Appalachia Midstream Services, LLC
Contact Person Randy DeLaune
Address 400 IST Center
City, State, Zip Horseheads, NY 14845
County Sullivan County
Township(s) Elkland Township
Receiving Stream(s) and Classification(s) Elk Creek (EV/
MF); Naturally Producing Trout Stream

ESCGP-2 # ESG29-081-14-0034
Applicant Name Pennsylvania General Energy Company,
LLC
Contact Person James Ashbaugh
Address 120 Market Street
City, State, Zip Warren, PA 16365
County Lycoming County
Township(s) Cummings Township
Receiving Stream(s) and Classification(s) UNT to Hackett
Fork (EV), UNT to Little Pine Creek (EV)

ESCGP-2 # ESX29-115-14-0098
Applicant Name Williams Field Services Company, LLC
Contact Person Lauren Miladinovich
Address Park Place Corporate Center 2, 2000 Commerce
Drive
City, State, Zip Pittsburgh, PA 15275
County Susquehanna County
Township(s) Jessup Township
Receiving Stream(s) and Classification(s) East Branch
Wyalusing Creek (CWF/MF) and UNTs thereto

ESCGP-2 # ESG29-115-14-0087
Applicant Name Talisman Energy USA, Inc.
Contact Person Ben Younkin
Address 337 Daniel Zenker Drive
City, State, Zip Horseheads, NY 14845
County Susquehanna County
Township(s) Little Meadows Borough, Apolacon Township
Receiving Stream(s) and Classification(s) Cork Hill Creek
(HQ-CWF/MF) and UNTs thereto

*Southwest Region: Oil & Gas Program Mgr. 400 Water-
front Dr. Pittsburgh PA*

ESCGP-2 No: ESX13-059-0019 Major Revision
Applicant Name: EQT Gathering LLC
Contact Person Hanna McCoy
Address: 625 Liberty Avenue Suite 1700
City: Pittsburgh State: PA Zip Code: 15222
County: Greene Township: Morgan Township
Receiving Stream (s) and Classifications: Ruff Creek
(WWF), Browns Run (WWF), Grimes Run (WWF);
Other Ch. 93; Warm Water Fishes, Ex. Use: none

ESCGP-2 No.: ESG14-059-0032
Applicant Name: CNX Gas Company LLC
Contact Person: Renee Thomas
Address: 200 Evergreene Drive
City: Waynesburg State: PA Zip Code: 15370
County: Greene Township(s): Center
Receiving Stream(s) and Classifications: UNT South Fork
Ten Mile Creek & Lightner Run; HQ

ESCGP-2 No.: ESX14-125-0063
Applicant Name: CNX Gas Company LLC
Contact Person: Erika Whetstone
Address: 200 Evergreene Drive
City: Waynesburg State: PA Zip Code: 15370
County: Washington Township(s): East Finley Twp
Receiving Stream(s) and Classifications: 3 UNTs to Enlow
Fork & Enlow Fork; Other WWF & TSF

ESCGP-2 No.: ESG14-059-0036
 Applicant Name: EQT Production
 Contact Person: Todd Klaner
 Address: 455 Racetrack Road
 City: Washington State: PA Zip Code: 15301
 County: Greene Township(s): Morris
 Receiving Stream(s) and Classifications: Bates Fork; HQ;
 Other WWF

ESCGP-2 No.: ESG14-051-0015
 Applicant Name: T & F Exploration LP
 Contact Person: William A Straslicka
 Address: 1700 North Highland Road Suite 402

City: Upper St Clair State: PA Zip Code: 15241
 COUNTY Fayette Township(s): Wharton
 Receiving Stream(s) and Classifications: UNT 38495 and
 38496 to Beaver Creek HQ-CWF

ESCGP-2 No.: ESX14-125-0041
 Applicant Name: Rice Drilling B LLC
 Contact Person: Joseph C Mallow
 Address: 171 Hillpointe Drive Suite 301
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Somerset
 Receiving Stream(s) and Classifications: Pigeon Creek;
 Other WWF

STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 504, 1101—1102) and under 25 Pa Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
14-04-012	Interstate Chemical Company 2797 Freedland Road Hermitage, PA 16148 Attn: Thomas Beatty	Beaver	Vanport Township	1 AST storing methanol	1,006,176 gallons
14-63-008	American Iron Oxide Company 661 Andersen Drive, Foster Plaza #7 Pittsburgh, PA 15220 Attn: Franz Mullings	Washington	Allenport Borough	2 ASTs storing hazardous substances	50,000 gallons total

SPECIAL NOTICES

City of Philadelphia, Air Management Services (AMS); Intent to Renew a Minor State Only Operating Permit

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543, Contact: Edward Wiener, Chief of Source Registration at 215 685 9426.

The City of Philadelphia, Air Management Services (AMS) has intent to renew a Minor State Only Operating Permit for the following facility:

S14-014: General Services Administration William J. Green Jr. Federal Building. (600 Arch Street, Philadelphia, PA 19106) for the operation of a federal building in the City of Philadelphia, **Philadelphia County**. The synthetic minor emission sources include three (3) 16.329 MMBTU/hr boilers that burn natural gas and No.2 fuel oil, three (3) 118 HP hot water heaters that burns natural gas, one (1) 746 kW and one (1) 175 kW emergency diesel generator and one (1) 650 hp natural gas emergency generator.

The operating permit will be issued under the Pennsylvania Code Title 25, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

[Pa.B. Doc. No. 14-2512. Filed for public inspection December 5, 2014, 9:00 a.m.]

Bid Opportunity

OSM 32(3245)101.1, Abandoned Mine Reclamation Project, Homer City Southwest, Homer City Borough, Indiana County. The principal items of work and approximate quantities include mobilization and demobilization; debris removal from in and around shaft 100 tons; demolish foundations; coarse aggregate 4,000 tons; soil fill 50 tons; and site restoration. This bid issues on December 5, 2014, and bids will be opened on January 6, 2015, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

DANA K. AUNKST,
Acting Secretary

[Pa.B. Doc. No. 14-2513. Filed for public inspection December 5, 2014, 9:00 a.m.]

Bid Opportunity

OSM 10(1482)101.1, Abandoned Mine Reclamation Project, Queens Junction Southeast, Clay Township, Butler County. The principal items of work and approximate quantities include mobilization and demobilization; implementation of the erosion and sedimentation control plan; clearing and grubbing; dewatering impoundments; grading 206,350 cubic yards; mine seal; tree planting 12,950 each; and seeding 6.4 acres. This bid issues on December 5, 2014, and bids will be opened on January 6, 2015, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

DANA K. AUNKST,
Acting Secretary

[Pa.B. Doc. No. 14-2514. Filed for public inspection December 5, 2014, 9:00 a.m.]

Bid Opportunity

AMD 24(6134)103.1, Acid Mine Drainage Abatement Project, Brandy Camp—Slurry Conversion, Horton Township, Elk County. The principal items of work and approximate quantities include mobilization and demobilization; electric supply; lime slurry steel tanks two each; lime slurry mixers three each; lime slurry pumps three each; 1" PVC pipe including fittings 120 linear feet; 4" PVC pipe including fittings 360 linear feet; EPDM lined tubing 400 linear feet; temporary hydrogen peroxide small bulk storage and feed system; removal of the existing hydrated lime storage and feed system; and seeding. This bid issues on December 5, 2014, and bids will be opened on January 8, 2015, at 2 p.m. Bid

documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

DANA K. AUNKST,
Acting Secretary

[Pa.B. Doc. No. 14-2515. Filed for public inspection December 5, 2014, 9:00 a.m.]

Coal Mining Reclamation Fee Amount for 2015

The Department of Environmental Protection (Department) announces the amount of the Reclamation Fee for 2015. This notice is required by 25 Pa. Code § 86.17 (relating to permit and reclamation fees). Effective January 1, 2015, the Reclamation Fee for calendar year 2015 will be \$0. While the fee will not be assessed in 2015, the regulations require annual adjustments. The fee amount for subsequent years will be calculated in accordance with 25 Pa. Code § 86.17. Refer to this section of the regulations for further information about the process.

This is the result of calculations presented in a report that contains a financial analysis of the revenue and expenditures from the account for Fiscal Year (FY) 2013-2014 and provides projections for FY 2014-2015. The report was reviewed with the Mining and Reclamation Advisory Board on October 23, 2014.

The report is available at www.portal.state.pa.us/portal/server.pt/community/reports/20866.

For more information, contact William S. Allen, Jr., Department of Environmental Protection, Bureau of Mining Programs, Rachel Carson State Office Building, P. O. Box 8461, Harrisburg, PA 17105-8461, (717) 787-5103, wallen@pa.gov. Persons with a disability may contact the Department by using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DANA K. AUNKST,
Acting Secretary

[Pa.B. Doc. No. 14-2516. Filed for public inspection December 5, 2014, 9:00 a.m.]

DEPARTMENT OF HEALTH

Amendments to Charges for Medical Records

Under 42 Pa.C.S. §§ 6152 and 6155 (relating to subpoena of records; and rights of patients), the Secretary of Health (Secretary) is directed to adjust annually the amounts which may be charged by a health care facility or health care provider upon receipt of a request or subpoena for production of medical charts or records. These charges apply to any request for a copy of a medical chart or record except as follows:

(1) Flat fees (as listed in this notice) apply to amounts that may be charged by a health care facility or health care provider when copying medical charts or records either: (a) for the purpose of supporting any claim or

appeal under the Social Security Act or any Federal or State financial needs based program; or (b) for a district attorney.

(2) An insurer shall not be required to pay for copies of medical records required to validate medical services for which reimbursement is sought under an insurance contract, except as provided in: (a) the Workers' Compensation Act (77 P. S. §§ 1—1041.4 and 2501—2506) and the regulations promulgated thereunder; (b) 75 Pa.C.S. Chapter 17 (relating to Motor Vehicle Financial Responsibility Law) and the regulations promulgated thereunder; or (c) a contract between an insurer and any other party.

The charges listed in this notice do not apply to an X-ray film or any other portion of a medical record which is not susceptible to photostatic reproduction.

Under 42 Pa.C.S. § 6152.1 (relating to limit on charges), the Secretary is directed to make a similar adjustment to the flat fee which may be charged by a health care facility or health care provider for the expense of reproducing medical charts or records where the request is: (1) for the purpose of supporting a claim or appeal under the Social Security Act or any Federal or State financial needs based benefit program; or (2) made by a district attorney.

The Secretary is directed to base these adjustments on the most recent changes in the Consumer Price Index reported annually by the Bureau of Labor Statistics of the United States Department of Labor. For the annual period of October 31, 2013, through October 31, 2014, the Consumer Price Index was 1.7%.

Accordingly, the Secretary provides notice that, effective January 1, 2015, the following fees may be charged by a health care facility or health care provider for production of records in response to subpoena or request:

Not to Exceed

Amount charged per page for pages 1-20	\$1.46
Amount charged per page for pages 21-60	\$1.08
Amount charged per page for pages 61-end	\$0.36
Amount charged per page for microfilm copies . . .	\$2.16
Flat fee for production of records to support any claim under Social Security or any Federal or State financial needs based program	\$27.48
Flat fee for supplying records requested by a district attorney	\$21.69
* Search and retrieval of records	\$21.69

The previously listed fees shall apply for paper copies or reproductions on electronic media whether the records are stored on paper or in electronic format.

In addition to the amounts listed previously, charges may also be assessed for the actual cost of postage, shipping and delivery of the requested records.

The Department is not authorized to enforce these charges.

Questions or inquiries concerning this notice should be sent to James T. Steele, Jr., Deputy Chief Counsel, Department of Health, Office of Legal Counsel, Room 825, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 783-2500.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact James T. Steele, Jr. at the address or phone number listed previously, or for speech and/or hearing impaired persons, V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Note: Federal regulations enacted under the Health Insurance Portability and Accountability Act (HIPAA) at 45 CFR Parts 160—164 state that covered entities may charge a reasonable cost based fee that includes only the cost of copying, postage and summarizing the information (if the individual has agreed to receive a summary) when providing individuals access to their medical records. The Department of Health and Human Services has stated that the fees may not include costs associated with searching for and retrieving the requested information. For further clarification on this issue, inquiries should be directed to the Office of Civil Rights, United States Department of Health and Human Services, 200 Independence Avenue, S.W., Room 509F, HHH Building, Washington, DC 20201, (866) 627-7748, <http://www.hhs.gov/ocr/hipaa>.

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2517. Filed for public inspection December 5, 2014, 9:00 a.m.]

Application of Allegheny General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Allegheny General Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(1) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2518. Filed for public inspection December 5, 2014, 9:00 a.m.]

Application of Alle-Kiski Medical Center d/b/a Allegheny Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Alle-Kiski Medical Center d/b/a Allegheny Valley Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(1) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2519. Filed for public inspection December 5, 2014, 9:00 a.m.]

Application of Forbes Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Forbes Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(1) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2520. Filed for public inspection December 5, 2014, 9:00 a.m.]

Application of Jefferson Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jefferson Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(1) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2521. Filed for public inspection December 5, 2014, 9:00 a.m.]

Application of Saint Vincent Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Saint Vincent Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(1) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2522. Filed for public inspection December 5, 2014, 9:00 a.m.]

Application of West Penn Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that West Penn Hospital has requested an exception to the requirements of 28 Pa. Code § 107.26(b)(1) (relating to additional committees).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2523. Filed for public inspection December 5, 2014, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

ManorCare Health Services—Yeadon
14 Lincoln Avenue
Yeadon, PA 19050
FAC ID # 122002

Wesley Enhanced Living at Stapeley
6300 Greene Street
Philadelphia, PA 19144
FAC ID # 455502

These requests are on file with the Department of Health (Department). Persons may receive a copy of a

request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

MICHAEL WOLF,
Secretary

[Pa.B. Doc. No. 14-2524. Filed for public inspection December 5, 2014, 9:00 a.m.]

DEPARTMENT OF STATE

Bureau of Corporations and Charitable Organizations; Adopted Official Forms

The Department of State's Bureau of Corporations and Charitable Organizations (Bureau) published notice at 44 Pa.B. 6295 (October 4, 2014) of the Bureau's intent to amend the forms and instructions in 19 Pa. Code Appendix B (relating to official forms) to provide for amended forms relating to the registration of domestic nonprofit corporations (DSCB:15-5306/7102 (Articles of Incorporation—Nonprofit)), the registration of foreign limited liability companies, foreign limited liability partnerships and foreign limited partnerships (DSCB:15-8981/8211/8582 (Application for Registration—Foreign)), and the registration of domestic limited partnerships (DSCB:15-8511 (Certificate of Limited Partnership)). The forms and instructions, which do not constitute agency regulations, were subject to the opportunity for public comment under section 201 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. § 1201). The Bureau received one comment during the intervening 30-day public comment period concerning form DSCB:15-8981/8211/8582 (Application for Registration—Foreign) and is withdrawing this form. No comments were received for DSCB:15-5306/7102 (Articles of Incorporation—Nonprofit) or DSCB:15-8511 (Certificate of Limited Partnership). Therefore, the amended forms and instructions for DSCB:15-5306/7102 (Articles of Incorporation—Nonprofit) and DSCB:15-8511 (Certificate of Limited Partnership) are being codified and inserted into 19 Pa. Code Appendix B as they were published at 44 Pa.B. 6295.

CAROL AICHELE,
Secretary

[Pa.B. Doc. No. 14-2525. Filed for public inspection December 5, 2014, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on November 20, 2014, the following access route for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. (X) 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' maximum length-each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
SR 4011 (Center Street)	from SR 125 to SR 25 (Main Street)	Schuylkill	5.5
SR 4013 (Schwenks Road)	from SR 4011 to SR 25 (Main Street)	Schuylkill	1.6

Questions should be directed to Matthew Hedge at (717) 772-5462.

BARRY J. SCHOCH, PE,
Secretary

[Pa.B. Doc. No. 14-2526. Filed for public inspection December 5, 2014, 9:00 a.m.]

Bureau of Maintenance and Operations; Access Route Revocation

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation revoked on November 20, 2014, the following access route for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. (X) 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' maximum length-each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
SR 125 (Good Spring Road)	From SR 4011 to SR 25 (Main Street)	Schuylkill	2.5

Questions should be directed to Matthew Hedge at (717) 772-5462.

BARRY J. SCHOCH, PE,
Secretary

[Pa.B. Doc. No. 14-2527. Filed for public inspection December 5, 2014, 9:00 a.m.]

State Transportation Commission Meeting

The State Transportation Commission will hold a meeting on Thursday, December 11, 2014, from 10 a.m. to 12 p.m. in Conference Room 8N, Commonwealth Keystone Building, Harrisburg, PA. For more information contact Julie Harmantzi, (717) 787-2913, jharmantzi@pa.gov.

BARRY J. SCHOCH, PE,
Secretary

[Pa.B. Doc. No. 14-2528. Filed for public inspection December 5, 2014, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The December 16, 2014, meeting of the Environmental Quality Board (Board) is cancelled. The next regularly scheduled meeting of the Board will occur on Tuesday, February 17, 2015, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. The agenda and meeting materials for the Febru-

ary 17, 2015, meeting will be available on the Department of Environmental Protection's web site at www.dep.state.pa.us (Select "Public Participation Center," then "The Environmental Quality Board").

Questions concerning the Board's next scheduled meeting may be directed to Laura Edinger, (717) 783-8727, ledinger@pa.gov.

DANA K. AUNKST,
Acting Chairperson

[Pa.B. Doc. No. 14-2529. Filed for public inspection December 5, 2014, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, November 20, 2014, and announced the following:

Action Taken—Regulations Approved:

State Board of Education #6-332: Student Attendance (amends 22 Pa. Code § 11.13)

Municipal Police Officers' Education and Training Commission #17-76: Retired Law Enforcement Officers Identification and Qualification Cards (amends 37 Pa. Code Chapter 221)

Department of Banking and Securities #3-52: Debt Management Services Continuing Education (amends 10 Pa. Code by adding Chapter 57)

Approval Order

Public Meeting Held
November 20, 2014

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*State Board of Education—
Student Attendance;
Regulation No. 6-332 (#3076)*

On October 10, 2014, the Independent Regulatory Review Commission (Commission) received this regulation from the State Board of Education (Board). This rulemaking amends 22 Pa. Code, Chapter 11. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted rulemaking amends 22 Pa. Code § 11.13 (relating to compulsory school age) to be consistent with Article XIII (Pupils and Attendance) of the Public School Code. This regulation is in response to a Pennsylvania Supreme Court ruling which determined that kindergarten students are subject to compulsory school attendance requirements.

We have determined this regulation is consistent with the statutory authority of the Board (24 P.S. § 26-2603-B) and the intention of the General Assembly.

Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
November 20, 2014

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*Municipal Police Officers' Education and Training
Commission—Retired Law Enforcement Officers
Identification and Qualification Cards;
Regulation No. 17-76 (#3077)*

On October 10, 2014, the Independent Regulatory Review Commission (Commission) received this regulation from the Municipal Police Officers' Education and Training Commission (MPOETC). This rulemaking amends 37 Pa. Code Chapter 221. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted rulemaking amends the MPOETC's existing regulations to be consistent with 2010 amendments to the federal Law Enforcement Officers Safety Act, specifically changes found at 18 U.S.C § 926C.

We have determined this regulation is consistent with the statutory authority of MPOETC (53 P. S. § 753.7) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
November 20, 2014

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Dennis A. Watson, Esq.

*Department of Banking and Securities—
Debt Management Services Continuing Education;
Regulation No. 3-52 (#3056)*

On April 24, 2014, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Banking and Securities (Department). This rulemaking amends 10 Pa. Code by adding Chapter 57. The proposed regulation was published in the May 10, 2014 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on October 17, 2014.

This final-form rulemaking establishes continuing education requirements for credit counselors and supervisors as required by the Debt Management Services Act of 2008.

We have determined this regulation is consistent with the statutory authority of the Department (63 P. S. §§ 2409(c) and 2417(4)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 14-2530. Filed for public inspection December 5, 2014, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of William Richard Frey; file no. 14-119-173561; CSAA Mid-Atlantic Insurance Company; Doc. No. P14-11-007; January 7, 2015, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated represen-

tatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

MICHAEL F. CONSEDINE,
Insurance Commissioner

[Pa.B. Doc. No. 14-2531. Filed for public inspection December 5, 2014, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by December 22, 2014. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2014-2445503. Addis Airport Car Service, LLC (151 Robinson Street, Suite #38, Pittsburgh, Allegheny County, PA 15213) for the right to begin to transport as a common carrier, by motor vehicle, persons in limousine service, from points in the City of Pittsburgh and Allegheny County, to points in Pennsylvania, and return, excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2014-2447662. Rite Lane Motors, LLC (333 Scott Road, South Abington Township, Lackawanna County, PA 18411) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Lackawanna, Luzerne, Monroe, Pike, Susquehanna, Wayne and Wyoming, to points in Pennsylvania, and return. *Attorney:* John McGovern, Jr., Suite 201, Bank Towers, 321 Spruce Street, Scranton, PA 18503.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-2532. Filed for public inspection December 5, 2014, 9:00 a.m.]

Transfer of Customers and Assets

A-2014-2454151 and A-2014-2454153. ILD Corporation and its subsidiary Intellicall Operator Services, Inc. Joint Application of ILD Corporation and its subsidiary Intellicall Operator Services, Inc. for approval of the transfer of customers and assets of ILD Corporation and its subsidiary Intellicall Operator Services, Inc. to WiMacTel, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before December 22, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: ILD Corporation; Intellicall Operator Services, Inc.; WiMacTel, Inc.

Through and By Counsel: Thomas M. Forte, Consultant, Technologies Management, Inc., 2600 Maitland Center Parkway, Suite 300, Maitland, FL 32751.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-2533. Filed for public inspection December 5, 2014, 9:00 a.m.]

Water Service; Extension of Time to File

A-2014-2451241. Artesian Water Pennsylvania, Inc. Application of Artesian Water Pennsylvania, Inc. for approval to begin to offer, render, furnish or supply water service to the public in an additional territory in a portion of New Garden Township, Chester County.

The Pennsylvania Public Utility Commission (Commission) is extending the previously published time period of December 1, 2014, to file in this matter. See 44 Pa.B. 7332 (November 15, 2014).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before December 22, 2014. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Artesian Water Pennsylvania, Inc.

Through and By Counsel: Alan Michael Seltzer, Esquire, Brian Wauhup, Esquire, Buchanan, Ingersoll & Rooney, PC, 409 North Second Street, Suite 500, Harrisburg, PA 17101-1357

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 14-2534. Filed for public inspection December 5, 2014, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Notice of Rescheduling of Sales of Wheelchair Accessible Taxicab Medallions

The Philadelphia Parking Authority's Board Order 14-003, published at 44 Pa.B. 5550 (August 16, 2014), directing the Taxicab and Limousine Division (TLD) to administer the sale of 46 Philadelphia taxicab medallions, each of which are designated as wheelchair accessible vehicle taxicab medallions. This notice included the date, time and location of the bid openings for each of these medallions.

Bid openings were scheduled at 11 a.m. at the TLD headquarters at 2415 South Swanson Street, Philadelphia, PA 19148 for Medallions WP-1611, WP-1612, WP-1613, WP-1614 and WP-1615 on Wednesday, November 19, 2014. However, under Paragraph No. 10 of the Board Order, TLD Director James R. Ney exercised his discretion to reschedule the sale of these medallions due to lack of participation.

Therefore, the sealed bids for these medallions will be opened by the Director at the TLD's headquarters at 11 a.m. at 2415 South Swanson Street, Philadelphia, PA 19148 as follows:

February 4, 2015: Medallion WP-1611

February 18, 2015: Medallions WP-1612, WP-1613, WP-1614 and WP-1615

Refer to Board Order 14-003, published at 44 Pa.B. 5550, for all ordered instructions and other information concerning the sale of these medallions. See also 52 Pa. Code §§ 1013.31—1013.37 (relating to medallion sales by the Authority).

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 14-2535. Filed for public inspection December 5, 2014, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 14-134.P, Miscellaneous Roofing Materials Draw Down, until 2 p.m. on Monday, December 29, 2014. Information concerning this project can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 14-2536. Filed for public inspection December 5, 2014, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Deborah Elaine Bishop, MD; Doc. No. 0653-49-14

On October 30, 2014, Deborah Elaine Bishop, MD, Pennsylvania license no. MD056630L, of Girard, Erie County, had her license indefinitely suspended for no less than 3 years, retroactive to April 22, 2014, based on her violation of a previous State Board of Medicine (Board) order.

Individuals may obtain a copy of the final order by writing to Wesley J. Rish, Board Counsel, State Board of Medicine, P. O. Box 2649, Harrisburg, PA 17105-2649.

This final order represents the Board's decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

ANDREW J. BEHNKE, MD,
Chairperson

[Pa.B. Doc. No. 14-2537. Filed for public inspection December 5, 2014, 9:00 a.m.]

