

# NOTICES

## BOARD OF COAL MINE SAFETY

### Meeting Date Change

The Board of Coal Mine Safety has rescheduled its June 9, 2015, meeting. The next meeting will be held on Tuesday, June 23, 2015, at 10 a.m. in the Department of Environmental Protection (Department), Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA.

Questions concerning the June 23, 2015, meeting can be directed to Allison D. Gaida, (724) 404-3147, agaida@pa.gov. The agenda and meeting materials for the meeting will be available through the Public Participation

Center on the Department’s web site at [www.dep.state.pa.us](http://www.dep.state.pa.us) (Select “Public Participation Center,” then “Advisory Committees,” then “Board of Coal Mine Safety”).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Allison Gaida at (724) 404-3147, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,  
*Acting Chairperson*

[Pa.B. Doc. No. 15-666. Filed for public inspection April 10, 2015, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending March 31, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department’s Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Interim Incorporations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
3-25-2015	Meridian Interim Bank Malvern Chester County	Withdrawn
	The purpose of Meridian Interim Bank, Malvern, is to merge with Meridian Bank, Malvern, to facilitate the proposed reorganization of Meridian Bank into a bank holding company structure whereby Meridian Bank will become the wholly-owned subsidiary of Meridian Corporation, a new holding company in formation.	

#### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
3-27-2015	GNB Financial Services, Inc. Gratz Dauphin County	Effective
	Application for approval to acquire 100% of FNBM Financial Corporation, Minersville, and thereby indirectly acquire 100% of The First National Bank of Minersville, Minersville.	

**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
3-27-2015	The Gratz Bank Gratz Dauphin County	Effective
	Application for approval to merge The First National Bank of Minersville, Minersville, with and into The Gratz Bank, Gratz.	
	As a result of the merger, the sole office of The First National Bank of Minersville, located at the following address, became a branch office of The Gratz Bank:	
	260 Sunbury Street Minersville Schuylkill County	

**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
3-25-2015	CNB Bank Clearfield Clearfield County	6600 North High Street Worthington Franklin County, Ohio	Approved
3-25-2015	Elderton State Bank Elderton Armstrong County	1906 River Road North Apollo Armstrong County	Approved
3-25-2015	Republic First Bank Philadelphia Philadelphia County	Egg Harbor and Ganttown Roads Sewell Gloucester County, NJ	Approved
3-25-2015	Somerset Trust Company Somerset Somerset County	8796 Lincoln Highway Bedford Bedford County	Approved
3-25-2015	Univest Bank and Trust Company Souderton Montgomery County	250 Plaza Drive Collegeville Montgomery County	Approved
3-26-2015	Univest Bank and Trust Company Souderton Montgomery County	1642 Fairmount Avenue Philadelphia Philadelphia County	Filed

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
2-27-2015	Fidelity Savings and Loan Association Bristol Bucks County	704 State Street Croydon Bucks County	Closed
3-6-2015	Fidelity Deposit & Discount Bank Dunmore Lackawanna County	1451 Hillside Drive Clarks Summit Lackawanna County	Closed

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
3-25-2015	Republic First Bank Philadelphia Philadelphia County	<i>To:</i> 29-39 East Wynnewood Road Wynnewood Montgomery County  <i>From:</i> 233 East Lancaster Avenue Ardmore Montgomery County	Approved
3-25-2015	Royal Bank America Narberth Montgomery County	<i>To:</i> 151 York Road Willow Grove Montgomery County  <i>From:</i> 600 Old York Road Jenkintown Montgomery County	Approved

**CREDIT UNIONS  
Branch Applications  
De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
3-25-2015	TruMark Financial Credit Union Trevose Bucks County	4321-4403 Swamp Road Doylestown Bucks County	Approved

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-667. Filed for public inspection April 10, 2015, 9:00 a.m.]

**DEPARTMENT OF  
CONSERVATION AND  
NATURAL RESOURCES**

**Delaware River Watershed Conservation Plan**

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation (Bureau) has approved the Delaware River Watershed Conservation Plan (Plan) and is placing the Delaware River Watershed (Delaware County) covered in the Plan on the Pennsylvania Rivers Conservation Registry (Registry).

Delaware County submitted the Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Pennsylvania Rivers Conservation Program (Program) requirements have been satisfied and places the following on the Registry:

- The land area located between I-95 and the Delaware River and includes areas of direct drainage between them in Delaware County—11.84 square miles.

- The Naamans Creek watershed from the headwaters to the Pennsylvania-Delaware Border in Delaware County—7.4 square miles.
- The Marcus Hook Creek watershed from the headwaters to its confluence with the Delaware River—5.2 square miles.
- The Stoney Creek watershed from the headwaters to its confluence with the Delaware River—0.8 square mile.

This action becomes effective April 11, 2015. Projects submitted to the Bureau, which are identified as part of the Plan, become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the Final Plan is available for review at the Delaware County Planning Department, Toal Building, 2nd and Orange Streets, Media, PA 19063, (610) 891-5200, [planning\\_department@co.delaware.pa.us](mailto:planning_department@co.delaware.pa.us) and the Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 5th Floor, Harrisburg, PA 17101, (717) 783-2712.

CINDY ADAMS DUNN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-668. Filed for public inspection April 10, 2015, 9:00 a.m.]

**DEPARTMENT OF ENVIRONMENTAL PROTECTION**

**Applications, Actions and Special Notices**

**APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT  
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION  
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)  
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### **I. NPDES Renewal Applications**

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060411 (Sewage)	Thornhurst WWTF Magnolia Drive Thornhurst Township, PA 18346	Lackawanna County Thornhurst Township	Pond Creek (2-A)	Y

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA010361 SEW	Freedom Township Water & Sewer Authority 131 Municipal Street East Freedom, PA 16637	Blair County Freedom Township	Frankstown Branch Juniata River 11-A	Y

*Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0254215 (Sewage)	Horning Deep Mine SR 4015 Somerset, PA 15501	Somerset County Stonycreek Township	Glades Creek (18-E)	Y
PA0093262 (Sewage)	PENNDOT Bureau of Project Delivery PO Box 3060 Harrisburg, PA 17105-3060	Washington County North Bethlehem Township	Unnamed Tributary of Chartiers Creek (20-F)	Y
PA0205729 (Sewage)	Lindley John W & Lindley M Lynne SRSTP 208 Rural Valley Road Claysville, PA 15323	Washington County Blaine Township	Wolf Run (20-E)	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0221481 (IW)	Norfolk Southern Meadville Yard Linden Alley Meadville, PA 16335	Crawford County Meadville City	French Creek (16-D)	Y
PA0223051 (Sewage)	Connoquenessing Borough STP State Route 68 Connoquenessing, PA 16270	Butler County Connoquenessing Borough	Unnamed Tributary to Connoquenessing Creek (20-C)	Y
PA0222852 (Sewage)	West Fallowfield Township STP 5530 Main Street Hartstown, PA 16131	Crawford County West Fallowfield Township	Patton Run (20-A)	Y
PA0091065 (Sewage)	Charles M. Truman SFTF 114 Cobham Lane Cabot, PA 16023	Butler County Winfield Township	Unnamed Tributary to the Little Buffalo Creek (18-F)	Y
PA0100315 (Sewage)	Farma Parks MHP 87 Hughley Road Greenville, PA 16125	Mercer County Perry Township	Unnamed Tributary to Little Shenango River (20-A)	Y
PA0101265 (Sewage)	Shangri La Trailer Park 1824 Williamsfield Road Jamestown, PA 16134-9802	Crawford County West Shenango Township	Unnamed Tributary to the Shenango River (20-A)	Y
PA0221759 (Sewage)	Robert L. Shuttleworth SFTF Jerry Road Wilcox, PA 15870	Elk County Jones Township	Unnamed Tributary to Swamp Creek (17-A)	Y
PA0263605 (sewage)	Brian & Cynthia Williams SFTF 26833 Highway 408 Cambridge Springs, PA 16403	Crawford County Rockdale Township	Unnamed Tributary to Dead Creek (16-A)	Y

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970*

**PA0011533 A-1**, IW, SIC Code 2911, **Philadelphia Energy Solutions Refinery and Marketing, LLC**, 3144 W. Passyunk Avenue, Philadelphia, PA 19145-5208. Facility Name: Girard Point Processing Area. This existing facility is located in City of Philadelphia, **Philadelphia County**.

Description of Existing Activity: An amendment of an NPDES permit for an existing discharge of treated wastewater from Girard Point Processing Area. The permit amendment includes revised condition associated with compliance schedule established under Clean Water Act Section 316(b) for cooling Water Intake Structure (CWIS), consistence with new 316(b) rule for "Existing Facilities" promulgated by EPA on October 14, 2014.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

**PA0012629 A-2**, IW, SIC Code 2911, 5171, **Philadelphia Energy Solutions Refinery and Marketing, LLC**, 3144 W. Passyunk Avenue, Philadelphia, PA 19145-5208. Facility Name: Philadelphia Refinery Point Breeze Processing Area. This existing facility is located in City of Philadelphia, **Philadelphia County**.

Description of Existing Activity: An amendment of an NPDES permit for an existing discharge of treated wastewater from Girard Point Processing Area. The permit amendment includes revised condition associated with compliance schedule established under Clean Water Act Section 316(b) for cooling Water Intake Structure (CWIS), consistence with new 316(b) rule for "Existing Facilities" promulgated by EPA on October 14, 2014.

The receiving stream(s), Schuylkill River and Unnamed Tributary of Schuylkill River, is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.



*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0083429**, Sewage, SIC Code 4952, **West Cocalico Township Authority Lancaster County**, 156 B West Main Street, Reinholds, PA 17569-0095. Facility Name: West Cocalico Township Authority WWTP. This existing facility is located in West Cocalico Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Little Cocalico Creek, is located in State Water Plan watershed 7-J and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
BOD <sub>5</sub> , Raw Sewage Influent	Report	Daily Max Report	XXX	Report	XXX	XXX
TSS, Raw Sewage Influent	Report	Daily Max Report	XXX	Report	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	31	50	XXX	25	40	50
Total Suspended Solids	38	56	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	12	XXX	XXX	9.5	XXX	19
Nov 1 - Apr 30	24	XXX	XXX	28.5	XXX	57
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- none

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0008486, Industrial Waste**, SIC Code 2621, **Ahlstrom Filtration LLC**, 122 W Butler Street, Mount Holly Springs, PA 17065-1218. Facility Name: Ahlstrom Filtration LLC. This existing facility is located in Mount Holly Springs Borough, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and stormwater.

The receiving stream(s), Mountain Creek, is located in State Water Plan watershed 7-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.569 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Temperature (°F)						
Jul 1-31	XXX	XXX	XXX	Report	96.7	XXX
Jan 1 - Jun 30,	XXX	XXX	XXX	Report	110	XXX
Aug 1 - Nov 30						
Dec 1-31	XXX	XXX	XXX	Report	106	XXX
CBOD <sub>5</sub>	85	170	XXX	18	36	45
Total Suspended Solids	142	284	XXX	30	60	75

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Phosphorus	9.5	19	XXX	2.0	4.0	5.0
Total Cadmium	Report	Report	XXX	Report	Report	Report
(Interim)	0.017	0.034	XXX	0.0012	0.0024	0.0030
(Final)	0.104	0.208	XXX	0.022	0.044	0.055
Total Copper	0.095	0.19	XXX	0.02	0.04	0.05
Pentachlorophenol	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Avg Qrtly			Avg Qrtly		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

The proposed effluent limits for Outfalls 002 through 008 are based on a design flow of N/A MGD (stormwater).

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
BOD <sub>5</sub>	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Toxics Reduction Evaluation (TRE) for Total Cadmium

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0085863**, Industrial Waste, SIC Code 4953, **SC Holdings Inc.**, 100 Brandywine Boulevard, Suite 300, Newtown, PA 18940-4000. Facility Name: Harmony Grove Landfill. This existing facility is located in Dover Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Davidsburg Run, is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.040 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.20	XXX	0.65
BOD <sub>5</sub>	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	6.0	7.5
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA008087**, Industrial Waste, SIC Code 2066, **Hershey Co.**, 19 E Chocolate Avenue, Hershey, PA 17033-1314. Facility Name: Hershey Foods East Offices. This existing facility is located in Derry Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of non-contact cooling water and stormwater.

The receiving stream(s), Spring Creek, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.26 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Daily Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9
Temperature (°F)						
Feb 1-29	XXX	XXX	XXX	51	Report	XXX
Mar 1-31	XXX	XXX	XXX	56	Report	XXX
Apr 1-15	XXX	XXX	XXX	61	Report	XXX
Apr 16-30	XXX	XXX	XXX	68	Report	XXX
May 1 - Sep 30	XXX	XXX	XXX	75	Report	XXX
Oct 1-31	XXX	XXX	XXX	74	Report	XXX
Nov 1-15	XXX	XXX	XXX	68	Report	XXX
Nov 16-30	XXX	XXX	XXX	57	Report	XXX
Dec 1 - Jan 31	XXX	XXX	XXX	53	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Tetrachloroethylene	XXX	XXX	XXX	Report Avg Mo	Report	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0260479**, SIC Code 4941, **Coaldale Six Mile Run Water Corporation**, PO Box 152, Six Mile Run, PA 16679. Facility Name: Coaldale Six Mile Run Water Treatment Facility. This proposed facility is located in Broad Top Township, **Bedford County**.

Description of Proposed Activity: The application is for a renewal NPDES permit for a discharge of industrial wastewater.

The receiving stream(s), Unnamed Tributary to Sixmile Run, is located in State Water Plan watershed 11-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005—0.0035 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Aluminum	Report	XXX	XXX	4	8	10
Total Iron	Report	XXX	XXX	2	4	5
Total Manganese	Report	XXX	XXX	1	2	2.5

The proposed effluent limits for Outfall 002 are based on a design flow of 0.000000 MGD (not intended to be used).

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.0

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0013 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	60	75



In addition, the permit contains the following major special conditions:

- None

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect because the discharge exists in a watershed subject to a Total Maximum Daily Load.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.*

**PA0232661**, SIC Code 4952, **Daub Gregory L**, 385 Greenville Road, Denver, PA 17517. Facility Name: Gregory L Daub SFTF. This proposed facility is located in Covington Township, **Clearfield County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of 1,550 gallons per day of treated sewage from a small flow treatment facility. The facility will replace an existing malfunctioning onlot system.

The receiving stream(s), Unnamed Tributary to Sandy Creek, is located in State Water Plan watershed 8-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00155 MGD.

Parameters	Mass (lb/day)		Concentration (mg/l)		Instant. Maximum
	Average Monthly	Minimum	Average Monthly	Geo Mean	
Flow (MGD)	Report	XXX	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	1.0	XXX	1.5
BOD <sub>5</sub>	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Annual Maintenance Report (AMR) form

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.*

**PA0254932**, Sewage, **Consol PA Coal Co. LLC**, 1525 Pleasant Grove Road, Claysville, PA 15323. Facility Name: Enlow Fork Mine 4 North 1 Portal STP. This proposed facility is located in Morris Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Short Creek, is located in State Water Plan watershed 19-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0087 MGD.

Parameters	Mass (lb/day)		Concentration (mg/l)		Instant. Maximum
	Average Monthly	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	0.0087	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX
Total Residual Chlorine	XXX	XXX	0.1	XXX	0.3
CBOD <sub>5</sub>	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)					
May 1 - Sep 30	XXX	XXX	XXX	200	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX 10,000
Total Nitrogen	XXX	XXX	XXX	XXX	Report XXX
Ammonia-Nitrogen					
May 1 - Oct 31	XXX	XXX	XXX	3.5	XXX 7.0
Nov 1 - Apr 30	XXX	XXX	XXX	10.5	XXX 21.0
Total Phosphorus	XXX	XXX	XXX	XXX	Report XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

---

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**PA0272884**, Industrial Waste, SIC Code 1311, **Vavco, LLC**, 101 Mahood Road, Suite 1, Butler, PA 16001-0795. Facility Name: Gilliland Lyons Plant. This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated brine fluid from crude oil production (stripper wells).

The receiving stream(s), Little Connoquenessing Creek, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0009 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	XXX	10,000	XXX	Report	Report	XXX
Total Dissolved Solids	5,000	XXX	XXX	XXX	XXX	XXX
	Annul Avg					
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Acidity, Total (as CaCO <sub>3</sub> )	XXX	XXX	XXX	Report	XXX	XXX
Alkalinity, Total (as CaCO <sub>3</sub> )	XXX	XXX	XXX	Report	XXX	XXX
Effluent Net	XXX	XXX	0	XXX	XXX	XXX
Total Aluminum	Report	XXX	XXX	Report	XXX	XXX
Total Cadmium	0.00082	0.0012	XXX	0.11	0.16	0.27
Total Iron	XXX	XXX	XXX	3.5	XXX	7
Total Manganese	Report	XXX	XXX	Report	XXX	XXX
Sulfate	XXX	XXX	XXX	Report	XXX	XXX
Chloride	XXX	XXX	XXX	Report	XXX	XXX
Bromide	XXX	XXX	XXX	Report	XXX	XXX
Radium 226/228, Total (pCi/L)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Other Requirements
- Requirement to Use eDMR System
- Total Dissolved Solids Reporting
- Definitions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

---

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 3688468, Amendment No. 3**, Sewerage, **Paradise Township Sewer Authority**, 2 Township Drive, PO Box 40, Paradise, PA 17562.

This proposed facility is located in Paradise Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of rehabilitation and improvements at the wastewater treatment plant including the control building chemical feed room, relocation of the facility headworks structure, interior and exterior piping and electrical work.

**WQM Permit No. 6774414 Amendment 2**, Sewerage, **New Life For Girls, Inc.**, 5925 Lewisberry Road, PO Box 170, Dover, PA 17315.

This proposed facility is located in Dover Township, **York County**.

Description of Proposed Action/Activity: Seeking permit approval for the replacement of a failing package treatment plant with an extended aeration WWTP including an aeration zone, sludge digester/holding tank, clarifier, chlorine contact tank and post aeration tank.

*Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000*

**WQM Permit No. 0215003**, Sewage, **Robert Ulm**, 543 Twele Rd, Greenock, PA 15047.

This proposed facility is located in Lincoln Borough, **Allegheny County**.

Description of Proposed Action/Activity: Construction of a 0.0004 MGD SRSTP to serve the Robert Ulm Property.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**WQM Permit No. WQG01431501**, Sewage, **Diane & Michael Hornyak**, 2650 Teaberry Lane, Hermitage, PA 16148.

This proposed facility is located in Hermitage City, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

---

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010915002	Bucks County Industrial Devel. Authority 11 Weldon Drive, Suite 100 Doylestown, PA 18901	Bucks	Sellersville Borough	East Branch Perkiomen Creek TSF-MF
PAI010915003	Brian Finney 7701 Carlton Road Coopersburg, PA 18036	Bucks	Durham Township	Cooks Creek EV-MF Unnamed Tributary to Delaware River WWF-MF
PAI011514044	RLD Atwater JV, LLC 124 Cedar Avenue Conshohocken, PA 19428	Chester	East Whiteland Township	Valley Creek EV-MF
PAI012315003	Anthony Sabatelli 524 Darlington Road Media, PA 19003	Delaware	Middletown Township	Chester Creek TSF-MF Rocky Run HQ-CWF-MF
PAI015115001	Trustees of the University of Pennsylvania 3101 Walnut Street Philadelphia, PA 19104	Philadelphia	City of Philadelphia	Schuylkill River WWF-MF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lackawanna County Conserve District, 1038 Montdale Road, Scott Twp., PA 18447*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023515001	Gouldsboro DG, LLC 361 Summit Boulevard Suite 110 Birmingham, AL 35243	Lackawanna	Clifton Township	Meadow Brook (EV, MF)

*Lehigh County Conserve District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Rd, Allentown, PA 18104*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023915002	Cahill Properties Jalan LLC Robert Cahill 5 Ivy Court Easton, PA 18045	Lehigh	Upper Macungie Township	Cedar Creek (HQ-CWF, MF)

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041415003	Mount Nittany Realty Co 160 Circle Rd Bellefonte, PA 16823	Centre	Walker Township	Little Fishing Creek HQ-CWF, MF

*Lycoming County Conservation District: 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044115001	Daniel Kershner Sunoco Pipeline LP 525 Fritztown Rd Sinking Springs, PA 19608	Lycoming	Gamble Township	UNT to Wallis Run EV, TSF
PAI044115002	Daniel Kershner Sunoco Pipeline LP 525 Fritztown Rd Sinking Springs, PA 19608	Lycoming	Cascade & Gamble Twps.	UNT to Salt Run EV, TSF

---

## VII. List of NOIs for NPDES and/or Other General Permit Types

---

PAG-12            CAFOs

---

### CAFO Notices of Intent Received

---

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

**PAG123802**, CAFO, **Country View Family Farms, LLC**, Green Valley Farm, 1301 Fulling Mill Road, Suite 3000, Middletown, PA 17057.

This proposed facility is located in North Codorus Township, **York County**.

Description of Size and Scope of Proposed Operation/Activity: 1,892.79 AEUs existing swine operation.

The receiving stream, UNT South Branch Codorus Creek, is in watershed 7-H, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

**PAG123661**, CAFO, **Lamar M. Moyer**, 180 Endsloew Road, Marietta, PA 17547.

This proposed facility is located in East Donegal Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: An existing 353.21 AEUs Poultry (Broilers) operation.

The receiving stream, UNT Susquehanna River, is in watershed 7-G, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

**PAG123587**, CAFO, **Ryan Rutt**, 524 North Garfield Road, Bernville, PA 19506.

This proposed facility is located in Penn Township, **Berks County**.

Description of Size and Scope of Proposed Operation/Activity: Existing Finishing Swine operation with a Broilers Poultry expansion totaling 878.8 AEUs.

The receiving stream, Licking Creek, is in watershed 3-C, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed

NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**APPLICATIONS**

**NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Randy Weaver 3888 Smaltz Rd Womelsdorf, PA 19567	Berks	0	541.8	Laying Hens	N/A	Renewal

**PUBLIC WATER SUPPLY (PWS) PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act**

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Permit No. 6515501, Public Water Supply.**

Applicant	<b>Municipal Authority of the Borough of Derry</b> 620 North Chestnut Street Derry, PA 15627
[Township or Borough]	Derry Township
Responsible Official	Amy Forsha, Manager Municipal Authority of the Borough of Derry 620 North Chestnut Street Derry, PA 15627
Type of Facility	Water system
Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street PO Box 853 Latrobe, PA 15650
Application Received Date	March 16, 2015
Description of Action	Installation of a mixing system in the Atlantic water storage tank.

**Permit No. 6515502, Public Water Supply.**

Applicant	<b>Authority of the Borough of Charleroi</b> 3 McKean Avenue Charleroi, PA 15022
[Township or Borough]	Fallowfield Township



Responsible Official Edward Golanka, Manager  
Authority of the Borough of  
Charleroi  
3 McKean Avenue  
Charleroi, PA 15022

Type of Facility Water system

Consulting Engineer Chester Engineers  
1555 Coraopolis Heights Road  
Moon Township, PA 15108

Application Received Date March 26, 2015

Description of Action Installation of a mixing system  
at the Fallowfield water storage  
tank.

**Permit No. 6515503**, Public Water Supply.

Applicant **Municipal Authority of  
Westmoreland County**  
124 Park & Pool Road  
New Stanton, PA 15672

[Township or Borough] Allegheny Township

Responsible Official William Castelli, Distribution  
Facility Superintendent  
Municipal Authority of the  
Borough of Derry  
620 North Chestnut Street  
Derry, PA 15627

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Co.,  
Inc.  
1004 Ligonier Street  
PO Box 853  
Latrobe, PA 15650

Application Received Date March 16, 2015

Description of Action Construction of a new 250,000  
gallon water storage tank with a  
mixing system at the Shearsburg  
tank site.

**Permit No. 6515504**, Public Water Supply.

Applicant **Municipal Authority of  
Westmoreland County**  
124 Park & Pool Road  
New Stanton, PA 15672

[Township or Borough] Salem Township

Responsible Official William Castelli, Distribution  
Facility Superintendent  
Municipal Authority of the  
Borough of Derry  
620 North Chestnut Street  
Derry, PA 15627

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Co.,  
Inc.  
1004 Ligonier Street  
PO Box 853  
Latrobe, PA 15650

Application Received Date March 16, 2015

Description of Action Construction of a new 250,000  
gallon water storage tank with a  
mixing system at the Slickville  
tank site.

**Permit No. 2615501**, Public Water Supply.

Applicant **Municipal Authority of  
Westmoreland County**  
124 Park & Pool Road  
New Stanton, PA 15672

[Township or Borough] Hempfield Township

Responsible Official William Castelli, Distribution  
Facility Superintendent  
Municipal Authority of the  
Borough of Derry  
620 North Chestnut Street  
Derry, PA 15627

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Co.,  
Inc.  
1004 Ligonier Street  
PO Box 853  
Latrobe, PA 15650

Application Received Date March 16, 2015

Description of Action Construction of a new 1,000,000  
gallon water storage tank with a  
mixing system at the North  
Greensburg tank site.

**MINOR AMENDMENT****Applications Received Under the Pennsylvania Safe  
Drinking Water Act**

*Southwest Region: Water Supply Management Program  
Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-  
4745*

**Application No. 1115504MA, Minor Amendment.**

Applicant **Southwestern Cambria  
County Water Authority**  
79 Vogel Street  
Johnstown, PA 15902

[Township or Borough] Conemaugh Township

Responsible Official Jeff Keyser, Chairman  
Southwestern Cambria County  
Water Authority  
79 Vogel Street  
Johnstown, PA 15902

Type of Facility Water system

Consulting Engineer The EADS Group, Inc.  
450 Aberdeen Drive  
Somerset, PA 15501

Application Received Date March 18, 2015

Description of Action Painting and rehabilitation of  
the Clapboard Run Tank No. 1.

**Application No. 1115505MA, Minor Amendment.**

Applicant **Southwestern Cambria  
County Water Authority**  
79 Vogel Street  
Johnstown, PA 15902

[Township or Borough] Conemaugh Township  
 Responsible Official Jeff Keyser, Chairman  
 Southwestern Cambria County  
 Water Authority  
 79 Vogel Street  
 Johnstown, PA 15902

Type of Facility Water system  
 Consulting Engineer The EADS Group, Inc.  
 450 Aberdeen Drive  
 Somerset, PA 15501

Application Received March 18, 2015  
 Date

Description of Action Painting and rehabilitation of  
 the Clapboard Run Tank No. 2.

Responsible Official Michele Enos, Interim Borough  
 Manager  
 Borough of Somerset  
 PO Box 71  
 Somerset, PA 15501

Type of Facility Water system  
 Consulting Engineer The EADS Group, Inc.  
 450 Aberdeen Drive  
 Somerset, PA 15501

Application Received March 27, 2015  
 Date

Description of Action Installation of approximately 800  
 feet of 16-inch and 450 feet of  
 6-inch diameter waterline and  
 appurtenances along SR 0031.

**Application No. 1115506MA, Minor Amendment.**

Applicant **Southwestern Cambria  
 County Water Authority**  
 79 Vogel Street  
 Johnstown, PA 15902

[Township or Borough] Conemaugh Township  
 Responsible Official Jeff Keyser, Chairman  
 Southwestern Cambria County  
 Water Authority  
 79 Vogel Street  
 Johnstown, PA 15902

Type of Facility Water system  
 Consulting Engineer The EADS Group, Inc.  
 450 Aberdeen Drive  
 Somerset, PA 15501

Application Received March 18, 2015  
 Date

Description of Action Painting and rehabilitation of  
 the Cover Hill Tank.

**Application No. 1115507MA, Minor Amendment.**

Applicant **Southwestern Cambria  
 County Water Authority**  
 79 Vogel Street  
 Johnstown, PA 15902

[Township or Borough] Conemaugh Township  
 Responsible Official Jeff Keyser, Chairman  
 Southwestern Cambria County  
 Water Authority  
 79 Vogel Street  
 Johnstown, PA 15902

Type of Facility Water system  
 Consulting Engineer The EADS Group, Inc.  
 450 Aberdeen Drive  
 Somerset, PA 15501

Application Received March 18, 2015  
 Date

Description of Action Painting and rehabilitation of  
 the Mitzel Lane Tank.

**Application No. 5615506MA, Minor Amendment.**

Applicant **Borough of Somerset**  
 PO Box 71  
 Somerset, PA 15501

[Township or Borough] Somerset Borough and Somerset  
 Township

**WATER ALLOCATIONS**

**Applications received under the act of June 24,  
 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641)  
 relating to the Acquisition of Rights to Divert  
 Waters of the Commonwealth**

*Southwest Region: Water Supply Management Program  
 Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-  
 4745*

**WA26-1005, Water Allocations. Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, **Fayette County**. The applicant is requesting the right to purchase 1,060,000 gallons of water per day from the Municipal Authority of **Westmoreland County**.

**WA26-1006, Water Allocations. Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, **Fayette County**. The applicant is requesting the right to purchase 11,000 gallons of water per day from the Pleasant Valley Township Water Authority.

**WA32-271B, Water Allocations. Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, **Fayette County**. The applicant is requesting a Succession of Water Rights for the change in name from Western Pennsylvania American Water Company to Pennsylvania American Water Company.

**WA65-1004, Water Allocations. Municipal Authority of the Borough of Derry**, 620 N Chestnut Street, Derry, PA 15627, **Westmoreland County**. The applicant is requesting the right to purchase 800,000 gallons of water per day from the Latrobe Municipal Authority at the Route 982 pump station.

**WA3-1013, Water Allocations. Ford City Borough**, 1000 4th Avenue, PO Box 112, Ford City, PA 16226, **Armstrong County**. The applicant is requesting the right to withdraw 2,160,000 gallons of water per day from Wells #1, #2 and #3 along the Allegheny River, **Armstrong County**

**WA11-1007, Water Allocations. Greater Johnstown Water Authority (Riverside)**, 640 Franklin Street, Johnstown PA 15907, **Cambria County**. The applicant is requesting the right to purchase 18,000 gallons of water per day from the Highland Water & Sewer Authority.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

---

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

---

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Beck Fuels, Inc.**, 516 Keener Drive, Lewis Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Beck Fuels, Inc., 4655 Susquehanna Trail, Turbotville, PA 17777 submitted a Notice of Intent to Remediate. The site was impacted with an undetermined amount of #2 heating oil. The site was and will remain a residential property. The Notice of Intent to Remediate was published in *The Daily Item* on February 25, 2015.

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**1122 Broad LLC**, 1130 West Broad Street, City of Bethlehem, **Lehigh County**. EarthRes Group Inc., on behalf of 1122 Broad LLC, P.O. Box 90084, Allentown, PA 18109, submitted a Notice of Intent to Remediate. Site contamination consists of a limited area of impacted soil, located beneath a sump located in the basement of a former automotive maintenance facility. The proposed future use of the property will be for commercial purposes, and the proposed cleanup standard is the Statewide Health Standard. The Notice of Intent to Remediate was published in *The Morning Call* on February 28, 2015.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Restaurant Depot**, 4250 Chambers Hill Road, Harrisburg, PA 17111, Swatara Township, **Dauphin County**. Whitestone Associates, 1600 Manor Drive, Suite 220, Chalfont, PA 18914, on behalf of Bird Hill Farms, 7004 Old Tabby Circle, Lakewood Ranch, FL 34202, and Restaurant Depot, 1524 132nd Street, College Point, NY 11356, submitted a Notice of Intent to Remediate site soils contaminated with diesel fuel. The site will be remediated to the Statewide Health Standard. Future use of the site is commercial/industrial. The Notice of Intent to Remediate was published in the *Patriot News* on March 8, 2015.

**Tracy and Catherine Taylor Property**, 883 North River Road, Halifax, PA 17032, Halifax Township, **Dauphin County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of State Farm Insurance, PA Fire Claims, PO Box 106110, Atlanta, GA 30348-6110; Tracy and Catherine Taylor, 883 North River Road; Nancy and Elmer Feidt, 895 North River Road; Glenn and Gloria Yeager, 421 North 5th Street; Mid Penn Bank, 894 North River Road; and Simmons Management Company, 538 Locust Street, Halifax, PA 17032, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 2 fuel oil released from an aboveground storage tank. The site will be remediated to the Residential Statewide Health Standard. Future use of the site remains residential. The Notice of Intent to Remediate was published in the *Upper Dauphin Sentinel* on February 17, 2015.



**DETERMINATION OF APPLICABILITY FOR  
RESIDUAL WASTE GENERAL PERMITS**

**Application for Determination of Applicability Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401*

**General Permit Application No. WMGR103SE001. Jeffrey Sparks Excavating & Topsoil Co.**, 4094 Burnt House Hill Road, Doylestown, PA 18901. This application for Determination of Applicability (DOA) is for the processing by grinding, mixing, screening, and biological decomposition of tree stumps, roots, leaf waste, stump grindings and grubbing material for the beneficial use as a mulch material to be constructed and operated under General Permit No. WMGR103SE001 at the Sparks Excavating and Topsoil Facility located at 4094 Burnt House Hill Road, Doylestown, PA, Buckingham Township, **Bucks County**. The application for determination of applicability was accepted as administratively complete by the Southeast Regional Office on March 11, 2015.

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGR017D005. R.C. Stahlnecker Co.**, 305 Broadway Street, Milton, PA 17847-2401. For the beneficial use of water supply treatment plant sludge in East Chillisquaque Township, **Northumberland County**, as (i) a soil additive by land application upon, agricultural, agronomic, horticultural, and silvicultural lands and (ii) land application on disturbed lands to facilitate re-vegetation for land reclamation purposes. The Department has deemed the renewal application to be administratively complete on March 30, 2015.

Written comments concerning the renewal application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at rapbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on General Permit Number WMGR017D005" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**AIR QUALITY**

**PLAN APPROVAL AND OPERATING PERMIT  
APPLICATIONS**

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general

public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**PLAN APPROVALS**


---

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilke-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**39-00011D: Lafarge North America, Inc.** (5160 Main Street, Whitehall, PA 18052) has submitted an application to the Pennsylvania Department of Environmental Protection for plan approval to modify the plastic derived fuel (PDF) limitations for use in Kiln No. 2 and 3 at their Whitehall Plant in Whitehall Township, **Lehigh County**.

The facility proposes to revise the permit limits related to PDF feed rate and PDF heat content. Also the facility proposes to broaden the acceptable materials comprising PDF by referencing General Permit No. WMGR106 for Kiln 2 and Kiln 3. The current emission limits for HCN, HCl, and Cl<sub>2</sub> will not change as a result of this modification. Plan Approval No. 39-00011D will also contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 39-00011. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 35-00011D and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**19-00007B: Transcontinental Gas Pipe Line Company, LLC.** (PO Box 1396, Houston, TX 77251-1396) has submitted a plan approval application to the Department

for the construction of a Solar Mars 100 natural gas-fired combustion turbine and a Waukesha P48GL emergency generator, at their Compressor Station 517 located in Jackson Township, **Columbia County**.

**41-00001B: Transcontinental Gas Pipe Line Company, LLC.** (PO Box 1396, Houston, TX 77251-1396) has submitted a plan approval application to the Department for the construction of a Solar Mars 100 natural gas-fired combustion turbine and a Waukesha P48GL emergency generator, at their Compressor Station 520 located in Mifflin Township, **Lycoming County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**43-196D: General Transportations—Grove City Plant** (1503 W. Main Street Extension, Grove City, PA 16127-2513), for the modification of test cells #5 & #6 to allow for testing of newer engine models in Grove City Borough, **Mercer County**. This is a Title V facility.

---

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920*

**46-0172E: Gemalto, Inc.** (101 Park Drive, Montgomeryville, PA 18936) for the installation of a new Sakurai Screen Press at an existing facility located in Montgomeryville, **Montgomery County**. The primary pollutant of concern is volatile organic compound (VOC) emissions from the inks and solvents to be used in the operation of this press. Gemalto is categorized as a synthetic minor facility. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**17-00001E: NRG REMA LLC** (250 Power Plant Drive, Shawville, PA 16873) has submitted a plan approval application to the PA Department of Environmental Protection (DEP) for the proposed construction of a mechanical draft cooling tower at the Shawville Generating Station located in Bradford Township, **Clearfield County**.

PA DEP's review of the information submitted by NRG REMA LLC indicates that the proposed cooling tower will comply with all applicable regulatory requirements, including the best available technology (BAT) of 25 Pa. Code §§ 127.1 and 127.12 and the National Emission Standards for Hazardous Air Pollutants for Industrial Process Cooling Towers as codified in 40 CFR Part 63 Subpart Q. The information shows the use of the proposed high efficiency drift eliminators will result in maximum drift rate equal to 0.0005% of the circulating water flow rate. In addition, operation of the proposed cooling tower will be prohibited to include the use of



chromium-based water treatment chemicals. Based on this finding, the Department proposes to issue a plan approval for the proposed cooling tower. In addition to the restrictions provided above, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with the applicable air quality regulatory requirements.

In accordance with BAT, the emissions from the proposed cooling tower will not exceed the following limits: 3.0 lbs/hr of particulate matter (condensable and filterable), PM<sub>10</sub>, and PM<sub>2.5</sub> and 4.9 tons per 12 consecutive month period of particulate matter, PM<sub>10</sub>, and PM<sub>2.5</sub>. The plan approval conditions include a throughput restriction which limits the total dissolved solids (TDS) of the cooling tower circulating water to 4,000 ppms. The plan approval includes monitoring conditions that pertain to the following parameters; the cooling tower circulating water TDS, and the cooling tower circulating pump hours of operation and discharge flow rates. The plan approval also includes recordkeeping and reporting of the monthly emissions of particulate matter, PM<sub>10</sub>, and PM<sub>2.5</sub>.

The extension of compliance for the electric generating units located at the facility with respect to the National Emission Standards for Hazardous Air Pollutants: Coal and Oil-Fired Electric Utility Steam Generating Units was included in the plan approval. The plan approval condition requires the facility to adhere to the compliance schedule as received on September 11, 2014.

The facility is a major (Title V) facility. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions including the specifications of the application for Plan Approval 17-00001E, the requirements established in the plan approval will be incorporated into Title V Operating Permit 17-00001 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**17-00003: Dominion Transmission Inc.** (5000 Dominion Boulevard Glen Allen, VA 23060) to issue a renewal Title V Operating Permit for their Luther Transmission Station located in Brady Township, **Clearfield County**. The facility is currently operating under Title V Operating Permit 17-00003. The facility's main sources include multiple natural-gas-fired heaters/boilers ranging from 0.036 MMBtu/hr to 0.35 MMBtu/hr, two 440 brake-horsepower natural-gas-fired compressor engines, one 30 brake-horsepower natural-gas-fired emergency engine, one glycol dehydration unit controlled by a flare, and various storage tanks.

The facility has potential annual emissions of 132.35 tons of carbon monoxide, 139.93 tons of nitrogen oxides,

0.02 ton of sulfur oxides, 0.43 ton of particulate matter including particulate matter less than 10 microns in size, 0.43 ton of particulate matter less than 2.5 microns in size, 18.36 tons of volatile organic compounds, 0.46 ton of formaldehyde, 0.76 ton of hazardous air pollutants, and 9,904 tons of greenhouse gases. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Part 63 Subpart ZZZZ and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

##### **Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**09-00108: Bucks County Water & Sewer Authority—Totem Road Pump Station II** (910 Haunted Lane, Bensalem, PA 19020) for the operation of a packed bed tower wet air scrubber to control odors from the sanitary sewage pump station located in Bensalem, **Bucks County**. The permit is for a non-Title V (State Only) facility. The existing permit was issued on 10-6-2010 and will expire on 9-30-2015. The facility has the potential to emit 0.0008 ton of hydrogen sulfide per year and utilizes an odor scrubber as a control device. The facility's primary criteria pollutant sources are the two diesel fuel-fired backup emergency generators. Based on the potential emissions of VOC and NO<sub>x</sub>, which are less than major source threshold, the facility is a Synthetic Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**46-00269: hibu (formerly Yellow Book USA, Inc.)** (2201 Renaissance Blvd., King of Prussia, PA 19406) for operation of three (3) emergency generators at their facility located in Upper Merion Township, **Montgomery County**. This action is renewal of the operating permit which incorporates Plan Approval Nos. 46-0269 and 46-0269A. The initial permit was issued 7-13-2010 and will expire on 7-31-2010. The permit is for a non-Title V, Synthetic Minor facility. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**15-00128: Brandywine Green DBA Pet Memorial Services** (126 Turner Lane, West Chester, PA 19380; Attn: Ms. Margaret Houtman) for the renewal of a non-Title V Facility, State-Only Natural Minor Operating Permit in West Goshen Township, **Chester County**. The initial operating permit was issued on November 12, 2009, with an effective date of December 1, 2009. Pet Memorial Services continues to operate four (4) identical Crawford animal crematoriums (Source ID 101), rated at 450 lbs/hr each, and one (1) EPA Technologies animal

crematorium (Source ID 102), rated for 130 lbs/hr. As a modification to the crematoriums, opacity sensors have been added to each unit to ensure that the opacity does not exceed 10%, allow the facility to stoke the crematoriums as needed. Conditions have been added to the operating permit to address this modification. The facility also has a parts washer (Source ID 200) and an emergency generator (Source ID 700). These sources did not require a Plan Approval. Applicable requirements have been incorporated into the operating permit for these two sources. The following are potential emissions from the facility: NO<sub>x</sub>—17.21 TPY; VOC—17.1 TPY; SO<sub>x</sub>—13.96 TPY; PM—39.09 TPY; CO—55.89 TPY; and HCl—6.14 TPY. The permit will contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

**46-00201: Kirk & Nice Funeral Home and Crematory** (80 Stenton Ave, Plymouth Meeting, PA 19462) for operation of an existing human crematory unit in Whitmarsh Township, **Montgomery County**. The renewal permit is for a non-Title V (State only) facility. The major source of air emissions is one (1) existing crematory unit. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**46-00168: Moss Rehab Einstein** (60 East Township Line Road, Elkins Park, PA 19027) located in Cheltenham Township, **Montgomery County**. The renewal permit is for a non-Title V (State only) facility. The facility elects to cap facility-wide Nitrogen Oxide (NO<sub>x</sub>) emissions to less than 25 tons per year; therefore, the facility is a Synthetic Minor. The requirements of 40 CFR Part 60 Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines apply to the Detroit Emergency Generator (Source ID 107). The renewal permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirement.

**15-00044: Sunoco Partners Marketing & Terminals L. P.—Exton Terminal** (623 East Lincoln Highway, Exton, PA 19341) for operation of three distillate storage tanks, two biodiesel fuel storage tanks, one loading rack, and a small oil-fired boiler located in East Whiteland Township, **Chester County**. This action is a renewal of a State Only Operating Permit (Synthetic Minor), which was originally issued on March 30, 2005. The facility took throughput restrictions for distillate products and biodiesel to maintain its VOC and HAP emissions below the threshold levels. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**40-00119: First Quality Nonwovens**, (101 Green Mountain Road., Hazleton, PA 18202) The Department intends to issue a State Only operating permit for a fabric manufacturing facility in Hazle Township, **Luzerne County**. The State Only operating permit includes emissions, monitoring, record keeping, reporting, testing and any additional conditions designed to ensure compliance with all applicable Federal and State air pollution control requirements.

**48-00078: Chrin Brothers, Inc.** (635 Industrial Drive, Easton, PA. 18042-7339) The Department intends to issue

a renewal operating permit for a stone crushing facility located in Williams Township, **Northampton County**. The facility has the potential to emit particulate matter (PM) above Title V emission thresholds and is taking an elective restriction on operating hours and an emission limitation on particulate matter (PM) to maintain synthetic minor operating permit status. The proposed State Only (Synthetic Minor) Operating Permit contains applicable requirements for emissions limitations, monitoring, record keeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

**39-00079: Bridesburg Foundry Co./Whitehall** (PO Box 269, Whitehall, PA 18052-0269) for copper rolling, drawing, extruding, and alloying facility in Whitehall Township, **Lehigh County**. The sources consist of tilt, push up, and lift swing furnaces, slag stations, cut off saws, grinders, blast cleaners, silos, and sand reclamation. The control devices consist of baghouses. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. This is a renewal of the State-Only Natural Minor operating permit. The State-Only operating permit includes applicable state and federal requirements, work practice standards, testing, monitoring, recordkeeping and reporting requirements.

**39-00091: Service Tire Truck Center, Inc., Bethlehem Plant** (2255 Avenue A, Bethlehem, PA 18017-2107) for tire retreading facility in Bethlehem City, **Lehigh County**. The sources consist of truck tire retreading process. The sources are controlled by a rubber recovery cyclone. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. This is a renewal of the State-Only Natural Minor operating permit. The State-Only operating permit includes applicable state and federal requirements, work practice standards, testing, monitoring, recordkeeping and reporting requirements.

**48-00079: Heintzelman Funeral Home, Inc., Lehigh Valley Crematory Hellertown** (301 Front Street, Hellertown, PA 18055-1720) for funeral service and crematories operation in Hellertown Borough, **Northampton County**. The primary sources are incinerators. The control devices are afterburners. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. This is a renewal of the State-Only Natural Minor operating permit. The State-Only operating permit includes applicable state and federal requirements, work practice standards, testing, monitoring, recordkeeping and reporting requirements.

**39-00061: Electro Chemical Engineering & Manufacturing Company** (750 Broad Street, Emmaus, PA 18049) for metal coating, engraving, and allied services to manufactures facility in Emmaus Borough, **Lehigh County**. The sources consist of 5 ovens and 2 spray booths for baking coating, sheet lining, epoxy painting, and mortar application. The sources are considered minor emission sources of nitrogen oxide (NO<sub>x</sub>), sulfur oxides (SO<sub>x</sub>), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. This is a renewal of the State-Only Synthetic Minor operating permit. The State-Only operating permit includes applicable state and federal requirements, work practice standards, testing, monitoring, recordkeeping and reporting requirements.



*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**47-00002: Great Dane Limited Partnership** (70 Strick Road, Danville, PA 17821) to issue a renewal State Only (Synthetic Minor) Operating Permit for their Danville Plant located in Limestone Township, **Montour County**. The facility is currently operating under Title V Operating Permit 47-00002; however, the permittee has requested a voluntary emissions cap in order for the facility to be designated as a Synthetic Minor. The facility manufactures and finishes truck trailers. The facility's main sources include four spray coating lines, associated cleanup operations, shot blast booth, bake oven, emergency generator, welding operations, truck roof assembly area and plasma cutting operations.

The facility has potential emissions of 8.65 TPY of CO; 14.90 TPY of NO<sub>x</sub>; 0.07 TPY of SO<sub>x</sub>; 0.80TPY of PM; <50 TPY of VOCs; 17.07 TPY HAPs; 14,615 TPY CO<sub>2e</sub>.

The emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

The emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 63.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131*

**10-00379: Mountain Gathering** (810 Houston Street, Fort Worth, Texas 76102), to issue a new State Only Operating Permit for their Penn Cryo facility located in Penn Township, **Butler County**. The facility is a Natural Minor. Potential emissions are estimated as follows: NO<sub>x</sub>, 4.076 tpy; CO, 8.133 tpy; VOC, 7.178 tpy; SO<sub>2</sub>, 0.059 tpy; PM, 0.666 tpy; and all combined HAPs, 0.915 tpy. The primary sources at the facility are a 20 million Btu/hr process heater, 3 storage tanks, and a gas processing plant. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**33-00159: Brookville Mining Equipment Corporation.** (175 Evans Street, Brookville, PA 15825), to issue a renewal State Only Operating Permit for the facility located in Pine Creek Township, **Jefferson County**. The facility is a Natural Minor. The facility manufactures and restores mining and railroad cars and other equipment. The primary sources at the facility include spray booths for surface coating, a heater for the booths and a parts cleaner. The permit also includes the sources at the Pickering Street Facility (spray booth and oven). The facility uses some coatings that contain the Target HAP

so the requirements for 40 CFR 63 Subpart HHHHHH are included in the renewal permit. The renewal permit also contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**43-00322: Thompson Fabricating Inc.** (PO Box 432, Wheatland, PA 16161-0432), to issue a renewal State Only Operating Permit for the facility located in Wheatland Borough, **Mercer County**. The facility is a Natural Minor. The facility fabricates and surface coats dumpsters and storage containers for the oil and gas industry. The primary sources at the facility include a spray booth for coating and a heater for the booth. The actual VOC emissions from the facility were approximately 6.0 TPY in 2014. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174*

**11-00529: Ebensburg Animal Hospital** (922 Rowena Drive, Ebensburg, PA 15931) for the operation of an animal crematory located in Ebensburg Borough, **Cambria County**. EAH operates a natural gas incinerator with after burner chamber. This facility has the potential to emit 0.66 tpy PM, 0.94 tpy CO, 0.23 tpy SO<sub>x</sub>, 0.28 tpy NO<sub>x</sub>, and 0.28 tpy VOC. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. Proposed SOOP includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting and work practice standards requirements.

## PLAN APPROVALS

**Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**48-00058A: Effort Foundry, Inc.** (6980 Chrisphalt Drive, Bath, PA 18014) for their facility in East Allen Township, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Effort Foundry, Inc. (6980 Chrisphalt Drive, Bath, PA 18014) for their facility in East Allen Township, Northampton County. This Plan Approval No. 48-00058A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No.48-00058A is for the relocation of four (4) burn and weld booths and installation of one (1) new dust collector. Particulate Matter (PM) emissions from the plant will remain under their 100 TPY threshold limit, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.13 for PM emissions. These limits will meet BAT requirements for this source.

The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00058A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the

applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

### *Coal Applications Withdrawn*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1900*

**Permit No. 11970106 and NPDES No. PA0234591, Laurel Sand & Stone, Inc.**, 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, commencement, operation and restoration of a bituminous surface mine to reconstruct the outfalls of Sediment basins SP-1, SP-4 and SP-5 to be modified to a non-point source discharge due to the TMDL limits of the renewed permit in Jackson Township, **Cambria County**, affecting 85.2 acres. Receiving stream: unnamed tributary to south Branch of Blacklick Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: August 29, 2014. Application withdrawn: March 16, 2015.

### *Coal Applications Received*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1900*

**Permit No. 56890115 and NPDES PA0598666. PBS Coals, Inc.**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface and auger mine in Brothersvalley Township, **Somerset County** affecting 299.2 acres. Receiving streams: unnamed tributaries to/and Blue Lick Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: March 16, 2015.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**17030112 and NPDES No. PA0243566. Clearfield Properties, Inc.** (2151 Lisbon Road, Kennerdell, PA 16374). Permit renewal of an existing bituminous surface mine located in Chest Township, **Clearfield County** affecting 148.9 acres. Receiving streams: Unnamed Tributaries to North Camp Run to Chest Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: March 18, 2015.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500*

**03090201 and NPDES Permit No. PA0251798. Coal Valley Sales, LLC** (111 Freepoint Road, Pittsburgh, PA

15215). Renewal application for reclamation only to an existing bituminous surface mine, located in North Buffalo and Cadogan Townships, **Armstrong County**, affecting 72.6 acres. Receiving stream: unnamed tributary to Allegheny River, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: March 23, 2015.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570-621-3118*

**Permit No. 54830104C10. Hardway Coal Company**, (44 Keystoker Lane, Schuylkill Haven, PA 17972), correction to add 5.0 acres to an existing anthracite surface mine, refuse disposal and preparation plant operation in Cass Township, **Schuylkill County** affecting 61.5 acres, receiving stream: West Branch Schuylkill River, classified for the following use: cold water fishes. Application received: March 12, 2015.

**Permit No. 54850107R6. Lone Eagle Coal Company, Inc.**, (2068 Old Phoenix Road, Pottsville, PA 17901), renewal of an existing anthracite surface mine

operation in Foster Township, **Schuylkill County** affecting 59.9 acres, receiving stream: West Branch Schuylkill River, classified for the following use: cold water fishes. Application received: March 13, 2015.

**Permit No. 49050101R2. Farragut Anthracite Company**, (122 Wilburton Road, Mt. Carmel, PA 17851), renewal of an existing anthracite surface mine and coal refuse disposal operation in Coal and Zerbe Townships, **Northumberland County** affecting 578.0 acres, receiving streams: unnamed tributary to Carbon Run and tributary to Shamokin Creek, classified for the following uses: cold water fishes and migratory fishes. Application received: March 23, 2015.

**Permit No. 54783702R6 and NPDES Permit No. PA0593010. Reading Anthracite Company**, (PO Box 1200, Pottsville, PA 17901), renewal of an existing anthracite coal refuse disposal and preparation plant operation in New Castle, Cass and Norwegian Townships, **Schuylkill County** affecting 512.0 acres, receiving stream: West Branch Schuylkill River, classified for the following uses: cold water and migratory fishes. Application received: March 24, 2015.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the



Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1900*

**NPDES No. PA0249661 (Mining Permit No. 11040101), E.P. Bender Coal Company, Inc.**, P.O. Box 594, Carrolltown, PA 15722, renewal of an NPDES permit for discharge of water resulting from surface coal mining in Reade Township, **Cambria County**, affecting 69.0 acres. Receiving stream: Powell Run, classified for the following use: cold water fishery. This receiving stream is included in the Clearfield Creek TMDL. Application received: March 12, 2015.

The outfalls listed below discharge to Powell Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (TF1)	N
002 (SP1)	N
003 (SP2)	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfall: 001 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.7	3.4	4.2
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

<i>Outfalls: 002 &amp; 003 (Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.7	3.4	4.2
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

<i>Outfalls: 002 &amp; 003</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>(≥10-yr/24-hr Precip. Event)</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
<i>Parameter</i>			
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

**NPDES No. PA0605778 (Mining Permit No. 32830113), Beilchick Brothers**, P.O. Box 7, Heilwood, PA 15745, renewal of an NPDES permit for discharge of water resulting from surface coal mining operations in Buffington

Township, **Indiana County** affecting 410 acres. Receiving streams: unnamed tributaries to/and Mardis Run, classified for the following use: cold water fisheries. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: August 19, 2014.

The outfalls listed below discharge to unnamed tributaries to/and Mardis Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N
004	N
005	N
015	N
016	N
017	N
018	N
019	N
020	N

The proposed effluent limits for the above listed outfalls are as follows:

*Outfalls: 003, 004, 005, 015, 016, 017, 018, 019  
& 020 (All Weather Conditions)*

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**NPDES No. PA0259527 (Permit No. 33140105). Original Fuels, Inc.** (P.O. Box 343, Punxsutawney, PA 15767) New NPDES permit for a bituminous surface mine in Perry and Young Townships, **Jefferson County**, affecting 441.5 acres. Receiving streams: Unnamed tributaries to Mahoning Creek and Mahoning Creek, classified for the following uses: WWF. TMDL: None. Application received: November 18, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Mahoning Creek and Mahoning Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TA	Y
TB	Y
TC	Y
TD	Y
TE	Y
TF	Y
TG1	Y
TG2	Y
TJ	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup> The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Mahoning Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	Y
B	Y
C	Y
D	Y
E	Y
F	Y
G	Y

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
H	Y
I	Y
J	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity <sup>1</sup>				
Total Settleable Solids (ml/l)				0.5

**NPDES No. PA0259543 (Permit No. 33140106). P. and N. Coal Company, Inc.** (P.O. Box 332, Punxsutawney, PA 15767) New NPDES permit for a bituminous surface mine in Washington Township, **Jefferson County**, affecting 892.4 acres. Receiving streams: Unnamed tributaries to Rattlesnake Run, unnamed tributaries to Wolf Run, and Harveys Run, all classified for the following uses: CWF. TMDL: Little Toby Creek. Application received: January 20, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Rattlesnake Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB1	Y
TB2	Y
TB3	Y
TB4	Y
TB5	Y
TB6	Y
TB7	Y
TB8	Y
TB9	Y
TB10	Y
TB11	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	1.5	1.9
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup>The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Wolf run and Harveys Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB12	Y
TB13	Y
TB14	Y
TB15	Y
TB16	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup>The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Rattlesnake Run, unnamed tributaries to Wolf Run and Harveys Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	Y
B	Y
C	Y
D	Y
E	Y
F	Y
G	Y
H	Y
I	Y
J	Y
K	Y
L	Y
M	Y
N	Y
O	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity <sup>1</sup>				
Total Settleable Solids (ml/l)				0.5

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500*

**NPDES No. PA0599727 (Mining permit no. 03830116), Bedrock mines, LP**, 111 Freeport Road, Pittsburgh, PA 15215, renewal NPDES permit for a bituminous surface Kittanning Township, **Armstrong County**, affecting 830 acres. Receiving streams: unnamed tributaries to Mill Run and Mill Run, classified for the following uses: WWF. Application received: February 20, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
004, 005, 006, 010, 015, 019, 022, 027	N N	Stormwater/Sedimentation Ponds Stormwater/Sedimentation Ponds

The proposed effluent limits for the above listed outfall(s) are as follows: for dry weather discharges

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The proposed effluent limits for the above listed outfall(s) are as follows: for precipitation events less than or equal to a 10 year/24 hour storm event

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	NA	NA	7.0
Total Settable Solids (mg/l)	NA	NA	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

### FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate

the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted

before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

---

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900*

**E51-267. Delaware River Waterfront Corporation**, 121 N. Columbus Boulevard, Philadelphia, PA 19106, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To construct and maintain a new steel pile bulkhead, and to place fill in approximately 1.32 acre in the 100-year floodplain of the Delaware River, in the area between Spring Garden Pier and Festival Pier, for the purpose of waterfront project development.

The site is located approximately 2,000 feet north of the Ben Franklin Bridge crossing of the Delaware River (Philadelphia, PA USGS map Lat. 39 5734, Long. -75 0811).

**E46-1117. Toll Brothers, Inc.**, 516 N. Newtown Street Road, Newtown Square, PA 17073, Skippack Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain 104 single family houses associated with the Final Phase of the Meadow Glen subdivision, impacting 0.42 acre of the aquatic resources on site, and 0.078 acre of wetland impact, due to minor road and utility crossings.

The site is located near the intersection of (PA Rte. 73) Skippack Pike and Lederach Cross Road (Collegeville USGS map Lat: 40.2437; Long. -75.4316).

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**E10-495, PA DOT District 10-0**, 2550 Oakland Ave., Indiana, PA 15701. SR 0079 Section 240 Slip Lining Project across UNT to Yellow Creek, Lancaster Township, **Butler County**, ACOE Pittsburgh District (Evans City, PA Quadrangle N: 40°, 50', 46.5"; W: -80°, 6', 8.9").

To seek after-the fact authorization in order to excavate and remove approximately 25 feet of the upstream end of the corrugated metal pipe stream enclosure and to install and maintain 209 feet of 6.5-foot diameter corrugated metal pipe within the remaining structure carrying a tributary to Yellow Creek at milepost 90.6 on I-79 in Lancaster Township, Butler County.

---

**ACTIONS**

---

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**

**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to



Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### I. NPDES Renewal Permit Actions

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0084468 IW	Dura Bond Pipe LLC 2716 South Front Street Steelton, PA 17113	Dauphin County Steelton Borough	Pennsylvania Canal & UNT of Susquehanna River/7-C	Y
PA0008541 IW	Johnson Controls Inc. 631 South Richland Avenue York, PA 17403	York County Spring Garden Township	Codorus Creek/7-H	Y
PA0087611 Sew	Richfield Area Joint Authority 186 Seven Stars Road Richfield, PA 17086	Juniata County Monroe Township	West Branch Mahantango Creek/6-C	Y
PA0014605 IW	United Water PA Inc. 4211 East Park Circle Harrisburg, PA 17111-0151	York County Fairview Township	Yellow Breeches Creek/7-E	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0110116 (Sewage)	Former Hut Restaurant STP 4350 State Route 147 Herndon, PA 17830	Northumberland County Lower Mahanoy Township	Fidlers Run (6-B)	Y
PA0228923 (IW)	Pine Cradle Lake Campground 220 Shoemaker Road Ulster, PA 18850	Bradford County Rome Township	Unnamed Tributary to Parks Creek (4-D)	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0031461 (Sewage)	Thomas MHP 11962 US Route 19 Waterford, PA 16441	Erie County Waterford Township	Unnamed Tributary of Trout Run (16-A)	Y
PA0003573 (Industrial Waste)	Schry Water Conditioning 200 Portersville Road Ellwood City, PA 16117	Lawrence County Ellport Borough	Connoquenessing Creek (20-C)	Y
PA0221601 (Sewage)	Hunters Station STP Township Road T-750 Tionesta, PA 16353	Forest County Tionesta Township	Allegheny River (16-E)	Y
PA0034878 (Sewage)	Springhill Estates MHP 13279 West Ridge Road West Springfield, PA 16443	Crawford County Spring Township	Unnamed Tributary to the Conneaut Creek (15-A)	Y
PA0102245 (Sewage)	Turning Point Drug & Alcohol Rehab Center 4849 U.S. Route 322 Franklin, PA 16323	Venango County Cranberry Township	Unnamed Tributary to the Allegheny River (16-G)	Y

---

**II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions**


---

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**NPDES No. PA0244457**, Stormwater, **Petroleum Heat & Power Co., Inc.**, 2187 Atlantic Street, 5th Floor, Stamford, CT 06902.

This proposed facility is located in Upper Southampton Township, **Bucks County**.

Description of Action/Activity: To discharge from a facility known as Southampton Bulk Petroleum Storage Plant to unnamed tributary to Southampton Creek in Watershed(s) 3-J.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**NPDES Permit No. PA0070378 Amendment 1**, Sewage, **Blue Mountain Academy**, 2363 Mountain Road, Hamburg, PA 19526-8745.

This proposed facility is located in Tilden Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge from a facility known as Blue Mountain Academy STP to UNT to Mill Creek in Watershed 3-B.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**NPDES Permit No. PA0254771**, SIC Code 4911, **Tenaska PA Partners LLC**, 1044 N 115 Street, Omaha, NE 68154.

This proposed facility is located in South Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated cooling tower blowdown, low volume wastes, stormwater associated with industrial activity and uncontaminated stormwater from a steam electric generating facility.

Changes from draft permit: Monitoring requirements were imposed for lead and chromium (VI) at outfall 001. The following Part C condition was also established:

Not before 90 days or later than 180 days of commencement of the Outfall 001 discharge Tenaska shall sample and analyze one influent sample and three effluent samples at Outfall 001 for those pollutants listed in pollutant groups 1–5 of the NPDES Application for Individual Permit to Discharge Industrial Wastewater. The sample results shall be submitted within 240 days upon commencement of the Outfall 001 discharge. The data shall be submitted on the application tables found on pages 11–18 of the application. The data shall be submitted to the Department of Environmental Protection, SWRO, Clean Water—ATTN IW Permits Chief, 400 Waterfront Dr., Pittsburgh, PA 15222; or the Department of Environmental Protection, New Stanton Regional Office, Clean Water—Water Quality Specialist South Huntingdon Twp., 131 Broadview Road, New Stanton, PA 15672.

There are no changes to any previously noticed effluent limitations.

---

**III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law**


---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 6414401**, Sewage, SIC Code 4952, **South Wayne County Water and Sewer Authority**, P. O. Box 6, Lake Ariel, PA 18436.

This proposed facility is located in Salem and Lake Townships, **Wayne County**.

Description of Proposed Action/Activity: Issuance of a Water Quality Management Permit for a project involving the replacement of a portion of the existing gravity wastewater collection system in The Hideout residential community with a low pressure sewer system. The project is known as Stage 2 and includes 54,700 L.F. of low pressure sewer pipe, individual lot grinder pumps, air release valves and cleanout structures. Sewage will continue to be treated at the existing wastewater treatment plant.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 6715402**, Sewerage, **Windsor Township**, 1480 Windsor Road, Red Lion, PA 17356.

This proposed facility is located in Windsor Township, **York County**.

Description of Proposed Action/Activity: Permit approval for the replacement of the existing Delta Road Pump Station.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

**WQM Permit No. WQG02491402**, Sewage, SIC Code 4952, **Nottingham Village Retirement Center Association LP**, 58 Neitz Road, Northumberland, PA 17857.

This proposed facility is located in Point Township, **Northumberland County**.

Description of Proposed Action/Activity: Construction of a pump station including two 11-HP pumps and 2.5-in force main.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**WQM Permit No. WQG01251502**, SIC Code 8800, **Albert V Gernovich & Eric Knapp d/b/a Kingdom Developers**, 180 Wright Street, Corry, PA 16407.

This proposed facility is located in Concord Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 4314403**, Sewage, SIC Code 4952, 8800, **Donna & William Despain**, 106 Wasser Road, Greenville, PA 16125.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

---

#### **VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010914008	Gorski Engineering, Inc. 1 Iron Bridge Road Collegeville, PA 19426	Bucks	Milford Township	Unnamed Tributary to Molasses Creek HQ-TSF-MF
PAI011514049	L&I Properties, Inc. 231 Maple Street Honey Brook, PA 19344	Chester	Honey Brook Township	West Branch Brandywine Creek HQ-TSF-MF
PAI011514036	Renehan Building Group 318 East King Street Malvern, PA 19355	Chester	East Goshen Township	Ridley Creek HQ-TSF-MF
PAI011514042	Jeffrey and Julie Milne 13 Barrington Lane Chester Springs, PA 19425	Chester	East Nantmeal Township	French Creek (South Branch) EV-MF
PAI011514001	South Valley Road Partners, LP 950 West Valley Forge Road King of Prussia, PA 19406	Chester	Tredyffrin Township	Crum Creek HQ-CWF-MF
PAI012314006	Rose Tree Media School District 308 North Olive Street Media, PA 19063	Delaware	Middletown Township	Ridley Creek HQ-TSF-MF
PAI014614004	Mainline Trees, LLC 550 Bedford Road Bedford Road Bedford Hill, NY 10507	Montgomery	Conshohocken Borough	Plymouth Creek CWF-MF

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Butler County Conservation District, 122 McCune Drive, Butler, PA 16001-6501*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI061014002	Kevin Zediker 176 Glenford Village Chicora, PA 16026	Butler	Fairview Township	UNT Buffalo Creek HQ-CWF and UNT Sugar Creek WWF

---

#### **VII. Approvals to Use NPDES and/or Other General Permits**

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

#### **List of NPDES and/or Other General Permit Types**

---

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)

PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02*

*Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Warwick Township Bucks County	PAG02000914070	Stony View LLC 217 Delmont Avenue Warminster, PA 18974	Unnamed Tributary to Little Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG02002314041	ESIII L.P. 107 Twaddell Mill Road Wilmington, DE 19807	Camp Run to Darby Creek CWF-MF Wig Wam Run to Darby Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Norriton Township Montgomery County	PAG02004515012	C A Danella Company 1524 North Trooper Road Norristown, PA 18508	Stony Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Abington Township Montgomery County	PAG02004615022	Duke Real Estate Partners, LLC 2010 County Line Road Huntingdon Valley, PA 19006	Tacony Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAG02004614094	Dranoff Properties, Inc 755 South Broad Street Philadelphia, PA 19147	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Merion Township Montgomery County	PAG02004615021	Duke Realty Limited Partnership 600 East 96th Street, Suite 100 Indianapolis, IN 46240	Cobbs Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511432	Settlement Music School 416 Queen Street Philadelphia, PA 19147	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511439	Envirowaste, LLC 35 Fox Hollow Drive Dallas, PA 18612	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
North Whitehall Township Lehigh County	PAG02003914017	William Bachenburg 6601 Ivy Lane Allentown, PA 18106	Coplay Creek (CWF, MF)	Lehigh County Conservation District 610-391-9583
Upper Saucon Township Lehigh Township	PAG02003914018	Mariana Reis 2651 Sean Drive Whitehall, PA 18052	Saucon Creek (CWF, MF)	Lehigh County Conservation District 610-391-9583
Sugarloaf Township Luzerne County	PAG02004014028	Harry Kress 6 Sydney Way Sugarloaf, PA 18249	Little Nescopeck Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Lower Mt. Bethel Township Northampton County	PAG02004815007	ConAgra Foods, Inc. Travis Kapsuta 11 ConAgra Drive MS 11-300 Omaha, NB 68102-1111	Delaware River (WWF, MF) Mud Run (CWF, MF)	Northampton County Conservation District 610-746-1971

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

*Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Abbottstown Borough Adams County	PAG02000114035(1) Issued	Dale Spahr G&S Real Estate Company LLC 101 Sutton Road Abbottstown, PA 17301-9704	UNT to Beaver Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Upper Bern Township Berks County	PAG02000615004 Issued	Jeff Rohrer 275 Nafzingertown Road Mohrsville, PA 19541	UNT to Irish Creek and UNT to Leshar Creek/WWF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Douglass Township Berks County	PAG02000615001 Issued	Techo-Bloc Corporation 23 Quarry Road Douglassville, PA 19518	UNT to Schuylkill River/WWF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Penn Township Berks County	PAG02000615007 Issued	Keith Zimmerman 330 Mountain Road Denver, PA 17517	Plum Creek/WWF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Lower Heidelberg Township Berks County	PAG02000612009R Issued	Glen Gery Brick 1166 Spring Street Wyomissing, PA 19610	UNT to Cacoosing/ CWF, MF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Belfast Township Fulton County	PAG02002914005 Issued	Brandon Morton 221 Morton Road Needmore, PA 17238	UNT to Licking Creek/CWF, MF	Fulton County Conservation District 216 North Second Street, Suite 15 McConnellsburg, PA 17233 717-485-3547



NOTICES

1885

*Facility Location:  
Municipality &  
County*

*Permit No.*

*Applicant Name &  
Address*

*Receiving  
Water/Use*

*Contact Office &  
Phone No.*

Lititz Borough  
Lancaster County

PAG02003614106  
Issued

Moravian Manor  
300 West Lemon Street  
Lititz, PA 17543

Lititz Run  
Watershed/WWF

Lancaster County  
Conservation District  
1383 Arcadia Road,  
Room 200  
Lancaster, PA 17601  
717-299-5361

Penn Township  
Lancaster County

PAG02003615013  
Issued

PA Soccer Club  
6058 Bayberry Avenue  
Manheim, PA 17545

Little Conestoga  
Creek/TSF

Lancaster County  
Conservation District  
1383 Arcadia Road,  
Room 200  
Lancaster, PA 17601  
717-299-5361

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636*

*Facility Location &  
Municipality*

*Permit No.*

*Applicant Name &  
Address*

*Receiving  
Water/Use*

*Contact Office &  
Phone No.*

Centre County  
College Twp

PAG02001415006

Stocker Chevrolet-Subaru-Saab  
Inc  
701 Benner Pike  
State College, PA 16801

UNT to Spring  
Creek  
CWF

Centre County  
Conservation District  
414 Holmes Ave Ste 4  
Bellefonte, PA 16823  
(814) 355-6817

Lycoming County  
Brady Twp

PAG02004114024

Michael Hnatin  
County of Lycoming  
447 Alexander Dr.  
PO Box 187  
Montgomery, PA 17752

UNT to Black Run  
WWF

Lycoming County  
Conservation District  
542 County Farm Rd  
Ste 202  
Montoursville, PA  
17754  
(570) 433-3003

*Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville, PA 16335*

*Facility Location &  
Municipality*

*Permit No.*

*Applicant Name &  
Address*

*Receiving  
Water/Use*

*Contact Office &  
Phone No.*

Zelienople Borough  
Butler County

PAG02001014038

Glad Run Lutheran Services  
70 West Beaver Street  
Zelienople, PA 16063  
&  
Naralo Corporation  
1920 Lincoln Road  
Pittsburgh, PA 15235

Glade Run WWF

Butler County  
Conservation District  
724-284-5270

Millcreek Township  
Erie County

PAG02002515004

Citadel Development Company  
PO Box 8328  
Erie, PA 16505

Walnut Creek  
CWF; MF

Erie County  
Conservation District  
814-825-6403

Liberty Township  
McKean County

PAG02004215002

Gary Turner  
Liberty Township  
4859 Route 155  
Port Allegany, PA 16743

Allegheny River  
CWF  
Lillibridge Creek  
CWF

McKean County  
Conservation District  
814-887-4001

Hamlin Township  
McKean County

PAG02004214006

Justin Gvoth  
Verizon Wireless  
18 Abele Road  
Bridgeville, PA 15017

Marvin Creek CWF

McKean County  
Conservation District  
814-887-4001

Logan Township,  
Blair County

PAG02090715002

Bureau of Abandoned Mine  
Reclamation  
Cambria Office  
286 Industrial Park Road  
Ebensburg, PA 15931-4119

Kittanning Run  
(CWF),  
Glenwhite Run  
(CWF)

Attention: Patrick M.  
Webb  
PA DEP  
Cambria Office  
286 Industrial Park  
Road  
Ebensburg, PA  
15931-4119  
814-472-1800

*General Permit Type—PAG-03*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Pottsville City Schuylkill County	PAG032210	D G Yuengling & Son Inc. 310 Mill Creek Avenue Port Carbon, PA 17901-8692	Mill Creek— 3-A/ CWF	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
City of Pottsville Schuylkill County	PAG032211	D.G. Yuengling & Son, Inc. 310 Mill Creek Avenue Pottsville, PA 17901	MS4 to UNT to the Schuylkill River—03A	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
New Castle City Lawrence County	PAG038320	Advanced Waste Svcs of PA LLC 101 River Park Drive New Castle, PA 16101-8919	Buchanan Run—20-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942
Rose Township Jefferson County	PAR118335	Miller Welding & Mach Co. PO Box G Brookville, PA 15825	Clement Run—17-C	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942

*General Permit Type—PAG-4*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Concord Township Erie County	PAG041183	Albert V Gernovich & Eric Knapp D/B/A Kingdom Developers 180 Wright Street Corry, PA 16407	Slaughter Run— 16-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942
Hempfield Township Mercer County	PAG048741	Blum Randy L 101 Gibson Road Greenville, PA 16125	Mathay Run—20-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942

**STATE CONSERVATION COMMISSION****NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be

filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Kulp Family Dairy LLC 1691 Millerstown Rd Martinsburg, PA 16662	Blair, Bedford	2,287.8	3,462.63	Dairy	Clover Creek—HQ Yellow Creek—HQ Middle Run—HQ	Approved
Lance Heberlig 24 Shuman Road Newburg, PA 17240	Cumberland	100.34	412.57	Swine/Veal	NA	Approved
Mor-T-Do Farm Neill & Mac Miller 5292 Pleasant Ridge Road Needmore, PA 17238	Fulton	170	364.96	Swine & Beef	None	Approved
Tim Heckenluber Heckenluber Poultry Farm 413 Heckenluber Road Biglerville, PA 17307	Adams	20	398.29	Turkey	NA	Approved
Kim Schlappich 1359 Main Street Mohrsville, PA 19541	Berks	272	148.1	Ducks	NA	Approved
David Weaver Clear Spring Farm 740 Marion Drive Womelsdorf, PA 19567	Berks	176.3	337.05	Laying Hens	N/A	Approved

**CAFO NMP  
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
P&M Snyder 2375 Line Mountain Rd. Dornsife, PA 17823	Northumberland	503.4	325.1	Layers, Beef Steer	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania

Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**Permit No. 1515508, Minor Amendment.** Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

Township East Marlborough

County **Chester**

Type of Facility PWS

Consulting Engineer GHD Consultant  
1240 N. Mountain Road  
Harrisburg, PA 17112

Permit to Construct Issued March 24, 2015

**Permit No. 2315501, Minor Amendment.** Public Water Supply.

Applicant **Chester Water Authority**  
415 Welsh Street  
P. O. Box 467  
Chester, PA 19016

Township Aston

County **Delaware**

Type of Facility PWS

Consulting Engineer GHD Consultant  
1240 N. Mountain Road  
Harrisburg, PA 17112

Permit to Operate Issued March 24, 2015

**Permit No. 0915507, Minor Amendment.** Public Water Supply.

Applicant **Richland Township Water Authority**

Township Richland

County **Bucks**

Type of Facility PWS

Consulting Engineer Van Cleef Engineering  
4 Wellington Boulevard, Ste-1  
Reading, PA 19610

Permit to Construct Issued March 25, 2015

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Permit No. 3914508 MA,** Public Water Supply.

Applicant **City of Allentown**

[Borough or Township] Allentown City

County **Lehigh**

Responsible Official Craig W. Messinger  
Interim Public Works Director  
641 South 10th Street, 3rd Floor  
Allentown, PA 18103

Type of Facility PWS

Consulting Engineer Jason G. Saylor, P.E.  
Utility Service Company, Inc.  
53 Courteny Hodges Blvd.  
Perry, GA 31069

Permit to Construct Issued February 11, 2015

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 2114503, Minor Amendment,** Public Water Supply.

Applicant **Shippensburg Borough Authority**

Municipality Lurgan Township

County **Franklin**

Responsible Official Lance Hoover, Manager  
111 N Fayette Street  
PO Box 129  
Shippensburg, PA 17257-0129

Type of Facility Installation of metering and feed equipment for the addition of Sodium Permanganate for the removal of Iron and Manganese from the source water in addition to assistance in the control of trihalomethane formation.

Consulting Engineer Daniel S. Hershey  
Rettew Associates Inc  
3020 Columbia Avenue  
Lancaster, PA 17603

Permit to Construct Issued 3/24/2015

**Permit No. 0615502 MA, Minor Amendment,** Public Water Supply.

Applicant **GSP Management Company**

Municipality Tilden Township

County **Berks**

Responsible Official Frank T. Perano, General Manager  
P O Box 677  
Morgantown, PA 19543 0677

Type of Facility New 55,000 storage tank.

Consulting Engineer James A. Cieri Sr, PE  
James A. Cieri, PE  
914 N Mountain Road  
Harrisburg, PA 17112

Permit to Construct Issued 3/23/2015

**Permit No. 3815501 MA, Minor Amendment,** Public Water Supply.

Applicant **Womelsdorf-Robeson Joint Authority**

Municipality Millcreek Township

County **Lebanon**

Responsible Official	Randall Gartner, Chairman PO Box 94 Womelsdorf, PA 19567	Description of Action	Authorizes construction of the existing Kellogg's Water Tank, all immediately necessary repairs to this water storage facility and modifications to the existing booster pump station, including replacement booster pumps and replacement ladder from booster pump station ground floor to booster pump station valve pit.
Type of Facility	Construction of an interconnection between Womelsdorf-Robeson Joint Authority and Newmanstown Water Authority.		
Consulting Engineer	David M. Bright, P.E. SSM Group, Inc. PO Box 6307 Reading, PA 19610		
Permit to Construct Issued	3/24/2015		
<b>Comprehensive Operation Permit No. 7220377</b> issued to: <b>Lower Dauphin School District (PWS ID No. 7220377)</b> , Conewago Township, <b>Dauphin County</b> on 3/23/2015 for the operation of facilities at Conewago Elementary School approved under Construction Permit No. 2214502.			
<b>Operation Permit No. 2214505 MA</b> issued to: <b>Capitol Region Water (PWS ID No. 7220049)</b> , Harrisburg, <b>Dauphin County</b> on 3/25/2015 for facilities approved under Construction Permit No. 2214505 MA.			
<b>Operation Permit No. 3060059</b> issued to: <b>Reading Area Water Authority (PWS ID No. 3060059)</b> , Reading, <b>Berks County</b> on 3/18/2015 for facilities submitted under Application No. 0614513 MA.			
<b>Operation Permit No. 0115503 MA</b> issued to: <b>Possum Valley Municipal Authority (PWS ID No. 7010034)</b> , Menallen Township, Adams County on 3/26/2015 for facilities approved under Construction Permit No. 0115503 MA.			
<b>Operation Permit No. 3060984</b> issued to: <b>Allegheny East Conference (PWS ID No. 3060984)</b> , Douglass Township, <b>Berks County</b> on 3/23/2015 for facilities submitted under Application No. 3060984.			
<i>Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.</i>			
<b>Permit No. 4114505—Construction—Public Water Supply.</b>			
Applicant	<b>Muncy Borough Municipal Authority</b>	Applicant	<b>Cherokee Pharmaceuticals LLC, a Subsidiary of Merck Sharp &amp; Dohme Corp.</b>
Township/Borough	Muncy Creek Township	Township/Borough	Riverside Borough
County	<b>Lycoming</b>	County	<b>Northumberland</b>
Responsible Official	Edward Breon, Authority Chairman Muncy Borough Municipal Authority 14 N. Washington Street Muncy, PA 17756	Responsible Official	Brian Killen, Plant Manager Cherokee Pharmaceuticals LLC, a Subsidiary of Merck Sharp & Dohme Corp. 100 Avenue C Riverside, PA 17868
Type of Facility	Public Water Supply	Type of Facility	Public Water Supply
Consulting Engineer	Mary Beth Peters Entech Engineering, Inc. 685 S. Mountain Blvd. Suite A Mountain Top, PA 18707	Consulting Engineer	N/A
Permit Issued	March 25, 2015	Permit Issued	March 30, 2015
<b>Permit No. 4914501—Partial Operation No. 2—Public Water Supply.</b>			
Description of Action			
Operation of one of the new second stage river water pumps (PU-7030).			
<b>Permit No. 4715501MA—Construction—Public Water Supply.</b>			
Applicant			
<b>Danville Municipal Authority</b>			
Township/Borough			
Danville Borough			
County			
<b>Montour</b>			
Responsible Official			
Walter Shultz, Chairman Danville Municipal Authority 12 West Market Street P. O. Box 179 Danville, PA 17821-0179			
Type of Facility			
Public Water Supply			
Consulting Engineer			
David E. Marks, P.E. Gannett Fleming, Inc. P. O. Box 67100 Harrisburg, PA 17106-7100			
Permit Issued			
March 31, 2015			
Description of Action			
Authorizes repainting and making minor modifications to two 1.5 million gallon steel water storage tanks.			
<i>Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745</i>			
<b>Operations Permit</b> issued to: <b>Pittsburgh Water &amp; Sewer Authority</b> , Penn Plaza I, 1200 Liberty Avenue, Pittsburgh, PA 15222, (PWSID #5020038) City of Pittsburgh, <b>Allegheny County</b> on March 24, 2015 for the operation of facilities approved under Construction Permit #0213521MA.			



*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Permit No., 4314502 Public Water Supply**

Applicant **Jamestown Borough Water Authority**  
 Township or Borough Jamestown Borough  
 County **Mercer**  
 Type of Facility Public Water Supply  
 Consulting Engineer Matthew J. Arena, P.E.  
 Herbert, Rowland & Grubic, Inc.  
 3755 East State Street  
 Hermitage, PA 16148  
 Permit to Construct Issued March 23, 2015

**Operation Permit** issued to **Springboro Area Water Authority**, PWSID No. 6200050, Springboro Township, **Crawford County**. Permit Number 2084503-MA3 issued March 25, 2015 authorizing a liquid Sodium Hypochlorite feed system as a backup to the existing gas chlorination system and the relocation of the gas chlorination injection point prior to the greensand filters. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on October 14, 2014.

**SEWAGE FACILITIES ACT PLAN APPROVAL**

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Rye Township	1775 New Valley Rd, Marysville, PA 17053	Perry

*Plan Description:* Approval of a revision to the official plan of Rye Township, Perry County. The project is known as Jeffrey & Diana Simmons. The plan provides for a Small Flow Treatment Facility to replace an existing malfunctioning onlot system, serving an existing single family residence. The proposed development is located at 1858 New Valley Road, Rye Township, Perry County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-50922-135-3s and the APS Id is 857719. Any permits must be obtained in the name of Jeffrey & Diana Simmons.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submis-

sion of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Service Electric—Cablevision, Bloomsburg Hub**, 1005 East 7th Street, Town of Bloomsburg, **Columbia County**. Molesevich Environmental LLC, P. O. Box 654, Lewisburg, PA 17837, on behalf of SECV, 1005 East 7th Street, Bloomsburg, PA 17815 submitted a Final Report concerning remediation of site soils contaminated with heating oil. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Crossroads Freight & Logistics**, Interstate 80 @ MM 185W, Greene Township, **Clinton County**. Northridge Group, Inc., P. O. 231, Northumberland, PA 17857, on behalf of Crossroads Freight & Logistics, 2749 Oakberry Drive, Lawrenceville, GA 30045, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Trailer Convoys Inc.**, Interstate 80 @ MM192, Greene Township, **Clinton County**. Northridge Group Inc., P. O. Box 231, Northumberland, PA 17857, on behalf of Trailer Convoys, Inc., P. O. Box 14, Jeffersonville, IN 47130 has submitted a Final Report concerning remediation of site at the highway berm contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Restaurant Depot**, 4250 Chambers Hill Road, Harrisburg, PA 17111, Swatara Township, **Dauphin County**.

Whitestone Associates, 1600 Manor Drive, Suite 220, Chalfont, PA 18914, on behalf of Bird Hill Farms, 7004 Old Tabby Circle, Lakewood Ranch, FL 34202, and Restaurant Depot, 1524 132nd Street, College Point, NY 11356, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Indiana Work Center**, 76 Airport Road, White Township, **Indiana County**. Leidos Engineering, LLC., 180 Gordon Drive Suite 109, Exton, PA 19341 on behalf of Verizon Pennsylvania, LLC., 966 South Matlack Street, West Chester, PA 19382 has submitted a Remedial Investigation/Final Report concerning the remediation of site groundwater contaminated with BTEX and chlorinated solvents and site soils contaminated with tetrachloroethylene and chloroform. The RIR/FR is intended to document remediation of the site to meet to meet a combination Site Specific and Statewide Health standards. Notice of the RIR/FR was published in the *Indiana Gazette* on March 21, 2015.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to

be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Crete Carrier Corporation**, State Route 118W, Mooreland Township, **Lycoming County**. Northridge Group, Inc., P. O. Box 231, Northumberland, PA 17857, on behalf of Crete Carriers Corporation, P. O. Box 81228 Lincoln, NE 86501 has submitted a Final Report concerning the remediation of site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on March 4, 2015.

**Trailer Convoys Inc.**, Interstate 80 @ MM 192, Greene Township, **Clinton County**. Northridge Group, Inc., P. O. Box 231, Northumberland, PA 17857, on behalf of Trailer Convoys, Inc., P. O. Box 14, Jeffersonville, IN 47130 has submitted a Final Report concerning the remediation of site at the highway berm contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on March 17, 2015.

*Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Diaz Manufacturing Company LLC, formerly Donald Dean and Sons Property**, 747 Grow Avenue, Bridgewater Township, **Susquehanna County**. Dawn Washo, Resource Environmental, 36 Taylor Lane, Montrose, PA 18801, on behalf of Adam Diaz, Diaz Manufacturing, 747 Grow Avenue, Montrose, PA 18801, submitted a Final Report concerning remediation of site soils and groundwater contaminated with #2 Fuel Oil. The report is intended to document remediation of the site to meet the Site Specific & Statewide Health Standard. The Final Report demonstrated attainment of the Site Specific & Statewide Health standard, and was approved by the Department on March 26, 2015.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**South Oakview Road & Lincoln Highway East**, 2034 Lincoln Highway East, Lancaster, PA 17602, East Lampeter Township, **Lancaster County**. Liberty Environmental, Inc., 480 New Holland Avenue, Suite 8203, Lancaster, PA 17602, on behalf of Mel-lin Enterprises DBA McDonald's, 2090 Lincoln Highway East, Lancaster, PA 17602, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The Final Report did not demonstrate attainment of the Residential

Statewide Health Standard, and was disapproved by the Department on March 26, 2015.

**FedEx Ground Lewisberry/Anthony Insurance Spill**, 650 Wyndamere Road, Lewisberry, PA 17339, Fairview Township, **York County**. HDR, Inc., 4900 Ritter Road, Suite 240, Mechanicsburg, PA 17055, on behalf of FedEx Ground, 1000 FedEx Drive, Moon Township, PA 15108; and Kent Anthony, Anthony Insurance, Inc., 650 Wyndamere Road, Lewisberry, PA 17339, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel and used motor oil. The Final Report demonstrated attainment of the Nonresidential Statewide Health Standard, and was approved by the Department on March 27, 2015.

#### HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

**Permits issued, suspended, expired, denied, revoked, reinstated or returned under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**PAD002330165. East Penn Manufacturing Co.**, Deka Road, Lyon Station, PA 19536-0147, Richmond Township, **Berks County**. A RCRA Part B hazardous waste permit to store spent lead-acid batteries at East Penn Manufacturing Co. for the facility located in Richmond Township, Berks County has been issued by the Department. The permit was issued on March 30, 2015.

#### MUNICIPAL WASTE GENERAL PERMITS

**General Permit(s) issued under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**General Permit No. WMGM039SW001: Lindy Paving, Inc.**, 2340 2nd Avenue, Pittsburgh, PA 15219, for the Neville Island Asphalt Plant located at 4200 Neville Road, Pittsburgh, PA 15225, Neville Township, **Allegheny County**. A Determination of Applicability for the processing and beneficial use of post-consumer asphalt shingles (tear-offs) and pre-consumer asphalt shingles (i.e., imperfections, tabs, trimming scraps, etc. generated in the manufacturing of new asphalt shingles and damaged, unused shingles), was received in the Southwest Regional Office on December 30, 2014 and the General Permit was issued on March 31, 2015.

#### AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702*

**GP4-31-03007: Huntingdon Electric Motor Service, Inc.** (7th & Penn Streets, Huntingdon, PA 16652) on March 27, 2015, for two existing burnoff ovens, under GP4, at the electric equipment servicing facility in Huntingdon Borough, **Huntingdon County**. The general permit authorization was renewed.

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150*

**65-00990C: Tenaska Pennsylvania Partners, LLC** (14302 FNB Parkway, Omaha, NE 68154) on April 1, 2015, for the construction and temporary operation of a 930—1,065 MW combined cycle natural gas-fired electric generating facility known as the Westmoreland Generating Station in South Huntingdon Township, **Westmoreland County**. Sources include two combined cycle combustion turbines serving a single steam turbine generator, heat recover steam generators, auxiliary boiler, and associated equipment. The facility is subject to PSD, NSR, and Title V.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Mark R. Grog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150*

**32-00230B: Texas Eastern Transmission, LP** (PO Box 1642, Houston, TX 77251) minor plan approval modification effective March 30, 2015. The modification includes minor revisions to the leak detection and repair requirements at the Armagh Compressor Station to be consistent with other recently issues plan approvals. The facility is located in West Wheatfield Township, **Indiana County**.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920*

**46-0278A: Data Based Systems International, LLC:** (4 Tek Park, 9999 Hamilton Blvd, Briningsville, PA 18031) On March 24, 2015 for Trans. & utility electric services in Lower Providence Township, **Montgomery County**.

**46-0026G: Global Packagiang, Inc.:** (209 Brower Avenue, Oaks, PA 19456) On March 24, 2015 to manufacture commercial printing, NEC in Upper Providence Township, **Montgomery County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permit-*



ting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

**67-05030E: CP Converters, Inc.** (15 Grumbacher Road, York, PA 17406) on March 26, 2015, for the construction of a new flexographic printing press controlled by a regenerative thermal oxidizer, at the printing facility in Manchester Township, **York County**. The plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**59-00008C: Tennessee Gas Pipeline Company, LLC** (PO Box 2511, Houston, TX 77252-2511) on March 9, 2015, extended the authorization an additional 180 days from March 20, 2015 to September 16, 2015, to allow the evaluation for compliance with the plan approval conditions. Additionally, the extension allows continued operation of the new natural gas compression process, including the associated combustion turbine, located at their facility in Charleston Township, **Tioga County** pending issuance of operating permit. The plan approval has been extended.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636*

**25-179C: Erie City Sewer Authority** (68 Port Access Road, Erie, PA 16507-2202) on March 24, 2015, effective March 31, 2015, will issue a plan approval extension for the replacement of incinerator burners and the emergency bypass stack, rehabilitation of the existing wet electrostatic precipitators and replacement of three existing dewatering belt filter presses. This facility is located in the City of Erie, **Erie County**.

**43-270H: CCL Container Corporation** (1 Llodio Drive, Hermitage, PA 16148) on March 25, 2015, effective March 31, 2015, the Department will issue a plan approval extension for the installation of a regenerative thermal oxidizer (RTO) to reduce VOC emissions on sources 101 through 105, in synthetic minor operating permit 43-00270. The facility manufactures aluminum cans used for packaging various consumer products. This facility is located in Hermitage City, **Mercer County**.

---

**Plan Approvals Denied, Terminated, Modified, Suspended or Revoked under the Air Pollution Control Act and the provisions of 25 Pa. Code §§ 127.13b and 127.13c.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531*

**39-00099A: Delta Thermo Energy A, LLC** (One Northbrook, 1210 Northbrook Corp. Center, Suite 100, Trevoise, PA 19053) terminated on March 10, 2015 for the proposed construction and operation of an energy production facility at the facility located in City of Allentown, **Lehigh County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**38-05022: Weaber, Inc.** (1231 Mount Wilson Road, Lebanon, PA 17042-4785) on March 20, 2015, for the lumber processing facility in South Annville Township, **Lebanon County**. The Title V Permit was renewed.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**46-00144: US Department of Agriculture—Eastern Regional Research Center (USDA)** (600 East Mermaid Lane, Wyndmoor, PA 19038; Attn: Mr. Marshall Reed) On March 19, 2015 for the renewal of a Synthetic Minor Operating Permit in Springfield Township, **Montgomery County**. The initial operating permit was issued on March 18, 2004, and was effective May 1, 2004. USDA's primary focus at this facility is the preservation of produce for longer periods of time before it becomes inedible. This renewal of the Synthetic Minor Operating Permit incorporates the requirements and conditions from General Permit No. GP1-46-0240, for Source ID 034. The primary sources of air emissions from the facility are boilers (Source IDs 034, 101, 102, and 103), emergency generators (Source IDs 105 and 106), and two parts washers (Source ID 200). Source IDs 034, 101, and 102 are dual fuel fired boilers, using natural gas as the primary fuel and No. 2 fuel oil as backup. These units shall not be subject to 40 CFR Part 63, Subpart JJJJJJ, on the basis of 40 CFR §§ 63.11195(e) and 63.11237. Source ID 103 burns No. 2 fuel oil exclusively, and is subject to 40 CFR Part 63, Subpart JJJJJJ. Applicable conditions have been incorporated into the operating permit. Applicable requirements from 40 CFR Part 60, Subpart JJJJJ, have been incorporated for Source ID 106. Source ID 105 has been deemed exempt from 40 CFR Part 63, Subpart ZZZZ, on the basis of 40 CFR § 63.6585(f)(3). Requirements from 25 Pa. Code § 129.63 have been incorporated as appropriate for Source ID 200. Potential emissions from the facility are less than the following emission rates: 3.0 tpy for VOCs, 2.0 tpy for HAP, 5.0 tpy for PM, 24.9 tpy for NO<sub>x</sub>, 74.0 tpy for SO<sub>x</sub>, and 20.0 tpy for CO. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

**23-00056: Honeywell Intl, Inc.** (6100 Philadelphia Pike, Claymont, DE 19703) On March 18, 2015 for a renewal of a Non-Title V Facility, State-Only, Natural Minor Permit in Marcus Hook Borough, **Delaware County**. Honeywell is a manufacturing company of industrial inorganic chemicals. Honeywell has a production limit of Fluorosulfonic acid. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

**09-00209: Univar USA, Inc.** (4 Steel Road, Morrisville, PA 19067) On March 19, 2015 for a renewal Non-Title V Facility, State-Only, Natural Minor Permit in Falls Township, **Bucks County**. Univar USA Inc is a chemical and



allied products merchant wholesaler. The sources of emissions include: storage tanks and transfer stations. The facility has a HAP emission limit of 24.4 tons per year calculated on a 12-month rolling sum and a VOC emission limit of 22 tons per year. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

**46-0280: Catagnus Funeral Home & Cremation Center, Ltd.** (329 N. Lewis Road, Royersford, PA 19468) On March 26, 2015 to permit the loading door to its existing human crematory unit, which is currently permitted under General Plan Approval and General Operating Permit (BAQ-GPA/GP-14) No. GP14-46-0274, to be opened during the cremation cycle for inspection and repositioning of the charge. The facility is located in Limerick Township, **Montgomery County**, and is a non-Title V facility.

Based on a maximum operating schedule of 3,744 hours per year, the expected emission rates of carbon monoxide (CO), nitrogen oxides (NO<sub>x</sub>), particulate matter (PM), sulfur oxides (SO<sub>x</sub>), and volatile organic compounds (VOCs) are each less than 1.5 ton per year.

The plan approval will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**40-00109: GRUMA Corporation** (15 Elmwood Avenue, Mountaintop, PA 18707) issued on March 26, 2015, for the operation of a food preparation facility in Wright Township, **Luzerne County**. The sources consist of food production lines and ovens. The emissions are controlled by a mist eliminator and a thermal oxidizer. This is a renewal of a State-Only Operating Permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**54-00063: Greater Pottsville Area Sewer Authority** (P.O. Box 1163, Pottsville, PA 17901-7163) issued on March 26, 2015, for the operation of a wastewater treatment plant in the City of Pottsville, **Schuylkill County**. The sources consist of primary and finish solids processing and digesters. The sources are controlled by a wet scrubber and a flare. This is a renewal of a State-Only Operating Permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**41-00040: Williamsport Foundry Company, Inc.** (164 Maynard Street) on March 24, 2015, for their facility located in Williamsport, **Lycoming County**. The operating permit renewal includes emission limits and work practice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable state and federal air quality regulations.

**53-00014: Emporium Specialties Co., Inc.** (PO Box 65, Austin, PA 16720) on March 5, 2015, for their powder metal plant located in Austin Borough, **Potter County**. The operating permit renewal includes emission limits and work practice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable state and federal air quality regulations.

**08-00022: Cummings Lumber Co., Inc.** (PO Box 6, Troy, PA 16947) on March 18, 2015, for their Troy wood mill facility located in Troy Township, **Bradford County**. The operating permit renewal includes emission limits and work practice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable state and federal air quality regulations.

**41-00047: Wildwood Cemetery Co.** (1151 Cemetery St. Williamsport, PA 17701-1605) on March 30, 2015, for operation of their Wildwood Cemetery facility located in Loyalsock Township, **Lycoming County**. The State Only operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

*Minor Modification of Title V Operating Permit (TVOP)*

**Permit No. 46-00035: Glaxosmithkline** (709 Swedeland Road, Upper Merion Township, **Montgomery County**) On February 2, 2015 submitted a Title V Operating Permit (TVOP) Minor Modification. The following changes were made to the permit:

1. GSK voluntarily took a facility wide hazardous air pollutant (HAP) emission limit of 10 tons/year of a single HAP and 25 tons/year of combined HAP's both calculated on a 12-month rolling sum, in order to become an Area (Minor) HAP source.

2. Removal of all Major Source Boiler MACT requirements codified in 40 CFR Part 63, Subpart DDDDD and replacing them with the Area Source Boiler MACT requirements codified in 40 CFR Part 63, Subpart JJJJJJ.

The modified TVOP includes monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Minor modification of TVOP No. 46-00035 is issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.462.

**09-00142: ML 35 LLC**, (35 Runway Road, Levittown, PA 19057-4700) On March 27, 2015 has been amended to incorporate the requirements of Plan Approval No. 09-0142C into the State Only Operating Permit for a plant in Bristol Township and **Bucks County**. The amended State Only Operating Permit contains all of the applicable regulatory requirements including monitoring, recordkeeping, reporting, work practice requirements, and emission limits.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.*

**36-05125: PA Department of Corrections** (1451 N. Market Street, Elizabethtown, PA 17022) on March 19, 2015, for a significant modification to the State Only Operating Permit for the corrections officers training facility in Mount Joy Township, **Lancaster County**. The modification is for the establishment of an operating limit for reduced coal usage to no more than a 10% annual capacity factor for the coal-fired boilers so they will meet EPA's definition of "Limited-Use Boiler", and be subject to the corresponding requirements, under 40 CFR Part 63 Subpart JJJJJ—National Emission Standard for Area Sources of Hazardous Air Pollutants (HAPs) for Industrial, Commercial, and Institutional Boilers.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**17-00060: Rosebud Mining Company** (301 Market Street, Kittanning, PA 16201-1504) issued a revised State Only operating permit, Revision No. 1 on March 9, 2015, for their facility located in Huston Township, **Clearfield County**. The revision of this permit is the removal the fabric collector (Control Device C101A) and wet centrifugal collector (Control Device C101B) due to the ineffectiveness of each control device in controlling the air contaminant emissions from the coal preparation plant. The operating permit is effective through May 28, 2018. This revised State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-616636*

**24-00121: Industrial Timber & Lumber LLC** (23925 Commerce Park Road, Beachwood, OH 44122-5821) on March 24, 2015 the Department issued an administrative amendment to the State Only Operating Permit for the ITL Ridgway facility located in Ridgway Township, **Elk County**. The amendment incorporates the change of ownership.

**24-00017: Morgan AM&T** (441 Hall Avenue, Saint Marys, PA 15857) on March 30, 2015 issued an administrative amendment to the State Only Operating Permit for the facility located in Saint Marys City, **Elk County**. The amendment incorporates the applicable requirements of plan approval 24-017D.

**27-00008: Industrial Timber & Lumber LLC** (23925 Commerce Park Road, Beachwood, OH 44122-5821) on March 25, 2015 the Department issued an administrative amendment to the State Only Operating Permit for the ITL Endeavor facility located in Hickory Township, **Forest County**. The amendment incorporates the change of ownership.

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**GP5-17-16: EXCO Resources (PA), LLC** (260 Executive Drive, Suite 100, Cranberry Township, PA 16066) on March 27, 2015, for the termination of a General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) issued April 3, 2013, for the Woytek Compressor Station located in Bell Township, **Clearfield County**. The company has removed the compressor engine and rendered the remaining sources inoperable. The general permit is terminated.

**GP5-08-351: Appalachia Midstream Services, LLC** (PO Box 54382, Oklahoma City, OK 73154-1382) on March 27, 2015, terminated the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5), issued October 21, 2011, for the construction and operation of five 131.3 MMscfs/day triethylene glycol dehydration units, each with flash tank and 2.0 MMBtus/hr reboiler, and eight 400-bbl pipeline fluids/water tanks at the Rush Compressor Facility located in Orwell Township, **Bradford County**, due to construction having not commenced within 18 months of issuance and a request for termination by the permittee. The general permit is terminated.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a).** The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

### Coal Permits Issued

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**56910701 and NPDES No. PA0213560 and GP12-56910701-R10. PBS Coals, Inc.,** (PO Box 260, Friedens, PA 15541). To renew the permit for the Job 10 Refuse in Brothersvalley and Somerset Townships, **Somerset County**. Includes renewal of Air Quality GPA/GP12 authorization. Approval is authorized under General Permit BAQ-GAP/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56910701-R10. No additional discharges. The application was considered administratively complete on October 17, 2012. Application received: February 27, 2012. Permit issued: March 18, 2015.



*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1900*

**Permit No. 32070109 and NPDES No. PA262536. Britt Energies, Inc.**, 2450 Philadelphia St., Indiana, PA 15701, permit renewal for reclamation only of a bituminous surface mine in Black Lick Township, **Indiana County** affecting 70.4 acres. Receiving streams: unnamed to/and Muddy Run to Blacklick Creek to Conemaugh River classified for the following uses: cold water fisher and trout stocked fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 7, 2014. Permit Issued: March 16, 2015.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**61100102. K & A Mining** (P. O. Box 288, Grove City, PA 16127) Renewal of an existing bituminous surface mine in Scrubgrass Township, **Venango County**, affecting 23.8 acres. Receiving streams: Unnamed tributaries to the Allegheny River. This renewal is issued for reclamation only. Application received: January 28, 2015. Permit Issued: March 27, 2015.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**14080102 and NPDES PA0256854. AMFIRE Mining Company, LLC** (One Energy Place, Latrobe, PA 15650). Permit renewal for the continued operation and restoration of an existing bituminous surface and auger mine located in Rush Township, **Centre County** affecting 173.4 acres. Receiving streams: Unnamed Tributaries to Moshannon Creek classified for Trout Stocked Fishes. There are no potable water supply intakes within 10 miles downstream. Application received: September 12, 2014. Permit issued: March 30, 2015.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570-621-3118*

**Permit No. 40-305-012GP12C. Coal Contractors (1991), Inc.**, (PO Box 39, Hazleton, PA 18201), modification of general operating permit to operate a coal preparation plant on Surface Mining Permit No. 40041601 in Hazle Township, **Luzerne County**. Application received: February 2, 2015. Correction issued: March 25, 2015.

**Permit No. 54-305-033GP12. Locust Valley Coal Co., Inc.**, (PO Box 279, St. Clair, PA 17970), general operating permit to operate a coal preparation plant on Skytop Coal, Inc., Surface Mining Permit No. 54840203 in Mahanoy Township, **Schuylkill County**. Application received: February 23, 2015. Permit issued: March 25, 2015.

**Permit No. 49990201R3. Black Diamond Mining, Inc.**, (PO Box 139, Elysburg, PA 17824), renewal of an existing anthracite coal refuse reprocessing operation in Mt. Carmel Township, **Northumberland County** affecting 124.86 acres, receiving stream: North Branch Shamokin Creek. Application received: October 28, 2014. Renewal issued: March 30, 2015.

**Permit No. 49990201GP104. Black Diamond Mining, Inc.**, (PO Box 139, Elysburg, PA 17824), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 49990201 in Mt. Carmel Township, **Northumberland County**, receiving stream: North Branch Shamokin Creek. Application received: October 28, 2014. Permit issued: March 30, 2015.

*Noncoal Permits Issued*

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**25010302-GP-104. A.C.A. Sand & Gravel, LLC** (19170 Route 89, P. O. Box 16, Cory, PA 16407) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 25010302 in Concord Township, **Erie County**. Application received: September 18, 2014. Permit Issued: March 26, 2015.

**37010301. Allegheny Mineral Corporation** (P. O. Box 1022, Kittanning, PA 16201) Revision to an existing large industrial minerals mine to add 8.0 acres in Slippery Rock Township, **Lawrence County**, for a total of 205.0 acres. Receiving streams: Slippery Rock Creek. Application received: August 29, 2014. Permit Issued: March 25, 2015.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**53152801. Jerome Eckert** (269 Rt 6 West, Galeton, PA 16922). Commencement, operation and restoration of a small noncoal (sandstone) operation in Roulette Township, **Potter County** affecting 2.0 acres. Receiving stream(s): Allegheny River. Application received: January 13, 2015. Permit issued: March 24, 2015.

**53152801GP-104. Jerome Eckert** (269 Rt 6 West, Galeton, PA 16922). General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMR GP-104) on Surface Mining Permit No. 53152801 in Roulette Township, **Potter County**. Receiving stream(s): Allegheny River. Application received: January 13, 2015. Permit issued: March 24, 2015.

**08090303 and NPDES PA0257192. DeCristo Inc.** (9070 Route 414, Canton, PA 17724). NPDES renewal for continue operation and reclamation of a large noncoal surface mining site located in Leroy Township, **Bradford County** affecting 71.5 acres. Receiving stream(s): Unnamed Tributary #1 to Towanda Creek for the following use(s): CWF and MF. Application received: January 5, 2015. Permit issued: March 26, 2015.

**08090305 and NPDES PA0257214. Johnson Quarries, Inc.** (P. O. Box 136, LeRaysville, PA 18829). NPDES renewal for continue operation and reclamation of a large noncoal surface mining site located in Wilmot Township, **Bradford County** affecting 53.55 acres. Receiving stream(s): Unnamed Tributary to Susquehanna River and Rocky Forest Creek classified for the following use(s): CWF and MF. Application received: January 23, 2015. Permit issued: March 26, 2015.

**59040301 and NPDES PA0243868. Jody Fisher dba Fisher Aggregate** (1658 Buckwheat Hollow Road, Lawrenceville, PA 16929). NPDES renewal for continue operation and reclamation of a large noncoal surface mining site located in Lawrence Township, **Tioga County** affecting 9.6 acres. Receiving stream(s): Daily Creek and Unnamed Tributary of the Tioga River classified for the following use(s): WWF. Application received: January 20, 2015. Permit issued: March 26, 2015.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 58140803. Ronald R. Carter, Jr.**, (PO Box 13, Dimock, PA 18816), commencement, operation and restoration of a quarry operation in Dimock Township, **Susquehanna County** affecting 5.0 acres, receiving stream: unnamed tributary to Burdick Creek. Application received: March 31, 2014. Permit issued: March 24, 2015.

**Permit No. 58140803GP104. Ronald R. Carter, Jr.**, (PO Box 13, Dimock, PA 18816), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54140803 in Dimock Township, **Susquehanna County**, receiving stream: unnamed tributary to Burdick Creek. Application received: March 31, 2014. Permit issued: March 24, 2015.

### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Issued*

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500*

**02154101. Wampum Hardware Co.** (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for the construction of the Royal Mile Corp II, located in Franklin Park Township, **Allegheny County** with an exploration date of December 31, 2015. Blasting permit issued: March 23, 2015.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, 570-621-3118*

**Permit No. 36154109. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Earl Martin chicken houses in West Earl Township, **Lancaster County** with an expiration date of December 30, 2015. Permit issued: March 25, 2015.

**Permit No. 58154108. MD Drilling & Blasting, Inc.**, (88 Goldledge Avenue, Suite 2, Auburn, NH 03032), construction blasting for Hillsdale Pipeline Project in Lathrop Township, **Susquehanna County** with an expiration date of March 10, 2016. Permit issued: March 25, 2015.

**Permit No. 58154109. Hayduk Enterprises, Inc.**, (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Moxley Pipeline in Harford Township, **Susquehanna County** with an expiration date of March 31, 2016. Permit issued: March 25, 2015.

**Permit No. 36154110. Maine Drilling & Blasting, Inc.**, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Project Marc in West Donegal Township, **Lancaster County** with an expiration date of March 25, 2016. Permit issued: March 26, 2015.

**Permit No. 09154107. Rock Work, Inc.**, (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Melsky Tract in Newtown Township, **Bucks County** with an expiration date of March 31, 2016. Permit issued: March 27, 2015.

**Permit No. 46154102. Maine Drilling & Blasting, Inc.**, (P. O. Box 1140, Gardiner, ME 04345), construction blasting for Mainland Square in Towamencin Township, **Montgomery County** with an expiration date of March 18, 2016. Permit issued: March 27, 2015.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water

Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E46-1111. Lower Merion Township**, 75 East Lancaster Avenue, Ardmore, PA 19003, Lower Merion Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a timber pedestrian bridge across Gully run (WWF, MF) having an approximate waterway opening of 20 feet wide by 4-feet high and measuring approximately 4-feet in length associated with the Gully Run Park access for various Veteran's Memorial events.

The site is located about 100 feet southeast of the intersection of Manayunk Road and Conshohocken State Road (Germantown, PA USGS Quadrangle Latitude: 40.01848; Longitude: -75.2447).



The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

**EA15-011/WL1515303. Red Clay Valley Association,** 1760 Unionville-Wawaset Road, West Chester, PA 19382, East Marlborough Township, **Chester County,** ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities along approximately 1,200 linear feet of an unnamed tributary to the East Branch Red Clay Creek (Perennial, TSF, MF):

1. Installation of in-stream stabilization structures including toe rock protection, toe willow fascines, root wads, rock cross vanes and rock j-hooks.
2. Installation of native riparian plantings for stabilization and enhancement efforts outside of the channel.
3. Installation of half-logs as fish habitat enhancement structures.
4. Temporary impacts to wetlands associated with the installation of various streambank stabilization techniques and grade control structures, including streambank grading and installation of rock and root wad structures.

The southern limit of the site is located at the intersection of North Walnut Road and Longwood Road (Kennett Square, PA USGS Quadrangles, Latitude 39.868889N; Longitude -75.7025W").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

*Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511*

**E66-159. Transcontinental Gas Pipeline Company,** 2800 Post Oak Boulevard, Houston, TX 77056. Falls and Eaton Townships, **Wyoming County,** Army Corps of Engineers Baltimore District.

To conduct geotechnical core borings in the Susquehanna River (WWF) to evaluate the feasibility of horizontal directional drilling methods for the proposed Atlantic Sunrise Pipeline Project. The project is located along SR 0092, 15.2 miles from the intersection of SR 0092 and US 11 (Centermoreland, PA Quadrangle Latitude: 41°28'49"; Longitude: -75°54'19"). Sub basin: 4G

*District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701*

**E5829-093: Jackson Township,** Susquehanna Gathering, LLC, 1429 Oliver Road, New Milford, PA 18834, Jackson Township, **Susquehanna County,** ACOE Baltimore District.

To construct, operate, and maintain:

1. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 4,050 square feet (0.09 acre) of a PSS wetland (Susquehanna, PA Quadrangle; Lat. 41° 53' 09" N., Long. -75° 34' 22" W.),
2. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber bridge crossing impacting 84 lineal feet of the South Branch of Canawacta Creek (CWF-MF) (Susquehanna, PA Quadrangle; Lat. 41° 53' 08" N., Long. -75° 34' 21" W.),

3. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 1,135 square feet (0.03 acre) of a PFO wetland (Susquehanna, PA Quadrangle; Lat. 41° 53' 08" N., Long. -75° 34' 21" W.),

4. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber mat crossing impacting 8,270 square feet (0.19 acre) of a PSS wetland (Susquehanna, PA Quadrangle; Lat. 41° 53' 07" N., Long. -75° 34' 20" W.),

5. a 12 inch diameter natural gas pipeline, 16 inch diameter water line, and temporary timber bridge crossing impacting 57 lineal feet of the South Branch of Canawacta Creek (CWF-MF) (Susquehanna, PA Quadrangle; Lat. 41° 53' 07" N., Long. -75° 34' 19" W.).

The Well Connect 51 Pipeline consists of a 12" gas gathering line and a 16" waterline all located within Jackson Township, Susquehanna County and connects the Range Unit 51 well site to the Bluestone Phase 2 pipeline. The project will result in 141 linear feet of temporary stream impacts and 13,445 square feet (0.31 acre) of wetland conversion impacts; all for the purpose of conveying Marcellus Shale natural gas to market.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-2 # ESX12-113-0037(02)

Applicant Name Appalachia Midstream Svcs LLC

Contact Person Robert Strauss

Address Suite 404

City, State, Zip Horseheads, NY 14845

County Sullivan

Township(s) Fox

Receiving Stream(s) and Classification(s) Fall Run,

Hoagland Branch, Shrader Creek Watersheds Trib

30422 & 30423 to Schrader Ck (EV, MF) Hoagland

Branch (EV, MF) Trib 20765 to Rock Run (EV, MF) Fall

- Run (EV) Trib 20079 & 20081 to Fall Run (EV, MF)  
Secondary—Schrader Creek, Elk Creek, Rock Run,  
Hoagland Branch, Fall Creek
- ESCGP-2 # ESX10-015-0028(01)  
Applicant Name Chesapeake Appalachia LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford  
Township(s) Troy  
Receiving Stream(s) and Classification(s) UNT Canfield  
Run, Canfield Run (TSF, MF)  
Secondary—Sugar Creek (TSF, MF)
- ESCGP-2 # ESX10-015-0017(02)  
Applicant Name Chesapeake Appalachia LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford  
Township(s) Wyalusing  
Receiving Stream(s) and Classification(s) Surface drain-  
age to Brewer Creek to Wyalusing Creek (WWF, MF)  
UNT to Susquehanna River (WWF, MF)  
Secondary—Wyalusing Creek (WWF, MF) Susquehanna  
River (WWF, MF)
- ESCGP-2 # ESX29-015-15-0005  
Applicant Name Chesapeake Appalachia LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford  
Township(s) Terry  
Receiving Stream(s) and Classification(s) UNT to  
Susquehanna River (CWF, MF)  
Secondary—Susquehanna River (CWF, MF)
- ESCGP-2 # ESX10-115-0005(01)  
Applicant Name Chesapeake Appalachia LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Susquehanna  
Township(s) Auburn  
Receiving Stream(s) and Classification(s) Surface Drain-  
age to UNT to Little Meshoppen Ck (CWF)  
Secondary—Little Meshoppen Ck (CWF)
- ESCGP-2 # ESX12-117-0031(03)  
Applicant Name PVR Marcellus Gas Gathering LLC  
Contact Person Kevin Roberts  
Address 101 W Third St  
City, State, Zip Williamsport, PA 17701  
County Lycoming, Tioga & Bradford  
Township(s) Jackson, Liberty and Union, & Canton  
Receiving Stream(s) and Classification(s) UNT Roaring  
Branch, Roaring Branch, Little Elk Run, UNT Brion  
Ck, Brion Ck, UNT Salt Spring Run, French Lick Run,  
UNT French Lick Run, West Mill Ck, Mill Ck, Sugar  
Works Run, UNT Lycoming Ck, Towanda Ck (HQ, EV,  
CWF)
- ESCGP-2 # ESX10-015-0080(01)  
Applicant Name Chesapeake Appalachia LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford  
Township(s) Troy  
Receiving Stream(s) and Classification(s) Surface Drain-  
age to UNT to Canfield Run & Mud Creek, Tribs to
- Sugar Creek (Siltation Impaired, TSF, MF)  
Secondary—Sugar Creek (Siltation Impaired, TSF, MF)
- ESCGP-2 # ESX09-015-0056(02)  
Applicant Name Chesapeake Appalachia LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford  
Township(s) Albany  
Receiving Stream(s) and Classification(s) Sugar Run  
(CWF-MF)  
Secondary—Susquehanna River (WWF-MF)
- ESCGP-2 # ESX12-081-0033(01)  
Applicant Name Anadarko Marcellus Midstream LLC  
Contact Person Rane Wilson  
Address 33 W Third St, Suite 200  
City, State, Zip Williamsport, PA 17701  
County Lycoming  
Township(s) Cummings & McHenry  
Receiving Stream(s) and Classification(s) UNT to Browns  
Run (HQ), Browns Run (HQ), UNT to Zink Fork (HQ),  
Zink Fork (HQ)  
Secondary—Pine Bottom Run (HQ), Pine Creek (HQ)
- ESCGP-2 # ESX10-015-0090(01)  
Applicant Name Eric Haskins  
Contact Person Chesapeake Appalachia LLC  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford  
Township(s) Asylum  
Receiving Stream(s) and Classification(s) Surface drain-  
age to UNT to Susquehanna River (WWF, MF)  
Secondary—Susquehanna River (WWF, MF)
- ESCGP-2 # ESX09-015-0076(01)  
Applicant Name Eric Haskins  
Contact Person Chesapeake Appalachia LLC  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
County Bradford  
Township(s) Herrick  
Receiving Stream(s) and Classification(s) Surface drain-  
age to Totem Lake; Trib to Camps Creek; Trib to  
Wyalusing Creek (WWF)  
Secondary—Wyalusing Creek (WWF)
- Southwest Region: Oil & Gas Program Mgr. 400 Water-  
front Dr., Pittsburgh, PA*
- ESCGP-2 No: ESX13-125-0063 Major Revision  
Applicant Name: Rice Energy B LLC  
Contact Person Tonya Winkler  
Address: 400 Woodcliff Drive  
City: Canonsburg State: PA Zip Code: 15317  
County: Washington Township: Somerset  
Receiving Stream(s) and Classifications: UNT to South  
Branch Pigeon Creek; Other WWF
- ESCGP-2 No.: ESG14-059-0058  
Applicant Name: PA Land Resources LLC DBA P L  
Resources LLC  
Contact Person: Nick Mongelluzzo  
Address: PO Box 247  
City: Waynesburg State: PA Zip Code: 15370  
County: Greene Township(s): Center  
Receiving Stream(s) and Classifications: Pursley Creek/  
Tenmile Creek; Maple Run/Tenmile Creek; HQ
- ESCGP-2 No.: ESG14-125-0086  
Applicant Name: EQT Gathering LLC  
Contact Person: Brian M Clauto  
Address: 455 Racetrack Road

City: Washington State: PA Zip Code: 15301  
 County: Washington Township(s): Nottingham and Somerset

Receiving Stream(s) and Classifications: Mingo Creek and North Branch Pigeon Creek; HQ; Other WWF

ESCGP-2 No.: ESX14-125-0078

Applicant Name: Rice Drilling B LLC

Contact Person: Joseph C Mallow

Address: 171 Hillpointe Drive Suite 301

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Somerset and West Pike Run

Receiving Stream(s) and Classifications: (3) UNT to Pigeon Creek/Monongahela; (2) UNT to Pike Run/Monongahela; Pike Run/Monongahela; Other WWF & TSF

ESCGP-2 No.: ESX13-003-0014 Major Revision

Applicant Name: Cone Gathering LLC

Contact Person: Carol Phillips

Address: 200 Evergreene Drive

City: Waynesburg State: PA Zip Code: 15370

COUNTY Allegheny Township(s): Findlay

Receiving Stream(s) and Classifications: McClarens Run, tributaries to McClarens Run, Montour Run, tributaries to Montour Run, North Fork Montour Run, tributaries to North Fork Montour Run/Ohio River Watershed—see Appendix B for additional receiving waters; Other Trout Stocked Fisheries (TSF); Siltation-Impaired

ESCGP-2 No.: ESG14-059-0034

Applicant Name: EQT Production Company

Contact Person: Todd Klaner

Address: 455 Racetrack Road

City: Washington State: PA Zip Code: 15301

County: Greene Township(s): Morris

Receiving Stream(s) and Classifications: UNT to Browns Creek; HQ; Other HQ-WWF

ESCGP-2 No.: ESX15-051-0001

Applicant Name: Chevron Appalachia LLC

Contact Person: Branden Weimer

Address: 800 Mountain View Drive

City: Smithfield State: PA Zip Code 15478

County: Fayette Township(s): Redstone

Receiving Stream(s) and Classifications: Trib 39955 to Rowes Run/Rowes Run; Other WWF

ESCGP-2 No.: ESX14-125-0085

Applicant Name: Range Resources Appalachia LLC

Contact Person: Glenn D Truzzi

Address: 3000 Town Center Boulevard

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Amwell

Receiving Stream(s) and Classifications: Unt to Little Tenmile Creek (TSF)/Tenmile Creek Watershed; Other TSF; Siltation-Impaired

ESCGP-2 No.: ESG14-059-0067

Applicant Name: CONE Gathering LLC

Contact Person: Carol Phillips

Address: 200 Evergreene Drive

City: Waynesburg State: PA Zip Code: 15370

County: Greene Township(s): Center and Richhill

Receiving Stream(s) and Classifications: West Run, Tributaries of West Run, Scott Run, Tributaries of Scott Run, Morris Run, Tributaries of Morris Run, Grays Fork, Maranda Run, Tributaries of Maranda Run, Jacobs Run, Tributaries of Jacobs Run, Tributaries of South Fork Tenmile Creek, and Tributaries of Claylick Run/Monongahela Watershed; HQ; Other Warm Water Fisheries (WWF)

ESCGP-2 NO.: ESX13-059-0007 Major Revision

Applicant Name: EQT Gathering LLC

CONTACT PERSON: Adam Tobia

ADDRESS: 625 Liberty Avenue, Suite 1700

City: Pittsburgh State: PA Zip Code: 15222

County: Greene Township(s): Morgan

Receiving Stream(s) and Classifications: UNT to Castile Run (WWF) and UNT to Tenmile Creek (TSF); Other (WWF, TSF)

ESCGP-2 NO.: ESG14-125-0060

Applicant Name: MarkWest Liberty Midstream & Resources LLC

CONTACT: Rick Lowry

ADDRESS: 4600 J Barry Court Suite 500

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Independence

Receiving Stream(s) and Classifications: UNTs to Sugarcamp Run, Sugarcamp Run, UNTs to Indian Camp Run, Indian Camp Run, UNTs to Welch Run, Welch Run, UNTs to Narigan Run; HQ

---

## SPECIAL NOTICES

---

### Intent to Issue Plan Approval—IPAOP

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543, Contact: Edward Wiener, Chief of Source Registration at 215-685-9426.*

**AMS 14349: Thomas Jefferson University**, 214 S. 11th Street, Philadelphia, PA 19145 for installation of the following: (4) emergency generators greater than 500 HPs and two (2) emergency generators less than 350 HPs in the City of Philadelphia, **Philadelphia County**. After the installation, there will be a potential increase of 3.1 tpy of NO<sub>x</sub>. The Plan Approval will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

### Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of March 2015 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).



## NOTICES

1901

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Mark Achuff	101 S. Broad St., Ste. 100 Lansdale, PA 19446	Testing & Mitigation
James Andrews	353 Loveville Rd. Warriors Mark, PA 16877	Mitigation
James Budzeak	201 Penn Center Blvd., Ste. 400 Pittsburgh, PA 15235	Mitigation
David Clemens	51 Rim View Ln. Shillington, PA 19607	Testing & Mitigation
Rex Crowl Miller Radon Services	PO Box 603 Shamokin, PA 17872	Testing & Mitigation
Jim Dombrowski	PO Box 8105 Erie, PA 16505	Testing
David Freeman	110 Ingrid Ct. Sarver, PA 16055	Testing
Scott Hagan	78 Hamilton Dr. Abbottstown, PA 17301	Testing
Russell Heiges	351 Big Oak Rd. Dillsburg, PA 17019	Testing
Shawn Heisse	2311 Liberty Dr. Langhorne, PA 19047	Testing
James Hetrick	766 Magaro Rd. Enola, PA 17025	Mitigation
Corwin Jackson	7100 Akron St. Philadelphia, PA 19149	Testing
James Klug	114 Oxford St. Hanover Twp., PA 18706	Testing
Ludwig Kubli	1090 Aerie Dr. N. Huntingdon, PA 15642	Testing
Ronald Kuntz	PO Box 174 Alexandria, PA 16611	Testing
Stephanie Lamb Hillman Consulting, LLC	1600 Rt. 22 E Union, NJ 07083	Testing
Edward Lampl	462 Biddle Ave. Pittsburgh, PA 15221	Testing
Thomas Laurito	6006 Forest Dr. Monaca, PA 15061	Testing
Joshua Lindner	240 Colfax St. Springdale, PA 15144	Testing
M. Webster Construction, Inc.	805 Pershing St. Lebanon, PA 17046	Mitigation
Jon Melvin	1024 Ledgeview Dr. W Pittston, PA 18643	Testing
Chase Millard	634 Pine St. Philadelphia, PA 19106	Testing
Tuan Nguyen American Radon Solutions, Inc.	3537 Hartzdale Dr., Ste. A Camp Hill, PA 17011	Mitigation
Michael Nowicki Steel City Radon	1223 Southgate Dr. Upper St. Clair, PA 15241	Mitigation
Andrew Nyveldt	27 Mount Carmel St. Roseto, PA 18013	Testing
Robert Petrillo	140 Northpoint Dr. Olyphant, PA 18447	Testing
Garrett Ray EMSL Analytical, Inc.	200 Route 130 N Cinnaminson, NJ 08077	Laboratory Analysis
Steve Seherlis	63 Gradyville Rd. Glen Mills, PA 19342	Testing



<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Robert Ulm	543 Twele Rd. Greenock, PA 15047	Testing
Michael R. Webster	805 Pershing St. Lebanon, PA 17046	Testing & Mitigation
John Wechter	72 Gristmill Ln. Linfield, PA 19468	Testing
Brian Wentz	6235 Warren Ave. Harrisburg, PA 17112	Testing
Chris Willig	4 Theresa Dr. Conestoga, PA 17516	Testing

### Drinking Water State Revolving Fund Special Notice

#### Special Notice Under the federal Safe Drinking Water Act (SDWA) (42 U.S.C.A. § 300f, et. seq.)

*Southwest Region: Water Supply Management Program  
Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-  
4745*

*Project Location:*

<i>Applicant</i>	<i>Applicant Address</i>	<i>County</i>
Indiana County Municipal Services Authority	602 Kolter Drive, Indiana, PA 15701	Indiana

*Project Description:* The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. Indiana County Municipal Services Authority proposes an interconnection with the Alverda Water Association which includes extending water mains from Brownstown to Alverda, and replacing the existing Alverda water mains. The project also involves metering the 52 Alverda customers plus the new 65 customers that would be picked up in extending the water main from Brownstown to Alverda. The project also will involve replacing the ICMSA Brownstown Storage Tank, which is in need of major rehabilitation. The project also includes integrating the East Green Township Water System (Uniontown) into the ICMSA's Cherry Tree Water System where 40 customers are currently served by a well developed by the coal company. The Department's review of the project and the information received in the Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby approves the Environmental Assessment.

*Project Location:*

<i>Applicant</i>	<i>Applicant Address</i>	<i>County</i>
Jefferson Township Water and Sewer Authority	786 Mountain View Road Somerset, PA 15501	Somerset

*Project Description:* The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. Jefferson Township Water and Sewer Authority will construct a new water system which will provide potable water for 108 customers in the Village of Bakersville. The project includes the installation of 11,200 feet of 10-inch water transmission main,

7,500 feet of 6-inch waterline, a valve vault, customer service connections and an interconnection with the Municipal Authority of the Borough of Somerset; and construction of the 200,000 gallon water storage tank their new public water supply system.

*Project Location:*

<i>Applicant</i>	<i>Applicant Address</i>	<i>County</i>
Ford City Borough	1000 4th Avenue PO Box 112 Ford City, PA 16226	Armstrong

*Project Description:* The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The project includes the construction of new building, installation of two water softener units, two reverse osmosis units, chemical addition system to replace the gas chlorination system with liquid sodium hypochlorite system, water meters, rehabilitation work associated with the ground water sources and an emergency generator. It should be noted that the existing WTP plant will be decommissioned/abandoned once the new plant is operational

#### Water Quality Certification under Section 401 of the Federal Clean Water Act for the Transcontinental Gas Pipe Line Company, LLC—Rock Springs Expansion Project; DEP File No. EA 36-034

On June 23, 2014, Transcontinental Gas Pipe Line Company, LLC (Transco) filed an application with the Federal Energy Regulatory Commission (FERC) in Docket No. CP14-504-000 under Section 7(b) and (c) of the Natural Gas Act (NGA) for the purpose of obtaining a Certificate of Public Convenience and Necessity (Certificate) to construct, own, and operate the Transco Rock Springs Expansion Project located in Lancaster County, Pennsylvania and Cecil County, Maryland. The proposed Rock Springs Expansion Project facilities in Pennsylvania would consist of approximately 10.14 miles of new 20-inch diameter natural gas pipeline in Drumore and Fulton Townships, Lancaster County and the modification of an existing compressor station in East Whiteland Township, Chester County.

On July 15, 2014, Transco submitted a request for Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C. § 1341) for the Rock Springs Expansion Project to the Pennsylvania Department of Environmental Protection (PADEP).

The purpose of the Rock Springs Expansion Project is to deliver natural gas from Transco's existing mainlines "A" and "B" to the proposed Old Dominion Electric

Cooperative's (ODEC) Wildcat Point Generating Facility, located in Cecil County, Maryland, for power generation.

Modification to one existing compressor station, Compressor Station 200 in East Whiteland Twp., Chester Co., PA, is proposed to allow for bi-directional flow along Transco's existing mainline system.

The Rock Springs Expansion Project also includes various aboveground facilities, including pig launchers, piping, and valves that would be constructed to support the pipeline system expansion and compressor station modification in Pennsylvania.

Pursuant to Section 401 of the Clean Water Act (33 U.S.C. § 1341), the PADEP, by this notice, proposes to certify that the construction, operation and maintenance of the Rock Springs Expansion Project complies with the applicable provisions of the Clean Water Act, through compliance with the following State water quality permitting programs, criteria and conditions established pursuant to Pennsylvania's Clean Stream Law (35 P.S. §§ 691.1—691.1001), which ensure the Project does not violate applicable water quality standards set forth in 25 Pa. Code Chapter 93:

1. *Discharge Permit*—Transco shall obtain and comply with a PADEP National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the Rock Springs Expansion Project pipeline pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—Transco shall obtain and comply with PADEP's Chapter 102 Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment (ESCGP-2 permit) for the Rock Springs Expansion Project issued pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17) and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Transco shall obtain and comply with a PADEP Chapter 105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the Rock Springs Expansion Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.) and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Transco.

5. *Operation*—For the Rock Springs Expansion Project under this certification, Transco shall at all times properly operate and maintain all Rock Springs Expansion Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this Certification and all required permits. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Transco.

6. *Inspection*—The Rock Springs Expansion Project, including all relevant records, are subject to inspection at

reasonable hours and intervals by an authorized representative of PADEP to determine compliance with this Certification, including all required permits required, and Pennsylvania's Water Quality Standards. A copy of this Certification shall be available for inspection by the PADEP during such inspections of the Rock Springs Expansion Project.

7. *Transfer of Projects*—If Transco intends to transfer any legal or equitable interest in the Rock Springs Expansion Project which is affected by this Certification, Transco shall serve a copy of this Certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the applicable PADEP Regional Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of Certification responsibility, coverage, and liability between them.

8. *Correspondence*—All correspondence with and submissions to PADEP concerning this Certification shall be addressed to the Department of Environmental Protection, South-central Regional Office, Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

9. *Reservation of Rights*—PADEP may suspend or revoke this Certification if it determines that Transco has not complied with the terms and conditions of this Certification. PADEP may require additional measures to achieve compliance with applicable law, subject to Transco's applicable procedural and substantive rights.

10. *Other Laws*—Nothing in this Certification shall be construed to preclude the institution of any legal action or relieve Transco from any responsibilities, liabilities, or penalties established pursuant to any applicable federal or state law or regulation.

11. *Severability*—The provisions of this Certification are severable and should any provision of this Certification be declared invalid or unenforceable, the remainder of the Certification shall not be affected thereby.

The Environmental Assessment prepared by FERC may be viewed on FERC's website at [www.ferc.gov](http://www.ferc.gov) under the Docket No. CP14-504-000.

Prior to final action on the proposed section 401 Water Quality Certification, consideration will be given to any comments, suggestions or objections which are submitted in writing within 30 days of this notice. Comments concerning the proposed 401 Water Quality Certification should be directed to Mr. Scott Williamson, South-central Region Waterways and Wetlands Program Manager at the above address or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD). Comments must be submitted in writing and contain the name, address and telephone number of the person commenting and a concise statement of comments, objections or suggestions on this proposal. No comments submitted by facsimile will be accepted. The Department will consider all relevant and timely comments received.

[Pa.B. Doc. No. 15-669. Filed for public inspection April 10, 2015, 9:00 a.m.]

# DEPARTMENT OF GENERAL SERVICES

## Lease Office Space to the Commonwealth Beaver County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Beaver County. Downtown locations will be considered. For more information on SFP No. 94718, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-670. Filed for public inspection April 10, 2015, 9:00 a.m.]

## Lease Office Space to the Commonwealth Blair County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Blair County. Downtown locations will be considered. For more information on SFP No. 94719, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-671. Filed for public inspection April 10, 2015, 9:00 a.m.]

## Lease Office Space to the Commonwealth Carbon County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Carbon County. Downtown locations will be considered. For more information on SFP No. 94720, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-672. Filed for public inspection April 10, 2015, 9:00 a.m.]

## Lease Office Space to the Commonwealth Centre County

Proposers are invited to submit proposals to the Department of General Services to provide the Department

of Health with 999 usable square feet of office space in Centre County. Downtown locations will be considered. For more information on SFP No. 94721, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-673. Filed for public inspection April 10, 2015, 9:00 a.m.]

## Lease Office Space to the Commonwealth Columbia County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Columbia County. Downtown locations will be considered. For more information on SFP No. 94722, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-674. Filed for public inspection April 10, 2015, 9:00 a.m.]

## Lease Office Space to the Commonwealth Fulton County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Fulton County. Downtown locations will be considered. For more information on SFP No. 94723, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-675. Filed for public inspection April 10, 2015, 9:00 a.m.]

## Lease Office Space to the Commonwealth Mifflin County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Mifflin County. Downtown locations will be considered. For more information on SFP No. 94724, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-676. Filed for public inspection April 10, 2015, 9:00 a.m.]



**Lease Office Space to the Commonwealth  
Northampton County or Lehigh County**

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Revenue with 8,508 usable square feet of office space in Northampton County or Lehigh County. Downtown locations will be considered. For more information on SFP No. 94717, which is due on May 25, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-677. Filed for public inspection April 10, 2015, 9:00 a.m.]

**Lease Office Space to the Commonwealth  
Potter County**

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Potter County. Downtown locations will be considered. For more information on SFP No. 94725, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-678. Filed for public inspection April 10, 2015, 9:00 a.m.]

**Lease Office Space to the Commonwealth  
Schuylkill County**

Proposers are invited to provide the Department of General Services with 8,868 usable square feet of office space for the State Police in Schuylkill County. For more information on SFP No. 94716, which is due on Friday, May 22, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact David Weyandt, (717) 525-5255, [daweyandt@pa.gov](mailto:daweyandt@pa.gov).

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-679. Filed for public inspection April 10, 2015, 9:00 a.m.]

**Lease Office Space to the Commonwealth  
Somerset County**

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Health with 999 usable square feet of office space in Somerset County. Downtown locations will be considered. For more information on SFP No. 94726, which is due on April 30, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-680. Filed for public inspection April 10, 2015, 9:00 a.m.]

**Lease Office Space to the Commonwealth  
Wayne County**

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Human Services with 7,643 usable square feet of office space in Wayne County. Downtown locations will be considered. For more information on SFP No. 94714, which is due on May 28, 2015, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact Pete Kafkalas, Bureau of Real Estate, (717) 525-5231, [pkafkalas@pa.gov](mailto:pkafkalas@pa.gov).

CURTIS M. TOPPER,  
*Acting Secretary*

[Pa.B. Doc. No. 15-681. Filed for public inspection April 10, 2015, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Application for Exception to 28 Pa. Code § 107.26(b)(3)

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 107.26(b)(3) (relating to additional committees):

Kane Community Hospital  
Magee-Womens Hospital of UPMC Health System  
UPMC Altoona  
UPMC Bedford  
UPMC East  
UPMC Hamot  
UPMC Horizon  
UPMC McKeesport  
UPMC Mercy  
UPMC Northwest  
UPMC Passavant/Cranberry  
UPMC Presbyterian Shadyside  
UPMC St. Margaret

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-682. Filed for public inspection April 10, 2015, 9:00 a.m.]



### Application of Abington Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Abington Memorial Hospital has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemptions from the following standards contained in this publication: 2.6-2.2.2.7 and 2.6-2.3.1.1 (relating to patient bathing facilities; and dining, recreation and day spaces).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-683. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of Geisinger Medical Center, Geisinger Outpatient Surgery for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Medical Center, Geisinger Outpatient Surgery has requested an exception to the requirements of 28 Pa. Code § 551.22(3)(i) and (ii) (relating to criteria for performance of ambulatory surgery on pediatric patients), regarding accreditation of training and certification respectively.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-684. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of Hospital of the University of Pennsylvania Reproductive Surgical Facility for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hospital of the University of Pennsylvania Reproductive Surgical Facility has requested an exception to the requirements of subparagraph (ii) of the definition of "classification levels" in 28 Pa. Code § 551.3 (relating to definitions), regarding Class B facilities and PS III patients.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-685. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of JC Blair Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that JC Blair Memorial Hospital has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.6.1, 3.1-3.6.6.1, 3.1-3.6.6.2, 2.2-

3.4.6.6(1), 2.2-3.4.6.6(2), 3.1-6.3.5.1, 3.1-6.3.5.2, 2.2-3.4.2.1(1)(b), 2.2-3.4.4.2(2), 2.2-3.4.4.7, 2.2-3.4.5.4(1), 2.2-3.4.5.4(2) and 2.2-3.4.6.3.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-686. Filed for public inspection April 10, 2015, 9:00 a.m.]

---

### Application of Jefferson Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jefferson Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-687. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of Lehigh Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital has requested an exception to the requirements of 28 Pa. Code § 571.2(d) (relating to modifications to HHS requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-688. Filed for public inspection April 10, 2015, 9:00 a.m.]

---

### Application of Reading Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Reading Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.2-3.6.3.4 (relating to patient uptake/cool-down rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-689. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of St. Mary Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Mary Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.2-3.2.2.7 (relating to shower rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-690. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of Tyrone Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Tyrone Hospital has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemptions from the following standards contained in this publication: 3.1-3.2.3.3, 3.1-7.2.2.1 and 3.1-7.2.2.3 (relating to hand-washing stations; corridor widths; and doors and door hardware).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of

Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-691. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of UPMC Horizon for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Horizon has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemptions from the following standards contained in this publication: Table 2.1-4 Station Outlets for Oxygen, Vacuum (Suction) and Medical Air Systems in Hospitals and 2.2-3.1.3.6(2)(a) (relating to hospital emergency department exam/treatment rooms; and space requirements), regarding hand-washing stations.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-692. Filed for public inspection April 10, 2015, 9:00 a.m.]



### Application of UPMC Presbyterian Shadyside for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Presbyterian Shadyside has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-3.2.2.2(5) (relating to room features), regarding hand-washing stations.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-693. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Application of York Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that York Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 3.1-3.6.10 (relating to soiled holding rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-694. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Broomall Manor  
43 Church Lane  
Broomall, PA 19008-2503  
FAC ID # 023102

Margaret E. Moul Home  
2050 Barley Road  
York, PA 17404  
FAC ID # 292402

Twin Pines Health Care Center  
315 East London Grove Road  
West Grove, PA 19390  
FAC ID # 032102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(h) (relating to prevention, control and surveillance of tuberculosis (TB)):

Margaret E. Moul Home  
2050 Barley Road  
York, PA 17404  
FAC ID # 292402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.31 (relating to storage):

Whitestone Care Center  
370 White Stone Corner Road  
Stroudsburg, PA 18360  
FAC ID # 22480201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommoda-



tion to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-695. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Special Pharmaceutical Benefits Program Advisory Council Public Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. § 300ff-26), will hold a public meeting on Thursday, April 30, 2015, from 10 a.m. to 3 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information contact John Haines, Special Pharmaceutical Benefits Program, Bureau of Communicable Diseases, Department of Health, Room 611, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (800) 922-9384.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should also contact John Haines at the previously listed number or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

KAREN M. MURPHY, PhD, RN,  
*Acting Secretary*

[Pa.B. Doc. No. 15-696. Filed for public inspection April 10, 2015, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting on Wednesday, April 22, 2015, at 10 a.m. at the Department of Labor and Industry, E-100, 651 Boas Street, Harrisburg, PA 17121

Additional information concerning the meeting may be found on the Department of Labor and Industry web site at [www.dli.state.pa.us](http://www.dli.state.pa.us). Scroll down and click on the link for "Uniform Construction Code" then "UCC Review and Advisory Council."

Questions concerning this meeting may be directed to Joseph P. Marchioni, Jr. at (717) 783-6304.

KATHY MANDERINO,  
*Acting Secretary*

[Pa.B. Doc. No. 15-697. Filed for public inspection April 10, 2015, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Buckets of Cash Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Buckets of Cash.

2. *Price:* The price of a Pennsylvania Buckets of Cash instant lottery game ticket is \$1.

3. *Play Symbols:* Each Pennsylvania Buckets of Cash instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area are: Bee (BEE) symbol, Flower (FLOWER) symbol, Fishing Pole (POLE) symbol, Lemonade (LMNADE) symbol, Kite (KITE) symbol, Soda (SODA) symbol, Sun (SUN) symbol, Tree (TREE) symbol, Cloud (CLOUD) symbol, Ant (ANT) symbol, Fistful of Cash (FISTFUL) symbol and an Umbrella (UMBRLA) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: FREE (TICKET), \$1<sup>00</sup> (ONE DOL), \$2<sup>00</sup> (TWO DOL), \$4<sup>00</sup> (FOR DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$20<sup>00</sup> (TWENTY), \$25<sup>00</sup> (TWY FIV), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$25, \$50, \$100, \$500 and \$5,000. The player can win up to 5 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,000,000 tickets will be printed for the Pennsylvania Buckets of Cash instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$5,000 (FIV THO) in the "prize" area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$500 (FIV HUN) in the "prize" area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$100 (ONE HUN) in the "prize" area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with an Umbrella (UMBRLA) symbol in the play area and a prize symbol of \$20<sup>.00</sup> (TWENTY) in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$50<sup>.00</sup> (FIFTY) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$50.

(f) Holders of tickets with an Umbrella (UMBRLA) symbol in the play area and a prize symbol of \$10<sup>.00</sup> (TEN DOL) in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$25<sup>.00</sup> (TWY FIV) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$25.

(h) Holders of tickets with an Umbrella (UMBRLA) symbol in the play area and a prize symbol of \$5<sup>.00</sup> (FIV DOL) in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$25.

(i) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$20<sup>.00</sup> (TWENTY) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets with an Umbrella (UMBRLA) symbol in the play area and a prize symbol of \$2<sup>.00</sup> (TWO DOL) in three of the “prize” areas, a prize symbol of \$10<sup>.00</sup> (TEN DOL) in one of the “prize” areas, and a prize symbol of \$4<sup>.00</sup> (FOR DOL) in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets with an Umbrella (UMBRLA) symbol in the play area and a prize symbol of \$4<sup>.00</sup> (FOR DOL) in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$10<sup>.00</sup> (TEN DOL) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets with an Umbrella (UMBRLA) symbol in the play area and a prize symbol of \$2<sup>.00</sup> (TWO DOL) in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$5<sup>.00</sup> (FIV DOL) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$5.

(o) Holders of tickets with an Umbrella (UMBRLA) symbol in the play area and a prize symbol of \$1<sup>.00</sup> (ONE DOL) in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$4<sup>.00</sup> (FOR DOL) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$4.

(q) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$2<sup>.00</sup> (TWO DOL) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$2.

(r) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of \$1<sup>.00</sup> (ONE DOL) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of \$1.

(s) Holders of tickets with a Fistful of Cash (FISTFUL) symbol in the play area and a prize symbol of FREE (TICKET) in the “prize” area under that Fistful of Cash (FISTFUL) symbol, on a single ticket, shall be entitled to a prize of one Pennsylvania Buckets of Cash instant game ticket or one Pennsylvania Lottery instant game ticket with a \$1 sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Reveal A “FISTFUL OF CASH” (FISTFUL) Symbol, Win Prize Shown Under That Symbol. Win With:

Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 12,000,000 Tickets
FREE	FREE \$1 TICKET	1,200,000
\$1	\$1	160,000
\$1 × 2	\$2	320,000
\$2	\$2	320,000
\$1 × 4	\$4	60,000
\$2 × 2	\$4	40,000
(\$1 × 2) + \$2	\$4	60,000
\$4	\$4	40,000
UMBRELLA w/ (\$1 × 5)	\$5	120,000
(\$1 × 3) + \$2	\$5	40,000
\$5	\$5	40,000
UMBRELLA w/ (\$2 × 5)	\$10	60,000
(\$4 × 2) + \$2	\$10	28,000
\$10	\$10	12,000
UMBRELLA w/ (\$4 × 5)	\$20	16,000
UMBRELLA w/ ((\$2 × 3) + \$10 + \$4)	\$20	12,000
\$5 × 4	\$20	8,000

Reveal A "FISTFUL OF CASH" (FISTFUL) Symbol, Win Prize Shown Under That Symbol. Win With:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 12,000,000 Tickets
\$20	\$20	3,000	4,000
UMBRELLA w/ (\$5 × 5)	\$25	2,400	5,000
(\$5 × 3) + \$10	\$25	2,400	5,000
(\$10 × 2) + \$5	\$25	2,400	5,000
\$25	\$25	2,400	5,000
UMBRELLA w/ (\$10 × 5)	\$50	2,400	5,000
\$25 × 2	\$50	6,000	2,000
(\$10 × 2) + (\$5 × 2) + \$20	\$50	6,000	2,000
\$50	\$50	12,000	1,000
UMBRELLA w/ (\$20 × 5)	\$100	12,000	1,000
\$25 × 4	\$100	60,000	200
(\$20 × 2) + (\$5 × 2) + \$50	\$100	16,000	750
\$100	\$100	60,000	200
\$100 × 5	\$500	82,192	146
\$500	\$500	77,922	154
\$5,000	\$5,000	480,000	25

Reveal an "UMBRELLA" (UMBRLA) symbol, win all 5 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Buckets of Cash instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Buckets of Cash, prize money from winning Pennsylvania Buckets of Cash instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Buckets of Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State

Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Buckets of Cash or through normal communications methods.

EILEEN H. McNULTY,  
*Acting Secretary*

[Pa.B. Doc. No. 15-698. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Pennsylvania Wild Cherries Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Wild Cherries.

2. *Price:* The price of a Pennsylvania Wild Cherries instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Wild Cherries instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), Cherry (CHRY) symbol and a WILD (WILD) symbol.



4. *Prize Symbols:* The prize symbols and their captions located in the "prize" areas are: \$2.<sup>00</sup> (TWO DOL), \$4.<sup>00</sup> (FOR DOL), \$5.<sup>00</sup> (FIV DOL), \$10.<sup>00</sup> (TEN DOL), \$20.<sup>00</sup> (TWENTY), \$25.<sup>00</sup> (TWY FIV), \$50.<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO) and \$25,000 (TWYFIVTHO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$25, \$50, \$100, \$250, \$500, \$1,000 and \$25,000. The player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,800,000 tickets will be printed for the Pennsylvania Wild Cherries instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$25,000 (TWYFIVTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WILD (WILD) symbol and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears in all ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$250 (TWOHUNFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$250.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WILD (WILD) symbol and a prize symbol of \$25.<sup>00</sup> (TWY FIV) appears in all ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$250.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cherry (CHRY) symbol and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that Cherry (CHRY) symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WILD (WILD) symbol and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in all ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cherry (CHRY) symbol and a prize symbol of \$50.<sup>00</sup> (FIFTY) appears in the "prize" area under that Cherry (CHRY) symbol, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WILD (WILD) symbol and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in all ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$25.<sup>00</sup> (TWY FIV) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cherry (CHRY) symbol and a prize symbol of \$20.<sup>00</sup> (TWENTY) appears in the "prize" area under that Cherry (CHRY) symbol, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a WILD (WILD) symbol and a prize symbol of \$2.<sup>00</sup> (TWO DOL) appears in all ten of the "prize" areas, shall be entitled to a prize of \$20.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cherry (CHRY) symbol and a prize symbol of \$10.<sup>00</sup> (TEN DOL) appears in the "prize" area under that Cherry (CHRY) symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cherry (CHRY) symbol and a prize symbol of \$5.<sup>00</sup> (FIV DOL) appears in the "prize" area under that Cherry (CHRY) symbol, on a single ticket, shall be entitled to a prize of \$5.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$4.<sup>00</sup> (FOR DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.



(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cherry (CHRY) symbol and a prize symbol of \$4.<sup>00</sup> (FOR DOL) appears in the "prize" area under that Cherry (CHRY) symbol, on a single ticket, shall be entitled to a prize of \$4.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$2.<sup>00</sup> (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cherry (CHRY) symbol and a prize symbol of \$2.<sup>00</sup> (TWO DOL) appears in the "prize" area under that Cherry (CHRY) symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

*When Any Of Your Numbers Match  
Either Winning Number, Win Prize  
Shown Under The Matching  
Number. Win With:*

<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets</i>
\$2 w/ CHERRY	\$2	648,000
\$2	\$2	576,000
\$2 × 2	\$4	216,000
\$4 w/ CHERRY	\$4	216,000
\$4	\$4	216,000
\$5 w/ CHERRY	\$5	144,000
\$5	\$5	144,000
\$5 × 2	\$10	14,400
(\$2 w/ CHERRY) × 5	\$10	43,200
\$10 w/ CHERRY	\$10	43,200
\$10	\$10	14,400
WILD w/ \$2 × 10	\$20	50,400
\$4 × 5	\$20	7,200
\$5 × 4	\$20	7,200
\$20	\$20	7,200
(\$5 × 3) + \$10	\$25	4,500
(\$10 × 2) + \$5	\$25	15,750
\$20 + \$5	\$25	4,500
(\$5 w/ CHERRY) × 5	\$25	17,100
\$25	\$25	4,500
WILD w/ \$5 × 10	\$50	9,900
\$10 × 5	\$50	2,700
(\$5 w/ CHERRY) × 5 + \$25	\$50	2,700
\$50	\$50	2,700
WILD w/ \$10 × 10	\$100	3,600
\$25 × 4	\$100	4,500
(\$20 w/ CHERRY) × 5	\$100	3,600
\$100	\$100	2,160
WILD w/ \$25 × 10	\$250	990
(\$100 × 2) + \$50	\$250	360
(\$50 w/ CHERRY) × 5	\$250	990
\$250	\$250	360
WILD w/ \$50 × 10	\$500	270
\$250 × 2	\$500	90
(\$100 w/ CHERRY) × 5	\$500	270
\$500	\$500	90
\$1,000	\$1,000	360
\$25,000	\$25,000	20

Reveal a "CHERRY" (CHRY) symbol, win prize shown under that symbol.  
Reveal a "WILD" (WILD) symbol, win all 10 times the prize shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Wild Cherries instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a

Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not

exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money*: For a period of 1 year from the announced close of Pennsylvania Wild Cherries, prize money from winning Pennsylvania Wild Cherries instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Wild Cherries instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law*: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game*: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Wild Cherries or through normal communications methods.

EILEEN H. McNULTY,  
*Acting Secretary*

[Pa.B. Doc. No. 15-699. Filed for public inspection April 10, 2015, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Lease of Right-of-Way

Under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been submitted to the Department of Transportation by RGRGJVG, LLC, 2185 Route 611, Swiftwater, PA seeking to lease highway right-of-way located at SR 0611, Pocono Township, Monroe County, 5,661 square feet ±, adjacent to SR 0611, Section 04S, for the purpose of parking.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Michael W. Rebert, PE, District Executive, Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101.

Questions regarding this application or the proposed use may be directed to Bruce Kern, District Property Manager, 1002 Hamilton Street, Allentown, PA 18101, (610) 871-4179.

LESLIE S. RICHARDS,  
*Acting Secretary*

[Pa.B. Doc. No. 15-700. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Department Authorized Services to Provide Decentralized Driver and Vehicle Services

The Department of Transportation (Department), acting through the Bureau of Motor Vehicles, intends to expand its existing program of decentralized online driver and vehicle services to permit additional applications of interested and qualified service providers. The Department will be providing these services by means of the Department's Gatekeeper system which relies on web service technology using Simple Object Access Protocol over Hypertext Transfer Protocol as the communication protocol for the data exchange between the Department and business partners. During this open-ended period, the Department will accept letters of interest from prospective providers meeting programmatic and technical requirements to perform online vehicle transactions for wholesale (intermediate) customers at no cost to the Department.

The authority for this program was granted under section 8 of the act of December 16, 1992 (P. L. 1250, No. 166), which is in the appendix to 75 Pa.C.S. (relating to Vehicle Code). The Department will review letters of interest from qualified applicants in the order received and reserves the right to reject any application.

Contact the On-Line Programs Manager at (717) 346-0986 to obtain the following:

- The Department's Online Program Letter of Interest Application Requirements
- The Department's Program/Technical Requirements (Business Partner User Guide)

Completed letters of interest shall be mailed to the Department of Transportation, Bureau of Motor Vehicles, Attn: On-Line Programs Manager, 1101 South Front Street, River Front Office Center, 4th Floor, Harrisburg, PA 17104.

LESLIE S. RICHARDS,  
*Acting Secretary*

[Pa.B. Doc. No. 15-701. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Receipt of Applications for Funding under the Section 5310 Program for Fiscal Year 2015-2016

The Department of Transportation, Bureau of Public Transportation, under the authority in section 5310 of the Federal Transit Laws (49 U.S.C.A. § 5310), gives notice that it will receive applications for the State-administered Section 5310 Program (Program).

Under this Program, private nonprofit organizations and designated public bodies may apply for Federal capital assistance to pay up to 80% of the purchase cost of

new wheelchair accessible small transit vehicles used to provide transportation services for senior citizens and persons with disabilities who cannot be reasonably accommodated by existing transportation providers.

Additional information can be obtained by calling John Levitsky, Bureau of Public Transportation, (717) 787-1206, jlevitsky@pa.gov.

LESLIE S. RICHARDS,  
*Acting Secretary*

[Pa.B. Doc. No. 15-702. Filed for public inspection April 10, 2015, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Mentored Youth Fishing Day Program—Trout Additional Waters

Acting under the authority of 58 Pa. Code § 65.20 (relating to Mentored Youth Fishing Day Program), the Executive Director previously designated March 28, and April 11, 2015, as Mentored Youth Fishing Days for trout, beginning at 8 a.m. and ending at 7:30 p.m., in approved trout waters designated under 58 Pa. Code § 63.3 (relating to fishing in approved trout waters) that are normally closed to trout fishing on those dates. The Executive Director has identified the following additional water as being included in the Mentored Youth Fishing Day Program (Program) on April 11, 2015:

<i>County</i>	<i>Water</i>
Centre	Little Sandy Run and Ponds (headwaters at State Line Road, downstream to Lower Adult Pond)
Centre	Big Sandy Run (headwaters upstream of State Line Road, downstream to the confluence of Beauty Run)
Centre	Beauty Run (headwaters at State Line Road downstream to the sulfur seep at State Forest boundary line)
Centre	Little Wolf Run (headwaters at 12 Point Camp downstream to sulfur seep at State Forest boundary line)
Centre	Unnamed tributary below Right Branch of Wallace Run (headwaters between I-80 and SR 144 downstream to the Route 144 crossing)
Elk	Blue Valley Pond
Tioga	Morris Rod and Gun Club Pond

To participate, anglers 16 years of age or older (adult anglers) must possess a valid Pennsylvania fishing license and current trout/salmon permit and be accompanied by a youth (less than 16 years of age) who has obtained a mentored youth permit or a voluntary youth license from the Commission. Youth anglers must obtain a mentored youth permit or a voluntary youth license from the Commission and be accompanied by a licensed adult angler to participate.

The minimum size will be 7 inches; the creel limit will be 2 trout (combined species). Other Commonwealth inland regulations will apply. It is unlawful to fish in waters designated as part of the Mentored Youth Fishing

Day Program except in compliance with the requirements of 58 Pa. Code § 65.20 when participating in the Program.

JOHN A. ARWAY,  
*Executive Director*

[Pa.B. Doc. No. 15-703. Filed for public inspection April 10, 2015, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Earthquake Endorsements to Homeowners Policies

Some insurers have asserted that because of an increase in natural gas extraction in this Commonwealth by means of a process commonly referred to as “fracking”, endorsements should exclude coverage on homeowners policies for earthquakes that are not “naturally occurring.”

Determining with certainty that human activity caused an earthquake is very difficult, and insurance claims by homeowners should not go unpaid during a long and arduous investigative process that will likely uncover no definitive proof linking the earthquake to human activity.

Insurers and rating organizations are therefore instructed that earthquake endorsements that attach to homeowners insurance policies in this Commonwealth should cover all earthquakes, whether believed to be “naturally occurring” or caused by “human activity”.

Insurers with earthquake endorsements already in the marketplace which exclude coverage for earthquakes that are not naturally occurring should not enforce these exclusions, and new endorsements without the exclusionary language should be filed with the Insurance Department no later than July 1, 2015.

Questions regarding this notice may be directed to Mark Lersch, Property and Casualty Bureau Director, (717) 783-2103, mlersch@pa.gov.

TERESA D. MILLER,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 15-704. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Lincoln Benefit Life Company; Rate Increase Filing for Several LTC Forms

Lincoln Benefit Life is requesting approval to increase the premium 35% on 93 policyholders with the following individual LTC policy form numbers: LB-7000-P-PA(Q), LB-7000-P-PA(NQ), LB-7001-P-PA(Q), LB-7001-P-PA(NQ), LB-7002-P-PA(Q), LB-7002-P-PA(NQ), LB-7003-P-PA(Q) and LB-7003-P-PA(NQ).

Unless formal administrative action is taken prior to June 25, 2015, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). Under the tab “How to Find . . .” click on the link “PA Bulletin.”

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 15-705. Filed for public inspection April 10, 2015, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

**Implementation of the Alternative Energy Portfolio Standards Act of 2004: Standards for the Participation of Demand Side Management Resources—Technical Reference Manual 2016 Update; Doc. No. M-2015-2469311**

### Tentative Order

The Pennsylvania Public Utility Commission (Commission) seeks comments on the proposed 2016 update to the Technical Reference Manual. In a Tentative Order adopted at its March 26, 2015, public meeting, the Commission released, for comment, the proposed 2016 version of the Energy-Efficiency and DSM Rules for Pennsylvania's Alternative Energy Portfolio Standard, Technical Reference Manual (TRM). A copy of the Tentative Order and the proposed 2016 version of the TRM and its appendices can be found on the Commission's web site as follows:

Tentative  
Order: <http://www.puc.pa.gov/pcdocs/1350003.docx>  
TRM: <http://www.puc.pa.gov/pcdocs/1350348.docx>  
Appendix C: <http://www.puc.pa.gov/pcdocs/1350344.xlsx>  
Appendix D: <http://www.puc.pa.gov/pcdocs/1350350.xlsx>

In implementing the Alternative Energy Portfolio Standards Act (73 P. S. §§ 1648.1—1648.8), the Commission had originally adopted the TRM in an Order entered on October 3, 2005, at Doc. No. M-00051865. Subsequently, in the Energy Efficiency and Conservation (EE&C) Program Implementation Order, entered on January 16, 2009, at Doc. No. M-2008-2069887, the Commission adopted the TRM as a component of the EE&C Program evaluation process.

In the Tentative Order adopted March 26, 2015, the Commission seeks comments on the proposed changes to the TRM. Written comments from interested parties must be filed with the Secretary of the Commission, referencing Doc. No. M-2015-2469311, on or before May 11, 2015. Reply comments must be filed on or before May 21, 2015.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 15-706. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Petition of PPL Electric Utilities Corporation for a Waiver of the Distribution System Improvement Charge Cap of 5% of Billed Revenues

**P-2015-2474714. PPL Electric Utilities Corporation.** Petition of PPL Electric Utilities Corporation (PPL Electric) requesting: 1) waiver of the Distribution System Improvement Charge (DSIC) cap of 5% of billed revenues; and 2) approval to increase the maximum allowable DSIC from 5% to 7.5% of billed revenue for service rendered on or after January 1, 2016. The act of February 14, 2012 (P. L. 72, No. 11) authorized public utilities to use a DSIC mechanism to facilitate the recovery of reasonable and prudent capital costs incurred to repair, improve or replace certain eligible distribution property that is part of the electric distribution companies' distribution systems. PPL Electric's DSIC recovery at P-2012-2325034 is currently capped at 5% of billed distribution revenues between rate cases. PPL Electric proposes to increase the maximum DSIC rate by 2.5%.

The current monthly cost of the DSIC at the maximum surcharge rate of 5% for an average residential customer is approximately \$2.47 per month. Increasing the maximum DISC rate to 7.5% is expected to result in an estimated customer cost of approximately \$3.70 per month at the cap. However, because the DSIC rate increases gradually each quarter, the average increase per quarter likely would be less than this amount.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120 on or before April 27, 2015. The documents filed in support of the petitions are available for inspection in the Secretary's Bureau from 8 a.m. to 4:30 p.m., Monday through Friday, at the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* PPL Electric Utilities Corporation

*Through and By Counsel:* David B. MacGregor and Christopher T. Wright, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601 and Paul E. Russell and Kimberly A. Klock, PPL Services Corporation, Two North Ninth Street, Allentown, PA 18106

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 15-707. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by April 27, 2015. Documents filed in support of the applications are available for



inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2015-2465681. Century Medical Response, Inc.** (P. O. Box 773, Wilkes-Barre, Luzerne County, PA 18703) persons in paratransit service, limited to nonambulatory persons requiring wheelchair or stretcher vehicle services, to or from medical appointments, between points in Luzerne County.

**A-2015-2471416. Kingman Luxury Transport Corporation** (121 1/2 North Franklin Street, Selinsgrove, PA 18102) a corporation of the Commonwealth of Pennsylvania, persons in limousine service, between points in the City of Allentown, Lehigh County and within a radius of 150 statute air miles from the boundaries of said city, excluding service which falls under the jurisdiction of the Philadelphia Parking Authority.

**A-2015-2471494. Dominicana Taxi Express, LLC** (1313 Moss Street, Reading, PA 19604) a limited liability company of the Commonwealth of Pennsylvania, persons upon call or demand, in the City of Reading, Berks County.

**A-2015-2471524. Canyon Country Cabs, LLC** (9886 Route 6, Wellsboro, Tioga County, PA 16901) a limited liability company of the Commonwealth of Pennsylvania—persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Potter and Tioga.

**A-2015-2471672. Daniel Benjamin Ingle** (3223 Bereton Street, Apartment B, Pittsburgh, PA 15219) persons in airport transfer service, from points in Allegheny County to the Pittsburgh International Airport.

**A-2015-2471761. Fabian Transportation, Inc.** (444 North 11th Street, Lebanon, PA 17046) a corporation of the Commonwealth of Pennsylvania—persons in airport transfer service, from points in Lebanon County to the Harrisburg International Airport, Lehigh Valley International Airport and Philadelphia International Airport.

**A-2015-2471780. New York Limousine, Inc.** (3916 North 5th Street, Philadelphia, PA 19140) a corporation of the Commonwealth of Pennsylvania—persons in limousine service, between points in Bucks, Chester, Delaware and Montgomery Counties.

**A-2015-2472256. Safety First Ambulance, LLC** (P. O. Box 18107, Philadelphia, PA 19116) a limited liability company of the Commonwealth of Pennsylvania—persons in paratransit service, utilizing wheelchair vans, between points in Bucks, Delaware and Montgomery Counties.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.**

**A-2015-2472485. Moving It Movers, LLC** (7254 Shalkop Street, Philadelphia, Philadelphia County, PA 19128) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in the City and County of Philadelphia.

**Application of the following for approval to begin operating as a broker for transportation of household goods as described under the application.**

**A-2015-2471322. Moving Maniacs, LLC t/a Moving Maniacs** (208 Hillcrest Drive, New Cumberland, York

County, PA 17070) for a brokerage license, evidencing the Commission's approval of the right and privilege to operate as a broker to arrange for the transportation of household goods in use between points in Pennsylvania. *Attorney:* Jan Tamanini, Esquire, 123 Leonard Lane, Harrisburg, PA 17111.

**Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.**

**A-2015-2471554. Ronald G. Wilson** (236 North Wilton Street, Philadelphia, Philadelphia County, PA 19139) for the discontinuance of service and cancellation of the certificate as a common carrier, by motor vehicle, upon call or demand, persons and their baggage, and parcels, packages and property at the same basic metered rates; in the City and County of Philadelphia and that area bounded by a line beginning on the north of the Delaware River at the Philadelphia County Line, thence northwardly, westwardly and southwestwardly along the Philadelphia County Line to Philmont Avenue, thence southwestwardly along Philmont Avenue, Welsh Road, Valley Road, Washington Lane, Township Line to Glenside Avenue (excluding any portion of the Borough of Jenkintown), Easton Road, Church Road and Paper Mill Road to the Philadelphia County Line (Stenton Avenue), thence westwardly along the Philadelphia County Line and Blue Bell Road to Joshua Road, thence southwardly along Joshua Road to Cedar Grove Road, thence southeastwardly along Cedar Grove Road and the Schuylkill River joining the Philadelphia County Line and continuing to Port Royal Avenue, thence across the Schuylkill River to Mill Creek Road, Montgomery County, thence southwestwardly along Mill Creek Road, Lancaster Avenue, Ardmore Avenue into Delaware County, and continuing along Ardmore Avenue into Delaware County, and continuing along Ardmore Avenue, Ellis Road, Lawrence Road and Darby Creek Road to Darby Creek; thence southwestwardly along Darby Creek to State Road, thence southwardly along State Road, Springfield Avenue, Saxer Avenue, Baltimore Avenue, Woodland Avenue and Kendron Avenue to MacDade Boulevard, thence northeastwardly along MacDade Boulevard to Winona Avenue, thence southwardly along Winona Avenue continuing in a straight line to the Delaware River, and thence northwardly along the Delaware River to the place of beginning; and persons upon call or demand in the Boroughs of Norwood, Prospect Park, Ridley Park and Rose Valley, the Townships of Ridley, Tinicum and Nether Providence, the Village of Moylan and including Lester and Essington, all in Delaware County; and said area to points in Pennsylvania, and from points in Pennsylvania to said area, if the request for such service is received by call to its radio dispatch; limited to the use of one vehicle. *Attorney:* Joseph L. London, Esquire, 510 Lakeside Office Park, Southampton, PA 18966.

**A-2015-2472599. Loyalty Ambulance, Inc.** (518 West Grant Street, Lancaster, Lancaster County, PA 17603) discontinuance of service and cancellation of its certificate—persons in paratransit service, in wheelchairs and stretchers, between points in the County of Lancaster, to points in Pennsylvania, and return; subject to the following conditions: Except for patients or residents of Golden Living of Lancaster, applicant has no right, power or privilege to originate service in the following communities in Lancaster County: East Lampeter Township, the City of Lancaster, Lancaster Township East and West, Manor Township, Millersville Borough, Strasburg Borough,

Strasburg Township, Pequea Township, Quarryville Borough, New Providence Township, East Drumore Township, Drumore Township, Martic Township, Conestoga, Christiana, East Hempfield Township, West Lampeter Township, Adamstown Borough, Akron Borough, Brecknock Township, Caernarvon Township, Terre Hill Borough, Denver Borough, East Cocalico Township, Ephrata Borough, Ephrata Township, Clay Township, West Cocalico Township, West Earl Township, Earl Township, East Earl Township, Lititz Borough, Manheim Township, New Holland Borough, Warwick Township, Elizabethtown Borough, West Donegal Township (not including the Village of Rheems), Mount Joy Township (not including southeast of Ridge Road) and East Donegal Township (not including the portion of the Township north of Donegal Spring Road).

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 15-708. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due April 27, 2015, and must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

### Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Daniel and Darlene Applegate t/a Independent Security Cab; Docket No. C-2015-2451749

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Daniel and Darlene Applegate, Respondents, maintain a principal place of business at 1282 Frankstown Road, Johnstown, PA 15902.

2. That on November 13, 2014, PUC Enforcement Officer Brian B. Mehus and Enforcement Manager Charles Bowser spoke with Daniel and Darlene Applegate and obtained information from Respondents regarding the vehicle they were driving, a 1994 Chevrolet Geo Metro, license no. HLD8679 and VIN 2C1MR246R6741172. Pictures were obtained of the vehicle with markings stating "Independent Multi-state Security Cab" with three phone numbers listed in addition to a listing of motor carrier transportation services available. Also obtained were two business cards with the same information listed. Respondents do not currently hold a certificate of public convenience issued by the Commission.

3. That Respondents are holding out to transport persons for compensation between points in Pennsylvania while not having operating authority with this Commission.

4. That Respondents, while holding out to transport persons for compensation between points in Pennsylvania without holding a certificate of public convenience, violated the Public Utility Code, 66 Pa.C.S. § 1101. The penalty for this violation is \$1,000 and suspension of Respondents' vehicle registration by the Pennsylvania Department of Transportation.

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission fine Daniel and Darlene Applegate t/a Independent Security Cab, the sum of one thousand dollars (\$1,000.00) for the illegal activity described in this Complaint. In addition, Respondents' vehicle registration will be suspended by the Pennsylvania Department of Transportation.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P. O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 2/13/2015

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor  
Harrisburg, PA 17120

Additionally, please serve a copy on:

Wayne T. Scott, Prosecutor  
Bureau of Investigation and Enforcement  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Or, e-mailed to Mr. Scott at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. La Cayenne Cab Co; Docket No. C-2015-2456944**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to La Cayenne Cab Co., (respondent) is under suspension effective October 24, 2014 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 1336 Arrott Street Apt A12A, Philadelphia, PA 19134.
3. That respondent was issued a Certificate of Public Convenience by this Commission on September 24, 1999, at A-00116158.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66

Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00116158 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
 David W. Loucks, Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 1/13/2015

David W. Loucks, Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor  
 Pennsylvania Public Utility Commission  
 Bureau of Investigation and Enforcement  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)



B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Middlecreek Services, LLC; Docket No. C-2015-2465206**

**COMPLAINT**

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Middlecreek Services, LLC, (respondent) is under suspension effective January 19, 2015 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 1 Burkhardt Lane, Newmanstown, PA 17073.

3. That respondent was issued a Certificate of Public Convenience by this Commission on October 10, 2014, at A-8916848.

4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8916848 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P. O. Box 3265  
Harrisburg, PA 17105-3265

**VERIFICATION**

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 2/3/2015

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

**NOTICE**

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265



Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor  
 Pennsylvania Public Utility Commission  
 Bureau of Investigation and Enforcement  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
 Services  
 Pennsylvania Public Utility Commission  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Stanley Muithuri Maina; Docket No. C-2015-2466061**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Stanley Muithuri Maina, (respondent) is under suspension effective January 27, 2015 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 4225A Catalina Lane, Harrisburg, PA 17109.
3. That respondent was issued a Certificate of Public Convenience by this Commission on February 16, 2010, at A-00124010.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

*Wherefore*, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00124010 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
 David W. Loucks, Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 2/10/15

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P. O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 15-709. Filed for public inspection April 10, 2015, 9:00 a.m.]

**Telecommunications**

**A-2015-2474708. Frontier Communications of Canton, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC and American Broadband and Telecommunications Company.** Joint petition of Frontier Communications of Canton, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC and American Broadband and Telecommunications Company for approval of an opt-in interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Canton, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Lakewood, LLC, Frontier Communications of Oswayo River, LLC and American Broadband and Telecommunications Company, by their counsel, filed on March 31, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an opt-in interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Copies of the joint petition of Frontier Communications of Canton, LLC, Frontier Communications of Breezewood, LLC, Frontier Communications of Oswayo River, LLC and American Broadband and Telecommunications Company are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 15-710. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Water Service

**A-2015-2474591. The York Water Company.** Application of The York Water Company for approval of The York Water Company to begin to offer or furnish water service to the public in an additional portion of Newberry Township, York County, in an area known as Newberry Farms Mobile Home Park.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 27, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* The York Water Company

*Through and By Counsel:* Michael W. Hassell, Esquire, Devin T. Ryan, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601  
ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 15-711. Filed for public inspection April 10, 2015, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Motor Carrier Petition for Waiver in the City of Philadelphia

Under 52 Pa. Code § 1005.23 (relating to petitions for issuance, amendment, repeal or waiver of Authority regulations), a petition for a waiver of Philadelphia Parking Authority regulations has been filed with the Taxicab and Limousine Division (TLD) at Doc. No. P-15-03-03 by Park Avenue Luxury Limousine, Inc., 4206 B Old Lincoln Highway, Trevoise, PA 19053, which holds certificate of public convenience No. 1010116-07. The petitioner is requesting a waiver of 52 Pa. Code § 1055.3(b) and (c) (relating to limousine age and mileage parameters).

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority). Filings must be made with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148 by April 27, 2015. Documents filed in support of the petition for waiver are available for inspection at the TLD offices with the TLD Administrative Counsel between 9 a.m. and 4:30 p.m., Monday through Friday, or may be inspected at the business address of the applicant. The filings fees related to a protest may be obtained on the TLD's web site [www.philapark.org/tld](http://www.philapark.org/tld).

VINCENT J. FENERTY, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 15-712. Filed for public inspection April 10, 2015, 9:00 a.m.]

## PHILADELPHIA REGIONAL PORT AUTHORITY

### Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 14-069.1, Pier 82 Paving Project, until 2 p.m. on Thursday, May 14, 2015. Information (including mandatory prebid information) can be obtained from the web site [www.philaport.com](http://www.philaport.com) under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 15-713. Filed for public inspection April 10, 2015, 9:00 a.m.]

### Request for Bids

The Philadelphia Regional Port Authority will accept sealed bids for Project No. 15-032.P, RFP—CM for PAMT Pavement Improvements Phase 1, until 2 p.m. on Thursday, April 30, 2015. Information (including mandatory prebid information) can be obtained from the web site [www.philaport.com](http://www.philaport.com) under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 15-714. Filed for public inspection April 10, 2015, 9:00 a.m.]

## STATE BOARD OF COSMETOLOGY

### Bureau of Professional and Occupational Affairs v. Tom Fuentes Beauty Shop; Doc. No. 0240-45- 2015

On February 17, 2015, Tom Fuentes Beauty Shop, of Doylestown, Bucks County, was suspended for failing to pay a previously imposed civil penalty.

Individuals may obtain a copy of the order by writing to Ariel E. O'Malley, Board Counsel, State Board of Cosmetology, P. O. Box 69523, Harrisburg, PA 17106-9523.

STEPHEN A. WALLIN,  
*Chairperson*

[Pa.B. Doc. No. 15-715. Filed for public inspection April 10, 2015, 9:00 a.m.]

## STATE HARNESS RACING COMMISSION

### Driving or Racing Violation Penalty Matrix

The State Harness Racing Commission (Commission) hereby establishes the following Driving or Racing Violation Penalty Matrix (Penalty Matrix). In general, under



section 214(a) of the act of December 17, 1981 (P. L. 435, No. 135) (4 P. S. § 325.214(a)), known as the Race Horse Industry Reform Act (act), in addition to its power to suspend or revoke licenses, the Commission is authorized and empowered to impose fines upon persons participating in horse race meetings at which pari-mutuel wagering is conducted for violations of any provision of the act or the rules and regulations promulgated by the Commission, not to exceed \$5,000 for each violation.

The Commission and its Board of Judges (Judges) are authorized to impose penalties in the form of fines, suspensions or both for violations of the rules of racing (See 58 Pa. Code §§ 183.13 and 183.391—183.406 (relating to penalties; and fines, suspensions, expulsions and appeals).) The Penalty Matrix does not alter or supersede existing regulations relating to racing and/or driving violations. Instead, the Penalty Matrix is intended to: (1) provide the harness racing industry general notice of how the Commission will—in typical cases—exercise its discretion with respect to penalties for violations; and (2) bring greater uniformity and consistency to the imposition of penalties by the Judges across the three harness racetracks for these driving violations.

The Commission understands that driving infractions may and do occur during the contest of races at licensed racetracks. Sometimes those infractions are unintentional in nature and, thus, the imposition of a penalty by the Judges should reflect this fact. At other times, however,

the infractions may be deliberate or more severe in nature, or both, and will require the penalties imposed by the Judges to be more significant. Under these circumstances the penalties should signal to the drivers involved that their behavior or actions, or both, are not in the best interest of racing or safety for those participating or wagering in the sport. The Commission notes that while unintentional infractions may occur, too many “unintentional” infractions may be evidence of carelessness or an intentional violation. For this reason, no more than two minor infractions from each recognized type in the following matrix will be considered “unintentional” in a racing calendar season or year. After two “minor” driving incidents, the Judges may consider the infraction to be “intentional” and exercise their discretion and double the penalties.

Finally, penalties for major racing violations may be imposed cumulatively regardless of the infraction or location of racetrack. The Judges, as always, will use their regulatory authority to review and analyze racing related issues when infractions occur. The Judges may reset the penalties/infractions at the conclusion of a racing season or calendar year if in the opinion of the Judges the issues at hand have been satisfactorily resolved.

Therefore, the Commission has approved and issued the following Penalty Matrix to its Judges for the imposition of penalties for the following infractions:

<i>Infraction</i>	<i>Minor Infraction</i>	<i>Major Infraction</i>
Interference	\$200 minimum and horse may be placed	\$250/\$500/3 day*/5 day*/10 day*
Kicking	N/A	\$250/\$500/3 day*/5 day*/10 day*
Foot out of stirrup	\$200 minimum and horse may be placed	N/A
Inside pylon (refer to pylon policy)	\$200 minimum and horse may be placed	\$250/\$500/3 day*/5 day*/10 day*
Block passing lane	\$200 minimum and horse may be placed	\$250/\$500/3 day*/5 day*/10 day*
Giving holes	\$200 minimum and horse may be placed	\$250/\$500/3 day*/5 day*/10 day*
Whipping violation	\$200 minimum and horse may be placed	\$250/\$500/3 day*/5 day*/10 day*
One handed whipping		\$250/\$500/3 day*/5 day*/10 day*

\*The judges may in their discretion apply a fine no less than \$500 in addition to the days suspended for flagrant violations.

Driver late to paddock	\$250 (30-minute maximum)	N/A
Late driver change	\$200	N/A
Failed to drive when programmed	\$200 per race	N/A
Failed to drive when programmed due to racing at another track	N/A	\$200—\$400 per race—Judges' discretion—\$,1600 maximum
Failure to maintain proper pace	\$200	N/A
Talking on track during post parade or scoring down	\$200	N/A
Failure to honor declaration	\$500	N/A
Late for post parade	\$200	N/A
Horse late to paddock	\$200	N/A
Horse late to Lasix	\$250 and horse scratched	N/A

Horse warming up before being released	N/A	\$500
Horse late to detention	\$200 (less than 1 hour late)	N/A
Horse late to detention	More than 1 hour late—horse scratched	N/A
Horse off gate	\$200	N/A
Horse failing blood gas testing	N/A	\$1,000—30 day*/\$2,500—60 day*/\$5,000—120 day*

The Penalty Matrix as previously set forth takes effect upon publication and supersedes any internal directive or policy previously approved and issued by the Commission.

GEORGE CRAWFORD,  
*Executive Secretary*

[Pa.B. Doc. No. 15-716. Filed for public inspection April 10, 2015, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on April 30, 2015, at 7 p.m. at the Holiday Inn Harrisburg—Hershey, Grande 1 Room, 604 Station Road (Exit 80 off I-81), Grantville, PA. The public hearing will end at 9 p.m. or at the conclusion of public testimony, whichever is sooner. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. The projects are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for June 4, 2015, which will be noticed separately. The Commission will also hear testimony on amending its Regulatory Program Fee Schedule. The public should take note that this public hearing will be the only opportunity to offer oral comment to the Commission for the listed projects. The deadline for the submission of written comments is May 11, 2015.

For further information contact Jason Oyler, Regulatory Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436.

Information concerning the applications for these projects is available at the Commission Water Resource Portal at [www.srbc.net/wrp](http://www.srbc.net/wrp). Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at [www.srbc.net/pubinfo/docs/2009-02\\_Access\\_to\\_Records\\_Policy\\_20140115.pdf](http://www.srbc.net/pubinfo/docs/2009-02_Access_to_Records_Policy_20140115.pdf).

#### *Supplementary Information*

The public hearing will cover amendments to its Regulatory Program Fee Schedule, as posted on the Commission Public Participation Center webpage at [www.srbc.net/pubinfo/publicparticipation.htm](http://www.srbc.net/pubinfo/publicparticipation.htm). The public hearing will cover the following projects:

#### *Projects Scheduled for Action*

1. Project Sponsor and Facility: Anadarko E&P Onshore, LLC (Pine Creek), McHenry Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20110601).

2. Project Sponsor and Facility: Carrizo (Marcellus), LLC (Meshoppen Creek), Washington Township, Wyoming

County, PA. Application for renewal of surface water withdrawal of up to 2.160 mgd (peak day) (Docket No. 20110603).

3. Project Sponsor and Facility: Carrizo (Marcellus), LLC (Unnamed Tributary to Middle Branch Wyalusing Creek), Forest Lake Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.648 mgd (peak day) (Docket No. 20110605).

4. Project Sponsor and Facility: Chetremon Golf Course, LLC, Burnside Township, Clearfield County, PA. Application for consumptive water use of up to 0.200 mgd (peak day).

5. Project Sponsor and Facility: Chetremon Golf Course, LLC (Irrigation Storage Pond), Burnside Township, Clearfield County, PA. Application for surface water withdrawal of up to 0.200 mgd (peak day).

6. Project Sponsor and Facility: Chief Oil & Gas, LLC (Loyalsock Creek), Forksville Borough, Sullivan County, PA. Application for surface water withdrawal of up to 2.000 mgd (peak day).

7. Project Sponsor and Facility: Constitution Pipeline Company, LLC (Charlotte Creek), Town of Davenport, Delaware County, NY. Application for surface water withdrawal of up to 2.160 mgd (peak day).

8. Project Sponsor and Facility: Constitution Pipeline Company, LLC (Ouleout Creek), Town of Sidney, Delaware County, NY. Application for surface water withdrawal of up to 1.928 mgd (peak day).

9. Project Sponsor and Facility: Constitution Pipeline Company, LLC (Starrucca Creek), Harmony Township, Susquehanna County, PA. Application for surface water withdrawal of up to 2.052 mgd (peak day).

10. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Modification to add a source to the consumptive water use approval (no increase requested in current consumptive water use quantity) (Docket No. 20130608).

11. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Application for groundwater withdrawal of up to 0.504 mgd (30-day average) from Well 10.

12. Project Sponsor and Facility: Hydro Recovery, LP, Blossburg Borough, Tioga County, PA. Application for renewal of groundwater withdrawal of up to 0.216 mgd (30-day average) from Well HR-1 (Docket No. 20110612).

13. Project Sponsor and Facility: Hydro Recovery, LP, Blossburg Borough, Tioga County, PA. Application for renewal of consumptive water use of up to 0.316 mgd (peak day) (Docket No. 20110612).

14. Project Sponsor and Facility: Keister Miller Investments, LLC (West Branch Susquehanna River), Mahaffey Borough, Clearfield County, PA. Application for surface water withdrawal of up to 2.000 mgd (peak day).

15. Project Sponsor and Facility: Keystone Clearwater Solutions, LLC (Driftwood Branch Sinnemahoning Creek), Emporium Borough, Cameron County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20110614).

16. Project Sponsor and Facility: Keystone Clearwater Solutions, LLC (Lycoming Creek), Lewis Township, Lycoming County, PA. Application for renewal of surface water withdrawal of up to 1.250 mgd (peak day) (Docket No. 20110616).

17. Project Sponsor and Facility: Millersville University of Pennsylvania, Millersville Borough, Lancaster County, PA. Application for consumptive water use of up to 0.080 mgd (peak day).

18. Project Sponsor and Facility: Millersville University of Pennsylvania, Millersville Borough, Lancaster County, PA. Application for groundwater withdrawal of up to 0.320 mgd (30-day average) from Well 1.

19. Project Sponsor and Facility: Nature's Way Pure-water Systems, Inc., Dupont Borough, Luzerne County, PA. Modification to increase consumptive water use by an additional 0.092 mgd (peak day), for a total of up to 0.349 mgd (peak day) (Docket No. 20110618).

20. Project Sponsor: Pennsylvania Department of Environmental Protection—South-central Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location: Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.590 mgd (30-day average) from Stoltzfus Well.

21. Project Sponsor: Pennsylvania Department of Environmental Protection—South-central Regional Office, City of Harrisburg, Dauphin County, PA. Facility Location: Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.432 mgd (30-day average) from Township Well.

22. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Application for renewal and modification to increase groundwater withdrawal by an additional 0.024 mgd (30-day average), for a total of up to 0.089 mgd (30-day average) from the Blouse Well (Docket No. 19820103).

23. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Application for renewal of groundwater withdrawal of up to 0.099 mgd (30-day average) from the Smith Well (Docket No. 19811203).

24. Project Sponsor and Facility: Talisman Energy USA, Inc. (Wappasening Creek), Windham Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 1.000 mgd (peak day) (Docket No. 20110621).

25. Project Sponsor: UGI Development Company. Project Facility: Hunlock Creek Energy Center, Hunlock Township, Luzerne County, PA. Modification to increase consumptive water use by an additional 1.526 mgd (peak day), for a total of up to 2.396 mgd (peak day) (Docket No. 20090916).

*Request for Waiver of Application and Approval of Transfer*

1. Augusta Water, Inc. request for waiver of application required by 18 CFR 806.6(d)(1) and transfer of Docket No. 20021014.

*Opportunity to Appear and Comment*

Interested parties may appear at the hearing to offer comments to the Commission on the amended fee schedule or any project listed previously. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Ground rules will be posted on the Commission's web site, [www.srbc.net](http://www.srbc.net), prior to the hearing for review. The presiding officer reserves the right to modify or supplement the rules at the hearing. Written comments on any project listed previously may also be mailed to Jason Oyler, Regulatory Counsel, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through [www.srbc.net/pubinfo/publicparticipation.htm](http://www.srbc.net/pubinfo/publicparticipation.htm). Comments mailed or electronically submitted must be received by the Commission on or before May 11, 2015, to be considered.

*Authority:* Pub. L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

*Dated:* March 27, 2015.

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 15-717. Filed for public inspection April 10, 2015, 9:00 a.m.]







