

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 2, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-2-2015	First Commonwealth Bank Indiana Indiana County Application for approval to merge First Community Bank, Columbus, OH, with and into First Commonwealth Bank, Indiana, PA.	Filed

Branch Applications De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-1-2015	Clarion County Community Bank Clarion Clarion County	436 Allegheny Boulevard Franklin Venango County	Approved
6-1-2015	PeoplesBank, A Codorus Valley Company York #7788 York County	425 Westminster Avenue Hanover York County (Limited Service Facility)	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 15-1114. Filed for public inspection June 12, 2015, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of July 2015

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of July, 2015, is 5%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. 96-221). Further preemption was instituted with the signing of Pub. L. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such

individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 2.62 to which was added 2.50 percentage points for a total of 5.12 that by law is rounded off to the nearest quarter at 5%.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 15-1115. Filed for public inspection June 12, 2015, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0081264 (SEW)	GLP Capital, L.P. 777 Hollywood Blvd. PO Box 32 Grantville, PA 17028-0032	Dauphin County East Hanover Township	UNT to Swatara Creek/ 7-D	Y

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0087785 (SEW)	Charles C. Powell Cove Forge Treatment Center 200 Trenton Street Cambridge, MD 21613	Blair County Woodbury Township	Frankstown Branch of Juniata River/11-A	Y
PA0025399 (SEW)	Christiana Borough 10 West Slokom Avenue Christiana, PA 17509	Lancaster County Christiana Borough	East Branch Oclararo Creek/7-K	Y
PA0261378 (SEW)	Sheetz Incorporated Clarks Ferry Sheetz Store No. 461 5700 Sixth Avenue Altoona, PA 16602	Dauphin County Reed Township	Swale to Juniata River/12-B	Y
PA0044911 (IW)	Land O Lakes 405 Park Drive Carlisle, PA 17015-9270	Cumberland County South Middleton Township	Mountain Creek/7-E	Y

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0035777 (Industrial Waste)	Hoeganaes Corporation 4330 Paradise Road Watsontown, PA 17777	Northumberland County Delaware Township	Unnamed Tributary of Muddy Run (10-D)	N
PA0021881 (Sewage)	Westfield Borough Sewer System STP 1488 Broughton Road Westfield, PA 16950	Tioga County Westfield Borough	Cowanesque River (4-A)	N

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed#)	EPA Waived Y/N?
PA0103098 (Industrial Waste)	Reynolds Water WTP 71 Crestview Drive Ext Greenville, PA 16125	Mercer County Pymatuning Township	Shenango River (20-A)	Y
PA0223042 (Sewage)	Farmington Township STP Clarion Putnam Drive Leeper, PA 16233	Clarion County Farmington Township	Unnamed Tributary to Licking Creek (17-B)	Y
PA0222712 (Sewage)	Sykesville Borough STP 21 E Main Street Sykesville, PA 15865	Jefferson County Sykesville Borough	Stump Creek (17-D)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0218073 A-1, SIC Code 1389, **Keyrock Energy LLC**, 106 Ferrell Avenue Suite 5, Kingsport, TN 37663-4214. Facility Name: Scottdale Treatment Facility. This existing facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated coalbed methane wastewater.

The receiving stream(s), Jacobs Creek, is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.16 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	0.16	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6	XXX	XXX	9

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	272.4	544.8	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Acidity, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report	XXX
Alkalinity, Total (as CaCO ₃)	XXX	XXX	0	XXX	XXX	XXX
Effluent Net	XXX	XXX	0	XXX	XXX	XXX
Alkalinity, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report	XXX
Dissolved Iron	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	3.5	XXX	7.0
Total Mercury (µg/L)	XXX	XXX	XXX	0.272	0.544	XXX
Sulfate	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Total Dissolved Solids—Chapter 95.10 Discharge Loadings

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0011088, Storm Water, SIC Code 5171, **Plains Products Terminals, LLC**, 6850 Essington Avenue, Philadelphia, PA 19153. Facility Name: Plains Products Essington Terminals. This existing facility is located in Philadelphia City, **Philadelphia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Storm Water.

The receiving stream(s), Schuylkill River and Unnamed Tributary to Schuylkill River, is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Quarterly	Daily Maximum	Instant. Maximum
Flow (GPM)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	XXX	15	XXX	30

The proposed effluent limits for Outfall 002 are based on stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Quarterly	Daily Maximum	Instant. Maximum
Flow (GPM)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	XXX	15	XXX	30

The proposed effluent limits for Outfall 003 are based on stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Daily Maximum	Daily Maximum	Instant. Maximum
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Dissolved Iron	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Daily Maximum</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Dissolved Iron	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 005 are based on a stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Daily Maximum</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Dissolved Iron	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

I. Requirements For Stormwater Outfalls

II. A. Property Rights

B. Sludge Removal

III. EDMR Requirement

IV. Petroleum Marketing Terminals

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

PA0027090, Sewage, SIC Code 4952, **Lackawanna River Basin Sewer Authority**, PO Box 280, Olyphant, PA 18447-0280. Facility Name: Throop Plant. This existing facility is located in Throop Borough, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Lackawanna River, is located in State Water Plan watershed 5-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 10.0 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.09	XXX	0.3
CBOD ₅	1,251	1,877	XXX	15.0	22.5	30.0
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	2,502	3,753	XXX	30.0	45.0	60.0
		Wkly Avg				

NOTICES

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	375	XXX	XXX	4.5	XXX	9.0
Nov 1 - Apr 30	1,126	XXX	XXX	13.5	XXX	27.0
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Copper	1.2	1.8	XXX	0.014	0.022	XXX
Total Zinc	Report	Report	XXX	Report	Daily Max Report	XXX
Total Iron	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX
Dichlorobromomethane	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Bis(2-Ethylhexyl)Phthalate	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Maximum
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	127,852			
Net Total Phosphorus	Report	17,047			

The proposed effluent limits for Outfall 028 are based on a design flow of 0.00 MGD (stormwater).

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly		Minimum	Average Monthly	Daily Maximum	
pH	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Kjeldahl—N	XXX	XXX	XXX	XXX	Report	XXX

• This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Combined sewer overflow, pretreatment, Wet testing, and Chesapeake nutrient requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

PA0065552, Storm Water, NAICS Code 424690, **JVA Deicing Inc.**, 78 Cottage Street, Carbondale, PA 18407. Facility Name: JVA Deicing Inc. This proposed facility is located in Duryea Borough, **Luzerne County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of Storm Water.

The receiving stream(s), Lackawanna River and Susquehanna River, are located in State Water Plan watershed 5-A and are classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on pumped stormwater from an impoundment at 0.010 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Minimum	Average	Daily	Instant. Maximum
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Free Available Cyanide	XXX	XXX	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on pumped stormwater from an impoundment at 0.010 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Minimum	Average	Daily	Instant. Maximum
	Monthly	Maximum		Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Free Available Cyanide	XXX	XXX	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Salt storage and stormwater BMPs.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

NPDES Permit No. PA0045985, Sewage, **Mountaintop Area Joint Sanitary Authority Luzerne County**, 290 Morio Drive, Mountain Top, PA 18707, Dorrance Township, **Luzerne County**.

The following notice reflects changes to the notice published at 44 Pa.B. 3575, 3584 (June 14, 2014):

Interim monitoring for Cadmium and Zinc for the first three years; Toxic Reduction Evaluation conditions added (Cadmium and Zinc); updated Chesapeake Bay Nutrient conditions; updated Part A.III.A.4 (Test Procedures).

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

Application No. PA0246441, Concentrated Animal Feeding Operation (CAFO), **Deer Stone Ag (Willow Brook Farm CAFO)**, 10049 Ferguson Valley Road, Lewistown, PA 17044-8601.

Deer Stone Ag., Inc. has submitted an application for an Individual NPDES permit for an existing CAFO known as Willow Brook Farm CAFO, located in Granville Township, **Mifflin County**.

The CAFO is situated near Unnamed Tributary to Strodes Run in Watershed 12-A, which is classified for High Quality Waters—Cold Water Fishes, and High Quality Waters—Cold Water Fishes. The CAFO is designed to maintain an animal population of approximately 720.52 animal equivalent units (AEUs) consisting of 1,200 Gestating Sows, 200 Lactating Sows, 4,000 Nursery Pigs, 10 Boars, 12 Cow/Calf Pairs, and 3 Finishing Steers. Swine manure is collected in underbarn a shallow pull plug pit that is then transferred to a two stage lagoon. Cattle manure is handled as solid penpack. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

PA0008419, Industrial Waste, SIC Code 2833, 2834, **Cherokee Pharmaceuticals LLC**, PO Box 367, Riverside, PA 17868-0367. Facility Name: Cherokee Pharmaceuticals LLC. This existing facility is located in Riverside Borough, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 5-E and is classified for Warm Water Fishes, Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 6.47 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	XXX	7.0
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
1,4-Dioxane	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.000000 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.000000 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 6.47 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	2,254	Report	XXX	Report	Report	370
Industrial Influent	Report	Report	XXX	Report	XXX	XXX
Chemical Oxygen Demand	Report	Report	XXX	Report	XXX	XXX
Industrial Influent	Report	Report	XXX	Report	XXX	XXX
Chemical Oxygen Demand	7,328	Report	XXX	606	Report	1,212
Total Suspended Solids	3,832	Report	XXX	Report	Report	630
Ammonia-Nitrogen	355	1,015	XXX	29	84	105
Total Cyanide	XXX	Report	XXX	XXX	Report	XXX
4-Methyl-2-pentanone	XXX	Report	XXX	XXX	Report	XXX
Isopropanol	19.34	47.16	XXX	1.60	3.90	4.87
Phenol	0.24	0.60	XXX	0.02	0.05	0.06
Acetone	2.41	6.04	XXX	0.20	0.50	0.62
Acetonitrile	123.34	302.30	XXX	10.20	25.00	31.25
Acrolein	0.20	0.41	XXX	0.01	0.03	0.04
Acrylonitrile	0.14	0.24	XXX	0.01	0.02	0.03
Chlorobenzene	XXX	Report	XXX	XXX	Report	XXX
Dichlorobenzene	XXX	Report	XXX	XXX	Report	XXX
Benzene	0.24	0.60	XXX	0.02	0.05	0.06
n-Butyl Acetate	6.04	15.72	XXX	0.50	1.30	1.62
1,2-Dichloroethane	1.20	4.83	XXX	0.10	0.40	0.50
Chloroform	1.57	2.41	XXX	0.13	0.20	0.32
Diethylamine	XXX	Report	XXX	XXX	Report	XXX
Isopropyl Ether	XXX	Report	XXX	XXX	Report	XXX
Dimethyl Sulfoxide	453.4	1,106.5	XXX	37.5	91.5	114.37
Ethanol	49.58	120.93	XXX	4.10	10.00	12.50

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Ethyl Acetate	6.04	15.72	XXX	0.50	1.30	1.62
Heptane	0.24	0.60	XXX	0.02	0.05	0.06
Hexane	0.24	0.36	XXX	0.02	0.03	0.05
Methylene Chloride	3.62	10.88	XXX	0.30	XXX	0.90
Tetrahydrofuran	31.44	101.50	XXX	2.60	8.4	10.5
Toluene	0.24	0.72	XXX	0.02	0.06	0.07
Triethylamine	1,233.4	3,020.2	XXX	102.0	250	312.5
Total Xylenes	XXX	Report	XXX	XXX	Report	XXX
Vinyl Chloride	XXX	Report	XXX	XXX	Report	XXX
Total Methanol	49.58	120.90	XXX	4.10	10	12.50
n-Amyl Acetate	XXX	Report	XXX	XXX	Report	XXX
Amyl Alcohol	XXX	Report	XXX	XXX	Report	XXX
Isobutyraldehyde	XXX	Report	XXX	XXX	Report	XXX
Methyl Cellosolve	XXX	Report	XXX	XXX	Report	XXX
Methyl Formate	6.04	15.72	XXX	0.50	1.30	1.62
Isopropyl Acetate	6.04	15.72	XXX	0.50	1.30	1.62

The proposed effluent limits for Outfall 201 are based on a design flow of 0.0432 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	XXX	XXX
Total Aluminum	XXX	XXX	XXX	4.0	XXX	XXX
Total Iron	XXX	XXX	XXX	2.0	XXX	XXX
Total Manganese	XXX	XXX	XXX	1.0	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report		Report	
Kjeldahl—N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	
Net Total Nitrogen	Report	44,497			
Net Total Phosphorus	Report	11,748			

• This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay
- Stormwater Requirements
- Whole Effluent Toxicity
- Chemical Additives
- Chlorine Minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. 2315401, Sewage, **WaWa Inc.**, 260 West Baltimore Pike, Media, PA 19063.

This proposed facility is located in Chester Heights Borough, **Delaware County**.

Description of Action/Activity: Construction and operation of a sewage treatment plant.

WQM Permit No. 2315402, Sewage, **Southern Delaware County Authority**, 101 Beech Street, Boothwyn, PA 19061.

This proposed facility is located in Upper Chichester Township, **Delaware County**.

Description of Action/Activity: A gravity sewer interceptor to replace the Woodbrook pump station.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. WQG012229, Sewage, **Emily Eckhart**, 6936 Mountain Road, Macungie, PA 18062.

This proposed facility is located in Lower Macungie Township, **Lehigh County**.

Description of Proposed Action/Activity: The applicant is requesting a WQG-01 permit for the construction of a 400 GPD small flow treatment facility with a stream discharge. The facility will include a 1,000 gallon dual compartment treatment tank, an Orenco AdvanTex AX20N Combo Mode treatment unit, an ultraviolet disinfection chamber, a 350 gallon dosing tank, a 4" schedule 40 delivery line, and a perforated outfall sewer encased in geotextile fabric and surrounded with crushed stone followed by a concrete discharge headwall.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3691404 Amendment #1, Sewerage, **Solanco School District**, 121 South Hess Street, Quarryville, PA 17566.

This proposed facility is located in Fulton Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking approval to replace the current chlorine disinfection system with an ultraviolet light system.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Dr, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. WQG026501, Sewage, **Franklin Township Municipal Sanitary Authority**, 3001 Meadowbrook Road, Murrysville, PA 15668-1627.

This proposed facility is located in Murrysville Borough, **Westmoreland County**.

Description of Proposed Action/Activity: Construction of a gravity sewage collection system, pump station and forcemain to serve a proposed 300 acre development at Blackthorne Estates.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01201503, Sewage, **Dennis & Diann Frampton**, 246 Devore Drive, Meadville, PA 16335.

This proposed facility is located in East Mead Township, **Crawford County**.

Description of Proposed Action/Activity: Small Flow Treatment Facility.

WQM Permit No. WQG01251505, Sewage, **Brandi & Nicholas Casbohm**, 9730 Crane Rd, Albion, PA 16401.

This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Applications for Stormwater Discharges from MS4

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PAI132251, MS4, **Kline Township**, 30 5th Street, Kelayres, PA 18231. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Kline Township, **Schuylkill County**. The receiving streams, Catawissa Creek, Little Schuylkill Creek and Quakake Creek, are located in State Water Plan watersheds 02B, 03A and 05E are classified for High Quality—Cold Water Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is not in effect.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI014614008	The Cutler Group, Inc. 5 Apollo Road, Suite 1 Plymouth Meeting, PA 19462	Montgomery	Whitemarsh Township	Spring Mill Creek Tributary to Schuylkill River WWF

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030515001	US Cellular Corporation 1451 Earl Core Road Morgantown, WV 25505	Bedford	Colerain Township	Sweet Root Creek to Town Creek (HQ-CWF) UNT Cove Creek (EV-MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041415005	Centre County Airport Auth 2493 Fox Hill Rd State College, PA 16803	Centre	Benner Township	Buffalo Run HQ-CWF

Clearfield County Conservation District: 650 Leonard Street, Clearfield, PA 16830, (814) 765-2629

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041713002(2) Major Modification	Boggs Township PO Box 69 West Decatur, PA 16878	Clearfield	Boggs Township	UNT to Morgan Run CWF, MF Simeling Run HQ-CWF, MF

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI093715002	Attention: Patrick M. Webb Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800	Lawrence County	Little Beaver Township	Unnamed Tributary to Beaverdam Run, HQ-CWF

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS
NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Wanner's Pride and Joy Farm John Wanner 5800 Wanner Road Narvon, PA 17555	Lancaster	705.9	1,404.38	Dairy	HQ	Renewal
Walnut Hollow Farms Harold Barley 728 Walnut Hill Road Millersville, PA 17551	Lancaster	600	491.15	Layers/Beef	HQ	Renewal
Hidden Acres Farm J. Kevin Rohrer 2115 Rohrer Road Manheim, PA 17545	Lancaster	400	997.56	Swine/Beef	HQ	Renewal
Noah Sauder 401 Elco Drive Myerstown, PA 17067	Lebanon	0	600.26	Swine	NA	Renewal
Meadow Wood Farms Robert Bomberger 2075 Colebrook Road Lebanon, PA 17042	Lebanon	519	1,033.3	Dairy	NA	Renewal
McClellan Farms, Inc 443 Coolbaugh Hill Road Granville Summit, PA 16926	Bradford	155.7	514.69	Swine (Finishing)	None	Renewal

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Application No. 4815505, Public Water Supply.

Applicant	Hickory Hills MHC, LLC 121 Hickory Hills Drive Bath, PA 18014
[Township or Borough]	Upper Mount Bethel Township Northampton County
Responsible Official	John Boehm, Manager Hickory Hills 121 Hickory Hills Drive Bath, PA 18014
Type of Facility	PWS
Consulting Engineer	Charles H. Niclaus, P.E. Niclaus Engineering Corporation 804 Sarah Street Stroudsburg, PA 18360
Application Received Date	May 13, 2015
Description of Action	This application proposes the addition of a second adsorption clarifier and gravity down flow mixed media filter unit in the existing filtration plant, which provides treatment of water supplied by three existing groundwater wells.

Application No. 6415505, Public Water Supply.

Applicant **Aqua Pa, Inc.**
1775 North Main St.
Honesdale, PA 18431

[Township or Borough] Waymart Borough
Wayne County

Responsible Official Roswell S. McMullen
Manager of Special Projects
Aqua Pa, Inc.
1775 North Main St.
Honesdale, PA 18431

Type of Facility PWS

Consulting Engineer Steven Riley, PE
Entech Engineering, Inc.
4 South 4th St.
Reading, PA 19603

Application Received Date 5/28/2015

Description of Action Application proposes the permitting of a new source of supply known as Well No. 6 including all necessary appurtenances and treatment for disinfection, blending facility with existing Well No. 4, corrosion control, construction of contact segment, and demonstration of 4 Log treatment for viruses.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2115506 MA, Minor Amendment, Public Water Supply.

Applicant **United Water PA—Mechanicsburg**

Municipality Mechanicsburg Borough

County **Cumberland**

Responsible Official John D. Hollenbach, Vice President
4211 East Park Circle
Harrisburg, PA 17111-0151

Type of Facility Public Water Supply

Consulting Engineer Arthur C. Saunders, P.E.
United Water Pennsylvania
4211 East Park Circle
Harrisburg, PA 17111

Application Received: 5/15/2015

Description of Action Modifications to the Market Street Filtration system including media and underdrain replacement.

Permit No. 2115507 MA, Minor Amendment, Public Water Supply.

Applicant **Shippensburg Borough Authority PA**

Municipality Shippensburg Borough

County **Cumberland**

Responsible Official Loid Larson, Water Foreman
PO Box 129
111 N Fayette Street
Shippensburg, PA 17257-0129

Type of Facility Public Water Supply

Consulting Engineer Jason G. Saylor, P.E.
Utility Service Group, Inc
535 Courtney Hodges Boulevard
Perry, GA 31069

Application Received: 5/19/2015

Description of Action Rehabilitation of the Roxbury Storage Tank.

Permit No. 0515502 MA, Minor Amendment, Public Water Supply.

Applicant **Centerville Area MA**

Municipality Cumberland Valley Township

County **Bedford**

Responsible Official Lynland L. Yokum, Chairman
1030 Dark Hollow Road
Bedford, PA 15522

Type of Facility Public Water Supply

Consulting Engineer Edward Bellock, P.E.
Bellock Engineering
581 England Road
Roaring Spring, PA 16673

Application Received: 5/22/2015

Description of Action Filter plant upgrades including media replacement and plant automation.

Permit No. 2801501 MA, Minor Amendment, Public Water Supply.

Applicant **Grove US, LLC**

Municipality Antrim Township

County **Franklin**

Responsible Official Kevin Flohr, Facility Administrator
PO Box 21
Shady Grove, PA 17256

Type of Facility Public Water Supply

Consulting Engineer April M. Barkasi, P.E.
Cedarville Engineering Group, LLC
1033 South Hanover Street
North Coventry, PA 19465

Application Received: 4/27/2015

Description of Action Rehabilitation of the existing storage tank.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448

Application No. 1415504—Construction Public Water Supply.

Applicant **Penns Valley Medical Center**

Township/Borough Penn Township

County **Centre**

Responsible Official John Alan Hgen, Vice President
Penns Valley Medical Center
P.O. Box 302
Millheim, PA 16854

Type of Facility Public Water Supply

Consulting Engineer Kerry D. Tyson, P.E.
Nittany Engineering & Assoc.
LLC
2836 Earlstown Road, Suite 1
Centre Hall, PA 16828

Application Received May 16, 2015

Description of Action Addition of a nitrate treatment unit to the existing treatment system.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Permit No. 2615502, Public Water Supply.

Applicant **Pennsylvania American Water Company**
800 West Hersheypark Drive
Hershey, PA 17033

[Township or Borough] Dunbar Township

Responsible Official David R. Kaufman, P.E.,
Vice-President-Engineering
Pennsylvania American Water Company
800 West Hersheypark Drive
Hershey, PA 17033

Type of Facility PAWC-Uniontown water system

Consulting Engineer

Application Received May 7, 2015

Date

Description of Action Installation of the Uniontown Street Booster Station, Airport Gradient Booster Station and associated waterlines.

Permit No. 6515509, Public Water Supply.

Applicant **Latrobe Municipal Authority**
104 Guerrier Road
Latrobe, PA 15650

[Township or Borough] Derry Township

Responsible Official Thomas D. Gray, Manager
Latrobe Municipal Authority
104 Guerrier Road
Latrobe, PA 15650

Type of Facility Water system

Consulting Engineer Lennon, Smith, Souleret
Engineering, Inc.
846 Fourth Avenue
Coraopolis, PA 15108

Application Received June 2, 2015

Date

Description of Action Installation of the Kings Club Road Development booster station.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Application No. 0215517MA, Minor Amendment.

Applicant **Aleppo Township Authority**
100 North Drive
Suite 2
Sewickley, PA 15143

[Township or Borough] Glenfield Borough

Responsible Official John M. Seifarth, Chairman
Aleppo Township Authority
100 North Drive
Suite 2
Sewickley, PA 15143

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Application Received May 20, 2015

Date

Description of Action Installation of approximately 1,098 feet of 12-inch diameter waterline and appurtenances.

Application No. 0215518MA, Minor Amendment.

Applicant **Monroeville Municipal Authority**
219 Speelman Lane
Monroeville, PA 15146

[Township or Borough] Monroeville Borough

Responsible Official James Hunter, General Manager
Monroeville Municipal Authority
219 Speelman Lane
Monroeville, PA 15146

Type of Facility Water system

Consulting Engineer Chester Engineers
1555 Coraopolis Heights Road
Moon Township, PA 15108

Application Received May 22, 2015

Date

Description of Action Installation of approximately 4,600 feet of 12-inch diameter waterline and appurtenances (SR 22 Waterline Relocation Project).

Application No. 5615509MA, Minor Amendment.

Applicant **Somerset Township Municipal Authority**
PO Box 247
Somerset, PA 15501

[Township or Borough] Somerset Township

Responsible Official Carolyn Zambanini, Manager
Somerset Township Municipal Authority
PO Box 247
Somerset, PA 15501

Type of Facility Water system

Consulting Engineer The EADS Group
450 Aberdeen Drive
Somerset, PA 15501

Application Received May 23, 2015

Date

Description of Action Installation of waterlines for the Highland Hill Development.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Application No. 361W2-T2-MA5, Minor Amendment.

Applicant	Millcreek Township Water and Sewer Authority
Township or Borough	City of Erie
Responsible Official	David J. Sterrett
Type of Facility	Public Water Supply
Consulting Engineer	Jason G. Saylor, P.E. Utility Service Company, Inc. 535 Courtney Hodges Blvd. Perry, GA 31069
Application Received Date	May 18, 2015
Description of Action	Cleaning of interior tank surfaces with spot application of mineral and organic acid and full pressure washing at Asbury Tank No. 1 and Asbury Tank No. 2.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WA 43-1001, Water Allocations. South Pymatuning Township, 3483 Tamarack Drive, Sharpsville, PA 16150, South Pymatuning Township and Borough of Sharpsville, **Mercer County**. Water Allocation Permit application for the right to purchase 0.181 MGD from the Borough of Sharpsville.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup

standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Crossroads Freight & Logistics, Interstate 80 @ MM 185W, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of Crossroads Freight & Logistics, 2749 Oakberry Drive, Lawrenceville, GA 30045 submitted a Notice of Intent to Remediate. Approximately 80-90 gallons of diesel fuel was spilled to soils adjacent to the roadway. The site was and will remain a right-of-way along the interstate roadway. The Notice of Intent to Remediate was published in *The Daily Item* on February 24, 2015.

Former Sem Materials, L.P. Facility, 4th and Duke Streets, Point Township, **Northumberland County**. ARCADIS U.S., Inc. 10 Friends Lane, Suite 200, Newtown, PA 18940, on behalf of Koch Materials, LLC, 4111 East 37th Street North, Wichita, Kansas 67720 submitted a Notice of Intent to Remediate. Various organic regulated substances associated with operation of the asphalt batching plant have been detected in soils and groundwater. The site is currently zoned for industrial purposes and is expected to be used for nonresidential purposes in the future. The Notice of Intent to Remediate was published in *The Daily Item* on April 4, 2015.

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

4830 William Penn Highway, 4830 William Penn Highway, Bethlehem Township, **Northampton County**. Taylor GeoServices, 38 Bishop Hollow Road, Newtown Square, PA 19073, on behalf of Roadrunner Transportation Services, 4900 South Pennsylvania Avenue, Cudahy, WI 53110-8903, submitted a Notice of Intent to Remediate. An accident caused a 55 gallon drum to fall off a truck and seep diesel fuel on a residential property. The proposed future use of the property will be residential. The Notice of Intent to Remediate was published in *The Express Times* on May 7, 2015.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

RE Invest Tire & Wheel Renewal LLC, 515-621 North College Street, Carlisle, PA 17013, Borough of Carlisle, **Cumberland County**. Sovereign Consulting, Inc., 111A North Gold Drive, Robbinsville, NJ 08691, on behalf of RE Invest Tire & Wheel Renewal, LLC, PO Box 748, Hainesport, NJ 08036, a Notice of Intent to Remediate site soils and groundwater contaminated with VOCs, SVOCs, pesticides, herbicides, and PCBs. The site will be remediated to a combination of Nonresidential and Residential Statewide Health Standards. Future use of the site will be commercial and residential. The Notice of Intent to Remediate was published in the *Sentinel* on May 8, 2015.

USPS Former Harrisburg Vehicle Maintenance Facility, 800 Mulberry Street, Harrisburg, PA 17104, City of Harrisburg, **Dauphin County**. ARM Group, Inc., 1129 West Governor Road, PO Box 797, Hershey, PA 17033-0797, on behalf of US Postal Service, 7029 Albert Pick Road, 3rd Floor, Greensboro, NC 27409, submitted a Notice of Intent to Remediate groundwater contaminated with PAHs and VOCs. The site will be remediated to a combination of Background and Statewide Health Standards. Future use of the site will be commercial. The Notice of Intent to Remediate was published in the *Patriot-News* on April 30, 2015.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass

Perry Residence, 11 Caledonia Drive, Warminster Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Gene Noce, Harleysville Insurance, Specialty Claims, Harleysville Insurance, P. O. Box 227, Harleysville, PA 19438 on behalf of Judith Perry, 11 Caledonia Drive Warminster, PA 18974 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The site is presently residential and the intended future use of the site is residential. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on May 8, 2015. PF793907.

Speed King, 249 Lancaster Avenue, East Whiteland, **Chester County**. Dave Farrington, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, Frank King Jr., Estate of Frank King, Jr. 417 Water Dam Road, Waynesburg, PA 15370, Christina Rubel, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Glenn King, 675 East Reeceville Road, Coatesville, PA 19320 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of other organics. The future use of the site is

expected to remain as commercial. The Notice of Intent to Remediate was published in the *Daily Local News* on April 21, 2015. PF785201.

2 Pond Lane, 2 Pond Lane, Williston Township, **Chester County**. Phil Gray, Compliance Management, 1350 Welsh Road, North Wales, PA 19454, Bil Brehm, Stonebridge Bank, 605 Willowbrook Lane, West Chester, PA 19382 on behalf of Tim Horn, 1076 Wood Lane, West Chester, PA 19382 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of volatile organics (heating oil). The intended future use of the site is residential. The Notice of Intent to Remediate was published in the *Daily Local News* on March 18, 2015. PF785261.

Hamilton Residential, 1574 Shadyside Road, West Bradford Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Linda Shidel, State Farm Insurance, PA Fire Claims, P. O. Box 106110, Atlanta, GA 30348-6110 on behalf of James and Carol Hamilton, 1574 Shadyside Road, West Chester, PA 19380, Donald Rocklage, 1570 Shadyside Road, West Chester, PA 19380, Maryanne Canonico, 1566 Shadyside Road, West Chester, PA 19380 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The intended future use of the site is residential. The Notice of Intent to Remediate was published in the *Daily Local News* on April 19, 2015. PF785261.

Society Hill Shopping Center, 314-326 South 5th Street, City of Philadelphia, **Philadelphia County**. Michael A. Christie, PG, Penn E&R, Inc., 2755 Begey Road, Hatfield, PA 19440, Darryl D. Borrell, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 901, Bala Cynwyd, PA 19004 on behalf of Harry Feinber, Law Office of Harry Feinberg, 21 South 12th Street, Philadelphia, PA 19107 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of vocs and svocs. The site will continue to be used for non-residential purpose. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on April 30, 2015. PF785578.

Budge/Avis Rent a Car, 6501 Essington Avenue and 6439 Passyunk Avenue, City of Philadelphia, **Philadelphia County**. Tripp Fischer, P.G., Brownfield Science & Technology, 3157 Limestone Road, Cochranville, PA 19330 on behalf of Bernie Boldt, MCK Real Estate Corporation, 152 East 22nd Street, Suite B, Indianapolis, Indiana 46202 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of metals, svocs and vocs. The future use of the site is commercial. The Notice of Intent to Remediate was published in the *Local Newspaper* on April 6, 2015. PF785096.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

43-373A: Ellwood Crankshaft & Machine Company (2575 Freedland Road, Hermitage, PA 16148), for the construction of a crankshaft manufacturing facility consisting of horizontal multi-directional hot forging, heat treatment, and machining in Sharon City, **Mercer County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

The proposed construction of a crankshaft manufacturing facility consisting of horizontal multi-directional forging, heat treat, and rough machining operations will result in projected actual emissions of 2.46 tpy for VOC, 44.68 tpy for NO_x, 37.54 tpy for CO, 3.4 tpy for PM, and 0.27 tpy for SO_x. This Plan Approval will contain emission restriction, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source including, but are not limited to, the following:

- Facility is subject to Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories.

- Clam Shell Furnaces:

- Subject to 25 Pa. Code §§ 123.13 and 123.21

- Each furnace shall not emit more than the following:

- NO_x: 110 ppmvds @ 3% O₂ for heat up temperature range of 1,300 F to 2,300 F and between 50% to 100% of rated heat input capacity

- NO_x: 4.6 tpy based on a 12-month rolling total

- NO_x: 1.37 #/hr

- CO: 50 ppmvds @ 3% O₂ for heat up temperature range of 1,300 F to 2,300 F and between 20% to 100% of rated heat input capacity

- CO: 3.87 tpy based on a 12-month rolling total

- CO: 0.88 #/hr

- Stack test for NO_x and CO initially and at operating permit renewal.

- The permittee shall record the following:

- Gas usage on a monthly basis and a 12-month rolling total basis

- Hours of operation when furnace is operating between 1,300 F and 2,300 F and between 50% to 100% of rated heat input and when furnace is operating between 1,300 F and 2,300 F and between 20% to 100% of rated heat input.

- NO_x emissions on a monthly basis and a 12-month rolling total basis. NO_x emissions shall be calculated by hours of operation between 1,300 F and 2,300 F and between 50% to 100% of rated heat input and latest compliant stack test results added to hours of operation outside the above range and 1.37 #/hr.

- CO emissions on a monthly basis and a 12-month rolling total basis. CO emissions shall be calculated by hours of operation between 1,300 F and 2,300 F and between 20% to 100% of rated heat input and latest compliant stack test results added to hours of operation outside the above range and 0.88 #/hr.

- The permittee shall maintain and operate the source in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

- **Mobi-Hearth Heat Treat Furnaces:**
 - Subject to 25 Pa. Code §§ 123.13 and 123.21
 - Each furnace shall not emit more than the following:
 - NO_x: 60 ppmvds @ 3% O₂ for heat up temperature range of 1,300 F to 1,700 F and between 50% to 100% of rated heat input capacity
 - NO_x: 6.57 tpy based on a 12-month rolling total
 - NO_x: 1.5 #/hr
 - CO: 50 ppmvds @ 3% O₂ for heat up temperature range of 1,300 F to 2,300 F and between 20% to 100% of rated heat input capacity
 - CO: 5.52 tpy based on a 12-month rolling total
 - CO: 1.25 #/hr
 - Stack test for NO_x and CO initially and at operating permit renewal.
 - The permittee shall record the following:
 - Gas usage on a monthly basis and a 12-month rolling total basis
 - Hours of operation when furnace is operating between 1,300 F and 1,700 F and between 50% to 100% of rated heat input and when furnace is operating between 1,300 F and 2,300 F and between 20% to 100% of rated heat input.
 - NO_x emissions on a monthly basis and a 12-month rolling total basis. NO_x emissions shall be calculated by hours of operation between 1,300 F and 1,700 F and between 50% to 100% of rated heat input and latest compliant stack test results added to hours of operation outside the above range and 1.5 #/hr.
 - CO emissions on a monthly basis and a 12-month rolling total basis. CO emissions shall be calculated by hours of operation between 1,300 F and 2,300 F and between 20% to 100% of rated heat input and latest compliant stack test results added to hours of operation outside the above range and 1.25 #/hr.
 - The permittee shall maintain and operate the source in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan ap-

proval [43-373A] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

61-224A: Joy Global, Inc. Franklin Plant 1 (323 Buffalo Street, Franklin, PA 16323), for the construction of 2 paint booths and degreasers in Franklin City, **Venango County**. This is a State Only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only operating permit at a later date.

The proposed construction of 2 paint booths will result in permit limits of 45.0 tpy for VOC, 9.0 tpy for single HAP, and 24.0 tpy for total HAPs. The facility will have permit limits of 49.5 tpy for VOC, 9.5 tpy for single HAP, and 24.5 tpy for total HAPs. This Plan Approval will contain emission restriction, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source including, but are not limited to, the following:

- **Site Level Requirements:**
 - The emissions from the facility shall not exceed the following:
 - VOC: 49.0 tpy based on a consecutive 12-month rolling period
 - Single HAP: 9.5 tpy based on a consecutive 12-month rolling period
 - Total HAPs: 24.5 tpy based on a consecutive 12-month rolling period
 - The permittee shall record the following:
 - Facility VOC emissions on a monthly basis and a 12-month rolling total basis
 - Facility Single HAP emissions on a monthly basis and a 12-month rolling total basis
 - Facility Total HAP emissions on a monthly basis and a 12-month rolling total basis
- **Source 101 (Spray Booths):**
 - Subject to 25 Pa. Code §§ 123.13 and 129.52

- The emissions from both booths combined shall not exceed the following:

- VOC: 45.0 tpy based on a consecutive 12-month rolling period

- Single HAP: 9.0 tpy based on a consecutive 12-month rolling period

- Total HAPs: 24.0 tpy based on a consecutive 12-month rolling period

- All recordkeeping shall commence upon startup of the source/control device. All records shall be kept for a period of five (5) years and shall be made available to the Department upon request.

- The permittee shall maintain a record of all preventive maintenance inspections of the control device(s). The records of the maintenance inspections shall include, at a minimum, the dates of the inspections, the name of the person performing the inspection, any problems or defects identified, any actions taken to correct the problems or defects, and any routine maintenance performed.

- The permittee shall record the following operational data from the control device(s) (these records may be done with strip charts recorders, data acquisition systems, or manual log entries):

- Pressure drop—daily defined as at least once per calendar day

- The permittee shall record the following:

- VOC emissions on a monthly basis and a 12-month rolling total basis

- Single HAP emissions on a monthly basis and a 12-month rolling total basis

- Total HAP emissions on a monthly basis and a 12-month rolling total basis

- The permittee shall perform a daily operational inspection of the control device.

- All gauges employed by the permittee to monitor the required control device operating parameters shall have a scale such that the expected normal reading shall be no less than twenty percent (20%) of full scale and be accurate within plus or minus two percent (+/- 2%) of full scale reading.

- The permittee shall adhere to the approved indicator range for the control device so that operation within the range shall provide reasonable assurance of compliance. A departure from the specified indicator range over a specified averaging period shall be defined as an excursion. The approved indicator range is the following:

- Pressure drop: 1.0 to 7.0 inches water gauge or as established during compliant testing

- The permittee, with prior Departmental approval, may conduct additional performance tests to determine a new pressure drop range. Within 24-hours of discovery of a reading outside of the prescribed range the permittee shall perform a maintenance inspection on the control device and take corrective action. Records of all maintenance inspections on the control device, and corrective actions taken, shall be maintained on site for a minimum period of five years. In the event of more than one documented excursion outside the prescribed range in any calendar quarter the permittee shall submit a corrective measure plan to the Department. Corrective measures may include an increase of the frequency of required preventative maintenance inspections of the control device, a modification of the prescribed range, or other

appropriate action as approved by the Department. Upon receipt of a corrective measure plan the Department shall determine the appropriate corrective measure on a case by case basis.

- The permittee shall operate the control device associated with this source at all times that the source is in operation.

- The source and control device shall be maintained and operated in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

- Source 102 (Small Parts Washers):

- Subject to 25 Pa. Code § 129.63.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [61-224A] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

62-017W: United Refining Company of Pennsylvania, Warren Plant (P.O. Box 780, Warren, PA 16365-0780) for the installation of a Steam Methane Reformer (SMR) Hydrogen Plant at 15 Bradley Street in Warren, PA (16365-0780). This facility is located in the City of Warren, **Warren County**.

Pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 62-017W to United Refining Company of Pennsylvania for the instal-

lation of a SMR hydrogen plant, for the Warren Plant located in the City of Warren, Warren County. The Plan Approval will subsequently be incorporated into a facility Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 62-017W is for the installation of a SMR hydrogen plant. Based on the information provided by the applicant and DEP's own analysis, the combined subject sources from this project will have the potential to emit approximately 18.4 tons per year (tpy) of nitrogen oxides, 8.32 tpy of carbon monoxide, 4.14 tpy of volatile organic compounds, 3.6 tpy of particulate matter, 2.42 tpy of hazardous air pollutants, 0.44 tpy of sulfur oxides and 114,914 tpy of greenhouse gas emissions.

The hydrogen plant will be subject to emission requirements from 25 Pa. Code § 123.41, using 25 Pa. Code § 127.12b and from 40 CFR 60.102a. Testing requirements have been included using 25 Pa. Code § 127.12b and from 40 CFR 60.104a. Monitoring requirements have been included using § 60.107a. Recordkeeping requirements have been included from § 60.108a, § 63.7555 and § 63.7560. Reporting requirements have been included using 25 Pa. Code § 127.12b and from 40 CFR 63.7545 and 63.7550. Work practice requirements have been included using 25 Pa. Code § 127.12b and from 40 CFR 60.103a, § 63.7500 and § 63.7515. These requirements are designed to keep the facility operating within all applicable air quality requirements.

This facility will be subject to 40 CFR Part 60 Subpart Ja (Standards of Performance for Petroleum Refineries for Which Construction, Reconstruction, or Modification Commenced After May 14, 2007) and 40 CFR Part 63 Subpart DDDDD (National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial and Institutional Boilers and Process Heaters).

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

62-032K: Ellwood National Forge (One Front Street, Irvine, PA 16329), for the modification of Furnaces 382 and 605 by replacing the burner packages and controls in Brokenstraw Township, **Warren County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the Title V operating permit at a later date.

Plan approval No 62-032K is for the proposed modification of Furnaces 382 and 605 by replacing the burner packages and controls. Both furnaces are included as part of Source 111. This project will result in projected actual emissions of 8.1 tpy for NO_x, 6.8 tpy for CO, 0.443 tpy for VOC, 0.613 tpy for PM, 0.613 tpy for PM₁₀, 0.613 tpy for PM_{2.5}, 0.049 tpy for SO_x, and 9,685.2 tpy for CO₂(e). This Plan Approval will contain conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- When firing natural gas:
 - The NO_x emissions from ENF heat treat furnaces 382 & 605 shall not exceed 100 lbs/MMCF and 8.1 TPY (based on a 12-month rolling total).
 - The NO_x emissions from the ENF heat treat furnaces except for Furnaces 382 & 605 shall not exceed 140 lbs/MMCF. The NO_x emissions from the ENF heat treat furnaces shall not exceed 10.85 TPY (based on a 12-month rolling total).
- Stack test either Furnace 382 or 605 for NO_x and CO initially and test at operating permit renewal.
- All conditions from the facility operating permit issued on August 1, 2012, for this source remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [62-032K] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the above public notice process, the change to an operating permit must be treated as a significant modification. In these situations the Department should follow the procedures described in §§ 127.421 to 127.431 for state only operating permits or §§ 127.521 to 127.524 for Title V operating permits.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

06-05069: East Penn Manufacturing Co. Inc. (Deka Road, PO Box 147, Lyon Station, PA 19536) for the lead-acid battery assembly facility located in Richmond Township, **Berks County**. This is intent to authorize a significant modification to the facility's Title V operating permit issued January 22, 2015. The purpose of the permit change is to modify discharge hour limits listed in Air Quality Permit 06-05069. The modified discharge hour limits will decrease the facility potential to emit $PM_{10}/PM_{2.5}$ by 0.09 tpy.

06-05063: Boyertown Foundry Co. (PO Box 443, 9th & Rothermel, New Berlinville, PA 19545) to issue a Title V Operating Permit renewal for the New Berlinville Plant located in Boyertown Borough, **Berks County**. The actual emissions from the facility in 2014 year were 84 tons of CO, 2 tons of NO_x, 32 tons of PM₁₀, 24 tons of PM_{2.5}, 12 tons of SO_x and 22 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 129.52, 129.63 and 129.91, 40 CFR 63 Subpart ZZZZZ and 40 CFR 64.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

53-00004: Dominion Transmission Inc. (5000 Dominion Boulevard Glen Allen, VA 23060) to issue a renewal Title V Operating Permit for their Harrison Transmission Station located in Harrison Township, **Potter County**. The facility is currently operating under Title V Operating Permit 53-00004. The facility's main sources include multiple natural-gas-fired heaters/boilers ranging from

0.10 MMBtu/hr to 25 MMBtus/hr, five 2,000 brake-horsepower natural-gas-fired compressor engines, one 770 brake-horsepower natural-gas-fired engine, one 1,100 brake-horsepower natural-gas-fired engine, and various storage tanks.

The facility has potential annual emissions of 424.57 tons of carbon monoxide, 1,169.14 tons of nitrogen oxides, 27.98 tons of sulfur oxides, 21.73 tons of particulate matter including particulate matter less than 10 microns in size, 21.73 tons of particulate matter less than 2.5 microns in size, 135.88 tons of volatile organic compounds, 4.91 tons of hazardous air pollutants, and 46,489 tons of greenhouse gases. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Part 60 Subpart Dc, 40 CFR Part 63 Subpart ZZZZ, 40 CFR Part 63 Subpart DDDDD, and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00114: Glenn O. Hawbaker, Inc. (711 E. College Ave., Bellefonte, PA 16823-6854) The Department intends to issue a State Only (Synthetic Minor) operating permit for the Hazleton Aggregate Facility Plant #23 in Hazle Township, **Luzerne County**. The facility is taking an elective restriction on production to limit particulate matter emissions below Title V levels. The State Only operating permit includes emissions, monitoring, record keeping, reporting, testing and any additional conditions designed to ensure compliance with all applicable Federal and State air pollution control requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

67-05134: Krosaki Magnesita Refractories LLC (425 South Salem Church Road, York, PA 17408) to issue a State Only Operating Permit for their specialty non-clay refractory manufacturing facility in West Manchester Township, **York County**. Potential facility emissions of volatile organic compounds (VOC) are limited to 50 tons per year and actual VOC emissions are minimized by the use of three thermal incinerator VOC control devices. The Operating Permit includes emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. The facility includes sources subject to 40 CFR Part 63 Subpart

SSSSS—National Emission Standards Hazardous Air Pollutants for Refractory Products Manufacturing.

07-05037: Cove Shoe Company (107 Highland Street, Martinsburg, PA 16662) to issue a State Only Operating Permit for their footwear manufacturing facility in Martinsburg Borough, **Blair County**. Reported facility emissions for 2014 included 24.1 tons of volatile organic compounds (VOC) and 3.7 tons of hazardous air pollutants (HAP). The Operating Permit includes emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

25-00541: Penn-Union Corporation (229, Waterford Street, Edinboro, PA 16412-2381) for issuance of the natural minor permit. The facility is located in Edinboro Borough, **Erie County**. The facility manufactures current-carrying wiring devices. The facility's emitting sources include: 1) Electric Induction Furnaces (3), 2) Rotary Casting Unit, 3) Manual Casting Unit, 4) Push out furnace/Aluminum, 5) Muller "A" Sand Return/Mixing Unit, 6) Shot Blast (West Wheelabrators C & D), 7) Deslagging Ladles (A & B), and, 8) Miscellaneous Natural Gas Process Units. The facility removed the following sources: 1) Degreaser Boiler and 2) Degreaser (Batch Cold Cleaning) emitting source of Perchloroethylene (HAP), 3) Hand Plating line, 4) Automatic Plating Line, 5) Plating Boiler, 6) Core Machine B, 7) East Tumblers A—E, 8) Manual Stripping Station, 9) PVC System, 10) Electric Core oven and, 11) Sludge cake dryer. Thus, the facility is a Natural Minor Permit. The Potential emissions from the facility are PM: 9.82 TPY, SO_x: 32.57 TPY, NO_x: 3.84 TPY, VOC: 0.21TPY, CO: 3.22 TPY.

27-00033: National Forest Products, (427 NFP Drive, Marienville, PA 16237) to issue the renewal of the State Only Operating Permit for the cabinet manufacturing facility located in Jenks Township, **Forest County**. The primary sources at the facility are 2 paint booths and wood staining activities. The facility is a Natural Minor. Potential emissions are 21.6 tpy VOC, 4.74 tpy for single highest HAP; and 8.48 tpy for all HAPs combined; and less than 1 tpy for CO, PM, SO_x, & NO_x. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to

issue a Plan Approval to **Inhance Technologies, LLC** (16223 Park Raw, Suite 100, Houston, TX 77084) for their facility located in Hanover Township, **Lehigh County**. This Plan Approval No. 39-00090A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 39-00090A is for the construction and operation of additional production equipment, a second train reactor vessel, two electrolytic cells and a hot water heater. The company has also requested to update the facility's potential emissions. The additional production equipment would increase the production capacity of the facility and also increase the facility's potential emissions. Small quantities of hydrogen fluoride (HF) and fluorine (F₂) emissions are expected from the new and existing process equipment at the facility. HF and F₂ emissions will be controlled by packed bed scrubber before releasing into atmosphere. The process emissions are projected to 0.624 TPY of HF and 0.290 TPY of F₂ with 8,760 hours per year. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The use of scrubbers to control emissions will meet BAT requirements for these sources. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 39-00090A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); the Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015);

the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

03981301 and NPDES No. PA0215198. Western Allegheny Energy, LLC, (301 Market Street, Kittanning, PA 16201). To revise the permit for the Parkwood Mine in Plumcreek Township, **Armstrong County** and related NPDES permit to add a new coal yard, sediment pond and NPDES Outfall 003. Crooked Creek, classified for the following use(s): WWF. The application was considered administratively complete on May 26, 2015. Application received January 2, 2015.

30080701 and NPDES No. PA0235806. Consol Pennsylvania Coal Company LLC, (1525 Pleasant Grove Road, P.O. Box J, Claysville, PA 15323). To renew the permit for the Bailey Central Mine Complex Coal Refuse Disposal Area No. 5 and 6 in Richhill Township, **Greene County** and related NPDES Permit. No additional discharges. The application was considered administratively complete on May 27, 2015. Application received December 23, 2014.

30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, (1525 Pleasant Grove Road, P.O. Box J, Claysville, PA 15323). To revise the permit and NPDES permit for the Enlow Fork Mine in Richhill Township, **Greene County**, East Finley Town-

ship, **Washington County** to add surface acres for the F27 Bleeder Site and a new NPDES discharge point. Surface Acres Proposed 21.9. Receiving Streams: Unnamed Tributary to Buffalo Creek, classified for the following use(s): HQ-WWF. The application was considered administratively complete on May 28, 2015. Application received February 27, 2015.

30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, (1525 Pleasant Grove Road, P.O. Box J, Claysville, PA 15323). To revise the permit and NPDES permit for the Bailey Mine in Richhill Township, **Greene County** for installation of airshaft and Outfall 34. Surface Acres Proposed 7.0. Receiving Streams: Unnamed Tributary to North Fork Dunkard Fork, classified for the following use(s): TSF. The application was considered administratively complete on May 29, 2015. Application received February 27, 2015.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 05070101 and NPDES No. PA0262544. J&J Svonavec Excavating, Inc., 618 Samuels Road, Somerset, PA 15501, renewal for the continued operation and restoration of a bituminous surface mine in Broad Top Township, **Bedford County**, affecting 110 acres. Receiving streams: Brewster hollow Run for the following use: warm water fishes. The first downstream potable water supply intake from the point of discharge is Saxton Municipal water Quthority at Saxton, PA on the Raystown Branch of the Juniata River. Application received: May 18, 2015.

Permit No. 56090108 and NPDES No. PA0262803. Hoffman Mining, Inc., P.O. Box 130, 118 Runway Road, Friedens, PA 15541, renewal for the continued operation and restoration of a bituminous surface mine in Shade Township, **Somerset County**, affecting 185 acres. Receiving streams: unnamed tributaries to/and Dark Shade Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: May 18, 2015.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

16100104. RFI Energy, Inc. (P.O. Box 162, Sligo, PA 16255). Renewal of an existing bituminous surface and tippel refuse disposal mine in Licking Township, **Clarion County** affecting 183.0 acres. This renewal is for reclamation only. Receiving streams: Two unnamed tributaries to Licking Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 29, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 49803201R6 and NPDES Permit No. PA0595978. Reading Anthracite Company, (PO Box 1200, Pottsville, PA 17901), renewal of an existing anthracite coal refuse reprocessing operation and NPDES permit for discharge of treated mine drainage in Zerbe Township, **Northumberland County** affecting 176.0 acres, receiving stream: Zerbe Run, classified for the following uses: cold water and migratory fishes. Application received: May 12, 2015.

Permit No. 49803202R6 and NPDES Permit No. PA0592960. Reading Anthracite Company, (PO Box 1200, Pottsville, PA 17901), renewal of an existing anthracite coal refuse reprocessing operation and NPDES permit for discharge of treated mine drainage in Zerbe Township, **Northumberland County** affecting 45.0

acres, receiving stream: Zerbe Run, classified for the following uses: cold water and migratory fishes. Application received: May 12, 2015.

Permit No. 40050201R2. HUD, Inc. t/a Emerald Anthracite II, (PO Box 27, Nanticoke, PA 18634), renewal of an existing anthracite coal refuse reprocessing operation in Newport Township and City of Nanticoke, **Luzerne County** affecting 83.6 acres, receiving stream: Newport Creek, classified for the following use: cold water fishes. Application received: May 27, 2015.

Coal Applications Withdrawn

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 40880101R5. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), renewal for

reclamation activities only of an existing anthracite surface mine operation in Newport Township, **Luzerne County** affecting 144.2 acres, receiving stream: Black Creek. Application received: January 13, 2014. Application Withdrawn: May 26, 2015.

Permit No 40880101C. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), correction to update the post-mining land use of an existing anthracite surface mine operation in Newport Township, **Luzerne County** affecting 144.2 acres, receiving stream: Black Creek. Application received: January 13, 2014. Application Withdrawn: May 26, 2015.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58150301 and NPDES Permit No. PA0225585. Pennsy Supply, Inc., (PO Box 3331, Harrisburg, PA 17105), commencement, operation and restoration of a quarry operation in Middletown and Forest Lake Townships, **Susquehanna County** affecting 254.3 acres, receiving streams: unnamed tributaries to Middle Branch Wyalusing Creek, classified for the following uses: cold water and warm water fishes. Application received: May 18, 2015.

Permit No. 7775SM5C3 and NPDES Permit No. PA0594954. Lehigh Cement Company, LLC (537 Evansville Road, Fleetwood, PA 19522), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Oley Township, **Berks County** affecting 91.04 acres, receiving stream: Limekiln Creek to Monocacy Creek, classified for the following uses: warm water and migratory Fishes. Application received: May 19, 2015.

Permit No. 8073SM5C12 and NPDES Permit No. PA0013731. Gill Quarries, Inc. (PO Box 187, Fairview Village, PA 19409), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Norriton Township, **Montgomery County** affecting 38.31 acres, receiving stream: Stony Creek, classified for the following use: trout stock fishes. Application received: May 21, 2015.

Permit No. 7474SM1C12 and NPDES Permit No. PA0119263. Eastern Industries, Inc. (3724 Crescent Court West, Whitehall, PA 18052), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Upper & Lower Nazareth and Palmer Townships, **Northampton County** affecting 129.1 acres, receiving stream: unnamed tributary to Schoeneck Creek, classified for the following use: warm water fishes. Application received: May 22, 2015.

Permit No. 58070857. Jeffrey A. Gunn, (105 SR 1008, Susquehanna, PA 18847), Stage I & II bond release of a quarry operation in Harford Township, **Susquehanna County** affecting 5.0 acres on property owned by Cheryl and Bruce Dean. Application received: May 22, 2015.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

NPDES No. PA0259608 (GFCC No. 33-14-20). P. and N. Coal Company, Inc. (P.O. Box 332, Punxsutawney, PA 15767) New NPDES permit for a government financed construction contract in Winslow Township, **Jefferson County**, affecting 35.0 acres. Receiving streams: Fehley Run, classified for the following uses: CWF. TMDL: None. Application received: April 24, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to Fehley Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB1	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		1.6	3.2	4.0
Aluminum (mg/l)		2	4	5
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to Fehley Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB2	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3	6	7
Manganese (mg/l)		1.9	3.8	4.8
Aluminum (mg/l)		2	4	5
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-614: PennDOT, 400 North Street, 6th Floor, Harrisburg, PA 17105-3457 in Lower Swatara Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To remove existing structure and to install and maintain a 25-linear foot open bottom box culvert with a 9-foot wide by 6.7 foot high opening in UNT to Swatara Creek (WWF, MF), (Latitude: 40° 11' 48", Longitude: -76° 44' 31") for improvements to the current transportation corridor to meet current and future needs.

E06-699: Berks County Parks and Recreation Department, 2083 Tulpehocken Road, Wyomissing, PA 19610, in Alsace and Lower Alsace Townships, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To 1) remove an existing culvert and install a pedestrian bridge in and across an unnamed tributary to Antietam Creek (CWF, MF) permanently impacting 13 linear feet of stream;

2) install an open bottom concrete arch culvert bridge in and across of an Unnamed Tributary to Antietam Creek (CWF, MF) while maintaining the existing stream bed and permanently impacting 25 linear feet of stream;

3) install a pedestrian bridge in and across an unnamed tributary to Antietam Creek (CWF, MF) and permanently impacting 8 linear feet of stream, 0.01 acre of floodway and 0.003 acre of floodplain of the UNT to Antietam Creek and Antietam Creek/Lake;

4) install a pedestrian bridge in and across Bingaman Run (CWF, MF) and permanently impacting 24 linear feet of stream;

5) install a parking lot, trail, constructed wetlands, and restroom facilities all permanently impacting 0.71 acre of floodway and 0.06 acre of floodplain of Antietam Creek/Lake (CWF, MF) and an Unnamed Tributary to Antietam Creek (CWF, MF);

6) install a stone walking trail, temporary construction facilities, and parking lot all permanently impacting 0.2 acre of floodway and 0.11 acre of floodplain of Bingaman Run (CWF, MF) and Antietam Creek/Lake (CWF, MF);

7) install a parking lot, rain garden, and walking trail all permanently impacting 0.35 acre of floodway and 0.16 acre of floodplain of Antietam Creek (CWF, MF);

8) repair an existing stone wall in, along, and lining Antietam Creek (CWF, MF) and permanently impacting 205 linear feet of Antietam Creek;

9) install an observation and fishing platform permanently impacting 0.09 acre of floodplain of Antietam Creek/Lake (CWF, MF);

10) install two 4-inch diameter PVC outfall pipes from proposed constructed wetlands in and along and impacting 4-linear feet of an Unnamed Tributary to Antietam Creek (CWF, MF); and,

11) install a rock drain outfall structure in and across and impacting 2 linear feet of an unnamed tributary to Antietam Creek (WWF, MF).

The project site is located in the Antietam Lake County Park along Angora Road and Seidel Road (Latitude: 40° 21' 22.8"; Longitude: -75° 52' 25.98") in Alsace and Lower Alsace Townships, Berks County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

D63-151EA. Keith German, Peoples Natural Gas Company, LLC, 1201 Pitt Street, Pittsburgh, PA 15221. Fallowfield Township, **Washington County**, USACOE Pittsburgh District.

Project proposes to remove the Gibson Pumping Station Dam for the purpose of eliminating a threat to public safety and to restoring approximately 250 feet of stream channel to a free-flowing condition. The proposed restoration project will remove the riser pipes but leave the dam embankment and culvert pipes intact, maintaining the existing access road but allowing for the stream to flow through the embankment. The project is located across a tributary to Pigeon Creek (WWF) (Monongahela, PA Quadrangle, Latitude: 40.1447; Longitude: -79.9627).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0032115 (Sewage)	Ricketts Glen State Park STP 695 State Route 487 Benton, PA 17814	Luzerne County Fairmount Township	Ganoga Glen (5-C)	Y

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES Permit No. PA0233587, Industrial, SIC Code 2421, **Emporium Hardwoods LLC**, 15970 Route 120, Emporium, PA 15834-3756.

This existing facility is located in Shippen Township, **Cameron County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of industrial wastewater and stormwater.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0263532 (Sewage)	Marsha & Stephen Walters SFTF 3329 Ivanhoe Road Sharpsville, PA 16150	Mercer County South Pymatuning Township	Unnamed Tributary to McCullough Run (20-A)	Y
PA0223026 (Industrial Waste)	St Petersburg Borough WTP Waterworks Road St Petersburg, PA 16054-0235	Clarion County Richland Township	Unnamed Tributary of Clarion River (17-B)	Y
PA0222062 (Sewage)	Springfield Grille 1226 Perry Highway Mercer, PA 16137	Mercer County Springfield Township	Unnamed Tributary to Neshannock Creek (20-A)	Y
PA0104299 (Sewage)	Camp Lutherlyn 500 Lutherlyn Lane Prospect, PA 16052-0355	Butler County Connoquenessing Township	Semiconon Run (20-C)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0026247, Sewage, Amendment, **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915.

This proposed facility is located in Hatfield Township, **Montgomery County**.

Description of Action/Activity: To discharge from a facility known as Hatfield Township Municipal Authority to West Branch Neshaminy Creek in Watershed(s) 2-F.

NPDES Permit No. PA0054402, Industrial, **Emerson Electric Co.**, 8000 West Florissant Avenue, St. Louis, MO 63136.

This proposed facility is located in Hatfield Borough, **Montgomery County**.

Description of Action/Activity: To discharge from a facility known as Brooks Instrument GWCU to unnamed Tributary to West Branch Neshaminy Creek in Watershed(s) 2-F.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES Permit No. PA0232661, Sewage, SIC Code 4952, **Daub Gregory L**, 485 Greenville Road, Denver, PA 17517.

This proposed facility is located in Covington Township, **Clearfield County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a 1,550 gallon discharge of treated sewage from a small flow treatment facility serving a three unit apartment complex in Covington Township, Clearfield County. Currently the facility has a malfunctioning onlot system. The discharge is to an Unnamed Tributary to Sandy Creek.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES Permit No. PA0273015, SIC Code 4952, 8800, **Rebecca Collingwood**, 51 W Methodist Road, Greenville, PA 16125.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 5414401, Sewage, SIC Code 4939, 4952, **Aqua Pennsylvania Wastewater Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3402.

This proposed facility is located in North Union Township, **Schuylkill County**.

Description of Proposed Action/Activity: Installation of Low Pressure System for Eagle Rock Hidden Forest Development Phase IV.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3886404, Amendment #2, Sewerage, **Summit International School of Ministry**, 74 Harrison School Road, Grantville, PA 17028.

This proposed facility is located in East Hanover Township, **Lebanon County**.

Description of Proposed Action/Activity: Permit approval for the modifications and operation of sewage facilities consisting of: Installation of 180 feet of 6 inch PVC pipe to convey effluent to discharge point; Install chemical feed system to feed sodium bisulfite for de-chlorination; and Provide poste aeration in effluent box.

WQM Permit No. 0690411 Amendment #5, Sewerage, **Wyomissing Valley Joint Municipal Authority**, 701 Old Wyomissing Road, Reading, PA 19611-1513.

This proposed facility is located in Reading City, **Berks County**.

Description of Proposed Action/Activity: Permit amendment approving the modification of sewage facilities consisting of the replacement of the existing "Auger Monster" Influent Fine Screen with a JRW Environmental "Finescreen Monster" Influent Fine Screen.

WQM Permit No. 0515201, CAFO, **Zachery Akers**, 1218 Cherry Lane, Clearville, PA 15535-7501.

This proposed facility is located in Monroe Township, **Bedford County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of manure storage facilities consisting of: An HDPE-lined lagoon, with a clay secondary liner that is approximately 20' x 145' x 12' deep. The useable storage capacity at a 2-foot freeboard is 1,487,560 gallons. Including the 100-year, 24-hour storm of 111,460 gallons (5.96-inches) and 439,351 gallons (40.70-inches) annual rainfall and subtracting for evaporation, the effective capacity will be 936,749 gallons. This capacity would offer 13.9 months' worth of storage. A perimeter/leak detection system with shut off valves will be installed. CAFO located at 339 Akers Road, Clearville, PA 15535-5164.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

WQM Permit No. 1715402, Sewage, SIC Code 4952, **Daub Gregory L**, 385 Greenville Road, Denver, PA 17517.

This proposed facility is located in Covington Township, **Clearfield County**.

Description of Proposed Action/Activity: Construction and operation of a 1,550 gallon per day small flow sewage treatment facility serving a residential complex. The complex currently has a malfunctioning onlot system which is being replaced by the proposed system. The proposed system will consist of septic tanks, sand filter and tablet chlorination.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 4315401, Sewage, SIC Code 4952, 8800, **Rebecca Collingwood**, 51 W Methodist Road, Greenville, PA 16125.

This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010915001	Mr. Thomas Brubaker P. O. Box 26 Bedminster, PA 18950	Bucks	Nockamixon Township	Rapp Creek EV

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI012315003	Mr. Anthony Sabatelli 524 Darlington Road Media, PA 19063	Delaware	Middletown Township	Chester Creek TSF-MF Rocky Run HQ-CWF-MF
PAI014614005	Mancill Mill Road Company 401 South Schuylkill Avenue Norristown, PA 19403	Montgomery	Upper Merion Township	Schuylkill River WWF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023915002	Jalan, LLC c/o Mr. Robert Cahill 5 Ivy Court Easton, PA 18045	Lehigh	Upper Macungie Township	Cedar Creek (HQ-CWF, MF)
PAI023914028	DeSales University c/o Mr. Peter Rautzhan 2755 Station Avenue Center Valley, PA 18034	Lehigh	Upper Saucon Township	Laurel Run (CWF, MF), EV Wetlands
PAI023914001	Pennsylvania Department of Transportation	Lehigh	Whitehall and Hanover Townships	Lehigh River (TSF, MF) Jordan Creek (TSF, MF)
PAI024514011	Modern Gas Sales, Inc. PO Box 5001 Avoca, PA 18641	Monroe	Jackson Township	Pocono Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041415001	Kevin E. McLaughlin Village of Nittany Glen LP 940 W. Sproul Rd, Ste 301 Springfield, PA 19064	Centre	Benner Township	UNT to Buffalo Run HQ-CWF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041814008	Calvin King Pine Creek Structures Inc 74 Airstrip Dr. Mill Hall, PA 17751	Clinton	Lamar Township	Fishing Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site

PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Doylestown Township Bucks County	PAG02000915037	Doylestown Township 425 Wells Road Doylestown, PA 18901	Unnamed Tributary Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAG02000915002	Hallmark Homes— Serendipity Farm 865 Easton Road, Suite 250 Warrington, PA 18976	Pine Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Gwynedd Township Montgomery County	PAG02004615001	George T. Popper 659 Roberts Avenue Glenside, PA 19038	Trewellyn Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Limerick Township Montgomery County	PAG02004614093	Heritage Crossing Condominium Assoc 625 W. Ridge Pike, Bldg A. Suite 100 Conshohocken, PA 19428	Mingo Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Providence Township Montgomery County	PAG02004614091	Toll Brothers, Inc. 4 Hillman Drive, Suite 120 Chadds Ford, PA 19317	Unnamed Tributary to Schuylkill River/Doe Run WWF-TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Pittston Township, Luzerne County	PAG02004014036	Scannell Properties Christopher Miller 800 E. 96th St, Suite 175 Indianapolis, IN 46240-3868	Collins Creek and Lidy Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Smithfield Township Monroe County	PAG02004508003R(1)	Penn Reginal Business Center III, Inc. 319 Dartmouth Rd, Ste 1A Marshalls Creek, PA 18335	UNT to Brodhead Creek (TSF, MF)	Monroe County Conservation District 570-629-3060
Bethlehem Township Northampton County	PAG02004815009	Wagner-Getz Partnership c/o Levin & Company 6614 Ruppville Rd Allentown, PA 18106	UNT to Nancy Run (CWF, MF)	Northampton County Conservation District 610-746-1971

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Cumberland Township Adams County	PAG02000114040(1) Issued	Sommers Farm, LLC PO Box 120 Allenwood, NJ 08720 and Gingrich Builders 117 West Main Street Ephrata, PA 17522	Marsh Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Oxford Township Adams County	PAG02000115009 Issued	New Oxford Foods 304 South Water Street New Oxford, PA 17350	South Branch Conewago Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Hamilton Township Adams County	PAG02000115013 Issued	Pembroke Pointe Farm, LLC 3885 Carlisle Pike New Oxford, PA 17350	Conewago Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Muhlenberg Township Berks Township	PAG0000615024 Issued	Grande Land, L.P. 2213 Quarry Road West Lawn, PA 19609	Schuylkill River/WWF, MF	Berks County Conservation District 1238 County Welfare Road, Suite 200 Leesport, PA 19533-0520 610-372-4657
Lower Allen Township Cumberland County	PAG02002115002 Issued	Mountaineer Properties, LLC PO Box 921 Camp Hill, PA 17011	UNT to Cedar Run/CWF	Cumberland County Conservation District 310 Allen Road, Suite 301 Carlisle, PA 17013 717-240-6169
West Hempfield Township Lancaster County	PAG02003615053 Issued	Lancaster (Silver Spring) DDP XI 9010 Overlook Boulevard Brentwood, TN 37027	UNT—Lower Chickies Creek/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Mount Joy Township Lancaster County	PAG02003615058 Issued	Shawn Erb 102 East Main Street Mount Joy, PA 17552	UNT to Donegal Creek/CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster PA 17601 717-299-5361, Ext. 121

NOTICES

2921

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Caernarvon Township Lancaster County	PAG02003615059 Issued	Harry Garman 6138 Division Highway Narvon, PA 17555	UNT to Conestoga River/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext.121
Conestoga Township Lancaster County	PAG02003613004(1) Issued	Richard Abbiatti 506 Waverly Road Wyckoff, NJ 07481-1229	UNT to Conestoga/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
New Holland Borough Lancaster County	PAG02003614101 Issued	New Holland North American Inc. 500 Diller Avenue New Holland, PA 17557	UNT Mill Creek/WWF; MF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext.121
Manheim Township Lancaster County	PAG02003615010 Issued	GRH—3 c/o Gerry Horst 120 North Pointe Boulevard Lancaster, PA 17601	Huber Run/WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Paradise Township Lancaster County	PAG02003615018 Issued	Bird-In-Hand Window & Door, LLC 365 Lynwood Road Bird-In-Hand, PA 17505	Eshleman Run/CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
East Donegal Township Lancaster County	PAG02003615040 Issued	Michael Shearer 310 Essex Street Marietta, PA 17547	UNT To Donegal Creek/CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Providence Township Lancaster County	PAG02003615045 Issued	Omar Miller 254 Mt. Airy Road New Providence, PA 17560	UNT To Big Beaver Creek/TSF; MF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Elizabeth Township Lancaster County	PAG02003615051 Issued	Nathan Myers 125 Blantz Road Lititz, PA 17543	UNT To Hammer Creek/TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
North Londonderry Township Lebanon County	PAG02003815013 Issued	Tony Rymar 2525 N. 12th Street, Suite 360 PO Box 12677 Reading, PA 19612	Killinger Creek/TSF, MF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042
West Cornwall Township Lebanon County	PAG02003814038 Issued	Glenn Hurst 1327 North Reading Road Stevens, PA 17578	UNT to Snitz Creek/TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042
West Cornwall Township Lebanon County	PAG02003815008 Issued	S. Gerald Musser 1310 Mt. Pleasant Road Lebanon, PA 17042	Snitz Creek/TSF and Beck Creek/TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042
Springettsbury Township York County	PAG02006715026 Issued	Pleasant Valley Road, LLC 1801 Fruitville Pike Suite 200 Lancaster, PA 17601	UNT to Mill Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Spring Garden Township York County	PAG02006715016 Issued	Spring Garden Township 558 South Ogontz Street York, PA 17403-5709	UNT to Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Borough of Hanover York County	PAG02006715020 Issued	The Borough of Hanover 44 Frederick Street Hanover, PA 17331	Oil Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
West Manchester Township York County	PAG02006714008-1 Issued	West York High School 2605 W. Market Street York, PA 17404	Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

NOTICES

2923

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bradford County Towanda Boro	PAG02000815002	Kyle Lane Towanda Borough 724 Main St Towanda, PA 18848	College Run WWF Susquehanna River WWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd, Ste E Towanda, PA 18848 (570) 265-5539, X 6
Lycoming County Loyalsock Twp	PAG02004114021	Benjamin Stopper 2045 Bentley Dr. Williamsport, PA 17701	UNT to West Mill Creek TSF	Lycoming County Conservation District 542 County Farm Rd, Ste 202 Montoursville, PA 17754 (570) 433-3003
Lycoming County Brady Twp	PAG02004114024(1)	Mark Murawski Lycoming County Planning 330 Pine St. Williamsport, PA 17701	UNT to Black Run WWF	Lycoming County Conservation District 542 County Farm Rd, Ste 202 Montoursville, PA 17754 (570) 433-3003
Lycoming County Woodward Twp	PAG02004115008	James Liberti 77 Jamison St Linden, PA 17744	Pine Run WWF	Lycoming County Conservation District 542 County Farm Rd, Ste 202 Montoursville, PA 17754 (570) 433-3003
Montour County Mahoning Twp	PAG02004715002	T&S Realty LLC 40 Single Tree Dr. Bloomsburg, PA 17815	Blizzard Run CWF, MF	Montour County Conservation District 14 E Mahoning St. Danville, PA 17821 (570) 271-1140
Snyder County Franklin Twp	PAG02005515006	Ken Blank 548 White Church Rd Middleburg, PA 17842	UNT to Middick/Middleck CWF, TSF	Snyder County Conservation District 403 W Market St. Middleburg, PA 17842 (570) 837-3000 X110

Northwest Regional Office—Waterways and Wetlands, 230 Chestnut Street, Meadville, PA 16335

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Valencia Borough Butler County	PAG02001005025R(1)	St. Barnabas Land Trust Inc c/o Mr. William V. Day 5850 Merdian Road Gibsonia, PA 15044	UNT Breakneck Creek WWF	Butler County Conservation District 724-284-5270
Adams Township Butler County	PAG02001015003	FWH Development LLC c/o Mr. Fred Hesperheide 1028 Rivera Road Emlenton, PA 16373	Kaufman Run WWF	Butler County Conservation District 724-284-5270
Monroe Township Clarion County	PAG02001615006	PennDOT Engineering District 10-0 2550 Oakland Avenue Indiana, PA 15704	Piney Creek CWF Reid Run CWF	Clarion County Conservation District 814-297-7813

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
North Union Township, Fayette County	PAG02092615003	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Unnamed Tributary to Redstone Creek (WWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800
Rush Township, Centre County	PAG02091415004	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Wolf Run (CWF), Moshannon Creek (TSF), and Unnamed Tributary to Moshannon Creek (CWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

*General Permit Type—PAG-03**Facility Location
Municipality &
County*

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Washington Township Lehigh County	PAR602204	Sauerwine Auto Parts 3148 Spring Valley Road Slatington, PA 18080	Unnamed Tributary of Coplay Creek—2-C	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Weisenberg Township Lehigh County	PAR802208	Waste Management of PA Inc. (Waste Management Allentown) 2710 Golden Key Road Kutztown, PA 19530-8563	Unnamed Tributary of Mill Creek—3-B	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Old Forge Borough Lackawanna County	PAR802219	UPS Ground Freight UPS Freight—Scranton 1001 Moosic Road Old Forge Borough, PA 18518	Lackawanna River—5-A	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Dunmore Borough Lackawanna County	PAR202208	McGregor Industries Inc. 46 Line Street Dunmore, PA 18512	Eddy Creek and Unnamed Tributary to Little Roaring Brook—5-A	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
Muncy Township Lycoming County	PAR234812	Charlotte Pipe & Foundry Co. 4210 Old Charlotte Highway PO Box 1339 Monroe, NC 28110-7333	Wolf Run—10D CWF	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Pittsburgh City Allegheny County	PAR326114	Pannier Corporation 1130 Old Butler Plank Road Glenshaw, PA 15116-2664	Pine Creek—18-A	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Juniata County/ Fayette Township	PAG123672	Craig D. Finkbiner (Finkbiner's Lost Creek Farm) 2452 Free Spring Church Road McAlisterville, PA 17049-9616	Little Lost Creek/TSF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Lancaster County/ East Donegal Township	PAG123785	Noah W. Kreider & Sons, LLP (Kreider Donegal Layer Farm) 1461 Lancaster Road Manheim, PA 17545	UNT Donegal Creek/CWF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Bedford County/ Monroe Township	PAG123800	Zach Akers 1218 Cherry Lane Clearville, PA 15535-7501 <hr/> Zack Akers Farm CAFO 339 Akers Road Clearville, PA 15535-5164	UNT Shaffer Creek/WWF	DEP—SCRO—Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-13

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAG133546	South Londonderry Township PO Box 3 20 West Market Street Campbelltown, PA 17010	Lebanon	South Londonderry Township	Killinger Creek, Spring Dreek, UNT Spring Creek & UNT Spring Creek/TSF, MF, WWF and MF	Y
PAG133542	West Cocalico Township 156B W Main Street Reinholds, PA 17569	Lancaster	West Cocalico Township	Cocalico Creek, Indian Run, and Little Cocalico Creek/ TSF, MF, WWF and MF	Y

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules

of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Hanover Shoe Farms, Inc. PO Box 339 2310 Hanover Pike Hanover, PA 17331	Adams	2,840	842.76	Horses	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 1515509 , Public Water Supply.	
Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	Tredyffrin

County	Chester
Type of Facility	PSW
Consulting Engineer	GHD 1240 N. Mountown Road Harrisburg, PA 17112
Permit to Construct Issued	May 18, 2015
Permit No. 0910526 , Public Water Supply.	
Applicant	Solebury School 6832 Phillips Mill Road New Hope, PA 18938
Township	Solebury
County	Bucks
Type of Facility	PWS
Consulting Engineer	Castle Valley Consultants, Inc. 10 Beulah Road New Britain, PA 18901
Permit to Construct Issued	April 21, 2015
Permit No. 0915503 , Public Water Supply.	
Applicant	PA American Water Company 800 West Hershey Park Drive Hershey, PA 17033
Township	Lower Makefield
County	Bucks
Type of Facility	PWS
Consulting Engineer	PA American Water Company 800 West Hershey Park Drive Hershey, PA 17033
Permit to Construct Issued	May 18, 2015
Permit No. 1514540 , Public Water Supply.	
Applicant	Honey Brook Borough Authority 91 Pequea Avenue P. O. Box 669 Honey Brook, PA 19344
Township	Honey Brook
County	Chester

Type of Facility PWS
 Consulting Engineer Weiser Engineering, LLC
 25 Stevens Avenue
 Reading, PA 19609
 Permit to Construct May 18, 2015
 Issued

Operations Permit # 1515512 issued to: **Appleville Mobile Home Park**, 3892 W. Lincoln Highway, Parkesburg, PA 19365, [(PWSID)] West Bradford Township, **Chester County** on April 21, 2015 for the operation Certification of 4-Log Treatment of Viruses.

Operations Permit # 4615505 issued to: **Saint Gabriels's Hall**, 1250 Pawlings Road, P. O. Box 7280, Audubon, PA 19407, [(PWSID)] Lower Providence Township, **Montgomery County** on April 21, 2015 for the operation of Sodium Hypochlorite facilities approved under construction permit #4612506.

Operations Permit # 4615504 issued to: **Saint Gabriel's Hall**, 1250 Pawlings Road, P. O. Box 7280, Audubon, PA 19407 [(PWSID)] Lower Providence Township, **Montgomery County** on April 21, 2015 for the operation of Caustic Soda facilities approved under construction permit #4610516.

Permit No. 1515510, Minor Amendment. Public Water Supply.

Applicant **Pennsylvania American Water Company**
 800 West Hershey Park Drive
 Hershey, PA 17033
 Township East Vincent
 County **Chester**
 Type of Facility PWS
 Consulting Engineer Pennsylvania American Water Company
 800 West Hershey Park Drive
 Hershey, PA 17033
 Permit to Construct March 12, 2015
 Issued

Operations Permit # 1515515 issued to: **Borough of Kenneth Square**, 120 Marshall Street, Kennett, PA. 19348, [(PWSID)] Borough of Kennett Square, **Chester County** on May 28, 2015 for the Certification of 4-Log Treatment of Viruses at Yeatman Well Entry Point 102.

Operations Permit # 4615506 issued to: **PA American Norristown**, 300 W. Washington Street, Norristown, PA 19401, [(PWSID)] Norristown, **Montgomery County** on May 28, 2015 for the Operation of the Norristown Water Treatment Plant approved under construction permit #4695501.

Permit No.1515516, Minor Amendment. Public Water Supply.

Applicant **Egan Enterprises, Inc.**
 Brandywine Terrance MHP
 P. O. Box 432
 Douglassville, PA 19518
 Township Honey Brook
 County **Chester**
 Type of Facility PWS

Consulting Engineer James R. Holley & Associates, Inc.
 118 S. George Street
 York, PA 17401
 Permit to Construct May 27, 2015
 Issued

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 2520110, Operations Permit, Public Water Supply.

Applicant **Deer Haven, LLC**
 41 Elm Street
 Morristown, NJ 07960
 [Borough or Township] Palmyra Township
 County **Pike**
 Type of Facility PWS
 Consulting Engineer N/A
 Permit to Operate 5/18/2015
 Issued

Permit No. 2400091, Operations Permit, Public Water Supply.

Applicant **United Water Pennsylvania, Inc.**
 4211 East Park Circle
 Harrisburg, PA 17111
 [Borough or Township] Kingston Township
 County **Luzerne**
 Type of Facility PWS
 Consulting Engineer United Water Pennsylvania, Inc.
 4211 East Park Circle
 Harrisburg, PA 17111
 Permit to Operate 5/26/2015
 Issued

Permit No. 2400049, Transfer Operations Permit, Public Water Supply.

Applicant **Mooretown Properties, LLC (Formerly Evergreen Estate Mobil Home Park)**
 396 SR 415
 Noxen, PA 18636
 [Borough or Township] Lake Township
 County **Luzerne County**
 Type of Facility PWS
 Consulting Engineer N/A
 Permit to Operate 05/26/2015
 Issued

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 3615501, Public Water Supply.

Applicant **Welsh Mountain Home, Inc.**
 Sadsbury Township
 County **Lancaster**
 Responsible Official Larry L. Miller, Water System Operator
 2021 Horseshoe Road
 Lancaster, PA 17602

Type of Facility Installation of new water treatment building with new Greensand filtration, sodium hypochlorite disinfection system, finished water storage tank and pump station.

Consulting Engineer David T. Lewis, P.E.
Columbia Water Company
220 Locust Street
Columbia, PA 17512

Permit to Construct Issued 6/1/2015

Permit No. 2115504 MA, Minor Amendment, Public Water Supply.

Applicant **North Middleton Authority**
Municipality North Middleton Township
County **Cumberland**
Responsible Official E Lee. Koch, Authority Manager
240 Clearwater Drive
Carlisle, PA 17013

Type of Facility Installation of mixer in Cranes Gap Road storage tank.

Consulting Engineer Jared Hockenberry, P.E.
CET Engineering Services
1240 N Mountain Rd
Harrisburg, PA 17112

Permit to Construct Issued 5/27/2015

Permit No. 2115503 MA, Minor Amendment, Public Water Supply.

Applicant **Dickinson Township Municipal Authority**
Municipality Dickinson Township
County **Cumberland**
Responsible Official Dennis Straub, Chairman
219 Mountain View Road
Mt Holly Springs, PA 17065

Type of Facility Interconnection with South Middleton Area Municipal Authority.

Consulting Engineer Max E. Stoner, P.E.
Glance Associates, Inc.
3705 Trindle Rd
Camp Hill, PA 17011

Permit to Construct Issued 5/28/2015

Operation Permit No. 3613512 issued to: **Mount Joy Borough Authority** (PWS ID No. 7360091), Mount Joy Borough, **Lancaster County** on 5/21/2015 for facilities approved under Construction Permit No. 3613512.

Operation Permit No. 2114501 MA issued to: **United States Army Carlisle Barracks** (PWS ID No. 7210010), Carlisle Borough, **Cumberland County** on 5/28/2015 for facilities approved under Construction Permit No. 2114501 MA.

Operation Permit No. 3615504 issued to: **Springville Mennonite School** (PWS ID No. 7360347), Ephrata Township, **Lancaster County** on 5/20/2015 for facilities approved under Construction Permit No. 3615504.

Permit-By-Rule issued to: **Glacier Water Services, Inc.** (PWS ID No. 7676468), **York County** on 5/21/2015 for facilities submitted under Authorization No. 1073737.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 5913502MA—Operation—Public Water Supply.

Applicant **Duncan Township Municipal Authority**
Township/Borough Duncan Township
County **Tioga**
Responsible Official Mr. Ronald Johnson
Duncan Township Municipal Authority
42 Duncan Township Road
Wellsboro, PA 16901

Type of Facility Public Water Supply
Consulting Engineer James Baker, P.E.
Larson Design Group
1 West Market Street, Suite 301
Corning, NY 14830

Permit Issued May 27, 2015

Description of Action Improvements to the Authority's chemical feed system, including replacement of the gas chlorination with a sodium hypochlorite disinfection facility, relocation of chlorine and soda ash injection points, and installation of new soda ash, polyphosphate, and potassium permanganate pumps.

Permit No. 1415503—Construction—Public Water Supply.

Applicant **Pennsylvania State University**
Township/Borough College Township
County **Centre**
Responsible Official Andrew D. Gutberlet, P.E.
Pennsylvania State University
139J Physical Plant Building
University Park, PA 16802

Type of Facility Public Water Supply
Consulting Engineer Diana Young, P.E.
Buchart Horn, Inc.
1975 Waddle Road
State College, PA 16803

Permit Issued June 2, 2015

Description of Action Modifications to the distribution system finished water storage, including abandonment of Water Tower 1, replacement of Water Tower 2 with a new Water Tower 5, and raising the elevations of Water Towers 3 and 4 by 16 feet.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No., 4189-T1-MA3 Public Water Supply
Applicant **Erie City Water Authority**

Township or Borough City of Erie
 County **Erie**
 Type of Facility Public Water Supply
 Consulting Engineer Craig J. Bauer, P.E.
 KLH Engineers, Inc.
 5173 Campbells Run Road
 Pittsburgh, PA 15205
 Permit to Construct May 26, 2015
 Issued

Operation Permit issued to **Jamestown Municipal Authority**, PWSID No. 6430043, Jamestown Borough, **Mercer County**. Permit Number 4314502 issued May 26, 2015 for the operation of a Sodium Hypochlorite Chemical Feed System. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on May 7, 2015.

Interim Operation Permit issued to **Borough of Wampum**, PWSID No. 6370032, Wampum Borough, **Lawrence County**. Permit Number 3714502 Interim Operation 1 issued May 27, 2015 for the interim operation of the Davidson Street Well 6 Water Treatment Facility (EP 102). This permit is issued in response to your request to operate the recently modified Davidson Street Well 6 Water Treatment Facility and an interim operation inspection conducted by Department of Environmental Protection personnel on May 6, 2015.

Operation Permit issued to **Johnsonburg Municipal Authority**, PWSID No. 6240007, Johnsonburg Borough, **Elk County**. Permit Number 8372W-T1-MA3 issued May 29, 2015 for the GridBee G-12 submersible electric mixing system, installed in the Blain Avenue/Dill Hill Water Storage Tank. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on May 13, 2015.

Transfer of Operation Permit issued to **Kenneth D. Mezurek**, PWSID No. 6430863, Wilmington Township, **Mercer County** on May 28, 2015. Action is for change in ownership; the potable water supplier will do business as New N.W. Sales Company. The new permit number is 4313503-T1.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate

that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Former Wilbert Vault Company, 301-303 Market Street, Borough of Selinsgrove, **Snyder County**. Molesevich Environmental, LLC, P. O. Box 654, Lewisburg, PA 17837, on behalf of James Schnure, 20 Blue Hollow Road, Milroy, PA 17063 submitted a Final Report concerning remediation of site soil media contaminated with leaded and unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard, residential.

RW Bird Trucking, Inc., Intersection of Wise Road and Route 64, Walker Township, **Centre County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823 on behalf of RW Bird Trucking, Inc., 701 East College Avenue, Pleasant Gap, PA 16823 submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Patton B Unit No. 7H, 1313 Whitestown Road, Connoquenessing Township, **Butler County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of XTO Energy, Inc., 395 Airport Road, Indiana, PA 15701, submitted a Remedial Investigation/Risk Assessment/Final Report concerning the remediation of site soil contaminated with Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Chromium, Cobalt, Copper, Iron, Lead, Manganese, Mercury, Nickel, Selenium, Silver, Thallium, Vanadium, Zinc, Chloride, Benzene, Naphthalene, Toluene, Acenaphthene, Acenaphthylene, Anthracene, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Chrysene, Dibenzo[a,h]anthracene, Ethylene Glycol, Fluoranthene, Fluorene, Indeno[1,2,3-cd]pyrene, Phenanthrene, Phenol, and Pyrene. The report is intended to document remediation of the site to meet the Site-Specific and Statewide Health Standards.

Trinity Industries Plant 102N Railroad Cars Manufacturing, 60 Union Street, Borough of Greenville, **Mercer County**. Golder & Associates, Inc., 200 Century Parkway, Suite C, Mount Laurel, NJ 08054, on behalf of Trinity Industries, Inc., 2525 Stemmons Freeway, Dallas, TX 75207, submitted a Final Report concerning the remediation of site soil contaminated with Antimony, Arsenic, Cadmium, Chromium, Iron, Lead, Manganese, Mercury, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, 2,4-Dinitrotoluene, Benzo[a]pyrene, Ethylbenzene, Methylene Chloride, Tetrachloroethene, Trichloroethene, Total Xylenes, Vinyl Chloride, and PCB Aroclor 1232. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Farnsworth Fish Hatchery, 6200 Farnsworth Road, Forest Service Road 154, Cherry Grove Township, **Warren County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of USA Forest Service—Allegheny National Forest, 4 Farm Colony Drive, Warren, PA 16365, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Ethylbenzene, Isopropylbenzene (Cumene), Methyl-tert-butyl-ether, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass 484-250-5787

Lincoln Plant Shopping Center, 830 West Trenton Avenue, Falls Township, **Bucks County**. Richard S. Werner, PG, Environmental Consulting, Inc., 2002 Renaissance Blvd, Suite 100, King of Prussia, PA 19406 on behalf of Jon Lubert, JLM Ventures, 2929 Arch Street, Philadelphia, PA 19104 has submitted a Risk Assessment/Cleanup Plan and Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site Specific Standard. PF785061

Philadelphia Gun Club, 3051 State Road, Bensalem Township, **Bucks County**. William Schmidt, PE, Pennoni Associates, Inc., 3051 Market Street, Suite 200, Philadelphia, PA 19020, Darryl Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004 on behalf of Jordan Irving, Philadelphia Gun Club, 3051 State Road, Bensalem, PA 19020 has submitted a Risk Assessment and Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with lead. The report is intended to document remediation of the site to meet the Site Specific Standard. PF770790

1515 Orthodox Street Site, 1515 Orthodox Street, City of Philadelphia, **Philadelphia County**. Jennifer L. Gresh, P.G., Duffield Associates, Inc., 211 North 13th Street, Philadelphia, PA 19107 on behalf of Amy Silver O'Leary/Tash Odom, Frankford Friends School, 1500 Orthodox Street, Philadelphia, PA 19124 has submitted a Risk Assessment and Remedial Investigation Report concerning remediation of site soil contaminated with other organic. The report is intended to document remediation of the site to meet the Site Specific Standard. PF783805

Drexeline Dry Cleaners, 4998 State Road, Upper Darby Township, **Delaware County**. Michael S. Welsh, Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of H. David Seegul,

Drexeline Shopping Center, Inc., 5100 State Road, Drexel Hill, PA 19026 has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site Specific Standard. PF779752

Forman Mills, 4806 Market Street, City of Philadelphia, **Philadelphia County**. Tom Brady, PT Consultants Inc., 629 Creek Road, Bellmawr, NJ 08031, Steven Katzenstien, PNC Bank National Associates, 1900 east 9th Street, Mailstop Locator B7-YB13-0404 on behalf of Cleveland, OH 44114 has submitted a Remedial Investigation and Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Site Specific Standard. PF750196

Hunter Residence, 601 Buyer Road, Perkiomen Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038, Eleanor Collins, 340 Wartman Road, Collegeville, PA 19426 on behalf of Archie Hunter, 601 Buyer Road, Collegeville, PA 19426 has submitted a 90 day Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF793900

10th & Vine Street Site, 10th & Vine Street, City of Philadelphia, **Philadelphia County**. Bill Schmidt, Pennoni Associates, Inc., 3001 Market 9th Street, Philadelphia, PA 19107, Nicole T. Merena, 3001 Market Street, Philadelphia, PA 19104 on behalf of Andy Toy, Eastern Tower Community Center—Philadelphia Chinatown Development Corporation, 301 North 9th Street, Philadelphia, PA 19107 has submitted a Remedial Investigation/Cleanup Plan concerning remediation of site soil and groundwater contaminated with pah and other organics. The report is intended to document remediation of the site to meet the Site Specific Standard. PF760557

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

BWXT Parks Township Site (former Babcock & Wilcox Parks Township facility, NUMEC), River Road, Parks Township, **Armstrong County**. RBR Consulting, Inc., 650 Shady Drive, Beaver Falls, PA 15010 on behalf of Babcock & Wilcox Government and Nuclear Operations Group, Inc. (formerly BWX Technologies, Inc.) 109 Ramsey Place, Lynchburg, VA, 24501 has submitted as Risk Assessment (RA) concerning the remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site Specific standard. Notice of the RA was published in the *Valley News Dispatch* on May 13, 2015.

The Encore on 7th, 100 7th Street, City of Pittsburgh, **Allegheny County**. Woodard & Curran, 300 Penn Center Blvd., Suite 800, Pittsburgh, PA 15235 on behalf of BIT Holdings Sixty-Five, Inc., c/o PNC Bank, N.A., One East Pratt Street, 5th Floor, C3-C411-5C, Baltimore, MD, 21202 has submitted a Final Report concerning the remediation of site soils and groundwater contaminated with volatile and semi organic compounds (VOC's & SVOC's), polynuclear aromatic hydrocarbons and inorganic compounds. The final report is intended to document remediation of the site to meet the Site Specific standard. Notice of the FR was published in the *Pittsburgh Post-Gazette* on May 22, 2015.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Aurand Trucking LLC, US Routes 11/15 Southbound, Monroe Township, **Snyder County**. Northridge Group, Inc., P. O. Box 231, Northumberland, PA 17857, on behalf of Aurand Trucking, LLC, 225 Patton Road, Danville, PA 17821 submitted a Final Report concerning the remediation of site soils contaminated with diesel fuel and motor oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on May 11, 2015.

Former Wilbert Vault Company, 301-303 Market Street, Borough of Selinsgrove, **Snyder County**. Molesevich Environmental, LLC, P. O. Box 654, Lewisburg, PA 17837, on behalf of James Schnure, 20 Blue Hollow Road, Milroy, PA 17063 submitted a Final Report concerning the remediation of site soil media contaminated with leaded and unleaded gasoline. The Final Report demonstrated attainment of the Statewide Health Standard, residential and was approved by the Department on May 7, 2015.

REEB Millwork, 600 Brighton Street, Fountain Hill Borough, **Lehigh County**. MEA Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Reeb Millworks, 600 Brighton Street, Bethlehem, PA 18015, submitted a Final Report concerning the remediation of site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on May 26, 2015.

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Borger Property, 427 South Cottonwood Road, Lehigh Township, **Northampton County**. BalckRock Environmental LLC, P. O. Box 288, Nazareth, PA 18064, on behalf of Rose Borger, 472 South Cottonwood Road, Northampton, PA 18067-9624, submitted a Final Report concerning the remediation of site soils contaminated with Kerosene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on May 26, 2015.

CL&W Inc. Property, 1220 North Washington Avenue, City of Scranton, **Lackawanna County**. Pennsylvania Tectonics Inc., 723 Main Street, Archbald, PA 18403, on behalf of CL&W Inc., 400 Mill Street, Dunmore, PA 18512, submitted a Final Report concerning remediation of site soils contaminated with Benzene, Ethylbenzene, Naphthalene, Toluene, 1,2,4-TMB, 1,3,5-TMB, Total Xylenes, N-Butyl Benzene, Sec-Butyl Benzene, N-Propyl Benzene, Fluorene, Anthracene, Phenanthrene, Pyrene, Benzo(a)anthracene, Chrysene, Benzo(b)fluoranthene, Benzo(a)pyrene, Benzo(g,h,i)perylene. The report is intended to document remediation of the site to meet the Statewide Health Standard. The Final Report demonstrated attainment of the Statewide Health standard, and was approved by the Department on May 28, 2015.

RESIDUAL WASTE GENERAL PERMITS

Application Received for Determination of Applicability under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Number WMGR002D013. Coplay Aggregates Inc., 5101 Beekmantown Road, Whitehall, PA 18052. General Permit Number WMGR002D013 au-

thorizes the beneficial use of wastewater treatment sludge generated by paper and pulp mills as a soil additive: to establish or reestablish agricultural activity on disturbed land; to establish herbaceous wildlife habitat; to facilitate revegetation on disturbed land at permitted and abandoned mine sites. The application for renewal of General Permit No. WMGR002D013 was withdrawn by Copley Aggregates on June 2, 2015.

Questions concerning the withdrawal of the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

General Permit No. WMGR002D008. Team Ten LLC, 1600 Pennsylvania Ave., Tyrone, PA 16686-1758. For the beneficial use of wastewater treatment sludge generated by paper and pulp mills for use as a soil additive to: establish or reestablish agricultural activity on disturbed land; establish herbaceous wildlife habitat; facilitate revegetation on disturbed land at permitted and abandoned mine sites. The application for renewal of General Permit No. WMGR002D008 was withdrawn by Team Ten on January 1, 2015.

Questions concerning the withdrawal of the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 101429. Richard S Burns & Company, Inc., 4300 Rising Sun Avenue, Philadelphia, PA 19140-2720. This application is for a 10-year permit renewal to continue operation at the Richard S. Burns and Company Transfer Station Facility, a municipal waste and construction/demolition waste transfer and processing facility located at 4300 Rising Sun Avenue in the City of Philadelphia, **Philadelphia County**. The permit was issued by the Southeast Regional Office on May 27, 2015.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531

GP3-64-006: ER Linde Construction Corp (9 Collan Park, Honesdale, PA 18431) on April 29, 2015 for the construction and operation of a Portable Crushing Operation with watersprays at Middle Creek Quarry site located in Palmyra Twp., **Wayne County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

GP14-07-03053A: Keystone Crematory Center, LLC (14443 S. Eagle Valley Road, Tyrone, PA 16686) on May 28, 2015, for a new human crematory unit, under GP14, at their facility in Snyder Township, **Blair County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648

GP3-17-356A: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) on May 27, 2015, to construct and operate a portable non-metallic mineral mobile screening unit with associated water spray dust suppression system pursuant to the General Plan Approval and/or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at their Dubois facility located in Sandy Township, **Clearfield County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog, New Source Review Chief—Telephone: 412-442-4150

GP5-30-00196E: Laurel Mountain Midstream Operating, LLC (Park Place 2, 2000 Commerce Drive, Pittsburgh, PA 15275) Issued on May 26, 2015, for the construction and operation of four (4) additional 1,380 bhp Caterpillar G3516B natural gas-fired engines and continued operation of previously installed equipment at the Cantaral Compressor Station located in Franklin Township, **Greene County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00030A: Bass Wood Energy, LLC (6051 Wallace Road Extension, Suite 100, Wexford, PA 15090) on May 26, 2015, for the construction of five (5) 6,023 bhp (4.4 MW) 4 stroke, lean burn Jenbacher J624 GS natural gas-fired engine/generator sets, each equipped with both catalytic oxidation and selective catalytic reduction (SCR), at the proposed electric generating station located in Duncan Township, **Tioga County**. The facility will also include one (1) 0.64 MMBtu/hour natural gas-fired natural gas line heater; three (3) storage tanks ranging in size from 2,600 gallons to 6,000 gallons; one (1) desiccant dehydration system; various fugitive emissions. This plan approval contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

59-00031A: Pine Hill Energy, LLC (6051 Wallace Road Extension, Suite 100, Wexford, PA 15090) on May 26, 2015, for the construction of five (5) 6,023 bhps (4.4 MW) 4 stroke, lean burn Jenbacher J624 GS natural gas-fired engine/generator sets, each equipped with both catalytic oxidation and selective catalytic reduction (SCR), at the proposed electric generating station located in Union Township, **Tioga County**. The facility will also include one (1) 0.64 MMBtu/hour natural gas-fired natural gas line heater; three (3) storage tanks ranging in size from 2,600 gallons to 6,000 gallons; one (1) desiccant dehydration system; various fugitive emissions. This plan approval contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-079E: BNZ Materials (191 Front Street, Zelienople, PA 16063), on May 27, 2015, issued a plan approval for the modification of emission limits associated with Kiln #3 from plan approval 10-079D in Zelienople Borough, **Butler County**. This is a Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

09-0189B: Eureka Stone Quarry, Inc (P. O. Box 249, Chalfont, PA 18914) On June 1, 2015 for mining crushed and broken stone, in Warrington Township, **Bucks County**.

23-0047F: Evonik Corp (1200 W Front Street, Chester, PA 19013) On June 2, 2015 for manufacturing industrial inorganic chemicals in Chester City, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

01-05037B: Gettysburg Energy & Nutrient Recovery Facility, LLC (71 Old Mill Bottom Road North, Suite 101, Annapolis, MD 21409) on May 28, 2015, for the construction and temporary operation of an energy and nutrient recovery facility utilizing egg layer manure located in Tyrone Township, **Adams County**. The plan approval was extended, with a revised compliance schedule.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00044B: Barefoot Pellets Company (PO Box 96, Troy, PA 16947) on May 28, 2015, to extend the authorization to operate a natural gas fired rotary dryer and associated multi-clone collector at their facility in Troy Township, **Bradford County** on a temporary basis to December 1, 2015. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

PA-26-00500C: Alpha PA Coal Terminal (158 Portal Road P. O. Box 1020, Waynesburg, PA 15370) Plan Approval extension issued May 29, 2014, to grant a 180-day extension until January 13, 2016 to complete the construction of remaining sources, at their LaBelle facility located in Luzerne Township, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

62-032J: Ellwood National Forge/Ellwood National Steel (3 Front Street Irvine, PA 16329) on May 28, 2015, effective May 31, 2015, has issued a plan approval extension for the construction of two (2) 22 mmbtus/hr annealing furnaces, the removal of #7 annealing furnace from plan approval 62-032I because it was never constructed, and to establish a limit on the gas consumption for replacement degasser boiler permitted by GP1-62-032A and the annealing furnaces (Source 103 & 103A permitted by 62-032D in Brokenstraw Township, **Warren County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00015: Arkema Company, Inc. (610 Bolmar Street, West Chester, PA 19382), On May 28, 2015 located in West Chester Borough, **Chester County**. This action is a renewal of the Title V Operating Permit. The facility manufactures acrylate and methacrylate oligomers and polymers that are used in inks, coatings, and adhesives. The boilers are subject to 40 C.F.R. Part 63 Subpart JJJJJ and the engines are subject to 40 C.F.R. Part 63 Subpart ZZZZ. As a result of potential emissions of volatile organic compounds and hazardous air pollutants, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

36-05029: High Steel Structures, LLC (1853 William Penn Way, PO Box 10008, Lancaster, PA 17605-0008) on May 26, 2015, for the structural steel manufacturing facility in East Lampeter Township, **Lancaster County**. The Title V permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

17-00003: Dominion Transmission Inc. (5000 Dominion Boulevard Glen Allen, VA 23060) on May 26, 2015, for operation of their Luther Station facility located in Brady Township, **Clearfield County**. The Title V operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-00044: Sunoco Partners Marketing & Terminals L.P.—Exton Terminal (623 East Lincoln Highway, Exton, PA 19341) On May 28, 2014, for operation of three distillate storage tanks, two biodiesel fuel storage tanks, one loading rack, and a small oil-fired boiler located in East Whiteland Township, **Chester County**. This action is a renewal of a State Only Operating Permit (Synthetic Minor), which was originally issued on March 30, 2005. The facility took throughput restrictions for distillate products and biodiesel to maintain its VOC and HAP emissions below the threshold levels. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00054: Barletta Materials & Construction, Inc. (P. O. Box 550, Tamaqua, PA 18252-0550) issued on 06/01/2015, for the operation of an asphalt plant and stone crushing operation in Nescopeck Township, **Luzerne County**. The sources consist of asphalt plant, feed bins, screens, stone crushers, conveyors, and transfer points. The emissions are controlled by a baghouse and a water spray system. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

40-00090: Bridon American Corp. (200 New Commerce Blvd., Wilkes-Barre, PA 18702) The Department issued a State Only Operating Permit on May 28, 2015, for a wire product manufacturing facility located in Hanover Township, **Luzerne County**.

48-00044: Just Born, Inc. (1300 Stefko Boulevard, Bethlehem, PA 18017-6672) issued on 05/26/2015, for the operation candy manufacturing facility in the City of Bethlehem, **Northampton County**. The sources consist of cooking casting and molding operations. The particulate emissions from the sources are controlled by dust collectors. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

48-00078: Chrin Brothers, Inc. (635 Industrial Drive, Easton, PA. 18042-7339) The Department issued a State Only (Synthetic Minor) renewal operating permit on May

28, 2015, for a stone crushing facility located in Williams Township, **Northampton County**.

64-00014: Haines and Kibblehouse, Inc. (PO Box 1467, 2052 Lucon Road, Skippack, PA 19474-1467) issued on 05/27/2015, for the operation of a sand and gravel processing plant in Palmyra Township, **Wayne County**. The sources at the facility consist of three (3) crushers, two (2) screens, and twenty (20) conveyors. The particulate emissions are controlled by water sprays. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

48-00079: Heintzelman Funeral Home, Inc., Lehigh Valley Crematory Hellertown (301 Front Street, Hellertown, PA 18055-1720) on June 2, 2015 for funeral service and crematories operation in Hellertown Borough, **Northampton County**. The primary sources are incinerators. The control devices are afterburners. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. This is a renewal of the State-Only Natural Minor operating permit. The State-Only operating permit includes applicable state and federal requirements, work practice standards, testing, monitoring, recordkeeping and reporting requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

06-03048: Fusion Coatings, Inc. (932 W. Penn Avenue, PO Box 224, Robeson, PA 19551) on May 26, 2015, for the powder coating and painting facility in Heidelberg Township, **Berks County**. The State-Only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00029: SWEPI, LP (2100 Georgetown Road, Swickley, PA 15143-872) on May 27, 2015, for their Pierson 810 Well Pad Site located in Gaines Township, **Tioga County**. The facilities sources includes one (1) 1,340 brake horsepower, Caterpillar model G3516LE natural gas fired compressor engine, two (2) 10 million cubic foot per day glycol dehydrators each with 0.50 million Btu per hour natural gas-fired reboiler and eight (8) 0.75 million Btu per hour natural gas-fired separator heaters. The operating permit includes emission limits and work practice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable air quality regulations.

41-00075: Construction Specialties, Inc. (PO Box 380, Muncy, PA 17756-0380) on May 7, 2015 issued a renewal state only operating permit for their manufacturing facility located in Montgomery Borough, **Lycoming County**. The state only operating permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

47-00012: HRI, Inc. (1750 West College Avenue, State College, PA 16801) on May 6, 2015 issued a renewal state only operating permit for their hot mix asphalt plant located in Liberty Township, **Montour County**. The state

only operating permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

14-00029: Con-Stone, Inc. (PO Box 28, Bellefonte, PA 16823) on May 28, 2015 issued a renewal state only operating permit for their limestone crushing and processing facility located in Haines Township, **Centre County**. The state only operating permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

16-00003: PA State System of Higher Education, Clarion State University (840 Wood Street, Clarion, PA 16214-1240) On May 21, 2015, the Department re-issued a Natural Minor Operating Permit to operate the boiler plant at the university, in Clarion Borough, **Clarion County**. The facility's primary emission sources include three (3) Boilers and various Emergency Power Generators located throughout the property.

One of the emergency power generators at this facility was installed in February 2011 and is subject to the requirements of 40 CFR 60—Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The applicable requirements from that subpart have been attached to Source ID: 103—Emergency Power Generator (Rec. Hall).

The emissions of criteria pollutants from this facility are below major source levels. The potential emissions from this facility are as follows. (All values are in tons/year.) PM₁₀ (total) = 1.0, PM_{2.5} (total) = 0.78, PM (condensable) = 2.25, SO_x = 0.35, NO_x = 25.39, CO = 29.16, VOC = 2.12, Ammonia = 0.16, Formaldehyde = 0.10, Hexane = 0.58, Total HAPS = 0.68, Methane = 3.43, N₂O = 0.35, CO₂ = 38,712, and CO_{2e} = 38,912.

20-00040: Advanced Cast Products, Incorporated (18700 Mill Street, Meadville, PA 16335) on May 7, 2015 for a renewal of the Title V Operating Permit. The facility is located in the City of Meadville, **Crawford County**. Advanced cast manufactures gray and ductile iron foundries casting products. The facility's emitting sources include, 1) Charge & Preheating, 2) Melting-Transfer-Magnesium Treatment, 3) Pouring-Cooling-Shakeout (103 & 103A), 4) Disa Match Casting Line (Pouring/Cooling/Shake-out), 5) New Grinding and Goff, 6) Grinding and Cleaning, 7) Shell Core and Core Drying, 8) Sand Handling, 9) Heat Treating-Austemper Operation, 10) Air make Up units (3), 11) Miscellaneous Natural Gas Usage, 12) Two Degreaser Units, and 13) Bond Silo. The facility is a major facility due to its potential to emit of particulate matter less than 10 microns in diameter. Therefore, the facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 C.F.R. Part 64. Appropriate permit conditions to address the applicable CAM requirements have been included in the permit. The facility submitted the following emission inventory for 2013: Carbon Monoxide: 48.40 Tons per year (TPY), Nitrogen Oxides: 1.63 TPY, Particulate Matter less than 10 Microns: 54.43 TPY, Particulate Matter less than 2.5 Microns: 38.93 TPY, Sulfur Oxides: 0.28 TPY, Volatile Organic Compounds: 1.58 TPY, Methane: 0.032 TPY, Carbon Dioxide: 1, 731.60, Nitrogen Oxides: 0.0032 TPY.

24-00062: Metal Powder Products Company—previously Powder Metal Products Incorporated (879 Washington Street, Saint Marys, PA 15857-3644) on May 29, 2015, for renewal of the Natural Minor Operating Permit. The facility is located in the City of Saint Marys, **Elk County**. The facility manufactures metallurgical parts from powder metal through sintering process. The facility's emitting sources include: 1) Natural Gas Fired Boiler (1), 2) Sintering Ovens (12), 3) Parts Washer, Mineral Spirits (1) and, 4) Rust inhibitor application (2). The facility is a natural minor because the potential VOC emissions and other pollutants are less than Title V threshold limits. The permit contains a VOC emission limit of 19 Tons per year during any consecutive 12 month period. The VOCs are generated from the parts washer and rust inhibitor application. The boiler and sintering ovens generate emissions less than 1 TPY of criteria pollutants and HAPs.

24-00145, Amphenol Thermometrics, Inc. (967 Windfall Road, St. Marys, PA 15857) On May 21, 2015, the Department re-issued the Synthetic Minor Operating Permit to operate an electronic resistor manufacturing facility, located in the City of St. Marys, **Elk County**.

Source ID: 2001—Emergency Generator #1 is subject to the newly promulgated requirements of 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The latest version of that subpart has been attached to this source.

The potential emissions from this facility are as follows. (All values are in tons/year.) VOC = 49.0, any single HAP = 9.9, and combined total HAPs = 24.9. (Based on synthetic minor limits) Emissions of all other criteria pollutants are well below major source thresholds.

37-00008: Ellwood City Forge (800 Commercial Avenue, Ellwood City, PA) On May 28, 2015, the Department re-issued a Synthetic Minor Permit to operate a steel forging operation located in Ellwood City Borough, **Lawrence County**. This plant has restrictions on Nitrogen Oxide emissions to qualify for a Synthetic Minor Operating Permit.

Source ID: 610—8 KW Emergency Generator and Source ID: 630—40 KW Emergency Diesel Generator are subject to the newly promulgated requirements of 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The latest version of that subpart has been attached to those sources.

Source ID: 640—20 KW Emergency Natural Gas Generators (5) must meet the requirements of 40 CFR Part 60, Subpart JJJJ, for spark ignition engines. The requirements of that subpart have been attached to the source.

The potential emissions from this facility are as follows. (All values are in tons/year.) PM₁₀ = 16.1., PM_{2.5} = 8.2, SO_x = 0.43, NO_x = 90.0, VOC = 4.9, CO = 55.3, CO_{2e} = 54,000.

37-00307: PSC Metals Inc./New Castle Plant (P. O. Box 310, Slippery Rock, PA 16057-0310) On May 28, 2015, the Department re-issued the Natural Minor Operating Permit for this scrap metal processing facility located at 214 Gardner Avenue, New Castle City, **Lawrence County**.

The emissions of criteria pollutants from this facility are below major source levels. The potential emissions from this facility are as follows. (All values are in

tons/year.) PM_{10} (total) = 10.0, $PM_{2.5}$ (total) = 10.0, SO_x = 0.1, NO_x = 0.1, CO = 2.0, VOC = 0.1, and Total HAPS = 0.25.

61-00034: Franklin Industries Co. (PO Box 671, Franklin, PA 16323) on May 27, 2015, issued the renewal of the State Only Operating Permit for the facility located in the City of Franklin, **Venango County**. The primary sources at the facility include natural gas combustion for building heat; a 110 million natural gas fueled walking beam furnace; natural gas combustion for scarfing activities; a 1.5 million Btu/hr natural gas fueled pre-heat oven; a 4 million Btu/hr natural gas fueled pre-heat oven; two 2.5 million Btus/hr natural gas fueled drying ovens; 2 dip coating lines; a flow coating line; and 5 cold degreasing parts washers. The facility is a Synthetic Minor due to the potential VOC emissions from the coating lines and the permit contains conditions for limiting those VOC emissions to not more than 47 tons per year. Potential emissions for all other criteria pollutants are as follows: less than 1 tpy CO; 78.56 tpy NO_x ; less than 1 tpy PM; less than 1 tpy SO_x ; and 2.49 tpy all HAPs combined. The renewal permit contains emission restrictions, record-keeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-0053B: Greif Packaging, LLC (695 Louis Drive, Warminster, PA 18974-2825), located in Warminster Township, **Bucks County**, for the modification/extension of Plan Approval No. 09-0053B. The Plan Approval is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and modified in accordance with 25 Pa. Code § 127.13c. In addition, as per 25 Pa. Code § 127.12b(d), the expiration date of the original Plan Approval has been extended by 180 days. The original Plan Approval has been modified, as follows:

- The capture efficiency restriction for the facility of 91.0%, as indicated in Condition #002(a), Section D (under Source ID C07), of the original Plan Approval, has been changed to an equivalent restriction, in accordance with the requirements specified in 25 Pa. Code § 129.51(a)(1)—(6), of either of the following:

- An overall control efficiency (i.e., capture efficiency for the facility multiplied by volatile organic compound (VOC) destruction efficiency for the regenerative thermal oxidizer (RTO)) restriction of 89.0%.

- A VOC emission rate for the facility (i.e., the sum of the VOC emissions from the RTO plus each fugitive emission location) of less than or equal to 10.11 lbs/hr.

- The total operating time for the three spray booths and three associated (dedicated) bake ovens of 6,600 hours per year (on a 12-month rolling basis), as indicated in Condition #001, Section D (under Source IDs 301, 401, and 701), of the original Plan Approval, and Condition #002, Section D (under Source IDs 202, 302, and 402), of the original Plan Approval, respectively, has been reduced to 6,000 hours per year (on a 12-month rolling basis).

All references in the original Plan Approval to the original RTO at the facility (i.e., Source ID C05 in State Only Operating Permit No. 09-00053), have been removed.

23-00004: Covanta Delaware Valley L.P. (10 Highland Avenue, City of Chester, PA 19013) on May 28, 2015, for the municipal waste combustion plant in Chester City, **Delaware County**. The Title V Operating Permit was amended to incorporate Plan Approval No. 23-0004A, a project to use secondary effluent from the Chester DELCORA facility as make-up water for an existing cooling tower at its Delaware Valley facility. The amended operating permit contains the applicable regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practices.

15-00114: Action Manufacturing Company (500 Bailey Crossroads Road, Atglen, PA 19310; Attn: Mr. Randy Aukamp) On May 28, 2015 is a non-Title V facility located in West Fallowfield Township, **Chester County**. The State-Only (Natural Minor) Operating Permit, No. 15-00114, has been amended to incorporate conditions from Plan Approval No. 15-0114A. This amendment allows for the installation of two additional detonator chambers and the use of ethyl alcohol, at an existing ordinance detonator manufacturing facility. The installation of the two additional units allows for Action Manufacturing to better utilize the detonator chambers without having to reconfigure them as often. Action Manufacturing will continue to maintain the restriction of operating no more than three test chambers at a time, as per their State Only Operating Permit (Source ID 100). Emissions are controlled by an existing Airomax Filtration System (Source ID C100), which consists of two levels of pre-filters, a set of fabric filter bags, and a high-efficiency particulate air (HEPA) filter. Potential emissions from all criteria pollutants for Source ID 100 are less than 0.1 TPY. Emissions of PM are expected to be less than 0.02 grain per dry standard cubic feet. As part of the operations at the facility, ethyl alcohol is used throughout the facility. It is used in small quantities within the various buildings at the facility, with a total potential VOC emission rate of 4.1 TPY. Because ethyl alcohol usage is dispersed throughout the facility, BAT is best management practices. The operating permit contains recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

36-03135: Doodad Printing, LLC (72 Industrial Circle, Lancaster, PA 19601-5928) on May 27, 2015, for the printing facility located in Upper Leacock Township, **Lancaster County**. The State-only permit was administratively amended in order to reflect a change of ownership.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

17-00057: Alliance Petroleum Corporation (1997 Old Weston Buckhannon, WV 26201) on May 26, 2015 issued an administrative amendment to the State Only Operating Permit for their Tate Compressor Station

located in Greenwood Township, **Clearfield County**. The amendment is for the change of ownership of the facility.

17-00058: Alliance Petroleum Corporation (1997 Old Weston Buckhannon, WV 26201) on May 26, 2015 issued an administrative amendment to the State Only Operating Permit for their Passmore Compressor Station located in Bell Township, **Clearfield County**. The amendment is for the change of ownership of the facility.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

42-00172: Hexion Incorporated Mount Jewett Facility (PO Box 7227 Mount Jewett, PA 16740-7227) on May 29, 2015 the Department administratively amended the State Operating Permit for the adhesives and sealant facility located in Sergeant Township, **McKean County**. The amendment incorporates the name change from Momentive Specialty Chemicals Inc. to Hexion Inc.

43-00142: Salem Tube Incorporated (951 4th Street, Reynolds Industrial Park, Greenville, PA 16125-8253) on May 26, 2015 issued an administrative amendment to the Title V Operating Permit for the facility located in

Pymatuning Township, **Mercer County**. The amendment revises the responsible official and the annual compliance certification date.

62-00032: Ellwood National Forge Irvine (1 Front Street, Irvine, PA 16329-1801) on May 26, 2015 issued an administrative amendment to the Title V Operating Permit for the facility located in Saint Marys City, **Elk County**. The amendment incorporates the applicable requirements of plan approval 62-032I, removes the Etch House and controls (124/C124) which have been removed from the facility, and changes the permit contact.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

04-00227: IPSCO Koppel Tubulars, LLC (PO Box 410, Ambridge, PA 15003) Per 25 Pa. Code § 127.449(i), this notice is for the proposed de minimis emission increase at the IPSCO Koppel Tubulars, LLC Ambridge Plant located in Harmony Township, **Beaver County**, authorized on May 20, 2015. The list of de minimis increases for this facility includes the following:

Source	Date	Emissions (tpy)				
		CO	NO _x	SO _x	PM ₁₀	VOCs
Pipe Stencil System	2/12/2015	-	-	-	-	0.34
Mandrel Mill Roof Exhaust	5/20/2015	-	-	-	0.066	-

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Devendra Verma, New Source Review Chief—Telephone: 814-332-6940

37-00317: Ellwood Mill Product (712 Moravia Street, New Castle, PA 16101) for its facility located in New Castle City, **Lawrence County**. The De minimis emission increase is for construction of a new cold solvent degreaser. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De minimis emission increases since the Title V Operating Permit issuance on May 8, 2012.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
7-17-14	Ringmill with dust collector	0.0172				
5-19-15	Degreaser				0.22	
Total Reported Increases		0.0172			0.22	
Allowable		0.6 ton/source 3 tons/facility	1.6 ton/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

GP5-08-377: Chesapeake Appalachia, LLC (PO Box 18496, Oklahoma City, OK 73154-0496) on May 7, 2015, terminated the General Permit, issued for a 215 bhp Caterpillar G3406 engine and associated three-way catalyst, two 0.75 MMBtu/hr line heaters, and two 400 bbls

produced water storage tanks at the Bustin Homestead Bra Well Pad located in Wysox Township, **Bradford County** due to the facility qualifying for an exemption from operating permit requirements. The general permit is terminated.

41-00037: Jersey Shore Steel Company (2800 Canfields Lane, Montoursville, PA 17754) on May 28, 2015, terminated the State Only Operating Permit, issued for the operation of two natural gas-fired ovens and a parts washer at their Fabrication Division located in Loyalsock Township, **Lycoming County**, due to the emission levels from the facility qualifying for an exemption from operating permit requirements. The operating permit 41-00037 is terminated.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30810703 and NPDES No. PA0092894. Consol Pennsylvania Coal Company LLC, (1525 Pleasant Grove Road, P. O. Box J, Claysville, PA 15323). To renew the permit for the Bailey Coal Refuse Areas No. 1 and No. 2 in Richhill Township, **Greene County**. No discharges. The application was considered administratively complete on September 11, 2013. Application received July 10, 2013. Permit issued May 26, 2015.

56911602 and NPDES No. PA0214400. Berwind Coal Sales Company, (509 15th Street, Windber, PA 15693-1603). To renew the permit for the Huskin Run Tipple in Shade Township, **Somerset County**. No additional discharges. The application was considered administratively complete on September 16, 2014. Application received December 6, 2013. Permit issued May 26, 2015.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 11130101 and NPDES No. PA0269387. Laurel Sand & Stone Inc., 210 East Main Street, P. O. Box 556, Ligonier, PA 15658-0556, commencement, operation and restoration of a bituminous surface and auger mine in Elder and Susquehanna Townships, **Cambria County**, affecting 382.0 acres. Receiving stream: Little Brubaker Run classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: March 20, 2014. Permit issued: May 20, 2015.

The permit includes a stream encroachment to relocate approximately 800 feet of unnamed tributary No. 2 of Little Brubaker Run to its original stream path.

Permit No. 56080107 and NPDES No. PA0262684. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, renewal for the continued operation and restoration of a bituminous surface mine in Southampton Township, **Somerset County**, affecting 162.1 acres. Receiving streams: Powder Run to Gladdens Creek to Wills Creek and unnamed tributaries to Wills Creek classified for the following use: high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 15, 2014. Permit issued: May 18, 2015.

Permit No. 56950110 and NPDES No. PA0213217. Heritage Coal and Natural Resources LLC, 208 W. Mud Pike, Rockwood, PA 15557, commencement, operation and restoration of a bituminous surface mine to change the land use from Woodland to Pastureland in Elk Lick Township, **Somerset County**, affecting 166.8 acres. Receiving streams: unnamed tributary to/and Flag Run; unnamed tributary to/and Casselman River, Crab Run classified for the following uses: cold water fishery and warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: November 12, 2014. Permit issued: May 22, 2015.

Permit No. 32020105 and NPDES No. PA0263290. Forcey Coal, Inc., P. O. Box 225, Madera, PA 16661, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Grant and Green Townships, **Indiana County**, affecting 126.0 acres. Receiving streams: unnamed tributaries to/and Little Mahoning Creek classified for the following use: high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: April 18, 2014. Permit issued: May 26, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 40840202R6 and NPDES Permit No. PA0613703. Silverbrook Anthracite, Inc., (1 Market Street, Laffin, PA 18702), renewal of an existing anthracite coal refuse reprocessing operation, preparation plant and NPDES Permit for discharge of treated mine drainage in Laffin Borough, **Luzerne County** affecting 30.3 acres, receiving stream: Gardner Creek. Application received: July 1, 2014. Renewal issued: May 26, 2015.

Coal Permits Withdrawn

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56080108 and NPDES No. PA0262692 and General Permit GP-12-56080108. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, revision of an existing bituminous coal mining site to obtain coverage for coal processing under air quality general permit GP-12 in Brothersvalley Township, **Somerset County**, affecting 83.3 acres. Receiving streams: unnamed tributary to Blue Lick Creek and Swamp Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: July 22, 2014. Permit withdrawn: May 28, 2015.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

59880301GP-104. Michael R. Ackley (323 Beechwood Lake Road, Westfield, PA 16950). General NPDES Permit for Stormwater Discharges Associated with Mining Activities on surface mining permit 59880301 in Clymer Township, **Tioga County**. Receiving stream(s): Tributary to Mill Creek. Application received: April 2, 2015. Permit issued: May 20, 2015.

17150801. Monty L. Bloom (1573 Wallacetown Road, Morrisdale, PA 16858). Commencement, operation and restoration of a small noncoal (topsoil) mine operation in Morris Township, **Clearfield County** affecting 2.06 acres. This permit supersedes 17142801. Receiving stream(s): Flat Run to Alder Run. Application received: January 23, 2015. Permit issued: May 20, 2015.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 06154104. J Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Alvernia College Cemetery in the City of Reading, **Berks County** with an expiration date of May 25, 2016. Permit issued: May 29, 2015.

Permit No. 38154110. J Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Meadows at Southfield in South Lebanon Township, **Lebanon County** with an expiration date of May 25, 2016. Permit issued: May 29, 2015.

Permit No. 38514111. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Scenic Ridge Development in West Cornwall Township, **Lebanon County** with an expiration date of May 30, 2016. Permit issued: May 29, 2015.

Permit No. 58144114. DW Drilling & Blasting, (2042-B S. Brentwood Boulevard, Suite 115, Springfield, MO 65804) construction blasting for Bolcato Gas Pad in Gibson Township, **Susquehanna County** with an expiration date of May 20, 2016. Permit issued: May 29, 2015.

Permit No. 58144115. DW Drilling & Blasting, (2042-B S. Brentwood Boulevard, Suite 115, Springfield, MO 65804) construction blasting for Halliday Gas Pad in Bridgewater Township, **Susquehanna County** with an expiration date of May 26, 2016. Permit issued: May 29, 2015.

Permit No. 58144117. DW Drilling & Blasting, (2042-B S. Brentwood Boulevard, Suite 115, Springfield, MO 65804) construction blasting for Forwood Gas Pad in Lenox Township, **Susquehanna County** with an expiration date of May 26, 2016. Permit issued: May 29, 2015.

Permit No. 48154001. Demtech, LLC, (470 Dutchtown Road, Butler, PA 16002), blasting for the demolition of Essroc Cement Plant silos in Upper Nazareth Township, **Northampton County** with an expiration date of August 31, 2015. Permit issued: June 1, 2015.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511

E39-526. Pennsylvania Department of Transportation Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18103. Whitehall and Hanover Townships, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To remove an existing 6-span twin girder bridge and an existing 4-span twin girder bridge and to construct and maintain a 6-lane 640-foot wide, 5-span PA bulb tee beam bridge, having spans of 100-feet, 140-feet, 160-feet, 140-feet and 100-feet respectively, and having a minimum underclearance of approximately 39-feet, across the Lehigh River (CWF, MF) and to construction and maintain a 530-foot wide, 4-span PA bulb tee beam bridge, having spans of 120-feet, 160-feet, 145-feet and 105-feet respectively, and having a minimum underclearance of approximately 47-feet across the Lehigh Canal (CWF, MF). The project will be temporarily impacting approximately 0.05 acre of PEM wetlands. The activities are associated with the Phase II of a limited access highway, known as the Lehigh Valley Thruway. The project is located at S.R. 22, Segment 0400 (Catasauqua, PA Quadrangle Latitude: 40° 38' 13.1"; Longitude: -75° 27' 26.5"), in Whitehall and Hanover Townships, Lehigh County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E18-493. PPL Electric Utilities, Two North Ninth Street, Mail Stop: GEN N3, Allentown, PA 18101-1139. Lock Haven Switch Yard in Castanea Borough, **Clinton County**, ACOE Baltimore District (Lock Haven & Mill Hall, PA Quadrangles N: 41° 7' 15.95"; W: -77° 26' 2.93" & N: 41° 4' 36.7"; W: -77° 29' 9").

To construct and maintain: 1) a 51-foot long 36-inch HDPE culvert in an unnamed tributary to Bald Eagle Creek (Stream 1) for an access road, 2) 5 rock revetments and 2 rock/log cross vanes in a 779 linear foot relocated reach of an unnamed tributary to Bald Eagle Creek (Stream 2), 3) a 27-foot long 36-inch HDPE culvert in Stream 2 for an access road, 4) a 36-inch HDPE to replace an under-sized 50-foot long 24-inch CPP carrying Stream 2 under West Keller Street, 5) a 138-foot long 36-inch HDPE and associated left-turn riprapped outlet to replace an under-sized 138-foot long 18-inch CPP stream enclosure carrying Stream 2, 6) and fill in 0.26 acre wetlands, 7) off-site fish habitat enhancement within a 1,000 linear foot reach of Cedar Run to mitigate stream and wetland impacts, 8) 0.78 acre of off-site mitigation wetlands and 1.0 acre of wetland enhancements to mitigate stream and wetland impacts, in order to build level 2.7 acres pad for a new electric high-voltage switchyard. This permit also includes 401 Water Quality Certification.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under sec-

tion 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Butler County Conservation District, 122 McCune Drive, Butler, PA 16001-6501

<i>ESCGP-2 No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG00 019 15 0001	Columbia Midstream Group LLC 5151 San Filipe, Suite 2500 Houston, TX 77056	Butler	Connoquenessing Boro, Connoquenessing Twp, Forward, Jackson & Penn Twps	UNT Connoquenessing Creek CWF, WWF and Connoquenessing Creek CWF, WWF and Thorn Creek CWF

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESX14-065-0003A—Winslow Pipeline to Winslow Interconnect—Major Modification
Applicant EQT Gathering LLC
Contact Brian Clauto
Address 555 Southpointe Blvd, Suite 200
City Canonsburg State PA Zip Code 15317
County Jefferson Township(s) McCalmont, Bell, Henderson, Gaskill
Receiving Stream(s) and Classification(s) Little Sandy Creek, Elk Run, Turnip Run, Trout Run, Mahoning Creek, Big Run

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESG29-105-15-0001
Applicant Name JKLM Energy LLC
Contact Person Scott Blauvelt
Address 2200 Georgetowne Dr, Suite 500
City, State, Zip Sewickley, PA 15143
County Potter
Township(s) Summit
Receiving Stream(s) and Classification(s) Nelson Run/Mill

Creek—HQ, CWF
Secondary—Allegheny River

ESCGP-2 # ESG29-015-15-0010
Applicant Name Appalachia Midstream Services LLC
Contact Person Randy DeLaune
Address 400 1st Center, Suite 404
City, State, Zip Horseheads, NY 14845
County Bradford
Township(s) Overton
Receiving Stream(s) and Classification(s) Lick & Mill Creeks (EV, MF)

ESCGP-2 # ESX10-015-0087(01)
Applicant Name Chief Oil & Gas LLC
Contact Person Jeffrey Deegan
Address 6051 Wallace Road, Ext, Suite 300
City, State, Zip Wexford, PA 15090
County Bradford
Township(s) Burlington
Receiving Stream(s) and Classification(s) UNT to Bailey Run (WWF)
Secondary—Bailey Run (WWF)

ESCGP-2 # ESX10-131-0014(01)
Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins

Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Wyoming
Township(s) Windham

Receiving Stream(s) and Classification(s) Surface Drainage to Susquehanna River (WWF, MF), Surface Drainage to Rocky Forest Creek (CWF, MF), and Surface Drainage to UNT to Roaring Run (CWF, MF)
Secondary—Susquehanna River (WWF, MF), Rocky Forest Creek (CWF, MF) and Roaring Run (CWF, MF)

ESCGP-2 # ESX29-117-15-0017

Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Drive, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga

Township(s) Delmar
Receiving Stream(s) and Classification(s) Trib to Marsh Creek (CWF, MF)
Secondary—Marsh Creek

Southwest Region: Oil & Gas Program Mgr., 400 Waterfront Dr., Pittsburgh, PA

ESCGP-2 No: ESX14-059-0074 Major Revision
Applicant Name: Rice Drilling B LLC
Contact Person Joseph C Mallow
Address: 400 Woodcliff Drive
City: Canonsburg State: PA Zip Code: 15317
County: Greene
Township: Aleppo

Receiving Stream(s) and Classifications: Mudlick Fork, Chambers Run, UNT to South Fork Dunkard Fork; Other TSF

ESCGP-2 No.: ESG14-005-0015

Applicant Name: Mountain Gathering
Contact Person: Dewey Chalos
Address: 810 Houston Street
City: Fort Worth State: TX Zip Code: 76102
County: Armstrong Township(s): South Buffalo
Receiving Stream(s) and Classifications: Buffalo Creek (HQ-TSF), UNT to Buffalo Creek (HQ-TSF) and Pine Run (HQ-TSF)/Buffalo Creek; HQ; Other HQ-TSF; Siltation-Impaired

ESCGP-2 No.: ESG15-125-0005

Applicant Name: NiSource Midstream Services LLC
Contact Person: Farrah Lowe
Address: 5151 San Felipe Suite 2500
City: Houston State: TX Zip Code: 77056
County: Washington Township(s): South Strabane
Receiving Stream(s) and Classifications: UNT to Chartiers Creek; Other WWF; Siltation-Impaired

ESCGP-2 No.: ESG14-007-0019

Applicant Name: Utica Gas Services LLC
Contact Person: John Lattea
Address: 190 Midstream Way
City: Jane Lew State: WV Zip Code: 26378
County: Beaver Township(s): South Beaver
Receiving Stream(s) and Classifications: UNT 99678102 & 99678020 to Brush Run (HQ-CWF); HQ; Other CWF

SPECIAL NOTICES

Plan Revision Approval under the Municipal Waste Planning, Recycling and Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101

Northwest Regional Office: 230 Chestnut Street, Meadville, PA 16335

The Department of Environmental Protection (Department) approved the Venango County Municipal Waste Plan Revision dated January 13, 2015 on May 28, 2015.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

The plan revision is a public document and may be viewed at the Department Regional Office previously noted.

Questions concerning this approval should be directed to Larry Holley, Chief, Waste Minimization and Planning Division, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472 or to Regina Schweinsberg, Regional Planning and Recycling Coordinator, Bureau of Land Recycling and Waste Management at the previous Regional Office.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania

In the month of May 2015 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P. L. 238, No. 43 (63 P. S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
David Artigliere	PO Box 4475 Reading, PA 19606	Testing
Brian Bacchus	125 Twin Oaks Dr. Wexford, PA 15090	Testing
Jay Bauder Bauder Basement Systems	79 Red Stone Circle Reinholds, PA 17569	Mitigation
Thomas Biebel	2820 W. 23rd St. Erie, PA 16506	Testing
Robert Blanchfield	2830 Stephens St. Easton, PA 18045	Testing
Lois Distenfeld	4326 Crestview Rd. Harrisburg, PA 17112	Laboratory Analysis
Kevin Dunkle	PO Box 211 Worthington, PA 16262	Testing
Garland Inspection Services, Inc.	5970 W. Webb Rd. Mineral Ridge, OH 44440	Testing
Geo Environmental	PO Box 33450 Philadelphia, PA 19142	Mitigation
Richard Hart, Jr.	200 Edgewood Rd. Butler, PA 16001	Testing
Housemaster Home Inspections	9125 Marshall Rd., Ste. B-12 Cranberry Twp., PA 16066	Testing
Housing Inspection Services, Inc.	PO Box 373 Murrysville, PA 15668	Testing
Brian Jacobs	120 Nova Rd. Saint Marys, PA 15857	Testing
Brian Joyce	6195 Boxer Dr. Bethel Park, PA 15102	Testing
Thomas Kerr	PO Box 126 Johnstown, PA 15907	Testing
Robert Koppenhaver Robert Koppenhaver Builder and Contracting, Co.	2743 W. Main St. Spring Glen, PA 17978	Mitigation
Robin Lunny	2370 York Rd., A9-C Jamison, PA 18929	Testing
Greg Lyons Disaster Blaster, Inc.	911 Main St. Avoca, PA 18641	Mitigation
Mark Maglioli	562 Pringle St. Pringle, PA 18704	Testing
Mark Merani Merani Construction, LLC	PO Box 26 Stewartstown, PA 17363	Testing and Mitigation
Robert Meyer, Jr.	247 Mine Bank Rd. Wellsville, PA 17365	Mitigation
Matthew Mielnik	132 Lowry Dr. Duncansville, PA 16635	Testing
Richard Onega	333 Lindsay Rd. Zelienople, PA 16063	Testing
Greg Petruska	112 Lilac Ln. Valencia, PA 16059	Testing
Premier Termite & Pest Control	800 Antietam Dr. Douglassville, PA 19518	Testing
Aaron Rahn	PO Box 530 Murrysville, PA 15665	Testing
Subash Rashat	200 Route 130 N. Cinnaminson, NJ 08077	Laboratory Analysis

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Michael Rosales	3650 Concorde Pkwy., Ste. 100 Chantilly, VA 20151	Testing
Brendan Ryan	216 Logan Rd. Valencia, PA 16059	Mitigation
Mark Salasky Landauer, Inc.	2 Science Rd. Glenwood, IL 60425	Laboratory Analysis
Nicholas Semon	1516 E. Gibson St. Scranton, PA 18510	Testing
Gary Shawley	PO Box 126 Johnstown, PA 15907	Testing
Dale Thorson	800 Antietam Dr. Douglassville, PA 19518	Testing
Valueguard USA	634 Pine St. Philadelphia, PA 19106	Testing
Darren Verber	8020 Mine St. Fogelsville, PA 18057	Mitigation
Michael Walley	1002 Winola Rd. Clarks Summit, PA 18411	Testing
Roger Weaver	PO Box 275 White Haven, PA 18661	Testing
Terry Wilver	1015 Green St. Milton, PA 17847	Testing
Jeffrey Zimmerman Gold Star Radon, Inc.	3440 Lehigh St., #265 Allentown, PA 18103	Mitigation
John Zym	2862 Christian Springs Rd. Nazareth, PA 18064	Testing

**Water Quality Certification under Section 401 of
the Federal Clean Water Act for the
Transcontinental Gas Pipe Line Company,
LLC—Rock Springs Expansion Project**

PADEP File No. EA 36-034—On July 15, 2014, Transcontinental Pipe Line Co., LLC (“Transco”) submitted a request for Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C. § 1341) for the Rock Springs Expansion Project to the Pennsylvania Department of Environmental Protection (“PADEP”). Transco proposes to construct, own, and operate the Rock Springs Expansion Project (“Rock Springs Expansion Project” or “Project”) located in Lancaster and Chester County, Pennsylvania and Cecil County, Maryland and on June 23, 2014, Transco filed an application with the Federal Energy Regulatory Commission (“FERC”) in Docket No. CP14-504-000 under Section 7(b) and (c) of the Natural Gas Act for the purpose of obtaining a Certificate of Public Convenience and Necessity for this Project. The proposed Rock Springs Expansion Project facilities in Pennsylvania would primarily consist of approximately 10.14 miles of new 20-inch diameter natural gas pipeline in Drumore and Fulton Townships, Lancaster County, Pennsylvania and the modification of an existing compressor station in East Whiteland Township, Chester County, Pennsylvania. The purpose of the Rock Springs Expansion Project is to deliver natural gas from Transco’s existing mainlines “A” and “B” in Pennsylvania to the proposed Old Dominion Electric Cooperative’s (“ODEC”) Wildcat Point Generating Facility, located in Cecil County, Maryland, for power generation.

PADEP published notice of the proposed Water Quality Certification for this project in Volume 45, Number 15 of

the PA Bulletin on April 11, 2015 and the comment period has since closed. No public comments were received.

On May 27, 2015, pursuant to Section 401 of the Clean Water Act (33 U.S.C. § 1341), the PADEP certified that the construction, operation and maintenance of the Rock Springs Expansion Project complies with the applicable provisions of the Clean Water Act, through compliance with the following Pennsylvania State water quality permitting programs, criteria, and conditions established pursuant to Pennsylvania’s Clean Stream Law (35 P. S. §§ 691.1—691.1001), and the Pennsylvania Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.28), which ensure the Project does not violate applicable water quality standards set forth in 25 Pa. Code Chapter 93:

1. *Discharge Permit*—Transco shall obtain and comply with a PADEP National Pollutant Discharge Elimination System (“NPDES”) permit for the discharge of water from the hydrostatic testing of the Rock Springs Expansion Project pipeline pursuant to Pennsylvania’s Clean Streams Law (35 P. S. §§ 691.1—691.1001) and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—Transco shall obtain and comply with PADEP’s Chapter 102 Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment (ESCGP-2 permit) for the Rock Springs Expansion Project issued pursuant to Pennsylvania’s Clean Streams Law and Storm Water Management Act (32 P. S. §§ 680.1—680.17) and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Transco shall obtain and comply with a PADEP Chapter

105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the Rock Springs Expansion Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.28), and Flood Plain Management Act (32 P. S. §§ 679.101—679.601.) and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Transco.

5. *Operation*—For the Rock Springs Expansion Project under this certification, Transco shall at all times properly operate and maintain all Rock Springs Expansion Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this Certification and all required permits. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Transco.

6. *Inspection*—The Rock Springs Expansion Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP to determine compliance with this Certification, including all required permits required, and Pennsylvania's Water Quality Standards. A copy of this Certification shall be available for inspection by the PADEP during such inspections of the Rock Springs Expansion Project.

7. *Transfer of Projects*—If Transco intends to transfer any legal or equitable interest in the Rock Springs Expansion Project which is affected by this Certification, Transco shall serve a copy of this Certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the applicable PADEP Regional Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of Certification responsibility, coverage, and liability between them.

8. *Correspondence*—All correspondence with and submittals to PADEP concerning this Certification shall be addressed to the Department of Environmental Protection, Southcentral Regional Office, Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

9. *Reservation of Rights*—PADEP may suspend or revoke this Certification if it determines that Transco has not complied with the terms and conditions of this Certification. PADEP may require additional measures to achieve compliance with applicable law, subject to Transco's applicable procedural and substantive rights.

10. *Other Laws*—Nothing in this Certification shall be construed to preclude the institution of any legal action or relieve Transco from any responsibilities, liabilities, or penalties established pursuant to any applicable federal or state law or regulation.

11. *Severability*—The provisions of this Certification are severable and should any provision of this Certification be declared invalid or unenforceable, the remainder of the Certification shall not be affected thereby.

Any person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P. S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30 days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this document to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717.787.3483) for more information.

[Pa.B. Doc. No. 15-1116. Filed for public inspection June 12, 2015, 9:00 a.m.]

Bid Opportunity

OSM 18(3875)101.1, Abandoned Mine Reclamation Project, Sandy Run, Leidy Township, Clinton County. The principal items of work and approximate quantities include mobilization and demobilization, implementation of the erosion and sedimentation control plan, grading 88,688 cubic yards and seeding 10.7 acres. This bid issues on June 12, 2015, and bids will be opened on July 9, 2015, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1117. Filed for public inspection June 12, 2015, 9:00 a.m.]

Bid Opportunity

OSM 40(1630)101.1, Abandoned Mine Reclamation Project, St. Vladimir Vicinity, Newport Township, Luzerne County. The principal items of work and approximate quantities include mobilization and demobilization, implementation of the erosion and sedimentation control plan, grading 92,110 cubic yards, drainage excavation 6,267 cubic yards, rock lining 3,200 square yards, tied concrete block mat channels 3,260 square yards,

precast reinforced concrete box culvert, glulam pedestrian bridge and seeding 13.3 acres. This bid issues on June 12, 2015, and bids will be opened on July 9, 2015, at 2 p.m. Bid documents cost \$15 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1118. Filed for public inspection June 12, 2015, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth Warren County

Proposers are invited to submit proposals to the Department of General Services to provide the Department of Labor and Industry with 2,346 net usable square feet of office space in Warren County. For more information on SFP No. 94731, which is due on July 21, 2015, visit www.dgs.state.pa.us or contact Pete Kafkalas, Bureau of Real Estate, (717) 525-5231, pkafkalas@pa.gov.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 15-1119. Filed for public inspection June 12, 2015, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Children's Hospital of Philadelphia Brandywine Valley Specialty Care and Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Children's Hospital of Philadelphia Brandywine Valley Specialty Care and Surgery Center has requested exceptions to the requirements of 28 Pa. Code §§ 553.1—553.4, 555.1—555.3, 557.1—557.4, 559.2, 563.1—563.13 and 567.53.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1120. Filed for public inspection June 12, 2015, 9:00 a.m.]

Application of Geisinger Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Medical Center has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-8.5.3.2 (relating to Technology Distribution Rooms (TDR)), regarding size.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1121. Filed for public inspection June 12, 2015, 9:00 a.m.]

Application of Grandview Surgery and Laser Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Grandview Surgery and Laser Center has requested an exception to the requirements of 28 Pa. Code § 551.21(a)(2) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1122. Filed for public inspection June 12, 2015, 9:00 a.m.]

Application of Nason Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Nason Hospital has requested an exception to the requirements of 28 Pa. Code § 138.18 (relating to EPS studies).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1123. Filed for public inspection June 12, 2015, 9:00 a.m.]

Application of St. Luke's Miners Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Luke's Miners Memorial Hospital has

requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-8.5.3.2 (relating to Technology Distribution Rooms (TDR)), regarding size.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1124. Filed for public inspection June 12, 2015, 9:00 a.m.]

Application of York Cancer Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that York Cancer Center has requested exceptions to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 3.1-3.6.10 (relating to soiled holding rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or

hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1125. Filed for public inspection June 12, 2015, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Westminster Village
803 North Wahneta Street
Allentown, PA 18103
FAC ID # 124102

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.22(h) (relating to prevention, control and surveillance of tuberculosis (TB)):

Church of God Home, Inc.
801 North Hanover Street
Carlisle, PA 17013
FAC ID # 291602

StoneRidge Popular Run
450 East Lincoln Avenue
Myerstown, PA 17067
FAC ID # 055702

StoneRidge Towne Centre
7 West Park Avenue
Myerstown, PA 17067
FAC ID # 051102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.31 (relating to storage):

Mountain View Care Center
2309 Stafford Avenue
Scranton, PA 18505
FAC ID # 053602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Scope of Practice for Critical Care Transport Emergency Medical Service Providers; Corrective Update to 2015 Notice

Under 28 Pa. Code § 1027.39(d) (relating to critical care transport ambulance service), the Department of Health (Department) is authorized to publish the expanded scope of practice for authorized paramedics, prehospital registered nurses (PHRN), prehospital physician extenders (PHPE) and prehospital emergency medical services physicians (PHP) when functioning for an emergency medical service (EMS) agency that has been licensed as a critical care transport (CCT) ambulance service under 35 Pa.C.S. § 8129 (relating to emergency medical services agencies).

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1126. Filed for public inspection June 12, 2015, 9:00 a.m.]

Pennsylvania Achieving Better Care by Monitoring All Prescriptions Board Meeting Schedule

The Pennsylvania Achieving Better Care by Monitoring All Prescriptions Board (Board), established under the Achieving Better Care by Monitoring All Prescriptions Program (ABC-MAP) Act (35 P. S. §§ 872.1—872.40), will hold meetings on the following dates:

Thursday, June 18, 2015
Tuesday, July 21, 2015
Tuesday, August 18, 2015
Tuesday, September 15, 2015
Tuesday, October 20, 2015
Tuesday, November 17, 2015
Tuesday, December 15, 2015

The meetings will begin at 9:30 a.m. in Room 129, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. At the meetings, the Board will address evaluating and securing a vendor of an electronic prescription monitoring system; appointing an advisory group; creating a written notice to be used by prescribers and dispensers; and developing policies and procedures.

For additional information, or for persons with a disability and who wish to attend the meetings and require an auxiliary aid, service or other accommodation to do so should contact Kimberly Buffington, Department of Health, Health and Welfare Building, Room 129, 625 Forster Street, Harrisburg, PA 17120, (717) 787-9857, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT) for speech and/or hearing impaired persons.

Meetings are subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1127. Filed for public inspection June 12, 2015, 9:00 a.m.]

In its notice of expanded scope of practice for CCT EMS providers published at 45 Pa.B. 2678 (May 30, 2015), the Department provided an inaccurate explanation of the expanded scope of practice for CCT EMS providers providing airway/ventilation/oxygenation. This skill is listed at item 49 in both the general scopes of practice published at 45 Pa.B. 377 (January 17, 2015) and in the expanded scope of practice published at 45 Pa.B. 2678. The accurate explanation of the skill is as follows:

<i>Category</i>	<i>Skill</i>	<i>Critical Care Transport Provider (Paramedic, PHRN, PHPE or PHP)</i>
49	Airway/ventilation/oxygenation	Ventilators that are portable and capable of being transported with a patient and are multi-modal, with a blender, that are used on patients requiring pressure control, pressure support or other advanced setting, or when there is an anticipated need by a healthcare provider involved with the care of the patient to actively titrate ventilator settings during transport, regardless of ventilation mode.

Critical Care Transport Provider (Paramedic, PHRN, PHPE or PHP)

Yes¹

Yes—The skill is in the scope of practice for Paramedics, PHRNs, PHPEs and PHPs who are authorized to function for an EMS agency that has been licensed as a CCT ambulance service.

1. Paramedics, PHRNs, PHPEs and PHPs who are authorized to function for an EMS agency that has been licensed as a CCT ambulance service may only perform or assist with these skills during interfacility transport with a CCT ambulance.

All other skills listed at 45 Pa.B. 2678 for CCT EMS providers are unchanged by the correction listed in this update.

As a reminder, skills identified may be performed by CCT EMS providers only if the provider has successfully completed training (cognitive, affective and psychomotor) on the specified skill, which includes training to perform the skill on adults, children and infants, as appropriate. These providers may only perform skills that are indicated through either Statewide or other Department-approved protocols or that are ordered online by a medical command physician.

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape, Braille) should contact Richard L. Gibbons, Bureau Director, Department of Health, Bureau of Emergency Medical Services, Room 606, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0710, (717) 787-8740. Speech or hearing impaired persons may use V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1128. Filed for public inspection June 12, 2015, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Availability of Amendment to the Bureau of Autism Services' Adult Autism Waiver

The Department of Human Services (Department) is making available for public review and comment the Department's proposed Adult Autism Waiver (AAW) amendment. The purpose of the amendment is to incorporate changes that are being developed as part of the Commonwealth's implementation of the No Wrong Door requirement in the Balancing Incentive Program (BIP) and to remove references in the AAW to the International Statistical Classification of Disease and Related Health Problems (ICD-9) codes and the Diagnostic and Statistical Manual of Mental Disorders (DSM) IV.

Background

The Commonwealth is pleased to be a participant in the Federal BIP. Participation in BIP will allow the Department to build upon current efforts to rebalance the

delivery of long-term services and supports. The Department will implement the required structural changes under BIP including improved access to services with a No Wrong Door approach.

Currently, if an individual is interested in receiving AAW services he can call a toll-free number and provide demographic and contact information. The proposed amendment will also allow an individual who is interested in receiving AAW services to contact the Department through completing the Information and Referral Tool, which will be available on-line, or through the COMPASS system. The Department's COMPASS system is a web site that includes an online application that can be used to apply for many of the Department's programs.

The AAW currently references the DSM-IV and the ICD-9 codes. Both have been replaced. As a result, the proposed amendment will revise the AAW to include that to be eligible for the AAW an individual must have a diagnosis of Autism Spectrum Disorder (ASD) as ASD is defined in the most recent version of the DSM applicable at the time of the diagnosis.

The Bureau of Autism Services has proposed an amendment to the AAW to reflect these changes.

Fiscal Impact

In total funding, there is no anticipated fiscal impact in Fiscal Year (FY) 2015-2016 related to this amendment. However, the BIP is expected to provide Federal Funds of about \$68,000 to replace State Funds of \$68,000 in FY 2015-2016.

Public Comment

The Department has made the proposed AAW amendment available at <http://www.dhs.state.pa.us/learnaboutdhs/waiverinformation/adultautismwaiver/index.htm>.

Copies of this notice and the AAW amendment are also available by contacting the Bureau of Autism Services as follows.

Interested persons are invited to submit written comments regarding this notice and the proposed amendment for the AAW. Comments should be addressed to Lea Sheffield, Department of Human Services, Bureau of Autism Services, Office of Developmental Programs, 625 Forster Street, Room 605, Harrisburg, PA 17120. Comments may also be submitted to the Department at RA-odpautismwaiver@pa.gov. Comments must be submitted by July 13, 2015.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TTD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-952. (1) General Fund;

(7) Autism Intervention and Services; (2) Implementing Year 2014-15 is -\$366,000; (3) 1st Succeeding Year 2015-16 is -\$68,000; 2nd Succeeding Year 2016-17 through 5th Succeeding Year 2019-20 are \$0; (4) 2013-14 Program—\$16,487,000; 2012-13 Program—\$13,000,000; 2011-12 Program—\$12,194,000;

(7) Medical Assistance—Autism Intervention Services; (2) Implementing Year 2014-15 is \$366,000; (3) 1st Succeeding Year is \$68,000; 2nd Succeeding Year 2016-17 through 5th Succeeding Year 2019-20 are \$0; (4) 2013-14 Program—\$13,457,000; 2012-13 Program—\$12,208,000; 2011-12 Program—\$15,701,000.

(8) recommends adoption. The budget includes the impact of the decrease in State funds.

[Pa.B. Doc. No. 15-1129. Filed for public inspection June 12, 2015, 9:00 a.m.]

Availability of the Low-Income Home Energy Assistance Program; Proposed State Plan and Public Hearing Schedule

The Department of Human Services (Department) is making available for public review and comment the Fiscal Year (FY) 2015-2016 Low-Income Home Energy Assistance Program (LIHEAP) proposed State Plan. Comments on this notice and testimony received at public hearings will be used to formulate the Department's Final State Plan for using Federal funds for FY 2015-2016 LIHEAP.

The Department has made the proposed State Plan available to the public through the Department's web site at www.dhs.state.pa.us/foradults/heatingassistanceliheap. In addition, copies of the proposed State Plan are avail-

able upon written request to the Director, Division of Federal Programs and Program Management, Department of Human Services, DGS Annex, Room 224, Willow Oak Building, 1006 Hemlock Drive, Harrisburg, PA 17110.

The Department will hold three public hearings throughout this Commonwealth to allow testimony on the proposed State Plan and to fulfill the Federal mandate for public input into the planning process. This mandate appears in Title XXVI (The Low-Income Home Energy Assistance Act of 1981) of the Omnibus Budget Reconciliation Act of 1981 (Pub. L. No. 97-35) (42 U.S.C.A. §§ 8621—8629) as amended by the Human Services Reauthorization Act of 1984 (Pub. L. No. 98-558), the Human Services Reauthorization Act of 1986 (Pub. L. No. 99-425), the Augustus F. Hawkins Human Services Reauthorization Act of 1990 (Pub. L. No. 101-501), the National Institutes of Health Revitalization Act of 1993 (Pub. L. No. 103-43), the Low-Income Home Energy Assistance Amendments of 1994 (Pub. L. No. 103-252), the Coats Human Services Reauthorization Act of 1998 (Pub. L. No. 105-285) and the Energy Policy Act of 2005 (Pub. L. No. 109-58).

Public Hearing Schedule

July 6, 2015
10 a.m.—1 p.m.
Philadelphia County Assistance Office Headquarters
Betsy Ross Conference Room, 6th Floor
801 Market Street
Philadelphia, PA

July 8, 2015
9:30 a.m.—12 p.m.
Health and Welfare Building
Room 129, 1st Floor
625 Forster Street
Harrisburg, PA

July 15, 2015
9 a.m.—12 p.m.
Allegheny County Courthouse
Gold Room, 4th Floor
436 Grant Street
Pittsburgh, PA

This notice shall take effect upon publication in the *Pennsylvania Bulletin*.

Public Comment

Persons who wish to testify on the proposed State Plan at a public hearing should arrange a time by telephoning (717) 772-7906. Persons from outside the Harrisburg area should call (800) 692-7462 or send a written request, including telephone number, to Jeremy Pahl, Federal Programs and Program Management, Room 224, Willow Oak Building No. 42, DGS Annex Complex, P. O. Box 2675, Harrisburg, PA 17105-2675.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

[Pa.B. Doc. No. 15-1130. Filed for public inspection June 12, 2015, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$1,000,000 Big Money '15 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$1,000,000 Big Money '15.

2. *Price:* The price of a Pennsylvania \$1,000,000 Big Money '15 instant lottery game ticket is \$20.

3. *Play Symbols:* Each Pennsylvania \$1,000,000 Big Money '15 instant game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), Safe (SAFE) symbol, \$250 Box (WIN250) symbol and a BIG (BIG) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$20, \$25, \$30, \$40, \$50, \$100, \$250, \$500, \$1,000, \$10,000, \$100,000 and \$1,000,000. A player can win up to 20 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the Pennsylvania \$1,000,000 Big Money '15 instant game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1MILL (ONE MIL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall

be entitled to a prize of \$1,000,000. This prize shall be paid as a lump-sum cash payment.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a BIG (BIG) symbol and a prize symbol of \$500 (FIV HUN) appears in all 20 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$1,000 (ONE THO) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a BIG (BIG) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in all 20 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$500 (FIV HUN) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a BIG (BIG) symbol and a prize symbol of \$25⁰⁰ (TWY FIV) appears in 20 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$250 (TWOHUNFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$250.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a \$250 Box (WIN250) symbol, on a single ticket, shall be entitled to a prize of \$250.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$250 (TWOHUNFTY) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$250.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a BIG (BIG) symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the "prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in 15 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$250.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$100 (ONE HUN) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$50.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$40⁰⁰ (FORTY) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$40.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(v) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$30⁰⁰ (THIRTY) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$30.

(w) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(x) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$25⁰⁰ (TWY FIV) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$25.

(y) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(z) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Safe (SAFE) symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears under that Safe (SAFE) symbol, on a single ticket, shall be entitled to a prize of \$20.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:

<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets</i>
\$20 w/ SAFE	\$20	450,000
\$20	\$20	450,000
\$25 w/ SAFE	\$25	108,000
\$25	\$25	108,000
\$30 w/ SAFE	\$30	90,000
\$30	\$30	90,000
\$20 x 2	\$40	36,000
\$40 w/ SAFE	\$40	72,000
\$40	\$40	72,000
\$25 x 2	\$50	18,000
\$50 w/ SAFE	\$50	72,000
\$50	\$50	18,000
\$20 x 5	\$100	36,000
\$100 w/ SAFE	\$100	36,000
\$100	\$100	36,000
BIG w/ ((\$20 x 5) + (\$10 x 15))	\$250	7,650
\$50 x 5	\$250	4,500
(\$100 x 2) + \$50	\$250	4,500
\$250 w/ SAFE	\$250	9,000
\$250 w/ \$250 BOX	\$250	10,125
\$250	\$250	4,500

When Any Of Your Numbers Match
Any Winning Number, Win Prize
Shown Under The Matching
Number. Win With:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 5,400,000 Tickets
BIG w/ \$25 × 20	\$500	2,400	2,250
\$50 × 10	\$500	3,000	1,800
\$100 × 5	\$500	3,000	1,800
(\$50 × 5) + (\$25 × 10)	\$500	3,000	1,800
(\$100 × 2) + \$250 + \$50	\$500	3,000	1,800
(\$250 w/ \$250 BOX) × 2	\$500	1,333	4,050
\$500 w/ SAFE	\$500	1,500	3,600
\$500	\$500	3,000	1,800
BIG w/ \$50 × 20	\$1,000	6,667	810
\$500 × 2	\$1,000	15,000	360
(\$100 × 5) + (\$50 × 10)	\$1,000	15,000	360
(\$100 × 2) + \$500 + \$250 + \$50	\$1,000	7,500	720
(\$250 w/ \$250 BOX) × 4	\$1,000	6,667	810
\$1,000 w/ SAFE	\$1,000	6,667	810
\$1,000	\$1,000	15,000	360
BIG w/ \$500 × 20	\$10,000	216,000	25
\$10,000	\$10,000	216,000	25
\$100,000	\$100,000	540,000	10
\$1,000,000	\$1,000,000	1,080,000	5

Reveal a “SAFE” (SAFE) symbol, win prize shown under that symbol automatically.
Reveal a “\$250 BOX” (WIN250) symbol, win \$250 instantly.
Reveal a “BIG” (BIG) symbol, win all 20 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania \$1,000,000 Big Money '15 instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania \$1,000,000 Big Money '15, prize money from winning Pennsylvania \$1,000,000 Big Money '15 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania \$1,000,000 Big Money '15 instant lottery game, the right of a ticket holder to claim the prize represented by the

ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania \$1,000,000 Big Money '15 or through normal communications methods.

EILEEN H. McNULTY,
Secretary

[Pa.B. Doc. No. 15-1131. Filed for public inspection June 12, 2015, 9:00 a.m.]

Pennsylvania Cash Time Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cash Time.

2. *Price:* The price of a Pennsylvania Cash Time instant lottery game ticket is \$1.

3. *Prize Play Symbols:* Each Pennsylvania Cash Time instant lottery game ticket will contain one play area. The prize play symbols and their captions located in the play area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰

(TEN DOL), \$20.⁰⁰ (TWENTY), \$40.⁰⁰ (FORTY), \$100 (ONE HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and a "2X" (DOUBLE) symbol.

4. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$40, \$100, \$1,000 and \$5,000. The player can win up to 1 time on the ticket.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 12,000,000 tickets will be printed for the Pennsylvania Cash Time instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets with three matching prize play symbols of \$5,000 (FIV THO) in the play area, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with three matching prize play symbols of \$1,000 (ONE THO) in the play area, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with three matching prize play symbols of \$100 (ONE HUN) in the play area, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with three matching prize play symbols of \$40.⁰⁰ (FORTY) in the play area, on a single ticket, shall be entitled to a prize of \$40.

(e) Holders of tickets with two matching prize play symbols of \$20.⁰⁰ (TWENTY) in the play area and a "2X" (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets with three matching prize play symbols of \$20.⁰⁰ (TWENTY) in the play area, on a single ticket, shall be entitled to a prize of \$20.

(g) Holders of tickets with two matching prize play symbols of \$10.⁰⁰ (TEN DOL) in the play area and a "2X" (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets with three matching prize play symbols of \$10.⁰⁰ (TEN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$10.

(i) Holders of tickets with two matching prize play symbols of \$5.⁰⁰ (FIV DOL) in the play area and a "2X" (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(j) Holders of tickets with three matching prize play symbols of \$5.⁰⁰ (FIV DOL) in the play area, on a single ticket, shall be entitled to a prize of \$5.

(k) Holders of tickets with three matching prize play symbols of \$4.⁰⁰ (FOR DOL) in the play area, on a single ticket, shall be entitled to a prize of \$4.

(l) Holders of tickets with two matching prize play symbols of \$2.⁰⁰ (TWO DOL) in the play area and a "2X" (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$4.

(m) Holders of tickets with three matching prize play symbols of \$2.⁰⁰ (TWO DOL) in the play area, on a single ticket, shall be entitled to a prize of \$2.

(n) Holders of tickets with two matching prize play symbols of \$1.⁰⁰ (ONE DOL) in the play area and a "2X" (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$2.

(o) Holders of tickets with three matching prize play symbols of FREE (TICKET) in the play area, on a single ticket, shall be entitled to a prize of one Pennsylvania Cash Time instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Get Three Like Amounts, Win That Amount. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets</i>
3—FREEs	FREE \$1 TICKET	9.38	1,280,000
2—\$1s w/ 2X	\$2	30	400,000
3—\$2s	\$2	60	200,000
2—\$2s w/ 2X	\$4	75	160,000
3—\$4s	\$4	150	80,000
3—\$5s	\$5	57.69	208,000
2—\$5s w/ 2X	\$10	150	80,000
3—\$10s	\$10	200	60,000
2—\$10s w/ 2X	\$20	333.33	36,000
3—\$20s	\$20	1,500	8,000
2—\$20s w/ 2X	\$40	1,500	8,000
3—\$40s	\$40	3,000	4,000
3—\$100s	\$100	4,800	2,500
3—\$1,000s	\$1,000	48,000	250
3—\$5,000s	\$5,000	600,000	20

Get two like amounts and a "2X" (DOUBLE) symbol, win double that amount!

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Cash Time instant lottery game tickets.

9. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a

Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not

exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Cash Time, prize money from winning Pennsylvania Cash Time instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Cash Time instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Cash Time or through normal communications methods.

EILEEN H. McNULTY,
Secretary

[Pa.B. Doc. No. 15-1132. Filed for public inspection June 12, 2015, 9:00 a.m.]

Pennsylvania Triple Dip Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Triple Dip.

2. *Price:* The price of a Pennsylvania Triple Dip instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Triple Dip instant lottery game ticket will contain one play area. The play symbols and their captions printed in black ink and located in the play area are: Pie (PIE) symbol, Marshmallow (MALLO) symbol, Donut (DONUT) symbol, Cookie (COOKIE) symbol, Popsicle (POPCL) symbol, Cupcake (CUPCKE) symbol, Candy (CANDY) symbol, Cake (CAKE) symbol, Watermelon (MELON) symbol, Cooler (COOLER) symbol, Lemonade (LMNADE) symbol, Soda (SODA) symbol, Burger (BURGER) symbol, Popcorn (POPCRN) symbol, Chips (CHIPS) symbol, Picnic Table

(TABLE) symbol, Hot Dog (HDOG) symbol and an Ice Cream Cone (CONE) symbol. The play symbols and their captions printed in green ink and located in the play area are: Pie (PIE) symbol, Marshmallow (MALLO) symbol, Donut (DONUT) symbol, Cookie (COOKIE) symbol, Popsicle (POPCL) symbol, Cupcake (CUPCKE) symbol, Candy (CANDY) symbol, Cake (CAKE) symbol, Watermelon (MELON) symbol, Cooler (COOLER) symbol, Lemonade (LMNADE) symbol, Soda (SODA) symbol, Burger (BURGER) symbol, Popcorn (POPCRN) symbol, Chips (CHIPS) symbol, Picnic Table (TABLE) symbol, Hot Dog (HDOG) symbol and a Triple Dip (TRIPLE) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO) and \$30,000 (TRY THO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$25, \$50, \$100, \$250, \$500, \$1,000 and \$30,000. The player can win up to 10 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,200,000 tickets will be printed for the Pennsylvania Triple Dip instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$30,000 (TRY THO) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(b) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$250 (TWOHUNFTY) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$250.

(e) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets with a Triple Dip (TRIPLE) symbol in the play area, with the symbol and caption printed in green ink, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Triple Dip (TRIPLE) symbol, on a single ticket, shall be entitled to a prize of \$60.

(g) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets with a Triple Dip (TRIPLE) symbol in the play area, with the symbol and caption printed in green ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Triple Dip (TRIPLE) symbol, on a single ticket, shall be entitled to a prize of \$30.

(i) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$25.

(j) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(k) Holders of tickets with a Triple Dip (TRIPLE) symbol in the play area, with the symbol and caption printed in green ink, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that Triple Dip (TRIPLE) symbol, on a single ticket, shall be entitled to a prize of \$15.

(l) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption

printed in black ink, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets with a Triple Dip (TRIPLE) symbol in the play area, with the symbol and caption printed in green ink, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under that Triple Dip (TRIPLE) symbol, on a single ticket, shall be entitled to a prize of \$6.

(n) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$5.

(o) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$4.

(p) Holders of tickets with an Ice Cream Cone (CONE) symbol in the play area, with the symbol and caption printed in black ink, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under that Ice Cream Cone (CONE) symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal An “ICE CREAM CONE” (CONE) Symbol, Win Prize Shown Under That Symbol, Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,200,000 Tickets</i>
\$2	\$2	8.82	1,156,000
\$2 × 2	\$4	37.5	272,000
\$4	\$4	50	204,000
\$5	\$5	30	340,000
\$2 × 5	\$10	750	13,600
(\$4 × 2) + \$2	\$10	750	13,600
(\$2 w/ TRIPLE DIP) + \$4	\$10	136.36	74,800
\$10	\$10	750	13,600
\$2 × 10	\$20	1,500	6,800
\$4 × 5	\$20	1,500	6,800
\$5 × 4	\$20	1,500	6,800
(\$5 w/ TRIPLE DIP) + \$5	\$20	136.36	74,800
\$20	\$20	1,500	6,800
\$5 × 5	\$25	1,200	8,500
(\$5 × 3) + \$10	\$25	857.14	11,900
(\$5 w/ TRIPLE DIP) + \$10	\$25	600	17,000
\$25	\$25	1,200	8,500
\$5 × 10	\$50	2,400	4,250
\$10 × 5	\$50	2,400	4,250
(\$10 w/ TRIPLE DIP) + \$20	\$50	600	17,000
\$50	\$50	2,400	4,250
\$10 × 10	\$100	6,000	1,700
\$25 × 4	\$100	6,000	1,700
(\$20 w/ TRIPLE DIP) + (\$10 × 4)	\$100	3,000	3,400
\$100	\$100	6,000	1,700
\$25 × 10	\$250	30,000	340
\$50 × 5	\$250	30,000	340

Reveal An "ICE CREAM CONE"
(CONE) Symbol, Win Prize Shown
Under That Symbol, Win With:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 10,200,000 Tickets
(\$100 × 2) + \$50	\$250	30,000	340
\$250	\$250	30,000	340
\$50 × 10	\$500	120,000	85
\$100 × 5	\$500	120,000	85
\$250 × 2	\$500	120,000	85
\$500	\$500	120,000	85
\$1,000	\$1,000	60,000	170
\$30,000	\$30,000	1,020,000	10

Reveal a GREEN "TRIPLE DIP" (TRIPLE) symbol, win triple the prize shown under that symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Triple Dip instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Triple Dip, prize money from winning Pennsylvania Triple Dip instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Triple Dip instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Pennsylvania Triple Dip or through normal communications methods.

EILEEN H. McNULTY,
Secretary

[Pa.B. Doc. No. 15-1133. Filed for public inspection June 12, 2015, 9:00 a.m.]

Pennsylvania Trucks & Bucks® Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Trucks & Bucks®.

2. *Price:* The price of a Pennsylvania Trucks & Bucks instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Trucks & Bucks instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORTY), Key (KEY) symbol and a Cash (CASH) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY

FIV), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$100,000 (ONEHUNTHO) and a TRUCK (TRUCK) symbol.

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$400, \$500, \$1,000, \$100,000 and a Truck Grand Prize as described in section (10)(e). A player can win up to 12 times on a ticket.

6. *Second-Chance Drawings:* The Pennsylvania Lottery will conduct two Trucks & Bucks second-chance drawings for which non-winning Pennsylvania Trucks & Bucks instant lottery game tickets may be eligible as provided for in section 10.

7. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the Pennsylvania Trucks & Bucks instant lottery game.

8. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Key (KEY) symbol, on a single ticket, shall be entitled to a prize of a Truck Grand Prize as described in section (10)(e).

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash (CASH) symbol and a prize symbol of \$100 (ONE HUN) appears in eight of the "prize" areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$400 (FOR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$400.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash (CASH) symbol and a prize symbol of \$100 (ONE HUN) appears

in two of the "prize" areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$400.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash (CASH) symbol and a prize symbol of \$25⁰⁰ (TWY FIV) appears in two of the "prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Cash (CASH) symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the "prize" areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "prize" areas, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

When Any Of Your Numbers Match Any Winning Number, Win Prize Shown Under The Matching Number. Win With:

\$5
\$5 x 2
\$10

Win:
\$5
\$10
\$10

Approximate Odds Are 1 In:
12
40
24

Approximate No. Of Winners Per 9,600,000 Tickets:
800,000
240,000
400,000

When Any Of Your Numbers Match
Any Winning Number, Win Prize
Shown Under The Matching
Number. Win With:

Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 9,600,000 Tickets:	
\$5 × 4	\$20	75	128,000
\$10 × 2	\$20	100	96,000
\$20	\$20	100	96,000
\$5 × 5	\$25	300	32,000
(\$10 × 2) + \$5	\$25	200	48,000
\$20 + \$5	\$25	200	48,000
\$25	\$25	300	32,000
\$5 × 8	\$40	150	64,000
\$10 × 4	\$40	300	32,000
\$20 × 2	\$40	300	32,000
\$40	\$40	300	32,000
CASH w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))	\$100	800	12,000
CASH w/ ((\$25 × 2) + (\$5 × 10))	\$100	800	12,000
\$20 × 5	\$100	1,714	5,600
\$25 × 4	\$100	2,400	4,000
\$100	\$100	2,400	4,000
CASH w/ ((\$100 × 2) + (\$20 × 10))	\$400	60,000	160
\$40 × 10	\$400	120,000	80
\$100 × 4	\$400	120,000	80
\$400	\$400	60,000	160
CASH w/ ((\$100 × 8) + (\$50 × 4))	\$1,000	120,000	80
\$500 × 2	\$1,000	120,000	80
\$1,000	\$1,000	120,000	80
TRUCK w/ KEY	\$70,000	1,200,000	8
\$100,000	\$100,000	960,000	10

Reveal a "KEY" (KEY) symbol, win a truck of your choice!
Reveal a "CASH" (CASH) symbol, win all 12 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing: Trucks & Bucks Second-Chance Drawings* (hereafter, "Drawings").

(a) *Qualifying Tickets:* Non-winning PA-1150 Trucks & Bucks instant game tickets (\$5) ("Qualifying Tickets") are eligible for entry into the Drawings.

(b) *Participation and Entry:*

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawings. To join the VIP Players Club, visit <http://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawings, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawings' promotional website, available at <http://www.palottery.com>, or the Pennsylvania Lottery's official mobile application during the entry periods. The identifying information from a Qualifying Ticket may be submitted only once into one of the two Trucks & Bucks Second-Chance Drawings. Entries awarded will be applied to the active drawing at the time of successful submission of the entry and will not carry forward to the next drawing. No other method of submission will be accepted. Entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be submitted.

(4) Only one claimant per entry allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets into each Drawing.

(c) *Drawings Description:*

(1) The Lottery will conduct two Trucks & Bucks Second-Chance Drawings. All time references are Eastern Prevailing Time.

(a) All Trucks & Bucks Second-Chance Drawings entries received after 11:59:59 p.m. June 21, 2015, through 11:59:59 p.m. July 30, 2015, will be entered into the Trucks & Bucks Second-Chance Drawing #1, held between July 31, 2015 and August 4, 2015.

(b) All Trucks & Bucks Second-Chance Drawings entries received after 11:59:59 p.m. July 30, 2015, through 11:59:59 p.m. September 10, 2015, will be entered into the Trucks & Bucks Second-Chance Drawing #2, held between September 11, 2015 and September 15, 2015.

(2) The entry periods for the Drawings will be posted to the Pennsylvania Lottery's publically accessible website.

(3) A Qualifying Ticket will receive 5 entries. The time of submission will determine which drawing the entries are entered in, as specified in subsection (c)(1).

(4) Players may review their entries for the Drawings via the Drawings' promotional website.

(d) *Prizes Available to be Won, Determination of Winners, and Odds of Winning:*

(1) The Lottery will conduct two Drawings from among all the entries received during each entry period.

(2) The first entry selected from the entries submitted in each of the Drawings will be a winning entry, and the entrant who submitted the winning entry shall be entitled to a prize of one Truck Grand Prize as described in subsection (e).

(3) The second through the eleventh entries selected from the entries submitted in each of the Drawings will be winning entries, and the entrants who submitted those winning entries shall be entitled to a prize of \$1,000. This prize shall be paid as a lump-sum cash payment.

(4) The entry deadlines and the number of winning entries to be selected for each Drawing will be posted to the Pennsylvania Lottery's publically accessible website.

(5) The odds of an entry being selected in the Drawings depend upon the number of entries received for the Drawings.

(6) A computer generated randomizer will be used to select the winning entries for the Drawings.

(e) *Description of Pennsylvania Lottery's Truck Grand Prize:*

(1) Each Truck Grand Prize shall have a value of \$70,000 and shall consist of the winner's choice of one of the following three Truck Prize choices:

(i) a base model 2015 Chevrolet® Silverado™ 1500 LT Crew Cab, Standard Box 4WD, 4.3 Liter V6 engine with \$6,613.30 winner selected options or an allowance for a 2016 model;

(ii) a base model 2015 Ford F-150 XLT SuperCrew®, 5.0 Liter V8FFV engine, 6-1/2 foot box 4x4, with \$6,018.30 winner selected options or an allowance for a 2016 model; or

(iii) a base model 2015 Ram 1500 Laramie Quad Cab, 6'4" box, 4x4, 3.6 Liter V6 24-Valve VVT Engine with \$5,063.30 winner selected options or an allowance for a 2016 model.

(2) Each Truck Grand Prize shall include dealers' fees, dealer preparation, set up fees, freight charges, delivery charges, registration.

(3) A Truck Prize Package winner opting for the cash value of the prize will receive the cash value of the Truck Prize Package minus required Federal income tax withholding.

(f) *Pennsylvania Lottery's Truck Grand Prize Restrictions:*

(1) If the Department of Human Services, pursuant to 23 Pa.C.S.A. § 4308, determines that a winner of the Truck Grand Prize is a delinquent support obligor as provided in 23 Pa.C.S.A. § 4308, the winner shall forfeit the Truck Grand Prize and the amount of any arrearages shall be deducted from the cash value of the Truck Grand Prize. After the delinquent support obligation is met, the winner will receive the remaining prize value, if any, according to Lottery procedure.

(2) In the event a prize described in this section is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

(3) Each winner, his or her respective heirs, legal representatives, and assigns, agree to indemnify, defend, release, and discharge the Pennsylvania Lottery, its employees, officers, directors, and commissioners, Ford Motor Company, General Motors LLC, and FCA US LLC

from and against any loss, claim, damage, suit, or injury arising out of or relating to this Promotion, possession or use of the Truck Grand Prize, or any action taken pursuant to the Official Rules. By entering, the winner indemnifies, releases, discharges, and agrees to hold harmless the Pennsylvania Lottery, its employees, officers, directors, and commissioners, Ford Motor Company, General Motors LLC, and FCA US LLC from unanticipated cancellation, suspension, or postponement of the promotion due to natural disaster, national emergency, or other unforeseen act of God or man.

(g) *Drawings Restrictions:*

(1) To be eligible to participate in the Drawings, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawings. The Lottery is not responsible for entries that are not entered into the Drawings because of incompatible internet browsers, mobile lottery application failure or other technical issues. If a Drawings entry is selected as a winner and rejected during or following the Drawings, the Lottery will select another entry to replace the rejected entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawings, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, MARC Advertising, MUSL, Scientific Games International Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principle place of residence of any such person are not eligible to participate in the Drawings. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawings and change these rules if the Drawings cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs, or any other cause beyond the control of the Pennsylvania Lottery that, in the Pennsylvania Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity, or proper conduct of the Drawings.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawings or to be acting in violation of these rules or applicable law.

(8) The Drawings are governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the date the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) The payment of a prize awarded in the Drawings to a person who dies before receiving the prize shall be

paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which they are first selected in each of the Drawings. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and a replacement entry will be selected.

11. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Trucks & Bucks instant lottery game tickets.

12. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Trucks & Bucks, prize money from winning Pennsylvania Trucks & Bucks instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Trucks & Bucks instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Trucks & Bucks or through normal communications methods.

EILEEN H. McNULTY,
Secretary

[Pa.B. Doc. No. 15-1134. Filed for public inspection June 12, 2015, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

Under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been made to the Department of Transportation by Lifetime Auto Centers Inc., 2336 Babcock Boulevard, Pittsburgh, PA 15237 seeking to lease highway right-of-way located on the northerly side of SR 4011 (Babcock Boulevard) at the intersection with Ramp H to SR 4003 (McKnight Road) in Ross Township, Allegheny County containing 3,852 ± square feet for purposes of customer parking and landscaping.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to H. Daniel Cessna, PE, District Engineer, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017.

Questions regarding this application or the proposed use may be directed to Jeff Powell, District Property Manager, 45 Thoms Run Road, Bridgeville, PA 15017, (412) 429-4835.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 15-1135. Filed for public inspection June 12, 2015, 9:00 a.m.]

Bureau of Driver Licensing; Implementation of Commercial Driver Licensing Skills Test Procedures

This notice supersedes the notice published at 38 Pa.B. 1022 (February 23, 2008) under 75 Pa.C.S. § 1607(a) (relating to commercial driver's license qualification standards).

Adoption of Federal Motor Carrier Safety Administration Commercial Driver Skills Test

The Department of Transportation (Department), to meet Federal Motor Carrier Safety Administration (FMCSA) requirements, is adopting the FMCSA commercial driver skills tests, including their content, as follows:

Vehicle inspection tests shall be conducted in accordance with 49 CFR 383.113(a) (relating to required skills).

Basic Skills tests shall be conducted in accordance with 49 CFR 383.113(b).

On-road skills tests shall be conducted in accordance with 49 CFR 383.113(c).

Drivers attempting to obtain a passenger endorsement shall also be required to have additional skills testing as required in 49 CFR 383.117 (relating to requirements for passenger endorsement).

Drivers attempting to obtain a school bus endorsement shall also be required to have additional skills testing as required in 49 CFR 383.123 (relating to requirements for school bus endorsement).

Drivers attempting to remove a restriction from a commercial driver's license shall be tested in accordance with 49 CFR 383.135(b)(7) and (8) (relating to passing knowledge and skills test).

Causes for Automatic Failure of Skills Test

The following actions during a commercial driver skills test shall constitute an automatic failure of the test:

An accident, however slight, which the applicant could have prevented.

Failure to use seatbelt.

Driving one or more wheels over the curb or onto the sidewalk; making contact with the curb, sidewalk or marker.

Failure to verbalize and demonstrate all three parts of the air brake check correctly.

Failure to use headlights when required.

Failure to stop for stop sign; failure to stop before proceeding into intersection; failure to make second stop if necessary.

Failure to stop for a red light; failure to decelerate when approaching a yellow light; entering into the intersection as light turns red.

Crossing railroad tracks before stopping when required to stop.

Failure to yield to pedestrian; failure to yield to on-coming driver when making left turn; failure to yield promptly to emergency vehicles; failure to yield to traffic having right of way.

Crossing double yellow line and remaining in opposite lane for extended period of time.

Insufficient clearance for pass; passing within or too close to intersection; returning to lane too quickly after passing; forcing overtaken vehicle to slow down; passing on right where illegal; passing in no-passing zone.

Exceeding the posted speed limit by 5 miles per hour or more for an extended period of time without the driver reducing speed to within the posted limit.

Failure to stop before clearly marked stop line or crosswalk; stopping unnecessarily on roadway.

Failure to obey traffic laws.

Cheating, fraud or misrepresentation.

Commercial learner's permit violation.

Failure to have the proper commercial learner's permit, restriction or endorsement for the vehicle being operated.

Medical restriction violation.

Encroachment of clearly marked stop line.

Refusal to obey instructions of examiner, refusal to attempt maneuver when instructed by examiner.

Offering bribes or gratuity to examiner.

Allowing the vehicle to coast out of gear for more than length of vehicle; stopping vehicle in traffic to regain gear, or stalling engine on road.

Speed control according to conditions: driving too fast for conditions; sliding or skidding due to speed; failure to decelerate when appropriate.

Failure to signal before starting, stopping, turning or changing lanes; two instances shall result in a failure.

Anytime the applicant causes a concern for public safety.

Shifting while crossing railroad tracks.

Activation of eight-way light system at railroad crossing (school bus only).

Student discharge (school bus): improper demonstration of the following items during the student discharge:

- Failure to activate amber eight-way light 150'-300' before stop
- Failure to come to a complete stop
- Failure to apply the parking brake
- Failure to place the transmission in neutral
- Failure to perform a traffic check before opening the door
- Failure to check all mirrors around bus before shutting the door
- Failure to check child safety and all mirrors including the overhead, inside rearview mirror before moving

Railroad crossing (bus and HAZMAT vehicles only): improper demonstration of the following items during the railroad crossing:

- Failure to activate the four ways when approaching a railroad crossing
- Failure to stop 15'-50' from the nearest rail
- Failure to look and listen for an approaching train after opening door/window
- Failure to proceed across railroad crossing without shifting

The Department will begin deploying the new FMCSA-required test on June 15, 2015.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 15-1136. Filed for public inspection June 12, 2015, 9:00 a.m.]

State Transportation Commission Meeting

The State Transportation Commission will hold a meeting on Thursday, June 18, 2015, from 10 a.m. to 12 p.m. in the Conference Room, Radisson Hotel, 1160 First Avenue, King of Prussia, PA. For more information contact Julie Harmantzis, (717) 787-2913, jharmantzi@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 15-1137. Filed for public inspection June 12, 2015, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, May 28, 2015, and announced the following:

Regulation Deemed Approved Pursuant to Section 5(g) of the Regulatory Review Act—Effective May 27, 2015

Bureau of Professional and Occupational Affairs #16A-5212: Schedule of Civil Penalties—Optometrists (adds 49 Pa. Code § 43b.25)

Action Taken—Regulations Approved:

Pennsylvania Liquor Control Board #54-81: Economic Development Licenses (amends 40 Pa. Code § 3.105)

Department of Agriculture #2-159: Preferential Assessment of Farmland and Forest Land under the Clean and Green Act (amends 7 Pa. Code Chapter 137b)

State Board of Nursing #16A-5126: Continuing Education; Reporting of Crimes and Discipline (amends 49 Pa. Code Chapter 21)

Pennsylvania Public Utility Commission #57-296: Motor Carrier Vehicle List and Vehicle Age Requirements (amends 52 Pa. Code § 29.314(c)—(d) and § 29.333(d)—(e))

Approval Order

Public Meeting Held
May 28, 2015

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Pennsylvania Liquor Control Board—
Economic Development Licenses;
Regulation No. 54-81 (#3086)*

On November 5, 2014, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Liquor Control Board (Board). This rulemaking amends 40 Pa. Code § 3.105. The proposed regulation was published in the December 6, 2014 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 9, 2015.

This rulemaking establishes criteria to be used by the Board when determining if an applicant for an economic development license has exhausted all reasonable means for obtaining a suitable license within a county.

We have determined this regulation is consistent with the statutory authority of the Board (47 P. S. 2-207(i)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
May 28, 2015

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Department of Agriculture—
Preferential Assessment of Farmland and Forest
Land under the Clean and Green Act;
Regulation No. 2-159 (#3015)*

On July 19, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Agriculture (Department). This rulemaking amends 7 Pa. Code Chapter 137b. The proposed regulation was published in the August 3, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 16, 2015.

This final regulation implements statutory changes made to the Pennsylvania Farmland and Forest Land Assessment Act of 1974, commonly referred to as the Clean and Green Act, over the last 10 years. It also adds language to assist in the administration of the Clean and Green Program.

We have determined this regulation is consistent with the statutory authority of the Department (72 P. S. § 5490.11) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
May 28, 2015

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Nursing—
Continuing Education; Reporting of
Crimes and Discipline;
Regulation No. 16A-5126 (#3046)*

On January 17, 2014, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Nursing (Board). This rulemaking amends 49 Pa. Code Chapter 21. The proposed regulation was published in the February 1, 2014 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 24, 2015.

This rulemaking amends the current continuing education regulations for registered nurses (RNs) and modifies the timeline by which RNs, licensed practical nurses and licensed dietician-nutritionists must notify the Board of criminal and disciplinary actions.

We have determined this regulation is consistent with the statutory authority of the State Board of Nursing (63 P. S. § 422.8, 63 P. S. §§ 212.1(k) and 222(a) and 63 P. S. § 667.6) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
May 28, 2015

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Pennsylvania Public Utility Commission—
Motor Carrier Vehicle List and Vehicle Age Requirements;
Regulation No. 57-296 (#3033)*

On October 3, 2013, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking amends 52 Pa. Code § 29.314(c)—(d) and § 29.333(d)—(e). The proposed regu-

lation was published in the October 19, 2013 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on February 27, 2015. At its April 16, 2015 public meeting, the Commission voted to disapprove the final-form regulation. On April 22, 2015, the revised final-form regulation was submitted to the Commission.

The regulation eliminates the vehicle list requirements for taxis and limousines; eliminates a waiver exception related to operating a taxi or limousine beyond the limitations set in regulation; replaces vehicle age limitations for taxis and limousines; and incentivizes the use of alternative fuel vehicles.

We have determined this regulation is consistent with the statutory authority of the PUC (66 Pa.C.S. §§ 501, 1301, 1501 and 2301) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation, as revised, is approved

GEORGE D. BEDWICK,
Vice Chairperson

[Pa.B. Doc. No. 15-1138. Filed for public inspection June 12, 2015, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval of a Certificate of Authority as a Preferred Provider Organization that is not a Licensed Insurance Company Submitted by Vibra Health Plan, Inc.

Vibra Health Plan, Inc., a domestic for profit stock corporation, has applied for a Certificate of Authority to operate as a preferred provider organization that is not a licensed insurance company in this Commonwealth. The filing was made under the requirements in the applicable insurance laws, including section 630 of The Insurance Company Law of 1921 (40 P. S. § 764a).

Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Eric Baker, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, erbaker@pa.gov.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1139. Filed for public inspection June 12, 2015, 9:00 a.m.]

Per Diem Charges for Financial Examinations Conducted by the Insurance Department; Notice 2015-04

Under the authority contained in section 907 of The Insurance Department Act of 1921 (40 P. S. § 323.7) and under 31 Pa. Code § 12.4 (relating to per diem charges), an updated schedule of per diem charges for financial examinations conducted by the Insurance Department (Department) is hereby adopted.

The new schedule of charges is as follows:

Actuarial Associate 1	\$502
Actuarial Associate 2	\$640
Actuary 2	\$1,062
Examiner Trainee	\$508
Examiner 1	\$666
Examiner 2	\$758
Examiner 3	\$853
Examination Manager	\$861
Insurance Company Information Systems Examiner	\$749

As prescribed in 31 Pa. Code § 12.4(c), the Department will calculate and bill per diem charges for financial examination costs in 1/2-hour units.

This schedule is effective July 1, 2015.

This document supersedes the notice published at 44 Pa.B. 4627 (July 19, 2014) and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1140. Filed for public inspection June 12, 2015, 9:00 a.m.]

Per Diem Charges for Market Conduct Examinations of Insurance Companies; Notice 2015-05

Each year, the Insurance Department (Department) updates its schedule of per diem charges for market conduct examinations conducted by the Department. These charges are authorized by section 907 of The Insurance Department Act of 1921 (40 P. S. § 323.7) and 31 Pa. Code § 12.4 (relating to per diem charges).

The new schedule of charges is as follows:

Examiner Trainee	\$564 per day
Examiner 1	\$605 per day
Examiner 2	\$728 per day
Examiner Manager	\$912 per day

As prescribed in 31 Pa. Code § 12.4(c), the Department will calculate and bill per diem charges for examination costs in 1/2-hour units.

This schedule is effective July 1, 2015.

This notice supersedes the schedule of per diem charges published at 44 Pa.B. 3661 (June 14, 2014), which prior notice is hereby repealed. These new charges shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1141. Filed for public inspection June 12, 2015, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Department of Labor and Industry, Office of Vocational Rehabilitation Petition for a Proposed Pilot for Distribution of Telecommunications Relay Service Wireless Equipment to People with Disabilities in this Commonwealth; Doc. No. P-2015-2484229

On May 21, 2015, at Doc. No. P-2015-2484229, the Department of Labor and Industry's (Department) Office of Vocational Rehabilitation (OVR) filed a Telecommunications Relay Service (TRS) Petition and related information with the Pennsylvania Public Utility Commission (Commission) seeking Commission approval to conduct a 2-year pilot project supported by the TRS Fund (TRS Pilot).

The TRS Pilot is a 2-year pilot project that is designed to test the availability and use of wireless devices by a limited number of eligible residents in this Commonwealth with disabilities. The related wireless devices will be supported from and distributed through the existing Telecommunication Device Distribution Program (TDDP).¹ The proposed TRS Pilot will be implemented through the Institute of Disabilities at Temple University in its current capacity as Administrator of the TDDP on behalf of the Department's OVR.

The pilot project will provide for the recruitment and selection of 60 eligible participants over a 2-year period, the distribution of selected wireless devices equipped with appropriate applications and software, and monitoring, measurement and evaluation of the use of these wireless devices. The pilot project will include appropriate outreach, training, survey and personal interview evaluation activities as well as the remote system software updating for the distributed wireless devices by an equipment administrator. The Wireless Expansion Initiative proposal and Petition seeks appropriate funding from the TRS Fund for the relevant costs of the pilot project including the costs of the wireless device equipment distribution and the costs for managing the overall project through its 2-year duration.

Interested persons may file comments on the proposed OVR pilot within 10 calendar days of the publication of this notice. Comments must reference Doc. No. P-2015-2484229 and may be filed either electronically through the Commission's e-File System² or by mail addressed to the Pennsylvania Public Utility Commission, Attention: Secretary, P. O. Box 3265, Harrisburg, PA 17105-3265. Handwritten comments will be accepted by mail. The filing of comments by routine e-mail is not permitted.

When possible, an electronic copy of any filing should also be sent to the Eric Jeschke at ejeschke@pa.gov and Louise Fink Smith at finksmith@pa.gov. The contact person for this Petition is Kathryn G. Sophy, Deputy Chief Counsel, Law Bureau, (717) 783-2810.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1142. Filed for public inspection July 12, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by June 29, 2015. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2013-2358533. Steck Services, LLC (573 Katys Church Road, Muncy, PA 17756) persons whose personal convictions prevent them from owning or operating motor vehicles, or both, in paratransit service, from points in Columbia, Lycoming, Montour and Northumberland Counties, to points in Pennsylvania, and return.

A-2015-2477881. Gunther Holdings, LLC, t/a Capital Area Brew Bus (33 Fairfax Village, Harrisburg, Dauphin County, PA 17112) in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Dauphin, Lancaster, York, Cumberland and Perry.

A-2015-2477885. Martin Transport Services, LLC (2580 Waynesboro Pike, Fairfield, Adams County, PA 17320) in group and party service in vehicles seating 11 to 15 people, including the driver, from points in Adams County, to points in the Counties of Franklin, York, Lancaster and Cumberland, and return.

A-2015-2481545. Gan Eden Transportation Solutions, LLC (603 Chess Street, Pittsburgh, Allegheny County, PA 15211) persons in limousine service, from points in Allegheny County, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2015-2481935. Quality Rides, Inc. (1402 Hemlock Farms, Lords Valley, Pike County, PA 18428) in limousine service, between points in Pennsylvania; excluding areas under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* Craig A. Sopin, 601 Walnut Street, Curtis Center, Suite 160-W, Philadelphia, PA 19106.

A-2015-2483691. Justin Time Taxi (3320 South 2nd Avenue, Whitehall, Lehigh County, PA 18052) in call or demand service, in Whitehall, Lehigh County.

A-2015-2484109. Almir Rovcanin (168 Jamestown Court, Pittsburgh, Allegheny County, PA 15216) for the right to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the City of Pittsburgh and points in Allegheny County, to points in Pennsylvania, and return, excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2015-2484116. Almir Rovcanin (168 Jamestown Court, Pittsburgh, Allegheny County, PA 15216) for the right to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the City of Pittsburgh and points in Allegheny County, to the

¹ See generally section 3 of the Universal Telecommunications and Print Media Access Act (35 P. S. § 6701.3).

² See <http://www.puc.state.pa.us/efiling/default.aspx>.

Pittsburgh International Airport, excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2015-2484366. AMT Logistics, Inc. (628 Village Lane, Pottstown, PA 19464) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in the Counties of Montgomery and Delaware, excluding service that is under the jurisdiction of the of the Philadelphia Parking Authority. *Attorney:* Daniel W. McCartney, Jr., Esquire, One East Airy Street, Norristown, PA 19401.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.

A-2015-2477383. Journey Signature Limousine, LLC (1425 Beaver Avenue, Monaca, Beaver County, PA 15061) in limousine service, from points in the Counties of Beaver, Allegheny, Butler, Washington and Lawrence, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority, which is to be a transfer of all rights authorized under the certificate issued at A-6416192 to Journey Cartage Co., LLC, t/a Journey Signature Limousine, subject to the same limitations and conditions. *Attorney:* William A. Gray, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219-2383.

Application of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under the application.

A-2015-2484563. Maximo Services, LLC (101 West Broad Street, Hazleton, Luzerne County, PA 18201) for the additional right to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Luzerne County, to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.

A-2015-2482460. Ryan Moving, LLC (501 State Route 130, Trafford, Westmoreland County, PA 15085) household goods in use, between points in Pennsylvania, which is to be a transfer of all rights authorized under the certificate issued at A-00084252 to Ryan Moving & Storage, Inc., Pittsburgh.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1143. Filed for public inspection June 12, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due June 29, 2015, and must be made with the Secretary, Pennsylvania Public Utility Commission,

P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Independent Freight, LLC t/a Independent Freight LLC; Docket No. C-2015-2478100

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Independent Freight LLC, t/a Independent Freight LLC, (respondent) is under suspension effective March 25, 2015 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 17 W Greenwood Avenue, Oaklyn, NJ 08107.
3. That respondent was issued a Certificate of Public Convenience by this Commission on January 24, 2012, at A-8913870.
4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913870 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I

expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 4/28/2015

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, First Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist

from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Cusa Es LLC t/a Coach America Crew Transport;
Docket No. C-2012-2330131

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Cusa Es LLC, t/a Coach America Crew Transport, (respondent) is under suspension effective October 09, 2012 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 5430 LBJ Freeway, 3 Lincoln Center #1075, Dallas, TX 75240.

3. That respondent was issued a Certificate of Public Convenience by this Commission on September 02, 2009, at A-6210936.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6210936 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the

Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/23/2012

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Deputy Chief Prosecutor
Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in this Complaint. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current

insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the proposed penalty in this Complaint, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth in this Complaint.

F. If you have questions regarding this Complaint or if you would like an alternative format of this Complaint (for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. JLH Transit LLC; Docket No. C-2013-2339275

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to JLH Transit LLC, (respondent) is under suspension effective December 04, 2012 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 7227 Monticello Street, Suite A, Pittsburgh, PA 15208.

3. That respondent was issued a Certificate of Public Convenience by this Commission on April 02, 2012, at A-6413972.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6413972 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 1/9/2013

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Deputy Chief Prosecutor
Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the penalty proposed in this Complaint. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing the proposed penalty in this Complaint, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth in this Complaint.

F. If you have questions regarding this Complaint or if you would like an alternative format of this Complaint

(for persons with disabilities), please contact the Compliance Office at (717) 787-1227.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1144. Filed for public inspection June 12, 2015, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notices of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148 by June 29, 2015. The nonrefundable protest filing fee is \$2,500 payable to the PPA by certified check or money order. The application is available for inspection at the TLD with Administrative Counsel between 9 a.m. and 4 p.m., Monday through Friday (contact Christine Kirlin, Esq. to make an appointment) or may be inspected at the business address of the respective applicant.

Doc. No. A-15-04-10. Download Taxi, LLC (2351 South Swanson Street, Philadelphia, PA 19148): An application for a medallion taxicab certificate of public convenience (CPC) to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* David R. Alperstein, Esquire, 1080 North Delaware Avenue, Philadelphia, PA 19125.

Doc. No. A-15-04-15. Algorithm Taxi, LLC (2351 South Swanson Street, Philadelphia, PA 19148): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* David R. Alperstein, Esquire, 1080 North Delaware Avenue, Philadelphia, PA 19125.

Doc. No. 15-05-12. AGZ Trans, Inc. (2024 Fairmount Avenue, Philadelphia, PA, 19130): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-15-05-19. Sirawan Transportation, Inc. (8312 State Road, Philadelphia, PA 19136): An application to approve the sale and transfer of rights held by Big League Limousine, Inc., CPC No. 1010503-07, for the issuance of a limousine CPC to transport persons on an exclusive basis arranged for in advance in luxury limousine service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* David P. Temple, Esquire, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 15-1145. Filed for public inspection June 12, 2015, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 15-052.4, On-Call Electrical Investigation and Repairs for Various PRPA Facilities, until 2 p.m. on Thursday, July 16, 2015. Information (including mandatory prebid information) can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 15-1146. Filed for public inspection June 12, 2015, 9:00 a.m.]

Request for Proposals

The Philadelphia Regional Port Authority will accept sealed proposals for Project No. 15-056.P, RFP—Design and Construction Support Services for Pier 78 Rail Improvements, until 2 p.m. on Thursday, July 30, 2015. Information (including mandatory preproposal information) can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 15-1147. Filed for public inspection June 12, 2015, 9:00 a.m.]

