

PENNSYLVANIA BULLETIN

Volume 45

Number 28

Saturday, July 11, 2015 • Harrisburg, PA

Pages 3699—3788

Agencies in this issue

The Governor

Department of Agriculture

Department of Banking and Securities

Department of Environmental Protection

Department of General Services

Department of Health

Department of Human Services

Department of Revenue

Department of Transportation

Executive Board

Health Care Cost Containment Council

Insurance Department

Pennsylvania Public Utility Commission

Philadelphia Parking Authority


State Board of Medicine

State Board of Nursing

State Employees' Retirement Board

Thaddeus Stevens College of Technology

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 488, July 2015

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 4 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$82.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2015 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GOVERNOR

Notice of veto..... 3707

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF AGRICULTURE

Proposed Rulemaking

Rescission of Brucellosis testing requirements; advance notice of proposed rulemaking..... 3711

Notices

General quarantine order; virus control for highly pathogenic avian influenza poultry and poultry products at competitions, shows, fairs and exhibitions..... 3716

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications..... 3717

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices..... 3718
Availability of the National Pollutant Discharge Elimination System general permit for discharges from hydrostatic testing of tanks and pipelines (PAG-10)..... 3775

DEPARTMENT OF GENERAL SERVICES

Notices

Lease office space to the Commonwealth..... 3776
Lease retail space to the Commonwealth..... 3776

DEPARTMENT OF HEALTH

Rules and Regulations

Schedule of controlled substances; clobazam..... 3708

Notices

Applications for exception:
Allegheny Health Network Surgery Center—
Bethel Park, LLC..... 3776
Milton S. Hershey Medical Center..... 3777
New LifeCare Hospitals of Pittsburgh LLC—Main
Campus..... 3777
Ohio Valley General Hospital..... 3777
St. Christopher’s Hospital for Children..... 3778
St. Luke’s West End Endoscopy Center..... 3778
Tyrone Hospital..... 3778
Long-term care nursing facilities; request for exception..... 3778
Special Pharmaceutical Benefits Program Advisory
Council public meeting..... 3779

DEPARTMENT OF HUMAN SERVICES

Notices

Closure of the HIV/AIDS home and community-based waiver (waiver 0192)..... 3779
Designated exceptional durable medical equipment . 3780
Pharmacy prior authorization..... 3781

DEPARTMENT OF REVENUE

Notices

Pennsylvania Chili Pepper Payout instant lottery game..... 3781
Realty transfer tax; 2014 common level ratio; real estate valuation factors..... 3783

DEPARTMENT OF TRANSPORTATION

Proposed Rulemaking

School bus drivers; medical requirements and standards..... 3711

Notices

Amendment to list of approved speed-timing devices and appointment of maintenance and calibration stations..... 3784

EXECUTIVE BOARD

Statements of Policy

Reorganization of the Department of General Services..... 3714

HEALTH CARE COST CONTAINMENT COUNCIL

Notices

Meeting scheduled..... 3784

INSURANCE DEPARTMENT

Notices

Appeal of Marianne Cauthorn under the Pennsylvania Assigned Risk Plan; doc. No. P15-06-021..... 3785

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Energy Efficiency and Conservation Program; doc. No. M-2014-2424864; errata notice..... 3785
Petition of waiver for tariff regulations..... 3785
Service of notice of motor carrier applications..... 3786
Transfer of control..... 3787

PHILADELPHIA PARKING AUTHORITY

Notices

Service of notice of motor carrier applications in the City of Philadelphia..... 3787

STATE BOARD OF MEDICINE

Notices

Bureau of Professional and Occupational Affairs v. Ranajit Mitra, MD; doc. No. 0691-49-14..... 3787

Available Online at <http://www.pabulletin.com>

STATE BOARD OF NURSING

Notices

Bureau of Professional and Occupational Affairs v.
Eugene I. Smart, RN; file No. 13-51-07694; doc.
No. 1888-51-13 3787

Bureau of Professional and Occupational Affairs v.
Holly C. Steele, LPN; file No. 13-51-05947; doc.
No. 1658-51-13 3788

Bureau of Professional and Occupational Affairs v.
Cathleen Young Waddle, RN; file No. 13-51-09079;
doc. No. 0041-51-13 3788

STATE EMPLOYEES' RETIREMENT BOARD

Notices

Hearings scheduled 3788

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Notices

Request for bids 3788

READER'S GUIDE TO THE *PENNSYLVANIA BULLETIN* AND THE *PENNSYLVANIA CODE*

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published every week and includes a table of contents. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. First, it is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, repeal or emergency action must be published in the *Pennsylvania Bulletin*. Further, agencies proposing changes to the codified text do so in the *Pennsylvania Bulletin*.

Second, the *Pennsylvania Bulletin* also publishes: Governor's Executive Orders; State Contract Notices; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or repeal regulations must first publish in the *Pennsylvania Bulletin* a Notice of Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Notice of Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. An adopted proposal must be published in the *Pennsylvania Bulletin* before it can take effect. If the agency

wishes to adopt changes to the Notice of Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes as soon as they occur. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code*, § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government. Title 1 *Pennsylvania Code* lists every agency and its corresponding *Code* title location.

How to Find Documents

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacode.com.

Source Notes give the history of regulations. To see if there have been recent changes, not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

The *Pennsylvania Bulletin* also publishes a quarterly List of Pennsylvania Code Sections Affected which lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred. The *Pennsylvania Bulletin* is available at www.pabulletin.com.

**SUBSCRIPTION INFORMATION: (717) 766-0211
GENERAL INFORMATION AND FINDING AIDS: (717) 783-1530**

Printing Format

Material proposed to be added to an existing rule or regulation is printed in **bold face** and material proposed to be deleted from a rule or regulation is enclosed in brackets [] and printed in **bold face**. Asterisks indicate ellipsis of *Pennsylvania Code* text retained without change. Proposed new or additional regulations are printed in ordinary style face.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires that the Office of Budget prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions or authorities receiving money from the State Treasury stating whether the proposed action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions; that the fiscal note be published in the *Pennsylvania Bulletin* at the same time as the proposed change is advertised. A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The required information is published in the foregoing order immediately following the proposed change to which it relates; the omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years; in that order, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years, in that order. In item (8) the recommendation, if any, made by the Secretary of Budget is published with the fiscal note. See 4 Pa. Code § 7.231 *et seq.* Where “no fiscal impact” is published, the statement means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended.

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish such information except as provided by 1 Pa. Code § 3.44. 1 Pa. Code § 3.44 reads as follows:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2015.

4 Pa. Code (Administration)

Adopted Rules

1	653, 766, 1062
6	542, 543, 768, 1064
7	655, 656
7a	656, 1937, 2455

Statements of Policy

9	561, 1115, 1267, 2719, 3220, 3549, 3714
---	---

7 Pa. Code (Agriculture)

Adopted Rules

128	308
137b	3311

10 Pa. Code (Banking and Securities)

Adopted Rules

57	408
----	-----

25 Pa. Code (Environmental Protection)

Adopted Rules

93	2829
806	16

Proposed Rules

215	1367
901	2611

28 Pa. Code (Health and Safety)

Adopted Rules

25	3708
----	------

40 Pa. Code (Liquor)

Adopted Rules

3	2594
---	------

Proposed Rules

5	1850
7	2479, 2614
13	2478

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

1	2466
43b	3360

Proposed Rules

5	2887
11	2878
37	2368
43b	2704, 2874

52 Pa. Code (Public Utilities)

Adopted Rules

3	2468
5	2468
23	2468
31	2468
32	2468

Proposed Rules

53	1264
54	1258
62	2705
1017	2876

55 Pa. Code (Public Welfare)

Statements of Policy

181	1633
-----	------

58 Pa. Code (Recreation)

Adopted Rules

63	1616
65	1256
97	1616
103	1616
131	560
133	1363
135	2596
139	2596, 2603
141	2604, 2605, 2606, 2607
143	1365
147	1363, 1366, 2606, 2607, 2608, 3362
421a	2829
423a	2829
425a	2829
427a	2829
429a	2829
431a	2829
433a	2829
435a	2829
437a	2829
440a	2829
441a	2829
461a	2829
465a	2358, 2829
609a	2829
623a	2829
633a	2829
643a	2829
645a	2829

Proposed Rules

61	1619
63	1619
65	1257, 1619
79	1619
135	1374
139	1375, 1381
141	1369, 1371, 1372, 1630
147	1371, 1372, 1631
659a	1383

61 Pa. Code (Revenue)

Adopted Rules

899	2359
-----	------

Proposed Rules

701	2362
702	2362
703	2362

67 Pa. Code (Transportation)

Proposed Rules

71	2716, 3711
83	2255, 3218

101 Pa. Code (General Assembly)

Statements of Policy

31	2051
303	2051

201 Pa. Code (Rules of Judicial Administration)**Adopted Rules**

6	1838
19	2040
40	2589

204 Pa. Code (Judicial System General Provisions)**Adopted Rules**

81	279, 953, 2825
82	2825
83	279, 953
85	2457
87	544
89	544
91	544
93	544, 2457
95	544
303	3457

Proposed Rules

213	661
303	1751

207 Pa. Code (Judicial Conduct)**Adopted Rules**

33	8, 1841
51	860, 1838

210 Pa. Code (Appellate Procedure)**Adopted Rules**

11	288
19	1943
21	290

Proposed Rules

1	1605
21	1605

231 Pa. Code (Rules of Civil Procedure)**Adopted Rules**

200	291, 1490
1910	1354, 1842, 2352
1915	1354
1920	1354, 2457
1930	1354
3000	2825

Proposed Rules

200	1843
400	1249
1000	1249
1900	1250
1915	1606
1950	1607
Part II	1070

234 Pa. Code (Rules of Criminal Procedure)**Adopted Rules**

4	2040
10	2040

Proposed Rules

1	2140
4	1846
7	675

237 Pa. Code (Juvenile Rules)**Adopted Rules**

1	953
---	-----

Proposed Rules

4	1491
---	------

246 Pa. Code (Minor Court Civil Rules)**Adopted Rules**

800	1492
-----	------

Proposed Rules

200	954, 1251
300	1356, 1358
400	954, 1252
500	954, 1111, 1356
800	954
1000	954, 1111, 1358

249 Pa. Code (Philadelphia Rules)

Unclassified	291, 306, 2461, 2826, 3201
--------------	----------------------------

252 Pa. Code (Allegheny County Rules)

Unclassified	2464
--------------	------

255 Pa. Code (Local Court Rules)

Unclassified	8, 10, 11, 407, 555, 676, 677, 678, 771, 772, 773, 860, 861, 862, 964, 1113, 1114, 1254, 1360, 1496, 1847, 1848, 1943, 1947, 1950, 2047, 2239, 2240, 2241, 2356, 2357, 2464, 2465, 2589, 2592, 2703, 2826, 2827, 3201, 3215, 3308, 3548
--------------	---

THE GOVERNOR

Notice of Veto

June 30, 2015

To the Honorable House of Representatives
of the Commonwealth of Pennsylvania:

I am returning herewith, without my approval, House Bill 1192, Printer's Number 1959.


The citizens of Pennsylvania sent us here to do serious work and to address the problems facing this Commonwealth. This includes enacting a plan that contains fair and adequate education funding in part by implementing a commonsense severance tax, property tax relief to Pennsylvania families and seniors, a solution to fix the structural budget deficit, and a sound plan to create jobs across this Commonwealth. This bill fails to accomplish these essential tasks, so I cannot give it my approval.

This legislation falls short of a budget that I can endorse for the above broad and the following specific reasons. This budget is not balanced. If enacted, it will increase the deficit to over \$3 billion. That is irresponsible and it will lead to continued credit downgrades and fiscal crises. This budget fails to adequately pay our bills or plan for the future. It includes over \$1.5 billion in one-time revenues, payment delays into the next fiscal year, and fund transfers.

This budget does not restore the education cuts enacted over the last four years, nor does it provide adequate funding to ensure Pennsylvanians have schools that teach our children. Fixing our schools is the top priority for Pennsylvanians, but this budget invests only an additional \$8 million in our schools. This budget fails our children from early childhood to higher education. The budget proposal that I delivered to the General Assembly would have enabled at least 14,000 additional children to enroll in Pre-K programs and ensured that our superb institutions of higher education would not have to pass their increased costs on to students. This budget fails to meet any of these important needs.

For the foregoing reasons, I must withhold my signature from House Bill 1192, Printer's Number 1959.

Sincerely,



Governor

[Pa.B. Doc. No. 15-1265. Filed for public inspection July 10, 2015, 9:00 a.m.]

RULES AND REGULATIONS

Title 28—HEALTH AND SAFETY

DEPARTMENT OF HEALTH

[28 PA. CODE CH. 25]

Schedule of Controlled Substances; Clobazam

The Department of Health (Department) amends the schedules of controlled substances under the powers and duties in The Controlled Substance, Drug, Device and Cosmetic Act (act) (35 P. S. §§ 780-101—780-144). The Department amends § 25.72 (relating to schedules of controlled substances) to reschedule the substance clobazam from a Schedule I substance to a Schedule IV substance to read as set forth in Annex A.

A. Purpose of the Final-Omitted Rulemaking

Section 25.72 is amended to reschedule the substance clobazam from a Schedule I substance to a Schedule IV substance in accordance with controlled substance scheduling requirements in the act. The act recognizes the fact that there is a need to control substances that have potential for abuse while also recognizing that some of those substances have medical uses. The act provides for a system of five schedules of controlled substances as a means of grouping potentially dangerous substances based on their differing potentials for abuse and on their potential for medical use. Penalties for illegal use of the controlled substances vary according to the schedule on which the substance is listed. The health and safety of the public is protected by having a substance placed on the proper schedule. Additionally, proper scheduling ensures appropriate enforcement when a substance is abused or otherwise used illegally.

The act requires that a controlled substance be placed in Schedule I when there is: (1) a high potential for abuse; (2) no currently accepted medical use in the United States; and (3) a lack of accepted safety for use under medical supervision.

The act requires that a controlled substance be placed in Schedule IV when there is: (1) a low potential for abuse relative to substances listed in Schedule III; (2) currently accepted medical use in the United States; and (3) limited physical dependence or psychological dependence liability or both relative to the substances listed in Schedule III.

The act provides that the Secretary of Health (Secretary) shall control the substances listed in Schedules I—V and may, by regulation, upon his own motion or on the petition of an interested party, add a substance as a controlled substance after requesting the advice of the Pennsylvania Drug, Device and Cosmetic Board (Board). Section 3 of the act (35 P. S. § 780-103) prohibits the Secretary from removing a substance from control unless authorized by the General Assembly and from rescheduling a controlled substance unless specifically authorized by the Board.

Until recently, there was not a legitimate medical use in the United States for clobazam. Accordingly, clobazam was listed as a Schedule I controlled substance and it was illegal to possess, administer, dispense, prescribe or distribute.

On October 21, 2011, the United States Food and Drug Administration (FDA) approved the drug Onfi™ (chemical name: clobazam) for the treatment of a rare but severe form of epilepsy in adults and in children 2 years of age and older. When the Department learned of the action of the FDA to approve the use of Onfi™ to treat certain forms of epilepsy, the Secretary acted as Chairperson to convene a meeting of the Board. The purpose of the meeting on March 27, 2012, was to determine whether, in consideration of the FDA's action regarding Onfi™, clobazam should be rescheduled as a Schedule IV controlled substance instead of a Schedule I controlled substance. The Board voted unanimously to authorize the rescheduling of clobazam as a Schedule IV controlled substance. The Secretary, upon being authorized by the Board, directed that the substance clobazam be rescheduled. The rescheduling was effective immediately upon the Secretary's action and the Department published notice of the rescheduling at 42 Pa.B. 1929 (April 7, 2012). The purpose of this final-omitted rulemaking is to amend § 25.72 to conform to the action taken by the Secretary under section 3(c) of the act to reschedule clobazam as a Schedule IV controlled substance.

Under section 204 of the act of July 31, 1968 (P. L. 769, No. 240) (45 P. S. § 1204), known as the Commonwealth Documents Law (CDL), notice of proposed rulemaking may be omitted if the agency for good cause finds that the procedures in sections 201 and 202 of the CDL (45 P. S. §§ 1201 and 1202) are, under the circumstances, impracticable, unnecessary or contrary to the public interest. The Department finds justification for a final-omitted rulemaking to reschedule clobazam from a Schedule I substance to a Schedule IV substance because, under the circumstances, it is unnecessary and contrary to the public interest.

B. Affected Persons

Patients using and physicians and other practitioners prescribing clobazam are affected by its rescheduling. Patients in need of the drug will be able to obtain it more readily and physicians and other practitioners will not be subject to criminal prosecutions for prescribing or dispensing it.

Pharmacies and pharmacist in this Commonwealth, physicians, drug distributors, manufacturers and distributors will also be affected.

The general public will be affected and will benefit from the rescheduling of clobazam to Schedule IV classification. Patients in need of clobazam for treatment will have access to it through their physicians.

C. Fiscal Impact

This final-omitted rulemaking does not have measurable fiscal impact on the Commonwealth, local government, the private sector or the general public. This final-omitted rulemaking does not significantly affect costs or savings by the regulated community. This final-omitted rulemaking does not require new legal, accounting or consulting procedures not already being undertaken by the regulated community. There is not a measurable fiscal impact on local governments or State government because a system exists for the oversight of controlled substances.

D. *Paperwork Requirements*

A system already exists for the handling of controlled substances under the act and this final-omitted rule-making does not increase paperwork.

E. *Statutory Authority*

The amendments to the schedules of controlled substances are adopted under the authority in section 3 of the act and section 4 of the act (35 P. S. § 780-104). The final-omitted rulemaking is also adopted under the authority in section 2012(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Section 3 of the act provides that the Secretary may control the substances listed in Schedules I—V of the act. Section 3(c) of the act provides that the “[S]ecretary shall not reschedule any controlled substance unless specifically authorized by the [B]oard to do so.” The Board authorized the Secretary to reschedule clobazam.

F. *Effective Date and Sunset Date*

This final-omitted rulemaking will be effective upon publication. A sunset date has not been assuaged as the regulation will be continually monitored and updated as needed.

G. *Regulatory Review*

Under section 5.1(c) of the Regulatory Review Act (71 P. S. § 745.5a(c)), on May 7, 2015, the Department submitted a copy of the final-omitted rulemaking and a copy of a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the Chairpersons of the House Health and Human Services Committee and the Senate Public Health and Welfare Committee. On the same date, the regulations were submitted to the Office of Attorney General for review and approval under the Commonwealth Attorneys Act (71 P. S. §§ 732-101—732-506).

Under section 5.1(j.2) of the Regulatory Review Act, on June 17, 2015, the final-omitted rulemaking was deemed approved by the House and Senate Committees. Under section 5.1(e) of the Regulatory Review Act, IRRC met on June 18, 2015, and approved the final-omitted rule-making.

H. *Contact Person*

Questions or comments regarding the final-omitted rulemaking may be submitted to Susan Coble, Director, Bureau of Community Program Licensure and Certification, Department of Health, 132 Kline Plaza, Suite A, Harrisburg, PA 17104, (717) 783-1379.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Department of Health, Bureau of Community Program Licensure and Certification, Division of Home Health, Drug, Device and Cosmetic Program, 132A Kline Plaza, Harrisburg, PA 17104, (717) 783-1379 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

I. *Findings*

The Department finds that:

(1) This final-omitted rulemaking satisfies the requirements of section 204 of the CDL. Under the circumstances, notice is impractical, unnecessary or contrary to the public interest.

(2) The adoption of the final-omitted rulemaking in the manner provided by this order is necessary and appropriate for the administration of the act and is in the public interest.

J. *Order*

The Department, acting under the act, orders that:

(a) The regulations of the Department, 28 Pa. Code Chapter 25, are amended by amending § 25.72 to read as set forth in Annex A, with ellipses referring to the existing text of the regulations.

(b) The Secretary shall submit this order and Annex A to the Office of General Counsel and the Office of Attorney General for approval as to form and legality as required by law.

(c) The Secretary shall submit this order, Annex A and a Regulatory Analysis Form to IRRC and the House and Senate Committees for review and action as required by law.

(d) The Secretary shall certify this order and Annex A and deposit them with the Legislative Reference Bureau as required by law.

(e) This order shall take effect upon publication in the *Pennsylvania Bulletin*.

KAREN M. MURPHY, PhD, RN,
Secretary

(Editor’s Note: For the text of the order of the Independent Regulatory Review Commission relating to this document, see 45 Pa.B. 3640 (July 4, 2015).)

Fiscal Note: 10-193. No fiscal impact; (8) recommends adoption.

Annex A

TITLE 28. HEALTH AND SAFETY

PART III. PREVENTION OF DISEASES

CHAPTER 25. CONTROLLED SUBSTANCES, DRUGS, DEVICES AND COSMETICS

Subchapter A. CONTROLLED SUBSTANCES, DRUGS, DEVICES AND COSMETICS

SCHEDULES OF CONTROLLED SUBSTANCES

§ 25.72 Schedules of controlled substances.

* * * * *

(b) *Schedule I.* In determining that a substance comes within this schedule, the Secretary will find: a high potential for abuse; no currently accepted medical use in the United States; and a lack of accepted safety for use under medical supervision. The following controlled substances are included in this schedule:

* * * * *

(6) Unless specifically excepted or unless listed in another schedule, a material, compound, mixture or preparation which contains any quantity of the following substances including the salts, isomers and salts of isomers:

- (i) Fenethylline.
- (ii) N-ethylamphetamine.
- (iii) Methaqualone.
- (iv) Bromazepam.
- (v) Camazepam.
- (vi) Clotiazepam.
- (vii) Cloxazolam.
- (viii) Delorazepam.
- (ix) Ethyl loflazepate.

- (x) Fludiazepam.
- (xi) Flunitrazepam.
- (xii) Haloxazolam.
- (xiii) Ketazolam.
- (xiv) Loprazolam.
- (xv) Lormetazepam.
- (xvi) Medazepam.
- (xvii) Nimetazepam.
- (xviii) Nitrazepam.
- (xix) Nordiazepam.
- (xx) Oxazolam.
- (xxi) Pinazepam.
- (xxii) Tetrazepam.
- (xxiii) 3, 4-Methylenedioxymethamphetamine (MDMA).
- (xxiv) 4-methylaminorex.
- (xxv) Cathinone.
- (xxvi) Methcathinone HCL.
- (xxvii) Dimethylamphetamine.
- (xxviii) 1-(3-trifluoromethylphenyl) Piperazine (TFMPP).
- (xxix) N-Benzylpiperazine (BZP).
- (xxx) Alpha-Methyltryptamine (AMT).
- (xxxi) 2-5 Dimethoxy-4-(N)-Propylthiophenethylamine (2C-T-7).
- (xxxii) 5-Methoxy-N, N-Diisopropyltryptamine (5-MEO-DIPT).

(c) *Schedule II.* In determining that a substance comes within this schedule, the Secretary will find: a high potential for abuse; currently accepted medical use in the United States; or currently accepted medical use with severe restrictions and abuse may lead to severe psychic or physical dependence. The following controlled substances are included in this schedule:

* * * * *

(e) *Schedule IV.* In determining that a substance comes within this schedule, the Secretary will find: a low potential for abuse relative to substances in Schedule III; currently accepted medical use in the United States; and limited physical or psychological dependence liability relative to the substances listed in Schedule III. The following controlled substances are included in this schedule:

(1) A material, compound, mixture or preparation, unless specifically excepted or unless listed in another schedule, which contains a quantity of the following substances:

* * * * *

- (xxvi) Zolpidem.
- (xxvii) Clobazam. (added March 27, 2012)

(2) A material, compound, mixture, or preparation which contains any quantity of the following substance including its salts, isomers whether optical position or geometric, and salts of the isomers, whenever the existence of the salts, isomers, and salts of isomers is possible:

* * * * *

[Pa.B. Doc. No. 15-1266. Filed for public inspection July 10, 2015, 9:00 a.m.]

PROPOSED RULEMAKING

DEPARTMENT OF AGRICULTURE

[7 PA. CODE CHS. 3 AND 7]

Rescission of Brucellosis Testing Requirements; Advance Notice of Proposed Rulemaking

The Department of Agriculture (Department) provides notice that it intends to pursue a proposed rulemaking to rescind regulations establishing Brucellosis testing standards and requirements. Interested individuals are invited to provide comments on this proposed action.

Section 3.22 (relating to Brucellosis requirements), which imposes general Brucellosis testing requirements for cattle, goats and buffalo, is targeted for rescission. Chapter 7 (relating to Brucellosis regulations), which contains more extensive provisions regarding Brucellosis, is also targeted for rescission.

The Department will propose to rescind § 3.22 and Chapter 7 because the prescribed testing is no longer necessary to protect the health of domestic animals in this Commonwealth. These regulations were amended in 1991, and in the intervening 24 years the threat posed by Brucellosis has lessened to the point the regulations are outdated, unnecessary and an impediment to commerce. In addition, the United States Department of Agriculture has, through its Animal and Plant Health Inspection Service, established uniform methods and rules addressing Brucellosis eradication.

Written comments should be sent no later than July 18, 2015, to the Department of Agriculture, Bureau of Animal Health and Diagnostic Services, ATTN: Craig Shultz, DVM, Director, 2310 North Cameron Street, Harrisburg, PA 17110-9408. The Department will consider all comments received.

As of publication of this notice, the Department will cease active enforcement of § 3.22 and Chapter 7 and pursue the rescission of these regulations.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 15-1267. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

[67 PA. CODE CH. 71]

School Bus Drivers; Medical Requirements and Standards

The Department of Transportation (Department), under the authority in 75 Pa.C.S. §§ 1504, 1508, 1508.1, 1509, 1517, 1518 and 6103, proposes to amend Chapter 71 (relating to school bus drivers) to read as set forth in Annex A.

Purpose

The purpose of Chapter 71 is to define more fully the requirements of 75 Pa.C.S. § 1509 (relating to qualifica-

tions for school bus driver endorsement) by listing minimum medical requirements for school bus drivers.

Purpose of the Proposed Rulemaking

The purpose of this proposed rulemaking is to update the medical requirements and standards for school bus drivers who have brain disease, a cognitive impairment or a mental/emotional disorder. Since medical testing and treatment methods continue to evolve, the Department is proposing to update the minimum standards to ensure that only school bus drivers who are in stable condition are qualified to transport children.

Summary of Significant Amendments

Section 71.2 (relating to definitions) is proposed to be amended to add the terms “brain disease,” “cognitive functions,” “dementia,” “mental or emotional disorder,” “neurologist,” “psychiatrist” and “psychologist.”

Proposed amendments to § 71.3(b)(11) (relating to physical examination) add minimum cognitive and mental/emotional requirements for school bus drivers.

Section 71.3(b)(11)(i) is proposed to be added to include brain disease or deficits of cognitive function in the list of disqualifying conditions.

Section 71.3(b)(11)(ii) is proposed to be added to outline the disqualifying symptoms for individuals who are not diagnosed with a mental/emotional disorder.

Section 71.3(b)(11)(ii)(A) is proposed to be added to outline the requirements for restoration of the school bus driving privilege.

Section 71.3(b)(11)(ii)(B) is proposed to be added to authorize the Department to require qualifying school bus drivers to pass a school bus knowledge and skills test.

Section 71.3(b)(11)(ii)(C) is proposed to be added to allow for a waiver to be granted provided the individual remains symptom free and in the treating health care provider’s opinion, the individual has stabilized and symptoms are not likely to recur. The Department may require the individual to pass a school bus knowledge and skills test.

Section 71.3(b)(11)(iii) is proposed to be added to prohibit school bus drivers diagnosed with Alzheimer’s disease or dementia in Stage 3 or greater from driving a school bus.

Persons and Entities Affected

This proposed rulemaking affects licensed school bus drivers and persons interested in becoming school bus drivers who have impairment from brain disease or deficits of cognitive function.

Fiscal Impact

Implementation of this proposed rulemaking will not require the expenditure of additional funds by the Commonwealth or local municipalities. This proposed rulemaking will not impose additional costs on the medical community and may reduce costs by providing clearer medical criteria and thus reduce unnecessary reporting by physicians and the need for follow-up medical examinations for drivers.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on June 29, 2015, the Department submitted a copy of this proposed rulemaking and a copy

of a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the Chairpersons of the House and Senate Transportation Committees. A copy of this material is available to the public upon request.

Under section 5(g) of the Regulatory Review Act, IRRC may convey any comments, recommendations or objections to the proposed rulemaking within 30 days of the close of the public comment period. The comments, recommendations or objections must specify the regulatory review criteria which have not been met. The Regulatory Review Act specifies detailed procedures for review, prior to final publication of the rulemaking, by the Department, the General Assembly and the Governor of comments, recommendations or objections raised.

Effective Date

This proposed rulemaking will be effective upon final form publication in the *Pennsylvania Bulletin* following the appropriate evaluation of comments, suggestions or objections received during the public comment period.

Sunset Date

The Department is not establishing a sunset date for these regulations, as the regulations are needed to administer provisions required under 75 Pa.C.S. (relating to Vehicle Code). The Department will continue to closely monitor these regulations for their effectiveness, in coordination with the Medical Advisory Board.

Public Comments

Interested persons are invited to submit written comments, suggestions or objections regarding this proposed rulemaking to Kara N. Templeton, Director, Bureau of Driver Licensing, P. O. Box 68676, Harrisburg, PA 17106-8676, ktempleton@pa.gov within 30 days of the publication of this proposed rulemaking in the *Pennsylvania Bulletin*.

Contact Person

The contact person for technical questions about the proposed rulemaking is Laura Krol, Acting Manager, Driver Safety Division, Department of Transportation, Bureau of Driver Licensing, P. O. Box 68676, Harrisburg, PA 17106-8676, (717) 787-2977, lkrol@pa.gov.

LESLIE S. RICHARDS,
Secretary

Fiscal Note: 18-464. No fiscal impact; (8) recommends adoption.

Annex A

TITLE 67. TRANSPORTATION

PART I. DEPARTMENT OF TRANSPORTATION

Subpart A. VEHICLE CODE PROVISIONS

ARTICLE IV. LICENSING

CHAPTER 71. SCHOOL BUS DRIVERS

§ 71.2. Definitions.

The following words and terms, when used in this chapter, have the following meanings, unless the context clearly indicates otherwise:

Brain disease—A condition of the brain that may impair important functions such as memory, speech, vision, spatial perception, strength or coordination of movement, and cognitive functions.

CRNP—Certified registered nurse practitioner—A registered nurse licensed in this Commonwealth who is certi-

fied by the State Board of Nursing in a particular clinical specialty area and who, while functioning in the expanded role as a professional nurse, performs acts of medical diagnosis or prescription of medical therapeutic or corrective measures in collaboration with and under the direction of a physician licensed to practice medicine in this Commonwealth.

Chiropractor—A practitioner of chiropractic as defined in 75 Pa.C.S. § 1508.1(b) (relating to physical examinations).

Cognitive functions—Human abilities such as speech and language, complex levels of perception, attention, reasoning, judgment, reading and writing, and several types of memory.

Dementia—Brain diseases, including, but not limited to, Alzheimer's disease and vascular dementia, that are characterized by deficits in multiple cognitive functions. In the early stages, it can manifest as absentmindedness or forgetfulness. As the condition progresses, symptoms become more numerous and more severe. The stages of dementia, as defined by the Alzheimer Association, are:

Stage 1—No impairment

Stage 2—Very mild cognitive decline

Stage 3—Mild cognitive decline

Stage 4—Moderate cognitive decline

Stage 5—Moderately severe cognitive decline

Stage 6—Severe cognitive decline

Stage 7—Very severe cognitive decline

Department—The Department of Transportation of the Commonwealth.

* * * * *

Hypoglycemic reactions—Different degrees of hypoglycemia which are classified as follows:

Mild—Hypoglycemia that signals a blood glucose drop, which the individual can self-correct with oral carbohydrates.

Severe—Hypoglycemia that requires outside intervention or assistance of others or that produces confusion, loss of attention or a loss of consciousness.

Mental or emotional disorder—A condition, whether organic or without known organic cause—as described and defined in the current *Diagnostic and Statistical Manual of Mental Disorders*, including its Introduction or International Classification of Diseases—manifested by important symptoms and functional changes such as psychosis (often with hallucinations or delusions), excessive anxiety and severe mood swings (mania and severe depression). Some mental disorders cause poor judgment, excessive aggressiveness, suicidal thinking or other behaviors that might affect driving performance.

Neurologist—A licensed physician who is Board-eligible or Board-certified in neurology.

Physical examination—An examination, including an eye examination, given to determine the physical and mental fitness of a person to drive a school bus safely.

Physician—A licensed physician as defined in § 83.2 (relating to definitions).

Physician assistant—A person certified by the State Board of Medicine to assist a physician or group of

physicians in the provision of medical care and services and under the supervision and direction of the physician or group of physicians.

Psychiatrist—A licensed physician who is Board-eligible or Board-certified in psychiatry.

Psychologist—A person who is licensed as a psychologist.

Pupil Transportation Section—The Pupil Transportation Section of the Bureau of Driver Licensing of the Department.

* * * * *

§ 71.3. Physical examination.

* * * * *

(b) *Requirements of physical examination.* [A person] An individual is physically qualified to drive a school bus if the [person] individual:

* * * * *

[(11) Has no mental, emotional or psychiatric disorder whether functional or organic which may be manifested in a condition likely to impair the ability to drive a school bus safely, such as inattentiveness, despondency, aggressiveness, or lack of concern for the safety of self or others.]

(11) Meets the following cognitive and mental or emotional requirements:

(i) Has no impairment from brain disease or deficit of cognitive function, which is likely to impair the ability to drive a school bus safely, such as inattentiveness, despondency, aggressiveness, impulsivity or lack of concern for the safety of self or others.

(ii) Has not been diagnosed with a mental or emotional disorder and does not manifest one or more of the symptoms described in subparagraph (i). An individual diagnosed with a disorder or who manifests these symptoms will be disqualified to drive a school bus.

(A) Restoration of the school bus driving privilege requires the individual to submit a satisfactory psychiatric or cognitive impairment form, or both,

which includes an examination of the individual's cognitive and emotional functioning completed by a psychiatrist, neurologist or licensed psychologist.

(B) If the psychiatric or cognitive impairment form, or both, is satisfactory, the individual may be required to successfully pass a school bus specific knowledge and skills test.

(C) A disqualified individual may be granted a waiver from disqualification provided that the individual remains symptom free and the individual's condition, in the treating health care provider's opinion, has stabilized and symptoms are not likely to recur. Additionally, the individual may be required to successfully pass a school bus specific knowledge and skills test.

(D) Provided the condition of the individual remains under good control, additional examinations will not be required unless recommended by the treating health care provider.

(iii) Has not been diagnosed with Alzheimer's disease or dementia in Stage 3 or greater.

(12) Has no hearing loss greater than 40 decibels in the better ear, without a hearing aid, at frequencies of 500, 1,000, and 2,000 Hz. (Reference American National Standards Institute (ANSI) 1969 for earphones: Dirks and others, *Journal of Speech and Hearing Disorders*, J.S.H.D. Vol. 44, 2/79, 34-54- in a sound field for warble tones). A person who is required to wear a hearing aid to meet the standards of this paragraph shall be tested by an audiologist or a licensed physician—M.D. or D.O.—who specializes in the treatment of otolaryngology. An audiologist is an individual who has a certificate of clinical competence in audiology awarded by the American Speech, Language and Hearing Association or is licensed as an audiologist under the Speech-Language and Hearing Licensure Act (63 P. S. §§ 1701—1719). The individual who performs the test shall certify that the person has passed the test. A person who requires a hearing aid to meet the requirements of this paragraph shall also:

* * * * *

[Pa.B. Doc. No. 15-1268. Filed for public inspection July 10, 2015, 9:00 a.m.]

STATEMENTS OF POLICY

Title 4—ADMINISTRATION

PART II. EXECUTIVE BOARD

[4 PA. CODE CH. 9]


Reorganization of the Department of General Services

The Executive Board approved a reorganization of the Department of General Services effective June 22, 2015.

The organization chart at 45 Pa.B. 3715 (July 11, 2015) is published at the request of the Joint Committee on Documents under 1 Pa. Code § 3.1(a)(9) (relating to contents of *Code*).

(Editor's Note: The Joint Committee on Documents has found organization charts to be general and permanent in nature. This document meets the criteria of 45 Pa.C.S. § 702(7) (relating to contents of Pennsylvania Code) as a document general and permanent in nature which shall be codified in the Pennsylvania Code.)

[Pa.B. Doc. No. 15-1269. Filed for public inspection July 10, 2015, 9:00 a.m.]



NOTICES

DEPARTMENT OF AGRICULTURE

General Quarantine Order; Virus Control for Highly Pathogenic Avian Influenza Poultry and Poultry Products at Competitions, Shows, Fairs and Exhibitions

Recitals.

A. Under the authority established in the Domestic Animal Law (3 Pa.C.S.A. §§ 2301—2389) and specifically the authority to establish quarantine orders as set forth at section 2329 of the Domestic Animal Law (3 Pa.C.S.A. §§ 2329(a) and 2329(d)), the Pennsylvania Department of Agriculture (Department) hereby establishes a General Quarantine Order related to poultry and poultry products, including eggs, at the annual Pennsylvania Farm Show and competitions, shows, fairs and exhibitions within the Commonwealth of Pennsylvania which receive funding pursuant to the Pennsylvania Agricultural Fair Act, 3 P. S. § 1501 et seq.

B. This General Quarantine Order is established to address all highly pathogenic avian influenza strains, including the H5N2 and H5N8 avian viruses that have developed into a virulent form of the disease. These sub-types are easily spread, and may mutate into strains that are communicable to or among humans.

C. Avian influenza is designated a “dangerous transmissible disease” of animals under the provisions of the Domestic Animal Law (3 Pa.C.S.A. §§ 2301—2389), at 3 Pa.C.S.A. § 2321(d).

D. The Department has broad authority under the Domestic Animal Law to establish and enforce quarantine orders, with regard to any infected, exposed, contaminated, suspected or susceptible domestic animal, whenever a dangerous transmissible disease exists within or outside of this Commonwealth, or whenever it is deemed advisable to test or treat any domestic animal upon the reasonable suspicion that it has contacted or been exposed to a dangerous transmissible disease, or whenever the testing or treatment of a domestic animal indicates that the domestic animal has been exposed to a dangerous transmissible disease so as to render future accurate testing for recent exposure of that domestic animal to that dangerous transmissible disease impractical or impossible.

E. Avian Influenza, including the current virulent strains of HPAI, may be transferred and spread through the movement of poultry, eggs, and products of poultry.

F. Avian Influenza has caused significant loss in the past to the Pennsylvania poultry industry and the current virulent forms of the disease have caused wide-spread loss to the poultry industry in states in which it has been detected and confirmed.

G. Highly Pathogenic Avian Influenza is of particular concern to the entire Pennsylvania poultry industry as it may cause wide-spread loss of poultry, severely limit the market for Pennsylvania product and cause severe economic damage to the poultry industry in Pennsylvania.

H. Poultry and poultry products, including eggs, are susceptible to Highly Pathogenic Avian Influenza and the dangerous transmissible disease may be spread through exposure to such poultry and poultry products. The transportation of, display or exhibition of poultry, poultry products, including eggs, materials contacting poultry, containers, conveyances and goods at competitions, shows, fairs, exhibitions and other venues within the Commonwealth has the potential to transfer and spread Highly Pathogenic Avian Influenza.

Order.

In consideration of the previous recitals, and with those recitals incorporated into this Order by reference, the Department hereby establishes a General Quarantine under authority of the Domestic Animal Law, at 3 Pa.C.S.A §§ 2329(a) and (d), and section 1702 of The Administrative Code of 1929 (71 P. S. § 442). The following are the conditions and requirements of this General Quarantine Order:

1. No poultry, poultry products, including eggs, or any goods or items containing or made up of poultry products, such as feathers, shall be brought onto the premises or displayed or exhibited at the annual Pennsylvania Farm Show or any competitions, shows, fairs, exhibitions or other such venues, within the Commonwealth of Pennsylvania which receive funding pursuant to the Pennsylvania Agricultural Fair Act, 3 P. S. § 1501 et seq.

2. *Quarantine Area and Term.* The area covered by this General Quarantine Order is the entire Commonwealth of Pennsylvania and shall be in effect until further order of the Department.

3. Applicable definitions:

Poultry.—For purposes of this Order, poultry shall include, chickens, turkeys, waterfowl and any other commercial species of bird, including gallinaceous birds and ratites, of any age, that may contract or harbor Avian Influenza virus, but shall exclude processed poultry purchased at wholesale for cooking and re-sale for human consumption.

Poultry products.—For purposes of this Order shall include eggs, unprocessed dead poultry, feathers or other parts of poultry, items made from poultry or poultry parts, but shall exclude those items purchased at wholesale for cooking and re-sale for human consumption.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 15-1270. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 30, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
6-29-2015	<i>From:</i> Phoenixville Federal Bank & Trust Phoenixville Chester County <i>To:</i> Phoenixville Federal Bank & Trust Phoenixville Chester County	Approved
Application for approval to convert from a Federally-chartered Savings Association to a Pennsylvania State-chartered Savings Bank.		

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-22-2015	Hamlin Bank and Trust Company Smethport McKean County	2102 West State Street Olean Cattaraugus County, NY	Opened
6-29-2015	PeoplesBank, A Codorus Valley Company York York County	One Market Way West York York County	Approved
6-29-2015	Customers Bank Phoenixville Chester County	314 Route 33 Mercerville Mercer County, NJ	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-22-2015	Lafayette Ambassador Bank Bethlehem Northampton County	<i>To:</i> 4025 Jandy Boulevard Nazareth Northampton County <i>From:</i> 131 South Main Street Nazareth Northampton County	Effective

CREDIT UNIONS

Branch Applications

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-18-2015	TruMark Financial Credit Union Trevose Bucks County	<i>To:</i> 1701 Market Street Philadelphia Philadelphia County <i>From:</i> 1811 John F. Kennedy Boulevard Philadelphia Philadelphia County	Effective

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 15-1271. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final

determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0062201 (Sewage)	Schuylkill County Municipal Authority Gordon WWTP 761 Airport Road Gordon, PA 17936	Schuylkill County Gordon Borough	Mahanoy Creek (6-B)	N
PAS602206 (IW Stormwater)	Sibum's Auto Parts 2098 Paradise Trail East Stroudsburg, PA 18301	Monroe County Stroud Township	UNT to Brodhead Creek (01E)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0247642 (SEW)	Clay Manor Homeowner's Association 11 East Manor Drive Lititz, PA 17543	Lancaster County Elizabeth Township	Middle Creek/7-J	Y
PA0021539 (SEW)	Williamsburg Municipal Authority 305 East Second Street Williamsburg, PA 16693-1041	Blair County Catherine Township	Frankstown Branch Juniata River/11-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0028380, Sewage, SIC Code 4952, **Tinicum Township**, Memorial Bldg, 629 North Governor Printz Boulevard, Essington, PA 19029. Facility Name: Tinicum Township WWTP. This existing facility is located in Tinicum Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Darby Creek and Long Hook Creek, are located in State Water Plan watershed 3-G and are classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.4 MGD.

Parameters	Mass (lb/day)		Instant. Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	Report	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.65	XXX	1.6
CBOD ₅	183	275	XXX	16	24	32
					Wkly Avg	
CBOD ₅ Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
BOD ₅ Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
CBOD ₂₀	365	XXX	XXX	XXX	XXX	XXX
CBOD ₂₀ (%) Minimum Percent Removal	XXX	XXX	XXX	89.25	XXX	XXX
Total Suspended Solids	350	525	XXX	30	45	60
					Wkly Avg	
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000*
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Copper	XXX	XXX	XXX	0.045	0.090	0.113
PCBs						
(Dry Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
(Wet Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Chronic Toxicity—						
Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

* Shall not exceed in more than 10% of samples.

The proposed effluent limits for Outfall 002 are based on an average stormwater flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Monthly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. No Stormwater Condition
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Chlorine Minimization
- E. Operator Notification
- F. TMDL/WLA Data
- G. Fecal Coliform Limit
- H. Chlorine Demand Study
- I. WET Condition
- J. Stormwater Requirements
- K. PCB PMP Implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0050237, Sewage, SIC Code 4941, **Walnut Hill Utility Company**, 400 Ashley Court, Glen Mills, PA 19342-2046. Facility Name: Walnut Hill Utility Company STP. This existing facility is located in Chester Heights Borough, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Chester Creek, is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅						
May 1 - Oct 31	18.8	XXX	XXX	15	XXX	30
Nov 1 - Apr 30	31.3	XXX	XXX	25	XXX	50
Total Suspended Solids	37.5	XXX	XXX	30	XXX	60
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000*
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	6.3	XXX	XXX	5.0	XXX	10.0
Nov 1 - Apr 30	12.5	XXX	XXX	10.0	XXX	20.0
Total Phosphorus						
May 1 - Oct 31	1.25	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	2.5	XXX	XXX	2.0	XXX	4.0

* Shall not exceed in more than 10% of samples.

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP When Municipal Sewers Available
- E. Chlorine Optimization
- F. Operator Notification
- G. Fecal Coliform Reporting
- H. EDMR Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0050105, Sewage, SIC Code 4952, **Lower Frederick Township**, 53 Spring Mount Road, Zieglerville, PA 19492. Facility Name: Lower Frederick Township STP. This existing facility is located in Lower Frederick Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Perkiomen Creek, is located in State Water Plan watershed 3-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD ₅	25	37.5	XXX	15	22.5	30
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	33	50	XXX	20	30	40
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	5.0	XXX	XXX	3.0	XXX	6.0
Total Phosphorus	3.3	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD ₅ (Final)	63	94	XXX	15	22.5	30
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	83	125	XXX	20	30	40
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report Min	XXX	XXX	XXX
Ammonia-Nitrogen (Final)	12.5	XXX	XXX	3.0	XXX	6.0
Total Phosphorus (Final)	2.1	XXX	XXX	0.5	XXX	1.0

In addition, the permit contains the following major special conditions:

- No Stormwater in Sewers
- Obtain necessary Property Rights
- Proper Sludge Disposal
- Chlorine Minimization
- Notification of Responsible Operator
- Operations and Maintenance Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0244767, Storm Water, SIC Code 3271, **Fizzano Bros Concrete Products**, 1776 Chester Pike, Crum Lynn, PA 19022. Facility Name: Fizzano Bros Concrete Lower Southampton Facility. This proposed facility is located in Lower Southampton Township, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Storm Water.

The receiving stream(s), Poquessing Creek and Unnamed Tributary to Poquessing Creek, is located in State Water Plan watershed 3-J and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Instant.	Annual	Daily	Instant.
	Monthly	Maximum	Minimum	Average	Maximum	Maximum
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	50	100	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 003 are based on a stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Instant.	Annual	Daily	Instant.
	Monthly	Maximum	Minimum	Average	Maximum	Maximum
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	50	100	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 005 are based on a stormwater.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Instant.	Annual	Daily	Instant.
	Monthly	Maximum	Minimum	Average	Maximum	Maximum
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	50	100	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- I. Requirements applicable to stormwater outfalls
- II. Other Requirements
 - A. Property Rights
 - B. Sludge removal
 - C. BMPs for TSS and pH

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0244694, Storm Water, SIC Code 4491, **Kinder Morgan Bulk Terminal Inc.**, 1000 South Port Road, Fairless Hills, PA 19030. Facility Name: Kinder Morgan Keywell Site. This proposed facility is located in Falls Township, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of Storm Water.

The receiving stream(s), Delaware River, is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are:

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily	Instant.	Average	Daily	Instant.
	Monthly	Maximum	Minimum	Monthly	Maximum	Maximum
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Conductivity (µmhos/cm)	XXX	XXX	XXX	Report	Report	XXX
BOD ₅	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids (Final)	5,000 Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	Report	Report	XXX	2.0	4.0	XXX
Free Available Cyanide	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Conductivity (µmhos/cm)	XXX	XXX	XXX	Report	Report	XXX
BOD ₅	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids (Final)	5,000 Annl Avg	XXX	XXX	XXX	XXX	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	Report	Report	XXX	2.0	4.0	XXX
Free Available Cyanide	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 003 are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Conductivity (µmhos/cm)	XXX	XXX	XXX	Report	Report	XXX
BOD ₅	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids (Final)	5,000 Annl Avg	XXX	XXX	XXX	XXX	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	Report	Report	XXX	2.0	4.0	XXX
Free Available Cyanide	XXX	XXX	XXX	Report	Report	XXX
Total Iron	XXX	XXX	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Acquiring necessary property rights
- Requirements for stormwater outfalls
- Applicable BMPs
- Special Condition for TDS
- Requirement to use eDMR system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0244635 A-2, Storm Water, SIC Code 5169, **Morton Salt Inc.**, 12 Solar Drive, Fairless Hills, PA 19030. Facility Name: Morton Salt Fairless Hills Facility. This existing facility is located in Falls Township, **Bucks County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated Storm Water.

The receiving stream(s), Delaware River, is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are:

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
BOD ₅	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
Total Phosphorus	Report	Report	XXX	2.0	4.0	XXX
Free Available Cyanide	XXX	XXX	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Acquiring necessary property rights
- Disposal of collected slurries, sludge, and other solids
- Requirements for stormwater outfalls
- Applicable BMPs

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

PA0275760, Industrial Waste, SIC Code 4922, **Transcontinental Gas Pipe Line Company, LLC**, 2800 Post Oak Boulevard, Suite 900, Houston, TX 77056. Facility Name: Leidy Southeast Expansion Project—Dorrance Loop. This proposed facility is located in Dorrance Township, **Luzerne County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated hydrostatic test water from new natural gas transmission lines.

The receiving stream, Little Wapwallopen Creek, is located in State Water Plan watershed 05B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.91 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average	Daily Maximum	Minimum	Average	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Duration of Discharge (hours)	XXX	Report	XXX	XXX	XXX	XXX
		Total Time				
pH	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	Report
Total Residual Chlorine *	XXX	XXX	XXX	Report	XXX	0.05
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	60
Oil and Grease	XXX	XXX	XXX	Report	XXX	30
Dissolved Iron	XXX	XXX	XXX	Report	XXX	7.0

* If chlorinated water is used in the test.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0034746, Sewage, SIC Code 5271, 6515, **MHC Li'l Wolf LP**, 2 North Riverside Plaza, Chicago, IL 60606-2682. Facility Name: Li'l Wolf MHP. This existing facility is located in North Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Coplay Creek, is located in State Water Plan watershed 2-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The following effluent limits for Outfall 001 are based on an existing design flow of 0.038 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.2	XXX	2.8
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20.0
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The following effluent limits for Outfall 001 are based on a proposed design flow of 0.070 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.09	XXX	0.2
CBOD ₅	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	5.0	XXX	10.0
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	2.4	XXX	4.8
Nov 1 - Apr 30	XXX	XXX	XXX	7.2	XXX	14.4
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0037150, Sewage, SIC Code 4952, **Penn Township Board of Commissioners**, 20 Wayne Avenue, Hanover, PA 17331. Facility Name: Penn Township WWTP. This existing facility is located in Penn Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Oil Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.2 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.021	XXX	0.068
CBOD ₅						
May 1 - Oct 31	525	788	XXX	15	22.5	30
Nov 1 - Apr 30	875	Wkly Avg 1,401	XXX	25	Wkly Avg 40	50
		Wkly Avg			Wkly Avg	
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	1,050	1,576	XXX	30	45	60
		Wkly Avg			Wkly Avg	
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	35	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	105	XXX	XXX	3.0	XXX	6.0
Total Phosphorus	70	XXX	XXX	2.0	XXX	4.0
Total Copper	XXX	XXX	XXX	Report	Report	XXX
Free Available Cyanide	0.197	0.308	XXX	0.005627	0.00878	0.0141
Chlorodibromomethane	0.0233	0.0363	XXX	0.000664	0.001037	0.00166
Dichlorobromomethane	0.0320	0.0499	XXX	0.000914	0.001425	0.00228
Bis(2-Ethylhexyl)Phthalate	0.0698	0.109	XXX	0.001993	0.00311	0.00498
Chloroform	0.332	0.517	XXX	0.009467	0.014771	0.0237

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	76,711	XXX	XXX	XXX
Net Total Phosphorus	Report	10,228	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Requirements applicable to stormwater outfalls
- 8,200 lbs/year of Total Nitrogen offsets approved to be used for compliance with TN Cap Load.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0020818, Sewage, SIC Code 4952, **Glen Rock Sewer Authority York County**, 11714 N. Main St. Ext. P.O. Box 205, Glen Rock, PA 17327. Facility Name: Glen Rock STP. This existing facility is located in Glen Rock Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), South Branch Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.6 MGDs.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	125	200	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	150	225	XXX	30	45	60
		Wkly Avg				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
UV Intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	120	XXX	XXX	24	XXX	48
Nov 1 - Apr 30	40	XXX	XXX	8.0	XXX	16
Total Phosphorus	10	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	10,959	XXX	XXX	XXX
Net Total Phosphorus	Report	1,461	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0021717, Sewage, SIC Code 4952, **Marietta Donegal Joint Authority**, 50 Furnace Road, Marietta, PA 17547. Facility Name: Marietta Donegal Joint Authority WWTP. This existing facility is located in Marietta Borough, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Susquehanna River, is located in State Water Plan watershed 7-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.750 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	156	250	XXX	25	40	50
		Wkly Avg				
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	188	281	XXX	30	45	60
		Wkly Avg				

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
UV Intensity (mW/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	12.5	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	13,698	XXX	XXX	XXX
Net Total Phosphorus	Report	1,826	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Requirements applicable to stormwater outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0081868, Sewage, SIC Code 4952, **Fairview Township**, 599 Lewisberry Road, New Cumberland, PA 17070-2510. Facility Name: Fairview Township North STP. This existing facility is located in Fairview Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.726 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	151	242	XXX	25	40	50
		Wkly Avg				
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	182	272	XXX	30	45	60
		Wkly Avg				
BOD ₅ Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ammonia-Nitrogen	Report	XXX	XXX	Geo Mean Report	XXX	Report
Total Phosphorus	12	XXX	XXX	2.0	XXX	4.0

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>			<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	13,333	XXX	XXX	XXX
Net Total Phosphorus	Report	1,778	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0044741, Industrial Waste, SIC Code 2033, **Hanover Foods Corp**, 1486 York Street, Hanover, PA 17331-0334. Facility Name: Hanover Foods. This existing facility is located in Penn Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Oil Creek and Unnamed Tributary to Oil Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.84 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.1	XXX	0.3
Color (Pt-Co Units)	XXX	XXX	XXX	XXX	Report	XXX
Temperature (°F)						
Jan 1-31	XXX	XXX	XXX	XXX	51	XXX
Feb 1-29	XXX	XXX	XXX	XXX	52	XXX
Mar 1-31	XXX	XXX	XXX	XXX	74	XXX
Apr 1-15	XXX	XXX	XXX	XXX	83	XXX
Apr 16-30	XXX	XXX	XXX	XXX	89	XXX
May 1-15	XXX	XXX	XXX	XXX	85	XXX
May 16-31	XXX	XXX	XXX	XXX	106	XXX
Jun 1-15	XXX	XXX	XXX	XXX	106	XXX
Jun 16-30	XXX	XXX	XXX	XXX	110	XXX
Jul 1-31	XXX	XXX	XXX	XXX	101	XXX
Aug 1-31	XXX	XXX	XXX	XXX	99	XXX
Aug 1-15	XXX	XXX	XXX	XXX	99	XXX
Sep 1-15	XXX	XXX	XXX	XXX	94	XXX
Sep 16-30	XXX	XXX	XXX	XXX	88	XXX
Oct 1-15	XXX	XXX	XXX	XXX	82	XXX
Oct 16-31	XXX	XXX	XXX	XXX	76	XXX
Nov 1-15	XXX	XXX	XXX	XXX	69	XXX
Nov 16-30	XXX	XXX	XXX	XXX	59	XXX
Dec 1-31	XXX	XXX	XXX	XXX	50	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
CBOD ₅						
May 1 - Oct 31	70	105	XXX	10	15	20
Nov 1 - Apr 30	126	189	XXX	18	27	36
Total Suspended Solids	210	420	XXX	30	60	75
Oil and Grease	Report	Report	XXX	15	30	30
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	7.0	14	XXX	1.0	2.0	2.5
Nov 1 - Apr 30	21	42	XXX	3.0	6.0	7.5
Total Phosphorus	14	28	XXX	2.0	4.0	5.0
Total Cadmium	0.0056	0.011	XXX	0.0008	0.0016	0.002

The proposed effluent limits for Outfall 002 and 003 are based on a design flow of 0.000000 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Average Monthly	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	26,385	XXX	XXX	XXX
Net Total Phosphorus	Report	979	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Stormwater Requirements
- Chemical Additives
- Compliance Schedules

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0273082, sewage, SIC Code 8800, **Larry Hollabaugh**, 6275 Route 62, Irvine, PA 16329. Facility Name: Larry Hollabaugh SRSTP. This proposed facility is located in Watson Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an un-named tributary to the Allegheny River, located in State Water Plan watershed 16-F and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect

PA0273121, Sewage, SIC Code: 8800 (Private Household), **David Mohney**, 2410 Jackson Ave. Extension, Warren, PA 16365.

Facility Name: David Mohney SRSTP. This proposed facility is located in Glade Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated domestic sewage from a small flow treatment facility.

The receiving stream, an Unnamed Tributary to Glade Run, is located in State Water Plan watershed 16-B and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	Report	XXX	XXX
BOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

In addition, the permit contains the following major special conditions:

- Prohibition of Stormwater Discharges
- Right of Way
- Septic Tank Pumping Requirement
- Abandonment of the Treatment System
- Submittal of an Annual Maintenance Report
- Submittal of a Monthly Discharge Monitoring Report
- Solids Handling
- Effective Disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.0530.

PA0232602 A-1, Industrial, SIC Code 4911, **Hummel Station LLC**, 5100 Spring Valley Road, Dallas, TX 75244. Facility Name: Hummel Station LLC. This existing facility is located in Shamokin Dam Borough, **Snyder County**.

Description of Existing Activity: The application is to amend an existing NPDES permit for a proposed discharge of cooling tower blowdown.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 6-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 1.553 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Free Available Chlorine	XXX	XXX	XXX	0.2	XXX	0.5
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX
Total Arsenic	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Cadmium	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Chromium	2.59	2.59	XXX	0.2	0.2	0.2
Total Copper (ug/L)	0.34	0.68	XXX	26.33	52.66	65.82
Dissolved Iron	XXX	XXX	XXX	XXX	XXX	7.0
Total Thallium	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total PCBs (µg/L)	XXX	XXX	XXX	XXX	XXX	0.25

Amended compliance schedule.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. 4699201, Industrial, Amendment, **Johnson Matthey, Inc.**, 900 River Road, Conshohocken, PA 19428-2647.

This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Action/Activity: Replacement of existing wastewater sand filter with a compressible media filter that utilizes synthetic fibers.

WQM Permit No. WQG02231503, Sewage, **Southwest Delaware County Municipal Authority**, P.O. Box 2466, Aston, PA 194014.

This proposed facility is located in Chester Heights, **Delaware County**.

Description of Actions/Activity: Construction and operation of a sewage pump station and force main.

WQM Permit No. 4615403, Sewage, **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915.

This proposed facility is located in Hatfield Township, **Montgomery County**.

Description of Action/Activity: RE-RATE to the existing wastewater treatment plant.

WQM Permit No. 1598404, Sewage, Amendment, **Spring City Borough**, 6 South Church Street, Spring City, PA 19475.

This proposed facility is located in Spring City Borough, **Chester County**.

Description of Action/Activity: Upgrades and Additions to the existing wastewater treatment plant.

WQM Permit No. 4615404, Sewage, **Green Hills MHC, LLC**, P.O. Box 677, Morgantown, PA 19543.

This proposed facility is located in Marlborough Township, **Montgomery County**.

Description of Action/Activity: Restoring hypochlorination disinfection and add dechlorination.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 6715408, Sewerage, **Mark Wieczorkowski and Kathryn Dickinson**, 3200 Catholic Valley Road, Glen Rock, PA 17327.

This proposed facility is located in Codorus Township, **York County**.

Description of Proposed Action/Activity: Seeking approval for the installation of an Orenco Systems AdvanTex AX20-RTUV aerobic treatment system to replace failing system.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 6215404, Sewage, **Thomas C Judge**, 3029 Egypt Hollow Rd, Russell, PA 16345.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1015403, Sewage, **Cranberry Township Butler County**, 2525 Rochester Rd, Cranberry Twp, PA 16066-6420.

This proposed facility is located in Cranberry Township, **Butler County**.

Description of Proposed Action/Activity: Cranberry Township Brush Creek water pollution control facility upgrade and expansion.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Rd., Allentown, PA 18104

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023915006	Marc Breidenbach Lehigh Valley Hospital— Muhlenberg 2100 Mack Blvd P. O. Box 4000 Allentown, PA 18105	Lehigh	City of Bethlehem, Lehigh County Hanover Township, Northampton County	UNT to Monocacy Creek (HQ-CWF, MF) Monocacy Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024515003	UGI Utilities, Inc. 2121 City Line Road Bethlehem, PA 18017	Monroe	Stroud Township	Flagler Run (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030714004	Allegheny Township Sewer and Water Authority 3131 Colonial Drive Duncansville, PA 16635	Blair	Allegheny Township	UNT Spencer Run (WWF, MF) Spencer Run (WWF, MF) EV Wetlands
PAI033615006	Roy A. Stoner 1164 Pilgrims Pathway Peach Bottom, PA 17563-9665	Lancaster	Little Britain Township	UNT Reynolds Run (HQ-CWF, MF) Octoraro Creek (HQ-CWF, MF)
PAI032808004R	B2M2 LLC 10961 Rinehart Drive Waynesboro, PA 17268	Franklin	Washington Township	UNT West Branch Antietam Creek (CWF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041415006	Pennsylvania State University 139J Physical Plant Bldg University Park, PA 16802	Centre	State College Borough	Thompson Run HQ-CWF

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at

the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Douglas Rohrer 1728 Bridge Road Lancaster, PA 17602	Lancaster	877	582.75	Layers	NA	Renewal
Scott Kreider 761 Spring Valley Road Quarryville, PA 17566	Lancaster	922.2	2,662.5	Dairy	HQ	Renewal
Joshua T. Akers 590 Church Road Quarryville, PA 17566	Lancaster	158	138.64	Ducks	HQ	Renewal
Clair Hurst 788 Kingpen Road Kirkwood, PA 17536	Lancaster	111	510.42	Swine/ Dairy	HQ	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office

listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Application No. 3915504, Public Water Supply.

Applicant	Cornerstone Living, Inc. 4605 Werleys Corner Road New Tripoli, PA 18066
Municipality	Weisenberg Township Lehigh County
Responsible Official	Robert Hughes, Executive Director
Type of Facility	PWS
Consulting Engineer	Timothy A. Miller, P.E. Keystone Consulting Engineers, Inc. 6235 Hamilton Boulevard Wescosville, PA 18106
Application Received Date	May 14, 2015
Description of Action	Construction of disinfection facilities and demonstration of 4-log treatment of viruses for groundwater sources, for the Cornerstone Living facility.

Application No. 4515503, Public Water Supply.

Applicant **M. Manor Holding L.P.**
109 Clubhouse Court
East Stroudsburg, PA 18302

Municipality **Smithfield Township**
Monroe County

Responsible Official Michael T. Byrne
M. Manor Holding L.P.

Type of Facility PWS

Consulting Engineer Russell D. Scott IV, P.E.
RKR Hess, A Division of
UTRS, Inc.
112 North Courtland Street
East Stroudsburg, PA 18301

Application Received Date June 17, 2015

Description of Action This application proposes improvements to Well No. 2 of the Mountain Manor Community, including addition of manganese treatment using sequestration, replacement of the chlorine disinfection chemical feed system, and addition of a chlorine contact tank. It includes demonstration of 4-log treatment of viruses for groundwater sources.

Application No. 4015509 Major Amendment, Public Water Supply.

Applicant **United Water Pennsylvania, Inc.**
4211 East Park Circle
Harrisburg, PA 17111

[Township or Borough] Dallas Township,
Luzerne County

Responsible Official John D. Hollenbach
Vice President
4211 East Park Circle
Harrisburg, PA 17111

Type of Facility PWS

Consulting Engineer Peter Lusardi, PE
GHD
1240 North Mountain Road
Harrisburg, PA 17112
(717) 541-0622

Application Received Date 06/24/2015

Description of Action Installation of treatment system at Salla Well for removal of iron, manganese and volatile organic chemical (VOCs) and a 36 inches chlorine contact pipe chamber for disinfection system.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2815502, Public Water Supply.

Applicant **Guilford Water Authority**

Municipality Guilford Township

County **Franklin**

Responsible Official John Helman, Chairman
115 Spring Valley Road
Chambersburg, PA 17201

Type of Facility Public Water Supply

Consulting Engineer Diana M. Young, P.E.
Buchart-Horn, Inc.
445 West Philadelphia Street
York, PA 17401

Application Received: 6/10/2015

Description of Action Discontinuation of drinking water fluoridation.

Permit No. 0515503 MA, Minor Amendment, Public Water Supply.

Applicant **Fishertown Water Association**

Municipality East St. Clair Township

County **Bedford**

Responsible Official John Comp, Operator
PO Box 149
Fishertown, PA 15539

Type of Facility Public Water Supply

Consulting Engineer Jason G. Saylor, P.E.
Utility Service Group, Inc
535 Courtney Hodges Boulevard
Perry, GA 31069

Application Received: 6/22/2015

Description of Action Installation of PAX mixer in the 150,000 gallon finished water storage tank.

Permit No. 2115505 MA, Minor Amendment, Public Water Supply.

Applicant **South Middleton Township Municipal Authority**

Municipality South Middleton Township

County **Cumberland**

Responsible Official Lance E. Hoover, Assistant
Operations Manager
345 Lear Lane
Boiling Springs, PA 17007

Type of Facility Public Water Supply

Consulting Engineer Peter Lusardi, P.E.
GHD, Inc.
1240 N. Mountain Rd.
Harrisburg, PA 17112

Application Withdrawn: 6/16/2015

Description of Action Relocation of the groundwater rule compliance monitoring location.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 1015503, Public Water Supply

Applicant **Cherry Hill Corporation**

Township or Borough Penn Township

County **Butler**

Responsible Official Robert Freed

Type of Facility Public Water Supply

Consulting Engineer	Keith R. Straight, P.E. T3 Global Strategies, Inc. 10 Emerson Lane, Suite 808 Bridgeville, PA 15017
Application Received Date	June 5, 2015
Description of Action	4-Log treatment of viruses.
Permit No. 3315503 , Public Water Supply	
Applicant	Municipal Authority of the Borough of Summerville
Township or Borough	Summerville Borough
County	Jefferson
Responsible Official	Howard Johnson
Type of Facility	Public Water Supply
Consulting Engineer	Daniel B. Slagle, P.E. Nichols & Slagle Engineering, Inc. 333 Rouser Road Building 4, Suite 600 Moon Township, PA 15108
Application Received Date	June 15, 2015
Description of Action	Construct an ion-exchange system at the existing Summerville Borough Water Treatment Plant to reduce elevated barium levels within the drinking water supply.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

WA-14-850B, Water Allocations. **Madisonburg Water Works**, 250 Madisonburg Pike, Madisonburg, PA 16852. Madisonburg Borough, **Centre County**. Applicant requests a permit renewal. The original permit was issued in 1991, allowing for a 37,500 gpd withdrawal from nine springs later reduced to eight springs. The requested allocation amount is the same as Madisonburg Water Work's existing permitted withdrawals.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to

Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Potato Creek 1H Well Pad, 790 Colegrove Brook Road, Norwich Township, **McKean County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16635, on behalf of Pennsylvania General Energy Company, LLC, 120 Market Street, Warren, PA 16365, submitted a Notice of Intent to Remediate. During an environmental site assessment, it was discovered that site soil and groundwater have been impacted due to an historical release of brine or drill cuttings. A combination of the Statewide Health & Background Standards has been selected for remediation of the site. The intended future use of the property will be non-residential. The Notice of Intent to Remediate was published in *The Bradford Era* on May 21, 2015.

Potato Creek 2H Well Pad, 1704 Sackett Hollow Road, Norwich Township, **McKean County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16635, on behalf of Pennsylvania General Energy Company, LLC, 120 Market Street, Warren, PA 16365, submitted a Notice of Intent to Remediate. During an environmental site assessment, it was discovered that site soil and groundwater have been impacted due to an historical release of brine or drill cuttings. A combination of the Statewide Health & Background Standards has been selected for remediation of the site. The intended future use of the property will be non-residential. The Notice of Intent to Remediate was published in *The Bradford Era* on May 21, 2015.

Potato Creek 3H Well Pad, 2222 North Dividing Ridge Road, Norwich Township, **McKean County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16635, on behalf of Pennsylvania General Energy Company, LLC, 120 Market Street, Warren, PA 16365, submitted a Notice of Intent to Remediate. During an environmental site assessment, it was discovered that site soil and groundwater have been impacted due to an historical release of brine or drill cuttings. A combination of the Statewide Health & Background Standards has been selected for remediation of the site. The intended future use of the property will be non-residential. The Notice of Intent to Remediate was published in *The Bradford Era* on May 21, 2015.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass

National Foam West Chester Site, 350 East Union Street, Borough of West Chester, **Chester County**. Russell Furtick, National Foam, Inc., 141 Junny Road, Angier, NC 27501 on behalf of Christopher Zeliznak, P.G., EnviroSure, Inc., 319 South High Street, First Floor, West Chester, PA 19382 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of vocs, svocs and metals. The future use of the site will remain the same. The Notice of Intent to Remediate was published in *The Daily Local News* on May 27, 2015. PF793923.

Sarver Residence, 96 Village Lane, Falls Township, **Bucks County**. Dennis and Lori Sarver, 96 Village Lane, Levittown, PA 19054, Ty Gawlick, State Farm Insurance, P. O. Box 106110, Atlanta, GA 30348-6110 on behalf of Richard Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The future use of the site will remain the same. The Notice of Intent to Remediate was published in *The Bucks County Courier Times* on May 3, 2015. PF793927.

Estate of Austin Quinlan Residence, 1066 Almshouse Road, Northampton Township, **Bucks County**. The Estate of Austin Quinlan, 1066 Almshouse Road, Ivyland, PA 18974 on behalf of Clark Miller, State Farm Insurance, PA Fire Claim, P. O. Box 106110, Atlanta, GA 3346-6110, Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of no. 2 fuel oil. The site is presently residential and the intended future use of the site residential. The Notice of Intent to Remediate was published in *The Bucks County Courier Times* on May 11, 2015. PF793929.

Westtown Farm, 816 Oakbourne Road, Westtown Township, **Chester County**. Ed and Agnes Speer, 816 Oakbourne Road, West Chester, PA 19382 on behalf of Brian Lettini, JK Environmental service, P. O. Box 509, Lafayette Hill, PA 19444, Geoffrey Kristof, JK Environmental Services, P. O. Box 509, Lafayette Hill, PA 19444 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 heating oil. Following remediation the property will remain the residential using propane for heating. The Notice of Intent to Remediate was published in *The Daily Local News* on May 24, 2015. PF794101.

Silvercare Nursing & Rehabilitation Site, 130 Fairview Road, Ridley Township, **Delaware County**. John W. Harper, 6 East Hinckley Avenue, Ridley Park, PA 19078 on behalf of Jeff Humpton, ECS Mid-Atlantic, LLC, 56 Grumbacher Road, Suite D, York, PA 17406, Dr. Xaobin Li, Everest EB5 Capital, LLC, 2010 West Chester Pike, Suite 407, Havertown, PA 19083 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of lead and pesticide. The property is being developed as a nursing and rehabilitation facility. The Notice of Intent to Remediate was published in *The Delaware County Daily Times* on May 13, 2015. PF793934.

Miller Residence, 607 Barrett Avenue, Lower Moreland Township, **Montgomery County**. Paul Miller, 607 Barrett Avenue, Huntingdon Valley, PA 19006-6204 on behalf of Alan Hirschfeld, L&A Environmental Specialties, 219 Laureen Road, Schwenksville, PA 19473, Andy Meadows, J&J Environmental, Inc., P.O. Box 370, Blue Bell, PA 19422-0370 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. Present and future use of the property is single family home, residential property. The Notice of Intent to Remediate was published in *The Globe* on April 19, 2015. PF774969.

Meadowbrook Gold Course, 10 Campbell Lane, Schuylkill Township, **Chester County**. Stanley Johnson, Phoenixville Area School District, 386 City Line Avenue, Phoenixville, PA 19460 on behalf of Stephen D. Brower, P. G., Environmental Standards, Inc., 1140 Valley Forge, PA 19482 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of arsenic, mercury and petroleum. The golf course is planned to be redeveloped into an early learning/elementary school and sports fields for the adjacent middle and high school. The Notice of Intent to Remediate was published in *The Mercury* on March 24, 2015. PF781674.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

09-0196H: Abington Reldan Metals, LLC (550 Old Bordertown Road, Fairless Hills, PA 19030) for construc-

tion and operation of one electric melt furnace and associated dry lime injection system at this precious metal recovery facility located in Falls Township, **Bucks County**. The exhaust from this process will be vented to Baghouse C08 for PM control. This Plan Approval will contain record keeping requirements, monitoring requirements, operating conditions and performance testing requirements designed to keep the facility operating within the allowable emission limitations and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

39-00011D: Lafarge North America, Inc. (5160 Main Street, Whitehall, PA 18052) to modify the plastic derived fuel (PDF) limitations for use in Kiln No. 2 and 3 at their Whitehall Plant in Whitehall Township, **Lehigh County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) intends to issue a Plan Approval to Lafarge North America, Inc. (5160 Main Street, Whitehall, PA 18052) to increase the permit limit related to PDF feed rate and PDF heat content. Also the facility proposes to broaden the acceptable materials comprising PDF by referencing General Permit No. WMGR106 for Kiln 2 and Kiln 3 at their Whitehall Plant in Whitehall Township, Lehigh County. The facility currently operates under Title V Operating Permit No. 39-00011. Plan approval 39-00011D will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 39-00011D will increase the PDF feed rate to 3.3 tons/hour and reduce the PDF heat content from 10,000 btus/lb to 8,000 btus/lb. Also the facility proposes to broaden the acceptable materials comprising PDF by referencing General Permit No. WMGR106 for Kiln 2 and Kiln 3. The current emission limits for HCN, HCl, and Cl₂ will not change as a result of this modification. The kilns shall be subject to and comply with 40 CFR Part 60 Subpart DDDD, and 40 CFR Part 60 Subpart F. These limits will meet BAT requirements for the kilns. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 39-00011D and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania*

Bulletin or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

67-05004S: P.H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362) for the construction of two (2) Babcock & Wilcox (B&W), (372.6 and 358.3 MMBtus per hour each), natural gas fired boilers and the installation of a hydrated lime injection system to reduce HCl emissions from Power Boiler No. 5, with associated equipment including, but not limited to, a storage silo and pneumatic conveying system at the P.H. Glatfelter Co.'s Spring Grove facility located in Spring Grove Borough, **York County**. As part of the project, three (3) coal fired power boilers will also be decommissioned. The expected changes in facility emissions as a result of the changes proposed are approximately: +52.7 tpy carbon monoxide, -1.027.5 tpy NO_x, -82.9 tpy PM₁₀, -14.4 tpy PM_{2.5}, -5,695.2 tpy SO₂ and +9.8 tpy VOC. The plan approval will include Emission Reduction Credits (ERC) related to the decommissioning of the three (3) coal fired power boilers. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60, Subpart Db—Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units and 40 CFR, Part 63, Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters, and 25 Pa. Code Chapter 145—Interstate Pollutant Transport Reduction Requirements, NO_x Budget Trading Program. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00025A: Richards Funeral Home, Inc. (502 North Keystone Ave. South Waverly, PA 18840-2943) for the construction of a crematory unit at the Northern Bradford Crematory facility located in South Waverly Borough, **Bradford County**. The Department of Environmental Protection's (Department) review of the information submitted by Richards Funeral Home, Inc. indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants

including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emission from each proposed source included in this project will not exceed the following limits: particulate matter emissions from the crematory shall not exceed 0.08 grain per dry standard cubic foot of exhaust, corrected to 7% oxygen and 2.68 tpy, 2.68 tpy of particulate matter less than 10 microns, 0.96 tpy of sulfur oxides, 3.83 tpy of carbon monoxide, 1.15 tpy of nitrogen oxides, and 1.15 tpy of volatile organic compounds.

In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements:

1. The particulate matter emissions from the crematory shall not exceed 0.08 grains per dry standard cubic foot of exhaust, corrected to 7% oxygen.

2. The visible emissions from the crematory shall not equal or exceed 10% opacity for a period or periods aggregating more than 3 minutes in any one hour or equal or exceed 30% opacity at any time.

3. The crematory shall only be fired on natural gas or LP gas.

4. Only human remains and associated containers, which are constructed of cardboard, particleboard or wood, shall be incinerated in the crematory. Under no circumstances shall the crematory be used for the incineration of hospital waste, infectious waste or any other type of waste other than human remains and associated containers.

5. The crematory shall be equipped with instrumentation to continuously monitor and record the primary and secondary combustion chamber exit temperatures any time the crematory is in operation.

6. The crematory shall be equipped with instrumentation to continuously monitor the opacity of the effluent gas any time the crematory is in operation.

7. A secondary combustion chamber temperature of at least 1,800°F shall be maintained for a residence time of at least one (1) second at any time that cremation is occurring in the crematory.

8. The crematory shall be equipped with an interlock which prevents the primary combustion chamber burner from firing unless the secondary combustion chamber is at a temperature of at least 1,800°F.

9. The crematory shall be equipped with an interlock which prevents the primary combustion chamber burner from firing and sounds an alarm any time the opacity of the visible emissions exceeds 10%.

10. The charge door of the crematory shall be kept shut during the cremation cycle except for short periods of time in order to inspect and/or reposition the remains.

11. The permittee shall maintain accurate and comprehensive records of the primary and secondary combustion chamber temperature chart recordings.

The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 08-00025A, the requirements established in the plan approval will be incorporated into State Only Operating Permit 08-00025 pursuant to the administrative amend-

ment provisions of 25 Pa. Code § 127.450. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

43-270J: CCL Container Corporation, Advanced Monobloc Aerosol Division (1 Llodio Drive, Hermitage, PA 16148) for the modification of the loading for control devices controlling emissions for permitted sources at the facility. This facility is located in the City of Hermitage, **Mercer County**.

Pursuant to 25 Pa. Code §§ 127.44(a) and 127.424, the Department of Environmental Protection (DEP) intends to issue Plan Approval 43-270J to CCL Container Corporation for the modification of the loading for control devices controlling emissions for permitted sources at the facility. This facility is located in the City of Hermitage, Mercer County. The Plan Approval will subsequently be incorporated into the facility Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 43-270J is for the modification of the loading for control devices controlling emissions for permitted sources at the facility. Based on the information provided by the applicant and DEP's own analysis, the facility will have projected actual emissions of approximately 32.6 tons per year (tpy) of volatile organic compounds, 11.7 tpy of nitrogen oxides, 7.8 tpy of combined HAPs, 6.9 tpy of carbon monoxide, 1.1 tpy of particulate matter and 0.1 tpy of sulfur oxides.

The Plan Approval will contain emission and fuel restrictions, along with, testing, monitoring, recordkeeping, reporting, work practice and additional requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Department of Environmental Protection, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. The Department will consider any written comments received within 30 days of the publication of this notice.

Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 43-270J, CCL Container Corporation and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where

the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to the New Source Review Section, Air Quality Program, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335, Phone: 814-332-6940.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by calling 814-332-6940, or the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00019: Lockheed Martin Corporation. (230 Mall Blvd, King of Prussia, PA 19406), located in Upper Merion Township, **Montgomery County**. This action is for the issuance of a renewal Synthetic Minor Operating Permit. The facility elected to take a 24.9 tons per year limit on NO_x emissions. The facility is primarily involved in Computer programming Services, Guided missile and space vehicle manufacturing. Lockheed Martin operates boilers, generators, and other lab equipment. The permit contains all applicable requirements including monitoring, recordkeeping and reporting.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

45-00009: Vertellus Specialties, Inc., (231 Main Street (State Route 611), Delaware Water Gap, PA 18327) The Department intends to issue a State Only operating permit for a basic organic chemical products manufacturer in Delaware Water Gap, **Monroe County**. The State Only operating permit includes emissions, monitoring, record keeping, reporting, testing and any additional conditions designed to ensure compliance with all applicable Federal and State air pollution control requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

06-05002: Lehigh Cement Company, LLC (537 Evansville Road, Fleetwood, Pennsylvania 19522-8541) to issue a Title V Operating Permit for Lehigh's Evansville Cement Plant and Quarry located in Maiden Creek Township, **Berks County**. Actual emissions from the facility in 2013 were estimated at 221.4 tons CO, 1,128.0 tons NO_x, 66.6 tons PM₁₀, 94.45 tons PM_{2.5}, 296.2 tons SO_x, 9.8 tons VOC, 6.4 tons of a single HAP (benzene), and 11.8 tons of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 127.218, 40 CFR 63, Subpart LLL—National Emission Standards for Hazardous Air Pollutants from the Portland Cement

Manufacturing Industry, 40 CFR 63, Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial, and Institutional Boilers and Process Heaters & 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. During the renewal and in accordance with 25 Pa. Code § 127.218(i)(1)(i), Lehigh's PM/PM₁₀/PM_{2.5} PAL limits were revised to remove the emissions from Source ID 168 (3.29 tons PM/PM₁₀/PM_{2.5}). Lehigh initially included the source in determining the baseline levels; however, it was determined that the source was actually removed prior to the PAL baseline period (12/06 to 12/08). As such, the PAL levels were revised to the following: PM (234.71 tons), PM₁₀ (332.81 tons) and PM_{2.5} (288.34 tons).

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

14-00009: Mount Nittany Medical Center (1800 E Park Avenue, State College, PA 16803) for their general medical and surgical hospital facility in College Township, **Centre County**. The facility is currently operating under the State Only operating permit 14-00009. The facility's main sources include three (3) natural gas/#2 fuel oil fired boilers, one (1) natural gas fired boiler, two (2) natural gas fired emergency generators, and five (5) #2 fuel oil fired emergency generators. The facility has potential emissions of 43.72 tons per year of nitrogen oxides, 9.4 tons per year of carbon monoxide, 89.58 tons per year of sulfur oxides, 3.32 tons per year of particulate matter, 0.62 ton per year of volatile organic compounds, and 0.36 ton per year of total hazardous air pollutants (HAPs) while burning #2 fuel oil at the facility. The potential emissions at the facility reduced insignificantly due to removal of three emergency generators and one ethylene sterilizer.

The boilers are subject to 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The emergency generators are subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Parts 63.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

17-00018: Harmony Area School District (5239 Ridge Road, Westover, PA 16692), for their high school located in Burnside Township, **Clearfield County**. The facility is currently operating under the State Only operating permit 14-00009. The facility's main sources include two identical natural gas/#2 fuel oil/bituminous coal fired boilers and one #2 fuel oil/diesel fired emergency generator. The facility has potential emissions of

13.43 tons per year of nitrogen oxides, 14.3 tons per year of carbon monoxide, 80.19 tons per year of sulfur oxides, 8.3 tons per year of particulate matter, 1.92 ton per year of volatile organic compounds, and 2.35 tons per year of total hazardous air pollutants (HAPs) while burning #2 fuel oil at the facility. No emission or equipment changes are being proposed by this action.

The boilers are subject to 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Parts 63.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

16-00141: Kahles Kitchens, Inc./Leeper (P.O. Box 168, 7488 Route 36, Leeper, PA 16233) for the issuance of a Natural Minor Operating Permit to operate a wooden kitchen cabinet manufacturing facility, in Farmington Township, **Clarion County**. The facility's primary emission sources are the five (5) surface coating spray booths. The emissions of criteria pollutants from this facility are below major source levels.

Source ID: 110—15 KW Emergency Generator is subject to the newly promulgated requirements of 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The latest version of that subpart has been attached to this source.

The potential emissions from this facility are as follows. (All values are in tons/year.) Particulate Matter = 1.70, PM₁₀ = 1.52, PM_{2.5} = 0.94, SO_x = 0.15, NO_x = 4.08, CO = 4.27, VOC = 24.49, Total HAPs = 9.07, Highest Individual HAP (Xylene) = 5.05.

42-00154: Bradford Regional Medical Center (116 Interstate Pkwy, Bradford, PA 16701-1036), to issue a renewal of the State Only Operating Permit for the two gas-fired boilers (with #2 oil for back up fuel) and two diesel fired emergency generators at the Hospital located in the City of Bradford, **McKean County**. The facility is a Natural Minor. The boilers are rated at 16.74 mmbtus/hr and 20.3 mmbtus/hr, respectively. The 100 kW generator is subject to the requirements of 40 CFR 60 Subpart IIII—Stationary Compression Ignition Internal Combustion Engines. The requirements of plan approval 42-302-027 and GP-1 are included in the permit. The boilers are exempt from the Area Source Boiler MACT requirements of 40 CFR 63 Subpart JJJJJJ because they

primarily burn gas and use #2 oil during periods of gas curtailment and less than 48 hours per year for exercising the boilers on #2 fuel.

43-00260: Mercer Area School District, High School (545 W. Butler Street, Mercer, PA 16137) for a renewal of the Natural Minor Permit. The School is located in Mercer Borough, **Mercer County**. The emitting sources include one coal fired boiler (6.39 mmbtus/hr), two natural gas fired boilers (5.85 mmbtus/hr each), one hot water heater (1.2 mmbtu/hr), and one emergency diesel generator (100 kW). The coal fired Boiler is subject to 40 CFR Part 63 Subpart JJJJJ. All the applicable conditions of Subpart 6J have been included in the renewal permit. The potential emissions from the facility are less than Title V thresholds.

43-00276: Mercer Area School District, Elementary School (545 W. Butler Street, Mercer, PA 16137) for renewal of the Natural Minor Permit. The School is located on Butler Street in Mercer Borough, **Mercer County**. The emitting sources include: Two coal and gas fired boilers (6.39 MMBTUs/Hr. each), one hot water heater (1.2 MMBTU/Hr.) and one diesel fueled emergency generator (100 kW). The coal fired boiler is subject to 40 CFR Part 63, Subpart JJJJJ. All applicable conditions of Subpart 6J have been included in the source level of the permit. The potential emissions from the facility are less than Title V thresholds.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

32141302 and NPDES No. PA0124591. Bellaire Corporation, (196 Grange Hall Road, P.O. Box 245, Armagh, PA 15920-0245). To revise the permit for the Hutchinson Hollow Treatment Plant in East Wheatfield Township, **Indiana County** to install two sludge-injection boreholes into the inactive Conemaugh No. 1 Mine. Surface Acres Proposed .75. No additional discharges. The application was considered administratively complete on June 23, 2015. Application received September 15, 2014.

30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, (1525 Pleasant Grove Road, P.O. Box J, Claysville, PA 15323). To revise the permit for the Bailey Mine & Prep Plant in Richhill Township, **Greene County** and related NPDES permit, to connect the Gypsy Camp to 56 Drive Waterline to the 18C Waterline. Surface Acres Proposed 55.2. No additional discharges. The application was considered administratively complete on June 24, 2015. Application received April 16, 2015.

56121301 and NPDES No. PA0236152. AK Coal Resources, Inc., (1134 Stoystown Road, Friedens, PA 15541). To revise the permit for the North Fork Mine in Jenner and Quemahoning Townships, **Somerset County** to add underground permit and subsidence control plan acres and related NPDES permit. Underground Acres Proposed 2,775.3, Subsidence Control Plan Acres Proposed 2,775.3. Receiving stream: Hoffman Run, classified for the following use(s): CWF. The application was considered administratively complete on June 25, 2015. Application received April 17, 2015.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33720306 and NPDES No. PA0603406. Consol Mining Company, LLC (CNX Center, 1000 Energy Drive, Canonsburg, PA 15317). Renewal of an existing bituminous surface and auger mine in Winslow Township, **Jefferson County** affecting 450.2 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributary to Soldier Run and Soldier Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 22, 2015.

33120104. Twin Brook Coal, Inc. (P.O. Box 225, Clymer, PA 15728) Revision to an existing bituminous surface and auger mine to change the post-mining land use from forestland to unmanaged natural habitat on the Cameron property in Knox Township, **Jefferson County**. Receiving streams: Unnamed tributaries to Indiancamp

Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 25, 2015.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

14090102 and NPDES PA0257117. Rosebud Mining Company (301 Market Street, Kittanning, PA 16201). Permit renewal for continued operation and restoration of a bituminous surface mine located in Rush Township, **Centre County** affecting 236.6 acres. Receiving stream(s): Trout Run, Unnamed Tributaries to Trout Run, and Unnamed Tributaries to Moshannon Creek classified for the following use(s): CWF. There are no potable water

supply intakes within 10 miles downstream. Application received: June 2, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 49773204R6 and GP104 Permit No. 49773204GP104. Gilberton Coal Company (10 Gilberton Road, Gilberton, PA 17934-1009), renewal of an existing anthracite coal refuse reprocessing operation in Mt. Carmel, Conyngham & Butler Townships, Northumberland, **Columbia & Schuylkill Counties** affecting 958 acres, receiving stream: Mahanoy Creek Watershed, classified for the following uses: cold water and migratory fishes. Application received: June 22, 2015.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

42110301. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803) Revision to add 1.3 acre in Ceres Township & Shinglehouse Borough, **McKean & Potter Counties**, affecting a total of 76.1 acres. Receiving streams: Raub Hollow, Horse Run, and unnamed tributary to Horse Run, all classified for the following statewide uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 19, 2015.

2128-42110301-E-2. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803) Application for a stream encroachment to conduct mining activities within 100 feet of Horse Run in Ceres Township & Shinglehouse Borough, **McKean & Potter Counties**. Receiving streams: Raub Hollow, Horse Run, and unnamed tributary to Horse Run, all classified for the following statewide uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: June 19, 2015.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

NPDES No. PA0252433 (Mining permit no. 63130103), Neiswonger Construction, Inc., 17592 Route 322, Strattanville, PA 16258, new NPDES permit for a bituminous surface mine in Deemston Borough, **Washington County**, affecting 89 acres. Receiving streams: unnamed tributaries to Fishpot Run, classified for the following use: WWF. Application received: May 12, 2015. This has been revised from the original publication on June 9, 2015.

The treated wastewater and stormwater outfalls listed below discharge to an unnamed tributary of Fishpot Run and Fishpot Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
TP-1	Y	MDT
TP-2	Y	MDT
SP-1	Y	Sed Pond
SP-2	Y	Sed Pond

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: TP-1, TP-2, SP-1, SP-2</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	2.0
Sulfate	-	-	250
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Watershed Management Program Manager, 2 East Main Street, Norristown, PA 19401

E51-269. City of Philadelphia, Philadelphia International Airport, Terminal D—E, Philadelphia, PA 19153. City of Philadelphia, **Philadelphia County**. ACOE Philadelphia District.

This project includes the construction of an approximately 1,500-foot extension of the existing runway 27L and the demolition and reconfiguration of various taxiways to accommodate aircraft access to the extended runway departure threshold. The project will also require the relocation of existing fuel lines, expansion of the vehicle service road network, installation of new electrical duct banks for new lighting and navigational aids, and modifications to the existing stormwater drainage system, including repair or replacement of an existing, poorly functioning tide gate. The total project area is approximately 260 acres and includes several temporary contractor staging and equipment storage areas.

The site is located at Philadelphia International Airport, (Woodbury, NJ, USGS; Lat: 39.871672; Long: -75.237847) in Tinicum Township, Delaware County, PA

E15-859. Downingtown Borough, 4 West Lancaster Avenue, Downingtown, PA 19335. Downingtown Borough, **Chester County**. ACOE Philadelphia District.

To remove the existing residential dwelling's which is located in and along the 100-year floodplain of the Brandywine Creek for the purpose of reducing flooding concerns. Work will also include stream bank and site restoration.

The site is located at 132.5 Brandywine Avenue (Downingtown, PA, USGS; Lat: 40.0043; Long: -75.7033).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E39-536. Liberty Property, L.P., 74 West Broad Street, Bethlehem, PA 18018, in Lower Macungie Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 200-foot wide roadway crossing in the floodway of an unnamed tributary to Little Lehigh Creek (HQ-CWF, MF) consisting of a concrete box culvert with a span of 12 feet and an underclearance of 5.5 feet associated with the Spring Creek Properties Settlement Subdivision in Lower Macungie Township, Lehigh County. The project is located on Congdon Hill Drive, immediately west of its intersection with Spring Creek Road (Allentown West, PA Quadrangle, Latitude: 40°31'00.6"; Longitude: -75°36'28.1").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-613. Lykens Borough, 200 Main Street, Lykens, PA 17048 in Lykens Borough, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

Lykens Borough is seeking a permit under Chapter 106 Floodplain Management, for proposed work in the Wiconisco Creek floodplain. Lykens Borough proposes to install a Type M inlet with a sump at the intersection of North and Spruce Streets in order to reduce the backwater flooding effects from Wiconisco Creek (WWF, MF) and provide easier access for the use of pumps. Lykens Borough also intends to replace a broken stormwater discharge pipe that inlets at the intersection of North and Municipal Streets. This construction consists of inlet replacement, replacement of the 24-inch pipe, and addition of a new endwall.

Lykens Borough is located in Dauphin County (Lykens, PA Quadrangle, Latitude: 40°34'6.33", Longitude: -76°42'1.1"). The purpose of the project is to reduce backwater flooding. There are no wetlands on site.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E49-335. SEDO-COG Joint Rail Authority, 201 Furnace Road, Lewisburg, PA 17837. Stream and Bridge 14.93 Rehabilitation in Ralpho and Shamokin Townships, **Northumberland County**, ACOE Baltimore District (Shamokin, PA Quadrangle Latitude: 40° 49' 38.8"; Longitude: -76° 35' 6.5").

This project proposes to rehabilitate the Shamokin Valley Railroad Bridge 14.93 by replacing the existing north abutment and eliminating the scour hole threatening the foundation of the abutment. The permit also proposes to restore hydraulic capacity in the floodplain spanning from pier number 1 through pier number 2 into

the south abutment along with the construction of a rock cross vane and two "J" hook vanes placed upstream of the structure. The vanes propose to better align the flow through the structure and to ease the stress on the left bank around the bend. This proposed project is located 3.3 miles north on SR 0061 out of Shamokin, Ralpho and Shamokin Townships, Northumberland County. This project proposes to impact 692 linear feet of the Shamokin Creek, which is designated a Warm Water Fishery and does not propose to impact any wetlands.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E56-378. Indian Lake Borough, 1301 Causeway Drive, Central City, PA 15926; Indian Lake Borough, **Somerset County**; ACOE Pittsburgh District.

The applicant is proposing to dredge, enlarge and maintain approximately 350 linear feet (lf) of an approximately 450 lf, existing flood control ditch, to re-direct flood waters (up to the 10-year event) from Calendars Run (CWF) to an unnamed tributary to Indian Lake (CWF), for the purpose of alleviating overtopping of North Shore Road. Riprap will be installed along this flood control ditch, at its confluence with Calendars Run. A portion of this encroachment will be located within the floodplain of Calendars Run and will impact approximately 30' of this watercourse, at the confluence. In addition, to construct and maintain a 49' x 21' x 1' berm along approx. 49' of Calendars Run, to help to direct water into the enlarged by-pass channel. The project will also include the relocation and riprap stabilization of approx. 55' of Calendars Run, at its current confluence with Indian Lake, and the construction and maintenance of a 58' x 6' x 27' channel block across a finger projection of Indian Lake, at the former confluence (after the channel relocation) of Calendar Run and Indian Lake, to improve the management of sedimentation within this finger projection of the lake. The project will cumulatively impact 161' of Calendars Run, and 350' of the flood control channel. The project is located near where North Shore Road crosses over Calendars Run (Central City, PA USGS topographic quadrangle; Latitude: 40° 3' 33.5"; Longitude: -78° 51' 39.22"; Pittsburgh District U.S. Army Corps of Engineers), in Indian Lake Borough, Somerset County.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

E1114-002, Cambria County Conservation District, 401 Candlelight Drive, Suite 229, Ebensburg, PA 15963, in Cherry Tree Borough, **Indiana County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 3,457 linear foot stream restoration project on West Branch Susquehanna River (CWF, MF) and Cush Cushion Creek (HQ-CWF, MF), consisting of the installation of fish habitat structures to recreate a low flow meandering channel to reduce erosion and improve sediment transport while providing fish and wildlife habitat. The project is located completely within the limits of the Cherry Tree Flood Protection Project. The West Branch Susquehanna River portion begins 3,265 feet upstream from the Rt. 580 Bridge (Latitude: 40° 43' 4"; Longitude: -78° 48' 2") and extends 4,500 feet downstream to the end of the flood control project area just before the Clearfield County Line (Latitude: 40° 43'

45"; Longitude: -78° 48' 17"). The Cush Cushion Creek portion begins 1,200 feet upstream of its confluence with the West Branch Susquehanna River (Latitude: 40° 23' 26"; Longitude: -78° 48' 29") and extends to the confluence itself (Latitude: 40° 43' 33"; Longitude: -78° 48' 19").

E1114-003, Cambria County Conservation District, 401 Candlelight Drive, Suite 229, Ebensburg, PA 15963, in Northern Cambria Borough, **Cambria County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 1,952 linear foot stream restoration project on West Branch Susquehanna River (CWF, MF) Porter Run (CWF, MF), consisting of the installation of fish habitat structures to recreate a low flow meandering channel to reduce erosion and improve sediment transport while providing fish and wildlife habitat. The project is located completely within the limits of the Cherry Tree Flood Protection Project. The West Branch Susquehanna River portion begins at the Barr Avenue Bridge (Latitude: 40° 39' 28"; Longitude: -78° 47' 5") and extends 2,500 feet downstream to the Buza Memorial Bridge (Latitude: 40° 39' 53"; Longitude: -78° 47' 6"). The Porter Run portion begins 385 feet upstream of its confluence with the West Branch Susquehanna River (Latitude: 40° 40' 5"; Longitude: -78° 44' 14") and extends to the confluence itself (Latitude: 40° 40' 43"; Longitude: -78° 47' 17").

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

Resubmittal E0829-105: Appalachia Midstream, LLC, 400 IST Center Suite 404, Horseheads, NY 14845, Wilmot Township, **Bradford County**, ACOE Baltimore District. To construct, operate and maintain:

1. an 8 inch diameter natural gas line impacting 297 square feet of a Palustrine Scrub-Shrub Wetland (Wyalusing, PA Quadrangle, Latitude: 41°37'37", Longitude: -76°16'42");
2. an 8 inch diameter natural gas line impacting 137 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41°37'38", Longitude: -76°16'32");
3. an 8 inch diameter natural gas line impacting 88 linear feet of Sugar Run (CWF) (Wyalusing, PA Quadrangle, Latitude: 41°37'38", Longitude: -76°16'29");
4. an 8 inch diameter natural gas line impacting 7 linear feet of an unnamed tributary to Sugar Run (CWF) and impacting 324 square feet of an adjacent Palustrine Forested Wetland (Wyalusing, PA Quadrangle, Latitude: 41°37'38", Longitude: -76°16'27").

The project will result in 95 linear feet or 95 square feet of temporary stream impacts and 758 square feet (0.02 acre) of temporary PEM, PSS and PFO wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Wilmot Township, Bradford County.

E6629-024: Appalachia Midstream Services, LLC, 100 IST Center, Horseheads, NY 14845, Forkston and Windham Townships, **Wyoming County**, ACOE Baltimore District.

To construct, operate and maintain the Dimmig and Otten Well Lines Project, which consists of 3.50 miles of one 8-inch diameter natural gas pipeline, 0.12 mile of one 6-inch diameter natural gas pipeline, 0.03 mile of one 6-inch diameter natural gas pipeline, and associated access roads with the following impacts:

1. 225.0 linear feet of a UNT to North Branch Mehoopany Creek (CWF, MF) and 504 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°31'48.36", Longitude: W76°08'55.86");
2. 213.0 linear feet of a UNT to North Branch Mehoopany Creek (CWF, MF) and 85 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°31'50.58", Longitude: W76°08'50.37");
3. 202 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetland via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°31'51.74", Longitude: W76°08'48.77");
4. 246 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°31'53.26", Longitude: W76°08'49.02");
5. 131.0 linear feet of a UNT to North Branch Mehoopany Creek (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°31'56.86", Longitude: W76°08'49.96");
6. 133.0 linear feet of a UNT to North Branch Mehoopany Creek (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°31'59.54", Longitude: W76°08'45.73");
7. 3.0 linear feet of a UNT to North Branch Mehoopany Creek (CWF, MF) via horizontal directional drilling (Jenningsville, PA Quadrangle, Latitude: N41°32' 05.71", Longitude: W76°08'37.86");
8. 18.0 linear feet of two UNTs to North Branch Mehoopany Creek (CWF, MF) via horizontal directional drilling (Jenningsville, PA Quadrangle, Latitude: N41°32' 08.86", Longitude: W76°08'37.11");
9. 49.0 linear feet of North Branch Mehoopany Creek (CWF, MF) via horizontal directional drilling (Jenningsville, PA Quadrangle, Latitude: N41°32'11.76", Longitude: W76°08'36.49");
10. 2,081 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'14.42", Longitude: W76°08'35.62");
11. 130.0 linear feet of a UNT to North Branch Mehoopany Creek (CWF, MF) and 2,945 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'17.08", Longitude: W76°08'38.88");
12. 201 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'19.44", Longitude: W76°08'40.50");
13. 826 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'22.40", Longitude: W76°08'41.77");
14. 411 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'28.95", Longitude: W76°08'46.31");
15. 75 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'32.16", Longitude: W76°08'48.28");
16. 401 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'34.69", Longitude: W76°08'49.40");
17. 134.0 linear feet of a UNT to Farr Hollow (CWF, MF) and 2,426 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'54.14", Longitude: W76°08'39.38");
18. 138.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32' 54.60", Longitude: W76°08'39.45");
19. 2,671 square feet of temporary impacts to Exceptional Value (EV) Palustrine Scrub/Shrub (PSS) Wetlands and 6,426 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°32'57.33", Longitude: W76°08'39.74");
20. 145.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33' 05.83", Longitude: W76°08'47.28");
21. 130.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33' 06.27", Longitude: W76°08'47.93");
22. 157.0 linear feet of a UNT to Farr Hollow (CWF, MF) and 190 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'11.67", Longitude: W76°08'51.63");
23. 248 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'12.09", Longitude: W76°08'51.97");
24. 96.0 linear feet of a UNT to Farr Hollow (CWF, MF) and 2,006 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'16.10", Longitude: W76°08'59.82");
25. 136.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33' 18.43", Longitude: W76°09'05.05");
26. 158.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33' 19.46", Longitude: W76°09'06.45");

27. 137.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'20.70", Longitude: W76°09'07.91");

28. 900 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'22.92", Longitude: W76°09'12.49");

29. 1,159 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'30.77", Longitude: W76°09'21.96");

30. 131.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'45.67", Longitude: W76°09'16.59");

31. 151.0 linear feet of a UNT to Farr Hollow (CWF, MF) via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°33'55.62", Longitude: W76°09'17.76");

32. 284 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°34'04.53", Longitude: W76°09'14.76");

33. 595 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via open cut trenching and a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°34'07.05", Longitude: W76°09'13.63");

34. 1,652 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands

via a temporary road crossing (Jenningsville, PA Quadrangle, Latitude: N41°31'56.01", Longitude: W76°08'40.04"); and

35. 2,347 square feet of temporary impacts to Exceptional Value (EV) Palustrine Emergent (PEM) Wetlands via a temporary access road crossing (Grover, PA Quadrangle, Latitude: N41°31'55.33", Longitude: W76°08'40.18").

The project will result in 2,415.0 linear feet of temporary stream impacts, 26,210 square feet (0.60 acre) of temporary EV PEM wetland impacts, and 2,671 square feet (0.06 acre) of temporary EV PSS wetland impacts, all for the purpose of installing a natural gas gathering line and associated access roadways for Marcellus shale development.

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335

E10-08-005, Mountain Gathering, LLC, 810 Houston Street, Fort Worth, TX 76102. Boyle to Cypher Pipeline in Clearfield Township, **Butler County**, Army Corps of Engineers Pittsburgh District (Chicora & Worthington, PA Quadrangles 40.859723N; -79.721533W).

The applicant proposes to construct and maintain approximately 18,765 linear feet of ten (10) inch steel natural gas gathering pipeline located in Clearfield Township, Butler County. The proposed pipeline will connect existing Well Pads.

The project will result in a total of 715 linear feet of temporary stream impacts and 0.318 acre of temporary wetland impacts.

The water obstructions and encroachments are described below:

To construct and maintain:

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
1	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing to cross UNT Little Buffalo Run (HQ-TSF) & associated PEM wetland. There will be 20 linear feet of temporary stream impact and 0.008 acre of temporary wetland impact.	40°51'48.00"N -79°43'11.06"W
2	One (1) 10" natural gas pipeline with associated right-of-way crossing UNT Little Buffalo Run (HQ-TSF) having 30 linear feet of temporary stream impact.	40°51'59.20"N -79°43'10.27"W
3	One (1) 10" natural gas pipeline with associated right-of-way crossing PFO/PSS wetland. There will be 0.004 acre of temporary wetland impact	40°52'00.81"N -79°43'10.34"W
4	One (1) 10" natural gas pipeline with associated right-of-way crossing PEM wetland. There will be 0.003 acre of temporary wetland impact.	40°52'02.79"N -79°43'10.34"W
5	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing to cross UNT Little Buffalo Run (HQ-TSF) & associated PFO/PSS wetland. There will be 7 linear feet of temporary stream impact and 0.007 acre of temporary wetland impact.	40°52'04.63"N -79°43'10.52"W
6	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing UNT Little Buffalo Run (HQ-TSF) having 73 linear feet of temporary stream impact.	40°52'21.98"N -79°57'54.51"W
7	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.020 acre of temporary wetland impact.	40°52'32.42"N -79°43'15.42"W
8	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.003 acre of temporary wetland impact.	40°52'32.41"N -79°43'15.77"W

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude/ Longitude</i>
9	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.045 acre of temporary wetland impact.	40°52'39.83"N -79°43'34.95"W
10	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing to cross UNT Little Buffalo Run (HQ-TSF) & associated PSS wetland. There will be 33 linear feet of temporary stream impact and 0.043 acre of temporary wetland impact.	40°52'37.33"N -79°43'41.42"W
11	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.023 acre of temporary wetland impact.	40°52'37.41"N -79°44'02.76"W
12	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing UNT Little Buffalo Run (HQ-TSF) having 73 linear feet of temporary stream impact.	40°52'53.74"N -79°44'06.64"W
13	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing to cross UNT Little Buffalo Run (HQ-TSF) & associated PSS wetland. There will be 72 linear feet of temporary stream impact and 0.003 acre of temporary wetland impact.	40°53'00.60"N -79°44'06.73"W
14	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.013 acre of temporary wetland impact.	40°53'01.19"N -79°44'06.81"W
15	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing UNT Little Buffalo Run (HQ-TSF) having 83 linear feet of temporary stream impact.	40°53'04.19"N -79°44'07.20"W
16	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing to cross UNT Little Buffalo Run (HQ-TSF) & associated PEM wetland. There will be 74 linear feet of temporary stream impact and 0.008 acre of temporary wetland impact.	40°53'06.63"N -79°44'08.80"W
17	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.017 acre of temporary wetland impact.	40°53'07.09"N -79°44'23.51"W
18	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing to cross UNT Little Buffalo Run (HQ-TSF) & associated PEM wetland. There will be 82 linear feet of temporary stream impact and 0.053 acre of temporary wetland impact.	40°53'07.15"N -79°44'24.72"W
19	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.004 acre of temporary wetland impact.	40°53'07.04"N -79°44'27.09"W
20	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.014 acre of temporary wetland impact.	40°53'06.44"N -79°44'46.44"W
21	One (1) 10" natural gas pipeline with associated right-of-way and a temporary road crossing to cross UNT Little Buffalo Run (HQ-TSF) & associated PEM wetland. There will be 82 linear feet of temporary stream impact and 0.008 acre of temporary wetland impact.	40°53'06.39"N -79°44'48.22"W
22	One (1) 10" natural gas pipeline with associated right-of-way and temporary road crossing PEM wetland. There will be 0.020 acre of temporary wetland impact.	40°53'01.15"N -79°44'53.55"W

Southwest Region: Southwest District Oil and Gas Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E02-07-001: CONSOL Gas Company, 280 Indian Springs Road, Suite 333, Indiana, PA 15701.

To construct and maintain a 2,900 foot long access road to Allegheny County Airport Authority (ACAA) Well Pad 3, that will impact a total of 19 acres in Findlay Township, Allegheny County, Pittsburgh ACOE District, State Water Plan Basin 20-D, (Aliquippa, PA Quadrangle; Latitude: N 40°30'55.84" Longitude: W -80°17'3.36").

The project will consist of 2 stream (Stream #1 and Stream #3, tributary 33656 to Raredon Run, a Warm

Water Fishery) and floodway and 1 wetland road crossings. A total of 206 linear feet of streams, 0.34 acre of floodway, and 0.05 acre of wetland will be permanently impacted and 0.19 acre of floodway will be temporarily impacted as a result of this project. Mitigation for CNX's entire ACAA Well Development will be included within this joint permit application. Mitigation will consist of 240 linear feet of stream preservation, 720 linear feet of stream rehabilitation, 0.526 acre of wetland preservation, 0.014 acre of wetland creation, and 3.2 acres of riparian buffer preservation within the Raccoon Creek Watershed. Crossing for Stream #1 consists of three 30 inch HDPE and one 48 inch, pipes. Crossing for Stream #3 consists of one 42 inch HDPE pipe.

ENVIRONMENTAL ASSESSMENT

Northcentral Region: Program Manager, Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701

EA19-003. Camp Victory, 58 Camp Victory Road, Millville, PA 18746. Unnamed tributary to Mud Run/Pond/Wetland Restoration Project, in Greenwood Township, **Columbia County**. ACOE Baltimore District.

This project proposes to remove an on stream pond, restore natural stream channel and fringe wetlands and restore storage capacity of downstream existing pond. The project consists of dewatering the upper pond to facilitate stream channel restoration through the impounded area. The next proposed phase is to remove sediment in the lower existing pond to its original depth and capacity, which will reduce the thermal impacts improving the habitat potential for aquatic life and increasing the recreational use by Camp Victory. The sediment removed is proposed to be placed in dewatering bags, mixed with an ecological friendly polymer and oriented strategically to create in some cases stream meander pattern and changes in the floodplain contour to create pocket wetlands. The final phase is to complete final planting of

wetland perennials and seeding. Upon completion this project proposes to reduce 2.21 acres of open water pond and create approximately 1,200 linear feet of stream channel, 1.93 acre of emergent wetland habitat, 0.33 acre of scrub/shrub habitat and to retain 0.93 acre of open water habitat. This project is proposed in the Mud Run Watershed, which is classified as a Cold Water Fishery.

(Bloomsburg, PA Quadrangle Latitude: 41° 07' 05"; Longitude: -76° 29' 38.2").

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

D64-072EA. Mike Leonard, 4 Leonard Way, Deposit, NY 13754. Buckingham Township, **Wayne County**, USACOE Philadelphia District.

Project proposes to remove Beaver Pond Dam for the purpose of eliminating a threat to public safety and restoring approximately 1,000 feet of stream channel to a free-flowing condition. The dam is located across Stockport Creek (HQ-CWF, MF) (Hancock, PA Quadrangle, Latitude: 41.8960; Longitude: -75.2961).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0020109 (IW)	Talen Interstate Energy Co. (F.K.A. PPL Interstate Energy Co.) Martins Creek Terminal 6849 Delhaven Road Martins Creek, PA 18063	Northampton County Lower Mount Bethel Township	Delaware River (1-F)	Y
PA0036102 (Sewage)	Heidelberg Heights 5132 Heidelberg Heights Road Germansville, PA 18053	Lehigh County Heidelberg Township	Unnamed Tributary to Mill Creek (2-C)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0261190 (Sew)	Tiger Properties 4 East High Street Carlisle, PA 17013	Cumberland County/ North Middleton Township	Conodoguinet Creek/7-B	Y
PA0261394 (Sew)	Randy Macko 3315A Back Road Halifax, PA 17032	Dauphin County/ Jefferson Township	South Fork Powell Creek/6-C	Y
PA0247502 (Sew)	John & Kathleen Kauffman 312 Steelstown Road Newville, PA 17241	Cumberland County/ North Newton Township	UNT Conodoguinet Creek/7-B	Y
PA0082635 (Sew)	ELS Sun Valley LP 2 North Riverside Plaza Chicago, IL 60606	Lancaster County/ Brecknock Township	UNT Rock Run/7-J	Y
PA0247154 (IW)	Possum Valley Municipal Authority 609 Clearville Road Aspers, PA 17304	Adams County/ Menallen Township	UNT Opossum Creek/7-F	Y
PA0088307 (Sew)	Snyders, LLP (Eagles Crossing Golf Course) 501 Conodoguinet Avenue Carlisle, PA 17015	Cumberland County/ North Middleton Township	Conodoguinet Creek/7-B	Y
PA0246964 (CAFO)	Kenneth R. Martin Kenneth R. Martin Farm CAFO 1397 Robert Fulton Highway Quarryville, PA 17566	Lancaster County/ East Drumore Township	UNT West Branch Octoraro Creek/7-K	Y
PA0008435 (IW)	Holtwood, LLC 2 North 9th Street Allentown, PA 18101-1179	Lancaster County Martic Township	Susquehanna River/7-K	Y
PA0261408 (SRSTP SEW)	Ross F. Garner 311 Hoy Road Carlisle, PA 17013	Cumberland County North Middleton Township	Wertz Run/7-B	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0038814 (Sewage)	Ellport Borough STP Ellport Community Park off 3rd Street Ellport, PA 16117	Lawrence County Ellport Borough	Connoquenessing Creek (20-C)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0045187, Sewage, **Richland Meadows, Inc.**, 232 Yankee Road, Quakertown, PA 18951.

This proposed facility is located in Richland Township, **Bucks County**.

Description of Action/Activity: To discharge from a facility known as Richland Meadows MHP STP to Dry swale to Morgan Creek in Watershed(s) 2-D.

NPDES Permit No. PA0053015, Sewage, **Joseph F. Werner**, 1007 Route 313, Perkasie, PA 18944.

This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Action/Activity: To discharge from a facility known as Country Place Restaurant STP to unnamed Tributary to Three Mile Run in Watershed(s) 2-D.

NPDES Permit No. PA0244732, Sewage, **Mark Huber**, 1305 Yellow Springs Road, Chester Springs, PA 19425.

This proposed facility is located in East Pikeland Township, **Chester County**.

Description of Action/Activity: To discharge from a facility known as Huber SRSTP to Pine Creek in Watershed(s) 3-D.

NPDES Permit No. PA0244759, Sewage, **Therese H. Woodman**, 2564 Crum Creek Road, Berwyn, PA 19312.

This proposed facility is located in Easttown Township, **Chester County**.

Description of Action/Activity: To discharge from a facility known as Woodman SRSTP to unnamed Tributary to Crum Creek in Watershed(s) 3-G.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0275671, Stormwater, SIC Code 3713, **Westport Group**, 650 Boulder Drive, Suite 100A Breinigsville, PA 18031.

This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for an existing discharge of stormwater from an industrial activity.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES Permit No. PA0266043, Sewage, **Albert Kuhn**, 240 Springview Road, Carlisle, PA 17015.

This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge from Kendor Summit Lot 10h to Conodoguinet Creek in Watershed 7-B.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. WQG010047, Sewage, **Andrea Temple**, 2494 Washington Lane, Huntingdon Valley, PA 19006.

This proposed facility is located in Lower Moreland Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a small flow treatment facility.

WQM Permit 1509411, Sewage, Renewal, **West Vincent Township**, 729 St. Matthews Road, Chester Springs, PA 19425.

This proposed facility is located in West Vincent Township, **Chester County**.

Description of Action/Activity: Request approval to renew a WQM Part II permit for construction and operation of a 50,000 gpd wastewater treatment facility.

WQM Permit 4699201, Industrial Waste, Amendment, **Johnson Matthey Inc.**, 900 River Road, Conshohocken, PA 19428-2647.

This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Action/Activity: Replacement of existing sand filter with a compressible media filter that utilizes synthetic fiber.

WQM Permit No. 2315401, Sewage, **WaWa Inc.**, 260 Baltimore Pike, WaWa, PA 19063.

This proposed facility is located in Chester Heights Borough, **Delaware County**.

Description of Action/Activity: Construction and operation of a sewage treatment plant.

WQM Permit No. 1515401, Sewage, **Therese Woodman**, 2564 Crum Creek Road, Berwyn, PA 19312.

This proposed facility is located in Easttown Township, **Chester County**.

Description of Action/Activity: Construction and operation of a 500 gpd small flow treatment plant to serve a single family home.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. WQG01211503, Sewerage, **Rhody K. Ross, CPR Properties Rescue, LLC**, 217 Oak Lee Drive, Suite 10-408, Ranson, WV 25438.

This proposed facility is located in Lower Allen Township, **Cumberland County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of a small flow treatment facility to serve 1852 Sheepford Road residence.

WQM Permit No. 2115404, Sewerage, **Albert Kuhn**, 240 Springview Road, Carlisle, PA 17015.

This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of a small flow sewage treatment system to serve Kendor Summit Lot 10h residence.

WQM Permit No. WQG01501501, Sewerage, **Jeffrey N. Simmons, Jr.**, 1858 New Valley Road, Marysville, PA 17053.

This proposed facility is located in Rye Township, **Perry County**.

Description of Proposed Action/Activity: Permit approval for construction/operation of a small flow sewage treatment system to serve their single family residence.

WQM Permit No. WQG01671501, Sewerage, **Carolyn Ney**, 695 Pleasant View Road, Lewisberry, PA 17339.

This proposed facility is located in Fairview Township, **York County**.

Description of Proposed Action/Activity: Permit approval for the installation of a small flow treatment facility for an existing single-family residence property.

WQM Permit No. 0181201 A-2, Industrial Waste, **Knouse Foods Cooperative, Inc.**, 53 East Hanover Street, PO Box 53, Biglerville, PA 17307.

This proposed facility is located in Biglerville Borough, **Adams County**.

Description of Proposed Action/Activity: Permit amendment for the spray irrigation of treated wastewater effluent.

WQM Permit No. 3608202 T-1, Industrial Waste, **Holtwood, LLC**, 835 West Hamilton Street, Allentown, PA 18101.

This proposed facility is located in Martic Township, **Lancaster County**.

Description of Proposed Action/Activity: Permit approval for the transfer of industrial wastewater facilities consisting of a grit chamber/oil/water separator (OWS) system which includes: one 500 gpm OWS unit, four 400 OWS units, one 2,000 gpm OWS unit, and one 60 gpm OWS unit.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023914029	PPL Electric Utilities c/o Mr. Nathan Chaney 1639 Church Street Allentown, PA 18104-9342	Lehigh	Emmaus Borough, Lower Macungie Township, and Upper Milford Township	Little Lehigh Creek (HQ-CWF, MF); Swabia Creek (HQ-CWF, MF); and Leibert Creek (HQ-CWF, MF)
PAI023912025(1)	PPL Electric Utilities Corporation 2 North 9th Street (GENN4) Allentown, PA 18101	Lehigh	Upper Macungie Township, Lower Macungie Township, Upper Milford Township, Lower Milford Township	Cedar Creek (HQ-CWF, MF), Little Lehigh Creek (HQ-CWF, MF), Swabia Creek (HQ-CWF, MF), Leibert Creek (HQ-CWF, MF), UNT to Little Lehigh Creek (HQ-CWF, MF), Hosensack Creek (CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033615004 Issued	Joseph Nolt 915 South Cocalico Road Denver, PA 17517	Lancaster	West Cocalico Township	UNT Cocalico Creek (HQ-WWF, MF) Wetlands

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032114010 Issued	George and Tessie Mallios 312 West Meadow Drive Mechanicsburg, PA 17055	Cumberland	South Middletown Township	LeTort Spring Run (Designated use HQ-CWF) Letort Spring Run (Designated Use CWF, Existing Use HQ-CWF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lower Makefield Township Bucks County	PAG02000912076(3)	Lower Makefield Township 1100 Edgewood Road Yardley, PA 19067	Brook Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Warrington, Montgomery & Horsham Townships Bucks County	PAG02000911062R(1)	Pennsylvania Department of Transportation 7000 Geerdes Boulevard King of Prussia, PA 19406	Little Neshaminy WWF-MF Mill Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Middletown Township Bucks County	PAG02000915040	Empire Abrasive Equipment Company 2101 West Cabot Boulevard Langhorne, PA 19047	Mill Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
New Britain Borough Bucks County	PAG02000915039	Green Tree Group Contracting, LLC 610 Farm Lane Doylestown, PA 18901	Cooks Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Whiteland Township Chester County	ESG 00 029 14 0002	Transcontinental Gas Pipe Line Company, LLC 2800 Post Oak Boulevard Level 17 Houston, TX 77056	Valley Creek/Schuylkill EV	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Westtown Township Chester County	PAG02001515013	West Chester Area School District 829 Paoli Pike West Chester, PA 19380	Unnamed Tributary to East Branch Chester Creek & Chester Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Londonderry Township Chester County	PAG02001515027	Boyd Martin 577 Gibble Road Cochranville, PA 19330	Brandywine Creek via Doe Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Nottingham Township Chester County	PAG02001515011	Spring Hope Family LP 25 Airport Road Nottingham, PA 19362	Northeast Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
London Grove Township Chester County	PAG02001515027	Tony T. Ha, Owner 558 East Baltimore Pike West Grove, PA 19390	Unnamed Tributary to East Branch White Clay Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Charlestown Township Chester County	PAG02001515021	Charlestown Township P. O. Box 507 Devault, PA 9432	French Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Schuylkill Township Chester County	PAG02001514045	Falco Family Trust 317 Lucas Road Phoenixville, PA 19460	Unnamed Tributary to French Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Nottingham Township Chester County	PAG02001515006	James Miller 950 East Main Street Schuylkill Haven, PA 17972	Unnamed Tributary to Northeast Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Pocopson Township Chester County	PAG02001514015	Pocopson Township P. O. Box 1 Pocopson, PA 19366	Pocopson Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

3757

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Pocopson Township Chester County	PAG02001515023	Hallelynn Corporation 244 Harvey Road Chadds Ford, PA 19317	Unnamed Tributary to Brandywine Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Nottingham Township Chester County	PAG02001515015	State Street Products Co, Ltd 105 Duncan Street, Suite A Lancaster, PA 17602	Tweed Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Sadsbury Township Chester County	PAG02001515004	103 Independence Way, LLC 103 Independence Way Coatesville, PA 19320	Unnamed Tributary to Rock Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Chichester Township Delaware County	PAG02002315014	KISH Associates 1390 Birmingham Road West Chester, PA 19382	Naamans Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511505	Domus, Inc. 346 East Walnut Lane Philadelphia, PA 19144	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Forks Township	ESG00095140001(1)	Melissa Dettling Columbia Gas Transmission LLC 5151 San Felipe, Suite 2500 Houston, TX 77056-3639	Monocacy Creek (HQ-CWF, MF)	Northampton County Conservation District 610-746-1971

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bradford County Granville Twp	PAG02000815004	Scott A Nolt RR2 Box 89 Canton, PA 17724	UNT to Towanda Creek CWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd, Ste E Towanda, PA 18848 (570) 265-5539, X 6
Bradford County Wyalusing Twp	PAG02000815005	Lehigh Railway LLC Thomas A Clark 25 Delphine St Owego, NY 13827	UNT to Susquehanna River WWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd, Ste E Towanda, PA 18848 (570) 265-5539, X 6

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Northumberland County Point Twp	PAG02004915005	Doli Construction Corp 505 Spruce Hollow Rd Northumberland, PA 17857	Lithia Springs Creek CWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4
Snyder County Shamokin Dam Boro	PAG02005515008	Dave Brubaker 230 Oak View Rd Northumberland, PA 17857	UNT Susquehanna River WWF, MF	Snyder County Conservation District 403 W Market St Middleburg, PA 17842 (570) 837-3000 X110

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Cumberland County/ Lower Allen Township	PAG043946	Rhody K. Ross CPR Properties Rescue, LLC 217 Oak Lee Drive Suite 10-408 Ranson, PA 25438	Yellow Breeches Creek/CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Blair County/ Antis Township	PAG043654	James & Toni Hennaman 728 Lower Riggles Gap Road Altoona, PA 16601	UNT Riggles Gap Run/CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Dauphin County/ East Hanover Township	PAG043679	Paul Henry 245 Ridge Road Harrisburg, PA 17112	UNT Manada Creek/CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Perry County/ Rye Township	PAG043945	Jeffrey N. Simmons, Jr. 1858 New Valley Road Marysville, PA 17053	Fishing Creek/ CWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
York County Fairview Township	PAG043951	Carolyn Ney 695 Pleasant View Road Lewisberry, PA 17339	UNT to Fishing Creek/TSF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dauphin County/ Lykens Township	PAG123803	Linford Snyder (904 Fearnot Road Site Farm CAFO) PO Box 870 Jonestown, PA 17038	Pine Creek/ CWF/6-C	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Lancaster County/ Penn Township	PAG123686	Glenn & Joel Martin (Glenn Martin Duck Farm CAFO) 2077 Mountain Road Manheim, PA 17545	Behm Run/ WWF/7-G	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lancaster County/ Penn Township & Warwick Township	PAG123806	Dale Rohrer (Rohrer Farms, LLC) 750 Doe Run Road Lititz, PA 17543	Santo Domingo Creek/ CWF/7-J	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Lancaster County Manor Township	PAG123805	Star Rock Dairy, Inc. 175 Chestnut Grove Road Conestoga, PA 17516-9315	Fisherman Run, Frys Run, UNT Conestoga River/ WWF/7-J	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Pleasant View Farms Inc. 261 Pleasant View Farms Lane Martinsburg, PA 16662	Blair	2,784	3,107.5	Dairy	Clover Creek, Piney Creek, Yellow Creek, Plum Creek, Halter Creek	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropri-

ate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 4614526, Public Water Supply.

Applicant **Superior Water Company**
P. O. Box 127
Worcester, PA 19420

Township New Hanover

County **Montgomery**

Type of Facility PWS

Consulting Engineer Keystone Engineering Group, Inc.
1433 East Broad Street
Haddon Heights, NJ 08035

Permit to Construct Issued June 11, 2015

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 4815504MA, Construction Permit Public Water Supply.

Applicant **Easton Suburban Water Authority**
3700 Hartley Avenue
Easton, PA 18045

[Borough or Township] Palmer Township

County **Northampton County**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.
Samuel F. Wood, PE
P O Box 67100
Harrisburg, PA 17106-7100

Permit to Operate Issued 06/17/2015

Permit No. 2450034, Operations Permit Public Water Supply.

Applicant **Brodhead Creek Regional Authority**
410 Mill Creek Rd.
East Stroudsburg, PA 18301

[Borough or Township] Tobyhanna Township

County **Monroe**

Type of Facility PWS

Consulting Engineer David S. Horton, PE
Pennoni Associates, Inc.
2041 Avenue C, Suite 100
Bethlehem, PA 18017

Permit to Operate Issued 6/26/2015

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 0615506 MA, Minor Amendment, Public Water Supply.

Applicant **Reading Area Water Authority**

Municipality Ontelaunee Township

County

Responsible Official

Berks
Dean A. Miller, Executive Director
1801 Kutztown Road
Reading, PA 19604

Type of Facility

Rehabilitation of the existing rectangular sedimentation basins located at the existing treatment building in Ontelaunee Township, Berks County.

Consulting Engineer

Max C. Kurbjun Jr, P.E.
BCM Engineers
920 Germantown Pike
Plymouth Meeting, PA 19462

Permit to Construct Issued

6/22/2015

Permit No. 0613519, Public Water Supply.

Applicant **New Morgan Borough Utilites Authority**

Municipality

New Morgan Borough

County

Berks

Responsible Official

Julian Miraglia, Chairperson
75 Grace Boulevard
Morgantown, PA 19543

Type of Facility

The treatment building for Well No. 1 has been redesigned. The treatment building will be 12' x 24'8" instead of 20' x 20', the raw water meter by-pass piping has been removed, the raw water strainer has been removed and a yard hydrant for system flushing has been added to the originally proposed and approved design.

Consulting Engineer

Frederick E. Ebert, P.E.
Ebert Engineering, Inc.
4092 Skippack Pike
Skippack, PA 19474

Permit to Construct Issued

6/17/2015

Permit No. 2215502 MA, Minor Amendment, Public Water Supply.

Applicant

GSP Management Company

Municipality

Londonderry Township

County

Dauphin

Responsible Official

Frank T. Perano, General Manager
P O Box 677
Morgantown, PA 19543 0677

Type of Facility

Installation of chlorine contact pipe for GWR 4-log inactivation of viruses at Entry Point No. 106.

Consulting Engineer

James A. Cieri Sr, PE
James A. Cieri, PE
914 N Mountain Road
Harrisburg, PA 17112

Permit to Construct Issued

6/15/2015

Operation Permit No. 7676468 issued to: **Glacier Water Services, Inc. (PWS ID No. 7676468)**, York County on 6/22/2015 for facilities submitted under Application No. 1076854.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No 4913502—Operation—Public Water Supply.

Applicant	Aqua Pennsylvania, Inc.—Roaring Creek Division
Township/Borough	Coal Township
County	Northumberland
Responsible Official	Mr. Patrick Burke Regional Manager, Northeast and Central Operations Aqua Pennsylvania, Inc. 204 E. Sunbury Street Shamokin, PA 17872
Type of Facility	Public Water Supply
Consulting Engineer	Margo M. Weigner, P.E. GHD 1240 North Mountain Road Harrisburg, PA 17112 and Jonathan Morris, P.E. GHD 326 East 2nd St. Bloomsburg, PA 17815
Permit Issued	June 22, 2015
Description of Action	Operation of the aboveground Edgewood booster pump station that replaces a belowground booster pump station and a 14,000 gallon water storage tank

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Operation Permit issued to **EWD Enterprises, Inc., PWSID No. 6616598**, Oil City, **Venango County**. Permit Number 6616598 issued June 16, 2015 authorizing EWD Enterprises, Inc. as a bulk water hauler. This permit is issued with the understanding that the approved sources of supply are Venango Water Company (PWSID 6610014) and the City of Oil City (PWSID 6610023).

Construction/Operation Permit issued to **Fryburg Water Company, PWSID No. 6160030**, Washington Township, **Clarion County**, for the construction/operation of the cleaning and rehabilitation of Well No. 1 utilizing the "AQUA FREED"® Technology process. Construction and Operation authorized simultaneously under Permit Number 365W12-T1-MA3 issued June 16, 2015.

Emergency Operation Permit No. 3 issued to **Fox Township (Toby Water), PWSID #6240008**, Fox Township, **Elk County** on June 19, 2015. This permit is issued for the use of the proposed modifications to the interconnection with the Saint Marys Water Authority and at the water treatment plant to facilitate serving the entire Fox Township distribution system via the interconnection.

Permit No., 361W2-T2-MA5 Public Water Supply	
Applicant	Millcreek Township Water and Sewer Authority
Township or Borough	City of Erie
County	Erie
Type of Facility	Public Water Supply
Consulting Engineer	Jason G. Saylor, P.E. Utility Service Company, Inc. 535 Courtney Hodges Blvd. Perry, GA 31069
Permit to Construct Issued	June 24, 2015

Transfer of Operation Permit issued to **Timothy D. Phelps, PWSID No. 5100018**, Middlesex Township, **Butler County** on June 24, 2015. Action is for change in ownership; the potable water supplier will do business as Sandy Hill Estates Mobile Home Park. The new permit number is 1088512-T3.

Transfer of Operation Permit issued to **Aqua Pennsylvania, Inc., PWSID No. 6420018**, Mount Jewett Borough, **McKean County** on June 24, 2015. Action is for change in ownership; the potable water supplier will do business as Aqua PA—Mt. Jewett Water System. The new permit number is 4296502-T2.

Operation Permit issued to **Meadville Area Water Authority, PWSID No. 6200036**, Vernon Township, **Crawford County**. Permit Number 2013502 issued June 23, 2015 for the operation of the new 300,400-gallon clearwell and chemical storage/treatment building. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on June 10, 2015.

HAZARDOUS SITES CLEANUP UNDER THE ACT OF OCTOBER 18, 1988

Public Notice of Proposed Consent Order and Agreement

AZC Smelter Site; Smith Township, Washington County

Under section 1113 of the Hazardous Sites Cleanup Act (35 P. S. § 6020.1113) (HSCA), notice is hereby given that the Department of Environmental Protection (Department) has entered into a proposed Consent Order and Agreement (CO&A) with **Cyprus Amax Minerals Company (Cyprus)** for the pre-design investigation and development of cleanup plan designs for the former American Zinc and Chemical Company Smelter (Site). The Site is located in Smith Township, **Washington County**.

The terms of the settlement are set forth in the CO&A, which is available for review at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA. The Department will receive and consider comments relating to the CO&A for 60 days from the date of this Public Notice. Comments may be submitted, in writing, to Terry Goodwald, Department of Environmental Protection, Hazardous Sites Cleanup, 400 Waterfront Drive, Pittsburgh, PA 15222. Further information may be obtained by contacting Mr. Goodwald at 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at 800-645-5984.

The Department has reserved the right to withdraw its consent to the CO&A if comments concerning the CO&A disclose facts or considerations which indicate that the CO&A is inappropriate, improper, or not in the public interest. A person adversely affected by the settlement may file an appeal with the Pennsylvania Environmental Hearing Board.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

4830 William Penn Highway, 4830 William Penn Highway, Bethlehem Township, **Northampton County**. Taylor GeoServices, 38 Bishop Hollow Road, Newtown Square, PA 19073, on behalf of Roadrunner Transportation Services, 4900 South Pennsylvania Avenue, Cudahy, WI 53110, submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene,

Ethylbenzene, MTBE, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene and Cumene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass 484-250-5787

Frankford & Darrah Site, 5129-5135 Frankford Avenue, City of Philadelphia, **Philadelphia County**. Kenneth M. Yoder, PG, BL Companies, Inc., 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011 on behalf of Loren Aloi, Rite Aid of Pennsylvania Inc., 30 Hunter Lane, Camp Hill, PA 17011 has submitted a Final Report concerning remediation of site groundwater contaminated with no. 2 fuel oil and chlorinated solvents. The report is intended to document remediation of the site to meet the Site Specific Standard. PF716772.

Hindlinter Residence, 128 Valley Lane, Lower Providence Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038, Robert Hindlinter, 128 Valley Lane, Norristown, PA 19403 on behalf of Linda Hampton, Valley Forge Group, LP, 1311 Catfish Lane, Norristown, PA 19403 has submitted a 90 day Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF782973.

Miller Residence, 607 Barrett Avenue, Lower Moreland Township, **Montgomery County**. Paul Miller, 607 Barrett Avenue, Huntingdon Valley, PA 19006 on behalf of Andy Meadows, J&J Environmental, Inc., P. O. 370, Blue Bell, PA 19422, Alan Hirschfeld, L&A Environmental Specialties, 219 Lauren Road, Schwenksville, PA 19473 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF774989.

2201 East Aurburn Street, 2201 East Aurburn, City of Philadelphia, **Philadelphia County**. Jenny Cutright, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142, Sara Szymanski, REPSG, Inc., 6901, Kingsessing Avenue, Suite 201, Paul Aylesworth, Women's Community Revitalization Project, 100 West Oxford Street, Suite E-2300, Philadelphia, PA 19122 on behalf of City of Philadelphia Department of Public Property, Real Estate Division, 1030 Municipal Services B, Philadelphia, PA 19102 has submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with arsenic, heating compounds and pah's. The report is intended to document remediation of the site to meet the Site Specific Standard. PF784657.

Presidential City Apartments Madison Building, 3900 Presidential Boulevard, City of Philadelphia, **Philadelphia County**. Stephan Brower, Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482-0810 on behalf of Post Presidential Property Owner, LLC, BLDG, Philadelphia, L.P., 417 Fifth Avenue, New York, NY 10016 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the site Specific Standard/Statewide Health Standard. PF755690.

Budget/Avis Rent A Car, 6501 Essington Avenue/6439 Passyunk Avenue, City of Philadelphia, **Philadelphia County**. Bernie Boldt, MCK Real Estate Corporation, 152 East 22nd Street, Suite B, Indianapolis, Indiana 46202 on behalf of Tripp Fischer P. G., Brownfield Science & Technology, 3157 Limestone Road, Cochranville, PA 19330 has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with voc's, svoc's and metals. The report is intended to document remediation of the site to meet the Site Specific Standard. PF785096.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

US Cold Storage, 15 Emery Street, Bethlehem City, **Northampton County**. HDR Engineering, Inc., 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015, on behalf of LVIP, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, submitted a Final Report concerning remediation of site soils contaminated with Cadmium, Chromium, Lead, Manganese, Arsenic, Iron, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Dibenzo(a,h)anthracene, Indeno(1,2,3-cd)pyrene, Naphthalene. The report is intended to document remediation of the site to meet the Site-Specific Standard. The Final Report demonstrated attainment of the Site Specific Standard, and was approved by the Department on June 26, 2015.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Dowell Schlumberger, 1375 West Pleasant Street, City of Corry, **Erie County**. URS Corporation, 257 West Genesee Street, Suite 400, Buffalo, NY 14202, on behalf of Schlumberger Technology Corporation, 105 Industrial Boulevard, Sugar Land, TX 77478, submitted a Remedial Investigation/Risk Assessment/Final Report concerning the remediation of site soil contaminated with 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloro-1,2,2-trifluoroethane, 1,1,2-Trichloroethane, 1,1-Dichloroethane, 1,1-Dichloroethene, 1,2,4-Trichlorobenzene, 1,2-Dibromo-3-chloropropane, 1,2-Dichlorobenzene, 1,2-Dichloroethane, 1,2-Dichloropropane, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, 2-Hexanone, 4-Methyl-2-pentanone, Acetone, Benzene, Bromodichloromethane, Bromoform, Bromomethane, Carbon disulfide, Carbon Tetrachloride, Chlorobenzene, Chloroethane, Chloroform, Chloromethane, cis-1,2-Dichloroethene, cis-1,3-Dichloropropene, Cyclohexane, Dibromochloromethane, Dichlorodifluoromethane, Ethylbenzene, Isopropylbenzene (Cumene), Methyl acetate, Methyl Ethyl Ketone (2-Butanone), Methyl tertiary butyl ether (MTBE), Methylcyclohexane, Methylene chloride, Styrene, Tetrachloroethylene (PCE), Toluene, Total Xylenes, trans-1,2-Dichloroethene, trans-1,3-Dichloropropene, trans-1,2-Dichloropropene, Trichloroethene (TCE), Trichlorofluoromethane, Vinyl Chloride, 2,4,5-Trichlorophenol, 2,4,6-Trichlorophenol, 2,4-Dichlorophenol, 2,4-Dimethylphenol, 2,4-Dinitrophenol, 2,4-Dinitrotoluene, 2,6-Dinitrotoluene, 2-Chloronaphthalene, 2-Chlorophenol, 2-Methylnaphthalene, 2-Methylphenol, 2-Nitroaniline, 2-Nitrophenol, 3,3'-Dichlorobenzidine, 3-Nitroaniline, 4,6-Dinitro-2 Methylphenol, 4-Bromophenyl phenyl ether, 4-Chloro-3-methylphenol, 4-Chloroaniline, 4-Chlorophenyl phenyl ether, 4-Nitroaniline, 4-Nitrophenol, Acenaphthene, Acenaphthylene, Acetophenone, Anthracene, Atrazine, Benzaldehyde, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Benzyl Butyl phthalate, Biphenyl (Diphenyl), Bis(2-chloroisopropyl) ether, Bis(2-chloroethoxy) methane, Bis(2-chloroethyl) ether, Bis(2-ethylhexyl) phthalate, Caprolactam, Carbazole, Chrysene, Dibenz[a,h]anthracene, Dibenzofuran, Diethyl phthalate, Dimethyl phthalate, Di-n-butyl phthalate, Di-n-octyl phthalate, Fluoranthene, Fluororene, Hexachlorobenzene, Hexachlorobutadiene, Hexachlorocyclopentadiene, Hexachloroethane, Indeno[1,2,3-c,d]pyrene, Isophorone, Naph-

thalene, Nitrobenzene, N-nitrosodi-n-propylamine, N-nitrosodiphenylamine, Pentachlorophenol, Phenanthrene, Phenol, Pyrene, Ethylene Glycol and groundwater contaminated with 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloroethane, 1,1,2-Trichlorotrifluoroethane, 1,1-Dichloroethane, 1,1-Dichloroethene, 1,2,4-Trichlorobenzene, 1,2-Dibromo-3-Chloropropane, 1,2-Dibromoethane (EDB), 1,2-Dichlorobenzene, 1,2-Dichloroethane, 1,2-Dichloroethylene (total), 1,2-Dichloropropane, 1,3-Dichlorobenzene, 1,4-Dichloroethene, 2-Butanone, 2-Hexanone, 4-Methyl-2-pentanone (MIBK), Acetone, Benzene, Bromodichloromethane, Bromoform, Bromomethane, Carbon disulfide, Carbon Tetrachloride, Chlorobenzene, Chlorodibromomethane, Chloroethane, Chloroform, Chloromethane, cis-1,2-Dichloroethene, Cyclohexane, Dichlorodifluoromethane, Ethylbenzene, Isopropylbenzene, Methyl acetate, Methyl tert-butyl ether, Methylene Chloride, cis-1,3-Dichloropropene, Styrene, Tetrachloroethylene (PCE), Toluene, Total Xylenes, trans-1,2-dichloroethene, Methylcyclohexane, Trichloroethene (TCE), Trichlorofluoromethane, and Vinyl Chloride. The Final Report demonstrated attainment of a combination of the Site-Specific and Statewide Health Standards and was approved by the Department on June 9, 2015.

Southwest Region: Environmental Cleanup & Brown-field Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Indiana Work Center, 76 Airport Road, White Township, **Indiana County**. Leidos Engineering, LLC., 180 Gordon Drive Suite 109, Exton, PA 19341 on behalf of Verizon Pennsylvania, LLC., 966 South Matlack Street, West Chester, PA 19382 submitted a Remedial Investigation/Final Report concerning the remediation of site groundwater contaminated with BTEX and chlorinated solvents and site soils contaminated with tetrachloroethylene and chloroform. The RIR/FR demonstrated attainment of residential Statewide Health standard for groundwater and Site Specific standard for soil and was approved by the Department on June 26, 2015.

Former Invensys Appliance Controls (formerly: Siebe Appliance Controls; Robert Shaw Controls), One Westinghouse Drive, Borough of New Stanton, **Westmoreland County**. CB&I Environmental Infrastructure, Inc., 2790 Mossie Boulevard, Monroeville, PA 15146 on behalf of Schneider Electric, 33 Commercial Street, C42-2G, Foxboro, MA 02035 submitted a Baseline Risk Assessment concerning the remediation of site soils and groundwater contaminated primarily with chlorinated solvents and volatile organic compounds. The Baseline Risk Assessment was approved by the Department on June 26, 2015.

REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

Registration for General Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities (25 Pa. Code § 287.611 relating to authorization for general permit).

South Central Regional Office: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

General Permit No. WMGR109-SC007. Keystone Holdings, LLC, 2850 Appleton Street, Camp Hill, PA 17011-8039. The Department of Environmental Protection has approved a registration under General Permit

WMGR109 to Keystone Holdings, LLC for the processing and beneficial use of used restaurant oil, yellow grease, grease trap waste, oil and animal fats from food processing or rendering plants, waste from ethanol production, soy bean soap stock, float grease (from wastewater treatment plants), and off-specification vegetable oil for use as a biofuel or biodiesel. This Registration is for their location at 2850 Appleton Street, Camp Hill, PA 17011-8039 in Lower Allen Township, **Cumberland County**. The permit for this facility was issued on June 25, 2015.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone, 412-442-4000.

General Permit No. WMGR017SW001. Somerset County General Authority, 300 North Center Avenue, Suite 500, Somerset, PA 15501. The General Permit allows for the beneficial use of drinking water plant treatment sludge for use as a soil additive on agricultural lands in Jenner Township, **Somerset County**. Determination of Applicability for coverage under the General Permit was issued in the Regional Office on June 23, 2015.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP9-15-0022- Berwyn Real Estate L.P. (1450 E. Lancaster Avenue, Paoli, PA 19312) On June 29, 2015 for a diesel-fired internal combustion engine for an emergency generator in Tredyffrin Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

GP1-22-03007: Pinnacle Health Systems (218 S. 2nd Street, Harrisburg, PA 17104) on June 16, 2015, for two (2) existing natural gas/#2 oil-fired boilers, 25.1 MMbtus/hr. each, at the Polyclinic Hospital located in the City of Harrisburg, **Dauphin County**. The general permit authorization was renewed.

GP14-28-03001: Kelso-Cornelius Funeral Home, Ltd. (725 Norland Avenue, Chambersburg, PA 17201) on June 23, 2015, for an existing human crematory at the

funeral home located in Chambersburg Borough, **Franklin County**. The general permit authorization was renewed.

GP3-06-03165: Liberty Excavators, Inc. (4402 Gettysburg Road, Camp Hill, PA 17011) on June 25, 2015, for a portable nonmetallic mineral processing plant under GP3 at the Conestoga Landfill, in New Morgan Borough, **Berks County**.

GP11-06-03165: Liberty Excavators, Inc. (4402 Gettysburg Road, Camp Hill, PA 17011) on June 25, 2015, for three nonroad engines under GP11, to power portable nonmetallic mineral processing equipment at the Conestoga Landfill, in New Morgan Borough, **Berks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Devendra Verma, New Source Review Chief—Telephone: 814-332-6940

GP5-37-347B: Hilcorp Energy Pulaski Carlisle Central Facility (Brown School Road, Pulaski, PA 16143) on June 24, 2015, for the authorization to construct and/or operate two (2) natural gas fired compressor engines (Caterpillar G3516B) and produced water storage tanks (BAQ-GPA/GP5) located at your facility in Pulaski Township, **Lawrence County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

ER-67-05012A: Transcontinental Gas Pipeline Co., LLC (2800 Post Oak Blvd., Houston, TX 77056) on June 24, 2015, for an Air Quality Emission Reduction Credit (ERC) approval of the following emission reductions from the permanent shutdown of three Nordberg FSE-16 engines (Source IDs 033, 034 and 035), at the natural gas transmission station (Station 195) in Peach Bottom Township, **York County**: CO: 223.6 tpy; NO_x: 370.4 tpy; PM_{2.5}: 6.7 tpy; SO_x: 0.2 tpy; VOC: 39.0 tpy.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

17-00021A: West Branch Area School District (516 Allport Cutoff, Morrisdale, PA 16858-9725) on June 16, 2015, to construct a 5.8 MMBtu/hr Hurst FB-900 biomass-fired boiler and for the installation of a Clarage, Inc. high efficiency, multiple cyclone at their facility located in Morris Township, **Clearfield County**. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for

Plan Approval 17-00021A, the terms and conditions of the plan approval will subsequently be incorporated via administrative amendment into State Only (Natural Minor) Operating Permit 17-00021 in accordance with 25 Pa. Code § 127.450.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

15-0110B Pepperidge Farms (421 Boot Road, Downingtown, PA 19335) On June 26, 2015, to manufacturing bread, cakes and related products in Downingtown Borough, **Chester County**.

15-0021A Glasgow Inc. (P. O. Box 1089, Glenside, PA 19038) On June 26, 2015 for mining crushed and broken limestone in Est Whiteland Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

67-05092H: Starbucks Coffee Company (3000 Espresso Way, York, PA 17406) on June 19, 2015, for the construction of the following sources: two coffee roasters controlled by a regenerative thermal oxidizer; two cooling trays controlled by dedicated cyclones; two destoners controlled by dedicated cyclones; and a chaff press controlled by a cyclone at its York Roasting Plant in East Manchester Township, **York County**. The plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

63-00968A: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 1, Suite 1600, Denver, CO 80202-2137) Extension effective June 24, 2015, to extend the period of temporary operation of eight new rich burn natural gas-fired compressor engines rated at 1,980 bhps each and controlled by three-way catalysts authorized under PA-63-00968A until December 24, 2015, at the Smith Compressor Station located in Smith Township, **Washington County**.

63-00936F: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202) Extension/modification issued on June 19, 2015, to allow temporary operation of Houston 4, remove the Houston 2 hot oil heater, adopt the requirements of 40 CFR Part 60, Subpart OOOO for the entire facility, and to extend the period of temporary operation of all sources authorized this plan approval at the Houston Gas Plant located in Chartiers Township, **Washington County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00055: Cheyney University (1837 University Circle, Cheyney, PA 19319) On June 29, 2015 for the operation of three (3) miscellaneous natural gas-fired boilers, two (2) 55-kWs Detroit Diesel generators, five (5) miscellaneous natural gas-fired air-conditioning chiller and other exempted or miscellaneous sources in Thornbury Township, **Delaware County**. This action is a renewal of the State Only Operating Permit. The initial permit was issued on 8-12-2004 and was renewed on 7-30-2009. The permit is for a non-Title V, Synthetic Minor facility. The permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

46-00281: Matheson Tri-Gas, Inc. (1700 Scepter Road, Waverly, TN 37185) On June 29, 2015 for operating an industrial gas manufacturing plant in Upper Hanover Township, **Montgomery County**. This is an initial State-Only Operating Permit that includes emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility in compliance with all applicable Federal and state air quality regulations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

40-00036: SAPA Extruder, Inc. (330 Elmwood Avenue, Crestwood Industrial Park, Mountain Top, PA 18707) issued 6/24/2015, for the operation of a aluminum extruding facility in Wright Township, **Luzerne County**. The sources consist of natural gas fired boilers, anodizing tanks, and deburring machines. The sources are controlled by wet scrubbers, a cyclone, and a baghouse. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

54-00080: Hexcel Corporation (P. O. Box 179, Pottsville, PA 17901-0179) issued on 06/23/2015, for the operation of an aircraft manufacturing facility in East Norwegian Township, **Schuylkill County**. The operation consists of heat treating, machining, and cleaning of parts. This is a renewal of a State-Only operating permit. The State-Only operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702

07-03033: James E. Van Zandt VA Medical Center (2907 Pleasant Valley Blvd., Altoona, PA 16602-4377) on

June 24, 2015, for the boilers and generators at the veteran's hospital facility located in Logan Township, **Blair County**. The State-only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

04-00727: Five Points Veterinary Clinic/Crematory (2057 Brodhead Road, Aliquippa, PA 15001) on June 22, 2015 the Department issued a State Only Operating Permit for the operation of an animal crematory located in Hopewell Township, **Beaver County**. Five Points Veterinary Clinic operates a natural gas incinerator with after burner chamber. This facility has the potential to emit 0.52 tpy PM, 0.99 tpy CO, 0.18 tpy SO_x, 0.38 tpy NO_x, and 0.23 tpy VOC. This facility is subject to the applicable requirements of *Pennsylvania Code*, Chapters 121—145.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-0003Y: Monroe Energy, LLC (4101 Post Road, Trainer, PA 19061) On June 29, 2015 for minor modification to the Plan Approval for installing a new or reconstructed boiler (Source ID 053) in Upper Darby Township, **Delaware County**. The minor modification is to change the source name to Boiler No. 14, and to incorporate 5 tons of NO_x emission reduction credits into the plan approval.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00035: Regency NEPA Gas Gathering, LLC (101 West Third St., Williamsport, PA 17701) issued a revised State Only (Natural Minor) operating permit on June 22, 2015, for a change in ownership of the God Compressor Station facility from Chief Gathering, LLC to Regency NEPA Gas Gathering, LLC. This facility is located in Monroe Township, **Bradford County**. This revised State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions.

08-00034: Regency NEPA Gas Gathering, LLC (101 West Third St. Williamsport, PA 17701) issued a revised State Only (Natural Minor) operating permit on June 22, 2015, for a change in ownership of the Cuddy Compressor Station facility from Chief Gathering, LLC to Regency NEPA Gas Gathering, LLC. This facility is located in Monroe Township, **Bradford County**. This revised State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30743711 and NPDES No. PA0235440. Cumberland Coal Resources, LP, (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370). To revise the permit for the Cumberland Mine Coal Refuse Disposal Facility in Whiteley Township, **Greene County** and related NPDES permit to modify the water handling plan for the Advanced Water Treatment (AWT) project. Surface Acres Proposed 26.6. No additional discharges. The application was considered administratively complete on October 23, 2014. Application received March 31, 2014. Permit issued June 19, 2015.

30743711 and NPDES No. PA0033511. Cumberland Coal Resources, L.P., (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370). To revise the permit for the Cumberland Mine Coal Refuse Disposal Facility in Whiteley, Greene and Monongahela Townships, **Greene County** and related NPDES Permit to add 229.6 acres to install the Monongahela River discharge pipeline from Kirby, PA near the Cumberland Mine Coal Refuse Disposal Facility in Kirby, PA to the Alicia Harbor Site in Alicia, Pennsylvania. The subsurface pipeline will be approximately 14 miles long and carry mine water treated effluent for discharge to the Monongahela River via permitted Outfall 001. Coal Refuse Disposal Support Acres Proposed 229.6. The application was considered administratively complete on March 3, 2015. Application received January 30, 2015. Permit issued June 19, 2015.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 32830113 and NPDES No. PA0605778. Beilchick Brothers, P. O. Box 7, Heilwood, PA 15745, permit renewal of a bituminous surface and auger mine in Buffington Township, **Indiana County**, affecting 410.5 acres. Receiving streams: unnamed tributaries to/and Mardis Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 19, 2014. Permit issued: June 16, 2015.

Permit No. 56060105 and NPDES No. PA024997. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, transfer of an existing bituminous surface and

auger mine from AMFIRE Mining Co., LLC, One Energy Place, Latrobe, PA 15650, located in Jenner Township, **Somerset County** affecting 120.1 acres. Receiving streams: unnamed tributaries to/and Quemahoning Reservoir to the Stoney Creek River to the Conemaugh river classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Cambria-Somerset Authority. Application received: December 31, 2014. Permit issued: June 23, 2015.

Permit No. 56080103 and NPDES No. PA0262617. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, transfer of an existing bituminous surface mine from AMFIRE Mining Co., LLC, One Energy Place, Latrobe, PA 15650, located in Milford Township, **Somerset County** affecting 105.5 acres. Receiving streams: unnamed tributaries to/and South Glad Creek to the Casselman River to the Youghiogheny River classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: December 31, 2014. Permit issued: June 23, 2015.

Permit No. 56960106 and NPDES No. PA0234192. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, transfer of an existing bituminous surface and auger mine from AMFIRE Mining Co., LLC, One Energy Place, Latrobe, PA 15650, located in Lincoln Township, **Somerset County** affecting 352.6 acres. Receiving streams: North Branch Quemahoning Creek and Horner Run classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Quemahoning SWI. Application received: December 31, 2014. Permit issued: June 23, 2015.

Permit No. 11130104 and NPDES No. PA0279331. Rampside Collieries, Inc., 527 Slate Hill Road, Berlin, PA 15530, commencement, operation and restoration of a bituminous surface mine in Richland Township, **Cambria County**, affecting 18.0 acres. Receiving stream: Solomon Run classified for the following use: warm water fishes. The first downstream potable water supply intake from the point of discharge is Buffalo Township Municipal Authority intake at Freeport, PA on Allegheny River. Application received: September 18, 2014. Permit issued: June 25, 2015.

Permit No. 56120114 and NPDES No. PA0269158. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, commencement, operation and restoration of a bituminous surface mine in Elk Lick and Summit Townships, **Somerset County**, affecting 353 acres. Receiving streams: unnamed tributaries to/and Casselman River classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 15, 2012. Permit issued: June 25, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54783205R6. RJBB Coal Company (143 Trenton, Mahanoy City, PA 17948), renewal of an existing anthracite coal refuse reprocessing operation in Delano Township, **Schuylkill County** affecting 4.0 acres, receiving stream: North Mahanoy Creek. Application received: December 3, 2014. Renewal issued: June 22, 2015.

Permit No. 54783205GP104. RJBB Coal Company (143 Trenton, Mahanoy City, PA 17948), General NPDES Stormwater Permit for stormwater discharges associated

with mining activities on Surface Mining Permit No. 54783205 in Delano Township, **Schuylkill County**, receiving stream: North Mahanoy Creek. Application received: December 23, 2014. Permit issued: June 22, 2015.

Noncoal Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

14050301 and NPDES PA0256161. Glenn O. Hawbaker, Inc. (1952 Waddle Rd, Suite 203, State College, PA 16803). NPDES renewal for continue operation and reclamation of a large noncoal surface mining site located in Spring Township, **Centre County** affecting 39.0 acres. Receiving stream(s): Spring Creek. Application received: April 10, 2015. Permit issued: June 22, 2015.

53150801 and NPDES PA0269638. Spencer L. Empet (11164 State Route 106, Kingsley, PA 18826) Commencement, operation, and restoration of a flagstone operation in West Branch Township, **Potter County** affecting 5.0 acres. Receiving stream(s): Little Kettle Creek classified for the following use(s): EV and MF. Application received: January 9, 2015. Permit issued: June 22, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 58140802. Carl S. Johnson (14339 Dimock to Nicholson Road, Hop Bottom, PA 18834), Commencement, operation and restoration of a quarry operation in Springville Township, **Susquehanna County** affecting 5.0 acres, receiving stream: Meshoppen Creek to Susquehanna River. Application received: March 20, 2014. Permit Issued: June 23, 2015.

Permit No. 58140802GP104. Carl S. Johnson (14339 Dimock to Nicholson Road, Hop Bottom, PA 18834), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58140802 in Springville Township, **Susquehanna County**, receiving stream: Meshoppen Creek to Susquehanna River. Application received: March 20, 2014. Permit Issued: June 23, 2015.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

41154101. Midstream Explosives LLC (289 Southside Drive, Newville, PA 17241). Blasting for pipeline located in Jackson Township, **Lycoming County** and Liberty and Union Townships, **Tioga County** with an expiration date of June 17, 2016. Permit issued: June 22, 2015.

14154105. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866). Blasting for construction at the State College High School located in State College Borough, **Centre County** with an expiration date of December 30, 2015. Permit issued: June 23, 2015.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

30154001. KESCO, Inc. (215 South Main Street, Zelienople, PA 16063). Blasting activity permit for the construction of the Franklin Denny Gas Well Pad, to conduct seismic activity located in Springhill Township, **Greene County** with an exploration date of October 30, 2015. Blasting permit issued: June 24, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 15154102. Brubacher Excavating, Inc., (P. O. Box 528, Bowmansville, PA 17507-0528), construction blasting for Weather Stone in West Vincent Township, **Chester County** with an expiration date of June 8, 2016. Permit Issued: June 22, 2015.

Permit No. 23154104. Maine Drilling & Blasting, Inc., (P. O. Box 1140, Gardiner, ME 04345-1140), construction blasting for Ellis Preserve in Newtown Township, **Delaware County** with an expiration date of June 10, 2016. Permit issued: June 22, 2015.

Permit No. 15154103. Schlouch Inc., (P. O. Box 69, Blandon, PA 19510-0069), construction blasting for Washington Square Phase 2 in East Vincent Township, **Chester County** with an expiration date of June 12, 2016. Permit Issued: June 24, 2015.

Permit No. 36154121. M & J Explosives, LLC., (P. O. Box 1248, Carlisle, PA 17013), construction blasting for Alexi Development in Manheim Township, **Lancaster County** with an expiration date of June 22, 2016. Permit Issued: June 24, 2015.

Permit No. 39154105. Brubacher Excavating, Inc., (P. O. Box 528, Bowmansville, PA 17507-0528), construction blasting for Trexler Fields in Upper Macungie Township, **Lehigh County** with an expiration date of June 22, 2016. Permit Issued: June 24, 2015.

Permit No. 58154123. DW Drilling & Blasting, LLC., (2042-B S. Brentwood Blvd. Suite 115, Springfield, MO 65804-2560), construction blasting for Ferguson Gas Pad in Harford Township, **Susquehanna County** with an expiration date of June 17, 2016. Permit Issued: June 24, 2015.

Permit No. 67154111. Newville Construction Services, Inc., (408 Mohawk Road, Newville, PA 17214-9424), construction blasting for Glade Village in Penn Township, **York County** with an expiration date of December 31, 2015. Permit Issued: June 24, 2015.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2

Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E09-992. Chalfont Borough, 40 North Main Street, Chalfont, PA 18914-2912, Chalfont Borough, and New Britain Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain a 10-foot wide shared-use trail along the north side floodway/floodplain of the Neshaminy Creek (TSF, MF). The proposed trail will extend between Blue Jay Road in New Britain Township and an existing trail south of Lenape Lane in Chalfont Borough, which will serve as a connection between community facilities and other trails.

The site is located approximately 700 feet southwest of Lenape Lane (Doylestown, PA USGS Quadrangle, Latitude: 40.281179; Longitude: -75.197356).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E23-513. Middletown Township Sewer Authority, 27 N. Pennell Road, Lima, PA 19037, Middletown Township, **Delaware County**, ACOE Philadelphia District.

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

To upgrade, reconstruction, and maintenance of existing 21 and 27-inch sanitary sewer interceptors, siphons, and

manholes to service portions of Aston and Middletown Townships. The project is referred to as the Middletown Township Sewer Authority's Chester Creek Interceptor Phase 1 Project. The interceptor will have three crossings of Chester Creek, one crossing of Chrome Run, and three crossings of wetlands (totaling 337 linear feet). The 8,410 linear feet sewer will be located in the 100-year floodplain/floodway as will six siphon chambers and 34 manholes. These stream and wetland crossings will be authorized under a GP-5. A single temporary access road to the Chrome Run crossing is authorized with a GP-8. The floodway and floodplain impacts are authorized by the 105/106 Water Obstructions and Encroachment Permit. The interceptor will begin in the vicinity of Mount and Penell Roads (Latitude 39.891497, Longitude -75.431639) and extend to an existing Southwest Delaware County Municipal Authority in the vicinity of Creek and Knowlton Roads (Latitude 39.877169, Longitude -75.418742).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-611: Royalton Borough, 101 Northumberland Street, Middletown, PA 17057 in Royalton Borough, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To (1) install and maintain a 241 linear foot 32-inch plastic liner within an existing 36-inch diameter culvert with scour protection UNT Susquehanna River (WWF, MF) (40° 11' 12.7", -76° 43' 12.5"), (2) remove existing structures and to install and maintain 467 linear feet of 41-inch x 53-inch ASRP, 48-inch SLCPP and open channel with multiple stream habitat structures in a UNT Susquehanna River (WWF, MF) (40° 11' 9.1", -76° 43' 31.5"), (3) to remove 42 linear feet of existing vegetation along Royalton Cannel and to install and maintain erosion control matting (40° 11' 7.7", -76° 43' 41.1"). No wetlands will be impacted by this project. The permit was issued on June 22, 1025.

E67-913: Defense Logistics Agency Installation Support, 5750 3rd Street, Building 750, New Cumberland, PA 17070-5076 in Fairview Township, **York County**, U.S. Army Corps of Engineers, Baltimore District.

To 1) extend and maintain an existing 18.0-inch reinforced concrete pipe culvert by 160.0 feet with a 66.0-inch reinforced concrete pipe culvert at the downstream end in an unnamed tributary to Marsh Run (Latitude: 40°12'23.64"; Longitude: -76°51'1.10"); 2) relocate, improve and maintain 300.0 feet of stream channel with the installation of step-pools, root wad/rock revetments and bank grading in an unnamed tributary to Marsh Run (WWF) (Latitude: 40°12'23.64"; Longitude: -76°51'1.10"); 3) install and maintain a temporary stream crossing in an unnamed tributary to Marsh Run (WWF) (Latitude: 40°12'22.00"; Longitude: -76°51'0.18"); 4) extend and maintain an existing 60.0-inch reinforced concrete pipe culvert in kind by 191.0 feet at the downstream end in an unnamed tributary to Marsh Run (Latitude: 40°12'23.64"; Longitude: -76°51'1.10"); 5) improve and maintain 200.0 feet of stream channel with the installation of step-pools, root wad/rock revetments and bank grading in an unnamed tributary to Marsh Run (WWF) (Latitude:

40°12'22.06"; Longitude: -76°50'56.43"); 6) extend and maintain a 42.0-inch reinforced concrete pipe culvert in kind by 114.0 feet at the downstream end in an unnamed tributary to Marsh Run (Latitude: 40°12'21.22"; Longitude: -76°50'53.11"); 7) improve and maintain 65.0 feet of stream channel with the installation of step-pools, rock toe stabilization and bank grading in an unnamed tributary to Marsh Run (WWF) (Latitude: 40° 12' 21.22"; Longitude: -76° 50' 53.11"); 8) install and maintain a temporary stream crossing in an unnamed tributary to Marsh Run (WWF) (Latitude: 40°11'53.61"; Longitude: -76°49'46.23"); 9) place and maintain fill in a palustrine forested (PFO) wetland, temporarily impacting 0.05 acre and permanently impacting 0.05 acre of wetland (Latitude: 40°12'21.51"; Longitude: -76°50'55.65") all for the purpose of improving access control points 3 and 4 at the Defense Distribution Center, Susquehanna in Fairview Township, York County. Stream mitigation includes a 225.0 foot enhancement to a unnamed tributary to Marsh Run (WWF) and a 75.0 foot enhancement to a separate unnamed tributary to Marsh Run (WWF), including step pools, rock toe stabilization, coir log banks, and bank grading to create bankfull benches. The permittee proposes to provide 0.22 acre of replacement PFO wetland, temporarily impacting 0.03 acre of wetland for a temporary access road. The project is located on Old Depot Road at the entrance to the Defense Distribution Center (Steelton, PA Quadrangle, Latitude: 40°12'24.0"N, Longitude: 76°50'59.0") in Fairview Township, York County. The permit was issued on June 17, 2015.

E07-453: U.S. Fish & Wildlife Service, 110 Radnor Road, Suite 101, State College, PA 16801 in Blair Town-

ship, **Blair County**, U.S. Army Corps of Engineers, Baltimore District.

To (1) relocate and maintain 670 linear feet of Poplar Run (CWF, MF), and (2) install and maintain 28 log vanes, 17 deflectors deflector, 11 muddills approximately 591 feet in total length, 8 bank-full benches 2,104 linear feet in total length all at beginning at Latitude: 40° 23' 19.30"; Longitude: -78° 25' 3.54" and continuing to Latitude: 40° 23' 28.13"; Longitude -78° 24' 46" in Poplar Run (CWF, MF), all for the purpose of improving restoring this reach of Poplar Run in upstream and downstream of State Route 36 in Blair Township, Blair County. The permit was issued on June 17, 2015.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E17-491. Pennsylvania Department of Conservation and Natural Resources, Bureau of Forestry, 400 Market Street, Sixth Floor, PO Box 8552, Harrisburg, PA 17105-8552. PA DCNR Quehanna Equestrian Trails Project. Covington and Karthaus Townships, **Clearfield County**, ACOE Baltimore District (Pottersdale, PA Quadrangle, Latitude: 41° 11' 05"; Longitude: -78° 06' 03").

This authorization gives consent to modify, operate and maintain an existing public trail system to improve and further expand the Quehanna Equestrian Trails within the Moshannon State Forest. Modification and upgrades to the existing trail system to safely accommodate increased equestrian riding requires five (5) stream and one (1) wetland encroachments at the following locations:

<i>Impact ID</i>	<i>Regulated Feature</i>	<i>Activity</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Activity Length</i>	<i>Water Quality</i>
1	Unnamed Tributary Little Moyer Run	Trail Crossing Culvert Replacement	41° 11' 29"	-78° 05' 56"	15'	HQ-CWF, MF
2	Unnamed Tributary Little Moyer Run	Trail Crossing Culvert Replacement	41° 11' 47"	-78° 05' 51"	15'	HQ-CWF, MF
3	Unnamed Tributary Little Moyer Run	Trail Crossing Culvert Replacement	41° 11' 48"	-78° 05' 51"	15'	HQ-CWF, MF
4	Upper Three Runs	Equestrian Ford Crossing	41° 11' 05"	-78° 06' 03"	8'	HQ-CWF, MF
5	Twelve Mile Run	Equestrian Ford Crossing	41° 12' 37"	-78° 12' 05"	8'	EV, MF
5	Wetland	Equestrian Ford Crossing	41° 12' 37"	-78° 12' 05"	3'	EV

Any in-stream construction activity shall be performed in dry work conditions by boring, dam and pumping, fluming or diverting stream flow around the stream section where activities are to be conducted. Since the above listed streams are wild trout fisheries, no in-stream repair, replacement or maintenance activities on equestrian trail crossings shall be conducted between October 1 and December without prior written approval of the Pennsylvania Fish & Boat Commission. The Quehanna Equestrian Trails is generally located along the western right-of-way of Upper Three Run Road approximately 2.1-miles north of Pottersdale Road and Upper Three Runs Road intersection. The 160-square feet of permanent wetland impact being incurred for the Twelve Mile

Run equestrian ford crossing has been deemed de minus, for which mitigation will not be required.

E17-492. City of DuBois, PO Box 408, 16 West Scribner Avenue, DuBois, PA 15801-2210. City of DuBois Showers Field Chain-link Fence and Parking Area Paving Project. Reisinger Run Floodway and Sandy Lick Floodfringe Activity in City of DuBois, **Clearfield County**. USACOE Pittsburgh District, (DuBois, PA Quadrangle Latitude: 41° 07' 3.57"; Longitude: -78° 45' 14.35").

This authorization gives consent to construct, operate and maintain a chain-link fence within Reisinger Run 100-year floodway and modify, operate and maintain public parking areas within the 100-year floodfringe of

Sandy Lick Creek as a part of the Showers Field upgrade and improvement project. Construction, operation and maintenance of the chain link fence within the 100-year floodway shall be performed at existing elevations with no placement of fill. Modifications, operation and maintenance of existing gravel parking areas within the 100-year floodfringe shall be limited to excavation and grading required for tie into existing paved parking and then overlaying the area with bituminous paving. The project is located along the western right-of-way of South 3rd Street approximately 450-feet north of Maple Avenue and South 3rd Street intersection. This permit was issued under Section 105.13(e) "Small Projects."

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1678. Allegheny County Airport Authority—Landside Terminal—4th Floor Mezz., P. O. Box 12370, Pittsburgh, PA 15231; Findlay Township, **Allegheny County**; ACOE Pittsburgh District.

Has been given consent to do the following:

1. Construct, operate, and maintain approximately 120 LF of 48 inch culvert pipe and fill in a UNT to Raredon Run (Stream 33654) (WWF) for road construction.

2. Construct, operate, and maintain approximately 207 LF of 66 inch culvert pipe and fill in a UNT to Raredon Run (Stream 33654C) (WWF) for road construction.

3. Construct, operate, and maintain approximately 154 LF of 24 inch culvert pipe and fill in a UNT to Raredon Run (Stream 33654E) (WWF) for road construction.

4. Construct, operate, and maintain approximately 97 LF of 24 inch culvert pipe and fill in a UNT to Raredon Run (Stream 33654E-1) (WWF) for road construction.

5. Construct, operate, and maintain approximately 178 LF of 24 inch culvert pipe and fill in a UNT to Raredon Run (Stream 33654F) (WWF) for road construction.

6. Place and maintain approximately 0.17 acre of floodway fill in a UNT to Raredon Run (Stream 33654C) (WWF) to for site grading and road construction.

7. Place and maintain approximately 0.05 acre of floodway fill in a UNT to Raredon Run (Stream 33654C-2) (WWF) to for site grading and road construction.

8. Place and maintain approximately 0.18 acre of floodway fill in a UNT to Raredon Run (Stream 33654C-5) (WWF) to for site grading and road construction.

9. Place and maintain approximately 0.11 acre of floodway fill in a UNT to Raredon Run (Stream 33654E-1) (WWF) to for site grading and road construction.

10. Place and maintain approximately 0.13 acre of floodway fill in a UNT to Raredon Run (Trib A) (WWF) to for site grading and road construction.

The project is located northwest of the intersection of Clinton Road and Sweeney Drive (Aliquippa and Clinton, PA Quadrangle; Aliquippa N: 1.3 inches, W: 6.7 inches; Latitude: 40° 30' 18"; Longitude: 80° 17' 52") in Findlay Township, Allegheny County.

And to:

As mitigation for the impacts, to rehabilitate 1,195 LF of a UNT to Raccoon Creek (WWF), by removing accumulated material and adding toe wood, rock clusters and a

cross vane; to rehabilitate 335 linear feet of a channel (UNT to Raccoon Creek, WWF) by introducing flow and a step pool design; and to modify an existing outfall structure of a previous mitigation project. The project is located northeast of the intersection of SR 151 and Cowpath Road Aliquippa, PA Quadrangle; N: 9.0 inches, W: 10.0 inches; Latitude: 40° 32' 59"; Longitude: 80° 18' 21") in Independence Township, Beaver County.

E02-1699. Steel City Rowing Club, 101 Arch Street, Verona, PA 15147; Municipality of Penn Hills, **Allegheny County**; ACOE Pittsburgh District.

Has been given consent to construct, operate, and maintain a new dock approximately 61.75 feet wide (as measured from the normal pool elevation) x 51.0 feet in length in the channel and along the left bank of the Allegheny River (WWF, N) for the purpose of providing docking space for boats for the Steel City Rowing Club. The project will consist of a steel truss gangway supported by 12-inch diameter piles and a floating dock. There will be a temporary impact to wetlands of approximately 0.002 acre during construction. The structure is located approximately 2,500.0 feet upstream from Ninemile Island (Braddock, PA Quadrangle, Latitude: 40° 29' 44.28"; Longitude: -79° 50' 51.35") in the Municipality of Penn Hills, Allegheny County. This permit also authorizes perpetual maintenance dredging in order to maintain the docking facility to its original permitted configuration.

E02-1702. Wal-Mart Stores East, LP, 2001 SE 10th Street, Bentonville, AR 72716; Moon Township, **Allegheny County**; ACOE Pittsburgh District.

Has been given consent to regrade and place and maintain fill in approximately 0.481 acre of wetlands and to construct and maintain eighteen (18) temporary road crossings and three (3) utility line crossings in accordance with General Permits 5 and 8 that, cumulatively, will temporarily impact 0.095 acre of wetlands, permanently impact 0.107 acre of wetlands, temporarily impact 447 LF of unnamed tributaries to Flaugherty Run (WWF), and permanently impact 402 LF of unnamed tributaries to Flaugherty Run (WWF), and temporarily impact 1.14 acre and permanently impact 1.19 acre of floodway of the same tributaries for the purpose of developing a new Wal-Mart facility. As compensation for the proposed impacts, the applicant will create a 0.42 acre PEM/PSS wetland on-site, and restore 0.209 acre of wetlands through vegetative planting. The project is located west of the intersection of University Boulevard and Brodhead Road. (Ambridge, PA USGS Topographic Quadrangle Map, Latitude: 40°-31'-1.2"; Longitude: -80°-13'-39.8"), in Moon Township, Allegheny County.

E04-250-A1. Shell Chemical Appalachia LLC, 910 Louisiana Street (OSP 10000C), Houston, TX 77002 & Horsehead Corporation, 300 Frankfort Road, Monaca, PA 15061.

Has been given consent to:

1. remove several, existing culverts and pipes from Poorhouse Run (WWF) and Rag Run (WWF);

2. remove two (2) existing barge unloading structures (existing foundations will remain in place), five (5) dolphins and one (1) ice breaker from in or along the Ohio River (WWF, N);

3. to operate and maintain six (6) existing mooring dolphins, a raw water intake structure and building, and six (6) existing outfall structures within the Ohio River and/or its floodway;

4. to construct and maintain a stream enclosure that will enclose approximately 3,386 lf of Poorhouse Run into an approximately 2,844 lf 10' x 8' concrete box stream enclosure;

5. to construct and maintain a stream enclosure that will enclose approximately 1,787 lf of Rag Run into an approximately 1,283 lf 8' x 7' concrete box culvert stream enclosure;

6. to construct and maintain a replacement of an existing stream enclosure, on another section of Rag Run, which will replace approximately 720 lf of existing, corrugated metal pipe stream enclosure with approximately 778 lf of 96" diameter, reinforced concrete pipe stream enclosure;

7. to reconstruct and maintain approximately 1,074 lf of Rag Run between the aforementioned stream enclosures;

8. to construct and maintain an approximately 71,000 ft² dock (aka East RORO dock) in and along the Ohio River; approximately 47,550 ft² of the Ohio River will be dredged to construct this dock;

9. to construct and maintain an approximately 22,700 ft² dock (aka West LOLO dock) in and along the Ohio River; approximately 5,700 ft² of the Ohio River will be dredged to construct this dock;

10. to construct and maintain twenty-four (24) mooring dolphins in the Ohio River, and six (6) tie-back dolphins;

11. to construct and maintain geo-grid structures and to plant vegetation, to stabilize shoreline areas, at select areas, along the Ohio River;

12. to place and maintain fill in, or encroach upon, multiple watercourses, and to place and maintain fill in, or encroach upon, forty (40) wetland areas (0.08 acre—PFO; 0.56 acre—PSS and 2.99 acres—PEM); and

13. to construct and maintain pipe and culvert connections to the aforementioned stream enclosures and associated stormwater management facilities;

For the purpose of constructing an ethane cracker and associated derivative plants, and to relocate a portion of SR 18, in an approximately 665 acres project area, of which approximately 543 acres will be disturbed. The project will cumulatively impact approximately 16,838 lf of forty-one (41) watercourses and 3.63 acres of forty (40) wetlands. The project will also impact approximately 1.29 acre of the Ohio River from maintenance dredging, near the East RORO dock, West LOLO dock and the existing intake structure. In addition, the project will temporarily impact approximately 381 lf of regulated waters of the Commonwealth and 0.70 acre of wetland. The project is located at 300 Frankfort Road, Monaca, PA 15061 (USGS Quadrangle: Beaver, PA; Latitude: 40° 40' 20"; Longitude: -80° 20' 20"), in Potter and Center Townships, Beaver County. To mitigate for these impacts, approximately 17,674 lf of watercourses within the watersheds of three (3) unnamed tributaries to the South Fork of Cross Creek (HQ-WWF) will be restored or enhanced, and approximately 6.42 acres of wetland will be re-established or restored, at off-site locations, which are located near 905 Avella Road, Avella, PA 15312 (USGS Quadrangle: Avella, PA Latitude: 40° 16' 19.47" and Longitude: -80° 25' 40.04"; Latitude: 40° 16' 25.63" and Longitude: -80° 25' 21.81"; Latitude: 40° 16' 29.73" and Longitude: -80° 24' 58.19"), in Cross Creek Township, Washington County. This permit replaces Permit No. E04-250.

E63-662. Pennsylvania Department of Transportation—District 12-0, 825 North Gallatin Avenue, Uniontown, PA 15401; Peters Township, Union Township, Nottingham Township, **Washington County**; ACOE Pittsburgh District.

Has been given consent to:

1. Remove the existing 57' long, 15.7' wide, single span SR 1006 bridge with a 76 degree skew and a 5.83' underclearance; construct and maintain a new 87' long, 35' wide single span bridge with a 45 degree skew and a 5.98' underclearance over Peters Creek (TSF) with a drainage area of 8.2 square miles;

2. Remove the existing 11' long, 18.5' wide single span SR 1006 bridge with a 76 degree skew and a minimum 1' underclearance; construct and maintain a new 36' wide replacement concrete box culvert having a total span length of 10 feet with an 80 degree skew and a minimum underclearance of 2.5' over an unnamed tributary to Peters Creek (TSF) with a drainage area of 0.8 square mile.

3. In addition construct and maintain stormwater outfalls and temporarily impact 270 feet of stream for the construction of the encroachments.

The project is located approximately one half mile east of Finleyville (Hackett Quadrangle, North 22.5 inches; West 2.5 inches; Latitude 40° 14' 58"; Longitude -80° 0' 59") in Peters Township, Union Township and Nottingham Township, Washington County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

EA07-004: Blair County Conservation District, 1407 Blair Street, Hollidaysburg, PA 16648 in Hollidaysburg Borough, U.S. Army Corps of Engineers Baltimore District. For construction and maintenance of restoration activities on 1.53 acre of Exceptional Value (EV) Palustrine Emergent (PEM) wetland consisting of (1) invasive species control and removal (2) excavation and removal of invasive species root systems (3) replacement of topsoil and grading (4) restoration of the wetland through filling of a constructed swale (5) and planting the wetland with native species. The wetland restoration activities described will be performed in and impact the 1.53 acre of EV PEM wetland all for the purpose of restoring and enhancing the existing wetlands on the site of the future Blair County Conservation District office. The project location is at the former of Bedford Street and State Route 36 (Hollidaysburg, PA Quadrangle Latitude: 40°25'13"N, Longitude: 78°23'33.1"W) in Hollidaysburg Borough, **Blair County**.

EA36-036: Donegal Chapter Trout Unlimited, PO Box 8001, Lancaster, PA 17604 in East Drumore Township, Lancaster County, U.S. Army Corps of Engineers Baltimore District. For the construction of a stream and wetland enhancement project including: 1) the relocation and maintenance of 2,284 feet of Conowingo Creek (HQ-CWF, MF, wild trout); 2) the relocation and maintenance of 231 feet of an unnamed tributary to Conowingo Creek (HQ-CWF, MF, wild trout); 3) the installation and maintenance of fifteen (15) cross rock vanes; 4) the installation and maintenance of four (4) rock deflectors; 5) the installation and maintenance of twenty-three (23) log bumps and digs; 6) the installation and maintenance of

three (3) j-hook rock vanes; 7) the construction and maintenance of a total of 650 feet of stacked stone wall; 8) the installation and maintenance of two (2) 50.0-foot long, 10.0-foot wide livestock crossings; and 9) the restoration of 0.13 acre of wetlands and creation of 0.53 acre of wetland, temporarily impacting 0.13 acre of palustrine emergent, exceptional value wetlands, all for the purpose of providing wildlife habitat and enhancing water quality in Conowingo Creek. The project is located along Maxwell Drive, approximately 0.20 miles north of its intersection with Fulton View Road (Latitude: 39° 49' 12.14"N; Longitude: 76° 09' 29.86"W) in Drumore Township, **Lancaster County**. Wetland impacts are temporary and replacement is not required.

Northcentral Region: Program Manager, Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701

EA59-019. Tioga County Concerned Citizen Committee, PO Box 124, Blossburg, PA, 16912-0124. Acid Mine Drainage Treatment Project in Ward Township, **Tioga County**, ACOE Baltimore District.

To construct and maintain two passive acid mine drainage treatment systems intercepting polluted discharges to Fall Brook, a Cold Water Fishes and Migratory Fishes stream as designated in Chapter 93 of the Department's Water Quality Standards. Construction activities associated with source collection and treatment will permanently impact 1,958 linear feet of stream and 3,659 square feet of wetland. Temporary impacts will consist of 30 linear feet of stream and 200 square feet of wetland. Mitigation for environmental impacts is to be achieved through water quality improvements to the Fall Brook watershed. This approval under Chapter 105, Section 105.12(a)(16) also includes 401 Water Quality Certification.

(Gleason, PA Quadrangle Latitude: 41° 40' 44.2"; Longitude: -76° 59' 10.5").

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESG14-019-0010A—Draco Well Pad & Constellation Compressor Station Major Modification
Applicant EM Energy Pennsylvania, LLC
Contact Hugh Caperton
Address 1800 Main Street, Suite 220
City Canonsburg State PA Zip Code 15317
Co-Applicant EM Energy Mid-Stream Pennsylvania, LLC
Contact Hugh Caperton
Address 1800 Main Street, Suite 220
City Canonsburg State PA Zip Code 15317
County Butler Township(s) Oakland
Receiving Stream(s) and Classification(s) Tributary 35298 & 35297 to Pine Run, Pine Run/Connoquenessing Creek WWF

ESCGP-2 #ESG13-083-0011A—West Branch Pad O Major Modification
Applicant Seneca Resources Corporation
Contact Greg Kimmel
Address 51 Zents Blvd
City Brookville State PA Zip Code 15825
County McKean Township(s) Sergeant
Receiving Stream(s) and Classification(s) UNT to Straight Creek/Upper Clarion River; UNT to Dead Mans Lick/Sinnemahoning Creek

ESCGP-2 #ESX10-031-0008—Huey Site Project Renewal
Applicant EQT Production Company, LLC
Contact Todd Klaner
Address 2400 Zenith Ridge Road, Suite 200
City Canonsburg State PA Zip Code 15317
County Clarion Township(s) Toby
Receiving Stream(s) and Classification(s) UNT to Cherry Run, UNTs 49311 & 49312 to Little Licking Creek, Cherry Run CWF

ESCGP-2 #ESX15-019-0012—VicNor-Gaw Well Pad
Applicant XTO Energy Inc.
Contact Melissa Breitenbach
Address 190 Thorn Hill Road
City Warrendale State PA Zip Code 15086
County Butler Township Forward
Receiving Stream(s) and Classification(s) Unnamed Tributaries to Breakneck Creek

ESCGP-2 #ESX15-073-0003
Applicant Hilcorp Energy Company—Weiser Varano Gathering Pipeline
Contact Stephanie McMurray
Address 1201 Louisiana Street, Suite 1400
City Houston State TX Zip Code 77002
County Lawrence & Mercer Counties Township(s) Pulaski & Shenango Township
Receiving Stream(s) and Classification(s) UNT to Deer Creek (WWF)/Deer Creek (WWF)

ESCGP-2 #ESX15-019-0011—Christensen Well Pad
Applicant XTO Energy Inc.
Contact Melissa Breitenbach
Address 502 Keystone Drive
City Warrendale State PA Zip Code 15086
County Butler Township Jefferson
Receiving Stream(s) and Classification(s) Thorn Creek (CWF)/Connoquenessing Creek Watershed

ESCGP-2 #ESX14-085-0034A—Jefferson—Zigo Pipeline
Applicant Hilcorp Energy Company
Contact Ms. Stephanie McMurray
Address 1201 Louisiana Street, Suite 1400

City Houston State TX Zip Code 77002
 County Mercer Township(s) Jefferson
 Receiving Stream(s) and Classification(s) Munnell Run,
 Trib to Lackawannock Creek

ESCGP-2 #ESX13-047-0001A—Clermont Pad NF-A—
 Major Modification
 Applicant Seneca Resources Corporation
 Contact Mr. Michael Clinger
 Address 51 Zents Boulevard
 City Brookville State PA Zip Code 15825
 County Elk Township(s) Jones
 Receiving Stream(s) and Classification(s) Naval Hollow
 (EV/HQ)

*Eastern Region: Oil & Gas Management Program Man-
 ager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-2 # ESX29-131-15-0004
 Applicant Name Regency Marcellus Gas Gathering, LLC
 Contact Person Kevin M. Roberts
 Address 101 West Third Street
 City, State, Zip Williamsport, PA 17701
 County Wyoming
 Township(s) Lemon Twp
 Receiving Stream(s) and Classification(s) UNT to Meshop-
 pen Creek (CWF, MF)
 Secondary—Susquehanna River

ESCGP-2 # ESX29-015-15-0006
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Randy DeLaune
 Address 400 1st Center, Suite 404
 City, State, Zip Horseheads, NY 14845
 County Bradford
 Township(s) Wilmot Twp
 Receiving Stream(s) and Classification(s) 1 UNT to Sugar
 Run (CWF), Sugar Run Watershed (CWF)
 Secondary—Sugar Run Creek

ESCGP-2 # ESG29-081-15-0017
 Applicant Name Anadarko Marcellus Midstream, LLC
 Contact Person Rane Wilson

Address 33 West Third Street, Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Pine Twp.
 Receiving Stream(s) and Classification(s) Finch Hollow
 (EV, CWF)
 Secondary—Blockhouse Creek (EV, CWF)

ESCGP-2 # ESG29-023-15-0004
 Applicant Name Seneca Resources Corporation
 Contact Person Doug Kepler
 Address 5800 Corporate Drive, Suite 300
 City, State, Zip Pittsburgh, PA 15237
 County Cameron
 Township(s) Shippen Twp
 Receiving Stream(s) and Classification(s) UNT to Right
 Branch Cooks Run (EV) and UNT to North Creek/
 Sinnemahoning Creek (HQ) (CWF) (MF) (WT)
 Secondary—Driftwood Branch Sinnemahoning Creek

ESCGP-2 # ESX13-113-0005(01)
 Applicant Name Chief Oil and Gas LLC
 Contact Person Jeffrey Deegan
 Address 6051 Wallace Road, Suite 300
 City, State, Zip Wexford, PA 15090
 County Sullivan
 Township(s) Elkland Twp
 Receiving Stream(s) and Classification(s) UNT to Mill
 Creek (CWF, MF) and UNT to Blackwater Run
 (HQ-CWF, MF)
 Secondary—Mill Creek (EV) and Blackwater Run (EV)

ESCGP-2 # ESX29-115-15-0024
 Applicant Name Cabot Oil and Gas Corporation
 Contact Person Kenneth K Marcum
 Address Five Penn Center West, Suite 401
 City, State, Zip Pittsburgh, PA 15276
 County Susquehanna
 Township(s) Springville Twp
 Receiving Stream(s) and Classification(s) UNT to Pond
 Brook (CWF, MF)
 Secondary—Pond Brook

**STORAGE TANKS
 SITE-SPECIFIC INSTALLATION PERMITS**

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
15-02-037	The Lane Construction Corporation 300 Bilmar Drive Pittsburgh, PA 15205-4606 Attn: Brad Regner	Allegheny	Collier Township	1 AST storing asphalt emulsion	30,000 gallons

SPECIAL NOTICES

**Intent to Renew a Minor State Only
 Operating Permit**

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to renew a Minor State Only Operating Permit for the following facility:

N15-002: Hillock Anodizing, Inc. (5101 Comly Street, Philadelphia, PA 19135) for the operation of an anodizing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include a #2 oil 1.358 MMBTU/hr boiler, 7 chromic acid tanks and 7 nickel tanks used for the anodizing process.

The operating permit will be reissued under the 25 Pa. Code, *Philadelphia Code* Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS,

321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Notice of Public Hearing and New Public Hearing Date for the Suspended NPDES Permit for Stormwater Discharges Associated with Construction Activities by Lewis Martin in Cumberland County

Southcentral Region: Waterways and Wetlands Program, 909 Elmerton Ave., Harrisburg, PA 17110

The Department of Environmental Protection (Department) is hereby providing notice that the date previously published in the *Pennsylvania Bulletin* for this public hearing has changed from July 23, 2015 to August 19, 2015. The Department will hold this public hearing to accept comments on the recently republished and suspended National Pollution Discharge Elimination System ("NPDES") Individual Permit #PAI-0321-11-013 (NPDES Permit) for the discharge of stormwater associated with construction activities submitted by Lewis Martin. Lewis Martin proposed to disturb 8.24 acres for the purpose of constructing two poultry houses at his property located in West Pennsboro Township, Cumberland County. The proposed facility is located within the Big Spring Creek watershed. Big Spring Creek is a special protection water of the Commonwealth and has an existing use of High-Quality Cold Water Fishes and Migratory Fishes under 25 Pa. Code, Chapter 93. The suspended NPDES Permit's Erosion and Sediment Control Plan and Post-Construction Stormwater Management Plan provide proposed effluent limitations. In their public hearing request, the public hearing requesters describe a concern regarding the protection of groundwater and stormwater runoff from the site, causing water pollution to Big Spring Creek.

Pursuant to the Pennsylvania Environmental Hearing Board's (EHB) March 3, 2015 Order issued at EHB Docket No. 2014-028-L, the Department republished public notice of the suspended NPDES Permit on March 28, 2015 in the *Pennsylvania Bulletin*. Pursuant to the EHB's order, the approved NPDES Permit was suspended until further notice from the Department to allow the public adequate opportunity to comment on the suspended NPDES permit.

The hearing will now be held on Wednesday, August 19, 2015, from 7:00 p.m. to 9:00 p.m. at the Cumberland County Conservation District office, 310 Allen Road, Carlisle, PA 17013.

During the public hearing, individuals will have an opportunity to present up to 5 minutes of oral testimony regarding the proposal. Written comment will also be accepted and can be mailed to Scott Williamson at the Department's Southcentral Regional Office, 909 Elmerton Ave., Harrisburg, PA 17110 through the close of business

Thursday, September 3, 2015. The Department will provide a written response to all significant testimony or written comment provided during the public hearing and public comment period. The Department will consider all comments in review of the application.

Those who wish to present oral testimony can register by calling Tim Fuller at (717) 705-4706 by 12:00 p.m. on August 19, 2015, or individuals may register prior to the hearing that evening. Individuals in need of an accommodation as provided for in the Americans with Disabilities Act should call the above number or the Pennsylvania AT&T Relay Service at 1-800-654-5984.

The suspended permit, materials, and supporting documents, including the Erosion and Sediment Control Plan, Post-Construction Stormwater Management Plan, relating to the suspended Lewis Martin NPDES permit may be inspected at the Department's Southcentral Regional Office during regular business hours by contacting the file room at the Southcentral Regional Office at (717) 705-4732.

[Pa.B. Doc. No. 15-1272. Filed for public inspection July 10, 2015, 9:00 a.m.]

Availability of the National Pollutant Discharge Elimination System General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (PAG-10)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice, informs the public of the availability of the National Pollution Discharge Elimination System (NPDES) PAG-10 General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines (PAG-10). The General Permit will become effective at 12 a.m. on July 11, 2015.

PAG-10 is intended to provide NPDES permit coverage to those who wish to conduct hydrostatic testing and discharge the water used for this testing to surface waters of the Commonwealth that are not considered high quality or exceptional value.

Notice of the availability of a draft PAG-10 General Permit was published at 45 Pa.B. 1454 (March 21, 2015). A 30-day comment period was provided for as part of the draft permit publication. During the 30-day comment period, the Department received comments from Bankson Engineers, Inc., Columbia Pipeline Group, the Marcellus Shale Coalition, the Fish and Boat Commission and the United States Environmental Protection Agency. No hearings were held with respect to the draft PAG-10 General Permit.

The annual installment of the Notice of Intent (NOI) fee for coverage under PAG-10 is \$500 per each year the permittee operates under the General Permit. The fee will be paid in installments, with the initial fee of \$500 submitted with the NOI for permit coverage and an installment of \$500 to be submitted with the annual report due March 1 of each year if the permittee does not wish to terminate permit coverage. The Department anticipates that after coverage under PAG-10 is autho-

rized, coverage will continue without the need to submit an NOI for renewal of coverage as long as the PAG-10 General Permit is renewed, unless the Department specifically requires the submission of an NOI in writing.

The following changes were made to the final PAG-10 General Permit in comparison to the draft PAG-10 General Permit published at 45 Pa.B. 1454:

- Language in Part C II.A.4 of the General Permit has been revised from “average volume of the stream” to “volume of the stream at the time of withdrawal.”

- Language in Part C II.A.5 of the General Permit has been revised from “The discharge must be controlled to the lowest possible rate (preferably less than 100 GPM) to minimize any potential impact on aquatic life and reduce erosion” to “The permittee shall limit the volume to be discharged to the lowest possible rate to minimize any potential impact on aquatic life and to reduce the potential for erosion.”

- Clarification was made in Part C II.A.5 of the General Permit that discharges to stocked trout streams during the trout stocking season from March 1 to June 15 are not authorized.

- Reporting of the anticipated number of discharges per year was added as a requirement to the 15-Day Notification Form.

- Reporting of the anticipated volume of water per discharge event was added as a requirement to the NOI.

- Submission of an additional copy of the NOI and the 15-Day Notification Form to the Susquehanna River Basin Commission, when applicable, was added as a requirement.

- A requirement was added for owners of an existing Natural Gas Transmission Line to monitor for Polychlorinated Biphenyls.

- While the draft General Permit included average monthly and instantaneous maximum (IMAX) limitations for Total Residual Chlorine of 0.02 mg/L and 0.05 mg/L, respectively, the Department has decided to establish only the IMAX limit in the final General Permit, consistent with the previous version of the PAG-10 General Permit.

The permit document package can be accessed through the Department’s eLibrary web site at www.elibrary.dep.state.pa.us (Select “Permit and Authorization Packages,” then “Point and Non-Point Source Management,” then “National Pollutant Discharge Elimination System—NPDES,” then “General Permits” then “PAG-10 Discharges Resulting from Hydrostatic Testing of Tanks and Pipelines.”)

For PAG-10 General Permit NOIs, the Department will publish notice in the *Pennsylvania Bulletin* for approvals of coverage only (see 25 Pa. Code § 92a.84(c)(3) (relating to public notice of general permits)).

Questions regarding PAG-10 General Permit for Hydrostatic Testing of Tanks and Pipelines should be directed to Andrew Gaul, (717) 787-0129, agaul@pa.gov.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1273. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth Westmoreland County

Proposers are invited to provide the Department of General Services with 8,575 usable square feet of office space for the State Police in Westmoreland County. For more information on SFP No. 94737, which is due on Friday, August 21, 2015, visit www.dgs.state.pa.us or contact Scott Shelton, (717) 787-5546.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 15-1274. Filed for public inspection July 10, 2015, 9:00 a.m.]

Lease Retail Space to the Commonwealth Dauphin County

Proposals are invited to provide the Department of General Services with 4,000 to 6,000 usable square feet of retail space for the Liquor Control Board in Middletown, Dauphin County. For more information on SFP No. 94738, which is due on Friday, July 17, 2015, visit www.dgs.state.pa.us or contact the Bureau of Real Estate, (717) 787-4394.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 15-1275. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Allegheny Health Network Surgery Center—Bethel Park, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Allegheny Health Network Surgery Center—Bethel Park, LLC has requested an exception to the requirements of 28 Pa. Code § 559.2 (relating to director of nursing).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1276. Filed for public inspection July 10, 2015, 9:00 a.m.]

Application of Milton S. Hershey Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Milton S. Hershey Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.2-2.2.8.1 (relating to family and visitor lounges).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1277. Filed for public inspection July 10, 2015, 9:00 a.m.]

Application of New LifeCare Hospitals of Pittsburgh LLC—Main Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that New LifeCare Hospitals of Pittsburgh LLC—Main Campus has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-2.4.3.3(3)(b) (relating to layout and access).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1278. Filed for public inspection July 10, 2015, 9:00 a.m.]

Application of Ohio Valley General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Ohio Valley General Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-8.5.3.2 (relating to size).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1279. Filed for public inspection July 10, 2015, 9:00 a.m.]

Application of St. Christopher's Hospital for Children for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Christopher's Hospital for Children has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2010 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: 2.1-8.5.3.4(1) (relating to facility requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1280. Filed for public inspection July 10, 2015, 9:00 a.m.]

Application of St. Luke's West End Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Luke's West End Endoscopy Center has requested an exception to the requirements of 28 Pa. Code §§ 553.2—553.4, 553.31, 555.1—555.4, 557.1—557.4, 563.1, 569.1 and 569.3.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1281. Filed for public inspection July 10, 2015, 9:00 a.m.]

Application of Tyrone Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Tyrone Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemptions from the following standards contained in this publication: 3.13-1.3.1.2(3), 3.13-3.3.5, 3.1-3.2.3.3, 3.1-3.6.5.1, 2.2-3.4.4.5 and 3.13-3.3.5.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1282. Filed for public inspection July 10, 2015, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Guardian Healthcare and Rehabilitation Center
147 Old Newport Street
Nanticoke, PA 18634
FAC ID # 191502

Menno Haven, Inc.
2075 Scotland Avenue
Chambersburg, PA 17201
FAC ID # 132202

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(d)—(h) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Elmwood Gardens
2628 Elmwood Avenue
Erie, PA 16508
FAC ID # 680202

Manchester Commons
6351 West Lake Road
Erie, PA 16505
FAC ID # 075602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1283. Filed for public inspection July 10, 2015, 9:00 a.m.]

Special Pharmaceutical Benefits Program Advisory Council Public Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. § 300ff-26) will hold a public meeting on Thursday, July 23, 2015, by teleconference from 10 a.m. to 12 p.m. at the Health and Welfare Building, 625 Forster Street, Room 129, Harrisburg, PA 17120.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact John Haines, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Room 611, Health and Welfare Building, Harrisburg, PA 17120, (800) 922-9384, or at V/TT (717) 783-6514 for speech and/or

hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1284. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Closure of the HIV/AIDS Home and Community-Based Waiver (Waiver 0192)

The Department of Human Services (Department) is announcing its intent to close Waiver 0192 and transition current Waiver 0192 participants to other Medicaid Home and Community-Based Services (HCBS) waiver programs.

This notice shall take effect upon publication in the *Pennsylvania Bulletin*.

Background

Waiver 0192 has provided services to individuals 21 years of age or older with symptomatic human immunodeficiency virus (HIV) disease or acquired immune deficiency syndrome (AIDS) since 1990. The number of individuals being served in this waiver has decreased over time to a current number of 52 individuals. The Department has found that these individuals qualify for, and can be equally or better served in, one of the other Medicaid HCBS waivers administered by the Department's Office of Long-Term Living (OLTL).

Transition

The OLTL intends to personally contact and work with individuals enrolled in Waiver 0192 to transition them to other Medicaid HCBS waivers and provide them with a choice of qualified providers. Each individual will be transitioned to the Medicaid HCBS waiver that best meets the individual's assessed needs to provide for continuity of services.

The Department anticipates that all current Waiver 0192 participants will be transitioned to other Medicaid HCBS waivers by September 30, 2015. The Department has communicated its intention to close Waiver 0192 through discussions with various stakeholders including the HIV/AIDS Planning Group, AIDS Service Organizations and Ryan White Part C providers. This will also be discussed at upcoming meetings of the Medical Assistance Advisory Committee (MAAC), the Long Term Care Subcommittee of the MAAC and the Consumer Subcommittee of the MAAC.

Fiscal Impact

No fiscal impact is anticipated as a result of these changes.

Public Comment

Interested persons are invited to submit written comments regarding this notice by August 10, 2015, to April Leonhard, Office of Long-Term Living, Bureau of Policy and Regulatory Management, P. O. Box 8025, Harrisburg, PA 17105-8025 or by e-mail to RA-waiverstandardpa.gov using the subject header "Waiver 0192". Requests for

copies of this notice and the transition plan in nonelectronic format can be made by contacting the OLTL at the previously listed address or by calling (717) 783-8412.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-965. (1) General Fund;

(7) Attendant Care; (2) Implementing Year 2014-15 is \$0; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$541,000; (4) 2013-14 Program—\$116,084,000; 2012-13 Program—\$107,830,000; 2011-12 Program—\$102,704,000;

(7) Services to Persons with Disabilities; (2) Implementing Year 2014-15 is \$0; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$220,000; (4) 2013-14 Program—\$233,104,000; 2012-13 Program—\$195,135,000; 2011-12 Program—\$163,987,000;

(7) Medical Assistance—Outpatient; (2) Implementing Year 2014-15 is \$0; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are -\$563,000; (4) 2013-14 Program—\$264,179,000; 2012-13 Program—\$450,835,000; 2011-12 Program—\$645,095,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

No fiscal impact is anticipated as a result of these changes as previously described. However, this would shift payments being made from Medical Assistance Outpatient to Attendant Care and Services to Persons with Disabilities.

[Pa.B. Doc. No. 15-1285. Filed for public inspection July 10, 2015, 9:00 a.m.]

Designated Exceptional Durable Medical Equipment

In accordance with the Department of Human Services (Department) currently approved State Plan, the Department is required to publish an annual list of exceptional Durable Medical Equipment (DME) by notice in the *Pennsylvania Bulletin* in July of each year. Interested persons may petition the Department to consider additions to the exceptional DME list by submitting a written request to the Department. Requests received on or before December 31 will be considered in developing the list for the following July.

During calendar year 2014, the Department received no written requests to add or remove items of DME from the list of exceptional DME. Therefore, this notice makes no changes in either the acquisition cost or the list of qualifying DME.

“Exceptional DME” is defined as DME that has an acquisition cost of \$5,000 or more and is either Specially Adapted DME or other DME that is designated as exceptional DME by the Department annually by notice in the *Pennsylvania Bulletin*.

“Specially Adapted DME” is DME that is uniquely constructed or substantially adapted or modified in accordance with the written orders of a physician for the particular use of one resident, making its contemporaneous use by another resident unsuitable.

The list of exceptional DME that has been designated by the Department is as follows:

(1) *Air fluidized beds*. The pressure relief provided by this therapy uses a high rate of airflow to fluidize fine particulate material (for example, beads or sand) to produce a support medium that has characteristics similar to liquid. May have a Gortex cover.

(2) *Powered air flotation bed (low air loss therapy)*. A semi-electric or total electric bed with a fully integrated powered pressure-reducing mattress which is characterized by all of the following:

(a) An air pump or blower with a series of interconnected woven fabric air pillows which provides sequential inflation and deflation of the air cells or a low interface pressure throughout the mattress allowing some air to escape through the support surface to the resident. May have a Gortex cover.

(b) Inflated cell height of the air cells through which air is being circulated is 5 inches or greater.

(c) Height of the air chambers, proximity of the air chambers to one another, frequency of air cycling (for alternating pressure mattresses) and air pressure provide adequate patient lift, reducing pressure and prevent bottoming out.

(d) A surface designed to reduce friction and shear.

(e) May be placed directly on a hospital bed frame.

(f) Automatically readjusts inflation pressures with change in position of bed (for example, head elevation, and the like).

(3) *Augmentative communication devices*. Used by residents who are unable to use natural oral speech as a primary means of communication. The specific device requested must be appropriate for use by the resident and the resident must demonstrate the abilities or potential abilities to use the device selected. Portable devices need to supplement, aid or serve as an alternative to natural speech for residents with severe expressive communication disorders. Nonportable devices may be covered only if required for visual enhancement or physical access needs that cannot be accommodated by a portable device.

(4) *Ventilators (and related supplies)*.

(a) Used by residents 21 years of age and older who require full ventilator support for a minimum of 8 hours per day to sustain life.

(b) Used by residents 20 years of age and younger who require ventilator support to sustain life (no minimum time requirement).

Effective Date

This notice is effective upon publication in the *Pennsylvania Bulletin*.

Public Comment

Interested persons are invited to submit petitions for the Department to consider additions to the exceptional DME list or written comments regarding this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-953. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 15-1286. Filed for public inspection July 10, 2015, 9:00 a.m.]

Pharmacy Prior Authorization

The Department of Human Services (Department) announces it will add Vivitrol to the Medical Assistance (MA) Program's list of services and items requiring prior authorization.

Section 443.6(b)(7) of the Public Welfare Code (62 P. S. § 443.6(b)(7)) authorizes the Department to add items and services to the list of services requiring prior authorization by publication of notice in the *Pennsylvania Bulletin*.

The MA Program will require prior authorization of all prescriptions for Vivitrol. These prior authorization requirements apply to prescriptions dispensed on or after July 13, 2015.

The Department will issue MA Bulletins to providers enrolled in the MA Program specifying the procedures for obtaining prior authorization of prescriptions for each of the medications previously listed.

Fiscal Impact

These changes are estimated to result in savings totaling \$0.272 million (\$0.131 million in State funds) in the MA Outpatient Program in Fiscal Year (FY) 2015-2016. Savings are estimated \$0.363 million (\$0.174 million in State funds) in FY 2016-2017.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions to these prior authorization requirements.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-967. (1) General Fund; (2) Implementing Year 2014-15 is \$0; (3) 1st Succeeding Year 2015-16 is -\$131,000; 2nd Succeeding Year 2016-17 through 5th Succeeding Year 2019-20 are -\$174,000; (4) 2013-14 Program—\$264,179,000; 2012-13 Program—\$450,835,000; 2011-12 Program—\$645,095,000; (7) MA—Outpatient; (8) recommends adoption. Funds have been included in the budget to cover this increase.

This action will result in savings to the Commonwealth as previously described.

[Pa.B. Doc. No. 15-1287. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Chili Pepper Payout Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Chili Pepper Payout.

2. *Price:* The price of a Pennsylvania Chili Pepper Payout instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Chili Pepper Payout instant lottery game ticket will contain one play area. The play symbols and their captions printed in black ink and located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), Flame (FLAME) symbol and a PAYOUT (WINALL) symbol. The play symbols and their captions printed in red ink and located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY) and Thermometer (5TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the play area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$50, \$100, \$500, \$1,000, \$5,000 and \$100,000. A player can win up to 14 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,600,000 tickets will be printed for the Pennsylvania Chili Pepper Payout instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$100,000 (ONEHUNTHO) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$5,000 (FIV THO) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets with a Thermometer (5TIMES) symbol in the play area, with the symbol and caption printed in red ink, and a prize symbol of \$500 (FIV HUN)

in the "Prize" area under that Thermometer (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$1,000 (ONE THO) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets with a PAYOUT (WINALL) symbol in the play area, and a prize symbol of \$100 (ONE HUN) in eight of the "Prize" areas, a prize symbol of \$50.00 (FIFTY) in two of the "Prize" areas, and a prize symbol of \$25.00 (TWY FIV) in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$500 (FIV HUN) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets with a Thermometer (5TIMES) symbol in the play area, with the symbol and caption printed in red ink, and a prize symbol of \$100 (ONE HUN) in the "Prize" area under that Thermometer (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$100 (ONE HUN) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets with a Thermometer (5TIMES) symbol in the play area, with the symbol and caption printed in red ink, and a prize symbol of \$20.00 (TWENTY) in the "Prize" area under that Thermometer (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets with a PAYOUT (WINALL) symbol in the play area, and a prize symbol of \$20.00 (TWENTY) in two of the "Prize" areas and a prize symbol of \$5.00 (FIV DOL) in twelve of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets with a PAYOUT (WINALL) symbol in the play area, and a prize symbol of \$10.00 (TEN

DOL) in six of the "Prize" areas and a prize symbol of \$5.00 (FIV DOL) in eight of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$50.00 (FIFTY) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets with a Thermometer (5TIMES) symbol in the play area, with the symbol and caption printed in red ink, and a prize symbol of \$10.00 (TEN DOL) in the "Prize" area under that Thermometer (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$25.00 (TWY FIV) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$25.

(o) Holders of tickets with a Thermometer (5TIMES) symbol in the play area, with the symbol and caption printed in red ink, and a prize symbol of \$5.00 (FIV DOL) in the "Prize" area under that Thermometer (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$25.

(p) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$20.00 (TWENTY) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$10.00 (TEN DOL) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets with a Flame (FLAME) symbol in the play area, and a prize symbol of \$5.00 (FIV DOL) in the "Prize" area under that Flame (FLAME) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal a "FLAME" (FLAME) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,600,000 Tickets:</i>
\$5	\$5	12	1,050,000
\$5 × 2	\$10	25	504,000
\$10	\$10	25	504,000
\$5 × 4	\$20	100	126,000
\$10 × 2	\$20	100	126,000
\$20	\$20	150	84,000
\$5 × 5	\$25	300	42,000
(\$10 × 2) + \$5	\$25	300	42,000
\$20 + \$5	\$25	300	42,000
\$5 w/ THERMOMETER	\$25	150	84,000
\$25	\$25	300	42,000
\$5 × 10	\$50	300	42,000
(\$20 × 2) + \$10	\$50	300	42,000
\$10 w/ THERMOMETER	\$50	150	84,000
\$50	\$50	300	42,000
PAYOUT w/ ((\$10 × 6) + (\$5 × 8))	\$100	1,200	10,500
PAYOUT w/ ((\$20 × 2) + (\$5 × 12))	\$100	1,333	9,450
\$10 × 10	\$100	4,000	3,150

Reveal a "FLAME" (FLAME) Symbol,
Win Prize Shown Under That Symbol.
Win With:

\$25 × 4
\$20 w/ THERMOMETER
\$100
\$50 × 10
\$100 × 5
(\$100 × 3) + (\$50 × 4)
\$500
PAYOUT w/ ((\$100 × 8) + (\$50 × 2) + (\$25 × 4))
(\$100 w/ THERMOMETER) + \$500
\$1,000
\$500 × 10
(\$500 w/ THERMOMETER) × 2
\$5,000
\$100,000

Win:

\$100
\$100
\$100
\$500
\$500
\$500
\$500
\$1,000
\$1,000
\$1,000
\$5,000
\$5,000
\$5,000
\$100,000

Approximate
Odds Are 1 In:

4,000
1,200
4,000
60,000
60,000
60,000
60,000
120,000
120,000
120,000
630,000
420,000
630,000
1,260,000

Approximate No.
Of Winners Per
12,600,000
Tickets:

3,150
10,500
3,150
210
210
210
210
105
105
105
20
30
20
10

Reveal a "THERMOMETER" (5TIMES) symbol, win 5 times the prize shown under that symbol.
Reveal a "PAYOUT" (WINALL) symbol, win all 14 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Chili Pepper Payout instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Chili Pepper Payout, prize money from winning Pennsylvania Chili Pepper Payout instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Chili Pepper Payout instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61

Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Chili Pepper Payout or through normal communications methods.

EILEEN H. McNULTY,
Secretary

[Pa.B. Doc. No. 15-1288. Filed for public inspection July 10, 2015, 9:00 a.m.]

Realty Transfer Tax; 2014 Common Level Ratio; Real Estate Valuation Factors

The following real estate valuation factors are based on sales data compiled by the State Tax Equalization Board in 2014. These factors are the mathematical reciprocals of the actual common level ratio (CLR). For Pennsylvania Realty Transfer Tax purposes, these factors are applicable for documents accepted from July 1, 2015 to June 30, 2016, except as indicated below. The date of acceptance of a document is rebuttably presumed to be its date of execution, that is, the date specified in the body of the document as the date of the instrument (61 Pa. Code § 91.102).

County	CLR Factor
Adams	.86
Allegheny	1.09
Armstrong	2.35
Beaver	3.64
Bedford	1.05
Berks	1.32
Blair	7.09
Bradford	3.13
Bucks	8.85
Butler	9.43
Cambria	3.82
Cameron	1.62

<i>County</i>	<i>CLR Factor</i>
Carbon	2.15
Centre	3.52
Chester	1.81
Clarion	4.20
Clearfield	6.90
Clinton	1.10
Columbia	3.60
Crawford	2.71
Cumberland	1.00
Dauphin	1.34
Delaware	1.47
Elk	2.31
Erie	1.05
Fayette	1.35
Forest	4.74
Franklin	7.52
Fulton	2.36
Greene (1)	1.26
Huntingdon	3.66
Indiana	5.10
Jefferson	2.08
Juniata	5.92
Lackawanna (1)	4.72
Lancaster	1.29
Lawrence	1.09
Lebanon	.94
Lehigh	1.00
Luzerne	.98
Lycoming	1.31
McKean	1.14
Mercer	3.56
Mifflin	2.02
Monroe	4.57
Montgomery	1.78
Montour	1.27
Northampton	2.87
Northumberland	3.37
Perry	1.02
Philadelphia	1.01
Pike	4.13
Potter	2.78
Schuylkill	2.06
Snyder	5.49
Somerset	2.50
Sullivan	1.51
Susquehanna	2.90
Tioga	1.41
Union	1.28
Venango	1.14
Warren	3.05
Washington	9.52
Wayne	1.12
Westmoreland	5.05
Wyoming	5.41
York	1.12

(1) The 2014 common level ratio is still to be determined by STEB; therefore, the factor shown above will remain effective until STEB certifies the 2014 factor.

EILEEN H. McNULTY,
Secretary

[Pa.B. Doc. No. 15-1289. Filed for public inspection July 10, 2015, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Amendment to List of Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

The Department of Transportation (Department), Bureau of Motor Vehicles, under the authority of 75 Pa.C.S. § 3368 (relating to speed timing devices), published at 44 Pa.B. 8064 (December 27, 2014) a list of approved speed-timing devices (devices) and appointed maintenance and calibration stations (stations) for use until the next comprehensive list of approved devices and appointed stations is published, subject to interim amendment. The Department gives notice of interim amendment to its list of approved devices and appointed stations by adding the following:

Under 75 Pa.C.S. § 3368(b), the Department has approved, for use by any Official Speedometer Testing Station, the following speedometer testing platform:

(1) Speedometer Testing Platform with Indicator. Manufactured by Y.I.S./Cowden Group Inc., 1100 North Hartley Street, York, York County, PA 17404.

Comments, suggestions or questions may be directed to Michael Smith, Manager, Administrative and Technical Support Section, Vehicle Inspection Division, Bureau of Motor Vehicles, Riverfront Office Center, 1101 South Front Street, Third Floor, Harrisburg, PA 17104, (717) 783-7016.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 15-1290. Filed for public inspection July 10, 2015, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Scheduled

The Health Care Cost Containment Council (Council) has scheduled the following meeting: Tuesday, July 14, 2015—Executive Committee Conference Call at 3 p.m.

The meeting will be accessible at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability who wish to attend the meeting should contact Reneé Greenawalt, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 15-1291. Filed for public inspection July 10, 2015, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Marianne Cauthorn under the Pennsylvania Assigned Risk Plan; Doc. No. P15-06-021

Under the Pennsylvania Assigned Risk Plan (Plan), Section 64 adopted by the Insurance Commissioner under 75 Pa.C.S. § 1741 (relating to establishment), notice is hereby given that Marianne Cauthorn has requested a hearing to review the Pennsylvania Assigned Risk Plan Governing Committee's (Committee) decision concerning the suspension of her certification by the Plan and has filed a request that the suspension of her certification be stayed pending the final outcome of these proceedings. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code Chapter 56 (relating to Special Rules of Administrative Practice and Procedure).

The request for a stay of the suspension imposed by the Committee is granted and the suspension is stayed pending further order, except that on or before June 30, 2015, Marianne Cauthorn must file with the Administrative Hearings Office documentary evidence that she has completed the Plan online Producer Procedures Course. Failure to comply with this provision will result in the immediate lift of the stay on that date. Furthermore, the stay automatically will be lifted upon receipt of any documentary evidence from the Plan that Marianne Cauthorn has violated any of the Plan Rules at any time after issuance of this Order.

A prehearing telephone conference will be held on July 14, 2015, at 10 a.m. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator at the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102, on or before July 2, 2015. Answers to petitions to intervene, if any, shall be filed on or before July 10, 2015.

A date for a hearing shall be determined, if necessary, at the prehearing/settlement telephone conference.

Persons with a disability who wish to attend the previously-referenced administrative telephone conference and require an auxiliary aid, service or other accommodation to participate in the telephone conference should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1292. Filed for public inspection July 10, 2015, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Energy Efficiency and Conservation Program; Doc. No. M-2014-2424864; Errata Notice

On June 19, 2015, the Pennsylvania Public Utility Commission (Commission) entered the Phase III Energy Efficiency and Conservation Program Implementation

Order in the previously-referenced matter. The Implementation Order is posted on the Commission's web site at http://www.puc.pa.gov/filing_resources/issues_laws_regulations/act_129_information/energy_efficiency_and_conservation_ee_c_program.aspx.

With this Secretarial Letter, the Commission releases Errata to the Phase III Energy Efficiency and Conservation Program Implementation Order. This Erratum corrects the date petitions for evidentiary hearings are due in ordering paragraphs two and three. The petitions for evidentiary hearings are now due no later than July 6, 2015, which is 15 days from the date the Implementation Order was entered on June 19, 2015.

This Secretarial Letter, the corrected Phase III Energy Efficiency and Conservation Program Implementation Order and the affected page are available on the Commission's web site at the previously mentioned link. A copy of this Secretarial Letter and the errata page shall be deposited with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

ROSEMARY CHIAVETTA,
Secretary

circumstances will the EDC be permitted to recover, in the automatic adjustment clause, any EE&C-related costs that have been claimed and permitted recovery in base rates.

Conclusion

With this Implementation Order, the Commission establishes the third phase of the energy efficiency and conservation program that requires electric distribution companies with at least 100,000 customers to adopt and implement cost-effective plans to reduce energy consumption and peak demand consumption within this Commonwealth. This Implementation Order sets the required reductions for each electric distribution company, as well as guidelines for implementing the third phase of the energy efficiency and conservation program; *Therefore,*

It Is Ordered That:

1. The Commission establishes the Phase III energy efficiency and conservation program as outlined in this Implementation Order.

2. The Commission tentatively adopts the electric distribution company specific consumption reduction targets set forth in this Implementation Order. These consumption reduction targets will become final for any covered electric distribution company that does not petition the Commission for an evidentiary hearing by July 6, 2015.

3. The Commission tentatively adopts the electric distribution company specific peak demand reduction targets set forth in this Implementation Order. These peak demand reduction targets will become final for any covered electric distribution company that does not petition the Commission for an evidentiary by July 6, 2015.

[Pa.B. Doc. No. 15-1293. Filed for public inspection July 10, 2015, 9:00 a.m.]

Petition of Waiver for Tariff Regulations

P-2015-2486062. Executive Transportation Company t/d/b/a Luxury Sedan Service. The Pennsylvania Public Utility Commission (Commission) invites comment on the petition of Executive Transportation Company t/d/b/a Luxury Sedan Service for waiver of the Commis-

sion's limousine tariff regulations in 52 Pa. Code §§ 23.11, 23.41 and 29.334 (relating to filing of rates; notice requirements for filing changes in rates; and tariff requirements).

Executive Transportation Company t/d/b/a Luxury Sedan Service was granted a certificate of public convenience at A-00109726 on April 14, 1992. Its certificate authorizes the transportation of persons in limousine service between points in Pennsylvania, excluding service under the jurisdiction of the Philadelphia Parking Authority, and between points in Allegheny County.

If granted, the waiver would permit Executive Transportation Company t/d/b/a Luxury Sedan Service to use taxi meters in its vehicles, charging by distance, rather than time as required by the regulations. Additionally, the waiver would authorize it to use flexible pricing to enable changes in rates without advance notice and without filing an amended tariff with the Commission.

Interested parties are invited to file comments at the relevant docket numbers within 20 days of publication of this notice. Reply comments of the carrier are due within 10 days thereafter. Interested parties may review the pending petitions at the Commission web site <http://www.puc.pa.gov>. Hard copies are available for a fee by means of written request to the Secretary of the Commission, Pennsylvania Public Utility Commission, Rosemary Chiavetta, Secretary, P. O. Box 3265, Harrisburg, PA 17105-3265.

The contact for questions regarding this notice is John Herzog, Assistant Counsel, Law Bureau, (717) 783-3714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1294. Filed for public inspection July 10, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by July 27, 2015. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2015-2488410. Regional Medical Transportation, Inc. (2381 Philmont Avenue, Suite 115, Huntingdon Valley, PA 19006) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Bucks, Chester, Delaware, Montgomery and Philadelphia, to points in Pennsylvania, and return. *Attorney:* David P. Temple, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

A-2015-2485228. Professional Care Transport, LLC (3217 Rhett Road, Philadelphia, PA 19154) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2015-2485622. Dinit & Meas, LLC t/a Caliber Patient Care (2161 Deerfield Drive, New Hope, PA 18938) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, for nonemergency medical care, to medical service providers, from points in the Counties of Bucks and Montgomery, to points in Pennsylvania, and return.

A-2015-2489293. Safe Transportation Group, LLC (1000 Integrity Drive, Suite 350, Pittsburgh, Allegheny County, PA 15235) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Allegheny, Beaver, Butler, Fayette, Washington and Westmoreland, to points in Pennsylvania, and return, excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* William A. Gray, Esquire, Vuono & Gray, LLC, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219-2383.

A-2015-2489307. Safe Transportation Group, LLC (1000 Integrity Drive, Suite 350, Pittsburgh, Allegheny County, PA 15235) for the right to transport as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Allegheny, Beaver, Butler, Fayette, Washington and Westmoreland, to points in Pennsylvania, and return, excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* William A. Gray, Esquire, Vuono & Gray, LLC, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219-2383.

A-2015-2489315. Personal Care Transport, LLC (P. O. Box 1140, 625 North Pitt Street, Carlisle, Cumberland County, PA 17013) for the right to transport, as a common carrier, by motor vehicle, persons in airport transfer service, between points in the Counties of Adams, Cumberland, Dauphin, Franklin, Perry and York, and various airports in Pennsylvania, excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* Bret P. Shaffer, Esquire, Serratelli, Schiffman & Brown, PC, 2080 Linglestown Road, Suite 201, Harrisburg, PA 17110.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.

A-2015-2478735. Yellow Cab Company of Pittsburgh, Inc. t/a Yellow Z (1825 Liverpool Street, Pittsburgh, PA 15233) a corporation of the Commonwealth of Pennsylvania for amendment to its right to transport, by motor vehicle, persons in experimental service, originating or terminating within Allegheny County, excluding trips originating from the Pittsburgh International Airport; *So as to Permit:* trips originating or terminating at the Pittsburgh International Airport. *Attorney:* Paul S. Guarnieri, 11676 Perry Highway, Suite 3100, Wexford, PA 15090.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1295. Filed for public inspection July 10, 2015, 9:00 a.m.]

Transfer of Control

A-2015-2490293 and A-2015-2490294. Onvoy, LLC, The Broadvox Holding Company, LLC and Broadvox-CLEC, LLC. Joint application of Onvoy, LLC, The Broadvox Holding Company, LLC and Broadvox-CLEC, LLC for approval to transfer control of Broadvox-CLEC, LLC to Onvoy, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 27, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: Onvoy, LLC; The Broadvox Holding Company, LLC; Broadvox-CLEC, LLC

Through and By Counsel: Michael A. Gruin, Esquire, Stevens & Lee, PC, Harrisburg Market Square, 17 North Second Street, 16th Floor, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1296. Filed for public inspection July 10, 2015, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148 by July 27, 2015. The nonrefundable protest filing fee is \$2,500 payable to the PPA by certified check or money order. The application is available for inspection at the TLD with Administrative Counsel between 9 a.m. and 4 p.m., Monday through Friday (contact Christine Kirlin, Esq. to make an appointment) or may be inspected at the business address of the respective applicant.

Doc. No. A-15-04-14. Bandwidth Taxi, LLC (2351 South Swanson Street, Philadelphia, PA 19148): An application for a medallion taxicab certificate of public convenience (CPC) to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* David R. Alperstein, Esquire, 1080 North Delaware Avenue, Philadelphia, PA 19125.

Doc. No. A-15-05-05. Ehail Taxi, LLC (2351 South Swanson Street, Philadelphia, PA 19148): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* David R. Alperstein, Esquire, 1080 North Delaware Avenue, Philadelphia, PA 19125.

delphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* David R. Alperstein, Esquire, 1080 North Delaware Avenue, Philadelphia, PA 19125.

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 15-1297. Filed for public inspection July 10, 2015, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Ranajit Mitra, MD; Doc. No. 0691-49-14

On April 17, 2015, Ranajit Mitra, MD, license no. MD053002L, last known of Valhalla, NY, had his Pennsylvania license indefinitely suspended based on findings that his license was disciplined by the proper licensing authority of another state.

Individuals may obtain a copy of the final order by writing to Wesley J. Rish, Board Counsel, State Board of Medicine, P. O. Box 69523, Harrisburg, PA 17106-9523.

This final order represents the final State Board of Medicine (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

ANDREW J. BEHNKE, MD,
Chairperson

[Pa.B. Doc. No. 15-1298. Filed for public inspection July 10, 2015, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Eugene I. Smart, RN; File No. 13-51-07694; Doc. No. 1888-51-13

On May 14, 2015, Eugene I. Smart, RN, license no. RN545437, last known of Reno, NV, had his license to practice professional nursing indefinitely suspended until at least the time the respondent's Nevada license is reinstated to unrestricted status and until he provides documentary evidence to the State Board of Nursing (Board) that he is fit to practice professional nursing with reasonable skill and safety in this Commonwealth, based on findings that his license was disciplined by the Nevada State Board of Nursing.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P. O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 15-1299. Filed for public inspection July 10, 2015, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v.
Holly C. Steele, LPN; File No. 13-51-05947; Doc.
No. 1658-51-13**

On April 13, 2015, Holly C. Steele, LPN, license no. PN253155L, last known of Elizabethtown, PA, had her license to practice practical nursing indefinitely suspended, for being disciplined by the Texas Board of Nursing.

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P. O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 15-1300. Filed for public inspection July 10, 2015, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v.
Cathleen Young Waddle, RN; File No. 13-51-
09079; Doc. No. 0041-51-13**

On May 13, 2015, Cathleen Young Waddle, RN, license no. RN551259, last known of New Bern, NC, had her license to practice professional nursing indefinitely suspended until at least 6 months after she obtains an active, unrestricted license in Florida, and assessed a civil penalty of \$1,000 for having been disciplined by the Florida and California boards of nursing and failing to report the Florida and California boards' disciplinary action to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P. O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to

the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 15-1301. Filed for public inspection July 10, 2015, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to the State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing officer at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

July 30, 2015	Joseph D. Ober Pension Forfeiture	1 p.m.
August 5, 2015	Kelley M. Florence Untimely Election of Multiple Service	1 p.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

DAVID E. DURBIN,
Secretary

[Pa.B. Doc. No. 15-1302. Filed for public inspection July 10, 2015, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 15-0004 for snow removal from the main campus and branch campus. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 15-1303. Filed for public inspection July 10, 2015, 9:00 a.m.]

