

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending September 22, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Interim Incorporations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
9-16-2015	Interim Atlantic Community Bankers Bank Camp Hill Cumberland County The purpose of Interim Atlantic Community Bankers Bank, Camp Hill, is to merge with Atlantic Community Bankers Bank, Camp Hill, to facilitate the proposed reorganization of Atlantic Community Bankers Bank into a bank holding company structure whereby Atlantic Community Bankers Bank will become the wholly-owned subsidiary of Atlantic Community Bancshares, Inc., a new holding company in formation.	Filed
9-18-2015	Covenant Interim Bank Doylestown Bucks County The purpose of Covenant Interim Bank, Doylestown, is to merge with Covenant Bank, Doylestown, to facilitate the proposed reorganization of Covenant Bank into a bank holding company structure whereby Covenant Bank will become the wholly-owned subsidiary of Covenant Financial, Inc., a new holding company in formation.	Filed

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
9-14-2015	Prudential Savings Bank Philadelphia Philadelphia County	2 Penn Center 1500 John F. Kennedy Boulevard Philadelphia Philadelphia County	Opened
9-15-2015	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	4275 County Line Road Chalfont Bucks County	Approved
9-16-2015	Penn Liberty Bank Wayne Delaware County	110 Town Square Place King of Prussia Montgomery County	Filed
9-16-2015	Northwest Savings Bank Warren Warren County	3858 North Buffalo Road Orchard Park Erie County, New York	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
9-11-2015	Prudential Savings Bank Philadelphia Philadelphia County	112 South 19th Street Philadelphia Philadelphia County	Closed

CREDIT UNIONS**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
9-16-2015	TruMark Financial Credit Union Trevoise Bucks County	8500-5804 Germantown Avenue Philadelphia Philadelphia County	Approved

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
9-21-2015	Local 380 IBEW Credit Union Collegeville Montgomery County Amendment to Article I of the institution's Articles of Incorporation provides for change in their corporate title to "Affiliated Trades Credit Union."	Effective

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 15-1761. Filed for public inspection October 2, 2015, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Cyber Charter School Applications; Public Hearings

The Department of Education (Department) has scheduled five dates for public hearings regarding cyber charter school applications that it received on or before October 1, 2015. The hearings will be held on November 2, 2015, November 5, 2015, November 9, 2015, November 12, 2015, November 18, 2015, and November 20, 2015, in Heritage Room A on the lobby level of 333 Market Street, Harrisburg, PA 17126, at 9 a.m. on each day. The hearings pertain to applicants seeking to operate a cyber charter school beginning in the 2016-2017 school year. The purpose of the hearings is to gather information from the applicants about the proposed cyber charter schools as well as receive comments from interested individuals regarding the applications. The names of the applicants, copies of the applications and a listing of the dates and times scheduled for the hearing on each application can be viewed on the Department's web site at www.education.pa.gov.

Individuals who wish to provide comments on an application during the hearing must provide a copy of their written comments to the Department and the applicant on or before October 27, 2015. Comments provided by this deadline and presented at the hearing will become part of the certified record. Failure to comply with this deadline will preclude the individual from providing comments at the hearings. Verbal comments may be limited based on the number of individuals requesting time to provide comments and may be limited if the comments are duplicative or repetitive of another

individual's comments. Persons who are unable to attend the hearing may also provide the Department and the applicant with written comments on or before October 27, 2015. Any written comments provided to the Department by this deadline will also become part of the certified record.

During the public hearing on an application, the cyber charter applicant will have 30 minutes to present information about the proposed cyber charter school. Each hearing will be conducted by the panel of individuals who have completed an initial review of the application. The panel members may question the applicant on issues identified during their review, as well as issues raised in the written comments filed by the deadline. Panel members may also question individuals who offer verbal comments. Commentators will not be permitted to question either the applicant or the panel members.

Comments should be addressed to Steve Carney, Charter Schools Office, 333 Market Street, 10th Floor, Harrisburg, PA 17126-0333. Hearing agendas will be prepared after October 27, 2015, when the Department is aware of the number of individuals who wish to provide verbal comments at each hearing. The hearing agenda will provide the order of presentation, as well as specify the amount of time allotted to each commentator. Hearing agendas will be posted under Charter School Administration on the Department's web site at <http://www.education.pa.gov/K-12/Charter%20Schools/Pages/Charter-Applications.aspx>.

For questions regarding these hearings, contact Steve Carney, (717) 787-9744, charterschools@pa.gov.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 15-1762. Filed for public inspection October 2, 2015, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the Pennsylvania Bulletin and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0053546 (Sewage)	Dzedzy SRSTP 412 Lincoln Road Phoenixville, PA 19460	Chester County East Pikeland Township	Pickering Creek (3-D)	Y

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0090131 (Sewage)	Beryl Acres STP 152 Valley View Road Scenery Hill, PA 15360	Washington County North Bethlehem Township	Unnamed Tributary of South Branch of Pigeon Creek	Y
PA0218456 Sewage	Wright SRSTP 432 Lakeview Drive New Brighton, PA 15066	Beaver County New Sewickley Township	Brush Creek (20-C)	Y
PA0219428 Sewage	VanKirk SRSTP 7669 Big Beaver Boulevard Wampum, PA 16157	Beaver County Big Beaver Borough	Unnamed Tributary of Beaver River (20-B)	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0025534 (Sewage)	Kiasutha Recreation Area STP Forest Roads 262 Kane, PA 16735	McKean County Hamilton Township	Kinzua Creek Branch of the Allegheny Reservoir (16-B)	Y
PA0263737 (sewage)	Eric R & Katy J Hess SRSTP 260 Railway Lane Clarendon, PA 16313	Warren County Cherry Grove Township	Unnamed Tributary of Minister Creek (16-F)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0040576, Sewage, SIC Code 6552, **Valleybrook Homeowners Association, Inc.**, P. O. Box 394, Chester Heights, PA 19017-394. Facility Name: Valleybrook Homeowners Association STP. This existing facility is located in Chester Heights Borough, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Chester Creek, is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.072 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Instant. Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	Report	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅	15.0	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	18.0	XXX	XXX	30.0	XXX	60.0
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	Daily Max 200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	9.0	XXX	XXX	15.0	XXX	30.0
Nov 1 - Apr 30	12.0	XXX	XXX	20.0	XXX	40.0
Total Phosphorus						
May 1 - Oct 31	0.6	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	1.2	XXX	XXX	2.0	XXX	4.0

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available

E. Chlorine Optimization

F. Operator Notification

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0036412, Sewage, SIC Code 8361, **Tel Hai Retirement Community**, 1200 Tel Hai Circle, Honey Brook, PA 19344-0190. Facility Name: Tel Hai Retirement Community. This existing facility is located in Honey Brook Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Two Log Run, is located in State Water Plan watershed 3-H and is classified for High Quality Waters—Trout Stocking and Mi, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Instant. Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>			<i>Average Monthly</i>		
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
May 1 - Oct 31	4.6	XXX	XXX	7.9	XXX	15.8
Nov 1 - Apr 30	9.2	XXX	XXX	15.8	XXX	31.6
BOD ₅						
(Influent)	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	12.8	XXX	XXX	22	XXX	44
Total Suspended Solids						
(Influent)	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
UV Intensity (%)	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	13.8	XXX	XXX	23.6	XXX	47.2
Ammonia-Nitrogen						
May 1 - Oct 31	1.3	XXX	XXX	2.3	XXX	4.6
Nov 1 - Apr 30	4.0	XXX	XXX	6.9	XXX	13.8
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
Apr 1 - Oct 31	0.9	XXX	XXX	1.5	XXX	3.0
Nov 1 - Mar 31	0.9	XXX	XXX	2.0	XXX	4.0

In addition, the permit contains the following major special conditions:

I. Other Conditions

A. No Stormwater

B. Acquire Necessary Property Rights

C. Sludge Disposal Requirement

D. Abandon STP When Municipal Sewers Available

E. Notification of Designation of Operator

F. Water Quality Management permit

G. Remedial Measures if Unsatisfactory Effluent

H. Change in Ownership

I. 2/Month Monitoring Requirement

J. Visual Inspection for Tank Overflows

K. Remove Growth and Debris from Aeration Tank

L. No Debris through Toilets or Drains

M. Maintenance and Logs for Calibration of Meters and Gauges

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0028614, Sewage, SIC Code 4952, **Spring City Borough**, 6 S Church Street, Spring City, PA 19475. Facility Name: Spring City Borough STP. This existing facility is located in Spring City Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Schuylkill River, is located in State Water Plan watershed 3-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 based on a design flow of 0.345 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD ₅	72	115	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	86	129	XXX	30	45	60
Total Dissolved Solids	Report	Report	XXX	1,000	2,000	2,500
		Daily Max			Daily Max	
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	23	XXX	XXX	8	XXX	16
Nov 1 - Apr 30	34	XXX	XXX	12	XXX	24
Total Phosphorus	5.8	XXX	XXX	2.0	XXX	4.0
PCBs (Dry Weather) (pg/L)	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
PCBs (Wet Weather) (pg/L)	XXX	XXX	XXX	Report	XXX	XXX
(Year 1)				Daily Max		

The proposed effluent limits for Outfall 001 based on a design flow of 0.61 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine						
(Interim)	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD ₅						
May 1 - Oct 31	76	114	XXX	15	22.5	30
Apr 1-30, Nov 1 - Feb 28	127	203	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	102	153	XXX	20	30	45
Total Dissolved Solids	Report	Report	XXX	1,000	2,000	2,500
		Daily Max			Daily Max	
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Aug 31, Oct 1-31	31	XXX	XXX	6	XXX	12
Apr 1-30, Nov 1 - Feb 28	61	XXX	XXX	12	XXX	24

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Total Phosphorus	10	XXX	XXX	2.0	XXX	4.0
PCBs (Dry Weather) (pg/L)	XXX	XXX	XXX	Report	XXX	XXX
PCBs (Wet Weather) (pg/L) (Year 1)	XXX	XXX	XXX	Daily Max Report Daily Max	XXX	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater in Sewers
- Obtain necessary Property Rights
- Proper Sludge Disposal
- Chlorine Minimization
- Notification of Responsible Operator
- Operations and Maintenance Plan
- Fecal Coliform Reporting
- PCB Monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

PA0053813, IW, SIC Code 4226, 5171, **Buckeye Terminals LLC (former permittee: Buckeye Energy Service LLC)**, 5002 Buckeye Road, Emmaus, PA 18049. Facility Name: Macungie BETZM Terminal (1, 2, 3). This existing facility is located in Lower Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for an NPDES Renewal/Transfer and Amendment to authorize hydrostatic test discharges for an existing discharge of treated industrial wastewater from an existing facility.

The receiving stream(s), Unnamed Tributary to Swabia Creek, is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001 and 002 are based on a design flow of 0.000000 MGD (stormwater only).

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average	Daily Maximum	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30 Max	XXX
TRPH	XXX	XXX	XXX	15	30 Max	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfalls 101, 102, and 103 are based on a design flow of 0.576 MGD (hydrostatic test discharges only).

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average	Daily Maximum	
Flow (GPM)	XXX	Report	XXX	XXX	XXX	XXX
Duration of Discharge (hours)	XXX	XXX	XXX	XXX	XXX	Report
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine*	XXX	XXX	XXX	Report	XXX	0.05
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	60
Oil and Grease	XXX	XXX	XXX	Report	XXX	30
Dissolved Iron	XXX	XXX	XXX	Report	XXX	7.0
Ethylbenzene	XXX	XXX	XXX	Report	XXX	Report
Benzene	XXX	XXX	XXX	Report	XXX	0.0025
Total BTEX	XXX	XXX	XXX	Report	XXX	0.25

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	
Toluene	XXX	XXX	XXX	Report	XXX	Report
Total Xylenes	XXX	XXX	XXX	Report	XXX	Report

*If using chlorinated hydrostatic test water.

In addition, the permit contains the following major special conditions:

- Necessary property rights; Residuals management, Relationship with WQM Permits; BAT/ELG; Stormwater conditions; Petroleum Bulk Station and Terminal conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0034746, Sewage, SIC Code 5271, 6515, **MHC Li'l Wolf LP**, 2 North Riverside Plaza, Chicago, IL 60606-2682. Facility Name: Li'l Wolf MHP. This existing facility is located in North Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Coplay Creek, is located in State Water Plan watershed 2-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The following effluent limits for Outfall 001 are based on an existing design flow of 0.038 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.2	XXX	2.8
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	10.0	XXX	20.0
Nov 1 - Apr 30	XXX	XXX	XXX	20.0	XXX	40.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

The following effluent limits for Outfall 001 are based on a proposed design flow of 0.070 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Instant. Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.09	XXX	0.2
CBOD ₅	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	5.0	XXX	10.0
Ammonia-Nitrogen						
May 1 - Sept 30	XXX	XXX	XXX	1.09	XXX	2.18
Oct 1 - Apr 30	XXX	XXX	XXX	3.27	XXX	6.54

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly		
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
May 1 - Sept 30	XXX	XXX	XXX	2.0	XXX	4.0
Oct 1 - Apr 30	XXX	XXX	XXX	4.0	XXX	8.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0020915, Sewage, SIC Code 4952, **Pine Grove Joint Treatment Authority Schuylkill County**, 115 Mifflin Street, Pine Grove, PA 17963. Facility Name: Pine Grove WWTP. This existing facility is located in Pine Grove Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	XXX	XXX	0.75
Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅	313	500	XXX	25.0	40.0	50.0
Total Suspended Solids						
Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	375	563	XXX	30.0	45.0	60.0
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net	Total Mo					
Total Nitrogen	XXX	27,397	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo XXX	Report	XXX	XXX	XXX	XXX
Total Annual		Total Annual				
Ammonia-Nitrogen						
May 1 - Oct 31	120	180	XXX	9.6	14.4	19.2
Nov 1 - Apr 30	363	XXX	XXX	29.0	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						
Ammonia-Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
Total Annual		Total Annual				
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						
Total Phosphorus	25	37.5	XXX	2.0	3.0	4.0
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Phosphorus	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus Effluent Net	XXX	3,653 Total Annual	XXX	XXX	XXX	XXX
Total Aluminum	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
Total Manganese Sulfate	XXX	XXX	XXX	Report	XXX	XXX
Chloride	Report	XXX	XXX	Report	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX
Total Phenolics (Interim)	Report	XXX	XXX	Report	Report Daily Max	XXX
Total Phenolics (Final)	Report	XXX	XXX	0.046	Report Daily Max	0.072

The proposed effluent limits for Outfalls 002 & 003 are based on a design flow of 0.000000 MGD (stormwater only).

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements; Solids management; Toxic Reduction Evaluation (TRE) for Total Phenolics; Whole Effluent Toxicity Testing; Stormwater; Necessary property rights; residuals management; emergency disinfection; changes to existing discharge/stream condition; High Flow Management Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

PA0027081, Sewage, SIC Code 4952, **Lackawanna River Basin Sewer Authority**, P. O. Box 280, Olyphant, PA 18447-0280. Facility Name: LRBSA Clinton Township WWTP. This existing facility is located in Clinton Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Lackawanna River, is located in State Water Plan watershed 05A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.9	XXX	2.1
CBOD ₅	146	234 Wkly Avg	XXX	25	40	50
BOD ₅ Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	175	263 Wkly Avg	XXX	30	45	60

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	58	XXX	XXX	10	XXX	20

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)			Concentration (mg/l)	
	Monthly	Annual	Minimum	Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrite-Nitrate as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	12,786	XXX	XXX	XXX
Net Total Phosphorus	Report	1,705	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Combined Sewer Overflows
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0265951 A-1, Industrial Waste, SIC Code 4911, **Old Dominion Electric Cooperative**, 4201 Dominion Boulevard, Glen Allen, VA 23060-6149. Facility Name: Wildcat Point Generation Facility. This proposed facility is located in Fulton Township, **Lancaster County**.

Description of Existing Activity: The application is for an NPDES permit amendment for a new discharge of treated Industrial Waste.

The receiving stream, Susquehanna River, is located in State Water Plan watershed 7-K and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.857 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Temperature (°F)	XXX	XXX	XXX	Report	110	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Free Available Chlorine	XXX	XXX	XXX	XXX	0.2	0.5
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Dissolved Solids						
Effluent Net	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30
Total Chromium	XXX	XXX	XXX	XXX	0.2	XXX
Total Zinc	XXX	XXX	XXX	XXX	1.0	XXX
Total Aluminum	XXX	XXX	XXX	XXX	Report	XXX
Sulfate	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX
Trihalomethanes	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Dibromochloromethane	XXX	XXX	XXX	XXX	Report	XXX
Dichlorobromomethane	XXX	XXX	XXX	XXX	Report	XXX
Chloroform	XXX	XXX	XXX	XXX	Report	XXX
Bromoform	XXX	XXX	XXX	XXX	Report	XXX
Haloacetic Acids	XXX	XXX	XXX	XXX	Report	XXX
Monobromoacetic acid	XXX	XXX	XXX	XXX	Report	XXX
Monochloroacetic acid	XXX	XXX	XXX	XXX	Report	XXX
Dibromoacetic acid	XXX	XXX	XXX	XXX	Report	XXX
Dichloroacetic acid	XXX	XXX	XXX	XXX	Report	XXX
Trichloroacetic acid	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen						
Effluent Net	Report	Report	XXX	Report	XXX	XXX
	Total Mo	Total Annual				
Total Phosphorus						
Effluent Net	Report	Report	XXX	Report	XXX	XXX
	Total Mo	Total Annual				

The proposed discharge limits for Outfall 101 are based on an internal flow rate of 0.025 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30

The proposed discharge limits for Outfall 102 are based on an internal flow rate of 0.296 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Average Monthly</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	100	XXX
Oil and Grease	XXX	XXX	XXX	15	20	30

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0021849, Sewage, SIC Code 4952, **Millerstown Municipal Authority Perry County**, PO Box E, 44 North High Street, Millerstown, PA 17062-200. Facility Name: Millerstown STP. This existing facility is located in Greenwood Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Juniata River, is located in State Water Plan watershed 12-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.12 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	20	33	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids	25	37	XXX	30	45	60

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
UV Intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen Effluent Net	Report	6,697	XXX	XXX	XXX	XXX
		Total Annual				
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus Effluent Net	Report	Report	XXX	XXX	XXX	XXX
		974	XXX	XXX	XXX	XXX
		Total Annual				

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0026484, Sewage, SIC Code 4952, **Derry Township Municipal Authority Dauphin County**, 670 Clearwater Road, Hershey, PA 17033-2453. Facility Name: Derry Township Clearwater STP. This existing facility is located in Derry Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Swatara Creek, is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 5.02 MGDs.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅						
May 1 - Oct 31	837	1,340	XXX	20	32	40
Nov 1 - Apr 30	1,046	1,674	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids	1,256	1,884	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	293	XXX	XXX	7.0	XXX	14
Nov 1 - Apr 30	879	XXX	XXX	21	XXX	42
Total Phosphorus	83	XXX	XXX	2.0	XXX	4.0
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Concentration (mg/l)		
	Monthly	Annual	Minimum	Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	91,668	XXX	XXX	XXX
Net Total Phosphorus	Report	12,225	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- The permittee is granted 8,725 lbs/year Total Nitrogen offsets to meet the Net Total Nitrogen cap load.
- Stormwater Requirements
- Pretreatment Program Implementation
- Restrictions on accepting hauled in waste under certain conditions
- High flow management
- WET testing requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

PA0273147, Sewage, SIC Code 8800, **Judge Thomas C**, 3029 Egypt Hollow Road, Russell, PA 16345. Facility Name: Thomas C Judge SRSTP. This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a single residence sewage treatment facility.

The receiving stream, dry/intermittent tributary to Widdlefield Run, is located in State Water Plan watershed 16-B and is classified for cold water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Minimum	Average Monthly	Instant. Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	Report	XXX	XXX
BOD ₅	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	200	XXX	XXX
			Geo Mean		

In addition, the permit contains the following major special conditions:

- Septic Tank Pumping requirement
- Abandonment of the Treatment System
- Annual Submittal of an AMR
- Chlorine Minimization requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

PA0100277, Sewage, SIC Code 4952, **North and South Shenango Township Joint Municipal Authority**, 3397 Dam Road, Jamestown, PA 16134-4403. Facility Name: North & South Shenango Joint STP. This existing facility is located in South Shenango Township, **Crawford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage and stormwater.

The receiving stream(s), Shenango River, is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.7 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (Interim)	XXX	XXX	XXX	0.36	XXX	1.18
Total Residual Chlorine (Final)	XXX	XXX	XXX	0.17	XXX	0.56
CBOD ₅						
May 1 - Oct 31	212	311	XXX	15	22	30
Nov 1 - Apr 30	354	567	XXX	25	40	50
BOD ₅						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Total Suspended Solids	425	638	XXX	30	45	60
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	85	XXX	XXX	6	XXX	12
Nov 1 - Apr 30	155	XXX	XXX	11	XXX	22
Total Phosphorus	14	XXX	XXX	1.0	XXX	2.0

In addition, the permit contains the following major special conditions:

- Other Requirements
- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements for Total Residual Chlorine (TRC)
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Northwest Region: Clean Water Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG028316 A-1, Sewage, **Pleasant Township**, 8 Chari Lane, Warren, PA 16365.

This existing facility is located in Pleasant Township, **Warren County**.

Description of Proposed Action/Activity: Upgrade to existing pump station.

WQM Permit No. WQG01371501, Sewage, **William S. Morrison**, 35 Glenbrook Drive, Grove City, PA 16127.

This proposed facility is located in Pulaski Township, **Lawrence County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Waterways & Wetlands Program Manager; 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI010915007	Kinder Morgan 1000 South Port Road Fairless Hill, PA 19030	Bucks	Falls Township	Delaware River WWF-MF

NOTICES

5975

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011515023	East Vincent Township 262 Ridge Road Spring City, PA 19475	Chester	East Vincent Township	Tributary to French Creek HQ-TSF
PAI011515021	David A. Burt 542 Glass Avenue Spring City, PA 19475	Chester	East Vincent Township	Stony Run HQ-TSF-MF
PAI011515024	Riehl Land LP 595 Mount Pleasant Road Honey Brook, PA 19344	Chester	Honey Brook Township	West Branch Brandywine Creek HQ-TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Rd., Allentown, PA 18104

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023915019	Gavin Herber Cloverleaf Plaza, LLC 327 Star Road Allentown, PA 18106	Lehigh	Upper Macungie Township	Iron Run (HQ-CWF, MF)
PAI023912012(1)	Kenneth Schoch Nestle Purina Petcare 2050 Pope Road Allentown, PA 18104	Lehigh	South Whitehall Township	UNT to Jordan Creek (HQ-CWF, MF)
PAI023915020	Tom Gombos Mack Trucks, Inc. 7000 Alburtis Road Macungie, PA 18062-9631	Lehigh	Lower Macungie Township	Swabia Creek (HQ-CWF, MF)
PAI023915014	Bruce Fosselman Lower Macungie Township 6235 Hamilton Boulevard Suite 100 Wescosville, PA 18106	Lehigh	Lower Macungie Township	Little Lehigh Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024510012(2)	CB H20, LP P. O. Box 168 Tannersville, PA 18372	Monroe	Pocono Township	UNT to Pocono Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032115004	PPG Industries, Inc. 400 Park Drive Carlisle, PA 17015-9271	Cumberland	South Middleton Township	Yellow Breeches/HQ-CWF
PAI033615008	Kenneth Steele 227 Green Lane Quarryville, PA 17566	Lancaster	Little Britian	Reynolds Run/ HQ-CWF McCreary Run/HQ-TSF
PAI033615009	C Dale Bollinger 107 Center Road Quarryville, PA 17566	Lancaster	East Drumore	POI-A UNT to Conowingo Creek/HQ-CWF

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. (412) 442.4315

<i>Permit No.</i>	<i>Applicant & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAI050415001	Department of General Services 18th and Herr Streets, Harrisburg, PA 17125	Beaver County	Chippewa Township	UNT North Fork Little Beaver Creek (HQ-CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12 CAFOs

CAFO Notices of Intent Received

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

PAG123700, CAFO, **Richard Rutt Farm**, 375 Nissley Road, Mount Joy, PA 17552.

This existing facility is located in East Donegal Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: 455.67 AEU's.

The receiving stream, UNT Donegal Creek, is in watershed 7-G, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123543, CAFO, **Alan Harnish Farm**, 3425 Blue Rock Road, Lancaster, PA 17603.

This existing facility is located in Manor Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: 572.92 AEU's.

The receiving stream, West Branch Little Conestoga Creek, is in watershed 7-J, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123585, CAFO, **Breneman Swine Farm**, 774 Bunker Hill Road, Strasburg, PA 17579.

This existing facility is located in Strasburg Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: 405.04 AEU's.

The receiving stream, Little Beaver Creek, is in watershed 7-K, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123635, CAFO, **Bleacher Farms**, 2794 Safe Harbor Road, Millersville, PA 17551.

This existing facility is located in Manor Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: 459.9 AEU's.

The receiving stream, Indian Run, is in watershed 7-J, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123637, CAFO, **Jay L. Bleacher Farm**, 1173 Breneman Road, Conestoga, PA 17516.

This existing facility is located in Manor Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: 583.27 AEU's.

The receiving stream, Indian Run, is in watershed 7-J, and classified for: WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

PAG123708, CAFO, **Snider Swine Farm**, 22357 Mountain Foot Road, Neelyton, PA 17239.

This proposed facility is located in Dublin Township, **Huntingdon County**.

Description of Size and Scope of Proposed Operation/Activity: 1,208.02 AEU's.

The receiving stream, UNT Shade Creek, is in watershed 12-C, and classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the state narrative water quality standards.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
R&L Farms 1118 Luxemburg Rd Lykens, PA 17048	Dauphin	26.2	491.4	Layers and Sheep	NA	Renewal
James Schwalm 351 Bastian Rd Halifax, PA 17032	Dauphin	166.9	718.82	Swine and Beef	NA	New

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published

in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Central Office: Bureau Director, Bureau of Safe Drinking Water, P. O. Box 8467, Harrisburg, PA 17105-8467

Permit No. [9996576], Public Water Supply.
 Applicant **[Ice River Springs Water Company, Inc.]**
 [Township or Borough] [Pittsfield, Massachusetts]
 Responsible Official [Alexandra Gott]
 Type of Facility [Out of State Bottled Water System]
 Application Received Date [September 14, 2015]
 Description of Action [Applicant requesting a permit amendment to approve a distilled water product for sell in Pennsylvania. Bottled water to be sold in Pennsylvania under the brand names: Ice River Springs Natural Spring Water, Ice River Green Distilled water and America's Choice Distilled Water.]

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2115513, Public Water Supply.
 Applicant **Shippensburg Borough Authority**
 Municipality Southampton Township
 County **Franklin**
 Responsible Official John Eply, Borough Manager
 111 North Fayette Street
 PO Box 129
 Shippensburg, PA 17257-2147
 Type of Facility Public Water Supply
 Consulting Engineer Daniel S. Hershey
 Rettew Associates Inc
 3020 Columbia Avenue
 Lancaster, PA 17603
 Application Received: 9/14/2015
 Description of Action Well No. 2 facility improvements and addition of an on-site sodium hypochlorite generation system.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Permit No. 0215524, Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 800 West Hersheypark Drive
 Hershey, PA 17033
 [Township or Borough] Claysville Borough
 Responsible Official David R. Kaufman, Vice President—Engineering
 Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Type of Facility Pittsburgh water system
 Consulting Engineer Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033

Application Received Date September 8, 2015
 Description of Action Installation of a mixing system at the Claysville water storage tank.

Permit No. 2615507, Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 800 West Hersheypark Drive
 Hershey, PA 17033
 [Township or Borough] South Union Township
 Responsible Official David R. Kaufman, Vice President—Engineering
 Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Type of Facility Uniontown water system
 Consulting Engineer Pennsylvania American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 Application Received Date September 8, 2015
 Description of Action Installation of a mixing system at the Hopwood water storage tank.

Permit No. 3215510, Public Water Supply.
 Applicant **Indiana County Municipal Services Authority**
 602 Kolter Drive
 Indiana, PA 15701
 [Township or Borough] Center and Green Townships
 Responsible Official Michael Duffalo, Executive Director
 Indiana County Municipal Services Authority
 602 Kolter Drive
 Indiana, PA 15701
 Type of Facility Cherry Tree water system
 Consulting Engineer Gibson-Thomas Engineering Co., Inc.
 1004 Ligonier Street
 PO Box 853
 Latrobe, PA 15650
 Application Received Date September 17, 2015
 Description of Action Relocation of potassium permanganate feed and installation of approximately 1,860 feet of 8-inch diameter waterline.

Permit No. 3215511, Public Water Supply.
 Applicant **Indiana County Municipal Services Authority**
 602 Kolter Drive
 Indiana, PA 15701
 [Township or Borough] Center and Green Townships

Responsible Official Michael Duffalo, Executive Director
Indiana County Municipal Services Authority
602 Kolter Drive
Indiana, PA 15701

Type of Facility Heilwood water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Application Received Date September 17, 2015

Description of Action Upgrades to the Heilwood water treatment plant.

Permit No. 3215512, Public Water Supply.

Applicant **Indiana County Municipal Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Township or Borough] Center and Green Townships

Responsible Official Michael Duffalo, Executive Director
Indiana County Municipal Services Authority
602 Kolter Drive
Indiana, PA 15701

Type of Facility Heilwood water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Application Received Date September 17, 2015

Description of Action Construction of the Penn Run area water storage tank with a mixing system.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Application No. 5613508GWR-A1, Minor Amendment.

Applicant **HiTop, LLC**
PO Box 1180
Chambersburg, PA 17201

[Township or Borough] Somerset Township

Responsible Official Tom Mangold, Manager
HiTop, LLC
PO Box 1180
Chambersburg, PA 17201

Type of Facility Water system

Consulting Engineer T3 Global Strategies, Inc.
10 Emerson Lane
Suite 808
Bridgeville, PA 15017

Application Received Date August 27, 2015

Description of Action Amended demonstration of 4-log treatment for groundwater sources.

Permit No. 3215513MA, Minor Amendment

Applicant **Indiana County Municipal Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Township or Borough] Center and Green Townships

Responsible Official Michael Duffalo, Executive Director
Indiana County Municipal Services Authority
602 Kolter Drive
Indiana, PA 15701

Type of Facility Heilwood water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Application Received Date September 17, 2015

Description of Action Installation of approximately 83,600 feet of 6-inch and 8-inch diameter waterline and appurtenances.

Permit No. 3211503GWR-A1, Minor Amendment

Applicant **Indiana County Municipal Services Authority**
602 Kolter Drive
Indiana, PA 15701

[Township or Borough] Pine Township

Responsible Official Michael Duffalo, Executive Director
Indiana County Municipal Services Authority
602 Kolter Drive
Indiana, PA 15701

Type of Facility Heilwood water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Application Received Date September 17, 2015

Description of Action Amended demonstration of 4-log treatment for groundwater sources.

Permit No. 0215525MA, Minor Amendment

Applicant **Borough of Tarentum**
318 2nd Avenue
Tarentum, PA 15084

[Township or Borough] Tarentum Borough

Responsible Official Michael Gutonski, Borough Manager
Borough of Tarentum
318 2nd Avenue
Tarentum, PA 15084

Type of Facility Water system

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Application Received Date September 17, 2015

Description of Action Painting of the interior and exterior of the Tarentum #3 water storage tank.

Permit No. 3015509MA, Minor Amendment

Applicant **Southwestern Pennsylvania Water Authority**
1442 Jefferson Road
PO Box 187
Jefferson, PA 15344

[Township or Borough] German Township

Responsible Official John Golding, Manager
Southwestern Pennsylvania Water Authority
1442 Jefferson Road
PO Box 187
Jefferson, PA 15344

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Application Received Date September 21, 2015

Description of Action Installation of approximately 1,732 feet of 8-inch diameter waterline and appurtenances (SR 166 Little Cleveland Area waterline project).

Permit No. 3015510MA, Minor Amendment

Applicant **Southwestern Pennsylvania Water Authority**
1442 Jefferson Road
PO Box 187
Jefferson, PA 15344

[Township or Borough] Richhill Township

Responsible Official John Golding, Manager
Southwestern Pennsylvania Water Authority
1442 Jefferson Road
PO Box 187
Jefferson, PA 15344

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Application Received Date September 21, 2015

Description of Action Installation of approximately 3,246 feet of 12-inch diameter waterline and a meter vault (SR 21 waterline to West Virginia state line project).

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Application No. 6113502-MA1, Minor Amendment.

Applicant **City of Oil City**

Township or Borough Oil City

Responsible Official Mark G. Schroyer

Type of Facility Public Water Supply

Consulting Engineer Ms. Christina J. Sporer, P.E.
City of Oil City
21 Seneca Street
Oil City, PA 16301

Application Received Date September 8, 2015

Description of Action Reconditioning the interior and exterior of Sage Run Tanks, interior and exterior of VoTech Tanks, exterior of Hogback Tank and interior and exterior of West End Tank, along with safety and compliance improvements.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period

for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Jackson Street Park Project, 912 Jackson Street, City of Allentown, **Lehigh County**. Langan Eng. and Env. Services, River Drive Center 1, 619 River Drive, Elmwood Park, NJ 07407-1338, on behalf of City of Allentown, 3000 Parkway Boulevard, Allentown, PA 18104, submitted a Notice of Intent to Remediate. Contamination is due to historical operations at the site. The proposed future use of the property will be a public park. The Notice of Intent to Remediate was published in *The Morning Call* on June 18, 2015.

Ace Robbins, Inc., Sunshine Road, Tunkhannock Township, **Wyoming County**. James P. Sposito Associates, 11 Archbald Street, Carbondale, PA 18407, on behalf of Datom Products, Inc., 113 Monahan Avenue, Dunmore, PA 18512, submitted a Notice of Intent to Remediate. The site previously contained an aboveground bulk petroleum facility. The site has been found to be contaminated with gasoline and diesel fuel, which has contaminated soil on the site. The proposed future use of the property will be commercial. The Notice of Intent to Remediate was published in *The Wyoming County Press Examiner* on September 2, 2015.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Steico, Inc. Property/DC Goodman & Sons Release, 5538-5608 Sixth Avenue, Altoona, PA 16602, City of Altoona, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16602, on behalf of Steico, Inc., 5700 Sixth Avenue, Altoona, PA 16602, and DC Goodman & Sons, Inc., PO Box 554, Huntingdon, PA 16652, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with hydraulic fluid released in a vehicle accident. The site will be remediated to the Nonresidential Statewide Health Standard. Future use of the site remains nonresidential for commercial use. The Notice of Intent to Remediate was published in the *Altoona Mirror* on September 2, 2015.

Suburban Heating Oil Partners Lewistown, 115 Kish Pike, Lewistown, PA 17044, Derry Township, **Mifflin County**. CEMATS, PO Box 68, Canastota, NY 13032, on behalf of Suburban Heating Oil Partners, 5793 Widewaters Parkway, Suite 100, PO Box 4833, Syracuse, NY, 13221-4833, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by petroleum products. The site will be remediated to a combination of the Nonresidential Statewide Health and Site Specific Standards. Future use of the site remains commercial. The Notice of Intent to Remediate was published in *The Sentinel* on July 23, 2015.

RTV Trucking/Zitrick Property, 546 Grings Hill Road, Sinking Spring, PA 19608, Spring Township, **Berks County**. REPSG, Inc., 6901 Kingsessing Avenue, 2nd Floor, Philadelphia, PA 19142, on behalf of RTV Trucking, Inc., 1821 Powder Mill Road, Silver Spring, MD 20903; Richard Zitrick, 546 Grings Hill Road, Sinking Spring, PA 19608; and Erie Insurance, PO Box 4158, Hagerstown, MD 21740, submitted a Notice of Intent to Remediate site soils contaminated with diesel fuel released from a truck's saddle tank. The site will be remediated to the Residential Statewide Health Standard. Future use of the site remains residential. The Notice of Intent to Remediate was published in the *Reading Eagle* on July 15, 2015.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Vista Resources Pleasantville Release, Neiltown Road, Harmony Township, **Forest County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Vista Resources, Inc., 61 McMurray Road, Pittsburgh, PA 15241, submitted a Notice of Intent to Remediate. On January 2, 2015, and February 11, 2015, releases occurred that resulted in crude oil and brine impacting site soil and groundwater. Anticipated future use of the property will be commercial. The Statewide Health Standard has been selected for remediation. The Notice of Intent to Remediate was published in *The Titusville Herald* on July 27, 2015.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Colonial Manor Road, LLC (former QPX Metals Facility), 381 Colonial Manor Road, North Huntingdon Township, **Westmoreland County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry, Twp., PA 16066 on behalf of Colonial Manor Road, LLC., P. O. Box 1046, Wooster, OH 44691 has submitted a Notice of Intent to Remediate to meet a combination of Statewide Health and Site Specific standards concerning site soils contaminated with cadmium, lead and arsenic and groundwater contaminated with chlorinated volatile organic compounds. Notice of the NIR was published in the *Tribune-Review* on September 2, 2015.

Vantage Energy Appalachia—Porter Street Well Pad Impoundment, 390 Valley Farm Road, Franklin Township, **Greene County**. SE Technologies, LLC, 98 Vanadium Road, Bridgeville, PA 15017 on behalf of Vantage Energy Appalachia, LLC, 116 Inverness Drive East, Suite 107, Englewood, CO 80112 has submitted a Notice of Intent to Remediate to meet a combination of Statewide Health and Site Specific standards concerning site soils and groundwater contaminated with chloride, volatile and semi-volatile organic compounds (VOCs & SVOCs), metals, and strontium from leakage of the

former impoundment. The NIR indicated the future use land use of the property would be nonresidential. Notice of the NIR was published in the *Greene County Messenger* on August 8, 2015.

MUNICIPAL WASTE GENERAL PERMIT

Application(s) Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Application Number WMGM028D004. Granger Energy of Honey Brook, LLC, 16980 Wood Road, Lansing, MI 48906-1044.

General Permit Number WMGM028D004 is for the processing and beneficial use of landfill gas (LFG), generated at the Lanchester Landfill, located in Caernarvon Township, **Lancaster County**, for use as: (1) a substitute for high or medium Btu-LFG for natural gas or other fuel; (2) a substitute for natural gas or other fuel to be interconnected with another pipeline for consumer use; and (3) an alternative fuel for the electric generators to produce electricity. The general permit application was determined to be administratively complete by Central Office on August 18, 2015.

Written comments concerning the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on General Permit Number WMGM028D004" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

RESIDUAL WASTE GENERAL PERMITS

Application Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Application No. WMGR024R001. Marpac Corp., 394 Amsterdam Road, P. O. Box 84, Grove City, PA 16127. This general permit application is for the processing of spent mineral spirit solvent with a flash point equal to or greater than 140 degrees and the reuse of the processed solvent by generators who produce the spent solvent. The spent solvent must be generated from cleaning grease, oil and dirt from automotive or

machinery parts. The application was determined to be administratively complete by Central Office on September 15, 2015.

Written comments concerning the application should be directed to Scott E. Walters, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR024R001" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00049B: Alpaca Energy, LLC (6051 Wallace Road Extension, Suite 100, Wexford, PA 15090) for the construction of three (3) 9,708 bhp (7.2 MWs) 4 stroke, lean burn Rolls Royce Bergen B-35:40-V16AG-2 natural gas-fired engine/generator sets, each equipped with both catalytic oxidation and selective catalytic reduction (SCR), at the proposed electric generating station located in Canton Township, **Bradford County**. The facility will also include one (1) 0.64 MMBtu/hour natural gas-fired natural gas line heater; three (3) storage tanks ranging in size from 2,600 gallons to 6,000 gallons; one (1) desiccant dehydration system; various fugitive emissions. On October 8, 2014, the Department issued Plan Approval 08-00049A for sources at this electric generating station. In that application, five (5) 6,023 bhp Jenbacher natural gas-fired engine/generator sets were approved. These engines were never constructed. The Rolls Royce Bergen engines proposed in this application will take the place of the originally proposed Jenbacher engines.

The Department of Environmental Protection's (Department) review of the information submitted by Alpaca Energy, LLC indicates that the air contamination sources to be constructed will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Sections 63.6580-63.6675, the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Sections 60.4230—60.4248, the Mandatory Greenhouse Gas Reporting Rule, 40 CFR Part 98, 25 Pa. Code Chapter 123 and the best available technology requirement (BAT) of 25 Pa. Code

§§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The emissions from each proposed engine included in this project will not exceed the following limits: 0.058 g/bhp-hr and 5.44 TPY NO_x, 0.114 g/bhp-hr and 10.69 TPY CO, 0.037 g/bhp-hr and 3.47 TPY VOCs, 0.0006 lb/MMBtu and 0.13 TPY SO_x, 0.050 g/bhp-hr and 4.67 TPY PM/PM₁₀/PM_{2.5}, 0.0009 g/bhp-hr and 0.84 TPY formaldehyde, 10 ppmvd at 15% O₂ ammonia; no visible emissions equal to or greater than 10% for a period or periods aggregating more than three minutes in any 1 hour and equal to or greater than 30% at any time. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: performance testing requirement for all engines to verify compliance with the emissions limitations; establish a facility-wide leak detection and repair (LDAR) program to account for fugitive emissions from high pressure connections; restrict the engines to natural gas firing only; in addition to performance testing, establish follow-up portable analyzer testing for NO_x and CO for all engines every 2,500 hours of operation.

The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 08-00049B, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

PA-03-00244A: In accordance with 25 Pa. Code §§ 127.44—127.46, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval to **Dominion Transmission, Inc. (DTI)** (5000 Dominion Boulevard, Glen Allen, VA 23060) to authorize the construction and operation of a Solar Turbine, an oxidation catalyst, and a hot water boiler as well as the continued operation of the previously installed sources at their existing Rural Valley Compression Station located in Valley Township, **Armstrong County**.

Air contamination sources proposed for this project will include one (1) Solar Taurus 70-10802S Turbine rated at 10,915 bhp controlled by one (1) oxidation catalyst, and one (1) hot water boiler rated at 3.5 MMBtus/hr. The NO_x emissions from Solar Turbine will be controlled by a SoLoNO_x burner and NMNEHC, CO, and HCHO emissions will be controlled by a catalytic oxidation system.

The project will result in a modification of the existing facility with a net facility wide emission increase of 1.3 tpy of VOC, 1.7 tpy of CO, 21.0 tpy of NO_x, 5.0 tpy of PM, 0.2 tpy of HAP, 0.1 tpy of HCHO, and 55,253 tpy of GHG. Upon authorization of this plan approval the facility potential to emit will not exceed 49.3 tons of VOC, 51.0 tons of NO_x, 13.7 tons of CO, 8.0 tons of PM₁₀, 1.0 tons of SO_x, 6.1 tons of HAP, and 2.9 tons of HCHO on an annual

basis. The proposed sources are subject to the best available technology (BAT). The proposed source is also subject to applicable new source performance standard requirements of 40 CFR Part 60 Subpart KKKK and 25 Pa. Code Chapter 121—145. The proposed Plan Approval includes a limitation on potential emissions, hours of operation, as well as LDAR, monitoring, record keeping, reporting, work practice, and performance testing requirements.

Previously installed equipment includes one (1) Cat G3606 engine rated at 1,775 bhp and controlled by an oxidation catalyst, one (1) Cat 3612 engine rated at 3,550 bhp and controlled by an oxidation catalyst, one (1) Cat G3412 emergency engine rated at 690 bhp and controlled by an oxidation catalyst, one (1) Natco glycol dehy attached to a reboiler rated at 0.275 MMBtu/hr, a thermal oxidizer rated at 4.0 MMBtus/hr, and one (1) Storage tank.

A person may oppose the proposed plan approval by filing a written protest with the Department through Jesse Parihar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to jparihar@pa.gov; or fax to 412.442.4194. Written comments may also be submitted via the same methods. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-03-00244A), and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

DTI's Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the DTI Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Plan Approval for this project, a person may contact Phil Bouse at pbouse@pa.gov or 412.442.4000.

All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

23-00009: The Boeing Company—Philadelphia (PO Box 16858 Philadelphia, PA 19142-0858) for renewal of the Title V Operating Permit for its Ridley Park Pennsylvania Facility, an aerospace fabrication and repair facility located in Ridley Township, **Delaware County**. The renewal will also include the incorporation of Plan Approvals 23-0009G, 23-0009H and 23-0009F.

23-00045: Sunoco Partners Marketing & Terminals, L.P. Twin Oaks. (4041 Market Street, Aston, PA 19014), located in Upper Chichester Township, **Delaware County**. This action is for the renewal of a Title V Operating Permit. The facility is primarily involved in

Petroleum bulk stations and terminals. Sunoco operates gasoline loading racks, fuel oil loading racks and storage tanks. The permit contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

38-05017: Greater Lebanon Refuse Authority (1610 Russell Road, Lebanon, PA 17046-1437) for operation of a municipal solid waste landfill in North Lebanon Township, **Lebanon County**. Actual emissions from the facility in 2014 were estimated at 0.25 ton CO, 0.13 ton NO_x, 0.06 ton PM, 0.07 ton SO_x, and 5.60 tons VOC. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00057: Reading Anthracite, Co. (116 Connorton Road, Girardville, PA 17935) The Department intends to issue a State-Only Operating Permit for the operation of an anthracite mining facility in Butler Township, **Schuylkill County**. The sources consist of two (2) crushers and associated conveyors. The particulate emissions are controlled by water sprays. This is a renewal of a State-Only Operating Permit. The proposed operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

39-00014: PA DHS/Allentown State Hospital (1600 Hanover Avenue, Allentown, PA 18109-2498) for Psychiatric and Substance Abuse Hospital in City of Allentown, **Lehigh County**. The sources consist of one (1) Superior Boiler rated at 30 MMBtus/hr. using #2 ULS fuel oil and four (4) emergency generators. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO); total suspended particulate (TSP) and VOC's. This is a new State-Only Synthetic Minor operating permit. The State-Only operating permit includes applicable state and Federal requirements, work practice standards, testing, monitoring, recordkeeping and reporting requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

06-05061: Cambridge-Lee Industries, LLC (P. O. Box 14026, Reading, PA 19612-4026) to issue a State Only Operating Permit for the copper tubing production facility located in Ontelaunee Township, **Berks County**. The

actual emissions from the facility in 2014 year were 14.3 tons of CO, 18.9 tons of NO_x, 3.8 tons of PM₁₀, 0.1 ton of SO_x and 35.6 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart III and 40 CFR 63 Subpart CCCCC.

28-05034: Grove US LLC (1565 Buchanan Trail East, Shady Grove, PA 17256) to issue a State Only Operating Permit for their chrome electroplating facility in Quincy Township, **Franklin County**. Chrome plating activities are subject to 40 CFR Part 63, Subpart N of the National Emission Standards for Hazardous Air Pollutants for Source Categories which restricts chromium emissions to 0.015 milligram per dry standard cubic meter of exhaust air volume as verified by stack testing. The Operating Permit includes emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

OP-30-00067: Jefferson-Morgan School District (1351 Jefferson Rd., Box 158, Jefferson, PA 15344) to issue a Natural Minor State Only Operating Permit renewal for the Jefferson-Morgan Elementary and Jr/Sr High Schools in Jefferson Boro, **Greene County**. Equipment at the elementary school includes two CNB 4.3 mmbtus/hr natural gas-fired boilers and an Onan natural gas-fired emergency generator. Equipment at the Jr/Sr high school includes three 1.75 mmbtu/hr RBI low-NO_x natural gas-fired boilers, a Kohler 30 kW natural gas-fired emergency generator, and two 0.5 mmbtu/hr Lochinvar low-NO_x natural gas-fired hot water heaters. Potential emissions from the sources at this facility in any consecutive 12 month period in the boilers are estimated to be 6.4 tons NO_x, 0.4 ton VOCs, 5.4 tons CO, and 0.5 ton particulate matter. Actual emissions from the facility are much lower. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6131

10-00380: Mountain Gathering LLC, Jefferson Compressor Station (910 Saxonburg Road, Butler, PA) for a Natural Minor Permit to operate a natural gas compressor station located in Jefferson Township, **Butler County**. The primary emissions are from the eight 1,775 Hp compressor engines at the facility.

Construction of this facility was authorized by Plan Approval Number: 10-0380C which was issued on December 13, 2013. The conditions from that plan approval have been incorporated into the Synthetic Minor Operating Permit. This plan approval contained a facility wide VOC emission limit of 38 tons per year.

Additional equipment was installed under General Plan Approval Number GP-10-00380 which was issued on July 29, 2014. This additional equipment has the potential to

produce an additional 7.35 tons per year of VOC emissions which increases the facility wide VOC emission limit to 45.35 tons per year.

Sources at this facility are subject to the following Federal emission standards:

- 40 CFR 60, Subpart JJJJ—Standards of performance for stationary spark ignition internal combustion engines.
- 40 CFR 60, Subpart OOOO—Standards of performance for crude oil and natural gas production, transmission and distribution.
- 40 CFR 63, Subpart HH—National emission standards for hazardous air pollutants from oil and natural gas production facilities.

The latest version of these subparts have been attached to the appropriate sources.

The potential emissions from this facility are as follows. (All values are in tons/year.) PM₁₀/PM_{2.5} = 5.61, SO_x = 0.33, NO_x = 74.78, VOC = 45.35, CO = 38.89, CO_{2e} = 62,171.66, HAPs = 4.92.

43-00364: Combined Systems, Inc., (388 Kinsman Road, Jamestown, PA 16134), to issue a new State Only Operating Permit for their CS manufacturing operations in Greene Township, **Mercer County**. The facility is a Natural Minor. Potential emissions are estimated as follows: NO_x, less than 1 tpy; CO, less than 1 tpy; VOC, 6.22 tpy; SO₂, less than 1 tpy; PM, less than 1 tpy; and all combined HAPs, 1.01 tpy. The primary sources at the facility are a mixing operation, granulation & sieving operation, pelletizing, component cleaning, a 1600 cfm paint booth, an indoor test chamber, and an outdoor test chamber. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

48-00104B: Kranos Corp d.b.a. Schutt Reconditioning (610 Industrial Drive South Litchfield, IL 62056) for their facility in Palmer Township, **Northampton County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Kranos Corp d.b.a. Schutt Reconditioning (610 Industrial Drive South, Litchfield, IL 62056) for their facility in Palmer Township, Northampton County. This Plan Approval No. 48-00104B will be incorporated into a Natural Minor Permit through an administrative amendment at a later date.

Plan Approval No.48-00104B is for the operation of an existing buffing process and one (1) cyclone dust collector. Particulate Matter (PM) emissions from the plant will remain under their 100 TPY threshold limit, 12-month

rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.13 for PM emissions. These limits will meet BAT requirements for this source. The company shall also be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 48-00104B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication,

or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

32743710 and NPDES No. PA0214884. Helvetia Coal Company, (PO Box 219, 400 Overview Drive, Shelocta, PA 15774). To renew the permit for the Refuse Disposal Area No. 1 in Center Township, **Indiana County** and related NPDES permit. No additional discharges. The application was considered administratively complete on September 16, 2015. Application received October 15, 2014.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33100103. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Renewal of an existing bituminous surface mine in Corsica Borough & Union Township, **Jefferson County**, affecting 28.5 acres. Receiving streams: Welch Run, classified for the following uses: CWF. There are no potable surface water intakes within 10 miles downstream. This application is for reclamation only. Application received: September 14, 2015.

16150101 and NPDES Permit No. PA0259632. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Commencement, operation and restoration of a bituminous surface mine and associated NPDES permit in Monroe Township, **Clarion County**, affecting 167.9 acres. Receiving streams: Unnamed tributary to Craggs Run, unnamed tributaries to Licking Creek, and unnamed tributaries to Reids Run, all classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 28, 2015.

1475-16150101-E-1. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Application for a stream encroachment to construct and maintain a stream crossing over unnamed tributary to Craggs Run in Monroe Township, **Clarion County**. Receiving streams: Unnamed tributary to Craggs Run, unnamed tributaries to Licking Creek, and unnamed tributaries to Reids Run, all

classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application also includes a request for a Section 401 Water Quality Certification. Application received: August 28, 2015.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

02-03-02 and NPDES Permit No. PA0250473. Collier Land & Coal Development (One 8th Street, Brad-dock, PA 15104). Application for continued operation and restoration to an expired Government Financed Contractual Contract and NPDES renewal, located in Collier Township, **Allegheny County**, affecting 13.9 acres. Receiving streams: unnamed tributaries to Robinson Run and Robinson Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: September 10, 2015.

26090106 and NPDES Permit No. PA0251844. Amerikohl Mining, Inc. (1384 State Route 711, Stahlstown, PA 15687). Renewal application for reclama-tion only to an existing bituminous surface mine, located

in Springfield Township, **Fayette County**, affecting 194 acres. Receiving streams: unnamed tributaries to Indian Creek and Indian Creek, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: September 18, 2015.

63100101 and NPDES Permit No. PA0251933. Neiswonger Construction, Inc. (17592 Route 322, Strattanville, PA 16258). Renewal application for reclama-tion only to an existing bituminous surface mine, located in Somerset Township, **Washington County**, affecting 293 acres. Receiving streams: unnamed tributaries to Center Branch Pigeon Creek, Pigeon Creek and South Branch Pigeon Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: September 8, 2015.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

24050301. North Star Aggregates, Inc. (P. O. Box 51, Penfield, PA 15849) Renewal of NPDES Permit No. PA0257974 in Horton Township, **Elk County**. Receiving streams: Johnson Run and Oyster Run, both classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: September 14, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 7473SM2A1C24 and PA0118460. Hercules Cement Co., LP d/b/a Buzzi Unicem USA, (PO Box 69, Stockertown, PA 18083), correction to an existing quarry to update the permit boundary from 301.3 acres to 298.3; increase the depth of mining and a stream encroachment within 100 feet of Schoeneck Creek in Upper Nazareth and Palmer Townships, **Northampton County**, receiving streams: Bushkill Creek, classified for the following uses: HQ—cold water & migratory fishes and Schoeneck Creek, classified for the following uses: warm water & migratory fishes. Application received: September 14, 2015.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Noncoal NPDES Draft Permits

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

NPDES No. PA0591688 (Mining permit no. 3374SM58), Coolspring Mining, Inc., P. O. Box 1328, Uniontown, PA 15401, renewal NPDES permit for a large noncoal surface mine in North Union Township, **Fayette County**, affecting 146.6 acres. Receiving stream(s): Coolspring Run (WWF) and Coolspring Run (WWF) to Shutes Run (WWF) to Cove Run (WWF) to Redstone Creek (WWF & TMDL) to the Monongahela River, classified for the following use(s): WWF and TMDL. This receiving stream is included in the Redstone Creek TMDL. Application received: March 16, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The stormwater outfall(s) listed below discharge to Coolspring Run (WWF).

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
001(A)	N	E&S
003(C)	N	E&S
004(D)	N	E&S
005(E)	N	E&S
006(F)	N	E&S
007(G)	N	E&S

The proposed effluent limits for the above listed outfall(s) are as follows: for precipitation events less than or equal to a 10 year/24 hour storm event.

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times
Alkalinity must exceed acidity at all times

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E19-309. Bloomsburg Fair Association, 620 W 3rd Street, Bloomsburg, PA 17815. Disabled Vehicle Lot and Helicopter Pad, in Town of Bloomsburg, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle Latitude: 40°59'34"; Longitude: 76°28'16.8").

To construct, operate and maintain a disabled vehicle storage area located just north of the Fort McClure Blvd intersection at the eastern side of the existing parking lot. Eight stalls will be surrounded by a 28 Ft by 72 Ft security fence with associated gates. This permit also authorizes a helicopter pad 45 Ft by 40 feet across. To provide a level area for the concrete pad 240 cubic yards of fill shall be placed to a maximum depth at the center of the pad approximately 2 feet. For security reasons a 111 Ft by 186 Ft perimeter fence will be installed with associated gates for access. Both of these projects are located in the floodway of Fishing Creek which carries a water quality designation of Warm Water Fishery. This project is located along the North East side of West Fort McClure Boulevard 0.4 mile south of the intersection with T-409. This permit was issued under Section 105.13(e) "Small Projects."

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E03-465, Cowanshannock Township Supervisors, PO Box 137, Numine, PA 16244, Cowanshannock Township, **Armstrong County**, ACOE Pittsburgh District.

The applicant is proposing to remove the existing 21' long, 20' wide, 5.75' underclearance, single span, TR 720, Hoosicks single span bridge; construct and maintain a new 26.5' long, 22' wide, 6.5' underclearance, 1' depressed box culvert on the South Branch Cowanshannock Creek (WWF) with a drainage area of 3.2 square miles; fill and maintain 96 feet and 190 feet of two unnamed tributaries to South Branch Cowanshannock Creek (WWF) with drainage areas less than 100 acres and construct and maintain 99 foot and 190 foot long replacement channels; and temporarily impact 268 feet of stream for construction. The project is located south of the SR 85

and TR 720 intersection (Plumville PA Quadrangle; N: 7.75 inches; W: 4.5 inches; Latitude 40° 48' 0"; Longitude -79° 13' 56") in Cowanshannock Township, Armstrong County.

E11-353, PennDOT District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648, West Taylor Township, **Cambria County**, ACOE Pittsburgh District.

The applicant is proposing to remove the existing SR 3041, 33.8 foot wide, 68 foot total span, 3.32 ft underclearance two span bridge over Taylor Run (HQ-CWF) with a drainage area of 13.9 square miles and construct and maintain a 46 foot wide, 68 foot span, 3.35 foot underclearance, single span replacement bridge in the same location; in addition, construct and maintain associated stormwater outfalls, and temporarily impact 140 foot of stream for the purpose of constructing these encroachments.

The project is located in West Taylor Township, PA approximately one half mile northeast of the City of Johnstown's northern limit (Johnstown Quadrangle; N: 21.4 inches; W: 8.5 inches; Latitude 40° 35' 12"; Longitude -80° 2' 44") in Cambria County.

E65-974, PennDOT District 12-0, 825 North Gallatin Avenue, Uniontown, PA 15401, East Huntingdon Township, **Westmoreland County**, ACOE Pittsburgh District.

The applicant is proposing to:

1. Place and maintain fill in 100 feet of a UNT to Sherrick Run (WWF) with a drainage area less than 100 acres; construct and maintain a 95 foot long replacement channel;

2. Place and maintain fill in 117 feet of a second UNT to Sherrick Run (WWF) with a drainage area less than 100 acres; construct and maintain a 113 foot long replacement channel;

3. Remove the existing SR 0119 126 foot long 36" RCP culvert carrying a third UNT to Sherrick Run (WWF) with a drainage area less than 100 acres; construct and maintain a replacement 142 foot long 36" RCP culvert in the same location;

4. Remove the existing SR 0119 142 foot long 54" CTC culvert carrying a fourth UNT to Sherrick Run (WWF) with a drainage area of 120 acres; construct and maintain two parallel replacement 144 foot long 38" by 60" RCP culverts in the same location; place and maintain fill in 60 feet of the same UNT to Sherrick Run immediately upstream of the proposed culverts; construct and maintain a 55 foot long replacement channel;

5. Remove the existing SR 0119 102 foot long 48" RCP culvert carrying a fifth UNT to Sherrick Run (WWF) with a drainage area of 131 acres; construct and maintain a replacement 123 foot long 53" by 83" RCP culvert in the same location;

6. Remove the existing SR 0119 115 foot long 36" RCP culvert carrying a sixth UNT to Sherrick Run (WWF) with a drainage area of 114 acres; construct and maintain a replacement 147 foot long 53" by 83" RCP culvert in the same location;

7. Remove the existing SR 0119 91 foot long 15" RCP culvert carrying a seventh UNT to Sherrick Run (WWF) with a drainage area of less than 100 acres; construct and maintain a replacement 91 foot long 18" RCP culvert in the same location; place and maintain fill in 315 feet of the same UNT to Sherrick Run; construct and maintain a 315 foot long replacement channel;

8. Place and maintain fill in 0.13 acre of PEM/PSS/PFO wetlands; construct and maintain associated stormwater outfalls; and temporarily impact 0.50 acre of wetland and 1,555 feet of stream for the purpose of constructing these encroachments.

Stream mitigation will occur offsite on Jacobs Creek (WWF) in Mount Pleasant and Bullsken Township in Westmoreland and Fayette Counties (Mount Pleasant, PA Quadrangle, North 1.9 inches and West 1.75 inches; Latitude 40° 8' 14" and Longitude -79° 30' 36"). Wetland mitigation will occur offsite at the Jacobs Creek Advanced Wetland Compensation site in Bullsken Township, Fayette County (Mount Pleasant, PA Quadrangle, North 0.25 inches and West 2.5 inches; Latitude 40° 8' 6.5" and Longitude -79° 30' 37"). These encroachments are associated with the SR 0119 widening and upgrade project, located 1.0 mile west of Mount Pleasant, PA (Beginning Mount Pleasant, PA Quadrangle, North 11.2 inches and West 9.5 inches; Latitude 40° 11' 10" and Longitude 79° 34' 5"; ending Connellsville, PA Quadrangle, North 22.25 inches and West 7.75 inches; Latitude 40° 7' 27" and Longitude 79° 33' 21") in East Huntingdon Township, Westmoreland County.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5929-050: Southwestern Energy Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA, 18657, Liberty and Hamilton Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary road crossing using timber mats, a coffer dam obstructing 2/3 of the river at a time, and a 10 inch diameter waterline, impacting 2,444 square feet of a palustrine emergent (PEM) wetland and 60 linear feet of the Tioga River (CWF) (Blossburg, PA Quadrangle 41°39'33"N, 77°02'54"W);

2) A 10 inch diameter waterline impacting 44 linear feet of an unnamed tributary to Tioga River (CWF) (Blossburg, PA Quadrangle 41°39'27"N, 77°03'05"W);

3) A temporary road crossing using timber mats and a 10 inch diameter waterline impacting 25 linear feet of an unnamed tributary to Tioga River (CWF) (Blossburg, PA Quadrangle 41°39'20"N, 77°03'22"W);

4) A 10 inch diameter waterline impacting 16 linear feet of an unnamed tributary to Taylor Run (EV) (Blossburg, PA Quadrangle 41°38'45"N, 77°03'47"W);

5) A temporary road crossing using timber mats and a 10 inch diameter waterline impacting 25 linear feet of an unnamed tributary to Taylor Run (EV) (Blossburg, PA Quadrangle 41°38'43"N, 77°03'48"W);

6) A 14 inch diameter HDPE waterline impacting 28 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°38'13"N, 77°04'13"W);

7) A 14 inch diameter HDPE waterline impacting 20 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°38'04"N, 77°04'17"W);

8) A 14 inch diameter HDPE waterline impacting 15 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°37'59"N, 77°04'15"W);

9) A 14 inch diameter HDPE waterline impacting 18 linear feet of Long Run (CWF) (Blossburg, PA Quadrangle 41°37'57"N, 77°04'16"W);

- 10) A 14 inch diameter HDPE waterline impacting 11 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°37'54"N, 77°04'19"W);
- 11) A 14 inch diameter HDPE waterline impacting 24 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°37'52"N, 77°04'26"W);
- 12) A 12 inch diameter HDPE waterline impacting 43 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°37'50"N, 77°04'30"W);
- 13) A 12 inch diameter HDPE waterline impacting 21 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°37'50"N, 77°04'34"W);
- 14) A 12 inch diameter HDPE waterline impacting 16 linear feet of an unnamed tributary to Long Run (CWF) (Blossburg, PA Quadrangle 41°37'49"N, 77°04'39"W);
- 15) A 12 inch diameter HDPE waterline impacting 16 linear feet of an unnamed tributary to Bellman Run (CWF) (Liberty, PA Quadrangle 41°37'29"N, 77°05'06"W);
- 16) A 12 inch diameter HDPE waterline impacting 19 linear feet of an unnamed tributary to Bellman Run (CWF) (Liberty, PA Quadrangle 41°37'24"N, 77°05'08"W);
- 17) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 25 linear feet of an unnamed tributary to Bellman Run (CWF) (Liberty, PA Quadrangle 41°37'12"N, 77°05'25"W);
- 18) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 30 linear feet of an unnamed tributary to Blockhouse Creek (CWF) (Liberty, PA Quadrangle 41°36'58"N, 77°05'25"W);
- 19) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 183 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°36'54"N, 77°05'25"W);
- 20) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 30 linear feet of an unnamed tributary to Blacks Creek (CWF) (Liberty, PA Quadrangle 41°36'44"N, 77°05'59"W);
- 21) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 1,664 square feet of an exceptional value palustrine emergent and forested (EV-PFO/PEM) wetland (Liberty, PA Quadrangle 41°36'44"N, 77°06'00"W);
- 22) A 12 inch diameter HDPE waterline impacting 183 square feet of an exceptional value palustrine forested (EV-PFO) wetland (Liberty, PA Quadrangle 41°36'27"N, 77°05'59"W);
- 23) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 1,664 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°36'21"N, 77°06'00"W);
- 24) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 4,822 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 25 linear feet of an unnamed tributary of Blacks Creek (CWF), and 25 linear feet of an unnamed tributary of Blacks Creek (CWF) (Liberty, PA Quadrangle 41°36'05"N, 77°06'16"W);
- 25) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 2,470 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°36'08"N, 77°06'16"W);
- 26) A temporary timber mat and a 12 inch diameter HDPE waterline impacting 25 linear feet of an unnamed tributary of Blacks Creek (CWF) (Liberty, PA Quadrangle 41°36'09"N, 77°06'17"W);
- 27) A temporary timber mat and 1,307 square feet of a palustrine forested (PFO) wetland (Liberty, PA Quadrangle 41°37'35"N, 77°04'06"W);
- 28) A temporary timber mat and 1,307 square feet of a palustrine forested (PFO) wetland (Liberty, PA Quadrangle 41°37'28"N, 77°04'05"W);
- 29) A temporary timber mat and 1,743 square feet of a palustrine forested (PFO) wetland (Liberty, PA Quadrangle 41°37'21"N, 77°04'06"W);
- 30) A temporary timber mat and 1,307 square feet of a palustrine forested (PFO) wetland (Liberty, PA Quadrangle 41°37'15"N, 77°03'44"W).
- The project will result in 561 linear feet of temporary stream impacts and 16,114 square feet (0.37 acre) of temporary wetland impacts all for the purpose of installing a natural gas gathering line in Liberty Township, Tioga County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS142202 (Storm Water)	Pkg Of American 7451 Cenronia Road Allentown, PA 18106	Lehigh County Upper Macungie Township	Iron Run (2-C)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0044741— IW	Hanover Foods Corporation 1486 York Street PO Box 334 Hanover, PA 17331	York County/Penn Township	Oil Creek & UNT Oil Creek/7-H	Y
PA0111422— SEW	Thompsontown Borough Municipal Authority PO Box 154 Thompsontown, PA 17094	Juniata County/ Delaware Township	Delaware Creek/12-B	Y
PA0081868— SEW	Fairview Township 599 Lewisberry Road New Cumberland, PA 17070	York County/ Fairview Township	Susquehanna River/7-E	Y
PA0021717— SEW	Marietta Donegal Joint Authority 50 Furnace Road Marietta, PA 17547	Lancaster County/ Marietta Borough	Susquehanna River/7-G	Y
PA0082287— SEW	PA DE District Council Assemblies of God 430 Union Hall Road Carlisle, PA 17013	Cumberland County/ North Middleton Township	Conodoguinet Creek/7-B	Y

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0217468	Beaver Falls Municipal Authority Eastvale Treatment Plant 911 2nd Avenue Eastvale, PA 15010	Beaver County Eastvale Borough	Beaver River (20-B)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0253197 (MIIW1)	Rollock Company 1317-1319 Main Street Johnstown, PA 15905	Cambria County Franklin Borough	Little Conemaugh River (18-E)	N

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0275786, Storm Water, SIC Code 3272, **Oldcastle Precast Inc.**, 3900 Glover Road, Easton, PA 18040.

This proposed facility is located in Forks Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of a new NPDES Permit for an existing discharge of Storm Water.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.

NPDES Permit No. PA0228915, Sewage, SIC Code 4952, **ORD Sewer Authority**, 235 Skips Lane, Osceola Mills, PA 16666-1753.

This existing facility is located in Decatur Township, **Clearfield County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES Permit No. PA0273104, SIC Code 8800, **Lucinda M. Smith**, 7750 Bargain Road, Erie, PA 16509.

This proposed facility is located in Mckean Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated sewage.

NPDES Permit No. PA0272949, Sewage, SIC Code 4952, **Hamlin Township Mckean County**, PO Box 235, Hazel Hurst, PA 16733.

This proposed facility is located in Hamlin Township, **Mckean County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2282406, Amendment No. 3, Sewerage, **Berrysburg Municipal Authority**, PO Box 183, Berrysburg, PA 17005.

This proposed facility is located in Berrysburg Borough, **Dauphin County**.

Description of Proposed Action/Activity: Permit amendment approval for the construction of sewage facilities consisting of: One distribution box upstream of the proposed continuous flow SBRs. Caustic Soda (25% aqueous solution at 0.9 gph for alkalinity adjustment), Aluminum Sulfate (50% aqueous solution at 0.55 gph to promote phosphorus precipitation) and Acetic Acid (100% aqueous solution at 1.8 gph to serve as a carbon amendment for denitrification) chemical feed systems. Two continuous flow SBRs (4,446 ft³ each). Two UV disinfection units rated for 218 gpm each. Two aerobic digestion tanks. The modification of an existing clarifier to serve as a Sludge Holding Tank.

WQM Permit No. 2815402, Sewage, **Antrim Township Municipal Authority**, 10655 Antrim Church Road, PO Box 130, Greencastle, PA 17225-0130.

This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewage facilities consisting of gravity sewer to re-route flows from Pump Station 5 and Pump Station 25 to the Williamsport Interceptor. The new gravity sewer will consist of approximately 1,200' of 10" sewer, 1,700' of 15" sewer, and 5,000' of 18" sewer.

WQM Permit No. 3688468 Amendment A-3, Sewage, **Paradise Township Sewer Authority**, 2 Township Drive, PO Box 40, Paradise, PA 17562-0040.

This proposed facility is located in Paradise Township, **Lancaster County**.

Description of Proposed Action/Activity: Permit amendment approving the modification of sewage facilities consisting of modification to the chemical feed system, relocation of the headworks.

WQM Permit No. 2815401, Sewage, **Antrim Township Municipal Authority**, 10655 Antrim Church Road, PO Box 130, Greencastle, PA 17225-0130.

This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Permit approval for the construction/modification of sewage facilities consisting of replacement of components at Pump Station #13, including two (2) new dry pit 270 gpm submersible pumps, an emergency generator, meter vault, sump pump system, and 3 phase, 480 volt electrical service.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 5615405, Sewage, **National Park Service**, 278 Park Headquarters Road, Stoystown, PA 15563.

This proposed facility is located in Stonycreek Township, **Somerset County**.

Description of Proposed Action/Activity: Construction of new sewage treatment plant.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 2515403, Sewage, **Lucinda M. Smith**, 7750 Bargain Road, Erie, PA 16509.

This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. WQG01201504, Sewage, **Jennifer & Justin McLaren**, 12981 Raymond Dr, Meadville, PA 16335.

This proposed facility is located in East Mead Township, **Crawford County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011515003	Canine Partners for Life P. O. Box 170 Cochranville, PA 19330	Chester	Londonderry Township	East Branch Big Elk Creek HQ-MF
PAI011513031(1)	Owen J. Roberts School District 901 Ridge Road Pottstown, PA 19465	Chester	East Vincent Township	Unnamed Tributary to French Creek HQ-TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023914022(1)	Hospital Central Services Coop., Inc. c/o Mr. Daniel Marcante 2171 28th Street Allentown, PA 18103	Lehigh	City of Allentown	Trout Creek (HQ-CWF, MF)
PAI023915006	Lehigh Valley Hospital—Muhlenberg c/o Marc Breidenbach Facilities & Construction Dept., 3rd Floor 2100 Mack Boulevard, PO Box 4000 Allentown, PA 18105	Lehigh and Northampton	Bethlehem City and Hanover Township	UNT to Monocacy Creek (HQ-CWF, MF) and Monocacy Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041415004	P R Properties Partnership 1042 E. Springfield Dr Bellefonte, PA 16823-8284	Centre	Marion Walker Twp	Little Fishing Creek, HQ-CWF

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Erie County Conservation District, 1927 Wager Road, Erie, PA 16509

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062510001R	Trinity Equestrian Center Roseanne Palermo 3437 West Lake Road Erie, PA 16505	Erie	Fairview Township	Bear Run CWF; MF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Londonderry Township Chester County	PAG02001515037	I.V.D. Corporation 110 E. State Street, Suite 9 Kennett Square, PA 19348	Middle Branch White Clay Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
London Grove Township Chester County	PAG02001514037	Frances Powers 212 Larchmont Lane West Grove, PA 19390 Co-Applicant: Phillip Dutton 248 Hood Road West Grove, PA 19390	Unnamed Tributary to East Branch White Clay Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Vincent Township Chester County	PAG02001515014	East Vincent Township 262 Ridge Road Spring City, PA 19475	Unnamed Tributary to Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Goshen Township Chester County	PAG02001515036	Redgo Development 615 Willowbrook Lane West Chester, PA 19382	Unnamed Tributary to Goose Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401L 484-250-5900
East Pikeland Township Chester County	PAG02001515032	Michelle M. Lampkin, Executrix Estate of Pauline C. Gappa P. O. Box 902 Kimberton, PA 19442	French Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
West Goshen Township Chester County	PAG02001515034	West Chester University 201 Carter Drive, Suite 200 West Chester, PA 19383	Plum Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Birmingham Township Chester County	PAG02001515037	MLV Family, LP 1275 Wilmington Pike West Chester, PA 19382	Unnamed Tributary to Radley Run CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Horsham Township Montgomery County	PAG02004614103	Park Ridge Properties, LLC 321 Maple Avenue Horsham, PA 19044	Park Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Whitpain Township Montgomery County	PAG02004615037	Blue Bell Investment Company, LP 6711 Columbia Gateway Drive Suite 300 Columbia, MD 21046	Stony Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Horsham Township Montgomery County	PAG02004615055	Oxford Land Development P. O. Box 841 521 Stump Road Suite A Montgomeryville, PA 18936	Park Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Saucon Township Lehigh County	PAG02003915010	Dean Tantaros 3064 Village Drive Center Valley, PA 18034	Saucon Creek (CWF, MF)	Lehigh County Conservation District 610-391-9583
Plains Township Luzerne County	PAG02004015012	UGI Penn Natural Gas, Inc. Chris Morris One UGI Center Wilkes-Barre, PA 18702	Mill Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Jackson Township Luzerne County	PAG02004014027	2xracers Holdings, LLC John Halbing 3579 N. Memorial Highway Dallas, PA 18612	Huntsville Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Jenkins Township Luzerne County	PAG02004009003R	Frank Braccini, Jr. 295 Schooley Avenue Exeter, PA 18644	UNT to Susquehanna River (CWF, MF)	Luzerne Conservation District 570-674-7991
Hunlock Township Luzerne County	PAG02004015009	UGI Energy Services, Inc. Peter Quattrini One Meridian Boulevard Suite 2C01 Wyomissing, PA 19610	Susquehanna River (WWF, MF)	Luzerne Conservation District 570-674-7991
Nanticoke City Luzerne County	PAG02004014038	New Lexington Associates II, L.P. S. Michael Cohen 1 Wynnewood Road Suite 200 Wynnewood, PA 19096-1918	Espy Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Northampton Borough Northampton County	PAG02004815010	Posh Properties c/o Mr. Joseph Posh 2216 Willow Park Road Bethlehem, PA 18020	Lehigh River (TSF, MF)	Northampton County Conservation District 610-746-1971

NOTICES

5997

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Straban Township Adams County	PAG02000115024 Issued	David L. Sites/ Sites-Bittinger, L.P. 1270 Fairfield Road Gettysburg, PA 17325	UNT to Rock Creek/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Hamiltonban and Liberty Townships Adams County	PAG02000115027 Issued	Mother Stella-Marie of Jesus, O.C.D. C/O Anthony Disanto, Esquire Assist, Ltd. 125 Locust Street Harrisburg, PA 17101	Middle Creek/CWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Allegheny Township Blair County	PAG02000715009 Issued	T/A Fiore TVA Attn. Daniel Fiore 1000 Logan Boulevard Hollidaysburg, PA 16648	Brush Run/ WWF, MF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877 ext. 5
Upper Allen Township Cumberland County	PAG02002115024 Issued	Sheetz, Inc. 351 Sheetz Way Claysburg, PA 16625	Cedar Run/CWF, MF	Cumberland County Conservation District 310 Allen Road, Suite 301 Carlisle, PA 17013 717-240-5359
Lower Paxton Township	PAG02002215026 Issued	Best Line Equipment, LLC 140 Hawbaker Industrial Drive State College, PA 16803	Beaver Creek/ WWF-MF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
Middletown Borough and Lower Swatara Township Dauphin County	PAG02002215029 Issued	Penn DOT BPT 400 North Street 6th Floor Harrisburg, PA 17105	Swatara Creek WWF, MF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
East Hanover Township Dauphin County	PAG02002214038-1 Issued	PA Dept of General Services 18th & Herr Streets Harrisburg, PA 17125	Bow Creek/WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
Marietta Borough Lancaster County	PAG02003615029 Issued	Marietta Borough 111 East Market Street Manheim, PA 17547	Susquehanna River/WWF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121
Caernarvon Township Lancaster County	PAG02003615066 Issued	Quentin Shirk 826 Leiser Road New Columbia, PA 17856	Conestoga River/ WWF, MF	Lancaster County Conservation District 1383 Arcadia Road, Room 200 Lancaster, PA 17601 717-299-5361, Ext. 121

*Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Receiving
Water/Use**Contact Office &
Phone No.*Paradise Township
Lancaster CountyPAG02003615082
IssuedSteve Wagler
516 Windy Tor Road
Bird-In-Hand, PA 17505Eshleman Run/
CWF, MFLancaster County
Conservation District
1383 Arcadia Road,
Room 200
Lancaster, PA 17601
717-299-5361,
Ext. 121Millcreek Township
Lebanon CountyPAG02003815022
IssuedBurnell H. Martin
112 North Kalbach Road
Newmanstown, PA 17073

Mill Creek/TSF

Lebanon County
Conservation District
2120 Cornwall Road
Suite 5
Lebanon, PA 17042
717-277-5275*Northcentral Region: Waterways & Wetlands Program Manager; 208 West Third Street, Williamsport, PA 17701, 570.327.3636**Facility Location &
Municipality**Permit No.**Applicant Name &
Address**Receiving
Water/Use**Contact Office &
Phone No.*Centre County
Spring Township

PAG02001415013

Allen Witherite
324 E College Ave
Pleasant Gap, PA 16823UNT to Logan
Branch, CWFCentre County
Conservation District
414 Holmes Ave
Ste 4Centre County
Harris Township

PAG02001415014

Eric J Stashak
328 Government PL
Williamsport, PA 17701

Cedar Run, CWF

Bellefonte, PA 16823
(814) 355-6817Clearfield County
Sandy Township

PAG02001715008

Daniel L Corbet
99 Treasure Lake
Dubois, PA 15801Clearfield County
Conservation District
511 Spruce St Ste 6
Clearfield, PA 16830
(814) 765-2629Clearfield County
Bradford Township

PAG02001715009

Woodland DPP XIV, LLC
9010 Overlook Blvd
Brentwood, TN 37027*Southwest Region: Regional Waterways & Wetlands Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.**Facility Location and
Municipality**Permit No.**Applicant Name and
Address**Receiving
Water/Use**Contact Office and
Phone No.*Summit Township
Somerset County

PAG02005615010

Meyersdale Storage, LLC
700 Universe Boulevard
Juno Beach, FL 33408UNT to Casselman
River (CWF)Somerset County
Conservation District
Somerset County Ag
Center
6024 Glades Pike,
Suite 103
Somerset, PA 15501
(814) 445-4652North Strabane
Township
Washington County

PAG02006315022

MV Affordable Housing
9349 Waterstone Boulevard
Cincinnati, OH 45249UNT to Chartiers
Creek (WWF)Washington County
Conservation District,
Suite 105,
2800 North Main
Street,
Washington, PA
15301
(724) 705-7098Hanover Township
and Smith Township
Washington County

PAG02006315032

Pennsylvania American
Water,
300 Galley Road,
McMurray, PA 15317UNT to Burgetts
Fork (WWF)Washington County
Conservation District,
Suite 105,
2800 North Main
Street,
Washington, PA
15301
(724) 705-7098

NOTICES

5999

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
North Strabane Township Washington County	PAG02006315033	William C. McCloskey 571 West McMurray Road Canonsburg, PA 15317	Chartiers Creek (WWF)	Washington County Conservation District, Suite 105, 2800 North Main Street, Washington, PA 15301 (724) 705-7098
Hempfield Township Westmoreland County	PAG02006513006(1)	Pittsburgh Custom Homes 772 Pine Valley Drive Pittsburgh, PA 15239	Jacks Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Fairfield Township Westmoreland County	PAG02006514043	SBA Towers VI, LLC 8051 Congress Avenue Boca Raton, FL 33487	Tubmill Creek (TSF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Municipality of Murrysville Westmoreland County	PAG02006515010	Speedway, LLC 500 Speedway Drive Enon, OH 45323	Turtle Creek (TSF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Allegheny Township Westmoreland County	PAG02006515012	Kiski Area Soccer League 128 California Avenue Vandergrift, PA 15690-2124	Pine Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Salem Township and New Alexandria Borough Westmoreland County	PAG02006515015	Speedway, LLC 500 Speedway Drive Enon, PA 45323	Loyalhanna Creek (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Unity Township Westmoreland County	PAG02006515017	PennDOT District 12-0 825 North Gallatin Avenue Extension Uniontown, PA 15401-2105	UNT to Monestery Run (WWF); UNT to Ninemile Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
East Huntingdon Township and Hempfield Township	PAG02006515018	Jay Bell 1 Corporate Drive Hunker, PA 15639	Belson Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Unity Township Westmoreland County	PAG02006515021	BOIII Latrobe, LLC 1 West Pennsylvania Avenue, Suite 975	Loyalhanna Creek (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
East Huntingdon Township Westmoreland County	PAG2006515022	Penn Tex Ventures, LLC 1563 Woodward Drive Extension, Greensburg, PA 15601	Buffalo Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Unity Township Westmoreland County	PAG2006515024	Phantom Enterprises, LLP P O Box 388 Youngstown, PA 15696	Nine Mile Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
City of Greensburg Westmoreland County	PAG02006515025	St. Anne Home 685 Angela Drive Greensburg, PA 15601	Jacks Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Derry Township Westmoreland County	PAG02006515027	David S. Herrholtz and Richard Santella P O Box 277 Pittsburgh, PA 15239	Saxman Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
East Huntingdon Township Westmoreland County	PAG02006515030	Wesex Corporation 85 Garfield Street West Middlesex, PA 15159	Belson Run (WWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Ligonier Borough Westmoreland County	PAG02006515033	Economic Growth Connection, 40 North Pennsylvania Avenue, Suite 510, Greensburg, PA 15601	Loyalhanna Creek (CWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271
Ligonier Borough Westmoreland County	PAG02006515035	Loyalhanna Watershed Association, Inc. 110 Andi Lane Ligonier, PA 15658	Loyalhanna Creek (CWF)	Westmoreland Conservation District, 218 Donohoe Road, Greensburg, PA 15601 (724) 837-5271

General Permit Type—PAG-03

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Philadelphia City Philadelphia County	PAR230089	United Color Manufacturing Inc. 660 Newtown-Yardley Road Newtown, PA 18940	Delaware River—3-J	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Tinicum Township Delaware County	PAR800099	Aircraft Service International Group 3 Hog Island Road Philadelphia, PA 19153	Delaware River—3-F	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Hanover Township Lehigh County	PAR802246	Lehigh Northampton Airport Authority 3311 Airport Road Allentown, PA 18103-1046	Lehigh River, Unnamed Tributary to Catasauqua Creek, Unnamed Tributary to Lehigh River and Unnamed Tributary to Monocacy Creek—2-C	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511

General Permit Type—PAG-4

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dorrance Township Luzerne County	PAG042204	Wasielewski Danny 8131 Blue Ridge Trail Wapwallopen, PA 18660	Unnamed Tributary to Little Wapwallopen Creek—5-B/CWF	DEP Northeast Regional Office Clean Water Program 2 Public Square, Wilkes-Barre, PA 18701-1915 570.826.2511
East Mead Township Crawford County	PAG041192	Jennifer & Justin McLaren 12981 Raymond Drive Meadville, PA 16335	Unnamed Tributary of Little Sugar Creek—16-D	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942

General Permit Type—PAG-10

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
West Wheatfield Township Indiana County	PAG106186	Texas Eastern Transmission, LP 890 Winter Street, Suite 300 Waltham, MA 02451	East Branch Richards Run and Unnamed Tributary to East Branch Richards Run—18-D	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 1514538, Public Water Supply.

Applicant	Downingtown Municipal Water Authority 900 Water Plant Way Downingtown, PA 19335
Borough	Downingtown
County	Chester
Type of Facility	PWS
Consulting Engineer	Cardno BCM 920 Germantown Pike Suite-200 Plymouth Meeting, PA 19462
Permit to Construct Issued	September 22, 2015

Operations Permit #1515534 issued to: **PA American Water Company**, 800 West Hershey Park Drive, Hershey, PA 17033, [(PWSID)] Upper Providence Township, **Chester County** on September 17, 2015 for the operation of Black Rock Tank 2 following maintenance activities approved under construction permit #1515503.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Operation Permit No. 4414501 MA issued to: **Municipal Authority of the Borough of Lewistown (PWS ID No. 4440010)**, Derry Township, **Mifflin**

County on 9/14/2015 for facilities approved under Construction Permit No. 4414501 MA.

Operation Permit No. 0715502 MA issued to: **Curryville Water Authority (PWS ID No. 4070298)**, North Woodbury Township, **Blair County** on 9/11/2015 for facilities approved under Construction Permit No. 0715502 MA.

Operation Permit No. 3066584 issued to: **Niagara Bottling, LLC (PWS ID No. 3066584)**, Hamburg Borough, **Berks County** on 9/17/2015 for facilities submitted under Application No. 0615509.

Operation Permit No. 3615501 issued to: **Welsh Mountain Home, Inc. (PWS ID No. 7360047)**, Sadsbury Township, **Lancaster County** on 9/16/2015 for facilities approved under Construction Permit No. 3615501.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No 1212501—Operation—Public Water Supply.

Applicant	Emporium Water Company
Township/Borough	Shippen Township
County	Cameron
Responsible Official	Mr. Jerry Crosby Emporium Water Company 174 Nickler Road Emporium, PA 15834
Type of Facility	Public Water Supply
Consulting Engineer	Craig J. Bauer, P.E. KLH Engineers, Inc. 5173 Campbells Run Road Pittsburgh, PA 15205
Permit Issued	September 21, 2015
Description of Action	Operation of the 500,000 gallon wire wound concrete water storage tank with steel diaphragm known as Britton Road tank, 150,000 gallon glass-lined, bolted steel water storage tank known as Sylvan Heights tank and booster pump station for Sylvan Heights area.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Permit No. Emergency, Public Water Supply.

Applicant	NOVA Chemicals 400 Frankfort Road Monaca, PA 15061
[Borough or Township]	Potter Township
County	Beaver
Type of Facility	Water system
Consulting Engineer	
Permit to Construct Issued	September 3, 2015

Operations Permit issued to: **Fawn-Frazer Joint Water Authority**, 326 Donnellville Road, Natrona Heights, PA 15065, (PWSID #5020076) Fawn Township,

Allegheny County on September 21, 2015 for the operation of facilities approved under Construction Permit #0214543.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (PWSID #5320041) Montgomery Township, **Indiana County** on September 18, 2015 for the operation of facilities approved under Construction Permit #3213501.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (PWSID #5320041) Montgomery Township, **Indiana County** on September 18, 2015 for the operation of facilities approved under Construction Permit #3213514.

Operations Permit issued to: **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, (PWSID #5320041) Village of Arcadia and Montgomery Township, **Indiana County** on September 18, 2015 for the operation of facilities approved under Construction Permit #3212501.

Operations Permit issued to: **Ligonier Township Municipal Authority**, One Municipal Park Drive, Ligonier, PA 15658, (PWSID #5650080) Ligonier Township, **Westmoreland County** on September 17, 2015 for the operation of facilities approved under Construction Permit #6512511MA.

Operations Permit issued to: **Plum Borough Municipal Authority**, 4555 New Texas Road, Pittsburgh, PA 15235, (PWSID #5020041) Plum Borough, **Allegheny County** on September 17, 2015 for the operation of facilities approved under Construction Permit #0212506MA.

Operations Permit issued to: **Latrobe Municipal Authority**, 104 Gueirrier Road, Latrobe, PA 15650, (PWSID #5650060) Derry Township, **Westmoreland County** on September 17, 2015 for the operation of facilities approved under Construction Permit #6514503MA.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (PWSID #5260036) Forward Township, **Allegheny County** on September 17, 2015 for the operation of facilities approved under Construction Permit #2613505.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (PWSID #5260036) North Huntingdon Township, **Westmoreland County** on September 17, 2015 for the operation of facilities approved under Construction Permit #2613507.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (PWSID #5260036) North Huntingdon Township, **Westmoreland County** on September 17, 2015 for the operation of facilities approved under Construction Permit #2613514.

Operations Permit issued to: **Kittanning Suburban Joint Water Authority**, 710 Tarrtown Road, Adrian, PA 16210, (PWSID #5030043) East Franklin Township, **Armstrong County** on September 17, 2015 for the operation of facilities approved under Construction Permit #0315502MA.

Permit No. Emergency, Minor Amendment. Public Water Supply.

Applicant **Center Township Water Authority**
224 Center Grange Road
Aliquippa, PA 15001

[Borough or Township] Center Township

County **Beaver**

Type of Facility Water system

Consulting Engineer Lennon, Smith, Souleret Engineering, Inc.
846 Fourth Avenue
Coraopolis, PA 15108

Permit to Construct Issued September 11, 2015

Permit No. 6515506MA, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of the City of New Kensington**
PO Box 577
920 Barnes Street
New Kensington, PA 15068

[Borough or Township] Lower Burrell Township

County **Westmoreland**

Type of Facility Braeburn tank painting

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 17, 2015

Permit No. 6515507MA, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of the City of New Kensington**
PO Box 577
920 Barnes Street
New Kensington, PA 15068

[Borough or Township] Lower Burrell Township

County **Westmoreland**

Type of Facility East Kensington tank painting

Consulting Engineer Gibson-Thomas Engineering Co., Inc.
1004 Ligonier Street
PO Box 853
Latrobe, PA 15650

Permit to Construct Issued September 17, 2015

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Transfer of Operation Permit issued to **Nugent Charleston Properties, LP/Cherry Hill Corporation d/b/a Shelbourne Personal Care**, PWSID No. 5100133, Penn Township, **Butler County** on September 14, 2015. Action is for change in ownership; the potable water supplier will do business as Shelbourne Personal Care. The new permit number is 1010501-T1.

Emergency Operation Permit issued to **Warren County School District**, PWSID #6620300, Pine Grove

Township, **Warren County** on September 17, 2015. This permit is issued for the temporary operation of disinfectant treatment in response to E. coli contamination at the water system serving the Central Office and Learning Enrichment Center building.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location

Borough or Township	Borough or Township Address	County
Lower Swatara Township	1499 Spring Garden Dr, Middletown, PA 17057	Dauphin

Plan Description: The Request for Planning Exemption for the UPS SARAA Feeder Facility, DEP Code No. A3-22922-191-3E, APS Id 880180, consisting of a new package handling and shipping building to generate sewage flows of 1,913 gallons per day and be served by the Harrisburg International Airport Authority's sewers and wastewater treatment facility, is disapproved. The permittee, Susquehanna Area Regional Airport Authority, does not submit information under Chapter 94 (relating to municipal wasteload management) which documents that the existing collection, conveyance and treatment system does not have existing hydraulic or organic overload or 5-year projected overload; therefore, the criteria in Chapter 71, Section 71.51(b)(2)(ii) cannot be met. The project is located between Airport Drive and Olmsted Drive.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media;

benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Former J.H. Beers, Inc. Site, Male Road and State Route 33, Wind Gap Borough, Bushkill Township, and Plainfield Township, **Northampton County**. EarthRes Group, Inc., PO Box 468, Pipersville, PA 18947, on behalf of Taggart Associates, 26 East Third Street, Bethlehem, PA 18015, submitted a Final Report concerning remediation of site soils contaminated with Benzene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Turkey Hill 123, 120 South Main Street, Shenandoah Borough, **Schuylkill County**. Liberty Environmental, 50 North 5th Street, Reading, PA 19601, on behalf of Turkey Hill LP, 257 Centerville Road, Lancaster, PA 17603, submitted a Final Report concerning remediation of site soil and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Total Xylenes, Cumene, Naphthalene, 1,2,4-TMB, 1,3,5-TMB, MTBE, and lead. The report is intended to document remediation of the site to meet the Site Specific Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Former General Electric Environmental Services Parcel B, 253 North Fourth Street, Lebanon, PA 17046, Lebanon City, **Lebanon County**. Environmental Standards, 1140 Valley Forge Road, Valley Forge, PA 19482, on behalf of General Electric Company, 1935 Redmond Circle, Rome, GA 30165 a submitted Final Report concerning remediation of site soils contaminated with PCBs and lead. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Walker Elementary School, 7864 William Penn Highway, Mifflintown, PA 17059, Walker Township, **Juniata County**. P. Joseph Lehman, Inc., 117 Old Farm Office Road, Suite 113, Duncansville, PA 16635, on behalf of Juniata County School District, 7864 William Penn Highway, Mifflintown, PA 17059, submitted a Remedial Investigation and Risk Assessment Report concerning remediation of site groundwater contaminated with heating oil. The combined report is intended to document remediation of the site to meet the Site Specific Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Former LTV Hazelwood Coke Plant—Areas A&B, Second Avenue, City of Pittsburgh, **Allegheny County**. KU Resources, 22 South Linden Street, Duquesne, PA 15110 on behalf of Almono, L.P., 210 Sixth Avenue, Suite 3620, Pittsburgh, PA 15222 has submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan concerning the remediation of site soils and groundwater contaminated with semi-volatile organic compounds and metals. The RIR/RA/CP is intended to document remediation of the site to meet a combination of Statewide Health and Site Specific standards. Notice of the RIR/RA/CP was published in the *Pittsburgh Post-Gazette* on August 17, 2015.

Former First Student Bus Garage (First Student 20516) 235 Chartiers Ave., City of Pittsburgh, **Allegheny County**. American Geosciences Inc., 3925 Reed Blvd., Suite 400 Murrysville, PA 15668 on behalf of Christine J. Roman, 1245 Anderson Road, Pittsburgh, PA 15209 & submitted a Final Report concerning the remediation of site soil and groundwater contaminated with unleaded/leaded gasoline and diesel fuel related volatile organic compounds. The Final Report is intended to document the site to meet the Site Specific standard. Notice of the Final Report in the *Tribune-Review* on September 14, 2015.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based

on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

RH&A Enterprises (Penn Lock Corp), 21 Noyes Avenue, Swoyersville Borough, **Luzerne County**. Quad 3 Group Inc., 72 Glenmaura National Boulevard, Moosic, PA 18507 on behalf of RH&A Enterprises, 1400 San Souci Highway, Hanover, PA 18706, submitted a Final Report concerning the remediation of site soil contaminated with 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The Final Report demonstrated attainment of the Site-Specific Standard, and was approved by the Department on September 15, 2015.

Richard Storat Residence, 5050 Blue Church Road, Upper Saucon Township, **Northampton County**. JMT Environmental, 3353-C Gun Club Road, Nazareth, PA 18064 on behalf of Richard Storat, 5050 Blue Church Road, Coopersburg, PA 18036, submitted a Final Report concerning the remediation of site soils contaminated with #2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on September 16, 2015.

Aldrich L. Well Pad (Pad 1), 2758 Great Bend Turnpike, Gibson Township, **Susquehanna County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Naphthalene, Anthracene, Benzo(a)-anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Fluorene, Phenanthrene, and Pyrene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on September 16, 2015.

D. Grosvenor Well Pad (Pad 1), 122 Willagrove Drive, Dimock Township, **Susquehann County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801 on behalf of Cabot Oil & Gas, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning the remediation of site soils contaminated with Chloride, Aluminum, Barium, Boron, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, and Zinc. The Final Report demonstrated attainment of the Statewide Health and Background Standards, and was approved by the Department on September 9, 2015.

Jaffin Residence, 27 3rd Lane, Salem Township, **Luzerne County**. James P. Sposito Associates, 11 Archbald Street, Carbondale, PA 18407, on behalf of

Francis Golumb, 363 Stone Church Road, Berwick, PA 18603, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on September 21, 2015.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Restaurant Depot, 4250 Chambers Hill Road, Harrisburg, PA 17111, Swatara Township, **Dauphin County**. Whitestone Associates, 1600 Manor Drive, Suite 220, Chalfont, PA 18914, on behalf of Bird Hill Farms, 7004 Old Tabby Circle, Lakewood Ranch, FL 34202, and Restaurant Depot, 1524 132nd Street, College Point, NY 11356, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on September 16, 2015.

Walker Elementary School, 7864 William Penn Highway, Mifflintown, PA 17059, Walker Township, **Juniata County**. P. Joseph Lehman, Inc., 117 Old Farm Office Road, Suite 113, Duncansville, PA 16635, on behalf of Juniata County School District, 7864 William Penn Highway, Mifflintown, PA 17059, submitted a Remedial Investigation and Risk Assessment Report concerning remediation of site groundwater contaminated with heating oil. The Remedial Investigation Report and Risk Assessment Report were administratively incomplete and were disapproved by the Department on September 17, 2015.

Strawberry Hills, Vicars Lane, Altoona, PA Logan Township, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Altoona Blair County Development Corporation, 3900 Industrial Park Drive, Altoona, PA 16602 and Stewart Sachs Family Trust, 20 New Plant Court, Suite 106, Owings Mills, MD 21117, submitted a Work Plan concerning remediation of site soils and groundwater contaminated with Inorganics, PAHs and VOCs. The 102 acre site is undeveloped; however, 30 acres has preliminary residential infrastructure in place and ~34 acres is a former unpermitted municipal dump. Potential future uses include a fire training facility, commercial use, a township park, and maybe residential. The site is being remediated as a Special Industrial Area. The Work Plan was approved by the Department on September 22, 2015.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

State Route 59 East, State Route 59 East, Mead Township, **Warren County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Nittany Oil Company, 1540 Martin Street, State College, PA 16803, submitted a Final Report concerning the remediation of site soil contaminated with Benzene, Ethylbenzene, Isopropylbenzene, MTBE, Naphthalene, Toluene, Xylenes, 1,3,5-Trimethylbenzene, and 1,2,4-Trimethylbenzene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 15, 2015.

MUNICIPAL WASTE GENERAL PERMITS

General Permit(s) issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

General Permit No. WMGM043SW001: Boyd Roll-Off Services, Inc., 1107 Thompson Avenue, McKees Rocks, PA 15136. For the acceptance, transfer, and processing prior to beneficial use of construction and demolition waste materials in McKees Rocks Borough, **Allegheny County**. General Permit issued in the Regional Office on September 21, 2015.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP3-46-0122: Harleysville Materials, LLC (P. O. Box 587, Berlin, NJ 08009) On September 18, 2015, for relocation of a portable screener in Falls Township, **Bucks County**.

GP3-46-0123: Harleysville Materials, LLC (P. O. Box 587, Berlin, NJ 08009) On September 18, 2015, for relocation of a portable screener in Falls Township, **Bucks County**.

GP11-46-0073: Harleysville Materials, LLC (P. O. Box 587, Berlin, NJ 08009) On September 18, 2015, for relocation of (1) diesel-fired non-road engine in Falls Township, **Bucks County**.

GP11-46-0081: Harleysville Materials, LLC (P. O. Box 587, Berlin, NJ 08009) On September 18, 2015, for relocation of (1) diesel-fired internal combustion engine in Falls Township, **Bucks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark Gorog, New Source Review Chief—Telephone: 412-442-4150

GP5-03-00266: Mountain Gathering, LLC (810 Houston Street, Fort Worth, TX 76102) on September 15, 2015, to authorize the installation and operation of a natural gas compressor station consisting of four lean burn natural gas-fired compressor engine rated at 1,775 bhp and controlled by oxidation catalysts, one tri ethylene glycol dehydrator (including reboiler) rated for 70 MMSCFs/day, and two 16,800 gallons produced water tanks. The facility will be authorized under GP-5 for natural gas compression, named McIntyre Compressor Station, and located in South Buffalo Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Devendra Verma, New Source Review Chief—Telephone: 814-332-6940

GP9-10-021K: INDSPEC Chemical Corporation (133 Main Street, Petrolia, PA 16050) on September 16, 2015, for the authority to construct and/or operate a diesel No. 2 Fuel-Fired Internal Combustion Engine (BAQ-GPA/GP9) located at your facility in Petrolia Borough, **Butler County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-0229: Brenner Aerostructures (450-3 Winks Lane, Bensalem, PA 19020) On September 18, 2015 in Bensalem Township, **Bucks County**, the Department of Environmental Protection (DEP) issued the Plan Approval application for the installation and operation of one existing and two new coating paint booths. Brenner is a minor facility for VOC's and HAP's. The paint booths are not subject to New Source Performance Standards (NSPS). The Plan Approval will contain monitoring, recordkeeping and operating restrictions designed to minimize emissions and keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

06-05069X: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19536) on September 15, 2015, for modifying A-2 Facility production lines. The sources are located at their Lyon Station Plant in Richmond Township, **Berks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

25-923A: Erie Power LLC (10915 Ackerman Lane, North East, PA 16428) on September 15, 2015, has issued a plan approval for the installation of a 1,000 kW (1,341 bhp) diesel-fired emergency generator. This facility is located in North East Township, **Erie County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

46-0278A: Tierpoint Pennsylvania Two LLC (4 Tek Park, 9999 Hamilton Blvd, Breinigsville, PA 18031) On September 14, 2015, to construct and operate two (2) emergency generators, in Lower Providence Township, **Montgomery County**.

09-0220: Donaldson Co Inc.: (85 Railroad Dr. Ivyland, PA 189741478) On September 14, 2015 to operate a regenerative thermal oxidizer in South Hampton, **Bucks County**.

23-00066C: Pyromet: (5 Commerce Drive, Aston, PA 19014) On September 14, 2015 to manufacturing secondary nonferrous metals in Chester Township, **Delaware County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

18-00011I: Croda, Inc. (8 Croda Way, Mill Hall, PA 17751) on September 14, 2015, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from September 18, 2015 to March 16, 2016 at their facility located in Bald Eagle Township, **Clinton County**. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00053: Greif Packaging, LLC (695 Louis Drive, Warminster, PA 18974) on September 18, 2015, for issuance of a Title V Operating Permit (TVOP) for the existing steel drum manufacturing facility located in Warminster Township, **Bucks County**. The TVOP incorporates the requirements of Plan Approval No. 09-0053B, and includes monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00054: Commonwealth Environmental Systems (PO Box 322, 99 Commonwealth Road, Hegins, PA 17938) A Title V Operating Permit was issued on March 31, 2015, for a landfill facility in Foster Township, **Schuylkill County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

35-00061: Polarized Meat Company, Inc. (107 Keystone Industrial Park, P. O. Box 172, Dunmore, PA 18512-0172) The Department issued a State Only operating permit on June 30, 2015, for a meat products manufacturing facility in Dunmore Borough, **Lackawanna County**.

45-00024: Eureka Stone Quarry, Inc. Pocono Quarry and Asphalt Plant (P. O. Box 249, Chalfont, PA 18914) The Department issued a renewal State Only (Synthetic Minor) operating permit March 31, 2015, for a quarry/asphalt facility in Hamilton Township, **Monroe County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

36-03075: City of Lancaster (120 N. Duke Street, PO Box 1599, Lancaster, PA 17608) on September 14, 2015, for the City of Lancaster's Advanced Wastewater Treatment Plant located in Lancaster Township, **Lancaster County**. The State-only permit was renewed.

6-05092: Greiner Industries, Inc. (1650 Steel Way, Mount Joy, PA 17552-9515) on September 15, 2015, for the custom metal fabrication facility located in Mount Joy Township, **Lancaster County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

17-00052: P & N Coal Co., Inc. (PO Box 332, Punxsutawney, PA 15767), issued State Only operating permit on September 14, 2015, for their coal preparation facility located in Goshen Township, **Clearfield County**. The facility's main sources include a coal processing operation, site haul roads and a diesel fired generator. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-00265: National Underground Storage (1137 Branchton Road, Boyers, PA 1020) on September 10, 2015 issued a Natural Minor Operating Permit for the data storage facility in Cherry Township, **Butler County**. The facility's primary emission sources are 17 emergency fired diesel engines ranging from 324 hp to 3,353 hp. The permit contains the requirements of plan approval 10-265A, GP9 10-265A, GP9 10-265B, GP-10-265C, the requirements of 40 CFR 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and the requirements of 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The NO_x, VOC, PM₁₀, PM_{2.5}, CO, and SO_x potential emissions are less than 30.88 TPY, 2.13 TPY, 0.71 TPY, 0.69 TPY, 12.80

TPY, and 0.2 TPY, respectively. The facility is an area source of Hazardous Air Pollutants (HAPs). Total HAPs are less than 0.02 TPY. The permit contains emission restrictions, testing requirements, monitoring requirements, recordkeeping requirements, reporting requirements, work practice requirements, and additional requirements.

10-00379: Mountain Gathering (810 Houston Street, Fort Worth, Texas 76102), on August 25, 2015, issued a new State Only Operating Permit for their Penn Cryo facility located in Penn Township, **Butler County**. The facility is a Natural Minor. Potential emissions are estimated as follows: NO_x, 4.9484 tpy; CO, 10.3994 tpy; VOC, 3.7834 tpy; SO₂, 0.3469 tpy; PM, 1.7892 tpy; and all combined HAPs, 0.1946 tpy. The primary sources at the facility are a 21.4 million Btus/hr process heater, 3 storage tanks, and a gas processing plant. Certain conditions from plan approval 10-379A pertaining to plant roadways were not included in the permit since they are no longer applicable. These specific conditions were no longer applicable since estimated particulate matter emissions from truck traffic were reduced from 11.01 tpy to 1.07 tpy because produced liquids leave the plant via pipeline rather than truck transport. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00326: Buckeye Leasing, Incorporated, City Slag Quarry Plant (300, Ohio Street Extension, Hermitage, PA 16148) on September 17, 2015 for renewal of a Natural Minor Permit to operate a non-metallic mineral processing plant and processing recycled concrete. The emitting sources are slag processing operations and a portable crush and screen plant with diesel engines for the recycled concrete processing. The facility is located in the City of Hermitage, **Mercer County**. This facility is a Natural Minor facility. All emissions from the slag processing are fugitives. Actual slag processing emissions based on 2,080 hours are: PM₁₀ 2.56 TPY and PM 2.5—0.34 TPY. Actual emissions from the recycled concrete processing operations are PM₁₀ 0.4 TPY and PM 2.5—0.06 TPY. Emissions from the engines are less than 2.0 TPY NO_x, 3.08 TPY CO, 1.93 TPY VOC and 0.10 TPY PM.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

01-05029: NRG Wholesale Generation, LP (121 Champion Way, Canonsburg, PA 15317-5817) on September 9, 2015, for the Hunterstown Electric Generating Station located in Straban Township, **Adams County**. The Title V permit underwent a minor modification to reduce the minimum turndown load value of the three combustion turbines from 60% to 44%.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

30841602 and NPDES No. PA0215562. Duquesne Light Company, (PO Box 547, Greensboro, PA 15338). To renew the permit for the Warwick Mine No. 2 Preparation Plant in Monongahela Township, **Greene County** for water treatment and reclamation only. No additional discharges. The application was considered administratively complete on November 6, 2006. Application received October 6, 2006. Permit issued September 14, 2015.

30121301 and NPDES No. PA0236195. Consol Pennsylvania Coal Company, LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Harvey Mine in Richhill, Morris, Washington Townships, **Greene County**, East Finley Township, Washington County, to add 8,152.0 underground permit area acres and 8,152.0 subsidence control plan area acres to Harvey Mine from Bailey Mine. Underground Acres Proposed 8,152.0, Subsidence Control Plan Acres Proposed 8,152.0. No additional discharges. The application was considered administratively complete on May 22, 2015. Application received February 17, 2015. Permit issued September 17, 2015.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56130109 and NPDES No. PA0279358. Berwind Coal Sales Co., 509 15th Street, Windber, PA 15963, commencement, operation and restoration of a bituminous surface and auger mine in Paint and Ogle Townships, **Somerset County**, affecting 316.7 acres. Receiving streams: unnamed tributaries to/and Paint Creek, Seese Run and Babcock Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: December 2, 2014. Permit issued: September 16, 2015.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

4674SM8 and NPDES No. PA0258920. Fairview Coal Company (P. O. Box R, Ridgway, PA 15853). Renewal of an existing bituminous surface mine and associated NPDES permit in Fox Township, **Elk County** affecting 63.4 acres. This renewal is issued for reclama-

tion only. Receiving streams: Benninger Creek. Application received: May 18, 2015. Permit issued: September 17, 2015.

33890122. Terry Coal Sales, Inc. (P. O. Box 58, Distant, PA 16223). Renewal of an existing bituminous surface and auger mine in Knox, Oliver, and Rose Townships, **Jefferson County** affecting 200 acres. This renewal is issued for reclamation only. Receiving streams: Lick Run. Application received: July 23, 2015. Permit issued: September 17, 2015.

33890122-GP-104. Terry Coal Sales, Inc. (P. O. Box 58, Distant, PA 16223) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 33890122 in Knox, Oliver, and Rose Townships, **Jefferson County**. Application received: July 23, 2015. Permit Issued: September 17, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54850101R6. Schuylkill Reclamation Corp., (10 Gilberton Road, Gilberton, PA 17934), renewal of an existing anthracite surface mine and coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 61.0 acres, receiving stream: North Mahanoy Creek. Application received: January 12, 2015. Renewal issued: September 15, 2015.

Permit No. 54850101GP104. Schuylkill Reclamation Corp., (10 Gilberton Road, Gilberton, PA 17934), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54850101 in Mahanoy Township, **Schuylkill County**, receiving stream: North Mahanoy Creek. Application received: January 12, 2015. Renewal issued: September 15, 2015

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 4274SM11 and NPDES No. PA0212512, New Enterprise Stone & Lime Co., Inc., P. O. Box 77, New Enterprise, PA 16664, commencement, operation and restoration of a noncoal surface mine to deepen a 24.9 acre portion of the existing quarry in Taylor Township, **Blair County**, affecting 467.1 acres. Receiving streams: Plum and Halter creeks classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 8, 2014. Permit issued: September 1, 2015.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

2128-42110301-E-2. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803). Application for a stream encroachment to conduct mining activities within 100 feet of Horse Run. Receiving streams: Raub Hollow, Horse Run, and an unnamed tributary to Horse Run. Application Received: June 19, 2015. Permit Issued: September 17, 2015.

37020301-GP-104. Mayberry Sand & Gravel, Inc. (4983 State Route 18, New Castle, PA 16102) Renewal of a General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 37020301 in North Beaver Township, **Lawrence County**. Application received: August 13, 2015. Permit Issued: September 17, 2015.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

41920802. Robert L. Hyde (441 Smokey Corners Road, Cogan Station, PA 17728). Final bond release for a small industrial minerals surface mine located in Armstrong Township, **Lycoming County**. Restoration of 1.0 acre completed. Receiving stream(s): Susquehanna River. Application received: August 31, 2015. Final bond release approved: September 14, 2015.

60930801. Buffalo Valley Excavating Inc. (107 Dietrich Road, Mifflinburg, PA 17844). Final bond release for a small industrial minerals surface mine located in West Buffalo Township, **Union County**. Restoration of 2.0 acres completed. Receiving stream(s): Unnamed Tributary to Rapid Run. Application received: August 31, 2015. Final bond release approved: September 21, 2015.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

24154104. Wampum Hardware Company (2856 Stoystown Road, Friedens, PA 15541-7020) Blasting activity permit for commercial development in the City of St. Marys and Ridgway Township, **Elk County**. This blasting activity permit expires December 31, 2015. Permit Issued: September 8, 2015.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

63154004. KESCO, Inc. (215 S. Main Street, Zelenople, PA 16063). Blasting activity permit for the construction of the TOMKO Corporation site development, located in Union Township, **Washington County** with an exploration date of June 30, 2016. Blasting permit issued: September 15, 2015.

30154003. KESCO, Inc. (215 S. Main Street, Zelenople, PA 16063). Blasting activity permit for the construction of the Daddy Long Legs well site, to conduct seismic activity located in Center Township, **Greene County** with an exploration date of March 4, 2016. Blasting permit issued: September 15, 2015.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 36154138. J Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Randy Adams Farm II in West Lampeter Township, **Lancaster County** with an expiration date of September 14, 2016. Permit issued: September 17, 2015.

Permit No. 38154124. Douglas Explosives, Inc., (PO Box 77, Philipsburg, PA 16866), construction blasting for Lebanon Valley Advanced Care in Annville Township, **Lebanon County** with an expiration date of December 30, 2015. Permit issued: September 17, 2015.

Permit No. 67154114. M & J Explosives, LLC, (P. O. Box 1248, Carlisle, PA 17013), construction blasting for

Glade Village in Penn Township, **York County** with an expiration date of September 9, 2016. Permit issued: September 17, 2015.

Permit No. 46154110. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Lincoln Woods in Franconia Township, **Montgomery County** with an expiration date of September 16, 2016. Permit issued: September 18, 2015.

Permit No. 46154111. Maine Drilling & Blasting, Inc., (P. O. Box 1140, Gardiner, ME 04345), construction blasting for FedEx King of Prussia in Upper Merion Township, **Montgomery County** with an expiration date of September 15, 2016. Permit issued: September 18, 2015.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The appli-

cations concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

In addition, the Department imposes a technology-based aluminum limit of 2.0 mgs/l (30 day average) to protect stream uses.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The BAT limits for noncoal mining activities as provided in 40 CFR Part 436 and 25 Pa. Code Chapter 77 are as follows:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity*		greater than 6.0; less than 9.0	
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding (MOU) Concerning Water Quality Management, NPDES Program Implementation, and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0608238 (Mining Permit No. 56763114), Svonavec, Inc., 2555 New Centerville Road, Rockwood, PA 15557, renewal of an NPDES permit for a surface coal operation with sandstone removal and stone crushing facility in Milford Township, **Somerset County**, affecting 96.8 acres. Receiving streams: unnamed tributaries to South Glade Creek, classified for the following use: warm water fishes. This receiving stream is included in the Casselman River TMDL. Application received: September 26, 2014.

All sediment pond outfalls in this permit are the BAT limits described above for coal mining activities in accordance with the Casselman River TMDL Report.

The outfalls listed below discharge to unnamed tributaries to South Glade Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (Treatment Pond T-1)	N
002 (Sediment Pond P-1)	N
005 (Treatment Pond T-2)	N
006 (Sediment Pond P-4)	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001 (Treatment Pond)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.5
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 005 (Treatment Pond)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	1.5	3.0	3.7
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all time.			

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

NPDES No. PA 0609382 (Mining permit no. 17840123), River Hill Coal Company, Inc., P. O. Box 147, Kylertown, PA 16847. Revision of an NPDES permit for coal surface mining in Karthaus Township, **Clearfield County** affecting 161.0 acres. Receiving stream(s): Saltlick Run, classified for the following use(s): HQ-CWF. Application received: May 21, 2015.

The outfall(s) listed below require a non-discharge alternative:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
3H	N

There is no proposed surface discharge from the above listed facilities to the receiving stream due to the implementation of Best Management Practices.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E23-518—Marcus Hook, 100 Green Street, Marcus Hook, PA 19061, **Delaware County**; ACOE Philadelphia District.

To perform the below listed water obstruction and encroachment activities associated the rehabilitation of Dock 1A at the Sunoco Marcus Hook Industrial Complex. Proposed structures will be installed to support the new project delivery system for propane, ethane and butane,

and to support vessel berthing within the Delaware River (WWF/MF). Specific water obstruction and encroachment are:

1. To remove the existing pipeway, platform and H-piles at the turn of Dock 1A.

2. To remove the existing pipeway, platform and H-piles, the existing loading platform with H-piles, the existing walkway leading to the breasting cells, all existing steel beams and cross-bracing associated with the various structures, and the uppermost dolphin and the walkway leading to that dolphin, all along the Dock 1A portion parallel with the river when moving in the upriver direction against the stream flow.

3. To construct and maintain an assortment of auxiliary pile bents to support the proposed pipe support modules along the existing pipeway.

4. To construct and maintain a new 460-feet x 30-feet wide high deck pipeway.

5. To construct and maintain a new high deck roadway approximately 460-feet long by 15-feet wide, moving upriver from the remaining approach way.

6. To construct and maintain a new 144-feet x 126-feet high deck loading platform.

7. To construct and maintain six (6) new 20-feet x 22-feet mooring dolphins; three (3) each upriver and downriver from the two (2) remaining breasting cells. The two (2) remaining breasting cells will be re-rung to a new diameter of 43-feet.

8. To construct and maintain a new 4-feet wide walkway which will be installed connecting the loading platform to each breasting cell and then in turn to each mooring dolphin.

9. To construct and maintain additionally, two (2) new 21-feet x 21-feet and one (1) 21-feet x 16-feet breasting dolphins which will be installed at the face of the loading platform.

10. To construct and maintain a new 20-feet x 23-feet gangway/crane tower which will be installed on the loading platform.

The proposed dock system reconstruction project will be constructed offshore within the Delaware River protruding from the existing Sunoco Industrial Complex terminals in Marcus Hook, Delaware County, with Meridian at the center of the area of the proposed facility. (USGS Quadrangle Marcus Hook -Latitude 39° 48' 33" -Longitude 75° 24' 49").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511

E45-593. Brodhead Creek Regional Authority, 410 Mill Creek Road, East Stroudsburg, PA 18301. Stroud Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To rehabilitate and maintain a 385-foot long stream enclosure of an Unnamed Tributary to Brodhead Creek (HQ-CWF, MF) comprising of twin corrugated metal pipes which measure 38-inches by 57-inches for the first 40-feet and then 39-inches by 63-inches for the remaining length with work consisting of lining the pipes with 1-inch of concrete. This project also includes the re-grading of an

Unnamed Tributary to Brodhead Creek for approximately 120-feet. The project is located at 410 Mill Creek Road (East Stroudsburg, PA Quadrangle Latitude: 41° 0' 56"; Longitude: -75° 11' 58") in Stroud Township, Pike County. Subbasin: 1E.

E58-308. Susquehanna County Conservation District, 88 Chenango Street, Montrose, PA 18801. Great Bend Township, **Susquehanna County**, Army Corps of Engineers Baltimore District.

To construct and maintain a stream restoration project in a 1,536-foot reach of DuBois Creek (CWF, MF) with work consisting of 11 rock cross vanes; 1 rock deflector; 2 mud sill structures; 5 half log structures; 3 j-hooks structures; 1 channel block; several root wads; excavation and backfill in various areas of the channel and embankments; and grading and minor realignment of the channel and floodplain. The project begins approximately 0.39 mile north of the intersection of DuBois Street and Liberty Park Road and extends approximately 1,536 feet upstream from that point (Franklin Forks Quadrangle Latitude: 41°57'12"; Longitude: -75°45'48"). Subbasin: 4E.

E52-247. Ronald Hextall & Diane Hextall, 118 Calico Court, Paupack, PA 18451. Palmyra Township, **Pike County**, Army Corps of Engineers Philadelphia District.

To construct and maintain an approximately 115-foot long boulder retaining wall having a maximum height of 4-feet; a flagstone patio having dimensions of approximately 8-feet by 115-feet; and three sets of stone stairs in and along the shoreline of Lake Wallenpaupack. The project is located north of the intersection of Calico Court and Calico Point Drive (Hawley, PA Quadrangle Latitude: 41° 24' 58"; Longitude: -75° 13' 31") in Palmyra Township, Pike County. Subbasin: 1C.

E40-763. Peter and Lesa Butera, 1634 Meadowlark Road, Wyomissing, PA 19610-2821. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To remove the existing 896 sq. ft. dock and to construct and maintain a 1,620 sq. ft. lakehouse/dock within the basin of Harveys Lake (HQ-CWF). The project is located approximately at Pole 300, Lakeside Drive (Harveys Lake, PA Quadrangle Latitude: 41°21'7"; Longitude: -76°2'18"). Subbasin: 4G.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E03-464. South Buffalo Township, 384 Iron Bridge Road, Freeport, PA 16229-2009. White Rocks Road Relocation, South Buffalo Township, **Armstrong County**, Pittsburgh ACOE (Leechburg, PA Quadrangle N: 40° 42' 18"; W: -79° 35' 48").

South Buffalo Township Supervisors propose to relocate White Rocks Road. The new roadway and stream crossings will be located to the north approximately 40 Ft. upstream of the existing structures. The proposed new asphalt roadway will be approximately 18 Ft. wide and approximately 700 Linear Feet in length. The proposed roadway will not be located in the floodplain of the Allegheny River. The proposed roadway will include two crossings of Unnamed Tributaries to the Allegheny River. The first crossing will consist of a 60 Linear Feet, 5 X 5 Ft box culvert. The proposed box culvert will be depressed one foot and include baffles to aid in aquatic passage. The second crossing of a smaller Tributary will consist of a 45 Linear Feet, 15 inch smooth bore corrugated plastic pipe.

The existing roadway and twin 24 inch pipe stream crossing will be removed and restored. The project will permanently impact 0.15 acre of jurisdictional wetlands and will be mitigated at the Allegheny County Wetland Mitigation Bank. The Unnamed Tributaries to the Allegheny River are classified as Warm Water Fisheries by Title 25, Chapter 93 Water Quality Standards.

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E04-001-A1, First Energy Generation, LLC, Bruce Mansfield Plant, P. O. Box 128, State Route 3016, Shippingport, PA 15077, Shippingport Borough, **Beaver County**, ACOE Pittsburgh District.

Has been given consent to amend Permit No. E04-001, for an existing harbor, at the applicant's Bruce Mansfield steam electric generating plant, to construct and maintain a 29' diameter, steel sheet coffer mooring cell, within the Ohio River (WWF, N), within the existing, permitted harbor (USGS Midland, PA Quadrangle, N: 1.35 inches; W: 6.75 inches; Latitude: 40° 37' 56.71"; Longitude: -80° 25' 25.08"). In addition, to construct and maintain a portion of a conveyor system, in the floodplain. The purpose of the project is to convey coal combustion by-products from the plant to barges, for off-site disposal. The plant facility is located at 128 Ferry Hill Road, Shippingport, PA 15077.

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, 16335.

E25-772, Annesley Association of Senior Health, 31 North Park Avenue, Meadville, PA 16335 in Edinboro and Washington Township, **Erie County**, ACOE Pittsburgh District.

Giving its consent to permanently impact approximately 5.21 acres of wetlands for the construction of a planned retirement community consisting of 50 single family residences, an 8 to 10 unit apartment building, and associated infrastructure at a point approximately 0.75 mile west of the US Route 6N and State Route 99 intersection. As mitigation for the water resource impacts, the Permittee will create approximately 6.23 acres of on-site replacement wetlands. (Edinboro North and South, PA Quadrangles N: 41°, 52', 39"; W: -80°, 08', 21").

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA

E0829-105: Appalachia Midstream, LLC, 400 Ist Center Suite 404, Horseheads, NY 14845, Wilmot Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. an 8 inch diameter natural gas line impacting 297 square feet of a Palustrine Scrub-Shrub Wetland (Wyalusing, PA Quadrangle, Latitude: 41°37'37", Longitude: -76° 16'42");
2. an 8 inch diameter natural gas line impacting 92 square feet of a Palustrine Emergent Wetland (Wyalusing, PA Quadrangle, Latitude: 41°37'38", Longitude: -76° 16'32");
3. an 8 inch diameter natural gas line impacting 88 linear feet of Sugar Run (CWF) and impacting 324 square feet of an adjacent Palustrine Forested Wetland (Wyalusing, PA Quadrangle, Latitude: 41°37'38", Longitude: -76° 16'29");

The project will result in 88 linear feet or 88 square feet of temporary stream impacts and 713 square feet

(0.02 acre) of temporary PEM, PSS and PFO wetland impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Wilmot Township, Bradford County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESX15-019-0028—Gray to Renick Compressor Pipeline Project
Applicant Stonehenge Appalachia, LLC
Contact Mr. Patrick Redalen
Address 11400 Westmoor Circle Ste. 325
City Westminster State CO Zip Code 80021-2738
County Butler Township(s) Center & Clay
Receiving Stream(s) and Classification(s) UNTs to Little Connoquenessing Creek, Little Connoquenessing Creek, UNTs to Stony Run, Stony Run, to Muddy Creek

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESG29-113-15-0001(01)
Applicant Name Appalachia Midstream Services, LLC
Contact Person Randy DeLaune
Address 400 1st Center
City, State, Zip Horseheads, NY 14845
County Sullivan
Township(s) Cherry Twp
Receiving Stream(s) and Classification(s) 1 UNT to Little Loyalsock Creek (EV), 1 UNT to Bowman Creek (EV), Marsh Run (EV), 3 UNT to Marsh Run (EV), Little Loyalsock Creek Watershed, Bowman Creek Watershed, Marsh Run Watershed
Secondary—Little Loyalsock Creek

ESCGP-2 # ESG29-105-15-0004
Applicant Name JKLM Energy, LLC
Contact Person Scott Blauvelt
Address 2200 Georgetown Drive, Suite 500
City, State, Zip Sewickley, PA 15143

County Potter
Township(s) Summit Twp
Receiving Stream(s) and Classification(s) UNT Nelson Run, UNT W. Br. Pine Creek, W. Br. Pine Creek (HQ-CWF)
Secondary—Allegheny River, Susquehanna River

ESCGP-2 # ESG29-115-15-0028
Applicant Name Cabot Oil & Gas Corporation
Contact Person Kenneth Marcum
Address Five Penn Center West, Suite 401
City, State, Zip Pittsburgh, PA 15276
County Susquehanna
Township(s) Ararat Twp
Receiving Stream(s) and Classification(s) UNT 29200 to Tunkhannock Creek (EV)
Secondary—Susquehanna River

ESCGP-2 # ESX11-117-0011(01)
Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Drive, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga
Township(s) Chatham Twp
Receiving Stream(s) and Classification(s) UNT to Crooked Creek (WWF)
Secondary—Crooked Creek

ESCGP-2 # ESG10-081-0053(01)
Applicant Name Anadarko E&P Onshore, LLC
Contact Person Rane Wilson
Address 33 West Third St., Suite 200
City, State, Zip Williamsport, PA 17701
County Lycoming
Township(s) Cogan House Twp
Receiving Stream(s) and Classification(s) Larry's Creek (HQ-CWF), & UNT Larry's Creek (HQ-CWF)
Secondary—West Branch Susquehanna River (WWF), Larry's Creek (HQ-CWF)

ESCGP-2 # ESX10-117-0204(01)
Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Drive, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga
Township(s) Middlebury Twp
Receiving Stream(s) and Classification(s) UNT to Crooked Creek (WWF), UNT to Losey Creek (WWF)
Secondary—Crooked Creek and Losey Creek

ESCGP-2 # ESX10-117-0267(01)
Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Drive, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga
Township(s) Richmond Twp
Receiving Stream(s) and Classification(s) UNTs to Corey Creek (CWF)
Secondary—Tioga River

ESCGP-2 # ESX10-117-0066(01)
Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Drive, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga
Township(s) Delmar Twp
Receiving Stream(s) and Classification(s) UNT to Heise Run (CWF)
Secondary—Marsh Creek

ESCGP-2 # ESX11-117-0081(01)
 Applicant Name Talisman Energy USA Inc.
 Contact Person Lance Ridall
 Address 337 Daniel Zenker Drive
 City, State, Zip Horseheads, NY 14845
 County Tioga
 Township(s) Hamilton Twp
 Receiving Stream(s) and Classification(s) Coal Creek,
 Morris Run (CWF)
 Secondary—Tioga River (CWF)

ESCGP-2 # ESG29-081-15-0023
 Applicant Name Anadarko E&P Onshore LLC
 Contact Person Rane Wilson
 Address 33 West Third St., Suite 200
 City, State, Zip Williamsport, PA 17701
 County Lycoming
 Township(s) Cascade Twp
 Receiving Stream(s) and Classification(s) UNT Salt Run
 (EV), West Branch Wallis Run (EV)
 Secondary—Salt Run (EV) Wallis Run (EV)

ESCGP-2 # ESX29-115-15-0031
 Applicant Name SWN Production Company, LLC
 Contact Person Jeff Whitehair
 Address 917 State Route 92 North
 City, State, Zip Tunkhannock, PA 18657
 County Susquehanna
 Township(s) Great Bend, New Milford, Oakland Twps
 Receiving Stream(s) and Classification(s) Lewis Creek
 (CWF), Deacon Brook (CWF)
 Secondary—Susquehanna River (WWF)

ESCGP-2 # ESX12-115-0099(02)
 Applicant Name Williams Field Services Company, LLC
 Contact Person Lauren Miladinovich
 Address Park Place Corporate Center 2, 2000 Commerce
 Drive
 City, State, Zip Pittsburgh, PA 15275-1026
 County Susquehanna
 Township(s) Bridgewater Twp
 Receiving Stream(s) and Classification(s) UNTs to Snake
 Creek (CWF); Watersheds: Lower Susquehanna/Tunk-
 hannock

ESCGP-2 # ESX29-115-15-0034
 Applicant Name Appalachia Midstream Services, LLC
 Contact Person Michael Tucker
 Address 400 1st Center, Suite 404
 City, State, Zip Horseheads, NY 14845
 County Susquehanna
 Township(s) Auburn Twp
 Receiving Stream(s) and Classification(s) UNT to Little
 Meshoppen Creek, Meshoppen Creek Basin, Middle
 Susquehanna River Subbasin, Susquehanna River
 Basin (CWF)
 Secondary—UNT to Tuscarora Creek, Tuscarora Creek
 Basin, Middle Susquehanna River Subbasin,
 Susquehanna River Basin

*Southwest Region: Oil & Gas Program Mgr., 400 Water-
 front Dr., Pittsburgh, PA*

ESCGP-2 No: ESX15-003-0004
 Applicant Name: Rice Drilling B LLC
 Contact Person Joseph C Mallow
 Address: 400 Woodcliff Drive
 City: Canonsburg State: PA Zip Code: 15317
 County: Allegheny Township: North Fayette
 Receiving Stream(s) and Classifications: (1) UNT to Little
 Raccoon Run/Ohio River; Other (WWF) Warm Water
 Fishes

ESCGP-2 No.: ESX15-125-0042
 Applicant Name: Rice Poseidon Midstream LLC
 Contact Person: Kyle Shirey
 Address: 400 Woodcliff Drive
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Somerset
 Receiving Stream(s) and Classifications: Center Branch
 Pigeon Creek #34347 (Lower Monongahela River Water-
 shed); Other WWF

ESCGP-2 No.: ESX15-007-0012
 Applicant Name: PennEnergy Resources LLC
 Contact Person: Gregg A Stewart
 Address: 1000 Commerce Drive Park Place One Suite 100
 City: Pittsburgh State: PA Zip Code: 15275
 County: Beaver Township(s): New Sewickley
 Receiving Stream(s) and Classifications: UNT to Brush
 Creek/Slippery Rock Creek; Other WWF

ESCGP-2 No.: ESG15-059-0031
 Applicant Name: EQT Production Company
 Contact Person: Todd Klaner
 Address: 2400 Zenith Ridge Road, Suite 200
 City: Canonsburg State: PA Zip Code: 15317
 County: Greene & Washington Township(s): Morris
 Receiving Stream(s) and Classifications: UNT to Fonner
 Run (HQ-WWF), Tenmile Creek (WWF), or Ruff Creek
 (WWF); HQ

ESCGP-2 No.: ESX15-059-0036
 Applicant Name: Rice Drilling B LLC
 Contact Person: Joseph C Mallow
 Address: 400 Woodcliff Drive
 City: Canonsburg State: PA Zip Code: 15317
 County Greene Township(s): Jackson
 Receiving Stream(s) and Classifications: UNT Job Creek,
 Job Creek, UNT Falling Timber Run; Other TSF

ESCGP-2 No.: ESX13-059-0063
 Applicant Name: Chesapeake Appalachia LLC
 Contact Person: Eric Gillespie
 Address: 414 Summers Road
 City: Charleston State: WV Zip Code: 25301
 County: Greene Township(s): Aleppo
 Receiving Stream(s) and Classifications: #35437 UNT to
 Harts Run/Wheeling-Buffalo Creeks; Other WWF

ESCGP-2 No.: ESX14-059-0095
 Applicant Name: CONE Gathering LLC
 Contact Person: Carol Phillips
 Address: 200 Evergreene Drive
 City: Waynesburg State: PA Zip Code 15370
 County: Greene Township(s): Morris
 Receiving Stream(s) and Classifications: 4 UNTs to Enlow
 Fork/Dunkard Creek; Other Warm Water Fishes

ESCGP-2 No.: ESG14-125-0082
 Applicant Name: Range Resources Appalachia LLC
 Contact Person: Ms Laura M Rusmisl
 Address: 3000 Town Center Boulevard
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Blaine
 Receiving Stream(s) and Classifications: UNTs to Buffalo
 Creek (HQ-WWF), Brush Run (HQ-WWF)/Wheeling-
 Buffalo Creeks; HQ; Siltation-Impaired

ESCGP-2 No.: ESG15-129-0001 MAJOR REVISION
 Applicant Name: Apex Energy LLC
 Contact Person: David Freudenrich
 Address: 6041 Wallace Road Extension, Suite 100
 City: Wexford State: PA Zip Code: 15090
 County: Westmoreland Township(s): Salem
 Receiving Stream(s) and Classifications: UNT to Beaver
 Run (HQ-CWF)/Kiskiminetas River (WWF); HQ; Other
 CWF; Siltation-Impaired

ESCGP-2 NO.: ESX15-059-0035
 Applicant Name: Rice Drilling BLLC
 Contact Person: Joseph Mallow
 Address: 400 Woodcliff Drive
 City: Canonsburg State: PA Zip Code: 15317
 County: Greene Township(s): Aleppo
 Receiving Stream(s) and Classifications: UNT Mudlick
 Fork, UNT South Fork Dunkard Fork/Dunkard Fork;
 Other TSF/TSF

ESCGP-2 NO.: ESX15-059-0008
 Applicant Name: EQM Gathering OPCO LLC
 Contact: Adam M Tobia
 Address: 625 Liberty Avenue
 City: Pittsburgh State: PA Zip Code: 15222
 County: Greene Township(s): Morris
 Receiving Stream(s) and Classifications: UNT to Brown
 Creek/Browns Creek; HQ; Other Warm Water Fishes—
 WWF

ESCGP-2 NO.: ESX15-059-0006
 Applicant Name: Chevron Appalachia LLC
 Contact: Alex Genovese
 Address: 1550 Coraopolis Heights Road
 City: Moon Township State: PA Zip Code: 15108
 County: Greene Township(s): Jefferson
 Receiving Stream(s) and Classifications: UNTs to South
 Fork Cross Creek, UNTs to Pumpkin Run, Pumpkin
 Run/Tenmile Creek; Other WWF

ESCGP-2 NO.: ESX15-125-0030
 Applicant Name: EQT Production Land PA
 Contact: Todd Klaner
 Address: 2400 Zenith Ridge Road, Suite 200
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Amwell
 Receiving Stream(s) and Classifications: UNTs Hufford
 Run (TSF), Hufford Run (TSF), UNT Craynes Run
 (WWF), UNT Tenmile Creek (TSF)/Watershed-Tenmile
 Creek) Other TSF/WWF

ESCGP-2 NO.: ESX15-003-0005
 Applicant Name: EQT Production
 Contact: Todd Klaner
 Address: 2400 Zenith Ridge Road Suite 200
 City: Canonsburg State: PA Zip Code: 15317
 County: Allegheny Township(s): Forward
 Receiving Stream(s) and Classifications: UNT to Sunfish
 Run/Sunfish Run; Other WWF/WWF

ESCGP-2 NO.: ESX15-125-0045
 Applicant Name: MarkWest Liberty Midstream & Re-
 sources LLC
 Contact: Rick Lowry
 Address: 4600 J Barry Court Suite 500
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Chartiers
 Receiving Stream(s) and Classifications: UNTs to
 Chartiers Creek; Other WWF; Siltation-Impaired

ESCGP-2 NO.: ESX15-051-0010
 Applicant Name: Laurel Mountain Midstream Operating
 LLC
 Contact: Stephanie Ranker
 Address: 111 Enterprise Lane
 City: Connellsville State: PA Zip Code: 15425
 County: Fayette Township(s): German
 Receiving Stream(s) and Classifications: Tributary 40222
 & 40223 of Dunlap Creek/Lower Monongahela River
 Watershed; Other WWF

ESCGP-2 NO.: ESX15-125-0027
 Applicant Name: Campbell Oil & Gas Inc
 Contact: W E Wood
 Address: PO Box 278
 City: Indiana State: PA Zip Code: 15701
 County: Washington Township(s): Amwell
 Receiving Stream(s) and Classifications: Montgomery
 Run, Tenmile Creek; Other Trout Stocking Fishes (TSF)

ESCGP-2 NO.: ESX15-125-0027
 Applicant Name: Campbell Oil & Gas Inc
 Contact: W E Wood
 Address: PO Box 278
 City: Indiana State: PA Zip Code: 15701
 County: Washington Township(s): Amwell
 Receiving Stream(s) and Classifications: Montgomery
 Run, Tenmile Creek; Other Trout Stocking Fishes (TSF)

[Pa.B. Doc. No. 15-1763. Filed for public inspection October 2, 2015, 9:00 a.m.]

2016 Environmental Education Grants Program Application Announcement

Applications for the 2016 Environmental Education Grants Program (Program) are now available from the Department of Environmental Protection (Department). The grants provide funding to public and incorporated private schools, colleges and universities, county conservation districts, incorporated nonprofit organizations, along with incorporated conservation and education organizations and institutions, businesses, municipalities and municipal authorities to create or develop projects that support environmental education in this Commonwealth. Grants will provide environmental education on timely and critically important topics for any target audience, including the following:

- *Sustainable Living*—Develop environmental education and outreach programs to encourage sustainable living and reduce environmental impacts. This includes outreach programs on rain gardens, rain barrels, clean energy, energy conservation and efficiency, transportation, improving indoor air quality/radon protection, composting, water conservation and other related topics.

- *Chesapeake Bay and Watershed Education*—Develop environmental education and outreach programs to reduce nonpoint source pollution, along with other water-related educational programs. This includes educational programs on abandoned mine drainage/reclamation, water conservation, private water wells, groundwater, storm water management, cold water habitats, and fisheries and other related topics.

- *Air Quality*—Develop air quality educational and outreach programs, including ground level ozone, climate change, transportation and electricity generation issues.

- *Energy Education*—Develop educational and outreach programs on energy efficiency and conservation, as well as natural gas, coal, wind, solar and other clean energy sources and technologies.

- *Climate Change*—Develop environmental education and outreach programs to address climate change and the potential socio-economic and environmental consequences and mitigation strategies.

- *Brownfields*—Develop educational and outreach programs on brownfield redevelopment and sustainable communities.

- *Environmental Literacy Planning and Program-ming*—Engage educators and stakeholders in content standards and field-based environmental education (EE). Areas of specific focus should include graduation requirements, professional development on EE content knowledge and field-based pedagogy, assessment and evaluation, partnering to build capacity, identifying existing resources and sustainability of programs. Additionally, projects may focus on high performing green schools and buildings, providing high quality programming for children, youth or adults, or both (programs to include science, technology, engineering and mathematics, outdoor education, service learning and ensuring access for participants with disabilities), professional development for formal and nonformal educators environmental service learning programs for youth and adults and environmental careers/green jobs.

- *Formal and Nonformal EE Certification*—Develop and implement institutionalized and community-based certification programs designed for teachers, naturalists and educators working in schools and EE facilities at parks, county conservation districts, nature and EE centers, conservancies, land trusts and more.

- *Natural Landscaping and Trees*—Develop educational outreach programs on native plant landscaping, the social, economic and environmental benefits of trees, riparian buffers and invasive plant management. This includes information on how to sustainably maintain these native landscapes.

- *Connecting Children with Nature*—Develop educational programs or infrastructure for regular, immersive outdoor education.

- *Keystone Energy Education Program*—Form or enhance an energy team with teachers, students, building facility managers and administrators with the goal to reduce the school building's energy use.

- *Curriculum Integration Projects*—Articulate the Academic Standards for Environment and Ecology into the formal K-12 curriculum for the entire school district, private school or charter school.

- *Curriculum Revision Projects*—Revise current (or write new) lesson plans or units to meet the changes identified in the alignment to the Environment and Ecology Standards, Energy Education and provide a means for classroom assessment.

- *Outdoor Learning Resource Projects*—Develop resources such as trails, agricultural demonstration areas, energy demonstration areas, ponds, wetland areas, sheltered learning stations, and the like, as well as similar nearby community resources as a framework from which students can learn about natural systems and the interrelationship among natural and human-made communities or other topics.

- *Field Trips and Hands-on Activity Supplies*—Schools and other organizations can conduct projects and are able to purchase EE hands-on activity supplies or coordinate field trips, or both, for student or adult learning or by conducting teacher education/in-service programs.

The Program was established by the Environmental Education Act (35 P. S. §§ 7521—7528), which mandates setting aside 5% of the pollution fines and penalties collected annually by the Department for environmental education in this Commonwealth.

Environmental education grant awards are limited to \$3,000. This announcement opens on October 5, 2015, and

grant applications submitted to the Department must be postmarked by December 18, 2015.

Applications may be obtained by contacting the Department of Environmental Protection, Environmental Education Grants Program, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-1644. For additional information and to obtain the electronic copy of the grants manual and application forms, visit the Department's web site at www.dep.state.pa.us (DEP Keyword: EE Grants).

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1764. Filed for public inspection October 2, 2015, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.eLibrary.dep.state.pa.us>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance Document

DEP ID: 263-4200-002. *Title:* Guidelines for the Evaluation of Underground Storage Tank Cathodic Protection Systems. *Description:* Regulated underground storage tank systems (UST) are required by the Storage Tank and Spill Prevention Act (35 P. S. §§ 6021.101—6021.2104) and related regulations to be protected from corrosion. Regulated USTs that utilize cathodic protection to prevent corrosion must have the cathodic protection evaluated at a minimum every 3 years. Currently, the Storage Tank Program receives cathodic protection evaluation documentation that varies in the level of detail provided by the cathodic protection tester. This inconsistency results in errors in determining compliance at regulated facilities by third-party inspectors and follow-up questions that must be asked by program staff. The purpose of the guidance is to establish guidelines regarding the evaluation of cathodic protection systems operating on USTs in this Commonwealth to promote submission of consistent and complete reports. A UST Cathodic Protection System Evaluation Form has been created to accompany the guidance document. These two documents outline what is

expected when performing cathodic protection evaluations. No revisions to the draft guidance document were made in response to one public comment received.

Contact: Questions regarding this technical guidance document should be directed to Kris Shiffer, (717) 772-5809, kshiffer@pa.gov.

Effective Date: October 3, 2015

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1765. Filed for public inspection October 2, 2015, 9:00 a.m.]

Bid Opportunity

OSM 07(4339)103.1, Abandoned Mine Reclamation Project, Glenwhite (South Site), Logan Township, Blair County. The principal items of work and approximate quantities include grading 294,500 cubic yards; city cap 54,000 cubic yards; alkaline addition 15,000 tons; mushroom compost 5,230 cubic yards; seeding 54 acres; and tree planting 19,000 trees. This bid issues on October 2, 2015, and bids will be opened on November 10, 2015, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1308) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1766. Filed for public inspection October 2, 2015, 9:00 a.m.]

Draft Assessment and Listing Methodology; Availability for Public Comment

The Department of Environmental Protection (Department) is making available for public comment its draft 2015 Assessment and Listing Methodology (methodology). Sections 303(d) and 305(b) of the Federal Clean Water Act (33 U.S.C.A. §§ 1313(d) and 1315(b)) require states to report on the condition of all their waters in the biennial Integrated Report (report). The methodologies referred to in this public notice will be used, when finalized, to assess the quality of waters in this Commonwealth under this legal mandate.

Stream and lake evaluations presented in the report must be supported by assessment methodologies based on sound science and technical procedures that are clear and complete. The methodology is a compilation of the protocols being used to assess waters that may appear in the 2016 Pennsylvania Integrated Water Quality Monitoring and Assessment Report.

The protocols comprising the methodology describe the field data collection procedures and data analysis methods used to obtain and evaluate water quality data. The individual protocols apply to a wide range of water resource types, data sources and environmental indicators.

The draft methodology is available on the Department's eComment System at <http://www.ahs.dep.pa.gov/eComment>. Because of the large number of pages, the methodology will not be available in hard copy.

The Department will accept comments on the new assessment documents including: Nutrient Impact Assessment; Cause and Effect Surveys; and Bacteriological Sampling Protocol. The Department will also accept comments on the following amended assessment methods from the 2013 Assessment Methodology: Lake Assessment Protocol; Aquatic Macrophyte Cover; Plankton Sampling; and Chlorophyll-a Sampling. The Department will consider all public comments regarding the appropriateness of the narrative, collection methods and data analyses protocols in the methodology.

Interested persons may submit written comments on this Draft Assessment and Listing Methodology by Tuesday, November 17, 2015. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment System at www.ahs.dep.pa.gov/eComment. Written comments should be submitted to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P. O. Box 2063, Harrisburg, PA 17105-2063, ecomment@pa.gov.

Persons in need of accommodations as provided for in the American with Disabilities Act of 1990 should contact Gary Walters at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5894 (TTD) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1767. Filed for public inspection October 2, 2015, 9:00 a.m.]

Nutrient Credit Trading Program; Credit Certification

The Department of Environmental Protection (Department) provides notice of a mass credit certification action under the Nutrient Credit Trading Program (Trading Program). This action is taken under 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed).

On April 18, 2015, the Department provided notice of its intent under the Trading Program to issue a mass certification to all Significant Sewage point source discharges within the Chesapeake Bay Watershed with annual mass load effluent limitations (Cap Load) in a National Pollutant Discharge Elimination System (NPDES) permit. See 45 Pa.B. 2008 (April 18, 2015). Comments on this proposal were accepted until May 20, 2015.

For a list of Significant Sewage point sources see Table 7-1 of the Phase 2 Wastewater Implementation Plan (Phase 2 WIP) Wastewater Supplement, available at www.depweb.state.pa.us/npdes-bay or the Department's Nutrient Trading Program web site at www.depweb.state.pa.us/nutrient_trading.

Credit Certification

Effective October 1, 2015, to be eligible to generate credits for sale, all Significant Sewage point source discharges with an assigned Cap Load (see Table 7-1 of the Phase 2 WIP Wastewater Supplement) must demonstrate treated effluent concentrations below 6.0 mg/L Total Nitrogen (TN) and 0.8 mg/L Total Phosphorous (TP) (that is, "baseline concentrations") in accordance with the procedures described in the Phase 2 WIP Nutrient Trading Supplement. When more stringent effluent limitations for TN or TP, or both, are established in Part A of the NPDES permit for reasons other than assignment of a Cap Load, the permittee must meet those more stringent effluent limits before it may generate credits. In addition:

- To generate credits, facilities must demonstrate they are in compliance with their NPDES permit.
- The total amount of credits the facility is certified to generate cannot exceed its permitted Cap Load.
- This point source certification will expire on September 30, 2017.
- Beginning October 1, 2015 (Compliance Year 2016), the calculation of credits will be made using new formulas described in the Phase 2 WIP Nutrient Trading Supplement.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For further information about this action or the Trading Program, contact Jay Braund, Bureau of Point and Non-Point Source Management, Department of Environmental Protection, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-5636, jbraund@pa.gov.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1768. Filed for public inspection October 2, 2015, 9:00 a.m.]

Submission Date for Recycling Program Development and Implementation Grants under Section 902 of Act 101, The Municipal Waste Planning, Recycling and Waste Reduction Act of 1988

The Department of Environmental Protection (Department) announces the opening of a new Section 902 grant round to support the development of municipal recycling programs under section 902 of the Municipal Waste Planning, Recycling and Waste Reduction Act (act) (53 P. S. § 4000.902). Municipalities eligible for recycling grants include counties, cities, boroughs, incorporated towns, townships, home rule municipalities, councils of governments, consortiums or similar entities established by two or more municipalities under 53 Pa.C.S. Chapter 23, Subchapter A (relating to intergovernmental cooperation). The application deadline is November 20, 2015.

Application Requirements

Applicants must be in compliance with the act and the implementing regulations, the Department's Guidelines for Proper Management of Recyclable Materials and any previous grant contract provisions to be eligible to receive grant funding. County applicants should be in compliance with planning and other county-related provisions of the act. Applicants who are not in compliance with the act annual reporting requirements or the program requirements of the act of November 9, 2006 (P. L. 1347, No. 140) will not be considered in this grant application round. Municipalities that received funding in the last 902 grant award round in 2015 will not be considered for funding this solicitation period. Programs operating in municipalities covered by land use plans and ordinances (as outlined under the act of June 22, 2000 (P. L. 483, No. 67) and the act of June 22, 2000 (P. L. 495, No. 68)) or projects that are in compliance with their municipality's land use plan will receive priority over similar programs and projects absent these conditions.

Municipalities are eligible for 90% funding of approved recycling program costs. Municipalities considered financially distressed by the Department of Community and Economic Development under the Municipalities Financial Recovery Act (53 P. S. §§ 11701.101—11701.712), also known as the Financially Distressed Municipalities Act, are eligible for 100% of approved costs. No application requesting more than \$250,000 in grant funding will be accepted.

Applicants are required to complete the Sustainability Plan (Plan) portion of the application that includes definitive actions and strategies for optimizing program self-sufficiency. The Plan shall include, at a minimum, strategies for reducing costs and generating revenues, provisions for establishing incentives associated with waste reduction and recycling, mechanisms for public outreach and stakeholder input, and tracking mechanisms to document progress toward sustainability milestones until optimum sustainability is realized. The Department's technical report on Building Financially Sustainable Recycling Programs can provide assistance in developing methods and strategies. The technical report can be found on the Department's web site at http://www.portal.state.pa.us/portal/server.pt/community/financial_assistance/14065/recycling_program_development_and_implementation_grants_/589534. Applicants that fail to complete the Plan portion of the application will not be considered for funding.

The following will receive priority for funding:

- Development of social media programs for recycling education and information.

- Applicants proposing incentive-based pricing and collection programs designed to increase the quantities and types of recyclable materials and reduce the quantity of waste collected.

- Applicants proposing multimunicipal collection, processing or a materials marketing program where capital costs are reduced or a recycling marketability is enhanced due to intergovernmental cooperation, or both.

- Applicants proposing new or expanded collection, education and outreach for commercial and institutional establishments, including school recycling programs.

In addition, communities whose existing recycling programs contain the following components will receive additional consideration:

- Public provided or municipal contracted waste and recycling services.

- The collection of six or more of the following materials: newsprint; office paper; corrugated paper; other marketable grades of paper; aluminum cans; steel or bimetallic cans; colored glass containers; clear glass containers; and plastics.

Eligibility Requirements

Only those projects involving municipalities that have a mandatory trash collection program or projects seeking support for a residential recycling program that have a corresponding commercial recycling program will be considered for funding. Applicants seeking funds to replace curbside collection containers or collection vehicles, or both, will need to demonstrate that the new equipment will increase collection efficiencies and tonnage of materials.

Eligibility Costs

Eligible recycling program development costs include: recycling program design costs; recycling market investigations; development of recycling market commitments; development of recycling program ordinances; development of recycling public education programs; and the costs of developing contracts for procuring equipment or services necessary for the operation of the recycling program.

Eligible recycling program implementation costs include: purchasing or leasing vehicles used to collect recyclables (including automated and single-stream collection vehicles); transporting recyclables to processing facilities or markets, and vehicles used in the operation of a materials recovery facility; reusable containers for the collection or storage of recyclable materials; acquiring or renovating buildings, or both, for the processing or storage of recovered materials; equipment used to process or manufacture recyclable materials into usable products; improvements to land needed to operate a recycling facility or yard waste composting facility authorized under 25 Pa. Code § 271.103(h) (relating to permit-by-rule for municipal waste processing facilities other than for regulated medical or chemotherapeutic waste; qualifying facilities; general requirements); and the costs associated with educating the public on recycling program requirements. Under this grant solicitation, promotional items, glass crushing equipment (unless specific marketing arrangements have been identified), vehicles equipped with compaction units (except for the sole collection of yard waste, paper fiber or single-stream collection, or both, where a facility equipped to process these material has

been identified), backyard composting units and public recycling containers for parks and streetscapes will not be considered eligible for funding. Other eligible and noneligible costs are listed in the grant application packet. Composting projects and programs will be considered to be recycling projects or programs accordingly.

A municipality must retain sole ownership of equipment or facilities funded by the grant. Funding for equipment or facilities purchased for the recycling program used for recycling and other purposes will be prorated according to its recycling use (no equipment used for recycling less than 50% of the time will be eligible for funding). Funding for certain leaf and yard waste collection equipment may be limited according to its seasonal use. Funding for wood chipping equipment will be approved only when the equipment is part of an approved yard waste composting facility operating under the Department's guidelines and when the material is collected curbside from residents. Funding of street sweepers for the purpose of leaf collection will not be considered.

Funding may be restricted in situations when equipment or services requested through a grant application may be available from the public or private sector within the county of the applicant. Public notices may be required before the grant application may be submitted depending upon the nature of the funding request. When the municipality submits the recycling grant application to the Department, it must include proof of compliance with the notification requirements, a description of any responses received to the notice and an explanation of why the municipality has concluded the mechanical processing equipment is not available to the program from the private sector.

Preapplication Conferences

Potential applicants must contact the appropriate Department regional planning and recycling coordinator to schedule a preapplication conference to discuss application requirements and program particulars. Applications will be returned to municipalities that fail to schedule a preapplication conference. Grant application forms are available from the Department's regional offices and the Department's web site at www.dep.state.pa.us (DEP Keyword: Recycling Grants).

Application Deadline

Grant applications must be received or postmarked by November 20, 2015. Applications received by the Department after that date will not be considered during the current round of solicitation. Applications must be on forms provided by the Department, with two copies submitted to the Department's Central Office (Rachel Carson State Office Building, Harrisburg) and one copy submitted to the appropriate county recycling coordinator. Grant awards will be based on the funds available in the Recycling Fund.

Contact Information

Inquiries concerning this notice should be directed to Mark Vottero, Recycling Grants Coordinator, Department of Environmental Protection, Rachel Carson State Office Building, Bureau of Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472, mvottero@pa.gov.

Regional Planning and Recycling Coordinators**Southeast Region**

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

Department of Environmental Protection, Waste Management Program
2 East Main Street
Norristown, PA 19401
(484) 250-5900
Mary Alice Reisse, Ann Ryan
mreisse@pa.gov
aryan@pa.gov

Northeast Region

Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne and Wyoming Counties

Department of Environmental Protection, Waste Management Program
2 Public Square
Wilkes-Barre, PA 18711-0790
(570) 826-2108
Berit Case
bcase@pa.gov

Southcentral Region

Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry and York Counties

Department of Environmental Protection, Waste Management Program
909 Elmerton Avenue
Harrisburg, PA 17110-8200
(717) 705-4927
Christopher Bosnyak
cbosnyak@pa.gov

Northcentral Region

Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga and Union Counties

Department of Environmental Protection, Waste Management Program
208 West 3rd Street, Suite 101
Williamsport, PA 17701
(570) 321-6533
Joseph Delgrippe
jdelgrippe@pa.gov

Southwest Region

Allegheny, Armstrong, Beaver, Cambria, Fayette, Greene, Indiana, Somerset, Washington and Westmoreland Counties

Department of Environmental Protection, Waste Management Program
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4000
Sharon Svitek, Bradley Cunningham, Bill Jester
ssvitek@pa.gov
bcunningham@pa.gov
wjester@pa.gov

Northwest Region

Butler, Clarion, Crawford, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Venango and Warren Counties

Department of Environmental Protection, Pollution Prevention and Compliance Assistance
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6981
Regina Schweinsberg
rschweinsbpa.gov@pa.gov

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1769. Filed for public inspection October 2, 2015, 9:00 a.m.]

Technical Advisory Committee on Diesel-Powered Equipment Meeting Cancellation

The Technical Advisory Committee on Diesel-Powered Equipment has cancelled its October 14, 2015, meeting. The next meeting will be held on January 13, 2016, at 10 a.m. in the Department of Environmental Protection Office, 131 Broadview Road, New Stanton, PA.

Questions concerning the meetings can be directed to Allison D. Gaida, (724) 404-3147, agaida@pa.gov.

The agenda and materials for the next meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.state.pa.us> (select "Public Participation Center," then "Advisory Committees").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Allison Gaida directly at (724) 404-3147, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Secretary

[Pa.B. Doc. No. 15-1770. Filed for public inspection October 2, 2015, 9:00 a.m.]

**DEPARTMENT OF
GENERAL SERVICES****Lease Office Space to the Commonwealth
Adams County**

Proposers are invited to submit proposals to the Department of General Services to provide the State Police with 12,570 usable square feet of office/storage space in Adams County. Downtown locations will be considered. For more information on SFP No. 94767, which is due on November 16, 2015, visit www.dgs.state.pa.us or contact Carol Munley, Bureau of Real Estate, (717) 787-7412, cmunley@pa.gov.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 15-1771. Filed for public inspection October 2, 2015, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Kinkora Pythian Home
25 Cove Road
Duncannon, PA 17020
FAC ID # 110902

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(d) and (e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Shenango Presbyterian SeniorCare
238 South Market Street
New Wilmington, PA 16142-1212
FAC ID # 191102

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(e), (j) and (k):

Vincentian De Marillac
5300 Stanton Avenue
Pittsburgh, PA 15206
FAC ID # 220702

Vincentian Home
111 Perrymont Road
Pittsburgh, PA 15237
FAC ID # 221002

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1772. Filed for public inspection October 2, 2015, 9:00 a.m.]

Vehicle, Equipment and Supply Requirements for Intermediate Advanced Life Support Services

Under 28 Pa. Code § 1027.3(c) (relating to licensure and general operating standards), the Department of Health (Department) has the authority to publish in the *Pennsylvania Bulletin*, and update as necessary, vehicle construction, equipment and supply requirements for

emergency medical services (EMS) agencies based upon the types of services they provide and the EMS vehicles they operate. An EMS agency that is licensed to operate as an intermediate advanced life support (IALS) ambulance service or an intermediate advanced life support squad (IALSS) service by the Department under 35 Pa.C.S. § 8129 (relating to emergency medical services agencies), as well as an applicant for an EMS agency license to operate as an IALS ambulance service or an IALSS service, shall maintain and have readily available in working order the following vehicle, equipment and supply requirements.

A. Vehicle Standards

IALS ambulances and IALSS service vehicles shall meet vehicle standards as published at 41 Pa.B. 2296 (April 30, 2011).

B. Equipment and Supply Standards

IALS ambulances and IALSS service vehicles shall meet equipment and supply standards for a basic life support (BLS) ambulance or squad vehicle as published at 41 Pa.B. 2296.

C. Additional Equipment and Supply Standards

In addition to the equipment and supply standards referenced in section B, IALS ambulances and IALSS service vehicles also shall carry all of the following equipment and supplies. When quantities are listed, the quantities refer to the minimum amount of each item that must be carried. All equipment and supplies shall be carried and readily available in working order for use. All equipment that may be used in direct contact with patients must be free of contaminants and be easily cleaned of blood and body fluids. No drugs or medication may be carried beyond an expiration date assigned to it, unless specifically permitted by policy to address drug shortages. Some patients and crewmembers of an ambulance or squad service may have allergies to latex. Latex free supplies are recommended, when possible.

1. One electronic glucose testing meter.
2. One electronic wave-form capnograph monitor, with two disposable adapters with universal bag valve mask/advanced airway adapters.
3. One 12-lead electrocardiogram with wireless transmission capability.
4. *Medication and Supplies:*
 - a. Unexpired medications (as listed in the notice published at 45 Pa.B. 5451 (August 29, 2015) regarding the required medications list for IALS ambulance services).
 - b. Nebulizer System (1).
 - c. Hypodermic needles, each must be individually wrapped and sterile:
 1. 16-18 gauge (4).
 2. 20-22 gauge (4).
 3. 23-25 gauge (4).
 - d. Two syringes, including at least one syringe with a 1 mL volume.
 5. CPAP Ventilation-portable equipment, with two disposable masks.
 6. *IV fluid therapy supplies (per Statewide IALS protocols):*
 - a. Catheters over the needle, gauge sizes: 14, 16, 18, 20, 22 (four of each size) and 24 (2).
 - b. Macro drip 10-20 drops/mL intravenous infusion tubing (2).
 - c. Normal saline IV solutions (2,000 mL minimum).
 - d. Tourniquets for IV and phlebotomy (2).

7. *Nonsurgical Alternative/Rescue Airways either of the following:*

- a. Combitubes™: one small adult and one adult
- b. King LT™: (3 total)—sizes 3, 4 and 5.

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape or Braille) should contact Richard L. Gibbons, Bureau Director, Department of Health, Bureau of Emergency Medical Services, Room 606, Health and Welfare Build-

ing, 625 Forster Street, Harrisburg, PA 17120-0710, (717) 787-8740. Speech or hearing impaired persons may call by using V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 15-1773. Filed for public inspection October 2, 2015, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on September 17, 2015, the following access route for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. (X) 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' maximum length-each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
SR 1012	From PA 492 to SR 1021	Susquehanna	6.2
SR 1021	From PA 492 to SR 1012	Susquehanna	4.6

Questions should be directed to Matthew Hedge at (717) 772-5462.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 15-1774. Filed for public inspection October 2, 2015, 9:00 a.m.]

Transportation Advisory Committee Meeting

The Transportation Advisory Committee will hold a meeting on Thursday, October 8, 2015, from 10 a.m. to 12 p.m. in Conference Room 8N1 of the Commonwealth Keystone Building, Harrisburg, PA. For more information, contact Ellen E. Sweeney, (717) 787-2913, ellsweeney@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 15-1775. Filed for public inspection October 2, 2015, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, September 17, 2015, and announced the following:

Action Taken—Regulations Approved:

Philadelphia Parking Authority #126-10: Image Retention and Use (establishes 52 Pa. Code § 1017.78 and amends § 1021.12)

Approval Order

Public Meeting Held
September 17, 2015

Commissioners Voting: John F. Mizner, Esq., Chairperson; George D. Bedwick, Vice Chairperson; W. Russell Faber; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

Philadelphia Parking Authority— Image Retention and Use Regulation No. 126-10 (#3081)

On October 29, 2014, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Philadelphia Parking Authority (PPA). This rulemaking establishes 52 Pa. Code § 1017.78 and amends § 1021.12. The proposed regulation was published in the November 15, 2014 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on August 17, 2015.

This regulation establishes requirements relating to the limited retention of safety camera images.

We have determined this regulation is consistent with the statutory authority of the PPA (53 Pa.C.S.A. § 5722) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 15-1776. Filed for public inspection October 2, 2015, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at www.irrc.state.pa.us.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meetin</i>
12-100	Department of Labor and Industry Uniform Construction Code	9/22/15	11/12/15

JOHN F. MIZNER, Esq.,
Chairperson

[Pa.B. Doc. No. 15-1777. Filed for public inspection October 2, 2015, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Anastasios Kalomiris and Arleen Dunn; file no. 15-198-187709; Erie Insurance Exchange; Doc. No. P15-09-016; October 29, 2015, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence, or both. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of

coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1778. Filed for public inspection October 2, 2015, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Pittsburgh, PA. Failure by the appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in Room 2018, Piatt Building, 301 5th Avenue, Pittsburgh, PA 15222.

Appeal of Millville Mutual Insurance Company; file no. 15-198-186803; David L. Bemis; Doc. No. P15-08-009; November 18, 2015, 9 a.m.

Parties may appear with or without counsel and offer relevant testimony and other relevant evidence, or both. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1779. Filed for public inspection October 2, 2015, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insureds' homeowners policy. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional office in Pittsburgh, PA. Failure by the appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in Room 2018, Piatt Building, 301 5th Avenue, Pittsburgh, PA 15222.

Appeal of Donald and Mary Covert; file no. 15-119-187538; Foremost Property and Casualty Insurance Company; Doc. No. P15-09-007; November 18, 2015, 10 a.m.

Appeal of Anna J. Wasek; file no. 15-188-185750; NGM Insurance Company; Doc. No. P15-07-019; November 18, 2015, 11 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence, or both. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend a previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 15-1780. Filed for public inspection October 2, 2015, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Pro Forma Internal Corporate Restructuring

A-2015-2504709. TTI National, Inc. Application of TTI National, Inc. for approval of a pro forma internal corporate restructuring.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 19, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: TTI National, Inc.

Through and By Counsel: Suzan D. Paiva, Esquire, Verizon, 1717 Arch Street, 3rd Floor, Philadelphia, PA 19103

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1781. Filed for public inspection October 2, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it ap-

plies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by October 19, 2015. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2015-2487851. MTR Transportation, Inc., t/a K-Cab Co. (P. O. Box 274, Mifflinville, PA 18631) for the right to begin to transport, by motor vehicle, persons, upon call or demand, in the Borough of Washingtonville, and the Townships of Anthony, Derry, Liberty, Limestone, Mayberry, Valley and West Hemlock, Montour County. *Attorney:* Lloyd R. Persun, Persun & Heim, PC, 1700 Bent Creek Boulevard, Suite 160, Mechanicsburg, PA 17050.

A-2015-2497610. Jason Litigation Support Services, LLC (211 Moosic Street, Olyphant, PA 18447) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Columbia, Lackawanna, Lehigh, Luzerne, Lycoming, Monroe, Northampton, Northumberland, Philadelphia, Pike and Schuylkill, to points in Pennsylvania, and return.

A-2015-2503365. Ride Along Transportation, LLC (P. O. Box 56174, Philadelphia, Philadelphia County, PA 19147) for the right to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to correctional facilities in Pennsylvania, and return.

A-2015-2503569. Three Rivers Transportation, LLC, t/a Transport VIP (6 Market Square, Pittsburgh, Allegheny County, PA 15222) in paratransit service, limited to persons who are unable to own or operate a motor vehicle, between points in Pennsylvania.

A-2015-2504499. Halal Traveling, LLC (2112 Dorrance Street, Philadelphia, Philadelphia County, PA 19145) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to correctional facilities in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.

A-2015-2504430. Go Green Taxi, LLC (140 South 17th Street, Harrisburg, Dauphin County, PA 17104) upon call or demand, in the City of Harrisburg, Dauphin County, and within an airline distance of 10 statute miles of the limits of the said city, which is to be a transfer of all rights authorized under the certificate issued at A-00121832 to AAA Alpine Taxicab Company, LLC, subject to the same rights and limitations. *Attorney:* William E. Lehman, Micah R. Bucy, Hawke McKeon & Sniscak, LLP, 100 North Tenth Street, Harrisburg, PA 17101.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.

A-2014-2435970 (Revised). Hindman & Isaacs Moving & Storage, Inc. (1887 Sandy Lake-G.C. Road, Jackson Center, Butler County, PA 16133-2525) household goods in use, between points in Pennsylvania. *Attorney:* John A. Pillar, 150 Green Commons Drive, Pittsburgh, PA 15243.

A-2015-2500663. Make Moves, LLC (525 East Main Street, Carnegie, Allegheny County, PA 15106) household goods in use, from points in the Counties of Allegheny, Armstrong, Beaver, Butler, Washington and Westmoreland, to points in Pennsylvania, and vice versa. *Attorney:* John A. Pillar, 150 Green Commons Drive, Pittsburgh, PA 15243.

Application of the following for the approval of the transfer of stock as described under the application.

A-2015-2483029. Haverford Movers, LLC (203 Oakwynne Road, Broomall, PA 19008) a limited liability company of the Commonwealth of Pennsylvania, at Doc. No. A-2011-2258758 for the approval to transfer 51% of the capital stock of Haverford Movers, LLC, held by James Matsko to Constance Matsko.

Application of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2015-2502626. Harold K. Witmer, t/a H. K. Pickup & Delivery (743 Ranck's Church Road, New Holland, Lancaster County, PA 17557) discontinuance of service and cancellation of its certificate, as a common carrier, persons in paratransit service, between points in the County of Lancaster, and from points in said county, to points in Pennsylvania, and vice versa, limited to persons whose personal convictions prevent them from owning or operating motor vehicles.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1782. Filed for public inspection October 2, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due October 19, 2015, and must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Gay Y. English, t/a Willow Springs Farm; Docket No. C-2015-2497194

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Gay Y. English, t/a Willow Springs Farm, (respondent) is under suspension effective July 15, 2015 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 1205 Mosquito Valley Road, Williamsport, PA 17702.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 09, 2011, at A-8913460.

4. That respondent has failed to maintain evidence of Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8913460 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/12/2015

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound

by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

—————

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Best Transit, Inc.; Docket No. C-2015-2497317

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Best Transit, Inc., (respondent) is under suspension effective July 23, 2015 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at P. O. Box 56581, Philadelphia, PA 19111-6581.

3. That respondent was issued a Certificate of Public Convenience by this Commission on April 19, 2010, at A-2009-2137794.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-2009-2137794 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/12/2015

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Blackhawk Trucking, Inc.; Docket No. C-2015-2497713

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Blackhawk Trucking, Inc., (respondent) is under suspension effective July 28, 2015 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 302 Walters Lane, Cresson, PA 16630.
3. That respondent was issued a Certificate of Public Convenience by this Commission on July 5, 2006, at A-00122305.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation

and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00122305 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
 David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 8/12/2015

David W. Loucks, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current

insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1783. Filed for public inspection October 2, 2015, 9:00 a.m.]

Water and Wastewater Services

A-2015-2504889, A-2015-2504891, A-2015-2504892, A-2015-2504893, A-2015-2504894 and A-2015-2504895. Community Utilities of Pennsylvania, Inc., Penn Estates Utilities, Inc. (water and wastewater), Utilities, Inc.—Westgate and Utilities, Inc. of Pennsylvania. Joint application of Community Utilities of Pennsylvania, Inc., Penn Estates Utilities, Inc. (water and wastewater), Utilities, Inc.—Westgate and Utilities, Inc. of Pennsylvania for approval of: 1) the merger of Penn Estates Utilities, Inc. (water and wastewater), Utilities, Inc.—Westgate and Utilities, Inc. of Pennsylvania into Community Utilities of PA, Inc.; 2) the issuance of a certificate of public convenience for Community Utilities of PA, Inc. to begin to provide water and wastewater service to the public in this Commonwealth; and 3) the right of Penn Estates Utilities, Inc. (water and wastewater), Utilities, Inc.—Westgate and Utilities, Inc. of Penn-

sylvania to abandon their certificates of public convenience as a water or wastewater utility, or both, in this Commonwealth.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 19, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: Community Utilities of Pennsylvania, Inc.; Penn Estates Utilities, Inc.; Utilities, Inc.—Westgate; Utilities, Inc. of Pennsylvania

Through and By Counsel: Thomas J. Sniscak, Esquire, William E. Lehman, Esquire, Hawke, McKeon & Sniscak, LLP, 100 North Tenth Street, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-1784. Filed for public inspection October 2, 2015, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority will accept sealed proposals for Project No. 15-108.P, Request for Proposal for Port Administration Building Network and Communications Infrastructure Upgrades, until 2 p.m. on Thursday, November 5, 2015. Information (including mandatory preproposal information) can be obtained from the web site www.philaport.com under Procurement or call (215) 426-2600.

JAMES T. McDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 15-1785. Filed for public inspection October 2, 2015, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Actions Taken at September Meeting

As part of its regular business meeting held on September 10, 2015, in Binghamton, NY, the Susquehanna River Basin Commission (Commission) took the following actions: 1) approved or tabled the applications of certain water resources projects; 2) approved a request from Panda Power Funds for transfer of ownership of Hummel Station, LLC; 3) accepted a settlement instead of penalty from Downs Racing, LP; and 4) took additional actions, as set forth in the following Supplementary Information.

For further information, contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent

to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. See also the Commission web site at www.srbcc.net.

Supplementary Information

In addition to the actions taken on projects identified in the previous summary and the listings as follows, the following items were also presented or acted upon at the business meeting: 1) adoption of revisions to Resolution No. 2013-11; 2) release of proposed rulemaking to address shortcomings in the rules for transfer of approvals, create a category for minor modifications, establish a procedure for issuing general permits and address other minor enhancements; 3) adoption of amendment of the Comprehensive Plan for the Water Resources of the Susquehanna River Basin; 5) approval of grants; 6) a report on delegated settlements with the following project sponsors, under the Commission's Resolution 2014-15: Aqua Pennsylvania, Inc. in the amount of \$6,000; Conyngham Borough Authority in the amount of \$5,000; Keister Miller Investments, LLC in the amount of \$2,000; Susquehanna Gas Field Services, LLC in the amount of \$2,500; and Wynding Brook, Inc. d/b/a Wynding Brook Golf Club in the amount of \$5,000; and 7) approval to extend the term of emergency certificates with Aqua Pennsylvania, Inc. to September 1, 2016, and with Furman Foods, Inc. to December 3, 2015.

Compliance Matter

The Commission approved a settlement instead of civil penalty for the following project:

1. Downs Racing, LP, Plains Township, Luzerne County, PA—\$25,000.

Project Applications Approved

The Commission approved the following project applications:

1. Project Sponsor and Facility: Caernarvon Township Authority, Caernarvon Township, Berks County, PA. Groundwater withdrawal of up to 0.673 mgd (30-day average) from Well 7.

2. Project Sponsor and Facility: Chetremon Golf Course, LLC, Burnside Township, Clearfield County, PA. Consumptive water use of up to 0.200 mgd (peak day).

3. Project Sponsor and Facility: Chetremon Golf Course, LLC (Irrigation Storage Pond), Burnside Township, Clearfield County, PA. Surface water withdrawal of up to 0.200 mgd (peak day).

4. Project Sponsor and Facility: Chief Oil & Gas, LLC (Loyalsock Creek), Forksville Borough, Sullivan County, PA. Surface water withdrawal of up to 1.500 mgd (peak day).

5. Project Sponsor and Facility: JELD-WEN, Inc. Fiber Division—PA, Wysox Township, Bradford County, PA. Groundwater withdrawal of up to 0.252 mgd (30-day average) from Well 1.

6. Project Sponsor and Facility: JELD-WEN, Inc. Fiber Division—PA, Wysox Township, Bradford County, PA. Groundwater withdrawal of up to 0.252 mgd (30-day average) from Well 4.

7. Project Sponsor and Facility: JELD-WEN, Inc. Fiber Division—PA, Wysox Township, Bradford County, PA. Groundwater withdrawal of up to 0.323 mgd (30-day average) from Well 5.

8. Project Sponsor and Facility: JELD-WEN, Inc. Fiber Division—PA, Wysox Township, Bradford County, PA. Groundwater withdrawal of up to 0.323 mgd (30-day average) from Well 6.

9. Project Sponsor and Facility: JELD-WEN, Inc. Fiber Division—PA, Wysox Township, Bradford County, PA. Groundwater withdrawal of up to 0.345 mgd (30-day average) from Well 7.

10. Project Sponsor and Facility: JELD-WEN, Inc. Fiber Division—PA, Wysox Township, Bradford County, PA. Consumptive water use of up to 0.499 mgd (peak day).

11. Project Sponsor and Facility: Keister Miller Investments, LLC (West Branch Susquehanna River), Mahaffey Borough, Clearfield County, PA. Surface water withdrawal of up to 1.000 mgd (peak day).

12. Project Sponsor and Facility: Lycoming County Water and Sewer Authority, Fairfield Township, Lycoming County, PA. Groundwater withdrawal of up to 0.180 mgd (30-day average) from Production Well 3.

13. Project Sponsor and Facility: Moxie Freedom, LLC, Salem Township, Luzerne County, PA. Consumptive water use of up to 0.092 mgd (peak day).

14. Project Sponsor and Facility: Moxie Freedom, LLC, Salem Township, Luzerne County, PA. Groundwater withdrawal of up to 0.062 mgd (30-day average) from Production Well 1.

15. Project Sponsor and Facility: Seneca Resources Corporation (Marsh Creek), Delmar Township, Tioga County, PA. Renewal of surface water withdrawal of up to 0.499 mgd (peak day) (Docket No. 20110907).

16. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Renewal and modification to increase groundwater withdrawal by an additional 0.024 mgd (30-day average), for a total of up to 0.089 mgd (30-day average) from the Blouse Well (Docket No. 19820103).

17. Project Sponsor and Facility: Shrewsbury Borough, York County, PA. Renewal of groundwater withdrawal of up to 0.099 mgd (30-day average) from the Smith Well (Docket No. 19811203).

18. Project Sponsor and Facility: Talisman Energy USA, Inc. (Wappasening Creek), Windham Township, Bradford County, PA. Renewal of surface water withdrawal of up to 1.000 mgd (peak day) (Docket No. 20110621).

19. Project Sponsor: UGI Development Company. Project Facility: Hunlock Creek Energy Center, Hunlock Township, Luzerne County, PA. Modification to increase consumptive water use by an additional 1.526 mgd (peak day), for a total of up to 2.396 mgd (peak day) (Docket No. 20090916).

20. Project Sponsor and Facility: XTO Energy, Inc. (West Branch Susquehanna River), Chapman Township, Clinton County, PA. Renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20110911).

Project Applications Tabled

The Commission tabled action on the following project applications:

1. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Application for renewal of groundwater withdrawal of up to 0.320 mgd (30-day average) from Well 1 (Docket No. 19850901).

2. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Application for renewal of groundwater withdrawal of up to 0.190 mgd (30-day average) from Well 4 (Docket No. 19850901).

3. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Application

for renewal of groundwater withdrawal of up to 0.090 mgd (30-day average) from Well 7 (Docket No. 19850901).

4. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Cresson Borough, Cambria County, PA. Application for groundwater withdrawal from Argyle Stone Bridge Well for inclusion in treatment of up to 6.300 mgd (30-day average) from four sources.

5. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Cresson Township, Cambria County, PA. Application for groundwater withdrawal from Cresson No. 9 Well for inclusion in treatment of up to 6.300 mgd (30-day average) from four sources.

6. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Gallitzin Township, Cambria County, PA. Application for groundwater withdrawal from Gallitzin Shaft Well 2A (Gallitzin Shaft #2) for inclusion in treatment of up to 6.300 mgd (30-day average) from four sources.

7. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Gallitzin Township, Cambria County, PA. Application for groundwater withdrawal from Gallitzin Shaft Well 2B (Gallitzin Shaft #1) for inclusion in treatment of up to 6.300 mgd (30-day average) from four sources.

8. Project Sponsor and Facility: SWN Production Company, LLC (Tioga River), Hamilton Township, Tioga County, PA. Application for surface water withdrawal of up to 2.000 mgd (peak day).

Request for Conditional Transfer Approved

The Commission approved the following request for conditional transfer:

1. Panda Power Funds request for transfer of ownership of Hummel Station, LLC (Docket Nos. 20081222 and

20081222-2). Transferred dockets will include modification of conditions requiring mitigation of all consumptively used water.

Authority: Pub. L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: September 22, 2015.

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 15-1786. Filed for public inspection October 2, 2015, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Proposal

Thaddeus Stevens College of Technology will be issuing a Request for Proposal (RFP 15-0964) for lease of real property. The following are the requirements: minimum of 1,000 amp electrical service with 208/230 volt—3 phase; minimum of 50 parking spaces; maximum distance from main campus of 3 1/2 miles to permit shuttle service; minimum ceiling height of 14 feet; minimum office/classroom space of 4,000 square feet; access to at least one loading dock and one at grade level loading/unloading access; equipment bearing floor—minimum of 6-inch concrete; predominantly clear span area to facilitate instruction; and minimum total clear span area—20,000 square feet.

Request for proposals can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 15-1787. Filed for public inspection October 2, 2015, 9:00 a.m.]