

NOTICES

DELAWARE RIVER BASIN COMMISSION

Public Hearing and Business Meeting

The Delaware River Basin Commission (Commission) will hold a public hearing on Tuesday, March 10, 2015. A business meeting will be held the following day on Wednesday, March 11, 2015. The hearing and business meeting are open to the public and will take place at the Washington Crossing Historic Park Visitor Center, 1112 River Road, Washington Crossing, PA.

Public hearing. The public hearing on March 10, 2015, will begin at 1:30 p.m. Hearing items will include draft dockets for the withdrawals, discharges and other water-related projects listed as follows and for resolutions: (1) authorizing the Executive Director to award a contract to the lowest responsible bidder for taxonomic identification of benthic macroinvertebrates in samples collected from the Delaware River and its tributaries; (2) authorizing the Executive Director to award a contract to the lowest responsible bidder for analysis of water, sediment and tissue samples from ambient waters of the Delaware River Basin for organic chemicals including polychlorinated biphenyls and mercury; (3) delegating limited authority to the Executive Director to enter into settlement agreements and to waive administrative late fees for good cause shown; and (4) authorizing and directing the Executive Director to initiate rulemaking to provide for the One Process—One Permit Program and to enter into an Administrative Agreement with New Jersey for demonstration of the program.

The hearing also will include an opportunity for docket holders that recently received notices of violation from the Commission in connection with monitoring requirements or effluent limitations contained in their dockets to show cause why a penalty should not be assessed for the alleged violations in accordance with the provisions of Article 7 of the Rules of Practice and Procedure and Section 14.17 of the Delaware River Basin Compact. Written comments on matters scheduled for hearing on March 10, 2015, will be accepted through the close of the hearing that day. After the hearing on all scheduled matters has been completed, the meeting will include an opportunity for public dialogue.

Draft dockets and resolutions scheduled for hearing are posted on the Commission's web site at www.drbc.net 10 days prior to the hearing date. Additional public records relating to the hearing items may be examined at the Commission's offices. Contact Project Review Section assistant Victoria Lawson at (609) 883-9500, Ext. 216, with any questions concerning these items.

The public is advised to check the Commission's web site periodically prior to the hearing date, as items scheduled for hearing may be postponed if additional time is deemed necessary to complete the Commission's review. In reviewing docket descriptions, the public is also asked to be aware that project details commonly change in the course of the Commission's review, which is ongoing.

The public is advised that during the public hearing on March 10, 2015, the staff will continue the practice of offering a shorter presentation than in the past for the subset of draft dockets that consist of renewals where a

project has undergone no substantive changes. Interested parties will have the same opportunity to comment on or ask questions concerning these dockets as they have historically had, and if any member of the public requests additional information about a project during the hearing, staff will be prepared to offer more detail. A detailed description of each project is included in the draft docket, which can be accessed on the Commission web site at www.drbc.net.

1. *Exelon, D-1969-210 CP-14.* An application to renew the approval of the applicant's existing Limerick Generating Station and its related withdrawals and discharge and to make permanent the Executive Director's temporary approval (issued by letter dated August 19, 2014) to increase consumptive water use from 24 million gallons per day (mgd) with one unit operating and 44 mgd with two units operating to 25.5 mgd and 47.3 mgd, respectively, when the ambient air temperatures are 87 degrees F. or greater. The application requests the renewed approval of: (a) surface water withdrawals from intakes on the Schuylkill River (Schuylkill Intake) and Perkiomen Creek (Perkiomen Intake) of up to 1.7422 bgm (58.2 mgd); (b) groundwater withdrawals from Wells Nos. 1, 3, LTC, and LEIC of up to 3.1 million gallons per month (mgm), 2.8 mgm, 0.1 mgm, and 0.1 mgm, respectively; and (c) the continued discharge of up to 14.2 mgd of non-contact cooling water (NCCW) and industrial waste by means of Outfall No. 001. The four wells are located in the Schuylkill—Sprogels Run subbasin of the Southeastern Pennsylvania Groundwater Protected Area (GWPA). NCCW and treated industrial wastewater will continue to be discharged to the Schuylkill River at River Mile 92.47—48.01 (Delaware River—Schuylkill River) by means of Outfall No. 001, in Limerick Township, Montgomery County, PA.

2. *E. I. Dupont De Nemours & Company, Inc., D-1971-086-4.* An application to renew the approval of the existing DuPont Edge Moor industrial wastewater treatment plant (IWTP) and its discharges. No modifications to the IWTP are proposed. The IWTP will continue to discharge treated industrial wastewater and NCCW to Water Quality Zone 5 of the Delaware River at River Mile 73.4, in Edge Moor, New Castle County, DE.

3. *Merrill Creek Owners Group, D-1977-110 CP-18.* An application to revise the applicant's existing docket approving the Merrill Creek Reservoir and release operations to update the list of designated units supported by reservoir releases during a drought declaration. The Merrill Creek Reservoir is located at River Mile 177.4—7.69—3.9 (Delaware River—Pohatcong Creek—Merrill Creek), within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Harmony Township, Warren County, NJ.

4. *Myerstown Water Authority, D-1981-067 CP-4.* An application to renew the approval of an existing groundwater withdrawal (GWD) of up to 34.1 mgm from existing Wells Nos. 3, 5, 6 and 8. Wells Nos. 3, 5 and 6 are completed in the Hamburg Formation and Well No. 8 is completed in the Ontelaunee Formation. The requested allocation is not an increase from the previous allocation. The project wells are located in the Tulpehocken Creek Watershed in Jackson Township and the Borough of Myerstown, Lebanon County, PA.

5. *Bensalem Racing Association and Keystone Turf Club, Inc., Tenants In Common, D-1985-072-4*. An application to renew the approval of an existing GWD of up to 10.93 mgm to irrigate the applicant's track and infield at the Parx Race Track from existing Wells Nos. 1—4 completed in the Wissahickon Schist Formation. The requested allocation is not an increase from the previous allocation. The project wells are located in the Poquessing Creek Watershed in Bensalem Township, Bucks County, PA.

6. *Eagle Lake Community Association, Inc., D-1987-055-3*. An application to renew the approval of the applicant's existing 0.5 mgd wastewater treatment plant (WWTP) and its discharge. No modifications of the WWTP are proposed. The WWTP will continue to discharge treated effluent to an unnamed tributary (UNT) of Tamarack Creek, which is a tributary of the Lehigh River, at River Mile 183.66—106.58—2.89—0.32 (Delaware River—Lehigh River—Tamarack Creek—UNT Tamarack Creek), within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Covington Township, Lackawanna County, PA.

7. *Villa Roma Country Club, D-1988-007-2*. An application to approve the applicant's existing 0.145 mgd WWTP and its discharge. Treated effluent will continue to be discharged to Jones Brook at River Mile 303.6—2.0—6.4—0.95 (Delaware River—Callicoon Creek—East Branch Callicoon Creek—Jones Brook) by means of Outfall No. 001, within the drainage area of the section of the main stem Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in the Town of Delaware, Sullivan County, NY.

8. *Spring Township, D-1988-077 CP-3*. An application to renew the approval of the existing 2.28 mgd Spring Township WWTP and its discharge. No modifications to the WWTP are proposed. The WWTP will continue to discharge treated effluent to Cacoosing Creek, a tributary of Tulpehocken Creek, which is a tributary of the Schuylkill River at River Mile 92.47—76.8—4.0—2.0 (Delaware River—Schuylkill River—Tulpehocken Creek—Cacoosing Creek), in the Township of Spring, Berks County, PA.

9. *Delaware County Solid Waste Authority, D-1989-018 CP-6*. An application to renew the approval of the applicant's existing 0.12 mgd Rolling Hills leachate treatment plant and 0.087 mgd wetland treatment system, and their discharges. Treated effluent will continue to be discharged to Manatawny Creek at River Mile 92.47—54.15—12.2 (Delaware River—Schuylkill River—Manatawny Creek) by means of Outfall No. 001, in Earl Township, Berks County, PA.

10. *Aqua Pennsylvania, Inc., D-1991-086 CP-3*. An application to renew the approval of an existing GWD of up to 50.0 mgm to supply the applicant's public water supply system for the Great Valley Division from existing Wells Nos. Hunt Country 21A, Hunt Country 21B, Hunt Country 21C, Hunt Country 21D, Grand Oak 4, Ponomia Park 7, Highland Glen 9 and Pottstown Pike 16. Wells Nos. Hunt Country 21A through D are completed in Baltimore Gneiss; Wells Nos. Grand Oak 4 and Ponomia Park 7 are completed in Gneiss; Well No. Highland Glen 9 is completed in Sepentine Schist; and Pottstown Pike 16 is completed in Wissahickon Schist. The requested allocation is not an increase from the previous allocation. The project wells are located within the Commission's desig-

nated GWPA in the Ridley Creek, Chester Creek, Plum Run and Broad Run watersheds, in East Goshen, West Goshen and West Whiteland Townships, Chester County, PA.

11. *Borough of Bally, D-1994-044 CP-3*. An application to renew the approval of the applicant's existing 0.5 mgd WWTP and its discharge. Treated effluent will continue to be discharged to West Branch Perkiomen Creek at River Mile 92.47—32.08—18.65—5.20—3.55 (Delaware River—Schuylkill River—Perkiomen Creek—Green Lane Reservoir—West Branch Perkiomen Creek) by means of Outfalls Nos. 001 and 002 in Washington Township, Berks County, PA.

12. *Lehigh Township Municipal Authority, D-1994-053 CP-2*. An application to renew the approval of the existing 0.3 mgd Danielsville WWTP and its discharge. No modifications to the WWTP are proposed. The WWTP will continue to discharge treated effluent to Bertsch Creek, which is a tributary of the Lehigh River, at River Mile 183.66—31.0—4.15 (Delaware River—Lehigh River—Bertsch Creek), within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Lehigh Township, Northampton County, PA.

13. *Lehigh Township Municipal Authority, D-1994-054 CP-2*. An application to renew the approval of the existing 0.06 mgd Pennsville WWTP and its discharge. No modifications of the WWTP are proposed. The WWTP will continue to discharge treated effluent to Indian Creek, which is a tributary of Hokendauqua Creek, which is a tributary of the Lehigh River, at River Mile 183.66—22.6—4.2—2.1 (Delaware River—Lehigh River—Hokendauqua Creek—Indian Creek), within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Lehigh Township, Northampton County, PA.

14. *Sealed Air Corporation, D-1994-081-3*. An application to renew the approval to withdraw up to 4.0 mgm of groundwater from existing Wells Nos. PW-1 and PW-2 for industrial use at the docket holder's recycled paper mill. The allocation is a reduction from the total groundwater allocation of 8.0 mg/30 days approved in the previous docket. The project wells are completed in the Buffalo Springs Formation in the Angelica Creek—Schuylkill River Watershed in City of Reading, Berks County, PA.

15. *Valley Forge Sewer Authority, D-1995-006 CP-4*. An application to renew the approval of the existing Valley Forge Sewer Authority WWTP and its discharge. This docket also renews approval of the project to upgrade and expand the WWTP from 9.2 mgd to 11.75 mgd, which was approved by means of Commission Docket No. D-1995-006 CP-3 on December 8, 2010, but the construction of which has not been completed. The WWTP will continue to discharge treated effluent to the Schuylkill River at River Mile 92.47—32.0 (Delaware River—Schuylkill River) in Schuylkill Township, Chester County, PA.

16. *Bucks County Water and Sewer Authority, D-1999-013 CP-3*. An application to renew the approval of the existing 1.6 mgd Harvey Avenue WWTP and its discharge. No modifications to the WWTP are proposed. The WWTP will continue to discharge treated effluent to Cooks Run, which is a tributary of Neshaminy Creek, at River Mile 115.63—38.1—2.6 (Delaware River—Neshaminy Creek—Cooks Run) in the Borough of Doylestown, Bucks County, PA.

17. *Pennsylvania American Water Company, D-1999-029 CP-2*. An application to renew the approval of the existing 0.567 mgd Pocono Country Place WWTP and its discharge. No modifications to the WWTP are proposed. The WWTP will continue to discharge treated effluent to East Branch Dresser Run, which is a tributary of Tobyhanna Creek, which is a tributary of the Lehigh River at River Mile 183.66—84.1—24.5—1.7 (Delaware River—Lehigh River—Tobyhanna Creek—East Branch Dresser Run), within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Coolbaugh Township, Monroe County, PA.

18. *Artesian Water Company, D-2002-034 CP-3*. An application to renew the approval of an existing import project of up to 3.0 mgd from the Chesapeake Bay Basin from the Old County Road, Chesapeake City Road and Eastern States Well fields, and up to 3.0 mgd from the Susquehanna River Basin from an interconnection with Chester Water Authority to augment water supply to the applicant's public water supply system. The application will also renew the approval of an existing GWD allocation of up to 612.83 mgm. The requested allocation is not an increase from the previous allocation. The water supply system and wellfields are located in New Castle County, DE.

19. *Northampton Borough Municipal Authority, D-2004-013 CP-2*. An application to renew the approval of the existing Northampton Borough Municipal Authority water filtration plant (WFP) and its discharge. No modifications to the WFP are proposed; the WFP will continue to treat up to 8.0 mgd for public water supply and discharge up to 0.150 mgd of process water and filter rinse backwash to Spring Creek, which is a tributary of the Lehigh River, at River Mile 183.66—24.7—0.1 (Delaware River—Lehigh River—Spring Creek), within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in North Whitehall Township, Lehigh County, PA.

20. *Mafco Worldwide Corporation, D-2004-038-2*. An application to renew the approval of an allocation of up to 11.0 mgm of surface water from the Delaware River for industrial cooling purposes at the docket holder's industrial food processing facility. The allocation of surface water is not an increase from the allocation approved in the previous docket. The project's existing groundwater withdrawals are approved by the New Jersey Department of Environmental Protection (NJDEP) and will continue to be regulated by NJDEP in accordance with the Administrative Agreement between the Commission and the State of New Jersey. The intake is located in the Delaware River in Water Quality Zone 2 in the City of Camden, Camden County, NJ.

21. *Sapa Extrusions, Inc., D-2005-001-4*. An application to renew the approval of the existing Sapa Extrusions IWTP and its discharge. The IWTP has a hydraulic design capacity of 0.20 mgd; however, effluent limits in the NPDES permit are based on a discharge rate of 0.10 mgd. This docket also approves a total dissolved solids determination of 2,000 million gallons per liter (mg/l) (daily maximum) from the IWTP effluent. This is a reduction from the previous Commission approval of 4,000 mg/l. No modifications to the IWTP are proposed. The IWTP will continue to discharge treated industrial wastewater and NCCW to the West Branch Schuylkill River, which is a tributary of the Schuylkill River, at

River Mile 92.47—115.0—0.5 (Delaware River—Schuylkill River—West Branch Schuylkill River) in Cressona Borough, Schuylkill County, PA.

22. *UMH Properties, Inc., D-2005-003 CP-3*. An application to renew the approval of the applicant's existing 0.0795 mgd Kinnebrook WWTP and its discharge. Treated effluent will continue to be discharged to a UNT of Kinne Brook at River Mile 261.1—16.0—3.62—1.17 (Delaware River—Mongaup River—Kinne Brook—UNT) by means of Outfall No. 001, within the drainage area of the section of the main stem Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in the Town of Thompson, Sullivan County, NY.

23. *Niagara Drinking Waters, Inc., D-2006-029-2*. An application to renew the approval of the existing 0.1008 mgd Niagara Bottling, LLC IWTP and its discharge. The IWTP is currently discharging to Hamburg Municipal Authority's sewage treatment plant, but may decide in the future to discharge treated effluent to Kaercher Creek at River Mile 92.47—97.87—0.17 (Delaware River—Schuylkill River—Kaercher Creek) in Hamburg Borough, Berks County, PA.

24. *Exelon, D-2010-036 CP-2*. An application to renew the approval of an existing average discharge of up to 42.6 mgd of Power Plant Condenser Cooling Water, NCCW and stormwater from the Fairless Hills Generating Station (FHGS) by means of Outfall No. 001. This is an increase from the flow of 37.4 mgd approved in the previous docket. Outfall No. 001 discharges to Water Quality Zone 2 of the Delaware River at River Mile 126.85. The FHGS is located within the United States Steel complex in Falls Township, Bucks County, PA.

25. *Weatherly Borough, D-1980-080 CP-4*. An application to renew the approval of an existing GWD and to decrease the allocation from 14.267 mgm to 12.4 mgm to supply the applicant's public water supply distribution system. Existing Wells Nos. 1—3 are completed in the Mauch Chunk Formation and located in the Black Creek Watershed in Weatherly Borough, Carbon County, PA, within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

26. *Hawley Area Authority, D-1981-029 CP-2*. An application to renew the approval of and approve modifications to the docket holder's existing 0.2 mgd WWTP and its discharge. The modifications consist of adding flow equalization and a vertical automatic fine screen, upgrading the existing aeration system and clarifiers, replacing the existing chlorine contact disinfection system with a UV disinfection system, upgrading the existing sludge handling system and appurtenant improvements. The WWTP will continue to discharge treated effluent to the Lackawaxen River, at River Mile 277.7—16.2 (Delaware River—Lackawaxen River), within the drainage area of the section of the main stem Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in Lackawaxen Township, Pike County, PA.

27. *Town of Fallsburg, D-1985-074 CP-3*. An application to renew the approval of the applicant's existing 0.7 mgd Loch Sheldrake WWTP and its discharge. The application also requests approval to expand the WWTP to 1.013 mgd. Treated effluent will continue to be discharged to Sheldrake Stream at River Mile 253.64—27.3—9.83 (Delaware River—Neversink River—Sheldrake Stream) by means of Outfall No. 001, within the drainage

area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in the Town of Fallsburg, Sullivan County, NY.

28. *Village of Wurtsboro, D-1994-025 CP-2*. An application to renew the approval of an existing GWD project to supply up to 10.4 mgm of groundwater for use in the applicant's public water system from existing Wells Nos. 3—5. The requested groundwater allocation is an increase from the previously approved allocation of 6.0 mg/30 days (6.2 mgm). The applicant has also requested a modification of its service area that now extends into a portion of the Town of Mamakating south of the village. Well No. 3 is screened in unconsolidated alluvial deposits and Wells Nos. 4 and 5 are completed in the Onondaga Limestone aquifer and the Port Ewen through Manlius Limestone, Rondout Dolostone bedrock aquifer, respectively. The project is located in the Basher Kill Watershed in the Village of Wurtsboro, Sullivan County, NY within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters.

29. *Bucks County Water and Sewer Authority, D-2004-039 CP-2*. An application to approve new Well A for inclusion into the applicant's New Hope district public water supply system and to renew the approval of an existing GWD and surface water withdrawal of up to 14.78 mgm from Wells Riverwoods 2C, Riverwoods 3B, Morrissey B, Morrissey C, New Hope Manor C and an intake on the Delaware River. The requested allocation is not an increase from the previously approved allocation. The project wells are completed in the Brunswick Formation and are located in the Rabbit Run and Delaware River watersheds in New Hope Borough, Bucks County, PA, within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

30. *Dragon Springs Buddhist, Inc., D-2007-021 CP-3*. An application to approve the construction and operation of the applicant's proposed 0.1 mgd WWTP. Treated effluent will be discharged to a UNT of the Basher Kill River at River Mile 253.64—9.5—0.4—0.1 (Delaware River—Neversink River—Basher Kill River—UNT) by means of Outfall No. 003, within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in the Town of Deerpark, Orange County, NY.

31. *Buck Hill Falls Company, D-2009-002 CP-1*. An application to approve one existing groundwater well (Well No. 2), two existing surface water intakes (Intakes Nos. 1 and 2), and a spring (Big Spring) to continue to provide the applicant's public water supply and golf course irrigation systems with up to 15.5 mgm. The project is located in the Long Run and Walcksville members of the Catskill Formation in the Brodhead Creek Watershed. The four withdrawals are located in Barrett Township, Monroe County, PA, within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters.

32. *Port Jervis City, D-2013-019 CP-1*. An application to approve an existing surface water supply project to withdraw up to 51.5 mgm of surface water from an existing intake on Reservoir No. 1 for public water supply. This reservoir is supplemented when necessary with

water from two additional interconnected reservoirs (Reservoirs Nos. 2 and 3). The applicant also owns and maintains a surface water intake on the Neversink River and additional water storage in Boehmler Pond for emergency backup purposes. The reservoirs and surface water withdrawal are located in the Shingle Kill—Delaware River and Lower Neversink River watersheds in the Town of Deer Park, Orange County, NY, within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters.

33. *Aqua America, Inc., D-2014-005 CP-1*. An application to approve the applicant's existing 0.15 mgd Woodloch Springs WWTP and its discharge. Treated effluent will continue to be discharged seasonally to Teedyuskung Creek at River Mile 277.70—9.93—0.35 (Delaware River—Lackawaxen River—Teedyuskung Creek) by means of Outfall No. 001, within the drainage area of the section of the main stem Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in Lackawaxen Township, Pike County, PA.

34. *Lehighon Water Authority, D-2014-006 CP-1*. An application to approve the existing Lehighon Water Authority WFP and its discharge. No modifications to the WFP are proposed; the WFP will continue to treat up to 1.6 mgd for public water supply and discharge up to 0.023 mgd of process water and filter rinse backwash to Long Run, which is tributary of the Lehigh River, at River Mile 183.7—45.0—2.0 (Delaware River—Lehigh River—Long Run) within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Franklin Township, Carbon County, PA.

35. *Columbia Gas Transmission Corporation, D-2014-008-1*. An application to approve an existing natural gas pipeline project referred to as the Columbia Line 1278—Line K Replacement Project, which involved the installation of 16 miles of new pipeline, modifications and abandonment of existing above-ground facilities and the construction of new above-ground facilities. Line 1278 is located in Dingman, Milford and Westfall Townships, Pike County, PA. Line K is located in the Town of Deer Park, Orange County, NY. Approximately 1.45 miles of Line 1278 in Westfall Township, Pike County, PA traverses the Delaware State Forest, a recreation area that is incorporated into the Commission's Comprehensive Plan. Approximately 0.03 mile and 0.09 mile of Line 1278 and Line K, respectively, crosses private land within the designated corridor of the Upper Delaware Scenic and Recreational River. The pipelines cross numerous waterbodies in the basin, and are subject to review under the Commission's Floodplain Regulations. Additionally, the project involved the discharge of hydrostatic test water at several upland areas along the pipeline right-of-way. The project is located within the drainage area of the sections of the main stem Delaware River known as the Middle and Upper Delaware, which the Commission has classified as Special Protection Waters.

36. *Concord Township, D-2014-012 CP-1*. An application to approve the applicant's existing 0.0635 mgd Riviera at Concord WWTP and its discharge. Treated effluent will continue to be discharged to Green Creek at River Mile 82.93—8.92—3.27—0.9 (Delaware River—Chester Creek—West Branch Chester Creek—Green Creek) by means of Outfall No. 001, in Concord Township, Delaware County, PA.

37. *Markel Corporation, D-2014-013-1.* An application to approve the applicant's existing discharge of up to 0.06 mgd of NCCW from its Norristown Facility. NCCW will continue to be discharged to Diamond Run Creek at River Mile 92.47—22.3—0.67 (Delaware River—Schuylkill River—Diamond Run Creek) by means of Outfall No. 001, in Plymouth Township, Montgomery County, PA.

38. *Tinicum Township, D-2014-014 CP-1.* An application to approve the applicant's existing 2.8 mgd WWTP and its discharge. Treated effluent will continue to be discharged to the tidal portion of Darby Creek at River Mile 85.28—1.0 (Delaware River—Darby Creek) by means of Outfall No. 001, within Water Quality Zone 4, in Tinicum Township, Delaware County, PA.

39. *Manchester Township Sewer and Water Authority, Inc., D-2014-015 CP-1.* An application to approve the applicant's existing 0.045 mgd Reflection Lakes WWTP and its discharge. Treated effluent will continue to be land discharged by means of a spray field in the Equinunk Creek Watershed, within the drainage area of the main stem Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, in Manchester Township, Wayne County, PA.

40. *Lehighon Land Company, D-2014-017 CP-1.* An application to approve the applicant's existing 0.019 mgd Otto's Blue Mountain RV & Camping Resort WWTP and its discharge. Treated effluent will continue to be discharged to Pohopoco Creek at River Mile 183.66—40.88—2.83 (Delaware River—Lehigh River—Pohopoco Creek) by means of Outfall No. 001, within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Franklin Township, Carbon County, PA.

41. *Ocorealty, LLC, D-2014-019 CP-1.* An application to construct a residential community known as The Orchards and operate the proposed 0.054 mgd WWTP of the same name. Treated effluent is proposed to be discharged to Coney Brook at River Mile 253.64—27.3—9.24—1.22 (Delaware River—Neversink River—Sheldrake Stream—Coney Brook) by means of Outfall No. 001, within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in the Town of Fallsburg, Sullivan County, NY.

42. *Transcontinental Pipeline Company, LLC, D-2014-022-1.* An application to approve the construction of an 11.45 mile natural gas pipeline and appurtenances; the withdrawal of up to 1.7 mg of surface water from the Lehigh River and up to 0.415 mg from Tobyhanna Creek (combined total withdrawal of 1.7 mg) for hydrostatic testing and cleaning of the pipeline and dust control purposes; the temporary discharge of up to 1.7 mg of pipe cleaning water and hydrostatic testing water to the land surface at one location after completion of cleaning and testing of the pipeline; and a special permit for pipeline construction in accordance with the Commission's Floodplain Regulations. The Lehigh River withdrawal is located on the border of Tobyhanna Township, Monroe County and Buck Township, Luzerne County, PA. The Tobyhanna Creek withdrawal is located in Tobyhanna Township, Monroe County, PA. The discharge will be to a dewatering structure located in an upland area in Tunkhannock Township, Monroe County, PA. The pipeline loop itself is located in Tunkhannock and Tobyhanna Townships, Monroe County, PA and Buck Township, Luzerne County, PA within the drainage area of the

section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

Public meeting. The public meeting on March 11, 2015, will begin at 1 p.m. and will include: adoption of the minutes of the Commission's December 10, 2014, business meeting, announcements of upcoming meetings and events, a report on hydrologic conditions, reports by the Executive Director and the Commission's General Counsel, and consideration of any items for which a hearing has been completed or is not required. The latter are expected to include resolutions for the minutes: (1) authorizing the Executive Director to execute an agreement for the preparation of the triennial actuarial evaluation for post-retirement benefits required by GASB 45; and (2) authorizing the Executive Director to retain an independent accounting firm to perform the annual audits for Fiscal Years 2015 through 2017.

There will be no opportunity for additional public comment at the March 11, 2015, business meeting on items for which a hearing was completed on March 10, 2015, or a previous date. Commission consideration of items for which the public hearing is closed may result in either approval of the item (by docket or resolution) as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Any deferred items will be considered for action at a public meeting of the Commission on a future date.

Advance sign-up for oral comment. Individuals who wish to comment for the record on a hearing item or to address the Commissioners informally during the public dialogue portion of the meeting on March 10, 2015, are asked to sign up in advance by contacting Paula Schmitt of the Commission staff, (609) 883-9500, Ext. 224, paula.schmitt@drbc.state.nj.us.

Addresses for written comment. Written comment on items scheduled for hearing may be delivered by hand at the public hearing or submitted in advance of the hearing date to Commission Secretary, P. O. Box 7360, 25 State Police Drive, West Trenton, NJ 08628, fax (609) 883-9522, paula.schmitt@drbc.state.nj.us. If submitted by e-mail in advance of the hearing date, written comments on a docket should also be sent to William J. Muszynski, PE, Branch Manager, Water Resources Management, william.muszynski@drbc.state.nj.us.

Accommodations for special needs. Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the informational meeting or hearing should contact the Commission Secretary at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711 to discuss how the Commission can accommodate their needs.

Updates. Items scheduled for hearing are occasionally postponed to allow more time for the Commission to consider them. Other meeting items also are subject to change. Check the Commission's web site at www.drbc.net closer to the meeting date for changes that may be made after the deadline for filing this notice.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 15-308. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending February 10, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
2-9-2015	From: Eagle National Bank Upper Darby Delaware County To: Eagle Bank Upper Darby Delaware County	Withdrawn
Application for approval to convert from a National banking association to a Pennsylvania State-chartered nonmember bank.		

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
2-10-2015	Riverview Financial Corporation Halifax Dauphin County	Approved
Application for approval to acquire 100% of The Citizens National Bank of Meyersdale, Meyersdale.		

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
2-10-2015	Riverview Bank Marysville Perry County	Approved
Application for approval to merge The First National Bank of Meyersdale, Meyersdale, with and into Riverview Bank, Marysville.		

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
2-2-2015	First Citizens Community Bank Mansfield Tioga County	39 King Arthur Drive Mill Hall Clinton County (Previously submitted as Hogan Boulevard)	Opened
2-2-2015	Mid Penn Bank Millersburg Dauphin	2305 South Market Street Elizabethtown Lancaster County	Opened
2-2-2015	Univest Bank and Trust Company Souderton Montgomery County	15 Swamp Road Newtown Bucks County	Opened

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
2-4-2015	Prudential Savings Bank Philadelphia Philadelphia County	1270 Township Line Road Drexel Hill Delaware County	Approved
2-4-2015	S&T Bank Indiana Indiana County	227 Butler Road Kittanning Armstrong County	Approved
2-6-2015	West Milton State Bank West Milton Union County	397 Point Township Drive Northumberland Northumberland County	Filed
2-10-2015	S&T Bank Indiana Indiana County	Route 19 and Duncan Avenue Town of McCandless Allegheny County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
1-30-2015	Univest Bank & Trust Company Souderton Montgomery County	3 Friends Lane Newtown Bucks County	Closed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
2-6-2015	First Cornerstone Bank King of Prussia Montgomery County	Filed

Amendment to Article Fifth of the institution's Articles of Incorporation provides for an increase in the number of authorized shares of its Class A common stock from 200,000,000 with a par value of \$0.10 per share to 500,000,000 with a par value of \$0.10 per share.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
2-2-2015	Belco Community Credit Union Harrisburg Dauphin County Merger of Our Family Federal Credit Union, Lancaster, with and into Belco Community Credit Union, Harrisburg.	Effective

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Acting Secretary

[Pa.B. Doc. No. 15-309. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Draft Application for Community Development Block Grant—National Disaster Resilience Competition; 2015 Allocation

There is a public comment period to review the draft Application prepared by the Commonwealth for the 2015 Community Development Block Grant (CDBG)—National Disaster Resilience Competition (NDR) funds. The public comment period is from February 21, 2015, through March 9, 2015.

The United States Department of Housing and Urban Development (HUD) issued a notice at 79 FR 62654 (October 20, 2014) which establishes the Nationwide com-

petitive grant process for \$1 billion of CDBG-NDR funds. The Commonwealth is an eligible applicant for this competitive grant. The grant is to be administered by the Department of Community and Economic Development (Department), or another Commonwealth agency designated by the Governor. The HUD notice published at 79 FR 62654 requires the Commonwealth to notify and provide its citizens an opportunity to comment and provide input on the draft Application or any substantial amendment to the Application, or both.

The purpose of the CDBG-NDR program is to assist disaster recovery in the most impacted and distressed areas declared a major Federal disaster in 2011, 2012 or 2013. The allocations for this funding will be based on a review of the applications submitted by 67 eligible applicants from Presidentially-declared disasters that occurred in 2011, 2012 or 2013, and estimates of remaining unmet need. These funds are separate and distinct from the annual allocation of CDBG funds, and any CDBG-Disaster Recovery funds.

The draft Application and supporting documentation is available for a 15-day public comment period and can be viewed on the Department's web site under the Disaster Recovery section at <http://www.newpa.com/community/disaster-recovery>. The text is available to sight-impaired persons by means of the Department's web site at the link listed previously. A translation into Spanish is also available on the Department's web site. The final version of the Application will be submitted to HUD no later than March 16, 2015.

Persons who would like to provide written comment on the draft Application may send those comments to Larry Belmont, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Harrisburg, PA 17120, labelmont@pa.gov. Comments must be received before 5 p.m. on March 9, 2015.

DENNIS M. DAVIN,
Acting Secretary

[Pa.B. Doc. No. 15-310. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application for University Status and Name Change by Baptist Bible College of Pennsylvania

Under the act of June 18, 2014 (P. L. 769, No. 67), the Department of Education (Department) is publishing the application by Baptist Bible College of Pennsylvania to operate as a university under the fictitious name of Summit University.

The Department received notification of the intent to make the change to university status and to change the name of the institution on January 21, 2015. The effective date of the change to university status is April 20, 2015. The Department has reviewed and accepted the notification.

PEDRO A. RIVERA,
Acting Secretary

[Pa.B. Doc. No. 15-311. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063282 (Sewage)	Fairland Farms WWTF Pine Street Schnecksville, PA 18078	Lehigh County North Whitehall Township	Unnamed Tributary to Fells Creek (02C)	Y
PA0060356 (Sewage)	Camp Wayne For Boys STP 15 Camp Wayne Road Preston Park, PA 18455-1028	Wayne County Buckingham Township	Kinneyville Creek (1-A)	Y

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0033995 Sew	County of Berks— (Berks County Prison & Rest Home) Berks County Service Center 633 Court Street, 16th Floor Reading, PA 19601-4322	Berks County/ Bern Township	Plum Creek/3-C	Y
PA0008010 IW	Hain Pure Protein Corporation 220 North Center Street, PO Box 10 Fredericksburg, PA 17026	Lebanon County/ Bethel Township	Beach Run/7-D	Y
PA0083364 IW	Chambersburg Borough Water System 7659 Lincoln Way East Fayetteville, PA 17222	Franklin County Greene Township	Conococheague Creek/ 13-C	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0031461 (Sewage)	Thomas MHP 11962 US Route 19 Waterford, PA 16441	Erie County Waterford Township	Unnamed Tributary of Trout Run (16-A)	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0058840, Sewage, SIC Code 4952, **Hilltown Township Water and Sewer Authority**, 316 Highland Park Road, Sellersville, PA 18960. Facility Name: Berry Brow WWTP. This existing facility is located in Hilltown Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Neshaminy Creek, is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.049875 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
CBOD ₅	4.17	6.25	XXX	10	15	20
CBOD ₅						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	4.17	6.25	XXX	10	15	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	50	XXX	XXX
				Geo Mean		
UV Transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	4.17	XXX	XXX	10	XXX	20
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	0.63	XXX	XXX	1.5	XXX	3.0
Nov 1 - Apr 30	1.25	XXX	XXX	3.0	XXX	6.0
Total Phosphorus	0.2	XXX	XXX	0.5	XXX	1.0

In addition, the permit contains the following major special conditions:

- No Stormwater in Sewers
- Obtain Necessary Property Rights
- Proper Sludge Disposal
- Chlorine Minimization
- Small Stream Discharge
- Notification of Designated Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0051730, Sewage, SIC Code 7991, **Philadelphia Country Club**, 1601 Spring Mill Road, Gladwyne, PA 19035. Facility Name: Philadelphia Country Club STP. This existing facility is located in Lower Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Sawmill Run, is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.2
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater to Sanitary sewers
- Sludge Disposal
- Connect to Public Sewers if Required
- Chlorine minimization
- Notification of Responsible Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0050547, Sewage, SIC Code 6515, **Indian Run Village LLC**, PO Box 677, Morgantown, PA 19543-0677. Facility Name: Indian Run Village. This existing facility is located in West Brandywine Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

A. The receiving stream(s), Indian Run Creek, is located in State Water Plan watershed 3H and is classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0375 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.4	XXX	1.0
CBOD ₅						
May 1 - Oct 31	3.13	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	6.26	XXX	XXX	20	XXX	40
Total Suspended Solids	6.26	XXX	XXX	20	XXX	40
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen						
May 1 - Oct 31	0.94	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30	2.81	XXX	XXX	9.0	XXX	18.0
Total Phosphorus	0.31	XXX	XXX	1.0	XXX	2.0

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Necessary Property Rights
- C. Collected Screenings, Slurries, Sludges and other Solids
- D. Connect to Municipal Sewers
- E. Chlorine Minimization
- F. Responsible Operator
- G. O&M Plan
- H. 10% Fecal Rule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0057401, SIC Code 8811, **S & S Styles Inc.**, 6801 Easton Road, Pipersville, PA 18947. Facility Name: S & S Styles STP. This existing facility is located in Bedminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Cabin Run, is located in State Water Plan watershed 2-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0006 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		<i>Instant. Maximum</i>
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		
Total Residual Chlorine	XXX	XXX	XXX	1.2	XXX	2.0
CBOD ₅						
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	36	XXX	72
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

- Designation of Responsible Operator
- Remedial Measures
- No Stormwater
- Dry Stream Discharge
- TRC Minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0045187, Sewage, SIC Code 6515, **Williams Lee**, 232 Yankee Road, Quakertown, PA 18951. Facility Name: Richland Meadows MHP STP. This existing facility is located in Richland Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Morgan Creek, is located in State Water Plan watershed 2-D and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.08 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>		<i>Minimum</i>	<i>Average Monthly</i>		
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.2	XXX	0.6
CBOD ₅						
Influent	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	3.3	XXX	XXX	5	XXX	10
Nov 1 - Apr 30	6.6	XXX	XXX	10	XXX	20
Total Suspended Solids	20	XXX	XXX	30	XXX	60
Total Suspended Solids						
Influent	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen						
May 1 - Sep 30	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	0.66	XXX	XXX	1.0	XXX	3.0
Nov 1 - Apr 30	2.0	XXX	XXX	3.0	XXX	9.0
Nitrite as N						
May 1 - Sep 30	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.33	XXX	XXX	0.5	XXX	1.0

In addition, the permit contains the following major special conditions:

- Designation of Responsible Operator
- Remedial Measures
- No Stormwater
- Dry Stream Discharge
- TRC Minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0026450, Sewage, SIC Code 4952, **Bristol Township**, 2501 Bath Road, Bristol, PA 19007. Facility Name: Bristol Township STP. This existing facility is located in Bristol Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Delaware River, is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.25 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.6	XXX	1.3
CBOD ₅	357	544	XXX	19	29 Wkly Avg	38
CBOD ₅ Influent	Report	XXX	XXX	Report	XXX	XXX
BOD ₅ Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD ₂₀	590	XXX	XXX	XXX	XXX	XXX
CBOD ₂₀ % Percent Removal	XXX	XXX	88.5 Min % Removal	XXX	XXX	XXX
Total Suspended Solids Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	563	844	XXX	30	45 Wkly Avg	60
Total Dissolved Solids	XXX	Report Daily Max	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	657	XXX	XXX	35	XXX	70
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	Report
Sulfate	XXX	XXX	XXX	XXX	Report	XXX
1,4-Dioxane	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
PCBs (Dry Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs (Wet Weather) (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Chronic Toxicity— Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Ceriodaphnia Reproduction	XXX	XXX	XXX	XXX	Report	XXX
Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for stormwater Outfall MP 101 are:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Instant. Minimum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass (lb/day)		Instant. Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Notification of the responsible operator
- Remedial measures
- Change in ownership
- TRC in discharge does not cause an adverse stream impact
- Stormwater from the facility
- WET testing
- Operation and maintenance plan
- PMP for PCBs
- Operation and Implementation of Pretreatment Program

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

PA0070483, Industrial Waste, SIC Code 4953, **Grand Central Sanitary Landfill, Inc.**, 910 West Pennsylvania Avenue, Pen Argyl, PA 18072. Facility Name: Grand Central Sanitary Landfill. This existing facility is located in Plainfield Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated leachate and stormwater.

The receiving streams, Little Bushkill Creek and Waltz Creek, are located in State Water Plan watershed 01F. Little Bushkill Creek is classified for High Quality Waters—Cold Water Fishes and Waltz Creek is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.100 MGD.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.7	XXX	1.5
Color (Pt-Co Units)	XXX	XXX	XXX	100	XXX	XXX
CBOD ₅	20	XXX	XXX	25	XXX	75
Total Suspended Solids	Report	Report	XXX	27	88	XXX
Total Dissolved Solids	834	1,668	XXX	1,000	2,000	2,500
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrite-Nitrate as N						
May - Sept	Report	Report	XXX	Report	Report	XXX
Total Nitrogen						
May - Sept	Report	Report	XXX	Report	Report	XXX
Ammonia-Nitrogen	2.5	XXX	XXX	3.0	XXX	6.0
Total Kjeldahl Nitrogen						
May - Sept	Report	Report	XXX	Report	Report	XXX
Total Phosphorus						
May - Sept	Report	Report	XXX	Report	Report	XXX
Total Boron	3.4	5.3	XXX	4.1	6.4	XXX
Total Zinc	Report	Report	XXX	0.11	0.2	XXX
Phenol	Report	Report	XXX	0.015	0.026	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
a-Terpineol	Report	Report	XXX	0.016	0.033	XXX
Benzoic Acid	Report	Report	XXX	0.071	0.12	XXX
p-Cresol	Report	Report	XXX	0.014	0.025	XXX

The proposed effluent limits for Stormwater Outfall 003 are based on a design flow of n/a MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Minimum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrite-Nitrate as N	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Barium	XXX	XXX	XXX	XXX	Report	XXX
Total Boron	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Cyanide	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Magnesium	XXX	XXX	XXX	XXX	Report	XXX
Total Mercury	XXX	XXX	XXX	XXX	Report	XXX
Total Selenium	XXX	XXX	XXX	XXX	Report	XXX
Total Silver	XXX	XXX	XXX	XXX	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Stormwater Outfalls 004, 005, 007, 008, 009 and 011 are based on a design flow of n/a MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Minimum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrite-Nitrate as N	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Arsenic	XXX	XXX	XXX	XXX	Report	XXX
Total Barium	XXX	XXX	XXX	XXX	Report	XXX
Total Boron	XXX	XXX	XXX	XXX	Report	XXX
Total Cadmium	XXX	XXX	XXX	XXX	Report	XXX
Total Chromium	XXX	XXX	XXX	XXX	Report	XXX
Total Cyanide	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Lead	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Magnesium	XXX	XXX	XXX	XXX	Report	XXX
Total Mercury	XXX	XXX	XXX	XXX	Report	XXX
Total Selenium	XXX	XXX	XXX	XXX	Report	XXX
Total Silver	XXX	XXX	XXX	XXX	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

PA0275689, Industrial Waste, SIC Code 4911, **Future Power PA Inc.**, 72 Glenmaura Boulevard, Moosic, PA 18507. Facility Name: Future Power PA. This proposed facility is located in Porter Township, **Schuylkill County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Wastewater including Non-contact cooling water, blow down, low volume wastewater and treated sewage.

The receiving stream(s), Good Spring Creek, is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average monthly flow of 0.45 MGD of Non-contact cooling water, blow down, low volume wastewater and treated sewage.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine	XXX	XXX	XXX	0.06	XXX	0.14
Temperature (°F)						
Jan 1-31	XXX	XXX	XXX	XXX	43.4	XXX
Feb 1-29	XXX	XXX	XXX	XXX	42.4	XXX
Mar 1-31	XXX	XXX	XXX	XXX	50.9	XXX
Apr 1-15	XXX	XXX	XXX	XXX	55.9	XXX
Apr 16-30	XXX	XXX	XXX	XXX	56.9	XXX
May 1-15	XXX	XXX	XXX	XXX	58.2	XXX
May 16-31	XXX	XXX	XXX	XXX	62.2	XXX
Jun 1-15	XXX	XXX	XXX	XXX	65.3	XXX
Jun 16-30	XXX	XXX	XXX	XXX	69.3	XXX
Jul 1-31	XXX	XXX	XXX	XXX	72.7	XXX
Aug 1-31	XXX	XXX	XXX	XXX	71.6	XXX
Sep 1-15	XXX	XXX	XXX	XXX	67.5	XXX
Sep 16-30	XXX	XXX	XXX	XXX	61.5	XXX
Oct 1-15	XXX	XXX	XXX	XXX	56.5	XXX
Oct 16-31	XXX	XXX	XXX	XXX	52.5	XXX
Nov 1-15	XXX	XXX	XXX	XXX	47.7	XXX
Nov 16-30	XXX	XXX	XXX	XXX	43.4	XXX
Dec 1-31	XXX	XXX	XXX	XXX	45.1	XXX
Total Suspended Solids	Report	Report	XXX	30.0	100.0	XXX
Total Dissolved Solids	Report	Report	XXX	2,000	4,000	XXX
Oil and Grease	XXX	XXX	XXX	10.0	15.0	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	Total Annual				
Total Nitrogen Effluent Net	Report	0	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	Total Annual				
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Total Mo	Total Annual				
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Total Mo					
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo	Total Annual				
Total Phosphorus Effluent Net	Report	0	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo	Total Annual				
Total Aluminum	Report	Report	XXX	0.75	1.02	XXX
Total Boron	Report	Report	XXX	2.19	3.40	XXX
Total Chromium	Report	Report	XXX	0.2	0.2	XXX
Total Cobalt	Report	Report	XXX	.026	.040	XXX
Dissolved Iron	Report	Report	XXX	0.30	0.64	XXX
Total Iron	Report	Report	XXX	1.50	3.20	XXX
Total Manganese	Report	Report	XXX	1.00	2.13	XXX
Total Zinc	Report	Report	XXX	1.0	1.0	XXX
Chloride	Report	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Copper	Report	XXX	XXX	Report	XXX	XXX
Sulfate	Report	XXX	XXX	Report	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for the IMP 103 to Outfall 001 are based on a flow of 0.001 MGD of treated sewage.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Geometric Mean</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	25	XXX	50
				<i>Avg Mo</i>		
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000

The proposed effluent limits for Outfall 002 are based on a design flow of Stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	50.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of Stormwater.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	50.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Nickel	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical additives
- Chesapeake Bay monitoring
- Stormwater

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0008435, Industrial Waste, SIC Code 4911, **PPL Holtwood LLC**, 2 N 9th Street, Allentown, PA 18101-1179. Facility Name: PPL Holtwood Hydroelectric Plant. This existing facility is located in Martic Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream, Susquehanna River, is located in State Water Plan watershed 7-K and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.72 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	30

The proposed effluent limits for Outfall 002 are based on a design flow of 0.000000 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.000000 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 2.88 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	30

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0260119, Sewage, SIC Code 6514, **Sharon L. Enck**, 523 Camargo Road, Quarryville, PA 17566. Facility Name: Enck Properties. This proposed facility is located in Eden Township, **Lancaster County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream, Big Beaver Creek, is located in State Water Plan watershed 7-K and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0014605, Industrial Waste, SIC Code 4941, **United Water Pennsylvania Inc.**, 4211 East Park Circle, Harrisburg, PA 17111-0151. Facility Name: Rabold Water Treatment Plant. This existing facility is located in Fairview Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Yellow Breeches Creek, is located in State Water Plan watershed 7-E and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Total Aluminum	XXX	XXX	XXX	4.0	8.0	10
Total Iron	XXX	XXX	XXX	2.0	4.0	5.0
Total Manganese	XXX	XXX	XXX	1.0	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0008541, Industrial Waste, SIC Code 3585, **Johnson Controls Inc.**, PO Box 15056, York, PA 17405-7056. Facility Name: Johnson Controls Inc.. This existing facility is located in Spring Garden Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 003, 006 and 008 are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Copper	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX
Total Zinc	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfalls 007, 009, 010, and 011 are as follows:

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0084522, SIC Code 4222, **Allentown Refrigerated Terminal**, 125 Seneca Trail, Boyertown, PA 19512. Facility Name: Allentown Refrigerated Terminal. This existing facility is located in Colebrookdale Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial wastewater and stormwater.

The receiving stream(s), UNT of Ironstone Creek, is located in State Water Plan watershed 3-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0069 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)						
Jan 1-31	XXX	XXX	XXX	Report	96.4	XXX
Feb 1-29	XXX	XXX	XXX	Report	93.3	XXX
Mar 1-31	XXX	XXX	XXX	Report	110.0	XXX
Apr 1-30	XXX	XXX	XXX	Report	110.0	XXX

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
May 1-31	XXX	XXX	XXX	Report	110.0	XXX
Jun 1-30	XXX	XXX	XXX	Report	99.0	XXX
Jul 1-31	XXX	XXX	XXX	Report	78.1	XXX
Aug 1-31	XXX	XXX	XXX	Report	110.0	XXX
Sep 1-30	XXX	XXX	XXX	Report	110.0	XXX
Oct 1-31	XXX	XXX	XXX	Report	110.0	XXX
Nov 1-30	XXX	XXX	XXX	Report	99.6	XXX
Dec 1-31	XXX	XXX	XXX	Report	96.8	XXX
Total Suspended Solids	Report	Report	XXX	30	60	75
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Ammonia-Nitrogen	Report	Report	XXX	9.1	18.2	22.8

In addition, the permit contains the following major special conditions:

- A compliance schedule is included to meet the temperature limits.
- The discharge shall not cause a change in the temperature of the receiving stream by more than 2°F in a 1-hour period.
- For the stormwater discharge, an annual inspection, Preparedness, Prevention, and Contingency Plan, and implementation of Best Management Practices are required.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0070378 A-1, Sewage, SIC Code 8211, **Blue Mountain Academy**, 2363 Mountain Road, Hamburg, PA 19526-8745. Facility Name: Blue Mountain Academy STP. This existing facility is located in Tilden Township, **Berks County**.

Description of Existing Activity: The application is for an amendment of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Mill Creek, is located in State Water Plan watershed 3-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly		Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	0.5	XXX	1.6
CBOD ₅	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Geo Mean				Geo Mean		
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	9.0	XXX	18
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. WQG02391501, Sewage, **Lower Macungie Township**, 3400 Brookside Road, Macungie, PA 18062.

This proposed facility is located in Lower Macungie Township, **Lehigh County**.

Description of Proposed Action/Activity: The project is for a gravity sanitary sewer extension along portions of Spring Creek Road, Sauerkraut Lane and Congdon Hill Drive, which is to connect to the existing Lower Macungie Township sewer on Rt. 100. Approximately 11,000 linear feet of both 8-inch diameter and 16-inch diameter sewer pipe along with accompanying manholes will be included in the project.

WQM Permit No. WQG02401401, Sewage, **Wyoming Borough**, 277 Wyoming Avenue, Wyoming, PA 18642.

This proposed facility is located in Wyoming, **Luzerne County**.

Description of Proposed Action/Activity: Installation of gravity sewers, manholes, laterals, pumping station etc.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3615401, Sewerage, **Suburban Lancaster Sewer Authority**, PO Box 458, Lancaster, PA 17608-0458. This proposed facility is located in Pequea Township, **Lancaster County**.

Description of Proposed Action/Activity: Proposed upgrade to the Marticville Pumping Station.

IV. NPDES Applications for Stormwater Discharges from MS4

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PAI132245, MS4, **Jermyn Borough**, 440 Jefferson Avenue, Jermyn, PA 18433. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Jermyn Borough, **Lackawanna County**. The receiving stream, The Lackawanna River, is located in State Water Plan watershed 5-A and is classified for High Quality Waters—Cold Water Fishes and, aquatic life, water supply and recreation.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is not in effect.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI010914008	Gorski Engineering, Inc. 1 Iron Bridge Drive Collegeville, PA 19426	Bucks	Milford Township	Unnamed Tributary to Molasses Creek HQ-TSF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Road, Allentown PA 18104

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI023914029	Nathan Chaney PPL Electric Utilities 2 North 9th Street Allentown, PA 18101	Lehigh	Emmaus Borough, Lower Macungie Township, Upper Milford Township	Swabia Creek (HQ-CWF, MF) Little Lehigh Creek (HQ-CWF, MF) Tributary to Swabia Creek (HQ-CWF, MF)
PAI023914025(1)	Robert Kiel Liberty Property Limited Partnership 74 West Broad Street Bethlehem, PA 18018	Lehigh	Lower Macungie Township	UNT to Little Lehigh Creek (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Avenue Greystone Building, Nazareth, PA 18064-9211

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024814017	Presbyterian Senior Living, Inc. 1 Trinity Drive Suite 201 Dillsburg, PA 17019-8522	Northampton	City of Bethlehem	Monocacy Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041415001 Major Mod & Renewal of PAS10F073	Kevin McLaughlin Village of Nittany Glen LP 940 W Sproul Rd Ste 301 Springfield PA 19064	Centre	Benner Township	UNT-Buffalo Run HQ-CWF

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**APPLICATIONS
NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Application</i>
Glenville Farms 2391 Glenville Road Cochranville, PA 19330	Chester	2,376.9	3,157.49	Dairy	1 Field; Birch Run, HQ	Renewal
Hickory Hollow Farms 491 Barnsley Road Oxford, PA 19363	Chester	962.3	620.25	Swine	EV: Jordan Run, UNT Jordan Run, Barren Brook; HQ: Little Elk Creek, W. Branch Big Elk Creek, Hodgeson Run, Big Elk Creek	Renewal
Penn England Farm 10341 Fox Run Road Williamsburg, PA 16693	Blair, Huntington	2,897.7	3,406.46	Dairy	Clover Creek—HQ Piney Creek—HQ Fox Run—HQ New Creek—HQ	Renewal
Mike Mellot White Oak Hollow Farm 766 White Oak Hollow Road Warfordsburg, PA 17267	Fulton	201	730.55	Swine	None	New
Junbro Farms LLC PO Box 203 14492 Path Valley Road Willow Hill, PA 17271	Franklin	393 total, 329.3 acres available for manure	937.53	Swine/ Turkey/ Sheep	NA	Renewal

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations

regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determi-

nation may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Application No. 6415502, Public Water Supply.

Applicant	Pennsylvania American Water Company 800 West Hershey Park Drive Hershey, PA 17033
[Township or Borough]	Salem Township Wayne County
Responsible Official	David R. Kaufman, Vice President—Engineering Pennsylvania American Water Company 800 West Hershey Park Drive Hershey, PA 17033
Type of Facility	PWS
Consulting Engineer	Peter J. Keenan, P.E. American Water Service Company, Inc. 1025 Laurel Oak Road Voorhees, NJ 08043
Application Received Date	February 2, 2015
Description of Action	This application proposes improvements to the Indian Rocks Water System to enable the three system zones to share supply and storage. The project includes removing Well 2 from service and replacing/upgrading aging facilities associated with Wells 1, 4 and 5.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 2115501 MA, Minor Amendment, Public Water Supply.

Applicant	United States Army Carlisle Barracks
Municipality	Federal Borough
County	Cumberland

Responsible Official	Thomas J. Kelly, Director 309 Engineer Avenue AttN; ATZE-DPW Carlisle, PA 17013-5059
Type of Facility	Public Water Supply
Consulting Engineer	Chi S. Lee, P.E. Chi S. Lee, P.E., S.E. 5801 Lorraine Avenue Sioux City, IA 51106
Application Received:	1/13/2014
Description of Action	Rehabilitation and refinishing of Tank No. 117.

Permit No. 3814507 MA, Minor Amendment, Public Water Supply.

Applicant	Myerstown Water Authority
Municipality	Jackson Township
County	Lebanon
Responsible Official	Larry Kramer, Chairman 601 Stracks Dam Road Myerstown, PA 17067
Type of Facility	Public Water Supply
Consulting Engineer	Farley F. Fry, P.E. Hanover Engineering Associates, Inc. 20-C Snyder Lane Ephrata, PA 17522-9101
Application Received:	11/17/2014
Description of Action	SCADA, instrumentation, pump VFD upgrade.

Permit No. 2215501 MA, Minor Amendment, Public Water Supply.

Applicant	Pennsylvania-American Water Company
Municipality	West Hanover Township
County	Dauphin
Responsible Official	David R. Kauffman 800 West Hershey Park Drive Hershey, PA 17033
Type of Facility	Public Water Supply
Consulting Engineer	Scott M. Thomas, P.E. Pennsylvania American Water 852 Wesley Drive Mechanicsburg, PA 17055
Application Received:	1/16/2015
Description of Action	Repainting of the interior and exterior of the Westford Storage Tank.

Permit No. 2115502 MA, Minor Amendment, Public Water Supply.

Applicant	Pennsylvania-American Water Company
Municipality	Silver Spring Township
County	Cumberland
Responsible Official	David R. Kauffman 800 West Hershey Park Drive Hershey, PA 17033

Type of Facility	Public Water Supply
Consulting Engineer	Scott M. Thomas, P.E. Pennsylvania American Water 852 Wesley Drive Mechanicsburg, PA 17055
Application Received:	1/16/2015
Description of Action	Rehabilitation and refinishing of washwater tank at the Silver Spring Water Treatment Facility.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 3315501 , Public Water Supply	
Applicant	Sykesville Borough
Township or Borough	Sykesville
County	Jefferson
Responsible Official	Mark Matusky
Type of Facility	Water Transmission System
Consulting Engineer	Matthew R. Orner
Application Received Date	January 29, 2015
Description of Action	Replacement & Installation of new 8: diameter PVC C-900 water transmission main, new chlorination station and new water storage tank inlet pipe connection

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Application No. 6315501MA, Minor Amendment.	
Applicant	Authority of the Borough of Charleroi 3 McKean Avenue Charleroi, PA 15022
[Township or Borough]	Bentleyville Borough and Somerset Township
Responsible Official	Edward Golanka, Authority Manager Authority of the Borough of Charleroi 3 McKean Avenue Charleroi, PA 15022
Type of Facility	Water system
Consulting Engineer	Chester Engineers 1555 Coraopolis Heights Road Moon Township, PA 15108
Application Received Date	January 26, 2015
Description of Action	Installation of approximately 2,765 feet of transmission main and waterline.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) requires the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Gary Calhoun, 19 Mordred Drive, Bald Eagle Township, **Clinton County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Gary Calhoun, 19 Mordred Drive, Mill Hall, PA 17751 submitted a Notice of Intent to Remediate. There was a release of 218 gallons of heating oil from a 275 gallon aboveground storage tank located at the property. The contaminants of concern in the soil were 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Benzene, Ethylbenzene, Toluene, Naphthalene and Cumene. The intended future use of the property will be for residential purposes. The Notice of Intent to Remediate was published in *The Lock Haven Express* on January 21, 2015.

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Country Cleaners, 1245 Chestnut Street, Emmaus Borough, **Lehigh County**. Paul Martino, Pennoni Associates Inc., 3001 Market Street, Philadelphia, PA 19104-0591, on behalf of Antonio Mannino, Mannino Brothers Partnership, 1985 Brookside Avenue, Macungie, PA 18062, submitted a Notice of Intent to Remediate. The proposed future use of the property will be non-residential, and the proposed cleanup standard for the site is Site-Specific for soil and groundwater. The Notice of Intent to Remediate was published in *The Times News*, on November 5, 2014.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P. L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 8471, Harrisburg, PA 17105-8471

New Applications Received

Environmental Maintenance Services, Inc., 10 Gramar Avenue, Prospect, CT 06712. License No. PA-HC 0259. Received on November 5, 2014.

Cyntox, LLC, 2105 West County Line Road, Suite #1, Jackson, NJ 08527. License No. PA-HC 0260. Received on January 6, 2015.

Renewal Applications Received

The Pennsylvania State University, 6 Eisenhower Parking Deck, University Park, PA 16802. License No. PA-HC 0153. Received on September 10, 2014.

The Williamsport Hospital, 700 High Street, Williamsport, PA 17701. License No. PA-HC 0186. Received on September 29, 2014.

Brandywine Green, Inc., dba Pet Memorial Services, 126 Turner Lane, West Chester, PA 19380. License No. PA-HC 0195. Received on November 5, 2014.

Conservative Environmental Services, Inc., P. O. Box 745, Mechanicsburg, PA 17055. License No. PA-HC 0224. Received on November 7, 2014.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790 Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

48-00076B: Calpine Bethlehem LLC (500 Delaware Avenue, Suite 600, Wilmington, DE 19801) for turbine upgrades at their facility located in Bethlehem, **Northampton County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

10-171D: Butler Color Press (119 Bonnie Drive, Butler, PA 16002), for the construction of a new web offset pressline controlled by a new dryer/afterburner control system in Summit Township, **Butler County**. This is a State Only facility.

20-040K: Advanced Cast Products (18711 Mill Street, Meadville, PA 16335), for the re-permitting of the particulate matter collection and control system for the facility's charge & pre-heating process (Source 101) and the facility's melting-transfer-magnesium treatment process (Source 102) due to the original plan approval 20-040I expiring in Vernon Township, **Crawford County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

23-0038F: Delaware County Regional Water Quality Control Authority (DELCORA) (P. O. Box 999, Chester, PA 19016) for a new air pollution control system and increase in sewage sludge throughput to 55 tons dry sludge per day for each of two incinerators located in the City of Chester, **Delaware County**. DELCORA is a major facility. The new air pollution equipment train for each incinerator includes a quench, multi-venturi scrubber, wet electrostatic precipitator and regenerative thermal oxidizer, which were determined to be Best Available Technology (BAT). Currently, the top hearth of each incinerator functions as an afterburner. The top hearth will be modified to accept the sludge feed, since the afterburner function has been located downstream. There will be a slight increase in the allowable emissions of particulate matter due to the higher throughput. Allowable emissions of other air pollutants will remain at the

level of the current Title V permit or decrease due to the more efficient air pollution control equipment. Allowable emissions of the following air pollutants for both incinerators in tons/year are: particulate matter 26.2, sulfur oxides 65.8, nitrogen oxides 82.56, carbon monoxide 103.44 and volatile organic compounds 6.0. Emissions of beryllium, mercury, lead, arsenic, cadmium, nickel and chromium are limited by the provisions of 40 CFR Part 61 Subparts C and E (National Emission Standards for Beryllium and Mercury), and Part 503 Subpart E Standards for Use or Disposal of Sewage Sludge, Incineration), as currently provided by the facility's operating permit. The facility is subject to the requirements of 40 CFR Part 60 Subpart O (Standards of Performance for Sewage Treatment Plants), which regulates particulate matter.

The sewage sludge incinerators are an affected source under 40 CFR Subpart M (Emission Guidelines and Compliance Times for Existing Sewage Sludge Incinerator Units). A federal plan with the regulatory authority to carry out the provisions of the Subpart is pending from the Environmental Protection Agency (EPA). The Plan Approval contains the condition that the permittee comply with the more stringent requirements of the Plan Approval as issued or the federal plan, when the federal plan becomes available. The Plan Approval will include monitoring, testing and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00007: Waste Management Disposal Services of Pennsylvania, Inc. (1000 New Ford Mill Road, Morrisville, PA 19067) for renewal of a Title V Operating Permit in Falls Township, **Bucks County**. A minor modification is concurrently being issued with this renewal. The modification replaces an operating hour restriction of a back-up enclosed flare with an equivalent heat input limitation. The renewal and modification of this operating permit does not authorize any change in method of operation of the landfill or back-up enclosed flare, nor does it authorize any increase in air emissions of any regulated pollutants above previously approved levels. The permit includes monitoring, recordkeeping, and reporting requirements designed to address all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

07-05004B: Altoona Terminals Corp. (PO Box 2621, Harrisburg, PA 17105) to issue a Title V Operating Permit for the petroleum product loading terminal located in Allegheny Township, **Blair County**. The primary emissions from the facility are VOCs; the actual emissions from the facility in 2013 year were 47.3 tons. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping

and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions from 40 CFR 63 Subpart ZZZZ for an emergency generator, and from 40 CFR 63 Subpart BBBB for the gasoline loading racks and storage tanks. Certain tanks, loading racks, and an emergency generator at the facility are subject to NSPS requirements, including the following: Subpart Ka, Subpart Kb, Subpart XX and Subpart III.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-03137: New Enterprise Stone & Lime Quarry dba Martin Limestone, Inc. (PO Box 550, Blue Ball, PA 17506-0550) to issue a State Only Operating Permit for their limestone crushing facility in Earl Township, **Lancaster County**. The primary emissions from the facility are in the form of particulate matter (PM), at 11.41 tons per year (tpy) actual emissions and 49.98 tpy potential emissions for PM and 4.23 tpy actual and 18.52 tpy potential for PM₁₀. NSPS Subpart OOO applies to equipment in both the tertiary and primary crushing plants. Also included in the permit will be conditions referencing emission limits and work practice standards, monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00040: Williamsport Foundry Company, Inc. (164 Maynard Street, Williamsport, PA 17701) for their facility located in the City of Williamsport, **Lycoming County**. The facility is currently operating under State Only operating permit NMOP 41-00040 and will expire on March 29, 2015. The facilities main source includes one gray iron cupola with associated operations for the production of gray iron castings. Other sources at the facility include one (1) natural gas-fired boiler and one (1) oil-fired office furnace. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility.

The subject facility has the following potential emissions: 73.99 TPY of carbon monoxide; 2.10 TPY of nitrogen oxides; 1.44 TPY of sulfur oxides; 8.04 TPY of particulate matter; 6.47 TPY of volatile organic compounds, 6.47 TPY of volatile hazardous air pollutants and 4,391 TPY of greenhouse gases. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12. As well as the federal requirements of the National Emission Standards for Hazardous Air Pollutants (NESHAP) for Iron and Steel Foundries Area Sources—40 CFR Part 63 Subpart ZZZZ Sections 63.10880 through 63.10906. The operating permit renewal will include emission limits and work prac-

tice standards along with monitoring, record keeping and reporting requirements to ensure the facility complies with all applicable federal and state air quality regulations.

The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Part 63.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174

63-00909: Custom Nuclear Fabrications, LLC (50 Curry Avenue, Canonsburg, PA 15317) for the surface coating of large metal vessels at the Canonsburg Plant located in the Borough of Canonsburg, **Washington County**. CNF operates a spray booth, sand blasting booth, glass blasting booth, plasma cutting table and dust collections. Emissions are controlled through the use of air assisted spray guns, dry filter units, and a duct collection unit. This facility is limited to: 25.0 tpy VOC and 9.1 tons total combined HAPs on a 12-month rolling basis. The actual emissions for 2014 were: 926.56 lbs. VOC, 135.29 lbs. total combined HAPS, and 22.95 lbs. PM/PM₁₀. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed SOOP includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting and work practice standards requirements.

65-00982: Peoples TWP, LLC (1201 Pitt Street, Pittsburgh, PA 15221) for transmission and distribution of natural gas at the Rubright Compressor Station in Bell Township, **Westmoreland County**. This is a State-Only Operating Permit renewal application submittal.

32-00393: Prime Metals & Alloys, Inc. (101 Innovative Drive, Homer City, PA 15748) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) to Prime Metals & Alloys to authorize the continued operation of their specialty steel plant located in Center Township, **Indiana County**.

The plant produce ingot products comprised of specialty metals. The facility include electric induction furnaces, argon-oxygen decarburization vessel (AOD), natural gas-fired annealing boxes, ladle pre-heaters, ingot pouring area, parts washer, and slag handling. There are several dust collectors to control particulate emissions. The facility wide estimated potential emissions are 23.63 tons per year of PM₁₀, 5.21 tons per year of NO_x, 9.35 tons per year of CO, 0.48 ton per year of VOCs & 0.03 ton per year of SO_x. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 (and Federal rules if applicable).

63-00979: Liquidmetal Coatings, LLC (50 Technology Drive, California, PA 15423) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) to Liquidmetal Coatings to authorize the continued operation of their facility located in California Borough, **Washington County**.

This is a storage and repair facility where they store and repair equipment through abrasive blasting and metal coating/spraying. Facility includes arc spray units, blast pots, various hoses, small tools, and forklift for loading/unloading. There is a 35,000 acfm dust collector to control particulate emissions. The facility wide estimated potential emissions are 6.57 tons per year of PM₁₀, very little amount of Cr, Mn & Ni from painting operation. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the proposed permit have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145 (and Federal rules if applicable).

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Flore Knob Energy LLC** (6051 Wallace Road Extension, Suite 100, Wexford, PA 15090) for their facility to be located in Meshoppen Twp., **Wyoming County**. This Plan Approval No. 66-00011B will be incorporated into a Natural Minor Permit through an administrative amendment at a later date.

Plan Approval No. 66-00011B is for the construction of 22MW electric generating plant. The plant will include five (5) Jenbacher natural gas fired engines with oxidation catalysts and SCR technology. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NO_x emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. Total PM, SO_x, and CO emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum. The Plan approval and Operating Permit will include testing, monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

The facility is subject to NSPS Subpart JJJJ, MACT Subpart ZZZZ and 25 Pa. Code § 127.12(a)(5) Best Available Technology (BAT) requirements. The visible emission opacity shall not be equal to or greater than 20% at any time. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions.

Emissions from the engines will meet BAT, MACT ZZZZ & NSPS Subpart JJJJ requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 66-00011B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Sawmill Valley Hardwoods, Inc.** (7025 State route 92, South Gibson, PA 18842) for their facility located in Lenox Twp, **Susquehanna County**. This Plan Approval No. 58-00016A will be converted into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-00016A is for the construction and operation of a 125hp wood fired boiler system at the existing facility. No additional sources are proposed at the facility. The use of multi cyclone to control particulate emission will meet Department's BAT requirements for this type of operations. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 58-00016A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Schuylkill Haven Casket Co., Inc** (PO Box 179, Schuylkill Haven, PA 17972) for their facility located in Schuylkill Haven Borough, **Schuylkill County**. This Plan Approval No. 54-00086A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 54-00086A is for the installation of a new fabric collector on an existing 7.7 MMBTU solid fuel fired boiler. The company shall be subject to and comply with 25 Pa. Code § 123.41 for visible emissions. The company shall be subject to and comply with 25 Pa. Code § 123.22 for Sulfur Compound Emissions. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company is subject to NESHAP Part 63 Subpart JJJJJ requirements. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 54-00086A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the

Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

02880102 and NPDES Permit No. PA0591190. William J. Kisow (82 South Petrie Road, Coraopolis, PA 15108). Renewal application for reclamation only to an existing bituminous surface mine, located in Kennedy and Robinson Townships, **Allegheny County**, affecting 15.7 acres. Receiving stream: unnamed tributary to Chartiers Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: January 30, 2015.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0262684 (Mining Permit No. 56080107), Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563-8164, renewal of an NPDES permit for surface coal mining in Southampton Township, **Somerset County**, affecting 162.1 acres. Receiving streams: unnamed tributaries to Powder Run, classified for the following use: High Quality-Cold Water Fishery. Application received: December 15, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfalls listed below will be using non-discharge alternatives.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
Sediment Pond 1	N
Sediment Pond 2	N
Treatment Pond 1	N
Treatment Pond 2	N

There are no proposed surface discharges from the above listed facilities to the receiving streams due to the implementation of Best Management Practices in the form of infiltration galleries. The only potential point source discharges to surface water are the discharges from the emergency spillway of a sediment pond during precipitation that exceeds a 10 year/24 hour event. BAT limits will be applied to the outfall effluent entering the infiltration galleries for the protection of the groundwater. Effluent limits for the emergency spillways are as follows:

<i>Emergency Spillways Only (During >10-yr/24-hr Precipitation Event)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Total Suspended Solids (mg/L)	N/A	N/A	90
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0124834 (Mining Permit No. 32803010), CONSOL Mining Company, LLC, CNX Center, 1000 Energy Drive, Canonsburg, PA 15317, renewal of an NPDES permit for surface mining in Blacklick Township, **Indiana County**, affecting 89.9 acres. Receiving streams: unnamed tributaries to/and Aultmans Run, classified for the following use: Trout Stocked Fishery. These receiving streams are included in the Kiski-Conemaugh River TMDL. Application received: February 5, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfalls listed below discharge to unnamed tributaries to/and Aultmans Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
006 (Passive Treatment Bog)	N
007 (Passive Treatment Bog)	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 006 and 007 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0212890 (Mining Permit No. 56940105), Rosebud Mining Company, 1117 Shaw Mines Road, Meyersdale, PA 15552, renewal of an NPDES permit for a bituminous surface mine in Elk Lick and Summit Townships, **Somerset County**, affecting 108 acres. Receiving streams: unnamed tributaries to/and Casselman River, classified for the following use: cold water fishery. This receiving stream is included in the Casselman River TMDL. Application received: December 17, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfalls listed below discharge to unnamed tributaries to Casselman River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
003	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001, 003</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The treated wastewater outfall listed below discharge to unnamed tributaries to Casselman River:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
002	N

The proposed effluent limits for the above listed outfall is as follows:

<i>Outfall: 002</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfalls listed below discharge to unnamed tributaries to/and Casselman River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	N
005	N
006	N

The proposed dry weather effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 004, 005, 006</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in

writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900

E46-1114. Upper Providence Township, 1286 Black Rock Road, P. O. Box 406, Oaks, PA 19456, Upper Providence Township, **Montgomery County**, ACOE Philadelphia District.

To demolish the existing two-story dwelling that is located in the 100-year floodplain of the Schuylkill river.

The site is located at 209 Canal Street (Collegeville, PA USGS map, Lat.: 40:7448; Long. -75.2944).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E52-245. Pennsylvania Department of Transportation Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, in Dingman and Blooming Grove Townships, **Pike County**, U.S. Army Corps of Engineers, Philadelphia District.

E52-245. SR 84 Section 449 Roadway Reconstruction in Dingman and Blooming Grove Townships in Pike County (Edgemere, PA Quadrangle, Latitude: 41°21'19"; Longitude: -75°04'48").

To authorize the following water obstructions and encroachments associated with roadway improvements along SR 0084:

1. To remove the existing structure and to construct and maintain a road crossing of a tributary to Shohola Creek (HQ-CWF, MF) consisting of a 265.5-foot long, 36-inch pipe diameter depressed 6-inches below streambed elevation with a riprap outlet apron.

2. To remove the existing structure and to construct and maintain a road crossing of a tributary to Shohola Creek (HQ-CWF, MF) consisting of a 111.8-foot long, 24-inch pipe diameter depressed 6-inches below streambed elevation with a riprap outlet apron.

3. To remove the existing structure and to construct and maintain a stream enclosure of a tributary to Shohola Creek (HQ-CWF, MF) consisting of a 440-foot long, 48-inch diameter pipe depressed 6-inches below streambed elevation with a riprap outlet apron.

4. To remove the existing structure and to construct and maintain a road crossing of a tributary to Shohola Creek (HQ-CWF, MF) consisting of a 150-foot long, 36-inch diameter pipe depressed 6-inches below streambed elevation with a riprap outlet apron.

5. To remove the existing structure and to construct and maintain a road crossing of a tributary to Shohola Creek (HQ-CWF, MF) consisting of a 174-foot long, 36-inch diameter pipe depressed 6-inches below streambed elevation with a riprap outlet apron.

6. To remove the existing structure and to construct and maintain a road crossing of a tributary to Birch Creek (HQ-CWF, MF) consisting of a 156-foot long, 24-inch diameter pipe depressed 6-inches below streambed elevation with a riprap outlet apron.

7. To remove the existing structure and to construct and maintain a stream enclosure of Maple Brook (HQ-CWF, MF) consisting of a 451-foot long, 60-inch diameter pipe depressed 6-inches below streambed elevation with a riprap outlet apron.

8. To remove the existing structure and to construct and maintain a road crossing of a tributary to Maple Brook (HQ-CWF, MF) consisting of an 88-foot long, 36-inch diameter pipe depressed 6-inches below streambed elevation with a riprap outlet apron.

9. To remove the existing structure and to construct and maintain a road crossing for SR 84 Eastbound of York Creek (HQ-CWF, MF) consisting of single span pre-stressed concrete bulb tee beam bridge having a 96-foot span and a 15 foot approximate under-clearance.

10. To remove the existing structure and to construct and maintain a road crossing for SR 84 Westbound of York Creek (HQ-CWF, MF) consisting of single span pre-stressed concrete bulb tee beam bridge having a 96-foot span and a 13.3 foot approximate under-clearance.

11. To remove the existing structure and to construct and maintain a road crossing for SR 84 Eastbound of McConnell Creek (HQ-CWF, MF) consisting of single span pre-stressed concrete bulb tee beam bridge having a 106-foot span and a 8.6 foot approximate under-clearance.

12. To remove the existing structure and to construct and maintain a road crossing for SR 84 Westbound of McConnell Creek (HQ-CWF, MF) consisting of single span pre-stressed concrete bulb tee beam bridge having a 106-foot span and a 13.4 foot approximate under-clearance.

13. To remove the existing structure and to construct and maintain a road crossing for SR 84 Eastbound of Rattlesnake Creek (HQ-CWF, MF) consisting of single span pre-stressed concrete bulb tee beam bridge having a 168-foot span and a 40.4 foot approximate under-clearance.

14. To remove the existing structure and to construct and maintain a road crossing for SR 84 Westbound of Rattlesnake Creek (HQ-CWF, MF) consisting of single span pre-stressed concrete bulb tee beam bridge having a 148-foot span and a 30.8 foot approximate under-clearance.

The overall improvements will permanently impact 0.02 acre of wetlands and 3,103 feet of stream channel and temporarily impact 0.33 acre of wetland and 327 feet of stream channel. The proposed project is located along a 7.3 miles section of SR 84 starting approx. one mile west of the SR 0084/SR 0739 interchange to approx. 1.3 mile east of the SR 0084 bridge over Rattlesnake creek (Edgemere, PA Quadrangle Latitude: 41° 21' 19"; Longitude: -75° 04' 48") in Dingman and Blooming Grove Townships, Pike County.

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E10-493, Jackson Township, 140 Magill Rd., Zelenople, PA 16063. Fanker Road Culvert Replacement, in Jackson Township, **Butler County**, ACOE Pittsburgh District (Zelenople, PA Quadrangle N: 40°, 48', 33"; W: -80°, 7', 48").

To remove the existing deteriorating 10' high by 14' span structural plate pipe-arch culvert on Scholars Run under Fanker Road (T-327) approximately 60' northwest of the intersection of Fanker Road and S.R. 19 (Perry Hwy.) in Jackson Township, Butler County and to construct a crossing consisting of: 1) a realignment to the centerline of Fanker Rd. and its new culvert to a position approximately 60' upstream and approximately 80' northwest of S.R. 19, 2) the installation of a 11'-2" high by 17' span structural plate pipe-arch culvert having a length of 77' and both upstream and downstream concrete collars, 3) depressed class R-6 rock aprons choked with natural stream bed material at both the inlet and outlet.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E4129-097: Anadarko E&P Onshore LLC, 33 West Third Street, Suite 200, Williamsport, PA 17701, Cascade Township, **Lycoming County**, ACOE Baltimore District. To construct, operate, and maintain:

1) fill for a permanent access road impacting 125 square feet of palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°27'24"N 76°50'00"W);

2) fill for a permanent access road impacting 125 square feet of palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°27'23"N 76°50'01"W);

3) fill for a permanent access road impacting 119 square feet of a palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°27'22"N 76°50'01"W);

4) fill for a permanent access road impacting 308 square feet of palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°27'21"N 76°50'01"W);

5) fill for a permanent access road impacting 411 square feet of palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°27'16"N 76°49'59"W);

6) a 46-foot-long 24-inch-diameter culvert, a 38-foot-long 24-inch-diameter culvert, and associated fill for a permanent access road impacting 94 linear feet of unnamed tributaries to Engle Run (EV) and 3,103 square feet of adjacent palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°27'04"N 76°49'56"W);

7) a 42-foot-long 36-inch-diameter culvert and associated fill for a permanent access road impacting 64 linear feet of an unnamed tributary to Engle Run (EV) and 406 square feet of adjacent palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°26'55"N 76°49'56"W);

8) a 32-foot-long 18-inch-diameter culvert and associated fill for a permanent access road impacting 53 linear feet of an unnamed tributary to Engle Run (EV) and 861 square feet of adjacent palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°26'54"N 76°49'54"W);

9) an 18-inch diameter culvert and associated fill for a permanent access road impacting 694 square feet of palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°26'54"N 76°49'53"W);

10) a 40-foot-long 18-inch-diameter culvert and associated fill for a permanent access road impacting 27 linear feet of an unnamed tributary to Engle Run (EV) and 868 square feet of adjacent palustrine forested (PFO) wetlands (Barbours, PA Quadrangle 41°26'53"N 76°49'51"W);

11) a 40-foot-long, 36-inch-diameter culvert and associated fill impacting 68 linear feet of an unnamed tributary to Engle Run (EV, MF) and 546 square feet of adjacent palustrine forested (PFO) wetland (Barbours, PA Quadrangle 41°26'44"N 76°49'47"W).

The project will result in a total of 306 linear feet of stream impacts and an additional 0.17 acre wetland impacts all for the purpose of installing a permanent access roadway to a natural gas well site for Marcellus well development.

E5929-046: SWEPI LP., 2100 Georgetown Drive, Suite 400, Sewickley, PA 15143, Liberty and Union Townships, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary road crossing using a wood mat bridge and an 8 inch diameter natural gas gathering line impacting 4,604 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°34'22"N, 77°00'36"W);

2) a temporary road crossing using a 20 foot long, 24 inch diameter corrugated metal pipe and an 8 inch diameter natural gas gathering line impacting 68 linear

feet of an unnamed tributary to Salt Spring Run (EV) (Liberty, PA Quadrangle 41°34'23"N, 77°00'37"W);

3) a temporary road crossing using a 20 foot long, 24 inch diameter corrugated metal pipe and an 8 inch diameter natural gas gathering line impacting 179 linear feet of an unnamed tributary to Salt Spring Run (EV) (Liberty, PA Quadrangle 41°34'22"N, 77°00'39"W);

4) a temporary road crossing using 20 foot long, 48 inch diameter corrugated metal pipes and an 8 inch diameter natural gas gathering line impacting 172 linear feet of Salt Spring Run (EV) (Liberty, PA Quadrangle 41°34'22"N, 77°00'44"W);

5) a temporary road crossing using a 20 foot long, 24 inch diameter corrugated metal pipe and an 8 inch diameter natural gas gathering line impacting 24 linear feet of an unnamed tributary to Salt Spring Run (EV) and 68 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41°34'23"N, 77°00'46"W);

The project will result in 443 linear feet of temporary stream impacts and 4,672 square feet (0.11 acre) of temporary wetland impacts all for the purpose of installing a natural gas gathering line in Liberty and Union Townships, Tioga County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P. O. Box 8460, Harrisburg, PA 17105-8460

D06-091EA. Christopher Stress, Director, Berks County Parks and Recreation Department, 2083 Tulpehocken Road, Wyomissing, PA 19610. Alsace Township, **Berks County**, USACOE Philadelphia District.

Project proposes to breach the Hinnerstz Settling Basin Dam for the purpose of eliminating a threat to public safety and restoring approximately 325 feet of stream channel to a free-flowing condition. The proposed restoration project includes construction of habitat enhancement structures in the stream channel through the former reservoir. The project is located across Antietam Creek (CWF, MF) (Birdsboro, PA Quadrangle, Latitude: 40.3680; Longitude: -75.8646).

D39-127EA. Robert Stiffler, Director, Lehigh County Parks and Recreation Office, 260 South Cedarbrook Road, Allentown, PA 18104. North Whitehall Township, **Lehigh County**, USACOE Philadelphia District.

Project proposes to remove the Trexler Nature Preserve Dam for the purpose of eliminating a threat to public safety and restoring approximately 150 feet of stream channel to a free-flowing condition. The project is located across Jordan Creek (TSF, MF) (Slatedale, PA Quadrangle, Latitude: 40.6621; Longitude: -75.6262).

D57-045EA. Mr. Kenneth Shaffer, 2686 Route 4008, Forksville, PA 18616. Cherry Township, **Sullivan County**, USACOE Baltimore District.

Project proposes to remove the Prospect Pond Dam for the purpose of eliminating a threat to public safety restoring approximately 120 feet of stream channel to a free-flowing condition. The project is located across a tributary to Lick Creek (CWF, MF) (Dushore, PA Quadrangle, Latitude: 41.5611; Longitude: -76.4635).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0061654 (Sewage)	Wallenpaupack Area School District: Newfoundland Elementary School WWTP Routes 507 & 191 Newfoundland, PA 18445	Wayne County Dreher Township	Wallenpaupack Creek (1-C)	N

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0083526—IW	R.H. Sheppard Company, Inc. 101 Philadelphia Street Hanover, PA 17331	York County/ Hanover Borough	UNT to Oil Creek/7-H	Y
PA0010201—IW	Columbia Water Company 220 Locust Street Columbia, PA 17512	Lancaster County/ Columbia Borough	Susquehanna River/7-G	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0084964—SEW	Bethel Township Sewer Authority PO Box 239 Warfordsburg, PA 17267	Fulton County/ Bethel Township	Little Tonoloway Creek/13-B	Y
PA0085740—SEW	Mill Creek Area Municipal Authority PO Box 4 Mill Creek, PA 17060-0004	Huntingdon County/ Mill Creek Borough	Juniata River/12-C	Y
PA0031992—SEW	PA DCNR State Parks Bureau 15795 Greenwood Road Huntingdon, PA 16652-5831	Huntingdon County/ Jackson Township	East Branch Standing Stone Creek/11-B	Y
PAS603504—SW	Buck Auto Sales & Salvage Company 915 Lancaster Pike Quarryville, PA 17566	Lancaster County/ Providence Township	Conowingo Creek/7-K	Y
PA0246417—SW	State Line Salvage, Inc. 675 Nottingham Road Peach Bottom, PA 17563	Lancaster County/ Fulton Township	UNT Conowingo Creek/ 7-K	Y

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0103781 (Industrial Waste)	Wheatland Tube Mill Street Plant 134 Mill Street Sharon, PA 16146	Mercer County Sharon City	Shenango River (20-A)	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

NPDES Permit No. PA0051934, Sewage, **Limerick Township**, 646 West Ridge Pike, Limerick, PA 19468.

This proposed facility is located in Limerick Township, **Montgomery County**.

Description of Action/Activity: Discharge to a facility known as King Rd STP to Schuylkill River in Watershed(s) 3-D.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900

WQM Permit No. WQG02151424, Sewage, **West Bradford Township**, 1385 Campus Drive, Downingtown, PA 19335.

This proposed facility is located in West Bradford Township, **Chester County**.

Description of Action/Activity: Construction and operation of a low pressure system to serve 42 new homes and one existing structure.

WQM Permit No. 1587416, Sewage, Renewal, **Longwood Gardens Inc.**, Route 1, P.O. Box 501, Kennett Square, PA 19348-1839.

This proposed facility is located in East Marlborough Township, **Chester County**.

Description of Action/Activity: Permit renewal to continued discharge of treated wastewater via spray irrigation.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. WQG01251411, Sewage, **John R. Stull**, 1689 Old State Road, Waterford, PA 16441.

This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant to replace a malfunctioning on-lot system.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011514033	Pennsylvania Turnpike Commission 700 South Eisenhower Boulevard Middletown, PA 17057	Chester	Tredyffrin Township	Trout Creek WWF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021309005R	Phase III Environmental 1120 Mauch Chunk Road Palmerton, PA 18071-1110	Carbon County	Palmerton Borough	Lehigh River (TSF, MF)
PAI024514009	Transcontinental Gas Pipe Line Company 2800 Post Oak Blvd. Level 17 Houston, TX 77056	Monroe	Tunkhannock Township	Unnamed Tributary to Mud Pond (HQ-CWF, MF)
PAI024511006(1)	Arcadia North Land, LLC 200 W Madison St. Suite 3410 Chicago, IL 60606	Monroe	Coolbaugh Township	Hawkeye Run (HQ-CWF, MF)
PAI023914004	County of Lehigh c/o Mr. Richard Molchany 17 South Seventh Street Allentown, PA 18101	Lehigh	South Whitehall Township	Cedar Creek (HQ-CWF, MF)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges From the Application of Pesticides

*General Permit Type—PAG-02**Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Solebury Township Bucks County	PAG02000914083	Pennsylvania Department of Transportation 7000 Geerdes Boulevard King of Prussia, PA 19406	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Makefield Township Bucks County	PAG02000914073	Deluca Signature, LP 370 East Maple Avenue Suite 101 Langhorne, PA 19047	Unnamed Tributary to Dyers Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG02002314024	Cabrini College 610 King of Prussia Road Radnor, PA 19087	Unnamed Tributary to Gulph Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Darby Township Delaware County	PAG02002314025	Wawa, Inc. 260 West Baltimore Pike Wawa, PA 19063	Naylor's Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Glenolden Borough Delaware County	PAG02002314037	Two Farms Inc. D/B/A Royal Farms 3611 Roland Avenue Baltimore, MD 21211	Hermesprota Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Marple Township Delaware County	PAG02002314042	Catholic Social Services 20 East Cleveland Avenue Norwood, PA 19074	Tributary to Whetstone Run WWF-MF Darby Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Palmer Township Northampton County	PAG02004813001(1)	Charles Chrin Real Estate Trust 400 South Greenwood Avenue Easton, PA 18045	Schoeneck Creek (WWF, MF)	Northampton County Conservation District 610-746-1971

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Berwick Township Adams County	PAG02000114029 Issued	Bridgeview, LLC 40 York Street Hanover, PA 17331	Pine Run/WWF	Adams County Conservation District 670 Old Harrisburg Road, Suite 201 Gettysburg, PA 17325 717-334-0636
Lower Paxton Township Dauphin County	PAG02002214063 Issued	Bottomline Contracting 918 Rabbit Hill Road Lititz, PA 17543	Paxton Creek/ WWF, MF	Dauphin Co. Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
Manchester Township York County	PAG02006714049 Issued	R. H. R., Inc. 2100 North George Street York, PA 17404	UNT to Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Manchester Township York County	PAG02006714060 Issued	Kinsley Equities II, LP 6259 Reynolds Mill Road Seven Valleys, PA 17360	UNT to Little Conewago Creek/ WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
West Manchester Township York County	PAG02006714067 Issued	325 Salem Property, LP 1 Bala Avenue, Suite 502 Bala Cynwyd, PA 19004	UNT to Codorus Creek/WWF and Honey Run/TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Dover Township York County	PAG02006712012R Issued	Kings Court Associates, LP George Desmond 1085 Manheim Pike Lancaster, PA 17601	UNT to Little Conewago Creek/ TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
Fairview Township York County	PAG02006714026 Issued	DLA Installation Support 5750 3rd Street Building 750 New Cumberland, PA 17070	Marsh Run/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 717-840-7430
East Donegal Township Lancaster County	PAG02003615001 Issued	East Donegal Township 190 Rock Point Rd Marietta, PA 17547	UNT Susquehanna River/WWF	Lancaster County Conservation District 1383 Arcadia Road Lancaster, PA 17601 717-299-5361
East Lampeter Township Lancaster County	PAG02003615005 Issued	McNeil Consumer Pharmaceutical 7050 Camp Hill Road Fort Washington, PA 19034	Conestoga River/Stauffers Run/WWF	Lancaster County Conservation District 1383 Arcadia Road Lancaster, PA 17601 717-299-5361
Little Britain Township Lancaster County	PAG02003614104 Issued	Anthony L. Demeo 110 Canterbury Court Nottingham, PA 19362	UNT Octoraro Creek/TSF	Lancaster County Conservation District 1383 Arcadia Road Lancaster, PA 17601 717-299-5361
Smithfield Township Huntingdon County	PAG02003114002 Issued	Todd Eichelberger 129 East Penn Street Bedford, PA 15522	UNT Juniata River/WWF	Huntingdon County Conservation District 10605 Raystown Road, Suite A Huntingdon, PA 16652-9603 814-627-1627
Logan Township Blair County	PAG02000715001 Issued	Sanjiv Patel 4215 Business Route 220 Bedford, PA 15522	Brush Run/WWF and Mill Run/WWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877 ext. 5
Blair Township Blair County	PAG02000714010 Issued	Matt Stuckey 500 Broad Street Hollidaysburg, PA 16648	Beaverdam Branch/TSF, MF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877 ext. 5
Antis Township Blair County	PAG02000714011 Issued	Tipton Speedway n/k/a Laguna Splash Ltd.	Little Juniata River/TSF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877 ext. 5

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Bradford County Herrick Twp	PAG02000814017	David Kailbourne Rev LNG LLC 1002 Empson Rd Ulysses, PA 16948	Rummerfield Creek WWF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd Ste E Towanda, PA 18848 (570) 265-5539, X 6

General Permit Type—PAG-03

<i>Facility Location & Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Philadelphia City Philadelphia County	PAR600091	Luong Anh dba/ A&H Auto Parts 6255 Passyunk Avenue Philadelphia, PA 19153	Unnamed Tributary of Schuylkill River—3F	Southeast Region Clean Water Program 484.250.5970
Warminster Township Bucks County	PAR200017	Greif Ind Pkg & Service LLC 695 Louis Drive Warminster, PA 18974	Unnamed Tributary of Little Neshaminy Creek—2F	Southeast Region Clean Water Program 484.250.5970
Eddystone Borough Delaware County	PAR310001	Baker Petrolite Corp. 2929 Allen Parkway Houston, TX 77019	Ridley Creek—3-G	Southeast Region Clean Water Program 484.250.5970
Upper Dublin Township Montgomery County	PAR900001 A-1	Abington Township Montgomery County 1176 Old York Road Abington, PA 19001	Sandy Run—3-F	Southeast Region Clean Water Program 484.250.5970

General Permit Type—PAG-4

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Waterford Township Erie County	PAG041178	John R Stull 1689 Old State Road Waterford, PA 16441	Unnamed Tributary of French Creek—16-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street, Meadville, PA 16335-3481 814.332.6942

General Permit Type—PAG-12

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
York County/ Jackson Township	PAG123795	Pigeon Hill Farms, LLC 9078 Orchard Road Spring Grove, PA 17362-8651	UNT Bunch Creek/WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Franklin County/ St. Thomas Township	PAG123668	Kline's Hillside Farm 167 Coble Road Chambersburg, PA 17201	UNT Back Creek/TSF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Lancaster County/ Manor Township	PAG123798	Meadow Lane Dairy, LLC 3392 Blue Rock Road Lancaster, PA 17603	West Branch Little Conestoga Creek/TSF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lancaster County/ West Hempfield Township	PAG123670	Forry Farms 1015 Prospect Road Columbia, PA 17512	UNT Strickler Run/WWF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-13

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAG133645	Middletown Borough 60 W. Emaus Street Middletown, PA 17057-1407	Dauphin	Middletown Borough	Susquehanna River, Swatara Creek, UNT 09363 to Swatara Creek and UNT to Swatara Creek/WWF & MF	Y
PAG133563	North Londonderry Township 655 East Ridge Road Palmyra, PA 17078-9312	Lebanon	North Londonderry Township	UNT to Swatara Creek, UNT to Killinger Creek, UNT to Quittapahilla Creek and UNT to Spring Run/TSF & WWF	Y
PAG133544	Highspire Borough 640 Eshelman Street Highspire, PA 17034-1610	Dauphin	Highspire Borough	Burd Run, Buser Run, Susquehanna River and UNT to Susquehanna River	Y

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU’s</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Harley Bange 15629 Trough Creek Valley Pike Huntingdon, PA 16652	Huntingdon	467.5 acres for manure application	610.69 AEU’s	Swine	NA	Approved
			1.31 AEU’s/ac			
Quint T Egg Farm 3819 Powells Valley Road Halifax, PA 17032	Dauphin	174	439	Layers/ Steers	NA	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Carsonville Farms, LP 2716 Powells Valley Road Halifax, PA 17032	Dauphin	0	571.98	Pullets/ Swine	NA	Approved
Edward Hartman 900 Galen Hall Road Reinholds, PA 17569	Lancaster	95.3	1,481.5	Dairy	NA	Approved
Robert L. Brubaker Jr. 2871 North Colebrook Road Manheim, PA 17545	Lancaster	12.2	390.16	Swine/ Pullets	NA	Approved
Robert & Michael Shearer 806 Anderson Ferry Road Mount Joy, PA 17552	Lancaster	350	714.08	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Permit No. 3391001, Operations Permit Public Water Supply.

Applicant	Lehigh County Authority 1053 Spruce St. Allentown, PA 18106
[Borough or Township]	Weisenberg Township
County	Lehigh

Type of Facility	PWS
Consulting Engineer	Charles E. Volk, PE T&M Associates, Inc. 74 West Broad Street Bethlehem, PA 18018
Permit to Operate Issued	1/28/2015

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 0714503 MA, Minor Amendment, Public Water Supply.

Applicant	Bellemeade Civic Association
Municipality	Antis Township
County	Blair
Responsible Official	Jeffrey Tromm, President 1981 East Parkway Drive Altoona, PA 16602

Type of Facility Installation of approximately 485' of 8" DIP and 465' of 6" DIP and a meter pit to allow interconnection with Altoona Water Authority.

Consulting Engineer Christopher M. Echenrode, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602

Permit to Construct Issued 1/30/2015

Operation Permit No. 0713502 MA issued to: **Altoona Water Authority (PWS ID No. 4070023)**, Altoona, **Blair County** on 2/2/2015 for facilities approved under Construction Permit No. 0713502 MA.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 1815501-MA—Construction—Public Water Supply.

Applicant	Renovo Borough Water Authority
Township/Borough	Chapman Township
County	Clinton

Responsible Official William Probert, Vice-Chairman
Renovo Borough Water Authority
128 Fifth Street
Renovo, PA 17764

Type of Facility Public Water Supply

Consulting Engineer K. Alan Uhler, Jr. P.E., P. L.S.
Kerry A. Uhler & Associates, Inc.
140 West High Street
Bellefonte, PA 16823

Permit Issued February 5, 2015

Description of Action Authorizes repainting of the
300,000 gallon welded steel
water storage tank and the
rebuilding or replacement
in-kind of this tank's altitude
valve.

Consulting Engineer David Kaufman, P.E.
Permit to Construct February 5, 2015
Issued

HAZARDOUS SITES CLEANUP ACT OF OCTOBER 18, 1988

Notice of Interim Response; Kuhn's Landfill; Darlington Township, Beaver County

The Pennsylvania Department of Environmental Protection ("DEP"), under the authority of the Hazardous Sites Cleanup Act, 35 P.S. Section 6020.101 et. seq. ("HSCA"), has proposed an interim response at the Kuhn's Landfill ("Site"). The Site is located on Ridge Road in Darlington Township, Beaver County and was used for the disposal of municipal and industrial waste from approximately 1964 until 1980.

The Department's investigation of the Site has determined that certain inorganics and organics have been released at the Site which are hazardous substances as defined by the Hazardous Sites Cleanup Act. These hazardous substances have been released at the Site at concentrations that exceed applicable standards. Based on these findings, the Department has determined that a response is appropriate.

The Department considered the following three alternatives to address the threats at the Site: 1) no action; 2) place a fence around contaminated soil areas, removal and disposal of gel type waste identified in the remedial investigation report; and 3) capping contaminated areas with soil, removal and disposal of gel type waste.

Alternative 3 was chosen because it complies with the applicable or relevant and appropriate requirements and is cost effective.

This notice is being provided under Section 506(b) of the Hazardous Sites Cleanup Act. The Administrative Record which contains information forming the basis and documenting the selection of this response action is available for public review and comment at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 and is available for review between 9 a.m. and 4 p.m.

The Administrative Record will be open for comment until May 21, 2015. Persons may submit written comments into the record, during this time only, by sending them or delivering them to Edward Litwin, Project Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

In addition, persons may present oral comments for inclusion in the Administrative Record at a public hearing scheduled for April 14, 2015 at 5:00 p.m. at the Darlington Township Municipal Building located at 3590 Darlington Road, Darlington, PA 16115. Persons wishing to present comments must register with John Poister at the Department's Southwest Regional Office, in writing at: 400 Waterfront Drive, Pittsburgh, PA 15222 or by telephone at (412) 442-4203 before noon, April 14, 2015.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodations to participate in the proceeding, should contact John Poister at (412) 442-4203 or through the Pennsylvania AT&T Relay Service at (800) 654-5954 (TDD) to discuss how the Department may accommodate their needs.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID #5020039) South Fayette Township, **Allegheny County** on January 30, 2015 for the operation of facilities approved under Construction Permit # 0213518MA.

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, PO Box 187, 1442 Jefferson Road, Jefferson, PA 15344, (PWSID #5020039) Washington Township, **Greene County** on January 19, 2015 for the operation of facilities approved under Construction Permit # 3013508.

Operations Permit issued to: **Borough of Shippingport**, PO Box 76, Shippingport, PA 15077, (PWSID #5040086) South Fayette Township, **Allegheny County** on January 29, 2015 for the operation of facilities approved under Construction Permit # 0413508.

Permit No. 0313508GWR, Minor Amendment. Public Water Supply.

Applicant **Rural Valley Water Works**
Box 345
Rural Valley, PA 16249

[Borough or Township] Rural Valley Borough

County **Armstrong**

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15051

Permit to Operate Issued January 29, 2015

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No., 1014505 Public Water Supply

Applicant **Pennsylvania American Water Company**

Township or Borough Bradys Bend Township

County **Armstrong**

Type of Facility Public Water Supply

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995
PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Captain Moore Road Right-of-Way, 0.7 mile east of the intersection of Captain Moore Road & Strofe Road, Windham Township, **Bradford County**. Golder Associates, Incorporated, 209 N. Main Street, Suite 3, Horseheads, NY 14845, on behalf of Talisman Energy USA Inc., 337 Daniel Zenker Drive, Horseheads, NY 14845 submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Coen-Zappi Release, Atlantic Avenue, Bigler Township, **Clearfield County**. McKee Environmental, Inc., 218 Washington Avenue, Bellefonte, PA 16823, on behalf of Coen Zappi, 1045 West Chestnut Street, Washington, PA 15301-4628, submitted a Final Report concerning remediation of site soils and surface waters contaminated

with Diesel Fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Former Cerro Metals Plant, Titan Energy Park, 2022 Axemann Road, Spring Township, **Centre County**. P. Joseph Lehman Engineers, 117 Olde Farm Office Centre, Hollidaysburg, PA 16648, on behalf of The Marmon Group, LLC, 181 W. Madison Street, Chicago, Illinois 60602 submitted a Remedial Investigation Report and Risk Assessment Report concerning remediation of site soils and groundwater contaminated with chlorinated solvents and aromatic hydro carbons. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Former GTE Products Corporation Facility, 490 South Lycoming Mall Road, Muncy Township, **Lycoming County**. XDD, LLC, 101 East Mill Street, Suite D, Quakertown, PA 18951, on behalf of GTE Operations Support Incorporated, One Verizon Way, VC 34W538B, Basking Ridge, NJ 07920 submitted a Final Report concerning remediation of site soils contaminated with Chloroform, Dichloroethane, 1,1-, Dichloroethene, 1,1, Dichloroethene, cis 1.2-, Tetrachloroethene, Trichloroethane, 1,1,1-, Trichloroethene. The report is intended to document remediation of the site to meet the Statewide Health Standard and Site-Specific Standard.

Mill Hall Group, LLC., 136 Hogan Boulevard, Bald Eagle Township, **Clinton County**. ECS Mid-Atlantic, LLC., 56 Grumbacher Road, York, PA 17406, on behalf of Mill Hall Group, LLC., 3000-G Henkle Drive, Lebanon, OH 45036, submitted a Final Report concerning remediation of site soils contaminated with Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Nick Strimbu, Inc., 180 @ MM 190E, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17847, on behalf of Nick Strimbu, Inc., 6830 Parkway Road, Brookfield, OH 44073 has submitted a Final Report concerning remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Cumene, Naphthalene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, Methyl Tertiary Butyl Ether. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Warner Farm, 1461 Babcock Road, Dimock Township, **Susquehanna County**. Dawn Washo, Resource Environmental, 36 Taylor Lane, Montrose, PA 18801, on behalf of Allan Warner, 1641 Babcock Road, Dimock, PA 18816, submitted a Notice of Intent to Remediate and Final Report concerning remediation of site soils contaminated with benzene, naphthalene, toluene, ethylbenzene, cumene, MTBE, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

All-Pro Airport Road LLC—Lot 4, Airport Road, Hazle Township, **Luzerne County**. Lori Girvan, Barry Isett & Associates, 100 West Broad Street, Hazelton, PA18201, on behalf of Michael Saporito, All Pro Airport Road LP, 655 US Highway 130, Hamilton, NJ 08691, submitted a Notice of Intent to Remediate and Final

Report concerning remediation of site soils contaminated with benzene, toluene, ethylbenzene, cumene, MTBE, naphthalene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

FedEx Ground Lewisberry/Anthony Insurance Spill, 650 Wyndamere Road, Lewisberry, PA 17339, Fairview Township, **York County**. HDR, Inc., 4900 Ritter Road, Suite 240, Mechanicsburg, PA 17055, on behalf of FedEx Ground, 1000 FedEx Drive, Moon Township, PA 15108; and Kent Anthony, Anthony Insurance, Inc., 650 Wyndamere Road, Lewisberry, PA 17339, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel and used motor oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Sheetz @ Chestnut & 7th, Chestnut Avenue & 7th Street, Altoona, PA 16601, City of Altoona, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Five Investments, LLC, 210 West Plank Road, Altoona, PA 16602 and BCDC IV, 3900 Industrial Park Drive, Altoona, PA 16602, submitted a Baseline Environmental Report to remediate site soil and groundwater contaminated with VOCs, Chlorinated Solvents, and Inorganics. The site will be remediated as a Special Industrial Area.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting

a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Coen-Zappi Release, Atlantic Avenue, Bigler Township, **Clearfield County**. McKee Environmental, Inc., 218 Washington Avenue, Bellefonte, PA 16823, on behalf of Coen-Zappi, 1045 West Chestnut Street, Washington, PA 15301-4628, submitted a Final Report concerning the remediation of site soils and surface waters contaminated with Diesel Fuel. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on January 21, 2015.

Northeast Region: Eric Supey, Environmental Cleanup and Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Bethlehem Redevelopment Authority, (Greenway Commons—Third Street Redevelopment), 502 & 506 East Third Street, Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. Mr. Vincent Carbone, HDR Engineering, 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015, on behalf of Mr. Tony Hanna, Bethlehem Redevelopment Authority, 10 East Church Street, Bethlehem, PA 18015, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soils contaminated with 1,2-Dibromor-3-chloropropene, benzene, benzo(a)pyrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, cyanide, dibenzo(a,h)anthracene, dibenzofuran, ideno(1,2,3-cd)pyrene, methylene chloride, and naphthalene. The Report was approved by the Department on February 4, 2015.

All-Pro Airport Road LLC—Lot 4, Airport Road, Hazle Township, **Luzerne County**. Lori Girvan, Barry Isett & Associates, 100 West Broad Street, Hazelton, PA 18201, on behalf of Michael Saporito, All Pro Airport Road LP, 655 US Highway 130, Hamilton, NJ 08691, submitted a Notice of Intent to Remediate and Final Report concerning remediation of site soils contaminated with benzene, toluene, ethylbenzene, cumene, MTBE, naphthalene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene. The Report was approved by the Department on February 6, 2015.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Sheetz @ Chestnut & 7th, Chestnut Avenue & 7th Street, Altoona, PA 16601, City of Altoona, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Five Investments, LLC, 210 West Plank Road, Altoona, PA 16602 and BCDC IV, 3900 Industrial Park Drive, Altoona, PA 16602, submitted a Work Plan to remediate site soil and groundwater contaminated with VOCs, Chlorinated Solvents, and Inorganics. The site will be remediated as a Special Industrial Area, and the Work Plan was approved by the Department on October 18, 2013.

EK Services, Inc.—Diesel Fuel Release, 400 Block of St. John's Church Road, Camp Hill, PA 17011, Hampden Township, **Cumberland County**. EP&S of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Three TCL LLP, 4590 Industrial Park, Camp Hill, PA 17011, submitted a Final Report to remediate site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on February 5, 2015.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 8471, Harrisburg, PA 17105-8471

Hazardous Waste Transporter License Issued

2347854 Ontario, Inc., 1818 Burlington Street East, Hamilton, ON L8H 3L4 Canada. License No. PA-AH 0817. Effective October 1, 2014.

Hazardous Waste Transporter License Renewed

Hazleton Oil & Environmental, Inc., 300 Tamaqua Street, Hazleton, PA 18201. License No. PA-AH 0713. Effective October 9, 2014.

Disttech, LLC, DBA Disttech, 4366 Mt. Pleasant Street, NW, North Canton, OH 44720. License No. PA-AH 0799. Effective October 9, 2014.

Vickery Transportation, Inc., 18375 E. 345 S, Grammer, IN 47236. License No. PA-AH 0698. License No. PA-AH 0698. Effective October 9, 2014.

Neier, Inc., P.O. Box 151, Coatsville, IN 46121. License No. PA-AH 0777. Effective October 17, 2014.

Bionomics, Inc., P.O. Box 817, Kingston, TN 37763. License No. PA-AH 0730. Effective October 21, 2014.

Harold Marcus Limited, 15124 Longwood Road, Bothwell, ON N0P 1C0, Canada. License No. PA-AH 0207. Effective October 22, 2014.

Laidlaw Carriers Van GP, Inc., 1179 Ridgeway Road, P.O. Box 1669, Woodstock, ON N4S 0A9, Canada. License No. PA-AH 0714. Effective October 22, 2014.

Transport Rollex Ltee, 910 Boul Lionel-Boulet, Varennes, PQ J3X 1P7, Canada. License No. PA-AH 0544. Effective October 29, 2014.

Enpro Services, Inc., 114 Bridge Street, Salisbury, MA 01952. License No. PA-AH 0696. Effective October 31, 2014.

Stat, Inc., DBA Sparks Transportation & Tank Cleaning, Inc., P.O. Box 1443, Lenoir, NC 28645. License No. PA-AH 0532. Effective November 5, 2014.

Environmental Coordination Services & Recycling, Inc., 3237 US Highway 19, Cochranton, PA 16314. License No. PA-AH 0757. Effective November 12, 2014.

Heritage-Crystal Clean, LLC, 2175 Point Blvd, Suite 375, Elgin, IL 60123. License No. PA-AH 0672. Effective September 10, 2014.

Envirite of Ohio, Inc., 2050 Central Avenue S.E., Canton, OH 44707. License No. PA-AH 0548. Effective December 3, 2014.

New York Environmental Technologies, Inc., P.O. Box 24398, Rochester, NY 14624. License No. PA-AH 0762. Effective December 1, 2014.

Philotechnics, Ltd., 201 Renovare Blvd, Oak Ridge, TN 37830. License No. PA-AH 0782. Effective December 3, 2014.

Empire Wrecking Company of Reading PA, 1420 Clarion Street, Reading, PA 19601. License No. PA-AH 0255. Effective December 3, 2014.

OSI Environmental, Inc., 300 Fayal Road, Eveleth, MN 55734. License No. PA-AH 0780. Effective December 5, 2014.

Dart Trucking Company, Inc., P.O. Box 157, 11017 Market Street, North Lima, OH 44452. License No. PA-AH 0219. Effective December 15, 2014.

Ferrick Construction Company, Inc., 811 Ivy Hill Road, Philadelphia, PA 19150. License No. PA-AH 0473. Effective December 12, 2014.

Lancaster Oil Company, dba Environmental Recovery Corporation of PA, 1076 Old Manheim Pike, Lancaster, PA 17601. License No. PA-AH 0679. Effective December 9, 2014.

American Transportation Solutions, LLC, 2100 Georgetowne Drive, Suite 303, Sewickley, PA 15143. License No. PA-AH 0779. Effective December 23, 2014.

Environmental Transport Group, Inc., P.O. Box 296, Flanders, NJ 07836-0296. License No. PA-AH 0104. Effective December 24, 2014.

Transwaste, Inc., 3 Barker Drive, Wallingford, CT 06492. License No. PA-AH 0674. Effective January 12, 2015.

Triumvirate Environmental, Inc., 200 Inner Belt Road, Somerville, MA 02143. License No. PA-AH 0477. Effective January 12, 2015.

Tier Environmental Services, Inc., 5745 Lincoln Highway, Gap, PA 17527. License No. PA-AH 0680. Effective January 23, 2015.

Ross Transportation Services, Inc., 36790 Giles Road, Grafton, OH 44044. License No. PA-AH 0133. Effective January 26, 2015.

Hazardous Waste Transporter License Voluntarily Terminated

ORGCO Company/Tyree Environmental Corporation, 2 Executive Drive, Suite 9, Moorestown, NJ 08057. License No. PA-AH 0391. Effective January 15, 2015.

G. Tresch Transportation, Inc., 630 S. Evergreen Avenue, Woodbury, NJ 08097. License No. PA-AH 0380. Effective January 22, 2015.

Hazardous Waste Transporter License Expired

Suttles Truck Leasing, Inc., P.O. Box 129, Demopolis, AL 36723. License No. PA-AH 0332. Effective August 31, 2014.

WM Healthcare Solutions, Inc., 1001 Fannin Street, Suite 4000, Houston, TX 77002. License No. PA-AH 0775. Effective November 30, 2014.

1624737 Ontario Inc., dba Rugged Transport, 1818 Burlington Street East, Hamilton, ON L8H 3L4 Canada. License No. PA-AH 0802. Effective November 30, 2014.

IISG Central Region, LLC., 2021 South Schaefer Highway, Detroit, MI 48217. License No. PA-AH 0774. Effective December 31, 2014.

HAZARDOUS WASTE ACTION**Proposed action on an application for a permit under the Solid Waste Management Act and regulations to operate a hazardous treatment, storage or disposal waste facility.***Intent to Renew Permit*

Southwest Region: Regional Waste Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. PAD000797548. Nexeo Solutions, LLC., 5200 Blazer Parkway, Dublin, OH 43017. Nexeo Solutions, LLC. Freedom facility, 150 West Fourth Avenue, Freedom, PA 15042. Operation of a hazardous waste container storage facility located in Freedom Borough, **Beaver County**. The application for the renewal of a permit to store hazardous waste was considered for intent to approve by the Regional Office on February 21, 2015.

Persons wishing to comment on the proposed action are invited to submit a statement to the Regional Office indicated as the office responsible, within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer; and concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE**Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.**

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 8471, Harrisburg, PA 17105-8471

Infectious and Chemotherapeutic Waste Transporter License Issued

Environmental Maintenance Services, Inc., 10 Gramar Avenue, Prospect, CT 06712. License No. PA-HC 0259. Effective November 5, 2014.

Cyntox, LLC, 2105 West County Line Road, Suite #1, Jackson, NJ 08527. License No. PA-HC 0260. Effective January 6, 2015.

Infectious and Chemotherapeutic Waste Transporter License Renewed

The Pennsylvania State University, 6 Eisenhower Parking Deck, University Park, PA 16802. License No. PA-HC 0153. Effective October 8, 2014.

The Williamsport Hospital, 700 High Street, Williamsport, PA 17701. License No. PA-HC 0186. Effective October 9, 2014.

Brandywine Green, Inc., dba Pet Memorial Services, 126 Turner Lane, West Chester, PA 19380. License No. PA-HC 0195. Effective November 25, 2014.

Conservative Environmental Services, Inc., P.O. Box 745, Mechanicsburg, PA 17055. License No. PA-HC 0224. Effective November 12, 2014.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 8471, Harrisburg, PA 17105-8471

Infectious and Chemotherapeutic Waste Transporter License Expired

WM Healthcare Solutions, Inc., 1001 Fannin Street, Suite 4000, Houston, TX 77002. License No. PA-HC 0244. Effective January 12, 2015.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES**Application Denied Under the Solid Waste Management Act and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

PAR000544486. Elcon Recycling Service, LLC, Keystone Industrial Port Complex, 100 Dean Sievers Place, Morrisville PA 19067. The DEP's Siting Team has reviewed the Phase I siting application submitted by Elcon Recycling Service, LLC, for a proposed commercial hazardous waste treatment facility to be located at 100 Dean Sievers Place, Morrisville PA 19067, within the Keystone Industrial Port Complex, formerly US Steel Site, in Falls Township, **Bucks County**. The Phase I siting application included the Part A application and the exclusionary siting criteria materials for the proposed facility. Because DEP cannot determine whether Elcon's proposed site conforms with the exclusionary criteria for flood hazard area, the Phase I siting application was denied without prejudice. The Phase I siting application was denied by DEP on February 4, 2015.

Permits issued under the Solid Waste Management Act and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

PAD085690592. Republic Environmental Systems (Pennsylvania), LLC, 2869 Sandstone Drive, Hatfield PA 19440. This application is for 10-year permit renewal under Solid Waste Permit No. PAD085690592 of the

existing RCRA Hazardous Waste Part B Permit for Republic Environmental Systems (Pennsylvania), LLC ("RESPA"), a commercial hazardous waste storage, treatment, and transfer facility located at 2869 Sandstone Drive, in Hatfield Township, **Montgomery County**. The permit was issued by the Southeast Regional Office on December 10, 2014.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 101390. Waste Management of PA Inc., Indian Valley Transfer Station, 400 Progress Drive, Telford PA 18969. This application is for 10-year permit renewal with minor modification under Solid Waste Permit Nos 1024042 and 1024318 for the Indian Valley Transfer Station, a municipal waste transfer facility located at 400 Progress Drive in Hilltown Township, **Bucks County**. The permit was issued by the Southeast Regional Office on January 22, 2015.

Permit No. 101103. Delaware County Transfer Station No. 3, Lawrence Park Industrial Center, Sussex Boulevard and Marpit Drive, Broomall PA 19008. This application is for 10-year permit renewal under Solid Waste Permit No. 101103 for the Delaware County Transfer Station No. 3, a municipal waste transfer station facility located at Lawrence Park Industrial Center, Sussex Boulevard and Marpit Drive, in Marple Township, **Delaware County**. The permit was issued by the Southeast Regional Office on January 22, 2015.

Permit No. 101188. Delaware County Municipal Water Transfer Station 1, 2300 Concord Road, Chester PA 19013-2448. This application is for a 10-year permit renewal under Solid Waste Permit No. 101188 for the **Delaware County** Transfer Station No. 1 a municipal waste transfer station facility located at 2300 Concord Road in Chester Township, Delaware County. The permit was issued by the Southeast Regional Office on January 22, 2015.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

GP6-48-001: Suburban Cleaners (3202 Freemansburg Avenue, Easton, PA 18045) on January 21, 2015 for the operation of a Dry Cleaner at the site located in Palmer Twp., **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permit-

ting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

GP1-67-03077: Dallastown Area School District (700 New School Lane, Dallastown, PA 17313-9242) on February 5, 2015, for two existing natural gas/No. 2 oil-fired boilers, 12.0 MMBtu each, under GP1 at the Middle School in York Township, **York County**. The general permit authorization was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-5226

GP5-30-00203A: EQM Gathering Opco, LLC (EQT Plaza, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222) on February 4, 2015, to authorize the installation and operation of new sources and continued operation of existing sources which include: three (3) Capstone Micro-Turbines each rated at 40 kw, two (2) TEG Dehydrators rated at 120 MMscfd and 200 MMscfd attached to two (2) Reboiler rated at 2.31 MMBtu/hr and 3.01 MMBtu/hr respectively and controlled by two (2) dedicated enclosed flares each rated at 7.0 MMBtu/hr, and four (4) Storage Tanks of various capacities at their Pipers Ridge Compressor Station located in Morgan Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Edward Orris, New Source Review Chief—Telephone: 814-332-6636

GP11-43-357D: Grove City Materials (988 Harmony Road, Slippery Rock, PA 16057) on February 4, 2015 for the operation of Caterpillar 3306 diesel engine rated 274 BHP and a Cummins NTA-855-C diesel engine rated 310 BHP (BAG-GPA/GP11) located in Pine Township, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

18-00021B: Avery Dennison Performance Polymers (171 Draketown Road, Mill Hall, PA 17751) on February 4, 2015, for the construction and operation of the R-100 emulsion reactor system at their facility located in Bald Eagle Township, **Clinton County**. The respective facility is a minor facility for which a State Only (Synthetic Minor) operating permit 18-00021 has been issued.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

23-0009H: The Boeing Company (P.O. Box 16858, MS P29-14, Philadelphia, PA 19142-0858) On February 6, 2015 for manufacturing aircraft in Ridley Township, **Delaware County**.

46-0081C: Markel Corporation (435 School Lane, Plymouth Meeting, PA 19462) On January 6, 2015 to manufacturing, unsupported plastics, profile shapes in Plymouth Township, **Montgomery County**.

46-0040A: National Label Co. (2025 Joshua Road, Lafayette Hill, PA 19444) On February 5, 2015 for manufacturing commercial printing in Whitmarsh Township, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

22-05005A: NRG Energy Center Paxton LLC (101 N 10th Street, Harrisburg, PA 17101) on February 4, 2015, for the installation of Carbon Monoxide (CO) Oxidation Catalysts on the facility's two existing non-emergency Stationary RICE located in Harrisburg City, **Dauphin County**. The plan approval was extended.

06-05085E: New Morgan Landfill Co., Inc. (420 Quarry Road, P. O. Box 128, Morgantown, PA 19543-0128) on February 5, 2015, for the replacement of two (2) existing enclosed flares and the installation of one (1) candlestick flare at the existing municipal solid waste landfill in New Morgan Borough, **Berks County**. The plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Mark R. Gorog, P.E., Environmental Engineer Manager—Telephone: 412-442-4150

30-00089C: Dominion Transmission, Inc. (5000 Dominion Blvd.—2 NW, Glen Allen, VA 23060) Extension and modification effective February 19, 2015, to extend the period of temporary operation of the natural gas-fired compressor turbine, microturbine generators, and boiler authorized under plan approval PA-30-00089C, until August 19, 2015; and change the plan approval contact person at the Crayne Compressor Station located in Franklin Township, **Greene County**.

32-00059B: GenOn Northeast Management Company (121 Champion Way, Suite 200, Canonsburg, PA 15317) Extension effective February 15, 2015, to extend the period of temporary operation of the coal processing plant authorized under plan approval PA-32-00059B, until August 15, 2015, at the Conemaugh Power Plant located in West Wheatfield Township, **Indiana County**.

32-00059E: GenOn Northeast Management Company (121 Champion Way, Suite 200, Canonsburg, PA 15317) Extension effective March 3, 2015, to extend the period of temporary operation of the Unit 1 and 2 SCR systems and limestone/SO₃ sorbent storage silos controlled by bin vent filters authorized under PA-32-00059E, until September 3, 2015, at the Conemaugh Power Plant located in West Wheatfield Township, **Indiana County**.

56-00257B: PA Department of Corrections (1920 Technology Parkway, Mechanicsburg, PA 17050) Extension and Modification effective February 8, 2015, to extend the period of temporary operation of the cogeneration facility including two natural gas-fired boilers, one dual fuel boiler, one landfill gas-fired turbine, and two landfill gas-fired engines authorized under plan approval PA-56-00257B, until August 8, 2015; and change the plan approval contact person and responsible official at SCI Laurel Highlands located in Somerset Township, **Somerset County**.

04-00699: NGC Industries, LLC, formerly known as National Gypsum Company (168 Shippingport Hill Road, Shippingport, PA 15077-0346) Plan Approval PA-04-00699G was issued on August 20, 2010 to authorize the use of ammonium sulfate as a board hardening accelerating agent at NGC's wallboard manufacturing facility located in Shippingport, **Beaver County**. On February 6, 2015, this Plan Approval was extended and modified to include sources and applicable requirements established in previously issued Plan Approvals PA-04-00699A, PA-04-00699E and PA-04-00699F. Extension/modification is effective February 8, 2015 and the new expiration date is August 8, 2015.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00180: Transicoil LLC. (9 Iron Bridge Dr., Collegeville, PA 19426) On February 5, 2015, for renewal of a State-Only Operating Permit for a plant that manufactures capacitor, resistor, coil, transformer, and other inductor in Perkiomen Township, **Montgomery County**. This Operating Permit contains all applicable state and federal regulations applicable to the facility including emission limitations, operating restrictions, work practice, monitoring, and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

34-03007: Dominion Transmission, Inc. (445 West Main Street, Clarksburg, WV 26301-2843) on February 4, 2015, for the Perulack natural gas compressor station located in Lack Township, **Juniata County**. The State-only permit was renewed.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4762, Lisa Dorman, New Source Review Permitting Chief—Telephone: 717-705-4863 or William Weaver, Regional Air Quality Manager, Telephone: 717-705-4702.

36-05123: Corixa Corporation dba GlaxoSmith-Kline Vaccines (325 North Bridge Street, Marietta, PA 17547-1134) on February 3, 2015, for the pharmaceuticals manufacturing facility in East Donegal Township, **Lancaster County**. The State-only permit underwent a minor modification to update the MACT 4I and 4Z requirements in the permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

59-00004: Ward Manufacturing, LLC (P.O. Box 9, 117 Gulick Street, Blossburg, PA 16912-0009) on January 30, 2015, for their iron foundry in Blossburg Borough, **Tioga County**. The minor operating permit modification included the addition of four core machines and the use of a new core binder. The minor operating permit modification results in an 8.96 tons per 12-consecutive month period increase in volatile organic compound emissions. Minor modification of Title V operating permit No. 59-00004 is issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.462.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

09-00139: Safety-Kleen Systems, Inc. (77 Towpath Road, Fairless Hills, PA 19030) On February 6, 2015 for operation of mineral spirit solvent and windshield washer liquid storage, solvent drum washing and recovery facility in Falls Township, **Bucks County**. The Pennsylvania Department of environmental Protection (DEP) has determined that this facility meets the Operating Permit exemption criteria. Therefore, the DEP will not renew this Operating Permit. The Operating Permit will expire on its own term.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1900

Permit No. 32130108 and NPDES No. PA0269433. Amerikohl Mining Inc., 202 Sunset Drive, Butler, PA 16001, commencement, operation and restoration of a bituminous surface and auger mine in Black Lick, Center & Young Townships, **Indiana County** affecting 163.2

acres. Receiving streams: unnamed tributaries to/and Aultmans Run (TSF) to Conemaugh River (WWF), unnamed tributaries to/and Reeds Run (TSF) to Aultmans Run to Conemaugh River classified for the following uses: trout stocked fishery; warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 21, 2014. Permit issued: February 4, 2015.

The permit includes stream and wetland encroachments to utilize an existing stream crossing for access to the site and conduct mining within 100 feet of the stream for coal removal and the installation of erosion and sedimentation controls. Additionally 0.38 acre of wetlands will be impacted by mining within the barrier area of an unnamed tributary to Aultmans Run.

In conjunction with this approval, the Department is granting 401 Water Quality Certification certifying that the approved activities will comply with the applicable provisions of sections 301—303, 306 and 307 of the Federal Water Pollution Control Act (FWPCA) as cited in section 401 of the FWPCA (33 U.S.C.A. § 1341) and will not violate applicable Federal and State water quality standards.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

63090102 and NPDES Permit No. PA0251666. Neiswonger Construction, Inc. (17592 Route 322, Strattanville, PA 16258). Permit renewal issued for reclamation only to an existing bituminous surface mine, located in Somerset Township, **Washington County**, affecting 82.3 acres. Receiving streams: unnamed tributaries to Center Branch of Pigeon Creek. Application received: December 16, 2014. Permit issued: February 3, 2015.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also

available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-1915, Telephone 570-826-2511.

E35-455. Eric Gillenwater, 1500 Garden Street, Apt 10E, Hoboken, NJ 07030. Covington Township, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To construct and maintain a 6-foot by 12-foot floating dock in Big Bass Lake (EV). The project is located at 86 Sheffick Drive near its intersection with Lake Drive (Sterling, PA Quadrangle Latitude: 41° 15' 33.3"; Longitude: -75° 29' 28.4") Sub basin: 2A

E52-241. Vladimir and Mariana Gorbach, 628 Van Dam Street, Valley Stream, NY 11581. Delaware Township, **Pike County**, Army Corps of Engineers Philadelphia District.

To maintain the following encroachments in Wild Acres Lake (HQ-CWF), 1. A 76 foot long rock retaining wall along the shoreline; 2. A 26 ft. long by 6.5 ft. wide boat dock with the first 12 feet supported by solid fill and the remaining 14 feet supported by pilings; and 3. A 20 ft. long by 22 ft. wide concrete boat launch/storage pad. The project is located at 233 Mountain Lake Drive in the Wild Acres Lake community (Lake Maskenozha, PA Quadrangle, Latitude: 41° 12' 48"; Longitude: -75° 56' 39") in Delaware Township, Pike County. (Lake Maskenozha Quadrangle Latitude: 41°12'48"; Longitude: -74°56'39") Sub basin: 1D

E40-755. Exeter Borough, 1101 Wyoming Avenue, Exeter, PA 18643. Exeter Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain a 1,457-foot long stream channel restoration project along the east and west banks of Hicks Creek (CWF, MF) consisting of the following work: sixty (60) in-stream rock step structures, stream-bank stabilization, riparian plantings, 2.46 acres of floodway impacts associated with cutting/filling. The project is located east of Irene Street, approximately 0.2 mile west of the intersection of Schooley Avenue and Slocum Avenue (Pittston, PA Quadrangle Latitude: 41°19'53"; Longitude: -75°49'59.3") Sub basin: 5B

E52-240. Wild Acres Lakes Property and Homeowners Association, RR1, Box 500, Dingmans Ferry, PA 18328. Dingmans Ferry, **Pike County**, Army Corps of Engineers Philadelphia District.

To remove four existing road crossings and 3 existing waterline crossings of a UNT to Hornbeck's Creek (HQ-CWF, MF) and to construct and maintain:

1. A road crossing (Wild Acres Drive) of a UNT to Hornbeck's Creek (HQ-CWF, MF) consisting of a 20-foot by 5-foot precast concrete box culvert with concrete wing walls, and riprap embankment and outlet protection. The invert of the culvert will be depressed 1-foot below streambed elevation.

2. A road crossing (Panther Path) of a UNT to Hornbeck's Creek (HQ-CWF, MF) consisting of a 13-foot by 5-foot precast concrete box culvert with concrete wing walls, and riprap embankment and outlet protection. The invert of the culvert will be depressed 1-foot below streambed elevation.

3. A road crossing (Mountain Lake Drive) of a UNT to Hornbeck's Creek (HQ-CWF, MF) consisting of a 13-foot by 6-foot precast concrete box culvert with concrete wing walls, and riprap embankment and outlet protection. The invert of the culvert will be depressed 1-foot below streambed elevation.

4. An 8", 6" and 4" diameter ductile iron, concrete encased water line crossing of a UNT to Hornbeck's Creek (HQ-CWF, MF).

5. Riprap choked with native streambed material along the bed of the watercourse for approximately 46 linear feet.

6. Regrading and realigning the watercourse at various locations.

The project will permanently impact a de minimus area of wetland (EV) equal to 0.04 acre.

The project is located at the intersection of Wild Acres Drive and Panther Path (Lake Maskenozha, PA Quadrangle Latitude: 41° 12' 21"; Longitude: -74° 56' 44) in Delaware Township, Pike County. Sub basin: 1D

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701

E5829-083: Lathrop and Lenox Townships, Williams Field Services Company, LLC; Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275; Lathrop and Lenox Townships, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 24-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 78 lineal feet of unnamed tributary to Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 27" Lat., W -75° 46' 38" Long.),

2) a 12-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 50 lineal feet of unnamed tributary to Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 31" Lat., W -75° 46' 35" Long.),

3) a 12-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 50 lineal feet of unnamed tributary to Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 31" Lat., W -75° 46' 34" Long.),

4) a 12-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 50 lineal feet of unnamed tributary to Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 37" Lat., W -75° 46' 26" Long.),

5) a 12-inch diameter natural gas pipeline and temporary timber bridge crossing, and stream relocation/enhancement impacting 699 lineal feet of Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 37" Lat., W -75° 46' 26" Long.),

6) a 12-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 56 lineal feet of unnamed tributary to Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 38" Lat., W -75° 46' 25" Long.),

7) a 12-inch diameter natural gas pipeline and a temporary timber mat crossing impacting 765 square feet (0.02 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; N 41° 41' 39" Lat., W -75° 46' 23" Long.),

8) a temporary timber bridge crossing impacting 83 lineal feet of unnamed tributary to Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 37" Lat., W -75° 46' 23" Long.),

9) a 12-inch diameter natural gas pipeline and a temporary timber mat crossing impacting 731 square feet (0.02 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; N 41° 41' 41" Lat., W -75° 46' 21" Long.),

10) a 12-inch diameter natural gas pipeline and a temporary timber mat crossing impacting 1,648 square feet (0.04 acre) of a PSS wetland (Hop Bottom, PA Quadrangle; N 41° 41' 41" Lat., W -75° 46' 20" Long.),

11) a 12-inch diameter natural gas pipeline and a temporary timber mat crossing impacting 1,039 square feet (0.02 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; N 41° 41' 42" Lat., W -75° 46' 19" Long.),

12) a 12-inch diameter natural gas pipeline and a temporary timber mat crossing impacting 203 square feet (0.01 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; N 41° 41' 43" Lat., W -75° 46' 19" Long.),

13) a 12-inch diameter natural gas pipeline and a temporary timber mat crossing impacting 60 square feet (0.01 acre) of a PSS wetland (Hop Bottom, PA Quadrangle; N 41° 41' 43" Lat., W -75° 46' 16" Long.),

14) a 12-inch diameter natural gas pipeline and temporary timber mat crossing impacting 707 square feet (0.02 acre) of a PEM wetland (Hop Bottom, PA Quadrangle; N 41° 41' 43" Lat., W -75° 46' 15" Long.),

15) a 12-inch diameter natural gas pipeline and temporary timber mat crossing impacting 5,114 square feet (0.12 acre) of a PFO wetland (Hop Bottom, PA Quadrangle; N 41° 41' 39" Lat., W -75° 45' 38" Long.).

16) a 12-inch diameter natural gas pipeline and temporary timber bridge crossing impacting 50 lineal feet of unnamed tributary to Martins Creek (CWF-MF) (Hop Bottom, PA Quadrangle; N 41° 41' 43" Lat., W -75° 46' 16" Long.).

The project consists of constructing approximately 17,781 lineal feet (~3.37 miles) of a 12" natural gas gathering pipeline upsizing to a 24" natural gas gathering pipeline, located in Lathrop and Lenox Townships, Susquehanna County. The project will result in 661 lineal feet of temporary stream impacts, 454 lineal feet of

permanent stream impacts, 2,009 square feet (0.046 acre) of temporary wetland impacts, and 8,318 square feet (0.19 acre) of permanent wetland conversion impacts; all for the purpose of conveying Marcellus Shale natural gas to market.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

D58-172. Elk Mountain Lake Dam, Gregg Confer, Elk Mountain Ski Resort, 344 Elk Mountain Road, Union Dale, PA 18470. To modify, operate, and maintain Elk Mountain Lake Dam across a tributary to the East Branch of the Tunkhannock Creek (CWF), impacting 0.043 acre of wetlands (PEM) with no proposed impacts to the stream channel, for the purpose of constructing a dam on their own property to divide up the existing impoundment so that adjacent owner's impoundment will not be lowered during snowmaking operations. (Clifford, PA Quadrangle Latitude: 41°43'35", Longitude: -75°33'14") in Herrick Township, **Susquehanna County**.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 #ESX14-019-0073—Spang B to Cryo Gas Pipeline

Applicant Mountain Gathreing, LLC

Contact Mr. Dewey Chalos

Address 810 Houston Street

City Fort Worth State TX Zip Code 76102

County Butler Township(s) Penn(s)

Receiving Stream(s) and Classification(s) UNT Thorn Creek/Connoquenessing Creek

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESX29-115-15-0001
 Applicant Name Regency Marcellus Gas Gathering, LLC
 Contact Person Kevin Roberts
 Address 101 West Third Street
 City, State, Zip Williamsport, PA 17701
 County Susquehanna County
 Township(s) Lathrop Township
 Receiving Stream(s) and Classification(s) UNTs to Horton Creek (CWF/MF), Horton Creek (CWF/MF);
 Secondary: Tunkhannock Creek

ESCGP-2 # ESG29-081-14-0041
 Applicant Name Anadarko E&P Onshore, LLC
 Contact Person Rane Wilson
 Address 33 W Third Street
 City, State, Zip Williamsport, PA 17701
 County Lycoming County
 Township(s) Cascade Township
 Receiving Stream(s) and Classification(s) UNT Eagle Run (EV), Eagle Run (EV), East Branch Wallis Run (EV);
 Secondary: Eagle Run (EV), King Run (EV), Wallis Run (EV)

ESCGP-2 # ESX29-131-15-0001
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Wyoming County
 Township(s) Windham Township
 Receiving Stream(s) and Classification(s) UNT to Susquehanna River (WWF/MF);
 Secondary: Susquehanna River (WWF/MF)

ESCGP-2 # ESG29-081-14-0029
 Applicant Name Pennsylvania General Energy Company, LLC
 Contact Person Douglas Kuntz
 Address 120 Market Street
 City, State, Zip Warren, PA 16365
 County Lycoming County
 Township(s) Cummings, McHenry and Pine Townships
 Receiving Stream(s) and Classification(s) Silver Branch, Bark Cabin Run (HQ-CWF), Hackett Fork (EV), Ott Fork, Bennys Run (HQ-CWF), Left & Right Fork Otter Run (CWF/MF), Buckeye Run (CWF/MF);
 Secondary: Little Pine Creek (EV)

ESCGP-2 # ESX29-115-15-0002
 Applicant Name Angelina Gathering Company, LLC
 Contact Person Danny Spaulding
 Address 2350 N Sam Houston Pkwy E, Suite 125
 City, State, Zip Houston, TX 77032
 County Susquehanna County
 Township(s) Oakland & Great Bend Townships
 Receiving Stream(s) and Classification(s) Denton Creek, Hilborn Creek, Susquehanna River 28 (CWF/MF);
 Secondary: Susquehanna River

ESCGP-2 # ESX29-115-15-0004
 Applicant Name Angelina Gathering Company, LLC
 Contact Person Danny Spaulding
 Address 2350 N Sam Houston Pkwy E, Suite 125
 City, State, Zip Houston, TX 77032
 County Susquehanna County
 Township(s) Oakland & Great Bend Townships
 Receiving Stream(s) and Classification(s) Denton Creek, Hilborn Creek, Susquehanna River 28 (CWF/MF);
 Secondary: Susquehanna River

Southwest Region: Oil & Gas Program Mgr. 400 Waterfront Dr., Pittsburgh, PA

ESCGP-2 No: ESG14-125-0052
 Applicant Name: Range Resources Appalachia LLC
 Contact Person Laura M Rasmusiel
 Address: 3000 Town Center Boulevard
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township: Nottingham
 Receiving Stream(s) and Classifications: UNTs to Mingo Creek (HQ-TSF)/Middle Monongahela River watershed;
 HQ

ESCGP-2 No.: ESX14-129-0007
 Applicant Name: Apex Energy LLC
 Contact Person: Ed A Long
 Address: 6041 Wallace Road Ext Suite 100
 City: Wexford State: PA Zip Code: 15090
 County: Westmoreland Township(s): Penn
 Receiving Stream(s) and Classifications: Turtle Creek/Monongahela River; Other TSF

ESCGP-2 No.: ESG14-005-0011
 Applicant Name: EQT Gathering LLC
 Contact Person: Brian M Clauto
 Address: 455 Racetrack Road
 City: Washington State: PA Zip Code: 15301
 County: Armstrong Township(s): West Franklin
 Receiving Stream(s) and Classifications: Unnamed Tributary (UNT) to Buffalo Creek, Buffalo Creek Basin; HQ; Other HQ-TSF

ESCGP-2 No.: ESX09-059-0013-7
 Applicant Name: CNX Gas Company LLC
 Contact Person: Erika Whetstone
 Address: 200 Evergreene Drive
 City: Waynesburg State: PA Zip Code: 15370
 County: Greene Township(s): Morris
 Receiving Stream(s) and Classifications: 2 UNTs to Bates Fork & Bates Fork; HQ; Other WWF

ESCGP-2 No.: ESG14-059-0089
 Applicant Name: CONE Gathering LLC
 Contact Person: Carol Phillips
 Address: 200 Evergreene Drive
 City: Waynesburg State: PA Zip Code: 15370
 COUNTY Greene Township(s): Center
 Receiving Stream(s) and Classifications: Grays Fork and Morris Run/Ohio River Watershed; HQ; Other WWF

ESCGP-2 No.: ESX14-059-0066
 Applicant Name: Chevron Appalachia LLC
 Contact Person: Branden Weimer
 Address: 800 Mountain View Drive
 City: Smithfield State: PA Zip Code: 15478
 County: Greene Township(s): Dunkard
 Receiving Stream(s) and Classifications: Receiving Waters; Bell Run (WWF); Meadow Run (WWF); Watersheds; Dunkard Creek (WWF) Other WWF

ESCGP-2 No.: ESG13-005-0022 Major Revision
 Applicant Name: EQT Gathering LLC
 Contact Person: Brian M Clauto
 Address: 455 Racetrack Road
 City: Washington State: PA Zip Code 15301
 County: Armstrong Township(s): South Buffalo, North Buffalo, and West Franklin
 Receiving Stream(s) and Classifications: UNT to Pine Run, Pine Run, Pine Run Subwatershed, UNT to Sipes Run, Sipes Run Subwatershed, Marrowbone Run Subwatershed, UNT to Buffalo Creek, Buffalo Creek, Buffalo Creek Subwatershed (Buffalo Creek Watershed) HQ; Other HQ-TSF; Siltation-Impaired

SPECIAL NOTICES

Request for Proposals for Municipal Solid Waste Disposal Services; Bedford, Fulton and Huntingdon Counties

In accordance with Section 272 of the PA Solid Waste Rules and Regulations (as amended), the Counties of Bedford, Fulton and Huntingdon are required to contract for waste disposal capacity for a minimum of five (5) years and a maximum of ten (10) years for the disposal of municipal solid waste (MSW) including construction/demolition (C/D) waste and sewage sludge. The Counties are hereby soliciting proposals for disposal of County generated MSW, to begin in February 2015.

Copies of the RFP can be obtained via e-mail as a PDF file on or after February 9, 2015 from the Fulton County Planning Commission, 219 N. Second St., Suite 102, McConnellsburg, PA 17233, e-mail mkseville@co.fulton.pa.us or phone (717) 485-3717.

Sealed proposals will be received by the Fulton County Planning Commission, 219 N. Second St., Suite 102, McConnellsburg, PA 17233 until 4:00 p.m., Prevailing Time on March 13, 2015. The Fulton County Commissioners will publicly open all proposals at 10 A.M. on March 17, 2015 at the Fulton County Commissioners Board Room, 116 W. Market St., Suite 203, McConnellsburg, PA.

Envelopes containing the proposals must be sealed and clearly labeled to show the name and address of the proposer, the statement "Proposal for Municipal Solid Waste Disposal Services" and be addressed to the Fulton County Planning Commission, 219 N. Second St., Suite 102, McConnellsburg, PA 17233, Attention: Mary K. Seville, Planning Director.

Fulton County reserves the right to reject any or all proposals, to waive any irregularities and/or informalities in any proposal and to make an award in any manner, consistent with applicable laws, which is deemed to be in the best interest of the County.

[Pa.B. Doc. No. 15-312. Filed for public inspection February 20, 2015, 9:00 a.m.]

Agricultural Advisory Board 2015 Meeting Dates

The Agricultural Advisory Board will meet from 9 a.m. until 1 p.m. in Susquehanna Room A, Department of Environmental Protection, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA. The meeting dates are as follows:

April 15, 2015
 June 18, 2015
 August 19, 2015
 October 21, 2015
 December 16, 2015

Questions concerning the meetings can be directed to Tom Juengst, Bureau of Conservation and Restoration, P. O. Box 8555, Harrisburg, PA 17105, (717) 783-7577, tjuengst@pa.gov. The agenda and meeting materials for the meetings will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (Select "Public Participation Center," then "Advisory Committees").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Tom Juengst at (717) 783-7577 or through the

Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Acting Secretary

[Pa.B. Doc. No. 15-313. Filed for public inspection February 20, 2015, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.elibrary.dep.state.pa.us. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance Document: Substantive Revision

DEP ID: 370-5500-001. **Title:** Acid Mine Drainage Set-Aside Program: Program Implementation Guidelines. **Description:** This document establishes uniform procedures to ensure that the Acid Mine Drainage Set-Aside Program is implemented in a scientifically sound and cost-effective manner to maximize the stream miles restored with the funds available. The document, initially drafted in 2009, was reevaluated and revised, and will be finalized after receipt and consideration of public comments.

Written Comments: Interested persons may submit written comments on this draft technical guidance document by March 23, 2015. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the originator's name and address. Written comments should be submitted to Pamela Milavec, Department of Environmental Protection, Bureau of Conservation and Restoration, 286 Industrial Park Road, Ebensburg, PA 15931, pmilavec@pa.gov.

Contact: Pamela Milavec, (814) 472-1832, pmilavec@pa.gov.

Effective Date: Upon publication as final in the *Pennsylvania Bulletin*.

JOHN QUIGLEY,
Acting Secretary

[Pa.B. Doc. No. 15-314. Filed for public inspection February 20, 2015, 9:00 a.m.]

Climate Change Advisory Committee Meeting

The Climate Change Advisory Committee will hold a meeting on March 18, 2015, from 10 a.m. to 3 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the meeting can be directed to Mark Brojakowski, Bureau of Air Quality, Climate Change Section, (717) 772-3429, mbrojakows@pa.gov. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (select "Public Participation Center," then "Advisory Committees," then "Climate Change Advisory Committee").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Alex Haas at (717) 787-9495 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Acting Secretary

[Pa.B. Doc. No. 15-315. Filed for public inspection February 20, 2015, 9:00 a.m.]

Mine Families First Response and Communications Advisory Council Meeting Date Change

The Mine Families First Response and Communications Advisory Council has rescheduled its April 29, 2015, meeting. The meeting will now be held on May 6, 2015, at 10 a.m. in the Fayette Room, Department of Environmental Protection, New Stanton Office, 131 Broadview Road, New Stanton, PA.

Questions concerning the meeting can be directed to Allison D. Gaida, (724) 404-3147, agaida@pa.gov. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (Select "Public Participation Center," then "Advisory Committees").

Persons in need of accommodations as provided for the Americans with Disabilities Act of 1990 should contact Allison Gaida at (724) 404-3147 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Acting Secretary

[Pa.B. Doc. No. 15-316. Filed for public inspection February 20, 2015, 9:00 a.m.]

Technical Advisory Committee on Diesel-Powered Equipment Meeting Date Change

The Technical Advisory Committee on Diesel-Powered Equipment has rescheduled its April 8, 2015, meeting. The meeting will now be held on April 15, 2015, at 10 a.m. in the Fayette Room, Department of Environmental Protection, New Stanton Office, 131 Broadview Road, New Stanton, PA.

Questions concerning the meeting can be directed to Allison D. Gaida, (724) 404-3147, agaida@pa.gov. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us (Select "Public Participation Center," then "Advisory Committees").

Persons in need of accommodations as provided for the Americans with Disabilities Act of 1990 should contact Allison Gaida at (724) 404-3147 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,
Acting Secretary

[Pa.B. Doc. No. 15-317. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Lease Hangar and Office Space to the Commonwealth

Luzerne County

Proposers are invited to submit proposals to the Department of General Services to provide the State Police with 7,608 usable square feet of hangar and office space in Avoca. For more information on SFP No. 94692, which is due on March 20, 2015, visit www.dgs.state.pa.us or contact Pete Kafkalas, Bureau of Real Estate, (717) 525-5231, pkafkalas@pa.gov.

CURTIS M. TOPPER,
Acting Secretary

[Pa.B. Doc. No. 15-318. Filed for public inspection February 20, 2015, 9:00 a.m.]

Lease Office Space to the Commonwealth Berks, Bucks, Chester, Cumberland, Dauphin, Lancaster, Lebanon, Montgomery and York Counties

Proposals are invited to provide the Department of General Services with 1,200 to 1,800 usable square feet of office space for a total of 3,000 square feet in two locations for the Office of Attorney General in any of the following counties: Berks; Bucks; Chester; Cumberland; Dauphin; Lancaster; Lebanon; Montgomery; or York. For more information on SFP No. 94691, which is due on Monday, March 9, 2015, visit www.dgs.state.pa.us or contact David Weyandt, (717) 525-5255, daweyandt@pa.gov.

CURTIS M. TOPPER,
Acting Secretary

[Pa.B. Doc. No. 15-319. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of The Eye Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Eye Surgery Center has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-320. Filed for public inspection February 20, 2015, 9:00 a.m.]

Application of Peripheral Vascular Institute of Philadelphia, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Peripheral Vascular Institute of Philadelphia, LLC has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2014 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests an exemption from the following standards contained in this publication: Table 3.1-3 Station Outlets for Oxygen, Vacuum and Medical Air Systems in Outpatient Facilities (relating to outpatient operating room vacuum requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-321. Filed for public inspection February 20, 2015, 9:00 a.m.]

Application of Robert Packer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Robert Packer Hospital has requested an exception to the requirements of 28 Pa. Code § 127.1 (relating to principle), regarding radiology services.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-322. Filed for public inspection February 20, 2015, 9:00 a.m.]

Application of Somerset Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Somerset Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *2010 Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemptions from the following standards contained in this publication: 2.1-7.2.2.2(1) and 2.2-3.1.4.4(2) (relating to ceiling heights; and secure holding rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-323. Filed for public inspection February 20, 2015, 9:00 a.m.]

Application of York Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that York Hospital has requested an exception to the requirements of 28 Pa. Code § 117.30(1) (relating to emergency paramedic services).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-324. Filed for public inspection February 20, 2015, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Delaware Valley Veterans' Home
2701 Southampton Road
Philadelphia, PA 19154
FAC ID # 12720200

Immaculate Mary Center for Rehabilitation & Healthcare
2990 Holme Avenue
Philadelphia, PA 19136
FAC ID # 090902

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.25(a) (relating to kitchen):

Harmony Physical Rehabilitation
4365 Northern Pike
Monroeville, PA 15146
FAC ID # 24280201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-325. Filed for public inspection February 20, 2015, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on March 5, 2015, from 10 a.m. to 3 p.m. The purpose of the meeting is to review progress in the area of organ and tissue donation in this Commonwealth, recommend education and awareness training programs, recommend priorities in expenditures from the Organ and Tissue Donation Awareness Fund (Fund) and advise the Secretary of Health on matters relating to the administration of the Fund. The meeting will be held at the Giant Community Center, 2nd Floor Giant Food Store, 3301 Trindle Road, Camp Hill, PA 17011.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Cyndi Malinen, Public Health Program Administrator, Division of Nutrition and Physical Activity, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-6214, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service (800) 654-5984.

This meeting is subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-326. Filed for public inspection February 20, 2015, 9:00 a.m.]

Pennsylvania Cancer Control, Prevention and Research Advisory Board Meeting

The Pennsylvania Cancer Control, Prevention and Research Advisory Board (Board), established under section 3 of the Pennsylvania Cancer Control, Prevention and Research Act (35 P.S. § 5633), will hold a meeting on Wednesday, March 25, 2015, from 9 a.m. to 12 p.m. at the Giant Super Food Store Community Center, Second Floor, 2300 Linglestown Road, Harrisburg, PA 17110. The purposes of the Board, and items which may be discussed, are the following: advising the Secretary of Health with respect to cancer control, prevention and research in this Commonwealth; approving each year a program for cancer control, prevention and research, to be known as the "Pennsylvania Cancer Plan;" and recommending to the Secretary of Health the awarding of grants and contracts to qualified associations, nonprofit organizations or governmental agencies to plan, establish or conduct programs in cancer control or prevention, cancer education and training and cancer clinical research. In addition, various Department of Health updates will be presented.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Sharon H. Sowers, Plan and Policy Section Chief, Department of Health, Comprehensive Cancer Control Section, Room 1011, Health and Welfare Building, 625 Forster Street, Harrisburg, PA, (717) 547-3249, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT) for speech and/or hearing impaired persons.

This meeting is subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Acting Secretary

[Pa.B. Doc. No. 15-327. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments to Certain Acute Care Hospitals

The Department of Human Services (Department) is announcing its intent to increase its funding allocation for disproportionate share hospital (DSH) payments to cer-

tain qualifying acute care general Medical Assistance (MA) hospitals to support their continued participation in the MA Program. This payment is intended to promote the availability of professional medical services to low income populations in less urbanized areas of this Commonwealth by supporting medical education and academic medical programs aimed to foster the supply of health care professionals. The Department is not otherwise changing its approved State Plan provisions addressing the qualifying criteria or payment methodology for this payment.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The Fiscal Year 2014-2015 impact, as a result of the increased funding allocation for this payment is \$1.660 million (\$0.800 million in State general funds and \$0.860 million in Federal funds upon approval by the Centers for Medicare and Medicaid Services).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will consider all comments received within 30 days of this notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Acting Secretary

Fiscal Note: 14-NOT-937. (1) General Fund; (2) Implementing Year 2014-15 is \$800,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$0; (4) 2013-14 Program—\$16,831,000; 2012-13 Program—\$12,618,000; 2011-12 Program—\$12,618,000; (7) MA—Academic Medical Centers; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 15-328. Filed for public inspection February 20, 2015, 9:00 a.m.]

Availability of Pennsylvania's Statewide Transition Plan for Home and Community-Based Settings

The Department of Human Services (Department) is making available for review and public comment Pennsylvania's proposed Statewide Transition Plan for Home and Community-Based Settings. Comments received will be used to formulate Pennsylvania's Final Statewide Transition Plan that will be submitted to the Centers for Medicare and Medicaid Services (CMS).

Background

CMS published a final rule for home and community-based services (HCBS) at 79 FR 2948 (January 16, 2014) with an effective date of March 17, 2014. This final rule, among other things, amends the Medicaid regulations for HCBS waivers under section 1915(c) of the Social Security Act (42 U.S.C.A. § 1396n(c)) to provide requirements regarding person-centered plans of care, characteristics of

settings that are home and community-based as well as settings that may not be home and community-based. See 42 CFR Parts 430, 431, 435, 436, 440, 441 and 447. These requirements reflect CMS' intent that individuals receiving services and supports through Medicaid waivers receive services in settings that are integrated in and support full access to the greater community.

All 1915(c) Medicaid waivers must comply with these requirements. In this Commonwealth there are ten 1915(c) Medicaid HCBS waivers:

- Adult Autism Waiver
- AIDS Waiver
- Aging Waiver
- Attendant Care Waiver
- COMMCARE Waiver
- Consolidated Waiver
- Independence Waiver
- Infant, Toddlers and Families Waiver
- OBRA Waiver
- Person/Family-Directed Support Waiver

The final rule recognized that a transition period may be needed for states with existing approved 1915(c) HCBS waivers to meet the provisions of the final rule. The final rule provides the Commonwealth with the opportunity to develop a transition plan that encompasses a period of up to 5 years after the effective date of the regulation to meet the provisions of the final rule. For more details about the Home and Community-Based Services Final Rule, refer to the CMS HCBS web page at <http://www.medicaid.gov/Medicaid-CHIP-Program-Information/By-Topics/Long-Term-Services-and-Supports/Home-and-Community-Based-Services/Home-and-Community-Based-Services.html>.

On June 30, 2014, the Department submitted amendments to CMS for the Aging, Independence and Attendant Care waivers, including an initial Statewide Transition Plan in compliance with the final rule. Through follow-up discussions with CMS, these waiver amendments were withdrawn, along with the Statewide Transition Plan. This second submission incorporates feedback and stakeholder input from the initial public comment period, along with feedback and stakeholder input received through subsequent submissions of individual waiver amendments.

Transition Plan

The Department has made Pennsylvania's proposed Statewide Transition Plan for all ten 1915(c) Medicaid HCBS waivers available at <http://www.dhs.state.pa.us/dhsorganization/officeoflongtermliving/hcbswaiver/index.htm>. The proposed Statewide Transition Plan includes the steps the Department anticipates taking to achieve compliance in the following areas: Assessment; Remediation Strategies; and Outreach and Engagement of Stakeholders.

A hard copy of the Statewide Transition Plan may be requested by contacting the Department at the mailing address or e-mail address provided in the Submitting Written Comments and Feedback section. Individuals should include their full name and mailing address when making a request.

Public Input

The Department will be holding webinars to receive comments on the proposed Transition Plan. Dates and times to participate in the webinars follow:

- Thursday, March 5, 2015, at 11 a.m.—1 p.m.
- Monday, March 9, 2015, at 1 p.m.—3 p.m.

Dial-in information for the webinars is available by contacting the Department at (717) 214-2283, or by visiting <http://www.dhs.state.pa.us/dhsorganization/officeoflongtermliving/hcbswaiver/index.htm>.

Submitting Written Comments and Feedback

Interested persons are invited to submit written comments regarding this notice and the proposed Transition Plan. Comments should be addressed to David Alexander, Department of Human Services, Office of the Secretary, P. O. Box 2675, Harrisburg, PA 17105-2675. Comments may also be submitted to the Department's Final Rule Mailbox at ra-pwhcbsfinalrulepl@pa.gov. Commenters are instructed to use subject header "TP Final Rule" when submitting electronic comments. Comments must be submitted by March 22, 2015.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Acting Secretary

Fiscal Note: 14-NOT-941. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 15-329. Filed for public inspection February 20, 2015, 9:00 a.m.]

Change to an Additional Class of Disproportionate Share Payments

The purpose of this notice is to announce the Department of Human Services' (Department) intent to increase the funding allotted for Fiscal Year (FY) 2014-2015 for disproportionate share hospital (DSH) payments to certain qualifying Medical Assistance (MA) enrolled hospitals that advance the Department's goal of enhancing access to multiple types of medical care in economically distressed areas of this Commonwealth. The Department is not otherwise changing the qualifying criteria or payment methodology for this payment.

In making these payments, the Department ensures that no acute care general hospital receives a DSH payment that is in excess of its hospital-specific DSH upper payment limit and the Commonwealth is not exceeding its aggregate annual DSH allotment.

Fiscal Impact

The FY 2014-2015 fiscal impact as a result of this increase in the allocation for the additional class of DSH payments is \$43.776 million (\$21.091 million in State general funds and \$22.685 million in Federal funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, Attention, c/o Regulations Coordinator, Room 515, Health and

Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Acting Secretary

Fiscal Note: 14-NOT-938. (1) General Fund; (2) Implementing Year 2014-15 is \$21,091,000; (3) 1st Succeeding Year 2015-16 through 5th Succeeding Year 2019-20 are \$0; (4) 2013-14 Program—\$163,862,000; 2012-13 Program—\$268,112,000; 2011-12 Program—\$325,685,000; (7) MA—Inpatient; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 15-330. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$1 Million Payout '15 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$1 Million Payout '15.

2. *Price:* The price of a Pennsylvania \$1 Million Payout '15 instant lottery game ticket is \$20.

3. *Play Symbols:* Each Pennsylvania \$1 Million Payout '15 instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTEEN), 14 (FOURTEEN), 15 (FIFTEEN), 16 (SIXTEEN), 17 (SEVENTEEN), 18 (EIGHTEEN), 19 (NINETEEN), 20 (TWENTY), 21 (TWENTYONE), 22 (TWENTYTWO), 23 (TWENTYTHREE), 24 (TWENTYFOUR), 25 (TWENTYFIVE), 26 (TWENTYSIX), 27 (TWENTYSEVEN), 28 (TWENTYEIGHT), 29 (TWENTYNINE), 30 (THIRTY), 31 (THIRTYONE), 32 (THIRTYTWO), 33 (THIRTYTHREE), 34 (THIRTYFOUR), 35 (THIRTYFIVE), 36 (THIRTYSIX), 37 (THIRTYSEVEN), 38 (THIRTYEIGHT), 39 (THIRTYNINE) and 40 (FORTY). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTEEN), 14 (FOURTEEN), 15 (FIFTEEN), 16 (SIXTEEN), 17 (SEVENTEEN), 18 (EIGHTEEN), 19 (NINETEEN), 20 (TWENTY), 21 (TWENTYONE), 22 (TWENTYTWO), 23 (TWENTYTHREE), 24 (TWENTYFOUR), 25 (TWENTYFIVE), 26 (TWENTYSIX), 27 (TWENTYSEVEN), 28 (TWENTYEIGHT), 29 (TWENTYNINE), 30 (THIRTY), 31 (THIRTYONE), 32 (THIRTYTWO), 33 (THIRTYTHREE), 34 (THIRTYFOUR), 35 (THIRTYFIVE), 36 (THIRTYSIX), 37 (THIRTYSEVEN), 38 (THIRTYEIGHT), 39 (THIRTYNINE), 40 (FORTY), STAR (STAR) symbol, 10X (TENTH TIMES) symbol and a PAYOUT (PAY-OUT) symbol.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL).

5. *Prizes:* The prizes that can be won in this game are: \$20, \$25, \$30, \$40, \$50, \$100, \$250, \$500, \$1,000, \$10,000, \$100,000 and \$1,000,000. A player can win up to 20 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the Pennsylvania \$1 Million Payout '15 instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1MILL (ONE MIL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. This prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a PAYOUT (PAY-OUT) symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. This prize shall be paid as a one-time, lump-sum cash payment.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10,000 (TEN THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a STAR (STAR) symbol, and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 10X (TENTH TIMES) symbol, and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the 10X (TENTH TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a STAR (STAR) symbol, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$250 (TWOHUNFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$250.

(l) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a STAR (STAR) symbol, and a prize symbol of \$250 (TWOHUNFTY) appears in the “prize” area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$250.

(m) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a 10X (10TIMES) symbol, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under the 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$250.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a STAR (STAR) symbol, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a STAR (STAR)

symbol, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$50.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(s) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(t) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a STAR (STAR) symbol, and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$30.

(u) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(v) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a STAR (STAR) symbol, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$25.

(w) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols is a STAR (STAR) symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the STAR (STAR) symbol, on a single ticket, shall be entitled to a prize of \$20.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

*When Any Of Your Numbers Match
Any Winning Number, Win Prize
Shown Under The Matching
Number. Win With:*

<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
\$20 w/ STAR	10	540,000
\$20	30	180,000
\$25 w/ STAR	30	180,000
\$25	30	180,000
\$30 w/ STAR	42.86	126,000
\$30	100	54,000
\$20 × 2	300	18,000
(\$20 w/ STAR) × 2	100	54,000
\$40	300	18,000
\$25 × 2	150	36,000
(\$30 w/ STAR) + \$20	100	54,000
\$50 w/ STAR	100	54,000
\$50	150	36,000
\$25 × 4	300	18,000

When Any Of Your Numbers Match
Any Winning Number, Win Prize
Shown Under The Matching
Number. Win With:

Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 5,400,000 Tickets:	
\$50 × 2	\$100	300	18,000
(\$20 w/ STAR) × 5	\$100	300	18,000
\$100 w/ STAR	\$100	300	18,000
\$100	\$100	300	18,000
\$25 w/ 10X	\$250	190.48	28,350
(\$50 w/ STAR) × 5	\$250	1,200	4,500
\$250 w/ STAR	\$250	1,200	4,500
\$250	\$250	2,400	2,250
\$250 × 2	\$500	6,000	900
(\$40 × 5) + (\$20 × 15)	\$500	3,000	1,800
\$50 w/ 10X	\$500	857.14	6,300
(((\$50 w/ STAR) × 5) + ((\$25 w/ STAR) × 10)	\$500	2,000	2,700
\$500 w/ STAR	\$500	2,000	2,700
\$500	\$500	6,000	900
\$50 × 20	\$1,000	3,000	1,800
\$250 × 4	\$1,000	12,000	450
\$100 w/ 10X	\$1,000	4,000	1,350
(((\$100 w/ STAR) × 5) + ((\$50 w/ STAR) × 10)	\$1,000	6,000	900
\$1,000 w/ STAR	\$1,000	8,000	675
\$1,000	\$1,000	24,000	225
\$500 × 20	\$10,000	216,000	25
\$1,000 × 10	\$10,000	154,286	35
\$10,000	\$10,000	360,000	15
\$100,000	\$100,000	360,000	15
\$1,000,000 w/ PAYOUT	\$1,000,000	1,800,000	3
\$1,000,000	\$1,000,000	2,700,000	2

Reveal a "STAR" (STAR) symbol, win prize shown under that symbol automatically.
Reveal a "10X" (10TIMES) symbol, win 10 times the prize shown under that symbol.
Reveal a "PAYOUT" (PAYOUT) symbol, win \$1 million instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania \$1 Million Payout '15 instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania \$1 Million Payout '15, prize money from winning Pennsylvania \$1 Million Payout '15 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania \$1 Million Payout '15 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania \$1 Million Payout '15 or through normal communications methods.

EILEEN McNULTY,
Acting Secretary

[Pa.B. Doc. No. 15-331. Filed for public inspection February 20, 2015, 9:00 a.m.]

Pennsylvania Beeline Bingo Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Beeline Bingo.

2. *Price:* The price of a Pennsylvania Beeline Bingo instant lottery game ticket is \$3.

3. *Play Symbols:*

(a) Each Pennsylvania Beeline Bingo instant lottery game ticket will contain six play areas designated as “CARD 1,” “CARD 2,” “CARD 3,” “CARD 4,” “CARD 5” and “CARD 6.” Each “CARD” is played separately. A player may win more than one time on a ticket; however a player may only win one prize on each “CARD.” Each “CARD” will consist of 25 spaces on a 5 by 5 grid. The 76 play symbols located in the six play areas are: The numbers 1 through 75 and the “FREE” symbol. The “FREE” symbol is a free space.

(b) Each Pennsylvania Beeline Bingo instant lottery game ticket will contain a separate “BONUS BEELINE” area containing five spaces, one each under the letters “B,” “I,” “N,” “G” and “O.” The play symbols located in the “BONUS BEELINE” area are: The numbers 1 through 75. The “BONUS BEELINE” area is played separately.

(c) Each ticket will also contain a “CALLER’S CARD” area. The “CALLER’S CARD” area will consist of 27 spaces. The play symbols that may be located in each space on the grid are: The letter B with a number 1 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60; and the letter O with a number 61 through 75.

4. *Prize Symbols:* The prize symbols and their captions, located in the “BONUS BEELINE” area are: \$3⁰⁰ (THR DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$60⁰⁰ (SIXTY), \$90⁰⁰ (NINETY), \$150 (ONEHUNFTY) and \$300 (THR HUN).

5. *Prizes:* The prizes that can be won in this game are: \$3, \$6, \$9, \$10, \$18, \$20, \$30, \$60, \$90, \$150, \$300, \$1,000, \$2,000, \$3,000 and \$50,000. The prizes that can be won in the “BONUS BEELINE” area are: \$3, \$10, \$20, \$60, \$90, \$150 and \$300. The player can win up to five times on each ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the Pennsylvania Beeline Bingo instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets matching the “CALLER’S CARD” play symbols in an X pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 6,” shall be entitled to a prize of \$50,000.

(b) Holders of tickets matching the “CALLER’S CARD” play symbols in an X pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 5,” shall be entitled to a prize of \$3,000.

(c) Holders of tickets matching the “CALLER’S CARD” play symbols in an X pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 4,” shall be entitled to a prize of \$2,000.

(d) Holders of tickets matching the “CALLER’S CARD” play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the “N” column; the spaces appearing in the third horizontal row from the top in the “B” and “O” columns; and the space appearing in the fifth horizontal row from the top in the “N” column on “CARD 6,” shall be entitled to a prize of \$1,000.

(e) Holders of tickets matching the “CALLER’S CARD” play symbols in an X pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 3,” shall be entitled to a prize of \$1,000.

(f) Holders of tickets matching the “CALLER’S CARD” play symbols in five-space horizontal line, in the “BONUS BEELINE” area, and a prize symbol of \$300 (THR HUN) appears in the “Prize” area to the right of the “BONUS BEELINE” area, shall be entitled to a prize of \$300.

(g) Holders of tickets matching the “CALLER’S CARD” play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the “N” column; the spaces appearing in the third horizontal row from the top in the “B” and “O” columns; and the space appearing in the fifth horizontal row from the top in the “N” column on “CARD 5,” shall be entitled to a prize of \$300.

(h) Holders of tickets matching the “CALLER’S CARD” play symbols in an X pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 2,” shall be entitled to a prize of \$300.

(i) Holders of tickets matching the “CALLER’S CARD” play symbols in five-space horizontal line, in the “BONUS BEELINE” area, and a prize symbol of \$150 (ONEHUNFTY) appears in the “Prize” area to the right of the “BONUS BEELINE” area, shall be entitled to a prize of \$150.

(j) Holders of tickets matching the “CALLER’S CARD” play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the “N” column; the spaces appearing in the third horizontal row from the top in the “B” and “O” columns; and the space appearing in the fifth horizontal row from the top in the “N” column on “CARD 3” or “CARD 4,” shall be entitled to a prize of \$150.

(k) Holders of tickets matching the “CALLER’S CARD” play symbols in an X pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 1,” shall be entitled to a prize of \$150.

(l) Holders of tickets matching the “CALLER’S CARD” play symbols in five-space horizontal line, in the “BONUS BEELINE” area, and a prize symbol of \$90⁰⁰ (NINETY) appears in the “Prize” area to the right of the “BONUS BEELINE” area, shall be entitled to a prize of \$90.

(m) Holders of tickets matching the “CALLER’S CARD” play symbols in the 4 corners on “CARD 5” or “CARD 6” shall be entitled to a prize of \$90.

(n) Holders of tickets matching the "CALLER'S CARD" play symbols in five-space horizontal line, in the "BONUS BEELINE" area, and a prize symbol of \$60⁰⁰ (SIXTY) appears in the "Prize" area to the right of the "BONUS BEELINE" area, shall be entitled to a prize of \$60.

(o) Holders of tickets matching the "CALLER'S CARD" play symbols in the 4 corners on "CARD 3" or "CARD 4" shall be entitled to a prize of \$60.

(p) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 2," shall be entitled to a prize of \$60.

(q) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 5" or "CARD 6," with a red line completely covering the winning line pattern, shall be entitled to a prize of \$30.

(r) Holders of tickets matching the "CALLER'S CARD" play symbols in the 4 corners on "CARD 2," shall be entitled to a prize of \$30.

(s) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 1," shall be entitled to a prize of \$30.

(t) Holders of tickets matching the "CALLER'S CARD" play symbols in five-space horizontal line, in the "BONUS BEELINE" area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area to the right of the "BONUS BEELINE" area, shall be entitled to a prize of \$20.

(u) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal

line on "CARD 4," with a red line completely covering the winning line pattern, shall be entitled to a prize of \$18.

(v) Holders of tickets matching the "CALLER'S CARD" play symbols in the 4 corners on "CARD 1," shall be entitled to a prize of \$10.

(w) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 5" or "CARD 6," shall be entitled to a prize of \$10.

(x) Holders of tickets matching the "CALLER'S CARD" play symbols in five-space horizontal line, in the "BONUS BEELINE" area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area to the right of the "BONUS BEELINE" area, shall be entitled to a prize of \$10.

(y) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 1," "CARD 2," or "CARD 3," with a red line completely covering the winning line pattern, shall be entitled to a prize of \$9.

(z) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 4," shall be entitled to a prize of \$6.

(aa) Holders of tickets matching the "CALLER'S CARD" play symbols in five-space horizontal line, in the "BONUS BEELINE" area, and a prize symbol of \$3⁰⁰ (THR DOL) appears in the "Prize" area to the right of the "BONUS BEELINE" area, shall be entitled to a prize of \$6.

(bb) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 1," "CARD 2" or "CARD 3," shall be entitled to a prize of \$3.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 9,600,000 Tickets</i>
LINE CARD 1	\$3	20	480,000
LINE CARD 2	\$3	25	384,000
LINE CARD 3	\$3	25	384,000
(LINE CARD 1) + (LINE CARD 2)	\$6	50	192,000
(LINE CARD 1) + (LINE CARD 3)	\$6	50	192,000
(LINE CARD 2) + (LINE CARD 3)	\$6	100	96,000
(LINE CARD 2) + (\$3 w/BONUS BEELINE)	\$6	100	96,000
LINE CARD 4	\$6	50	192,000
RED LINE CARD 1	\$9	500	19,200
RED LINE CARD 2	\$9	500	19,200
RED LINE CARD 3	\$9	500	19,200
FOUR CORNERS CARD 1	\$10	333.33	28,800
LINE CARD 5	\$10	333.33	28,800
LINE CARD 6	\$10	250	38,400
RED LINE CARD 4	\$18	500	19,200
(LINE CARD 5) + (LINE CARD 6)	\$20	500	19,200
(FOUR CORNERS CARD 1) + (LINE CARD 6)	\$20	500	19,200

<i>Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 9,600,000 Tickets</i>
\$20 w/BONUS BEELINE	\$20	333.33	28,800
(FOUR CORNERS CARD 1) + (LINE CARD 5) + (\$10 w/BONUS BEELINE)	\$30	1,600	6,000
DIAMOND CARD 1	\$30	923.08	10,400
FOUR CORNERS CARD 2	\$30	923.08	10,400
RED LINE CARD 5	\$30	800	12,000
RED LINE CARD 6	\$30	1,600	6,000
(DIAMOND CARD 1) + (FOUR CORNERS CARD 2)	\$60	2,400	4,000
DIAMOND CARD 2	\$60	2,400	4,000
FOUR CORNERS CARD 3	\$60	2,400	4,000
FOUR CORNERS CARD 4	\$60	2,400	4,000
\$60 w/BONUS BEELINE	\$60	2,182	4,400
(DIAMOND CARD 1) + (DIAMOND CARD 2)	\$90	3,000	3,200
(DIAMOND CARD 1) + (FOUR CORNERS CARD 4)	\$90	4,000	2,400
(FOUR CORNERS CARD 2) + (FOUR CORNERS CARD 3)	\$90	4,000	2,400
FOUR CORNERS CARD 5	\$90	4,000	2,400
FOUR CORNERS CARD 6	\$90	4,000	2,400
\$90 w/BONUS BEELINE	\$90	1,500	6,400
(DIAMOND CARD 2) + (FOUR CORNERS CARD 5)	\$150	30,000	320
(FOUR CORNERS CARD 3) + (FOUR CORNERS CARD 6)	\$150	24,000	400
"X" CARD 1	\$150	20,000	480
DIAMOND CARD 3	\$150	30,000	320
DIAMOND CARD 4	\$150	30,000	320
\$150 w/BONUS BEELINE	\$150	17,143	560
("X" CARD 1) + (DIAMOND CARD 4)	\$300	40,000	240
(DIAMOND CARD 2) + (DIAMOND CARD 4) + (FOUR CORNERS CARD 5)	\$300	30,000	320
(DIAMOND CARD 3) + (DIAMOND CARD 4)	\$300	24,000	400
(FOUR CORNERS CARD 3) + (FOUR CORNERS CARD 4) + (FOUR CORNERS CARD 5) + (FOUR CORNERS CARD 6)	\$300	20,000	480
("X" CARD 1) + (\$150 w/BONUS BEELINE)	\$300	40,000	240
"X" CARD 2	\$300	60,000	160
DIAMOND CARD 5	\$300	60,000	160
(FOUR CORNERS CARD 1) + ("X" CARD 2) + (DIAMOND CARD 5) + (FOUR CORNERS CARD 6) + (\$300 w/ BONUS BEELINE)	\$1,000	40,000	240
"X" CARD 3	\$1,000	60,000	160
DIAMOND CARD 6	\$1,000	60,000	160
("X" CARD 3) + (DIAMOND CARD 6)	\$2,000	60,000	160
"X" CARD 4	\$2,000	60,000	160
("X" CARD 3) + ("X" CARD 4)	\$3,000	120,000	80
"X" CARD 5	\$3,000	120,000	80
"X" CARD 6	\$50,000	960,000	10

RED LINE: When a red line completely covers a winning line pattern on any CARD, triple the prize shown for that win.

BONUS BEELINE: Scratch the numbers in the BONUS BEELINE that match those revealed in the CALLER'S CARD area. When all numbers are completely matched in the BONUS BEELINE area, win prize shown to the right.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Beeline Bingo instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Beeline Bingo, prize money from winning Pennsylvania Beeline Bingo instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Beeline Bingo instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Beeline Bingo or through normal communications methods.

EILEEN McNULTY,
Acting Secretary

[Pa.B. Doc. No. 15-332. Filed for public inspection February 20, 2015, 9:00 a.m.]

Pennsylvania Big Money Bingo Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Big Money Bingo.

2. *Price:* The price of a Pennsylvania Big Money Bingo instant lottery game ticket is \$5.

3. *Play Symbols:*

(a) Each Pennsylvania Big Money Bingo instant lottery game ticket will contain eight play areas designated as “CARD 1,” “CARD 2,” “CARD 3,” “CARD 4,” “CARD 5,” “CARD 6,” “CARD 7” and “CARD 8.” Each card is played separately. A player may win more than one time on a ticket; however a player may only win one prize on each “CARD.” Each “CARD” will consist of 25 spaces on a 5 by 5 grid. The 77 play symbols located in the eight play areas are: The numbers 1 through 75, “FREE” symbol and a Moneybag symbol. The “FREE” symbol is a free space. The Moneybag symbol is a free space and when it appears in a winning pattern, the prize is multiplied by 10.

(b) Each Pennsylvania Big Money Bingo instant lottery game ticket will contain a separate “LIL’ MORE BINGO” area containing nine spaces, on a 3 by 3 grid. The play symbols located in the “LIL’ MORE BINGO” area are: The letter B with a number 1 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60; and the letter O with a number 61 through 75. The “LIL’ MORE BINGO” area is played separately.

(c) Each ticket will also contain a “CALLER’S CARD” area. The “CALLER’S CARD” area will consist of 30 spaces on a 10 by 3 grid. The play symbols that may be located in each space on the grid are: The letter B with a number 1 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60; and the letter O with a number 61 through 75.

4. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$25, \$50, \$100, \$250, \$500, \$1,000, \$5,000, \$10,000 and \$100,000. The player can win up to four times on each ticket.

5. *Approximate Number of Tickets Printed For the Game:* Approximately 14,400,000 tickets will be printed for the Pennsylvania Big Money Bingo instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets matching the “CALLER’S CARD” play symbols in an “X” pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 8,” shall be entitled to a prize of \$100,000.

(b) Holders of tickets matching the “CALLER’S CARD” play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the “N” column; the spaces appearing in the third horizontal row from the top in the “B” and “O” columns; and the space appearing in the fifth horizontal row from the top in the “N” column on “CARD 8,” shall be entitled to a prize of \$10,000.

(c) Holders of tickets matching the “CALLER’S CARD” play symbols in an “X” pattern, extending through the “FREE” space and through to each of the four corner spaces, on “CARD 7,” shall be entitled to a prize of \$10,000.

(d) Holders of tickets matching the “CALLER’S CARD” play symbols in a five-space horizontal, vertical or diagonal line, with a Moneybag symbol appearing in that same

horizontal, vertical or diagonal line, on "CARD 8," shall be entitled to a prize of \$5,000.

(e) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 7," shall be entitled to a prize of \$5,000.

(f) Holders of tickets matching the "CALLER'S CARD" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "CARD 6," shall be entitled to a prize of \$5,000.

(g) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 8," shall be entitled to a prize of \$1,000.

(h) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 8," shall be entitled to a prize of \$500.

(i) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line, with a Moneybag symbol appearing in that same horizontal, vertical or diagonal line, on "CARD 7," shall be entitled to a prize of \$500.

(j) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 7," shall be entitled to a prize of \$500.

(k) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 6," shall be entitled to a prize of \$500.

(l) Holders of tickets matching the "CALLER'S CARD" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "CARD 5," shall be entitled to a prize of \$500.

(m) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 6," shall be entitled to a prize of \$250.

(n) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 5," shall be entitled to a prize of \$250.

(o) Holders of tickets matching the "CALLER'S CARD" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "CARD 4," shall be entitled to a prize of \$250.

(p) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line, with a Moneybag symbol appearing in that same horizontal, vertical or diagonal line, on "CARD 5" or "CARD 6," shall be entitled to a prize of \$100.

(q) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 5," shall be entitled to a prize of \$100.

(r) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 4," shall be entitled to a prize of \$100.

(s) Holders of tickets matching the "CALLER'S CARD" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "CARD 3," shall be entitled to a prize of \$100.

(t) Holders of tickets matching three of the "CALLER'S CARD" play symbols in a diagonal line, in the "LIL' MORE BINGO" play area, and a prize amount of \$50 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 7," shall be entitled to a prize of \$50.

(v) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 4," shall be entitled to a prize of \$50.

(w) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 3," shall be entitled to a prize of \$50.

(x) Holders of tickets matching the "CALLER'S CARD" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "CARD 2," shall be entitled to a prize of \$50.

(y) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line, with a Moneybag symbol appearing in that same horizontal, vertical or diagonal line, on "CARD 1," "CARD 2," "CARD 3" or "CARD 4," shall be entitled to a prize of \$50.

(z) Holders of tickets matching three of the "CALLER'S CARD" play symbols in a row or column, in the "LIL' MORE BINGO" play area, and a prize amount of \$25 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$25.

(aa) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 3," shall be entitled to a prize of \$25.

(bb) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 2," shall be entitled to a prize of \$25.

(cc) Holders of tickets matching the "CALLER'S CARD" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "CARD 1," shall be entitled to a prize of \$25.

(dd) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 2," shall be entitled to a prize of \$15.

(ee) Holders of tickets matching the "CALLER'S CARD" play symbols to four spaces appearing in a diamond pattern, which includes the space appearing in the top horizontal row in the "N" column; the spaces appearing in the third horizontal row from the top in the "B" and "O" columns; and the space appearing in the fifth horizontal row from the top in the "N" column on "CARD 1," shall be entitled to a prize of \$15.

(ff) Holders of tickets matching three of the "CALLER'S CARD" play symbols in a row or column, in the "LIL' MORE BINGO" play area, and a prize amount of \$10 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$10.

(gg) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 5" or "CARD 6," shall be entitled to a prize of \$10.

(hh) Holders of tickets matching the "CALLER'S CARD" play symbols in the four corners on "CARD 1," shall be entitled to a prize of \$10.

(ii) Holders of tickets matching three of the "CALLER'S CARD" play symbols in a row or column, in the "LIL' MORE BINGO" play area, and a prize amount of \$5 appears in the arrow pointing to that win, on a single ticket, shall be entitled to a prize of \$5.

(jj) Holders of tickets matching the "CALLER'S CARD" play symbols in a five-space horizontal, vertical or diagonal line on "CARD 1," "CARD 2," "CARD 3" or "CARD 4," shall be entitled to a prize of \$5.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 14,400,000 Tickets</i>
LINE CARD 1	\$5	30	480,000
LINE CARD 2	\$5	30	480,000
LINE CARD 3	\$5	60	240,000
LINE CARD 4	\$5	60	240,000
LIL' MORE BINGO BONUS	\$5	60	240,000
(LINE CARD 1) + (LINE CARD 2)	\$10	75	192,000
(LINE CARD 3) + (LINE CARD 4)	\$10	75	192,000
FOUR CORNERS CARD 1	\$10	75	192,000
LINE CARD 5	\$10	75	192,000
LINE CARD 6	\$10	75	192,000
LIL' MORE BINGO BONUS	\$10	75	192,000
(LINE CARD 1) + (LINE CARD 2) + (LINE CARD 3)	\$15	600	24,000
(LINE CARD 3) + (LINE CARD 5)	\$15	600	24,000
(FOUR CORNERS CARD 1) + (LINE CARD 4)	\$15	300	48,000
DIAMOND CARD 1	\$15	300	48,000
FOUR CORNERS CARD 2	\$15	300	48,000
(DIAMOND CARD 1) + (LINE CARD 6)	\$25	300	48,000
"X" PATTERN CARD 1	\$25	600	24,000
DIAMOND CARD 2	\$25	600	24,000
FOUR CORNERS CARD 3	\$25	600	24,000
LIL' MORE BINGO BONUS	\$25	600	24,000
LINE CARD 1 w/ MONEYBAG	\$50	300	48,000
"X" PATTERN CARD 2	\$50	600	24,000
DIAMOND CARD 3	\$50	600	24,000
FOUR CORNERS CARD 4	\$50	600	24,000
LINE CARD 7	\$50	600	24,000
LIL' MORE BINGO BONUS	\$50	600	24,000
(LINE CARD 2 w/ MONEYBAG) + (LINE CARD 3 w/ MONEYBAG)	\$100	2,000	7,200
(FOUR CORNERS CARD 1) + (FOUR CORNERS CARD 2) + (FOUR CORNERS CARD 3) + (FOUR CORNERS CARD 4)	\$100	3,000	4,800
("X" PATTERN CARD 2) + (DIAMOND CARD 3)	\$100	3,000	4,800
"X" PATTERN CARD 3	\$100	3,000	4,800
DIAMOND CARD 4	\$100	3,000	4,800
FOUR CORNERS CARD 5	\$100	3,000	4,800
LINE CARD 6 w/ MONEYBAG	\$100	1,714	8,400
(DIAMOND CARD 3) + (DIAMOND CARD 4) + (4 CORNERS CARD 5)	\$250	8,000	1,800

<i>Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 14,400,000 Tickets</i>
("X" PATTERN CARD 2) + ("X" PATTERN CARD 3) + (DIAMOND CARD 4)	\$250	4,800	3,000
(DIAMOND CARD 4) + (4 CORNERS CARD 5) + (LINE CARD 7)	\$250	3,000	4,800
("X" PATTERN CARD 3) + (LINE CARD 4 w/ MONEYBAG) + (LINE CARD 5 w/ MONEYBAG)	\$250	3,000	4,800
"X" PATTERN CARD 4	\$250	6,000	2,400
DIAMOND CARD 5	\$250	6,000	2,400
FOUR CORNERS CARD 6	\$250	6,000	2,400
(DIAMOND CARD 5) + (FOUR CORNERS CARD 6)	\$500	24,000	600
("X" PATTERN CARD 4) + (FOUR CORNERS CARD 6)	\$500	24,000	600
("X" PATTERN CARD 4) + (DIAMOND CARD 5)	\$500	24,000	600
"X" PATTERN CARD 5	\$500	15,000	960
DIAMOND CARD 6	\$500	15,000	960
FOUR CORNERS CARD 7	\$500	15,000	960
LINE CARD 7 w/ MONEYBAG	\$500	8,000	1,800
LINE CARD 8	\$500	12,000	1,200
(DIAMOND CARD 6) + (FOUR CORNERS CARD 7)	\$1,000	120,000	120
FOUR CORNERS CARD 8	\$1,000	120,000	120
("X" PATTERN CARD 5) + (DIAMOND CARD 6) + (FOUR CORNERS CARD 7) + (FOUR CORNERS CARD 8)	\$2,500	120,000	120
"X" PATTERN CARD 6	\$5,000	411,429	35
DIAMOND CARD 7	\$5,000	411,429	35
LINE CARD 8 w/ MONEYBAG	\$5,000	411,429	35
"X" PATTERN CARD 7	\$10,000	960,000	15
DIAMOND CARD 8	\$10,000	960,000	15
"X" PATTERN CARD 8	\$100,000	960,000	15

"MONEYBAG" symbol: The "MONEYBAG" symbol found on each card is also a "FREE" space. When it appears in any winning pattern, win ten times the prize shown for that win.

LIL' MORE BINGO: Scratch the numbers in the LIL' MORE BINGO play area that match those revealed in the CALLER'S CARD area. When you match three numbers in a row, column or diagonal, win prize shown in the arrow pointing to that win.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Big Money Bingo instant lottery game tickets.

9. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of

at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Big Money Bingo, prize money from winning Pennsylvania Big Money Bingo instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Big Money Bingo instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State

Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Big Money Bingo or through normal communications methods.

EILEEN McNULTY,
Acting Secretary

[Pa.B. Doc. No. 15-333. Filed for public inspection February 20, 2015, 9:00 a.m.]

Pennsylvania Cash Ka-Pow Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cash Ka-Pow.

2. *Price:* The price of a Pennsylvania Cash Ka-Pow instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Cash Ka-Pow instant lottery game ticket will contain one play area featuring 15 play symbols and their captions. The play symbols and their captions located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRTY), Dynamite (DYNMT) symbol, \$100 Burst (WIN100) symbol and a KA-POW (KAPOW) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: \$5^{.00} (FIV DOL), \$10^{.00} (TEN DOL), \$20^{.00} (TWENTY), \$25^{.00} (TWY FIV), \$40^{.00} (FORTY), \$50^{.00} (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$250, \$500, \$1,000, \$5,000 and \$100,000. The player can win up to 15 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,000,000 tickets will be printed for the Pennsylvania Cash Ka-Pow instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$100,000 (ONEHUNTHO) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$5,000 (FIV THO) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$1,000 (ONE THO) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets with a KA-POW (KAPOW) symbol in the play area and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas and a prize symbol of \$50^{.00} (FIFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$500 (FIV HUN) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets with a KA-POW (KAPOW) symbol in the play area and a prize symbol of \$50^{.00} (FIFTY) appears in five of the “prize” areas and a prize symbol of \$25^{.00} (TWY FIV) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$250 (TWOHUNFTY) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$250.

(h) Holders of tickets with a KA-POW (KAPOW) symbol in the play area and a prize symbol of \$20^{.00} (TWENTY) appears in ten of the “prize” areas and a prize symbol of \$10^{.00} (TEN DOL) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$250.

(i) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$100 (ONE HUN) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets with a \$100 Burst (WIN100) symbol in the play area, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets with a KA-POW (KAPOW) symbol in the play area and a prize symbol of \$10^{.00} (TEN DOL) appears in five of the “prize” areas and a prize symbol of \$5^{.00} (FIV DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$50^{.00} (FIFTY) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$40^{.00} (FORTY) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$25^{.00} (TWY FIV) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$25.

(o) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$20^{.00} (TWENTY) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$10⁰⁰ (TEN DOL) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets with a Dynamite (DYNMT) symbol in the play area and a prize symbol of \$5⁰⁰ (FIV

DOL) in the “prize” area under that Dynamite (DYNMT) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal A “DYNAMITE” (DYNMT) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets</i>
\$5	\$5	8.57	1,400,000
\$5 × 2	\$10	30	400,000
\$10	\$10	42.86	280,000
\$5 × 4	\$20	150	80,000
\$10 × 2	\$20	150	80,000
(\$5 × 2) + \$10	\$20	150	80,000
\$20	\$20	200	60,000
\$5 × 5	\$25	300	40,000
(\$10 × 2) + \$5	\$25	600	20,000
\$20 + \$5	\$25	300	40,000
\$25	\$25	600	20,000
\$5 × 8	\$40	600	20,000
\$10 × 4	\$40	600	20,000
\$20 × 2	\$40	600	20,000
\$40	\$40	600	20,000
\$5 × 10	\$50	600	20,000
\$10 × 5	\$50	600	20,000
\$25 × 2	\$50	600	20,000
\$50	\$50	600	20,000
KA-POW w/ ((\$10 × 5) + (\$5 × 10))	\$100	1,200	10,000
\$10 × 10	\$100	3,000	4,000
\$25 × 4	\$100	3,000	4,000
\$50 × 2	\$100	4,000	3,000
\$100 w/ \$100 BURST	\$100	206.9	58,000
\$100	\$100	3,000	4,000
KA-POW w/ ((\$20 × 10) + (\$10 × 5))	\$250	8,000	1,500
\$25 × 10	\$250	12,000	1,000
(\$40 × 5) + (\$10 × 5)	\$250	24,000	500
(\$100 w/ \$100 BURST) + (\$50 × 3)	\$250	4,000	3,000
\$250	\$250	24,000	500
KA-POW w/ ((\$50 × 5) + (\$25 × 10))	\$500	60,000	200
\$50 × 10	\$500	60,000	200
\$250 × 2	\$500	60,000	200
(\$100 w/ \$100 BURST) × 5	\$500	30,000	400
\$500	\$500	60,000	200
KA-POW w/ ((\$100 × 5) + (\$50 × 10))	\$1,000	30,000	400
\$250 × 4	\$1,000	120,000	100
\$500 × 2	\$1,000	120,000	100
(\$100 w/ \$100 BURST) × 10	\$1,000	40,000	300
\$1,000	\$1,000	120,000	100
\$1,000 × 5	\$5,000	2,400,000	5
\$5,000	\$5,000	2,400,000	5
\$100,000	\$100,000	1,200,000	10

Reveal a “\$100 BURST” (WIN100) symbol, win \$100 instantly.

Reveal a “KA-POW” (KAPOW) symbol, win all 15 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Cash Ka-Pow instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant

lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize,

either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Cash Ka-Pow, prize money from winning Pennsylvania Cash Ka-Pow instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Cash Ka-Pow instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Cash Ka-Pow or through normal communications methods.

EILEEN McNULTY,
Acting Secretary

[Pa.B. Doc. No. 15-334. Filed for public inspection February 20, 2015, 9:00 a.m.]

Pennsylvania Give Me 5 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Give Me 5.

2. *Price:* The price of a Pennsylvania Give Me 5 instant lottery game ticket is \$1.

3. *Play Symbols:* Each Pennsylvania Give Me 5 instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 5 (FIVE) symbol and a Hand (WIN5) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰

(FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTN), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$1,000 (ONE THO) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$3, \$5, \$10, \$15, \$20, \$50, \$100, \$1,000 and \$5,000. The player can win up to 5 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,000,000 tickets will be printed for the Pennsylvania Give Me 5 instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$5,000 (FIV THO) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$1,000 (ONE THO) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$100 (ONE HUN) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(d) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$50⁰⁰ (FIFTY) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$50.

(e) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$20⁰⁰ (TWENTY) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(f) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$15⁰⁰ (FIFTN) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$15.

(g) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$10⁰⁰ (TEN DOL) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(h) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$5⁰⁰ (FIV DOL) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets with a Hand (WIN5) symbol in the play area, on a single ticket, shall be entitled to a prize of \$5.

(j) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$3⁰⁰ (THR DOL) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$3.

(k) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$2⁰⁰ (TWO DOL) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$2.

(l) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of \$1⁰⁰ (ONE DOL) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a single ticket, shall be entitled to a prize of \$1.

(m) Holders of tickets with a 5 (FIVE) symbol in the play area and a prize symbol of FREE (TICKET) in the "PRIZE" area to the right of that 5 (FIVE) symbol, on a

single ticket, shall be entitled to a prize of one Pennsylvania Give Me 5 instant game ticket or one Pennsylvania Lottery instant game ticket with a \$1 sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

<i>Reveal A "5" (FIVE) Symbol, Win Prize Shown To The Right Of That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets</i>
FREE	FREE \$1 TICKET	9.68	1,240,000
\$1 × 2	\$2	30	400,000
\$2	\$2	60	200,000
\$2 + \$1	\$3	42.86	280,000
\$3	\$3	150	80,000
\$1 × 5	\$5	600	20,000
\$3 + \$2	\$5	300	40,000
\$5 w/ HAND	\$5	150	80,000
\$5	\$5	600	20,000
\$2 × 5	\$10	750	16,000
(\$3 × 2) + (\$2 × 2)	\$10	1,000	12,000
(\$5 w/ HAND) + \$5	\$10	600	20,000
\$10	\$10	1,000	12,000
\$5 + \$10	\$15	1,500	8,000
(\$5 w/ HAND) × 3	\$15	750	16,000
\$15	\$15	1,500	8,000
\$10 × 2	\$20	750	16,000
(\$5 w/ HAND) × 4	\$20	500	24,000
\$20	\$20	750	16,000
\$10 × 5	\$50	1,500	8,000
\$50	\$50	3,000	4,000
\$20 × 5	\$100	12,000	1,000
\$50 × 2	\$100	6,000	2,000
\$100	\$100	24,000	500
\$1,000	\$1,000	60,000	200
\$5,000	\$5,000	600,000	20

Reveal a "HAND" (WIN5) symbol, win \$5 instantly.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Give Me 5 instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Give Me 5, prize money from winning Pennsylvania Give Me 5 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Give Me 5 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Give Me 5 or through normal communications methods.

EILEEN McNULTY,
Acting Secretary

[Pa.B. Doc. No. 15-335. Filed for public inspection February 20, 2015, 9:00 a.m.]

Pennsylvania Scratch Some Cash Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Scratch Some Cash.

2. *Price:* The price of a Pennsylvania Scratch Some Cash instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Scratch Some Cash instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), Money Roll (MNYRL) symbol and a Money Bag (MNYBAG) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$25⁰⁰ (TWY FIV), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO) and \$25,000 (TWYFIVTHO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$20, \$25, \$50, \$100, \$250, \$500, \$1,000 and \$25,000. The player can win up to 12 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 10,800,000 tickets will be printed for the Pennsylvania Scratch Some Cash instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$25,000 (TWYFIVTHO) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(b) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets with a Money Bag (MNYBAG) symbol in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the “prize” areas, a prize symbol of \$250 (TWOHUNFTY) appears in one of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$250 (TWOHUNFTY) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$250.

(f) Holders of tickets with a Money Bag (MNYBAG) symbol in the play area, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in two of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$250.

(g) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets with a Money Bag (MNYBAG) symbol in the play area, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in two of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets with a Money Bag (MNYBAG) symbol in the play area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the “prize” areas and a prize symbol of \$4⁰⁰ (FOR DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$25.

(l) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$5.

(o) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$4.

(p) Holders of tickets with a Money Roll (MNYRL) symbol in the play area, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under that Money Roll (MNYRL) symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes, and approximate odds of winning:

Reveal A "MONEY ROLL"
(MNYRL) Symbol, Win Prize
Shown Under That Symbol,
Win With:

	Win:	Approximate Odds Are 1 In:	Approximate No. Of Winners Per 10,800,000 Tickets
\$2	\$2	8.82	1,224,000
\$2 × 2	\$4	30	360,000
\$4	\$4	37.5	288,000
\$5	\$5	37.5	288,000
\$5 × 2	\$10	187.5	57,600
(\$4 × 2) + \$2	\$10	250	43,200
\$10	\$10	750	14,400
\$2 × 10	\$20	750	14,400
\$5 × 4	\$20	214.29	50,400
\$10 × 2	\$20	1,500	7,200
\$20	\$20	1,500	7,200
\$5 × 5	\$25	685.71	15,750
(\$4 × 5) + \$5	\$25	2,400	4,500
(\$5 × 3) + \$10	\$25	2,400	4,500
\$20 + \$5	\$25	685.71	15,750
\$25	\$25	2,400	4,500
MONEY BAG w/ ((\$5 × 2) + (\$4 × 10))	\$50	827.59	13,050
\$25 × 2	\$50	6,000	1,800
(\$10 × 2) + (\$5 × 6)	\$50	6,000	1,800
\$50	\$50	6,000	1,800
MONEY BAG w/ ((\$25 × 2) + (\$5 × 10))	\$100	2,000	5,400
\$25 × 4	\$100	6,000	1,800
(\$20 × 2) + (\$10 × 6)	\$100	6,000	1,800
\$100	\$100	5,000	2,160
MONEY BAG w/ ((\$25 × 2) + (\$20 × 10))	\$250	6,000	1,800
(\$50 × 2) + (\$25 × 6)	\$250	30,000	360
\$250	\$250	30,000	360
MONEY BAG w/ ((\$20 × 10) + \$250 + \$50)	\$500	20,000	540
(\$100 × 2) + (\$50 × 6)	\$500	120,000	90
\$500	\$500	120,000	90
\$1,000	\$1,000	30,000	360
\$25,000	\$25,000	540,000	20

Reveal a "MONEY BAG" (MNYBAG) symbol, win all 12 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Scratch Some Cash instant lottery game tickets.

10. *Retailer Bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall

be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which he qualifies on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Scratch Some Cash, prize money from winning Pennsylvania Scratch Some Cash instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Scratch Some Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game*: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Scratch Some Cash or through normal communications methods.

EILEEN McNULTY,
Acting Secretary

[Pa.B. Doc. No. 15-336. Filed for public inspection February 20, 2015, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Application for Lease of Right-of-Way

Under 67 Pa. Code § 495.4(d) (relating to application procedure), an application to lease highway right-of-way has been submitted to the Department of Transportation by Linden Court, Inc., 312 Windsor Way, Stroudsburg, PA seeking to lease highway right-of-way located at SR 0611, Pocono Township, Monroe County, 0.111 acre +/-, adjacent to SR 0611, Section 04S, for the purpose of parking.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Michael W. Rebert, PE, District Executive, Engineering District 5-0, 1002 Hamilton Street, Allentown, PA 18101.

Questions regarding this application or the proposed use may be directed to Bruce Kern, District Property Manager, 1002 Hamilton Street, Allentown, PA 18101, (610) 871-4179.

LESLIE S. RICHARDS,
Acting Secretary

[Pa.B. Doc. No. 15-337. Filed for public inspection February 20, 2015, 9:00 a.m.]

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P. S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following is the property available for sale by the Department.

Borough of Moosic, Lackawanna County. The parcel contains 6.78 acres of unimproved land situated along Interstate 81 southbound on ramp at Davis Street. Estimated fair market value is \$650,000. Parcel is bordered by Limited Access Right-of-Way. There is no access to this property from Davis Street (SR 3016) or the Interstate 81 ramp. This parcel is a portion of the 19.74-acre parcel acquired by the Department in 2000 from Scranton Lackawanna Industrial Building Company.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Jeff Hawley, Right of Way Administrator I, 55 Keystone Industrial Park, Dunmore, PA 18512, (570) 963-4072.

LESLIE S. RICHARDS,
Acting Secretary

[Pa.B. Doc. No. 15-338. Filed for public inspection February 20, 2015, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Merck Sharp & Dohme Corp. v. DEP; EHB Doc. No. 2015-011-L

Merck Sharp & Dohme Corp. has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Merck Sharp & Dohme Corp. for a facility in Upper Gwynedd Township, Montgomery County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 15-339. Filed for public inspection February 20, 2015, 9:00 a.m.]

FISH AND BOAT COMMISSION

Temporary Changes to Fishing Regulations; Striped Bass

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), has taken immediate action to amend 58 Pa. Code § 61.2 (relating to Delaware River, West Branch Delaware River and River Estuary). Specifically, the Executive Director has amended this section to decrease the creel limit for striped bass in the River Estuary (from the Pennsylvania line upstream to Calhoun Street Bridge) during the periods January 1 through March 31 and June 1 through December 31 to one fish, and to

change the slot limit during the period April 1 through May 31 to 21 to 25 inches. The Executive Director also has amended the section to decrease the creel limit for striped bass in the Delaware River (from the Calhoun Street Bridge upstream) to one fish. This action is being taken to meet the requirements of the Atlantic States Marine Fisheries Commission (ASMFC).

ASMFC's management plan for striped bass calls for management actions when the coast-wide spawning stock biomass (SSB) or fishing mortality rates reach thresholds set within the management plan. The SSB threshold is 127 million pounds, and the current SSB is just above this at 128 million pounds. At the current fishing mortality rates, there is concern that the SSB will fall below the threshold in the near future. In addition to these concerns, recruitment of young fish has been relatively low in many of the years since 2004. In response to these concerns, the ASFMC Striped Bass Management Board,

which includes the Commonwealth as a member, has directed all coastal states to reduce fishing mortality rates by 25% beginning in 2015. The amendments to 58 Pa. Code § 61.2 are designed to meet this objective.

To address the coast-wide regulation directed by the ASMFC, the Commission's Executive Director has taken immediate action to make the following modifications to fishing regulation:

§ 61.2. Delaware River, West Branch Delaware River and River Estuary.

* * * * *

(d) The following seasons, sizes and creel limits apply to the Delaware River, West Branch Delaware River and Delaware River tributaries, from the mouths of the tributaries upstream to the limit of the tidal influence and the Lehigh River from its mouth upstream to the first dam in Easton, Pennsylvania:

SPECIES	SEASONS	MINIMUM SIZE	DAILY LIMIT
STRIPED BASS and HYBRID STRIPED BASS	From Pennsylvania line upstream to Calhoun Street Bridge:		
	January 1 until March 31 and June 1 until December 31	28 inches	1
	April 1 through May 31	[20] 21 to [26] 25 inches	2
	From Calhoun Street Bridge upstream: open year-round	28 inches	1
	* * * * *		

The Executive Director has found that this action is necessary and appropriate for the management of fish and to conserve and preserve fishing opportunities. The temporary modifications will go into effect on March 1, 2015, and will remain in effect until the Commission, by appropriate action, amends 58 Pa. Code § 61.2. At its meeting on May 5, 2015, the Commission will consider the publication of a notice of proposed rulemaking containing the proposed amendments and soliciting public comments for 30 days.

JOHN A. ARWAY,
Executive Director

[Pa.B. Doc. No. 15-340. Filed for public inspection February 20, 2015, 9:00 a.m.]

INSURANCE DEPARTMENT

Notice to Workers' Compensation Insurance Carriers; Special Schedule "W" Data Call

The Insurance Department (Department) is conducting its annual workers' compensation Special Schedule "W" data call. Authority for this data call can be found in section 655 of The Insurance Company Law of 1921 (40 P. S. § 815).

Insurance companies that write workers' compensation insurance in this Commonwealth are required to complete the data call on or before April 15, 2015.

Consistent with prior Special Schedule "W" data calls, the cover letter, general instructions and instructions for considerations affecting data are available on the Department's web site at www.insurance.pa.gov, click on "Services for Insurance Companies," then "Industry Activity"

and "Data Calls." An e-mail announcing the data call was sent to all Pennsylvania workers' compensation insurance carriers during the week of February 9, 2015.

The Pennsylvania Compensation Rating Bureau's (Bureau) Financial Data Reporting Application (FDRA) will again be used to report all Special Schedule "W" information (including Coal Mine experience) instead of submitting directly to the Department. Refer to the Bureau's web site, www.pcrb.com, for further information on reporting workers' compensation experience for Special Schedule "W" by means of the FDRA.

Questions regarding this data call should be directed to Bojan Zorkic, Insurance Department, Office of Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, (717) 787-6968, bzorkic@pa.gov.

TERESA D. MILLER,
Acting Insurance Commissioner

[Pa.B. Doc. No. 15-341. Filed for public inspection February 20, 2015, 9:00 a.m.]

RiverSource Life Insurance Company; Rate Increase Filing for Form 30160A-PA

RiverSource Life Insurance Company is requesting approval to increase the premium 15% on 1,757 policyholders with the following individual LTC policy form number: 30160A-PA.

Unless formal administrative action is taken prior to May 7, 2015, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. Under the tab "How to Find . . ." click on the link "PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Acting Insurance Commissioner

[Pa.B. Doc. No. 15-342. Filed for public inspection February 20, 2015, 9:00 a.m.]

Surplus Lines Agents and Interested Parties; Export List of Insurance Coverages

In April 2014, the Insurance Commissioner (Commissioner) determined that certain insurance coverages were generally unavailable in the authorized market and declared those coverages as exportable. A list of exportable coverages was published at 44 Pa.B. 2602 (April 26, 2014). Accordingly, for those insurance coverages that are included on the export list, a diligent search among insurers admitted to do business in this Commonwealth is not required before placement of the coverages in the surplus lines market.

The Commissioner declared that the export list would remain in effect until revised or superseded by a subsequent list.

At this time, the Commissioner is soliciting comments regarding the current export list. Any person may request in writing that a coverage be added or removed from the list.

Persons wishing to comment on the Commissioner's current export list are invited to submit a written statement within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Office of Corporate and

Financial Regulation, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@pa.gov. After consideration of all comments received, the Commissioner will publish a notice in the *Pennsylvania Bulletin* providing a 15-day opportunity to comment on any proposed changes before formal publication of the revised list.

TERESA D. MILLER,
Acting Insurance Commissioner

[Pa.B. Doc. No. 15-343. Filed for public inspection February 20, 2015, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-15-001, Dated January 9, 2015. Authorizes the Memorandum of Understanding between the Commonwealth and the Association of Liquor Enforcement Supervisors Meet and Discuss Unit (K5). The MOU provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2011, through June 30, 2015.

Resolution No. CB-15-002, Dated January 15, 2015. Authorizes the labor agreement entered into between the Commonwealth and the Pennsylvania State Troopers Association for the period July 1, 2012 through June 30, 2017.

Governor's Office

Management Directive No. 215.8—Contractor Integrity Provisions for Commonwealth Contracts, Amended January 14, 2015.

Management Directive No. 245.15—Pennsylvania Statewide Radio Network, Amended January 14, 2015.

Management Directive No. 530.9—Social Security Records, Amended January 12, 2015.

LAURA CAMPBELL,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 15-344. Filed for public inspection February 20, 2015, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2015-2466653. Fink Gas Company. Application of Fink Gas Company for approval of the abandonment of natural gas service to 22 natural gas service customers located in Armstrong County, and for approval of the abandonment by Fink Gas of all natural gas services and natural gas distribution services in this Commonwealth.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities), on or before March 9, 2015. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: Fink Gas Company

Through and By Counsel: Linda L. Ziembicki, Esquire, The Law Office of Linda L. Ziembicki, P. O. Box 535, 900 East Main Street, Rural Valley, PA 16249

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-345. Filed for public inspection February 20, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by March 9, 2015. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers* for transportation of *persons* as described under each application.

A-2014-2446741 (Corrected). Bucks County Services, Inc. (8125 Frankford Avenue, Philadelphia, PA 19136) in call or demand service, in the Borough of Ambler, Montgomery County, and within an airline distance of 20 miles of said borough.

A-2014-2457336. Air Critical Care, LLC t/a ACC Medlink (660 Charlotte Street, #3, Punta Gorda, FL 33950) persons in paratransit service, between points in Pennsylvania.

A-2014-2459521. New Valley Transportation, LLC (2042 West Main Street, #40, Norristown, Montgomery

County, PA 19403) persons in limousine service, between points in Berks, Bucks, Chester, Delaware, Lancaster, Lehigh and Montgomery Counties.

A-2015-2464049. US Transit Authority, LLC t/a Luxury Lift (3265 Fulling Mill Road, Middletown, Dauphin County, PA 17057) for the right to begin to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Dauphin County, to points in Pennsylvania, and return. *Attorney:* Brian J. Hinkle, Esquire, Mette, Evans and Woodside, 3401 North Front Street, P. O. Box 5950, Harrisburg, PA 17110-0950.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers* for the transportation of *household goods* as described under the application.

A-2015-2461572. Philagorilla Movers, LLC (2000 Hamilton Street, PNB 927, Philadelphia, PA 19130) household goods in use, from points in the City and County of Philadelphia, to points in Pennsylvania.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers* by motor vehicle and for cancellation of the certificate of public conveyance as described under each application.

A-2014-2455786. Philadelphia Historic African American Tours, LLC (28 Green Valley Road, Wallingford, Delaware County, PA 19086) discontinuance of service and cancellation of its certificate—in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the City of Philadelphia to points in the Counties of Bucks, Chester, Delaware, Lancaster and Montgomery, and return.

A-2014-2458749. Elite Carriages, Inc. t/a Dream Limousines (200 Pleasant Drive, Johnstown, PA 15904, Cambria County, PA 15904) discontinuance of service and cancellation of its certificate—persons in limousine service, between points in Pennsylvania.

A-2014-2459162. Ira C. Herr, Jr. (830 Truce Road, Quarryville, Lancaster County, PA 17566) discontinuance of service and cancellation of its certificate—in paratransit service, between points in the County of Lancaster, and from points in said county to points in Pennsylvania, and return, limited to persons whose personal convictions prevent them from owning or operating motor vehicles.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-346. Filed for public inspection February 20, 2015, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due March 9, 2015, and must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Meadville Moving & Storage, Inc., 894 Bessemer Street, Meadville, PA 16335-4604; Docket No. C-2014-2452307

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Meadville Moving & Storage, Inc., (respondent) is under suspension effective October 23, 2014 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 894 Bessemer Street, Meadville, PA 16335-4604.
3. That respondent was issued a Certificate of Public Convenience by this Commission on March 20, 1961, at A-00087686.
4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00087686 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the

best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/12/2014

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and
Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Wayne T. Scott, First Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P. O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Scott at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Acord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 15-347. Filed for public inspection February 20, 2015, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 14-3474 for a CNC turning center for the Machine Tool and Computer Aided Manufacturing Lab. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 15-348. Filed for public inspection February 20, 2015, 9:00 a.m.]

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for project 14-3475 for a vertical machining center for the Machine Tool and Computer Aided Manufacturing Lab. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 15-349. Filed for public inspection February 20, 2015, 9:00 a.m.]
