

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 22, 2015.

Under section 503.E of the Department of Banking and Securities Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Incorporations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-16-2015	Peoples Security Trust/Wealth Management Company Scranton Lackawanna County  <i>Corresponding Agent</i> Daniel G. Murray 301 Carnegie Center, Suite 400 Princeton, NJ 08543	Withdrawn

#### Interim Incorporations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-21-2015	Covenant Interim Bank Doylestown Bucks County  The purpose of Covenant Interim Bank, Doylestown, is to merge with Covenant Bank, Doylestown, to facilitate the proposed reorganization of Covenant Bank into a bank holding company structure whereby Covenant Bank will become the wholly-owned subsidiary of Covenant Financial, Inc., a new holding company in formation.	Effective

#### Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-18-2015	Richard J. Green  Application for approval to acquire over 50% majority voting control of Semperverde Holding Company, Conshohocken, and thereby voting control of Firstrust Savings Bank, which is a wholly owned subsidiary of Semperverde Holding Company.	Filed

#### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-18-2015	Nextier, Inc. Kittanning Armstrong County  Application for approval to acquire 100% of Eureka Financial Corp., Pittsburgh and thereby indirectly acquire 100% of Eureka Bank, Financial Savings Association, Pittsburgh.	Approved

**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-18-2015	C&G Savings Bank Altoona Blair County	Filed
Application for approval to merge Cresson Community Bank, Cresson, with and into C&G Savings Bank, Altoona, and changing their corporate title to PennCrest Bank.		

**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-7-2015	PeoplesBank, A Codorus Valley Company York York County	1651 Baltimore Pike Hanover York County	Opened
12-17-2015	Compass Savings Bank Wilmerding Allegheny County	87 Rocky Road Irwin Westmoreland County	Filed

**Branch Discontinuance**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-9-2015	Beneficial Bank Philadelphia Philadelphia County	7262 Frankford Avenue Philadelphia Philadelphia County	Filed

**Branch Consolidations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-4-2015	AmeriServ Financial Bank Johnstown Cambria County	<i>Into:</i> 1857 North Atherton Street State College Centre County  <i>From:</i> 734 South Atherton Street State College Centre County	Withdrawn

**CREDIT UNIONS**

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 16-7. Filed for public inspection December 31, 2015, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Manufactured Home Community Rights Act; Maximum Relocation Fees Payable in the Event of Community Closure

Section 11.2(c) of the Manufactured Home Community Rights Act (act) (68 P. S. § 398.11.2(c)) requires that the Department of Community and Economic Development annually adjust relocation fees that may be owed to manufactured home owners in the event that the community closes. The fees are adjusted based on an increase on the Consumer Price Index.

The base amount of this fee in effect for calendar year 2013 was \$4,000 for single section manufactured homes and \$6,000 for multisection manufactured homes. The Consumer Price Index Inflation Calculator as provided by the United States Department of Labor adjusts the fees for calendar year 2016 as follows:

- \$4,075.19 for single section manufactured homes
- \$6,112.78 for multisection manufactured homes

Inquiries regarding the act should be directed to the Office of the Attorney General.

DENNIS M. DAVIN,  
*Secretary*

[Pa.B. Doc. No. 16-8. Filed for public inspection December 31, 2015, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### I. NPDES Renewal Applications

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060216 (Sewage)	Sterling Sewer & Water Company, LLC P. O. Box 125 Lake Ariel, PA 18436	Wayne County Sterling Township	Uban Creek (01C)	Y

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3742.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0208574 (Sewage)	Coach Stop Inn 3014 E State Street Hermitage, PA 16148-3307	Tioga County Shippen Township	UNT to Pine Creek (9-A)	Y
PA0008575 A-1 (Industrial Waste)	Wirerope Works, Inc. 100 Maynard Street Williamsport, PA 17701	Lycoming County City of Williamsport	West Branch Susquehanna River (10-B)	N

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0205931 (Sewage)	Upper Middletown STP 566 Industrial Park Road Waltersburg, PA 15475	Fayette County Menallen Township	Redstone Creek (19-C)	Y
PA0097268 (Sewage)	Henry Clay Villa STP 5253 National Pike Road Markleysburg, PA 15459	Fayette County Henry Clay Township	Unnamed Tributary to Hall Run (19-E)	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0239682 (sewage)	Philip Nastasi SFTF 168 Pleasant Valley Road Portersville, PA 16051	Butler County Muddycreek Township	Unnamed Tributary to Muddy Creek (20-C)	Y
PA0263681 (Sewage)	Cecilia & Ralph Laroche SFTF 15 Yohe Road Bradford, PA 16701	McKean County Corydon Township	Unnamed Tributary to the Willow Creek (16-B)	Yes
PA0263699 (Sewage)	Kris Ellis SFTF 160 George Road Evans City, PA 16033	Butler County Forward Township	Unnamed Tributary to the Breakneck Creek (20-C)	Yes
PA0101940 (Sewage)	Country Estates MHP Tiffany Lane Kennerdell, PA 16374-2220	Venango County Clinton Township	Trout Run (16-G)	Y

## **II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications**

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970*

**PA0056430**, Storm Water, SIC Code 4226, 4613, **Sunoco Partners Marketing & Terminals, LP**, 1818 Market Street, Philadelphia, PA 19103. Facility Name: Fort Mifflin Terminal. This existing facility is located in Tincum Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Storm Water.

The receiving stream(s), Unnamed Tributary to Delaware River, is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average stormwater flow.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily Maximum</i>	
Oil and Grease	XXX	XXX	XXX	15	XXX	30
TRPH	XXX	XXX	XXX	15	XXX	30

In addition, the permit contains the following major special conditions:

- A. Requirements for Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Requirements for Petroleum Marketing Terminals

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0031771**, Sewage, SIC Code 4952, **Westtown Township**, P. O. Box 79, Westtown, PA 19395-0079. Facility Name: Westtown-Chester Creek STP. This existing facility is located in Westtown Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), East Branch Chester Creek, is located in State Water Plan watershed 3-G and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.495 MGD.

<i>Parameters</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD <sub>5</sub>						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	62	95	XXX	15	23	30
Nov 1 - Apr 30	103	165	XXX	25	40	50
BOD <sub>5</sub>						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	124	186	XXX	30	45	60
Total Dissolved Solids	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
UV Intensity ( $\mu\text{w}/\text{cm}^2$ )	XXX	XXX	Report Min	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	10	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	31	XXX	XXX	7.5	XXX	15.0
Total Phosphorus						
May 1 - Oct 31	4.1	XXX	XXX	1.0	XXX	2.0
Nov 1 - Apr 30	8.2	XXX	XXX	2.0	XXX	4.0
Total Copper	XXX	XXX	XXX	0.028	0.056 Daily Max	0.07

\* Shall not exceed in more than 10% of samples.

In addition, the permit contains the following major special conditions:

- A. No Stormwater.
- B. Acquire Necessary Property Rights.
- C. Proper Sludge Disposal.
- D. Operator Notification.
- E. TMDL/WLA Analysis.
- F. Fecal Coliform Reporting.
- G. EDMR Requirement.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**PA0063045**, Industrial Waste, SIC Code 2013, **Polarized Meat Co., Inc.**, 105 Keystone Industrial Park, Dunmore, PA 18512. Facility Name: Polarized Meats. This existing facility is located in Scott Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated wastewater.

The receiving stream, South Branch Tunkhannock Creek, is located in State Water Plan watershed 04F and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.

Parameters	Mass (lb/day)			Concentration (mg/l)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine	XXX	XXX	XXX	1.2	XXX	2.8
CBOD <sub>5</sub>	4.5	9.0	XXX	XXX	XXX	XXX
Total Suspended Solids	5.4	10.8	XXX	XXX	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	XXX	200	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	XXX	Geo Mean 400	2,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	4.0	8.0	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3742.*

**PA0028738**, Sewage, SIC Code 4952, **Ralpho Township Municipal Authority**, 206 S. Market Street Suite 1, Elysburg, PA 17824-9782. Facility Name: Ralpho Township Municipal Authority Wastewater Treatment Plant. This existing facility is located in Shamokin Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Shamokin Creek, is located in State Water Plan watershed 6-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.819 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
DO	XXX	XXX	Report	XXX	Max XXX	XXX
TRC	XXX	XXX	XXX	0.5	XXX	1.6
CBOD <sub>5</sub>	170	270	XXX	25	40	50
BOD <sub>5</sub>		Wkly Avg				
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
TSS						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
TSS	200	305	XXX	30	45	60
		Wkly Avg				

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia	Report	XXX	XXX	Report	XXX	XXX
Total Aluminum	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Copper	Report	XXX	XXX	Report	XXX	XXX
Total Iron	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		
Total Lead	6.55	13.11	XXX	0.96	1.92	2.4
					Daily Max	
Total Manganese	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual	Monthly	Monthly Average	Maximum	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	13,132	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	1,751	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 5215403**, Sewage, **Hawley Area Authority**, 1010 Hudson Street, Hawley, PA 18428.

This facility is located in Lackawaxen Township, **Pike County**.

Description of Proposed Action/Activity: The applicant will be upgrading the existing wastewater treatment plant. The basic treatment process will be altered from an aeration tank with mechanical mixers to a five-stage dual-train biological nutrient removal process. All upgrades will be performed within the existing tanks. Other improvements to the plant include a new vertical automatic headworks screen with an overflow bar screen, conversion of the reed bed sump pump station to include an influent pump station with a magnetic flow meter on the discharge pipe, conversion from chlorine disinfection to ultraviolet disinfection, enhancements to the solids management and utility water systems, a new SCADA system, and other associated appurtenances.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 6315405**, Sewage, **William E. Reed**, 133 Ames Road, Bentleyville, PA 15314.

This proposed facility is located in Somerset Township, **Washington County**.

Description of Proposed Action/Activity: Single residence sewage treatment plant.

### VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI014613010(1)	Matrix CBH, L.P. Forsgate Drive CN 4000 Cranbury, NJ 08512	Montgomery	Cheltenham Township	Tacony Creek TSF-MF

## NOTICES

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011515028	Turkshead Commercial, LLC 797 East Lancaster Avenue, Suite 17 Downingtown, PA 19335	Chester	West Whiteland Township	Unnamed Tributary to Valley Creek CWF  Unnamed Tributary to Broad Run HQ-CWF

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030615003	John Backenstose 2478 Old Route 100 Barto, PA 19504	Berks	Washington Township	West Branch Perkiomen Creek Wetlands (Designated Use of Water CWF-Cold Water Fishery; EV-Exceptional Value)
PAI033115001	Petersburg Borough Sewer Authority P. O. Box 6 316 King Street Petersburg, PA 16669	Huntingdon	Logan Township	Shaver Creek (Designated Use of Water HQ—CWF, MF; Existing Use of Water HQ—CWF, MF) Juniata River (Designated Use of Water WWF, MF; Existing Use of Water WWF, MF)
PAI033615013	Leon Sensenig 179 Black Road Peach Bottom, PA 17563	Lancaster	Little Britain	POI-A UNT Conowingo Creek (Designated Use of Water POI-A CWF; Existing Use of Water POI-A CWF)

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041415015	Gerald J Brown 1197 West Gatesburg Rd. Warriors Mark, PA 116877	Centre	Ferguson Township	Beaver Branch, HQ- CWF
PAI041415016	PA DCNR 400 Market Street Harrisburg, PA 17101	Centre	Potter Township	UNT to Potter Run HQ-CWF

*Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041811002(1)R	Donald Dunkle 95 Cedar Heights Mill Hall, PA 17751	Clinton	Lamar Township	UNT Fishing Creek HQ-CWF

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Mercer County Conservation District, 747 Greenville Road, Mercer, PA 16137*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI064310001(R)	PADOT Eng District 1-0 255 Elm Street P. O. Box 398 Oil City, PA 16301-1467	Mercer	City of Sharon, City of Farrell, Borough of Wheatland	Pine Run WWF Shenango River WWF



## PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act

*Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**Permit No. 0915527**, Public Water Supply

Applicant	<b>Doylestown Municipal Authority</b>
Township	Doylestown
County	<b>Bucks</b>
Responsible Official	Richard E. John 425 Wells Road Doylestown, PA 18901
Type of Facility	PWS
Consulting Engineer	S C Engineers P. O. Box 407 Fort Washington, PA 19034
Application Received Date	November 10, 2015
Description of Action	Construction permit for the installation of corrosion control feed equipment at Central Wells 5 and 7. Iron and manganese feed equipment to be installed at South Well pump station.

**Permit No. 0915526**, Public Water Supply

Applicant	<b>Plumstead Township</b>
Township	Plumstead
County	<b>Bucks</b>
Responsible Official	Carolyn McCreary P. O. Box 387 5186 Stump Road Plumstead, PA 18949
Type of Facility	PWS
Consulting Engineer	Gilmore & Associates, Inc. 65 East Butler Avenue New Britain, PA 18974
Application Received Date	November 3, 2015
Description of Action	Installation of an additional auxiliary service pump, control and associated piping at the Summer Hill Booster Station.

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Application No. 4515511**, Public Water Supply.

Applicant	<b>Mt. View Village Home Owner's Association</b> RR 1, Box 313 Tannersville, PA 18372
[Township or Borough]	Pocono Township, <b>Monroe County</b>
Responsible Official	Alan Angulo, President RR 1, Box 313 Tannersville, PA 18372
Type of Facility	PWS
Consulting Engineer	Kerry D. Tyson, PE Nittany Engineering & Associates, 2836 Earlstown Road, Suite 1 Centre Hall, PA 16828
Application Received Date	11/23/2015
Description of Action	Installation of a raw water sampling tap, poly-phosphate chemical system corrosion control and revision of the chemical feed sequence piping loop.

**Application No. 6615503MA**, Public Water Supply.

Applicant	<b>Aqua PA, Inc.</b> 1 Aqua Way White Haven, PA 18661
[Township or Borough]	Clinton Township, <b>Wyoming County</b>
Responsible Official	Patrick R. Burke, PE Aqua PA, Inc. 204 E. Sunbury Street Shamokin, PA 17872
Type of Facility	PWS
Consulting Engineer	Jonathan Morris, PE GHD 1240 North Mountain Road Harrisburg, PA 17112 (717) 541-0622

Application Received Date 12/11/2015  
 Description of Action Replacement of the existing booster pump and hydro pneumatic tanks with new booster pump and hydro pneumatic tanks system.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 3815507**, Public Water Supply.

Applicant **Cornwall Borough Municipal Authority**  
 Municipality Cornwall Borough  
 County **Lebanon**  
 Responsible Official Barbara Henry  
 P. O. Box 667  
 Cornwall, PA 17016  
 Type of Facility Public Water Supply  
 Consulting Engineer Jason G. Saylor, PE  
 Utility Service Group, Inc.  
 535 Courtney Hodges Boulevard  
 Perry, GA 31069  
 Application Received: 12/8/2015  
 Description of Action Installation of a PAX Technologies Tank Mixer in the Alden Rd (Rt. 419) finished water storage tank.

**Permit No. 6715515**, Public Water Supply.

Applicant **Audubon Park, Inc.**  
 Municipality Monaghan Township  
 County **York**  
 Responsible Official Kurt E. Suter, Owner  
 322 South Hanover Street  
 Carlisle, PA 17013  
 Type of Facility Public Water Supply  
 Consulting Engineer Harry E. Bingaman, PE  
 Glace Assoc., Inc.  
 3705 Trindle Rd.  
 Camp Hill, PA 17011  
 Application Received: 12/14/2015  
 Description of Action Installation of granular activated carbon and soda ash for lead and copper control.

**Permit No. 0115512**, Public Water Supply.

Applicant **Hanover Municipal Water Works**  
 Municipality Conewago Township  
 County **Adams**  
 Responsible Official Florence Ford, Manager  
 44 Frederick Street  
 Hanover, PA 17331  
 Type of Facility Public Water Supply  
 Consulting Engineer Timothy J. Glessner, PE  
 Gannett Fleming, Inc.  
 P. O. Box 67100  
 Harrisburg, PA 17106-7100

Application Received: 11/20/2015  
 Description of Action Phase two improvements to the Hanover Water Treatment Plant including baffles to rapid mixer, renovations to New Plant's filters (new underdrains, valves and air scour), and new high duty pumps.

**WATER ALLOCATIONS**

**Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth**

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**WA-55-634B**, Water Allocations. **Shamokin Dam Borough**, 42 West 8th Avenue, Suite 1, Shamokin Dam, PA 17876. Shamokin Dam Borough, **Snyder County**. Applicant requests a permit renewal to withdraw surface water from the Susquehanna River at the existing structure. The river water will be processed and treated at their facility. The river is the main water supply source for the Borough. The requested allocation amount is the same as Shamokin Dam Borough's existing permitted withdrawals of 920 gpm pump x 24 x 60 = 1.3 million gallons per day.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
 PREAMBLE 1**

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907)**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(i) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Esther Furnace Tack Shop**, 229 Montour Blvd. Montour Township, **Columbia County**. Black Rock Environmental, LLC., P. O. Box 288, Nazareth, PA 18064, on behalf of Vincent Green, 5347 North Fork Road, Martinsville, VA 24112 submitted a Notice of Intent to Remediate. A release of unleaded gasoline occurred at the property. The proposed cleanup standard for the site is Site-Specific. The Notice of Intent to remediate was published in *The Press Enterprise* on August 21, 2015.

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Dreisbach Residence**, 75 Tumble Creek Road, Williams Township, **Northampton County**. Moonstone Environmental, LLC, 1150 Glenlivet Drive, Suite C-31, Allentown, PA 18106, on behalf of Frances Dreisbach, 75 Tumble Creek Road, Easton, PA 18042, submitted a Notice of Intent to Remediate. A release of No. 2 heating oil has affected soil and groundwater on the site. The proposed future use of the property will be residential. The Notice of Intent to Remediate was published in *The Express Times* on November 5, 2015.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Estate of Nicholas Kilyk**, 6101 Perkiomen Avenue, Exeter Township, **Berks County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Nicholas Kilyk Estate, c/o Nancy Wenrich, Executor, 28939 Stockley Road, Milton, DE 19968, and Stanley and Stephanie McCarro, 6101 Perkiomen Avenue, Reading, PA 19301, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard and remain residential. The

Notice of Intent to Remediate was published in the *Reading Eagle* on December 2, 2015.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**XTO Energy—Ritenour #8446H Well Site**, 388 Hypocrite Creek Road, Fairfield Township, **Westmoreland County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of XTO Energy, Inc., 395 Airport Road, Indiana, PA 15701 has submitted a Notice of Intent to Remediate to meet a combination of Statewide Health and Site Specific standards concerning site soils contaminated with aluminum, barium, boron, iron, lithium, manganese, strontium, vanadium, zinc, selenium and chloride from a release of brine from a production tank at the well site. The NIR indicates future use of the property will be a natural gas production well. Notice of the NIR was published in the *Tribune-Democrat* November 23, 2015.

**CHS Meyersdale Property**, 312 Sherman Street, Meyersdale Borough, **Somerset County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110 on behalf of 1889-CHS Foundation, Inc. has submitted a Notice of Intent to Remediate to meet the residential Statewide Health Standard concerning site soils contaminated with lead. Notice of the NIR was published in the *New Republic* on November 26, 2015.

#### RESIDUAL WASTE GENERAL PERMITS

**Application(s) received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGR154. CPV Fairview, LLC**, 50 Braintree Hill Office Park Suite 300, Braintree, MA 02184.

General Permit Application No. WMGR154 proposes processing of non-contact cooling water and beneficial use as non-potable source water in industrial processes. The applicant generates the non-contact cooling water at their CPV Fairview Energy Center in **Cambria County**, Jefferson Township. CPV Fairview then processes the cooling water to meet pretreatment standards prior to discharging the reclaimed water into the Cambria Somerset Authority's (CSA) distribution pipeline for use by CSA's customers. The Department has deemed the new general permit application to be administratively complete on December 8, 2015.

Written comments concerning the renewal application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on General Permit Number WMGR154" in the subject line. Faxed comments will not

be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**Application Received for Determination of Applicability under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGR099. Lehigh County Pretreatment Facility, 7676 Industrial Boulevard, Allentown, PA 18106.**

General Permit No. WMGR099 is for the processing and beneficial use of treated domestic sewage and industrial wastewater solids, generated at the Lehigh County Pretreatment Facility, located in Upper Macungie Township, **Lehigh County**, for agricultural utilization and mine reclamation, as a soil conditioner and a fertilizer. The Department has deemed the renewal application to be administratively complete on December 15, 2015.

Written comments concerning the renewal application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on General Permit Number WMGR099" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Application(s) Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Permit Application No. 400696. Alpha Bio-Med Services, LLC, 9220 Kirby Drive, Suite 500, Houston, TX 77054.** An application for a new medical waste processing facility located in Nesquehoning Borough, **Carbon County**. The application was submitted to the Department on November 9, 2015 and was subject to the Local Municipality Involvement Process (LMIP). The LMIP meeting took place on December 8, 2015. The application was found to be administratively complete by the Northeast Regional Office on December 9, 2015.

Comments concerning the application should be directed to Roger Bellas, Regional Waste Management Program Manager, Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18704-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be

submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**AIR QUALITY**

**PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS**

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P. S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Mark R. Gorog, PE, Environmental Engineer Manager—Telephone: 412-442-4150*

**PA-65-00986B: Tiger Door, LLC** (1181 Garden Street, Greensburg PA 15601) for manufacturing of doors in an existing industrial park in Hempfield Township, **Westmoreland County**. This a minor facility plan approval application.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920*

**15-00002: QG, LLC** (4581 Lower Valley Rd., Atglen, PA 19310-0465). On December 15, 2015 Title V Operating Permit was administratively amended to incorporate the existing General Operating Permits/General Plan Approvals GP1-15-0100 and GP1-15-0101.

The permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements. The Administrative Amendment of Title V Operating Permit for this facility is issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

### OPERATING PERMITS

**Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**46-00031: Glaxo SmithKline LLC.** (1250 South College Rd, Collegeville, PA 19426), located in Upper Providence Township, **Montgomery County**. This action is a renewal of the Title V Operating Permit. The facility is primarily involved in pharmaceutical research and development. Glaxo SmithKline operates boilers, generators and other lab equipment. The renewal incorporates plan approval 46-0031D for the case by case Boiler MACT requirements. The renewal contains all applicable requirements including monitoring, recordkeeping and re-

porting. The operation is subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64 and NSPS regulations.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**59-00003: Osram Sylvania, Inc.** (One Jackson Street, Wellsboro, PA 16901) for renewal of the Title V Operating Permit for their glass manufacturing facility in Wellsboro, **Tioga County**. The facility is currently operating under Title V Operating Permit 59-00003. The facility's main sources are an 89.5 MMBTU/hr natural gas/propane fired regenerative glass furnace, storage silos, one (1) light bulb frosting and solution reclaim system, a hydrofluoric acid recycling system and a wastewater treatment plant. The facility has potential emissions of 401.66 tons per year of nitrogen oxides, 442.18 tons per year of sulfur oxides, 27.10 tons per year of carbon monoxide, 189.62 tons per year of particulate matter less than 10 microns in diameter, 25.30 tons per year of volatile organic compounds, and 12.71 tons per year of total hazardous air pollutants (HAPs). The proposed Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. These operating permit conditions have been derived from the applicable requirements of 40 CFR Part 52, of Subpart Dc of 40 CFR Part 60, of Subpart ZZZZ of 40 CFR Part 63, of the CAM provisions of CFR Part 64 and 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

**53-00003: National Fuel Gas Supply Corporation** (6363 Main Street, Williamsville, NY 14221-5855) to issue a renewal Title V Operating Permit for their Ellisburg Compressor Station located in Allegany Township, **Potter County**. The facility is currently operating under Title V Operating Permit 53-00003. The facility's main sources include four (4) natural gas-fired boilers, three (3) natural gas-fired water heaters, five (5) natural gas-fired space heaters, three (3) natural gas-fired pipeline heaters, eleven (11) natural gas-fired compressor engines, four (4) natural gas-fired emergency generators, two (2) triethylene glycol dehydration units, twenty-eight (28) storage tanks, three (3) parts washers and pipeline fugitive emissions. The facility has the potential to emit 450.37 tons of nitrogen oxides (NO<sub>x</sub>) per year, 469.27 tons of carbon monoxide (CO) per year, 207.32 tons of volatile organic compounds (VOCs) per year, 0.20 ton of sulfur oxides per year (SO<sub>x</sub>), 9.23 tons of particulate matter (PM/PM<sub>10</sub>) per year, 27.21 tons of hazardous air pollutants (HAP) per year and 147,361 tons of greenhouse gasses (GHG) per year. No emission or equipment changes are being proposed by this action. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of PSD of 40 CFR Part 52.21, of Subpart JJJJ of 40 CFR Part 60, of Subparts HHH, ZZZZ and DDDDD of 40 CFR Part 63 and 25 Pa. Code Chapters 121—145. All pertinent documents used in the

evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940*

**10-00079: BNZ Materials, Inc.** (191 Front Street, Zelienople, PA 16063-1088) for reissuance of the Title V Operating Permit at their facility in Zelienople Borough, **Butler County**. The facility manufactures clay refractories. The facility's major emission sources include clay storage bin transfer, clay silos transfer, sawdust transfer No. 1—holding bin, sawdust transfer No. 2—sawdust silo, sawdust grinder, sawdust transfer No. 3—molding, batcher premix transfer, molding process, No. 2 finishing machine, No. 2 finishing machine feeder, No. 1 finishing machine, power shape machine, special shapes machines, degreasers, miscellaneous natural gas usage, cement fiberboard cutting operation, hot water heater, No. 2 and No. 3 dryer, No. 1, No. 2 and No. 4 kiln, laboratory test kiln, and gasoline storage tank. The facility is a major facility due to its potential to emit of carbon monoxide. This facility is not subject to compliance assurance monitoring because the individual sources pre-controlled emission does not exceed the Title V emission threshold. The operating permit contains the requirements of Plan Approvals 10-079C and 10-079E. The gasoline storage tank is subject to 40 CFR 63 Subpart CCCCC—National Emission Standards for Source Category: Gasoline Dispensing Facility. The work practice requirements of § 63.11116 pertaining to facilities with monthly throughput of less than 10,000 gallons of gasoline were incorporated into the permit. The actual emissions reported from the facility in 2014 were: CO—90.28 TPY; NO<sub>x</sub>—8.67 TPY; PM—10-5.92 TPY; SO<sub>x</sub>—10.42 TPY; VOC—3.22 TPY; HCl—1.15 TPY; and, HF—2.6 TPY.

#### **Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**09-00206: B & J Group**, (1001 New Ford Mill Road, Morrisville, PA 19067-3704) located in Falls Township, **Bucks County** for the issuance of an initial State Only (Natural Minor) Operating Permit No. 09-00206. B & J Group produces paint remover by blending substances together which include: methylene chloride, methanol and toluene. These substances are shipped in bulk to B & J and unloaded into individual above ground storage tanks. The bulk chemicals are piped into a mixing room, in different quantities, where they are blended together to form the paint remover. The paint remover is then packaged into smaller containers and palletized for sale. B & J Group also operates an ethanol repacking operation. The facility's air emissions include Volatile Organic Compounds (VOCs) and Hazardous Air Pollutants (HAPs) which are all fugitive in origin. The VOC emissions from the facility will not exceed 2.70 tons per year and the HAP emissions will not exceed 11.70 tons per year. The operating permit also contains work practice standards, monitoring and recordkeeping requirements, and operat-

ing restrictions designed to keep the sources and facility operating within all applicable air quality requirements.

**46-00049: International Business Systems, Inc. (IBS)**, (431 Yerkes Road, King of Prussia, PA 19406-2523) located in Upper Merion Township, **Montgomery County** for the issuance of an renewed State Only (Synthetic Minor) Operating Permit No. 46-00049. IBS operates a direct mail printing facility at this location. The printing operation consists of two heat-set lithographic presses and seven ultraviolet presses. The facility's air emissions include Volatile Organic Compounds (VOCs) and Hazardous Air Pollutants (HAPs). The VOC emissions from the heat-set presses are vented to a dryer than to a regenerative thermal oxidizer for destruction. The VOC emissions from the UV presses are fugitive. The VOC emissions from the facility will not exceed 20.00 tons per year and the HAP emissions will not exceed 1.00 ton per year. The operating permit also contains testing requirements, monitoring requirements, recordkeeping requirements, and work practice standards designed to keep the sources and facility operating within all applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**60-00013: RR Donnelley & Sons, Inc.** (1601, Industrial Parkway, Lewisburg, PA 17837) for their paper printing facility located in East Buffalo Township, **Union County**. The facility is currently operating under the State Only operating permit 60-00013. The facility's main sources include fifteen non-heatset web printing presses. The facility has potential emissions of 49.9 tons per year of volatile organic compounds, and less than 1 ton per year of total hazardous air pollutants (HAPs) while using inks, fountain solutions and press cleaning solutions at the facility. The potential emissions at the facility reduced due to removal of seven printing presses. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

**08-00036: Talisman Energy USA, Inc.** (50 Pennwood Place, Warrendale, PA 15086) to issue a renewal State Only (Synthetic Minor) Operating Permit for their Putnam Compressor Station located in Armenia Township, **Bradford County**. The facility is currently operating under State Only (Synthetic Minor) Operating Permit 08-00036. The facility's main sources include twelve 1,380 bhp natural gas-fired compressor engines, two natural gas dehydrators and an emergency generator engine. The facility has potential emissions of 41.76 TPY of CO; 88.81 TPY of NO<sub>x</sub>; 0.37 TPY of SO<sub>x</sub>; 6.03 TPY of PM; 49.28 TPY of VOCs; 8.77 TPY HAPs; 95,589 TPY CO<sub>2e</sub>. All engines are subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion

Engines. The natural gas dehydrators are subject to 40 CFR Part 63, Subpart HH—National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities. The emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3693.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940*

**10-00119: Allegheny Mineral Corporation/Slippery Rock Plant** (P. O. Box 1022, Kittanning, PA 16201) This notice is for the intent to re-issue a Natural Minor Permit to operate a limestone processing facility located in Slippery Rock Township, **Butler County**.

With the processing equipment being powered by utility supplied electricity, there are no regulated air emissions from this facility other than fugitive particulate matter. The potential PM<sub>10</sub> emissions from this facility are estimated to be no more than 20 tons per year.

**24-00123: Advanced Disposal Services Greentree Landfill LLC** (635 Toby Road, Kersey, PA 15846-1033) for a renewal of the Title V Operating Permit. The facility is located in the Fox Township, **Elk County**. Advanced Greentree operates a solid waste landfill company. The emitting sources of the facility included, 1) Municipal Waste Landfill, 2) Wastewater Treatment Plant (250,000 GPD), 3) Road/Operation Dust Fugitives, 4) Rock Crushing, 5) Cold Cleaning Degreaser and, 6) Tipper Engine. The facility is major for Title V because the design capacity of plant is more than 2.5 Million cubic meters or 2.5 million mega grams as per § 60.752(b). Source ID # 101: Municipal Waste Landfill is subject to Part 60, Subpart WWW: Standard of Performance of Municipal Solid Waste Landfills and 40 CFR Part 63 Subpart AAAA: National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfill, all applicable conditions of these subparts were included in the source level. The Tipper diesel engine is subject to 40 CFR Part 63, Subpart ZZZZ. All applicable conditions of Subpart ZZZZ have been included in the source level of the permit. The emission inventory report for 2014 submitted by the facility is as follows: CO: 1.75 Tons per Year (TPY), NO<sub>x</sub>: 3.24 TPY, PM<sub>10</sub>: 30.20 TPY, PM<sub>2.5</sub>: 5.28 TPY, SO<sub>x</sub>: 1.71 TPY, VOC: 25.30 TPY.

**37-00287: DeCarbo Funeral Home and Crematory**, located at 3000 Wilmington Road, Neshannock Township, **Lawrence County** (941 S. Mill Street, P. O. Box 7728, New Castle, PA 16107). The Department intends to re-issue the Natural Minor Operating Permit for the crematory operations at this facility.

Potential emissions from this facility are as follows: Particulate Matter = 0.28 TPY (tons per year), CO = 0.066 TPY, NO<sub>x</sub> = 0.024 TPY, VOC = 0.66 TPY, and SO<sub>2</sub> = 0.05 TPY.

## PLAN APPROVALS

**Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapters B and F. These actions may include the administrative amendments of an associated operating permit.

**46-0036K: DIV-AR Property, L.P.** (2750 Morris Rd., Worcester, PA 19446) to increase the combined permitted hours for four (4) existing diesel fuel-fired electric generating engines at their facility in Worcester Township, **Montgomery County**. The engines will also be modified with oxidation catalysts to reduce the emissions of CO and VOC. As a result of potential emissions of NO<sub>x</sub> and VOC, the facility is not a Title V facility. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and

telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

*Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**17851501 and NPDES No. PA0215694 and GP12-17851501. RES Coal, LLC**, (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920). To renew the permit for the Clearfield Siding in Boggs Township, **Clearfield County** and related NPDES permit. Includes renewal of air quality GPA/GP-12 authorization. No additional discharges. The application was considered administratively complete on December 16, 2015. CMAP Application received July 22, 2015. GP-12 Application received September 23, 2015.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit 56100105, NPDES No. PA0263079 and General Permit GP-12-56100105, Wilson Creek Energy, LLC**, 1576 Stoystown Road, Friedens, PA 15541, revision of an existing bituminous coal mining site to obtain coverage for coal processing under air quality general permit GP-12 in Black Township, **Somerset County**, affecting 140.3 acres. Receiving streams: Wilson Creek and Coxes Creek classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received December 4, 2015.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**16000101. Glenn O. Hawbaker, Inc.** (1952 Waddle Road, State College, PA 16803). Renewal of an existing bituminous surface mine in Licking and Richland Townships, **Clarion County** affecting 83.6 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributaries to the Clarion River, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 10, 2015.

**24960101. Rosebud Mining Company** (301 Market Street, Kittanning, PA 16201). Renewal of an existing bituminous surface mine in Horton Township, **Elk County** affecting 235.0 acres. This renewal is issued for reclamation only. Receiving streams: Four unnamed tributaries to Mead Run and Mead Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 10, 2015.

**33950102 and NPDES Permit No. PA0226904. Leonard W. Yenzi** (P. O. Box 62, Anita, PA 15711) Renewal of an existing bituminous surface mine and associated NPDES permit in Knox Township, **Jefferson County**, affecting 68.0 acres. Receiving streams: Fuller Run, classified for the following uses: CWF; and Sandy Lick Creek, classified for the following uses: TSF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 15, 2015.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**17070106 and NPDES PA0256528. Junior Coal Contracting, Inc.** (2330 Six Mile Road, Philipsburg, PA 16866). Permit renewal for continued operation and restoration of a bituminous surface and auger mine located in Decatur Township, **Clearfield County** affecting 245.6 acres. Receiving stream(s): Unnamed Tributary to Big Run and Big Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 30, 2015.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 7774SM3C11 and NPDES Permit No. PA224499. New Enterprise Stone & Lime Co., Inc. d/b/a Eastern Industries, Inc.**, (3724 Crescent Court West, Whitehall, PA 18052), renewal of NPDES permit for discharge of treated mine drainage from a quarry operation in Maxatawny Township, **Berks County** affecting 177.50 acres, receiving stream: Sacony Creek, classified for the following use: trout stock fishes. Application received: December 9, 2015.



**Permit No. 54950302C16 and NPDES Permit No. PA0223603. Pennsy Supply, Inc.,** (1001 Paxton Street, Harrisburg, PA 17105), renewal of NPDES permit for discharge of treated mine drainage from a quarry operation in Wayne Township, **Schuylkill County** affecting 172.30 acres, receiving stream: Bear Creek, classified for the following uses: cold water fishes. Application received: December 10, 2015.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a

hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

*Coal NPDES Draft Permits*

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**NPDES No. PA0242674 (Permit No. 16050106). Timothy A. Keck** (93 Carrier Road, Summerville, PA 15864) Renewal of an existing NPDES permit for a bituminous surface and auger mine in Redbank Township, **Clarion County**, affecting 224.0 acres. Receiving streams: Unnamed tributaries to Pine Creek, classified for the following uses: CWF. TMDL: Redbank Creek. Application received: November 18, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to Pine Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
T1	N
T2	N
T8	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90
Osmotic Pressure (milliosmoles/kg)				50

<sup>1</sup>The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to Pine Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
SP1	N
SP2	N
SP3	N
SP4	N
SP5	N
SP6	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity <sup>1</sup>				
Total Settleable Solids (ml/l)				0.5

The outfall(s) listed below discharge to unnamed tributaries to Pine Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
T3	N
T4	N
T5	N
T6	N
T7	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Alkalinity greater than acidity <sup>1</sup>				
Total Suspended Solids (mg/l)		35	70	90

<sup>1</sup>The parameter is applicable at all times.

*Noncoal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**NPDES No. 0122297 (Mining Permit No. 0179301), Gettysburg Granite, LLC**, 1800 Baltimore Pike, Gettysburg, PA 17325, renewal of an NPDES permit for noncoal surface mine in Mount Joy Township, **Adams County**, affecting 14.7 acres. Receiving stream: unnamed tributary to Rock Creek, classified for the following use: warm water fishes. Application received: March 11, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfalls listed below discharge to unnamed tributary to Rock Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l) Flow	N/A	N/A Monitor Only	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

**FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

---

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E40-678 (RE-OPEN), Earth Conservancy, Inc.**, in Hanover Township and Nanticoke City, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To fill and maintain 0.07 acre of PFO/PSS/PEM wetlands for the purpose of constructing Phase #3 of the “Hanover 9 Site Reclamation” project. The project is located approximately 0.6 mile south of the intersection of S.R. 29 and Sans Souci Parkway (Wilkes-Barre West, PA Quadrangle Latitude: 41° 12' 2.84"; Longitude: -75° 58' 52.18") in Hanover Township and Nanticoke City, Luzerne County.

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**E02-1717, The Barn Landscape Supply**, 3004 Babcock Blvd, Pittsburgh, PA 15237, Ross Township, **Allegheny County**, ACOE Pittsburgh District.

The applicant is proposing to:

Construct and maintain a concrete box beam bridge with a clear span of 30 feet over Girty’s Run, and an under clearance of 6.25 feet, for the purpose of creating access to a new materials storage area adjacent to their existing business located near the intersection of Babcock Boulevard and McKnight Road (USGS Glenshaw Quadrangle; Latitude: 40° 30' 50"; Longitude: -80° 00' 21");, in Ross Township, Allegheny County. Cumulatively, the proposed features will permanently impact approximately 30 feet of Girty’s Run (WWF) and its associated floodway.

**E11-354, Borough of Ebensburg**, 300 West High Street, Ebensburg, PA 15931, Borough of Ebensburg, **Cambria County**, ACOE Pittsburgh District.

The applicant is proposing to:

1.) Construct and maintain a 4.5 foot high dike with a 16 linear foot base width within a UNT to Howell's Run through which a 16 linear foot long 18 inch diameter smooth lined corrugated plastic pipe will be installed to convey this UNT's normal stream flows;

2.) Construct and maintain a 7 linear foot concrete weir along the left descending bank of the aforementioned UNT, perpendicular to the aforementioned dike, to direct the 100 year flood flows into a 4 foot wide by-pass channel that will be constructed to direct these flood flows back into the aforementioned UNT at a new location below and downstream of the intersection of Beech Street and Julian Street;

3.) Construct and maintain a 50 foot long concrete energy dissipater within the floodway and along the aforementioned UNT to Howell's Run, in association with the aforementioned bypass channel;

4.) Construct and maintain a 53 foot long R-5 rip-rap apron at an existing culvert outlet located underneath Julian Street within the aforementioned UNT to Howell's Run;

5.) Restabilize 46 linear feet of stream, opposite the aforementioned concrete energy dissipater along the UNT to Howell's Run;

For the purpose of stabilizing the outlet of the existing culvert and to redirect flood flows to protect residential properties downstream. The project is located near the intersection of Beech Street and Julian Street (Quadrangle: Ebensburg Latitude: 40° 29' 32"; Longitude: -78° 43' 42"), in the Borough of Ebensburg, Cambria County. The project cumulatively impacts 112 linear feet of the UNT to Howell's Run (CWF).

**E56-382, James Schwadron**, 125 Ottawa Lane, Central City, PA 15926, Indian Lake Borough, **Somerset County**, ACOE Pittsburgh District.

The applicant is proposing to:

1. Excavate approximately 960 square feet of earth disturbance to construct a 32' x 30' boat docking facility along Indian Lake (CWF)—Approximately 430 square feet of the project will permanently impact Regulated Waters of the Commonwealth;

2. Construct and maintain a concrete retaining wall along the 32' x 30' excavated area, to reinforce the banks;

3. Construct and maintain a boat lift, within this excavated area;

For the purpose of allowing boat access for winter maintenance for the property. The project is located near Ottawa Lane and South Short Trail (Quadrangle: Central City & Stoystown, PA, Latitude: 40° 01' 52"; Longitude: -78° 52' 07"; Sub-basin: 18E) in Indian Lake Borough, Somerset County. This project will result in 430 square feet of permanent impact to the Regulated Waters of the Commonwealth, along and within Indian Lake (CWF).

**E63-625-A1, Washington Investments, LLC**, 6200 Mid-Atlantic Drive, North Strabane Township, **Washington County**, ACOE Pittsburgh District.

The applicant is proposing to:

1. Place and maintain fill in a 0.02 ac PEM wetland (aka "Wetland B").

2. Place and maintain fill in a 0.03 ac PEM wetland (aka "Wetland C").

3. Place and maintain a 48" corrugated HDPE pipe in 100 linear feet (LF) of an Unnamed Tributary to Chartiers Creek (aka "Stream 1").

4. Place and maintain fill in 60 LF of another UNT to Chartiers Creek (aka "Stream 2").

5. Place and maintain fill in 30 LF of the floodway of another UNT to Chartiers Creek (aka "Stream 3").

6. Place and maintain fill in 75 LF of another UNT to Chartiers Creek (aka "Stream 4").

7. Place and maintain a 24" corrugated HDPE pipe in 186 LF of another UNT to Chartiers Creek (aka "Stream 7").

8. Place and maintain fill in 95 LF of another UNT to Chartiers Creek (aka "Stream 8").

For the purpose of constructing apartments, townhouses and two commercial pads for future sale development within a 34 acre land parcel, which will include site grading, installation of paved areas and the construction of buildings. The project is located near the intersection of Racetrack Road and State Route 19 (Quadrangle: Washington East, PA; Lat: 40° 12' 48"; Long: -80° 11' 27"; Sub-basin: 20F; Chapter 93 Type: WWF) in North Strabane Township, Washington County. The project will cumulatively result in 0.05 acre of permanent wetland impact and 466 linear feet of permanent stream impact. Mitigation for these permanent impacts will be constructed onsite along 179 linear feet of a UNT to Chartiers Creek (aka "Stream 7") and will include creation of 0.08 ac PEM wetland and bank stabilization.

## ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

## **I. NPDES Renewal Permit Actions**

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.0530.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0003565 (Industrial Waste)	Morgan Advanced Materials and Technology, Inc. 1118 E Second Street Coudersport, PA 16915	Potter County Eulalia Township	Mill Creek (SWP 16C)	Y

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0218120 (Sewage)	O'Hara SRSTP 126 Walker Road Apollo, PA 15613	Westmoreland County Washington Township	Unnamed Tributary to Beaver Run (18-B)	Y
PA0264172 (Sewage)	Joyce Chverchko SRSTP 146 Water Plant Road Nicktown, PA 15762	Cambria County Barr Township	Teakettle Run (18-D)	Y

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0239763 (Sewage)	Collins Reffner SFTF 406 Keck Road Butler, PA 16001	Butler County Summit Township	Unnamed Tributary to the Bonnie Brook (20-C)	Y

---

**II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions**


---

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**NPDES Permit No. PA0060330**, Sewage, SIC Code 4952, **Hawley Area Authority Wayne County**, 1010 Hudson Street, Hawley, PA 18428.

This existing facility is located in Lackawaxen Township, **Pike County**.

Description of Existing Action/Activity: Issuance of an NPDES Renewal Permit for an existing discharge of treated Sewage with incorporation of the DRBC Docket D-1981-029 CP-2 requirements (Chapter 92a.12).

**NPDES Permit No. PA0053813**, IW, SIC Code 4226, 5171, **Buckeye Terminals LLC**, 5002 Buckeye Road, Emmaus, PA 18049.

This existing facility is located in Lower Macungie Township, **Lehigh County**.

Description of Existing Action/Activity: Issuance of an NPDES Renewal/Transfer and Amendment to authorize hydrostatic test discharges for an existing discharge of treated industrial wastewater from an existing facility.

---

**III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law**


---

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 0272419-A4**, Sewage, SIC Code 4952, **Mccandless Township Sanitary Authority**, 418 W Arcadia Drive, Pittsburgh, PA 15237-5506.

This existing facility is located in Hampton Township, **Allegheny County**.

Description of Proposed Action/Activity: installation and operation of a sludge de-watering centrifuge.

**WQM Permit No. 0215416**, Sewage, SIC Code 4952, **West Elizabeth Sanitary Authority**, 125 Lower First Street, West Elizabeth, PA 15088.

This proposed facility is located in West Elizabeth Borough, **Allegheny County**.

Description of Proposed Action/Activity: West Elizabeth Sewage Treatment Plant expansion including installation of a Sequential Batch Reactor.

**WQM Permit No. 1115411**, Sewage, SIC Code 8800, **Joyce Chverchko**, 146 Water Plant Road, Nicktown, PA 15762.

This proposed facility is located in Barr Township, **Cambria County**.

Description of Proposed Action/Activity: Installation of a small flow single residence sewage treatment facility to replace a malfunctioning on-lot system.

**WQM Permit No. 0215417**, Sewage, **Miller Cheryl**, 5715 Clay Pike, Chandlersville, OH 43727.

This proposed facility is located in Moon Township, **Allegheny County**.

Description of Proposed Action/Activity: Proposed installation of a SRSTP.

**WQM Permit No. 6513200**, Industrial Waste, SIC Code 4911, **Tenaska PA Partners LLC**, 1044 North 115 Street, Omaha, NE 68154.

This proposed facility is located in South Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Construction of industrial wastewater treatment facilities associated with the Tenaska Westmoreland Generating Station.

---

**VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**


---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI015114011-6A	Liberty Property Limited Partnership 1628 John F. Kennedy Boulevard Philadelphia, PA 19013	Philadelphia	City of Philadelphia	Delaware River WWF-MF

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032108014R Issued	Mr. Matthew Madden 977 Walnut Bottom Road Carlise, PA 17015	Cumberland	Dickinson Township	Lindenwood to Alexander Spring Creek (CWF) & UNT to Yellow Breeches Creek (HQ-CWF).

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041406001(R)	Garen Smith Grove Park Assoc. P O Box 870 Boalsburg, PA 16827	Centre	Benner Township	Buffalo Run, HQ-CWF

*Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050215003	Uber Advanced Technologies Center 91 43rd Street, Suite 220 Pittsburgh, PA 15201	Allegheny County	City of Pittsburgh	Allegheny River (WWF)
PAI056515002	Bushy Run Investments, LP, P. O. Box 507, Murrysville, PA 15668	Westmoreland County	Salem Township	Beaver Run (HQ-CWF)

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Venango County Conservation District, 1793 Cherrytree Road, Franklin, PA 16323*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI066110001R	GOC Property Holdings LLC 175 Main Street Oil City, PA 16301	Venango	Rouseville Borough	Oil Creek WWF

---

## **VII. Approvals to Use NPDES and/or Other General Permits**

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

### **List of NPDES and/or Other General Permit Types**

---

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02**Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
West Rockhill Township Bucks County	PAG02000915072	Rockhill Contractor Services, LP 3090 State Road Telford, PA 18969	Mill Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Perkasie Borough Bucks County	PAG02000914085(1)	Perkasie Woods, L.P. 1030 Reed Avenue, Suite 100 Wyomissing, PA 19610	Pleasant Spring Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG020151121	Tower Investments, Inc. 1033 North 2nd Street, Suite 2A Philadelphia, PA 19123	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Gwynedd Township Montgomery County	PAG02004615090	Merck Sharp & Dohme Corp. 770 Sumneytown Pike West Point, PA 19486	Towamencin Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Garden Township Chester County	PAG02001515044	Ameer Nazim 526 Ashland Ridge Road Hockessin, DE 19707	Unnamed Tributary to Red Clay Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Goshen Township Chester County	PAG02001515038	Michael J. Gavin 855 Hillsdale Road West Chester, PA 19382-1973	Taylor Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAG0201511528	705 Franklin Capital Associates 218 Ardmore Avenue Ardmore, PA 19003	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Jessup Borough Lackawanna County	PAG02003515016	Lackawanna Energy Center, LLC One South Wacker Drive Suite 1800 Chicago, IL 60606	Grassy Island Creek (CWF, MF) UNT to Lackawanna River (CWF, MF)	Lackawanna County Conservation District 570-392-3086
Salem Township Luzerne County	PAG02004015032	Don E. Bower, Inc. 208 W. 11th Street Berwick, PA 18603	UNT to Susquehanna River (CWF, MF)	Luzerne Conservation District 570-674-7991
Jenkins Township Luzerne County	PAG02004015025	Charles M. Manganiello 138 South Highland Drive Pittston, PA 18640	Gardner Creek (CWF, MF)	Luzerne Conservation District 570-674-7991

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Broad Top Township Bedford County	PAG02000515008 Issued	Broad Top Township PO Box 57 Defiance, PA 16633	Sandy Run/WWF, MF	Bedford County Conservation District 702 West Pitt Street, Suite 4 Bedford, PA 15522 814-623-8099



<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Lurgan Township Franklin County	PAG02002815027 Issued	Mark Myers 443 Allen Drive Chambersburg, PA 17202	UNT to Conodoguinet Creek/WWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
Greene Township Franklin County	PAG02002815035 Issued	Jeff Myers 986 Scotland Avenue Chambersburg, PA 17201	Conococheague Creek/CWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
Guilford Township Franklin County	PAG02002815023 Issued	Chambersburg Place Brad Fulton 2004 Lincoln Way, LLC 11535 Hopewell Road Hagerstown, MD 21740	Falling Springs/TSF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
Borough of Chambersburg Franklin County	PAG02002815037 Issued	Washington Square Todd Robie 800 West St. Claire Avenue, 4th Floor Cleveland, OH 44113	Conococheague Creek/WWF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499
Montgomery Township and Peters Township Franklin County	PAG02002815038 Issued	Foremost Industries Daniel Gordon 2375 Buchanan Trail West Greencastle, PA 17225	UNT to West Branch of Conococheague Creek/TSF, MF	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717-264-5499

*Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office &amp; Phone No.</i>
Centre County Benner Township	PAG02001406022(2)R	Far & Sure LLC & Cleveland Bros. Equip. Co. 3565 William Penn Hwy Murraysville, PA 15668	Spring Creek, CWF-MF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817
Clinton County Castanea Township Bald Eagle Township	PAG02001815004	PPL Electric Utilities Two North Ninth St Allentown, PA 18101-1179	Bald Eagle Creek WWF-MF	Clinton County Conservation District 45 Cooperation Ln Mill Hall, PA 17751 (570) 726-3798
Lycoming County Clinton Township	PAG02004115013	Chris Langman UGI Penn Natural Gas 2525 North 13th St Reading, PA 19612	UNT to Susquehanna River, WWF West Branch Susquehanna River	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003
Union County Lewisburg Boro	PAG02006015011	Bucknell University Lewisburg, PA 17837	West Branch Susquehanna River, WWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860
Union County Buffalo Township	PAG02006015012	Preston Boop 2545 Beaver Run Road Lewisburg, PA 17237	Beaver Run, CWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Union County Buffalo Township	PAG02006015013	Don Miller 1125 Quarry Road Mifflinburg, PA 17844	UNT to Turtle Creek, WWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

*Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Harrison Township Allegheny County	PAG02000215093	Natrona Heights Sheetz, 1415 Freeport Road, Natrona Heights, PA 15065	Little Bull Creek (TSF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
North Fayette Township Allegheny County	PAG02000215084	Bright Oaks Associates, L.P. 310 Seven Fields Boulevard, Suite 350, Seven Fields, PA 16046-4307	Robinson Run (WWF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
Moon Township Allegheny County	PAG02000215095	Moon Township 100 Beaver Grade Road Moon Township, PA 15108	Meeks Run (TSF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
Plum Borough Allegheny County	PAG02000214072-1	Grasinger Homes, Inc., 8035 Saltsburg Road, Pittsburgh, PA 15239	UNT to Plum Creek (WWF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
Jefferson Hills Borough Allegheny County	PAG02000215099	West Jefferson Hills School District 835 Old Clairton Road Clairton, PA 15025	UNT to Beam Run (TSF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
Scott Township Allegheny County	PAG02000215058	Scott Township 301 Lindsay Road, Scott Township, PA 15106	Scrubgrass Run (WWF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
Robinson Township Allegheny County	PAG02000215085	Mr. William J. Kisow, 3055 Santiago Road, Imperial, PA 15126	Tributary to Chartiers Creek (WWF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
City of Pittsburgh Allegheny County	PAG02000215092	Carnegie Mellon University 5000 Forbes Avenue Pittsburgh, PA 15213	Monongahela River (WWF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
Indiana Township Allegheny County	PAG020002150171	Burchick Construction Company, Inc. 500 Lowries Run Road, Pittsburgh, PA 15237	Little Pine Creek (TSF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
City of Pittsburgh Allegheny County	PAG020002150311	Allegheny County Housing Authority 200 Ross Street, Ninth Floor Pittsburgh, PA 15219	Monongahela River (WWF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
City of Pittsburgh Allegheny County	PAG02000215077	Animal Rescue League of Western Pennsylvania, 6620 Hamilton Avenue, Pittsburgh, PA 15206	Allegheny River (WWF)	Allegheny County Conservation District, 33 Terminal Way, Suite 325B, Pittsburgh, PA 15219 (412) 242-7645
Rayne Township Indiana County	PAG02003215012	PA Department of Transportation 2550 Oakland Avenue Indiana, PA 15701	UNT Crooked Creek (CWF); UNT McKee Run (CWF)	Indiana County Conservation District, 625 Kolter Drive, Suite 8, Indiana, PA 15701-3571 (724) 471-4751
Cranberry Township Butler County	PAG02001015022	JJ & G Capitol c/o Mr. Matt Kaltenberger 310 Waterford Court Cranberry, PA 16066	UNT Brush Creek WWF	Butler County Conservation District 724-284-5270
Adams Township Butler County	PAG02001015036	Adams Township c/o Mr. Donald C. Aiken 690 Valencia Road Mars, PA 16045	UNT Breakneck Creek WWF	Butler County Conservation District 724-284-5270
Cranberry Township Butler County	PAG02001015039	Woodsprings Suites Construction Services c/o Mr. Jerry Proctor 8621 E 21st Street N Suite 250 Wichita, KS 67206	Coal Run WWF	Butler County Conservation District 724-284-5270
City of Erie Erie County	PAG02002515008(1)	Sarah Reed Senior Living 227 West 22nd Street Erie, PA 16502-2689	Millcreek WWF Presque Isle Bay WWF; MF	Erie County Conservation District 814-825-6403
Summit Township Erie County	PAG02002515005(1)	J&E Interstate LLC Interstate Mitsubishi 6969 Edinboro Road Erie, PA 16509	UNT Walnut Creek WWF; MF	Erie County Conservation District 814-825-6403
Punxsutawney Borough Jefferson County	PAG02003315006	BFG Electroplating 701 Martha Street Punxsutawney PA 15767 And Dobson Inc 78 Notary Lane Punxsutawney, PA 15767	Mahoning Creek WWF	Jefferson County Conservation District 814-849-7463

*General Permit Type—PAG-03*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Point Township Northumberland County (Industrial Stormwater)	PAR804870	Northumberland Terminal DE LLC P. O. Box 2621 Harrisburg, PA 17105-2621	Susquehanna River and Unnamed Stream—5-E	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.3742
Snow Shoe Township Centre County (Industrial Stormwater)	PAR804878	Fedex Freight Inc. 2200 Forward Drive #2219 Harrison, AR 72601-2004	Unnamed Tributary of North Fork Beech Creek—9-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Berwick Borough Columbia County	PAR124817 A-1	Ingredion Inc. 920 Back Road Berwick, PA 18603-1146	East Branch Briar Creek—5-D	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101, Williamsport, PA 17701-6448 570.327.0530
Rices Landing Borough Greene County	PAR806244	First Student Inc. 110 Perimeter Park Suite E Knoxville, TN 37922	Unnamed Tributary of Pumpkin Run— 19-B	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Neville Township Allegheny County	PAR606143	Metalico Pittsburgh Inc. 3100 Grand Avenue Pittsburgh, PA 15225	Ohio River—20-G	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000
Black Township Somerset County	PAR226125	William Richter & Son Lumber 577 Fox Road Rockwood, PA 15557	Unnamed Tributary to Rhoades Creek— 19-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive, Pittsburgh, PA 15222-4745 412.442.4000

**STATE CONSERVATION COMMISSION****NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproval</i>
Heisler's Egg Farm 757 Valley Road Tamaqua, PA 18252	Schuylkill	136.7	1,867.95	Poultry (Layers)	HQ	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**Operations Permit #1515536** issued to: **Chester Valley Consultants, Inc.**, 83 Chestnut Road, P. O. Box 447, Paoli, PA 19301, [(PWSID)] South Coventry Township, **Chester County** on December 17, 2015 for the operation of Ridglea Water System.

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Permit No. 1315503MA**, Public Water Supply.

Applicant **The Tuthill Corporation**  
d/b/a Blue Mountain Ski Area  
P. O. Box 16  
1660 Blue Mountain Drive  
Palmerton, PA 18071

[Borough or Township] Lower Towamensing Township

County **Carbon County**

Type of Facility PWS

Consulting Engineer Harry E. Garman, P.E.  
Barry Isett & Associates  
85 South Route 100  
Allentown, PA 18106

Permit to Construct Issued 12/3/2015

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 2115517 MA, Minor Amendment**, Public Water Supply.

Applicant **North Middleton Authority**

Municipality North Middleton Township

County **Cumberland**

Responsible Official E Lee. Koch, Authority Manager  
240 Clearwater Drive  
Carlisle, PA 17013

Type of Facility Filter media replacement at the North Middleton Authority water treatment plant.

Consulting Engineer Peter Lusardi, P.E.  
GHD, Inc.  
1240 N. Mountain Rd.  
Harrisburg, PA 17112

Permit to Construct Issued 12/14/2015

**Operation Permit No. 0514504 MA** issued to: **Evitts Creek Water Company (PWS ID No. 4050028)**, Cumberland Valley Township, **Bedford County** on 12/10/2015 for facilities approved under Construction Permit No. 0514504 MA.

**Comprehensive Operation Permit No. 3060044** issued to **Sittlers Estates, LLC (PWS ID No. 3060044)**, Maxatawny Township, **Berks County** on December 15, 2015 for the transfers the ownership and operation of Sittler's Mobile Home Park community water system

from current owner Michael Katz to the Sittlers Estates, LLC. This permit will also change the name of the system to Sittlers Estates LLC.

**Comprehensive Operation Permit No. 7011025** issued to: **M&G Realty, Inc. (PWS ID No. 7011025)**, Tyrone Township, **Adams County** on 12/10/2015 for the operation of facilities at Rutter's Farm Store No. 36 approved under Construction Permit No. 0115510.

**Operation Permit No. 2215508 MA** issued to: **United Water Pennsylvania, Inc. (PWS ID No. 7220015)**, Hummelstown Township, **Dauphin County** on 12/15/2015 for facilities approved under Construction Permit No. 2215508 MA.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1415506MA—Construction and Operation—Public Water Supply.**

Applicant	<b>Miles Township Water Authority East</b>
Township/Borough	Miles Township
County	<b>Centre</b>
Responsible Official	Mr. Philip D. Meyer Miles Township Water Authority East P. O. Box 157 Rebersburg, PA 16872
Type of Facility	Public Water Supply
Consulting Engineer	Eric Lundy, P.E. Nittany Engineering & Assoc., LLC 2836 Earlstown Road, Suite 1 Centre Hall, PA 16828
Permit Issued	December 15, 2015
Description of Action	Replacement of the existing filtered water Hach 2200PCX particle counters and Hach 1720 turbidimeters with Hach FilterTrak 660sc laster nephelometers.

**Permit No. 1915502MA—Construction—Public Water Supply.**

Applicant	<b>United Water Pennsylvania</b>
Township/Borough	Town of Bloomsburg
County	<b>Columbia</b>
Responsible Official	John D. Hollenbach, Vice President United Water Pennsylvania 4211 East Park Circle Harrisburg, PA 17111
Type of Facility	Public Water Supply
Consulting Engineer	Jonathan W. Morris GHD 326 East Second Street Bloomsburg, PA 17815
Permit Issued	December 15, 2015

Description of Action	Installation of approx. 1,680 linear feet of 16" ductile iron water transmission main to replace existing 12" cast iron water transmission main. This includes approx. 915' of 16" diameter ductile iron reservoir fill line from a new 16" x 16" x 16" x 16" cross joint on existing 12" cast iron reservoir supply line from existing water treatment plant to a new valve vault near the reservoir and approximately 765' of 16" diameter ductile iron finished water line from the new valve vault near the reservoir to the distribution system at two locations (430' from valve vault to tap and sleeve connection to existing 16" diameter finished water line and 335' from 16" x 16" x 16" Tee joint upstream first connection to tap and sleeve connection to existing 12" diameter low pressure pipe).
-----------------------	--

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Permit No. 0415506**, Public Water Supply.

Applicant	<b>Center Township Water Authority</b> 224 Center Grange Road Aliquippa, PA 15001
[Borough or Township]	Potter Township
County	<b>Beaver</b>
Type of Facility	Raw water storage tank and clearwell tank
Consulting Engineer	Lennon, Smith, Souleret Engineering, Inc. 846 Fourth Avenue Coraopolis, PA 15108
Permit to Construct Issued	December 11, 2015

**Operations Permit** issued to: **Windber Area Authority**, 1700 Stockholm Avenue, Windber, PA 15963, (PWSID #4560013), Ogle Township, **Somerset County** on December 11, 2015 for the operation of facilities approved under Construction Permit #5615502MA.

**Operations Permit** issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID #5020039), South Strabane Township, **Washington County** on December 11, 2015 for the operation of facilities approved under Construction Permit #0215505MA.

**Operations Permit** issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID #5020039), South Union Township, **Fayette County** on December 9, 2015 for the operation of facilities approved under Construction Permit #2615507.

**Operations Permit** issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID #5020039), Claysville Borough, **Washington County** on December 9, 2015 for the operation of facilities approved under Construction Permit #0215524.

**Operations Permit** issued to: **Municipal Authority of Buffalo Township**, 707 South Pike Road, Sarver, PA 16055, (PWSID #5030019), Buffalo Township, **Armstrong County** on December 9, 2015 for the operation of facilities approved under Construction Permit #0314505.

**Operations Permit** issued to: **Authority of the Borough of Charleroi**, 3 McKean Avenue, Charleroi, PA 15022, (PWSID #5630039), Charleroi Borough, **Washington County** on December 9, 2015 for the operation of facilities approved under Construction Permit #6315514.

**SEWAGE FACILITIES ACT PLAN REVISION APPROVAL**

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)**

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Potter Township	124 Short Road Spring Mills, PA 16875	Centre

*Plan Description:* The revision proposal entails the construction of a municipally owned and operated small flow treatment facility (SFTF) that is to replace the malfunctioning onlot sewage disposal systems of four existing single family residences along Bloom Road. The small flow treatment facility will be designed to discharge up to sixteen hundred (1,600) gallons per day of treated effluent to Potter Run, a high quality stream. Therefore, the Department has reviewed a Social or Economic Justification (SEJ) which was included in this proposal. The Department's review and approval of the SEJ has not identified any significant environmental impacts resulting from the proposed discharge. Potter Run will continue to support the existing and designated water uses even with the proposed discharge. Any required NPDES Permits or WQM Permits must be obtained in the name of the Potter Township.

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Potter Township	124 Short Road Spring Mills, PA 16875	Centre

*Plan Description:* The approved plan calls for the construction of a completely new public sewage treatment system to serve the village of Potters Mills, where thirty seven percent (37%) of the onlot sewage disposal systems are considered confirmed malfunctions. The proposed new sewage treatment system, which has an estimated average daily design flow of 14,000 gallons, will be a septic tank effluent pressurized (STEP) collection system with a centralized Orenco AdvanTex Treatment Plant that discharges to Sinking Creek (Cold Water Fishery). Potter Township will own and operate the new sewage treatment system from the individual septic tanks to the point of discharge. The total project cost for the selected alterna-

tive is estimated to be \$1,615,300, and is expected to be funded by PENNVEST, with RUS potentially being an alternative funding source. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from the proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Potter Township.

**SEWAGE FACILITIES ACT PLAN APPROVAL**

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act**

*Northwest Region: Clean Water Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Knox Township	P. O. Box 64 27345 Route 66 Lucinda, PA 16235	Clarion

*Plan Description:* The approved plan provides for the construction of a gravity collection/conveyance system and a 0.034 MGD recirculating sand filter treatment facility. The project will serve a portion of the Village of Lucinda. Seventy-six initial connections are proposed to resolve a significant confirmed onlot malfunction issue. The formation of a municipal authority is planned to aide in the project's implementation. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995 PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P. S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circum-

stances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Captain Moore Road Right-of-Way**, 0.7 mile east of the intersection of Captain Moore Road & Strofe Road, Windham Township, **Bradford County**. Golder Associates, Incorporated, 209 N. Main Street, Suite 3, Horseheads, NY 14845, on behalf of Talisman Energy USA Inc., 337 Daniel Zenker Drive, Horseheads, NY 14845 submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**RiverWoods Senior Living Community**, 3201 River Road, Lewisburg, PA 17837, Kelly Township, **Union County**. Black Rock Environmental, LLC, P. O. Box 288, Nazareth, PA 18064 on behalf of Riverwoods/Albright Care Services, 3201 River Road, Lewisburg, PA 17837 submitted a Final Report concerning remediation of site soils contaminated with Benzene, Ethylbenzene, Cumene, MTBE, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, and Xylenes. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Former PA House Facility**, 137 Tenth Street, East Buffalo Township, **Union County**. Advantage Engineers, LLC, 435 Independence Avenue, Suite C, Mechanicsburg, PA 17055, on behalf of Lewisburg GF, LP, 415 Fallow Field Road, Suite 301, Camp Hill, PA 17011, submitted a Final Report concerning remediation of site soils and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds, polychlorinated biphenyls, and metals in both soil and groundwater. The report is intended to document remediation of the site to meet the Statewide Health and Site-Specific Standards.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Estate of Nicholas Kilyk**, 6101 Perkiomen Avenue, Exeter Township, **Berks County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Nicholas Kilyk Estate, c/o Nancy Wenrich, Executor, 28939 Stockley Road, Milton, DE 19968, and Stanley and Stephanie McCarro, 6101 Perkiomen Avenue, Reading, PA 19301, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

**Crescent Brass Manufacturing Facility**, 701 Park Avenue, City of Reading, **Berks County**. Liberty Environmental, Inc., 50 North 5th Street, 5th Floor, Reading, PA 19601, on behalf of Crescent Brass Manufacturing Corporation, PO Box 187, Mount Joy, PA 17552, submitted a Final Report concerning remediation of site soils contaminated with arsenic, lead, manganese, and iron. The report is intended to document remediation of the site to meet the Nonresidential Statewide Health Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.



The Department has received the following plans and reports:

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701*

**Captain Moore Road Right of Way**, Windham Township, **Bradford County**. Golder Associates, Incorporated, 209 N. Main Street, Suite 3, Horseheads, NY 14845, on behalf of Talisman Energy USA Inc., 337 Daniel Zenker Drive, Horseheads, NY 14845 submitted a Final Report concerning the remediation of site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on November 12, 2014.

**RiverWoods Senior Living Community**, 3201 River Road, Lewisburg, PA 17837, Kelly Township, **Union County**. Black Rock Environmental, LLC, P. O. Box 288, Nazareth, PA 18064 on behalf of Riverwoods/Albright Care Services, 3201 River Road, Lewisburg, PA 17837 submitted a Final Report concerning the remediation of site contaminated with Benzene, Ethylbenzene, Cumene, MTBE, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, and Xylenes. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on November 25, 2015.

**Thomas Residence**, 215 Roup Road, Valley Township, **Montour County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Mr. Ron Beyer, 225 Roup Road, Danville, PA 17821 submitted a Final Report concerning the remediation of site soils contaminated with heating oil. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on September 10, 2015.

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Former J.H. Beers, Inc. Site**, Male Road and State Route 33, Wind Gap Borough, Bushkill Township, and Plainfield Township, **Northampton County**. EarthRes Group, Inc., P. O. Box 468, Pipersville, PA 18947, on behalf of Taggart Associates, 26 East Third Street, Bethlehem, PA 18015, submitted a Final Report concerning the remediation of site soils contaminated with Benzene. The Final Report demonstrated attainment of the Site-Specific Standard for soils, and was approved by the Department on December 9, 2015.

**A&M Hibbard Centralized Water Treatment Facility**, 7111 State Route 29, Dimock Township, **Susquehanna County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of Cabot Oil & Gas Corporation, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate and a Final Report concerning the remediation of site soils contaminated with Aluminum, Barium, Boron, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, Zinc, and Chloride. The Final Report demonstrated attainment of the Statewide Health Standard and Background Standard, and was approved by the Department on December 16, 2015.

**Turkey Hill 123**, 120 South Main Street, Shenandoah Borough, **Schuylkill County**. Liberty Environmental, 50 North 5th Street, Reading, PA 19601, on behalf of Turkey

Hill LP, 257 Centerville Road, Lancaster, PA 17603, submitted a Final Report concerning remediation of site soil and groundwater contaminated with Benzene, Toluene, Ethylbenzene, Total Xylenes, Cumene, Naphthalene, 1,2,4-TMB, 1,3,5-TMB, MTBE, and lead. The Final Report demonstrated attainment of the Statewide Health and Site Specific Standard for soils and groundwater, and was approved by the Department on December 10, 2015.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**All American Hose, Inc.** (6424 West Ridge Road), 6424 West Ridge Road, Fairview Township, **Erie County**. AECOM, 12420 Milestone Center Drive, Suite 150, Germantown, MD 20876, on behalf of Parker Hannifin Corporation, 6035 Parkland Boulevard, Cleveland, OH 44124, submitted a Final Report concerning the remediation of site soil contaminated with acetone, benzene, chloromethane, ethylbenzene, toluene, 1,2,4-trimethylbenzene, 1,2,3-trimethylbenzene, 1,3,5-trimethylbenzene, total xylenes, benzo[b]fluoranthene, fluoranthene, arsenic, barium, cadmium, chromium (III), and lead. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 14, 2015.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Garnette Trucking/Mason Dixon Highway Remediation**, 2922 Mason Dixon Highway (nearest address), Garrett Borough, **Somerset County**. Weavertown Environmental Group, 2 Dorrington Road, Carnegie, PA 15106 on behalf of Garnette Trucking, 101 Pearl Industrial Avenue, Hoschton, GA 30548 submitted a Final Report concerning the remediation of site soil contaminated with Fuel Oil No. 4, 5 and 6, lubricating oils and fluids. The Final Report demonstrated attainment of residential Statewide Health standard and was approved by the Department on December 14, 2015.

**XTO Energy—Irwin A.C. #2 Site**, White Township, **Indiana County**. ARCADIS, U.S., Inc., 6041 Wallace Road Extension, Suite 300, Wexford, PA 15090 on behalf of XTO Energy, 190 Thorn Hill Road, Warrendale, PA 15086 submitted a Final Report concerning the remediation of site soils contaminated with chloride, aluminum, barium, boron, iron, lithium, manganese, strontium, vanadium, zinc and chloride. The Final report demonstrated attainment of Site-Specific standard for chlorides and a residential Statewide Health standard for all other constituents sampled for in soils and was approved by the Department on December 15, 2015.

**Hanna/Barrett Properties**, 401 Lincoln Highway & 1156 5th Avenue, Borough of East McKeesport, **Allegheny County**. KU Resources, 22 South Linden Street, Duquesne, PA 15110 on behalf of Turtle Creek Valley of Governments, 2700 Monroeville, PA 15146 submitted a Remedial Investigation Report (RIR) concerning site soils contaminated with arsenic, benzo(a)pyrene, benzene, antimony, and lead; soil gas containing ethylbenzene and xylenes; and groundwater containing benzene. The RIR was approved on December 17, 2015.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920*

**GP1-46-0247: Greene, Tweed & Co. Inc.** (2075 Detwilr Road, P. O. Box 305, Kulpsville, PA 19443) On December 8, 2015 for the installation and operation of a natural gas-fired combustion unit in Towamencin township, **Montgomery County**.

**GP14-23-0129: Delaware County Crematory** (52 S. 4th Street, Unit 6, Lansdowne, PA 19050) On December 10, 2015 to operate a human crematory in Upper Darby Township, **Delaware County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531*

**GP2-35-002: Baker Hughes Oilfield Operations** (17021 Aldine Westfield Road, Houston, TX 77073) on October 8, 2015, for the construction and operation of storage tanks at their facility in Fell Township and Carbondale City, **Lackawanna County**.

**GP1-39-004: Sunopta Food Processing Plant** (7108 Daniels Drive, Allentown, PA 18106) on October 8, 2015, for the construction and operation of Cleaver Brooks Boilers at their facility in City of Allentown, **Lehigh County**.

**GP9-40-010: Brdaric Excavating, Inc.** (913 Miller Street, Luzerne, PA 18709) on May 28, 2015, for the construction and operation of Engines at the Back Mountain Quarry at their facility in Swoyersville Borough and Kingston Township, **Luzerne County**.

**GP3-40-010: Brdaric Excavating, Inc.** (913 Miller Street, Luzerne, PA 18709) on May 27, 2015, for the construction and operation of crushing and screening equipment at the Back Mountain Quarry at their facility in Swoyersville Borough and Kingston Township, **Luzerne County**.

**GP3-40-008: Allied Recycling Company** (1752 Limekiln Pike, Dresher, PA 19025) on February 24, 2015, for the construction and operation of crushing and screening equipment at the Barletta Materials site at their facility in Nescopeck Township, **Luzerne County**.

**GP11-40-008: Allied Recycling Company** (1752 Limekiln Pike, Dresher, PA 19025) on February 24, 2015, for the construction and operation of one Cummins Engine at the Barletta Materials site at their facility in Nescopeck Township, **Luzerne County**.

**GP9-40-015: Hunlock Sand & Gravel Company** (121 Gravel Road, Hunlock Creek, PA 18621) on December 4, 2015, for the construction and operation of Engines at the Hunlock Sand & Gravel Plant at their facility in Hunlock Township, **Luzerne County**.

**GP9-40-013: Insinger Excavating, Inc.** (3046 Dushore-Overton Road, Dushore, PA 18614) on November 24, 2015, for the construction and operation of Engines at

the Moxie Freedom Project Site at their facility in Salem Township, **Luzerne County**.

**GP3-40-013: Insinger Excavating, Inc.** (3046 Dushore-Overton Road, Dushore, PA 18614) on November 24, 2015, for the construction and operation of crushing and screening equipment at the Moxie Freedom Project Site at their facility in Salem Township, **Luzerne County**.

**GP9-40-012: Susquehanna Coal Company** (31 N. Market Street, P. O. Box 27, Nanticoke, PA 18634) on October 9, 2015, for the construction and operation of Engines at the Glen Lyon Operations Site at their facility in Newport Township, **Luzerne County**.

**GP3-40-012: Susquehanna Coal Company** (31 N. Market Street, P. O. Box 27, Nanticoke, PA 18634) on October 9, 2015, for the construction and operation of crushing and screening equipment at the Glen Lyon Operations Site at their facility in Newport Township, **Luzerne County**.

**GP1-40-006: PA Dept. of Corrections/SCI Dallas** (1000 Follies Road, Dallas, PA 18612) on October 15, 2015, for the construction and operation of three Cleaver Brooks Boilers at their facility in Dallas Township, **Luzerne County**.

**GP11-45-006: E.R. Linde Construction Company** (9 Collan Park, Honesdale, PA 18431) on October 9, 2015, for the construction and operation of Engines at the Cresco Quarry site at their facility in Barrett Township, **Monroe County**.

**GP3-45-006: E.R. Linde Construction Company** (9 Collan Park, Honesdale, PA 18431) on October 9, 2015, for the construction and operation of crushing and screening equipment at the Cresco Quarry site at their facility in Barrett Township, **Monroe County**.

**GP19-54-001: Fabcon Precast, LLC** (1200 Morea Road, Mahanoy City, PA 17984) on July 21, 2015, for the construction and operation of Dry Abresive Blasting equipment with Cartridge Collector at their facility in Mahanoy Township, **Schuylkill County**.

**GP11-58-008: Bluestone Pipeline Company of PA, LLC** (1429 Oliver Road, New Milford, PA 18834) on October 30, 2015, for the construction and operation of Engines at the Bluestone-CDP#1-A site at their facility in New Milford Township, **Susquehanna County**.

**GP5-58-035: Bluestone Pipeline Company of PA, LLC** (1429 Oliver Road, New Milford, PA 18834) on October 29, 2015, for the construction and operation of 12 Caterpillar Engines with ultra lean burn and oxidation catalyst and two dehydration units with reboilers and one emergency generator at the Bluestone-CDP#1-A site at their facility in New Milford Township, **Susquehanna County**.

**GP9-58-041: F.S. Lopke Contracting, Inc.** (3430 State Route 434, Apalachin, PA 13732) on July 22, 2015, for the construction and operation of Engines at the Birchardville Quarry site at their facility in Forest Lake Township, **Susquehanna County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702*

**GP13-28-05035: St. Thomas Development, Inc.** (1750 Walton Road, Blue Bell, PA 19422) on December 11,

2015, for an existing batch asphalt plant, under GP13, at the St. Thomas quarry located in St. Thomas Township, **Franklin County**. The general permit authorization was renewed.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648*

**GP3-08-313D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a Teslab model 80X42 stacker, a Teslab model 1012T crusher, a Terex Pegson model 26X44 crusher, a McCloskey model J50C crusher, an Extec Model 5000S Vibratory Screen, a Powerscreen Chiefton 1400 Vibratory Screen, an Extec Model E7 Scalper Screen and associated conveyors with associated water spray dust suppression system pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Rocky Forest Quarry located in Wilmot Township, **Bradford County**. This new authorization supersedes all previous general permits at this facility.

**GP9-08-313D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a 440 bhp CAT model C13 engine, a 300 bhp CAT model C9 engine, a 350 bhp CAT model C9 engine, 100 bhp Deutz model BF4M2012 engine and a 100 bhp Duetz model TCO2012 engine, pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Rocky Forest Quarry located in Wilmot Township, **Bradford County**. This authorization supersedes all previous general permits at this facility.

**GP3-08-329D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a Teslab model 80X42 stacker, a Teslab model 1012T crusher, a Terex Pegson model 26X44 crusher, a McCloskey model J50C crusher, an Extec Model 5000S Vibratory Screen, a Powerscreen Chiefton 1400 Vibratory Screen, an Extec Model E7 Scalper Screen and associated conveyors with associated water spray dust suppression system pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Cobbs Corner Quarry located in Stevens Township, **Bradford County**. This new authorization supersedes all previous general permits at this facility.

**GP9-08-329D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a 440 bhp CAT model C13 engine, a 300 bhp CAT model C9 engine, a 350 bhp CAT model C9 engine, 100 bhp Deutz model BF4M2012 engine and a 100 bhp Duetz model TCO2012 engine, pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Cobbs Corner Quarry located in Stevens Township, **Bradford County**. This authorization supersedes all previous general permits at this facility.

**GP3-08-333D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a Teslab model 80X42 stacker, a Teslab model 1012T crusher, a Terex Pegson

model 26X44 crusher, a McCloskey model J50C crusher, an Extec Model 5000S Vibratory Screen, a Powerscreen Chiefton 1400 Vibratory Screen, an Extec Model E7 Scalper Screen and associated conveyors with associated water spray dust suppression system pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Dewing Quarry located in Warren Township, **Bradford County**. This new authorization supersedes all previous general permits at this facility.

**GP9-08-333D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a 440 bhp CAT model C13 engine, a 300 bhp CAT model C9 engine, a 350 bhp CAT model C9 engine, 100 bhp Deutz model BF4M2012 engine and a 100 bhp Duetz model TCO2012 engine, pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Dewing Quarry located in Warren Township, **Bradford County**. This authorization supersedes all previous general permits at this facility.

**GP3-08-334D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a Teslab model 80X42 stacker, a Teslab model 1012T crusher, a Terex Pegson model 26X44 crusher, a McCloskey model J50C crusher, an Extec Model 5000S Vibratory Screen, a Powerscreen Chiefton 1400 Vibratory Screen, an Extec Model E7 Scalper Screen and associated conveyors with associated water spray dust suppression system pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the Durrell Quarry located in Asylum Township, **Bradford County**. This new authorization supersedes all previous general permits at this facility.

**GP9-08-334D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a 440 bhp CAT model C13 engine, a 300 bhp CAT model C9 engine, a 350 bhp CAT model C9 engine, 100 bhp Deutz model BF4M2012 engine and a 100 bhp Duetz model TCO2012 engine, pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Durrell Quarry located in Asylum Township, **Bradford County**. This authorization supersedes all previous general permits at this facility.

**GP3-08-335D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a Teslab model 80X42 stacker, a Teslab model 1012T crusher, a Terex Pegson model 26X44 crusher, a McCloskey model J50C crusher, an Extec Model 5000S Vibratory Screen, a Powerscreen Chiefton 1400 Vibratory Screen, an Extec Model E7 Scalper Screen and associated conveyors with associated water spray dust suppression system pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at the P2 Quarry located in Tuscarora Township, **Bradford County**. This new authorization supersedes all previous general permits at this facility.

**GP9-08-333D: Johnson Quarries, Inc.** (PO Box 136 Orange Street, LeRaysville, PA 18829) on November 19, 2015, to construct and operate a 440 bhp CAT model C13 engine, a 300 bhp CAT model C9 engine, a 350 bhp CAT

model C9 engine, 100 bhp Deutz model BF4M2012 engine and a 100 bhp Deutz model TCO2012 engine, pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the P2 Quarry located in Tuscarora Township, **Bradford County**. This authorization supersedes all previous general permits at this facility.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940*

**GP5-20-297c: Laurel Mountain Midstream Townville Compressor Station** (14499 Maplewood Road, Townville, PA 16360) on December 14, 2015, for the authority to construct and/or operate one (1) natural gas fired 1,340 bhp Caterpillar G3516LE engine, one (1) TEG dehydrator rated at 8.0 mmscf/d, one (1) Reboiler rated at 0.25 mmBtu/hr, one (1) Produced Water tank rated at 100 barrels, Compressor Rod Packing/Engine Crankcase, Startup/Shutdown/Maintenance, Produced Water Load-Out, and associated piping and components (BAQ-GPA/GP5) located at their facility in Randolph Township, **Crawford County**.

---

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**09-0186F: Kinder Morgan Bulk Terminals, Inc.** (1000 South Port Road, Fairless Hills, PA 19030) On December 15, 2015, for the modification of their Bulk Material Handling System (Source ID 101), Coal and Coke Import/Export (Source ID 104), and Two (2) Portable McCloskey Conveyor/Stackers (Source ID 105), to consolidate Source IDs 104 and 105 into Source ID 101. The facility is located in Falls Township, **Bucks County**. The only pollutants of concern from this modification are fugitive emissions of PM and HAP. As Bucks County is in attainment for PM<sub>10</sub>/PM<sub>2.5</sub>, there are no restrictions on the emissions of fugitive PM except that Kinder Morgan must comply with 25 Pa. Code § 123.1. Total HAP emissions will be less than 10 TPY. This facility will continue to be a non-Title V facility. PM and HAP emissions will be controlled by water suppression, chemical suppression, covers, and barriers, as needed, and good management practices. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

**09-0053C: Greif Packaging, LLC** (695 Louis Drive, Warminster, PA 18974) On December 15, 2015, for the replacement of the existing steel drum exterior paint spray booth with one of like design, and the installation of a permanent total enclosure for the replacement spray booth, at its existing steel drum manufacturing facility located in Warminster Township, **Bucks County**. The facility is a Title V facility.

**23-0047H (APS #877841, AUTH #1085424): Evonik Degussa Corp.** (1200 West Front Street, Chester, PA 19013) December 14, 2015, for the installation of the new

granulator, silo, and bin vent filter/Baghouse and reconfiguration of the operation in Chester, City of Chester, **Delaware County**. The company manufactures silica from sodium silicate. The pollutant of concern is Particulate Matter (PM), controlled by a baghouse. This change will not change the existing PM emission limit for the facility. The Plan Approval and Operating permit will include monitoring, record keeping & reporting requirements designed to address all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**39-00090A: Inhance Technologies, LLC.** (202 Cascade Drive, Allentown, PA 18109) issued on December 10, 2015 for the modification of existing batch reactors' operation at the facility located in Hanover Township, **Lehigh County**.

**54-00086A: Schuylkill Haven Casket Co,** (PO Box 179, Schuylkill Haven, PA 17972) issued on December 17, 2015 for a wood fired boiler with baghouse at the site located in Schuylkill Haven Borough, **Schuylkill County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702*

**21-03023D: Ames True Temper, Inc.** (465 Railroad Avenue, Camp Hill, PA 17011) on December 11, 2015, for increased use of dip tank surface coating and pad printing operations on the existing hand tool lines at the facility in Hampden Township, **Cumberland County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940*

**42-028G: Ardagh Glass—Port Allegany Facility** (One Glass Place, Port Allegany, PA 16743), on December 14, 2015, has issued a plan approval for establishing SO<sub>2</sub> emission limits for both furnaces due to the Global Consent Decree with EPA in Port Allegany Borough, **McKean County**. This is a Title V facility.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920*

**46-0124A: Montgomery Chemicals LLC** (901 Conshohocken Road, Conshohocken, PA 19428) On December 14, 2015 to operate the emissions scrubber system in Plymouth Township, **Montgomery County**.

**15-0110B: Pepperidge Farm Inc.** (421 Boot Road, Downingtown, PA 19335-3043) On December 14, 2015 to operate brad, cake and related products in Downingtown Borough, **Chester County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**19-00002A: Foam Fabricators, LTD** (7050 Columbia Boulevard, 17 Industrial Drive, Bloomsburg, PA 17815) on December 14, 2015 to extend the authorization to operate the expandable polystyrene foam operation at their facility located in South Centre Township, **Columbia County** on a temporary basis to June 12, 2016. The plan approval has been extended.

---

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**23-00009: The Boeing Company—Philadelphia** (PO Box 16858 Philadelphia, PA 19142-0858) On December 18, 2015, for renewal of the Title V Operating Permit for its Ridley Park Pennsylvania Facility, an aerospace fabrication and repair facility located in Ridley Township, **Delaware County**. The renewal will also include the incorporation of Plan Approvals 23-0009G, 23-0009H and 23-0009F.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**35-00014: Keystone Sanitary Landfill Inc.** (P. O. Box 249, Dunmore, PA 18512-0249) The Department issued a renewal Title V Operating Permit on September 29, 2015, to a landfill facility in Dunmore Borough, **Lackawanna County**.

**64-00001: PA Department of Corrections—Waymart**, (1920 Technology Parkway, Mechanicsburg, PA 17050) on December 14, 2015 for operation of a Correctional Institution in Canaan Township, **Wayne County**. This is a renewal of the Title V Operating Permit. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G.

The main sources at this facility are three (3) Keeler Boilers and one (1) Emergency Generator. The boilers are subject to 40 CFR Part 63, Subpart JJJJJJ. The Emergency Generator is subject to 40 CFR Part 63, Subpart ZZZZ. The proposed Title V Operating Permit shall include emission restrictions, work practice standards and testing, monitoring, recordkeeping, and reporting requirements to ensure compliance with all applicable Federal and State air quality regulations.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**15-00041: Eastern Shore Natural Gas Co.** (604 Street Rd., Cochranville, PA 19330) On December 15,

2015 for operation of a natural gas transmission facility in Londonderry Township, **Chester County**. The facility's major emission points include four (4) natural gas-fired compressor engines and one (1) natural gas-fired emergency generator. This action is a renewal of the State Only Operating Permit. The initial permit was issued on 12-9-2005 and was renewed on 11-30-2010. The permit is for a non-Title V, Synthetic Minor facility. The permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**39-00026: Air Products and Chemicals, Inc.**, (7201 Hamilton Blvd. Allentown, PA 18195-1526) The Department issued a renewal State Only (Synthetic Minor) operating permit on December 14, 2015, for an industrial gas manufacturing facility in Upper Macungie Township, **Lehigh County**.

**39-00037: Nestle Purina PetCare Company**, (2050 Pope Road, Allentown, PA 18104) The Department issued a renewal State Only (Synthetic Minor) Operating Permit on September 29, 2015, for a dog and cat food manufacturing facility located in South Whitehall Township, **Lehigh County**.

**39-00075: Stonemor PA Subsidiary, LLC** (1035 Virginia Drive, Fort Washington, PA 19034) A renewal State Only operating permit was issued on October 14, 2015, to operate a facility in Whitehall Township, **Lehigh County**.

**40-00089: Jeddo Coal Co.** (46 Public Square, Suite 600, Wilkes-Barre, PA 18701-2609) issued on 12/15/15, for the operation of a coal preparation plant in Hazle Township, **Luzerne County**. The sources consist of three (3) crushers, one (1) feed hopper, and one (1) feeder. The fugitive emissions are controlled by a water spray system. The proposed operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**40-00107: Allegheny Energy Supply, LLC**, (800 Cabin Hill Drive, Greensburg, PA 15601) The Department issued a State Only (Synthetic Minor) operating permit on December 14, 2015, for a natural gas fired combustion turbine at a facility in Hunlock Township, **Luzerne County**.

**40-00114: Glenn O. Hawbaker, Inc.**, (711 East College Avenue, Bellefonte, PA 16823) A renewal State Only (Synthetic Minor) operating permit was issued on October 14, 2015, to operate a facility in Hazle Township, **Luzerne County**.

**54-00077: Northeast Prestressed Products, LLC** (121 River Street, Cressona, PA 17929-1108) issued on 12/15/15, for the operation of a precast concrete operation in North Manheim Township, **Schuylkill County**. The sources consist of one (1) concrete forms coating operation, three (3) parts washers, and one (1) product coating operation. This is a renewal of a State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**19-00016: Milco Industries, Inc.** (550 East Fifth Street, Bloomsburg, PA 17815), issued State only operating permit on December 9, 2015, for their textile finishing facility located in Town of Bloomsburg, **Columbia County**. The facility's main sources include two (2) identical Kewanee manufactured natural gas/#2 fuel fired boilers and two (2) natural gas fired tenter frame fabric dryers. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**18-00012: Lock Haven University** (410 N. Fairview Street, Lock Haven, PA 17745) on December 16, 2015, was issued a renewal state only operating permit for their college campus located in the City of Lock Haven, **Clinton County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**08-00043: Glenn O Hawbaker, Inc.** (711 East College Avenue, Bellefonte, PA 16832) on December 15, 2015, was issued a state only operating permit for their Greens Landing asphalt and sand and gravel plants located in the Athens Township, **Bradford County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**18-00027: Pine Creek Structures LLC** (74 Airstrip Road, Mill Hall, PA 17751-0205) on December 2, 2015, was issued a renewal state only operating permit for their modular structure production facility located in the Lamar Township, **Clinton County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**41-00061: Hanson Aggregates PA LLC** (7660 Imperial Way, Allentown, PA 18195) on December 1, 2015, was issued a renewal state only operating permit for their Montoursville sand and gravel plant located in the Fairfield Township, **Lycoming County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**18-00023: Hanson Aggregates PA LLC** (7660 Imperial Way, Allentown, PA 18195) on December 1, 2015, was issued a renewal state only operating permit for their Salona quarry located in the Lamar Township, **Clinton County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Tom Joseph, Permitting Chief—Telephone: 412-442-5226*

**TVOP-65-00767: Westmoreland Sanitary Landfill, LLC** (111 Conner Ln, Belle Vernon, PA 15012) on December 17, 2015, a Title V Operating Permit to Westmoreland Sanitary Landfill, LLC to authorize the continued operation of their solid waste landfill located in Rostraver Township, **Westmoreland County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940*

**37-00332: Amerikohl Aggregates, Inc.—McMillin Mine** (1384 State Route 711, Stahlstown, PA 15687) On December 15, 2015, the Department re-issued a Natural Minor Permit to operate a limestone aggregates processing facility located in Wayne Township, **Lawrence County**. The primary sources of emissions at the facility are the diesel engines and Mineral Processing Plant.

Construction of this facility was initially authorized by Plan Approval Number: 37-00332A which was issued on April 5, 2012. That plan approval was replaced by Plan Approval Number 37-332B on June 11, 2013. The conditions from that plan approval have been incorporated into the Natural Minor Operating Permit.

Additional equipment was installed under a series of six (6) General Plan Approvals issued between November 27, 2013 and March 3, 2015. These included three GP-3s to add equipment to the Portable Nonmetallic Mineral Processing Plant and three GP-11s for the Nonroad Engines needed to power the equipment. The requirements from those general permits have been incorporated into the operating permit.

The Portable Nonmetallic Mineral Processing Plant at this facility is subject to 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

The potential emissions from this facility are as follows. (All values are in tons/year.) PM = 20.0, PM<sub>10</sub> = 10.4, SO<sub>x</sub> = 17.8, NO<sub>x</sub> = 74.8, VOC = 22.0, CO = 58.2, CO<sub>2e</sub> = 30,062.9, and Total HAPs = 0.4.

**43-00036, Hodge Foundry, Inc.**, (42 Leach Road, Greenville, PA 16125, Mercer County) On December 16, 2015, the Department re-issued a Synthetic Minor Permit to operate a foundry operation located in Hempfield Township, **Mercer County**. This facility has a Synthetic Minor Operating Permit which limits emissions below major source levels.

This facility remains subject to the requirements of 40 CFR 63, Subpart ZZZZZ—National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources. These requirements have not changed.

The two (2) emergency power generators at this facility (Source IDs: 250 and 251) are subject to the newly promulgated requirements of 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The latest version of that subpart has been attached to those sources.

The potential emissions from this facility are as follows. (All values are in tons/year.) PM<sub>10</sub> = 87.0, PM<sub>2.5</sub> = 12.8, SO<sub>x</sub> = 0.31, NO<sub>x</sub> = 1.65, VOC = 49.4, CO = 0.90, CO<sub>2e</sub> = 1400, Total HAPs = 20.0, Benzene = 4.6 and Toluene = 6.7.

**43-00364: Combined Systems, Inc.**, (388 Kinsman Road, Jamestown, PA 16134), on December 15, 2015, issued a new State Only Operating Permit for their CS manufacturing operations in Greene Township, **Mercer County**. The facility is a Natural Minor. Potential emissions are estimated as follows: NO<sub>x</sub>, less than 1 tpy; CO,

less than 1 tpy; VOC, 1.7 tpy; SO<sub>2</sub>, less than 1 tpy; PM, less than 1 tpy; and all combined HAPs, < 1 tpy. The primary sources at the facility are a CS mixing operation, granulation & sieving operation, pelletizing, a 1,600 cfm paint booth, an indoor test chamber, silk screening & varnish application, 3 indoor testing operations, field testing, and a mixing operation of CS & with methylene chloride. The mixing of CS with methylene chloride is subject to 40 CFR Part 63 Subpart VVVVVV, the National Emission Standards for Hazardous Air Pollutants for Chemical Manufacturing Area Sources. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507*

**48-00031: Dixie Consumer Products LLC** (605 Kuebler Road, Easton, PA 18040-9281) on December 04, 2015, in Forks Township, **Northampton County** for an amendment to incorporate process modification. The conditions from Plan Approval 48-00031 & 48-399-073 were copied into the State Only Operating Permit. Administrative Amendment of State Only Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**59-00004: Ward Manufacturing, LLC** (117 Gulick Street, Blossburg, PA 16912) on December 15, 2015, was issued a revised Title V operating permit to incorporate the terms and conditions of Plan Approval 59-00004I for their Blossburg facility located in Blossburg Borough, **Tioga County**. The revised Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**18-00026: First Quality Products, Inc.** (121 North Road, McElhattan, PA 17748) issued a revised State Only operating permit, Revision No. 1 on December 1, 2015, for their facility in Wayne Township, **Clinton County**. This operating permit modification allows operation of two electrically powered Curt G. Joa underpad manufacturing lines (Source ID P113) and associated fabric collectors (control ID C113) and a fluff recycling operation. The operating permit is effective through June 11, 2018. This revised State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

---

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P. S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1002).**

---

### Coal Permits Issued

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 11900201 and NPDES No. PA0599051, Maple Coal Company**, 254 Interpower Drive, Colver, PA 15927, commencement, operation and restoration of a bituminous surface refuse reprocessing mine to change the land use from Wildlife Habitat to unmanaged Natural Habitat in Barr and Blacklick Townships, **Cambria County**, affecting 134.2 acres. Receiving stream Elk Creek classified for the following use cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 21, 2015. Permit issued: December 9, 2015.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**61970102. Rusnak Coal Company** (P. O. Box 44, Grove City, PA 16127) Renewal of an existing bituminous surface, auger, and coal ash placement mine in Irwin Township, **Venango County**, affecting 54.5 acres. This renewal is issued for reclamation only. Receiving streams: One unnamed tributary to Scrubgrass Creek. Application received: October 15, 2015. Permit Issued: December 10, 2015.

**33813020 and NPDES Permit No. PA0603465. Leonard W. Yenzi** (P. O. Box 62, Anita, PA 15711) Renewal of an existing bituminous surface mine and associated NPDES permit in Winslow Township, **Jefferson County**, affecting 285.2 acres. Receiving streams: Unnamed tributaries to Front Run, unnamed tributaries to Trout Run. Application received: September 9, 2015. Permit Issued: December 10, 2015.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**17080103 and NPDES PA 0256722. Corey L. Shawver DBA Hilltop Coal Company** (12 Dutchtown Road, Houtzdale, PA 16651). Permit renewal for continued operation and restoration of a bituminous surface and

auger mine located in Bigler and Gulich Townships, **Clearfield County** affecting 320.7 acres. Receiving stream(s): Little Muddy Run, Unnamed Tributaries to Little Muddy Run, and Unnamed Tributaries to Muddy Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: December 12, 2014. Permit issued: December 9, 2015.

*Noncoal Permits Issued*

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191*

**33992804. Beechwoods Golf Course, Inc.** (1618 Airport Road, Falls Creek, PA 15840) Commencement, operation and restoration of a small industrial minerals surface mine in Winslow Township, **Jefferson County** affecting 4.6 acres. Receiving streams: Sandy Lick Creek. Application received: November 2, 2015. Permit Issued: December 15, 2015.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 58150806 and NPDES Permit No. PA0225568. Juan Loja**, (1525 Fair Hill Road, New Milford, PA 18834), commencement, operation and restoration of a quarry operation and NPDES Permit for discharge of treated mine drainage in Thompson Township, **Susquehanna County** affecting 5.0 acres, receiving stream: unnamed tributary to Starrucca Creek. Application received: May 15, 2015. Permit issued: December 8, 2015.

**Permit No. 6575SM2A2C4 and NPDES Permit No. PA0224936. Eureka Stone Quarry, Inc.**, (PO Box 249, Chalfont, PA 18914), correction to an existing quarry operation to include NPDES Permit for discharge of treated mine drainage in Hamilton Township, **Monroe County** affecting 118.6 acres, receiving stream: unnamed tributary to McMichael Creek. Application received: March 8, 2011. Correction issued: December 10, 2015. (revised publication)

**ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 23154001. Great Lakes Dredge & Dock Co., LLC**, (2122 York Road, Oakbrook, IL 60523), blasting for the Delaware River Main Channel Deepening in Marcus Hook and Ridley Park Boroughs, **Delaware County** with an expiration date of March 15, 2018. Permit issued: December 17, 2015.

**Permit No. 23154106. Rock Work, Inc.**, (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Liseter Development in Newton Township, **Delaware County** with an expiration date of December 31, 2018. Permit issued: December 17, 2015.

**Permit No. 38154132. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Old South Crossing in South Annville Township,

**Lebanon County** with an expiration date of December 30, 2016. Permit issued: December 17, 2015.

**Permit No. 54154105. Hayduk Enterprises, Inc.**, (257 Riverside Drive, Factoryville, PA 18419), construction blasting for sewer line to Keystone Anthracite in West Mahanoy Township, **Schuylkill County** with an expiration date of June 30, 2016. Permit issued: December 17, 2015.

**FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636*



**E14-562. Lawrence & Barb Morar**, 332 Arbor Way, State College, PA 16803-3401. Morar Camp, in Gregg Township, **Centre County**, ACOE Baltimore District (Spring Mills, PA Quadrangle N: 40°48'11.6"; W: -77°34'31.2").

To: 1) construct and maintain a steel beam wood deck bridge across with a 14-foot clear span and an underclearance of at least 57-inches over a 10 foot wide stream, 2) place and maintain an electric line across the bridge in order to provide vehicle and utility access to a proposed seasonal cabin (Spring Mills, PA Quadrangle N: 40°48'11.6"; W: -77°34'31.2") in Gregg Township, Centre County. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

**E19-307. Santo Lanzafame**, 1743 Old Berwick Road, Bloomsburg, PA 17815. Concrete dike system, in Orange Township, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle Latitude: 40°3'10.4"; Longitude: 76°25'41.8").

To maintain a concrete block dike system for a distance of 140 linear feet in the floodway of Stoney Brook Run, Exceptional Value Cold Water Fishery. Associated with the dike system is earthen fill placed on the upstream side for a horizontal distance 5 feet landward from the concrete block system and a vertical distance to an elevation of 541.66 feet; the downstream side for a horizontal distance landward to create a 3:1 slope from elevation 541.66 feet. This permit does not authorize alterations to the dike beyond minor side slope grading and vegetation establishment. This dike system is intended to protect the sewage facilities for the residence from frequent storm events having a statistical occurrence probability of 1 in 10 years, or more often and is not intended to protect the homes structure or property from structural damage during flood events. This project is located at 15 Stony Brook Road, Bloomsburg, PA 17815.

*District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA*

**E4129-095: Range Resources—Appalachia, LLC**, 101 West 3rd Street, Williamsport, PA 17701, Cummings Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

(1) two 12-inch water lines over a previously permitted culvert, impacting 4 linear feet of an unnamed tributary to First Fork Larrys Creek (EV) (Waterville, PA Quadrangle 41°20'38"N 77°18'38"W).

The project will result in 4 linear feet of stream impact all for the purpose of installing water lines for Marcellus well development.

*Wilkes-Barre: Attn: Mike Korb Environmental Program Manager, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701*

**E4011-005. Pennsylvania Department of Environmental Protection**, Bureau of Abandoned Mine Reclamation, Wilkes-Barre Office, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701. Abandoned Mine Land Reclamation Project, in Foster Township, **Luzerne County**, Baltimore ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a total of 850 linear feet of dangerous highwall. The project will also fill in 1.06 acre of open water that has developed within open surface mine pits.

A replacement will consists of a shallow basin and plantings. (Nanticoke Quadrangle 41°10'47", 76°1'49.56"W)

### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335*

ESCGP-2 #ESG15-019-0050—Mountain Gathering to

Cryo Gas Pipeline

Applicant Mountain Gathering LLC

Contact Mr. Dewey Chalos

Address 810 Houston Street

City Fort Worth State TX Zip Code 76102

County Butler Township(s) Penn

Receiving Stream(s) and Classification(s) Thorn Creek (CWF)/Connoquenessing Creek

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-2 # ESG29-015-15-0016

Applicant Name Chief Oil & Gas LLC

Contact Person Jeffrey Deegan

Address 6051 Wallace Rd Ext, Suite 300

City, State, Zip Wexford, PA 15090

County Bradford

Township(s) Albany

Receiving Stream(s) and Classification(s) Lick Creek (EV, MF)

Secondary—Little Loyalsock Creek

ESCGP-2 # ESX10-015-0081(01)

Applicant Name Chesapeake Appalachia LLC

Contact Person Eric Haskins

Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840

County Bradford

Township(s) Smithfield

Receiving Stream(s) and Classification(s) Tomjack Creek (TSF, MF)

Secondary—Sugar Creek

ESCGP-2 # ESX10-015-0083(01)  
 Applicant Name Chesapeake Appalachia LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 County Bradford  
 Township(s) Troy  
 Receiving Stream(s) and Classification(s) UNT to Mud  
 Creek (TSF, MF)  
 Secondary—Sugar Creek

ESCGP-2 # ESX10-015-0015(01)  
 Applicant Name Chesapeake Appalachia LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 County Bradford  
 Township(s) Terry  
 Receiving Stream(s) and Classification(s) UNT to Sugar  
 Run (CWF, MF)  
 Secondary—Sugar Run Creek

ESCGP-2 # ESX29-115-15-0048  
 Applicant Name Susquehanna Gathering Co LLC  
 Contact Person Brian Bury  
 Address 1299 Oliver Rd  
 City, State, Zip New Milford, PA 18834  
 County Susquehanna  
 Township(s) Harford & New Milford  
 Receiving Stream(s) and Classification(s) E Branch Mar-  
 tins Creek (CWF-MF)

ESCGP-2 # ESX29-131-15-0002(01)  
 Applicant Name Appalachia Midstream Services LLC  
 Contact Person Michael Tucker  
 Address 400 1st Center, Suite 404  
 City, State, Zip Horseheads, NY 14845  
 County Wyoming  
 Township(s) Braintrim  
 Receiving Stream(s) and Classification(s) UNT to Black  
 Walnut Creek (CWF, MF); UNT to Susquehanna River  
 (CWF, MF)  
 Secondary—Black Walnut Creek (CWF, MF);  
 Susquehanna River (WWF)

ESCGP-2 # ESX10-015-0013(02)  
 Applicant Name Triana Energy LLC  
 Contact Person Walter Showen III  
 Address 900 Virginia St East  
 City, State, Zip Charleston, WV 25301  
 County Potter  
 Township(s) Hector  
 Receiving Stream(s) and Classification(s) UNT to Genesee  
 Forks (HQ-CWF); Genesee Forks (HQ-CWF)  
 Secondary—Genesee Forks (HQ-CWF); Pine Creek (EV)

ESCGP-2 # ESX11-081-0025(01)  
 Applicant Name Pennsylvania General Energy Co LLC  
 Contact Person Doug Kuntz  
 Address 120 Market St  
 City, State, Zip Warren, PA 16365  
 County Lycoming  
 Township(s) Cummings  
 Receiving Stream(s) and Classification(s) Boone Run (EV)  
 Secondary—Little Pine Creek (HQ-TSF)

ESCGP-2 # ESX11-035-0016(01)  
 Applicant Name Anadarko E&P Onshore LLC  
 Contact Person Rane Wilson  
 Address 33 W Third St, Suite 200  
 City, State, Zip Williamsport, PA 17701  
 County Clinton  
 Township(s) Beech Creek

Receiving Stream(s) and Classification(s) UNT to Middle  
 Branch Big Run (EV)  
 Secondary—Middle Branch Big Run (EV)

---

## SPECIAL NOTICES

---

### Intent to Accept Proposals from Licensed Mine Operators for the Completion of Reclamation of an Abandoned Strip Mine Project

*Knox District Mining Office: P. O. Box 669, 310 Best  
 Avenue, Knox, PA 16232-0669, 814-797-1191*

Under Act 181 of 1984, the Department of Environmen-  
 tal Protection is announcing its intention to accept pro-  
 posals from licensed mine operators for the completion of  
 reclamation of an abandoned strip mine project identified  
 as the **Orcutt-Smail Project No. PBF 33803040.8**  
 located in Union Township, **Jefferson County**.

The project requires operation and maintenance of an  
 active chemical acid mine drainage treatment system.  
 Reclamation work may involve scheduled visitation, moni-  
 toring chemical levels and application rates, and routine  
 maintenance as directed by the Knox District Mining  
 Office.

Letters of interest must be received by Joseph Ferrara,  
 District Mining Manager, Department of Environmental  
 Protection, P. O. Box 669, Knox, PA 16232, no later than  
 4:00 p.m., January 8, 2016, to be considered. Telephone  
 inquiries shall be directed to Mr. Ferrara at (814) 797-  
 1191.

[Pa.B. Doc. No. 16-9. Filed for public inspection December 31, 2015, 9:00 a.m.]

---

### Pipeline Infrastructure Task Force Meeting Change

The Pipeline Infrastructure Task Force (Task Force)  
 meeting that was originally scheduled for January 13,  
 2016, at Dixen University has been rescheduled to Janu-  
 ary 20, 2016, and will be held from 1 p.m. to 4 p.m. in  
 Susquehanna Conference Rooms A and B, Department of  
 Environmental Protection, Southcentral Regional Office,  
 909 Elmerton Avenue, Harrisburg, PA 17110. The Task  
 Force will develop policies, guidelines and tools to assist  
 in pipeline development (including planning, permitting  
 and construction) as well as long-term operation and  
 maintenance.

The purpose and goals of the Task Force are to define a  
 series of best practices to:

- Plan, site and route pipelines in ways that avoid or  
 reduce environmental and community impacts of pipeline  
 development.
- Amplify and engage in meaningful public participa-  
 tion regarding pipeline development.
- Maximize opportunities for predicable and efficient  
 permitting.
- Employ construction methods that reduce environ-  
 mental and community impacts.
- Ensure pipeline safety and integrity during operation  
 of the pipeline.

The Task Force will provide a final report to Governor  
 Tom Wolf detailing the findings of the Task Force in  
 February 2016.

Questions concerning the meeting can be directed to the Task Force at RA-EPPITF@pa.gov. The agenda for the meeting will be available through the Department of Environmental Protection's (Department) web site at [www.dep.state.pa.us](http://www.dep.state.pa.us) (DEP Keyword: Pipeline Infrastructure Task Force).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Task Force at (717) 772-1856, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JOHN QUIGLEY,  
*Secretary*

[Pa.B. Doc. No. 16-10. Filed for public inspection December 31, 2015, 9:00 a.m.]

### Requirement to Submit Emissions Inventory Data for Natural Gas Activities

The Department of Environmental Protection (Department) is notifying all owners or operators of companies involved in certain natural gas related activities across this Commonwealth that source reports must be submitted to the Department for air contaminant air emissions from their facilities during the 2015 calendar year.

In accordance with section 4(3) of the Air Pollution Control Act (35 P.S. § 4004(3)) and 25 Pa. Code § 135.3 (relating to reporting), the Department is authorized to collect air quality emissions inventories, including those from owners or operators of facilities engaged in the following: coal bed methane gas compressing, processing and related activities; unconventional natural gas development, production, transmission, processing and related activities; and midstream conventional natural gas compressing, processing and related activities.

The sources and activities that the Department has identified for the source reporting requirements include, but are not limited to, midstream compressor stations, pigging operations, dehydration units, drill rigs, heaters, pneumatic pumps, stationary engines, simple cycle turbines, natural gas-driven pneumatic controllers, pneumatic pumps, fugitive sources, storage vessels/tanks, venting, blowdown systems, well heads and well completions. Fugitive sources include connectors, flanges, pump lines, pump seals and valves. The storage vessels/tanks category includes storage tanks, pressurized vessels, impoundments and central impoundments.

Complete source reports, including emissions data, for the 2015 calendar year must be submitted to the Department no later than March 1, 2016. Subsequent source reports and annual emissions inventories will be due to the Department by March 1 each year for operations during the preceding calendar year. A request for an extension of time for source reporting may be submitted to the Department by a source owner or operator in accordance with 25 Pa. Code § 135.3(c).

The owner or operator of a well site facility or coalbed methane facility must submit Microsoft Excel source reports, including emissions factors and actual calculations, for the 2015 calendar year to the Department no later than March 1, 2016. These spreadsheets must be submitted through the GreenPort. Subsequent source reports and annual emissions inventories will be due to

the Department by March 1 each year for operations during the preceding calendar year.

Midstream facility owners and operators must submit emissions through the Department's AES\*Online or AES\*XML emission inventory system no later than March 1, 2016. Supporting documents, including emission factors, actual calculations and supplemental spreadsheets, must be attached to the submittal. The owner or operator should use mass balance estimation methods to calculate fugitive emissions. Access to the Greenport may be requested by contacting Robert Bihl, (717) 772-3950, [rbihl@pa.gov](mailto:rbihl@pa.gov) as soon as possible but no later than 2 weeks prior to accessing the system. Subsequent source reports and annual emissions inventories will be due to the Department by March 1 each year for operations during the preceding calendar year.

Any owner or operator of midstream pipeline pigging stations must submit separate Microsoft Excel spreadsheets to the Department by e-mail for those pigging operations that are not located within 1/4 mile of a compressor station and not included in compressor station submittals. The owner or operator of pigging operations within 1/4 mile of a compressor station must submit data to AES, not by means of spreadsheet. Instructions and spreadsheets are available for downloading on the Bureau of Air Quality's web site.

All source reports and emissions data must be submitted to the Department by a responsible official, as defined in 25 Pa. Code § 121.1 (relating to definitions).

Emission statements required for stationary sources emitting equal to or greater than 50 and 100 tons per year of volatile organic compounds and oxides of nitrogen, respectively, should have already been submitted to the Department as required under 25 Pa. Code § 135.21 (relating to emission statements).

Additional information may be obtained by contacting Karen Gee, Department of Environmental Protection, Bureau of Air Quality, Air Information Section, P. O. Box 8468, Harrisburg PA 17105-8468, (717) 783-9241, [kgee@pa.gov](mailto:kgee@pa.gov).

JOHN QUIGLEY,  
*Secretary*

[Pa.B. Doc. No. 16-11. Filed for public inspection December 31, 2015, 9:00 a.m.]

## DEPARTMENT OF GENERAL SERVICES

### Lease Office Space to the Commonwealth Montgomery County

Proposers are invited to provide a proposal to the Department of General Services for 5,000 to 6,000 net usable square feet of office space for the Liquor Control Board in King of Prussia, Montgomery County, due on or before 3 p.m. on January 8, 2016. For more information on SFP No. 94783, visit [www.dgs.state.pa.us](http://www.dgs.state.pa.us) or contact the Bureau of Real Estate at (717) 787-4394.

CURTIS M. TOPPER,  
*Secretary*

[Pa.B. Doc. No. 16-12. Filed for public inspection December 31, 2015, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Approved Laboratories under the Sexual Assault Testing and Evidence Collection Act

Under the Sexual Assault Testing and Evidence Collection Act (act) (35 P. S. §§ 10172.1—10172.5), the Department of Health, with concurrence from the State Police and in consultation with the Pennsylvania Coalition Against Rape, is required to approve laboratories to receive sexual assault evidence for testing and analysis. Under section 3(a)(5) of the act (35 P. S. § 10172.3(a)(5)), laboratories that have been approved by the Federal Bureau of Investigation (FBI) to access the Combined DNA Index System (CODIS) or an equivalent Federally administered National DNA database are automatically approved to receive sexual assault evidence for testing and analysis.

The following laboratories have been approved by the FBI to access CODIS and therefore are approved to receive sexual assault evidence for testing and analysis.

#### *State Police Bureau of Forensic Services*

Law enforcement agencies submitting sexual assault evidence to the State Police's Bureau of Forensic Services should submit evidence directly to their regional laboratory. The regional laboratories will screen the evidence or forward the evidence, or both, to the Forensic DNA Division, which will ensure the completion of all necessary DNA analysis, to include CODIS searching and entry. Laboratories that have questions should contact the following regional laboratory with any questions regarding submission. Questions regarding DNA testing can be addressed to the Forensic DNA Division at (724) 832-5423.

Bethlehem Regional Laboratory  
2932 Airport Road  
Bethlehem, PA 18017  
(610) 861-2103

Erie Regional Laboratory  
4310 Iroquois Avenue  
Erie, PA 16511  
(814) 899-8447

Greensburg Regional Laboratory  
425 Willow Crossing Road  
Greensburg, PA 15601  
(724) 832-3299

Harrisburg Regional Laboratory  
1800 Elmerton Avenue  
Harrisburg, PA 17110  
(717) 783-5554

Lima Regional Laboratory  
350 North Middletown Road  
Media, PA 19063  
(610) 891-6360

Wyoming Regional Laboratory  
479 Wyoming Avenue  
Wyoming, PA 18644  
(570) 693-5717

#### *Other approved laboratories*

Allegheny County Medical Examiner's Office  
1520 Penn Avenue  
Pittsburgh, PA 15222  
(412) 350-3741

Philadelphia Police Department  
Office of Forensic Science  
843-849 North 8th Street  
Philadelphia, PA 19123  
(215) 685-3100

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape, Braille) should contact Dr. James Lute, Department of Health, Bureau of Laboratories, 110 Pickering Way, Exton, PA 19341-1310, (610) 280-3464. Speech or hearing impaired persons may call by using V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-13. Filed for public inspection December 31, 2015, 9:00 a.m.]

### Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

#### *Prearrest Breath Testing Devices*

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

On January 9, 2014 the NHTSA indicated that it had approved the ALERT J5 from Countermeasure Systems Corp. as a breath screening device. The Department received confirmation of this addition on July 10, 2015.

#### *Evidential Breath Testing Devices*

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that

notice at 49 FR 48854 (December 14, 1984). Those instruments are identified in this notice with an asterisk.

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 blood alcohol content (BAC), to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993. Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993).

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code when blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Dr. James R. Lute at the following address so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a

different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

### CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey <sup>1</sup>	<ul style="list-style-type: none"> <li>• AlcoScan AL-2500.</li> <li>• SafeMate.<sup>2</sup></li> <li>• SafeDrive.</li> <li>• AlcoMate.<sup>3</sup> (aka: AlcoHAWK Pro by Q3 Innovations).</li> <li>• AlcoMate Accu Cell AL-9000.</li> <li>• AlcoMate Pro.<sup>3</sup></li> <li>• AlcoMate Core.<sup>4</sup></li> <li>• AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).<sup>4 5</sup></li> <li>• AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).<sup>4 6</sup></li> <li>• AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).</li> </ul>
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. <sup>7</sup> Alco Check 9000. <sup>7</sup>
Akers Biosciences, Inc., Thorofare, New Jersey Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	Breath Alcohol® .02 Detection System. <sup>8</sup> DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan B.E.S.T. Labs., Boardman, Ohio Chematics, Inc., North Webster, Indiana Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	BACmaster. PB 9000e. ALCO-SCREEN 02 <sup>TM9</sup> . AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> <li>• Alco Tector Mark X.</li> <li>• Mark X Alcohol Checker.</li> <li>• Alcotector WAT89EC-1.</li> <li>• Alcotector WAT90.</li> </ul>
Han International Co., Ltd., <sup>2</sup> Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> <li>• BACTRACK Select S50.<sup>10</sup></li> <li>• BACTRACK Select S80.<sup>10</sup></li> <li>• BACTRACK Element.</li> <li>• BACTRACK S 75 Pro.</li> </ul> Q.E.D. A150 Saliva Alcohol Test.
OraSure Technologies, Inc., Bethlehem, Pennsylvania	PAS Vr.
PAS Systems International, Inc., Fredericksburg, Virginia	Alcovisor MARS.
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> <li>• AlcoHAWK Precision.</li> <li>• AlcoHAWK Slim.</li> <li>• AlcoHAWK Slim 2.</li> <li>• AlcoHAWK Elite.</li> <li>• AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.).</li> <li>• AlcoHAWK Micro.</li> <li>• AlcoHAWK PRO (aka: AlcoMate by AK Solutions).</li> <li>• AlcoHAWK PT 500.</li> <li>• CA2010.</li> </ul>

Distributors/Manufacturers	Devices
Repco Marketing, Inc., Raleigh, North Carolina Seju Engineering Co., Taejeon, Korea Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	Alco Tec III. Safe-Slim. • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan Varian, Inc., Lake Forest, California	Digitox D.O.T. <sup>7</sup> On-Site Alcohol. <sup>10</sup>

<sup>1</sup> The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

<sup>2</sup> Manufactured by Seju Engineering, Korea.

<sup>3</sup> Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

<sup>4</sup> Manufactured by Sentech Korea Corp.

<sup>5</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

<sup>6</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

<sup>7</sup> While these devices are still being sold, they are no longer manufactured or supported.

<sup>8</sup> The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

<sup>9</sup> While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

<sup>10</sup> While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

#### CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF <sup>IR</sup> Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	—
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger Safety, Inc. (aka: National Draeger) Irving, Texas:		
Alcotest Model:		
6510	X	X
6810	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X



<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Photo Electric Intoximeter*	—	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Auto Intoximeter*	X	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)		X
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0	X	X
EV 30	X	X
FC 10	X	X
FC 20	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	—
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
EBA*	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc., Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Mark V Alcovisor	X	X
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemans-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

\*Instruments marked with an asterisk (\*) meet the Model Specifications detailed at 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed at 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

KAREN M. MURPHY, PhD, RN,  
Secretary

[Pa.B. Doc. No. 16-14. Filed for public inspection December 31, 2015, 9:00 a.m.]

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P. S. §§ 448.101—448.904b). The following requests for exception relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals), with the exception of 28 Pa. Code § 153.1 (relating to minimum standards). Exception requests related to 28 Pa. Code § 153.1 are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
Easton Hospital	28 Pa. Code § 107.61 (relating to written orders)
Geisinger Lewiston Hospital	28 Pa. Code § 113.5(a) (relating to pharmacy and therapeutics committee)
UPMC East	28 Pa. Code § 107.61
UPMC McKeesport	28 Pa. Code § 107.61
UPMC Presbyterian Shadyside	28 Pa. Code § 107.61

The following hospital is requesting exceptions under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
OSS Orthopaedic Hospital	2.2-3.4.1.1	Imaging services—application	2014
	3.1-3.2.2.2(1)	Space requirements—area	2014

All requests previously listed are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-15. Filed for public inspection December 31, 2015, 9:00 a.m.]

### **Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings**

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, January 13, 2016, and Thursday, January 14, 2016, from 9 a.m. to 4 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub. L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or for persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so should contact Kenneth McGarvey, Director, Department of Health, Division of HIV Disease, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572, or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to cancel this meeting without prior notice.

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-16. Filed for public inspection December 31, 2015, 9:00 a.m.]

### **Laboratories Approved to Determine Analyses of Blood or Serum, or Both, for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Federal Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analysis, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses  
 SSe = approved for serum screening analyses  
 CB = approved for blood confirmatory analyses  
 CSe = approved for serum confirmatory analyses

33664  
 AEGIS SCIENCES CORPORATION—SB, SSe, CB, CSe  
 365 GREAT CIRCLE ROAD  
 NASHVILLE, TN 37228  
 (615) 255-2400

30483  
 AIT LABORATORIES—SB, SSe, CB, CSe  
 2265 EXECUTIVE DRIVE  
 INDIANAPOLIS, IN 46241  
 (317) 243-3894

00671  
 ALLEGHENY COUNTY MED EX DIV OF LAB—SB,  
 SSe, CB, CSe  
 1520 PENN AVENUE, 2ND FLOOR  
 PITTSBURGH, PA 15222  
 (412) 350-4425

31871  
 AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,  
 SSe, CB, CSe  
 789 PARK AVENUE  
 HUNTINGTON, NY 11743  
 (631) 923-0166

21613  
 ARUP LABORATORIES INC—SSe, CSe  
 500 CHIPETA WAY  
 SALT LAKE CITY, UT 84108  
 (800) 242-2787

24997  
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,  
 SSe, CB, CSe  
 3520 PROGRESS DRIVE UNIT C  
 BENSLEM, PA 19020  
 (267) 525-2470

00977  
 DRUGSCAN INC—SB, SSe, CB, CSe  
 200 PRECISION ROAD, SUITE 200  
 HORSHAM, PA 19044  
 (267) 960-3407

31400  
 FRANCES WARDE MEDICAL LABORATORY—SSe, CSe  
 300 WEST TEXTILE ROAD  
 ANN ARBOR, MI 48108  
 (734) 214-0301

24655  
 HEALTH NETWORK LABORATORIES—SB, SSe, CB,  
 CSe  
 794 ROBLE ROAD  
 ALLENTOWN, PA 18109-9110  
 (610) 402-8150

09003  
 MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—  
 SSe  
 200 FIRST STREET SW HILTON 530  
 ROCHESTER, MN 55905  
 (507) 538-6449

05574  
 MEDTOX LABORATORIES INC—SB, SSe, CB, CSe  
 402 COUNTY ROAD D WEST  
 ST PAUL, MN 55112  
 (651) 286-6217

32803  
 MOLECULAR DX, LLC—SB, CB  
 620 7TH STREET SUITE C  
 WINDBER, PA 15963  
 (814) 361-6993

00504  
 NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,  
 CB, CSe  
 3701 WELSH ROAD  
 WILLOW GROVE, PA 19090  
 (215) 366-1222

29741  
 NORTHERN TIER RESEARCH—SB, SSe, CB, CSe  
 1302 MADISON AVE  
 DUNMORE, PA 18509  
 (570) 209-7913

30984  
 OFFICE OF THE DISTRICT ATTORNEY—SB, SSe, CB  
 37 E HIGH STREET, FORENSIC LAB  
 CARLISLE, PA 17013  
 (717) 240-6526

00250  
 PARKWAY CLINICAL LABORATORIES—SSe  
 3494 PROGRESS DRIVE, SUITE D  
 BENSALEM, PA 19020  
 (215) 245-5112

31399  
 QUEST DIAGNOSTICS—SB, CB  
 1777 MONTREAL CIRCLE ES/F1 2  
 TUCKER, GA 30084  
 (770) 936-5007

01136  
 QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,  
 SSe, CB, CSe  
 14225 NEWBROOK DRIVE  
 CHANTILLY, VA 20151-0841  
 (703) 802-7188

00482  
 QUEST DIAGNOSTICS OF PA INC—SB, SSe, CB, CSe  
 875 GREENTREE ROAD 4 PARKWAY CENTER  
 PITTSBURGH, PA 15220-3610  
 (412) 920-7600

25461  
 QUEST DIAGNOSTICS VENTURE LLC—SB, SSe, CB,  
 CSe  
 875 GREENTREE ROAD 4 PARKWAY CENTER  
 PITTSBURGH, PA 15220-3610  
 (412) 920-7631

00151  
 ST JOSEPH QUALITY MEDICAL LAB—SB, SSe, CB,  
 CSe  
 2500 BERNVILLE ROAD  
 READING, PA 19605-9453  
 (610) 378-2200

00018  
 WBGH COMMONWEALTH HEALTH LAB SVS—SSe  
 575 NORTH RIVER STREET  
 WILKES-BARRE, PA 18764  
 (570) 829-8111

00141  
 YORK HOSPITAL—SSe  
 1001 SOUTH GEORGE STREET  
 YORK, PA 17405  
 (717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-17. Filed for public inspection December 31, 2015, 9:00 a.m.]

**Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laborato-

ries. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, B, and SB indicate the following:

S = approved for serum and plasma analyses  
 B = approved for blood analyses  
 SB = approved for serum, plasma and blood analyses

00212

ABINGTON HOSP JEFFERSON HEALTH—S  
 1200 OLD YORK ROAD  
 ABINGTON, PA 19001  
 (215) 481-2324

00215

ABINGTON-LANSDALE HOSPITAL JEFF HLTH—S  
 100 MEDICAL CAMPUS DRIVE  
 LANSDALE, PA 19446  
 (215) 481-4933

33583

ADVANCED MEDICAL LABORATORIES INC—S  
 1690 US HWY 1 SOUTH, SUITE D  
 ST AUGUSTINE, FL 32084  
 (305) 790-9798

33664

AEGIS SCIENCES CORPORATION—S  
 365 GREAT CIRCLE ROAD  
 NASHVILLE, TN 37228  
 (615) 255-2400

00233

ALBERT EINSTEIN MEDICAL CENTER—S  
 5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL  
 PHILADELPHIA, PA 19141-3001  
 (215) 456-6129

00671

ALLEGHENY COUNTY MED EX DIV OF LABS—SB  
 1520 PENN AVENUE, 2ND FLOOR  
 PITTSBURGH, PA 15222  
 (412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
 320 E NORTH AVENUE  
 PITTSBURGH, PA 15212  
 (412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S  
 1307 FEDERAL STREET  
 PITTSBURGH, PA 15212  
 (412) 359-8615

00100

ALLEGHENY VALLEY HOSPITAL LAB—S  
 1301 CARLISLE STREET  
 NATRONA HEIGHTS, PA 15065  
 (724) 224-5100

00192

ARIA HEALTH—S  
 380 NORTH OXFORD VALLEY ROAD  
 LANGHORNE, PA 19047-8304  
 (215) 934-5227

00236

ARIA HEALTH—S  
 FRANKFORD AVE & WAKELING STREET  
 PHILADELPHIA, PA 19124  
 (215) 831-2068

00341

ARIA HEALTH—S  
 10800 KNIGHTS ROAD  
 PHILADELPHIA, PA 19114  
 (215) 612-4000

00041

ARMSTRONG COUNTY MEMORIAL HOSP—S  
 1 NOLTE DRIVE  
 KITTANNING, PA 16201  
 (724) 543-8500

21861

ARGNOT-OGDEN MEMORIAL HOSPITAL—S  
 600 ROE AVENUE  
 ELMIRA, NY 14905  
 (607) 737-4478

21613

ARUP LABORATORIES INC—S  
 500 CHIPETA WAY  
 SALT LAKE CITY, UT 84108  
 (800) 242-2787

00047

ASSOCIATED CLINICAL LABORATORIES—SB  
 PATHOLOGY ASSOCIATES OF ERIE, INC  
 1526 PEACH STREET  
 ERIE, PA 16501  
 (814) 461-2400

24997

ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB  
 3520 PROGRESS DRIVE UNIT C  
 BENSLEM, PA 19020  
 (267) 525-2470

00320

BARNES KASSON HOSPITAL LAB—S  
 2872 TURNPIKE STREET  
 SUSQUEHANNA, PA 18847  
 (570) 853-5059

00001

BERWICK HOSPITAL LABORATORY—S  
 701 EAST 16TH STREET  
 BERWICK, PA 18603  
 (570) 759-5110

00301

BHS LABORATORY—S  
 ONE HOSPITAL WAY (911 E BRADY STREET)  
 BUTLER, PA 16001  
 (724) 284-4513

00033

BRADFORD REGIONAL MEDICAL CENTER—S  
 116-156 INTERSTATE PKWY  
 BRADFORD, PA 16701-0218  
 (814) 362-8247

00296

BRANDYWINE HOSPITAL—S  
 201 REECEVILLE ROAD  
 COATESVILLE, PA 19320  
 (610) 383-8000

00053  
BROOKVILLE HOSPITAL LAB—S  
100 HOSPITAL ROAD  
BROOKVILLE, PA 15825  
(814) 849-2312

00369  
BUCKTAIL MED CENTER—S  
1001 PINE STREET  
RENOVO, PA 17764  
(570) 971-0398

00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916

00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212

00132  
CHAMBERSBURG HOSPITAL DEPT OF  
PATHOLOGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7153

00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510

00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182

00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113

00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446

00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 221-8969

00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

33142  
CLINICAL REFERENCE LABORATORY, INC—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

00125  
CONEMAUGH MEM MED CTR-MAIN LAB—SB  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-3221

00231  
CONEMAUGH MEYERSDALE MEDICAL CTR—S  
200 HOSPITAL DR  
MEYERSDALE, PA 15552  
(814) 634-5911

00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

00326  
CORY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORY, PA 16407  
(814) 664-4641

00201  
CROZER CHESTER MED CENTER—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2000

00209  
CROZER-CHESTER MED CTR-SPRINGFLD—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2000

00204  
DELAWARE COUNTY MEMORIAL HOSP—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 284-8100

00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SB  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

00977  
DRUGSCAN INC—SB  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(267) 960-3407

00027  
DUBOIS REG MED CTR-WEST UNIT—S  
100 HOSPITAL AVE  
DUBOIS, PA 15801  
(814) 371-2200

00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(610) 250-4819

00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000



00332  
 ELLWOOD CITY HOSPITAL—S  
 724 PERSHING ST  
 ELLWOOD CITY, PA 16117  
 (724) 752-0081

00612  
 ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
 100 HOSPITAL DRIVE  
 MONTROSE, PA 18801  
 (570) 278-3801

00164  
 EPHRATA COMMUNITY HOSPITAL—S  
 169 MARTIN AVE PO BOX 1002  
 EPHRATA, PA 17522  
 (717) 733-0311

00032  
 ERHC ST MARYS LABORATORY—S  
 763 JOHNSONBURG RD  
 SAINT MARYS, PA 15857  
 (814) 788-8525

00181  
 EVANGELICAL COMMUNITY HOSPITAL—S  
 1 HOSPITAL DRIVE  
 LEWISBURG, PA 17837  
 (570) 522-2510

00114  
 EXCELA HEALTH LATROBE HOSPITAL—S  
 ONE MELLON WAY  
 LATROBE, PA 15650  
 (724) 537-1558

00085  
 FORBES HOSPITAL—S  
 2570 HAYMAKER ROAD  
 MONROEVILLE, PA 15146  
 (412) 858-2566

31400  
 FRANCES WARDE MEDICAL LABORATORY—SB  
 300 WEST TEXTILE ROAD  
 ANN ARBOR, MI 48108  
 (734) 214-0301

00115  
 FRICK HOSPITAL—S  
 508 SOUTH CHURCH STREET  
 MOUNT PLEASANT, PA 15666  
 (724) 547-1500

00330  
 FULTON COUNTY MEDICAL CENTER—S  
 214 PEACH ORCHARD ROAD  
 MCCONNELLSBURG, PA 17233  
 (717) 485-6169

00002  
 GEISINGER BLOOMSBURG HOSPITAL  
 LABORATORY—S  
 549 E FAIR STREET  
 BLOOMSBURG, PA 17815  
 (570) 387-2098

00005  
 GEISINGER CMC LABORATORY—S  
 1800 MULBERRY STREET  
 ATTN 68-44  
 SCRANTON, PA 18510  
 (570) 969-7140

00138  
 GEISINGER LEWISTOWN HOSPITAL—S  
 400 HIGHLAND AVENUE  
 LEWISTOWN, PA 17044  
 (717) 242-7474

00173  
 GEISINGER MEDICAL CENTER—SB  
 100 N ACADEMY AVENUE  
 DANVILLE, PA 17822-0131  
 (570) 271-6338

00019  
 GEISINGER WYOMING VALLEY MED CTR—S  
 1000 E MOUNTAIN DRIVE  
 WILKES-BARRE, PA 18711  
 (570) 808-7845

00122  
 GETTYSBURG HOSPITAL LABORATORY—S  
 147 GETTYS STREET  
 GETTYSBURG, PA 17325  
 (717) 337-4120

00152  
 GNADEN HUETTEN MEMORIAL HOSP—S  
 211 NORTH 12TH STREET  
 LEHIGHTON, PA 18235  
 (610) 377-7083

00299  
 GOOD SAMARITAN HOSPITAL—S  
 4TH & WALNUT STS PO BOX 1281  
 LEBANON, PA 17042-1218  
 (717) 270-7986

00196  
 GRAND VIEW HOSPITAL—S  
 700 LAWN AVE  
 SELLERSVILLE, PA 18960  
 (215) 453-4528

00061  
 GROVE CITY MEDICAL CENTER—S  
 631 NORTH BROAD STREET EXT  
 GROVE CITY, PA 16127  
 (724) 450-7125

00024  
 GUTHRIE CLINIC LAB AT TROY COMM—S  
 275 GUTHRIE LANE  
 TROY, PA 16947  
 (570) 297-9289

00654  
 GUTHRIE MEDICAL GROUP LABORATORIES—S  
 ONE GUTHRIE SQUARE  
 SAYRE, PA 18840  
 (570) 887-5797

00023  
 GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
 91 HOSPITAL DRIVE  
 TOWANDA, PA 18848  
 (570) 265-2191

00239  
 HAHNEMANN UNIVERSITY HOSPITAL—S  
 DREXEL UNIVERSITY COLLEGE OF MEDICINE  
 DEPT OF PATHOLOGY  
 245 N 15TH STREET-MAIL STOP 435  
 PHILADELPHIA, PA 19102  
 (215) 416-9500

00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 633-2150

00155  
HARRISBURG HOSPITAL LABORATORY—SB  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 231-6323

00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(484) 425-8008

00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8008

00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 425-8008

24655  
HEALTH NETWORK LABORATORIES—SB  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

00166  
HEART OF LANCASTER REGIONAL MEDICAL  
CENTER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5605

00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000

00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 741-6600

00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500

00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2206

00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167

00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645

00054  
JAMESON MEMORIAL HOSPITAL—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4080

00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248

00038  
JEFFERSON REGIONAL MED CTR—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723

00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080

00034  
KANE COMMUNITY HOSPITAL—S  
4372 ROUTE 6  
KANE, PA 16735  
(814) 837-4570

01088  
LABCORP OF AMERICA HOLDINGS—SB  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SB  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770

00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET, PO BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331

00167  
LANCASTER REGIONAL MED CENTER—S  
250 COLLEGE AVENUE, PO BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022

00010  
LEHIGH VALLEY HOSPITAL—HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4152

00030  
LOCK HAVEN HOSPITAL—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000

00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300

00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3554

00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521

00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000

00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339

09003  
MAYO CLINIC LABS-ROCHESTER MAIN  
CAMPUS—SB  
200 FIRST STREET SW HILTON 530  
ROCHESTER, MN 55905  
(507) 538-6449

00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000

05574  
MEDTOX LABORATORIES INC—SB  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 286-6217

00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 843-8623

00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4486

00247  
MERCY HEALTH LAB/MHOP—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 237-4486

00219  
MERCY HEALTH LAB/MSH—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 292-6501

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 955-3941

32803  
MOLECULAR DX, LLC—B  
620 7TH STREET SUITE C  
WINDBER, PA 15963  
(814) 361-6993

00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2100

00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6150

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-2141

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 366-1222

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

29741  
NORTHERN TIER RESEARCH—SB  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 209-7913

30984  
OFFICE OF THE DISTRICT ATTORNEY—B  
37 E HIGH STREET, FORENSIC LAB  
CARLISLE, PA 17013  
(717) 240-6526

00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

00334  
PALMERTON HOSPITAL—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100

31516  
PAML LLC—SB  
110 W CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8975

00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353

22533  
PENNSYLVANIA DEPT OF HEALTH—SB  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541

00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1612

00157  
PINNACLE HEALTH AT COMMUNITY GENERAL  
HOSPITAL—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340

33480  
PINNACLE HEALTH WEST SHORE HOSPITAL  
LABORATORY—S  
HARRISBURG HOSPITAL LABORATORY  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3582

00022  
POCONO MEDICAL CENTER LAB—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

31399  
QUEST DIAGNOSTICS—SB  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007

27461  
QUEST DIAGNOSTICS INC—SB  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4502

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB  
14225 NEWBROOK DRIVE PO BOX 10841  
CHANTILLY, VA 20151  
(703) 802-7188

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SB  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SB  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

00150  
READING HOSPITAL LABORATORY—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 561-4900

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER-PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

00048  
SAINT VINCENT HEALTH CENTER—S  
232 WEST 25TH STREET  
ERIE, PA 16544  
(814) 452-5386

- 00182  
SCHUYLKILL MC E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032
- 00183  
SCHUYLKILL MC S JACKSON ST—S  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262
- 00064  
SHARON PA HOSPITAL COMPANY LLC—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914
- 00039  
SOLDIERS & SAILORS MEM HOSP—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133
- 00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5210
- 00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-5475
- 00151  
ST JOSEPH QUALITY MEDICAL LAB—SB  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 00261  
ST JOSEPH'S HOSPITAL-DIV NPHS—S  
16TH ST & GIRARD AVENUE  
PHILADELPHIA, PA 19130  
(215) 787-9000
- 00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8724
- 00180  
ST LUKES MINERS MEMORIAL HOSPITAL—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271
- 00195  
ST LUKES QUAKERTOWN HOSPITAL—S  
1021 PARK AVENUE  
QUAKERTOWN, PA 18951  
(215) 538-4681
- 32021  
ST. LUKES HOSPITAL-ANDERSON LAB—S  
1872 ST LUKE'S BLVD  
EASTON, PA 18045  
(484) 503-1075
- 00207  
TAYLOR HOSPITAL DIV OF CCMC—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 595-6450
- 00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4353
- 00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD ST  
DEPT OF PATH & LAB MED-RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560
- 00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143
- 00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 SOUTH 11TH STREET 204,  
FOERDERER PAVILLION  
PHILADELPHIA, PA 19107  
(215) 955-3941
- 00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851
- 00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705
- 00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384
- 00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340
- 00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3555
- 32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD.  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682
- 00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-2463
- 00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100

00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500

00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7831

00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD  
PITTSBURGH, PA 15237  
(412) 367-6700

05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000

00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 223-3136

00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3136

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SB  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVENUE  
PITTSBURGH, PA 15224  
(412) 578-5779

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4365

00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00106  
WINDBER HOSPITAL—S  
600 SOMERSET AVE  
WINDBER, PA 15963  
(814) 467-3741

25064  
WVU HOSPITAL CLINICAL LABS—S  
1 MEDICAL CENTER DR PO BOX 8009  
MORGANTOWN, WV 26506-8009  
(304) 598-4241

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-18. Filed for public inspection December 31, 2015, 9:00 a.m.]

**Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to deter-

mine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory urine drug analysis, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, C, SC indicate the following:

S = approved for screening analyses  
C = approved for confirmatory analyses  
SC = approved for screening and confirmatory analyses

00212  
ABINGTONHOSP JEFFERSON HEALTH—S  
1200 OLD YORK ROAD  
ABINGTON, PA 19001  
(215) 481-2324

00215  
ABINGTON-LANSDALE HOSPJEFF HLTH—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 481-4933

34381  
ACOM DRUG TESTING SERVICES DBA COMPLETE  
TOX LAB—C  
24555 SOUTHFIELD ROAD  
SOUTHFIELD, MI 48075  
(248) 497-3063

32917  
ACCURATE DIAGNOSTIC LABS, INC—S  
3000 HADLEY ROAD  
SOUTH PLAINFIELD, NJ 07080  
(609) 947-2050

27908  
ACM MEDICAL LABORATORY—SC  
160 ELMGROVE PARK  
ROCHESTER, NY 14624  
(716) 429-2264

33614  
ADVANCED CLINICAL LABORATORY SOLUTIONS,  
INC—SC  
2277-83 CONEY ISLAND AVENUE, SUITE 3B  
BROOKLYN, NY 11223  
(718) 998-9899

31193  
ADVANCED LABORATORY SERVICES, INC—SC  
501 ELMWOOD AVENUE  
SHARON HILL, PA 19079  
(484) 494-6125

33583  
ADVANCED MEDICAL LABORATORIES INC—SC  
1690 US HWY 1 SOUTH, SUITE D  
ST AUGUSTINE, FL 32084  
(305) 790-9798

34513  
ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC  
28TH STREET  
HAMMONTON, NJ 08037  
(856) 779-7774

34301  
AEGIS ANALYTICAL LABORATORIES, INC—SC  
345 HILL AVENUE  
NASHVILLE, TN 37210  
(615) 425-4620

31695  
AEGIS SCIENCES CORPORATION—SC  
515 GREAT CIRCLE ROAD  
NASHVILLE, TN 37228  
(615) 255-2400

33664  
AEGIS SCIENCES CORPORATION—SC  
365 GREAT CIRCLE ROAD  
NASHVILLE, TN 37228  
(615) 255-2400

33996  
AIM LABORATORIES LLC—SC  
9326 OLIVE BLVD  
ST LOUIS, MO 63132  
(314) 743-3749

30483  
AIT LABORATORIES—SC  
2265 EXECUTIVE DRIVE  
INDIANAPOLIS, IN 46241  
(317) 243-3894

34209  
AKRIVIS LABORATORIES LLC—SC  
1402 S MAGNOLIA ST SUITE H  
HAMMOND, LA 70403  
(985) 323-3606

00233  
ALBERT EINSTEIN MEDICAL CENTER—S  
5501 OLD YORK RD-LABS-TOWER BLDG GROUND FL  
PHILADELPHIA, PA 19141-3001  
(215) 456-6129

24496  
ALERE TOXICOLOGY SERVICES—SC  
450 SOUTHLAKE BOULEVARD  
RICHMOND, VA 23236  
(804) 378-9130

26008  
ALERE TOXICOLOGY SERVICES INC—SC  
1111 NEWTON STREET  
GRETNA, LA 70053  
(504) 361-8989

31752  
ALERE TOXICOLOGY SERVICES, INC—SC  
9417 BRODIE LANE  
AUSTIN, TX 78748  
(512) 963-8959

00116  
ALLE KISKI MED CNTR NEW KENSINGTON—S  
651 FOURTH AVENUE  
NEW KENSINGTON, PA 15068  
(724) 226-7089

00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SC  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

28233  
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
320 E NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-6886

00077  
ALLEGHENY GENERAL HOSPITAL LAB—S  
1307 FEDERAL STREET  
PITTSBURGH, PA 15212  
(412) 359-8615

00100  
ALLEGHENY VALLEY HOSPITAL LAB—S  
1301 CARLISLE STREET  
NATRONA HEIGHTS, PA 15065  
(724) 224-5100

00420  
ALLEY MEDICAL CENTER LABORATORY—S  
301 WEST 3RD STREET  
BERWICK, PA 18603  
(570) 759-0351

34263  
ALLY CLINICAL DIAGNOSTICS, INC—SC  
2099 VALLEY VIEW DRIVE #180  
FARMERS BRANCH, TX 75234  
(214) 789-7399

32758  
ALPHA-MEDICOR, LLC—S  
1141 CLAY AVENUE, SUITE #3  
DUNMOORE, PA 18510  
(570) 367-0019

33871  
AMERICAN CLINICAL SOLUTIONS, LLC—C  
721 CORTARO DR  
SUN CITY CENTER, FL 33573  
(561) 367-7997

31871  
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 923-0166

31814  
AMERITOX, LTD—SC  
486 GALLIMORE DAIRY ROAD  
GREENSBORO, NC 27409  
(336) 387-7600

26620  
AMMON ANALYTICAL LABORATORY—S  
1622 SOUTH WOOD AVENUE  
LINDEN, NJ 07036  
(908) 862-4404

00192  
ARIA HEALTH—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227

00236  
ARIA HEALTH—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068

00341  
ARIA HEALTH—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-4000

21861  
ARNOT-OGDEN MEMORIAL HOSPITAL—S  
600 ROE AVENUE  
ELMIRA, NY 14905  
(607) 737-4478

21613  
ARUP LABORATORIES INC—SC  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787

00047  
ASSOCIATED CLINICAL LABORATORIES—S  
PATHOLOGY ASSOCIATES OF ERIE, INC  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400

33789  
ASSURANCE TOXICOLOGY SERVICES INC—C  
933 E NAKOMA DRIVE  
SAN ANTONIO, TX 78216  
(210) 267-5565



- 33964  
ASSURED TOXICOLOGY—SC  
4201 VINELAND ROAD SUITE 1-12  
ORLANDO, FL 32811  
(321) 710-3405
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 33692  
AUSPICIOUS LABORATORY INC—SC  
7400 HARWIN DR SUITE #258  
HOUSTON, TX 77036  
(713) 266-0808
- 31171  
AVEE LABORATORIES INC—SC  
14440 MYERLAKE CIRCLE  
CLEARWATER, FL 33760  
(727) 424-4151
- 33067  
AVERTEST—S  
4709 LAGUARDIA DRIVE  
BERKELEY, MO 63134  
(804) 955-5246
- 00320  
BARNES KASSON HOSPITAL LAB—S  
2872 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 00001  
BERWICK HOSPITAL LABORATORY—S  
701 EAST 16TH STREET  
BERWICK, PA 18603  
(570) 759-5110
- 33959  
BEST CARE LABORATORY LLC—SC  
397 HALEDON AVE  
HALEDON, NJ 07508  
(973) 949-3963
- 00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY (911 E BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513
- 34189  
BIODIAGNOSTIC LABS—S  
2380 E 22 STREET  
BROOKLYN, NY 11229  
(718) 646-6000
- 27615  
BIOLOGICAL SPECIALTY CORPORATION—S  
2165 NORTH LINE STREET  
COLMAR, PA 18915  
(215) 997-8771
- 27616  
BIOLOGICAL SPECIALTY CORPORATION—S  
1236 VETERANS HIGHWAY #851  
BRISTOL, PA 19007  
(215) 826-9282
- 27617  
BIOLOGICAL SPECIALTY CORPORATION—S  
22 SOUTH 4TH STREET  
READING, PA 19602  
(610) 375-9862
- 22757  
BIOREFERENCE LABORATORIES INC—SC  
481 EDWARD H ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000
- 00472  
BROOKSIDE CLINICAL LAB INC—S  
2901 W DUTTONS MILLS ROAD, SUITE 100  
ASTON, PA 19014  
(610) 872-6466
- 32486  
BURLINGTON LABORATORIES, INC—SC  
199 MAIN STREET  
COURTHOUSE PLAZA  
BURLINGTON, VT 05401  
(802) 861-7050
- 00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916
- 34470  
CAPITAL DIAGNOSTICS LLC—SC  
14201 PARK CENTER DRIVE SUITE 407  
LAUREL, MD 20707  
(703) 424-5604
- 00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212
- 34424  
CASTLE MEDICAL, LLC—SC  
5700 HIGHLANDS PARKWAY STE 100  
SMYRNA, GA 30082  
(678) 486-7257
- 00751  
CEDAR CREST EMERGICENTER—S  
1101 SOUTH CEDAR CREST BOULEVARD  
ALLENTOWN, PA 18103  
(610) 435-3111
- 34075  
CENTRAL TOX LLC—SC  
525 ROUND ROCK WEST DRIVE STE B200  
ROUND ROCK, TX 78681  
(512) 838-3828
- 00132  
CHAMBERSBURG HOSPITAL DEPT OF  
PATHOLOGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7153

00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510

33704  
CHEMATOX LABORATORY, INC—SC  
5401 WESTERN AVENUE  
BOULDER, CO 80301  
(303) 440-4500

00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182

00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113

00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446

34272  
CHOICE LABORATORY SERVICES, LLC—SC  
7920 BELTLINE ROAD SUITE 200  
DALLAS, TX 75254  
(972) 386-6653

00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 221-8969

34259  
CLEANSLATE CENTERS—SC  
59 BOBALA ROAD  
HOLYOKE, MA 01040  
(413) 584-2173

00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

27845  
CLINICAL REFERENCE LABORATORY—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

33139  
CLINICAL REFERENCE LABORATORY, INC—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

33142  
CLINICAL REFERENCE LABORATORY, INC—SC  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

24916  
CLINICAL SCIENCE LABORATORY INC—SC  
51 FRANCIS AVENUE  
MANSFIELD, MA 02048  
(508) 339-6106

34657  
COASTAL LABORATORY LLC—SC  
1509 PROSPERITY FARMS ROAD SUITE 101  
WEST PALM BEACH, FL 33403  
(855) 425-9428

33386  
COLORADO UNIVERSITY TOXICOLOGY—C  
1999 N FITZSIMONS PARKWAY, SUITE 100  
AURORA, CO 80045  
(303) 724-7346

31556  
COMPREHENSIVE PAIN CENTER ALLENTOWN—S  
4825 TILGHMAN STREET  
ALLENTOWN, PA 18104  
(606) 487-0523

32741  
COMPREHENSIVE PAIN MANGEMENT AND  
SPECIALISTS, LLC—S  
414 R DRINKER STREET  
DUNMORE, PA 18512  
(570) 270-5700

00125  
CONEMAUGH MEM MED CTR-MAIN LAB—S  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-3221

00128  
CONEMAUGH MINDERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

33431  
CONFIRMATRIX LABORATORY, INC—C  
1770 CEDARS ROAD, SUITE 200  
LAWRENCEVILLE, GA 30045  
(678) 407-9818

29015  
CORDANT HEALTH SOLUTIONS—SC  
2617 EAST L STREET #A  
TACOMA, WA 98421-2205  
(253) 552-1551

34509  
CORR LABS INC—SC  
340 COMMERCE AVE SUITE 10  
SOUTHERN PINES, NC 28387  
(888) 778-2100

00326  
CORY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORY, PA 16407  
(814) 664-4641

00201  
CROZER CHESTER MED CENTER—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2000

00209  
CROZER-CHESTER MED CTR-SPRINGFLD—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2000

- 34165  
D2 HEALTH MANAGEMENT LLC—S  
2005 PAN AM CIRCLE SUITE 100  
TAMPA, FL 33607  
(727) 776-8867
- 00204  
DELAWARE COUNTY MEMORIAL HOSP—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 284-8100
- 00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SC  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423
- 32240  
DOMINION DIAGNOSTICS, LLC—SC  
211 CIRCUIT DRIVE  
NORTH KINGSTOWN, RI 02852  
(401) 667-0891
- 00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250
- 00977  
DRUGSCAN INC—SC  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(267) 960-3407
- 00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST ST  
EASTON, PA 18042  
(610) 250-4819
- 00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000
- 34447  
ELEMENT 7 LABS LLC—SC  
3189-D AIRWAY AVE  
COSTA MESA, CA 92614  
(949) 370-3509
- 34056  
ELITE DIAGNOSTICS, LLC—SC  
10996 FOUR SEASONS PLACE, 100A  
CROWN POINT, IN 46307  
(219) 213-2845
- 33703  
ELITE LABS, LLC—S  
2769 E ATLANTIC BLVD  
POMPANO BEACH, FL 33062  
(434) 251-4566
- 34186  
ELITE LABS, LLC—C  
555 HERITAGE DR  
JUPITER, FL 33458  
(315) 263-2404
- 00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-0081
- 34625  
EM1 LABS—S  
3115 NW 10TH TERRACE, SUITE 108  
FORT LAUDERDALE, FL 33309  
(954) 801-3397
- 31625  
EMPIRE CITY LABORATORIES—S  
4306 3RD AVENUE, 2ND FLOOR  
BROOKLYN, NY 11232  
(516) 941-7244
- 00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801
- 00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311
- 33989  
EPIC REFERENCE LABS, INC—SC  
7960 CENTRAL INDUSTRIAL DRIVE-SUITE 120  
RIVIERA BEACH, FL 33404  
(561) 666-9817
- 00032  
ERHC ST MARYS LABORATORY—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525
- 33899  
ESSENTIAL TESTING LLC—SC  
1616 EASTPORT PLAZA DRIVE  
COLLINSVILLE, IL 62234  
(618) 623-0623
- 00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510
- 32030  
EXCEL MEDICAL LAB INC—S  
DBA EVEREST MEDICAL LABORATORY  
99-107 GLENDALE AVE  
EDISON, NJ 08817  
(732) 777-9222
- 00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 537-1558
- 33432  
EXCELTOX LABORATORIES, LLC—SC  
9805 RESEARCH DRIVE  
IRVINE, CA 92618  
(877) 202-7019
- 34436  
FIRMUS LABS, LTD—C  
1000 VIRGINIA MANOR ROAD SUITE 350  
BELTSVILLE, MD 20705  
(540) 760-6285
- 33902  
FIRST CHOICE LABORATORY, LLC—SC  
6061 NE 14TH AVE  
FORT LAUDERDALE, FL 33334  
(828) 446-2850

00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2566

32166  
FORENSIC FLUIDS LABORATORIES, INC—SC  
225 PARSONS STREET  
KALAMAZOO, MI 49007  
(269) 492-7700

32455  
FORENSIC LABORATORIES—S  
ROCKY MOUNTAIN TOX, LLC  
4895 JOLIET STREET, 7-G  
DENVER, CO 80239  
(303) 469-8042

31400  
FRANCES WARDE MEDICAL LABORATORY—SC  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0301

00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500

20644  
FRIENDS HOSPITAL—S  
4641 ROOSEVELT BOULEVARD  
LABORATORY  
PHILADELPHIA, PA 19124  
(215) 831-6934

09163  
FRIENDS MEDICAL LAB INC—SC  
5820 SOUTHWESTERN BLVD  
BALTIMORE, MD 21227  
(412) 247-4417

33790  
FRONTIER TOXICOLOGY—C  
1047 E NAKOMA DRIVE  
SAN ANTONIO, TX 78216  
(210) 494-6300

00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6169

30188  
GARCIA CLINICAL LABORATORY INC—S  
2195 SPRING ARBOR ROAD  
JACKSON, MI 49201  
(517) 787-9200

00002  
GEISINGER-BLOOMSBURG HOSPITAL  
LABORATORY—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2098

00005  
GEISINGER-CMC LABORATORY—S  
1800 MULBERRY STREET  
ATTN 68-44  
SCRANTON, PA 18510  
(570) 969-7140

00138  
GEISINGER-LEWISTOWN HOSPITAL—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7474

00173  
GEISINGER MEDICAL CENTER—SC  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338

00185  
GEISINGER-SHAMOKIN AREA COMMUNITY  
HOSPITAL—S  
4200 HOSPITAL ROAD  
COAL RUN, PA 17866-9697  
(570) 644-4200

00019  
GEISINGER WYOMING VALLEY MED CTR—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 808-7845

34333  
GENOTOX LABORATORIES, LTD—SC  
4544 S LAMAR BLVD SUITE 710  
AUSTIN, TX 78745  
(512) 838-3828

00152  
GNADEN HUETTEN MEMORIAL HOSP—S  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(610) 377-7083

00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS PO BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7986

32790  
GREATER PHILADELPHIA SPINE AND PAIN, PC—S  
700 E TOWNSHIP LINE ROAD  
HAVERTOWN, PA 19083  
(484) 532-1003

00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-5797

00023  
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191

00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
DREXEL UNIV COLLEGE OF MED DEPT OF  
PATHOLOGY  
245 N 15TH STREET, MAIL STOP 435  
PHILADELPHIA, PA 19102  
(215) 416-9500

00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 633-2150

- 00155  
HARRISBURG HOSPITAL LABORATORY—S  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 231-6323
- 26799  
HEALTH AND WELLNESS CENTER-HAZLETON—S  
50 MOISEY DRIVE SUITE 208  
HAZLETON, PA 18202  
(570) 501-6805
- 00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-8150
- 00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8008
- 00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 425-8008
- 24655  
HEALTH NETWORK LABORATORIES—SC  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150
- 00166  
HEART OF LANCASTER REGIONAL MEDICAL  
CENTER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5605
- 00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000
- 00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 741-6600
- 00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500
- 33788  
HILL COUNTRY TOXICOLOGY—SC  
7909 FREDERICKSBURG RD #150  
SAN ANTONIO, TX 78229  
(210) 614-1117
- 00216  
HOLY REDEEMER HOSPITAL—S  
1648 HUNTINGDON PIKE  
MEADOWBROOK, PA 19046  
(215) 938-3703
- 00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2206
- 00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167
- 34296  
INDUSTRY LAB DIAGNOSTICS PARTNERS—C  
8122 SAWYER BROWN ROAD SUITE 210  
NASHVILLE, TN 37205  
(615) 630-7799
- 34295  
INFINITI LABS INC—SC  
6015 BENJAMIN ROAD SUITE 315  
TAMPA, FL 33634  
(813) 886-2616
- 33708  
INFINITY DIAGNOSTIC LABORATORIES—S  
370 NORTH STREET  
TETERBORO, NJ 07608  
(201) 843-7750
- 33367  
INNOVATIVELABORATORY SERVICES INC—C  
8419 SHARON MERCER ROAD  
MERCER, PA 16137  
(717) 691-7100
- 33607  
INSIGHT DIAGNOSTICS, LLC—SC  
357 RIVERSIDE DR SUITE 1004  
FRANKLIN, TN 37064  
(615) 465-6529
- 33604  
INTEGRALABS, INC—SC  
7020 KIT CREEK ROAD SUITE 240  
RESEARCH TRIANGLE PARK, NC 27709  
(423) 328-0527
- 33792  
INTERNATIONAL TECHNOLOGIES, LLC-DBA NJ REF  
LABS—S  
71 FRANKLIN TURNPIKE, SUITE 1-3  
WALDWICK, NJ 07463  
(201) 857-3914
- 31316  
INTERVENTIONAL PAIN INSTITUTE—S  
378 WEST CHESTNUT ST SUITE 105  
WASHINGTON, PA 15301  
(724) 222-5471
- 00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645
- 00054  
JAMESON MEMORIAL HOSPITAL—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4080
- 00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248

- 00038  
JEFFERSON REGIONAL MED CTR—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723
- 00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080
- 00312  
JERSEY SHORE HOSPITAL—S  
1020 THOMPSON STREET  
JERSEY SHORE, PA 17740  
(570) 398-0100
- 30915  
JOSHUASON LTD—S  
3212 WILMINGTON ROAD SUITE 20  
NEW CASTLE, PA 16105  
(724) 598-2280
- 34192  
KEYSTONE LABORATORIES, INC—SC  
3 MCDOWELL STREET  
ASHEVILLE, NC 28803  
(828) 771-3109
- 21306  
LAB CORP OCCUPATIONAL TEST SRVCS—SC  
1120 STATELINE ROAD WEST  
SOUTHAVEN, MS 38671  
(886) 827-8042
- 20512  
LABCORP OCCUPATIONAL TESTING SER—SC  
1904 ALEXANDER DRIVE PO BOX 12652  
RESEARCH TRIANGLE PARK, NC 27709  
(919) 572-6900
- 01088  
LABCORP OF AMERICA HOLDINGS—SC  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400
- 22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SC  
10101 RENNEN BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770
- 33869  
LABORATORY SERVICES, LLC—SC  
108 NW 4TH STREET  
BOCA RATON, FL 33432  
(561) 367-3625
- 34228  
LAB SOLUTIONS—S  
1451 NORTHSIDE DRIVE NW  
ATLANTA, GA 30318  
(404) 242-9093
- 33995  
LABSOURCE, LLC—SC  
25 AIRPARK COURT  
GREENVILLE, SC 29607  
(864) 312-6930
- 34646  
LABTEST LLC—SC  
5000 CEDAR PLAZA PKWY #200  
ST LOUIS, MO 63128  
(636) 333-4500
- 34302  
LAB USA INC—S  
108R MERRIMACK STREET  
HAVERHILL, MA 01830  
(978) 556-0533
- 00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET, PO BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331
- 00167  
LANCASTER REGIONAL MED CENTER—S  
250 COLLEGE AVENUE, PO BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022
- 32311  
LEBANON PAIN RELIEF—S  
918 RUSSELL DRIVE  
LEBANON, PA 17042  
(386) 290-4441
- 00010  
LEHIGH VALLEY HOSPITAL-HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4152
- 33702  
LEHIGH VALLEY TOXICOLOGY, LLC—SC  
3864 COURTNEY STREET, SUITE 150  
BETHLEHEM, PA 18017  
(484) 895-3717
- 34187  
LENCO DIAGNOSTIC LABORATORIES INC—SC  
1857 86TH STREET  
BROOKLYN, NY 11214  
(718) 232-1515
- 34254  
LIFEBRITE LABORATORIES, LLC—SC  
9 CORPORATE BLVD NE SUITE 150  
ATLANTA, GA 30329  
(919) 890-3085
- 32630  
LIGHTHOUSE MEDICAL, LLC—S  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(814) 943-1272
- 00030  
LOCK HAVEN HOSPITAL—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000
- 33889  
LOGAN LABORATORIES, LLC—SC  
5050 W LEMON STREET  
TAMPA, FL 33609  
(813) 569-6500
- 00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300
- 00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3554

- 00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE  
WYNNEWOOD, PA 19096  
(484) 476-3521
- 00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000
- 00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339
- 34437  
MAP HEALTH MANAGEMENT LLC—SC  
14121 W HWY 290, SUITE C1  
AUSTIN, TX 78737  
(310) 729-2911
- 09003  
MAYO CLINIC LABS-ROCHESTER MAIN  
CAMPUS—SC  
200 FIRST STREET SW HILTON 530  
ROCHESTER, MN 55905  
(507) 538-6449
- 33620  
MCKEESPORT DRUG SCREENING LAB—S  
339 FIFTH AVENUE, WANDER BLDG  
MCKEESPORT, PA 15132  
(412) 578-8070
- 33842  
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC  
10715 DOUBLE R BLVD, SUITE 102  
RENO, NV 89521  
(775) 391-5221
- 00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000
- 32471  
MEDICAL LABORATORY DIAGNOSTICS, INC—S  
DBA MEDLABS DIAGNOSTICS, INC  
85 HORSE HILL ROAD  
CEDAR KNOLLS, NJ 07927  
(973) 731-2900
- 05574  
MEDTOX LABORATORIES INC—SC  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 286-6217
- 00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 843-8623
- 00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4486
- 00247  
MERCY HEALTH LAB/MHOP—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 237-4486
- 00219  
MERCY HEALTH LAB/MSH—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 292-6501
- 28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 955-3941
- 31050  
MILLENIUM HEALTH, LLC—SC  
16981 VIA TAZON, BUILDING 1  
SAN DIEGO, CA 92127  
(858) 451-3535
- 28907  
MIRMONT TREATMENT CENTER—S  
100 YEARSLEY MILL ROAD  
LIMA, PA 19063  
(484) 227-1426
- 31800  
MJA HEALTHCARE—S  
391 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 872-9800
- 34564  
MOLECULAR TESTING LABS—SC  
14401 SE 1ST STREET  
VANCOUVER, WA 98684  
(360) 693-8850
- 34106  
MONMOUTH BEHAVIORAL DIAGNOSTICS LLC—SC  
3 CORBETT WAY  
EATONTOWN, NJ 07724  
(888) 687-6977
- 00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021
- 00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2100
- 00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6150
- 00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117
- 00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

34429  
MY LAB CHOICE, INC—C  
364 N COURTLAND STREET, 1ST FLOOR  
EAST STROUDSBURG, PA 18301  
(610) 597-5699

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-2141

34274  
NASPAC1, LLC—S  
404 CREEK CROSSING BLVD  
HAINSPORT, NJ 08036  
(609) 845-3988

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SC  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 366-1222

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

27246  
NORCHEM DRUG TESTING LABORATORY—SC  
1760 EAST ROUTE 66, SUITE 1  
FLAGSTAFF, AZ 86004  
(928) 526-1011

29741  
NORTHERN TIER RESEARCH—SC  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 209-7913

34064  
NORTHWEST PHYSICIANS LABORATORIES—SC  
2840 NORTHUP WAY, STE 100  
BELLEVUE, WA 98004  
(424) 774-1538

00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

33980  
ORBIT LABORATORY, LLC—S  
5407 N HAVERHILL ROAD #335  
WEST PALM BEACH, FL 33407  
(561) 367-3625

23801  
PACIFIC TOXICOLOGY LABORATORIES—S  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110

33938  
PAIN MEDICINE OF YORK LLC—S  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(814) 889-9208

34007  
PAIN SPECIALISTS OF GREATER LEHIGH VALLEY,  
PC—S  
1259 SOUTH CEDAR CREST BOULEVARD, SUITE 317  
ALLENTOWN, PA 18103  
(855) 425-9428

00334  
PALMERTON HOSPITAL—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100

31516  
PAML LLC—SC  
110 W. CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8975

00250  
PARKWAY CLINICAL LABORATORIES—SC  
3494 PROGRESS DRIVE, SUITE D  
BENSALEM, PA 19020  
(215) 245-5112

33054  
PATHOLOGY LABORATORIES, INC—S  
1946 NORTH 13TH STREET  
TOLEDO, OH 43604  
(419) 255-4600

33194  
PEACHSTATE HEALTH MANAGEMENT—C  
2225 CENTENNIAL DRIVE  
GAINESVILLE, GA 30504  
(678) 276-8412

00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353

22533  
PENNSYLVANIA DEPT OF HEALTH—SC  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541

31082  
PHAMATECH INC—SC  
10151 BARNES CANYON ROAD  
SAN DIEGO, CA 92121  
(858) 643-5555

32887  
PHOENIX TOXICOLOGY & LAB SERVICES—C  
2320 W PEORIA AVE SUITE D-132  
PHOENIX, AZ 85029  
(602) 374-4097

00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1612



31965  
PHYSICIANS CHOICE LABORATORY SERVICES,  
LLC—SC  
854 PARAGON WAY  
ROCK HILL, SC 29730  
(336) 407-1499

00157  
PINNACLE HEALTH AT COMMUNITY GENERAL  
HOSPITAL—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340

33480  
PINNACLE HEALTH WEST SHORE HOSPITAL  
LABORATORY—S  
HARRISBURG HOSPITAL LABORATORY  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3582

33621  
PITTSBURGH DRUG SCREENING LAB—S  
440 ROSS STREET, SUITE 1003  
PITTSBURGH, PA 15219  
(412) 578-8070

00022  
POCONO MEDICAL CENTER LAB—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

33950  
POSITIVE RECOVERY SOLUTIONS, LLC—S  
730 BROOKLINE BLVD  
PITTSBURGH, PA 15226  
(412) 535-1885

00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130

33487  
PRECISION TOXICOLOGY, LLC—SC  
3030 BUNKER HILL, SUITE 101  
SAN DIEGO, CA 92109  
(800) 635-6901

34191  
PREMIER BIOTECH LABS, LLC—SC  
7516 80TH ST SOUTH SUITE 201  
COTTAGE GROVE, MN 55016  
(763) 607-8690

34030  
PRINCIPLE LABS, LLC—SC  
2550 BROADHEAD ROAD, SUITE 105  
BETHLEHEM, PA 18020-8922  
(610) 653-3624

21648  
PSYCHEMEDICS CORPORATION—SC  
5832 UPLANDER WAY  
CULVER CITY, CA 90230  
(800) 522-7424

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

32205  
QDX PATHALLIANCE, PC—S  
70 JACKSON DRIVE UNIT H3  
CRANFORD, NJ 07016  
(866) 909-7284

31399  
QUEST DIAGNOSTICS—SC  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007

00315  
QUEST DIAGNOSTICS CLINICAL LABS INC—SC  
900 BUSINESS CENTER DRIVE  
HORSHAM, PA 19044  
(215) 957-9300

27461  
QUEST DIAGNOSTICS INC—SC  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4502

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-7188

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

24249  
QUINTILES LABORATORIES LTD—S  
1600 TERRELL MILL ROAD SUITE 100  
MARIETTA, GA 30067  
(770) 373-3500

34188  
RADEAS LLC—SC  
11635 NORTH PARK DR SUITE 340  
WAKE FOREST, NC 27587  
(919) 435-6669

00150  
READING HOSPITAL LABORATORY—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

34074  
REALTOX LABS LLC—S  
200 BUSINESS CENTER DRIVE  
REISTERTOWN, MD 21136  
(410) 868-3845

25348  
REDWOOD TOXICOLOGY LABORATORY—SC  
3650 WESTWIND BOULEVARD  
SANTA ROSA, CA 95403  
(707) 577-7958

00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

34374  
RELIANCE LABORATORY TESTING, INC—S  
5387 N NOB HILL ROAD  
SUNRISE, FL 33351  
(954) 741-0830

33170  
RIVER CROSSING LABS—SC  
4115 W SPRUCE STREET  
TAMPA, FL 33607  
(813) 884-8200

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

30821  
RXTOX INC—SC  
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300  
PITTSBURGH, PA 15236  
(412) 460-1310

00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 561-4900

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER-PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

33834  
SAMARITAN LABS, LLC, DBA ASPERIO  
LABORATORIES—SC  
4715 TRADER'S WAY, SUITE 201  
THOMPSON'S STATION, TN 37179  
(615) 465-6529

29838  
SAN DIEGO REFERENCE LABORATORY—SC  
6565 NANCY RIDGE DRIVE  
SAN DIEGO, CA 92121  
(800) 677-7995

00182  
SCHUYLKILL MC E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

00183  
SCHUYLKILL MC S JACKSON ST—S  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262

28471  
SECON OF LOUISIANA—S  
825 KALISTE SALOOM RD, BRANDYWINE 1,  
SUITE 100  
LAFAYETTE, LA 70508  
(337) 235-3712

29038  
SECON OF NEW ENGLAND—SC  
415 MAIN STREET 4TH FLOOR  
WORCESTER, MA 01608  
(508) 831-0703

34294  
SERAPH LABORATORY LLC—C  
555 HERITAGE DR SUITE 135  
JUPITER, FL 33458  
(561) 508-3101

00064  
SHARON PA HOSPITAL COMPANY LLC—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914

34516  
SIX OAKS CONSULTING, LLC—SC  
1180 BEAVER RUIN ROAD  
NORCROSS, GA 30093  
(678) 407-9818

00421  
SKIPPACK MEDICAL LABORATORY—S  
3887 SKIPPACK PIKE  
SKIPPACK, PA 19474  
(610) 584-1669

33682  
SKY TOXICOLOGY—C  
1051 E NAKOMA DR  
SAN ANTONIO, TX 78216  
(210) 265-3200

27649  
SMA MEDICAL LABORATORIES—SC  
940 PENNSYLVANIA BOULEVARD UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

34458  
SMART LAB, LLC—C  
10385 IRONWOOD ROAD, SUITE 130  
PALM BEACH GARDENS, FL 33410  
(561) 513-8440

00039  
SOLDIERS & SAILORS MEM HOSP—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133

00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5210

00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-5475

00151  
ST JOSEPH QUALITY MEDICAL LAB—SC  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00261  
ST JOSEPH'S HOSPITAL-DIV NPHS—S  
16TH ST & GIRARD AVENUE  
PHILADELPHIA, PA 19130  
(215) 787-9000

00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8724

00180  
ST LUKES MINERS MEMORIAL HOSPITAL—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271

31613  
STEELFUSION CLINICAL TOXICOLOGY  
LABORATORY, LLC—SC  
475 WILLOW CROSSING ROAD  
GREENSBURG, PA 15601  
(812) 202-0513

00187  
SUNBURY COMMUNITY HOSPITAL—S  
350 NORTH 11TH STREET  
SUNBURY, PA 17801  
(570) 286-3492

34011  
SURETOX LABORATORY—SC  
495 BOULEVARD, SUITE 1A  
ELMWOOD PARK, NJ 07407-2041  
(201) 290-3232

31474  
TASC INC—SC  
2234 N 7TH STREET  
PHOENIX, AZ 85006  
(602) 257-7588

00207  
TAYLOR HOSPITAL DIV OF CCMC—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 595-6450

00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4353

00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 N BROAD STREET  
DEPT OF PATH & LAB MED-RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560

33771  
THE ELITE LAB GROUP PA, LLC—S  
1400 VETERANS HIGHWAY SUITE 108  
LEVITTOWN, PA 19056  
(267) 294-4111

34427  
THERAMEDICAL LABORATORIES, LLC—C  
24555 SOUTHFIELD ROAD STE 120  
SOUTHFIELD, MI 48075  
(419) 973-0000

00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 S 11TH STREET, 204 FOERDERER PAVILLION  
PHILADELPHIA, PA 19107  
(215) 955-3941

34314  
THYROID SPECIALTY LABORATORY, INC—C  
8037 LITZINGER ROAD  
SAINT LOUIS, MO 63144  
(314) 200-3040

00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

34643  
TOTAL TOXICOLOGY LABS—C  
24525 SOUTHFIELD ROAD SUITE 100  
SOUTHFIELD, MI 48075  
(248) 430-5329

34359  
TOX MANAGEMENT—SC  
14615 SAN PEDRO SUITE 125  
SAN ANTONIO, TX 78232  
(512) 838-3828

34190  
TRUE TOX LABORATORIES, LLC—SC  
50 ROSE PLACE  
GARDEN CITY PARK, NY 11040  
(516) 734-0415

00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705

00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384

00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340

00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3555

32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682

- 00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-2463
- 00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100
- 00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500
- 00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233
- 00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7831
- 00058  
UPMC NORTHWEST—S  
100 FAIRFIELD DRIVE  
SENECA, PA 16346  
(814) 676-7120
- 05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370
- 00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855
- 00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000
- 00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950
- 33106  
US ACCUSCREEN, LLC—SC  
3365 CYPRESS MILL ROAD #9  
BRUNSWICK, GA 31520  
(912) 265-9277
- 27225  
US DRUG TESTING LABORATORIES INC—SC  
1700 SOUTH MOUNT PROSPECT ROAD  
DES PLAINES, IL 60018  
(847) 375-0770
- 33844  
USA MEDICAL TOXICOLOGY—SC  
7707 FANNIN ST STE 290  
HOUSTON, TX 77054  
(512) 838-3828
- 34335  
US DIAGNOSTIC SERVICE, INC—S  
185 6TH AVENUE & 2ND FLOOR  
PATERSON, NJ 07524  
(973) 782-5370
- 23072  
US HEALTHWORKS MEDICAL GROUP—S  
1124 HARRISBURG PIKE  
CARLISLE, PA 17013  
(717) 245-2411
- 33357  
UTC LABORATORIES, LLC—SC  
1441 CANAL STREET, SUITE 401  
NEW ORLEANS, LA 70112  
(504) 609-3462
- 00335  
VALLEY FORGE MED CTR & HOSP—S  
1033 W GERMANTOWN PIKE  
NORRISTOWN, PA 19403  
(610) 539-8500
- 00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860
- 00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 223-3136
- 00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3136
- 33590  
WAYNE MEMORIAL HAMLIN LABORATORY—S  
543 EASTON TURNPIKE SUITE 105  
LAKE ARIAL, PA 18436  
(570) 253-8193
- 00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300
- 00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403
- 00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SC  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111
- 00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVE  
PITTSBURGH, PA 15224  
(412) 578-5779

34586  
WESTERN SLOPE LABORATORY, LLC—C  
1197 ROCHESTER ROAD SUITE K  
TROY, MI 48083  
(248) 307-1168

33969  
WESTMORELAND PAIN MANAGEMENT CENTER—S  
4893 ROUTE 30 EAST, SUITE 8  
GREENSBURG, PA 15601  
(724) 323-7308

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4365

00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-19. Filed for public inspection December 31, 2015, 9:00 a.m.]

### Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ( $\mu\text{g}/\text{dL}$ ) or

higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency

testing programs; and toxicology) which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols L and P indicate the following:

L = approved for blood lead analyses  
 P = approved for erythrocyte protoporphyrin analyses  
 LP = approved for blood lead and erythrocyte protoporphyrin analyses

31609  
 ACCU REFERENCE MEDICAL LABATORY—L  
 1901 EAST LINDEN AVENUE  
 SUITE 4  
 LINDEN, NJ 07036  
 (908) 474-1004

22912  
 ACL LABORATORIES—LP  
 8901 WEST LINCOLN AVE  
 WEST ALLIS, WI 53227  
 (414) 328-7945

00016  
 ANGELINE KIRBY MEM HEALTH CENTER—L  
 71 NORTH FRANKLIN STREET  
 WILKES-BARRE, PA 18701  
 (570) 822-4278

21613  
 ARUP LABORATORIES INC—LP  
 500 CHIPETA WAY  
 SALT LAKE CITY, UT 84108  
 (800) 242-2787

24997  
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP  
 3520 PROGRESS DRIVE UNIT C  
 BENSLEM, PA 19020  
 (267) 525-2470

33959  
 BEST CARE LABORATORY LLC—L  
 397 HALEDON AVE  
 HALEDON, NJ 07508  
 (973) 949-3963

22757  
 BIOREFERENCE LABORATORIES INC—L  
 481 EDWARD H ROSS DRIVE  
 ELMWOOD PARK, NJ 07407  
 (201) 791-3600

30249  
 CARING HANDS PEDIATRICS—L  
 105 BRAUNLICH DRIVE, SUITE 450  
 PITTSBURGH, PA 15237  
 (412) 369-7720

20506  
 CENTRAL PA ALLIANCE LABORATORY—L  
 1803 MT ROSE AVENUE SUITE C3-C4  
 YORK, PA 17403  
 (717) 851-1426

00228  
 CHILDRENS HOSP OF PHILADELPHIA—L  
 3401 CIVIC CENTER BLVD  
 MAIN BLDG—5TH FLOOR—ROOM 5135  
 PHILADELPHIA, PA 19104  
 (215) 590-4446

31847  
 DOCTOR'S DATA, INC—L  
 3755 ILLINOIS AVENUE  
 ST CHARLES, IL 60174-2420  
 (630) 377-8139

00561  
 EAST PENN MFG CO INC—LP  
 DEKA RD KELLER TECH CENTER PO BOX 147  
 LYONS STATION, PA 19536  
 (610) 682-6361

10266  
 EDEN PARK PEDIATRIC ASSOCIATES—L  
 1725 OREGON PIKE  
 LANCASTER, PA 17601  
 (717) 569-8518

29462  
 EDEN PARK PEDIATRIC ASSOCIATES—L  
 4221 OREGON PIKE  
 EPHRATA, PA 17522  
 (717) 859-1434

32339  
 EDEN PARK PEDIATRIC ASSOCIATES—L  
 779 E MAIN STREET  
 MOUNT JOY, PA 17552  
 (717) 569-8518

31378  
 ENZO CLINICAL LABS—L  
 60 EXECUTIVE BLVD  
 FARMINGDALE, NY 11735  
 (631) 755-5500

31400  
 FRANCES WARDE MEDICAL LABORATORY—LP  
 300 WEST TEXTILE ROAD  
 ANN ARBOR, MI 48108  
 (734) 214-0301

00173  
 GEISINGER MEDICAL CENTER—L  
 100 N ACADEMY AVENUE  
 DANVILLE, PA 17822-0131  
 (570) 271-6338

25914  
 GENOVA DIAGNOSTICS—L  
 63 ZILICOA STREET  
 ASHEVILLE, NC 28801  
 (828) 253-0621

32839  
 GENOVA DIAGNOSTICS—L  
 3425 CORPORATE WAY  
 DULUTH, GA 30096  
 (678) 638-2918

31348  
 GREENVILLE COMMUNITY HEALTH CENTER—L  
 348 MAIN STREET  
 GREENVILLE, PA 16125  
 (724) 588-5250

00654  
GUTHRIE MEDICAL GROUP LABORATORIES—L  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-5797

01711  
HANOVER PEDIATRICS—L  
217 BROADWAY  
HANOVER, PA 17331  
(717) 632-3911

24655  
HEALTH NETWORK LABORATORIES—L  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

26490  
HOPE PEDIATRICS—L  
3512 STATE ROUTE 257 SUITE 106  
SENECA, PA 16346  
(814) 677-2347

33708  
INFINITY DIAGNOSTIC LABORATORIES—L  
370 NORTH STREET  
TETERBORO, NJ 07608  
(201) 843-7750

29136  
KIDS PLUS PEDIATRICS—L  
108 HORNER LANE  
LATROBE, PA 15650  
(724) 537-2131

05618  
LAB CORP OF AMERICA HOLDINGS—LP  
6370 WILCOX ROAD  
DUBLIN, OH 43016-1296  
(800) 282-7300

21885  
LAB CORP OF AMERICA HOLDINGS—LP  
1447 YORK COURT  
BURLINGTON, NC 27215  
(800) 334-5161

01088  
LABCORP OF AMERICA HOLDINGS—LP  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

22715  
LABONE LLC DBA QUEST DIAGNOSTICS—P  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770

23380  
LANCASTER PEDIATRIC ASSOC LTD—L  
222 WILLOW VALLEY LAKES DRIVE  
SUITE 100  
WILLOW STREET, PA 17584-9463  
(717) 464-9555

10270  
LANCASTER PEDIATRIC ASSOCIATES—L  
2106 HARRISBURG PIKE  
SUITE 1 MED OFFICE PO BOX 3200  
LANCASTER, PA 17601  
(717) 291-5931

34187  
LENCO DIAGNOSTIC LABORATORIES INC—L  
1857 86TH STREET  
BROOKLYN, NY 11214  
(718) 232-1515

00242  
MAIN LINE HOSPITALS LAB-LANKENAU—L  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521

29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—L  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-6449

29251  
MAYO MEDICAL LABORATORIES NEW  
ENGLAND—LP  
160 DASCOMB ROAD  
ANDOVER, MA 01810  
(978) 658-3600

24668  
MCMURRAY PEDIATRIC & ADOLESCENT  
MEDICINE—L  
6000 WATERDAM PLAZA DRIVE #280  
MCMURRAY, PA 15317  
(724) 941-8199

28806  
MEDIA PEDIATRICS—L  
401 MOORE ROAD  
WALLINGFORD, PA 19086  
(610) 565-3336

05574  
MEDTOX LABORATORIES INC—LP  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 286-6217

20802  
MERITUS MEDICAL LABORATORY, LLC—L  
11110 MEDICAL CAMPUS RD STE 230  
HAGERSTOWN, MD 21742  
(301) 790-8670

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—LP  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 366-1222

30553  
NATIONWIDE CHILDRENS HOSPITAL—LP  
CORE LAB AND LAB INFORMATION SYSTEMS  
700 CHILDRENS DRIVE  
COLUMBUS, OH 43205  
(614) 722-5376

28787  
NEXT GENERATION PEDIATRICS—L  
100 TECHNOLOGY DRIVE  
SUITE 2  
BUTLER, PA 16001  
(724) 482-2220

23801  
PACIFIC TOXICOLOGY LABORATORIES—LP  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110

31516  
PAML LLC—L  
110 W. CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8975

22712  
PEDIATRIC ALLIANCE GREENTREE DIVISION—L  
969 GREENTREE ROAD  
PRIMARY CARE CENTER OF GREENTREE  
PITTSBURGH, PA 15220  
(412) 922-5250

02125  
PEDIATRIC ALLIANCE ST CLAIR PED DIV—L  
1580 MCLAUGHLIN RUN ROAD  
PINERIDGE COMMONS SUITE 208  
UPPER ST CLAIR, PA 15241  
(412) 221-2121

28416  
PEDIATRIC ALLIANCE PC, ARCADIA DIVISION—L  
9795 PERRY HIGHWAY  
PITTSBURGH, PA 15090  
(412) 358-9548

25436  
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L  
27 VISTA DRIVE  
UNIT 3  
WAYNESBORO, PA 17268  
(717) 765-6621

33953  
PEDIATRIC URGENT CARE OF FRANKLIN  
COUNTY—L  
5 ROADSIDE AVE  
WAYNESBORO, PA 17268  
(717) 765-6621

22533  
PENNSYLVANIA DEPT OF HEALTH—LP  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00022  
POCONO MEDICAL CENTER LAB—L  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

00255  
PUBLIC HEALTH LAB CITY OF PHILA—L  
500 SOUTH BROAD STREET ROOM 359  
PHILADELPHIA, PA 19146  
(215) 685-6501

00669  
QUEST DIAGNOSTICS INCORPORATED—LP  
ONE MALCOLM AVENUE  
TETERBORO, NJ 07608  
(201) 393-5895

21422  
QUEST DIAGNOSTICS INCORPORATED—P  
1901 SULPHUR SPRING ROAD  
BALTIMORE, MD 21227  
(410) 536-1501

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-7188

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—LP  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—LP  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—LP  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

00150  
READING HOSPITAL LABORATORY—L  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

22899  
RED ROSE PEDIATRIC ASSOCIATES—L  
233 COLLEGE AVENUE  
SUITE 200  
LANCASTER, PA 17603  
(717) 291-7221

22196  
SHARON MEDICAL GROUP—L  
197 E SILVER STREET  
SHARON, PA 16146  
(724) 944-6849

31527  
SHIEL MEDICAL LABORATORY—L  
63 FLUSHING AVENUE  
BROOKLYN NAVY YARD UNIT 336  
BROOKLYN, NY 11205  
(718) 552-1000

27649  
SMA MEDICAL LABORATORIES—L  
940 PENNSYLVANIA BOULEVARD UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

34171  
SONIC REFERENCE LABORATORY, INC—L  
9200 WALL STREET, SUITE 200  
AUSTIN, TX 78754  
(512) 531-2095

00151  
ST JOSEPH QUALITY MEDICAL LAB—L  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

24582  
SOUTH PHILA PEDIATRICS—L  
1400 S 5TH STREET  
PHILADELPHIA, PA 19147  
(215) 467-3515

22718  
SUNRISE MEDICAL LABORATORIES INC—L  
250 MILLER PLACE  
HICKSVILLE, NY 11801  
(516) 435-1515



23999  
 SUSQUEHANNA COMMUNITY HEALTH AND DENTAL  
 CENTER—L  
 471 HEPBURN STREET  
 WILLIAMSPORT, PA 17701  
 (570) 567-5412

04159  
 TRI COUNTY PEDIATRICS INC—L  
 205 NEWTOWN ROAD SUITE 210  
 WARMINSTER, PA 18974  
 (215) 884-5715

04575  
 TRI COUNTY PEDIATRICS INC—L  
 1939 CHELTENHAM AVENUE  
 ELKINS PARK, PA 19027  
 (215) 884-5715

29164  
 TRI COUNTY PEDIATRICS INC—L  
 9150 MARSHALL STREET SUITE 14  
 PHILADELPHIA, PA 19114  
 (215) 884-5715

00083  
 UPMC PRESBYTERIAN SHADYSIDE CP PUH—L  
 UPMC CLINICAL LABORATORY BUILDING  
 3477 EULER WAY  
 PITTSBURGH, PA 15213  
 (412) 647-5855

26198  
 WRIGHT CENTER MEDICAL GROUP, PC—L  
 5 SOUTH WASHINGTON AVENUE  
 JERMYN, PA 18433  
 (570) 383-9934

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-20. Filed for public inspection December 31, 2015, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Hamilton Arms Center  
 336 South West End Avenue  
 Lancaster, PA 17603-5098  
 FAC ID # 080202

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommoda-

tion to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-21. Filed for public inspection December 31, 2015, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Availability of Amendments to the Office of Developmental Programs' Consolidated and Person/Family Directed Support Waivers

The Department of Human Services (Department) is making available for public review and comment the Office of Developmental Programs' proposed Consolidated and Person/Family Directed Support (P/FDS) waiver amendments.

#### Background

Whenever changes are intended to be made to an approved waiver, the Department must submit an amendment to the Centers for Medicare and Medicaid Services for approval. The Department proposes the following substantive amendments to the Consolidated and P/FDS waivers effective May 1, 2016:

- Increasing the unduplicated number of participants served in the P/FDS waiver to reflect the Fiscal Year (FY) 2015-2016 waiting list initiative. This proposed change is contingent on the final budget enacted by the General Assembly.
- Increasing reserved capacity for unanticipated emergencies in waiver year 5 (FY 2016-2017) for the Consolidated waiver only.
- Decreasing reserved capacity for hospital and rehabilitation care in the Consolidated waiver to more accurately reflect utilization.
- Moving the requirement for new providers to complete a self-assessment from a provider monitoring requirement to a provider qualification requirement.
- Allowing relatives/legal guardians of waiver participants to provide companion and nursing services when they meet the qualification criteria to provide the services.
- Implementing a limit on the number of hours of companion and home and community habilitation services that may be provided by relatives or legal guardians.
- Increasing the number of 15-minute respite units available in the P/FDS waiver.
- Aligning the supported employment service definition with section 1915(c)(5)(C) of the Social Security Act (42 U.S.C.A. § 1396n(c)(5)(C)).
- Updating the name and qualification criteria for visual/mobility therapy to reflect current terminology and standards.
- Allowing supports broker services to be provided for individuals currently residing in a waiver residential

habilitation setting that have a plan to transition to a private residence and self-direct their services in the Consolidated waiver only.

- Adding that supports broker services are exempt from the \$30,000 per person per fiscal year total limit established for P/FDS waiver services. The only other service currently exempt from this limit is supports coordination.

- Aligning the assistive technology and home accessibility adaptation service definitions with current guidance and processes.

- Adding a requirement that transitional work services may only be authorized as a new service for individuals under 24 years of age when documentation has been obtained that the Office of Vocational Rehabilitation (OVR) has closed the participant's case or that the participant has been determined ineligible for OVR services.

- Aligning the requirements for background clearances under the act of July 1, 2015 (P. L. 94, No. 15).

- Updating the factors related to estimated annual average per capita Medicaid costs to reflect the most recent data available. These factors are Factor D' Derivation, Factor G Derivation and Factor G' Derivation.

The proposed Consolidated and P/FDS waiver amendment documents, effective May 1, 2016, are available at [http://www.dhs.pa.gov/cs/groups/webcontent/documents/document/c\\_216101.pdf](http://www.dhs.pa.gov/cs/groups/webcontent/documents/document/c_216101.pdf).

#### *Fiscal Impact*

It is anticipated there will be an increase in total costs of \$10.350 million (\$4.967 million State funds) in FY 2015-2016 and an increase in total costs of \$11.051 million (\$5.323 million State funds) in FY 2016-2017 and subsequent years.

#### *Public Comment*

Interested persons are invited to submit written comments regarding the proposed waiver amendments. Comments should be addressed to Julie Mochon, Department of Human Services, Office of Developmental Programs, 625 Forster Street, Room 501, Harrisburg, PA 17120. Comments may also be submitted to the Department at [RA-odpcomment@pa.gov](mailto:RA-odpcomment@pa.gov). Comments received within 30 days of publication of this notice will be reviewed and considered for revisions to the proposed waiver amendments.

### **Medical Assistance Fee Schedule; Addition of Maximum Overtime Rates for Personal Assistance Services (Consumer) and Respite (Consumer) in the Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program**

This notice announces the Department of Human Services (Department) addition of maximum overtime rates for Personal Assistance Services (Consumer) and Respite (Consumer) in the Medical Assistance (MA) Aging, Attendant Care, COMMCARE, Independence and OBRA waivers and the Act 150 Program under 55 Pa. Code § 52.45(a) and (b) (relating to fee schedule rates).

The Department established maximum overtime rates, separate from the regular rates, to enable consumer-employers to pay direct care workers 1.5 times their regular wage for hours worked over 40 hours per week. Providing overtime rates and additional procedure codes with modifier combination to the MA Fee Schedule will ensure compliance with changes to the United States Department of Labor, Fair Labor Standards Act, regulations in 29 CFR Part 552 (relating to application of the Fair Labor Standards Act to domestic service). The following tables indicate the applicable waiver, the new procedure code with modifier combination for billing overtime in 15 minute increments, and the highest rate per unit of overtime. The maximum overtime rates and changes to the fee schedule are effective January 1, 2016. The overtime rates may not exceed the rates in the following tables:

The Department will also hold two teleconferences to receive comments on the proposed Consolidated and P/FDS waiver amendments. The dates, times and links for registration to attend these teleconferences are as follows:

January 21, 2016, 1 p.m. to 3 p.m. Register at <http://myaccount.maestroconference.com/conference/register/K3SASNIRC74WZB9B>.

January 27, 2016, 10 a.m. to 12 p.m. Register at <http://myaccount.maestroconference.com/conference/register/WE1I2W109SR4M0SG>.

To assist the Department in accurately capturing verbal comments, individuals are asked to submit a written copy of their comments by e-mailing them or mailing them to the addresses previously provided.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Copies of this notice and the proposed waiver amendments may be obtained at the regional Office of Developmental Programs in the corresponding regions:

- *Western region:* Piatt Place, Room 4900, 301 5th Avenue, Pittsburgh, PA 15222, (412) 565-5144

- *Northeast region:* Room 315, Scranton State Office Building, 100 Lackawanna Avenue, Scranton, PA 18503, (570) 963-4749

- *Southeast region:* 801 Market Street, Suite 5071, Philadelphia, PA 19107, (215) 560-2242 or (215) 560-2245

- *Central region:* Room 430, Willow Oak Building, P. O. Box 2675, DGS Annex Complex, Harrisburg, PA 17105, (717) 772-6507

THEODORE DALLAS,  
*Secretary*

**Fiscal Note:** 14-NOT-985. (1) General Fund; (2) Implementing Year 2015-16 is \$4,967,000; (3) 1st Succeeding Year 2016-17 is \$5,323,000; 2nd Succeeding Year 2017-18 through 5th Succeeding Year 2020-21 are \$0; (4) 2014-15 Program—\$1,066,000,000; 2013-14 Program—\$1,026,000,000; 2012-13 Program—\$931,885,000; (7) Intellectual Disabilities—Community Waiver Program; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 16-22. Filed for public inspection December 31, 2015, 9:00 a.m.]

**Maximum Personal Assistance Services (Consumer) Overtime Fee Schedule Rates**

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Rate	Unit
1	X	X	X	X	X	X	W1792 TU	\$5.12	15 min
2	X	X	X	X	X	X	W1792 TU	\$4.89	15 min
3	X	X	X	X	X	X	W1792 TU	\$5.36	15 min
4	X	X	X	X	X	X	W1792 TU	\$6.02	15 min

CC = COMMCARE

IW = Independence

OW = OBRA

**Maximum Respite (Consumer) Overtime Fee Schedule Rates**

Region	Aging	Attendant Care	Act 150	CC	IW	OW	Procedure Code	Rate	Unit
1	X			X	X	X	S5150 TU	\$5.01	15 min
2	X			X	X	X	S5150 TU	\$4.80	15 min
3	X			X	X	X	S5150 TU	\$5.25	15 min
4	X			X	X	X	S5150 TU	\$5.90	15 min

CC = COMMCARE

IW = Independence

OW = OBRA

*Rate-Setting Methodology*

The Department used the same rate methodology for the fee schedule rates as previously provided in the public notice, Rate-Setting Methodology, Fee Schedule Rates and Vendor Goods and Services for the Medical Assistance Aging, Attendant Care, COMMCARE, Independence and OBRA Waivers and the Act 150 Program, published at 42 Pa.B. 3343 (June 9, 2012). The Department will also be issuing an Office of Long-Term Living bulletin to include further information and instruction for providers.

*Fiscal Impact*

The estimated fiscal impact of this change is \$6.202 million (\$3.086 million in State funds) for Fiscal Year 2015-2016.

*Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Elaine Smith, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments can also be sent to RA-waiverstandard@pa.gov. Comments received within 30 days will be considered in subsequent revisions to the fee schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users).

THEODORE DALLAS,  
*Secretary*

**Fiscal Note:** 14-NOT-987. (1) General Fund;

(7) Home and Community-Based Services; (2) Implementing Year 2015-16 is \$1,011,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$2,030,000; (4) 2014-15 Program—\$102,983,000; 2013-14 Program—\$225,008,000; 2012-13 Program—\$184,500,000;

(7) Attendant Care; (2) Implementing Year 2015-16 is \$929,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$1,862,000; (4) 2014-15 Program—\$122,750,000; 2013-14 Program—\$116,084,000; 2012-13 Program—\$107,830,000;

(7) Services to Persons with Disabilities; (2) Implementing Year 2015-16 is \$1,146,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$2,301,000; (4) 2014-15 Program—\$255,173,000; 2013-14 Program—\$233,104,000; 2012-13 Program—\$195,135,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 16-23. Filed for public inspection December 31, 2015, 9:00 a.m.]

**Medical Assistance Fee Schedule Revisions in the Aging, COMMCARE, Independence and OBRA Waivers**

This notice announces the Department of Human Services' (Department) addition of Adult Daily Living Services Enhanced Half Day in the Medical Assistance (MA) Aging, COMMCARE, Independence and OBRA waivers under 55 Pa. Code § 52.45(a) and (b) (relating to fee schedule rates). In addition, the Department is announcing changes to the vendor goods and services on the fee schedule under 55 Pa. Code § 52.51 (relating to vendor good or service payment).

The following vendor goods and services are being removed: Accessibility Adaptations (<\$6,000), Accessibility Adaptations (>\$6,000) and Durable Medical Equipment and Supplies. These vendor goods and services are being replaced with the following: Assistive Technology, Home Adaptations (<\$6,000), Home Adaptations (>\$6,000) and Specialized Medical Equipment and Supplies in the MA Aging, COMMCARE, Independence and OBRA waivers and Vehicle Modifications in the MA COMMCARE, Independence and OBRA waivers.

Finally, the vendor service Non-Medical Transportation will change from a per month unit to a per one-way trip/per item unit in the MA Aging, COMMCARE, Independence and OBRA waivers.

The rate and changes to the fee schedule are effective October 28, 2015.

*Rate-Setting Methodology*

The Department used the same rate methodology for the fee schedule rates as that used in the public notice

published at 42 Pa.B. 3343 (June 9, 2012). Fee schedule rates were developed using a standardized market-based rate setting methodology. Relevant market-based information used to determine the fee schedule rates included Commonwealth-specific wage information from the Center for Workforce Information and Analysis, Occupational Wages by County, Bureau of Labor Statistics Employer

Costs, cost surveys from providers, Medicare rate information and MA State Plan Fee Schedules.

#### *Fee Schedule Rates*

The following table provides the procedure code and rates for Adult Daily Living Services Enhanced Half Day service:

<b>Adult Daily Living Services Enhanced Half Day</b>										
<i>Region</i>	<i>Aging</i>	<i>Attendant</i>			<i>Procedure</i>			<i>Rate</i>	<i>Unit</i>	
		<i>Care</i>	<i>Act 150</i>	<i>CC</i>	<i>IW</i>	<i>OW</i>	<i>Code</i>			<i>Modifier</i>
1	X	N/A	N/A	X	X	X	S5102	U3	37.51	1/2 day
2	X	N/A	N/A	X	X	X	S5102	U3	35.90	1/2 day
3	X	N/A	N/A	X	X	X	S5102	U3	34.21	1/2 day
4	X	N/A	N/A	X	X	X	S5102	U3	37.51	1/2 day

CC = COMMCARE

IW = Independence

OW = OBRA

#### *Vendor Goods and Services*

The following table provides new procedure codes and units for vendor goods and services:

<i>Service</i>	<i>Aging</i>	<i>Attendant</i>			<i>Procedure</i>			<i>Region</i>	<i>Unit</i>
		<i>Care</i>	<i>Act 150</i>	<i>CC</i>	<i>IW</i>	<i>OW</i>	<i>Code</i>		
Assistive Technology	X	N/A	N/A	X	X	X	W0138	N/A	Per Purchase
Home Adaptations <\$6,000	X	N/A	N/A	X	X	X	W0140	N/A	Per Purchase
Home Adaptations >\$6000	X	N/A	N/A	X	X	X	W0141	N/A	Per Purchase
Specialized Medical Equipment and Supplies	X	N/A	N/A	X	X	X	W0137	N/A	Per Purchase
Vehicle Modifications	N/A	N/A	N/A	X	X	X	W0139	N/A	Per Purchase

CC = COMMCARE

IW = Independence

OW = OBRA

The following table provides the revised unit for Non-Medical Transportation, an existing vendor service:

<i>Service</i>	<i>Aging</i>	<i>Attendant</i>			<i>Procedure</i>			<i>Region</i>	<i>Unit</i>
		<i>Care</i>	<i>Act 150</i>	<i>CC</i>	<i>IW</i>	<i>OW</i>	<i>Code</i>		
Non-Medical Transportation	X	N/A	N/A	X	X	X	W6110	N/A	Per One-Way Trip/ Per Item

CC = COMMCARE

IW = Independence

OW = OBRA

#### *Fiscal Impact*

There is a minimal fiscal impact associated with these changes.

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Elaine Smith, P. O. Box 8025, Harrisburg, PA 17105-8025. Comments can also be sent to RA-waiverstandard@pa.gov. Comments received within 30 days will be considered in subsequent revisions to the fee schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (Voice users).

THEODORE DALLAS,  
*Secretary*

**Fiscal Year:** 14-NOT-984. No fiscal impact. (8) recommends adoption.

[Pa.B. Doc. No. 16-24. Filed for public inspection December 31, 2015, 9:00 a.m.]

# DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

## Program Guidelines for Veterans Temporary Assistance

1. *Purpose.* The purpose of these guidelines is to describe the use of funds under 51 Pa.C.S. § 1721 (relating to Veterans' Trust Fund) to provide temporary financial assistance to eligible veterans and unmarried surviving spouses of eligible veterans when they face adverse financial circumstances and need assistance to provide themselves with the necessities of living. In general, assistance is provided under this section to replace or supplement income lost or reduced because of an unexpected change in circumstances or to offset unexpected increased costs or expenses that affect the ability to pay for the necessities of living.

### 2. Definitions.

(1) "Bureau." The Bureau of Programs, Initiatives, Reintegration and Outreach (PIRO) or its successor of the Office of Veterans' Affairs (OVA).

(2) "Department." The Department of Military and Veterans Affairs (DMVA).

(3) "Eligible Veteran." A person who served in the Armed Forces of the United States, who:

(i) was discharged under honorable conditions after a period of active duty, other than active duty for training, as evidenced by a DD-Form 214 or other official documentation, or,

(ii) died in service or was killed in action; or

(iii) suffered a service-connected disability as certified by the United States Veterans' Administration.

(4) "Essential Furnishings and Fixtures." Items of tangible personal property, which are necessary and useful, in carrying out the activities of daily living and maintained in or about the applicant's shelter. A fixture is ordinarily affixed to the shelter property while furnishings are essentially portable. Luxury goods are excluded.

(5) "Necessities of Living." Expenses for water, food, shelter, clothing, health care, personal care, essential furnishings and fixtures, utilities, transportation, communication and laundry to the extent not provided by other government programs.

(6) "Need for Temporary Assistance." Financial circumstances unexpectedly resulting in insufficient funds to pay for shelter and necessities of living for the veteran and family, when:

(i) a veteran is unable to provide the necessities of living and has a direct and immediate need for assistance. The assistance must be essential and not for the relief of an inconvenience, or the purchase of goods or services other than necessities of living, and,

(ii) caused by an unexpected loss of income, assets or support due to sickness, disability, unemployment, natural or manmade disaster or other cause beyond the control of, and not as a result of misconduct by, the applicant, or,

(iii) caused by an unexpected increase in costs or expenses beyond the control of, and not as a result of misconduct by, the applicant resulting in insufficient funds to pay for necessities of living.

(7) "Personal care expenses." Expenses, other than health care expenses, which are for the well-being, appearance, cleanliness, personal hygiene and presentability of the applicant, including toiletries, haircuts and hair care, and similar expenses.

3. *Eligibility.* In order to qualify for temporary assistance, applicants must demonstrate that:

(1) They are eligible veterans or unmarried surviving spouses of deceased eligible veterans.

(2) They are bona fide residents of Pennsylvania who permanently reside in this Commonwealth and who maintain a legal residence in no other state for any purpose.

(3) They are not receiving sufficient monetary assistance from any state or Federal agency based on the need for temporary assistance described in the application.

(i) Applicants may be receiving Food Stamps and still qualify for temporary assistance under these guidelines.

(ii) Applicants must show that other funds or resources are not available to address the need for temporary assistance.

(4) They demonstrate a clear and present direct and immediate need for temporary assistance in order to provide themselves and their families with shelter and the necessities of living.

4. *Maximum Amount of Assistance.* The maximum assistance under this program in any twelve-month period is the lesser of \$1,600 or the documented amount of the need.

(1) In no case will the amount of the assistance exceed the amount of the demonstrated need.

(2) In no case will the amount of the assistance exceed \$1,600 in any twelve-month period.

(3) In no case will the amount of assistance exceed the amount of income lost or increase in expense incurred.

(4) The Department may adjust the amount of assistance paid under this program so that total payments to qualified Veterans or unmarried surviving spouses do not exceed the amount of funds available for this purpose.

(5) Only one grant will be made based upon need arising out of each event or episode to either the Veteran or the eligible spouse of the Veteran, but not to both.

5. *Fund Committee.* The Deputy Adjutant General of Veterans Affairs (DAG-VA) will appoint a Veterans Temporary Assistance (VTA) Fund Committee to assist in administering the VTA program.

(1) *Composition.* The Fund Committee will consist of:

(i) A chairperson, who shall be the Chairman of the State Veterans' Commission.

(ii) A vice chairperson, who shall be the President, Pennsylvania State Association of County Directors of Veterans' Affairs or designee.

(iii) Three additional Committee members who shall be the Director, Programs, Initiatives, Reintegration and Outreach (PIRO), the Chief, Division of Programs and Services, the Veteran Service Office Supervisor, Division of Programs and Services, or designees.

(iv) The Department's Office of Chief Counsel will provide legal advice and assistance to the fund committee (without vote).

(2) *Subcommittee on Application Review.* At least three members of the Fund Committee or their designees will constitute a subcommittee to review applications for assistance referred to the subcommittee by the Bureau staff. The staff may refer applications and request assistance of the subcommittee in matters involving unusual facts and circumstance, major policy or legal questions or complexities, requests for assistance in amounts close to the annual limit, or where an appeal is anticipated. The membership of the application review subcommittee will rotate based on availability and to ensure that all Fund Committee members and designees have the opportunity to review applications from time to time.

#### 6. *Application Procedures.*

(1) Application forms are available from the DMVA, including DMVA field offices, veterans' organizations named in section 1702 of the Military and Veterans Code, 51 Pa.C.S. § 1702 (relating to State Veterans' Commission), and Pennsylvania County Directors of Veterans' Affairs. A completed application for temporary assistance will include:

- a. Veteran's DD 214 or DD 1300/death certificate.
- b. Proof of residency.
- c. Copy of applicant's marriage license.
- d. Supporting documentation, to include proof of total household income from all sources, current copies of household bills, such as utilities, medical bills mortgage statement or rental agreement, vehicle payments and insurance, estimates for repairs, bank statements, earning statements and any other household bills.
- e. Certification under penalty of law, that the information is true and correct to the best of the knowledge, information and belief of the application.

(2) Applications shall be submitted to the DMVA, Office of Veterans Affairs, through the applicable Pennsylvania County Director of Veterans' Affairs, veterans' organization, or the Adjutant General's Offices in Pittsburgh, Philadelphia and Fort Indiantown Gap.

(3) The Bureau or Fund Committee shall review the applications and determine eligibility based on the eligibility criteria provided herein.

If the Bureau or the Fund Committee determines the applicant eligible, it shall notify applicant of the amount and duration of the assistance.

#### 7. *Grants:*

(1) Applications for grants will be evaluated according to the criteria set forth in 51 Pa.C.S. § 1702 and in paragraph 8 of these guidelines subject to the availability of funds and the exercise of the approval authority's discretion in evaluating the relative priority of requests if funds are not sufficient to satisfy all eligible requests.

(2) Applicants must demonstrate that they have a direct and immediate financial need for assistance as a result of circumstances beyond the control of the applicant and not as a result of misconduct.

(3) Grants may be made for purposes such as: food, rent, utilities, transportation and vehicle repair, medical/dental expenses, emergency home repairs necessary to maintain habitability, funeral expenses, as well as other emergency needs at the discretion of the approval authority.

(4) It is recognized that neither 51 Pa.C.S. § 1702 nor these guidelines can describe every possible emergency scenario that might result in an immediate and direct financial need as a result of circumstances beyond the control of the applicant and not as a result of misconduct by the applicant. The following situations are appropriate examples:

- a. Failure to receive pay in a timely manner as a result of an error by the employer.
- b. Loss of income due to a medical issue or lay off.
- c. Unusual medical care not covered by insurance.
- d. Victims of a crime that result in a loss of income or property (for example identity theft).
- e. Death of a veteran or immediate relative that results in a loss of income or unexpected expenses.

(5) The following are examples where temporary assistance is not appropriate:

- a. Pay for nonessential items, or to finance vacations.
- b. Pay fines or legal expenses in criminal matters.
- c. Assist with home purchase or financing or home improvements not required as a result of a natural or manmade disaster.
- d. Pay bills incurred through credit card debt.
- e. Loss of income as a result of the exhaustion of Unemployment Compensation or Workman's Compensation benefits.

8. *Evaluation Criteria:* The criteria that will be considered in determining whether to approve applications for temporary assistance include:

- a. The nature of assistance required.
- b. The degree of financial hardship.
- c. Current household income.
- d. Current debts and obligations.
- e. Number of dependents.
- f. The cause of the financial hardship and its relationship if any, to the negligence of the applicant in managing income and debt.
- g. Change in income.
- h. Change in employment and income status of dependents.
- i. Bankruptcy filed or pending.
- j. Whether other aid is available.
- k. Amounts and dates of any funds previously awarded.
- l. Whether a HUD-VASH voucher was issued.

Exceptions must be approved by the Board and final approval by DAG-VA.

9. *Appeals.* Any applicant aggrieved by a staff decision with respect to a grant application may appeal the action of the staff to The Adjutant General in writing within 10 days of receiving the decision. The appeal will be under provisions of 1 Pa. Code § 35.20 (relating to appeals from actions of the staff). The appeal shall state the reasons for the appeal and describe the requested relief. The Adjutant General shall review the appeal and make a final decision concerning any appeal.

10. *Effective Date:* These guidelines take effect based on the approval of the State Veterans Commission and

upon publication in the *Pennsylvania Bulletin*, and apply to all grant applications submitted on or after the effective date and all grant applications pending on the effective date.

JAMES R. JOSEPH,  
Major General, Pennsylvania  
Army National Guard  
The Adjutant General

[Pa.B. Doc. No. 16-25. Filed for public inspection December 31, 2015, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed at the Commission's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
12-101	Department of Labor and Industry Uniform Construction Code	12/18/15	1/21/16
16A-5328	State Board of Osteopathic Medicine Genetic Counselors	12/18/15	1/21/16

JOHN F. MIZNER, Esq.,  
Chairperson

[Pa.B. Doc. No. 16-26. Filed for public inspection December 31, 2015, 9:00 a.m.]

## INSURANCE DEPARTMENT

### AmeriHealth HMO (INAC-130337476); Small Group Off Exchange; Rate Filing

AmeriHealth HMO submitted a rate filing to increase the premium rates for its Small Group ACA compliant plans renewing on or after April 1, 2016. The filing proposes a rate increase of 1.59% and will affect approximately 790 members. The proposed rate increase will generate approximately \$77,000 of additional annual revenue.

Unless formal administrative action is taken prior to March 14, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices, hover the cursor over "Consumers" in the blue bar at the top of the webpage then select "Product Notices" from the drop down menu.

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or email comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product

Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, [csandersjo@pa.gov](mailto:csandersjo@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,  
Insurance Commissioner

[Pa.B. Doc. No. 16-27. Filed for public inspection December 31, 2015, 9:00 a.m.]

### Keystone Health Plan East (INAC-130336438); Small Group Off Exchange; Rate Filing

Keystone Health Plan East submitted a rate filing to increase the premium rates for its Small Group ACA compliant plans renewing on or after April 1, 2016. The filing proposes a rate increase of 1.59% and will affect approximately 111,863 members. The proposed rate increase will generate approximately \$11 million of additional annual revenue.

Unless formal administrative action is taken prior to March 14, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices, hover the cursor over "Consumers" in the blue bar at the top of the webpage then select "Product Notices" from the drop down menu.

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department’s regional office in Harrisburg.

Interested parties are invited to submit written or email comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, csandersjo@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 16-28. Filed for public inspection December 31, 2015, 9:00 a.m.]

**QCC Insurance Company (INAC-130337513); Small Group Off Exchange; Rate Filing**

QCC Insurance Company submitted a rate filing to increase the premium rates for its Small Group ACA compliant plans renewing on or after April 1, 2016. The filing proposes a rate increase of 1.09% and will affect approximately 86,214 members. The proposed rate increase will generate approximately \$6 million of additional annual revenue.

Unless formal administrative action is taken prior to March 14, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s (Department) web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over “Consumers” in the blue bar at the top of the webpage then select “Product Notices” from the drop down menu.

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department’s regional office in Harrisburg.

Interested parties are invited to submit written or email comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA

17120, csandersjo@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 16-29. Filed for public inspection December 31, 2015, 9:00 a.m.]

**PENNSYLVANIA PUBLIC UTILITY COMMISSION**

**Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security**

Public Meeting held  
December 17, 2015

*Commissioners Present:* Gladys M. Brown, Chairperson; John F. Coleman, Jr., Vice Chairperson; Pamela A. Witmer; Robert F. Powelson; Andrew G. Place

*Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security;*  
*M-2015-2490383*

**Tentative Order**

*By the Commission:*

The Commission’s regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on the licensee providing proof to the Commission that a bond or other approved security in the amount directed by the Commission has been obtained.

Failure to file the requested documentation before the financial security’s expiration date may cause Commission staff to initiate a formal proceeding that may lead to the following: cancellation of each company’s electric supplier license, removal of each company’s information from the Commission’s website and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

As of December 8, 2015, each EGS listed in the Supplier Table below has not provided proof to the Commission that it has a bond or other approved security in the amount directed by the Commission, to replace its expired bond as noted in the table below.

Supplier Table—List of Electric Generation Suppliers

<i>Docket Number</i>	<i>Company Name</i>	<i>Exp. Date</i>
A-2011-2257348	5Linx Enterprises, Inc.	12/8/15
A-2013-2345257	Best Practice Energy LLC	12/7/15
A-2011-2223888*	Blue Pilot Energy LLC	8/10/15
A-2010-2184288	Energy Services Management of Pennsylvania LLC	11/30/15
A-2013-2365597	Fcstone LLC	12/1/15
A-2009-2145163	Healthtrust Purchasing Group LP	11/30/15
A-2011-2222060	Luthin Associates, Inc.	11/30/15



<i>Docket Number</i>	<i>Company Name</i>	<i>Exp. Date</i>
A-2010-2211708	Rosenthal Energy Advisors, Inc.	11/30/15
A-2013-2346222	US Grid Energy LLC	12/7/15
A-2013-2341976	US Power Trade LLC	12/1/15

\* Taking title to electricity

As part of its EGS license validation procedures, the Commission's Bureau of Technical Utility Services sent a 60-day Security Renewal Notice Letter to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security, must be filed within 60 days prior to each entity's security expiration date. None of the companies listed in the Supplier Table provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for each EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest; *Therefore,*

*It Is Ordered That:*

1. Cancellation of the Electric Generation Supplier Licenses of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, Department of Revenue—Bureau of Corporation Taxes, all electric distribution companies, all of the Electric Generation Suppliers in the Supplier Table and also cause a copy of this Tentative Order to be published in the *Pennsylvania Bulletin* with a 30-day comment period.

3. Absent the filing of adverse public comment or the filing of approved security within 30 days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services shall prepare a Final Order for entry by the Secretary and shall advise the affected Bureaus within the Commission in writing that the Electric Generation Supplier Licenses held by each company listed in the Supplier Table, are cancelled and the cases may be closed.

4. Upon entry of the Final Order described in ordering Paragraph No. 3 above, each company listed in the Supplier Table will be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission's website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

5. Upon entry of the Final Order described in ordering Paragraph No. 3, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-30. Filed for public inspection December 31, 2015, 9:00 a.m.]

### **Petition of NEP Cellcorp, Inc. to Relinquish its Designation as an Eligible Telecommunications Carrier in the Commonwealth**

Public Meeting held  
December 17, 2015

*Commissioners Present:* Gladys M. Brown, Chairperson; John F. Coleman, Jr., Vice Chairperson; Pamela A. Witmer; Robert F. Powelson; Andrew G. Place

*Petition of NEP Cellcorp, Inc. to Relinquish its Designation as an Eligible Telecommunications Carrier in the Commonwealth of PA; Doc. Nos. P-2015-2511520, P-2013-2356640*

#### **Order**

*By the Commission:*

On October 30, 2015, NEP Cellcorp, Inc. (NEP) filed a Petition to relinquish its designation as an Eligible Telecommunications Carrier (ETC) in the Commonwealth of Pennsylvania. Pursuant to 52 Pa. Code § 1.36, NEP attached the verification of its President. NEP's certificate of service indicates that it served its Petition on the statutory advocates and the current ETCs that provide service in NEP's service area. No responses were filed to NEP's Petition.

#### *Background*

NEP is a commercial mobile radio service licensee authorized to provide GSM service using broadband personal communication service spectrum and 70 MHz spectrum in northeastern Pennsylvania, including Lackawanna, Susquehanna and Wayne Counties. In 2008, NEP was designated as an ETC in the entire study areas served by the following rural telephone companies in Pennsylvania: Deposit Telephone Co., Inc. and Hancock Telephone Co. NY (Hancock). Although Hancock is based in New York, the telephone company serves territory in both New York and Pennsylvania. In 2010, the FCC amended NEP's ETC designation in Pennsylvania to include the entire study area of North Eastern Pennsylvania Telephone Company. Most recently, by Order entered October 2, 2014, this Commission amended NEP's ETC designation to include the entire study area of South Canaan Telephone Company, the Beach Lake wire center of Verizon North LLC, and the Hamlin, Honesdale, Hawley, Lake Ariel, Moscow and Newfoundland wire centers of Verizon Pennsylvania LLC. NEP amended its designation in order to compete in the FCC's (Federal Communications Commission) Mobility Fund Phase II auction for federal universal service fund (USF) support.

NEP states that, on June 8, 2015, it announced that it had decided to exit the retail wireless business. As a result of that decision, NEP entered into an agreement with AT&T Mobility (AT&T) through which AT&T will purchase certain NEP spectrum assets, pending FCC approval. By this Petition, NEP seeks to relinquish its ETC status in all areas of Pennsylvania for which it is currently so designated. NEP attached a copy of its Press

Release as Exhibit A to its Petition. In response to staff's questions, NEP also provided a copy of the Notice of Relinquishment of ETC Designation that was filed with the FCC on November 19, 2015, and documentation that it returned all of the Mobility Phase II funding that it received.

Section 214(e)(4) of the Telecommunications Act of 1996 (TA 96), as amended, 47 U.S.C. § 214(e)(4), authorized the Commission to rescind a carrier's ETC status upon request and provides in pertinent part:

A state commission . . . shall permit an eligible telecommunications carrier to relinquish its designation as such a carrier in any area served by more than one eligible telecommunications carrier. An eligible Telecommunications carrier that seeks to relinquish its eligible designation for an area served by more than one eligible telecommunications carrier shall give advance notice to the State commission . . . of such relinquishment. Prior to permitting a telecommunications carrier designated as an eligible telecommunications carrier to cease providing universal service in an area served by more than one eligible telecommunications carrier, the State commission . . . shall require the remaining eligible telecommunications or carriers to ensure that all customers served by the relinquishing carrier will continue to be served, and shall require sufficient notice to permit the purchase or construction of adequate facilities by any remaining eligible telecommunications carrier.

In a Secretarial Letter issued September 3, 2013, the Commission reaffirmed the rules and requirements for relinquishment under TA96 and provided further guidance and directives to Pennsylvania ETCs seeking to relinquish ETC status. In addition to the relinquishment requirements listed in TA96 the Commission requires the following:

(1) All Petitions to relinquish ETC status must be accompanied by an affidavit or verification of an authorized individual.

(2) The Petition must be served upon the statutory advocates and all carriers referenced in the petition as alternative ETCs.

(3) Notice must be provided to all affected Lifeline customers as follows:

(a) Written notice 90 days prior to discontinuance of Lifeline service in the form of a stand-alone mailing separate from any billing or collections mailing.

(b) Telephone notice 60 days prior to discontinuance of Lifeline service.

(c) Written notice 30 days prior to discontinuance of Lifeline service in the form of a billing insert or stand-alone mailing.

(4) The notices should inform the affected customers of the date certain that Lifeline service will end, list alternative Lifeline providers and offer assistance to those customers who wish to retain Lifeline service.

(5) Petitioners are directed to ensure that the transition to another Lifeline provider is seamless for the Lifeline customer and ensure that the customer is not subject to additional connection fees or deposits. Also the Petitioner is to assist the Lifeline customer with any Lifeline certification requirements occasioned by the petition.

### *Discussion*

In its Petition, NEP states that more than one ETC currently serves in its service area. NEP states that it satisfies the advance notice requirement by the filing of its Petition and serving it on the statutory advocates and remaining ETCs. NEP does not believe that any of the remaining ETCs will be required to purchase or construct facilities to provide service to NEP's Lifeline customer. NEP states that on or about June 8, when NEP announced it was exiting the retail wireless business, NEP had one Lifeline customer in Pennsylvania. At that time, NEP avers that it provided written notice to all of its customers, including its sole Lifeline customer, of its exit decision, identifying a date certain upon which service would end, informing them of their wireless service options and offering assistance with the transition to another wireless carrier. NEP states that the customer notice was sent as a stand-alone mailing by first class mail, and attached it to its Petition as Exhibit D.

NEP states, on July 6, 2015, August 24, 2015 and September 11, 2015, it sent text messages to its remaining customers directing them to visit NEP's website for additional information, or to contact AT&T for information on AT&T's limited promotional offer (i.e. waived activation fee and bill credits). During this time period, NEP also included a bill message on its customers' bills which reminded them of the service end date and the need to make arrangements to find another provider.

NEP reports that all non-Lifeline customers were successfully migrated to other carriers of their choice by October 16, 2015. Those customers were not subject to any fees from NEP for migration, and the customers electing to move to AT&T did not pay an activation fee to their new carrier. NEP states that its only Lifeline customer voluntarily elected to switch service to AT&T, and that customer's number was successfully ported on July 24, 2015. NEP advises that it followed up telephonically with its former Lifeline customer to discuss the transition, and the customer indicated that they were pleased with their migration and AT&T's promotional offer. No fees were charged by NEP or AT&T for the migration. NEP submits that it has satisfied the notice requirements and ensured that its Lifeline customer had at least one option for a seamless transition to another Lifeline carrier.

As stated earlier, NEP no longer has any retail wireless customers. However, it continues to provide roaming services and will do so as long as it owns spectrum that is subject to the proposed transaction with AT&T. In addition, NEP states that it retains open numbers for 911 network testing purposes. As stated earlier, NEP provided documentation confirming that it has returned to USAC all of the Mobility Fund Phase II money that it received from the USF.

### *Conclusion*

Based upon the foregoing, NEP has satisfied all of the requirements necessary to relinquish its ETC designation. It gave advance notice to the Commission as well as the FCC. NEP satisfied the customer notice requirements and successfully migrated all of its customers, including its lone Lifeline customer, to alternative service providers. It appears that the migration and number porting was seamless and at no additional cost to the customers. Furthermore, the ETC designation that NEP seeks to relinquish in Pennsylvania is not transferrable to any other entity. As a result of NEP's actions, NEP has not had any retail wireless customers in Pennsylvania since

October 16, 2015. In addition, there are no informal or formal complaints pending against the NEP before the Commission. Accordingly, we will grant NEP's Petition to relinquish its ETC designation in Pennsylvania as in the public interest; *Therefore,*

*It Is Ordered That:*

1. The Petition filed at P-2015-2511520 by NEP Cellcorp, Inc. to relinquish its designation as an Eligible Telecommunications Carrier in the Commonwealth of Pennsylvania is hereby granted.

2. The authorization of NEP Cellcorp, Inc. to provide Eligible Telecommunications Carrier services at P-2013-2356640 is hereby cancelled and its name be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services.

3. A copy of this order be published in the *Pennsylvania Bulletin*.

4. The Secretary shall serve a copy of this Order on the Bureau of Investigation and Enforcement, the Office of Consumer Advocate and the Office of Small Business Advocate.

5. A copy of this Order shall be appended at P-2013-2356640.

6. Upon publication this docket shall be marked closed.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-31. Filed for public inspection December 31, 2015, 9:00 a.m.]

---

### Telecommunications

**A-2015-2517952. Verizon Pennsylvania, LLC and Talk America Services, LLC.** Joint petition of Verizon Pennsylvania, LLC and Talk America Services, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Talk America Services, LLC, by their counsel, filed on December 14, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Copies of the Verizon Pennsylvania, LLC and Talk America Services, LLC joint petition are on

file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-32. Filed for public inspection December 31, 2015, 9:00 a.m.]

---

### Telecommunications

**A-2015-2517981. Verizon North, LLC and Talk America Services, LLC.** Joint petition of Verizon North, LLC and Talk America Services, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Talk America Services, LLC, by their counsel, filed on December 14, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Copies of the Verizon North, LLC and Talk America Services, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-33. Filed for public inspection December 31, 2015, 9:00 a.m.]

---

### Telecommunications

**A-2015-2518800. The United Telephone Company of Pennsylvania, LLC d/b/a CenturyLink and Local Access, LLC.** Joint petition of The United Telephone Company of Pennsylvania, LLC d/b/a CenturyLink and Local Access, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania, LLC d/b/a CenturyLink and Local Access, LLC, by their counsel, filed on December 18, 2015, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of the petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Copies of the United Telephone Company of Pennsylvania, LLC d/b/a CenturyLink and Local Access, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-34. Filed for public inspection December 31, 2015, 9:00 a.m.]

### Water Distribution Assets

**A-2015-2519403. The York Water Company.** Application of The York Water Company for approval of the York Water Company to acquire the water distribution assets of the Westwood Mobile Home Park in Conewago Township, York County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities), on or before Tuesday, January 19, 2016. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* The York Water Company

*Through and By Counsel:* Michael W. Hassell, Esquire, Devin T. Ryan, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-35. Filed for public inspection December 31, 2015, 9:00 a.m.]

## STATE BOARD OF NURSING

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Robert J Miller, RN; Respondent; File No. 13-51-09228; Doc. No 1801-51-13

*Notice to Robert J Miller, RN:*

On March 17, 2014, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative

action against you by filing an Order to Show Cause, before the State Board of Nursing, alleging that you have violated certain provisions of the Pennsylvania Professional Nursing Law, Act of May 22, 1951, P.L. 317, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, the State Board of Nursing has issued an Order authorizing service of process upon you by publication.

### Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P. O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary  
Department of State  
2601 North Third Street  
P. O. Box 2649  
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

KRISTIN MALADY, BSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 16-36. Filed for public inspection December 31, 2015, 9:00 a.m.]

## STATE POLICE

Mobile Video Recording System Equipment Standards and Approved Mobile Video Recording Systems

The State Police, under 18 Pa.C.S. §§ 5704(16)(ii)(C) and 5706(b)(4) (relating to exceptions to prohibition of interception and disclosure of communications; and exceptions to prohibitions in possession, sale, distribution, manufacture or advertisement of electronic, mechanical or

other devices), published at 45 Pa.B. 5482 (August 29, 2015) a notice of Mobile Video Recording System Equipment Standards and Approved Mobile Video Recording Systems for use until the next comprehensive list is published.

As an addendum to the listing of approved mobile video recording systems published at 45 Pa.B. 5482, the State Police, under the authority cited previously, has approved for use, until the next comprehensive list is published, subject to interim amendment, the following additional mobile video recording systems, which meet the minimum equipment standards published at 45 Pa.B. 5482:

*Non-Vehicle-Mounted Mobile Video Recording Systems:*

CopTrax SmartGLASS, CopTrax, Plano, TX

WOLFCOM Vision, WOLFCOM Enterprises, Hollywood, CA

Comments, suggestions or questions should be directed to the State Police, Bureau of Patrol, Department Headquarters, 1800 Elmerton Avenue, Harrisburg, PA 17110.

COLONEL TYREE C. BLOCKER,  
*Commissioner*

[Pa.B. Doc. No. 16-37. Filed for public inspection December 31, 2015, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Actions Taken at December Meeting

As part of its regular business meeting held on December 4, 2015, in Harrisburg, PA, the Susquehanna River Basin Commission (Commission) took the following actions: 1) approved or tabled the applications of certain water resources projects; 2) accepted settlements instead of penalty from Seneca Resources Corporation and Schreiber Foods, Inc.; and 3) took additional actions, as set forth in the following Supplementary Information.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788. See also Commission web site at [www.srbc.net](http://www.srbc.net).

#### *Supplementary Information*

In addition to the actions taken on projects identified in the previous summary and the listings as follows, the following items were also presented or acted upon at the business meeting: 1) adoption of a resolution urging President Obama and the United States Congress to provide full funding for the Groundwater and Streamflow Information Program, thereby supporting the Susquehanna Flood Forecast and Warning System; 2) approval of a rulemaking action to simplify and revise the rules for transfer of approvals, create a category for minor modifications and establish a procedure for the Commission to issue general permits; 3) adoption of a resolution updating the Commission's investment policy statement; 4) approval/ratification of two contractual agreements; and 5) a report on delegated settlements with the following project sponsors, under SRBC Resolution 2014-15: Bon Air Country Club, in the amount of \$5,000; Byler Golf Management, Inc., doing business as Iron Valley Golf

Club, in the amount of \$4,000; P.H. Glatfelter Company, in the amount of \$7,000; The Lion Brewery, Inc., in the amount of \$1,000; and Irem Temple Golf Club, in the amount of \$7,500.

#### *Compliance Matters*

The Commission approved settlements instead of civil penalty for the following projects:

1. Seneca Resources Corporation (Multiple Approvals by Rule), multiple municipalities, multiple counties, PA—\$75,000.
2. Schreiber Foods, Inc., Shippensburg Borough, Cumberland County, PA—\$44,500.

#### *Project Applications Approved*

The Commission approved the following project applications:

1. Project Sponsor: Byler Golf Management, Inc. Project Facility: Iron Valley Golf Course, Cornwall Borough, Lebanon County, PA. Modification to authorize additional water use purpose (Docket Nos. 19981206 and 19981206-1).
2. Project Sponsor and Facility: Cabot Oil & Gas Corporation (Tunkhannock Creek), Lenox Township, Susquehanna County, PA. Surface water withdrawal of up to 1.500 mgd (peak day).
3. Project Sponsor and Facility: Montgomery Water and Sewer Authority, Clinton Township, Lycoming County, PA. Groundwater withdrawal of up to 0.398 mgd (30-day average) from Well 4.
4. Project Sponsor and Facility: Sugar Hollow Water Services, LLC (Susquehanna River), Eaton Township, Wyoming County, PA. Renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20111214).
5. Project Sponsor and Facility: SWN Production Company, LLC (Susquehanna River), Great Bend Township, Susquehanna County, PA. Renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20111217).
6. Project Sponsor and Facility: SWN Production Company, LLC (Susquehanna River), Great Bend Township, Susquehanna County, PA. Modification to increase surface water withdrawal by an additional 1.750 mgd (peak day), for a total of up to 2.500 mgd (peak day) (Docket No. 20140302).

7. Project Sponsor and Facility: SWN Production Company, LLC (Tioga River), Hamilton Township, Tioga County, PA. Surface water withdrawal of up to 1.500 mgd (peak day).

8. Project Sponsor and Facility: Village of Sidney, Delaware County, NY. Modification to extend the approval term of the groundwater withdrawal approval (Docket No. 19860201) to provide time for development of a replacement source for existing Well 2-88.

#### *Project Applications Tabled*

The Commission tabled action on the following project applications:

1. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Midway Manor System, Kingston Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.115 mgd (30-day average) from Dug Road Well.

2. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Midway Manor System, Kingston Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.038 mgd (30-day average) from Hilltop Well.

3. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Midway Manor System, Kingston Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.216 mgd (30-day average) from Midway Well 1.

4. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Midway Manor System, Kingston Township, Luzerne County, PA. Application for groundwater withdrawal of up to 0.110 mgd (30-day average) from Midway Well 2.

5. Project Sponsor and Facility: East Berlin Area Joint Authority, Reading Township, Adams County, PA. Application for groundwater withdrawal of up to 0.072 mgd (30-day average) from Well 1.

6. Project Sponsor and Facility: East Berlin Area Joint Authority, Reading Township, Adams County, PA. Application for groundwater withdrawal of up to 0.108 mgd (30-day average) from Well 2.

7. Project Sponsor and Facility: East Berlin Area Joint Authority, East Berlin Borough, Adams County, PA. Application for groundwater withdrawal of up to 0.058 mgd (30-day average) from Well 4.

8. Project Sponsor and Facility: East Berlin Area Joint Authority, East Berlin Borough, Adams County, PA. Application for renewal with modification to increase groundwater withdrawal limit by an additional 0.048 mgd (30-day average), for a total of up to 0.072 mgd (30-day average) from Well 5 (Docket No. 19860601).

9. Project Sponsor and Facility: East Cocalico Township Authority, East Cocalico Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.059 mgd (30-day average) from Well 3A.

10. Project Sponsor and Facility: East Cocalico Township Authority, East Cocalico Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.028 mgd (30-day average) from Well 4.

11. Project Sponsor and Facility: East Cocalico Township Authority, East Cocalico Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.056 mgd (30-day average) from Well 5.

12. Project Sponsor and Facility: East Cocalico Township Authority, East Cocalico Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.022 mgd (30-day average) from Well 6.

13. Project Sponsor and Facility: East Cocalico Township Authority, East Cocalico Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.046 mgd (30-day average) from Well 7.

14. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Application for renewal of groundwater withdrawal of up to 0.320 mgd (30-day average) from Well 1 (Docket No. 19850901).

15. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Application

for renewal of groundwater withdrawal of up to 0.190 mgd (30-day average) from Well 4 (Docket No. 19850901).

16. Project Sponsor and Facility: Furman Foods, Inc., Point Township, Northumberland County, PA. Application for renewal of groundwater withdrawal of up to 0.090 mgd (30-day average) from Well 7 (Docket No. 19850901).

17. Project Sponsor and Facility: Mount Joy Borough Authority, Mount Joy Borough, Lancaster County, PA. Modification to increase combined withdrawal limit by an additional 0.199 mgd (30-day average), for a total combined withdrawal limit of 1.800 mgd (30-day average) from Wells 1 and 2 (Docket No. 20110617).

18. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Cresson Borough, Cambria County, PA. Application for groundwater withdrawal from Argyle Stone Bridge Well of up to 6.300 mgd (30-day average) from four sources.

19. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Cresson Township, Cambria County, PA. Application for groundwater withdrawal from Cresson No. 9 Well of up to 6.300 mgd (30-day average) from four sources.

20. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Gallitzin Township, Cambria County, PA. Application for groundwater withdrawal from Gallitzin Shaft Well 2A (Gallitzin Shaft #2) of up to 6.300 mgd (30-day average) from four sources.

21. Project Sponsor: Pennsylvania Department of Environmental Protection, Bureau of Conservation and Restoration. Project Facility: Cresson Mine Drainage Treatment Plant, Gallitzin Township, Cambria County, PA. Application for groundwater withdrawal from Gallitzin Shaft Well 2B (Gallitzin Shaft #1) of up to 6.300 mgd (30-day average) from four sources.

*Project Application Approved Involving a Diversion*

The Commission approved the following project application involving a diversion:

1. Project Sponsor: Seneca Resources Corporation. Project Facility: Impoundment 1, receiving groundwater from Seneca Resources Corporation Wells 5H and 6H and Clermont Wells 1, 3 and 4, Norwich and Sergeant Townships, McKean County, PA. Modification to add two additional sources (Clermont Well 2 and Clermont North Well 2) and increase the into-basin diversion from the Ohio River Basin by an additional 0.504 mgd (peak day), for a total of up to 1.977 mgd (peak day) (Docket No. 20141216).

*Authority:* Pub. L. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

*Dated:* December 15, 2015.

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 16-38. Filed for public inspection December 31, 2015, 9:00 a.m.]



