

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending May 17, 2016.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>		
5-16-2016	Northwest Bank Warren Warren County Application for approval to purchase assets and assume liabilities of 18 branches of First Niagara Bank, National Association, Buffalo, NY, located at: <table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> 14 Lafayette Square Buffalo Erie County, NY 2070 George Urban Boulevard Depew Erie County, NY 1531 Niagara Falls Boulevard Amherst Erie County, NY 690 Kenmore Avenue Buffalo Erie County, NY 1690 Sheridan Drive Kenmore Erie County, NY 5751 South Park Avenue Hamburg Erie County, NY 4435 Transit Road Clarence Erie County, NY 1035 Payne Avenue North Tonawanda Niagara County, NY 4381 Military Road Niagara Falls Niagara County, NY </td> <td style="width: 50%; vertical-align: top;"> 6409 Transit Road East Amherst Erie County, NY 3105 Niagara Falls Boulevard Amherst Erie County, NY 1248 Abbott Road Lackawanna Erie County, NY 3488 Amelia Drive Orchard Park Erie County, NY 364 Connecticut Street Buffalo Erie County, NY 2300 Grand Island Boulevard Grand Island Erie County, NY 55 East Avenue Lockport Niagara County, NY 805 Main Street Niagara Falls Niagara County, NY 500 Center Street Lewistown Niagara County, NY </td> </tr> </table>	14 Lafayette Square Buffalo Erie County, NY 2070 George Urban Boulevard Depew Erie County, NY 1531 Niagara Falls Boulevard Amherst Erie County, NY 690 Kenmore Avenue Buffalo Erie County, NY 1690 Sheridan Drive Kenmore Erie County, NY 5751 South Park Avenue Hamburg Erie County, NY 4435 Transit Road Clarence Erie County, NY 1035 Payne Avenue North Tonawanda Niagara County, NY 4381 Military Road Niagara Falls Niagara County, NY	6409 Transit Road East Amherst Erie County, NY 3105 Niagara Falls Boulevard Amherst Erie County, NY 1248 Abbott Road Lackawanna Erie County, NY 3488 Amelia Drive Orchard Park Erie County, NY 364 Connecticut Street Buffalo Erie County, NY 2300 Grand Island Boulevard Grand Island Erie County, NY 55 East Avenue Lockport Niagara County, NY 805 Main Street Niagara Falls Niagara County, NY 500 Center Street Lewistown Niagara County, NY	Filed
14 Lafayette Square Buffalo Erie County, NY 2070 George Urban Boulevard Depew Erie County, NY 1531 Niagara Falls Boulevard Amherst Erie County, NY 690 Kenmore Avenue Buffalo Erie County, NY 1690 Sheridan Drive Kenmore Erie County, NY 5751 South Park Avenue Hamburg Erie County, NY 4435 Transit Road Clarence Erie County, NY 1035 Payne Avenue North Tonawanda Niagara County, NY 4381 Military Road Niagara Falls Niagara County, NY	6409 Transit Road East Amherst Erie County, NY 3105 Niagara Falls Boulevard Amherst Erie County, NY 1248 Abbott Road Lackawanna Erie County, NY 3488 Amelia Drive Orchard Park Erie County, NY 364 Connecticut Street Buffalo Erie County, NY 2300 Grand Island Boulevard Grand Island Erie County, NY 55 East Avenue Lockport Niagara County, NY 805 Main Street Niagara Falls Niagara County, NY 500 Center Street Lewistown Niagara County, NY			

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-16-2016	ACNB Bank Gettysburg Adams County	201 Pauline Drive York York County	Approved

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-16-2016	First Commonwealth Bank Indiana Indiana County	601 Hancock Avenue Vandergrift Westmoreland County	Approved
5-16-2016	Univest Bank and Trust Company Souderton Montgomery County	1869 Charter Lane Lancaster Lancaster County (Limited Service Facility)	Filed
5-16-2016	Univest Bank and Trust Company Souderton Montgomery County	922 2nd Street Pike Richboro Bucks County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
5-16-2016	ESSA Bank & Trust Stroudsburg Monroe County	<i>To:</i> 227 West Lancaster Avenue Devon Chester County <i>From:</i> 410 West Lancaster Avenue Devon Chester County	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 16-911. Filed for public inspection May 27, 2016, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Franklin University to Operate a Location in this Commonwealth

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval for Franklin University to open a location in Butler, PA. Franklin University has applied to offer a Bachelor of Science degree program in Business Administration at Butler County Community College.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice

of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher and Career Education, 333 Market Street, Harrisburg, PA 17126-0333 on or before the due date prescribed by this notice. Persons wishing to review the application should phone (717) 783-8228 or write to the previous address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodations to participate, should contact the Division of Higher and Career Education at (717) 783-8228 to discuss accommodations.

PEDRO A. RIVERA,
Secretary

[Pa.B. Doc. No. 16-912. Filed for public inspection May 27, 2016, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a

General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0061361 (Sewage)	Smithfield Township WWTP 1155 Red Fox Road East Stroudsburg, PA 18301-9106	Monroe County Smithfield Township	Little Sambo Creek (1-E)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0247936	Twin Grove Resort & Campground P.O. Box 222178 Carmel, CA 93922	Lebanon County Union Township	UNT Swatara Creek 7-D	Y
PA0247821	Planks Field Planned Community, STP P.O. Box 4208 Gettysburg, PA 17325	Adams County Straban Township	Disch Rock Creek 13-D	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0084182	Peters Township Municipal Auth of Franklin County 5000 Steele Avenue P.O. Box 19 Lemasters, PA 17231	Franklin County Peters Township	Conococheague-Antietam Creeks 13-C	Y
PA0080225	Washington Twp Municipal Auth 11102 Buchanan Trail East Waynesboro, PA 17268	Franklin County Washington Township	Conococheague-Antietam Creeks 13-C	Y
PA0261416	Reading Township Municipal Auth 843 West Middle Street Hanover, PA 17331	Adams County Reading Township	Conewago Creek 7F	Y
PA0024902	Upper Allen Township 100 Gettysburg Pike Mechanicsburg, PA 17055	Cumberland County Upper Allen Township	Yellow Breeches Creek 07E	Y
PA0043494	Loysville Village Municipal Auth P.O. Box 133 Loysville, PA 17047	Perry County Tyrone Township	Sherman Creek 07-A	Y
PA0086673	Marklesburg Borough Auth P.O. Box 24 3322 Old Mountain Road Suite B James Creek, PA 16657-0024	Huntingdon County Marklesburg Township	Raystown Branch Juniata River 11D	Y

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.
Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0092266 (Sewage)	Brave Water & Sewer Authority PO Box 159 Brave, PA 15316—159	Greene County Wayne Township	Hoovers Run (19-G)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0102385 (Sewage)	Iron Bridge Inn 1438 Perry Highway Mercer, PA 16137	Mercer County Springfield Township	Neshannock Creek (20-A)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970

PA0058971, Storm Water, SIC Code 3273, **Eureka Stone Quarry Inc. D/B/A JDM Materials Company**, 851 County Line Road, Huntingdon Valley, PA 19006-1111. Facility Name: JDM Materials Langhorne Batch Plant. This existing facility is located in Middletown Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream(s), Mill Creek, is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average stormwater flow.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instanta- neous Minimum</i>	<i>Annual Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	50	100	100
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report

The proposed effluent limits for Outfall 002 are based on an average stormwater flow.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		
	Average Monthly	Average Weekly		Annual Average	Daily Maximum	Instant. Maximum
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	50	100	100
Oil and Grease	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

- A. Stormwater Requirements
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Small Stream Discharge
- E. BMP Implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0027421, Sewage, SIC Code 4952, **Norristown Municipal Waste Authority**, 235 East Airy Street, 2nd floor, Norristown, PA 19401. Facility Name: Norristown Municipality STP. This existing facility is located in Norristown Municipality, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage from the Norristown Municipality STP.

The receiving stream(s), Schuylkill River and Sawmill Run, are located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001 and 002* are based on a combined design flow of 9.75 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		
	Average Monthly	Weekly Average		Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	5.0	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)				Min Mo Avg		
Nov 1 - Apr 30	2,030	3,250	XXX	25	40	50
May 1 - Oct 31	1,630	2,440	XXX	20	30	40
Biochemical Oxygen Demand (BOD ₅)					Wkly Avg	
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	2,440	3,660	XXX	30	45	60
Total Dissolved Solids	XXX	XXX	XXX	1,000.0	XXX	2,500
Total Sulfate	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Geo Mean		
Ammonia-Nitrogen				Report	XXX	XXX
Nov 1 - Apr 30	1,630	XXX	XXX	20	XXX	40
May 1 - Oct 31	810	XXX	XXX	10	XXX	20
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Thallium, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic—Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic—Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

* When discharging through Outfall 002 daily grab samples to be collected for pH, DO, TRC and Fecal Coliform. Combined composite samples to be collected for CBOD₅, TSS, NH₃-N, Phosphorus, Nitrogen, Copper, Lead, Zinc, Thallium, Total Dissolved Solids, Total Sulfate, Chloride and Bromide. The proposed effluent limits for CSO Outfall 003 are based on a design flow of an overflow event.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	Report	XXX

The proposed effluent limits for Outfall 004 (former Stormwater Outfall 003) are based on a design flow of an average storm event.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Iron	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater to Sewers
- Necessary Property Rights
- Proper Sludge Disposal
- Chlorine Minimization
- Notification of Designation of Responsible Operator
- Fecal Coliform Reporting
- Operations and Maintenance Plan
- CSO Related Bypass Condition for Facilities with High Flow Maintenance Plan
- Permit Condition for POTWs with Combined Sewer Overflows
- Pretreatment Program Implementation
- Whole Effluent Toxicity Testing
- PCB Pollutant Minimization Plan and Monitoring
- Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0244074, Sewage, SIC Code 6552, **Aqua Pennsylvania Wastewater Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010. Facility Name: Stony Creek Farms WWTF. This existing facility is located in Worcester Township, **Montgomery County**.

Description of Existing Activity: Renewal of an NPDES permit to discharge treated sewage from a facility known as Stony Creek Farms WWTF, located near Township Line Road and North Wales Road.

The receiving stream(s), Stony Creek, is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The nearest downstream public water supply intake is for the City of Norristown located on Schuylkill River at Norristown, PA. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.045 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	3.75	XXX	XXX	10	XXX	20
Total Suspended Solids	3.75	XXX	XXX	10	XXX	20
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	50	XXX	1,000
				Geo Mean		
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	1.13	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	0.56	XXX	XXX	1.5	XXX	3
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	0.19	XXX	XXX	0.5	XXX	1

In addition, the permit contains the following major special conditions:

- No Stormwater to Sewers
- Necessary Property Rights
- Small Stream Discharge
- Proper Sludge Disposal
- Abandon if Public Sewers
- Designation of Responsible Operator
- UV Disinfection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0024058, Sewage, SIC Code 4952, **Kennett Square Borough Chester County**, 120 Marshall Street, Kennett Square, PA 19348-3108. Facility Name: Kennett Square Borough WWTP. This existing facility is located in Kennett Square Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Red Clay Creek and Unnamed Tributary to West Branch Red Clay Creek, is located in State Water Plan watershed 3-I and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Instantaneous Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Weekly Average	Instantaneous Minimum	Average Monthly	Weekly Average	Instant. Maximum
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	230	365	XXX	25	40	50
May 1 - Oct 31	152	228	XXX	17	25	33
Total Suspended Solids	275	412	XXX	30	45	60
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	55	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	18	XXX	XXX	2.0	XXX	4
Total Phosphorus						
Nov 1 - Mar 31	18	XXX	XXX	2.0	XXX	4
Apr 1 - Oct 31	12	XXX	XXX	1.3	XXX	2.6
Cadmium, Total	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Phenolics, Total	0.21	0.42	XXX	0.023	0.046	0.058
		Daily Max			Daily Max	
Toxicity, Chronic—Pimephales Survival (TUc)	XXX	XXX	XXX	2.2	XXX	XXX
				Daily Max		
Growth (TUc)	XXX	XXX	XXX	2.2	XXX	XXX
				Daily Max		

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Total Nitrogen	91.8	XXX	XXX	10.0	XXX	20.0

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Right of Entry
- Transfer of Permits
- Property Rights
- Duty to Reapply
- No Storm Water
- Solids Handling
- WET Testing

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0010251, Industrial, SIC Code 9199, **U.S. Army Carlisle Barracks**, United States Army Carlisle Barracks, Carlisle, PA 17013-5020. Facility Name: Carlisle Barracks Headquarters. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Unnamed Tributary to Letort Spring Run, is located in State Water Plan watershed 7-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.036 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids Intake	XXX	XXX	XXX	XXX	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	XXX	2,000	3,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

PA0002437, Industrial, SIC Code 3312, **Shenango Inc.**, 200 Neville Road, Pittsburgh, PA 15225-1690. Facility Name: Shenango Inc. Neville Coke Plant. This existing facility is located in Neville Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for discharges of treated Industrial Waste. This is a revision to draft limits published on October 24, 2015 to cover post-shutdown discharges.

The receiving stream, the Ohio River, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Internal Monitoring Point 101 are modified as follows.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	29.71	72.81	91.01
Oil and Grease	XXX	XXX	XXX	7.76	14.34	17.93
Ammonia-Nitrogen	XXX	XXX	XXX	97.2	291.6	364.5
Cyanide, Total	XXX	XXX	XXX	4.93	7.35	9.19
Benzo(a)Pyrene	XXX	XXX	XXX	0.01297	0.02325	0.02906
Naphthalene	XXX	XXX	XXX	0.01307	0.02344	0.0293
Phenolics, Total	XXX	XXX	XXX	1.6	4.8	6.0

Previously proposed effluent limits and monitoring requirements for Outfalls 001, 003, 007 and 008 are unchanged. Internal Monitoring Points 201 and 301 and the special condition relating to cooling water intake structures have been eliminated.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2116403, Sewerage, **New Cumberland Borough**, 1120 Market Street, New Cumberland, PA 17070.

This proposed facility is located in Lower Allen Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the Northwest pump station and force main improvement project.

WQM Permit No. 0503405, Amendment #2, Sewerage, **East Providence Township Municipal Authority**, PO Box 83, 244 Municipal Road, Breezewood, PA 15533-0083.

This proposed facility is located in East Providence Township, **Bedford County**.

Description of Proposed Action/Activity: Seeking permit approval for wastewater treatment plant improvements.

WQM Permit No. WQG02670601, Sewerage, **York PA Hospital Co., LLC**, 325 South Belmont Street, York, PA 17403.

This proposed facility is located in West Manchester Township, **York County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of pump station and sewer extension to serve the York Memorial Hospital Campus.

WQM Permit No. 2116404, Sewerage, **Jennifer Garcia**, 555 West Penn Street, Carlisle, PA 17013.

This proposed facility is located in Lower Frankford Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of a small flow sewage treatment system to serve their single family residence on Bobcat Road.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 4216402, Sewerage, **Nina Wilber**, 5052 Route 46, Smethport, PA 16749.

This proposed facility is located in Keating Township, **McKean County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 3774402 A-2, Sewerage, **Neshannock Township Lawrence County**, 3131 Mercer Road, New Castle, PA 16105.

This existing facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: Upgrade of Ludwig Road pump station force main.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI012316004	Edgmont Township 100 Gradyville Road P.O. Box 267 Gradyville, PA 19039	Delaware	Edgmont Township	Ridley Creek HQ-TSF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lehigh County Conservation District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Rd., Allentown, PA 18104

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023915020(1)	Antonio Servidoni Mack Trucks, Inc. 3350 Gehman Road Macungie, PA 18062	Lehigh	Lower Macungie Township	Swabia Creek (HQ-CWF, MF)
PAI023916010	Frank Ford St. Luke's Hospital 1736 Hamilton Street Allentown, PA 18104	Lehigh	City of Allentown	Little Lehigh Creek (HQ-CWF, MF)
PAI023915032	Bruce Thaler BT Stone Hill, LP 116 Union Avenue Altoona, PA 18602	Lehigh	Lower Macungie Township	Swabia Creek (HQ-CWF, MF)

Monroe County Conservation District, 8050 Running Valley Rd., Stroudsburg, PA 18360-0917

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024510012(3)	CB H2O, LP P.O. Box 168 Tannersville, PA 18372	Monroe	Pocono Township	UNT to Pocono Creek (HQ-CWF, MF)
PAI024509016R	Arcadia Properties, LLC 100 Gateway Drive, Suite 310 Bethlehem, PA 18017	Monroe	Tobyhanna Township	Tobyhanna Creek (HQ-CWF, MF) Goose Run (HQ-CWF, MF)

Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth, PA 18064-9211

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024810007R	Joseph Correia J.G. Petrucci Co., Inc. 171 State Route 173 Suite 201 Asbury, NJ 08802-1365	Northampton	Forks Township	Bushkill Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041815003	Nicholas Meats Attn: Doug Nicholas P O Box 95 Loganton, PA 17747	Clinton	Greene Township	Fishing Creek, HQ

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Elk County Conservation District, Elk County Courthouse Annex, 300 Center Street, PO Box 448, Ridgway, PA 15853

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062411003R	USACOE, Pittsburgh District William S Moorhead Federal Building 1000 Liberty Avenue Pittsburgh, PA 15222	Elk	Jones Township	East Branch of Clarion River HQ-CWF

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 0916506 , Public Water Supply.	
Applicant	Oldcastle Precast
Township	Hilltown
County	Chester
Responsible Official	Jason Sinsel Plant Manager 299 Keystone Drive Telford, PA 18969
Type of Facility	PWS
Consulting Engineer	Berks Surveying & Engineer, Inc. 311 East Main Street Fleetwood, PA 19522
Application Received Date	April 22, 2016
Description of Action	Installation of an arsenic reduction system.

Permit No. WA-15-239E , Public Water Supply.	
Applicant	Aqua Pennsylvania, Inc.
Township	West Goshen
County	Chester

Responsible Official Saad Yousif
Senior Engineer
762 W. Lancaster Avenue
Bryn Mawr, PA 19010-3489

Type of Facility PWS

Consulting Engineer Anthony Bonasera
East Latitude, LLC
286 Hopewell Amwell Road
Hopewill, NJ 08525

Application Received Date May 13, 2016

Description of Action Renewal water allocation for the right to withdraw 1,200,000 gallons per day (gpd), as a 30-day average, from the Fern Hill/Airport Road Reservoir.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Permit No. 6316505, Public Water Supply.

Applicant **Authority of the Borough of Charleroi**
3 McKean Avenue
PO Box 211
Charleroi, PA 15022

[Township or Borough] Donora Borough and Fallowfield Township

Responsible Official Edward Golanka,
General Manager
Authority of the Borough of Charleroi
3 McKean Avenue
PO Box 211
Charleroi, PA 15022

Type of Facility Water system

Consulting Engineer Chester Engineers
1555 Coraopolis Heights Road
Moon Township, PA 15108

Application Received Date May 10, 2016

Description of Action Installation of a rechlorination system at the Sycamore Alley pump station.

Permit No. 6316506, Public Water Supply.

Applicant **Authority of the Borough of Charleroi**
3 McKean Avenue
PO Box 211
Charleroi, PA 15022

[Township or Borough] Donora Borough and Fallowfield Township

Responsible Official Edward Golanka,
General Manager
Authority of the Borough of Charleroi
3 McKean Avenue
PO Box 211
Charleroi, PA 15022

Type of Facility Water system

Consulting Engineer Chester Engineers
1555 Coraopolis Heights Road
Moon Township, PA 15108

Application Received Date May 10, 2016

Description of Action Installation of a rechlorination system at the Fallowfield (Truman Road) water storage tank.

Permit No. 6316507, Public Water Supply.

Applicant **Authority of the Borough of Charleroi**
3 McKean Avenue
PO Box 211
Charleroi, PA 15022

[Township or Borough] Donora Borough and Fallowfield Township

Responsible Official Edward Golanka,
General Manager
Authority of the Borough of Charleroi
3 McKean Avenue
PO Box 211
Charleroi, PA 15022

Type of Facility Water system

Consulting Engineer Chester Engineers
1555 Coraopolis Heights Road
Moon Township, PA 15108

Application Received Date May 10, 2016

Description of Action Installation of a rechlorination system at the Fallowfield (High School) water storage tank.

Central Office: Bureau Director, Bureau of Safe Drinking Water, P.O. Box 8467, Harrisburg, PA 17105-8467

Permit No. 9996588, Public Water Supply.

Applicant **Johnson's Pools and Spas**

Township or Borough Owego, New York

Responsible Official Eric A. Johnson, Owner

Type of Facility Out of State Bulk Water Hauling System

Application Received Date May 16, 2016

Description of Action Applicant requesting Department approval to add a new private bulk water loading station to their Pennsylvania Public Water Supply Permit. The loading station is located at the corner of Water and Mill Streets in the village of Owego, New York.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WA39-1000A, Water Allocation, **Lehigh County Authority**, 1053 Spruce Street, P.O. Box 3348, Allentown, PA 18106, **Lehigh County**. The applicant is requesting

the right to continue to purchase up to 140,000 gallons per day, based on a 30-day average, from the Borough of Slatington, Lehigh County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Stella Jones, Inc. Dubois Pennsylvania Facility, 392 Larkeytown Road, Sandy Township, **Clearfield County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Stella Jones, Inc., 2 Gateway Center, Suite 1000, 603 Stanwix Street, Pittsburgh, PA 15222, submitted a Notice of Intent to Remediate. This property is currently used for a wood treating facility. Polycyclic aromatic hydrocarbons (PAHS) and carbazole have been identified in site groundwater. The future use of this property is not anticipated to change. The proposed cleanup standard for the site is the Site-Specific Standard for groundwater. The Notice of Intent to Remediate was published in *The Courier Express* on April 19, 2016.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

509 East Plank Road Site, 509 East Plank Road, Altoona, PA 16602, City of Altoona, **Blair County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of Rebekah Evey, 903 Garber Street, Hollidaysburg, PA 16648, submitted a Notice of Intent to Remediate groundwater contaminated with chlorinated solvents. The property is a former Sheetz gasoline station and convenience store. The site will be remediated to the Site Specific Standard. Future use of the site is unknown. The Notice of Intent to Remediate was published in the *Altoona Mirror* on April 1, 2016.

PA Turnpike I-76 Mile Marker 283-WB, Denver, PA 17517, Denver Borough, **Lancaster County**. HDR Engineering, 4900 Ritter Road, Suite 240, Mechanicsburg, PA 17055-4807, on behalf of the FedEx Ground, 1000 FedEx Drive, Moon Township, PA 15108, and PA Turnpike Commission, 700 South Eisenhower Boulevard, Middletown, PA 17057, submitted a Notice of Intent to Remediate site soils contaminated with diesel fuel. The site will be remediated to the Non-Residential Statewide Health Standard and remain non-residential. The Notice of Intent to Remediate was published in the *LNP* on April 21, 2016.

First Stop Shop, 1818 Union Avenue, Altoona, PA, Altoona City, **Blair County**. Keystone Environmental Health and Safety, 101 Allegheny Street, Suite 2B, Hollidaysburg, PA 16648, on behalf of First Stop Shop, 1815 Union Avenue, Altoona, PA, submitted a Notice of Intent to Remediate groundwater contaminated with Trichloroethene and Chlorobenzene. The site will be remediated to the Non-Residential Statewide Health Standard. Future use of the site will be for non-residential for commercial use. The Notice of Intent to Remediate was published in the *Altoona Mirror* on April 21, 2016.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass

Desimone Residence, 990 Deerfield Lane, Kennett Township, **Chester County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Andrea Gluth, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169 on behalf of David & Karis DeSimone, 990 Deerfield Lane, Kennett Square, PA

19348-2508 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The current use and proposed future use of the source property is residential. A Notice of Intent to Remediate was published in the *Daily Local News* on April 10, 2016. PF809894.

117 East Broad Street, 117 East Broad Street, Borough of Souderton, **Montgomery County**. Alexander Ulmer, Barry Isett & Associates, Inc., 1003 Egypt Road, Phoenixville, PA 19460, Kurt Spiess, EMG Remediation Services, LLC, 5066 Rear West Chester, Pike, P.O. Box 129, Edgemont, PA 19028 on behalf of Kyle Hoff, Hoff Properties, LLC, 362 Winslow Drive, P.O. Box 637, Souderton, PA 18964 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of other organics. The proposed future use of the property will be non-residential. A Notice of Intent to Remediate was published in the *Souderton Independence* on March 27, 2016. PF809659.

Wawa Store #208, 567 Lancaster Avenue, East Whiteland, **Chester County**. Mark Bedle, B&B Diversified Enterprises, Inc., P.O. Box 70, Barto, PA 19504 on behalf of Joseph Standen, Wawa, Inc., 260 West Baltimore Pike, Wawa, PA 19603 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of unleaded gasoline. The proposed future use of the property will be non-residential for continue use as a Wawa gasoline station. A Notice of Intent to Remediate was published in the *Times Herald* on April 11, 2016. PF806945.

US Steel Corporation (KIPC) Storage Tank FFU 160 Area, Falls Township, **Bucks County**. John Garges, GHD Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, Michael H. Leon, United States Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburgh, PA 1522 on behalf of Dale L. Davis, Exelon Corporation, 990 Steel Road South, Fairless Hill, PA 19030 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of vocs, metals, svocs and pcbs. The current and anticipated future use of the site is commercial/industrial. A Notice of Intent to Remediate was published in the *Bucks County Courier Times* on April 18, 2016. PF809909.

Menasha Corporation, 501 East Erie Street, City of Philadelphia, **Philadelphia County**. Thomas A. Petrecz, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Omar Whitfield, Menasha packaging Company, LLC, 601 East Erie Avenue, Philadelphia, PA 19134 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of vocs and metals. The site will continue to be used for non-residential purpose. A Notice of Intent to Remediate was published in the *Philadelphia Daily News* on March 21, 2016. PF681488.

Inolox Chemical, 2101 South Swanson Street, City of Philadelphia, **Philadelphia County**. Michael T. Christopher PG, O'Brien & Gere Engineers, Inc., 301 East Germantown Pike, 3rd Floor, East Norriton, PA 19401, Daniel Sujo, Inolox, Incorporated, 2101 South Swanson Street, Philadelphia, PA 19148, Michael S. Kozar, O'Brien & Gere Engineers, Inc., 301 East Germantown Pike, 3rd Floor, East Norriton, PA 19401 on behalf of Kenneth Fischer, Inolox, Incorporated, 2101 South Swanson Street, Philadelphia, PA 19148 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of vocs and svocs. The property will be used for it's currently (non-residential) purpose for

the foreseeable future. A Notice of Intent to Remediate was published in the *Philadelphia Daily News* on March 8, 2016. PF619750.

Gutheriesville Tire and Services, 1199 Horseshoe Pike, East Brandywine Township, **Chester County**. Douglas B. Schott, Brickhouse Environmental, 51 South Franklin Street, West Chester, PA 19382, Anthony Scalies, Honey Brook Pharmacy, 35 Village Square, Honey Brook, PA 19344 on behalf of Renee Whitely, Siler Bow LLC, 121 Warwick Road, Elverson, PA 19520 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of leaded gasoline constituents. The proposed future use of the property will be non-residential for the development of a pharmacy. A Notice of Intent to Remediate was published in the *Daily Local News* on March 24, 2016. PF809666.

Forster Residence, 70 South Street, Doylestown Borough, **Bucks County**. Staci Cottone, J&J Environmental, P.O. Box 370, Blue Bell, PA 19422 on behalf of Terry Forster, 70 South West South Street, Doylestown, PA 18901 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of the no. 2 heating oil. The proposed future use of the property will be residential. A Notice of Intent to Remediate was published in the *Intelligencer* on February 7, 2016.

Locker Room Storage, 4415 Aramingo Avenue, City of Philadelphia, **Philadelphia County**. Christina Ruble, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, David B. Farrington, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Randy Feinberg, Locker Room Storage, Inc., P.O. Box 8, Haverford, PA 19041 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of dissolved lead. The proposed future use of the property will continue to be non-residential. A Notice of Intent to Remediate was published in the *Northeast Times* on April 6, 2016. PF809668.

Holland Residence, 2710 West Dutton Mill Road, Aston Township, **Delaware County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Stephanie Ohrt, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169 on behalf of Kathleen and Mark Holland, 2710 West Dutton Mill Road, Aston, PA 19104 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The current use and proposed future use of the property is residential. A Notice of Intent to Remediate was published in the *Springfield Press* on March 2, 2016. PF809892.

Brewerytown Mixed Block, 31st and Master Street, City of Philadelphia, **Philadelphia County**. Bill Schmidt, PE, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104, Paul Martino, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104 on behalf of Jon Herzog, Westrum Development Company, 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of the metals, and pahs. A Notice of Intent to Remediate was published in the *Metro Philadelphia* on April 12, 2016. PF809901.

Mack Oil Berwyn, 45 B4ranck Lane, Easttown Township, **Chester County**. Michael S. Welsh, P.E., Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Tim McCorry, Mack Services Group, 45 Branch Avenue, Berwyn, PA 19312 has submit-

ted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of the no. 2 fuel oil. The proposed future use of the site will be residential. The Notice of Intent to Remediate was published in the *Daily Local News* on April 4, 2016. PF617237.

MUNICIPAL WASTE GENERAL PERMITS

Application for General Permit Renewal Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.

General Permit Application No. WMGM017D003. WeCare Organics, LLC, 9293 Bonta Bridge Road, Jordan, NY 13080. The application is for the processing of sewage sludge generated by municipal collection and treatment system or treatment works by lime stabilization for use as a soil conditioner or soil amendment by land application on mine reclamation sites. Applicant currently conducts operations at Blackwood, **Schuylkill County**; Deemer Estates, PA Game Commission State Game Lands # 87, **Clearfield County**; Mine # 66 Operation Site, **Centre County**; Woolridge Site, PA Game Commission State Game Lands # 100, **Clearfield County**; Pine Glen Site, Burnside Township, **Centre County**. The application for renewal was found to be administratively complete by the Bureau of Waste Management on May 16, 2016.

Written comments concerning the application should be directed to Scott E. Walters, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGM036" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

General Permit Application No. WMGR028, Program I.D. WMGR028NE008, Pennsy Supply, Inc., P.O. Box 3331, Harrisburg, PA 17105. A General Permit Determination of Applicability (DOA) for the beneficial use of asphalt plant baghouse fines from the Lawton

Asphalt Plant located in Middletown Township, **Susquehanna County** as an aggregate in roadway construction, a soil additive, a soil conditioner, or a component or ingredient in the manufacturing of construction products. The application for Determination of Applicability was received in the Regional Office on April 27, 2016, and was deemed administratively complete as of May 13, 2016.

Persons interested in obtaining more information about the Determination of Applicability application may contact Roger Bellas, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of the publication of this notice, and these comments may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Renewal of a Residual Waste General Permit Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

General Permit Application Nos. WMGR110 and WMGR110SC001B. Nolt Services, LLC, 728 Rettew Mill Road, Lititz, PA 17543-9163.

The Southcentral Regional Office, Waste Management Program has received an application for renewal of a Residual Waste General Permit WMGR110 and a determination of applicability (DOA) under Permit No. WMGR110 from Nolt Services, LLC for the beneficial use of: (a) residential septage, (b) food processing residuals and (c) restaurant grease trap waste, hereinafter referred to as "blended waste" materials, as a soil conditioner or a fertilizer for agricultural purposes. The blended waste shall be treated to non-exceptional quality biosolid values. This permit is for use at the Nolt Farm located at 728 Rettew Mill Road, Lititz, PA in Ephrata Township, Lancaster County and at Lititz Run Farm located at: 57 Clay Road, Lititz, PA 17543-9163 in Warwick Township, **Lancaster County**. The DOA was determined to be administratively complete on May 11, 2016.

Persons interested in obtaining more information about this determination of applicability may contact John Oren, P.E., Permitting Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the De-

partment, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

66-00001H: Proctor and Gamble Paper Products Co. (P.O. Box 32, State Route 87 South, Mehoopany, PA 18629) for the modification of (3) three boilers by adding flexibility to provide steam to Cogen I at their facility in Washington Township, **Wyoming County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

23-0012C: Braskem America, Inc. (750 W 10th St., Marcus Hook, PA 19061) for a project to expand polypropylene production rate to 595,680 tons per year at the facility located in Marcus Hook Borough, **Delaware County**. This facility is a Title V facility. This production expansion will result in the increase of emissions of 6.6 tons of volatile organic compound (VOC) per year, and 7.9 tons of particulate matter per year. The Plan Approval will include emission limits and applicable state and federal regulations to ensure the facility complies with the applicable air quality regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

06-03167A: Walbert Funeral Home & Cremation Services, PC (14390 Kutztown Road, Fleetwood, PA 19522) for the installation of a human crematory controlled by an afterburner at the Walbert Funeral Home located in Richmond Township, **Berks County**. The expected increases in facility emissions as a result of the changes proposed are 0.82 tpy of PM, 0.29 tpy of SO_x, 1.17 tpy of CO, 0.35 tpy of NO_x and 0.35 tpy of VOC. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan ap-

proval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit.

67-05083F: Calpine Mid-Merit, LLC (500 Delaware Avenue, Suite 600, Wilmington, DE 19801) for the upgrade (Upgrade) of the York Energy Center Block 2 Electricity Generation Project's nominally rated power output capacity from 760 MWs to 830 MWs at its existing electric power generation facility located in Peach Bottom Township, **York County**. The additional 70 MWs of nominal electricity will be generated from the steam cycle portion of the Block 2 combined cycle (CC) power plant. The Upgrade consists of the following changes to the sources addressed in P.A. No. 67-05083D (issued on June 15, 2015): Increase each combustion turbines (CT) heat recovery steam generator's (HRSG) natural gas (NG)-fired duct burner's maximum rated heat input capacity from 688 mmBTUs/hr to 820 mmBTUs/hr, and the ability to fire each CT's HRSG's duct burner while the CT is firing ultra-low sulfur diesel (ULSD) fuel oil (duct burner firing during CT NG firing is authorized by P.A. No. 67-05083D).

The York Energy Center Block 2 Electricity Generation Project consists of the following:

1. Two NG/ULSD fuel oil-fired CC combustion turbines (Source IDs 205 and 206) controlled by a selective catalytic reduction (SCR) system (NO_x control) and an oxidation catalyst (CO and VOC control) in series. Dry low NO_x technology will also be employed during NG fuel firing. Water injection technology (NO_x control) will also be employed during ULSD fuel oil firing;
2. One NG-fired auxiliary boiler (Source ID 031);
3. One cooling tower (Source ID 501) controlled by a high efficiency mist eliminator (PM/PM₁₀/PM_{2.5} control);
4. NG piping components (Source ID 502);
5. Circuit breakers (Source ID 503); and
6. Five NG condensate storage tanks and one ULSD fuel oil storage tank (Source ID 504).

The maximum expected increases in facility emissions as a result of the Upgrade are the following: 10.2 TPY CO; 20.9 TPY NO_x; 4.8 TPY VOC; 12.9 TPY PM; 12.9 TPY PM₁₀; 12.9 TPY PM_{2.5}; 2.9 TPY SO_x; 2.2 TPY H₂SO₄; 0.005 TPY lead; 0.3 TPY toluene; 0.1 TPY xylenes; 0.1 TPY ethyl benzene; 0.1 TPY acetaldehyde; 0.1 TPY propylene oxide; 0.1 TPY manganese; 0.7 TPY total HAPs; and 248,316 TPY CO_{2e}. The facility is a Title V facility. The Department's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology (BAT) requirement of 25 Pa. Code §§ 127.1 and 127.12; 40 CFR Part 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines (re: Source IDs 205 and 206); 40 CFR Part 60, Subpart TTTT—Standards of Performance for Greenhouse Gas Emissions for Electric Generating Units (Source IDs 205 and 206); 40 CFR Part

60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units (re: Source ID 031); the Acid Rain Program requirements of 40 CFR Part 72; the Cross-State Air Pollution Rule (CSAPR) requirements of 40 CFR Part 97; the continuous emission monitoring systems (CEMS) requirements of 25 Pa. Code § 139.101 and 40 CFR Part 75; the Prevention of Significant Deterioration of Air Quality (PSD) regulations of 25 Pa. Code §§ 127.81—127.83, and 40 CFR 52.21; the Nonattainment New Source Review (NNSR) regulations of 25 Pa. Code §§ 127.201—127.218. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into the facility's Title V Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450(a)(5).

In accordance with the PSD regulations in 40 CFR 52.21 and 25 Pa. Code § 127.83, Calpine Mid-Merit, LLC (Calpine) has conducted an air quality analysis which utilizes dispersion modeling. Calpine's air quality analysis satisfies the requirements of the PSD regulations and is consistent with the U.S. Environmental Protection Agency's (EPA) Guideline on Air Quality Models (40 CFR Part 51, Appendix W) and the EPA's air quality modeling policy and guidance.

In accordance with 40 CFR 52.21(k), Calpine's air quality analysis demonstrates that emissions due to the major modification with the proposed increase in nominal capacity (Upgrade) would not cause or contribute to air pollution in violation of the National Ambient Air Quality Standards (NAAQS) for CO, NO₂, PM_{2.5}, or PM₁₀. Calpine's air quality analysis demonstrates that emissions due to the major modification with the proposed increase in nominal capacity (Upgrade) would not cause or contribute to air pollution in violation of the increments for NO₂, PM_{2.5}, or PM₁₀.

In accordance with 40 CFR 52.21(o), Calpine provided a satisfactory analysis of the impairment to visibility, soils, and vegetation that would occur as a result of emissions due to the major modification with the proposed increase in nominal capacity (Upgrade) and general commercial, residential, industrial, and other growth associated with the major modification.

In accordance with 40 CFR 52.21(p), written notice of Calpine's major modification with the proposed increase in nominal capacity (Upgrade) has been provided to the Federal Land Managers of nearby Class I areas as well as initial screening calculations to demonstrate that emissions due to the major modification with the proposed increase in nominal capacity would not adversely impact air quality related values and visibility in nearby Federal Class I areas.

In accordance with the public notice requirements in 25 Pa. Code § 127.45(b)(4), the degree of Class II and Class I increment consumption expected to result from the operation of Calpine's emission sources due to the major modification with the proposed increase in nominal capacity is provided in the following tables:

Table 1—Degree of Class II Increment Consumption from Operation of Calpine's Emission Sources Due to Major Modification with Proposed Increase in Nominal Capacity

Pollutant	Averaging Period	Degree of Class II Increment Consumption		Class II Increment
		micrograms per cubic meter	% of Class II Increment	micrograms per cubic meter
NO ₂	Annual	< 0.26192	< 1.05%	25
PM _{2.5}	24-Hour	< 4.69183	< 52.14%	9
	Annual	< 0.19163	< 4.80%	4
PM ₁₀	24-Hour	< 4.60636	< 15.36%	30
	Annual	< 0.19547	< 1.15%	17

Table 2—Degree of Class I Increment Consumption from Operation of Calpine's Emission Sources Due to Major Modification with Proposed Increase in Nominal Capacity

Pollutant	Averaging Period	Degree of Class I Increment Consumption		Class I Increment
		micrograms per cubic meter	% of Class I Increment	micrograms per cubic meter
NO ₂	Annual	< 0.00306	< 0.13%	2.5
PM _{2.5}	24-Hour	< 0.06458	< 3.23%	2
	Annual	< 0.00185	< 0.19%	1
PM ₁₀	24-Hour	< 0.06290	< 0.79%	8
	Annual	< 0.00180	< 0.05%	4

In accordance with 40 CFR 52.21(l)(2), where an air quality model specified in the EPA's Guideline on Air Quality Models is inappropriate, the model may be modified on a case-by-case basis. Written approval of the EPA Regional Administrator must be obtained for the use of a modified model. In addition, the use of a modified model must be subject to notice and opportunity for public comment under procedures developed in accordance with 40 CFR 52.21(q). Calpine's air quality analysis for nitrogen dioxide (NO₂) utilized the Ozone Limiting Method (OLM), which is currently implemented as a non-regulatory-default option within the EPA's recommended near-field dispersion model, the American Meteorological Society/Environmental Protection Agency Regulatory Model (AERMOD). In accordance with the recommendations under subsection 3.2 of the EPA's Guideline on Air Quality Models, the Department submitted a request to EPA Region III for approval of the use of the OLM in Calpine's air quality analysis for NO₂ on October 8, 2014. The EPA Regional Administrator approved the Department's request on November 21, 2014. Pursuant to 25 Pa. Code §§ 127.44 and 127.83, and 40 CFR 52.21(l)(2) and (q), notice is hereby given that the Department is expressly soliciting written comments on the use of the OLM in Calpine's air quality analysis for NO₂.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

53-00019A: Anchor Energy, LLC (N. Shore Place I, 358 N. Shore Dr., Ste. 201, Pittsburgh, PA 15212) for the construction of three (3) 9,708 bhp (7.2 MWs) 4 stroke, lean burn Rolls Royce Bergen B-35:40-V16AG-2 natural gas-fired engine/generator sets, each equipped with both catalytic oxidation and selective catalytic reduction (SCR), at the proposed electric generating station located in Hebron Township, **Potter County**.

The facility will also include one (1) 0.64 MMBtus/hour natural gas-fired natural gas line heater; three (3) storage tanks ranging in size from 2,600 gallons to 6,000 gallons; one (1) desiccant dehydration system; various fugitive emissions. The Department of Environmental Protection's (Department) review of the information submitted by Anchor Energy, LLC indicates that the air contamination sources to be constructed will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants including the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR 63.6580—63.6675, the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR 60.4230—60.4248, the Mandatory Greenhouse Gas Reporting Rule, 40 CFR Part 98, 25 Pa. Code Chapter 123 and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emissions from each proposed engine included in this project will not exceed the following limits: 0.058 g/bhp-hr and 5.44 TPY NO_x, 0.114 g/bhp-hr and 10.69 TPY CO, 0.037 g/bhp-hr and 3.47 TPY VOCs, 0.0006 lbs/MMBtu and 0.13 TPY SO_x, 0.050 g/bhp-hr and 4.67 TPY PM/PM₁₀/PM_{2.5}, 0.0009 g/bhp-hr and 0.84 TPY formaldehyde, 10 ppmvd at 15% O₂ ammonia; no visible emissions equal to or greater than 10% for a period or periods aggregating more than three minutes in any 1 hour and equal to or greater than 30% at any time. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: performance testing requirement for all engines to verify compliance with the emissions limitations; establish a facility-wide leak detection and repair (LDAR) program to account for fugitive emissions from high pressure connections; restrict the engines to natural gas firing only; in addition to perfor-

mance testing, establish follow-up portable analyzer testing for NO_x and CO for all engines every 2,500 hours of operation.

The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 53-00019A, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

14-00042A: Cintas Corporation (27 Whitney Drive, Milford, OH 45150) for the construction and operation of a shop towel laundering operation consisting four electrically operated washers, three natural gas fired dryers and a laundry waste water system at State College facility located in College Township, **Centre County**. The application also request construction of several ancillary air emissions sources; one 9.8 MMBtu per hour natural gas fired steam boiler, one 0.4 MMBtu per hour natural gas fired steam tunnel and one 0.55 MMBtu per hour natural gas fired pony dryer. The Department of Environmental Protection's (Department) review of the information submitted by Cintas Corporation indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emission from the shop towel laundering operation included in this project and other ancillary sources at the facility will not exceed the following limits: VOCs—9.81 tons; PM₁₀—2.48 tons; HAPs—1.7 tons; CO—7.27; NO_x—8.56; and SO₂—0.05. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: Limit the total VOCs from shop towel laundering operation to 9.3 tons in any 12 consecutive month period, Limit the maximum number of shop towels laundered at the facility to not exceed 2,750,000 pounds of soiled shop towel per year, Allow the use of only non-VOC detergents for shop towel laundering, Operate the dryers on natural gas fuel only, Establish work practice standards prohibiting the use print or furniture towels for laundering at the facility, Maintain and operate all the laundering equipment at the facility according to the Manufacturer's specification and recommendation, Maintain monthly records of product throughput and VOCs/ HAPs emissions to verify compliance with established limits, Establish annual reporting of emissions to the Department. The facility is a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 14-00042A, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to 25 Pa. Code § 127.411. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101,

Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

PLAN APPROVAL

PUBLIC HEARINGS

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

67-05083F: Calpine Mid-Merit, LLC (500 Delaware Avenue, Suite 600, Wilmington, DE 19801) to receive comments for the upgrade (Upgrade) of the York Energy Center Block 2 Electricity Generation Project's nominally rated power output capacity from 760 MWs to 830 MWs at its existing electric power generation facility located in Peach Bottom Township, **York County**. The additional 70 MWs of nominal electricity will be generated from the steam cycle portion of the Block 2 combined cycle (CC) power plant. The Upgrade consists of the following changes to the sources addressed in P.A. No. 67-05083D (issued on June 15, 2015): Increase each combustion turbines (CT) heat recovery steam generator's (HRSG) natural gas (NG)-fired duct burner's maximum rated heat input capacity from 688 mMBTUs/hr to 820 mMBTUs/hr, and the ability to fire each CT's HRSG's duct burner while the CT is firing ultra-low sulfur diesel (ULSD) fuel oil (duct burner firing during CT NG firing is authorized by P.A. No. 67-05083D).

The York Energy Center Block 2 Electricity Generation Project consists of the following:

1. Two NG/ULSD fuel oil-fired CC combustion turbines (Source IDs 205 and 206) controlled by a selective catalytic reduction (SCR) system (NO_x control) and an oxidation catalyst (CO and VOC control) in series. Dry low NO_x technology will also be employed during NG fuel firing. Water injection technology (NO_x control) will also be employed during ULSD fuel oil firing;
2. One NG-fired auxiliary boiler (Source ID 031);
3. One cooling tower (Source ID 501) controlled by a high efficiency mist eliminator (PM/PM₁₀/PM_{2.5} control);
4. NG piping components (Source ID 502);
5. Circuit breakers (Source ID 503); and
6. Five NG condensate storage tanks and one ULSD fuel oil storage tank (Source ID 504).

The maximum expected increases in facility emissions as a result of the Upgrade are the following: 10.2 TPY CO; 20.9 TPY NO_x; 4.8 TPY VOC; 12.9 TPY PM; 12.9 TPY PM₁₀; 12.9 TPY PM_{2.5}; 2.9 TPY SO_x; 2.2 TPY H₂SO₄; 0.005 TPY lead; 0.3 TPY toluene; 0.1 TPY xylenes; 0.1 TPY ethyl benzene; 0.1 TPY acetaldehyde; 0.1 TPY propylene oxide; 0.1 TPY manganese; 0.7 TPY total HAPs; and 248,316 TPY CO₂e. The facility is a Title V facility. The Department's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology (BAT) requirement of 25 Pa. Code §§ 127.1 and 127.12; 40 CFR Part 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines (re: Source IDs 205 and 206); 40 CFR Part 60, Subpart TTTT—Standards of Performance for Greenhouse Gas Emissions for Electric

Generating Units (Source IDs 205 and 206); 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units (re: Source ID 031); the Acid Rain Program requirements of 40 CFR Part 72; the Cross-State Air Pollution Rule (CSAPR) requirements of 40 CFR Part 97; the continuous emission monitoring systems (CEMS) requirements of 25 Pa. Code § 139.101 and 40 CFR Part 75; the Prevention of Significant Deterioration of Air Quality (PSD) regulations of 25 Pa. Code §§ 127.81—127.83, and 40 CFR 52.21; the Nonattainment New Source Review (NNSR) regulations of 25 Pa. Code §§ 127.201—127.218. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into the facility's Title V Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450(a)(5).

Copies of the plan approval application, DEP's analysis, proposed plan approval, and other relevant information are available for public review at DEP's Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. An appointment to review the documents may be scheduled by contacting Ms. Brenda Esterline at 717.705.4732 between 8:00 a.m. and 3:30 p.m., Monday through Friday, except holidays. DEP will hold one public hearing on June 28, 2016 at DEP's Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110 from 9:00 a.m. until all scheduled oral comments are received. Those wishing to comment orally are requested to contact Mr. Viren Trivedi, New Source Review Chief, Southcentral Regional Office, at 717.705.4863, to schedule their testimony. Testimony must be pre-scheduled by no later than June 21, 2016. Oral testimony which has not been pre-scheduled will not be accepted at the hearing. Commenters are requested to provide two (2) written copies of their remarks at the time of the hearing. Oral testimony will be limited to five (5) minutes per person. Organizations are requested to designate a representative to present testimony on their behalf. Written comments may be submitted to the Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110 no later than July 8, 2016. Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Mr. Trivedi at the number provided above or make accommodations through the Pennsylvania AT&T Relay Service at 1.800.654.5984 (TDD).

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

22-05047: Dura-Bond Pipe, LLC (2716 South Front Street, Steelton, PA 17113) for operation of their pipe and structural shapes manufacturing facility in Steelton Borough, **Dauphin County**. Actual emissions from the facility in 2015 were estimated at 3.61 tons CO, 4.30 tons

NO_x, 0.65 ton PM₁₀, 0.30 ton PM_{2.5}, 0.03 ton SO_x, 45.63 tons VOC, 16.08 tons of a single HAP (xylene), and 32.71 tons of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63, Subpart M—National Emission Standards for Hazardous Air Pollutants: Surface Coating of Miscellaneous Metal Parts and Products.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00082: EPP Renewable Energy, LLC (1605 N Cedar Crest Blvd., Suite 509, Allentown, PA 18104) has submitted an application to the Pennsylvania Department of Environmental Protection (Department) for the significant modification to the Title V operating permit 41-00082 to replace the hours of operation restriction with enhanced QA/QC monitoring for the four (4) landfill gas fired engines at the facility to ensure compliance with the emission limitations for the engines. The proposed significant modification does not increase the emission of any air contaminant from the sources at their facility located in Brady Township, **Lycoming County**. EPP Renewable Energy, LLC has demonstrated that the enhanced QA/QC procedures will be sufficient to demonstrate compliance with all emission limitations in the operating permit. Based on these findings, the Department intends to modify the Title V operating permit TVOP 41-00082.

The following is a summary of the conditions contained in the previously issued plan approval the Department proposes to place in the Title V operating permit to be issued to ensure compliance with all applicable air quality regulatory requirements: The permittee shall perform on the first day of every month a calculation which shows the carbon monoxide emissions total for the next rolling 12 month period will not exceed 240 tons. This calculation will be done by using the actual emissions from the previous 11 months and assuming the maximum possible operating time/throughput for the upcoming month. Should the theoretical total exceed the 240 ton total the permittee shall notify the Department within 48 hours and provide the following information: (a) The date on which the 240 tons of CO may be exceeded. (b) The actions being taken to keep the CO emission 12 month rolling total under 240 tons.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling (570) 327-0550.

17-00005: Glen Gery Corporation (PO Box 388, State Route 970, Bigler, PA 16825-0338) to issue a renewal Title V Operating Permit for their facility located in Bradford Township, **Clearfield County**. The facility is currently operating under Title V Operating Permit 17-00005. The facility's main sources include three (3) natural gas-fired furnaces, thirty-eight (38) natural gas-fired space heaters, one (1) natural gas-fired water heater, a raw material crushing operation, a grinding and screening operation, a blending and mixing operation, two (2) seven ton per hour, natural gas-fired tunnel kilns, a saw dust screen, a parts washer, an aluminum oxide blasting operation, four

(4) natural gas-fired brick dryers, two (2) cabinet dryers, a holding room and a chromite storage bin.

The facility has the potential to emit 26.73 tons of nitrogen oxides (NO_x) per year, 76.71 tons of carbon monoxide (CO) per year, 2.11 tons of volatile organic compounds (VOCs) per year, 312.78 tons of sulfur oxides per year (SO_x), 79.46 tons of particulate matter (PM/PM₁₀) per year, 33.15 tons of hazardous air pollutants (HAPs) per year and 37,710 tons of greenhouse gasses (GHGs) per year. No emission or equipment changes are being proposed by this action. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart JJJJJ of 40 CFR Part 63 and Pa. Code Title 25, Article III, Chapters 121–145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.0550.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00140: Amatex Corporation, (1032 Stanbridge Street, Norristown, PA 19404) for the renewal of a Non-Title V Facility, State-Only, Natural Minor Permit in Norristown Borough, **Montgomery County**. Amatex Corporation manufactures heat resistant fiberglass yarn and textiles. Sources of these particulate emissions include heat-treating units, drying ovens, and a texturizer. Amatex Corporation also operates an 8.5 MMBTU/hr boiler. The applicable requirements of 40 C.F.R. 63, Subpart JJJJJ were incorporated into the permit for the boiler. Monitoring, record keeping and reporting requirements have been added to the permit to address applicable limitations.

09-00198: Mount Materials, LLC (100 Pipe Mill Road, Fairless Hills, PA 19030), for operation of two portable non-metallic mineral processing plants and the associated screeners, conveyors and diesel engines in Falls Township, **Bucks County**. This action is a renewal of a State-only Operating Permit and incorporation of four (4) General Permits into the Operating Permit. This facility is re-categorized as a State-only Synthetic Minor facility as its PTE NO_x emissions exceed the threshold. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

35-00050: Maple Hill Crematory (68 E Saint Marys Road, Wilkes-Barre, PA 18706-4182) The Department intends to issue a State-Only Operating Permit renewal for operation of a crematory operation in Archibald

Borough, **Lackawanna County**. The source includes two (2) incinerators. The proposed operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

40-00103: Harman Funeral Home & Crematory Inc. (PO Box 429, Drums, PA 18222-0429) The Department intends to issue a State-Only Operating Permit renewal for operation of a crematory operation in Butler Township, **Luzerne County**. The source includes one (1) incinerator. The proposed operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

32-00303: Dominion Transmission, Inc. (5000 Dominion Blvd., Glen Allen, VA, 23060-3308).

The Department intends to issue a State Only Operating Permit renewal for the Cherry Tree Compressor Station in Montgomery Township, **Indiana County**. Equipment at this facility includes one (1) 600 bhp natural gas-fired compressor engine, one (1) 860 bhp natural gas-fired compressor engine, one (1) triethylene glycol dehydration reboiler, one 4,200 gallon produced fluids storage tank, and several insignificant emission sources. Actual annual emissions from this facility for the 2015 calendar year were reported by the company as follows: 16.16 tons NO_x, 16.84 tons VOCs, and 1.64 ton CO, 0.35 ton PM₁₀, 0.35 ton PM_{2.5}, 0.01 ton sulfur oxides, 2.46 tons HAPs, and 2,849.94 tons of carbon dioxide. The facility is subject to the applicable requirements of Title 25 Pa. Code Chapters 121–145. The compressor engines are subject to 40 CFR Part 63, Subpart ZZZZ, NESHAPs for Stationary Reciprocating Internal Combustion Engines. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice.

04-00718: Three Rivers Aggregates, LLC (1288 Reese Road, Slippery Rock, PA 16057), for a facility-wide Natural Minor Operating Permit Modification, for the operation of a sand and gravel facility located in Darlington Township, **Beaver County**. The facility's air contamination sources consist of one (1) sand and gravel plant rated at 350 tph, one (1) Mitsubishi diesel-fired engine rated at 2,346 bhp emissions controlled by an oxidation catalyst, one (1) cone crusher rated at 225 bhp controlled by water sprays, screens, conveyors, and stackers. Particulate emissions from the crushers, screens, conveyors etc. are controlled by water spray system. Emissions from the facility are 3.0 tons CO, 21.0 tons NO_x, 10.0 tons PM₁₀, 24.0 tons PM, 2.0 tons VOC, and 1.0 tons SO₂ per year. The facility is subject to the applicable requirements of Pa. Code 25 Chapters 121–145 and the applicable requirements of 40 CFR Part 60 Subpart OOO (Standard Performance for Nonmetallic Mineral Processing Plants), 40 CFR Part 60 Subpart IIII (Standards of Performance for Stationary Compression Ignition Internal Combustion Engines), and 40 CFR, Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Inter-

nal Combustion Engines). The permit includes emission limitations, and operational, monitoring, reporting, and recordkeeping requirements for the facility.

Three Rivers Aggregates, LLC's State Only Operating Permit modification application, the Department's Air Quality Review Memorandum, and the proposed Air Quality State Only Operating Permit for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit renewal application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality State Only Operating Permit for this project, a person may contact Phil Bouse at pbouse@pa.gov or 412.442.4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 04-00718) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Jesse S. Parihar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. (jparihar@pa.gov, Fax 412.442.4194).

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Tom Joseph, Permitting Chief—Telephone: 412-442-4336

32-00303: Dominion Transmission, Inc. (5000 Dominion Blvd., Glen Allen, VA, 23060-3308).

The Department intends to issue a State Only Operating Permit renewal for the Cherry Tree Compressor Station in Montgomery Township, **Indiana County**. Equipment at this facility includes one (1) 600 bhp natural gas-fired compressor engine, one (1) 860 bhp natural gas-fired compressor engine, one (1) triethylene

glycol dehydration reboiler, one 4,200 gallon produced fluids storage tank, and several insignificant emission sources. Actual annual emissions from this facility for the 2015 calendar year were reported by the company as follows: 16.16 tons NO_x, 16.84 tons VOCs, and 1.64 tons CO, 0.35 ton PM₁₀, 0.35 ton PM_{2.5}, 0.01 ton sulfur oxides, 2.46 tons HAPs, and 2,849.94 tons of carbon dioxide. The facility is subject to the applicable requirements of Title 25 Pa. Code Chapters 121—145. The compressor engines are subject to 40 CFR Part 63, Subpart ZZZZ, NESHAPs for Stationary Reciprocating Internal Combustion Engines. The proposed Operating Permit contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice.

04-00718: Three Rivers Aggregates, LLC (1288 Reese Road, Slippery Rock, PA 16057), for a facility-wide Natural Minor Operating Permit Modification, for the operation of a sand and gravel facility located in Darlington Township, **Beaver County**. The facility's air contamination sources consist of one (1) sand and gravel plant rated at 350 tph, one (1) Mitsubishi diesel-fired engine rated at 2,346 bhp emissions controlled by an oxidation catalyst, one (1) cone crusher rated at 225 bhp controlled by water sprays, screens, conveyors, and stackers. Particulate emissions from the crushers, screens, conveyors etc. are controlled by water spray system. Emissions from the facility are 3.0 tons CO, 21.0 tons NO_x, 10.0 tons PM₁₀, 24.0 tons PM, 2.0 tons VOC, and 1.0 ton SO₂ per year. The facility is subject to the applicable requirements of Pa. Code 25 Chapters 121—145 and the applicable requirements of 40 CFR Part 60 Subpart OOO (Standard Performance for Nonmetallic Mineral Processing Plants), 40 CFR Part 60 Subpart IIII (Standards of Performance for Stationary Compression Ignition Internal Combustion Engines), and 40 CFR, Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). The permit includes emission limitations, and operational, monitoring, reporting, and recordkeeping requirements for the facility.

Three Rivers Aggregates, LLC's State Only Operating Permit modification application, the Department's Air Quality Review Memorandum, and the proposed Air Quality State Only Operating Permit for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit renewal application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality State Only Operating Permit for this project, a person may contact Phil Bouse at pbouse@pa.gov or 412.442.4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the

protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 04-00718) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Jesse S. Parihar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. (jparihar@pa.gov, Fax 412.442.4194).

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

41-00068: Keystone Leather Distributors, LLC (2100 Reach Road, Williamsport, PA 17701-8783) to issue a renewal State Only Operating Permit for the Williamsport/Reach Road Plant located in the City of Williamsport, **Lycoming County**. The facility is currently operating under State Only Operating Permit 41-00068. The facility's main sources include a series of dip tanks used for shoe sole leather waterproofing, a leather product spray booth and two 0.2 MMBtu/hr space heaters. The facility has potential emissions of 0.14 TPY of CO; 0.09 TPY of NO_x; 0.001 TPY of SO_x; 0.02 TPY of PM/PM₁₀; 8.81 TPY of VOCs; 0.003 TPY HAPs; 207 TPY GHGs. The emission limits and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the

Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

63743702 and NPDES No. PA0214248. The Washington County Coal Company, (46226 National Road, St. Clairsville, OH 43950). To transfer the permit for the Washington County CRDA in Somerset Township, **Washington County** and related NPDES permit from Eighty-Four Mining Company, Mine 84 Refuse Area. No additional discharges. The application was considered administratively complete on May 12, 2016. Application received November 23, 2015.

11743703 and NPDES No. PA0214671. Robindale Energy Services, Inc., (PO Box 228, Armagh, PA 15920). To renew the permit for the Lancashire No. 25 in Barr and West Carroll Townships, **Cambria County** and related NPDES permit. No additional discharges. The application was considered administratively complete on May 12, 2016. Application received November 20, 2015.

30841307 and NPDES No. PA0213438. Emerald Coal Resources, LP, (158 Portal Road, PO Box 1020, Waynesburg, PA 15370). To renew and revise the permit for the Emerald Mine No. 1 in Franklin, Center, Jefferson, Greene, Cumberland, Wayne and Whiteley Townships, **Greene County** and related NPDES Permit. Reducing subsidence control plan area and deleting moni-

toring points. Subsidence Control Plan Acres Proposed -15,832.41. No additional discharges. The application was considered administratively complete on May 13, 2016. Application received January 11, 2016.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 56950105 and NPDES No. PA0213136, Marquise Mining Corp., P.O. Box 338, Blairsville, PA 15717, permit renewal for reclamation only of a bituminous surface mine in Stonycreek Township, **Somerset County** affecting 245 acres. Receiving streams: unnamed tributaries to Wells Creek and unnamed tributaries to the Stonycreek River classified for following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is the Hooversville Municipal Authority. Application received: May 2, 2016.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17950113 and NPDES PA0220159. Waroquier Coal Company (P.O. Box 128, Clearfield, PA 16830). Permit renewal of an existing bituminous surface and auger mine located in Greenwood Township, **Clearfield County** affecting 60.2 acres. Receiving stream(s): Unnamed Tributaries #1 and #2 to Watts Creek to Watts

Creek to Clearfield Creek. There are no potable water supply intakes within 10 miles downstream. Application received: May 5, 2016.

17030106 and NPDES PA0243477. Waroquier Coal Company (P.O. Box 128, Clearfield, PA 16830). Permit renewal of an existing bituminous surface mine located in Beccaria Township, **Clearfield County** affecting 244.0 acres. Receiving stream(s): Unnamed Tributaries to Dotts Hollow and Dotts Hollow. There are no potable water supply intakes within 10 miles downstream. Application received: May 5, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 49871602R5. Lenig & Kosmer Coal Washery, (2993 Lower Road, Shamokin, PA 17872), renewal of an existing anthracite coal preparation plant operation in West Cameron Township, **Northumberland County** affecting 3.6 acres, receiving stream: Mahanoy Creek, classified for the following use: cold water fishes. Application received: May 10, 2016.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

20860301. R. Hunter, Inc. (15428 Sheets Road, Guys Mills, PA 16327) Transfer of an existing large industrial minerals mine from Donovan Stone Company in Hydetown Borough, **Crawford County**, affecting 14.0 acres. Receiving streams: Thompson Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: May 9, 2016.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

4773SM5 and NPDES PA0115533. Hanson Aggregates Pennsylvania LLC (7660 Imperial Way, Allentown, PA 18195). Renewal of an NPDES permit located in Muncy Creek Township, **Lycoming County**. Receiving stream(s): Unnamed Tributary to Wolfe Run and Unnamed Tributaries to Muncy Creek. Application received: May 2, 2016.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0262498 (Mining Permit No. 56070110), PBS Coals, Inc., P.O. Box 260, Friedens, PA 15541, revised NPDES permit for a bituminous surface mine in Stonycreek Township, **Somerset County**, affecting 223.1 acres. Receiving stream: Schrock Run, classified for the following use: cold water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: May 6, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treated wastewater outfall listed below discharge to Schrock Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 004 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.5
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 10.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The stormwater outfall(s) listed below discharge to Schrock Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N
003	N
005	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 002, 003, 005 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.5
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

NPDES No. PA0599085 (Mining Permit No. 05910301), New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664 renewal of an NPDES permit for noncoal surface mining in Napier Township, **Bedford County**, affecting 129.6 acres. Receiving streams: Unnamed Tributary to/and Dunning Creek, classified for the following use: warm water fishes. Application received: February 17, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to an unnamed tributary to/and Dunning Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 001, 002, 003</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Flow		Monitor Only	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0121606 (Mining Permit No. 6478NC4), David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17201 renewal of an NPDES permit for a large noncoal shale operation in Antrim Township, **Franklin County**, affecting 29.0 acres. Receiving streams: Unnamed Tributary to/and Muddy Run, classified for the following uses: high quality cold water fishes and migratory fishes. Application received: September 4, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall(s) listed below discharge to an unnamed tributary to/and Muddy Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500

NPDES No. PA0278211 (Mining permit no. 03142001), Britt Energies, Inc., P.O. Box 515, Indiana, PA 15701, new NPDES permit for non-coal surface and underground mining in South Bend Township, **Armstrong County**, affecting 84.5 surface acres and 161.5 underground acres. Receiving stream: Crooked Creek, classified for the following use: WWF.

The treated wastewater outfall TP-1 listed below discharge to Crooked Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
TP-1	Y	MDT

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90
Alkalinity must exceed acidity at all times			

The stormwater outfall(s) listed below discharge to UNTs to the Allegheny River.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>TYPE</i>
SP-A	Y	Sedimentation

The proposed effluent limits for outfall SP-A is as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35	70	90
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

NPDES Permit No. PA0225452 on Surface Mining Permit No. 5077SM1. Reading Material, Inc./The H & K Group, Inc., (PO Box 196, Skippack, PA 19474), new NPDES Permit for a sandstone quarry operation in Lehman Township, **Luzerne County**, affecting 142.99 acres. Receiving stream: Pikes Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: March 14, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfalls listed below discharge to Pikes Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
PC001	Yes	Sediment Basin
PC002	Yes	Sediment Basin
PC003	Yes	Sediment Basin

NPDES Permit No. PA0224332 on Surface Mining Permit No. 64030301. ER Linde Construction Corp., (9 Collan Park, Honesdale, PA 18431), renewal and transfer of an NPDES Permit for a sandstone quarry operation in Palmyra Township, **Wayne County**, affecting 94.3 acres. Receiving stream: Middle Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: July 8, 2014.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described above for noncoal mining activities.

The outfalls listed below discharge to Middle Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
SP-01	No	E&S/Stormwater
SP-02	No	E&S/Stormwater

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water

Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in

writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E51-276—Pennsylvania Department of Transportation, King of Prussia PA, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the Pennsylvania Department of Transportation SR 0095 Section BS4 Project Specific water obstructions and encroachment are:

1) To replace the existing Aramingo Avenue bridge and construct and maintain in its place a two span steel girder bridge over the Frankford Creek (WWF, MF).

2) To construct temporary causeways within the Frankford Creek and its floodway to facilitate the structure replacement at Aramingo Avenue Bridge.

3) To construct and maintain Adams Avenue on new alignment and construct and maintain Frankford Creek Greenway shared-use path trail while placing additional fill along the trail for planting and landscaping, within the Frankford Creek 100-Year floodplain and floodway.

4) To realign, construct and maintain Tacony Street (SR 1007) within the Frankford Creek 100-Year floodway.

5) To demolish buildings within the floodway of Frankford Creek to facilitate the construction of the project.

6) To construct and maintain final pavement connections to the Betsy Ross Interchange ramps, including ramp roadway embankment widening to accommodate permit truck pull-off area, within the Frankford Creek 100-Year floodplain and floodway.

7) To construct and maintain stormwater basins within the floodway of Frankford Creek.

The project site, which includes impacts associated with SR 1026 Section H04 as a single project in the floodway of Frankford Creek (WWF, MF), is located approximately 1,059 feet northeast of the intersection of Wheatshaf Lane and Aramingo Avenue in the City of Philadelphia, Philadelphia County (Camden PA-NJ USGS Quadrangle, Longitude 75° 05' 11.02" Latitude 39° 59' 56.31" in the center of the Aramingo Avenue Bridge).

E09-1003-Pennsylvania Department of Transportation, Morrisville PA, Lower Makefield Township, **Bucks County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the Pennsylvania Department of Transportation jurisdiction of the Scudder Falls Bridge Replacement Project:

1) To modify and maintain existing culvert outfall and inlet structures and auxiliary works to an unnamed tributary to Buck Run (WWF) to accommodate proposed stormwater design configuration.

2) To modify and maintain culvert inlet and outlet configuration on both ends of the existing Taylorsville Road (SR 2071) over an unnamed tributary No. 1 to the Delaware Canal (WWF, MF) resulting from the widening of the roadway approaches and to facilitate the overall objective of the project.

3) To modify and maintain existing culvert outfall and inlet structures for an unnamed tributary No. 2 to Delaware Canal (WWF, MF) to accommodate proposed stormwater design configuration.

The project site is located in Lower Makefield Township, Bucks County, along SR 0095 (Interstate Route 95) from the PA Route 332 Interchange at the southern edge, extending to the northeast and terminates west of the SR 0095/Taylorsville Road Interchange and includes improvements to a segment of Taylorsville Road (SR 2071). Central coordinates are located in the area of the existing Unknown Tributary No. 1 to the Delaware Canal (Pennington PA-NJ USGS Quadrangle and Langhorne, PA Quadrangles, Longitude 74° 51' 48.816" Latitude 40° 15' 7.84").

E09-993. Land Group Reality LLC, 347 New Street, Quakertown, PA 18851, Sellersville Borough, **Bucks County**, ACOE Philadelphia District.

To rehabilitate and maintain the existing remnant of an old mill race and the paved parking area associated with an old building of historic nature within the 100-year floodway of East Branch Perkiomen Creek (TSF, MF). The project will not impact the 100 year floodway elevation.

The site is located at about 100 feet northwest of Route 152 and W Park Ave. (Telford, PA USGS Quadrangle, Latitude 40.3562; Longitude -75.3063).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E66-163. Tunkhannock Township, 113 Tunkhannock Township Drive, Tunkhannock, PA 18657, in Tunkhannock Township, **Wyoming County**, U.S. Army Corps of Engineers, Baltimore District.

The placement of approximately 0.85 acre of fill in a floodplain of Tunkhannock Creek in Lazy Brook Park. The project is located along the right side of Lazy Brook Creek and on the southeast side of SR 0006, (Tunkhannock, PA Quadrangle Latitude: 41°33'18.3"; Longitude: -75°53'44.2") in Overfield Township, Wyoming County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E28-382: Greene Township Municipal Authority, 4182 Sunset Pike, Chambersburg, PA 17202 in Greene Township, **Franklin County**, U.S. Army Corps of Engineers Baltimore District.

To replace approximately 2.75 miles of existing 15-inch main interceptor with a new 24-inch sanitary sewer between manholes 507 and 554 along Conococheague Creek (CWF, MF). Activity also impacts Cold Spring Run

(HQ-CWF, MF). Replacement activity will result in ten (10) stream encroachments and seven (7) Exceptional Value (EV) wetland encroachments. Pipe impacts will result in seven (7) stream impacts and three (3) EV wetland impacts. Total areal and linear stream impacts of 5,605 square feet (0.129 acre) and 802 feet respectively. Total areal wetland impacts of 12,522 square feet (0.287 acre). Total floodplain impacts to Conococheague Creek of 9.97 acres. Project is centered on Cold Spring Road (Latitude: 39° 54' 59.1"N, Longitude: 77° 32' 51.9"W) in Greene Township, Franklin County (Scotland, PA quadrangle).

Conococheague Creek impacts:

(Latitude: 39° 55' 16.4"N, Longitude: 77° 33' 44.3"W) 960 square feet, 35 linear feet, stream impact and temporary road crossing; (Latitude: 39° 55' 3.2"N, Longitude: 77° 33' 18.2"W) 450 square feet, 150 linear feet, temporary coffer dam; (Latitude: 39° 55' 0.5"N, Longitude: 77° 33' 6.4"W) 660 square feet, 110 linear feet, temporary coffer dam; (Latitude: 39° 55' 55.4"N, Longitude: 77° 32' 46.5"W) 360 square feet, 120 linear feet, temporary coffer dam.

Conococheague Creek and Cold Spring Run impact:

(Latitude: 39° 55' 31.1"N, Longitude: 77° 34' 9.8"W) 1,450 square feet, 120 linear feet, impact at stream confluence, open cut installation, temporary coffer dam.

Perennial streams impacts (UNTs to Conococheague Creek):

(Latitude: 39° 54' 58.7"N, Longitude: 77° 32' 50.5"W) 260 square feet, 32 linear feet, temporary road crossing; (Latitude: 39° 54' 45.0"N, Longitude: 77° 32' 9.8"W) 60 square feet, 30 linear feet, temporary road crossing; (Latitude: 39° 54' 40.6"N, Longitude: 77° 31' 45.9"W) 180 square feet, 30 linear feet, open cut installation; (Latitude: 39° 55' 27.1"N, Longitude: 77° 34' 3.5"W) 910 square feet, 70 linear feet, open cut installation, temporary coffer dam.

Intermittent stream impact (UNTs to Conococheague Creek):

(Latitude: 39° 55' 8.3"N, Longitude: 77° 33' 22.3"W) 315 square feet, 105 linear feet, open cut installation, rock construction entrance.

EV Wetlands impacts:

(Latitude: 39° 55' 15.3"N, Longitude: 77° 33' 43.1"W) 560 square feet, 80 linear feet, no pipe installation, temporary timber matting; (Latitude: 39° 55' 14.1"N, Longitude: 77° 33' 41.6"W) 660 square feet, 82 linear feet, pipeline adjacent to wetland edge, temporary timber matting; (Latitude: 39° 55' 8.3"N, Longitude: 77° 33' 22.3"W) 550 square feet, 42 linear feet, temporary timber matting; (Latitude: 39° 55' 5.1"N, Longitude: 77° 33' 19.2"W) 5,200 square feet, 260 linear feet, wetland pipe crossing, temporary timber matting; (Latitude: 39° 54' 46.2"N, Longitude: 77° 32' 11.3"W) 680 square feet, 45 linear feet, wetland pipe crossing, temporary timber matting; (Latitude: 39° 55' 30.0"N, Longitude: 77° 34' 8.5"W) 72 square feet, 36 linear feet, no pipe crossing, temporary timber matting; (Latitude: 39° 54' 38.7"N, Longitude: 77° 31' 42.3"W) 4,800 square feet, 260 linear feet, wetland pipe crossing, temporary timber matting.

E22-621: James D. Myers Jr., 3 Beech Island, Middletown, PA 17057, Londonderry Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

Construction on Beech Island to include approximately 156 linear feet bank stabilization using riprap and concrete, a 5,370 square foot wooden deck resting upon 52 wooden pilings, and the installation of 4 boat docks in the floodway and ordinary high waters of the Susquehanna River (WWF, MF) (Middletown Quadrangle 40° 8' 53.6" N, 76° 43' 53.2" W). There are no wetlands located in the project area.

E05-386: Broad Top Township, P.O. Box 57, Defiance, PA 16633 in Broad Top Township, **Bedford County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a proposed Acid Mine Drainage (AMD) remediation project, which 1) permanently fills and impacts 0.10 acre of Palustrine Forested (PFO) wetland, and 2) permanently fills and impacts 132 linear feet of an Unnamed Tributary to Sandy Run (WWF, MF) which is the AMD discharge channel and 0.18 acre of its floodway. The purpose of the proposed AMD remediation project is to treat the abandoned mine discharge and improve water quality in Sandy Run. The project will have no floodway or floodplain impacts to Sandy Run. Compensatory wetland mitigation in the form of payment into the Pennsylvania Wetland Replacement Fund is proposed. The proposed AMD remediation project is located adjacent to Landfill Road (Latitude: 40° 07' 20.4"; Longitude: -78° 13' 40.49") in Broad Top Township, Bedford County.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

E02-1735, Uber Advanced Technologies Center (UATC), 3011 Smallman Street Pittsburgh, PA 15201, City of Pittsburgh, **Allegheny County**, Pittsburgh ACOE District.

The applicant is proposing to:

1. Construct and maintain a 60 linear foot long by 48 linear foot wide, trident-shaped, 850 ft² dock within the Allegheny River;
2. Construct and maintain a 87 linear foot long by 5 linear foot wide ice-deflector;
3. Construct and maintain a 2,080 ft² wooden observation deck along 132 linear feet of the Allegheny River;
4. Operate and maintain an existing boat ramp within the Allegheny River, and to construct and maintain a 20 linear foot extension of this ramp, resulting in a new 20 foot wide by 36 foot long boat ramp, the construction of which will include dredging 174 ft² of the Allegheny River;
5. Conduct geotechnical borings within the Allegheny River;

For the purpose of constructing a Riverfront Project along the Allegheny River near the intersection of 32nd Street and Spruce Way (Quadrangle: Pittsburgh East Latitude: 40° 27' 52"; Longitude: -79° 58' 24") located in the City of Pittsburgh. The project will result in 205 linear feet of permanent impact and 226 linear feet of temporary impact to the Allegheny River.

E11-355, CPV Fairview, LLC, 50 Braintree Hill Office Park, Suite 300, Braintree, MA 02184, Jackson Township, **Cambria County**, Pittsburgh ACOE District.

The applicant is proposing to:

1. Place and maintain fill in 0.21 acre of PEM/PSS wetland (aka Wetland A);

2. Place and maintain fill in 0.09 acre of PEM wetland (aka Wetland B);
3. Place and maintain fill in 0.05 acre of PEM wetland (aka Wetland C);
4. Place and maintain fill in 0.06 acre of PSS wetland (aka Wetland D);
5. Construct and maintain a 24 inch HDPE water and a 12 inch HDPE waterline within 0.03 acre and temporary workspace in 0.03 acre of the aforementioned wetland;
6. Place and maintain fill in 0.02 acre of PEM wetland (aka Wetland E);
7. Place and maintain fill in 0.04 acre of PEM wetland (aka Wetland F);
8. Place and maintain fill in 0.08 acre of PEM wetland (aka Wetland G);
9. Place and maintain fill in 0.02 acre of PEM wetland (aka Wetland H);
10. Construct and maintain a 16 inch steel transmission pipe within 0.02 acre of PEM wetland (aka Wetland S) and construct and maintain a temporary access road within 0.04 acre of the aforementioned wetland;
11. Temporarily install and maintain a temporary access road across 15 linear feet of an Unnamed Tributary (UNT) to Hinckston Run (aka Stream 1A);
12. Install temporary access timber matting across 77.4 linear feet of a UNT to Hinckston Run (aka Stream 29);
13. Construct and maintain a 12 inch aerial gas line across the aforementioned UNT;
14. Construct and maintain a permanent access road crossing, consisting of a 63.5 foot long × 30 inch diameter, HDPE culvert within a UNT to Hinckston Run (aka Stream 30);

15. Construct and maintain a permanent access road crossing, consisting of a 29.5 foot long × 18 inch diameter, HDPE culvert within a UNT to Hinckston Run (aka Stream 33);

For the purpose of constructing a natural gas fired combined cycle electric generation facility near the intersection of William Penn Avenue (Route 271) and Garnet Street (Quadrangle: Naty Glo, Latitude: 40° 24' 55"; Longitude: -78° 51' 14") in Jackson Township, Cambria County. The project will result in 0.60 acre of permanent wetland impact and 0.07 acre of temporary wetland impact. Additionally, the project will result in 95 linear feet of permanent stream impact and 92.4 linear feet of temporary stream impact. To offset permanent wetland impacts, 0.80 acre of PEM wetland and 0.20 acre of PSS wetland will be created on-site.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

D46-003EA. Sister Maryann McKeogh, Sisters of Holy Family of Nazareth/USA, Inc., 310 North River Road, Des Plaines, IL 60016-1211, Upper Dublin Township, **Montgomery County**, USACOE Philadelphia District.

Project proposes to remove the Loch Lindon Dam for the purpose of eliminating a threat to public safety and restoring approximately 400 feet of stream channel to a free-flowing condition. The proposed restoration project includes construction of grade control and instream log habitat structures. A portion of the former impoundment will be converted to a wetland by constructing a non-jurisdictional dam to bisect the reservoir. The project is located across Honey Run (TSF, MF) (Ambler, PA Quadrangle, Latitude: 40.1546; Longitude: -75.2079).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0252701 (Industrial)	Dominion Transmission Inc. South Bend Compressor Station 104 CNG Street Shelocta, PA 15774	Armstrong County South Bend Township	Crooked Creek (17-E)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0032913 (Sewage)	Scenic MHP 24 Bogel Avenue North Arlington, NJ 07031-4726	Mercer County Pymatuning Township	Brush Run (20-A)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0275689, Industrial, SIC Code 4911, **Future Power PA LLC—Good Spring NGCC Facility**, 7500 College Boulevard, Overland Park, KS 66210.

This proposed facility is located in Porter Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Industrial Waste.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

NPDES Permit No. PA0255017, Industrial, SIC Code 4941, **Center Township Water Authority**, 224 Center Grange Road, Aliquippa, PA 15501.

This proposed facility is located in Center Township, **Beaver County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Industrial.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

NPDES Permit No. PA0264423, Sewage, SIC Code 8800, **Dennis Herrit**, 201 Walker Avenue, Butler, PA 16001.

This proposed facility is located in Center Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

NPDES Permit No. PA0264342, Sewage, SIC Code 8800, **Dennis & Linda DeSilvey**, 211 Gearhart Road, Pulaski, PA 16159.

This proposed facility is located in Shenango Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

Central Office: Bureau of Clean Water, Planning and Permitting Program Manager, Rachael Carson State Office Building, 400 Market Street, Harrisburg, PA 17105-8774, Telephone: 717.787.8184.

PA0270806, Pesticides, SIC Code 4959, **PA Turnpike Commission (PTC)**, P.O. Box 67676, Harrisburg, PA 17106-7676.

This proposed facility is located in Harrisburg City, **Dauphin County**.

Description of Proposed Activity: Issuance of an NPDES permit for new discharges associated with the application of pesticides to control weeds and roadside vegetation in PA Turnpike Commission's Right-Of-Ways (ROWs) and along turnpike roadsides and other PTC facilities throughout the Commonwealth to maintain a travel way free of obstructing vegetation to ensure public safety.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 5815401, Sewage, SIC Code 4952, **Bahs Operating, Inc.**, dba Camp Chen-A-Wanda, 1 Ellis Court, Woodcliff Lake, NJ 07677. This proposed facility is located in Ararat and Herrick Townships, **Susquehanna County**.

Description of Proposed Action/Activity: The construction of a recirculating media filter treatment system having a hydraulic design capacity of 10,500 gpd and consisting of a primary sedimentation tank, a recirculation tank, a gravel media filter, post effluent storage, UV disinfection and a spray irrigation field. The new treatment system will be utilized when the summer camp is in operation in conjunction with the Fiddle Lake Sewage Treatment Plant to treat and dispose of the projected average daily flow of 25,500 gpd. During the offseason, the camp flows are minimal and the new flow equalization system will be bypassed with all sewage flowing directly to the Fiddle Lake Sewage Treatment Plant.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2212403, Amendment No. 1, Sewerage, **Capital Region Area Water Authority**, 212 Locust Street, Suite 302, Harrisburg, PA 17101-1510.

This proposed facility is located in Harrisburg City, **Dauphin County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of two automatic, self-cleaning mechanical bar screens (80 mgd each) and related appurtenances.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 1116400, Sewage, SIC Code 4952, **City of Johnstown**, 401 Main Street, Johnstown, PA 15901.

This proposed facility is located in the City of Johnstown, **Cambria County**.

Description of Proposed Action/Activity: Proposed construction of sanitary sewer rehabilitation project to replace existing defective sewers in the 8th Ward Area of the City of Johnstown.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department's review of the Water Quality Management (Part II) Permit has not identified any significant environmental impacts resulting from this proposal.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WQM Permit No. 1016402, Sewage, **Dennis Herrit**, 361 Henricks Road, Butler, PA 16001.

This proposed facility is located in Center Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 4315406, Sewage, **Dennis & Linda DeSilvey**, 211 Gearhart Road, Pulaski, PA 16159.

This proposed facility is located in Shenango Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI015114003-2	Pennsylvania Department of Transportation, Engineering District 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	Philadelphia	City of Philadelphia	Frankford Creek WWF-MF
PAI012316003	Chester Charter School for the Arts 200 Commerce Drive Aston, PA 19014	Delaware	City of Chester	Delaware River WWF Stoney Creek WWF
PAI011515018	BT Exton, LP 200 Witmer Road Horsham, PA 19044	Chester	West Whiteland Township	Valley Creek CWF Brandywine Creek WWF-MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011515037	Conrad and Amanda Radcliffe 5 Steeplechase Lane Malvern, PA 19355	Chester	Willistown Township	West Branch of Crum Creek (CP-1) EV
PAI010915005(1)	Worthington and Shagen Custom Builder, Inc. 1108 Wrightstown Road Newtown, PA 18940	Bucks	Solebury Township	Aquetong Creek HQ-CWF-MF
<i>Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023916008	Everett Custom Homes, Inc. c/o Mr. Peter Everett 18049 Wertman Road Fogelsville, PA 18051	Lehigh	Weisenberg	UNT to Lyon Creek (HQ-CWF, MF)
PAI024015001	Brian Kisenwether 546 North Hunter Highway Drums, PA 18222	Luzerne	Butler Township	UNT to Nescopeck Creek (HQ-CWF, MF)
PAI023915035	Infinera Corporation c/o Bruce George 7360 Windsor Drive Allentown, PA 18106	Lehigh	Upper Macungie Township	Iron Run (HQ-CWF, MF)
<i>Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056515002	Bushy Run Investments P.O. Box 507 Murrysville, PA 15668	Westmoreland County	Salem Township	Small Run (HQ-CWF)
<i>Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481 Warren County Conservation District, 4000 Conewango Avenue, Warren, PA 16365</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI066216001	USDA Forest Service 29 Forest Service Drive Bradford, PA 16701	Warren McKean	Mead Township Hamilton Township	Tuttle Run, Jakes Run, Due Drop Run, Dutchman Run, Elijah Run, Cornplanter Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site

PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
West Goshen Township Chester County	PAG02001515050	Goshen Leisure Development, North 211 Carter Drive West Chester, PA 19382	Goose Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Fallowfield Township Chester County	PAG02001516005	Cochranville DG, LLC 361 Summit Boulevard Suite 110 Birmingham, AL 35243	Unnamed Tributaries to Muddy Run and Knight Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
East Fallowfield Township Chester County	PAG02001516010	Rotelle Development Company 1011 Ridge Road South Coventry, PA 19465	Unnamed Tributary to Dennis Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Easttown Township Chester County	PAG02001516016	Easttown Township 566 Beaumont Road Devon, PA 19333	Darby Creek CWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Whiteland Township Chester County	PAG02001516018	MS Exton, LLC 14390 Clay Terrace Boulevard Suite 205 Carmel, IN 46032	Tributary 00269 to Valley Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Highland and Londonderry Townships Chester County	ESG 00 029 15 0001	Eastern Shore Natural Gas Company 1110 Forrest Avenue Suite 201 Dover, DE 19904-2788	Doe Run/Big Elk Creek HQ-TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Franklin Township Chester County	ESG 00 029 15 0002	Eastern Shore Natural Gas Company 1110 Forrest Avenue Suite 201 Dover, DE 19904-2788	White Clay Creek/Big Elk Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG02002316001	Radnor Township 301 Iven Avenue Wayne, PA 19087-5297	Valley Run CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Radnor Township Delaware County	PAG02002315023-1	Archbishop John Carroll High School 211 Matsonford Road Wayne, PA 19087	Hardings Run CWF Gulph Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Jessup Borough Lackawanna County	PAG02003515016(1)	Lackawanna Energy Center, LLC One South Wacker Drive Suite 1800 Chicago, IL 60606	Grassy Island Creek (CWF, MF) UNT to Lackawanna River (CWF, MF)	Lackawanna County Conservation District 570-392-3086

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lower Nazareth Township Northampton County	PAG02004816001	Camino Properties, LLC 1601 Stonehill Way Bethlehem, PA 18015	Schoeneck Creek (WWF, MF)	Northampton County Conservation District 610-746-1971
<i>Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bradford County West Burlington Township	PAG02000816001	Chris Insinger Insinger Excavating, Inc 3046 Dushore-Overton Rd Dushore, PA 18614	UNT to SugarCreek—TSF	Bradford County Conservation District Stoll Natural Resource Ctr 200 Lake Rd, Ste E Towanda, PA 18848 (570) 265-5539, X 6
Lycoming County Armstrong Township	PAG02004116002	Dennis Artley South Williamsport School 515 West Central Ave S. Williamsport, PA 17702	UNT to Susquehanna River, WWF, MF	Lycoming County Conservation District 542 County Farm Rd, Ste 202 Montoursville, PA 17754 (570) 433-3003
Lycoming County Hepburn Township	PAG02004116006	Ben Williams Seneca Resources 51 Zents Boulevard Brookville, PA 15825 John Case (Co/applicant) 278 Blue Bird Lane Cogan Station, PA 17728	UNT to Mill Creek— WWF, MF	Lycoming County Conservation District 542 County Farm Rd, Ste 202 Montoursville, PA 17754 (570) 433-3003
Lycoming County South Williamsport Borough	PAG02004116005	Dan Berger P O Box 609 Southeastern, PA 19399	Hagermans Run— CWF, MF	Lycoming County Conservation District 542 County Farm Rd, Ste 202 Montoursville, PA 17754 (570) 433-3003
Montour County Valley Township	PAG02004716001	Joe Harvey 1406 Montour Blvd Danville, PA 17821	UNT to Mause Creek—CWF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140
Montour County Danville Borough	PAG02004716003	Buttonwood Rentals, LLC 124 White Hall Road Bloomsburg, PA 17815	UNT to Susquehanna River, WWF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140
Northumberland County City of Shamokin	PAG02004916004	Aqua Pennsylvania Inc Attn: Stephen J Draus 204 E Sunbury Street Shamokin, PA 17872	Shamokin Creek— WWF, MF	Northumberland County Conservation District 441 Plum Creek Rd Sunbury, PA 17801 (570) 286-7114 ext. 4
Union County White Deer Township	PAG02006016005	Creek Ridge Farms 1669 Ridge Road New Columbia, PA 17856	UNT to Little Buffalo Creek—CWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
South Fayette Township	PAG02000216026	Ms. Laurel Abele, LP 750 Holiday Drive Suite 570 Pittsburgh, PA 15220	Chartiers Creek (WWF); Coal Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Shaler Township	PAG02000216032	Shaler Area School District 1800 Mount Royal Boulevard Glenshaw, PA 15116	Pine Creek (TSF); Girty's Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Collier Township	PAG02000215049	Woodville Associates, LTD 5020 Thomas Run Road Oakdale, PA 15071	UNT to Chartiers Creek (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Richland Township	PAG02000212061-2	Chatham University Woodland Road Pittsburgh, PA 15232	Glade Run (WWF); UNT to Breakneck Creek (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Wilkins Township	PAG02000216030	LIDL US Operations, LLC 2005 Market Street Suite 1010 Philadelphia, PA 19103-7045	Thompson Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
City of Pittsburgh	PAG02000216019	City of Pittsburgh, Department of Public Works 301 City County Building 414 Grant Street Pittsburgh, PA 15219	Allegheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
City of Pittsburgh	PAG02000216017	School of Facility Development, Inc. P.O. Box 23271 Pittsburgh, PA 15222-6271	Ohio River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
City of Pittsburgh	PAG02000216007	County of Allegheny Department of Facilities Management 107 County Office Building 542 Forbes Avenue Pittsburgh, PA 15219	North Fork Pine Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
City of Pittsburgh	PAG02000216039	University of Pittsburgh 4200 Fifth Avenue Pittsburgh, PA 15260	Monongahela River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Marshall Township	PAG02000216047	Marshall Township 525 Pleasant Hill Road Wexford, PA 15090	Brush Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645

NOTICES

2721

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
City of Johnstown	PAG02001116004	City of Johnstown 401 Main Street Johnstown, PA 15901	Cheney Run (WWF); Stonycreek River (WWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Patton Borough	PAG02001116007	Sheetz, Inc. 5700 Sixth Avenue Altoona, PA 16602	Chest Creek (CWF-MF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Indiana Borough	PAG02003216006	Indiana University of Pennsylvania 650 South Thirteenth Street Robertshaw Building Indiana, PA 15705	Marsh Run (CWF)	Indiana County Conservation District 625 Kolter Drive Suite 8 Indiana, PA 15701-3571 (724) 471-4751
Burrell Township	PAG02003216008	Charles W. and Phyllis Kendall 344 Kendall Road Blairsville, PA 15717	UNT to Blacklick Creek (CWF)	Indiana County Conservation District 625 Kolter Drive Suite 8 Indiana, PA 15701-3571 (724) 471-4751
Cresson Township, Sankertown Borough, Gallitzin Township, Cambria County, and Allegheny Township, Blair County	PAG02091116006	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Unnamed Tributaries (CWF) to Clearfield Creek (WWF), Bradley Run (CWF), Unnamed Tributary (CWF) to Bradley Run (CWF)	Attention: Patrick M. Webb PA DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800

General Permit Type—PAG-03

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Hatfield Township Montgomery County	PAR200047	Schlosser Steel Inc. 2641 Township Line Road P.O. Box 638 Hatfield, PA 19440	Skippack Creek—3E	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Montgomery Township Montgomery County	PAR230021	ITW Engineered Polymers 130 Commerce Drive Montgomeryville, PA 18936	Park Creek—2F	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Philadelphia City Philadelphia County	PAR120008	Sweet Ovations LLC 1741 Tomlinson Road Philadelphia, PA 19116	Unnamed Tributary to Walton Run—3J	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Upper Darby Township Delaware County	PAR800013	Waste Management of PA Inc. 107 Silvia Street Ewing, NJ 08628	Muckinipattis Creek—3G	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Hilltown Township Bucks County	PAR800043	Republic Environmental Systems (Transportation Group) LLC 21 Church Road Hatfield, PA 19440	Unnamed Tributary to West Branch Neshaminy Creek— 2F	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Tredyffrin Township Chester County	PAR800063	United States Postal Service 1000 W. Valley Road Southeastern, PA 19399	Unnamed Tributary to Trout Creek—3F	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproval</i>
Keith and Denise Leydig 594 Cumberland Highway Berlin, PA 15530	Somerset	525	682.85	Finishing Swine	Brush Creek (HQ)	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Operations Permit # 4615501 issued to: **Evans and Meetinghouse Roads**, Lower Gwynedd Township, [(PWSID)] Lower Gwynedd Township], **Montgomery County** on May 13, 2016 for the operation of North Wales Transfer Station No. 3 Water-Powered Electrical Generating Turbine facilities approved under construction permit # 4615501.

Operations Permit # 0913521 issued to: **North Penn Water Authority**, 300 Forty Foot Road, Lansdale, PA 19446, [(PWSID)] New Britain Township, **Bucks County**

on May 13, 2016 for the operation of Transfer Station and Interconnection at Schoolhouse Road and Railroad Avenue, facilities approved under construction permit # 0913521.

Permit No. 5114501, Minor Amendment. Public Water Supply.

Applicant **Philadelphia Water Department**
Aramark Tower, 2nd Floor
1101 Market Street
Philadelphia, PA 19107

Township Philadelphia

County **Philadelphia**

Type of Facility PWS

Consulting Engineer CH2M Hill
1216 Arch Street
7th Floor
Philadelphia, PA 19107

Permit to Construct Issued May 12, 2016

Permit No. 4616506, Minor Amendment. Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Abington

County **Montgomery**

Type of Facility PWS

Consulting Engineer Entech Engineering
201 Penn Street
Reading, PA 19002

Permit to Operate Issued May 12, 2016

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110

Permit No. 6715515, Public Water Supply.

Applicant **Audubon Park, Inc.**

Municipality Monaghan Township

County **York**

Responsible Official Kurt E. Suter, Owner
322 South Hanover Street
Carlisle, PA 17013

Type of Facility Installation of granular activated carbon and orthophosphate for lead and copper control.

Consulting Engineer Harry E. Bingaman, P.E.
Glace Assoc., Inc.
3705 Trindle Rd.
Camp Hill, PA 17011

Permit to Construct Issued 5/9/2016

Permit No. 2216503, Public Water Supply.

Applicant **Steelton Borough Authority**

Municipality Steelton Borough

County **Dauphin**

Responsible Official

Douglas E. Brown, Authority Secretary/Treasurer
123 N Front Street
Steelton, PA 17113

Type of Facility

Modifications to the Authority's existing clearwell and installation of a new 260,000-gallon storage tank to act as additional clearwell volume. An associated booster pumping station will also be installed.

The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Department's review of the project and the information received in the Uniform Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal. The Department approved the Uniform Environmental Assessment on November 6, 2012.

Consulting Engineer

Joshua T. Fox, P.E.
Herbert, Rowland & Grubic, Inc.
369 East Park Drive
Harrisburg, PA 17111

Permit to Construct Issued

4/28/2016

Operation Permit No. 6715516 issued to: **Charles W & Sharon K Wetzel (PWS ID No. 7670988)**, Codorus Township, **York County** on 5/13/2016 for facilities at C S # 1 Convenience Store approved under Construction Permit No. 6715516.

Operation Permit No. 3060065 issued to: **Heritage Hill, LLC (PWS ID No. 3060065)**, Tulpehocken Township, **Berks County** on 5/12/2016. This permit is being issued as a Comprehensive Operation Permit. This permit transfers the ownership and operation of Sun Valley Mobile Home Park community water system from current owner Shady Lane Estates, LTD. to Heritage Hill, LLC. Note the name has also been changed to Heritage Hill Estates.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, PO Box 187, Jefferson, PA 15344, (**PWSID # 5300017**) Cumberland Township, **Greene County** on May 12, 2016 for the operation of facilities approved under Construction Permit # 3016502.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, (**PWSID # 5650032**) Plum Borough, **Allegheny County** on May 16, 2016 for the operation of facilities approved under Construction Permit # 6513528.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, (PWSID # **5650032**) Plum Borough, **Allegheny County** on May 16, 2016 for the operation of facilities approved under Construction Permit # 6513529MA.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, (PWSID # **5650032**) Plum Borough, **Allegheny County** on May 16, 2016 for the operation of facilities approved under Construction Permit # 6513521.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, (PWSID # **5650032**) Plum Borough, **Allegheny County** on May 16, 2016 for the operation of facilities approved under Construction Permit # 6513527.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

Permit No. 4307503-MA1, Public Water Supply.

Applicant	Greenville Municipal Water Authority 44 Clinton Street Greenville, PA 16125
Township or Borough	Hempfield Township
County	Mercer
Type of Facility	Public Water Supply
Consulting Engineer	Thomas L. Thompson, P.E. Gannett Fleming, Inc. 554 South Erie Street Mercer, PA 16137
Permit to Construct Issued	May 11, 2016

HAZARDOUS SITES CLEANUP UNDER THE ACT OF OCTOBER 18, 1998

Notice of Administrative Record

Waynesboro TCE Site, Washington Township, Franklin County

The Department of Environmental Protection ("Department"), under the authority of the Hazardous Sites Cleanup Act, 35 P.S. §§ 6020.101 et seq., opened the administrative record on January 31, 2015, pursuant to Section 506(b) of HSCA, 35 P.S. § 6020.506(b), to provide the public the opportunity to comment on the interim response selected. The public comment period expired on July 15, 2015. The Department closed the administrative record by filing the Statement of Decision and the Response to Public Comments pursuant to Section 506(e) of HSCA, 35 P.S. § 6020.506(e).

The Department reopened the administrative record to revise its selected interim response pursuant to Section 506(g) and (h) of HSCA, 35 P.S. §§ 6020.506(g) and 6020.506(h) on April 23, 2016 through public notice issued in the *Pennsylvania Bulletin*, Volume 46, Number 17. The Administrative Record which contains information about this site and which supports the Department's decision to perform this action at the site is available for public review and comment. The Administrative Record can be examined Monday through Friday from 8:00 a.m. to 4:00 p.m. at the Department's Southcentral Regional Office located at 909 Elmerton Avenue, Harrisburg, PA

17110, by contacting Mr. Steven DeMars at 717-705-4832. The Administrative Record can also be reviewed at the Washington Township Building, 13013 Welty Road, Waynesboro, PA 17268 from 8:00 a.m. to 4:00 p.m.

As requested, the Department will conduct a public hearing where persons may present oral comments regarding the new information for inclusion in the administrative record at the Washington Township Building, 13013 Welty Road, Waynesboro, PA 17268, at 7:00 p.m., Tuesday, June 14, 2016.

Persons may submit written comments regarding this action to the Department before June 23, 2016, by mailing them to Mr. DeMars at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. The public will have an opportunity to present oral comments regarding the proposed action at a public hearing. The hearing has been scheduled for June 14, at 7:00 p.m. at the Washington Township Building. Persons wishing to present formal oral comment at the hearing should register before 4:00 p.m., June 7, 2016, by calling Mr. DeMars at the number listed above. Persons interested in finding out if anyone has registered, and if the hearing will be held, should also contact Mr. DeMars at the number listed above. Persons with a disability, who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should call Mr. DeMars at the above number or through the Pennsylvania AT&T Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Budd Feaster Property, 577 Point Township Drive, Point Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Robert Bussey, 587 Point Township Drive, Northumberland, PA 17857, submitted a Final Report concerning the remediation of soil contaminated with Heating Oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Renovo Rail Industries, LLC, Renovo Rail Yard, Renovo Borough, **Clinton County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Suite 110, Allison Park, PA 15101 on behalf of Renovo Rail Industries LLC, 504 Erie Avenue, Renovo, PA 17764, submitted a Remedial Investigation Report and Risk Assessment concerning remediation of groundwater and soil contaminated with VOCs, SVOCs, and heavy metals. The site is intended to meet the Site Specific Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

J. Walter Miller Company, 226 North Ann Street, City of Lancaster, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of J. Walter Miller Company, 411 East Chestnut Street, Lancaster, PA 17602, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soils contaminated with iron. The combined report is intended to document remediation of the site to meet the Site Specific Standard.

Caner Transport Diesel Fuel Spill, 1631 West Philadelphia Avenue, Boyertown, PA 19519, Earl Township, **Berks County**. Taylor GeoServices, 38 Bishop Hollow Road, Suite 200, Newtown Square, PA 19073, on behalf of Caner Transport, 104 Crider Avenue, Mt. Laurel, NJ 08057, and Jill and Dennis Stanisewski, 1343 Stag Drive, Auburn, PA 17922 submitted a Final Report concerning remediation of site soils and groundwater contaminated with diesel fuel from a vehicular accident. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Plaza 2331, 2331 East Market Street, York, PA 17402, Springettsbury Township, **York County**. Independence Environmental Consulting, LLC, 1750 Kaylor Road, Hummelstown, PA 17036, on behalf of Barbara Elliott, 104 South Ogontz Street, York, PA 17403, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with VOCs and chlorinated solvents. The combined report is intended to document remediation of the site to meet the Residential Statewide Health and Site-Specific Standards.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.

DeSimone Residence, 990 Deerfield Lane, Kennett Township, **Chester County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Andre Glutch, State Farm Insurance, P.O. Box 106169, Atlanta, GA, 30348-6169 on behalf of David and Karla DeSimone, 990 Deerfield Lane, Kennett Square, PA 19438-2508 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809894.

117 East Broad Street, 117 East Broad Street, Borough of Souderton, **Montgomery County**. Alexander Ulmer, Barry Isett & Associates, Inc., 1003 Egypt Road, Phoenixville, PA 19460, Kurt Speiss, EMG Remediation Services, 5066 Rear West Chester, Pike, P.O. Box 129, Edgemont, PA 19028 on behalf of Kyle K. Hoff, Hoff Properties, LLC, 362 Winslow Drive, P.O. Box 637, Souderton, PA 18964 has submitted a Final Report concerning remediation of site soil contaminated with leaded/unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809659.

Global Advanced Metal USA Inc., 650 County Line Road, Douglas Township, **Montgomery County**. Kevin Fraysinger, P.G., Environmental Standards, Inc., 1140 Valley Forge Road, Valley Forge, PA 19482 on behalf of Raymond Stofko, Global Advance Metals USA, Inc., 650 County Line Road, Boyertown, PA 19512 has submitted a remedial Investigation/Cleanup Plan concerning remediation of site groundwater contaminated with vocs. The report is intended to document remediation of the site to meet the Site Specific Standard. PF780184.

Cipolline Residence, 11 Spring Lane, Lower Makefield Township, **Chester County**. Grey Van Hook, INTEX Environmental Group, Inc., 6907A Easton Road, Pipersville, PA 18947 on behalf of Elizabeth Cipollini, 11 Spring Lane, Yardley, PA 19067 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF770459.

Menasha Group, 501 East Erie Avenue, City of Philadelphia, **Philadelphia County**. Thomas A. Petrecz, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Omar Whitfield, Menasha Packing Company, LLC, 601 East Erie Avenue, Philadelphia, PA 19134 has submitted a Remedial Investigation/Cleanup Plan concerning remediation of site soil and groundwater contaminated with vocs and metals. The report is intended to document remediation of the site to meet the Site Specific Standard. PF681488.

Ridgeview, 163a Cathill Road, West Rockland Township, **Bucks County**. Lawrence W. Bily, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, Christopher Canavan, Old Forge Acquisitions, LP, 404 Sumneytown Pike, North Wales, PA 19454 on behalf of Keith Thomas, Univest Bank and Trust Company, 14 North Main Street, P.O. Box 64197, Souderton, PA 18964 has submitted a Remedial Investigation/Cleanup Plan and Risk Assessment concerning remediation of site soil contaminated with arsenic. The report is intended to document remediation of the site to meet the Site Specific Standard. PF807853.

1537 Edge Hill Road, 1537 Edge Hill Road, Abington Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Adam Aronstein, 1537

Edge Hill Road LLC, 2020 Walnut Street, Suite 24E, Philadelphia, PA 19103 has submitted a 90 day Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809905.

Sugarhouse Casino, 1001 North Delaware Avenue, City of Philadelphia, **Philadelphia County**. Christopher Orzechowski, Keating Environmental Management, 835 Springdale Drive, Suite 200, Exton, PA 19341 on behalf of Terry McKenna, HSP Gaming L.P. c/o Keating Consulting, LLC, 1600 Arch Street, Suite 201, Philadelphia, PA 19103 has submitted a Remedial Investigation and Cleanup Plan concerning remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site Specific Standard. PF706654.

Holland Residence, 2710 West Dutton Mill Road, Aston Township, **Delaware County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Stephanie Ohrt, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169 on behalf of Kathleen and Mark Holland, 2710 West Dutton Mill Road, Aston, PA 19104 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809892.

Chester Charter School for the Arts, 1200 Highland Avenue, City of Chester, **Chester County**. Bill Schmidt, PE, Pennoni Associates Inc., 3001 Market Street, Philadelphia, PA 19104 on behalf of Donald Delson, Chester Charter School for the Arts has submitted a Remedial Investigation/Cleanup/Final Report concerning remediation of site soil contaminated with other organics. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF808901.

1455 Southwest East Boulevard, 1455 South West End Boulevard, Richland Township, **Bucks County**. Richard S. Werner, PG, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Michael Brill, B&B Automotive, 801 Bristol Pike, Croydon, PA 19021 has submitted a Final Report concerning remediation of site soil contaminated with vocs. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809697.

Wawa Store # 73, 67 North Lansdowne Avenue, Lansdowne Borough, **Delaware County**. Brian Lettini, JK Environmental Services, P.O. Box 509, Lafayette Hill, PA 19444, Mike McCann, Ferguson & McCann, Inc., 270 Bodley Road, Aston, PA 19014, Geoffrey Kristof, JK Environmental Services, P.O. Box 509, Lafayette Hill, PA 19444 on behalf of Joseph Standen, Wawa, Inc., 260 West Baltimore Pike, Wawa, PA 19063 has submitted a remedial Investigation Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Site Specific Standard. PF785773.

McCarty Residence, 1135 Upper State Road, Warrington Township, **Bucks County**. Staci Cottone, J&J Environmental, P.O. Box 370, Blue Bell, PA 19422 on behalf of Dane McCarty, 1135 Upper State Road, Chalfont, PA 18914 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF808953.

Harper Residence, 27 Boston Ivy Road, Bristol Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Ty Gawlik, State Farm Insurance Company, PA Fire Claims, P.O. Box 106169, Atlanta, GA 30348-6169 on behalf of Frank Harper, Jr., 27 Boston Ivy Road, Levittown, PA 19057 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF759835.

Specialty Glass Products, 2885 Terwood Road, Upper Moreland Township, **Montgomery County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Frank J. Arrison, SGP Properties, Inc., 1150 Pebble Hill Road, Doylestown, PA 18901 has submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment and Final Report concerning remediation of site soil contaminated with vocs. The report is intended to document remediation of the site to meet the Site Specific Standard. PF807381.

Ardrossan Farm Parcel A7, 555-575 Darby-Paoli Road, Radnor Township, **Delaware County**. Ken S. Eden, RT Environmental Services, 215 West Church Road, King of Prussia, PA 19406 on behalf of J. James Connolly, BNY-Mellon, N.A. Trustee, 1735 Market Street, Philadelphia, PA 19103 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF778907.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup

plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701

Wolfe's General Store, 14167 Rt. 414, Brown Township, **Lycoming County**. ECC Horizon, One Emery Avenue, Randolph, PA 07869, on behalf of Hillers, Inc., 1323 Cemetery Street, Jersey Shore, PA 17740 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with fuel oil and kerosene. The Final Report demonstrated attainment of the Site-Specific Standard, and was approved by the Department on May 11, 2016.

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915

Fenton Welding Transport, LLC: Montrose Hunt Club, Beaumont Road, Middletown Township, **Susquehanna County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801 on behalf of Fenton Welding Transport, LLC, 41166 Route 6, Wyalusing, PA 18853, submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethyl Benzene, Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, 1,2,4-Trimethyl benzene, and 1,3,5-Trimethyl benzene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on May 12, 2016.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

HCSC Laundry Vehicle Accident, 20 Leo Lane, York, PA 17406, Manchester Township, **York County**. Environmental Products & Services of Vermont, Inc., 159 Bobali Drive, Harrisburg, PA 17104, on behalf of HCSC Laundry Service, 3001 Cowan Avenue, Baltimore, MD, 21223 and FR Leo Lane Property Holding LP, 2601 Market Place, Suite 450, Harrisburg, PA 17110, submitted a Final Report to concerning remediation of site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on May 10, 2016.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170

Hazardous Waste Transporter License Voluntarily Terminated

David J. Winning Company, 5610 Aiken Road, Mckees Rocks, PA 15136. License No. PA-AH S100. Effective May 10, 2016.

Hazardous Waste Transporter License Reissued

National Waste Clean, Inc., 304 Pulaski Street, South Plainfield, NJ 07080. License No. PA-AH 0528. Effective May 13, 2016.

R.E.D. Technologies, LLC, 10 Northwood Drive, Bloomfield, CT 06002. License No. PA-AH 0772. Effective May 13, 2016.

New Applications Received

Grid Logistics LLC, 336 West 37th Street, New York, NY 10018. License No. PA-AH 0843. Effective May 13, 2016.

Renewal Applications Received

National Waste Clean, Inc., 304 Pulaski Street, South Plainfield, NJ 07080. License No. PA-AH 0528. Effective May 13, 2016.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.

General Permit Application No. WMGR082SW002: Tube City IMS, LLC, 1155 Business Center Drive, Horsham, PA 19044. Park Hill Slag Bank, 240 Parkhill Drive, Johnstown, PA 15945. The general permit allows for the operation and beneficial use of a processing facility, for steel slag, iron slag, and refractory bricks that were co-disposed with slag, reclaimed asphalt pavement materials (RAP) in quantities greater than 10 cubic yards and uncontaminated brick, block and concrete from sidewalk and highway projects to be used as a construction material, in E. Taylor and Conemaugh Townships, **Cambria County**. The General Permit was issued by the Regional Office on May 9, 2016.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit(s) issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Regional Solid Waste Manager, 400 Waterfront Drive, Southwest Region: Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 100281. Greenridge Reclamation Landfill, LLC, 234 Landfill Road, Scottsdale, PA 15683. Greenridge Reclamation Landfill, operation of a municipal waste landfill in East Huntingdon Township, **Westmoreland County**. Permit renewal was issued in the Regional Office in on May 11, 2016.

Permit ID No. 101648. Stericycle, Inc., 3614 Hoskins Court, Hamilton, OH 45011. Operation of a municipal waste transfer facility and autoclave in the City of McKeesport, **Allegheny County**. Permit renewal issued in the Regional Office on May 13, 2016.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920

GP2-23-0233: Sunoco Partners Marketing Term (7 Commerce Drive, Aston, PA 19014) On May 13, 2016 for conversion of one (1) existing fixed-roof tank into an internal floating roof tank, in Upper Chichester Township, **Delaware County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940

GP5-24-168C: Seneca Resources Corporation, Owl's Nest Compressor Station (Owls Nest Road, Kane, PA 16735) on April 28, 2016, for the authority to construct and/or operate a 400 hp Waukesha F-18GL compressor engine (BAQ-GPA/GP-5) located in Highland Township, **Elk County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

GP5-63-00942C: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 1, Suite 1600, Denver, CO 80202-2137) on May 16, 2016, to authorize the installation and operation of a new natural gas-fired compressor engine rated at 2,370 bhp and controlled by an oxidation catalyst, installation and operation of an enclosed flare controlling a currently authorized natural gas dehydration unit, increased natural gas throughput to 45 MMscfs/day, and continued operation of the Dryer Compressor Station located in Independence Township, **Washington County**. A natural gas-fired compressor engine rated at 1,380 bhp, and currently authorized enclosed flare will be replaced by the new source and control.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745

Contact: Edward Orris, P.E., Environmental Engineer Manager—Telephone: 412-442-4161

GP5-63-00942C: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 1, Suite 1600, Denver, CO 80202-2137) on May 16, 2016, to authorize the installation and operation of a new natural gas-fired compressor engine rated at 2,370 bhp and controlled by an oxidation catalyst, installation and operation of an enclosed flare controlling a currently authorized natural gas dehydration unit, increased natural gas throughput to 45 MMscfs/day, and continued operation of the Dryer Compressor Station located in Independence Township, **Washington County**. A natural gas-fired compressor engine rated at 1,380 bhp, and currently authorized enclosed flare will be replaced by the new source and control.

GP5-63-00939C: MarkWest Liberty Midstream and Resources, LLC (1515 Arapahoe Street Tower 1, Suite 1600, Denver, CO 80202-2137) on May 16, 2016, to authorize the installation and operation of a new natural gas-fired compressor engine rated at 2,370 bhp and controlled by an oxidation catalyst, installation and operation of an enclosed flare controlling a currently authorized natural gas dehydration unit, increased natural gas throughput to 60 MMscfs/day, and continued operation of the Stewart Compressor Station located in Mount Pleasant Township, **Washington County**. A natural gas-fired compressor engine rated at 1,380 bhp, and currently authorized enclosed flare will be replaced by the new source and control.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

15-0154: Depuy Synthes, (1303 Goshen Pkwy, West Chester, PA 19380) On May 13, 2016 to authorize the installation and operations of nine cold cleaning machines and four batch vapor degreasers at the West Chester facility located in East Goshen Township, **Chester County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00084A: Pierson-Middleport, LLC (730 Mountain Road, Middleport, PA 17953) issued on May 04, 2016 for the modification and operation of a stone crushing plant with water sprays at the existing facility located in Walker Township, **Schuylkill County**.

45-00005C: Sanofi Pasteur Inc. (Discovery Drive, Swiftwater, PA 18370-0187) issued on May 06, 2016 for the installation and operation of two (2) natural gas fired boilers (49 MMBTUs/hr each) at the existing facility located in Pocono Twp., **Monroe County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

67-03175A: Cintas Corp. (27 Whitney Drive, Milford, OH 45150) on May 12, 2016, for an industrial laundry facility located in York City, **York County**. This plan approval authorizes the following existing sources: nine washers, five dryers and a wastewater treatment system.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940

43-036C: Hodge Foundry (42 Leech Road, P.O. Box 550, Greenville, PA 16125) on April 26, 2016, has issued a plan approval for the construction and operation of a new control device. The new control device is a 20,000 cfm baghouse which will control emissions from the facility's existing sand reclamation process at their facility located in Hempfield Township, **Mercer County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920

46-0040B: National Label Co. (2025 Joshua Road, Lafayette Hill, PA 19444-2431) On May 10, 2016 to extend the temporary operation of an existing Source 101 through a permanent total enclosure (C05) then to a previously permitted regenerative thermal oxidizer (C030) in Whitmarsh Township, **Montgomery County**.

46-0020K: Superior Tube Co. (3900 Germantown Pike, Collegeville, PA 19426-3112) On May 10, 2016 to extend the installation of a new lubrication station (Source ID No. 170). This facility is located in Lower Providence Township, **Montgomery County**.

46-0200E: John Middleton Co. (PO Box 85108, Richmond, VA 23285) On May 10, 2016, for the extension of temporary operation of a new regenerative thermal oxidizer that controls volatile organic compounds (VOC) emissions of from the Dryers (Source ID 103A) and changes in method of operation and emission limits in Upper Merion Township, **Montgomery County**.

15-0144: Vanguard Group Inc.: (PO Box 2600, PM115 Valley Forge, PA 19482-2600) On May 10, 2016 for the extension of temporary operation of one (1) 2014 model year, Tier 4i, diesel-fired IC engine generator set in Tredyffrin Township, **Chester County**.

15-0145: Vanguard Group Inc.: (PO Box 2600, PM115 Valley Forge, PA 19482-2600) On May 10, 2016 for the extension of temporary operation of one (1) 2014 model year, Tier 4i, diesel-fired IC engine generator set in Tredyffrin Township, **Chester County**.

46-0033F: Waste Management Pottstown: (1425 Sell Road, Stowe, PA 19464-3412) On May 10, 2016, for for the extension of temporary operation of trans. & utilities refuse systems in West Pottsgrove Township, **Montgomery County**.

23-0119C: Sunoco Partners Mkt & Term LP: (100 Green Street, Marcus Hook, PA 19061-4800) On May 10, 2016 for the extension of installation and operation of a 30,000 gallon per minute cooling tower in Marcus Hook Borough, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

36-05107D: Pepperidge Farm, Inc. (2195 North Reading Road, Denver, PA 17517) on May 12, 2016, for the installation of a new Catalytic Oxidizer 5 to control Cracker Oven 8 and re-routing the exhaust so only Cracker Oven 7 exhausts to Catalytic Oxidizer 4 at the Pepperidge Farm bakery located in East Cocalico Township, **Berks County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

14-00016A: Penns Valley Area School District (4528 Penns Valley Road, Spring Mills, PA 16875) on May 11, 2016, to extend the authorization for the construction of a wood-fired boiler at their facility located in Penn Township, **Centre County** to November 8, 2016. The plan approval has been extended.

59-00005J: Dominion Transmission, Inc. (5000 Dominion Blvd., Glen Allen, VA 23060) on May 11, 2016, to extend the authorization for the construction of a 12.07 million Btu per hour ETI model THE-1207 natural-gas fired salt bath heater (Source ID 044) and a 3.0 million Btu per hour Ajax model WRFG-3000 natural-gas fired boiler (Source ID 045) at the Sabinsville Compressor Station located in Clymer Township, **Tioga County** to November 8, 2016. The plan approval has been extended.

08-00045A: Panda Liberty, LLC (151 Liberty Lane Towanda, PA 18848) on May 13, 2016, to extend the authorization for the construction of the natural gas-fired power plant at their Panda Liberty Power Project facility located in Asylum Township, **Bradford County** to November 19, 2016. The plan approval has been extended.

08-00045B: Panda Liberty, LLC (151 Liberty Lane Towanda, PA 18848) on May 13, 2016, to extend the authorization for the construction of the natural gas-fired power plant at their Panda Liberty Power Project facility located in Asylum Township, **Bradford County** to November 19, 2016. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

08-00004: Rynone Manufacturing Corporation (P.O. Box 128, Sayre, PA 18840-0128) on May 9, 2016, was issued a renewal Title V Operating Permit for their Sayre Plant located in Sayre Borough, **Bradford County**. The facility's main sources include four (4) vanity/countertop manufacturing lines for mixing, molding, casting and gel coating; various cleanup operations and miscellaneous combustion sources. The Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507

54-00062: World Resources Co. (170 Walnut Lane, Pottsville, PA 17901-8559) issued on 5/16/16, a State-Only Operating Permit renewal for operation of a secondary nonferrous metals manufacturing operation in Norwegian Township, **Schuylkill County**. The sources include a hydrometallurgical extraction process, a thermal concentrating unit, and an apv fluid bed processor. The hydrometallurgical extraction process emissions are controlled by a wet scrubber, and the thermal concentrating unit and fluid bed processor are controlled by venturi scrubbers and a dual packed tower scrubber. The proposed operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

39-00029: Gulf Oil LTD Partnership—Fullerton Terminal (80 Williams Street, Suite 400, Wellesley, MA 02481-3705). The Department issued a renewal State-Only Synthetic Minor operating permit on May 12, 2016 for Petroleum Bulk Stations and Terminals facility in Whitehall Township, **Lehigh County**. The sources consist of gasoline and distillate storage tanks, and one (1) Truck Loading Rack. The control device consists of one (1) Vapor Recovery Unit (VRU). The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The issued permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00033: ARC Terminals PA Holdings—Dupont Terminal (3000 Research Forest, Suite 250, The Woodlands, TX 77381). The Department issued a renewal State-Only Synthetic Minor operating permit on May 12, 2016 for Petroleum Bulk Stations and Terminals facility in Pittston Township, **Luzerne County**. The sources consist of gasoline and distillate storage tanks, and one (1) Truck Loading Rack. The control device consists of one (1) Vapor Recovery Unit (VRU). The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The issued permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

36-03070: Mark Line Industries (502 Alexander Drive, Ephrata, PA 17522-9652) on May 6, 2016, for the mobile home manufacturing facility located in Ephrata Township, **Lancaster County**. The State-only permit was renewed.

36-05161: Countertek, Inc. (1215 Ridge Avenue, Ephrata, PA 17522-9782) on May 10, 2016, for the cultured marble and solid surface fabrication facility located in East Cocalico Township, **Lancaster County**.

06-03065: TMS International LLC (1155 Business Center Drive, Horsham, PA 19044-3422) on May 10, 2016, for the steel slag processing facility located in Muhlenberg Township, **Berks County**. The State-only permit was renewed.

28-03049: Thomas L. Geisel Funeral Home, Inc. (333 Falling Springs Road, Chambersburg, PA 17202) on May 4, 2016, for the human crematory unit at the facility located in Guilford Township, **Franklin County**. The State-only permit was renewed.

07-05027: GBW Railcar Services, LLC (PO Box 349, Hollidaysburg, PA 16648-0349) on May 12, 2016, for the railcar maintenance facility located in Frankstown Township, **Blair County**. The State-only permit was renewed.

01-03026: Growmark FS, LLC (3150 Stoney Point Road, East Berlin, PA 17316-9654) on May 12, 2016, for the chemical fertilizer manufacturing facility located in Latimore Township, **Adams County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648

49-00012: Northumberland Terminals—DE LLC (PO Box 2621, Harrisburg, PA 17105), issued State Only operating permit on April 22, 2016, for their petroleum bulk storage and distribution (Williamsport Terminal) facility located in Point Township, **Northumberland County**. The facility's main sources include a seventeen (17) storage tanks and a gasoline-distillate loading operation. The State Only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00046: Kurt Weiss Greenhouses of PA, Inc. (225 Arcos Road, Mount Carmel, PA 17851) on April 29, 2016, was issued a renewal state only operating permit for its Mount Carmel Greenhouse located in Mt. Carmel Township, **Northumberland County**. The facility's main sources are five (5) natural gas/# 2 fuel oil-fired boilers. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

08-00025: Richards Funeral Home, Inc. (502 North Keystone Avenue, South Waverly, PA 18840) on May 9, 2016, was issued a renewal state only operating permit for its Northern Bradford Crematory located in South Waverly Borough, **Bradford County**. The facility's main source is a crematory incinerator. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

17-00007: Sensus USA, Inc. (805 Liberty Boulevard, DuBois, PA 15801-2421) on May 11, 2016 issued a state only operating permit for their facility located in DuBois, **Clearfield County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00063: Sensenig Milling Services, Inc. (10705 State Route 44, Watsontown, PA 17777-8294) on May 11, 2016 issued a state only operating permit for their facility located in Lewis Township, **Northumberland County**.

The state only operating permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions.

08-00026: Bishop Brothers Construction Company, Inc. (P.O. Box 289, Ulster, PA 18850) on May 12, 2016, to renew the State Only Operating Permit for their Sheshequin Plant facility located in Sheshequin Township, **Bradford County**. The State Only operating permit contains requirements including monitoring, record-keeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940

43-00360: Cronimet Specialty Metals USA, Inc., (40 Council Avenue, Wheatland, PA 16161) on May 11, 2016, the Department issued a new State Only Operating Permit for their melting and foundry operations in the Borough of Wheatland, **Mercer County**. The primary emission sources at the facility include 4 Electric Induction Furnaces, a 1.5 million Btu/hr natural gas fueled shot dryer, shakeout operations, shot blasting, a ball mill, a Next Gen2 Mixer, and other natural gas combustion sources with ratings of less than 1 million Btus/hr. The facility is a natural minor. Estimated potential emissions for the facility are as follows: NO_x, 1.3 tpy; SO_x, 0.008 tpy; CO, 1.09 tpy; PM, 3.42 tpy; VOC, 0.07 tpy, and CO_{2e}, 1,564 tpy. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

61-00210: Glenn O. Hawbaker, Incorporated, Plant # 19, Barkeyville Facility (711 East College Avenue, Bellefonte, PA 16823) on May 10, 2016, for a renewal of the Synthetic Minor Permit located at Barkeyville Borough, **Venango County**. The facility manufactures asphalt paving mixture and block, and conducts non-metallic mineral processing. The emitting sources include the following sources: 1) Cummins QSL Diesel Engine CID; 2) C-12 Dita Diesel Engine; 3) Counter Flow Drum Mix Asphalt Plant; 4) Kohlberg LT 4250 Mineral Processing Plant; 5) Nordberg LT 1213 Mineral Processing Plant; 6) Recycled Asphalt Product (RAP) System; 7) Crushers (2), Vibratory Screens (2), and Conveyors (22) and, 8) Portable VSI Crusher and Electric Engine. The facility has taken restrictions to maintain the synthetic minor status. The restrictions are: 1) Limitation of total production for the asphalt plant of 560,000 tons per year; 2) Limitation on hours of operation of the Kohlberg FT 4250, portable crusher for 8,760 hours per year; 3) Limitation of hours of operation for the Nordberg LT213 portable crusher to 250 hours per year and, 4) Limitation of total production for the crushing plant to 2,500,000 tons per year. The portable mineral processing plants are subject to 40 CFR Part 60 Subpart OOO. All applicable conditions of Subpart OOO have been included in the source group. The potential emissions of the pollutants from the facility before taking any restrictions are as follows: Particulate Matter (PM) 144.81 Tons per year (TPY); Oxides of Nitrogen (NO_x) 353.60 TPY; Oxides of Sulfur (SO_x) 193.27 TPY; Carbon Monoxide (CO) 282.17 TPY; Volatile Organic Compound (VOC) 63.26 TPY; Particulate Matter less than ten micron (PM₁₀) 94.05. The potential emissions of the pollutants from the facility after taking the previously mentioned restrictions are as follows: PM 62.32 TPY; NO_x 68.26 TPY; SO_x 47.24 TPY; CO 47.52 TPY; VOC 12.17 TPY; and, PM₁₀ 28.65 TPY. The actual

emissions reported by the facility for 2014 were 5.67 TPY, 2.68 TPY, 1.05 TPY, 9.29 TPY, and 0.6 TPY for CO, NO_x, PM₁₀, SO_x, and VOC, respectively. The 2014 inventory also indicated there was less than 1.0 TPY of Hazardous Air Pollutants emitted.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

46-00094: Highway Materials, Inc. (5100 Joshua Road, Plymouth Meeting, PA 19462) On May 13th 2016 for an Administrative Amendment to State Only (Synthetic Minor) Operating Permit to amend the stack testing requirement for the combination HMA plant in such a manner that stack testing on auxiliary fuels (i.e., fuel oil or WDLF) is only required if consumed for 30 or more cumulative days over a certain period of time (i.e., a 12-month rolling period for fuel oil, or a 4-year consecutive time period for WDLF). This is a combination hot mix asphalt (HMA) plant at its facility located in Whitmarsh Township, **Montgomery County**.

15-00055: Highway Materials, Inc. (850 Quarry Road Downingtown, PA 19335), On May 13, 2016, for the amendment of a State Only, Synthetic Minor Operating Permit to amend Source 101, Condition # 006(a) in Section D of the permit. The revised condition reads, "The stack test shall be performed while the source is operating at maximum routine operating conditions and firing Waste Derived Liquid Fuel (WDLF) and natural gas." Highway Materials operates an Asphalt Plant located in East Caln Township, **Chester County**.

Highway Materials is requesting to use only natural gas as a fuel during source testing. Currently only natural gas is fired in the burner. While the company has not been using WDLF, they requested to preserve the right in the operating permit to use WDLF.

The modified condition is, "If on specification WDLF is used for 30 or more cumulative calendar days within a 4-year consecutive time period, the permittee shall conduct performance testing to measure emissions of NO_x, CO, VOC, filterable and condensable PM, and opacity. Testing shall be performed using "on specification" WDLF no later than 90 days following the 30th day of cumulative WDLF usage."

There are no changes to any other conditions and no emissions in the modification of the operating permit. The facility maintains a synthetic minor operating status by maintaining total NO_x emissions to less than 12 tons per year. The amended permit includes testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, state, and federal air quality requirements.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940

37-00027: Lindy Paving, Inc.—West Pittsburgh (1807 Shenango Road, New Galilee, PA 16141) on December 6, 2012, for revocation of their State Only Operating Permit for the operation of the batch asphalt facility in Taylor Township, **Lawrence County**. This operating permit was revoked because of a permanent shutdown of operations at the West Pittsburgh Plant on April 4, 2012. The sources will be dismantled or removed. The following conditions are applicable to the permanent shutdown of the West Pittsburgh facility and were approved on May 11, 2016.

a) The following sources are permanently shut down as of April 4, 2012, and prohibited from operation by this condition:

1) Source 101 (Hot Mix Asphalt Plant) rated at 300 tph.

b) The facility generated 4.05 tons of NO_x, 1.34 tons of SO_x, 7.19 tons of PM₁₀, 1.64 tons of VOC, and 9.47 tons of CO Emission Reduction Credits (ERCs) with the permanent shutdown of the 300 tph Hot Mix Asphalt Plant located in Taylor Township. If the facility wishes to restart this source, a plan approval application shall be resubmitted.

c) The ERCs generated by the curtailment or shutdown of a facility which are not included in a plan approval and used as offsets will expire for use as offsets 10 years after the date the facility ceased emitting the ERC generating emissions. The use of these ERCs in applicability determinations for netting purposes is limited to the period specified in 25 Pa. Code § 127.203a(a)(1). (25 Pa. Code § 127.206(f)).

d) The expiration date of ERCs may not extend beyond the 10-year period allowed by subsection (f), if the ERCs are included in a plan approval but are not used and are subsequently reentered in the registry. (25 Pa. Code § 127.206(g)).

e) ERCs may not be entered into the ERC registry until the emission reduction generating the ERCs has been certified by the Department in accordance with the criteria for ERC generation and creation contained in 25 Pa. Code § 127.207 (relating to creditable emissions decrease or ERC generation and creation). (25 Pa. Code § 127.206(j)).

f) ERCs may not be traded to facilities under different ownership until the emissions reduction generating the ERCs is made Federally enforceable. (25 Pa. Code § 127.206(l)).

g) ERCs transferred from one facility to another may not be transferred to a third party, unless the transfer of the ERCs is processed by the Department through the ERC registry system. (25 Pa. Code § 127.206(n)).

h) Pursuant to the provisions of 25 Pa. Code § 127.207(7), if the ERC generating source has not been dismantled or removed, the owner or operator shall on an annual basis certify in writing to the Department the continuance of the shutdown.

i) The use and transfer of ERCs shall meet the requirements in 25 Pa. Code § 127.208, regarding ERC use and transfer requirements.

j) These ERCs may be used, traded, or sold after the approved entry of the ERCs by the Department into the Pennsylvania ERC Registry System. (25 Pa. Code § 127.209).

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100

56841321 and NPDES No. PA0001881. Miller Springs Remediation Management, Inc., (5005 LBJ Freeway, Suite 1350, Dallas, TX 75244-6119). To renew the permit for the Bird Mine No. 2/No. 3 in Conemaugh Township, **Somerset County** and Stonycreek Township, **Cambria County** and related NPDES permit for reclamation-water treatment only. No additional discharges. The application was considered administratively complete on March 28, 2012. Application received June 2, 2011. Permit issued April 21, 2016. This is a correction to previous bulletin published on May 7, 2016 which listed an incorrect permit number.

32921601 and NPDES No. PA0095117. Sprankle Mills Tipple, (PO Box 343, Punxsutawney, PA 15767). To renew the permit for the Valier Coal Yard in North Mahoning Township, Indiana County and Perry Township, **Jefferson County**. No additional discharges. The application was considered administratively complete on April 1, 2014. Application received November 4, 2013. Permit issued May 11, 2016.

03921602 and NPDES No. PA0214388. Glacial Sand & Gravel Company, (PO Box 1022, Kittanning, PA 16201). To renew the permit for the Glacial Coal Tipple in East Franklin Township, **Armstrong County**. No additional discharges. The application was considered administratively complete on September 16, 2014. Application received December 6, 2013. Permit issued May 11, 2016.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

17030107 and NPDES PA0243485. Swisher Contracting, Inc. (P.O. Box 1223, Clearfield, PA 16830). NPDES modification for passive treatment of a post mining discharge on a bituminous surface and auger mine located in Lawrence Township, **Clearfield County** affecting 50.2 acres. Receiving stream(s): Unnamed Tributary to Moose Creek classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: July 6, 2015. Permit issued: May 10, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 54830103R6. KK Coal, LLC, (PO Box 8, Cumbola, PA 17930), renewal of an existing anthracite surface mine operation in Blythe Township, **Schuylkill County** affecting 160.0 acres, receiving stream: Schuylkill River. Application received: March 13, 2013. Renewal issued: May 11, 2016.

Permit No. 54830103GP104. KK Coal, LLC, (PO Box 8, Cumbola, PA 17930), General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 54830103 in Blythe Township, **Schuylkill County**, receiving stream: Schuylkill River. Application received: March 13, 2013. Permit issued: May 11, 2016.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900

Permit No. 6577SM3A-GP104, P & W Excavating, Inc., P.O. Box 712, McConnellsburg, PA 17233, General NPDES Permit for stormwater discharges associated with mining activities on Noncoal Permit No. 6577SM3A located in Todd Township, **Fulton County**. Receiving stream: Unnamed Tributary # 60591 to Big Cove Creek, classified for the following uses: cold water fishes and migratory fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: April 29, 2016. Coverage Approved: May 11, 2016.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191

33050304. Glen-Gery Corporation (1166 Spring Street, P.O. Box 7001, Reading, PA 19610) Renewal of NPDES Permit No. PA0258008, Oliver Township, **Jefferson County**. Receiving streams: Unnamed tributary to Beaver Run. Application received: January 11, 2016. Permit Issued: May 10, 2016.

4876SM20. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803) Revision to add 13.6 acres and delete 5.6 acres in Pittsfield Township, **Warren County**, affecting a total of 102.3 acres. Receiving streams: Little Brokenstraw Creek. Application received: December 22, 2016. Permit Issued: May 12, 2016.

4876SM20-GP-104. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803) General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 4876SM20 in Pittsfield Township, **Warren County**. Receiving streams: Little Brokenstraw Creek. Application received: December 22, 2016. Permit Issued: May 12, 2016.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

14150801. Donn G. Fetterolf Family Limited Partnership (126 Red Power Drive Aaronsburg, PA 16820). Commencement, operation, and restoration of a small industrial minerals mine (shale) in Haines Township, **Centre County** affecting 1.0 acre. Receiving stream(s): Unnamed Tributary to Elk Creek. Application received: November 23, 2015. Permit issued: May 10, 2016.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200

60164101. Maine Drilling & Blasting, Inc. (PO Box 1140, Gardiner, ME 04345). Blasting for highway/road on CSVT River Bridge project in Union Township, **Union County** with expiration date of May 2, 2017. Permit issued: May 10, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118

Permit No. 35164108. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Valley View Business Park in Jessup and Archbald Boroughs, **Lackawanna County** with an expiration date of May 3, 2017. Permit issued: May 11, 2016.

Permit No. 36164127. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Dan Stoltzfus manure pit in East Lampeter Township, **Lancaster County** with an expiration date of July 30, 2016. Permit issued: May 11, 2016.

Permit No. 38164105. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Graystone Crossings Phase 3 in North Cornwall Township, **Lebanon County** with an expiration date of May 16, 2017. Permit issued: May 11, 2016.

Permit No. 48164105. Maine Drilling & Blasting, Inc., (PO Box 1140, Gardiner, ME 04345-1140), construction blasting for Saratoga Farms in Lower Nazareth Township, **Northampton County** with an expiration date of May 6, 2017. Permit issued: May 13, 2016.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E46-1134. Borough of Conshohocken Authority, 601 East Elm Street, Conshohocken, PA 19428, Conshohocken Borough and Whitemarsh Township, **Montgomery County,** ACOE Philadelphia District.

To construct and maintain a 32 feet long by 25 feet wide concrete pad to support odor control equipment situated along the floodplain of the Schuylkill River (WWF, MF) associated with the Waste Water Treatment Plant Odor Control Improvement Project.

The site is located along the East Elm Street, between Apple and Walnut Streets (Norristown, PA USGS Quadrangle Latitude: 40.073186; Longitude: -75.296409).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E09-994. Bucks County Water & Sewer Authority, 1275 Almshouse Road, Warrington, PA 18976, Plumstead Township, **Bucks County,** ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the channelizing of the North Branch of Neshaminy Creek (WWF-MF) to protect a Bucks County Water and Sewer Authority (BCWSA) sanitary manhole 65:

1) To stabilize, redirect the stream, fill and maintain an approximate 700 feet segment of the streambanks with rock deflector, jute matting with Live stacks, and stone toe protection to facilitate the protection of BCWSA sanitary manhole No. 65 from stream erosion and aligning the stream closer to its original path.

2) To construct and maintain scour protection at the pier of Old Eastern Road Bridge over the North Branch of the Neshaminy Creek to accommodate the adjacent proposed Streambanks protection upstream

The project will impact approximately 750 linear feet of stream (3,280 square feet of streambanks). The project site is located directly adjacent to Old Eastern Road Bridge crossing over the North Branch of the Neshaminy Creek in the Northeastern corner, in Plumstead Township, Bucks County (Doylestown, PA USGS Quadrangle, Longitude 75° 08' 36" Latitude 40° 21' 33").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636

E14-565. Ferguson Township, 3147 Research Drive, State College, PA 16801. Suburban Avenue, in Ferguson Township, **Centre County,** ACOE Baltimore District (Julian, PA Quadrangle N: 40°48'35"; W: -77°53'21").

To: 1a) remove an existing undersized stormwater conveyance system comprised of a 24 inch diameter 148.04 foot long CMP, a 48 inch diameter 70.10 foot long CMP and a 48 inch by 30 inch by 59.43 foot long CMPA and its appurtenant inlets, outlets and junction boxes, 1b) construct and maintain a 48 inch diameter 276 foot long HDPE pipe stormwater conveyance system with its appurtenant inlet/outlet structures and riprap, 2a) the removal a 24 inch diameter 31.60 foot long CMP, 2b) construct and maintain a 24 inch diameter 50 foot long HDPE pipe and a 24 inch diameter 81 foot long HDPE pipe stormwater conveyance system with its appurtenant junction boxes and outlet, to safely convey the 100-year storm flows in a 100-year FEMA flood plain by separating two merging stormwater conveyance system into two separate stormwater conveyance systems located near the intersection of Suburban Avenue and Allen Street, in order reduce flooding in the area. This permit also includes 401 Water Quality Certification.

Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E20-598, PennDOT Engineering District 1-0. South Saegertown Roundabout Project, in Saegertown Borough, **Crawford County,** ACOE Pittsburgh District (Meadville, PA Quadrangle N: 41°, 42', 52"; W: 80°, 08', 47").

To realign and maintain the existing southern intersection of SR 0198/SR 0006 utilizing a one lane roundabout, including associated drainage, ADA curb ramps, sidewalk, traffic signs and guiderail updates to improve vehicular and pedestrian safety occupying approximately 30,461 cubic feet of an area of approximately 1 acre in size within the eastern 100-year floodplain of French Creek (WWF).

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460

D18-037EA. Matthew R. Beaver, Chief, Division of Operations and Recreation, Bureau of Forestry, Department of Conservation and Natural Resources, P.O. Box 8552, Harrisburg, PA 17105-8522, Greene Township, **Clinton County,** USACOE Baltimore District.

Project proposes to remove the Long Run Dam for the purpose of eliminating a threat to public safety and restoring approximately 150 feet of stream channel to a free-flowing condition. The proposed restoration project includes construction of habitat enhancement structures in the stream channel throughout the former reservoir and dam location. The project is located across Long Run (HQ-CWF, MF) (Loganton, PA Quadrangle, Latitude: 41.0648; Longitude: -77.3551).

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335

ESCGP-2 #ESG16-019-0003—Oakland Township Waterline

Applicant R.E. Gas Development, LLC
Contact Michael Endler
Address 600 Cranberry Woods Dr.
City Cranberry Township State PA Zip Code 16066
County Butler Township(s) Oakland
Receiving Stream(s) and Classification(s) Tributaries to Thorn Creek (HW-WWF), Bonnie Brook (WWF)

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701

ESCGP-2 # ESX29-115-16-0016

Applicant Name Cabot Oil & Gas Corp
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275-1121
County Susquehanna
Township(s) Harford

Receiving Stream(s) and Classification(s) Butler Ck (CWF), Nine Partners Ck (CWF)
Secondary—Nine Partners Ck (CWF), Tunkhannock Ck (CWF)

ESCGP-2 # ESG29-117-16-0015

Applicant Name SWEPI LP
Contact Person Jason Shoemaker
Address 2100 Georgetown Dr, Suite 400
City, State, Zip Sewickley, PA 15143
County Tioga
Township(s) Delmar
Receiving Stream(s) and Classification(s) East Branch Stony Fork (CWF)

ESCGP-2 # ESX29-131-16-0003

Applicant Name Williams Field Services Co LLC
Contact Person Matt Anderson

Address 310 SR 29 N
City, State, Zip Tunkhannock, PA 18657
County Wyoming
Township(s) Tunkhannock
Receiving Stream(s) and Classification(s) Billings Mill Brook (CWF-MF)

ESCGP-2 # ESX29-115-16-0017

Applicant Name Cabot Oil & Gas Corp
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
County Susquehanna
Township(s) Jessup
Receiving Stream(s) and Classification(s) UNT to East Branch Wyalusing Ck (CWF), UNT to Shelp Ck (CWF)
Secondary—East Branch Wyalusing Ck (CWF), Shelp Ck (CWF)

ESCGP-2 # ESG29-117-16-0010

Applicant Name HEP Tioga Gathering LLC
Contact Person Kevin Williams
Address 37 Fox Chase Dr
City, State, Zip Tunkhannock, PA 18848-9060
County Tioga
Township(s) Liberty
Receiving Stream(s) and Classification(s) Blacks Ck (CWF)

ESCGP-2 # ESX29-113-16-0006

Applicant Name Chesapeake Appalachia LLC
Contact Person Brian Davis
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Sullivan
Township(s) Colley
Receiving Stream(s) and Classification(s) N Branch Mehoopany Ck (CWF), Sciota Brook (CWF)

ESCGP-2 # ESX29-131-16-0002

Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Wyoming
Township(s) Windham
Receiving Stream(s) and Classification(s) UNT to Susquehanna River (CWF), UNT to Little Mehoopany Ck (CWF)
Secondary—Susquehanna River (WWF), Little Mehoopany Ck (CWF)

ESCGP-2 # ESX29-015-16-0006

Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford
Township(s) Wyalusing
Receiving Stream(s) and Classification(s) UNT to Brewer Ck (WWF, MF), Brewer Ck (WWF, MF)
Secondary—Wyalusing Ck

Southwest Region: Oil & Gas Program Mgr., 400 Waterfront Dr., Pittsburgh, PA

ESCGP-2 No: ESX11-125-0064 Major Revision

Applicant Name: Range Resources Appalachia LLC
Contact Person Karl Matz
Address: 3000 Town Center Boulevard
City: Canonsburg State: PA Zip Code: 15317
County: Washington Township: East Finley & West Finley
Receiving Stream(s) and Classifications: UNT to Bonar Creek (HQ/WWF) & UNTs to Robinson Fork (WWF)/Buffalo-Wheeling Creeks Watershed; HQ; Other WWF

ESCGP-2 No.: ESX15-059-0066
 Applicant Name: EQT Production Company
 Contact Person: Todd Klaner
 Address: 2400 Zenith Ridge Road Suite 200
 City: Canonsburg State: PA Zip Code: 15317
 County: Greene Township(s): Washington
 Receiving Stream(s) and Classifications: UNT to Ruff
 Creek and UNT to Boyd Run; Other WWF

ESCGP-2 No.: ESX16-125-0001
 Applicant Name: Rice Drilling B LLC
 Contact Person: Joseph C Mallow
 Address: 400 Woodcliff Drive
 City: Canonsburg State: PA Zip Code: 15317
 County: Washington Township(s): Somerset
 Receiving Stream(s) and Classifications: Center Branch
 Pigeon Creek/Pigeon Creek; Other WWF

ESCGP-2 No.: ESG14-005-0018
 Applicant Name: PennEnergy Resources LLC
 Contact Person: Robert A Crissinger
 Address: 1000 Commerce Drive Park Place One Suite 100
 City: Pittsburgh State: PA Zip Code: 15275
 County: Armstrong Township(s): West Franklin and North
 Buffalo
 Receiving Stream(s) and Classifications: UNTs to Buffalo
 Creek & Buffalo Creek/Buffalo Creek Watershed;
 HQ; Other TSF; Siltation-Impaired

ESCGP-2 No.: ESX15-059-0017
 Applicant Name: PA Land Resources LLC DBA P L
 Resources LLC
 Contact Person: Nick Mongelluzzo
 Address: PO Box 247
 City: Waynesburg State: PA Zip Code: 15370
 County Greene Township(s): Whiteley
 Receiving Stream(s) and Classifications: UNT to Patter-
 son Creek (TSF)/South Fork Tenmile Creek; Other TSF

ESCGP-2 No.: ESX15-059-0064
 Applicant Name: Vista Gathering LLC
 Contact Person: Mike Hopkins
 Address: 480 Johnson Road Suite 100
 City: Washington State: PA Zip Code: 15301
 County: Greene Township(s): Wayne & Perry
 Receiving Stream(s) and Classifications: Little Shannon
 Run, UNT to Little Shannon Run, Blacks Run, UNT to
 Blacks Run, Hackelbender Run, Rudolph Run, 2 UNT
 to Rudolph Run, Sharp Run and UNT to Sharp Run;
 Other (CWF) Cold-Water Fishes & (WWF) Warm-Water
 Fishes

ESCGP-2 No.: ESG15-059-0038
 Applicant Name: Rice Drilling B LLC
 Contact Person: Joseph Mallow
 Address: 171 Hillpointe Drive Suite 301
 City: Canonsburg State: PA Zip Code 15317
 County: Greene Township(s): Jackson
 Receiving Stream(s) and Classifications: Nine (9) UNTs
 Garner Run & Garner Run/South Fork Ten Mile Creek
 (HQ-WWF); HQ

[Pa.B. Doc. No. 16-913. Filed for public inspection May 27, 2016, 9:00 a.m.]

Aggregate Advisory Board; Regulatory, Legislative and Technical Committee Meeting

The Aggregate Advisory Board's (Board) Regulatory, Legislative and Technical Committee (Committee) will meet on June 9, 2016, from 10 a.m. to 12 p.m. and on

June 30, 2016, from 1 p.m. to 3 p.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. The meeting will also be offered in an Openscape Web/Conference call format for Board members or alternates (Committee and otherwise) who are not able to attend the meeting in person.

Questions concerning the meeting can be directed to Daniel E. Snowden, DEd at (717) 783-8846 or dsnowden@pa.gov. The agenda and meeting materials for the meeting will be available through the Public Participation Center on the Department's web site at <http://www.dep.pa.gov>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Daniel E. Snowden, DEd at (717) 783-8846 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-914. Filed for public inspection May 27, 2016, 9:00 a.m.]

Air Quality Technical Advisory Committee Meeting Cancellation

The Air Quality Technical Advisory Committee (Committee) meeting scheduled for June 9, 2016, has been cancelled. The next Committee meeting is scheduled for Thursday, August 4, 2016, at 9:15 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

For additional information contact Nancy Herb at (717) 783-9269 or nherb@pa.gov. The agenda and materials for the August 4, 2016, meeting will be available through the Public Participation Center tab on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Nancy Herb at (717) 783-9269 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-915. Filed for public inspection May 27, 2016, 9:00 a.m.]

Bid Opportunity

NCF 007-101.1, Non-Coal Fund Project, Abandoned Mine Reclamation Project, CT & LT Enterprises, Inc./Hanas Dump, West Pike Run Township, Washington County. The principal items of work and approximate quantities include clearing and grubbing, grading 14,800 cubic yards, selective roadway surface material 435 square yards and seeding 3 acres.

This bid issues on June 17, 2016, and bids will be opened on July 12, 2016, at 2 p.m. Bid documents, including drawings in PDF format and Auto-Cad Map 3D

format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection's (Department) web site at www.dep.pa.gov/ConstructionContracts. Bid documents and drawings can also be obtained upon payment of \$22, plus \$8 for postage, which includes sales tax, by calling (717) 787-7820. Auto-Cad Map 3D format drawings can also be purchased on a compact disc (CD) for an additional \$5 per CD. Money will not be refunded. This project is financed by the Department's Non-Coal Forfeiture Program. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-916. Filed for public inspection May 27, 2016, 9:00 a.m.]

Proposed Conditional State Water Quality Certification for the Army Corps of Engineers Pennsylvania State Programmatic General Permit (PASPGP-5)

On September 29, 2015, the Baltimore, Philadelphia and Pittsburgh Districts of the Army Corps of Engineers (Corps), under the authority of section 404(e) of the Clean Water Act (act) (33 U.S.C.A. § 1344(e)), proposed by its Special Public Notice 15-60 to issue Pennsylvania State Programmatic General Permit-5 (PASPGP-5) for a 5-year period. Section 401(a) of the act (33 U.S.C.A. § 1341(a)) requires an applicant seeking coverage under PASPGP-5 to provide the Corps with certification from the Commonwealth that its discharge will comply with the applicable provisions of the act (33 U.S.C.A. §§ 1251—1388). The Department of Environmental Protection (Department) has established water quality standards for this Commonwealth and programs to achieve those standards consistent with the applicable provisions of the act, which have been approved by the United States Environmental Protection Agency. On April 19, 2016, the Corps furnished the Department with a final copy of PASPGP-5 with a planned effective date of July 1, 2016. The Department is providing notice of its proposed conditional State Water Quality Certification for use by applicants seeking coverage under PASPGP-5 for projects that do not require any Federal permit or license other than a section 404 permit under the act.

PASPGP-5 continues the Corps' recognition of the Commonwealth's permitting process for activities affecting waterways, water bodies and wetlands authorized under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27). PASPGP-5 allows applicants to obtain both Corps section 404 permits and State water obstruction and encroachment permits through a joint application submitted to the Department and delegated conservation districts for the majority of projects requiring these permits in this Commonwealth. Through the incorporation of Federal and State permitting standards in one process, PASPGP-5 continues a streamlined process for permit applicants without compromising comprehensive environmental protection. This proposed State Water Quality Certification applies to activities that qualify for PASPGP-5 within the jurisdiction of section 404 of the act and structures or work in or affecting navigable waters of the United States under section 10 of the River and Harbor Act of 1899 (33 U.S.C.A. § 403).

The Department, by this notice, proposes to certify that the discharge of dredged or fill material under PASPGP-5 for a project to construct, operate and maintain an encroachment or water obstruction regulated under the Dam Safety and Encroachments Act and its implementing regulations in 25 Pa. Code Chapter 105 (relating to dam safety and waterway management) complies with the applicable provisions of sections 301—303, 306 and 307 of the act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The Department further proposes to certify that the construction, operation and maintenance of the projects in accordance with PASPGP-5 will comply with the Commonwealth's water quality standards provided that the construction, operation and maintenance of the projects comply with the criteria and conditions of the applicable State law permits.

The Department further intends that this State Water Quality Certification be subject to the following conditions. Prior to beginning any activity covered by PASPGP-5, the applicant must obtain all necessary permits or approvals from the Department, including, but not limited to, those required by The Clean Streams Law (35 P.S. §§ 691.1—691.1001), the Dam Safety and Encroachments Act, the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Hazardous Sites Cleanup Act (35 P.S. §§ 6020.101—6020.1305), the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908) and the regulations promulgated thereunder including 25 Pa. Code Chapters 91, 92a, 93, 95, 102, 105 and 260a—299. Additionally, all environmental assessments required under these regulations, in addition to other regulatory requirements, must be complied with as a condition of the State Water Quality Certification for PASPGP-5 consistent with section 401 of the act. Individual activities conducted within the jurisdiction of section 404 of the act or section 10 of the River and Harbor Act of 1899 that are not covered under PASPGP-5 must obtain separate State Water Quality Certification consistent with section 401 of the act. Activities that require any Federal authorization other than or in addition to an authorization under section 10 of the Rivers and Harbors Act of 1899 or section 404 of the act (such as, but not limited to, an interstate natural gas pipeline, a gas storage field, or a nuclear or hydroelectric project requiring authorization by a Federal license, certification or permit) shall submit a request to the Department for State Water Quality Certification for the entire project requiring Federal authorizations as required by section 401 of the act.

The Department will consider all comments received on or before June 27, 2016, before taking final action on a conditional State Water Quality Certification. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are urged to submit comments using the Department's online eComment system at www.ahs.dep.pa.gov/eComment. Written comments should be submitted by e-mail to ecomments@pa.gov or by mail to the Department of Environmental Protection, Bureau of Waterways Engineering and Wetlands, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17101-8465.

The proposed PASPGP-5 and Corps public notices can be viewed on the Corps web page at <http://www.nab.usace.army.mil/Missions/Regulatory/PublicNotices/PublicNoticeView/tabid/16587/Article/747111/spn16-22-pennsylvania-state-programmatic-general-permit-5-paspgp-5.aspx>. Copies of PASPGP-5 and Corps public notices may be obtained by contacting Mary Lou Martin, United States

Army Corps of Engineers, Baltimore District, State College Field Office, 1631 South Atherton Street, State College, PA 16801 or (814) 235-0570.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-917. Filed for public inspection May 27, 2016, 9:00 a.m.]

Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-918. Filed for public inspection May 27, 2016, 9:00 a.m.]

Water Resources Advisory Committee Rescheduled Meeting

The May 11, 2016, meeting of the Water Resources Advisory Committee (Committee) has been rescheduled for June 22, 2016, at 9:30 a.m. at the Bureau of Labs, 2575 Interstate Drive, Harrisburg, PA 17110.

Questions concerning the next scheduled meeting of the Committee can be directed to Lee McDonnell at (717) 787-5017 or lmcdonnell@pa.gov. The agenda and meeting materials for the next meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at <http://www.dep.state.pa.us> (select "Public Participation").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-3720 or through the

DEPARTMENT OF GENERAL SERVICES

Lease Office Space to the Commonwealth Philadelphia County

Proposers are invited to provide the Department of General Services with 9,680 usable square feet of office space for the Board of Probation and Parole in Lehigh County. For more information on SFP No. 94808, which is due on Monday, July 11, 2016, visit www.dgs.state.pa.us or contact Jerry Munley, (717) 525-5231, gmunley@pa.gov.

CURTIS M. TOPPER,
Secretary

[Pa.B. Doc. No. 16-919. Filed for public inspection May 27, 2016, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exception relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities), with the exception of 28 Pa. Code § 571.1 (relating to minimum standards). Exception requests related to 28 Pa. Code § 571.1 are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
Einstein Montgomery Surgery Center	28 Pa. Code § 553.1 (relating to principle)
	28 Pa. Code § 555.1 (relating to principle)
	28 Pa. Code § 557.1 (relating to policy)
	28 Pa. Code § 557.2 (relating to plan)
	28 Pa. Code § 557.4 (relating to Quality Assurance and Improvement Committee)
	28 Pa. Code § 559.1 (relating to nursing department)
	28 Pa. Code § 559.2 (relating to director of nursing)
	28 Pa. Code § 561.2 (relating to pharmaceutical service)
	28 Pa. Code § 563.2 (relating to organization and staffing)
	28 Pa. Code § 565.1 (relating to principle)
	28 Pa. Code § 565.12 (relating to radiology service policy)
	28 Pa. Code § 567.2 (relating to committee responsibilities)
	28 Pa. Code § 567.22 (relating to linen service policy)
	28 Pa. Code § 569.1 (relating to principle)
	28 Pa. Code § 569.11 (relating to firefighting service)
	28 Pa. Code § 569.13 (relating to testing fire warning systems)
	28 Pa. Code § 569.14 (relating to internal disaster and fire plans)
	28 Pa. Code § 569.32 (relating to fire inspection)
	28 Pa. Code § 569.37 (relating to report of emergencies causing interruption of service)
	Saint Vincent Endoscopy Center

The following ASF is requesting exceptions under 28 Pa. Code § 571.1. Requests for exceptions under this section relate to minimum standards that ASFs must comply with under the *Guidelines for Design and Construction of Hospitals and*

Outpatient Facilities (Guidelines). The following includes the citation to the section under the *Guidelines* that the ASF is seeking an exception, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
Einstein Montgomery Surgery Center	3.7-3.8.1.1	Patient changing and preparation area/space	2014
	3.7-3.4.2.1	Pre- and postoperative patient care areas/general	2014

All requests previously listed are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-920. Filed for public inspection May 27, 2016, 9:00 a.m.]

Hospitals; Requests for Exceptions

The following hospital has filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for exception relates to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals), with the exception of 28 Pa. Code § 153.1 (relating to minimum standards). Exception requests related to 28 Pa. Code § 153.1 are listed separately in this notice.

<i>Facility Name</i>	<i>Regulation</i>
UPMC Altoona	28 Pa. Code § 107.61 (relating to written orders)

The following hospital is requesting exceptions under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception, as well as the publication year of the applicable *Guidelines*.

<i>Facility Name</i>	<i>Guidelines Section</i>	<i>Relating to</i>	<i>Publication Year</i>
Thomas Jefferson University Hospital	3.1-6.2.4.1	Public toilets (rheumatology)	2014
	3.1-6.2.4.1	Public toilets (endocrinology)	2014

All requests previously listed are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-921. Filed for public inspection May 27, 2016, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(d) and (e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Crawford County Care Center
20881 State Highway 198
Saegertown, PA 16433
FAC ID # 193002

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-922. Filed for public inspection May 27, 2016, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payment

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2015-2016 for disproportionate share hospital (DSH) payments to qualifying hospitals that provide a high volume of services to the Medical Assistance (MA) population to promote continued access to inpatient and ancillary outpatient services in this Commonwealth and to support academic medical programs that provide integrated patient centered medical services. The Department is not otherwise changing its State Plan provisions addressing the qualifying criteria or payment methodology for this payment.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2015-2016 impact as a result of the funding allocation for these payments is \$5.209 million (\$2.500

million in State general funds) upon approval by the Centers for Medicare and Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider all comments received within 30 days in determining its final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-1022. (1) General Fund; (2) Implementing Year 2015-16 is \$2,500,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$0; (4) 2014-15 Program—\$17,431,000; 2013-14 Program—\$16,831,000; 2012-13 Program—\$12,618,000; (7) MA—Academic Medical Centers; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 16-923. Filed for public inspection May 27, 2016, 9:00 a.m.]

Additional Disproportionate Share Hospital Payment

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year (FY) 2015-2016 for disproportionate share hospital (DSH) payments to certain Medical Assistance (MA) acute care general hospitals which, in partnership with an independent facility listed as a Cleft and Craniofacial Team by the American Cleft Palate-Craniofacial Association, provide surgical services to patients with cleft palate and craniofacial abnormalities. This payment is intended to promote access to inpatient hospital services for MA eligible and uninsured persons in this Commonwealth with cleft palate and craniofacial abnormalities. The Department is not otherwise changing its State Plan provisions addressing the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2015-2016 impact as a result of the funding allocation for these payments is \$0.313 million (\$0.150 million in State general funds and \$0.163 million in Federal funds) upon approval by the Centers for Medicare and Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these DSH payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-1024. (1) General Fund; (2) Implementing Year 2015-16 is \$150,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$0; (4) 2014-15 Program—\$564,772,000; 2013-14 Program—\$428,041,000; 2012-13 Program—\$718,947,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 16-924. Filed for public inspection May 27, 2016, 9:00 a.m.]

Change to Additional Disproportionate Share Hospital Payments

The purpose of this notice is to announce the Department of Human Services' (Department) intent to allocate and increase the funding allotted for Fiscal Year (FY) 2015-2016 disproportionate share hospital (DSH) payments to certain qualifying Medical Assistance (MA) enrolled hospitals, specifically critical access hospitals and qualifying rural hospitals. The Department is not otherwise changing its State Plan provisions addressing the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive a DSH payment in excess of its hospital specific DSH upper limit.

Fiscal Impact

The FY 2015-2016 impact as a result of this increased allocation for the additional class of DSH payments for critical access and qualifying rural hospitals is \$18.496 million (\$8.876 million in State general funds and \$9.620 million in Federal funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-1025. (1) General Fund; (2) Implementing Year 2015-16 is \$8,876,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$0; (4) 2014-15 Program—\$3,876,000; 2013-14 Program—\$6,776,000; 2012-13 Program—\$4,076,000; (7) MA—Critical Access Hospitals; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 16-925. Filed for public inspection May 27, 2016, 9:00 a.m.]

Change to Additional Disproportionate Share Hospital Payments

The purpose of this notice is to announce the Department of Human Services' (Department) intent to allocate and increase the funding allotted for Fiscal Year (FY) 2015-2016 disproportionate share hospital (DSH) payments to qualifying Medical Assistance (MA) enrolled hospitals that provide obstetrical and neonatal health care services. The Department is not otherwise changing its State Plan provisions addressing the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including the limitations that the Commonwealth may not exceed its aggregate DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2015-2016 impact as a result of this increased allocation for the additional class of DSH payments is \$13.922 million (\$6.681 million in State general funds and \$7.241 million in Federal funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-1023. (1) General Fund; (2) Implementing Year 2015-16 is \$6,681,000; (3) 1st Succeeding Year 2016-17 through 5th Succeeding Year 2020-21 are \$0; (4) 2014-15 Program—\$6,681,000; 2013-14 Program—\$6,681,000; 2012-13 Program—\$3,681,000; (7) MA—Obstetric and Neonatal Services; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 16-926. Filed for public inspection May 27, 2016, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Automated Red Light Enforcement Transportation Enhancement Grants Program Applications

Under 67 Pa. Code Chapter 233 (relating to transportation enhancement grants from automated red light enforcement system revenues), the Department of Transportation (Department) is inviting city, county and municipal governments and other local boards or bodies with authority to enact laws relating to traffic in this Commonwealth to submit applications in accordance with the parameters delineated in 67 Pa. Code Chapter 233. Applications will be accepted from June 1, 2016, to June 30, 2016.

The online application is available at https://www.dot34.state.pa.us/ARLE/Module/PADOT/BOMO_Default.aspx.

Additional guidance and information can be found on the Department's Traffic Signal Resource Portal at <http://www.dot.state.pa.us/Portal%20Information/Traffic%20Signal%20Portal/FUNDARLE.html>.

Supporting documents may be submitted to the Department of Transportation, Attention—Transportation Enhancement Grants from Automated Red Light Enforcement System Revenues, Bureau of Program Development and Management, 400 North Street, 6th Floor, Harrisburg, PA 17120.

Questions related to the Automated Red Light Enforcement Enforcement Transportation Enhancement Grants Program may be directed to Richard N. Roman, PE, Director, Bureau of Maintenance and Operations, 400 North Street, 6th Floor, Harrisburg, PA 17120, (717) 787-6899, RA-pdARLEGrants@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 16-927. Filed for public inspection May 27, 2016, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
7-528	Environmental Quality Board Water Quality Standards; Class A Stream Redesignations 46 Pa.B. 1205 (March 5, 2016)	4/18/16	5/18/16

Environmental Quality Board Regulation # 7-528 (IRRC # 3140)

Water Quality Standards; Class A Stream Redesignations

May 18, 2016

We submit for your consideration the following comments on the proposed rulemaking published in the March 5, 2016 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Environmental Quality Board (EQB) to respond to all comments received from us or any other source.

1. Whether the regulation is supported by acceptable data.

As part of our determination of whether a regulation is in the public interest, the Independent Regulatory Review Commission (Commission) must consider whether the regulation is supported by acceptable data. 71 P.S. §§ 745.3, 745.5(a)(14), 745.5b(b)(3)(v) and (b)(7). An agency is required to submit a Regulatory Analysis Form (RAF) which includes:

- (14) A description of any data upon which a regulation is based with a detailed explanation of how the data was obtained and why the data is acceptable data. An agency advocating that any data is acceptable data shall have the burden of proving that the data is acceptable.

71 P.S. § 745.5(a)(14). To facilitate review of acceptable data, Regulatory Analysis Form (RAF) Question (28) asks:

If data is the basis for this regulation, please provide a description of the data, explain in detail how the

data was obtained, and how it meets the acceptability standard for empirical, replicable and testable data that is supported by documentation, statistics, reports, studies or research. Please submit data or supporting materials with the regulatory package. If the material exceeds 50 pages, please provide it in a searchable electronic format or provide a list of citations and internet links that, where possible, can be accessed in a searchable format in lieu of the actual material. If other data was considered but not used, please explain why that data was determined not to be acceptable.

In addition to the statutory and RAF requirements, the Commission's regulations require an agency to submit "A completed regulatory analysis form." 1 Pa. Code §§ 305.1(b)(1) and 307.2(c)(1).

The EQB's response to RAF 28 states: "Please see the attached stream evaluation report." The attached report provides a brief summary of 50 stream redesignations representing 207 miles of streams, states the Department of Environmental Protection staff conducted an independent review and provides one biomass estimate for each stream redesignation. The Preamble also states that "Copies of the Department's stream evaluation report for these waterbodies are available on the Department's website or from the contacts whose addresses and phone numbers are listed in Section B of this Preamble."

The amendments in this rulemaking are substantial. They represent 50 stream redesignations, 207 cumulative miles of streams and an unspecified square mileage of property within the drainage area. Clearly, a multitude of data was acquired and reviewed in the development of this rulemaking. However, the supporting data is not described in a way to establish the data meets the

standard of acceptable data. Also, one cannot discern the square miles of property affected within the drainage area from the Preamble, RAF or Annex A. We believe the Preamble should better reflect the magnitude of the amendments and the data considered.

We appreciate the public comment in support of redesignating these streams and the benefits of protecting our natural resources. Our concern is that acceptable data was not made directly available and the supporting information does not directly establish acceptable data as required by the Regulatory Review Act. Without direct access to the data and supporting information, the standing committees, public and the Commission are not given a sufficient opportunity to evaluate whether the regulation is supported by acceptable data. In order to meet 71 P.S. §§ 745.5b(3)(v) and (b)(7), 71 P.S. § 745.5(a)(14), RAF (28) and 1 Pa. Code 307.2(c)(1), the final-form regulation submittal should include the information required relating to acceptable data to support that the amendments are in the public interest.

2. RAF (18) Explain how the benefits of the regulation outweigh any cost and adverse effects.—Economic impact.

The response to RAF (18) explains that the benefits of clean water outweigh the cost of treatment technology and best management practices. The response also references responses to RAF (15) and (17). These RAF responses cite multiple benefits that include dollar estimates such as \$3.7 billion annually generated by sport fishing in Pennsylvania between the years 1995 to 1997. While these industry-wide evaluations provide useful information, that is not the question the RAF poses. The question posed is directed at the benefits of the amendments in this regulation. For example, how will this regulation incrementally affect the overall \$3.7 billion sport fishing industry or any of the other benefits presented in the RAF?

In regard to costs, the information presented is vague. The RAF (15) response indicates that the increased protection may result in higher design, engineering, construction and treatment costs, and that there are 11 known pollution control facilities affected. The responses to RAF (19), (20) and (23) do not provide any dollar estimates and state either that the costs cannot be determined because they are site-specific or that there are no costs. The RAF (20) response is inconsistent. It states, “No costs will be imposed directly upon local governments,” then states “certain municipalities . . . may be affected,” then concludes that the costs would be site-specific. We are concerned that the impact of the

redesignations on existing discharges is not sufficiently explained and the costs are not estimated. In addition, the redesignations limit future land uses, but there is no sufficient explanation or estimation of that impact on current landowners. The RAF asks for a specific estimate of costs associated with compliance with this regulation. Just because costs are site-specific, does not mean there are no costs or that an estimate could not be derived from other projects.

A conclusion that the benefits of this specific regulation outweigh the costs and adverse effects should be based on numbers specific to this regulation. Therefore, we ask the EQB to amend the RAF responses to provide information specific to this regulation. In support of its determination that benefits outweigh any cost and adverse effects, we ask the EQB to provide more thorough and specific explanations of benefits, costs and adverse effects in the RAF submitted with the final-form regulation.

3. RAF (22) For each of the groups and entities identified in items (19)—(21) above, submit a statement of legal, accounting or consulting procedures and additional reporting, recordkeeping or other paperwork, including copies of forms or reports, which will be required for implementation of the regulation and an explanation of measures which have been taken to minimize these requirements.—Economic impact.

Both the response to RAF (22) and the Preamble’s Section F.4. Paperwork Requirements explain that some permits and paperwork will be required. However, the response to RAF (22) did not include the detail requested in RAF (22). We ask the EQB to provide a more thorough response to RAF (22) in the final-form regulation submittal.

4. RAF (7) Briefly explain the regulation in clear and nontechnical language.—Clarity.

The first sentence of the second paragraph in this response states, “This proposal modifies Chapter 93 to reflect the recommended redesignation of streams shown on the attached list.” We did not find an attachment and are not clear regarding what this response references. The EQB should either include this list with the final-form submittal or amend the response to clarify what document it references.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 16-928. Filed for public inspection May 27, 2016, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission’s web site at www.irrc.state.pa.us.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
7-486	Environmental Quality Board Administration of the Land Recycling Program	5/13/16	6/30/16

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 16-929. Filed for public inspection May 27, 2016, 9:00 a.m.]

INSURANCE DEPARTMENT

Agency Contract Termination of Turley Insurance Agency under Act 143; The Harford Mutual Insurance Company; Doc. No. AT16-05-010

A pre-review telephone conference initiated by this office is scheduled for June 29, 2016, at 9:30 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before June 27, 2016.

A date for a review shall be determined, if necessary, at the pre-review conference.

Motions preliminary to those at the review, protests, petitions to intervene or notices of intervention, if any, must be filed on or before June 13, 2016, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before June 27, 2016.

At the pre-review telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the review, estimated time for the review, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

No pre-review memoranda or other written submissions are required for the pre-review telephone conference; however, the parties are encouraged to discuss settlement and possible stipulations pending the conference.

Persons with a disability who wish to attend the previously-referenced administrative review and require an auxiliary aid, service or other accommodation to participate in the review should contact Donna R. Fleischauer, Human Resources Director at (717) 705-3873.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-930. Filed for public inspection May 27, 2016, 9:00 a.m.]

Alleged Violation of Insurance Laws; George R. Brown, Jr.; Doc. No. SC16-05-011

Notice is hereby given of the Order to Show Cause issued on May 18, 2016, by the Deputy Insurance Commissioner in the previously-referenced matter. Violation of the following is alleged: sections 611-A(14), (15) (19) and (20) and 678-A(b) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(14), (15), (19) and (20) and 310.78(b)).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings

Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously-referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Donna Fleischauer, Agency ADA Coordinator at (717) 705-4194.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-931. Filed for public inspection May 27, 2016, 9:00 a.m.]

Repeal of Outdated Notices Regarding Form and Rate Filings; Filing Requirements under the Accident and Health Filing Reform Act; Notice 2016-01—Revised

The Repeal of Outdated Notices Regarding Form and Rate Filings; Filing Requirements under the Accident and Health Filing Reform Act, Notice 2016-01, published at 46 Pa.B. 535 (January 23, 2016), is hereby revised as to the filing of rates for small group excepted benefit policies.

Certain accident and health insurance policy forms, subject to filing under section 3(a) of the Accident and Health Filing Reform Act (40 P.S. § 3801.303(a)), added by the act of December 18, 1996 (P.L. 1066, No. 159) (Act 159), were exempted from filing with the Insurance Department (Department) by the Insurance Commissioner (Commissioner) by notices published at 26 Pa.B. 1453 (March 30, 1996) and 32 Pa.B. 3449 (July 13, 2002)¹ under the authority of section 3(b) of Act 159. In addition, there may be notices issued prior to Act 159 regarding form and rate filings that some may view as still in effect, including, but not limited to, Notice 1992-17, "Notice of the Insurance Commissioner Pursuant to Section 354 of The Insurance Company Law of 1921, Act of May 17, 1921, P.L. 682 (40 P.S. § 477(b)) Revising Requirements for Filing Certain Accident and Health Forms."

The Federal Patient Protection and Affordable Care Act (Pub.L. No. 111-148) and the Health Care and Education Reconciliation Act of 2010 (Pub.L. No. 111-152) (together, the Affordable Care Act (ACA)) and regulations and other Federal guidance promulgated thereunder have imposed new requirements on accident and health policy forms and rates in the large and small group markets, as well as the individual market. Act 159 was amended by the act of December 22, 2011 (P.L. 614, No. 134) (Act 134) to assure that the Commonwealth would maintain its authority to review rates for accident and health policies in light of the ACA.

In recognition of the recent changes in health insurance requirements, and to monitor and assure compliance with the ACA and State law requirements, the Department has determined that it is in the public interest to review forms, including riders, amendments and endorsements, for all group accident and health policies (other than disability) as well as all individual policies. First, all group accident and health forms, for both large and small groups, are required to comply with provisions of State and Federal law, including requirements brought about by the ACA and Federal laws that have explicit correla-

¹ The notice published at 32 Pa.B. 3449 repealed the notice published at 28 Pa.B. 4302 (August 29, 1988), under which the deregulation notices published at 27 Pa.B. 1893 (April 12, 1997) and 27 Pa.B. 3118 (June 28, 1997) had been temporarily discontinued.

tion to State law requirements, such as the mental health parity and genetic nondiscrimination requirements. (See the Health Insurance Coverage Parity and Nondiscrimination Act (40 P.S. §§ 908-11—908-16).) It will assist the Department in protecting insurance consumers in this Commonwealth to receive these forms prior to use as specified in Act 134.² Second, the Department has determined that its review of small group rate filings should be informed by a coordinated review of the forms associated with those rate filings. In addition, under Act 134, and consistent with the ACA, student, blanket, and franchise accident and health insurance is now defined and recognized not as group, but as individual coverage. To maintain the Commonwealth's status under the ACA as an effective rate review state and to assure that consumers in this Commonwealth receive all protections and benefits required by law, the Department will review student, blanket, and franchise accident and health policy rates.³ As with small group products, a review of the forms for student and franchise policies will inform its review of those rates; however, due to the particular nature of blanket insurance, the Department intends to continue exempting blanket insurance from form filing.

Form Filings

Section 3(b) of Act 159 authorizes the Commissioner to require forms exempted from filing to be subsequently made subject to filing with the Department upon 90 days advance notice published in the *Pennsylvania Bulletin*. By this publication, the Commissioner hereby communicates her intent to discontinue certain form filing exemptions and reinstate certain form filings.⁴ Accordingly, the Department identifies the forms that are currently required to be filed, as well as those that will no longer be exempt from filing, effective for the plan years specified. The forms specified here are required to be filed by each insurer, as that term is defined in Act 159, provided, however, that a form eligible to be filed through, and in fact filed through, the Interstate Insurance Compact need not be filed with the Department in accordance with this notice.

Forms currently required to be filed

- Individual accident and health forms, including:
 - Individual major medical forms (other than student, franchise, and blanket policies, as elsewhere specified in this notice).
 - Individual disability forms.
 - Individual limited benefit forms.⁵
 - Individual long-term care forms.
 - Individual Medicare supplement forms.
- Group long-term care and Medicare supplement forms.

Forms to be filed for plan years beginning on or after July 1, 2016

- Student and franchise accident and health forms.

² The Department notes that once it is assured that the insurance industry is familiar with post-ACA requirements, it may repeal this review of large group forms. See, for example, 28 Pa.B. 4302 (requiring form filings to assure compliance with the act of June 17, 1998 (P.L. 464, No. 68)), later repealed by Notice 2002-06 published at 32 Pa.B. 3449.

³ Blanket insurance is individual insurance under Act 134. However, because of its particular nature, rather than requiring blanket insurance rates to be filed 45 days prior to use, the Department by this notice is establishing a shorter period of 15 days for these rate filings. See section 3(c) of Act 159.

⁴ Insofar as any exemption notice issued prior to the effective date of Act 159 is believed to still be extant, any exemption thereunder, like the notices specifically identified herein, is discontinued by this notice.

⁵ Limited benefit policies, for purposes of this notice, include dental, vision, hospital and other fixed indemnity, accident-only, critical illness, specified disease, wraparound, short-term limited duration health, and any other supplemental or excepted benefit accident and health insurance policies.

Forms to be filed for plan years beginning on or after January 1, 2017

- Major medical accident and health forms sold to small groups.
- Limited benefit forms sold to small groups.

Forms to be filed for plan years beginning on or after January 1, 2018

- Major medical accident and health forms sold only to large groups.

Forms continuing to be deregulated and not subject to filing

- Blanket accident and health forms.
- Group disability forms.
- Limited benefit forms sold only to large groups.

Notwithstanding the continued exemption of certain forms from filing, the Department reminds insurers that it retains full authority to request a copy of any form being issued in this Commonwealth, as provided in section 10 of Act 159 (40 P.S. § 3801.310).

Rate Filings

The Department by this notice reminds insurers that the following accident and health rates are currently required to be filed; provided, however, that a rate eligible to be filed through, and in fact filed through, the Interstate Insurance Compact need not be filed with the Department:

- All individual major medical, student, franchise, blanket, limited benefit, individual disability, long-term care and Medicare supplement rates.
- All major medical rates for policies sold to small groups.⁶
- All group long-term care and Medicare supplement rates.

The current form and rate filing requirements identified in this notice shall remain in effect as stated; the form filing requirements not currently in effect shall take effect for the plan years stated; and the discontinuation of the form filing exemptions specified by this notice shall be effective 90 days after publication of this notice in the *Pennsylvania Bulletin*. In accordance with section 3(a) of Act 159, as amended by Act 134, forms shall be filed no less than 45 days prior to use.

Questions concerning this notice may be directed to the Bureau of Life, Accident and Health, Office of Insurance Product Regulation, 1326 Strawberry Square, Harrisburg, PA 17120, ra-rateform@pa.gov.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-932. Filed for public inspection May 27, 2016, 9:00 a.m.]

⁶ Rates for excepted benefits policies issued on a group basis are not required to be filed under section 3(c) of Act 159. However, issuers of small group stand-alone dental plans should refer to binder filing requirements in the Department's annual filing instructions for ACA-compliant individual and small group products, available at <http://www.insurance.pa.gov/Companies/ProductAndRateRequire>.

PATIENT SAFETY AUTHORITY

Meeting Cancellation

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), is cancelling the June 7, 2016, Authority Board meeting. The next meeting of the Authority's Board will be held July 26, 2016, and will be announced in a future notice in the *Pennsylvania Bulletin*.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

REGINA M. HOFFMAN, RN, BSN, MBA, CPPS,
Executive Director

[Pa.B. Doc. No. 16-933. Filed for public inspection May 27, 2016, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Assessment Approval for PENN- VEST Funding Consideration

Division of Technical and Financial Assistance
Department of Environmental Protection
P.O. Box 8774
Harrisburg, PA 17105-8774

Scope: Clean Water and Drinking Water State Revolving Fund Projects for July 20, 2016, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board Meeting Consideration.

Description: PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the projects listed as follows. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment. If no significant issues are identified as a result of this comment period, this notice will serve as official written notice of final approval of the Environmental Assessment to the applicant.

To be considered, the Department must receive comments on this approval on or by June 27, 2016. Electronic comments should be submitted using the Department's eComment site at www.ahs.dep.pa.gov/eComment. Written comments using "PENNVEST SRF-Environmental

Assessment" as the subject line can be submitted by e-mail to ecomment@pa.gov or to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

For further information about the approval of the following Environmental Assessments or the Clean Water State Revolving Loan Program and Drinking Water State Revolving Loan Program contact Richard Wright at riwright@pa.gov, the Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059 or visit the Department's web site at <http://www.dep.pa.gov/Business/Water/PointNonPointMgmt/InfrastructureFinance/>.

CWSRF Projects Being Considered

Applicant: Sandy Lake Township

County: Mercer

Applicant Address: 3086 Sandy Lake—Grove City Road, P.O. Box 205, Sandy Lake, PA 16145

Project Description: The proposed solution includes a sewer system consisting of 26 simplex grinder pumps, 3 duplex grinder pumps, and assorted pressure sewer and pressure main. The low-pressure sewer system will connect to the Sandy Lake Borough sewer system on United States Route 62 at the Sandy Lake Borough/Sandy Lake Township line with conveyance to the Lakeview Joint Sewer Authority Waste Water Treatment Plant (WWTP) for treatment.

Problem Description: The service area is the houses and businesses along Mercer Road and Walnut Street in Sandy Lake Township. It includes 21 residences, a 4-unit apartment building, a church, 2 commercial establishments, a restaurant and a convenience store/gas station. A sanitary survey of the sewage disposal needs within the proposed service area showed a significant number of malfunctioning onlot systems. The proposed project will eliminate the discharge of raw sewage into the groundwater or waters of the Commonwealth which can create potential health, safety and environmental issues.

Applicant: Greene Township

County: Erie

Applicant Address: 9333 Tate Road, Erie, PA 16509

Project Description: The proposed project includes the construction of approximately 26,370 linear feet of 8-inch through 15-inch diameter gravity sewer, 822 manholes, 3,472 linear feet of forcemain, 21,239 linear feet of low-pressure sewer, 1 pump station and 64 grinder pumps to provide wastewater service to 175 entities. The wastewater will be collected from Greene Township and conveyed through the Millcreek Township Sewer Authority system into the City of Erie system for treatment.

Problem Description: This is the first phase of a four-phase project whereby the most densely populated areas of Greene Township are proposed to receive public wastewater service. This phase will serve 165 residential and 10 commercial entities along the following roads: Langdon, Old Waterford, Hilborn, Gunnison, Kosiorek, as well as the northern portions of Lake Pleasant and State Route 8. A sanitary survey of this project area revealed a 62% confirmed onlot malfunction rate. These systems leach untreated and partially treated wastewater onto the ground surface and into the waters of the Common-

wealth. This project will eliminate the malfunctioning sewage systems thereby improving the area's water quality.

Applicant: Petersburg Borough Sewer Authority

County: Huntingdon

Applicant Address: 316 King Street, P.O. Box 6, Petersburg, PA 16669

Project Description: The waste water treatment facility (WWTF) improvement project will require the construction of a number of new mechanical components beginning with a new headworks all the way through the post-aeration tank. The collection and conveyance system will consist of 8,000 linear feet of 8-inch PVC gravity sewer, 1,650 linear feet of 6-inch PVC gravity sewer laterals, 1,400 linear feet of 3-inch PVC forcemain, 1 wastewater pump station and all other associated appurtenances to connect 44 properties.

Problem Description: The WWTF is experiencing equipment failure and equipment needs to be replaced. Existing onlot systems are old and have the potential to fail. The onlot systems are in close proximity to the existing WWTF and can be included in the WWTF system with an extension of the collection and conveyance system.

Applicant: Howe Township Municipal Authority

County: Perry

Applicant Address: 319 North 4th Street, Newport, PA 17074

Project Description: The project will provide public sewer service to approximately 599 equivalent dwelling units (EDU) at build-out, consisting of residential, commercial and institutional flow. The sanitary sewer collection system will consist of low-pressure sewer, gravity sewer, and three pump stations and their associated force mains. The Howe Township collection system will be connected to the Newport Borough Municipal Authority WWTP. A 5,000-gallon per day package WWTP and approximately 92 EDUs will be decommissioned as part of this project.

Problem Description: Howe Township is currently served by onlot disposal systems (OLDS). The Juniata Parkway Area of Howe Township has been experiencing issues with OLDS malfunctions and well water contamination. Tier One and Tier Two sanitary surveys and well water sampling were performed for Howe Township and the Juniata Parkway Area, which confirmed these issues. The State Route 34 Planned Growth Area of Howe Township requires a public sewer due to the potential for future growth.

Applicant: West Elizabeth Sanitary Authority (WESA)

County: Allegheny

Applicant Address: P.O. Box 503, West Elizabeth, PA 15088

Project Description: Replacement of the existing 0.5 million gallons per day (mgd) WESA Sewage Treatment Plant (STP) with a new 1.06 mgd treatment facility. Construct a three-tank sequencing batch reactor treatment unit with adaptive reuse of the existing plant for sludge processing.

Problem Description: The existing WESA STP subject to wet weather hydraulic overload resulting in wet weather sewage overflows.

DWSRF Projects Being Considered

Applicant: Municipal Authority of the Borough of Midland

County: Beaver

Applicant Address: 946 Railroad Avenue, Midland, PA 15059

Project Description: The Municipal Authority of the Borough of Midland (Authority) is proposing the construction of a new raw water intake and a temporary intake. The Department's review of the project and the information received in the Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal.

Problem Description: The Authority will build its own raw water intake to have access to raw water to process into finished water. The system serves the areas of Midland, Shippingport and part of Industry Boroughs. Prior to this, the Authority purchased its raw water from Allegheny Ludlum (ATI) who controlled the cost of raw water. ATI has shut down; therefore, the Authority needs its own water intake to control its own costs and to have an uninterrupted supply of raw water for processing into potable water for the town of Midland and the surrounding service areas.

Applicant: Steelton Borough Authority

County: Dauphin

Applicant Address: 123 North Front Street, Steelton, PA 17113-2238

Project Description: Install a new 260,000-gallon clearwell, new pumps for the transfer of filtered water to the new clearwell, modifications to the existing clearwell and all other related piping, electrical and controls work at the treatment plant.

Problem Description: Due to the lack of sufficient chlorine contact volume following treatment, chlorine is added to the raw water upstream of the clarifiers thus allowing chlorine to react with organics in the raw water prior to their removal. This has resulted in periodic exceedances of Disinfection Byproducts, Maximum Contamination Levels. Several Notices of Violation have been issued. The additional clearwell volume will enable raw water chlorine addition to be significantly reduced or eliminated.

PATRICK McDONNELL,

Acting Secretary

Department of Environmental Protection

Acting Vice Chairperson

Pennsylvania Infrastructure Investment Authority

PAUL K. MARCHETTI,

Executive Director

Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 16-934. Filed for public inspection May 27, 2016, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by June 13, 2016. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2016-2526206. Reliable Taxi of the Poconos, LLC (188 Sterling Road, Mount Pocono, Monroe County, PA 18344) demand service, in the area bounded by a line beginning at the intersection of Route 209 and Route 115 in Broadheadsville, Monroe County, thence along Route 115 northwardly and westwardly to the intersection of Route 115 and Caughbaugh Road (Township Highway 553) in Buck Township, Luzerne County, thence along Caughbaugh Road (Township Highway 553) eastwardly to the intersection of Caughbaugh Road (Township Highway 553) and Locust Ridge Road, thence northwardly on Locust Ridge Road to the intersection of Locust Ridge Road and Old River Road, thence northwardly and eastwardly on Old River Road to the intersection of Old River Road, Sandy Beach Road and Clifton Beach Road, thence northwardly and eastwardly on Clifton Beach Road to the intersection of Clifton Beach Road, Phillips Road and Route 435 in Clifton Township, Lackawanna County, thence southwardly and eastwardly on Phillips Road to the intersection of Phillips Road and Main Street (Route 507) Gouldsboro, Wayne County, thence northwardly and eastwardly on Main Street (Route 507) to the intersection of Main Street (Route 507) and South Turnpike Road (Route 196) where Route 507 becomes Millcreek Road (Route 507), thence continuing northwardly and eastwardly to the intersection of Millcreek Road and South Sterling Road (Route 191), thence northwardly on South Sterling Road (Route 191) to the intersection of South Sterling Road (Route 191) and Route 447 in Newfoundland, Wayne County, thence southwardly and eastwardly on Route 447 to the intersection of Route 447 and Route 390 in Canadensis, Monroe County, thence southwardly and westwardly on Route 390, which subsequently merges with Route 191, and continuing on Route 191 southwardly and eastwardly to the intersection of Route 191, Route 940 and Red Rock Road in Paradise Valley, Monroe County, thence southwardly and eastwardly on Route 191 to the intersection of Route 191 and Route 715 in Henryville, Monroe County, thence southwardly and westwardly on Route 715 to the intersection of Route 715 and Sugar Hollow Road in Stroudsburg, Monroe County, thence continuing southwardly on Route 715 to the place of beginning.

Attorney: Steven N. Goudsouzian, 2925 William Penn Highway, Suite 301, Easton, PA 18045.

A-2016-2542393. Raymond B. Lowe (309 Smithfield Boulevard, Smithfield, VA 23430) for the right to begin to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in Pennsylvania; excluding service that is under the jurisdiction of the of the Philadelphia Parking Authority.

A-2016-2544682. Croyle Transport, Inc. (950 Coaldale Road, Philipsburg, Centre County, PA 16866) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Blair, Cameron, Centre, Clearfield, Clinton, Elk, Huntingdon, Indiana, Jefferson, Juniata, Mifflin, Snyder and Union, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2016-2544737. B & M Limousine Services, Inc. (512 Millers Run Road, Morgan, Allegheny County, PA 15064) persons in limousine service, from points in Allegheny, Washington, Westmoreland and Somerset Counties to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* Deborah L. Roscioli, 700 East Garden Gate Drive, Suite 101, Mount Laurel, NJ 08054.

A-2016-2544790. B & M Limousine Services, Inc. (512 Millers Run Road, Morgan, Allegheny County, PA 15064) in airport transfer service, from points in the Counties of Allegheny, Washington, Westmoreland and Somerset, to and from the Pittsburgh International Airport, the Allegheny County Airport and the Arnold Palmer Regional Airport. *Attorney:* Deborah L. Roscioli, 700 East Garden Gate Drive, Suite 101, Mount Laurel, NJ 08054.

A-2016-2544792. B & M Limousine Services, Inc. (6 Allegheny Avenue, Cuddy, Allegheny County, PA 15031) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Allegheny, Somerset, Washington and Westmoreland, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority. *Attorney:* Debra L. Roscioli, Esquire, Reger, Rizzo & Darnall, LLP, 700 East Gate Drive, Suite 101, Mount Laurel, NJ 08054.

A-2016-2545857. Monarca Express, LLC (217 East Centre Street, Shenandoah, Schuylkill County, PA 17976) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Schuylkill County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-2016-2545154. Rapid Movers, LLC, t/a Rapid Moving and Storage (P.O. Box 498, Falconer, Chautauqua County, NY 14733) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Application of the following for approval to begin operating as a broker for transportation of persons as described under the application.

A-2016-2542927. Center for Community Building, Inc. (P.O. Box 60929, Harrisburg, PA 17106-0929) for the right to begin to arrange the transportation of passengers, between points in Pennsylvania.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2015-2478734. V J Limo Service, Inc. (P.O. Box 267, Adamstown, PA 19501) for the discontinuance of service and cancellation of his certificate, as a common carrier, by motor vehicle, at A-00123218, authorizing the transportation of persons in limousine service, in the Counties of Berks, Lancaster and York, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2016-2544891. Francis Agbo, t/a Ampa Coach Ambulette of PA (P.O. Box 908, Warwick, NY 10990) for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, at A-6412864, authorizing the transportation of persons, in paratransit service, from points in the Counties of Pike and Wayne, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-935. Filed for public inspection May 27, 2016, 9:00 a.m.]

Service of Notice of Motor Carrier Formal Complaints

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due June 13, 2016, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Mahmoud Mahmoud; Docket No. C-2016-2537121

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Mahmoud Mahmoud, Respondent, maintains a principal place of business at 3431 Meadowbrook, Leavittsburg, OH 44430 and 4823 Westchester Dr., Youngstown, OH 44515.
2. That on March 29, 2016 at 11:38 am, PUC Enforcement Officer Andrew Rosenberger observed a vehicle at

Station Square in Pittsburgh with a portable taxi dome light, but no PUC number on the vehicle. The license plate, FXQ8147 OH was registered to Respondent, Mahmoud Mahmoud of Leavittsburg, Ohio. The vehicle is a 2002 Honda with vehicle identification number HKR118612H563786. Respondent does not hold a certificate of public convenience issued by this Commission.

3. That Respondent, by having operated a vehicle with a taxi dome light at Station Square, Pittsburgh, is holding out to provide transportation of persons between points in the Commonwealth of Pennsylvania for compensation while not having operating authority with this Commission, and violated the Public Utility Code, 66 Pa.C.S. § 1101. The penalty for this violation is \$1,000.00.

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission fine Mahoud Mahoud, the sum of one thousand dollars (\$1,000.00) for the illegal activity described in this Complaint.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 4/26/2016

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Deputy Chief Prosecutor
Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, e-mailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 P.O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-936. Filed for public inspection May 27, 2016, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148 by June 13, 2016. The nonrefundable protest filing fee is \$2,500 payable to the PPA by certified check or money order. The application is available for inspection at the TLD with Administrative Counsel between 9 a.m. and 4 p.m., Monday through Friday (contact Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business address of the respective applicants.

Doc. No. A-16-05-01. VPW Limousine, LLC (327 Robbins Street, Philadelphia, PA 19111): An application for a limousine certificate of public convenience (CPC) to transport persons on an exclusive basis arranged for in

advance in luxury limousine service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* Vito F. Canuso, Jr., Esq., The Bellevue, 200 South Broad Street, Suite 440, Philadelphia, PA 19102.

Doc. No. A-16-05-01. VPW Limousine, LLC (327 Robbins Street, Philadelphia, PA 19111): An application for a limousine CPC to transport persons and their baggage on a nonexclusive, scheduled basis or nonscheduled basis arranged for in advance, to or from any airport, railroad station or hotel located in whole or in part within the City of Philadelphia. *Attorney:* Vito F. Canuso, Jr., Esq., The Bellevue, 200 South Broad Street, Suite 440, Philadelphia, PA 19102.

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 16-937. Filed for public inspection May 27, 2016, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Carly Ann Mienzenger, LPN; File No. 14-51-13820; Doc. No. 0927-51-2015

On April 26, 2016, Carly Ann Mienzenger, LPN, license no. PN284128, last known of Phoenixville, Chester County, was indefinitely suspended retroactive to July 16, 2015, because she is addicted to alcohol or hallucinogenic or narcotic drugs or other drugs which tend to impair judgment or coordination.

Individuals may obtain a copy of the adjudication by writing to Bridget K. Guilfoyle, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 16-938. Filed for public inspection May 27, 2016, 9:00 a.m.]

Bureau of Professional and Occupational Affairs v. Jennifer Lundy, RN; File No. 14-51-02466; Doc. No. 1109-51-2014

On March 10, 2016, Jennifer Lundy, RN, Pennsylvania license no. RN560034, last known of Burnsville, MN, was issued a civil penalty of \$500 and indefinitely suspended based on receiving disciplinary action by the proper licensing authority of another state and failing to report same to the State Board of Nursing (Board).

Individuals may obtain a copy of the adjudication by writing to Bridget K. Guilfoyle, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 16-939. Filed for public inspection May 27, 2016, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v.
Heather Lyn Wolters, RN; File No. 14-51-07889;
Doc. No. 0003-51-16**

On January 4, 2016, Heather Lyn Wolters, RN, license no. RN559489, last known of Northampton, Northampton County, had her registered nurse license automatically suspended for 10 years from the date of conviction, based upon her felony conviction under The Controlled Substance, Drug, Device and Cosmetic Act (35 P.S. §§ 780-101—780-144).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

KRISTIN MALADY, BSN, RN,
Chairperson

[Pa.B. Doc. No. 16-940. Filed for public inspection May 27, 2016, 9:00 a.m.]

**SUSQUEHANNA RIVER
BASIN COMMISSION**

Commission Meeting

The Susquehanna River Basin Commission (Commission) will hold its regular business meeting on Thursday, June 16, 2016, at 9 a.m. at the DoubleTree Resort by Hilton Hotel Lancaster, Terrace Room, 2400 Willow Street Pike, Lancaster, PA 17602. Details concerning the matters to be addressed at the business meeting are contained in the Supplementary Information section of this notice.

For further information contact Jason E. Oyler, General Counsel, (717) 238-0423, Ext. 1312, fax (717) 238-2436.
Supplementary Information

The business meeting will include actions or presentations on the following items: (1) informational presenta-

tion of interest to the Lower Susquehanna Subbasin area; (2) election of officers for Fiscal Year (FY) 2017; (3) the proposed Water Resources Program for FY 2017 and FY 2018; (4) amendment of the Comprehensive Plan for the Water Resources of the Susquehanna River Basin; (5) the proposed FY 2017 Regulatory Program Fee Schedule; (6) adoption of a preliminary FY 2018 budget; (7) ratification/approval of contracts/grants; (8) consideration to change the name of the Compliance Reserve Fund and amend said policy; (9) a proposed guidance for expiring project approvals; (10) a proposed guidance for terminating review of a project application; (11) regulatory compliance matter for New Enterprise Stone & Lime Co., Inc.; and (12) Regulatory Program projects.

Projects, the fee schedule, the guidance documents for expiring project approvals and terminating review of a project application, and amendments to the Comprehensive Plan listed for Commission action are those that were the subject of a public hearing conducted by the Commission on May 4, 2016, and identified in the notice for the hearing, which was published at 81 FR 20046 (April 6, 2016).

The public is invited to attend the Commission's business meeting. Comments on the Regulatory Program projects, the fee schedule, the guidance documents for expiring project approvals and terminating review of a project application, and amendments to the Comprehensive Plan were subject to a deadline of May 16, 2016. Written comments pertaining to other items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through <http://www.srbcc.net/pubinfo/publicparticipation.htm>. The comments are due to the Commission on or before June 10, 2016. Comments will not be accepted at the business meeting noticed.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808.

Dated: May 13, 2016.

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 16-941. Filed for public inspection May 27, 2016, 9:00 a.m.]

**THADDEUS STEVENS
COLLEGE OF
TECHNOLOGY**

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids (bid document 16-0001) for a variety of construction products such as lumber, insulation, stair stringers, wall plates, fasteners, hardware and finish materials to complete an entire duplex residence. Bid documents can be obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 16-942. Filed for public inspection May 27, 2016, 9:00 a.m.]

