

# NOTICES

## DELAWARE RIVER BASIN COMMISSION

### Public Hearing and Business Meeting

The Delaware River Basin Commission (Commission) will hold a public hearing on Wednesday, August 10, 2016, at the Washington Crossing Historic Park Visitor Center, 1112 River Road, Washington Crossing, PA. A business meeting will be held on Wednesday, September 14, 2016, at the Historic Hotel Bethlehem, 437 Main Street, Bethlehem, PA. The hearing and business meeting are open to the public.

**Public hearing.** The public hearing on August 10, 2016, will begin at 1:30 p.m. Hearing items will include draft dockets for the withdrawals, discharges and other water-related projects subject to the Commission's review.

Written comments on matters scheduled for hearing on August 10, 2016, will be accepted through 5 p.m. on August 11, 2016. After the hearing on all scheduled matters has been completed, and as time allows, an opportunity for open public comment will also be provided.

The public is advised to check the Commission's web site periodically prior to the hearing date, as items scheduled for hearing may be postponed if additional time is deemed necessary to complete the Commission's review, and items may be added up to 10 days prior to the hearing date. In reviewing docket descriptions, the public is also asked to be aware that project details commonly change in the course of the Commission's review, which is ongoing.

1. *Pennsylvania American Water Company, D-1966-100 CP-2.* An application to renew the approval of an existing surface water withdrawal (SWWD) and approve an allocation of up to 540 million gallons per month (mgm) to supply the applicant's public water supply from an existing surface water intake on the Schuylkill River. The project intake is located in the Schuylkill River Watershed in the Borough of Norristown, Montgomery County, PA.

2. *Paulsboro Refining Company, LLC, D-1969-195-3.* An application to renew the approval of the existing Paulsboro Refining Company industrial wastewater treatment plant (IWTP), formerly known as the Valero Refining Company IWTP, and its discharge. The IWTP has an average annual design flow of 9.19 million gallons per day (mgd) and a hydraulic design capacity of 15.84 mgd. The IWTP will continue to discharge treated industrial wastewater effluent to Water Quality Zone 4 of the Delaware River at River Mile 87.7, in the Borough of Paulsboro, Gloucester County, NJ.

3. *Saputo Dairy Foods USA, LLC, D-1972-146-2.* An application to approve a change in ownership of a previously approved groundwater supply project and to renew the approval of an allocation of up to 29 mgm from existing Wells Nos. 1—4 for industrial cooling, industrial processes and potable supply at an existing dairy processing manufacturing facility now owned by the applicant. The wells are completed in unconsolidated sand and gravel in the West Branch Delaware River Watershed in the Town of Delhi, Delaware County, NY within the drainage area of the section of the main stem Delaware

River known as the Upper Delaware, which the Commission has classified as Special Protection Waters.

4. *Boyertown Borough, D-1973-199 CP-4.* An application to renew the approval of the applicant's existing 0.75 mgd wastewater treatment plant (WWTP) and its discharge. The WWTP will continue to discharge to Swamp Creek, which is a tributary of Perkiomen Creek, which is a tributary of the Schuylkill River, River Mile 92.47—32.3—12.9—11.9 (Delaware River—Schuylkill River—Perkiomen Creek—Swamp Creek) in Douglass Township, Montgomery County, PA.

5. *Ambler Borough, D-1975-016 CP-4.* An application to renew the approval of the applicant's existing 8.0 mgd WWTP and its discharge. The WWTP has an average annual flow of 6.5 mgd. The WWTP will continue to discharge treated effluent to Wissahickon Creek, which is a tributary of the Schuylkill River, at River Mile 92.5—12.8—12.7 (Delaware River—Schuylkill River—Wissahickon Creek) by Outfall No. 001 in Upper Dublin Township, Montgomery County, PA.

6. *Calpine Corporation, D-1981-020 CP-2.* An application to renew the approval of the existing discharge of up to 870.2 mgd of noncooling contact water (NCCW), intake screen backwash, and boiler and cooling tower blowdown from the docket holder's Edgemoor Energy Center and Hay Road Energy Center power generation facilities. The 710-megawatt Edgemoor Energy Center is fueled by natural gas or oil and consists of three boiler/turbine units. The 1,100-megawatt Hay Road Energy Center facility is fueled by natural gas and consists of six combustion turbines and heat recovery steam generating units and two steam turbine units. The facilities will continue to discharge by three existing outfalls to Water Quality Zone 5 of the Delaware River at River Mile 72.8, in the City of Wilmington, New Castle County, DE.

7. *Paunnacussing Founders, Inc., D-1996-042-3.* An application to renew the approval of an existing groundwater and SWWD of up to 6.2 mgm to irrigate the applicant's Lookaway Golf Course from existing Wells Nos. PW-2 and PW-3 and an existing, off-stream constructed pond. Wells Nos. PW-2 and PW-3 are completed in the Brunswick Formation. The requested allocation is not an increase from the previous allocation. The project is located in the Commission's designated Ground Water Protected Area (GWPA) in the Mill Creek Watershed in Buckingham Township, Bucks County, PA.

8. *Easton Suburban Water Authority, D-1999-062 CP-2.* An application to renew the approval of an existing SWWD to supply the applicant's public water supply distribution system and to approve a decrease in withdrawal allocation from 13.0 mgd (403 mgm) to 10.42 mgd (323 mgm) from an existing intake on the Delaware River. The requested allocation is not an increase from the previous allocation. The project is located in the Delaware River Watershed in the City of Easton, Northampton County, PA within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters.

9. *Calpine Corporation, D-2000-012 CP-2.* An application to renew the approval to withdraw up to 8,763.7 mgm of surface water from the Pumphouse 2 Intake and up to 18,404.7 mgm of surface water from the Pumphouse 3 Intake from the Delaware River (total combined allocation of 27,168.4 mgm) for noncontact cooling, cooling

tower makeup, fire suppression and intake screen backwashing at the existing Edge Moor and Hay Road Energy Centers. The allocation provided by this docket is based on the maximum water demands of the facility with all circulating, service water, fire suppression and intake screen backwash pumps in operation and represents a decrease from the allocation of 34,100 mgm (33,000 million gallons per 30 days) approved in the previous docket. This docket also updates project information and consolidates several previous Commission approvals into a single docket. The facility is located in the City of Wilmington, New Castle County, DE, and the intakes withdraw water at approximately River Mile 72.1 in Delaware River Water Quality Zone 5.

10. *Upper Hanover Authority, D-2001-061 CP-4.* An application to renew the approval of the applicant's existing 0.4 mgd WWTP and its discharge. The WWTP will continue to discharge to Macoby Creek at River Mile 92.47—32.3—19.5—5.3 (Delaware River—Schuylkill River—Perkiomen Creek—Macoby Creek) located in Upper Hanover Township, Montgomery County, PA.

11. *Aqua Pennsylvania Wastewater, Inc., D-2002-042-4.* An application to renew the approval of the applicant's existing 0.6 mgd White Haven WWTP and its discharge. The WWTP will continue to discharge treated wastewater effluent to the Lehigh River at River Mile 183.7—71.9 (Delaware River—Lehigh River) within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in White Haven Borough, Luzerne County, PA.

12. *Artesian Water Company, D-2003-022 CP-4.* An application to renew the approval of an existing import project of up to 0.369 mgd from the Chesapeake Bay Basin from the Choptank and Bethel Church Wellfields to supply water to the applicant's public water supply system. The application also requested to renew the approval to withdraw up to 150 mgm of groundwater from 26 groundwater sources. The requested allocation is not an increase from the previous allocation. The project's existing groundwater withdrawals (GWD) are approved by the Delaware Department of Natural Resources and Environmental Control (DNREC) and will continue to be regulated by DNREC in accordance with the Administrative Agreement between the Commission and the State of Delaware. The water supply system and wellfields are located in New Castle County, DE.

13. *Aqua Pennsylvania, Inc., D-2003-033 CP-2.* An application to renew the approval of an existing GWD of up to 24.13 mgm from 14 existing wells including one replacement well and up to 15.5 mgm of water from an existing interconnection with Downingtown Municipal Water Authority for continued use in the docket holder's interconnected UGS North and Honey Brook public water systems. This docket consolidates and combines the total allocations contained in two separate Commission approvals issued for the two systems with no increase in the total allocations previously approved by these dockets. The wells are completed in felsic gneiss, intermediate gneiss and graphitic gneiss within the West Branch Brandywine and East Branch Brandywine watersheds, in East Brandywine, West Brandywine and Honey Brook townships, Chester County, PA.

14. *Buck Hill Falls Company, D-2009-001 CP-3.* An application to renew the approval of the applicant's existing 0.20 mgd WWTP and its discharge. Treated effluent will continue to be discharged to Buck Hill Creek at River Mile 213.00—21.11—0.50 (Delaware River—

Brodhead Creek—Buck Hill Creek) within the drainage area of the section of the main stem Delaware River known as the Middle Delaware, which the Commission has classified as Special Protection Waters, in Barrett Township, Monroe County, PA.

15. *Wallenpaupack School District, D-2009-026 CP-3.* An application to renew the approval of the existing 0.04 mgd Wallenpaupack Area School District High School WWTP and its discharge. The WWTP will continue to discharge to Lake Wallenpaupack on the Wallenpaupack Creek, which is a tributary of the Lackawaxen River, at River Mile 277.7—15.8—1.4—0.2 (Delaware River—Lackawaxen River—Wallenpaupack Creek—Lake Wallenpaupack) within the drainage area of the section of the main stem Delaware River known as the Upper Delaware, which the Commission has classified as Special Protection Waters, located in Palmyra Township, Pike County, PA.

16. *Tobyhanna Army Depot, D-1987-057 CP-4.* An application to approve new Wells 7—10 for inclusion in the applicant's public water supply system and to renew the approval of an existing GWD of up to 20.66 mgm from four new and two existing wells. The new wells will be replacing Wells 1, 3, 4 and 5, which were previously approved to supply groundwater to the applicant's system. The requested allocation is not an increase from the previous allocation. The project wells are located in the Poplar Gap Member of the Catskill Formation in the Tobyhanna Creek Watershed, within the drainage area of the section of the main stem Delaware River known as the Lower Delaware, which the Commission has classified as Special Protection Waters, in Coolbaugh Township, Monroe County, PA.

17. *Giorgio Foods, Inc., D-1988-043-5.* An application to upgrade the docket holder's existing 0.5 mgd IWTP, consisting of replacing the existing sand filter with new cloth media filters and the existing chlorination/dechlorination disinfection system with ultraviolet light disinfection. The IWTP will remain at 0.50 mgd and continue to discharge treated effluent to Willow Creek, a tributary of Maiden Creek, which is a tributary of the Schuylkill River, at River Mile 92.47—86.7—0.6—2.4 (Delaware River—Schuylkill River—Maiden Creek—Willow Creek) in Maidencreek Township, Berks County, PA.

18. *Johnson Matthey, Inc., D-1999-038-4.* An application to renew approval of the applicant's existing 0.08 mgd IWTP and its discharge. The applicant also renewed a total dissolved solids determination and IWTP effluent limit of 20,000 milligrams per liter (mg/l) (monthly average) and 40,000 mg/l (daily maximum). The project IWTP will continue to discharge to the Schuylkill River by the Matsunk Creek culvert at River Mile 92.47—21.5 (Delaware River—Schuylkill River) in Upper Merion Township, Montgomery County, PA.

19. *ABB, Inc., D-1986-069-2.* An application for approval of the discharge of remediation water from the existing 0.108 mgd groundwater treatment plant (GTP), as well as the withdrawal of up to 3.348 mgm of groundwater from existing Wells Nos. W-1, W-2 and W-7. The project wells are completed in the Stockton Formation. The GTP discharges to an unnamed tributary (UNT) of the Pennypack Creek by Outfall No. 1 at River Mile 109.75—19.7—1.8 (Delaware River—Pennypack Creek—UNT of the Pennypack Creek). The facility is located in the Commission's designated GWPA in the Pennypack Creek Watershed in Warminster Township, Bucks County, PA.

*Public meeting.* The public business meeting on September 14, 2016, will begin at 10:30 a.m. and will include: adoption of the minutes of the Commission's June 15, 2016, business meeting, announcements of upcoming meetings and events; a report on hydrologic conditions, reports by the Executive Director and the Commission's General Counsel; and consideration of any items for which a hearing has been completed or is not required.

After all scheduled business has been completed and as time allows, the meeting will also include up to 1 hour of open public comment.

There will be no opportunity for additional public comment for the record at the September 14, 2016, business meeting on items for which a hearing was completed on August 10, 2016, or a previous date. Commission consideration on September 14, 2016, of items for which the public hearing is closed may result in approval of the item (by docket or resolution) as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Any deferred items will be considered for action at a public meeting of the Commission on a future date.

*Advance sign-up for oral comment.* Individuals who wish to comment on the record during the public hearing on August 10, 2016, or to address the Commissioners informally during the open public comment portion of the meeting on either August 10, 2016, or September 14,

2016, as time allows, are asked to sign up in advance by contacting Paula Schmitt, paula.schmitt@drbc.nj.gov.

*Addresses for written comment.* Written comment on items scheduled for hearing may be delivered by hand at the public hearing or by hand, United States Mail or private carrier to the Commission Secretary, P.O. Box 7360, 25 State Police Drive, West Trenton, NJ 08628, fax (609) 883-9522 or e-mail (preferred) paula.schmitt@drbc.nj.gov. If submitted by e-mail, written comments on a docket should also be sent to David Kovach, Manager, Project Review Section, david.kovach@drbc.nj.gov.

*Accommodations for special needs.* Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the informational meeting, conference session or hearings should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services at 711 to discuss how the Commission can accommodate their needs.

*Additional information, contacts.* Additional public records relating to hearing items may be examined at the Commission's offices by appointment by contacting Carol Adamovic at (609) 883-9500, Ext. 249. For other questions concerning hearing items, contact Judith Scharite, Project Review Section assistant at (609) 883-9500, Ext. 216.

PAMELA M. BUSH,  
Secretary

[Pa.B. Doc. No. 16-1311. Filed for public inspection July 29, 2016, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 19, 2016.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
7-13-2016	Northwest Bank Warren Warren County	Approved
	Application for approval to purchase assets and assume liabilities of 18 branches of First Niagara Bank, National Association, Buffalo, NY, located at:	
	14 Lafayette Square Buffalo Erie County, NY	6409 Transit Road East Amherst Erie County, NY
	2070 George Urban Boulevard Depew Erie County, NY	3105 Niagara Falls Boulevard Amherst Erie County, NY

<i>Date</i>	<i>Name and Location of Applicant</i>		<i>Action</i>
	1531 Niagara Falls Boulevard Amherst Erie County, NY	1248 Abbott Road Lackawanna Erie County, NY	
	690 Kenmore Avenue Buffalo Erie County, NY	3488 Amelia Drive Orchard Park Erie County, NY	
	1690 Sheridan Drive Kenmore Erie County, NY	364 Connecticut Street Buffalo Erie County, NY	
	5751 South Park Avenue Hamburg Erie County, NY	2300 Grand Island Boulevard Grand Island Erie County, NY	
	4435 Transit Road Clarence Erie County, NY	55 East Avenue Lockport Niagara County, NY	
	1035 Payne Avenue North Tonawanda Niagra County, NY	805 Main Street Niagara Falls Niagara County, NY	
	4381 Military Road Niagra Falls Niagra County, NY	500 Center Street Lewistown Niagara County, NY	

**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-27-2016	ACNB Bank Gettysburg Adams County	201 Pauline Drive York York County	Opened
7-11-2016	Univest Bank and Trust Co. Souderton Montgomery County	1869 Charter Lane Lancaster Lancaster County (Limited Service Facility)	Opened
7-18-2016	First Columbia Bank & Trust Co. Bloomsburg Columbia County	400 Walnut Street Danville Montour County	Filed
7-19-2016	First Citizens Community Bank Mansfield Tioga County	720 East Main Street Mount Joy Lancaster County	Approved

**Branch Discontinuances**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-17-2016	First Priority Bank Malvern Chester County	5936 Easton Road Pipersville Bucks County	Closed

**Branch Relocations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
2-28-2016	ESSA Bank & Trust Stroudsburg Monroe County	<i>To:</i> 227 West Lancaster Avenue Devon Chester County  <i>From:</i> 410 West Lancaster Avenue Devon Chester County	Effective

**Branch Consolidations**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
6-24-2016	ESSA Bank & Trust Stroudsburg Monroe County	<i>Into:</i> 2826 Route 611 Tannersville Monroe County  <i>From:</i> 2836 Route 611 Tannersville Monroe County	Effective

**CREDIT UNIONS****Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
7-13-2016	Alcose Credit Union White Oak Allegheny County  Application for approval to merge Sacred Heart of Corpus Christi Federal Credit Union, White Oak, with and into Alcose Credit Union, White Oak.	Filed

**Articles of Amendment**

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
7-19-2016	Moonlight Credit Union Worthington Armstrong County  Amendment to Article 5 of the institution's Articles of Incorporation provides for the change of par value of its shares to \$1.	Filed

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 16-1312. Filed for public inspection July 29, 2016, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

**Pilot Riparian Forested Buffer Grant Program**

The Department of Conservation and Natural Resources (Department) will launch a PILOT grant program on August 1, 2016. The Department's Riparian Forested Buffer Program (Program) will provide financial assistance in the form of reimbursable grants to local governments, nonprofits and educational organizations to identify locations in need of riparian forested buffers and to design, establish, monitor and maintain those buffers.

Applicants are encouraged to include multifunctional buffers in project proposals.

Funding will be provided to applicants on a competitive basis with a minimum grant award of \$50,000 and a 50/50 match requirement (cash or noncash). The application period will be open from August 1, 2016, to mid-September. For more information or to apply for these grants, visit the Department's web site at <http://www.dcnr.state.pa.us/forestry/yourwoods/streambuffers/riparianbuffergrant>. Additional questions regarding this Program should be directed to Kelly Rossiter at (717) 772-3319.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 16-1313. Filed for public inspection July 29, 2016, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### I. NPDES Renewal Applications

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0047228 (Sewage)	Pennsbury Village Borough 1043 Pennsbury Boulevard Pittsburgh, PA 15205-1643	Allegheny County Pennsbury Village Borough	Unnamed Tributary of Campbells Run (20-F)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0033456 (Sewage)	Sunny Acres MHP STP 3499 Route 9, Suite 3C Freehold, NJ 07728-3277	Somerset County Somerset Township	Unnamed Tributary to East Branch Coxes Creek (19-F)	Yes
PA0030406 (Sewage)	SCI Laurel Highlands P O Box 631 5706 Glades Pike Somerset, PA 15501-0631	Somerset County Somerset Township	Unnamed Tributary to Beaverdam Creek (18-E)	Yes
PA0096474 (Storm Water and Hydrostatic Test Water)	Buckeye Terminals, LLC Coraopolis/Pittsburgh Terminal 3200 University Boulevard Coraopolis, PA 15108	Allegheny County Coraopolis Borough	Ohio River (20-G)	Yes
<i>Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0061263 (Industrial)	Wheelabrator Frackville Energy Co. Inc. 475 Moread Road Frackville, PA 17931-2340	Schuylkill County Mahanoy Township	Unnamed Tributary to Mill Creek (3-A)	Yes
PA0060569 (Sewage)	CBH2O STP a.k.a. Camelback Ski & Mountain Resort STP PO Box 168 Tannersville, PA 18372-0168	Monroe County Pocono Township	Pocono Creek (1-E)	Yes
<i>Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0000345 (Industrial Waste)	PA American Water Clarion 800 Hershey Drive Hershey, PA 17003	Clarion County Clarion Township	Clarion River (17-B)	Yes
PA0004251 (Industrial Waste)	Advanced Cast Products 18771 Mill Street Meadville, PA 16335	Crawford County Vernon Township	French Creek and an Unnamed Tributary to the Van Horne Creek (16-D)	Yes
PA0031879 (Sewage)	Mt Chestnut Nazarene Retreat Center 177 North Road Mt Chestnut District Center Butler, PA 16001	Butler County Franklin Township	Unnamed Tributary of Mulligan Run (20-C)	Y

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**PA0037940**, Sewage, SIC Code 4952, **Center Township Sewer Authority**, 224 Center Grange Road, Aliquippa, PA 15001. Facility Name: Elkhorn Run STP. This existing facility is located in Center Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Moon Run and Elkhorn Run, is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	2.0	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	417.3	625.9 Wkly Avg	XXX	25.0	37.5	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	500.7	751.1 Wkly Avg	XXX	30.0	45.0	60
Fecal Coliform (CFU/100 ml)						
Nov 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Oct 31	XXX	XXX	XXX	200 Geo Mean	XXX	400
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Benzo(a)Anthracene <sub>1</sub>	XXX	XXX	XXX	Daily Max Report	XXX	XXX
Benzo(a)Pyrene <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX
Benzo(k)Fluoranthene <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX
3,4-Benzofluoranthene <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX
Bromide <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX
Chrysene <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX
1,4-Dioxane <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX
Dibenzo(a,h)Anthracene <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX
Indeno(1,2,3-cd)Pyrene <sub>1</sub>	XXX	XXX	XXX	Report	XXX	XXX

1 The parameters indicated by footnote 1 received water quality based effluent limitations because the pollutants were reported to be present at a concentration higher than the DEP recognized target quantitative level. The permittee will have the opportunity to resample for those parameters during the public comment period to demonstrate that they are not present at concentrations equal to or greater than the target quantitative level. The effluent limitations or monitoring requirements may be removed from the permit or changed to less stringent technology based effluent limitations, as applicable, based on the additional sampling data provided.

The EPA Waiver is not in effect.

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.*

**PA0244856**, Storm Water, SIC Code 4953, **Waste Management Of Fairless LLC**, 1000 New Ford Mill Road, Morrisville, PA 19067. Facility Name: Fairless Lndfl. This proposed facility is located in Falls Township, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Stormwater.

The receiving stream(s), Unnamed Tributary to Delaware River and Unnamed Tributary of Delaware River, is located in State Water Plan watershed 2-E and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are for storm water discharge.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Annual Average	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units) (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Barium, Total	XXX	XXX	XXX	Report	Report	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Annual Average</i>	<i>Daily Maximum</i>	
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Total	XXX	XXX	XXX	Report	Report	XXX
Mercury, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Tritium, Total (pCi/L)	XXX	XXX	XXX	Report	Report	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are for storm water discharge.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Annual Average</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units) (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Barium, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Total	XXX	XXX	XXX	Report	Report	XXX
Mercury, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Tritium, Total (pCi/L)	XXX	XXX	XXX	Report	Report	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 003 are for storm water discharge.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Annual Average</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units) (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Barium, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Total	XXX	XXX	XXX	Report	Report	XXX
Mercury, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Tritium, Total (pCi/L)	XXX	XXX	XXX	Report	Report	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Bench mark value for some parameters.
- BMPs requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0244848**, Storm Water, SIC Code, **USSC Group, Inc.**, 150 Gordon Drive, Exton, PA 19341. Facility Name: USSC Group, Inc. This proposed facility is located in 150 Gordon Drive, Exton, PA 19141, Uwchlan Township, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Stormwater.

The receiving stream(s), Pine Creek, is located in State Water Plan watershed 3-D and is classified for Mi and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.000 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH	XXX	XXX	Report	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Aluminum	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
Total Mercury	XXX	XXX	XXX	Report	XXX	XXX
Total Zinc	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.000 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Aluminum	XXX	XXX	XXX	Report	XXX	XXX
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
Total Mercury	XXX	XXX	XXX	Report	XXX	XXX
Total Zinc	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

I. Requirements Applicable To Stormwater Outfalls

II. Other Requirements

A. Acquire Necessary Property Rights

B. Sludge Disposal Requirements

C. BAT/ELG Reopener

D. Small Stream Discharge

E. Remedial Measures if Public Nuisance

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**PA0012726**, Industrial, SIC Code 3354, **Sapa Extrusions Inc.**, PO Box 187, Cressona, PA 17929-0187. Facility Name: Sapa Extrusions. This existing facility is located in Cressona Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), West Branch Schuylkill River, is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 (discharge from IMP 010, stormwater and noncontact cooling water) are:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
PCBs, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 007 (stormwater and groundwater infiltration) are:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
PCBs, Total	XXX	XXX	XXX	0.00175	XXX	XXX

The proposed effluent limits for Outfall 008 (stormwater and groundwater infiltration) are:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
PCBs, Total	XXX	XXX	XXX	0.00175	XXX	XXX

The proposed effluent limits for Outfall 009 (stormwater and groundwater infiltration) are:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
PCBs, Total	XXX	XXX	XXX	0.00175	XXX	XXX

The proposed effluent limits for Internal Monitoring Point (IMP) 010 are based on an average discharge flow of 0.100 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
BOD, carbonaceous, 5 day, 20 C	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Total Suspended Solids	83.4	Report	XXX	50.0	Report	XXX
Total Dissolved Solids	Report	Report	XXX	Report	2,000.0	XXX
Oil and Grease	12.5	25.0	XXX	15.0	30.0	30.0
Fecal Coliform	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Chromium, Total	1.53	3.73	XXX	Report	Report	XXX
Cyanide, Total	0.94	2.28	XXX	Report	Report	XXX
Iron, Total	Report	XXX	XXX	Report	XXX	XXX
Manganese, Total	Avg Qrtly Report Avg Qrtly	XXX	XXX	Avg Qrtly Report Avg Qrtly	XXX	XXX
Aluminum, Total (Interim)	27.2	57.6	XXX	Report	Report	XXX
(Final)	12.7	19.8	XXX	15.2	23.7	38.0
Thallium, Total (Interim)	Report	Report	XXX	Report	Report	XXX
(Final)	0.0120	0.0188	XXX	0.0144	0.0225	0.036
Zinc, Total	4.76	11.46	XXX	Report	Report	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX
PCBs, Total	Avg Qrtly XXX	XXX	XXX	Avg Qrtly 0.00175	XXX	XXX

In addition, the permit contains the following major special conditions:

- WQBELs Below Quantitation Limits
- Total PCBs
- Treatment System for PCBs
- Schedule of Compliance for Total Thallium
- Chemical Additives
- Requirements Applicable to Stormwater Outfalls.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0060801**, Sewage, SIC Code 4952, **Montrose Municipal Authority Susquehanna County**, PO Box 306, Montrose, PA 18801-0306. Facility Name: Montrose Municipal Authority WWTP. This existing facility is located in Montrose Borough, **Susquehanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Pettis Creek, is located in State Water Plan watershed 4-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.82 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Total Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	Avg Mo XXX	XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.019	XXX	0.046

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Total Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
	Avg Mo					
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	30 Avg Mo	XXX	XXX	4.5	XXX	9.0
May 1 - Oct 31	10 Avg Mo	XXX	XXX	1.5	XXX	3.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
	Avg			Avg		
Zinc, Total	0.55 Avg Mo	0.82	XXX	0.081	0.12	XXX

The proposed final effluent limits for Outfall 001 are based on a design flow of 0.82 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	68	102	XXX	10.0	15.0	20
TSS (Load, lbs/mo or lbs/year)	68	102	XXX	10.0	15.0	20
Copper, Total	Report	Report	XXX	0.0091	0.0142	XXX
		Daily Max			Daily Max	
Tetrachloroethylene (µg/L)	Report	Report	XXX	0.96	1.4	XXX
		Daily Max			Daily Max	

The proposed interim effluent limits for Outfall 001 are based on a design flow of 0.82 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	102	136	XXX	15.0	20.0	30
TSS (Load, lbs/mo or lbs/year)	102	136	XXX	15.0	20.0	30
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Tetrachloroethylene	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Limits; Schedule for Compliance (Zinc, CBOD<sub>5</sub>, TSS), Solids management; Toxic Reduction Evaluation (copper and tetrachloroethylene); Stormwater prohibition; Necessary property rights; Residuals management; Chlorine minimization; High Flow Management Plan; SSO prohibition; Changes to existing stream/discharge; Whole Effluent Toxicity Testing prior to next NPDES Permit Renewal.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0266035**, Sewage, SIC Code 4952, **Albert C Kuhn**, 240 Springview Road, Carlisle, PA 17015. Facility Name: Kendor Summit Lots 15i & 16i SRSTP. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0266051**, Sewage, SIC Code 4952, **Albert C Kuhn**, 240 Springview Road, Carlisle, PA 17015. Facility Name: Kendor Summit Lots 3i & 4i SRSTP. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Conodoguinet Creek, is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
BOD <sub>5</sub>	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0026654**, Sewage, SIC Code 4952, **New Cumberland Borough**, 1120 Market Street, New Cumberland, PA 17070. Facility Name: New Cumberland WWTP. This existing facility is located in New Cumberland Borough, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 7-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light dosage (mjoules/cm)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	260	417	XXX	25.0	40.0	50
		Wkly Avg				
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	313	469	XXX	30.0	45.0	60
		Wkly Avg				

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Geo Mean Report	XXX	XXX
Total Phosphorus	21	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Monitoring Requirements
- Whole Effluent Toxicity (WET) Testing Requirements
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0029106**, Sewage, SIC Code 4952, **Greenfield Township Municipal Authority Blair County**, PO Box 372, Claysburg, PA 16625-0372. Facility Name: Greenfield Township STP. This existing facility is located in Greenfield Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Frankstown Branch Juniata River, is located in State Water Plan watershed 11-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.8 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	167	267	XXX	25.0	40.0	50
May 1 - Oct 31	133	200	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	200	300	XXX	30.0	45.0	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	110	XXX	XXX	16.5	XXX	33
May 1 - Oct 31	37	XXX	XXX	5.5	XXX	11
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total (interim)	Report	XXX	XXX	Report	XXX	XXX
Copper, Total (final)	0.28	XXX	XXX	0.042	XXX	0.084

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Monthly	Annual	Monthly	Monthly Average	Maximum	Instant. Maximum
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	14,612	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	1,948	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports submitted to the Department.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition
- Approval Contingencies
- Proper Waste/solids Management
- Restrictions on accepting hauled in waste under certain conditions
- Toxic reduction evaluation requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**PA0264598**, Sewage, SIC Code 8800, **Thomas Zimmer**, 5888 Lunger Road, Erie, PA 16510. Facility Name: Thomas Zimmer SRSTP. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Unnamed Tributary to Sixmile Creek, is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	Instant. Maximum
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

In addition, the permit contains the following major special conditions:

- Prohibition of Stormwater Discharges
- Right of Way
- Department Revocation of Permit/Abandonment of the Treatment System
- Submittal of an Annual Maintenance & Discharge Monitoring Reports
- Solids Handling
- Septic Tank Pumping Requirement
- Chlorine Optimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.



**PA0264296**, Sewage, SIC Code 8800, **Adam Brezinski**, 656 Ekastown Road, Sarver, PA 16055. Facility Name: Adam Brezinski SRSTP. This proposed facility is located in Buffalo Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream, an Unnamed Tributary to the Lardintown Run, is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.

---

### III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P.S. §§ 691.1—691.1001)

---

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 6369405 A-3**, Sewage, **Peters Township Sanitary Authority Washington County**, 111 Bell Drive, McMurray, PA 15317-6403.

This existing facility is located in Peters Township, **Washington County**.

Description of Proposed Action/Activity: The Giant Oaks Interceptor capacity augmentation project proposes construction of gravity sewer interceptor for approximately 5,200 lineal feet of SDR-35 PVC and Ductile Iron Pipe, ranging from 15-inch to 21-inch diameters of sizes and all required appurtenances.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. WQG02391601**, Sewage, **Hanover Township**, 2202 Grove Road, Allentown, PA 18109.

This proposed facility is located in Hanover Township, **Lehigh County**.

Description of Proposed Action/Activity: An 8-inch diameter sewer extension along Willowbrook Road will connect to the existing Hanover Township interceptor to serve a new development. The existing interceptor connects to the Borough of Catasauqua for treatment at its wastewater treatment plant.

**WQM Permit No. WQG02481602**, Sewage, **Allen Township**, 4714 Indian Trail Road, Northampton, PA 18067.

This proposed facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: An 8-inch diameter sewer extension along Willowbrook Road will connect to the existing Hanover Township (Lehigh County) interceptor to serve a new development. The existing interceptor connects to the Borough of Catasauqua for treatment at its wastewater treatment plant.

**WQM Permit No. 5216401**, Sewage, **Route 739, LLC**, 800 Mt. Vernon Hwy, Suite 140, Atlanta, GA 30328.

This proposed facility is located in Delaware Township, **Pike County**.

Description of Proposed Action/Activity: This application is for a sequencing batch reactor wastewater treatment plant, sewage collection system and drip irrigation system to serve a proposed commercial development to be known as Delaware Plaza. The effluent from the proposed wastewater treatment plant will be discharged to a drip irrigation field for land application and disposal of the treated wastewater. The hydraulic design capacity of the treatment system is 4,570 gpd which includes flow contributions from a proposed grocery store, two retail users, a fast food restaurant, a community bank and a coffee/donut shop. The proposed project is located along S.R. 0739, approximately 0.5 mile southeast of Nichecronk Road.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 0116202**, CAFO, **Hillandale Gettysburg, LP (Lake Meade)**, 3910 Oxford Drive, Gettysburg, PA 17325.

This proposed facility is located in Reading Township, **Adams County**.

Description of Proposed Action/Activity: Seeking permit approval for the Hillandale Lake Meade layer operation that will demolish the existing turkey barn and construct 6 new layer houses, and egg packaging facility, manure storage building and an HDPE lined egg wash water storage structure. The facility will have the capacity to house 1,500,000 layer hens.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1016406**, Sewage, **Diana & George Mastovich**, 1132 Lilly Vue Court, Mars, PA 16046.

This proposed facility is located in Middlesex Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

---

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010916005	Environmental Consulting, Inc. 2002 Renaissance Boulevard King of Prussia, PA 19406	Bucks	Chalfont Borough	West Branch Neshaminy Creek WWF-MF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lehigh County Conservation District, Lehigh Ag Center, Suite 102, 4184 Dorney Park Rd., Allentown, PA 18104.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023916001	Tim Schadler Seipsville Village, LLC 1793 Folk Road Fogelsville, PA 18051	Lehigh	Weisenberg Township	Hassen Creek (HQ-CWF, MF) with EV Wetlands

*Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth, PA 18064-9211.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024812020(1)	Victaulic Company c/o Mr. Mark Daniel 4901 Kesslersville Road Easton, PA 18040	Northampton	Forks Township	UNT to Bushkill Creek (HQ-CWF, MF)

*Susquehanna County Conservation District, 88 Chenango Street, Montrose, PA 18801.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025816003	Rail-Trail Council of NEPA, Inc. c/o Lynn Conrad P.O. Box 32 Union Dale, PA 18470	Susquehanna	Thompson Township	UNT to Starrucca Creek (EV, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030516001	Carol Ritchey 902 Ott Town Road Everett, PA 15537	Bedford	Colerain Township	UNT Cove Creek (EV, MF)
PAI032116006	Donald E. Diehl 4 East High Street Carlisle, PA 17013	Cumberland	South Middletown Township	Yellow Breeches Creek (HQ-CWF, MF) Hogestown Run (CWF, MF)

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.*

*Union County Conservation District: Union County Government Center, 155 North 15th Street, Lewisburg, PA 17837, (570) 524-3860.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI046016003	White Deer Run Drug and Alcohol Treatment Center 202 Cove Forge Road Williamsburg, PA 16693	Union	Gregg Twp	White Deer Hole Creek HQ-CWF, TSF, MF

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Lawrence County Conservation District, Lawrence Co Government Center, 430 Court Street, New Castle, PA 16101.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI063716001	New Castle Sanitation Authority 102 East Washington Street New Castle, PA 16101	Lawrence	Shenango and Slippery Rock Townships	McKee Run WWF, Skunk Run CWF, Duck Run WWF, Unt Hell Run EV, Unt Big Run TSF

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### APPLICATIONS

#### NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Embrovac, LLC	Schuylkill	102.3 total 0 available	443.75	Poultry: Layer	HQ	Renewal
Aspen Perry Farm 2127 Oak Hall Road Newport, PA 17074	Perry	85.9	1,865	Swine	HQ-CWF	Renewal
Melvin Bricker East Dutch Corner Road McConnellsburg, PA 17233	Fulton	160.4	346.82	Poultry/ Turkey	N/A	New
Michael & Corey Wilt 1408 Pointer Road Everett, PA 15537	Bedford	589.5	864.46	Swine & Dairy	N/A	New
Edward Horst 251 Bunkerhill Rd Womelsdorf, PA 19567	Berks	119.8	250.10	Poultry, Heifers	N/A	Renewal

## PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act

*Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 4616517**, Public Water Supply.

Applicant	<b>Horsham Water &amp; Sewer Authority</b>
Township	Horsham
County	<b>Montgomery</b>
Responsible Official	Tina M. O'Rourke Business Manager 617 Horsham Road Horsham, PA 19044-1207
Type of Facility	PWS
Consulting Engineer	Gilmore & Associates, Inc. 65 E. Butler Avenue Suite 100 New Britain, PA 18901
Application Received Date	July 19, 2016
Description of Action	Installation of temporary granular activated carbon treatment systems at Wells 10, 17 and 21 for removal of PFC's.

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 2216505**, Public Water Supply.

Applicant	<b>Thomas W. Edwards II</b>
Municipality	Londonderry Township
County	<b>Dauphin</b>
Responsible Official	Thomas W. Edwards II 1899 Wisagarver Road Manheim, PA 17545
Type of Facility	Public Water Supply
Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
Application Received:	7/18/2016
Description of Action	Installation of an anion exchange treatment system along with blending for the removal of nitrate.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 1116503**, Public Water Supply.

Applicant	<b>Patton Municipal Authority</b> 800 Fourth Avenue Patton, PA 16668
[Township or Borough]	Patton Borough
Responsible Official	Donald Kirk, Chairman Patton Municipal Authority 800 Fourth Avenue Patton, PA 16668
Type of Facility	Water system
Consulting Engineer	Keller Engineers, Inc. 420 Allegheny Street Hollidaysburg, PA 16648
Application Received Date	July 7, 2016
Description of Action	Modify treatment and distribution piping to direct finished water to Tank # 1; install a tank mixing system; and abandon the use of chemical fluoride.

### MINOR AMENDMENT

#### Applications Received Under the Pennsylvania Safe Drinking Water Act

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Application No. 266W2-MA2**, Minor Amendment.

Applicant	<b>Rixford Waterworks Association</b>
Township or Borough	Otto Township
Responsible Official	Jeff Anderson President Rixford Water Association PO Box 127 Rixford PA 16745
Type of Facility	Public Water Supply

Consulting Engineer Eric S. Lundy, P.E.  
2836 Earlstown Road  
Suite 1  
Centre Hall, PA 16828

Application Received June 29, 2016  
Date

Description of Action Replace two existing storage  
tanks with one 43,000 gallon  
water storage tank.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 1

### **Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environ- mental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional

office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Boyer Property**, 1037 Jeter Avenue, Fountain Hill Borough, **Lehigh County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207, on behalf of Lehigh Fuel/Jack Rich, Inc., 617 Altamont Boulevard, Frackville, PA 17931, submitted a Notice of Intent to Remediate. A release of No. 2 fuel oil occurred at this site due to a delivery error. The proposed future use of the property will be residential. The Notice of Intent to Remediate was published in *The Press Group Newspapers* on June 22, 2016.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**American Clothing Restoration**, 17 East Queen Street, Ephrata, PA 17522, Ephrata Borough, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Matthew Manwaring, 363 Cherry Valley Hill Road, Maine, NY 13802, and CMN Property Management LLC, 400 Arrowhead Trail, Sinking Spring, PA 19608, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with chlorinated solvents. The site will be remediated to the Site Specific Standard and remain industrial clothing restoration. The Notice of Intent to Remediate was published in the *LNP* on July 1, 2016.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Bender Residence**, 2149 Glendale Lake Road, Clearfield Township, **Cambria County**. McKee Environmental, Inc., 218 Washington Ave., Bellefonte, PA 16823 on behalf of Christoff Mitchell Petroleum, Inc., 2719 Walton Street, Philipsburg, PA 16866 has submitted a Notice of Intent to Remediate (NIR) to meet the residential Statewide Health Standards concerning site soil and groundwater contaminated with benzene, ethylbenzene, cumene, MTBE, naphthalene, toluene, (1,2,4-TMB), (1,3,5-TMB) from a home heating oil spill. The future use of the property is residential. Notice of the NIR was published in the *Star-Courier* on June 30, 2016.

### RESIDUAL WASTE GENERAL PERMITS

**Application(s) received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.*

**Permit No. 301071. MAX Environmental Technologies, Inc.—Yukon Facility**, 233 MAX Lane, Yukon, PA

15698. An application for permit renewal for the continued operation of the residual waste processing and disposal facility in South Huntingdon Township, **Westmoreland County** was received in the Southwest Regional Office on June 28, 2016.

**Permit No. WMGR038SW011. Blairsville Environmental Rubber LLC**, 5490 State Rt 217 North, Blairsville, PA 15717. An application for a permit renewal for the residual waste Blairsville Environmental Rubber LLC, tire recycling and processing site in Black Lick Township, **Indiana County** was received in the Regional Office on July 11, 2016.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit Application No. 101187. County Landfill, Inc.**, 344 Wally Run Drive, P.O. Box 237, Leeper, PA 16233-4128; Farmington Township, **Clarion County**. County Landfill is a closed municipal waste landfill. This application is a major modification of the approved Closure Plan. The landfill has requested off-site trucking of leachate as the primary disposal method. The application was received May 12, 2016. The application was found to be administratively complete by the Northwest Regional Office on June 9, 2016.

Persons interested in commenting on the permit may contact John Guth, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335 (814) 332-6848. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

### AIR QUALITY

#### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**54-00005A: Wheelabrator Frackville Energy, Inc.** (475 Morea Road, Frackville, PA 17931-2340) For the installation and operation of a powdered activated carbon (PAC) system control device in order to meet the 40 CFR 63, Subpart UUUUU National Emission Standards for Hazardous Air Pollutants (NESHAP) for the existing Coal- and Oil-Fired Electric Utility Steam Generating Units or the Mercury Air Toxics Standards (MATS) at their facility in Mahoney Township, **Schuylkill County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**22-05024B: Penn State University, Milton S. Hershey Medical Center** (500 University Drive, Hershey, PA 17033) For the construction of a human crematorium in Derry Township, **Dauphin County**. The projected annual emissions from the operation of the cremation unit will be approximately 0.82 tpy of PM<sub>10</sub>, 0.29 tpy of SO<sub>x</sub>, 1.2 tpy of CO, 0.35 tpy of NO<sub>x</sub>, and 0.35 tpy of VOCs. The Plan Approval will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Based on these findings, the Department proposes to issue a plan approval for the proposed operation. If the Department determines that the sources are operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the provisions of 25 Pa. Code Chapter 127.

**OPERATING PERMITS**

**Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**40-00020: PA DPW/White Haven Center** (827 Oley Valley Road, White Haven, PA 18661-3043) The Department intends to issue a renewal Title V Operating Permit for a Residential Care facility in Foster Township, **Luzerne County**. The facility's main sources include three (3) anthracite coal fired boilers, one (1) coal/oil fired boiler, and fourteen (14) diesel fired generators. These sources have the potential to emit major quantities of regulated pollutants above Title V emission thresholds. The proposed Title V Operating Permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping and reporting conditions regarding compliance with all applicable requirements are included.

**39-00016: Buckeye Energy Services, LLC, Macungie Terminal** (PO Box 368, 5002 Buckeye Road, Emmaus, PA 18049-0368) The Department intends to issue a renewal of the Title V Operating Permit for the petroleum bulk stations and terminals facility in Lower Macungie Township, **Lehigh County**. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G.

The sources consist of a Loading Racks and Gasoline and Distillate Storage Tanks. The control devices are a Vapor Collection System (VCU) and a Vapor Recovery

System (VRU). The proposed Title V Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**39-00019: Buckeye Pipe Line Co, LLC, Macungie Station** (PO Box 368, 5002 Buckeye Road, Emmaus, PA 18049-0368) The Department intends to issue a renewal of the Title V Operating Permit for the refined petroleum pipelines facility in Lower Macungie Township, **Lehigh County**. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G.

The sources consist of Pumps, and Gasoline and Distillate Tanks. The proposed Title V Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**39-00028: Buckeye Terminals, LLC, Macungie Terminal** (PO Box 368, 5002 Buckeye Road, Emmaus, PA 18049-0368) The Department intends to issue a renewal of the Title V Operating Permit for the petroleum bulk stations and terminals facility in Lower Macungie Township, **Lehigh County**. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G.

The sources consist of a Loading Rack and Gasoline Storage Tanks. The control device is a Vapor Collection System (VCU). The proposed Title V Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05002: Armstrong Flooring, Inc.** (P.O. Box 3001, Lancaster, PA 17604) For operation of their flooring manufacturing plant in the City of Lancaster, **Lancaster County**. Actual emissions from the facility in 2014 were estimated at 6.40 tons CO, 15.77 tons NO<sub>x</sub>, 4.97 tons PM<sub>10</sub>, 4.97 tons PM<sub>2.5</sub>, 2.27 tons SO<sub>x</sub>, 24.54 tons VOC, 0.23 ton of a single HAP (glycol ethers), and 0.33 ton of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart Dc—Standards of Performance for Small Industrial—Commercial-Institutional Steam Generating Units, 40 CFR 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Area Sources: Industrial, Commercial, and Institutional Boilers, 40 CFR 63, Subpart KK—National Emission Standards for the Printing and Publishing Industry, & 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

**06-05069: East Penn Manufacturing Co., Inc.** (P.O. Box 147, Lyon Station, PA 19536) To issue a Title V

Operating Permit renewal for the lead-acid battery assembly facility located in Richmond Township, **Berks County**. The actual emissions from the facility in the year 2014 are estimated at 44 tons of CO, 54 tons of NO<sub>x</sub>, 35 tons of PM, 31 tons of VOC and 2 tons of lead. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart DDDDD, 40 CFR 63 Subpart MMMM, 40 CFR 63 Subpart ZZZZ, 40 CFR 60 Subpart JJJJ, 40 CFR 60 Subpart IIII and 40 CFR 60 Subpart KK.

**36-05140: Valley Proteins, Inc.** (693 Wide Hollow Road, East Earl, PA 17519) To renew a Title V Operating Permit for the animal rendering plant at the Terre Hill facility in East Earl Township, **Lancaster County**. The actual emissions from the facility in the year 2014 were estimated at 6.5 tons of CO, 7.7 tons of NO<sub>x</sub>, 0.84 ton of PM<sub>10</sub>, 0.05 ton of SO<sub>x</sub>, and 0.54 ton of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit renewal incorporates requirements from plan approval 36-05140F, and includes provisions derived from 40 CFR Part 63, Subpart JJJJJ, and 40 CFR Part 60, Subpart Dc.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**15-00138: Aqua Pennsylvania, Inc.** (762 West Lancaster Avenue, Bryn Mawr, PA 19010) For operation of seven (7) units of diesel-fired emergency generators and one (1) unit of natural gas-fired boiler at their Pickering Water Treatment Plants located in Schuylkill Township, **Chester County**. Nitrogen Oxide emissions (NO<sub>x</sub>) are the main air pollutants produced by consumption of fuels. The facility is a State-Only facility for its NO<sub>x</sub> emissions. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**09-00075: Dunmore Corp.** (145 Wharton Rd., Bristol, PA 19007) For renewal of a State-Only Operating Permit for a coated and laminated film manufacturing plant in Bristol Township, **Bucks County**. This facility is subject to the provisions of 40 CFR 60 Subpart VVV—Standards of Performance for Polymeric Coating of Supporting Substrates Facilities. The Operating Permit will contain all applicable requirements that apply to each press and the mixing room, monitoring, recordkeeping, reporting, and work practices designed to keep the facility operating within all applicable air quality requirements.

**46-00283: Danco General Contracting, Inc.** (485 Texas Road, Morganville, NJ 07751) For an initial State Only Operating Permit for a portable non-metallic mineral processing plant located at Silve Concrete in Limerick Township, **Montgomery County**. Sources authorized under this operating permit include a portable crusher and screener with associated diesel-fired engines. The portable non-metallic mineral processing plant is con-

trolled by a water spray dust suppression system with the primary pollutant of concern being particulate matter. The facility is categorized as a natural minor facility based on its potential emissions. The operating permit includes monitoring, record keeping and reporting requirements to address all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**48-00068: Pennsylvania Perlite Corp.** (1428 Mauch Chunk Road, Bethlehem, PA 18018) The Department intends to issue a State-Only Operating Permit renewal for operation of a perlite manufacturing operation in Bethlehem City, **Northampton County**. The sources include two (2) vertical kilns. The kilns emissions are controlled by a baghouse. The proposed operating permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-03077: FM Brown Sons, Inc.** (205 Woodrow Avenue, Sinking Spring, PA 19608) To issue a renewal of the State Only Operating Permit for their feed mill operations in Sinking Spring Borough, **Berks County**. The facility's potential-to-emit estimates are approximately 1.2 tpy of PM<sub>10</sub>, 1.3 tpy of SO<sub>x</sub>, and 0.62 tpy of NO<sub>x</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit includes provisions derived from 40 CFR Part 63, Subpart JJJJJJ.

**28-03040: New Enterprise Stone & Lime** (PO Box 77, New Enterprise, PA 16664) To issue a State Only Operating Permit for a rock crusher operation in Chambersburg Quarry located in Guilford Township, **Franklin County**. The primary emissions from the facility are particulate matter; the actual 2015 emissions from the facility are 13.73 tons of PM and 5.01 tons of PM<sub>10</sub>. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

**22-03018: Millersburg Lenkerville Elementary School** (520 S. Market Street, Millersburg, PA 17061) To issue a State Only Operating Permit for the boilers at the elementary school located in Upper Paxton Township, **Dauphin County**. The potential emissions from the facility are estimated at 47.20 tpy of SO<sub>x</sub>, 5.45 tpy of NO<sub>x</sub>, 0.36 tpy of CO, 4.36 tpy of PM and 0.18 tpy of TOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart JJJJJJ—



National Emission Standards for Hazardous Air Pollutants for Area Sources: Industrial, Commercial, and Institutional Boilers.

### PLAN APPROVALS

**Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B And Subchapter F. These actions may include the administrative amendments of an associated operating permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**39-00064A: Cera-Met LLC** (2175 Avenue C, Bethlehem, PA 18017) For their facility located in Bethlehem, **Lehigh County**. This Plan Approval No. 39-00064A will be incorporated into a Natural Minor Permit through an administrative amendment at a later date.

Plan Approval No. 39-00064A is for the installation of a new thermal oxidizer and foam/wax burn off oven with control. The company shall be subject to and comply with 25 Pa. Code § 123.41 for visible emissions. The facility is subject to 25 Pa. Code § 127.12(a)(5) Best Available Technology (BAT) requirements. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating Permit will include testing, monitoring, record keeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 39-00064A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

### COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation

Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

#### *Coal Applications Received*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**Permit No. 32890109 and NPDES No. PA0598640. CONSOL Mining Co., LLC**, CNX Center, 1000 Consol Energy Drive, Canonsburg, PA 15317, permit renewal for reclamation only of a bituminous surface and auger mine in Blacklick Township, **Indiana County** affecting 18.4 acres. Receiving stream: Aultmans Run classified for the following use: trout stocked fishes. There are no potable water supply intakes within 10 miles downstream. Application received: July 8, 2016.

**Permit No. 11910101. E.P. Bender Coal Co., Inc.**, P.O. Box 594, Carrolltown, PA 15722, permit renewal for reclamation only of a bituminous surface and auger mine in Reade Township, **Cambria County**, affecting 88.0 acres. Receiving streams: unnamed tributary to/and Powell Run classified for the following use: cold water fishes.

There are no potable water supply intakes within 10 miles downstream. Application received: June 20, 2016.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

**61110102. Ben Hal Mining Company** (389 Irishtown Road, Grove City, PA 16127) Renewal of an existing bituminous surface mine in Clinton Township, **Venango County**, affecting 35.2 acres. Receiving streams: Unnamed tributaries to Scrubgrass Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. This renewal is for reclamation only. Application received: July 14, 2016.

**10110105. K & A Mining** (P.O. Box 288, Grove City, PA 16127) Renewal of an existing bituminous surface mine in Cherry Township, **Butler County**, affecting 25.8 acres. Receiving streams: South Branch Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. This renewal is for reclamation only. Application received: July 14, 2016.

**10110102. K & A Mining** (P.O. Box 288, Grove City, PA 16127) Renewal of an existing bituminous surface mine in Cherry Township, **Marion County**, affecting 41.3 acres. Receiving streams: Unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. This renewal is for reclamation only. Application received: July 14, 2016.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**26980104 and NPDES Permit No. PA0202355. Gary Gioia Coal Co.** (319 Karen Drive, Elizabeth, PA 15037). Renewal application for continued mining to an existing bituminous surface mine, located in Wharton Township,

**Fayette County**, affecting 156.5 acres. Receiving streams: Big Sandy Creek and unnamed tributary to Big Sandy Creek, classified for the following use: HQ-CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: July 13, 2016.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 22851602R6. Meadowbrook Coal Co., Inc.**, (PO Box 1, Wiconisco, PA 17097), renewal of an existing anthracite coal preparation plant operation in Wiconisco Township, **Dauphin County** affecting 23.4 acres, receiving stream: Wiconisco Creek, classified for the following uses: warm water and migratory fishes. Application received: July 15, 2016.

**Permit No. 22851602C9. Meadowbrook Coal Co., Inc.**, (PO Box 1, Wiconisco, PA 17097), correction of an existing anthracite coal preparation plant operation to update the post-mining land use from forestland to industrial/commercial with areas of unmanaged natural habitat in Wiconisco Township, **Dauphin County** affecting 23.4 acres, receiving stream: Wiconisco Creek, classified for the following uses: warm water and migratory fishes. Application received: July 15, 2016.

**Permit No. 22-305-002GP12. Meadowbrook Coal Co., Inc.**, (PO Box 1, Wiconisco, PA 17097), application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 22851602 in Wiconisco Township, **Dauphin County**. Application received: July 15, 2016.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 58060838. R&M Stone**, (718 Newhart Road, Montrose, PA 18801), Stage I & II bond release of a quarry operation in Forest Lake Township, **Susquehanna County** affecting 1.0 acre on property owned by Diane Armon. Application received: June 30, 2016.

**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

*Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**NPDES No. PA0269468 (Mining Permit No. 56150103), Elk Resources, Inc.**, 30 Pounds Road, West Lebanon, PA 15783, new NPDES permit for surface coal mining in Paint Township, **Somerset County**, affecting 74.8 acres. Receiving streams: unnamed tributary to Stonycreek River and Stonycreek River, classified for the following use: warm water fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: December 18, 2015.

The outfall(s) listed below discharge to: Unnamed tributary to Stonycreek River & Stonycreek River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	Y
002	Y

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

The outfall listed below discharges to: Unnamed tributary to Stonycreek River

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

**NPDES No. PA0262897 (Mining Permit No. 32090104), Beth Contracting, Inc.** 815 Rock Run Road, Glen Campbell, PA 15724. Application for an NPDES permit for surface mining of coal in Banks Township, **Indiana County**, affecting 23.2 acres. Receiving streams: Cush Creek and unnamed tributary to Cush Creek (topographic drainage only) and Horton Run, classified for the following use: cold water fishes (CWF). This receiving stream is included in the West Branch of the Susquehanna River TMDL. Application received: September 22, 2015.

The outfall(s) listed below discharge to Kittanning Run.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Outfalls: 001 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			
<i>Outfalls: 002 (Dry Weather)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

<i>Outfalls: 002 (≥10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**NPDES No. PA 0256692 (Mining permit no. 17080101), RES Coal LLC, Inc.** 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, renewal of an NPDES permit for coal surface mining in Beccaria Township, **Clearfield County**, affecting 217.1 acres. Receiving stream(s): Unnamed Tributaries to DeWitt Run, DeWitt Run, classified for the following use(s): CWF and Unnamed Tributaries to Clearfield Creek, and Clearfield Creek classified for the following use(s): WWF. Clearfield Creek TMDL. Application received: December 23, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to DeWitt Creek and Clearfield Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB-1	N
TB-2	N
TB-3	N
TB-4	N
SP-A	N
SP-B	N
SP-C	N
SP-D	N

**NPDES No. PA0256528 (Mining permit no. 17070106), Junior Coal Contracting, Inc.**, 2330 Six Mile Road, Philipsburg, PA 16866, renewal of an NPDES permit for bituminous surface and auger mining in Decatur Township, **Clearfield County** affecting 245.6 acres. This is a correction to the mining permit no. that was published earlier. Receiving stream(s): Big Run and Unnamed Tributaries to Big Run, classified for the following use(s): CWF. Moshannon Creek TMDL. Application received: November 30, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to Big Run:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TB-1	N
TB-2	N
TB-3	N
TB-4	N
SP-A	N
SP-B	N
SP-C	N
SP-D	N

#### *Noncoal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**NPDES No. PA0614343 (Mining Permit No. 7574SM2) Hempt Brothers, Inc.**, 205 Creek Road, Camp Hill, PA 17001, renewal of an NPDES permit for a Large Industrial Minerals limestone quarry in Lower Allen Township, **Cumberland County**, affecting 29 acres. Receiving stream: Yellow Breeches Creek classified for the following uses: cold water fishes, migratory fishes. Application received: June 30, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The outfall listed below discharges to Yellow Breeches Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the above listed outfall is as follows:

<i>Outfalls: 001</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Oil and Grease (mg/l)		Monitor and Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

### Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

---

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E51-274. Philadelphia Water Department**, 1101 Market Street, 2nd Philadelphia, PA, 19107, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the SR 0095 Section BS4 Project outfall structures discharging to the Frankford Creek (WWF, MF). Specific water obstructions and encroachment are:

1) To replace and maintain two existing culvert outfall structures under the Aramingo Avenue Bridge over the Frankford Creek.

2) To construct temporary cofferdams within the Frankford Creek to facilitate the construction and replacement of outfall structures at the Aramingo Avenue Bridge.

3) To construct and maintain a proposed culvert outfall structure upstream of the Aramingo Avenue Bridge.

4) To construct and maintain stormwater basins within the floodway of Frankford Creek to facilitate the overall objective of the project.

The project site, which is associated with Aramingo Avenue Bridge Project, has two outfalls directly under the Aramingo Bridge discharging to Frankford Creek (WWF, MF). It is located approximately 1,059 feet northeast of the intersection of Wheatshaf Lane and Aramingo Avenue in the City of Philadelphia, Philadelphia County (Camden PA-NJ USGS Quadrangle, Longitude 75° 05' 27" W; Latitude 40° 00' 19"N near the center of the Aramingo Avenue Bridge).

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E35-463. Pennsylvania Turnpike Commission**, P.O. Box 67676, Harrisburg, PA 17106, in South Abington Township, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 424 foot stream relocation of a UNT to Leggets Creek (CWF, MF) associated with the construction of an additional lane to Interstate 476. Grading associated with the construction of the additional lane to Interstate 476 will temporarily impact 0.001 acre of PEM/PFO wetland and permanent impact of 0.036 acre. The project is located along Interstate 476 (Scranton, PA Quadrangle, Latitude: 41°29'15"; Longitude: -75°40'59.4").

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E36-959: Plenary Walsh Keystone Partners**, Ephrata Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District.

To remove the existing structure and to install and maintain a 54.5 foot long, 30.5 foot wide concrete box beam bridge having an under clearance of 5.40 feet over Indian Run (TSF, MF) (Latitude 40°12'14.76", Longitude -76°10'51.95") for the purpose of improving safety standards. No wetlands will be impacted by the activity.

*Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**E32-518, PennDot District 10**, 2550 Oakland Avenue, Indiana, PA 15701, Blacklick Township, **Armstrong County**, Pittsburgh ACOE District.

The applicant is proposing to:

1.) Remove the existing SR 0217 two lane, 46' wide by 43.4' long single span box beam bridge having an under-clearance of 6.33' and construct and maintain a replacement two lane, 46' wide by 48' long, dual concrete box culvert having an under-clearance of 7.5 feet over Stewart Run (CWF) with a drainage area of 5.8 square miles;

2.) To relocate 445' of the aforementioned Stewart Run remove an existing 30' long 16" culvert carrying a UNT to Stewart Run (CWF) with a drainage area of less than 100 acres and construction and maintain a replacement 75' long 16" culvert downstream from the original location;

3.) Place and maintain fill in a de minimis 0.04 acre of PEM wetland(s) (aka Wetland(s) F, H and I);

4.) Construct and maintain roadway associated stormwater outfalls; construct and remove construction related temporary encroachments;

For the purpose of intersection safety improvements and the replacement of a structurally deficiency bridge along SR 0217, which is located at the intersection of S.R. 0217 and S.R. 3004 (Blairsville Quadrangle, Latitude: 40° 29' 14", Longitude: -79° 16' 24.1") in Blacklick Township, Indiana County. Mitigation for stream impacts will occur on site within the relocated section of Stewart Run with the installation of stream structures and riparian plantings.

**E63-683, PennDOT District 12-0**, 825 North Gallatin Avenue, Uniontown, PA 15401, East Bethlehem Township, **Washington County**, Pittsburgh ACOE District.

The applicant is proposing to:

Install and maintain an anchored sheet pile retaining along 450 linear feet of Tenmile Creek,

For the purpose of rehabilitating an existing emergency retaining wall. The project is located near the intersection of SR 88 and Morton Street (Quadrangle: Carmichaels N: 19.8 inches; W: 17.25 inches; Latitude: 39° 59' 5.1"; Longitude: -79° 59' 57.5") East Bethlehem Township, Washington County.

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E42-367, National Fuel Gas Supply Corporation**, 1100 State Street, Erie PA 16501-1912. Northern Access 2016 Expansion Project, in Sergeant, Keating, Annin, Eldred, and Ceres Townships, **McKean County**, ACOE Pittsburgh District (Crosby, PA Quadrangle N: 41°42'04.84"; W: 78°29'59.98").

The project consists of the construction, operation, and maintenance of an expanded natural gas transmission pipeline and related infrastructure from Sergeant Township, McKean County, Pennsylvania to the Town of Elma, Erie County, New York. The Pennsylvania portion of the project includes approximately 28 miles of 24 inch diameter natural gas pipeline construction from the interconnection/tie-in at the existing NFG Midstream Clermont, LLC, facility along SR 146 approximately 1 mile west of Clermont (Crosby, PA Quadrangle N: 41°42'04.84"; W: 78°29'59.98") in Sergeant Township, McKean County extending generally north crossing through portions of Sergeant, Keating, Annin, Eldred, and Ceres Townships, McKean County, to where it will cross the New York border approximately 2 miles west of where SR 44 crosses the state line (Bullis Mills, PA Quadrangle N: 41°59'57.51"; W: 78°17'56.98") in Ceres Township, McKean County. Pipeline work also includes three main-line valve sites, cathodic protection, and numerous temporary and permanent access roads to support construction and permanent facility access. Numerous stream and wetland crossings will occur along the project route as described below. The project also will utilize one temporary pipe storage yard and one contractor yard along SR 155 south of Port Allegheny Borough in Liberty Township, McKean County. The pipeline route has been co-located to parallel/overlap existing utility ROWs for a total of 17.75 miles in PA.

The Pennsylvania portion of the project includes the following proposed aquatic resource impacts:

1) 51 pipeline and temporary equipment crossings of wetlands, installed by open-trench, resulting in a total of 7.073 acres of wetland disturbance within the proposed permanent ROW, 1.682 acre of which consists of perma-

nent wetland vegetation conversion, and an additional 4.974 acres of temporary wetland impact within the temporary construction ROW. There is no proposed permanent loss of wetland area associated with this project;

2) 15 temporary equipment crossings/construction workspace areas in wetlands resulting in a total of 0.303 acre of temporary wetland impact;

3) 118 pipeline and temporary equipment crossings of streams and floodways resulting in a total of 904 LF of stream channel crossed by the pipeline and a total of 1.826 acre of temporary impact to stream channels. Of these, 105 will be installed by open trench via dam/pump (51 of which are <100 acre drainages), 1 by open trench via coffer dam (Potato Creek), 1 by horizontal directional drill (Allegheny River), and 1 by conventional bore (UNT Rock Run). At the remaining 10 locations, the pipeline will be installed within the 50 ft assumed floodway of small tributaries but will not cross the stream channel (all 10 are <100 acre drainages).

Project includes crossings of Bloomster Hollow and tributaries, tributaries to Irons Hollow, Blacksmith Run and tributaries, Cloverlot Hollow and tributaries, Kent Hollow and tributaries, Newell Creek and tributaries, Oswayo Creek and tributaries, Marvin Creek and tributaries, Champlin Hollow and tributaries, Open Brook, Allegheny River, Barden Brook and tributaries, Potato Creek and tributaries, tributaries to Cole Creek, McCrea Run and tributaries, and Pierce Brook;

4) 14 temporary equipment crossings of streams (temporary bridges) resulting in temporary impacts to a total of 420 LF stream channel (all are <100 acre drainages);

5) 1 pipeline and temporary equipment crossing of an open water pond (23 LF);

To mitigate for these proposed impacts, the applicant proposes the following:

1) To enhance existing, degraded PEM wetlands located in State Game Lands 062 (SGL 062) and three properties currently in the process of being added to SGL 062 (Lewis Run, PA Quadrangle N:41°47'16.85"; W:78°38'22.26"). Enhancement activities include the planting of a minimum of 0.507 acre of shrub habitat and 1.175 acre forested habitat utilizing native trees/shrubs to improve habitat for game and non-game species;

2) To restore the forested wetlands within the temporary construction ROW. Restoration will include, depending on site conditions, either replanting of native trees in disturbed wetlands or temporary stabilization and natural regeneration. Areas where the applicant opts to utilize natural regeneration will result in additional planting area being added to the SGL 062 enhancement project above—bringing the total up to potentially 3 acres;

3) To restore the impacted wetlands within the ROW. Wetlands crossed by the pipeline and equipment will be restored to original contours by replacing native soils and temporarily stabilized to allow natural regeneration;

4) To restore the stream crossings within the ROW. Streams will be returned to original contours, and native streambed material will be replaced. Stream banks will be stabilized to minimize erosion.

The applicant previously requested 401 Water Quality Certification for this project as part of the FERC authorization process [Docket No. CP15-115-000 filed March 16, 2015]. This request was published in the May 14, 2016 edition of the *Pennsylvania Bulletin* under DEP file number WQ42-001 and is currently under review.

**E42-371, Plenary Walsh Keystone Partners**, 2000 Cliff Mine Road, Park West Two, 3rd Floor, Pittsburgh, PA 15275. JV 064 State Route 0155 Segment 0290 Offset 0238 Section A04 over Newell Run in Eldred Township, **McKean County**, ACOE Pittsburgh District (Pittsburgh, PA Quadrangle N: 41°, 53', 22.1"; W: -78°, 21', 8.4").

To remove the existing structure and to construct and maintain a 43 foot wide single-span, folded steel plate girder bridge having a total span length of 59 feet and a low-chord elevation of 1,443.65 across Newell Creek in Eldred Township, McKean County with associated impact to 0.572 acre of wetland (0.039 acre permanent) and realignment of 153 feet of UNT Newell Creek.

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut Street, Meadville, PA 16335; 814-332-6860.*

**E10-08-009, Stonehenge Appalachia LLC**, 11400 Westmoor Circle, Suite 200A, Westminster, CO 80021. Renick to Shields pipeline in Clay, Center, and Oakland Townships, **Butler County**, Army Corps of Engineers Pittsburgh District (Mount Chestnut and East Butler, PA Quadrangles 40.9296167N; -79.9042500W).

The applicant proposes to construct and maintain approximately 7.9 miles of one (16) inch steel natural gas gathering pipeline located in Clay, Center, and Oakland Townships Butler County. The pipeline connects and existing Well Pad to the Renick Compressor Station.

The water obstructions and encroachments are described below:

To construct and maintain:

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
1	One (1) 16" steel gathering line with associated right-of-way to be bored under UNT to Stony Run (WWF) having 102 linear feet of temporary stream and floodway impacts.	40.954536N -79.902303W
2	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Stony Run (WWF) having 170 linear feet of temporary stream and floodway impacts.	40.953297 N -79.897647 W
3	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Stony Run (WWF) having 195 linear feet of temporary stream and floodway impacts.	40.953192 N -79.897253 W
4	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 125 linear feet of temporary stream and floodway impacts.	40.955158 N -79.886333 W
5	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 125 linear feet of temporary stream and floodway impacts.	40.956750 N -79.888014 W
6	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 163 linear feet of temporary stream and floodway impacts.	40.952206 N -79.885583 W
7	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 161 linear feet of temporary stream and floodway impacts.	40.952353 N -79.882367 W
8	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 114 linear feet of temporary stream and floodway impacts.	40.952344 N -79.881167 W
9	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross Pine Run (WWF) having 148 linear feet of temporary stream and floodway impacts.	40.952483 N -79.879583 W
10	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 115 linear feet of temporary stream and floodway impacts.	40.953103 N -79.872825 W
11	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 172 linear feet of temporary stream and floodway impacts.	40.953286 N -79.863108 W
12	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Pine Run (WWF) having 176 linear feet of temporary stream and floodway impacts.	40.953292 N -79.862911 W
13	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 154 linear feet of temporary stream and floodway impacts.	40.950528 N -79.851422 W
14	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 237 linear feet of temporary stream and floodway impacts.	40.950658 N -79.849547 W



<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
15	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 298 linear feet of temporary stream and floodway impacts.	40.951972 N -79.838756 W
16	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 153 linear feet of temporary stream and floodway impacts.	40.951989 N -79.837944 W
17	One (1) 16" steel gathering line with associated right-of-way to be bored under UNT to Connoquenessing Creek (HQ-WWF) having 139 linear feet of temporary stream and floodway impacts.	40.951319 N -79.831806 W
18	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 187 linear feet of temporary stream and floodway impacts.	40.948633 N -79.832006 W
19	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 151 linear feet of temporary stream and floodway impacts.	40.945703 N -79.832897 W
20	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 110 linear feet of temporary stream and floodway impacts.	40.941231 N -79.824711 W
21	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 120 linear feet of temporary stream and floodway impacts.	40.941231 N -79.824711 W
22	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 169 linear feet of temporary stream and floodway impacts.	40.940639 N -79.835364 W
23	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 155 linear feet of temporary stream and floodway impacts.	40.938064 N -79.836558 W
24	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 125 linear feet of temporary stream and floodway impacts.	40.932786 N -79.833053 W
25	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 125 linear feet of temporary stream and floodway impacts.	40.934683 N -79.835319 W
26	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 257 linear feet of temporary stream and floodway impacts.	40.931933 N -79.833033 W
27	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 130 linear feet of temporary stream and floodway impacts.	40.932058 N -79.833314 W
28	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 180 linear feet of temporary stream and floodway impacts.	40.931906 N -79.833139 W
29	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Connoquenessing Creek (HQ-WWF) having 188 linear feet of temporary stream and floodway impacts.	40.929989 N -79.820514 W

<i>Impact No.</i>	<i>Description of Impact</i>	<i>Latitude / Longitude</i>
30	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Thorn Creek (HQ-WWF) having 163 linear feet of temporary stream and floodway impacts.	40.931308 N -79.806411 W
31	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross UNT to Thorn Creek (HQ-WWF) having 125 linear feet of temporary stream and floodway impacts.	40.931100 N -79.805897 W
32	One (1) 16" steel gathering line with associated right-of-way and temporary road crossing to cross Thorn Creek (HQ-WWF) having 130 linear feet of temporary stream and floodway impacts.	40.932692 N -79.803478 W
33	One (1) 16" steel gathering line to be bored under a Palustrine Emergent Wetland (EV-PEM) having 0.0007 acre of temporary impacts.	40.654536 N -79.902303 W
34	One (1) 16" steel gathering line and associated right of way and temporary road crossing to impact a Palustrine Forested Wetland (EV-PFO) having 0.05 acre of permanent impacts.	40.952389 N -79.880678 W
35	One (1) 16" steel gathering line and associated right of way and temporary road crossing to impact a Palustrine Emergent Wetland (EV-PEM) having 0.10 acre of temporary impacts.	40.952625 N -79.876533 W
36	One (1) 16" steel gathering line and associated right of way and temporary road crossing to impact a Palustrine Emergent Wetland (EV-PEM) having 0.033 acre of temporary impacts.	40.952606 N -79.875042 W
37	One (1) 16" steel gathering line and associated right of way and temporary road crossing to impact a Palustrine Scrub Shrub Wetland (EV-PSS) having 0.07 acre of temporary impacts.	40.950558 N -79.851361 W
38	One (1) 16" steel gathering line to be bored under a Palustrine Scrub Shrub Wetland (EV-PSS) having 0.007 acre of temporary impacts.	40.951250 N -79.831672 W

In Butler County, the project will result in a total of 1,758 linear feet of temporary stream impacts, 226,509 square feet of temporary floodway impacts, 0.123 acre of permanent impacts to wetlands, and 0.144 acre of temporary impact.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**EA36-046: Mill Creek Preservation Association**, 1383 Arcadia Road, Room # 200, Lancaster PA 17601 in Upper Leacock Township, **Lancaster County**, ACOE Baltimore District.

To construct and maintain a stream restoration project along 3,500 feet of Mill Creek (WWF, MF) including 1) seven mounds totaling 650 feet in length; 2) six cross rock vanes; 3) ten log/rock vanes; 4) one livestock crossing; and 5) 900 feet of bank grading with rock toe protection. The project is located downstream of the intersection of Stumptown Road and S.R. 772 (Leola, PA Quadrangle, Latitude 40°03'09"N, Longitude: 76°09'48.7"W) in Upper Leacock and Leacock Townships, Lancaster County. No wetlands will be impacted by this project.

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**D26-001EA. Mr. Steve Leiendecker, Pennsylvania Game Commission**, 4820 Route 711, Bolivar, PA 15923, Dunbar Township, **Fayette County**, USACOE Pittsburgh District.

Project proposes to remove the breached remains of Number 1 Dam on State Game Lands # 51 for the purpose of eliminating a threat to public safety and restoring the stream channel to a free-flowing condition. The project is located across Dunbar Creek (HQ-CWF) (South Connellsville, PA Quadrangle, Latitude: 39.9534; Longitude: -79.5785).

**D26-002EA. Mr. Steve Leiendecker, Pennsylvania Game Commission**, 4820 Route 711, Bolivar, PA 15923, Dunbar Township, **Fayette County**, USACOE Pittsburgh District.

Project proposes to remove the breached remains of Number 2 Dam on State Game Lands # 51 for the purpose of eliminating a threat to public safety and restoring the stream channel to a free-flowing condition. The project is located across Dunbar Creek (HQ-CWF) (South Connellsville, PA Quadrangle, Latitude: 39.9517; Longitude: -79.5786).

**D26-044EA. Mr. Steve Leiendecker, Pennsylvania Game Commission**, 4820 Route 711, Bolivar, PA 15923, Dunbar Township, **Fayette County**, USACOE Pittsburgh District.

Project proposes to remove the breached remains of Number 3 Dam on State Game Lands # 51 for the purpose of eliminating a threat to public safety and restoring the stream channel to a free-flowing condition. The project is located across Dunbar Creek (HQ-CWF) (South Connellsville, PA Quadrangle, Latitude: 39.9489; Longitude: -79.5785).

## STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, PO Box 8762, Harrisburg, PA 17105-8762, within 30 days from the date of this publication. Comments may also be submitted via email to tanks@pa.gov. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

**The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.**

<i>SSIP Application No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
16010	National Oilwell Varco, L.P. 7909 Parkwood Circle Drive Houston, TX 77036 Attn: Scott Rader	Allegheny	Leetsdale Borough	3 ASTs storing petroleum products	63,000 gallons total

## ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. NPDES Renewal Permit Actions**

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0255041 (Sewage)	Kibler SRSTP PO Box 501 752 Third Avenue Hastings, PA 16646	Cambria County Elder Township	Unnamed Tributary of Brubaker Run (8-B)	Yes

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0057908 (Sewage)	Jericho National Golf Club 250 Brownsburg Road New Hope, PA 18938	Bucks County Upper Makefield Township	Unnamed Tributary to Jericho Creek (2-E)	Y
PA0012432 (Industrial)	Sunny Dell Foods Inc. 135 North 5th Street Oxford, PA 19363	Chester County Oxford Borough	Unnamed Tributary of West Branch Big Elk Creek (2-E)	Y
PA0034487 (Industrial)	Meenan Oil Company, LP 113 Main Street Tullytown, PA 19007	Bucks County Tullytown Borough	Unnamed Tributary to Delaware River (2-E)	Y
PA0050393 (Sewage)	Valley Green STP 1721 Valley Forge Rd P.O. Box 767 Worcester, PA 19490-0767	Montgomery County Worcester Township	Zacharias Creek (3-E)	Y

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701*

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0228869 (Sewage)	PA DCNR Kettle Creek State Park 97 Kettle Creek Park Lane Renovo, PA 17764-9400	Clinton County Leidy Township	Kettle Creek (9-B)	Yes

**II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401*

**NPDES Permit No. PA0030970**, Sewage, **Cheyney University**, 1837 University Circle, Cheyney, PA 19319-0200.

This proposed facility is located in Thornbury Township, **Delaware County**.

Description of Action/Activity: Issuance of an NPDES Permit for existing discharge of treated sewage.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**NPDES Permit No. PA0275662**, Industrial Stormwater, SIC Code 4226, 5169, **Horwith Trucks, Inc.**, P.O. Box 7, Northampton, PA 18067. This existing facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of an NPDES permit for the discharge of industrial stormwater from an existing rock salt storage and distribution stockpile.

**III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law**

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 1116405**, Sewage, SIC Code 8811, **William Kibler**, PO Box 501, Hastings, PA 16646.

This proposed facility is located in Elder Township, **Cambria County**.

Description of Proposed Action/Activity: The applicant proposes to construct a small flow sewage treatment facility and associated piping to serve the Kibler residence.

**WQM Permit No. 6302402**, Sewage, SIC Code 8811, **Thomas & Hope Shadle**, 347 Church Hill Road, Venetia, PA 15367.

This existing facility is located in Peters Township, **Washington County**.

Description of Proposed Action/Activity: this is for the transfer of this facility permit to new owners.

**WQM Permit No. 0216401**, Sewage, SIC Code 4952, **McCandless Township Sanitary Authority**, 418 Arcadia Drive, Pittsburgh, PA 15237.

This proposed facility is located in McCandless Township, **Allegheny County**.

Description of Proposed Action/Activity: construction and operation of sanitary sewers and the Sample Valley pump station.

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900*

**WQM Permit No. 0993205**, Industrial, **Clean Earth of Southeast PA LLC**, P.O. Box 847, Morrisville, PA 19067.

This proposed facility is located in Falls Township **Bucks County**.

Description of Action/Activity: Renewal of Water Quality Management Permit for industrial activity:

**WQM Permit No. 2316401**, Sewage, **DELCORA**, 100 East 5th Street, P.O. Box 999, Chester, PA 19013-4508.

This proposed facility is located in Chester City, **Delaware County**.

Description of Action/Activity: Installation of an 8" force main and bypass pump.

**WQM Permit No. 1505402**, Amendment, Sewage, **Aqua Pennsylvania Wastewater Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010.

This proposed facility is located in Londonberry Township, **Chester County**.

Description of Action/Activity: Amend permit to increase influent flow equalization capacity by adding 10,000 gallons.

**WQM Permit No. WQG02151604**, Sewage, **Willistown Township**, 688 Sugartown Road, Malvern, PA 19355-3300.

This proposed facility is located in Willistown, Township, **Chester County**.

Description of Action/Activity: Construct pressure sewer extension to serve 13 properties.

**WQM Permit No. 0994423**, Sewage, Transfer, **Joseph Cassidy**, 4958 Durham Road, Kintnersville, PA 18930.

This proposed facility is located in Nockamixon Township, **Bucks County**.

Description of Action/Activity: Permit transfer from Paul Dietz to Joseph J. Cassidy.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 4816201**, Industrial Stormwater, SIC Code 4226, 5169, **Horwith Trucks, Inc.**, P.O. Box 7, Northampton, PA 18067.

This existing facility is located in Allen Township, **Northampton County**.

Description of Proposed Action/Activity: This application is for the construction of stormwater management control facilities at an existing rock salt storage and distribution stockpile.

**WQM Permit No. 5406402A-2**, Sewage, SIC Code 4952, **Saint Clair Borough Sewer Authority Schuylkill County**, 16 South Third Street, Saint Clair, PA 17970.

This proposed facility is located in East Norwegian Township, **Schuylkill County**.

Description of Proposed Action/Activity: Amendment of 2006 WQM Permit to include: new UV disinfection system; new influent flow meter; major changes to onsite sludge management units/process (deletion of sludge dryer/pumps/sludge drying bed, conversion of anaerobic digesters into aerobic digesters, sludge process flow changes); new magnesium hydroxide chemical feed system, peripheral density current baffles added to existing secondary clarifiers; assorted changes to previously approved WWTP upgrade construction/equipment; and relocation of approved equipment onsite.

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701*

**WQM Permit No. 6016201**, CAFO, SIC Code 0241, **Troester Dairy**, 175 Cannon Road, Mifflinburg, PA 17844.

This proposed facility is located in Buffalo Township, **Union County**.

Description of Proposed Action/Activity: Expansion of the existing dairy operation.

**WQM Permit No. 5916401**, Sewage, SIC Code 4952, **Anthony & Patricia Fiamingo SRSTP**, 124 Borg Road, Mansfield, PA 16933-8205.

This proposed facility is located in Sullivan Township, **Tioga County**.

Description of Proposed Action/Activity: The constructions of a single residence sewage treatment plant.

---

#### VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011505082-R	The Cutler Group 5 Apollo Road, Suite 1 Plymouth Meeting, PA 19462	Chester	East Vincent Township	Stony Run HQ-TSF-MF
	Toll PA XV, LP 700 Arcola Road Collegeville, PA 19426			

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011515019	Bombay Enterprises, LLC 1806 Zebley Road Wilmington, DE 19810-1502	Chester	Lower Oxford Township	Tributary to West Branch Big Elk Creek (POI No. 2) HQ-TSF-MF
PAI011516004	Tim Holton 219 Scroggy Road Oxford, PA 19363	Chester	Penn Township	East Branch Big Elk Creek HQ-TSF-MF
PAI015116003	TPS Philadelphia, LP 200 West Monroe, Suite 1500 Chicago, IL 60606	Philadelphia	City of Philadelphia	Schuylkill River WWF
PAI011509022-R	Tel Hai Retirement Community 1200 Tel Hai Circle P.O. Box 190 Honey Brook, PA 19344	Chester	Honey Brook Township	Unnamed Tributary to West Branch of Brandywine HQ-TSF Two Log Run HQ-TSF
PAI011516002	Frederick Klotzbach 8 Country Lane Lincoln University, PA 19352	Chester	London Grove Township	East Branch White Clay EV-MF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023915022	Wrenfield Properties, LP c/o Lou Pektor 559 Main Street Suite 300 Bethlehem, PA 18018	Lehigh	Upper Macungie Township	Iron Run (HQ-CWF, MF) Hassen Creek (HQ-CWF, MF)
PAI024515008(1)	Sanofi Pasteur, Inc. Discovery Drive, State Route 611 Swiftwater, PA 18370	Monroe	Pocono Township	Swiftwater Creek (HQ-CWF, MF)
PAI024010005R	Wlodzimierz Jaskiewicz 12 Jaskiewicz Way White Haven, PA 18661	Luzerne	Rice Township	Big Wapwallopen Creek (HQ-CWF, MF)
PAI024814016(1)	Michael F. Ronca & Sons, Inc. c/o Mr. David A. Ronca 179 Mikron Road Bethlehem, PA 18020	Northampton	Plainfield Township	Bushkill Creek (HQ-CWF, MF)

*Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI053215001	Pennsylvania Department of Transportation District 10-0 2550 Oakland Avenue P.O. Box 429 Indiana, PA 15701	Indiana County	Brush Valley Township	Little Brush Creek (CWF)

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

*Mercer County Conservation District, 747 Greenville Road, Mercer, PA 16137*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI064315001	SFT Properties LLC 104 Dogwood Court Butler, PA 16001	Mercer	Pine Township	UNT Wolf Creek CWF

---

**VII. Approvals to Use NPDES and/or Other General Permits**


---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

---

**List of NPDES and/or Other General Permit Types**


---

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02*

*Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Douglass Township Montgomery County	PAG02004606024R(2)	Beazer Homes Corporation 8965 Guildford Road Suite 290 Columbia, MD 21046	Swamp Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Montgomery Township Montgomery County	PAG02004606015R(1)	The Cutler Group, Inc. 5 Apollo Road Suite 1 Plymouth Meeting, PA 19462	Little Neshaminy TSF-WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Whitpain Township Montgomery County	PAG02004616039	John and Julie Burke 1540 Bardsey Lane Lower Gwynedd, PA 19002	Wissahickon Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Skippack Township Montgomery County	PAG02004616027	Real Pro Enterprises LP 2312 North Broad Street Colmar, PA 18915	Unnamed Tributary to Skippack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Moreland Township Montgomery County	PAG02004616041	Abington Memorial Hospital and Abington Properties Corporation 1200 Old York Road Abington, PA 19001	Unnamed Tributary to Pennypack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

## NOTICES

4243

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Limerick Township Montgomery County	PAG02004616055	Tague Family Limited Partnership IX 325 Media Station Road Media, PA 19063	Unnamed Tributary to Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Lower Gwynedd Township Montgomery County	PAG02004611036(4)	Janssen Research and Development Welsh and McKean Roads P.O. Box 776 Spring House, PA 19477	Oak Terrace-Little Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Borough Montgomery County	PAG02004616026	PPL Electric Utilities Corporation Two North Ninth Street GENN 4 Allentown, PA 18101	West Branch Neshaminy Creek Unnamed Tributary WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Hatfield Township Montgomery County	PAG02004616058	2010 Realty Partners LLC 1970 North Broad Street Lansdale, PA 19446	West Branch Neshaminy Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Franconia Township Montgomery County	PAG02004616019	HD Indoor RV/Boat Storage Co., LLC 100 Kidalas Court P.O. Box 158 North Wales, PA 19454	Unnamed Tributary to Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Haverford Township Delaware County	PAG02002316014	Haverford Township 2325 Darby Road Haverford, PA 19083-2201	Naylor's Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Township Bucks County	PAG02000914040(1)	Lower States Associates, LLC 4030 Skyron Drive Doylestown, PA 18902	Unnamed Tributary to Neshaminy Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Falls Township Bucks County	PAG02000916026	Premium Excavation, LLC 269 Canal Road Fairless Hills, PA 19007-3931	Delaware River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Falls Township Bucks County	PAG02000916032	Family Dining, Inc. 1780 Swede Road Blue Bell, PA 19422	Mill Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
New Britain Township Bucks County	PAG02000916025	New Britain Township 207 Park Avenue Chalfont, PA 18914	Unnamed Tributary to Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Wrightstown Township Bucks County	PAG02000911053R(2)	Wrightstown Township 2203 Second Street Pike Wrightstown, PA 18940	Neshaminy Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Upper Makefield Township Bucks County	PAG02000916035	Brian T. Morris 20 Flamehill Road Levittown, PA 19056	Unnamed Tributary to Pidcock Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900



<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Lower Makefield Bucks County	PAG02000916030	St. George Georgian Orthodox Church 1916 Welsh Road, 2nd Floor Philadelphia, PA 19115	Poquessing Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
City of Scranton Lackawanna County	PAG02003516010	Preit Services, LLC 200 South Broad Street 3rd Floor Philadelphia, PA 19102	Leggetts Creek (TSF, MF)	Lackawanna County Conservation District 570-392-3086
Stroudsburg Borough Monroe County	PAG02004516001	BTS Stroudsburg, LLC 1720 Scholar Avenue Chattanooga, TN 37406	Brodhead Creek (TSF, MF)	Monroe County Conservation District 570-629-3060
Upper Mt. Bethel Township and Portland Borough Northampton County	PAG02004815021	Marine Properties, LLC c/o Mr. Olav Sandnes 794 Sunrise Blvd. Mt. Bethel, PA 18343	UNT to Delaware River (CWF, MF)	Northampton County Conservation District 610-746-1971
Lehman and Delaware Townships Pike County	ESG00103160002	Mr. William Timmermeyer 1700 MacCorkle Ave, SE P.O. Box 1273 Charleston, WV 25314	Toms Creek (EV, MF) Hornbecks Creek (HQ-CWF, MF) UNT to Delaware River (HQ-CWF, MF)	Pike County Conservation District 570-226-8220
North Manheim Township Schuylkill County	PAG02005416006	TJ Sands Real Estate, LLC 502 West End Boulevard Quakertown, PA 18951	Schuylkill River (CWF, MF)	Schuylkill County Conservation District 570-622-3742

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3636*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Scott Twp Columbia Cnty	PAG02001916004	Bradford Gensemer Subdivision 16 Blue Jay Dr Bloomsburg, PA 17815	Fishing Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
Scott Twp Columbia Cnty	PAG02001916005	Nautilus Develop Holdings PO Box 14 Mifflinville, PA 18631	Fishing Creek	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 (570) 784-1310 X 102
Valley Township Montour Cnty	PAG02004716005	Villager Realty, Inc. 521 North Derr Drive Lewisburg, PA 17837	UNT to Mause Creek, CWF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140
Buffalo Twp Union Cnty	PAG02006016011	Steven L, Daniels Executive Director Diakon Lutheran Social Ministries 1018 North Union Street Middletown, PA 17057	Tributary to Limestone Run WWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

*Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
City of Pittsburgh	PAG02000216017	School Facility Developments, Inc. P.O. Box 23271 Pittsburgh, PA 15222-6271	Ohio River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Municipality of Penn Hills	PAG02000215130-1	The Municipality of Penn Hills 12245 Frankstown Road Pittsburgh, PA 15235-3494	UNT to Duffs Run (WWF) and UNT to Chalfant Run (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
McCandless Township	PAG02000216055	North Allegheny School District 350 Cumberland Road Pittsburgh, PA 15237	Little Pine Creek (TSF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Upper Saint Clair Township	PAG02000215142	Peck Family Holdings, LLC 198 Canterbury Road McMurray, PA 15317  J. C. Bar Development, LLC 415 Fallowfield Road Suite 301 Camp Hill, PA 17011	Chartiers Creek (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
City of Pittsburgh	PAG02000216035	Butler and 40th, LLC 125 39th Street Pittsburgh, PA 15201	Allegheny River (WWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Indiana Township	PAG02000212025-1	Independence Excavation 3826 Saxonburg Boulevard Cheswick, PA 15024	Deer Creek (CWF)	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 242-7645
Cranberry Township Butler County	PAG02001016018	Sherwood Oaks c/o Mark Bondi 100 Norman Drive Cranberry Township, PA 16066	UNT Brush Creek WWF	Butler County Conservation District 724-284-5270
City of Erie Erie County	PAG02002516022	Gertrude A Barber Center Inc c/o John Barber 10 Barber Place Erie, PA 16507	UNT Lake Erie CWF; MF	Erie County Conservation District 814-825-6403

*General Permit Type—PAG-03*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
West Goshen Township Chester County	PAR800065	UPS Inc. 1200 Ward Avenue West Chester, PA 19380	Unnamed Tributary to East Branch Chester Creek—3G	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Philadelphia City Philadelphia County	PAG030049	Tasty Baking Co. Inc. 4300 S 26th Street Philadelphia, PA 19112	Shed Brook—3-F	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Philadelphia City Philadelphia County	PAR600074	Freddies Auto Parts Inc. Dba Cartel Auto Parts 6330 W Passyunk Avenue Philadelphia, PA 19153	Unnamed Tributary of Schuylkill River—3-F	Southeast Region Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
Bethlehem City Northampton County	PAR702209	New Enterprise Stone & Lime Co., Inc. dba Eastern Industries, Inc. 3724 Crescent Ct. West Suite 200 Whitehall, PA 18052	Lehigh River—02C	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511
Beavertown Borough Snyder County	PAR224846	245 Reading Road P.O. Box 158 East Earl, PA 17519-9549	Luphers Run CWF, MF	DEP North Central Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
Canton Township Bradford County	PAR314812	Cudd Energy Service 2897 Route 414 Canton, PA 17724-7223	Mill Creek—4-C	DEP Northcentral Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
Bradford Township Clearfield County (Industrial Stormwater)	PAR804842	XPO Logistics Freight Inc. 2211 Old Earhart Road Suite 100 Ann Arbor, MI 48105-2963	Roaring Run— 8-C	DEP North Central Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
LeRaysville Borough Bradford County (Industrial Stormwater)	PAR214831	Johnson Quarries Inc. P.O. Box 136 LeRaysville, PA 18829-0136	Rockwell Creek— 4-D	DEP North Central Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
Cherry Township Sullivan County	PAR224856	A & L Wood Inc. 3418 Red Bank Road Mt Pleasant Mills, PA 17853-8727	Unnamed Tributary of Birch Creek—10-B	DEP North Central Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
Perry Township Snyder County	PAR224855	A & L Wood Inc. 3418 Red Bank Road Mt Pleasant Mills, PA 17853-8727	Unnamed Tributary to North Branch Mahantango Creek—CWF-MF, 6-C	DEP North Central Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
South Huntingdon Township Westmoreland County	PAR606121	Flowers Auto Wreckers Inc. 176 Fitz Henry Road Smithton, PA 15479	Unnamed Tributary of Youghiogheny River—19-D	DEP South West Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-04 (Transfer)*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Peters Township Washington County	PAG046257 A-2	Thomas & Hope Shadle 347 Church Hill Road Venetia, PA 15367	Unnamed Tributary of Peters Creek—19-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

*General Permit Type—PAG-4*

<i>Facility Location Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
902 General Howe Drive West Chester, PA 19382-7106 Westtown Township Chester County	PAG040149 A-1	Mr. Joseph Kelly 902 General Howe Drive West Chester, PA 19382-7106	Unnamed Tributary To Plum Run Watershed 3-H	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

*General Permit Type—PAG-9*

<i>Facility Location &amp; County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Phone No.</i>
Lang Septic Service 4995 Cortland Road New Paris, PA 15554  West St. Clair Township/Bedford County	PAG093509	Lang Septic Service 4995 Cortland Road New Paris, PA 15554	Lang Septic Service 4995 Cortland Road New Paris, PA 15554	DEP—SCRO— Clean Water 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

**STATE CONSERVATION COMMISSION****NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Perry Meadows Farm 2713 Fowler Hollow Road Blain, PA 17006	Perry	10	1,342.25	Swine	HQ	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act**

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Permit No. 4815505**, Public Water Supply.

Applicant	<b>Hickory Hills MHC, LLC</b> 121 Hickory Hills Drive Bath, PA 18014
Municipality	Moore Township
County	<b>Northampton</b>
Type of Facility	PWS
Consulting Engineer	Charles H. Niclaus, P.E. Niclaus Engineering Corporation 804 Sarah Street Stroudsburg, PA 18360
Permit to Construct Issued	July 20, 2016

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 3616508 MA, Minor Amendment**, Public Water Supply.

Applicant	<b>Borough of Lititz</b>
Municipality	Lititz Borough
County	<b>Lancaster</b>
Responsible Official	Kyle Noll, Water Treatment Plant Chief Operator 220 Gibraltar Road Suite 200 Horsham, PA 19044
Type of Facility	Application for the change of Lititz Borough water treatment plant's coagulation chemical to Delpac 2020.
Consulting Engineer	Bryan Panther, P.E. ARRO Consulting Inc 108 West Airport Road Lititz, PA 17543
Permit to Construct Issued	7/12/2016

**Operation Permit No. 0512504MA** issued to: **Bedford Township Municipal Authority (PWS ID No. 4050037)**, Bedford Township, **Bedford County** on 7/12/2016 for facilities approved under Construction Permit No. 0512504MA.

**Operation Permit No. 2815504MA** issued to: **Greencastle Area Franklin County Water Authority (PWS ID No. 7280014)**, Antrim Township, **Franklin County** on 7/12/2016 for facilities approved under Construction Permit No. 2815504MA.

**Operation Permit No. 3816502 MA** issued to: **Quentin Water Company (PWS ID No. 7380031)**, West Cornwall Township, **Lebanon County** on 7/12/2016 for facilities approved under Construction Permit No. 3816502MA.

**Operation Permit No. 1142815** issued to: **Glacier Water Services, Inc. (PWS ID No. 7676468)**, York County on 7/12/2016 for facilities submitted under Application No. 1142815.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Millheim Borough Water Company (Public Water Supply)** Millheim Borough, **Centre County**: On July 19, 2016, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for the Millheim Borough Water Company, Millheim Borough, Centre County. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community.

Development of the SWP plan was funded by the Department of Environmental Protection (John C. Hamilton, P.E., (570) 327-3650).

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Operations Permit** issued to: **Patton Municipal Authority**, 800 4th Avenue, PO Box 175, Patton, PA 16668, (PWSID # 4110024) Patton Borough and Elder Township, **Cambria County** on July 8, 2016 for the operation of facilities approved under Construction Permit # 1114510.

**Operations Permit** issued to: **Patton Municipal Authority**, 800 4th Avenue, PO Box 175, Patton, PA 16668, (PWSID # 4110024) Patton Borough and Elder Township, **Cambria County** on July 8, 2016 for the operation of facilities approved under Construction Permit # 1114517MA.

**Operations Permit** issued to: **Patton Municipal Authority**, 800 4th Avenue, PO Box 175, Patton, PA 16668, (PWSID # 4110024) Patton Borough and Elder Township, **Cambria County** on July 8, 2016 for the operation of facilities approved under Construction Permit # 1114518.

**Permit No.0216504MA, Minor Amendment.** Public Water Supply.

Applicant	<b>Wilksburg-Penn Joint Water Authority</b> 2200 Robinson Boulevard Pittsburgh, PA 15221
[Borough or Township]	Penn Hills Township
County	<b>Allegheny</b>
Type of Facility	Mission Crest water storage tank
Consulting Engineer	Chester Engineers 1555 Coraopolis Heights Road Moon Township, PA 15108
Permit to Construct Issued	July 18, 2016

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**Operation Permit** issued to **Pithole Water WTP, PWSID No. 6420031**, Keating Township, **McKean County**. Permit Number 4215501 issued July 14, 2016 for the operation of the Pithole Public Water Supply Well No. 2. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on June 28, 2016.

**Operation Permit** issued to **Erie City Water Authority, PWSID No. 6250028**, City of Erie, **Erie County**. Permit Number 2510505 Interim Operation No. 5 issued July 5, 2016 for the operation of the five low duty pumps at the Richard S. Wasielewski Water Treatment Plant.

**Transfer of Operation Permit** issued to **Slippery Rock Properties LP, PWSID No. 5100071**, Brady Township, **Butler County** on July 5, 2016. Action is for change in ownership; the potable water supplier will do business as Maple Manor MHP. The new permit number is 1013504-T1.

**Cancellation of Permit** issued to **Slippery Rock Properties LP, PWSID No. 5100071**, Brady Township, **Butler County** on July 5, 2016. This action represents the cancellation of Permit Number 1013504 issued May

28, 2014. This action results from the consolidation of the permit into permit number 1013504-T1.

**Cancellation of Permit** issued to **Slippery Rock Properties LP, PWSID No. 5100071**, Brady Township, **Butler County** on July 5, 2016. This action represents the cancellation of Permit Number 1013504-MA1 issued December 2, 2014. This action results from the consolidation of the permit into permit number 1013504-T1.

<b>Permit No. 1016502</b> , Public Water Supply.	
Applicant	<b>Summit School Inc.</b>
Township or Borough	Summit Township
County	<b>Butler</b>
Type of Facility	Public Water Supply
Consulting Engineer	John F. Larimer, P.E. CME Engineering LP 975 George Station Road Greensburg, PA 15601
Permit to Construct Issued	July 14, 2016

#### SEWAGE FACILITIES ACT PLAN APPROVAL

#### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)

*Southwest Regional Office, Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000*

*Plan Location:* Single Residence Sewage Treatment Plant at 110 Hamilton Drive, Sewickley, PA 15143

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bell Acres Borough	1153 Camp Meeting Road Sewickley, PA 15143	Allegheny

*Plan Description:* The approved plan provides for the installation of a Single Residence Sewage Treatment Plant at 2436 Henry Road, Sewickley, PA 15143 to remedy an existing malfunction. The proposed discharge is to an unnamed tributary of Rippling Run designated under Chapter 93 as a Trout Stock Fisheries.

The Department's review of the sewage facility plan has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the homeowner.

#### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

##### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in

environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**Bethlehem Commerce Center Site—Lot 88**, 1005 Harvard Avenue, Bethlehem City, **Northampton County**. HDR Engineering, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, on behalf of Lehigh Valley Industrial Park, Inc., 1720 Spillman Drive, Bethlehem, PA 18015, submitted a Site-Specific Cleanup Plan concerning remediation of site soils contaminated with historical fill. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**St. Francis of Assisi Kitchen Property**, 500 Penn Avenue, Scranton City, **Lackawanna County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of St. Francis of Assisi Kitchen, 500 Penn Avenue, Scranton, PA 18509, submitted a Site-Specific Remedial Investigation Report and Final Report concerning remediation of site soils contaminated with lead. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Boyer Property**, 1037 Jeter Avenue, Fountain Hill Borough, **Lehigh County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207, on behalf of Lehigh Fuel/Jack Rich, Inc., 617 Altamont Boulevard, Frackville, PA 17931, submitted a Final Report concerning remediation of site soils contaminated with Benzene, Ethylbenzene, Isopropylbenzene, MTBE, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Harvey Building Products-Snyder & Bender Properties**, 415 and 417 Lancaster Pike, New Providence, PA

17560, Providence Township, **Lancaster County**. EP&S of Vermont, Inc., 2902 Reach Road, Williamsport, PA 17701, on behalf of Ronald and Lucinda Snyder, 415 Lancaster Pike, New Providence, PA 17560 and Daniel R. and Fannie L. Bender, 41 Lancaster Pike, New Providence, PA 17560, submitted Final Report concerning remediation of site soils contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

**RE Invest Tire & Wheel Renewal LLC**, 515—621 North College Street, Carlisle, PA 17013, Borough of Carlisle, **Cumberland County**. Sovereign Consulting, Inc., 111A North Gold Drive, Robbinsville, NJ 08691, on behalf of RE Invest Tire & Wheel Renewal, LLC, PO Box 748, Hainesport, NJ 08036, submitted a Final Report concerning site soils and groundwater contaminated with VOCs, SVOCs, pesticides, herbicides, and PCBs. The report is intended to document remediation of the site to meet the Residential and Nonresidential Statewide Health Standards.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**Bender Residence**, 2149 Glendale Lake Road, Clearfield Township, **Cambria County**. McKee Environmental, Inc., 218 Washington Ave., Bellefonte, PA 16823 on behalf of Christoff Mitchell Petroleum, Inc., 2719 Walton Street, Philipsburg, PA 16866 has submitted a Final Report concerning site soil and groundwater contaminated with benzene, ethylbenzene, cumene, MTBE, naphthalene, toluene, (1,2,4-TMB), (1,3,5-TMB) from a home heating oil spill. Notice of the Final Report was published in the *Star-Courier* on June 30, 2016.

*Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.*

**Century Link Communications LLC**, 2400 Market Street, City of Philadelphia, **Philadelphia County**. Mark Reisig, Tetra Tech Inc., 216 16th Street, Suite 500, Denver, CO 80202, Harlan Pincus, CenturyLink Communication, LLC, 55 Church Street, 1st Floor, White Plains, NY 10601 on behalf of Diane Green, PMC Property Group, 2400 Market Street, Suite 1, Philadelphia, PA 19103 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF811109.

**Kijak Residence**, 1254 Durant Street, Whitmarsh Borough, **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Jason Ballou, State Farm Insurance Company, PA Fire Claims, P.O. Box 106169, Atlanta, GA 30348-6169 on behalf of John and Frances Kijak, 1254 Durant Street, Conshohocken, PA 19428 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF806972.

**Crawford Residence**, 710 Maple Hill Drive, Whitpain Township, **Montgomery County**. Andrew Markoski, Patriot Environmental Management, LLC, 21 Unionville, Road, P.O. Box 629, Douglasville, PA 19518, John Walsh, Clyde S. Walton, Inc., P.O. Box on behalf of Bonnie Crawford, 710 Maple Hill Drive, Blue Bell, PA 19422 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF811107.

**1675 The Fairway**, 1675 The Fairway, Abington Township, **Montgomery County**. Brend McPhail Kellogg, REPSG Inc., 6901 Kingsessing Avenue Second Floor, Philadelphia, PA 19142 on behalf of Michael Kennedy, Kennedy Automotive Group, Inc., 620 Bustleton Pike, Feasterville, PA 19053 has submitted a Final Report concerning remediation of site soil contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the Site Specific/Statewide Health Standard. PF8061063.

**25 Wilkshire Road**, 25 Wilkshire Road, Doylestown Township, **Bucks County**. Staci Cottone, J&J Environmental, P.O. Box 370, Blue Bell, PA 19422 on behalf of Frank Schmiltzer, BrzyAcre Management Company, LLC, 130 Wilkshire Road, Doylestown, PA 18901 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF808957.

**2800 North American Street**, 2800 North American Street, City of Philadelphia, **Philadelphia County**. Jenney Cutright, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, Cynthia Figureroa, Congreso de Lantino Unidos, Inc., 2800 North American Street Company, 2800 North American Street, Philadelphia, PA 19133 on behalf of Dario Bellott, Congreso de Lantino Unidos, Inc., 2800 North American Street Company, 2800 North American Street, Philadelphia, PA 19133 has submitted a Final Report concerning remediation of site soil contaminated with arsenic, naphthalene and benzo. The report is intended to document remediation of the site to meet the Site Specific Standard. PF733330.

**Mack Oil Berwyn**, 45 Branch Avenue, Easttown Township, **Chester County**. Michael S. Welsh, P.E., Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Tim McCorry, Mack Services Group, 45 Branch Avenue, Berwyn, PA 19312 has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Site Specific Standard. PF617237.

**Speedi King**, 249 Lancaster Avenue, East Whiteland Township, **Chester County**. David Farrington, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, Frank King, Jr, Estate of Frank King, 417 Water Dam Road, Waynesburg, PA 15370 on behalf of Mr. and Mrs. Glenn King, 675 Reeceville Road, Coatesville, PA 19320 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with other organics. The report is intended to document remediation of the site to meet the Site Specific Standard. PF785201.

**1537 Edge Hill Road LLC**, 1537b Edge Hill Road, Abington Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Adam Aronstein, 1537 Edge Hill Road LLC, 2020 Walnut Street, Suite 24E, Philadelphia, PA 19103 has submitted a 90 day Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809905.

**Mary Jane McLarren Residence**, 2007 Lockwood Lane, Lower Southampton, **Bucks County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Tina Reger, State Farm Insurance

Company, PA Fire Claims, P.O. Box 106169, Atlanta, GA 30348-6169 on behalf of Mary Jane McLarren, 2007 Lockwood Lane, Feasterville-Trevoise, PA 19053 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF811100.

**Zieger Roas eNursey**, 1756 and 1760 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Terence A. O'Reilly, TriState Environmental Management Services Inc., 368 Dunksferry Road, Bensalem, PA 19020 on behalf of Brian M. Cicak, P.E., Toll PA XIV, LP, 250 Gibraltar Road, Horsham, PA 19044, Richard R. McBride, Esq., The Cutler Group, Inc., 5 Apollo Road, Suite One, Plymouth Meeting, PA 19462, John Zieger, Zieger Floral, Inc., 7483 Rosebud Lane, Cape Charles, VA 23310 has submitted a Final Report concerning remediation of site soil contaminated with other inorganics. The report is intended to document remediation of the site to meet the Site Specific Standard. PF71328.

**Gonzalez Residence**, 1146 Grandview Circle, North Coventry Township, **Chester County**. Patrick S. Crawford, P.G, Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of William and Virginia Fields 1146 Grandview Circle, Pottstown, PA 19465 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809256.

**Kitts Residence**, 873 Edgewood Road, Lower Makefield Township, **Bucks County**. Thomas Hippensteal, P.G. Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477 on behalf of Mr. and Mrs. Stephen Kitts, 873 Edgewood Road, Yardley, PA 19057 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF782451.

**61 West Eagle Road**, 61 West Eagle Road, Haverford Township, **Delaware County**. Douglas B. Schott, P.O.G., Brickhouse Environmental, 51 South Franklins Street, West Chester, PA 19382, Kurt Spiess, EMG Remediation Services, LLC, 5066 West Chester, Pike, P.O. Box 129, Edgemont, PA 19028 on behalf of Frank and Janis Pulcini, SDG Enterprises Group, LLC, 419 Haverford, Avenue, Narberth, PA 19072 has submitted a Final Report concerning remediation of site soil contaminated with leaded and unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF809100.

**Flint Property**, 730 Wheatland Street, Borough of Phoenixville, **Chester County**. Alexander Ulmer, PG, Barry Isett & Associates, 1003 Egypt Road, Phoenixville, PA 19460 on behalf of Steve Kambic, Petra Community Housing, 201 South Main Street, Spring City, PA 19475 has submitted a Final Report concerning remediation of site soil contaminated with other organics. The report is intended to document remediation of the site to meet the Site Specific Standard. PF806062.

**Dreshertown Plaza**, 1424 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Craig Herr, O.G., RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406-3207 on behalf of Jim Bladel, Dreshertown Plaza, LP, 1301 Lancaster Avenue, Berwyn, PA 19312 has submitted a Remedial Investigation/Final Report concerning remediation of site



soil and groundwater contaminated with PCE. The report is intended to document remediation of the site to meet the Site Specific Standard. PF631832.

**Lincoln Plant Shopping Center**, 830 West Trenton Avenue, Falls Township, **Bucks County**. Richard S. Werner, PG, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Jon Lubert, JLM Ventures, 2929 Arch Street, Philadelphia, PA 19104 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF785061.

**Landis Residence**, 668 Lower Road, Franconia Township, **Montgomery County**. Brian D. Sauls, Skelly and Loy, Inc., 449 Eisenhower Boulevard, Suite 300, Harrisburg, PA 1711, Angela Funk, Goodville Mutual Casualty, 625 Main Street, New Holland, PA 175571 on behalf of Warren and Lydia Landis, 668 Lower Road, Souderton, PA 18964 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF810305.

**Collex Collision Experts**, 1502 Bethlehem Pike, Springfield Township, **Montgomery County**. Jeremy W. Boly, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Anthony Mariello, Sr., Collex Collision, 1502 Bethlehem Pike, Flourtown, PA 19031 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF811105.

**5716—5754 Baltimore Avenue Property**, 5716—5754 Baltimore Avenue, City of Philadelphia, **Philadelphia County**. Martin Gilgallon, Pennsylvania Tectonics Inc., 723 Main Street, Archbald, PA 18403 on behalf of Patrick Burms, Philacobbs Development, LP, 5004 State Road, Second Floor, Drexel Hill, PA 19026 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with vocs. The report is intended to document remediation of the site to meet the Site Specific Standard. PF619681.

**801 Baltimore Pike**, 801 Baltimore Pike, Springfield Township, **Delaware County**. Brian Loughnane, Synergy Environmental, Inc., 155 Railroad Plaza, Royersford, PA 19468 on behalf of Joseph S. Botta, Jr, Pineville Properties, LLC, 1288 Valley Forge Road, # 987 Unit 66, Phoenixville, PA 19460 has submitted a Final Report concerning remediation of site soil contaminated with naphthalene, 1,2,4-TMB and 1.3.5-TMB. The report is intended to document remediation of the site to meet the Site Specific Standard. PF810291.

**Abbonizio Recycling Facility**, Front Street and Thurlow Street, City of Chester, **Delaware County**. Michael Edelman, TRC Environmental Corporation, 1601 Market Street-Suite 2555, Philadelphia, PA 19103, Gary Pierce, Covanta Delaware Valley, LP, 10 Highland Avenue, Chester, PA 19013 on behalf of Alex Piscitelli, Covanta Delaware Valley, LP, 10 Highland Avenue, Chester, PA 19013 has submitted a Final Report concerning remediation of site groundwater and soil contaminated with other organics. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF806794.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915*

**116 South Center Street**, 116 South Center Street, Frackville Borough, **Schuylkill County**. MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Federal National Mortgage Association, 14221 Dallas Parkway, Suite 1000, Dallas, TX 75254, submitted a Final

Report concerning the remediation of site soils contaminated with MTBE, Benzene, Ethylbenzene, Cumene, Toluene, 1,3,5-TMB, 1,2,4-TMB, and Naphthalene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on July 12, 2016.

**Lisa Steiner Property**, 4586 West Mountain View Drive, Lehigh Township, **Northampton County**. RT Environmental Services Inc., 215 West Church Road, King of Prussia, PA 19406-3207, on behalf of Ms. Lisa Steiner, 4586 West Mountain View Drive, Walnutport, PA 18088, submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Ethylbenzene, Isopropylbenzene, MTBE, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on July 18, 2016.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Former BP Terminal 4567—Eastern Parcel**, Old US Route 220, Duncansville, PA 16635, Blair Township, **Blair County**. Antea Group, 780 East Market Street, Suite 120, West Chester, PA 19382, on behalf of Atlantic Richfield Company, A BP Products North America Inc. Affiliated Company, 501 West Lake Park Boulevard, WL1-28, 160B, Houston, TX 77079 and Pennsylvania Terminals Corporation, 900 South Eisenhower Boulevard, Middletown, PA 17057, submitted a Final Report concerning site soils and groundwater contaminated with petroleum hydrocarbons. The Final Report demonstrated attainment of the Site Specific Standard, and was approved by the Department on July 13, 2016.

**Former BP Terminal 4567—Western Parcel**, Old US Route 220, Duncansville, PA, 16635, Blair Township, **Blair County**. Antea Group, 780 East Market Street, Suite 120, West Chester, PA 19382, on behalf of Atlantic Richfield Company, A BP Products North America Inc. Affiliated Company, 501 West Lake Park Boulevard, WL1-28, 160B, Houston, TX 77079 and Kevin Kneezle, 236 Pioneer Drive, Duncansville, PA 16635, submitted a Final Report concerning site soils and groundwater contaminated with petroleum hydrocarbons. The Final Report demonstrated attainment of the Site Specific Standard, and was approved by the Department on July 13, 2016.

**Former Garden State Tanning**, 16 South Franklin Street, Fleetwood, PA 19522, Borough of Fleetwood, **Berks County**. BL Companies, 4242 Carlisle Pike, Suite 260, Camp Hill, PA 17011, on behalf of Borough of Fleetwood, 110 West Arch Street, Suite 104, Fleetwood, PA 19522, submitted a Remedial Investigation Report concerning remediation of site soils and groundwater contaminated with VOCs, Lead, and PAHs. The Report was disapproved by the Department on July 13, 2016.

**J. Walter Miller Company**, 226 North Ann Street, City of Lancaster, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of J. Walter Miller Company, 411 East Chestnut Street, Lancaster, PA 17602, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soils contaminated with iron. The Report and Plan were approved by the Department on July 15, 2016.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481*

**John Maneely Company—Wheatland Tube Cold Draw Facility**, 200 Clinton Street, Wheatland Borough, **Mercer County**. TRC Environmental, One Council Avenue, Cincinnati, OH 45242 and Ramboll Environ US Corporation, 1760 Market Street, Suite 1000, Philadelphia, PA 19103, on behalf of JMC Steel Group—Wheatland Tube, 16161, submitted a Cleanup Plan/Final Report concerning the remediation of site soil contaminated with 1,1,1-trichloroethane, 1,1,2-trichloroethane, 1,1-dichloroethane, 1,1-dichloroethene, 1,2,4-trimethylbenzene, benzene, chloroform, cis-1,2-dichloroethane, ethyl benzene, methylene chloride, tetrachloroethene, trans-1,2-dichloroethene, trichloroethene, arsenic and site groundwater contaminated with chloride, nitrogen (ammonia), pH, sulfate, 1,1,1-trichloroethane, 1,1,2-trichloroethane, 1,1-dichloroethane, 1,1-dichloroethene, 1,2,4-trichlorobenzene, 1,4-dioxane, benzene, carbon tetrachloride, cis-1,2-dichloroethene, methylene chloride, tetrachloroethene, trichloroethene, vinyl chloride, 2,4-dinitrotoluene, 3,3'-dichlorobenzidine, 2,6-dinitrotoluene, 4-nitroaniline, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[g,h,i]perylene, benzo[k]fluoranthene, bis[2-chloroethyl] ether, bis[2-ethylhexyl]phthalate, chrysene, dibenz[a,h]anthracene, hexachlorobenzene, indeno[1,2,3-cd]pyrene, n-nitroso-di-n-propylamine, pentachlorophenol, phenanthrene, aroclor-1242, aroclor-1248, aroclor-1254, aroclor-1260, PCBs (total), aluminum, arsenic, beryllium, cadmium, chromium (total), cobalt, cyanide (total), iron, fluoride, lead, manganese, mercury, nickel, nitrate, nitrite, selenium, silver, and zinc. The Cleanup Plan/Final Report demonstrated attainment of a combination of the Site-Specific and Statewide Health Standards, and was approved by the Department on July 13, 2016.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**5301 Butler Street Property**, 5301 Butler Street, City of Pittsburgh—10th Ward, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668 on behalf of Schreiber Real Estate, 5840 Ellsworth Avenue, Pittsburgh, PA 15232 submitted a Remedial Investigation Report (RIR) concerning the remediation site soils contaminated with petroleum related constituents from underground storage tanks and prior use of the property as a gasoline station. The RIR was approved by the Department on July 8, 2016.

**Former Zoldos, et al. Lands**, 961 South 88 Road, Cumberland Township, **Greene County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086 on behalf of Sheetz, Inc., 5700 Sixth Avenue, Altoona, PA 16602 submitted a Final Report concerning the remediation of site groundwater contaminated with bis(2-ethylhexyl)phthalate and chloromethane. The Final report demonstrated attainment of a Non-residential Non-use Aquifer Statewide Health Standard for groundwater and was approved by the Department on July 13, 2016.

*Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.*

**Menasha Corporation**, 501 East Erie Avenue, City of Philadelphia, **Philadelphia County**. Thomas A. Petrecz, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Omar Whitfield, Menasha Packing Company, LLC, 601 East Erie Avenue, Philadelphia, PA 19134 has submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater

contaminated with voc and metals. The Remedial Investigation Report/Cleanup Plan was disapproved by the Department July 12, 2016. PF681488.

**Global Advanced Metals USA Inc. Boyertown**, 650 County Line Road, Douglas Township, **Montgomery County**. Joe Atkinson, Environmental Standards, Inc., 1140 Valley Forge Road, Valley Forge, PA 19482 on behalf of Raymond Stofko, Global Advance Metals USA, Inc., 650 County Line Road, Boyertown, PA 19512 has submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site groundwater contaminated with vocs. The Remedial Investigation Report/Cleanup Plan was approved by the Department on July 11, 2016. PF780184.

**3349 West End Avenue Property**, 3349 West End Avenue, Bensalem Township, **Bucks County**. Staci Cottle, J&J Environmental, P.O. Box 370, Blue Bell, PA 19422 on behalf of Beatrice Lewis, Bank of America, 7887 Safeguard Circle, Valley View, OH 44125 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 24, 2016. PF8100897.

**National Heat and Power (49th Terminal)**, 1633 South 49th Street, City of Philadelphia, **Philadelphia County** Jennifer L. Gresh, P.G. Duffield associates, Inc., 211N 13th Street, Suite 704, Philadelphia, PA 19107 on behalf of Monica Trudeau, P.E., Philadelphia Authority for Industrial Development, 2600 Center Square West, 1500 Market Street, Philadelphia, PA 19102 has submitted a Final Report concerning the remediation of site soil contaminated with vocs, pahs, and lead. The Final reports were withdrawn and return on July 7, 2016. PF763476.

**27th & Girard Property**, 2620 Girard Avenue, City of Philadelphia, **Philadelphia County**. Bill Schmidt, Pennoni Associates, Inc., 300 1 Market Street, Philadelphia, PA 19104-0591 on behalf of Dan Bleznak, 2th and Girard, LLP, 1101 Industrial Highway, Southampton, PA 18966 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with metals and chlorinated compounds. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department on June 7, 2016. PF619558.

**Phase II Arlington Square**, 50 South 3rd Street, Telford Borough, **Montgomery County**. Craig Herr, PG, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Christopher Canavan, Old Forge Acquisitions, LP, 404 Sumneytown Pike, Suite 200, North Wales, PA 19454 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 7, 2016. PF803174.

**Ardoosan Farms Parcel A-7**, 555—575 Darby-Paoli Road, Radnor Township, **Delaware County**. Ken S. Eden, RT Environmental Services, 215 West Church Road, King of Prussia, PA 19406 on behalf of James Connolly, BNY-Mellon, N.A. Trustee, 1735 Market Street, Philadelphia, PA 19103 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated did not demonstrate attainment of the Statewide Health Standard and was disapproved by the Department on June 23, 2016. PF778907.

**Cipolline Residence**, 11 Spring Lane, Makefield Township, **Bucks County**. Grey Van Hook, INTEX Envi-

ronmental Group, Inc., 6907A Easton Road, Pipersville, PA 18947 on behalf of Elizabeth Cipollini, 11 Spring Lane, Yardley, PA 19067 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with no 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 17, 2016. PF774059.

**Ridgeview**, 163a Cathill Road, West Rockhill Township, **Bucks County**. Lawrence W Bily, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, Christopher Canavan, Old Forge Acquisitions, LP, 404 Sumneytown Pike, North Wales, PA 190454 on behalf of Keith Thomas Univest Bank and Trust Company, 14 North Main Street, P.O. Box 64197, Souderton, PA 18964 has submitted a Remedial Investigation/Cleanup Plan and Risk Assessment concerning the remediation of site soil contaminated with arsenic. The Remedial Investigation/Cleanup Plan and Risk Assessment were disapproved by the Department on July 6, 2016. PF807853.

**US Steel Corporation (KIPC) Storage Tank FFU 160 Area**, One Ben Fairless Drive, Falls Township, **Bucks County**. John Garges, GHD Services, Inc., 410 Eagleview Boulevard, Suite 11, Exton, PA 19341. Michael H. Leon, United State Steel Corporation, 1350 Penn Avenue, Suite 200, Pittsburgh, PA 15222 on behalf of Dale L. Davis, Exelon Corporation, 990 Steel Road South, Fairless Hill, PA 19030 has submitted a Final Report concerning the remediation of site soil contaminated with metals, svocs and pcbs. The Final report demonstrated attainment of the Statewide Health and was approved by the Department on June 22, 2016. PF809909.

**Clark Residence**, 34 Mermaid Lane, Falls Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18703, Theresa O'Connor, State Farm Insurance, PA Fire Claims, P.O. Box 106110, Atlanta, GA 30348-6110 on behalf of Lawrence Clark, 34 Emerald Lane, Levittown, PA 19054 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health and was approved by the Department on June 27, 2016. PF782048.

**Maxwell Residence**, 294 Mill Drive, Bristol Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18703, Rick Scheets, State Farm Insurance Company, PA Fire Claims, P.O. Box 106169 on behalf of Paula Maxwell, 294 Mill Road, Levittown, PA 19056 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 24, 2016. PF805125.

**Crawford Residence**, 710 Maple Hill Drive, Whitpain Township, **Montgomery County**. Andrew Markoski, Patriot Environmental Management, LLC, 21 Unionville Road, P.O. Box 629, Douglasville, PA 19518, John Walsh, Clyde S. Walton, Inc., P.O. Box 1669, Lansdale, PA 09446 on behalf of Bonnie Crawford, 710 Maple Hill Drive, Blue Bell, PA 19422 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 7, 2016. PF81107.

**Gonzalez Residence**, 1146 Grandview Circle, North Coventry Township, **Chester County**. Patrick S.

Crawford, P.G. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of William and Virginia Fields, 1146 Grandview Circle, Pottstown, PA 19464 has submitted a 90 day Final Report concerning the remediation of site soil and groundwater contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 28, 2016. PF809256.

**Kitts Residence**, 873 Edgewood Road, Lower Makefield Township, **Bucks County**. Thomas Hippensteal, P.G. Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477 on behalf of Charles and Deborah Prall, 9 Valley Court, Newtown, PA 18940 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with no. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 27, 2016. PF782451.

**1537 Edge Hill Road**, 1537 Edge Hill Road, Abington Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Adam Aronstein, 1537 Edge Hill Road LLC, 202 Walnut Street, Suite 24E, Philadelphia, PA 19103 has submitted a 90 day Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The 90 day Final report demonstrated attainment of the Statewide Health and was approved by the Department on June 30, 2016. PF809905.

**Chester County Tax Parcel 50-1-36-31**, Boulder Road, West Bradford Township, **Chester County**. James Mulry, Mulry and Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, Victor Abdala, StanAb, LP, 433 West Market Street, West Chester, PA 19382 on behalf of Theodore VanBeruren, 435 West Minor Street, West Chester, PA 19382 has submitted a Final Report concerning the remediation of site soil contaminated with other organics. The Final report demonstrated attainment of the Background Standard and was approved by the Department on July 12, 2016. PF809652.

**25 Wilkshire Road**, 25 Wilkshire Road, Doylestown Township, **Bucks County**. Stacie Cottone, J&J Environmental, P.O. Box 370, Blue Bell, PA 19422 on behalf of Frank Schmiltzer, BrzyAcre Management Company, LLC, 130 Wilkshire Road, Doylestown, PA 18901 has submitted a Final Report concerning the remediation of site soil contaminated with no. fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 11, 2016. PF808957.

**Specialty Glass Products**, 2885 Terwood Road, Upper Moreland Township, **Montgomery County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Frank J. Arrison, SGP Properties, Inc., 1150 Pebble Hill Road, Doylestown, PA 18901 has submitted a Remedial Investigation/Cleanup Plan/Risk Assessment and Final Report concerning the remediation of site soil contaminated with vocs. The Remedial Investigation/Cleanup Plan/Risk Assessment and Final Report were approved by the Department on July 14, 2016. PF807381.

**Biddle Residence**, 2803 Diamond Street, Hilltown Township, **Bucks County**. Kevin Burns, CBI, 200 Horizon Center Boulevard, Trenton, NJ 08691, Gary Ecott Petero Heating Oil Services, 650 Knowles Avenue, Southampton, PA 18966 on behalf of Larry Biddle, 2803

Diamond Street, Hilltown, PA 18927 has submitted a Final Report concerning the remediation of site soil contaminated with fuel oil. The Final report did not demonstrate attainment of the Site Statewide Health Standard and was disapproved by the Department on July 15, 2106. PF716036.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170*

##### *New Applications Received*

**Med-Flex, Inc.**, PO Box 365, Hainesport, NJ 08036. License No. PA-AH 0847. Effective Jun 30, 2016.

*Regulated Medical and Chemotherapeutic Waste Transporter Reissued*

**Clym Environmental Services, LLC**, 1539 Tilco Drive, Frederick, MD 21704. License No. PA-HC 0253. Effective Jul 14, 2016.

**Med-Flex, Inc.**, PO Box 357, Hainesport, NJ 08036. License No. PA-HC 0207. Effective Jul 19, 2016.

##### *Renewal Applications Received*

**Clym Environmental Services, LLC**, 1539 Tilco Drive, Frederick, MD 21704. License No. PA-HC 0253. Effective Jul 14, 2016.

**Med-Flex, Inc.**, PO Box 357, Hainesport, NJ 08036. License No. PA-HC 0207. Effective Jul 19, 2016.

#### MUNICIPAL WASTE GENERAL PERMITS

**Permit(s) issued under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

**General Permit No. WMGM019SW002. Wood Waste Recycling, LLC**, 111 Kelso Road, McDonald, PA 15057. Wood Waste Recycling Prestley Road Facility, 43 Prestley Road, Bridgeville, PA 15017. A determination of applicability under a municipal waste general permit for the processing of waste concrete and asphalt to produce a roadway construction material and for the processing of wood waste, uncontaminated soil and leaf and yard waste to produce topsoil, landscaping mulch material and compost in Collier Township, **Allegheny County**, was approved in the Regional Office on July 12, 2016.

#### RESIDUAL WASTE GENERAL PERMITS

**Permit Issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, telephone 412-442-4000.*

**General Permit No. WMGR025D501. AgRecycle, Inc.,** P.O. Box 38783, Pittsburgh, PA 15238-8783. AgRecycle Compost Facility, 25 Lindley Road, Canonsburg, PA 15317. A residual waste general permit for the processing prior to beneficial use of the following source separated wastes: agricultural waste other than mortalities, butcher waste other than whole carcasses, food processing waste, pre-consumer and post-consumer food residuals, yard waste, land clearing and grubbing material, untreated wood waste, gypsum wallboard, paper, cardboard, waxed cardboard, virgin paper mill sludge and spent mushroom substrate in North Strabane Township, **Washington County**, was approved in the Regional Office on July 13, 2016.

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.*

**General Permit No. WMGR082D001. Development of Sharpsville Furnace, Ltd,** 2 North Sixth St., Sharpsville, PA 16150.

General Permit No. WMGR082D001. The renewal is under Residual Waste General Permit WMGR082 for Development of Sharpsville Furnace, Ltd, located in the Borough of Sharpsville, **Mercer County**. This General Permit is for the processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag ("slag") as a construction material. The authorized processing is limited to magnetic separation of metallics and mechanical sizing and separation. Uses of slag as a construction material under this permit are limited to the following: as an ingredient in bituminous concrete; as aggregate; as base course; as subbase; and as antiskid material. General Permit was reissued by Central Office on July 2, 2016.

Persons interested in reviewing the general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**General Permit Application No. WMGR082D002. AMSI, US, LLC,** 897 Perry Highway, Harmony, PA 16037.

General Permit No. WMGR082D002. The renewal is under Residual Waste General Permit WMGR082 for AMSI, US, LLC located at Quemahoning Industrial Development Park, 111 Hognanas Way, Hollsopple, PA 15935, **Somerset County**. This General Permit is for the processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag ("slag") as a construction material. The authorized processing is limited to magnetic separation of metallics and mechanical sizing and separation. Uses of slag as a construction material under this permit are limited to the following: as an ingredient in bituminous concrete; as aggregate; as base course; as subbase; and as antiskid material. General Permit was reissued by Central Office on July 2, 2016.

Persons interested in reviewing the general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may con-

tact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**General Permit Application No. WMGR082SC001. Willow Creek Stoneworks and Supply LLC (d.b.a. Willow Creek Environmental Services),** 74 Willow Creek Road, Reading, PA 19605.

General Permit No. WMGR082SC001. The renewal is under Residual Waste General Permit WMGR082 for Willow Creek Environmental Services located in the Ontelauee Township, **Berks County**. This General Permit is for the processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag ("slag") as a construction material. The authorized processing is limited to magnetic separation of metallics and mechanical sizing and separation. Uses of slag as a construction material under this permit are limited to the following: as an ingredient in bituminous concrete; as aggregate; as base course; as subbase; and as antiskid material. General Permit was reissued by Central Office on July 2, 2016.

Persons interested in reviewing the general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**General Permit Application No. WMGR082SC002. Boyertown Foundry Company,** 9th and Rothermel Drive, P.O. Box 443, New Berlinville, PA 19545-0443.

General Permit No. WMGR082SC002. The renewal is under Residual Waste General Permit WMGR082 for Boyertown Foundry Company, located in the Borough of Boyertown, **Berks County**. This General Permit is for the processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag ("slag") as a construction material. The authorized processing is limited to magnetic separation of metallics and mechanical sizing and separation. Uses of slag as a construction material under this permit are limited to the following: as an ingredient in bituminous concrete; as aggregate; as base course; as subbase; and as antiskid material. General Permit was reissued by Central Office on July 2, 2016.

Persons interested in reviewing the general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**General Permit Application No. WMGR082SW001. Jigging Technologies, LLC (dba Atoll),** 950 Riders Road, Johnstown, PA 15906.

General Permit No. WMGR082SW001. The renewal is under Residual Waste General Permit WMGR082 for Jigging Technologies, LLC, located in the City of Johnstown, **Cambria County**. This General Permit is for the processing and beneficial use of steel slag, iron slag, and refractory bricks that were co-disposed with slag ("slag") as a construction material. The authorized processing is limited to magnetic separation of metallics and mechani-

cal sizing and separation. Uses of slag as a construction material under this permit are limited to the following: as an ingredient in bituminous concrete; as aggregate; as base course; as subbase; and as antiskid material. General Permit was reissued by Central Office on July 2, 2016.

Persons interested in reviewing the general permit should be directed to Scott E. Walters at 717-787-7381, Chief, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

#### REGISTRATION FOR GENERAL PERMIT—MUNICIPAL WASTE

**Registration issued Under the Solid Waste Management Act; the Residual Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Northwest Regional Office: 230 Chestnut Street, Meadville, PA 16335*

**General Permit Registration No. WMGM043NW02. McJunkin Rolloffs, Inc.**, 2064 Perry Highway, Fredonia, PA 16124, Fairview Township, **Mercer County**, PA. Registration to operate under General Permit No. WMGM043 for the acceptance, transfer, and processing prior to beneficial use of construction and demolition waste materials including untreated and unpainted wood waste, stone, brick, block, concrete, cardboard, gypsum board, asphalt shingles, particle board, plastic, scrap metal, and glass. The registration was approved by Northwest Regional Office on July 7, 2016.

Persons interested in reviewing the general permit may contact John Guth, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335 (814) 332-6848. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110*

**Permit No. 301347 RecOil, Inc. (Residual Waste Processing Facility)**, 280 North East Street, York, PA 17403. A permit renewal was issued on July 14, 2016 for the Recoil, Inc. Residual Waste Processing Facility located in York City, **York County**. This permit renewal is issued in accordance with Article V of the Solid Waste Management Act, 35 P.S. §§ 6018.101, et seq.

Compliance with the terms and conditions set forth in the permit is mandatory. You have the right to file an appeal as to these terms and conditions.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702*

**GP3-01-03038B: Mellott Company** (100 Mellott Drive, Warfordsburg, PA 17267) On July 13, 2016, for the installation and operation of portable nonmetallic mineral processing equipment, under GP3, at the SGI Charmian Quarry located in Hamiltonban Township, **Adams County**.

**GP11-01-03038B: Mellott Company** (100 Mellott Drive, Warfordsburg, PA 17267) On July 13, 2016, for the installation and operation of five nonroad engines, under GP11, to power portable nonmetallic mineral processing equipment at the SGI Charmian Quarry located in Hamiltonban Township, **Adams County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648*

**GP13-08-00014: Bishop Brothers Construction Company, Inc.** (P.O. Box 289 Ulster, PA 18850) On July 18, 2016, to construct and operate one 320 ton per hour Gencor batch-mix asphalt plant consisting of a 100 MMBtus/hr natural gas-fired burner and a 1.5 MMBtu/hr natural gas-fired heater burner, a Gencor knockout box and a Gencor baghouse, and two 29,983-gallon storage tanks pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-13: Hot Mix Asphalt Plants at their Wysox Plant located in Wysox Township, **Bradford County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336*

**GP5-65-01009A: Mountain Gathering LLC** (810 Houston Street, Fort Worth, Texas 76102) On July 13, 2016, to authorize the continued operation of the previously installed sources at their Mainline Compressor Station located in Murrysville, **Westmoreland County**.

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**49-00065B: Polar Tech Industries, Inc.** (1017 West Valley Avenue, Elysburg, PA 17824-7259) On July 13, 2016, for the modification of an expandable polystyrene

foam processing operation at their facility located in Ralpho Township, **Northumberland County**.

---

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**15-0141: Tin Technology and Refining LLC** (905 Fern Hill Road, West Chester, PA 19380) On July 14, 2016, for the construction and installation of a tin processing and refining facility and diesel-fired emergency electric generator in West Goshen Township, **Chester County**.

**09-0174D: Liberty Coating Company Co LLC** (21 Steel Rd S, Morrisville, PA 19067) On July 14, 2016, to increase the volatile Organic Compound (VOC) in Falls Township, **Bucks County**.

**23-0038C: Delcora** (100 E 5th Street, PO Box 999, Chester, PA 19016-0999) On July 14, 2015, for the addition of applicable requirements from 40 C.F.R. Part 63 to four (4) No. 2 fuel oil fired boilers in City of Chester, **Delaware County**.

**23-0038E: Delcora** (100 E 5th Street, PO Box 999, Chester, PA 19016-0999) On July 14, 2015, for construction and operation of a Biotrickling Filter to remove hydrogen sulfide and other odorous compounds in City of Chester, **Delaware County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648*

**41-00087B: Knight Confer Funeral Home, Inc.** (1914 Memorial Avenue, Williamsport, PA 17701) On July 10, 2016, to extend the authorization to operate the human crematorium at their facility located in Williamsport, **Lycoming County** on a temporary basis to January 6, 2017. The plan approval has been extended.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

*Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336*

**PA-03-00246B: Bedrock Mines LP** (111 Freeport Road, Aspinwall, PA 15215-2943) On July 13, 2016, to extend the plan approval to facilitate shake-down sources and to obtain an Operating Permit for their coal blending facility located in Plumcreek Township, **Armstrong County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920*

**23-00034: Villanova University** (800 East Lancaster Ave, Villanova, PA 19085-1603) On July 18, 2016, a minor operating permit modification was made to the Title V Operating Permit to incorporate a voluntary facility-wide

Nitrogen Oxides (NO<sub>x</sub>) limit of 99 tons per year. This limitation will exempt Villanova from the RACT 2 regulations under 25 Pa. Code §§ 129.96—129.100. There were no physical changes at the facility due to this modification. This facility is located in Radnor Township, **Delaware County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702*

**36-05014: Alumax Mill Products** (1480 Manheim Pike, Lancaster, PA 17601-3152) On July 11, 2016, for the secondary aluminum foundry located in Manheim Township, **Lancaster County**. The Title V permit was renewed.

**36-05081: Lancaster County SWMA** (1299 Harrisburg Avenue, Lancaster, PA 17603-2515) On July 12, 2016, for the Frey Farm-Creswell Landfill located in Manor Township, **Lancaster County**. The Title V permit was renewed.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

*Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940*

**24-00012: Graftech USA LLC** (800 Theresia Street, Saint Marys, PA 15857-1831) On July 13, 2016, for renewal of the Title V Operating Permit. The facility is located in the City of Saint Marys, **Elk County**. The facility's emitting sources include: 1) Coke Unloading; 2) Storage, Preheaters, Screening, Crushing; 3) Pitch Impregnation; 4) Mixer, Feeder, Scale; 5) 48' Extrusion Press System; 6) Burn Off Oven; 7) L.G. Coke Screening; 8) Liquid Pitch Storage & Distribution; 9) Air/Vegetable Oil Quench System; 10) Pitch Storage; 11) Coke Handling; 12) Sixteen Carbottom Furnaces; 13) Longitudinal Graphitizers; 14) Sagger Sand Handling System; 15) Parts Cleaners; 16) Graphite Bagging System; 17) Machining Operations; 18) Petroleum Coke Flour Mill; 19) 153 HP Cummins Natural Gas Emergency Engine; 20) 115 HP Natural Gas Emergency Generator Engine; 21) 67 HP Diesel Fueled Emergency Engine for Fire Pump; and 22) 105 HP Natural Gas Emergency Generator. The emergency generators are subject to 40 CFR Part 60, Subpart JJJJ and 40 CFR Part 63, Subpart ZZZZ. All applicable conditions of Subpart JJJJ and ZZZZ have been included in the permit. The facility is a major facility due to its potential to emit VOC and oxides of Sulfur. The facility reported the following emissions for 2015: Oxides of Nitrogen 8.6 Tons per year (TPY); Particulate Matter less than 10 Micron 22.74 TPY; Oxides of Sulfur 224.18 TPY; Volatile Organic Compounds 33.77 TPY. The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 C.F.R. Part 64. Appropriate permit conditions to address the applicable CAM requirements were previously included in the permit.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

**15-00143: Phoenixville Crematory, Inc.** (610 Main Street, Phoenixville, PA 19460) On July 18, 2016, for the issuance of an initial State Only (Natural Minor) Operating Permit No. 15-00143. Phoenixville Crematory operates a human crematory at its current facility, Campbell-Ennis-Klotzbach Funeral Home. The crematory is a dual chamber unit manufactured by Matthews Cremation Division. This crematory operates in accordance with Best Available Technology for operating temperatures and retention times, and this crematory uses natural gas as a fuel. The Operating Permit also contains work practice standards, monitoring and recordkeeping requirements, and operating restrictions designed to keep the crematory operating within all applicable air quality requirements located in Phoenixville Borough, **Chester County**.

**GP3-15-0072: Limestone Properties, LLC** (1020 Broad Run Road, Landenberg, PA 19350) On July 18, 2016, for an Extec Portable nonmetallic mineral processing plant with jaw crusher and water spray dust suppression system in Avondale Borough, **Chester County**.

**GP3-09-0144: The H & K Group, Inc.** (P.O. Box 196, 2052 Lucon Road, Skippack, PA 19474) On July 18, 2016, to install the portable crusher in Hilltown Township, **Bucks County**.

**GP9-09-0074: The H & K Group, Inc.** (P.O. Box 196, 2052 Lucon Road, Skippack, PA 19474) On July 18, 2016, to install a fuel-field combustion engine in Hilltown Township, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

**06-03096: Lucas Lane, Inc.** (10 Lucas Lane, Bernville, PA 19506) On July 12, 2016, for the oil filter recycling facility located in Upper Tulpehocken Township, **Berks County**. The State-only permit was renewed.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481*

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940

**27-00018: National Fuel Gas Supply Corporation** (6363 Main Street, Williamsport, NY 14221) On July 12, 2016, the Department renewed a State Only Operating Permit for the Queen Compressor Station located in Hickory Township, **Forest County**. The facility is a Synthetic Minor and has taken an operating hour restriction of 500 hours per year on the emergency generator to assure that potential NO<sub>x</sub> emissions for the facility remain below major source thresholds. Potential Emissions are as follows: 47.25 tpy VOC; 94.24 tpy NO<sub>x</sub>; 7.68 tpy CO; 0.01 tpy SO<sub>x</sub>; 0.43 tpy PM<sub>10</sub>; 0.43 tpy PM<sub>2.5</sub>; 3.22 tpy Total HAPs; 0.43 tpy formaldehyde; and 3,570 tpy CO<sub>2e</sub>. The sources at the facility are all natural gas fueled and include two 150 hp compressor engines, two 75 hp compressor engines, a 75 hp emergency generator, a natural gas dehydrator, and a boiler and six space heaters with a total rating of 400,000 Btus/hr for all seven combustion units combined. The engines are subject to 40 CFR Part 63 Subpart ZZZZ, National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping,

work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401*

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920

**46-00005: Merck & Company** (770 Sumneytown Pike, West Point, PA 19486-0004) On June 18, 2016 to incorporate plan approval number 46-0005AP (thin-walled refrigerated trailers equipped with diesel-fired engines—Source 383). This action also corrects several typographical errors. Administrative Amendment and modification of Title V Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.450 and 127.462, located in Upper Gwynedd Township, **Montgomery County**.

---

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110*

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702

**36-05079: Chester County Solid Waste Authority** (P.O. Box 476, Honeybrook, PA 19344) Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for the De Minimis Emissions Increase of 0.60 tpy of NO<sub>x</sub>, 0.33 tpy of CO, 0.02 tpy PM, 0.08 tpy of SO<sub>x</sub>, 0.10 tpy VOC resulting from the use of a portable emergency generator. The generator is certified under Tier 3 certification standards as specified in Table 1 of 40 CFR 89.112 and will operate at a maximum of 500 hours per year. This is the first De Minimis Emissions Increase at the facility during the current term of the operating permit.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745*

Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336

**OP-30-00177: Coresco, LLC** (103 Corporate Drive, Suite 102, Morgantown, WV 26501) Per Title 25 Pa. Code Section 127.449(i), this Notice is for the following De Minimis Emission Increase at the Coresco, LLC, Dooley Run Terminal, located in Dunkard Township, **Greene County**. This project will allow the addition of a coal crushing operation with an increase in PM<sub>10</sub> emissions from any source authorized in this project shall not exceed 0.6 TPY; PM<sub>10</sub> emissions from this project shall not exceed 1.2 TPY; and all sources authorized in this project are subject to the applicable requirements of 40 CFR Part 60 Subpart Y. The list of De Minimis Emission Increases for this facility includes only this project.



## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).**

### *Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100*

**56981301 and NPDES No. PA0215121 and GP12-56981301-R13. Quecreek Mining, Inc.**, (PO Box 260, 1576 Stoystown Road, Friedens, PA 15541-0260). To renew the permit for the Quecreek No. 1 Mine in Lincoln and Somerset Townships, **Somerset County**. Includes renewal of Air Quality GPA/GP-12 Authorization. Approval is authorized under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-56981301-R13. No additional discharges. The application was considered administratively complete on December 5, 2013. Application received September 30, 2013. Permit issued July 13, 2016.

**30031301 and NPDES No. PA0235610. Dana Mining Company of PA, LLC**, (308 Dents Run Road, Morgantown, WV 26501). To revise the permit for the 4-West Mine in Dunkard Township, **Greene County** and related NPDES permit to construct 3 pipelines and 4 boreholes. Surface Acres Proposed 7.0. No additional discharges. The application was considered administratively complete on September 23, 2015. Application received July 22, 2015. Permit issued July 13, 2016.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 39A77SM4 and NPDES Permit No. PA0607878. Bentley Development Company, Inc.**, P.O. Box 338, Blairsville, PA 15717, renewal of NPDES permit, located in West Wheatfield Township, **Indiana County**. Receiving stream: unnamed tributary to Conemaugh River classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: February 26, 2016. Permit issued: July 11, 2016.

**Permit No. 32090201 and NPDES Permit No. PA0262854. Britt Energies, Inc.**, P.O. Box 515, Indiana, PA 15701, renewal of a bituminous surface refuse reprocessing mine in Conemaugh Township, **Indiana County**, affecting 11.9 acres. Receiving streams: unnamed tributaries to/and Sulfur Run, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 9, 2016. Permit issued: July 12, 2016.

**Permit No. 56090101 and NPDES Permit No. PA0262714. Heritage Coal & Natural Resources, LLC**, 184 West Mud Pike, Rockwood, PA 15557, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Elk Lick Township, **Somerset County**, affecting 173 acres. Receiving streams: Unnamed tributaries: unnamed tributary to/and Casselman River, unnamed tributaries to Piney, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: April 5, 2016. Permit issued: July 15, 2016.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200*

**14080103 and NPDES PA0256994. RES Coal LLC** (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for continued operation and restoration of a bituminous surface and auger mine located in Rush Township, **Centre County** affecting 150.8 acres. Receiving stream(s): Moshannon Creek and Mountain Branch classified for the following use(s): CWF and TSF. There are no potable water supply intakes within 10 miles downstream. Application received: November 24, 2015. Permit issued: July 7, 2016.

**17120101 and NPDES PA0257893. RES Coal LLC** (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for continued operation and restoration of a bituminous surface mine located in Lumber City Borough, **Clearfield County** affecting 55.0 acres. Receiving stream(s): Unnamed Tributaries to the West Branch of the Susquehanna River and the West Branch of the Susquehanna River classified for the following use(s): CWF and WWF respectively. There are no potable water supply intakes within 10 miles downstream. Application received: January 15, 2016. Permit issued: July 6, 2016.

**17050104 and NPDES PA0256200. RES Coal LLC** (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for continued operation and restoration of a bituminous surface and auger mine located in Chest Township, **Clearfield County** affecting 295.9 acres. Receiving stream(s): Unnamed Tributaries to North Camp Run to North Camp Run classified for the following use(s): CWF and MF. There are no potable water supply intakes within 10 miles downstream. Application received: December 23, 2015. Permit issued: July 5, 2016.

**17100106 and NPDES PA0257346. RES Coal LLC** (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Permit renewal for reclamation only of a bituminous surface mine and sandstone removal located in Bigler Township, **Clearfield County** affecting 68.4 acres. Receiving stream(s): Clearfield Creek classified for WWF and Unnamed Tributary to Clearfield Creek classified for CWF. There are no potable water supply intakes within 10 miles downstream. Application received: March 31, 2016. Permit issued: July 6, 2016.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500*

**65090102 and NPDES Permit No. PA0251640. Coal Loaders, Inc.** (210 East Main Street, Ligonier, PA 15658). Permit renewal issued for reclamation only to an existing bituminous surface mine, located in Bell Township, **Westmoreland County**, affecting 184.6 acres. Receiving streams: unnamed tributaries to Wolford Run and Kiskiminetas River. Application received: March 4, 2016. Renewal permit issued: July 13, 2016.

**65090102 and NPDES Permit No. PA0251640. Coal Loaders, Inc.** (210 East Main Street, Ligonier, PA 15658). Permit revision issued for land use change from forestland to pastureland to an existing bituminous surface mine, located in Bell Township, **Westmoreland County**, affecting 184.6 acres. Receiving streams: unnamed tributaries to Wolford Run and Kiskiminetas River. Application received: May 2, 2016. Revision permit issued: July 13, 2016.

*Noncoal Permits Issued*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900*

**Permit No. 56160301 and NPDES No. PA0262692. PBS Coals, Inc.**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541 commencement, operation, and restoration of a large noncoal (industrial minerals) operation located in Brothersvalley Township, **Somerset County** affecting 174.3 acres. Receiving streams: unnamed tributary to Swamp Creek and unnamed tributary to Blue Lick Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: February 12, 2016. Permit issued: July 11, 2016.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 58162504. Johnson Quarries, Inc.**, (PO Box 136, LeRaysville, PA 18829), commencement, operation and restoration of a quarry operation in Rush Township, **Susquehanna County** affecting 5 acres, receiving stream: unnamed tributary to North Branch Wyalusing Creek. Application received: February 1, 2016. Permit issued: July 12, 2016.

**Permit No. 58162504GP104. Johnson Quarries, Inc.**, (PO Box 136, LeRaysville, PA 18829), General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58162504 in Rush Township, **Susquehanna County**, receiving stream: unnamed tributary to North Branch Wyalusing Creek. Application received: February 1, 2016. Permit issued: July 12, 2016.

**Permit No. 58152801GP104. Bill Johnson**, (7231 Route 706, Wyalusing, PA 18853), General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58152801 in Rush Township, **Susquehanna County**, receiving stream: no discharge to Wyalusing Creek Watershed. Application received: September 14, 2015. Permit issued: July 14, 2016.

**Permit No. 58162506. Juan's Bluestone, LLC**, (1525 Fair Hill Road, New Milford, PA 18834), commencement, operation and restoration of a quarry operation in Liberty Township, **Susquehanna County** affecting 7.0 acres, receiving stream: no discharge to unnamed tributary to Rhiney Creek to Snake Creek. Application received: April 4, 2016. Permit issued: July 15, 2016.

**Permit No. 58162506GP104. Juan's Bluestone, LLC**, (1525 Fair Hill Road, New Milford, PA 18834), General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58162506 in Liberty Township, **Susquehanna County**, receiving stream: no discharge to unnamed tributary to Rhiney Creek to Snake Creek. Application received: April 4, 2016. Permit issued: July 15, 2016.

**ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Issued*

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500*

**65090102 and NPDES Permit No. PA0251640. Coal Loaders, Inc.** (210 East Main Street, Ligonier, PA 15658). Permit renewal issued for reclamation only to an existing bituminous surface mine, located in Bell Township, **Westmoreland County**, affecting 184.6 acres. Receiving streams: unnamed tributaries to Wolford Run and Kiskiminetas River. Application received: March 4, 2016. Renewal permit issued: July 13, 2016.

**65090102 and NPDES Permit No. PA0251640. Coal Loaders, Inc.** (210 East Main Street, Ligonier, PA 15658). Permit revision issued for land use change from forestland to pastureland to an existing bituminous surface mine, located in Bell Township, **Westmoreland County**, affecting 184.6 acres. Receiving streams: unnamed tributaries to Wolford Run and Kiskiminetas River. Application received: May 2, 2016. Revision permit issued: July 13, 2016.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118*

**Permit No. 06164108. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Woods Edge in Amity Township, **Berks County** with an expiration date of August 31, 2016. Permit issued: July 12, 2016.

**Permit No. 15164106. Brubacher Excavating, Inc.**, (P.O. Box 528, Bowmansville, PA 17507), construction blasting for Chesterbrook in Tredyffrin Township, **Chester County** with an expiration date of July 6, 2017. Permit issued: July 12, 2016.

**Permit No. 22164106. J Roy's, Inc.**, (P.O. Box 125, Bowmansville, PA 17507), construction blasting for Stray Wind Farms Phase II in Lower Paxton Township, **Dauphin County** with an expiration date of July 11, 2017. Permit issued: July 12, 2016.

**Permit No. 36164138. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Middle Creek School in Ephrata Township, **Lancaster County** with an expiration date of August 31, 2016. Permit issued: July 12, 2016.

**Permit No. 36194139. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Edwin Horning Chicken Houses in Ephrata Township, **Lancaster County** with an expiration date of August 30, 2016. Permit issued: July 12, 2016.

**Permit No. 38164110. Douglas Explosives, Inc.**, (2052 Philipsburg Bigler Highway, Philipsburg, PA 16866), construction blasting for Blue Ridge Cold Storage in North Lebanon Township, **Lebanon County** with an expiration date of December 30, 2016. Permit issued: July 12, 2016.

**Permit No. 09164107. American Rock Mechanics, Inc.**, (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Colebrook Residential Development

in New Britain Township, **Bucks County** with an expiration date of May 23, 2017. Permit issued: July 15, 2016.

**Permit No. 36164140. Maine Drilling & Blasting, Inc.**, (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Penns Crossing in Manheim Township, **Lancaster County** with an expiration date of July 12, 2017. Permit issued: July 15, 2016.

**Permit No. 36164141. Maine Drilling & Blasting, Inc.**, (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Woodcrest Villa in East Hempfield Township, **Lancaster County** with an expiration date of July 12, 2017. Permit issued: July 15, 2016.

**Permit No. 36164142. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for The Lakes Development in Mount Joy Borough, **Lancaster County** with an expiration date of July 30, 2017. Permit issued: July 15, 2016.

**Permit No. 38164111. Keystone Blasting Service**, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Curvin Newswenger Barn in Millcreek Township, **Lebanon County** with an expiration date of August 30, 2016. Permit issued: July 15, 2016.

**Permit No. 67164106. M & J Explosives, LLC**, (P.O. Box 1248, Carlisle, PA 17013), construction blasting for Bridgewater Development in York Township, **York County** with an expiration date of July 8, 2017. Permit issued: July 15, 2016.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E15-877. East Goshen Municipal Authority**, 1580 Paoli Pike, West Chester, PA 19380, East Goshen Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain an 8-inch HDPE sanitary force main crossing Chester Creek (TSF). Construction will utilize open cut methods and is being done as a part of the East Goshen Municipal Authority wastewater diversion infrastructure project to reduce flow to the West Goshen Sewage Treatment Plant.

Also, to place and maintain approximately 860 cubic yards of fill within the 100-year floodplain of Chester Creek associated with the construction of a 300 gallon/day sanitary sewer pump station in order to elevate the pump station building and its driveway above the 100-year flood elevation.

The site is located near the intersection of Reservoir and East Strasburg Roads (West Chester, PA, USGS Map, Latitude: 39.9726; Longitude: -75.5482).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

**E23-526. Agilyx Corporation**, 9600 SW Nimbus, Suite 260, Beaverton, OR 87008-7386, Marcus Hook Borough, **Delaware County**, ACOE Philadelphia District.

To redevelop and maintain an existing industrial site, partially located within the floodway and floodplain of the Marcus Hook Creek (WWF, MF). The project is associated with the facility that converts pre-processed recycled plastics into synthetic oil.

The site is located near 401 Penn Avenue (Marcus Hook—PA USGS Quadrangle latitude: 39.817824, longitude: -75.409009).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

**E09-1004. BCP Property, LLC and Playhouse Inn Property, LLC**, New Hope Borough, 55 Bridge Street, Lambertville, NJ 08530-2115, New Hope Borough, **Bucks County**, ACOE Philadelphia District.

To expand and maintain the existing Bucks County Playhouse & Promenade situated along the floodway/floodplain of the Delaware River (WWF, MF) and measur-

ing approximately 145 feet in length and 7 feet wide associated with the Playhouse Promenade Improvements. The improvements also include open terrace, gravel area, enclosed deck, and public access link, stormwater outfall within floodway etc.

The site is located at 50 & 70 South Main Street (Lambertville, PA USGS Quadrangle, Latitude: 40.36248; Longitude: -74.950835).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

**E15-871. PECO Energy Company**, 2301 Market Street, S7-2, Philadelphia, PA 19101, West Vincent Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain a 6-inch PY\_HP natural gas pipeline beneath the bed of Burch Run (EV) at two different locations utilizing Horizontal Directional Drilling (HDD).

The site is located under the existing culvert on Westover Lane and Birch Run Road bridge/culvert crossing (Downingtown, PA USGS Quadrangle map, Latitude: 40.12034, Longitude: -75.6822).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636*

**E17-496. Aqua Pennsylvania Wastewater Inc.**, 665 South Dock Street, Sharon, PA 16146. Aqua Wolf Run Sanitary Sewer Replacement Project. Wolf Run. USACOE Pittsburgh District (Sabula, PA Quadrangle Latitude: 41° 10' 57"; Longitude: 78° 44' 00").

This authorization is giving consent to operate and maintain a 16-inch diameter sanitary sewer crossing Wolf Run, which was installed under Emergency Permit No. E1715502. Authorized as Phase 1 by EP1715502, the 16-inch diameter sanitary sewer beneath Wolf Run was encased in concrete. Authorized as Phase 2 by EP1715502, a section of eroded stream bed and channel side slopes were restored to uniform cross-section and stabilized with R-4 rip rap. As fully completed under EP1715502, the project is located immediately south of Samana Cay Road and Treasure Lake Road intersection in Sandy Township, **Clearfield County**. This after-the-fact permit is being issued under Section 105.13(e) "Small Projects."

*Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E63-673, Baer Beach Front Properties, LLP**, 71 Murtland Ave., Washington, PA 15301, South Strabane Township, **Washington County**, Pittsburgh ACOE District.

Has been given consent to:

Place and maintain fill in 0.22 acre of PEM/PSS wetlands (aka Wetlands W-1, W-2 and W-3), and 300' of watercourses that are unnamed tributaries (UNT) to Chartiers Creek (WWF) (aka UNT-01, UNT-02 and UNT-04). Approximately 0.27 acre of replacement wetlands will be constructed on-site and approximately 150' of UNT-01 will be restored and stabilized, to compensate for these impacts. This authorization is for the construction of a

new auto dealership located approximately 1,200' southwest of the intersection of SR 0019 and Davis School Road (Washington East, PA USGS topographic quadrangle; Latitude: 40° 12' 5"; Longitude: -80° 12' 11"; Sub-basin: 20F ; Pittsburgh Corps District), in South Strabane Township, Washington County.

*Northwest Region: Waterways and Wetlands Program Manager, 230 Chestnut Street, Meadville, 16335.*

**E43-364, SFT Properties, LLC**, 104 Dogwood Court, Butler, PA 16001 in Pine Township, **Mercer County**, ACOE Pittsburgh District (Grove City, PA Quadrangle N:41°10'15"; W:80°03'49")

To construct a commercial development along the north side of S.R. 208 approximately 1 mile east of S.R. 173 consisting of a 15,000 square foot warehouse/office building with a 3.04 acre parking lot/storage yard and associated roadways, utilities, and stormwater management facilities at a site; to permanently impact 0.312 acre of wetland for a roadway and stormwater pipe crossing of 1 wetland and placement of fill in portions of 3 wetlands; to temporarily impact 0.076 acre of wetland for water, gas, and electric utility crossings of wetlands as well as temporary access for construction of the mitigation area; to mitigate for these impacts by creating 0.38 acre of new wetland adjacent to an existing wetland on-site and enhancing an additional 0.62 acre of existing wetland on-site.

#### DAM SAFETY

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 3, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460*

**D30-083. Consol Pennsylvania Coal Company, LLC**, 1000 Consol Energy Drive, Canonsburg, PA 15317. Permit issued to construct, operate, and maintain Bailey No. 8 Sediment Pond Dam across Boothe Run (WWF) for the purpose of providing sediment control for the disposal area. The sediment pond will eliminate approximately 2.12 acres of wetland (PSS, PEM, PFO) and 5,512 lineal feet of stream channel. Mitigation will be achieved through stream restoration and wetland creation at Robinson Fork Mitigation Bank at a rate of 1:1.

(Wind Ridge, PA Quadrangle Latitude: 39° 58' 43", Longitude: 80° 22' 39") Morris Township, **Greene County**.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in

and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335*

ESCGP-2 # ESG15-019-0056—Renick to Fleeger # 2 Pipeline

Applicant Stonehenge Appalachia, LLC

Contact Patrick Redalen

Address 11400 Westmoor Circle, Suite 325

City Westminster State CO Zip Code 80021-2738

County Butler Township(s) Clay

Receiving Stream(s) and Classification(s) 3 UNTs to Muddy Creek HQ-CWF, UNT to Stoney Run WWF, Connoquenessing Creek

ESCGP-2 # ESX16-019-0010—Schneider Well Pad

Applicant R.E. Gas Development, LLC

Contact Michael Endler

Address 600 Cranberry Woods Drive, Suite 250

City Cranberry Township State PA Zip Code 16066

County Concord & Washington Township(s) Butler

Receiving Stream(s) and Classification(s) Tributary 49195 to Bear Creek & Tributaries 34640 & 63632 of South Branch Slippery Rock Creek CWF

*Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701*

ESCGP-2 # ESX29-015-16-0016

Applicant Name Chief Oil & Gas LLC

Contact Person Jeffrey Deegan

Address 1720 Sycamore Rd

City, State, Zip Montoursville, PA 17754

County Bradford

Township(s) Franklin

Receiving Stream(s) and Classification(s) UNT to Towanda Ck (TSF, MF)

Secondary—Towanda Ck

ESCGP-2 # ESX29-117-16-0029

Applicant Name SWEPI LP

Contact Person Jason Shoemaker

Address 2100 Georgetown Dr, Suite 400

City, State, Zip Sewickley, PA 15143

County Tioga

Township(s) Delmar

Receiving Stream(s) and Classification(s) UNT to Dantz Run (CWF)

ESCGP-2 # ESX12-015-0222

Applicant Name Chief Oil & Gas LLC

Contact Person Jeffrey Deegan

Address 1720 Sycamore Rd

City, State, Zip Montoursville, PA 17754

County Bradford

Township(s) Troy

Receiving Stream(s) and Classification(s) UNT to Sugar Ck (TSF, MF); UNT to Leonard Ck (TSF, MF)

Secondary—Sugar Ck and Leonard Ck

ESCGP-2 # ESG29-081-16-0008

Applicant Name Anadarko E & P Onshore LLC

Contact Person Stephen Barondeau

Address 33 W Third St, Suite 200

City, State, Zip Williamsport, PA 17702

County Lycoming

Township(s) Cogan House

Receiving Stream(s) and Classification(s) UNT to Larrys Ck (HQ-CWF)

Secondary—Larrys Ck (HQ-CWF)

ESCGP-2 # ESG29-081-16-0009

Applicant Name Anadarko Marcellus Midstream LLC

Contact Person Stephen Barondeau

Address 33 W Third St, Suite 200

City, State, Zip Williamsport, PA 17702

County Lycoming

Township(s) Cascade

Receiving Stream(s) and Classification(s) UNT to Slacks Run (HQ-CWF)

Secondary—Slacks Run (HQ-CWF)

ESCGP-2 # ESX29-115-16-0001

Applicant Name Williams Field Services Co LLC

Contact Person Lauren Miladinovich

Address Park Place Corp Ctr 2, 2000 Commerce Dr

City, State, Zip Pittsburgh, PA 15275

County Susquehanna

Township(s) Brooklyn

Receiving Stream(s) and Classification(s) UNT to Martins Ck (CWF-MF) and Dry Ck (CWF-MF)

ESCGP-2 # ESX29-081-16-0011

Applicant Name XTO Energy Inc

Contact Person Stacey Vehovic

Address 395 Airport Rd

City, State, Zip Indiana, PA 15701

County Lycoming

Township(s) Penn

Receiving Stream(s) and Classification(s) UNT to Sugar Run (CWF)

Secondary—Sugar Run (CWF)

ESCGP-2 # ESX29-081-16-0014

Applicant Name EXCO Resources PA LLC

Contact Person Brian Rushe

Address 260 Executive Dr, Suite 100

City, State, Zip Cranberry Twp, PA 16066

County Lycoming

Township(s) Penn

Receiving Stream(s) and Classification(s) UNT to Beaver Run (CWF)

Secondary—Beaver Run (CWF)

ESCGP-2 # ESX13-115-0075(01)

Applicant Name Williams Field Services Co LLC

Contact Person Lauren Miladinovich

Address 2000 Commerce Dr, Park Place Corp Ctr 2

City, State, Zip Pittsburgh, PA 15275

County Susquehanna

Township(s) Bridgewater

Receiving Stream(s) and Classification(s) Meshoppen Ck (CWF-MF) and UNTs thereto

[Pa.B. Doc. No. 16-1314. Filed for public inspection July 29, 2016, 9:00 a.m.]

## 2016 Draft Integrated Water Quality Monitoring and Assessment Report; Availability for Public Comment

The Department of Environmental Protection (Department) is providing for public comment its draft 2016 Integrated Water Quality Monitoring and Assessment Report (Integrated Report). The Integrated Report in-

cludes both a narrative description of the Commonwealth's water quality management programs (formerly the Federal Clean Water Act section 305(b) Report) and waterbody-specific lists depicting the status of Commonwealth surface waters as required by section 303(d) of the Federal Clean Water Act (33 U.S.C.A. § 1313(d)).

Section 303(d) of the Federal Clean Water Act and 40 CFR Part 130 (relating to water quality planning and management) require states to identify waters which would be impaired, even after the appropriate pollution control technology has been applied to point sources and required best management practices are in place for nonpoint sources. The Integrated Report establishes five categories for listing waterbodies. Waterbodies that do not meet water quality standards and that require a Total Maximum Daily Load (TMDL) are placed on Category 5 of the Integrated Report waterbody list.

For each waterbody in Category 5, the Commonwealth or, if requested, the United States Environmental Protection Agency (EPA) must develop TMDL allocations. A TMDL is a calculation of the assimilative capacity of a waterbody to handle point and nonpoint pollutant loads without violating water quality standards. TMDLs also describe the conditions necessary to improve water quality. TMDLs are used to set limits in National Pollution Discharge Elimination System water quality permits and identify pollutant load reductions for nonpoint sources necessary to improve and protect water quality. When a TMDL is approved by the EPA for a waterbody, that waterbody listing is removed from Category 5 and placed in Category 4a.

In addition to comments of a general nature on the Integrated Report, the Department is seeking comment on the eight waters listed as high priorities for TMDL development and the 16 waters selected to be restored through alternatives to TMDLs. These waters can be found on page 27 of the report. Descriptions of the waterbodies, causes of impairment and reason for selection are included.

Waterbody assessment and compilation of the Integrated Report is an ongoing process. The Department will continue to verify the quality of data used in this process and, as needed, will publish supplements to the Integrated Report for public review and comment.

The draft 2016 Integrated Report is available on the Department's web site at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment).

The Department invites public comments on the draft Integrated Report and will accept comments through Monday, September 12, 2016. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the originator's name and address. Commentators are urged to submit comments using the Department's online eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments should be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Gary Walters at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TTD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Acting Secretary*

[Pa.B. Doc. No. 16-1315. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Department of Environmental Protection, the City of Philadelphia Water Department and Partnership for the Delaware Estuary; Planned Revision for the Comprehensive Conservation and Management Plan; Public Listening Session

The Partnership for the Delaware Estuary and its partners will be accepting public comments on the planned revision for the Comprehensive Conservation and Management Plan (Plan) for the Delaware Estuary at a listening session to be held on August 11, 2016, at the Department of Environmental Protection's Southeast Regional Office, 2 East Main Street Norristown, PA from 4 p.m. until 7 p.m.

The tidal Delaware River and Bay stretches from Trenton, NJ through Philadelphia, PA to Cape Henlopen, DE, where it joins with the Atlantic Ocean. The estuary relies on clean freshwater from streams extending from four states. The 1996 Plan is a blueprint for protecting and enhancing this resource. Under the guidance of this Plan, environmental organizations and agencies have worked with businesses, schools and farmers on hundreds of projects to reduce and prevent water pollution, and restore fish and wildlife habitat, but it is outdated and needs revision.

The Partnership for the Delaware Estuary and its partners are holding three listening sessions, one in each of the partner states, to inform the public about the revision process and to gather thoughts and ideas from the public to revise the plan. More information about the plan and the listening sessions in New Jersey and Delaware can be found at [www.delawareestuary.org](http://www.delawareestuary.org).

Preregistration for the listening session is appreciated, and a link to preregister can be found at [www.delawareestuary.org](http://www.delawareestuary.org). In addition, the agenda and meeting materials for the listening session will be available on this web site. The Department of Environmental Protection (Department) encourages commenters to bring a copy of prepared comments in writing to capture an accurate record of comments.

Questions concerning the listening session can be directed to Sarah Bouboulis at (302) 655-4990, Ext. 119 or [sbouboulis@delawareestuary.org](mailto:sbouboulis@delawareestuary.org), or Lori Mohr at (717) 787-4628 or [laumohr@pa.gov](mailto:laumohr@pa.gov).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-3720 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Acting Secretary*

[Pa.B. Doc. No. 16-1316. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Request for Delegation of Authority to Implement the Federal Plan Requirements for Sewage Sludge Incineration Units; Public Hearing

The Department of Environmental Protection (Department) is requesting delegation of authority from the United States Environmental Protection Agency (EPA) to implement the Federal Sewage Sludge Incineration (SSI) Plan. Sections 111(b) and 129(a) of the Clean Air Act (CAA) (42 U.S.C.A. §§ 7411(b) and 7429(a)) address emis-

sions from new units through the new source performance standards (NSPS), and sections 111(d) and 129(b) of the CAA address emissions from existing units through the emission guidelines (EG). The NSPS are Federal regulations directly enforceable upon SSI units and, under section 129(f)(1) of the CAA, become effective 6 months after promulgation. The EPA promulgated EGs to reduce emissions from existing SSIs at 71 FR 15372 (March 21, 2011).

“Federal Plan Requirements for Sewage Sludge Incineration Units Constructed on or Before October 14, 2010” was promulgated at 81 FR 26040 (April 29, 2016). This final action implements the EPA’s EGs adopted on March 21, 2011, in states that do not have an approved state plan implementing the EGs in place by the effective date of this Federal plan.

Copies of the Delegation Request may be examined on the Department’s web site at <http://www.dep.pa.gov/Business/Air/BAQ/Pages/default.aspx> under the heading “Proposals Open for Comment.”

The Department is seeking comments on the request for delegation of the Federal SSI Plan and will hold a public hearing on August 31, 2016, from 10 a.m. until 12 p.m. in the Rachel Carson State Office Building, 12th Floor Conference Room, 400 Market Street, Harrisburg, PA 17105-2301.

Persons wishing to present testimony should contact the Department no less than 24 hours in advance of the public hearing to reserve a time. Reservation requests should be directed to Maisha Webb, Bureau of Air Quality, P.O. Box 8468, Harrisburg, PA 17105 at (717) 787-9702 or [maiwebb@pa.gov](mailto:maiwebb@pa.gov). Speakers will be limited to 10 minutes and should bring a written copy of their comments.

The Department must receive all comments by Friday, September 2, 2016. Electronic comments should be submitted using the Department’s eComment site at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Maisha Webb at (717) 787-9702 or [maiwebb@pa.gov](mailto:maiwebb@pa.gov). TDD users may contact the Pennsylvania AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

PATRICK McDONNELL,  
*Acting Secretary*

[Pa.B. Doc. No. 16-1317. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Small Business Compliance Advisory Committee Meeting Cancellation

The August 10, 2016, meeting of the Small Business Compliance Advisory Committee (Committee) is cancelled. The next Committee meeting is scheduled for 10 a.m. on Wednesday, October 26, 2016, on the 12th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

For additional information, contact Nancy Herb at (717) 783-9269 or [nherb@pa.gov](mailto:nherb@pa.gov). The agenda and materials for

the October 26, 2016, meeting will be available through the Public Participation Center tab on the Department of Environmental Protection’s (Department) web site at <http://www.dep.pa.gov> (select “Public Participation,” then “Advisory Committees,” then “Air Advisory Committees”).

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Nancy Herb at (717) 783-9269 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Acting Secretary*

[Pa.B. Doc. No. 16-1318. Filed for public inspection July 29, 2016, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person’s breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

#### *Prearrest Breath Testing Devices*

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382

(August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

On January 9, 2014, the NHTSA indicated that it had approved the ALERT J5 from Countermeasure Systems Corp. as a breath screening device. The Department received confirmation of this addition on July 10, 2015.

#### *Evidential Breath Testing Devices*

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984). Those instruments are identified in this notice with an asterisk.

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and

to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 blood alcohol content (BAC), to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993. Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993).

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code when blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Dr. James R. Lute at the address given as follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.



To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

### CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey <sup>1</sup>	<ul style="list-style-type: none"> <li>• AlcoScan AL-2500.</li> <li>• SafeMate.<sup>2</sup></li> <li>• SafeDrive.</li> <li>• AlcoMate.<sup>3</sup> (aka: AlcoHAWK Pro by Q3 Innovations).</li> <li>• AlcoMate Accu Cell AL-9000.</li> <li>• AlcoMate Pro.<sup>3</sup></li> <li>• AlcoMate Core.<sup>4</sup></li> <li>• AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).<sup>4 5</sup></li> <li>• AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).<sup>4 6</sup></li> <li>• AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).</li> </ul>
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. <sup>7</sup> Alco Check 9000. <sup>7</sup>
Akers Biosciences, Inc., Thorofare, New Jersey Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	Breath Alcohol® .02 Detection System. <sup>8</sup> DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan B.E.S.T. Labs., Boardman, Ohio	BACmaster. PB 9000e.
Chematics, Inc., North Webster, Indiana Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	ALCO-SCREEN 02 <sup>TM9</sup> . AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> <li>• Alco Tector Mark X.</li> <li>• Mark X Alcohol Checker.</li> <li>• Alcotector WAT89EC-1.</li> <li>• Alcotector WAT90.</li> </ul>
Han International Co., Ltd., <sup>2</sup> Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> <li>• BACTRACK Select S50.<sup>10</sup></li> <li>• BACTRACK Select S80.<sup>10</sup></li> <li>• BACTRACK Element.</li> <li>• BACTRACK S 75 Pro.</li> </ul>
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> <li>• PAS Vr.</li> <li>• Alcovisor MARS.</li> </ul>
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> <li>• AlcoHAWK Precision.</li> <li>• AlcoHAWK Slim.</li> <li>• AlcoHAWK Slim 2.</li> <li>• AlcoHAWK Elite.</li> <li>• AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.).</li> <li>• AlcoHAWK Micro.</li> <li>• AlcoHAWK PRO (aka: AlcoMate by AK Solutions).</li> <li>• AlcoHAWK PT 500.</li> <li>• CA2010.</li> </ul>

Distributors/Manufacturers	Devices
Repcos Marketing, Inc., Raleigh, North Carolina Seju Engineering Co., Taejeon, Korea Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	Alco Tec III. Safe-Slim. • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan Varian, Inc., Lake Forest, California	Digitox D.O.T. <sup>7</sup> On-Site Alcohol. <sup>10</sup>

<sup>1</sup> The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

<sup>2</sup> Manufactured by Seju Engineering, Korea.

<sup>3</sup> Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

<sup>4</sup> Manufactured by Sentech Korea Corp.

<sup>5</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

<sup>6</sup> These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

<sup>7</sup> While these devices are still being sold, they are no longer manufactured or supported.

<sup>8</sup> The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

<sup>9</sup> While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

<sup>10</sup> While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

#### CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF <sup>®</sup> IR Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	—
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger Safety, Inc. (aka: National Draeger) Irving, Texas:		
Alcotest Model:		
5510	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Photo Electric Intoximeter*	—	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Auto Intoximeter*	X	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)		X
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0	X	X
EV 30	X	X
FC 10	X	X
FC 20	X	X

<b>Manufacturer/Distributor and Model</b>	<b>Mobile</b>	<b>Nonmobile</b>
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	—
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
EBA*	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc., Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Mark V Alcovisor	X	X
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemans-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

\* Instruments marked with an asterisk (\*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

KAREN M. MURPHY, PhD, RN,  
Secretary

[Pa.B. Doc. No. 16-1319. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). Department regulations governing hospital licensure can be found in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals). The following hospitals are requesting exceptions to 28 Pa. Code § 153.1 (relating to minimum standards) which contains minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities (Guidelines)*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception, as well as the publication year of the applicable *Guidelines*.

Facility Name	Guidelines Section	Relating to	Publication Year
Albert Einstein Medical Center	2.1-8.5.3.2	Size (TDRs)	2014
Einstein Medical Center Montgomery	2.2-3.4.6.10(2)	Soiled holding	2014
Geisinger Wyoming Valley Medical Center	2.2-3.10.2.6	Patient toilet room	2014
Lehigh Valley Hospital—Muhlenburg	2.2-3.5.3.2(1)(a)	Space requirements (area)	2014
	3.7-7.2.2.1(3)	Corridor width	2014
St. Luke's Hospital—Anderson Campus	2.1-2.6.6.2	Work areas for preparing, dispensing, and administering medications	2014

All requests previously listed are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
Secretary

[Pa.B. Doc. No. 16-1320. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Laboratories Approved for Drugs

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking blood and/or serum analyses are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses  
SSe = approved for serum screening analyses  
CB = approved for blood confirmatory analyses  
CSe = approved for serum confirmatory analyses

33664  
AEGIS SCIENCES CORPORATION—SB, SSe, CB, CSe  
365 GREAT CIRCLE ROAD  
NASHVILLE, TN 37228  
(615) 255-2400

30483  
AIT LABORATORIES—SB, SSe, CB, CSe  
2265 EXECUTIVE DRIVE  
INDIANAPOLIS, IN 46241  
(317) 243-3894

00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SB,  
SSe, CB, CSe  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425

31871  
AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,  
SSe, CB, CSe  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 923-0166

21613  
ARUP LABORATORIES INC—SSe, CSe  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787

24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,  
SSe, CB, CSe  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470

00977  
DRUGSCAN INC—SB, SSe, CB, CSe  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(267) 960-3407

31400  
FRANCES WARDE MEDICAL LABORATORY—SSe, CSe  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0301

24655  
HEALTH NETWORK LABORATORIES—SB, SSe, CB,  
CSe  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

09003  
MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—  
SSe  
200 FIRST STREET SW HILTON 530  
ROCHESTER, MN 55905  
(507) 538-6449

05574  
MEDTOX LABORATORIES INC—SB, SSe, CB, CSe  
402 COUNTY ROAD D WEST  
ST. PAUL, MN 55112  
(651) 286-6217

32803  
MOLECULAR DX, LLC—SB, CB  
620 7TH STREET SUITE C  
WINDBER, PA 15963  
(814) 361-6993

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,  
CB, CSe  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 366-1222

29741  
NORTHERN TIER RESEARCH—SB, SSe, CB, CSe  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 209-7913

30984  
OFFICE OF THE DISTRICT ATTORNEY—SB, SSe, CB  
37 E HIGH STREET, FORENSIC LAB  
CARLISLE, PA 17013  
(717) 240-6526

00250  
PARKWAY CLINICAL LABORATORIES—SSe  
3494 PROGRESS DRIVE, SUITE D  
BENSALEM, PA 19020  
(215) 245-5112

31399  
QUEST DIAGNOSTICS—CB  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,  
SSe, CB, CSe  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-7188

00482  
QUEST DIAGNOSTICS OF PA INC—SB, SSe, CB, CSe  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SB, SSe, CB,  
CSe  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

00151  
ST. JOSEPH QUALITY MEDICAL LAB—SB, SSe, CB,  
CSe  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SSe  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00141  
YORK HOSPITAL—SSe  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-1321. Filed for public inspection July 29, 2016, 9:00 a.m.]

**Laboratories Approved to Determine Controlled  
Substance Content of Urine under The Clinical  
Laboratory Act, the Vehicle Code, the Fish and  
Boat Code and the Game and Wildlife Code**

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.



Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code in 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) may contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, C, SC indicate the following:

S = approved for screening analyses

C = approved for confirmatory analyses

SC = approved for screening and confirmatory analyses

00212  
ABINGTON HOSP JEFFERSON HEALTH—S  
1200 OLD YORK ROAD  
ABINGTON, PA 19001  
(215) 481-2324

00215  
ABINGTON-LANSDALE HOSPJEFF HLTH—S  
100 MEDICAL CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 481-4933

34381  
ACOM DRUG TESTING SERVICES DBA COMPLETE  
TOX LAB—C  
24555 SOUTHFIELD ROAD  
SOUTHFIELD, MI 48075  
(888) 392-6042

32917  
ACCURATE DIAGNOSTIC LABS, INC—S  
3000 HADLEY ROAD  
SOUTH PLAINFIELD, NJ 07080  
(609) 947-2050

27908  
ACM MEDICAL LABORATORY—SC  
160 ELMGROVE PARK  
ROCHESTER, NY 14624  
(716) 429-2264

34830  
ACUTIS DIAGNOSTICS—SC  
222 CENTRAL AVENUE 2ND FLOOR SUITE 202  
FARMINGDALE, NY 11735  
(516) 253-2171

33614  
ADVANCED CLINICAL LABORATORY SOLUTIONS,  
INC—SC  
2277-83 CONEY ISLAND AVENUE, SUITE 3B  
BROOKLYN, NY 11223  
(718) 998-9899

31193  
ADVANCED LABORATORY SERVICES, INC—SC  
501 ELMWOOD AVENUE  
SHARON HILL, PA 19079  
(484) 494-6125

33583  
ADVANCED MEDICAL LABORATORIES INC—SC  
1690 US HWY 1 SOUTH, SUITE D  
ST AUGUSTINE, FL 32084  
(305) 790-9798

34513  
ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC  
2 8TH STREET  
HAMMONTON, NJ 08037  
(856) 779-7774

34867  
ADVANTA LABORATORIES—SC  
10935 CR 159 SUITE 101  
TYLER, TX 75703  
(903) 805-9955

34301  
AEGIS ANALYTICAL LABORATORIES, INC—SC  
345 HILL AVENUE  
NASHVILLE, TN 37210  
(615) 425-4620

31695  
AEGIS SCIENCES CORPORATION—SC  
515 GREAT CIRCLE ROAD  
NASHVILLE, TN 37228  
(615) 255-2400

- 33664  
AEGIS SCIENCES CORPORATION—SC  
365 GREAT CIRCLE ROAD  
NASHVILLE, TN 37228  
(615) 255-2400
- 33996  
AIM LABORATORIES LLC—SC  
9326 OLIVE BLVD  
ST LOUIS, MO 63132  
(314) 743-3749
- 30483  
AIT LABORATORIES—SC  
2265 EXECUTIVE DRIVE  
INDIANAPOLIS, IN 46241  
(317) 243-3894
- 34209  
AKRIVIS LABORATORIES LLC—SC  
1402 S MAGNOLIA ST SUITE H  
HAMMOND, LA 70403  
(985) 323-3606
- 00233  
ALBERT EINSTEIN MEDICAL CENTER—S  
5501 OLD YORK RD-LABS-TOWER BLDG GROUND  
FL  
PHILADELPHIA, PA 19141-3001  
(215) 456-6129
- 24496  
ALERE TOXICOLOGY SERVICES—SC  
450 SOUTHLAKE BOULEVARD  
RICHMOND, VA 23236  
(804) 378-9130
- 26008  
ALERE TOXICOLOGY SERVICES INC—SC  
1111 NEWTON STREET  
GRETNA, LA 70053  
(504) 361-8989
- 31752  
ALERE TOXICOLOGY SERVICES, INC—SC  
9417 BRODIE LANE  
AUSTIN, TX 78748  
(512) 963-8959
- 00116  
ALLE KISKI MED CNTR NEW KENSINGTON—S  
651 FOURTH AVENUE  
NEW KENSINGTON, PA 15068  
(724) 226-7089
- 00671  
ALLEGHENY COUNTY MED EX DIV OF LAB—SC  
1520 PENN AVENUE, 2ND FLOOR  
PITTSBURGH, PA 15222  
(412) 350-4425
- 28233  
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
320 E NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-6886
- 00077  
ALLEGHENY GENERAL HOSPITAL LAB—S  
1307 FEDERAL STREET  
PITTSBURGH, PA 15212  
(412) 359-8615
- 00100  
ALLEGHENY VALLEY HOSPITAL LAB—S  
1301 CARLISLE STREET  
NATRONA HEIGHTS, PA 15065  
(724) 224-5100
- 00420  
ALLEY MEDICAL CENTER LABORATORY—S  
301 WEST 3RD STREET  
BERWICK, PA 18603  
(570) 759-0351
- 34263  
ALLY CLINICAL DIAGNOSTICS, INC —SC  
2099 VALLEY VIEW DRIVE # 180  
FARMERS BRANCH, TX 75234  
(214) 789-7399
- 32758  
ALPHA-MEDICOR, LLC—S  
1141 CLAY AVENUE, SUITE # 3  
DUNMOORE, PA 18510  
(570) 367-0019
- 33871  
AMERICAN CLINICAL SOLUTIONS, LLC—C  
721 CORTARO DR  
SUN CITY CENTER, FL 33573  
(561) 367-7997
- 31871  
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC  
789 PARK AVENUE  
HUNTINGTON, NY 11743  
(631) 923-0166
- 34874  
AMERATHON LLC, DBA AHA—S  
26300 EUCLID AVENUE SUITE 910  
CLEVELAND, OH 44132  
(216) 472-2318
- 31814  
AMERITOX, LTD—SC  
486 GALLIMORE DAIRY ROAD  
GREENSBORO, NC 27409  
(336) 387-7600
- 26620  
AMMON ANALYTICAL LABORATORY—S  
1622 SOUTH WOOD AVENUE  
LINDEN, NJ 07036  
(908) 862-4404
- 34650  
APEX LABS, INC—SC  
6015 BENJAMIN ROAD SUITE 315  
TAMPA, FL 33634  
(813) 886-7784
- 00192  
ARIA HEALTH—S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227
- 00236  
ARIA HEALTH—S  
FRANKFORD AVE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068
- 00341  
ARIA HEALTH—S  
10800 KNIGHTS ROAD  
PHILADELPHIA, PA 19114  
(215) 612-4000
- 21861  
ARNOT-OGDEN MEMORIAL HOSPITAL—S  
600 ROE AVENUE  
ELMIRA, NY 14905  
(607) 737-4478

- 21613  
ARUP LABORATORIES INC—SC  
500 CHIPETA WAY  
SALT LAKE CITY, UT 84108  
(800) 242-2787
- 00047  
ASSOCIATED CLINICAL LABORATORIES—S  
PATHOLOGY ASSOCIATES OF ERIE, INC  
1526 PEACH STREET  
ERIE, PA 16501  
(814) 461-2400
- 33789  
ASSURANCE TOXICOLOGY SERVICES INC—SC  
933 E NAKOMA DRIVE  
SAN ANTONIO, TX 78216  
(210) 267-5565
- 33964  
ASSURED TOXICOLOGY—SC  
4201 VINELAND ROAD SUITE 1-12  
ORLANDO, FL 32811  
(321) 710-3405
- 24997  
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC  
3520 PROGRESS DRIVE UNIT C  
BENSALEM, PA 19020  
(267) 525-2470
- 33692  
AUSPICIOUS LABORATORY INC—SC  
7400 HARWIN DR SUITE # 258  
HOUSTON, TX 77036  
(713) 266-0808
- 31171  
AVEE LABORATORIES INC—SC  
14440 MYERLAKE CIRCLE  
CLEARWATER, FL 33760  
(727) 424-4151
- 33067  
AVERTEST—S  
4709 LAGUARDIA DRIVE  
BERKELEY, MO 63134  
(804) 955-5246
- 34826  
AXIS DIAGNOSTICS, INC—SC  
1077 CENTRAL PARKWAY SOUTH, SUITE 200  
SAN ANTONIO, TX 78232  
(210) 375-3231
- 00320  
BARNES KASSON HOSPITAL LAB—S  
2872 TURNPIKE STREET  
SUSQUEHANNA, PA 18847  
(570) 853-5059
- 00001  
BERWICK HOSPITAL LABORATORY—S  
701 EAST 16TH STREET  
BERWICK, PA 18603  
(570) 759-5110
- 33959  
BEST CARE LABORATORY LLC—SC  
397 HALEDON AVE  
HALEDON, NJ 07508  
(973) 949-3963
- 00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY (911 E BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513
- 34865  
BIOCONFIRM LABORATORIES, LLC—SC  
6755 PEACHTREE INDUSTRIAL BLVD SUITE 150  
DORAVILLE, GA 30360  
(770) 449-4191
- 34189  
BIODIAGNOSTIC LABS—S  
2380 E 22 STREET  
BROOKLYN, NY 11229  
(718) 646-6000
- 27615  
BIOLOGICAL SPECIALTY CORPORATION—S  
2165 NORTH LINE STREET  
COLMAR, PA 18915  
(215) 997-8771
- 27616  
BIOLOGICAL SPECIALTY CORPORATION—S  
1236 VETERANS HIGHWAY # 851  
BRISTOL, PA 19007  
(215) 826-9282
- 27617  
BIOLOGICAL SPECIALTY CORPORATION—S  
22 SOUTH 4TH STREET  
READING, PA 19602  
(610) 375-9862
- 22757  
BIOREFERENCE LABORATORIES INC—SC  
481 EDWARD H ROSS DRIVE  
ELMWOOD PARK, NJ 07407  
(201) 791-3600
- 00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247
- 00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000
- 00472  
BROOKSIDE CLINICAL LAB INC—S  
2901 W DUTTONS MILLS ROAD, SUITE 100  
ASTON, PA 19014  
(610) 872-6466
- 32486  
BURLINGTON LABORATORIES, LLC—SC  
199 MAIN STREET  
COURTHOUSE PLAZA  
BURLINGTON, VT 05401  
(802) 861-7050
- 00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916
- 34470  
CAPITAL DIAGNOSTICS LLC—SC  
14201 PARK CENTER DRIVE SUITE 407  
LAUREL, MD 20707  
(703) 424-5604
- 00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212

- 34424  
CASTLE MEDICAL, LLC—SC  
5700 HIGHLANDS PARKWAY STE 100  
SMYRNA, GA 30082  
(678) 486-7257
- 00751  
CEDAR CREST EMERGICENTER—S  
1101 SOUTH CEDAR CREST BOULEVARD  
ALLENTOWN, PA 18103  
(610) 435-3111
- 34075  
CENTRAL TOX LLC—SC  
525 ROUND ROCK WEST DRIVE STE B200  
ROUND ROCK, TX 78681  
(512) 838-3828
- 00132  
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-  
OGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7153
- 00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510
- 33704  
CHEMATOX LABORATORY, INC—SC  
5401 WESTERN AVENUE  
BOULDER, CO 80301  
(303) 440-4500
- 00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182
- 00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113
- 00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446
- 34272  
CHOICE LABORATORY SERVICES, LLC—SC  
7920 BELTLINE ROAD SUITE 200  
DALLAS, TX 75254  
(972) 386-6653
- 00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 221-8969
- 34259  
CLEANSLATE CENTERS—SC  
59 BOBALA ROAD  
HOLYOKE, MA 01040  
(413) 584-2173
- 00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280
- 34793  
CLIFFSIDE LABS—S  
579 BERGEN BLVD  
RIDGEFIELD, NJ 07657  
(201) 945-3467
- 27845  
CLINICAL REFERENCE LABORATORY—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652
- 33139  
CLINICAL REFERENCE LABORATORY, INC—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652
- 33142  
CLINICAL REFERENCE LABORATORY, INC—SC  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652
- 24916  
CLINICAL SCIENCE LABORATORY INC—SC  
51 FRANCIS AVENUE  
MANSFIELD, MA 02048  
(508) 339-6106
- 34657  
COASTAL LABORATORY LLC—SC  
1509 PROSPERITY FARMS ROAD SUITE 101  
WEST PALM BEACH, FL 33403  
(855) 425-9428
- 33386  
COLORADO UNIVERSITY TOXICOLOGY—C  
1999 N FITZSIMONS PARKWAY, SUITE 100  
AURORA, CO 80045  
(303) 724-7346
- 33463  
COMPANION DX REFERENCE LAB—SC  
10301 STELLA LINK ROAD, SUITE C  
HOUSTON, TX 77025-5547  
(832) 701-0426
- 31556  
COMPREHENSIVE PAIN CENTER ALLENTOWN—S  
4825 W TILGHMAN STREET  
ALLENTOWN, PA 18104  
(606) 487-0523
- 32741  
COMPREHENSIVE PAIN MANGEMENT AND  
SPECIALISTS, LLC—S  
414 R DRINKER STREET  
DUNMORE, PA 18512  
(570) 270-5700
- 00125  
CONEMAUGH MEM MED CTR—MAIN LAB—S  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-3221
- 00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

33431  
CONFIRMATRIX LABORATORY, INC—C  
1770 CEDARS ROAD, SUITE 200  
LAWRENCEVILLE, GA 30045  
(678) 407-9818

29015  
CORDANT HEALTH SOLUTIONS—SC  
2617 EAST L STREET # A  
TACOMA, WA 98421-2205  
(253) 552-1551

34509  
CORR LABS INC—SC  
340 COMMERCE AVE SUITE 10  
SOUTHERN PINES, NC 28387  
(888) 778-2100

00326  
CORY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORY, PA 16407  
(814) 664-4641

34732  
CRESTAR LABS, LLC—SC  
2001 CAMPBELL STATION PARKWAY, SUITE C  
SPRING HILL, TN 37174  
(615) 465-6527

00201  
CROZER CHESTER MEDICAL CENTER-LAB—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232

34165  
D2 HEALTH MANAGEMENT LLC—S  
2005 PAN AM CIRCLE SUITE 100  
TAMPA, FL 33607  
(727) 776-8867

00204  
DELAWARE COUNTY MEMORIAL HOSP-LAB—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 447-2232

00266  
DEPT OF PATHOLOGY & LAB MED-HUP—SC  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

32240  
DOMINION DIAGNOSTICS, LLC—SC  
211 CIRCUIT DRIVE  
NORTH KINGSTOWN, RI 02852  
(401) 667-0891

00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

00977  
DRUGSCAN INC—SC  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(267) 960-3407

00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(610) 250-4819

00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000

34447  
ELEMENT 7 LABS LLC—SC  
3189-D AIRWAY AVE  
COSTA MESA, CA 92614  
(949) 370-3509

34056  
ELITE DIAGNOSTICS, LLC—SC  
10996 FOUR SEASONS PLACE, 100A  
CROWN POINT, IN 46307  
(219) 213-2845

33703  
ELITE LABS, LLC—S  
2769 E ATLANTIC BLVD  
POMPANO BEACH, FL 33062  
(434) 251-4566

34186  
ELITE LABS, LLC—C  
555 HERITAGE DR  
JUPITER, FL 33458  
(315) 263-2404

00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-0081

34625  
EM1 LABS—SC  
3115 NW 10TH TERRACE, SUITE 108  
FORT LAUDERDALE, FL 33309  
(954) 801-3397

31625  
EMPIRE CITY LABORATORIES—S  
4306 3RD AVENUE, 2ND FLOOR  
BROOKLYN, NY 11232  
(516) 941-7244

00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801

00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311

33989  
EPIC REFERENCE LABS, INC—SC  
7960 CENTRAL INDUSTRIAL DRIVE—SUITE 120  
RIVIERA BEACH, FL 33404  
(561) 666-9817

33899  
ESSENTIAL TESTING LLC—SC  
1616 EASTPORT PLAZA DRIVE  
COLLINSVILLE, IL 62234  
(618) 623-0623

00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510

32030  
EXCEL MEDICAL LAB INC—S  
DBA EVEREST MEDICAL LABORATORY  
99-107 GLENDALE AVE  
EDISON, NJ 08817  
(732) 777-9222

00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 850-3121

33432  
EXCELTOX LABORATORIES, LLC—SC  
9805 RESEARCH DRIVE  
IRVINE, CA 92618  
(877) 202-7019

34436  
FIRMUS LABS, LTD—C  
1000 VIRGINIA MANOR ROAD SUITE 350  
BELTSVILLE, MD 20705  
(540) 760-6285

33902  
FIRST CHOICE LABORATORY, LLC—SC  
6061 NE 14TH AVE  
FORT LAUDERDALE, FL 33334  
(828) 446-2850

00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2566

32166  
FORENSIC FLUIDS LABORATORIES, INC—SC  
225 PARSONS STREET  
KALAMAZOO, MI 49007  
(269) 492-7700

32455  
FORENSIC LABORATORIES—S  
4895 JOLIET STREET, UNIT 7-G  
DENVER, CO 80239  
(303) 469-8042

32497  
FOX CHASE PAIN MANAGEMENT ASSOCIATES—S  
4979 OLD STREET ROAD, SUITE B  
TREVISE, PA 19053  
(267) 288-5601

31400  
FRANCES WARDE MEDICAL LABORATORY—SC  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0301

00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500

20644  
FRIENDS HOSPITAL—S  
4641 ROOSEVELT BOULEVARD  
LABORATORY  
PHILADELPHIA, PA 19124  
(215) 831-6934

09163  
FRIENDS MEDICAL LAB INC—SC  
5820 SOUTHWESTERN BLVD  
BALTIMORE, MD 21227  
(412) 247-4417

33790  
FRONTIER TOXICOLOGY—C  
1047 E NAKOMA DRIVE  
SAN ANTONIO, TX 78216  
(210) 494-6300

00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6102

30188  
GARCIA CLINICAL LABORATORY INC—S  
2195 SPRING ARBOR ROAD  
JACKSON, MI 49201  
(517) 787-9200

00002  
GEISINGER-BLOOMSBURG HOSPITAL LABORA-  
TORY—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2098

00005  
GEISINGER-CMC LABORATORY—S  
1800 MULBERRY STREET  
ATTN 68-44  
SCRANTON, PA 18510  
(570) 703-8000

00138  
GEISINGER-LEWISTOWN HOSPITAL—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7474

00173  
GEISINGER MEDICAL CENTER—SC  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338

00185  
GEISINGER-SHAMOKIN AREA COMMUNITY HOS-  
PITAL—S  
4200 HOSPITAL ROAD  
COAL RUN, PA 17866-9697  
(570) 644-4200

00019  
GEISINGER WYOMING VALLEY MED CTR—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 808-7845

31111  
GENESIS DIAGNOSTICS—S  
900 TOWN CENTER DRIVE SUITE H-50  
LANGHORNE, PA 19047  
(267) 212-2000

34333  
GENOTOX LABORATORIES, LTD—SC  
2170 WOODWARD STREET SUITE 100  
AUSTIN, TX 78745  
(512) 600-6601

- 00152  
GNADEN HUETTEN MEMORIAL HOSP—S  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(610) 377-7083
- 00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS PO BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7986
- 32790  
GREATER PHILADELPHIA SPINE AND PAIN, PC—S  
700 E TOWNSHIP LINE ROAD  
HAVERTOWN, PA 19083  
(484) 532-1003
- 00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177
- 00023  
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191
- 00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
DREXEL UNIV COLLEGE OF MED-DEPT OF  
PATHOLOGY  
245 N 15TH STREET, MAIL STOP 435  
PHILADELPHIA, PA 19102  
(215) 416-9500
- 00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 633-2150
- 00155  
HARRISBURG HOSPITAL LABORATORY—S  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 231-6323
- 26799  
HEALTH AND WELLNESS CENTER-HAZLETON—S  
50 MOISEY DRIVE SUITE 208  
HAZLETON, PA 18202  
(570) 501-6805
- 00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-2236
- 00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8008
- 00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 425-8008
- 24655  
HEALTH NETWORK LABORATORIES—SC  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150
- 00166  
HEART OF LANCASTER REGIONAL MEDICAL CEN-  
TER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5605
- 00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000
- 00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 741-6600
- 00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500
- 33788  
HILL COUNTRY TOXICOLOGY—SC  
7909 FREDERICKSBURG RD # 150  
SAN ANTONIO, TX 78229  
(210) 614-1117
- 00216  
HOLY REDEEMER HOSPITAL—S  
1648 HUNTINGDON PIKE  
MEADOWBROOK, PA 19046  
(215) 938-3703
- 00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2206
- 34512  
INDEPENDENT LAB SERVICES—SC  
1013 BOARDMAN-CANFIELD ROAD  
YOUNGSTOWN, OH 44512  
(330) 403-8034
- 00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167
- 34296  
INDUSTRY LAB DIAGNOSTICS PARTNERS—SC  
8122 SAWYER BROWN ROAD SUITE 210  
NASHVILLE, TN 37205  
(615) 630-7799
- 34295  
INFINITI LABS INC—SC  
6015 BENJAMIN ROAD SUITE 315  
TAMPA, FL 33634  
(813) 886-2616

- 33708  
INFINITY DIAGNOSTIC LABORATORIES—S  
370 NORTH STREET  
TETERBORO, NJ 07608  
(201) 843-7750
- 33367  
INNOVATIVELABORATORY SERVICES INC—C  
8419 SHARON MERCER ROAD  
MERCER, PA 16137  
(717) 691-7100
- 33607  
INSIGHT DIAGNOSTICS, LLC—SC  
357 RIVERSIDE DR SUITE 1004  
FRANKLIN, TN 37064  
(615) 465-6529
- 33604  
INTEGRALABS, INC—SC  
7020 KIT CREEK ROAD SUITE 240  
RESEARCH TRIANGLE PARK, NC 27709  
(423) 328-0527
- 33792  
INTERNATIONAL TECHNOLOGIES, LLC-DBA NJ REF  
LABS—S  
71 FRANKLIN TURNPIKE, SUITE 1-3  
WALDWICK, NJ 07463  
(201) 857-3914
- 00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645
- 00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248
- 00038  
JEFFERSON REGIONAL MED CTR—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723
- 00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080
- 00312  
JERSEY SHORE HOSPITAL—S  
1020 THOMPSON STREET  
JERSEY SHORE, PA 17740  
(570) 398-0100
- 30915  
JOSHUASON LTD—S  
3212 WILMINGTON ROAD SUITE 20  
NEW CASTLE, PA 16105  
(724) 598-2280
- 34192  
KEYSTONE LABORATORIES, INC—SC  
3 MCDOWELL STREET  
ASHEVILLE, NC 28803  
(828) 771-3109
- 21306  
LAB CORP OCCUPATIONAL TEST SRVCS—SC  
1120 STATELINE ROAD WEST  
SOUTHAVEN, MS 38671  
(886) 827-8042
- 20512  
LABCORP OCCUPATIONAL TESTING SER—SC  
1904 ALEXANDER DRIVE PO BOX 12652  
RESEARCH TRIANGLE PARK, NC 27709  
(919) 572-6900
- 01088  
LABCORP OF AMERICA HOLDINGS—SC  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400
- 22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SC  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770
- 33869  
LABORATORY SERVICES, LLC—SC  
108 NW 4TH STREET  
BOCA RATON, FL 33432  
(561) 367-3625
- 34228  
LAB SOLUTIONS—S  
1451 NORTHSIDE DRIVE NW  
ATLANTA, GA 30318  
(404) 242-9093
- 33995  
LABSOURCE, LLC—SC  
25 AIRPARK COURT  
GREENVILLE, SC 29607  
(864) 312-6930
- 34646  
LABTEST LLC—SC  
5000 CEDAR PLAZA PKWY # 200  
ST LOUIS, MO 63128  
(636) 333-4500
- 34302  
LAB USA, INC—S  
108R MERRIMACK STREET  
HAVERHILL, MA 01830  
(978) 556-0533
- 00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET, PO BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331
- 00167  
LANCASTER REGIONAL MED CENTER—S  
250 COLLEGE AVENUE, PO BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022
- 34525  
LCMS SOLUTIONS, INC—SC  
7301 GIRARD AVENUE, SUITE 100  
LA JOLLA, CA 92037  
(858) 456-2900
- 32311  
LEBANON PAIN RELIEF—S  
918 RUSSELL DRIVE  
LEBANON, PA 17042  
(386) 290-4441
- 00010  
LEHIGH VALLEY HOSPITAL-HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4152



- 33702  
LEHIGH VALLEY TOXICOLOGY, LLC—SC  
3864 COURTNEY STREET, SUITE 150  
BETHLEHEM, PA 18017  
(484) 895-3717
- 34187  
LENCO DIAGNOSTIC LABORATORIES INC—SC  
1857 86TH STREET  
BROOKLYN, NY 11214  
(718) 232-1515
- 34254  
LIFEBRITE LABORATORIES, LLC—SC  
9 CORPORATE BLVD NE SUITE 150  
ATLANTA, GA 30329  
(919) 890-3085
- 32630  
LIGHTHOUSE MEDICAL, LLC—S  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(814) 943-1272
- 00030  
LOCK HAVEN HOSPITAL—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000
- 33889  
LOGAN LABORATORIES, LLC—SC  
5050 W LEMON STREET  
TAMPA, FL 33609  
(813) 569-6500
- 00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300
- 00213  
MAIN LINE HEALTH LAB-BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3554
- 00242  
MAIN LINE HOSPITALS LAB-LANKENAU—S  
100 EAST LANCASTER AVENUE 3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521
- 00199  
MAIN LINE HOSPITALS LAB-PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000
- 00206  
MAIN LINE HOSPITALS LAB-RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339
- 34437  
MAP HEALTH MANAGEMENT LLC—SC  
14121 W HWY 290, SUITE C1  
AUSTIN, TX 78737  
(310) 729-2911
- 09003  
MAYO CLINIC LABS-ROCHESTER MAIN CAM-  
PUS—SC  
200 FIRST STREET SW HILTON 530  
ROCHESTER, MN 55905  
(507) 538-6449
- 29685  
MAYO CLINIC LABS-ROCHESTER MAIN CAMPUS—C  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-3458
- 29251  
MAYO MEDICAL LABORATORIES NEW ENG-  
LAND—SC  
160 DASCOMB ROAD  
ANDOVER, MA 01810  
(978) 658-3600
- 33620  
MCKEESPORT DRUG SCREENING LAB—S  
339 FIFTH AVENUE, WANDER BLDG  
MCKEESPORT, PA 15132  
(412) 578-8070
- 33842  
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC  
10715 DOUBLE R BLVD, SUITE 102  
RENO, NV 89521  
(775) 391-5221
- 00049  
MEADVILLE MED CTR-LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000
- 03298  
MEDICAL GROUP OF CORRY RHC—S  
315 YORK STREET  
CORY, PA 16407  
(814) 664-8686
- 32471  
MEDICAL LABORATORY DIAGNOSTICS, INC—S  
DBA MEDLABS DIAGNOSTICS, INC  
85 HORSE HILL ROAD  
CEDAR KNOLLS, NJ 07927  
(973) 731-2900
- 05574  
MEDTOX LABORATORIES INC—SC  
402 COUNTY ROAD D WEST  
ST PAUL, MN 55112  
(651) 286-6217
- 00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 843-8623
- 00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4486
- 00247  
MERCY HOSPITAL OF PHILADELPHIA—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9170
- 28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 955-3941
- 31050  
MILLENIUM HEALTH, LLC—SC  
16981 VIA TAZON, BUILDING 1  
SAN DIEGO, CA 92127  
(858) 451-3535

- 28907  
MIRMONT TREATMENT CENTER—S  
100 YEARSLEY MILL ROAD  
LIMA, PA 19063  
(484) 227-1426
- 34564  
MOLECULAR TESTING LABS—SC  
14401 SE 1ST STREET  
VANCOUVER, WA 98684  
(360) 693-8850
- 34106  
MONMOUTH BEHAVIORAL DIAGNOSTICS LLC—SC  
3 CORBETT WAY  
EATONTOWN, NJ 07724  
(888) 687-6977
- 00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021
- 34738  
MORGENSTEIN DEFALCIS REHABILITATION INSTI-  
TUTE—S  
4811 JONESTOWN ROAD, SUITE 123  
HARRISBURG, PA 17109  
(717) 651-5800
- 00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2100
- 00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6150
- 00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117
- 00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282
- 34429  
MY LAB CHOICE, INC—C  
364 N COURTLAND STREET, 1ST FLOOR  
EAST STROUDSBURG, PA 18301  
(610) 597-5699
- 00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-2141
- 34274  
NASPAC1, LLC—SC  
404 CREEK CROSSING BLVD  
HAINSPORT, NJ 08036  
(609) 845-3988
- 00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SC  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 366-1222
- 33988  
NATIONWIDE LABORATORY SERVICES—S  
1537 MW 65TH AVENUE  
PLANTATION, FL 33313  
(888) 377-3522
- 00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245
- 27246  
NORCHEM DRUG TESTING LABORATORY—SC  
1760 EAST ROUTE 66, SUITE 1  
FLAGSTAFF, AZ 86004  
(928) 526-1011
- 29741  
NORTHERN TIER RESEARCH—SC  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 209-7913
- 34064  
NORTHWEST PHYSICIANS LABORATORIES—SC  
2840 NORTHUP WAY, STE 100  
BELLEVUE, WA 98004  
(424) 774-1538
- 00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161
- 33980  
ORBIT LABORATORY, LLC—S  
5407 N HAVERHILL ROAD # 335  
WEST PALM BEACH, FL 33407  
(561) 367-3625
- 34710  
PACIFIC LABS LLC—SC  
1000 JOHNSON STREET, SUITE A  
DENTON, TX 76205  
(940) 435-0242
- 23801  
PACIFIC TOXICOLOGY LABORATORIES—S  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110
- 34837  
PAIN AND SPINE SPECIALISTS OF MARYLAND—S  
2702 BACK ACRE CIR  
MOUNT AIRY, MD 21771  
(301) 703-8767
- 33938  
PAIN MEDICINE OF YORK LLC—S  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(814) 889-9208
- 29507  
PAIN MED PC—S  
438 PELLIS ROAD  
GREENSBURG, PA 15601  
(412) 782-1500
- 34007  
PAIN SPECIALISTS OF GREATER LEHIGH VALLEY,  
PC—S  
1259 SOUTH CEDAR CREST BOULEVARD, SUITE 317  
ALLENTOWN, PA 18103  
(855) 425-9428

00334  
PALMERTON HOSPITAL—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100

31516  
PAML LLC—SC  
110 W. CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8975

00250  
PARKWAY CLINICAL LABORATORIES—SC  
3494 PROGRESS DRIVE, SUITE D  
BENSALEM, PA 19020  
(215) 245-5112

33054  
PATHOLOGY LABORATORIES, INC—S  
1946 NORTH 13TH STREET  
TOLEDO, OH 43604  
(419) 255-4600

33194  
PEACHSTATE HEALTH MANAGEMENT—C  
2225 CENTENNIAL DRIVE  
GAINESVILLE, GA 30504  
(678) 276-8412

00032  
PENN HIGHLANDS ELK—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525

00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353

22533  
PENNSYLVANIA DEPT OF HEALTH—SC  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541

31082  
PHAMATECH INC—SC  
10151 BARNES CANYON ROAD  
SAN DIEGO, CA 92121  
(858) 643-5555

32887  
PHOENIX TOXICOLOGY & LAB SERVICES—C  
2320 W PEORIA AVE SUITE D-132  
PHOENIX, AZ 85029  
(602) 374-4097

00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1612

31965  
PHYSICIANS CHOICE LABORATORY SERVICES,  
LLC—SC  
854 PARAGON WAY  
ROCK HILL, SC 29730  
(803) 325-9899

00157  
PINNACLE HEALTH AT COMMUNITY GENERAL  
HOSPITAL—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340

33480  
PINNACLE HEALTH WEST SHORE HOSPITAL  
LABORATORY—S  
HARRISBURG HOSPITAL LABORATORY  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3582

33621  
PITTSBURGH DRUG SCREENING LAB—S  
440 ROSS STREET, SUITE 1003  
PITTSBURGH, PA 15219  
(412) 578-8070

00022  
POCONO MEDICAL CENTER LAB—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

33950  
POSITIVE RECOVERY SOLUTIONS, LLC—S  
378 WEST CHESTNUT, SUITE 103  
WASHINGTON, PA 15301  
(412) 535-1885

00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130

34751  
PRECISION LABS LLC—SC  
8150 SR 42, SUITE B  
PLAIN CITY, OH 43064  
(614) 504-6470

33487  
PRECISION TOXICOLOGY, LLC—SC  
3030 BUNKER HILL, SUITE 101  
SAN DIEGO, CA 92109  
(800) 635-6901

34191  
PREMIER BIOTECH LABS, LLC—SC  
7516 80TH ST SOUTH SUITE 201  
COTTAGE GROVE, MN 55016  
(763) 607-8690

31800  
PREMIER PAIN, SPINE AND SPORTS MEDICINE,  
PC—S  
391 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 872-9800

33940  
PRESCIENT MEDICINE HOLDINGS, LLC—S  
1214 RESEARCH BOULEVARD  
HUMMELSTOWN, PA 17036  
(717) 585-3879

34030  
PRINCIPLE LABS, LLC—SC  
2550 BROADHEAD ROAD, SUITE 105  
BETHLEHEM, PA 18020-8922  
(610) 653-3624

21648  
PSYCHEMEDICS CORPORATION—SC  
5832 UPLANDER WAY  
CULVER CITY, CA 90230  
(800) 522-7424

00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820

32205  
QDX PATHALLIANCE, PC—S  
70 JACKSON DRIVE UNIT H3  
CRANFORD, NJ 07016  
(866) 909-7284

32594  
QUAD MED LLC—S  
555 S 108TH STREET  
WEST ALLIS, WI 53214  
(414) 566-3023

34652  
QUALITOX LABORATORIES, LLC—SC  
313 E PLEASANT VALLEY BLVD  
ALTOONA, PA 16602  
(412) 326-8570

34644  
QUALITY LABORATORY SERVICES—SC  
2818 OCEAN AVENUE, # 5  
BROOKLYN, NY 11235  
(718) 646-5100

31399  
QUEST DIAGNOSTICS—SC  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007

00315  
QUEST DIAGNOSTICS CLINICAL LABS INC—SC  
900 BUSINESS CENTER DRIVE  
HORSHAM, PA 19044  
(215) 957-9300

27461  
QUEST DIAGNOSTICS INC—SC  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4502

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-7188

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—SC  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

24249  
QUINTILES LABORATORIES LTD—S  
1600 TERRELL MILL ROAD SUITE 100  
MARIETTA, GA 30067  
(770) 373-3500

34188  
RADEAS LLC—SC  
11635 NORTH PARK DR SUITE 340  
WAKE FOREST, NC 27587  
(919) 435-6669

00150  
READING HOSPITAL LABORATORY—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

34074  
REALTOX LABS LLC—SC  
200 BUSINESS CENTER DRIVE  
REISTERTOWN, MD 21136  
(410) 868-3845

25348  
REDWOOD TOXICOLOGY LABORATORY—SC  
3650 WESTWIND BOULEVARD  
SANTA ROSA, CA 95403  
(707) 577-7958

00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

34374  
RELIANCE LABORATORY TESTING, INC—S  
5387 N NOB HILL ROAD  
SUNRISE, FL 33351  
(954) 741-0830

33170  
RIVER CROSSING LABS—SC  
4115 W SPRUCE STREET  
TAMPA, FL 33607  
(813) 884-8200

34744  
RK CLINICAL SOLUTIONS LLC—SC  
145 S 79TH STREET SUITE 30  
CHANDLER, AZ 85226  
(480) 275-2446

00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394

34661  
ROY M LERMAN, MD PC—S  
700 S HENDERSON ROAD SUITE 308C  
KING OF PRUSSIA, PA 19406  
(610) 337-3111

30821  
RXTOX INC—SC  
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300  
PITTSBURGH, PA 15236  
(412) 460-1310

00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727

34899  
SAF TOXICOLOGY LLC—C  
150 NW 168TH ST UNIT 307  
NORTH MIAMI BEACH, FL 33169  
(305) 816-6503

00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 561-4900

00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558

00328  
SAINT MARY MEDICAL CENTER—PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162

33834  
SAMARITAN LABS, LLC, DBA ASPERIO LABORATO-  
RIES—SC  
4715 TRADER'S WAY, SUITE 201  
THOMPSON'S STATION, TN 37179  
(615) 465-6529

29838  
SAN DIEGO REFERENCE LABORATORY—SC  
6565 NANCY RIDGE DRIVE  
SAN DIEGO, CA 92121  
(800) 677-7995

00182  
SCHUYLKILL MC E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

00183  
SCHUYLKILL MC S JACKSON ST—S  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262

28471  
SECON OF LOUISIANA—S  
825 KALISTE SALOOM RD, BRANDYWINE 1, SUITE  
100  
LAFAYETTE, LA 70508  
(337) 235-3712

29038  
SECON OF NEW ENGLAND—SC  
415 MAIN STREET 4TH FLOOR  
WORCESTER, MA 01608  
(508) 831-0703

34294  
SERAPH LABORATORY LLC—C  
555 HERITAGE DR SUITE 135  
JUPITER, FL 33458  
(561) 508-3101

00064  
SHARON PA HOSPITAL COMPANY LLC—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914

34516  
SIX OAKS CONSULTING, LLC—SC  
1180 BEAVER RUIN ROAD  
NORCROSS, GA 30093  
(678) 407-9818

00421  
SKIPPACK MEDICAL LABORATORY—S  
3887 SKIPPACK PIKE  
SKIPPACK, PA 19474  
(610) 584-1669

33682  
SKY TOXICOLOGY—C  
1051 E NAKOMA DR  
SAN ANTONIO, TX 78216  
(210) 265-3200

27649  
SMA MEDICAL LABORATORIES—SC  
940 PENNSYLVANIA BOULEVARD UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

34458  
SMART LAB, LLC—C  
10385 IRONWOOD ROAD, SUITE 130  
PALM BEACH GARDENS, FL 33410  
(561) 513-8440

00039  
SOLDIERS & SAILORS MEM HOSP—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133

00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5210

00209  
SPRINGFIELD HOSPITAL LABORATORY—S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2232

00260  
ST CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-5475

00151  
ST JOSEPH QUALITY MEDICAL LAB—SC  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

00318  
ST LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8724

32021  
ST LUKE'S HOSPITAL-ANDERSON LAB—S  
1872 ST LUKE'S BLVD  
EASTON, PA 18045  
(484) 503-1075

00180  
ST LUKES MINERS MEMORIAL HOSPITAL—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271

31613  
STEELFUSION CLINICAL TOXICOLOGY LABORATORY, LLC—SC  
475 WILLOW CROSSING ROAD  
GREENSBURG, PA 15601  
(812) 202-0513

00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 292-6501

00187  
SUNBURY COMMUNITY HOSPITAL—S  
350 NORTH 11TH STREET  
SUNBURY, PA 17801  
(570) 286-3492

34011  
SURETOX LABORATORY—SC  
495 BOULEVARD, SUITE 1A  
ELMWOOD PARK, NJ 07407-2041  
(201) 290-3232

34827  
SW LABS LLC DBA ZENTECH LABORATORIES—C  
6831 NW 20TH AVENUE  
FORT LAUDERDALE, FL 33309  
(954) 591-5772

33368  
SYNERGY MEDICAL LABORATORIES, PC—C  
710 TENNENT ROAD SUITE 104  
MANALAPAN, NJ 07726  
(888) 203-3443

31474  
TASC INC—SC  
2234 N 7TH STREET  
PHOENIX, AZ 85006  
(602) 257-7588

00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 447-2232

00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4353

00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 N BROAD STREET  
DEPT OF PATH & LAB MED—RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560

33771  
THE ELITE LAB GROUP PA, LLC—S  
1400 VETERANS HIGHWAY SUITE 108  
LEVITTOWN, PA 19056  
(267) 294-4111

34427  
THERAMEDICAL LABORATORIES, LLC—C  
24555 SOUTHFIELD ROAD STE 120  
SOUTHFIELD, MI 48075  
(419) 973-0000

00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 S 11TH STREET, 204 FOERDERER PAVILLION  
PHILADELPHIA, PA 19107  
(215) 955-3941

34314  
THYROID SPECIALTY LABORATORY, INC—C  
8037 LITZSINGER ROAD  
SAINT LOUIS, MO 63144  
(314) 200-3040

00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

34643  
TOTAL TOXICOLOGY LABS—C  
24525 SOUTHFIELD ROAD SUITE 100  
SOUTHFIELD, MI 48075  
(248) 430-5329

34359  
TOX MANAGEMENT—SC  
14615 SAN PEDRO SUITE 125  
SAN ANTONIO, TX 78232  
(512) 838-3828

34358  
TRI-STATE TOXICOLOGY LLC—SC  
14615 SAN PEDRO SUITE 240  
SAN ANTONIO, TX 78232  
(210) 571-1300

34190  
TRUETOX LABORATORIES, LLC—SC  
50 ROSE PLACE  
GARDEN CITY PARK, NY 11040  
(516) 734-0415

00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705

00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384

00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340

00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3555

32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682

00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-2463

00059  
UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100

00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500

00054  
UPMC JAMESON—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4082

00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7831

00058  
UPMC NORTHWEST—S  
100 FAIRFIELD DRIVE  
SENECA, PA 16346  
(814) 676-7120

05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000

00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950

33844  
USA MEDICAL TOXICOLOGY—SC  
7707 FANNIN ST STE 290  
HOUSTON, TX 77054  
(512) 838-3828

34335  
US DIAGNOSTIC SERVICE, INC—S  
185 6TH AVENUE & 2ND FLOOR  
PATERSON, NJ 07524  
(973) 782-5370

27225  
US DRUG TESTING LABORATORIES INC—SC  
1700 SOUTH MOUNT PROSPECT ROAD  
DES PLAINES, IL 60018  
(847) 375-0770

26363  
US HEALTHWORKS—S  
1114 COMMONS BLVD  
READING, PA 19605  
(610) 926-0960

23072  
US HEALTHWORKS MEDICAL GROUP—S  
1124 HARRISBURG PIKE  
CARLISLE, PA 17013  
(717) 245-2411

33357  
UTC LABORATORIES, LLC—SC  
1441 CANAL STREET, SUITE 401  
NEW ORLEANS, LA 70112  
(504) 609-3462

00335  
VALLEY FORGE MED CTR & HOSP—S  
1033 W GERMANTOWN PIKE  
NORRISTOWN, PA 19403  
(610) 539-8500

34702  
VISION LABORATORIES LLC—SC  
6130 SHALLOWFORD ROAD, SUITE 100  
CHATTANOOGA, TN 37421  
(844) 484-3522

34864  
VITAE DIAGNOSTICS—C  
3848 DEL AMO BLVD SUITE 303  
TORRANCE, CA 90503  
(310) 376-5812

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 223-3136

00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3136

33590  
WAYNE MEMORIAL HAMLIN LABORATORY—S  
543 EASTON TURNPIKE SUITE 105  
LAKE ARIAL, PA 18436  
(570) 253-8193

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SC  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVE  
PITTSBURGH, PA 15224  
(412) 578-5779

34586  
WESTERN SLOPE LABORATORY, LLC—C  
1197 ROCHESTER ROAD SUITE K  
TROY, MI 48083  
(248) 307-1168

33969  
WESTMORELAND PAIN MANAGEMENT CENTER—S  
4893 ROUTE 30 EAST, SUITE 8  
GREENSBURG, PA 15601  
(724) 323-7308

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4365

00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-1322. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ( $\mu\text{g}/\text{dL}$ ) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory



employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols L and P indicate the following:

L = approved for blood lead analyses  
 P = approved for erythrocyte protoporphyrin analyses  
 LP = approved for blood lead and erythrocyte protoporphyrin analyses

31609  
 ACCU REFERENCE MEDICAL LABATORY—L  
 1901 EAST LINDEN AVENUE  
 SUITE 4  
 LINDEN, NJ 07036  
 (908) 474-1004

22912  
 ACL LABORATORIES—LP  
 8901 WEST LINCOLN AVE  
 WEST ALLIS, WI 53227  
 (414) 328-7945

00016  
 ANGELINE KIRBY MEM HEALTH CENTER—L  
 71 NORTH FRANKLIN STREET  
 WILKES-BARRE, PA 18701  
 (570) 822-4278

21613  
 ARUP LABORATORIES INC—LP  
 500 CHIPETA WAY  
 SALT LAKE CITY, UT 84108  
 (800) 242-2787

24997  
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP  
 3520 PROGRESS DRIVE UNIT C  
 BENSLEM, PA 19020  
 (267) 525-2470

33959  
 BEST CARE LABORATORY LLC—L  
 397 HALEDON AVE  
 HALEDON, NJ 07508  
 (973) 949-3963

22757  
 BIOREFERENCE LABORATORIES INC—L  
 481 EDWARD H ROSS DRIVE  
 ELMWOOD PARK, NJ 07407  
 (201) 791-3600

30248  
 CARING HANDS PEDIATRICS  
 300 CEDAR RIDGE DRIVE SUITE 309  
 PITTSBURGH, PA 15205  
 (412) 921-2345

30249  
 CARING HANDS PEDIATRICS—L  
 105 BRAUNLICH DRIVE, SUITE 102  
 PITTSBURGH, PA 15237  
 (412) 369-7720

00228  
 CHILDRENS HOSP OF PHILADELPHIA—L  
 3401 CIVIC CENTER BLVD  
 MAIN BLDG—5TH FLOOR—ROOM 5135  
 PHILADELPHIA, PA 19104  
 (215) 590-4446

31847  
 DOCTOR'S DATA, INC—L  
 3755 ILLINOIS AVENUE  
 ST. CHARLES, IL 60174-2420  
 (630) 377-8139

00561  
 EAST PENN MFG CO INC—LP  
 DEKA RD KELLER TECH CENTER  
 PO BOX 147  
 LYONS STATION, PA 19536  
 (610) 682-6361

10266  
 EDEN PARK PEDIATRIC ASSOCIATES—L  
 1725 OREGON PIKE  
 LANCASTER, PA 17601  
 (717) 569-8518

29462  
 EDEN PARK PEDIATRIC ASSOCIATES—L  
 4221 OREGON PIKE  
 EPHRATA, PA 17522  
 (717) 859-1434

32339  
 EDEN PARK PEDIATRIC ASSOCIATES—L  
 779 E MAIN STREET  
 MOUNT JOY, PA 17552  
 (717) 569-8518

31378  
 ENZO CLINICAL LABS—L  
 60 EXECUTIVE BLVD  
 FARMINGDALE, NY 11735  
 (631) 755-5500

31400  
FRANCES WARDE MEDICAL LABORATORY—LP  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0301

00173  
GEISINGER MEDICAL CENTER—L  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338

25914  
GENOVA DIAGNOSTICS—L  
63 ZILICOA STREET  
ASHEVILLE, NC 28801  
(828) 253-0621

32839  
GENOVA DIAGNOSTICS—L  
3425 CORPORATE WAY  
DULUTH, GA 30096  
(678) 638-2918

31348  
GREENVILLE COMMUNITY HEALTH CENTER—L  
348 MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-5250

00654  
GUTHRIE MEDICAL GROUP LABORATORIES—L  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177

01711  
HANOVER PEDIATRICS—L  
217 BROADWAY  
HANOVER, PA 17331  
(717) 632-3911

24655  
HEALTH NETWORK LABORATORIES—L  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150

26490  
HOPE PEDIATRICS—L  
3512 STATE ROUTE 257 SUITE 106  
SENECA, PA 16346  
(814) 677-2347

33708  
INFINITY DIAGNOSTIC LABORATORIES—L  
370 NORTH STREET  
TETERBORO, NJ 07608  
(201) 843-7750

29564  
JAMESTOWN COMMUNITY HEALTH—L  
865 E JAMESTOWN ROAD  
JAMESTOWN, PA 16134

29136  
KIDS PLUS PEDIATRICS—L  
108 HORNER LANE  
LATROBE, PA 15650  
(724) 537-2131

34794  
KIDS CARE PEDIATRICS—L  
8279 STATE RT 22 SUITE 2  
NEW ALEXANDRIA, PA 15670

05618  
LAB CORP OF AMERICA HOLDINGS—LP  
6370 WILCOX ROAD  
DUBLIN, OH 43016-1296  
(800) 282-7300

21885  
LAB CORP OF AMERICA HOLDINGS—LP  
1447 YORK COURT  
BURLINGTON, NC 27215  
(800) 334-5161

01088  
LABCORP OF AMERICA HOLDINGS—LP  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400

22715  
LABONE LLC DBA QUEST DIAGNOSTICS—LP  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770

23380  
LANCASTER PEDIATRIC ASSOC LTD—L  
222 WILLOW VALLEY LAKES DRIVE  
SUITE 100  
WILLOW STREET, PA 17584-9463  
(717) 464-9555

10270  
LANCASTER PEDIATRIC ASSOCIATES—L  
2106 HARRISBURG PIKE  
SUITE 1 MED OFFICE PO BOX 3200  
LANCASTER, PA 17601  
(717) 291-5931

34187  
LENCO DIAGNOSTIC LABORATORIES INC—L  
1857 86TH STREET  
BROOKLYN, NY 11214  
(718) 232-1515

00242  
MAIN LINE HOSPITALS LAB-LANKENAU—L  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521

29685  
MAYO CLINIC LABS-ROCH SUPERIOR DR—L  
3050 SUPERIOR DRIVE NW  
ROCHESTER, MN 55901  
(507) 538-6449

29251  
MAYO MEDICAL LABORATORIES NEW ENG-  
LAND—LP  
160 DASCUMB ROAD  
ANDOVER, MA 01810  
(978) 658-3600

24668  
MCMURRAY PEDIATRIC & ADOLESCENT MEDI-  
CINE—L  
6000 WATERDAM PLAZA DRIVE # 280  
MCMURRAY, PA 15317  
(724) 941-8199

28806  
MEDIA PEDIATRICS—L  
401 MOORE ROAD  
WALLINGFORD, PA 19086  
(610) 565-3336

05574  
MEDTOX LABORATORIES INC—LP  
402 COUNTY ROAD D WEST  
ST. PAUL, MN 55112  
(651) 286-6217

20802  
MERITUS MEDICAL LABORATORY, LLC—L  
11110 MEDICAL CAMPUS RD STE 230  
HAGERSTOWN, MD 21742  
(301) 790-8670

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—LP  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 366-1222

30553  
NATIONWIDE CHILDRENS HOSPITAL—LP  
CORE LAB AND LAB INFORMATION SYSTEMS  
700 CHILDRENS DRIVE  
COLUMBUS, OH 43205  
(614) 722-5376

28787  
NEXT GENERATION PEDIATRICS—L  
100 TECHNOLOGY DRIVE  
SUITE 2  
BUTLER, PA 16001  
(724) 482-2220

23801  
PACIFIC TOXICOLOGY LABORATORIES—L  
9348 DE SOTO AVENUE  
CHATSWORTH, CA 91311  
(818) 598-3110

31516  
PAML LLC—L  
110 W CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8975

22712  
PEDIATRIC ALLIANCE GREENTREE DIVISION—L  
969 GREENTREE ROAD  
PRIMARY CARE CENTER OF GREENTREE  
PITTSBURGH, PA 15220  
(412) 922-5250

28416  
PEDIATRIC ALLIANCE PC, ARCADIA DIVISION—L  
9795 PERRY HIGHWAY  
PITTSBURGH, PA 15090  
(412) 358-9548

02125  
PEDIATRIC ALLIANCE ST. CLAIR PED DIV—L  
1580 MCLAUGHLIN RUN ROAD  
PINERIDGE COMMONS SUITE 208  
UPPER ST. CLAIR, PA 15241  
(412) 221-2121

25436  
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L  
27 VISTA DRIVE  
UNIT 3  
WAYNESBORO, PA 17268  
(717) 765-6621

33953  
PEDIATRIC URGENT CARE OF FRANKLIN  
COUNTY—L  
5 ROADSIDE AVE  
WAYNESBORO, PA 17268  
(717) 765-6621

22533  
PENNSYLVANIA DEPT OF HEALTH—LP  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464

00022  
POCONO MEDICAL CENTER LAB—L  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

00255  
PUBLIC HEALTH LAB CITY OF PHILA—L  
500 SOUTH BROAD STREET ROOM 359  
PHILADELPHIA, PA 19146  
(215) 685-6501

00669  
QUEST DIAGNOSTICS INCORPORATED—LP  
ONE MALCOLM AVENUE  
TETERBORO, NJ 07608  
(201) 393-5895

21422  
QUEST DIAGNOSTICS INCORPORATED—P  
1901 SULPHUR SPRING ROAD  
BALTIMORE, MD 21227  
(410) 536-1501

01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-7188

22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—LP  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543

00482  
QUEST DIAGNOSTICS OF PA INC—LP  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

25461  
QUEST DIAGNOSTICS VENTURE LLC—LP  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

00150  
READING HOSPITAL LABORATORY—L  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615

22899  
RED ROSE PEDIATRIC ASSOCIATES—L  
233 COLLEGE AVENUE  
SUITE 200  
LANCASTER, PA 17603  
(717) 291-7221

22196  
SHARON MEDICAL GROUP—L  
197 E SILVER STREET  
SHARON, PA 16146  
(724) 944-6849

31527

SHIEL MEDICAL LABORATORY—L  
63 FLUSHING AVENUE  
BROOKLYN NAVY YARD UNIT 336  
BROOKLYN, NY 11205  
(718) 552-1000

27649

SMA MEDICAL LABORATORIES—L  
940 PENNSYLVANIA BOULEVARD UNIT E  
FEASTERVILLE, PA 19053  
(215) 322-6590

34171

SONIC REFERENCE LABORATORY, INC—L  
9200 WALL STREET, SUITE 200  
AUSTIN, TX 78754  
(512) 531-2095

00151

ST. JOSEPH QUALITY MEDICAL LAB—L  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200

24582

SOUTH PHILA PEDIATRICS—L  
1400 S 5TH STREET  
PHILADELPHIA, PA 19147  
(215) 467-3515

22718

SUNRISE MEDICAL LABORATORIES INC—L  
250 MILLER PLACE  
HICKSVILLE, NY 11801  
(516) 435-1515

04159

TRI COUNTY PEDIATRICS INC—L  
205 NEWTOWN ROAD SUITE 210  
WARMINSTER, PA 18974  
(215) 884-5715

04575

TRI COUNTY PEDIATRICS INC—L  
1939 CHELTENHAM AVENUE  
ELKINS PARK, PA 19027  
(215) 884-5715

29164

TRI COUNTY PEDIATRICS INC—L  
9150 MARSHALL STREET SUITE 14  
PHILADELPHIA, PA 19114  
(215) 884-5715

00083

UPMC PRESBYTERIAN SHADYSIDE CP PUH—L  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

26198

WRIGHT CENTER MEDICAL GROUP, PC—L  
5 SOUTH WASHINGTON AVENUE  
JERMYN, PA 18433  
(570) 383-9934

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-1323. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Labs Approved for Blood Alcohol Content

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code in 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services

in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations in 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. James R. Lute, Assistant Bureau Director, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. James R. Lute at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S, B and SB indicate the following:

S = approved for serum and plasma analyses  
 B = approved for blood analyses  
 SB = approved for serum, plasma and blood analyses

00212  
 ABINGTON HOSP JEFFERSON HEALTH—S  
 1200 OLD YORK ROAD  
 ABINGTON, PA 19001  
 (215) 481-2324

00215  
 ABINGTON-LANSDALE HOSPITAL JEFF HLTH—S  
 100 MEDICAL CAMPUS DRIVE  
 LANSDALE, PA 19446  
 (215) 481-4933

33583  
 ADVANCED MEDICAL LABORATORIES INC—S  
 1690 US HWY 1 SOUTH, SUITE D  
 ST. AUGUSTINE, FL 32084  
 (305) 790-9798

33664  
 AEGIS SCIENCES CORPORATION—S  
 365 GREAT CIRCLE ROAD  
 NASHVILLE, TN 37228  
 (615) 255-2400

00233  
 ALBERT EINSTEIN MEDICAL CENTER—S  
 5501 OLD YORK RD-LABS-TOWER BLDG GROUND  
 FL  
 PHILADELPHIA, PA 19141-3001  
 (215) 456-6129

00671  
 ALLEGHENY COUNTY MED EX DIV OF LABS—SB  
 1520 PENN AVENUE, 2ND FLOOR  
 PITTSBURGH, PA 15222  
 (412) 350-4425

28233  
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S  
 320 E NORTH AVENUE  
 PITTSBURGH, PA 15212  
 (412) 359-6886

00077  
 ALLEGHENY GENERAL HOSPITAL LAB—S  
 1307 FEDERAL STREET  
 PITTSBURGH, PA 15212  
 (412) 359-8615

00100  
 ALLEGHENY VALLEY HOSPITAL LAB—S  
 1301 CARLISLE STREET  
 NATRONA HEIGHTS, PA 15065  
 (724) 224-5100

34874  
 AMERATHON LLC, DBA AHA—S  
 26300 EUCLID AVENUE, SUITE 910  
 CLEVELAND, OH 44132  
 (216) 409-8226

00192  
 ARIA HEALTH—S  
 380 NORTH OXFORD VALLEY ROAD  
 LANGHORNE, PA 19047-8304  
 (215) 934-5227

00236  
 ARIA HEALTH—S  
 FRANKFORD AVE & WAKELING STREET  
 PHILADELPHIA, PA 19124  
 (215) 831-2068

00341  
 ARIA HEALTH—S  
 10800 KNIGHTS ROAD  
 PHILADELPHIA, PA 19114  
 (215) 612-4000

00041  
 ARMSTRONG COUNTY MEMORIAL HOSP—S  
 1 NOLTE DRIVE  
 KITTANNING, PA 16201  
 (724) 543-8500

21861  
 ARGNOT-OGDEN MEMORIAL HOSPITAL—S  
 600 ROE AVENUE  
 ELMIRA, NY 14905  
 (607) 737-4478

21613  
 ARUP LABORATORIES INC—S  
 500 CHIPETA WAY  
 SALT LAKE CITY, UT 84108  
 (800) 242-2787

00047  
 ASSOCIATED CLINICAL LABORATORIES—SB  
 PATHOLOGY ASSOCIATES OF ERIE, INC  
 1526 PEACH STREET  
 ERIE, PA 16501  
 (814) 461-2400

24997  
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB  
 3520 PROGRESS DRIVE UNIT C  
 BENSLEM, PA 19020  
 (267) 525-2470

00320  
 BARNES KASSON HOSPITAL LAB—S  
 2872 TURNPIKE STREET  
 SUSQUEHANNA, PA 18847  
 (570) 853-5059

00001  
 BERWICK HOSPITAL LABORATORY—S  
 701 EAST 16TH STREET  
 BERWICK, PA 18603  
 (570) 759-5110

00301  
BHS LABORATORY—S  
ONE HOSPITAL WAY (911 E BRADY STREET)  
BUTLER, PA 16001  
(724) 284-4513

00033  
BRADFORD REGIONAL MEDICAL CENTER—S  
116-156 INTERSTATE PKWY  
BRADFORD, PA 16701-0218  
(814) 362-8247

00296  
BRANDYWINE HOSPITAL—S  
201 REECEVILLE ROAD  
COATESVILLE, PA 19320  
(610) 383-8000

00053  
BROOKVILLE HOSPITAL LAB—S  
100 HOSPITAL ROAD  
BROOKVILLE, PA 15825  
(814) 849-2312

00369  
BUCKTAIL MED CENTER—S  
1001 PINE STREET  
RENOVO, PA 17764  
(570) 531-6176

00107  
CANONSBURG HOSPITAL—S  
100 MEDICAL BOULEVARD  
CANONSBURG, PA 15317  
(724) 745-3916

00131  
CARLISLE REGIONAL MEDICAL CENTER—S  
361 ALEXANDER SPRING ROAD  
CARLISLE, PA 17015-9129  
(717) 249-1212

00132  
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-  
OGY—S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7153

00310  
CHARLES COLE MEMORIAL HOSPITAL—S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-5510

00198  
CHESTER COUNTY HOSPITAL—S  
701 E MARSHALL ST  
WEST CHESTER, PA 19380  
(610) 431-5182

00227  
CHESTNUT HILL HOSPITAL—S  
DEPARTMENT OF PATHOLOGY  
8835 GERMANTOWN AVENUE  
PHILADELPHIA, PA 19118  
(215) 248-8113

00228  
CHILDRENS HOSP OF PHILADELPHIA—S  
3401 CIVIC CENTER BLVD  
MAIN BLDG-5TH FLOOR-ROOM 5135  
PHILADELPHIA, PA 19104  
(215) 590-4446

00329  
CLARION HOSPITAL—S  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 221-8969

00026  
CLEARFIELD HOSPITAL LABORATORY—S  
809 TURNPIKE AVENUE PO BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

33142  
CLINICAL REFERENCE LABORATORY, INC—S  
8433 QUIVIRA ROAD  
LENEXA, KS 66215  
(913) 492-3652

00125  
CONEMAUGH MEM MED CTR-MAIN LAB—SB  
LABORATORY DEPT 1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905  
(814) 534-3221

00231  
CONEMAUGH MEYERSDALE MEDICAL CTR—S  
200 HOSPITAL DR  
MEYERSDALE, PA 15552  
(814) 972-6913

00128  
CONEMAUGH MINERS MEDICAL CENTER—S  
290 HAIDA AVENUE, PO BOX 689  
HASTINGS, PA 16646  
(814) 247-3200

00326  
CORY MEMORIAL HOSPITAL—S  
965 SHAMROCK LANE  
CORY, PA 16407  
(814) 664-4641

00201  
CROZER CHESTER MED CENTER—S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2232

00204  
DELAWARE COUNTY MEMORIAL HOSP—LAB—S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 447-2232

00266  
DEPT OF PATHOLOGY & LAB MED—HUP—SB  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-3423

00194  
DOYLESTOWN HOSPITAL LABORATORY—S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

00977  
DRUGSCAN INC—SB  
200 PRECISION ROAD, SUITE 200  
HORSHAM, PA 19044  
(267) 960-3407

00027  
DUBOIS REG MED CTR—WEST UNIT—S  
100 HOSPITAL AVE  
DUBOIS, PA 15801  
(814) 371-2200

00175  
EASTON HOSPITAL LABORATORY—S  
250 SOUTH 21ST STREET  
EASTON, PA 18042  
(610) 250-4819

00217  
EINSTEIN MEDICAL CTR MONTGOMERY—S  
559 W GERMANTOWN PIKE  
EAST NORRITON, PA 19403  
(484) 662-1000

00332  
ELLWOOD CITY HOSPITAL—S  
724 PERSHING ST  
ELLWOOD CITY, PA 16117  
(724) 752-0081

00612  
ENDLESS MOUNTAINS HEALTH SYSTEMS—S  
100 HOSPITAL DRIVE  
MONTROSE, PA 18801  
(570) 278-3801

00164  
EPHRATA COMMUNITY HOSPITAL—S  
169 MARTIN AVE PO BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311

00181  
EVANGELICAL COMMUNITY HOSPITAL—S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510

00114  
EXCELA HEALTH LATROBE HOSPITAL—S  
ONE MELLON WAY  
LATROBE, PA 15650  
(724) 850-3121

00085  
FORBES HOSPITAL—S  
2570 HAYMAKER ROAD  
MONROEVILLE, PA 15146  
(412) 858-2566

31400  
FRANCES WARDE MEDICAL LABORATORY—SB  
300 WEST TEXTILE ROAD  
ANN ARBOR, MI 48108  
(734) 214-0301

00115  
FRICK HOSPITAL—S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500

00330  
FULTON COUNTY MEDICAL CENTER—S  
214 PEACH ORCHARD ROAD  
MCCONNELLSBURG, PA 17233  
(717) 485-6102

00002  
GEISINGER BLOOMSBURG HOSPITAL LABORATORY—S  
549 E FAIR STREET  
BLOOMSBURG, PA 17815  
(570) 387-2098

00005  
GEISINGER CMC LABORATORY—S  
1800 MULBERRY STREET  
ATTN 68-44  
SCRANTON, PA 18510  
(570) 703-8000

00138  
GEISINGER LEWISTOWN HOSPITAL—S  
400 HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 242-7113

00173  
GEISINGER MEDICAL CENTER—SB  
100 N ACADEMY AVENUE  
DANVILLE, PA 17822-0131  
(570) 271-6338

00019  
GEISINGER WYOMING VALLEY MED CTR—S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 808-7845

00122  
GETTYSBURG HOSPITAL LABORATORY—S  
147 GETTYS STREET  
GETTYSBURG, PA 17325  
(717) 337-4120

00152  
GNADEN HUETTEN MEMORIAL HOSP—S  
211 NORTH 12TH STREET  
LEHIGHTON, PA 18235  
(610) 377-7083

00299  
GOOD SAMARITAN HOSPITAL—S  
4TH & WALNUT STS PO BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7986

00196  
GRAND VIEW HOSPITAL—S  
700 LAWN AVE  
SELLERSVILLE, PA 18960  
(215) 453-4528

00061  
GROVE CITY MEDICAL CENTER—S  
631 NORTH BROAD STREET EXT  
GROVE CITY, PA 16127  
(724) 450-7128

00024  
GUTHRIE CLINIC LAB AT TROY COMM—S  
275 GUTHRIE LANE  
TROY, PA 16947  
(570) 297-9289

00654  
GUTHRIE MEDICAL GROUP LABORATORIES—S  
ONE GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 887-4177

00023  
GUTHRIE TOWANDA MEMORIAL HOSPITAL LAB—S  
91 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191

- 00239  
HAHNEMANN UNIVERSITY HOSPITAL—S  
DREXEL UNIVERSITY COLLEGE OF MEDICINE  
DEPT OF PATHOLOGY  
245 N 15TH STREET-MAIL STOP 435  
PHILADELPHIA, PA 19102  
(215) 416-9500
- 00139  
HANOVER HOSPITAL LABORATORY—S  
300 HIGHLAND AVE  
HANOVER, PA 17331  
(717) 633-2150
- 00155  
HARRISBURG HOSPITAL LABORATORY—SB  
100 SOUTH 2ND STREET  
HARRISBURG, PA 17101  
(717) 231-6323
- 00169  
HEALTH NETWORK LABORATORIES—S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(484) 425-8008
- 00549  
HEALTH NETWORK LABORATORIES—S  
1200 SOUTH CEDAR CREST BLVD  
ALLENTOWN, PA 18103  
(484) 425-8008
- 00600  
HEALTH NETWORK LABORATORIES—S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 425-8008
- 24655  
HEALTH NETWORK LABORATORIES—SB  
794 ROBLE ROAD  
ALLENTOWN, PA 18109-9110  
(610) 402-8150
- 00166  
HEART OF LANCASTER REGIONAL MEDICAL CENTER—S  
1500 HIGHLANDS DRIVE  
LITITZ, PA 17543  
(717) 625-5605
- 00205  
HERITAGE VALLEY BEAVER—S  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009  
(724) 728-7000
- 00101  
HERITAGE VALLEY SEWICKLEY LAB—S  
720 BLACKBURN RD  
SEWICKLEY, PA 15143  
(412) 741-6600
- 00103  
HIGHLANDS HOSPITAL—S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500
- 00130  
HOLY SPIRIT HOSPITAL—S  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2206
- 00052  
INDIANA REGIONAL MEDICAL CENTER—S  
835 HOSPITAL ROAD  
PO BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167
- 00135  
J C BLAIR MEMORIAL HOSPITAL—S  
1225 WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645
- 00240  
JEANES HOSPITAL—S  
7600 CENTRAL AVE  
PHILADELPHIA, PA 19111  
(215) 728-2248
- 00038  
JEFFERSON REGIONAL MED CTR—S  
PO BOX 18119, 565 COAL VALLEY ROAD  
PITTSBURGH, PA 15236  
(412) 469-5723
- 00200  
JENNERSVILLE REGIONAL HOSPITAL—S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080
- 00034  
KANE COMMUNITY HOSPITAL—S  
4372 ROUTE 6  
KANE, PA 16735  
(814) 837-4570
- 01088  
LABCORP OF AMERICA HOLDINGS—SB  
69 FIRST AVENUE PO BOX 500  
RARITAN, NJ 08869  
(908) 526-2400
- 22715  
LABONE LLC DBA QUEST DIAGNOSTICS—SB  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770
- 00165  
LANCASTER GENERAL HOSPITAL—S  
555 N DUKE STREET, PO BOX 3555  
LANCASTER, PA 17604  
(717) 544-4331
- 00167  
LANCASTER REGIONAL MED CENTER—S  
250 COLLEGE AVENUE, PO BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022
- 00010  
LEHIGH VALLEY HOSPITAL—HAZLETON—S  
700 EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4152
- 00030  
LOCK HAVEN HOSPITAL—S  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000
- 00193  
LOWER BUCKS HOSPITAL LABORATORY—S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9300



## 4300

00213  
MAIN LINE HEALTH LAB—BRYN MAWR—S  
130 S BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3554

00242  
MAIN LINE HOSPITALS LAB—LANKENAU—S  
100 EAST LANCASTER AVENUE  
3RD FLOOR  
WYNNEWOOD, PA 19096  
(484) 476-3521

00199  
MAIN LINE HOSPITALS LAB—PAOLI—S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000

00206  
MAIN LINE HOSPITALS LAB—RIDDLE—S  
1068 W BALTIMORE PIKE  
MEDIA, PA 19063  
(610) 891-3339

09003  
MAYO CLINIC LABS—ROCHESTER MAIN CAM-  
PUS—SB  
200 FIRST STREET SW HILTON 530  
ROCHESTER, MN 55905  
(507) 538-6449

00049  
MEADVILLE MED CTR—LIBERTY ST—S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-5000

05574  
MEDTOX LABORATORIES INC—SB  
402 COUNTY ROAD D WEST  
ST. PAUL, MN 55112  
(651) 286-6217

00140  
MEMORIAL HOSPITAL CLINICAL LAB—S  
325 S BELMONT STREET  
YORK, PA 17403  
(717) 843-8623

00203  
MERCY FITZGERALD HOSPITAL—S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4486

00247  
MERCY HOSPITAL OF PHILADELPHIA—S  
501 S 54TH STREET  
PHILADELPHIA, PA 19143  
(215) 748-9170

28436  
METHODIST DIV TJUH CLINICAL LAB—S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 955-3941

32803  
MOLECULAR DX, LLC—B  
620 7TH STREET SUITE C  
WINDBER, PA 15963  
(814) 361-6993

## NOTICES

00108  
MONONGAHELA VALLEY HOSPITAL INC—S  
1163 COUNTRY CLUB ROAD  
MONONGAHELA, PA 15063  
(724) 258-1021

00007  
MOSES TAYLOR HOSPITAL—S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 340-2100

00214  
MOSS REHAB EINSTEIN AT ELKINS PARK—S  
60 EAST TOWNSHIP LINE ROAD ATTN: LAB  
ELKINS PARK, PA 19027  
(215) 456-6150

00025  
MOUNT NITTANY MEDICAL CENTER—S  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

00035  
MUNCY VALLEY HOSPITAL—S  
215 EAST WATER ST  
MUNCY, PA 17756  
(570) 546-8282

00304  
NASON HOSPITAL—S  
105 NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-2141

00504  
NATIONAL MED SVCS INC/DBA NMS LABS—SB  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 366-1222

00248  
NAZARETH HOSPITAL—S  
2601 HOLME AVE  
PHILADELPHIA, PA 19152  
(215) 335-6245

29741  
NORTHERN TIER RESEARCH—SB  
1302 MADISON AVE  
DUNMORE, PA 18509  
(570) 209-7913

30984  
OFFICE OF THE DISTRICT ATTORNEY—B  
37 E HIGH STREET, FORENSIC LAB  
CARLISLE, PA 17013  
(717) 240-6526

00099  
OHIO VALLEY GENERAL HOSPITAL—S  
25 HECKEL RD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

00334  
PALMERTON HOSPITAL—S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-1100

31516  
PAML LLC—SB  
110 W CLIFF AVENUE  
SPOKANE, WA 99204  
(509) 755-8975

- 00032  
PENN HIGHLANDS—S  
763 JOHNSONBURG RD  
SAINT MARYS, PA 15857  
(814) 788-8525
- 00258  
PENN PRESBYTERIAN MEDICAL CENTER—S  
51 NORTH 39TH ST DEPT OF PATH & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435
- 00316  
PENN STATE MILTON S HERSHEY MED CTR—S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353
- 22533  
PENNSYLVANIA DEPT OF HEALTH—SB  
110 PICKERING WAY  
EXTON, PA 19341  
(610) 280-3464
- 00251  
PENNSYLVANIA HOSPITAL—S  
800 SPRUCE STREET  
PHILADELPHIA, PA 19107  
(215) 829-3541
- 00197  
PHOENIXVILLE HOSPITAL LABORATORY—S  
140 NUTT ROAD DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1612
- 00157  
PINNACLE HEALTH AT COMMUNITY GENERAL  
HOSPITAL—S  
4300 LONDONDERRY ROAD  
PO BOX 3000  
HARRISBURG, PA 17109  
(717) 782-3340
- 33480  
PINNACLE HEALTH WEST SHORE HOSPITAL LABO-  
RATORY—S  
HARRISBURG HOSPITAL LABORATORY  
100 SOUTH SECOND STREET  
HARRISBURG, PA 17101  
(717) 782-3582
- 00022  
POCONO MEDICAL CENTER LAB—S  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544
- 00221  
POTTSTOWN HOSPITAL COMPANY, LLC—S  
1600 EAST HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7130
- 00300  
PUNXSUTAWNEY AREA HOSPITAL—S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-1820
- 31399  
QUEST DIAGNOSTICS—SB  
1777 MONTREAL CIRCLE ES/F1 2  
TUCKER, GA 30084  
(770) 936-5007
- 27461  
QUEST DIAGNOSTICS INC—SB  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4502
- 01136  
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB  
14225 NEWBROOK DRIVE  
CHANTILLY, VA 20151  
(703) 802-7188
- 22376  
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF  
VALENCIA—S  
27027 TOURNEY ROAD  
VALENCIA, CA 91355  
(661) 799-6543
- 00482  
QUEST DIAGNOSTICS OF PA INC—SB  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600
- 25461  
QUEST DIAGNOSTICS VENTURE LLC—SB  
875 GREENTREE ROAD 4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631
- 00150  
READING HOSPITAL LABORATORY—S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(484) 628-8615
- 00336  
REGIONAL HOSPITAL OF SCRANTON—S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100
- 00243  
ROXBOROUGH MEMORIAL HOSPITAL—S  
5800 RIDGE AVE  
PHILADELPHIA, PA 19128  
(215) 487-4394
- 00171  
SACRED HEART HOSPITAL—S  
4TH & CHEW STS ATTN LAB DEPT  
ALLENTOWN, PA 18102  
(610) 776-4727
- 00087  
SAINT CLAIR MEMORIAL HOSPITAL—S  
1000 BOWER HILL RD  
PITTSBURGH, PA 15243  
(412) 561-4900
- 00174  
SAINT LUKES HOSPITAL—S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 954-4558
- 00328  
SAINT MARY MEDICAL CENTER—PATH LAB—S  
1201 LANGHORNE-NEWTOWN RD  
LANGHORNE, PA 19047  
(215) 710-2162
- 00048  
SAINT VINCENT HEALTH CENTER—S  
232 WEST 25TH STREET  
ERIE, PA 16544  
(814) 452-5386

- 00182  
SCHUYLKILL MC E NORWEGIAN ST—S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032
- 00183  
SCHUYLKILL MC S JACKSON ST—S  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262
- 00064  
SHARON PA HOSPITAL COMPANY LLC—S  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3914
- 00039  
SOLDIERS & SAILORS MEM HOSP—S  
32-36 CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 723-0133
- 00297  
SOMERSET HOSPITAL CENTER FOR HEALTH—S  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5210
- 00209  
SPRINGFIELD HOSPITAL LABORATORY S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2232
- 00260  
ST. CHRISTOPHERS HOSP FOR CHILDREN—S  
160 EAST ERIE AVENUE  
DEPT OF PATHOLOGY & LAB MEDICINE  
PHILADELPHIA, PA 19134-1095  
(215) 427-5475
- 00151  
ST. JOSEPH QUALITY MEDICAL LAB—SB  
2500 BERNVILLE ROAD  
READING, PA 19605-9453  
(610) 378-2200
- 00318  
ST. LUKES HOSP ALLENTOWN CAMPUS—S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 628-8724
- 00180  
ST. LUKES MINERS MEMORIAL HOSPITAL—S  
360 WEST RUDDLE STREET PO BOX 67  
COALDALE, PA 18218  
(570) 645-8271
- 00195  
ST. LUKES QUAKERTOWN HOSPITAL—S  
1021 PARK AVENUE  
QUAKERTOWN, PA 18951  
(215) 538-4681
- 32021  
ST. LUKES HOSPITAL—ANDERSON LAB—S  
1872 ST LUKE'S BLVD  
EASTON, PA 18045  
(484) 503-1075
- 00219  
SUBURBAN COMMUNITY HOSPITAL—S  
2701 DEKALB PIKE  
EAST NORRITON, PA 19401  
(610) 278-2075
- 00207  
TAYLOR HOSPITAL LABORATORY—S  
175 EAST CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 595-6604
- 00235  
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 707-4353
- 00265  
TEMPLE UNIVERSITY HOSPITAL—S  
3401 NORTH BROAD STREET  
DEPT OF PATH & LAB MED-RM B243, OPB  
PHILADELPHIA, PA 19140  
(215) 707-9560
- 00104  
THE UNIONTOWN HOSPITAL LABORATORY—S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143
- 00241  
THOMAS JEFFERSON UNIVERSITY HOSP—S  
125 SOUTH 11TH STREET 204, FOERDERER PAVIL-  
LION  
PHILADELPHIA, PA 19107  
(215) 955-3941
- 00051  
TITUSVILLE AREA HOSPITAL—S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851
- 00313  
TYLER MEMORIAL HOSPITAL—S  
880 SR 6 W  
TUNKHANNOCK, PA 18657-6149  
(570) 836-4705
- 00124  
TYRONE HOSPITAL—S  
187 HOSPITAL DRIVE  
TYRONE, PA 16686  
(814) 684-6384
- 00119  
UPMC ALTOONA LAB—S  
620 HOWARD AVENUE  
ALTOONA, PA 16601-4899  
(814) 889-2340
- 00121  
UPMC BEDFORD MEMORIAL—S  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3555
- 32389  
UPMC EAST PATHOLOGY LABORATORY—S  
2775 MOSSIDE BLVD.  
GROUND FLOOR, ROOM 0304  
MONROEVILLE, PA 15146  
(412) 357-3682
- 00046  
UPMC HAMOT—S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-2463

00059 UPMC HORIZON GREENVILLE—S  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100

00057  
UPMC HORIZON SHENANGO—S  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500

00054  
UPMC JAMESON MEMORIAL HOSPITAL—S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4080

00098  
UPMC MCKEESPORT LABORATORY—S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

00082  
UPMC MERCY DEPT OF LAB MEDICINE—S  
1400 LOCUST STREET  
PITTSBURGH, PA 15219  
(412) 232-7831

00084  
UPMC PASSAVANT—S  
9100 BABCOCK BLVD  
PITTSBURGH, PA 15237  
(412) 367-6700

05784  
UPMC PASSAVANT LABORATORY CRANBERRY—S  
ONE ST. FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5370

00083  
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S  
UPMC CLINICAL LABORATORY BUILDING  
3477 EULER WAY  
PITTSBURGH, PA 15213  
(412) 647-5855

00091  
UPMC SAINT MARGARET HOSPITAL—S  
815 FREEPORT ROAD  
LABORATORY  
PITTSBURGH, PA 15215  
(412) 784-4000

00092  
UPMC SHADYSIDE—S  
5230 CENTRE AVENUE GROUND FLOOR WEST WING  
PITTSBURGH, PA 15232  
(412) 623-5950

00066  
WARREN GENERAL HOSPITAL—S  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 726-3860

00105  
WASHINGTON HEALTH SYSTEM GREENE—S  
350 BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 223-3136

00111  
WASHINGTON HEALTH SYSTEM LAB—S  
155 WILSON AVE  
WASHINGTON, PA 15301  
(724) 223-3136

00298  
WAYNE MEMORIAL HOSPITAL—S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

00133  
WAYNESBORO HOSPITAL—S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

00018  
WBGH COMMONWEALTH HEALTH LAB SVS—SB  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

00095  
WEST PENN HOSPITAL—S  
4800 FRIENDSHIP AVENUE  
PITTSBURGH, PA 15224  
(412) 578-5779

00112  
WESTMORELAND REGIONAL HOSPITAL—S  
532 W PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4365

00037  
WILLIAMSPORT REGIONAL MEDICAL CENTER—S  
700 HIGH STREET  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

00106  
WINDBER HOSPITAL—S  
600 SOMERSET AVE  
WINDBER, PA 15963  
(814) 467-3741

25064  
WVU HOSPITAL CLINICAL LABS—S  
1 MEDICAL CENTER DR PO BOX 8009  
MORGANTOWN, WV 26506-8009  
(304) 598-4241

00141  
YORK HOSPITAL—S  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-1324. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.24(a)(b) (relating to dining room):

Platinum Ridge Center for Rehabilitation and Healing  
1050 Broadview Boulevard  
Brackenridge, PA 15014  
FAC ID # 070302

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.27 (relating to lounge and recreation rooms):

Platinum Ridge Center for Rehabilitation and Healing  
 1050 Broadview Boulevard  
 Brackenridge, PA 15014  
 FAC ID # 070302

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Meadows Nursing and Rehabilitation Center  
 4 East Central Hill Road  
 Dallas, PA 18612  
 FAC ID # 137302

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously, or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,  
*Secretary*

[Pa.B. Doc. No. 16-1325. Filed for public inspection July 29, 2016, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P.S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P.S. § 165-11(e)), no contracts for public work shall be awarded to these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Ward Building Solutions, LLC Tessa Ward, individually FEIN No. 46-3351156	1615 Condor Lane Dover, PA 17315	6/29/2016

KATHY M. MANDERINO,  
*Secretary*

[Pa.B. Doc. No. 16-1326. Filed for public inspection July 29, 2016, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Realty Transfer Tax; 2015 Common Level Ratio; Real Estate Valuation Factors

The following real estate valuation factors are based on sales data compiled by the State Tax Equalization Board in 2015. These factors are the mathematical reciprocals of the actual common level ratio (CLR). For Pennsylvania Realty Transfer Tax purposes, these factors are applicable for documents accepted from July 1, 2016, to June 30, 2017. The date of acceptance of a document is rebuttably presumed to be its date of execution, that is, the date specified in the body of the document as the date of the instrument (61 Pa. Code § 91.102) (relating to acceptance of documents)).

<i>County</i>	<i>CLR Factor</i>
Adams	.86
Allegheny	1.15
Armstrong	2.28
Beaver	3.60
Bedford	1.04
Berks	1.35
Blair	9.26

<i>County</i>	<i>CLR Factor</i>
Bradford	3.00
Bucks	9.01
Butler	9.17
Cambria	4.05
Cameron	1.48
Carbon	1.89
Centre	3.57
Chester	1.86
Clarion	2.65
Clearfield	6.80
Clinton	1.13
Columbia	3.69
Crawford	2.65
Cumberland	1.00
Dauphin	1.37
Delaware	1.54
Elk	2.29
Erie	1.05
Fayette	1.38
Forest	4.22
Franklin	7.14
Fulton	2.58
Greene	1.47
Huntingdon	4.12
Indiana (1)	1.00
Jefferson	2.03

# HOUSING FINANCE AGENCY

## Amendment to 2016 PHARE Plan; Pennsylvania Housing Affordability and Rehabilitation Enhancement Fund/Realty Transfer Tax

Governor Wolf signed the act of November 4, 2015 (P.L. 222, No. 58), which, in part, directs certain Realty Transfer Tax (RTT) receipts to the Pennsylvania Housing Affordability and Rehabilitation Enhancement Fund (PHARE) established by the act of November 23, 2010 (P.L. 1035, No. 105) (PHARE Act). This new revenue source will expand the PHARE program to the 67 counties of this Commonwealth.

Under the PHARE Act, the Housing Finance Agency's (Agency) PHARE program will receive an allocation of RTT funds based on a formula using 2014 as a base. (The annual amount available for the PHARE program will be equal to the lesser of 40% of the difference between the total dollar amount of the RTT imposed under section 1102-C of the Tax Reform Code of 1971 (72 P.S. § 8102-C) collected for the prior fiscal year and the total amount of RTT estimated for the fiscal year beginning July 1, 2014.) The PHARE/RTT fund will be capped at \$25 million annually. Funding allocations and reporting will be completed in accordance with PHARE legislative requirements.

### Purpose

The PHARE/RTT program will provide funds to projects/programs providing sustainable and comprehensive solutions to address housing and community development needs across this Commonwealth.

### PHARE/RTT Priorities for Funding

These funds will be directed to address clearly articulated needs in communities based on the following priorities:

- 1) Preservation of the current stock of rental housing or the development/creation of new affordable rental housing to address unmet local need. This includes projects/programs for the elderly in danger of losing their homes and rental assistance to help families remain in their residence.
- 2) Funding for projects/programs to address ongoing housing needs for reducing homelessness, including specific and targeted vulnerable populations (veterans, persons with disabilities, supportive housing for the elderly, re-entry population, families and youth).
- 3) Funding for comprehensive housing and redevelopment efforts that address blighted and abandoned properties impacting concerted community revitalization efforts, supported by clearly articulated community plans. This could include a variety of housing/redevelopment strategies such as acquisition, demolition, construction, rehabilitation, site remediation and other efforts.
- 4) Creating new opportunities for affordable homeownership. This may include closing cost/down payment assistance, financial education/counseling or other forms of assistance to potential first-time homebuyers as well as the development/construction of new homes and rehabilitation of existing housing.
- 5) Other efforts that address unmet housing and community development needs. This could include projects and programs to assist persons living in manufactured

<i>County</i>	<i>CLR Factor</i>
Juniata	5.49
Lackawanna	6.94
Lancaster	1.32
Lawrence	1.15
Lebanon	.94
Lehigh	1.01
Luzerne	.96
Lycoming	1.34
McKean	1.07
Mercer	3.45
Mifflin	2.07
Monroe	4.46
Montgomery	1.78
Montour	1.30
Northampton	2.92
Northumberland	3.91
Perry	1.03
Philadelphia	1.02
Pike	4.05
Potter	2.91
Schuylkill	2.18
Snyder	5.85
Somerset	2.49
Sullivan	1.42
Susquehanna	2.75
Tioga	1.42
Union	1.28
Venango	1.18
Warren	3.02
Washington	9.35
Wayne	1.10
Westmoreland	5.78
Wyoming	5.46
York	1.14

(1) Adjusted by the Department of Revenue to reflect an assessment base change effective January 1, 2016.

EILEEN H. McNULTY,  
*Secretary*

[Pa.B. Doc. No. 16-1327. Filed for public inspection July 29, 2016, 9:00 a.m.]

## ENVIRONMENTAL QUALITY BOARD

### Meeting Cancellation

The August 16, 2016, meeting of the Environmental Quality Board (Board) is cancelled. The next regular meeting of the Board is scheduled for Tuesday, September 20, 2016, at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

The agenda and meeting materials for the September 20, 2016, meeting will be available on the Department of Environmental Protection's web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Environmental Quality Board (EQB)," then "2016 Meetings").

Questions concerning the Board's next scheduled meeting may be directed to Laura Edinger at (717) 783-8727 or [ledinger@pa.gov](mailto:ledinger@pa.gov).

PATRICK McDONNELL,  
*Acting Chairperson*

[Pa.B. Doc. No. 16-1328. Filed for public inspection July 29, 2016, 9:00 a.m.]

communities, homeowners to remain in their homes through renovation/mortgage/utilities or other forms of housing services and assistance, addressing environmental conditions such as lead paint abatement and emergency temporary housing needs resulting from disasters.

#### *Priorities for Selection*

PHARE/RTT awards will be directed to projects and programs based on the following criteria for selection:

- Projects/programs which are able to show significant leveraging of other funds (local, State and Federal, public and private) to ensure maximum impact.
- Projects/programs that have all funding committed and can move rapidly to implementation and utilization.
- Projects/programs that embrace, partner with or are incorporated into a larger local, county or regional housing development plan.
- Projects/programs that satisfy local planning/zoning ordinances.
- Projects/programs that affirmatively further fair housing.
- Funding for rental housing projects (five or more units) will adhere to the Agency's development processes.
- Projects/programs that are specifically designed to address a clearly articulated need in a community or specific population.
- Projects/programs that embrace innovative approaches to Statewide housing and community development issues address underserved and unmet housing

needs across this Commonwealth and otherwise meet overall agency goals for tackling community redevelopment.

#### *Application Process*

In accordance with the PHARE program, the Agency will develop and publish a Request for Proposals (RFP) in fall 2016 with applications due in late fall. It is expected that the Agency's Board will be presented with recommendations for funding in March 2017.

Applicants eligible to receive PHARE/RTT funds include units of local government (counties, cities, boroughs, townships, town and home rule municipalities), nonprofit and for-profit entities, and economic, community and housing developments organizations in the 67 counties of this Commonwealth. All applicants are expected to satisfy the affordability requirements of the PHARE program and commit to a long-term sustainable program to maintain affordability (which may be documented with restrictive covenants or other program documents), applicants must abide by prevailing wage when applicable. All funds will have expenditure deadlines and approved programs/projects must be started within 1 year of funding reward.

Additional requirements for application submission will be outlined in the annual RFP.

BRIAN A. HUDSON, Sr.,  
*Executive Director*

[Pa.B. Doc. No. 16-1329. Filed for public inspection July 29, 2016, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
18-460	Department of Transportation Mechanical, Electrical and Electronic Speed-Timing Devices	7/13/16	8/18/16
7-491	Environmental Quality Board Control of Volatile Organic Compound Emissions from Miscellaneous Metal Parts Surface Coating Processes, Miscellaneous Plastic Parts Surface Coating Processes and Pleasure Craft Surface Coatings	7/15/16	8/18/16
7-490	Environmental Quality Board Control of Volatile Organic Compound Emissions from Automobile and Light-Duty Truck Assembly Coating Operations and Heavier Vehicle Coating Operations	7/15/16	8/18/16
7-494	Environmental Quality Board Safe Drinking Water; Revised Total Coliform Rule	7/15/16	8/18/16
7-496	Environmental Quality Board Remining Requirements	7/15/16	8/18/16

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 16-1330. Filed for public inspection July 29, 2016, 9:00 a.m.]

# INSURANCE DEPARTMENT

## Long Term Care Partnership Program Revised Guidance; Request for Comment; Notice 2016-09

Long term care insurance (LTCI) is a product that many consumers may use to plan for the future. Yet, it is too often unaffordable for those who might wish to purchase it, and may become unaffordable when a rate increase is implemented for those who have policies. The Insurance Department (Department) is working on ways to make LTCI more affordable and provide additional asset protection options for middle-income Americans.

One of the types of LTCI available for consumers is a long term care partnership (LTCP) policy. With an LTCP policy, a consumer gets long term care (LTC) coverage with the added benefit of being able to preserve assets while still having the safety net of Medical Assistance if they should use all of their LTCP benefits.

In 2008, when Pennsylvania's Qualified Partnership Program (Partnership Program) was established, the Department identified levels of inflation protection for LTCP policies that it would certify as satisfying Federal requirements. To make this product more accessible and provide more affordable options for consumers, the Department proposes to amend its April 2008 guidance to insurers by allowing them to offer LTCP policies with lower inflation protection levels. In 2008, after consultation with the LTCI industry, the Department allowed inflation protection options equal to the Consumer Price Index or a fixed rate of not less than 3% to demonstrate compliance with Federal law for purposes of the Partnership Program. The Department proposes lowering the fixed rate option for purposes of the Partnership Program from 3% to 1%, which would still be in compliance with Federal law. (State law will still require insurers to offer a 5% inflation protection option for all LTCI policies; insurers may also continue to offer other inflation protection levels as an option.)

This policy change would give consumers more affordable LTCP product options while retaining product choices with additional inflation protection available today. While a lower level of inflation protection would reduce an individual's benefit, particularly over time, it would allow an individual to maintain meaningful coverage while still having the protection of an LTCP policy. The Department expects that giving consumers more choice in the level of inflation protection they may purchase will significantly increase the competitiveness of LTCP policies by making them more accessible, affordable and analogous to the choices consumers have with traditional LTCI. Consumers are not required to purchase a specific LTC daily benefit amount or length of coverage with LTCP policies, so making this change will give them an additional choice when weighing different financial planning options.

Further, the Department proposes to clarify that as a policyholder ages, the policyholder may reduce his inflation protection level and still avail himself of the benefits of an LTCP policy, so long as the policy has the requisite age-triggered level of inflation protection when they apply for Medicaid coverage.

This proposed adjustment to the LTCP inflation protection level is one tool to address the affordability of LTCI. Insurance Commissioner Teresa D. Miller, chairing the LTC Innovation Subgroup of the National Association of Insurance Commissioners, is pursuing this goal Nation-

ally as well as within this Commonwealth, and looks forward to taking additional steps and exploring options to make affordable ownership of one's financial future in the face of potential long term care needs a realistic goal for many residents of this Commonwealth.

Accordingly, the Department invites comments on its proposed revision to its 2008 guidance on inflation protection levels for LTCP policies, as specified in Exhibit 1, including the proposed revised Attachment C.

Interested parties are invited to submit written comments, suggestions or objections to the Bureau of Life, Accident and Health, Office of Insurance Product Regulation, 1326 Strawberry Square, Harrisburg, PA 17120, ra-rateform@pa.gov, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

### Exhibit 1

#### Insurance Department Long Term Care Partnership Program Revised Guidance Announcement; Notice 2016-\_\_

This notice provides guidance that supersedes paragraph "C" of Notice 2008-05, published at 38 Pa.B. 1907 (April 19, 2008) regarding inflation protection for Qualified Partnership Policies, and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

As explained in Notice 2008-05, as of July 1, 2007, Pennsylvania has had a qualified long term care insurance partnership ("Qualified Partnership") in accord with the Deficit Reduction Act of 2005, Pub.L. No. 109-171 (the DRA). As explained in that Notice, Qualified Partnership Policies ("Qualified Partnership Policy") may provide valuable protections to purchasers of Qualified State Long Term Care Insurance policies. Qualified Partnership Policies permit individuals to protect certain resources if eligibility under the Medical Assistance Program is ever needed. The protection of resources when determining an individual's eligibility for Pennsylvania's Medical Assistance-Long Term Care Program permits the disregard of specific resources equal to the amount of insurance benefits that were paid from a Qualified Partnership Policy. If those specific resources are still in existence at the time of the individual's death and become part of the decedent's probate estate, they will not be recoverable under Pennsylvania's Medical Assistance Estate Recovery program.

Since the Qualified Partnership has been in place, it has become clear that additional flexibility in the levels of inflation protection necessary under the DRA would benefit consumers by allowing more affordable coverage options while still providing meaningful inflation protection to consumers. Therefore, the Department hereby revises its guidance to insurers and insurance producers in paragraph "C" of Notice 2008-05 concerning inflation protection for Qualified Partnership policies:

*C. Inflation Protection.* The DRA, at 42 U.S.C. § 1396p(b)(1)(A)(iii)(IV), requires that Qualified Partnership Policies provide certain levels of inflation protection based on the age of the individual as of the date of policy purchase. Pennsylvania will certify inflation protection options as meeting the DRA requirements subject to the following:

1) "Compound annual inflation protection" means compound coverage that automatically increases annually at a rate equal to the Consumer Price Index (CPI) or at a fixed rate of not less than 1%. Note that 31 Pa. Code



§ 89a.112 requires an offer of 5% compound annual inflation protection be made on all long term care policies offered in Pennsylvania.

2) "Some level of inflation protection" means either compound or simple inflation protection at a rate equal to the CPI or at a fixed rate of not less than 1%.

3) A future or guaranteed purchase option for inflation protection does not meet the requirements of the DRA.

4) Inflation protection options with a limited term (i.e. 10 years or 20 years) do not meet the requirements of the DRA.

5) Inflation protection options that reduce the level of inflation protection as the individual ages are permitted only insofar as they are consistent with the age-specific inflation protection levels outlined in the DRA.

6) The inflation protection level of an individual's policy that is in effect as of the month of application for Medical Assistance is determinative of whether the policy is consistent with the inflation protection levels outlined in the DRA.

Finally, the Department has modified Attachment C, the Policyholder Notification of Policy Status, to reflect the fact that the level of inflation protection on a policy may change from the level at the time of issuance to a lower level that still is consistent with the inflation protection levels outlined in the DRA. The Insurance Department requests that issuers provide a notification regarding the status of any Qualified Partnership Policy against which claims have been made, upon request of the policyholder, policyholder representative, or the Department of Human Services.

The remainder of Notice 2008-05 remains as published therein.

**Revised Attachment C**

Policyholder Long Term Care Partnership (LTCP) Program Status Form

[ Issuer Letterhead ]

**LONG TERM CARE PARTNERSHIP PROGRAM  
POLICY SUMMARY**

1. Name of insured \_\_\_\_\_
2. Policy/certificate number \_\_\_\_\_
3. Effective date of coverage \_\_\_\_\_
4. The policy/certificate was issued in the state of \_\_\_\_\_
5. Issue age of the insured at the time the coverage was issued \_\_\_\_\_
6. The policy/certificate was issued  With  Without inflation coverage
7. The inflation coverage at the time of issuance was  Simple Inflation  Compound Inflation  None
8. The inflation coverage currently in effect on the coverage is  Simple Inflation  Compound Inflation  None
9. The policy meets the standards of a tax qualified long term care policy  Yes  No
10. The cumulative dollar amount of insurance benefits paid \$ \_\_\_\_\_

(Note: The indicated amount does not include any payments for cash surrender, return of premium death benefits, or waiver of premium, and if joint coverage, the amount is for the indicated insured only)

11. The total dollar amount of insurance benefits remaining available under the policy \$ \_\_\_\_\_

12. Date this form was completed \_\_\_\_\_

13. The name, phone number and email address of the person completing this form

\_\_\_\_\_  
Name and Title

\_\_\_\_\_  
Phone Number

\_\_\_\_\_  
Email Address

I hereby certify that the above information is true and accurate to the best of my knowledge at the time of this certification.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date:

**TERESA D. MILLER,**  
*Insurance Commissioner*

[Pa.B. Doc. No. 16-1331. Filed for public inspection July 29, 2016, 9:00 a.m.]

**Review Procedure Hearings under the Unfair Insurance Practices Act**

The following insured has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by the appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Yvonne Holtz; File No. 16-116-197987; Travelers Home & Marine Insurance Company; Doc. No. P16-07-007; August 25, 2016, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence, or both. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing, should contact Donna R. Fleischauer, Human Resources Director at (717) 705-4194.

TERESA D. MILLER,  
*Insurance Commissioner*

[Pa.B. Doc. No. 16-1332. Filed for public inspection July 29, 2016, 9:00 a.m.]

## MILK MARKETING BOARD

### Hearing and Presubmission Schedule; All Milk Marketing Areas; Over-Order Premium

Under the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302) the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on September 7, 2016, at 10 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning the level and duration of the Class I over-order premium to be effective October 1, 2016.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 12 p.m. on August 8, 2016, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 12 p.m. on August 8, 2016, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to [deberly@state.pa.us](mailto:deberly@state.pa.us).

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. Copies of the filings will be available on the Board web site at <http://www.mmb.pa.gov/Public%20Hearings/>.

1. By 3 p.m. on August 11, 2016, the petitioner shall file with the Board, in person or by mail, one original and five copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a written report or written testimony explaining the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 3 p.m. on August 25, 2016, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 12 p.m. on September 1, 2016, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, five copies shall be provided for Board use and one copy shall be provided to each interested party.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 12 p.m. on August 29, 2016.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,  
*Secretary*

[Pa.B. Doc. No. 16-1333. Filed for public inspection July 29, 2016, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Purchase and Sale of Tangible Property

**A-2016-2557380 and A-2016-2557471; G-2016-2557472 and G-2016-2557473. Peoples Natural Gas Company, LLC and Peoples TWP, LLC.** Joint application of Peoples Natural Gas Company, LLC and Peoples TWP, LLC for approval of the purchase and sale of tangible property used in the public service, and for approval of an affiliated agreement between affiliated interests for the purchase and sale of tangible property used in the public service.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 15, 2016. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* Peoples Natural Gas Company, LLC; Peoples TWP, LLC

*Through and By Counsel:* William H. Roberts, II, Esquire, Peoples Service Company, LLC, 225 North Shore Drive, Pittsburgh, PA 15212

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-1334. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth

have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by August 15, 2016. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.***

**A-2016-2543168 (Amended). Gilson Transportation, LLC** (381 Walker Township Park Lane, Mifflintown, Juniata County, PA 17059) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Huntingdon, Juniata and Mifflin, to points in Pennsylvania, and return. *Attorney:* David M. O'Boyle, Esquire, Wick, Streiff, Meyer, O'Boyle & Szeligo, PC, 1450 Two Chatham Center, 112 Washington Place, Pittsburgh, PA 15219-3455.

**A-2016-2553435. Maria's Enterprises, LLC** (307 Brookside Apartments, Lebanon, Lebanon County, PA 17046) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from Lebanon County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

**A-2016-2554667. Mount Pleasant Emergency Medical Service, Inc.** (100 East Main Street, Mount Pleasant, Westmoreland County, PA 15666) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, from the Counties of Allegheny, Fayette and Westmoreland, to points in Pennsylvania, and return.

**A-2016-2554761. Cisse Transportation, LLC** (5120 Derry Street, Unit 4654, Harrisburg, Dauphin County, PA 17111) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, from the City and County of Philadelphia, to points in Pennsylvania, and return.

**A-2016-2555313. Metro Transit, Inc., t/a Metro Transit** (6665 Church Lane, Upper Darby, Delaware County, PA 19082) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, from the Counties of Delaware and Philadelphia, to points in Pennsylvania, and return.

**A-2016-2555806. Metro Access, Inc.** (301 Byberry Road, Unit G11, Philadelphia, Philadelphia County, PA 19116) for the right to transport as a common carrier, by motor vehicle, persons in paratransit service, from Philadelphia County, to points in Pennsylvania, and return.

**A-2016-2555982. Safe Rides, LLC** (4336 Sepviva Street, Philadelphia, PA 19124) for the right to begin to transport, as a common carrier, by motor vehicle, persons, in paratransit service, from points in Delaware, to points in Pennsylvania, and return.

**A-2016-2556195. Alec Italiano, t/a Italiano Taxi** (417 Welker Street, Jeanette, Westmoreland County, PA 15644)

in call or demand service, in the Cities of Jeannette and Greensburg, Westmoreland County.

**Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as contract carriers for the transportation of household goods as described under the application.***

**A-2016-2555139. John Alexander Giroski** (12 East Greenville Drive, Greenville, Mercer County, PA 16121) for the right to begin to transport, as a contract carrier for Ready, Sort, Go, by motor vehicle, household goods in use, from points in Mercer County, to points in Pennsylvania.

**Application of the following for approval to *begin operating as contract carriers for transportation of persons as described under the application.***

**A-2016-2555132. Be Safe Transport, LLC** (1023 Bullcock Avenue, Apartment E, Yeadon, Delaware County, PA 19050) for the right to begin to transport as a contract carrier, by motor vehicle, persons for LogistiCare Solutions, LLC, from points in Philadelphia County, to points in Pennsylvania, and return; and persons for Access2Care, LLC from points in the Counties of Delaware and Philadelphia, to points in Pennsylvania, and return. *Attorney:* Heather C. Winett, Esquire, 1515 Market Street, Suite 1200, Philadelphia, PA 19102-1932.

**Application of the following for the approval of the *transfer of stock as described under the application.***

**A-2016-2555323. Rainbow Cab, Inc., t/a Rainbow Limo and Air Parcel Service, a Pennsylvania Corporation** (539 South Bolmar Street, West Chester, Chester County, PA 19382) for the approval to transfer 1,000 shares of the capital stock of Rainbow Cab, Inc. held by Richard E. Tolsdorf to Richard G. Tolsdorf.

**Application of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.***

**A-2016-2556032. JMT Property Corporation** (2407 Park Drive, Harrisburg, Dauphin County, PA 17110) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, household goods in use, between points in the Counties of Cumberland and Dauphin, and from points in said counties, to points in Pennsylvania, and vice versa.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-1335. Filed for public inspection July 29, 2016, 9:00 a.m.]

**Service of Notice of Motor Carrier Formal Complaints**

Formal Complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due August 15, 2016, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

**Pennsylvania Public Utility Commission; Bureau of  
Investigation and Enforcement v. Charles H.  
Edwards, Jr.; Docket No. C-2016-2544672**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Charles H. Edwards, Jr. (Respondent) is listed as residing at 1611 Sandusky Court, Apt. 245, Pittsburgh, Pennsylvania 15212.

2. That on Friday, May 6, 2016, at 10:57 PM, PUC Enforcement Officers Ryan Balestra and Christopher Urey observed the Respondent's 2003 Hyundai SUV, bearing PA registration number JVV3490, operating on Carson Street in the south side of Pittsburgh. The respondent's vehicle had mounted and displayed a taxi dome light on the roof.

3. That Respondent, by affixing a taxi dome light to the roof of the vehicle, violated 52 Pa. Code § 29.314(d). Dome lights are only permitted on vehicles operated by call and demand carriers.

4. That Respondent, by holding out to provide passenger service between points in Pennsylvania while not having operating authority with this Commission, violated the Public Utility Code, 66 Pa.C.S. § 1101. The penalty for this violation is \$1,000.00 and suspension of the registration of the vehicle referenced in paragraph 2, by the Pennsylvania Department of Transportation.

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby request that the Commission fine Charles H. Edwards, Jr., the sum of one thousand dollars (\$1,000.00) for the illegal activity described in this Complaint. In addition, Respondent's vehicle registration at license number JVV3490 will be suspended by the Pennsylvania Department of Transportation.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 6/14/2016

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor  
Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Deputy Chief Prosecutor  
Bureau of Investigation and Enforcement  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, e-mailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

**Pennsylvania Public Utility Commission; Bureau of  
Investigation and Enforcement v. Big Brother  
Little Brother Enterprises, LLC;  
Docket No. C-2016-2542920**

COMPLAINT

Now Comes the Bureau of Investigation and Enforcement (I&E) of the Pennsylvania Public Utility Commis-

sion (Commission), by its prosecuting attorneys, and files this Complaint against Big Brother Little Brother Enterprises, LLC (Respondent), pursuant to Section 701 of the Public Utility Code, 66 Pa.C.S. § 701. In support of this Complaint, I&E respectfully represents the following:

*Parties and Jurisdiction*

1. The Pennsylvania Public Utility Commission, with a mailing address of P.O. Box 3265, Harrisburg, PA 17105-3265, is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth pursuant to the Public Utility Code, 66 Pa.C.S. §§ 101, et seq.

2. Complainant is the Commission's Bureau of Investigation and Enforcement and is the entity established by statute to prosecute complaints against public utilities pursuant to 66 Pa.C.S. § 308.2(a)(11).

3. Complainant is represented by:

Stephanie M. Wimer  
Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265  
717.772.8839  
stwimer@pa.gov

Gina L. Lauffer  
Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265  
717.787.8754  
ginlauffer@pa.gov

Michael L. Swindler  
Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

4. Respondent is Big Brother Little Brother Enterprises, LLC and maintains its principal place of business at 2249 North Broad Street Philadelphia, PA 19132, Attention: Staci Robinson.

5. Respondent is a "public utility" as that term is defined at 66 Pa.C.S. § 102, as it is engaged in transporting property in the Commonwealth of Pennsylvania for compensation.

6. The Commission issued Respondent a certificate of public convenience on or about March 14, 2013, at A-2012-2302016, for household goods carrier authority.

7. Section 501(a) of the Public Utility Code, 66 Pa.C.S. § 501(a), authorizes and obligates the Commission to execute and enforce the provisions of the Public Utility Code.

8. Section 701 of the Public Utility Code, 66 Pa.C.S. § 701, authorizes the Commission to, inter alia, hear and determine complaints against public utilities for a violation of any law or regulation that the Commission has jurisdiction to administer.

9. Section 3301 of the Public Utility Code, 66 Pa.C.S. § 3301, authorizes the Commission to impose civil penalties on any public utility, or any other person or corporation subject to the Commission's authority, for violation(s) of the Public Utility Code and/or Commission regulations.

10. Respondent, in transporting property as a common carrier for compensation, is subject to the power and authority of this Commission pursuant to Section 501(c) of the Public Utility Code, 66 Pa.C.S. § 501(c), which requires a public utility to comply with Commission regulations.

11. Pursuant to the provisions of the applicable Commonwealth statutes and regulations, the Commission has jurisdiction over the subject matter of this complaint and the actions of Respondent related thereto.

*Factual Background*

12. On or about September 10, 2015, the Commission mailed to Respondent an assessment invoice for the July 1, 2015 to June 30, 2016 Fiscal Year (2015-2016 Fiscal Year). Respondent's assessment was \$527.

13. Accompanying the assessment invoice was a notice that informed Respondent that it was obligated to pay the amount listed on the assessment invoice within thirty (30) days or file objections within fifteen (15) days.

14. There is no record that the assessment invoice was returned in the mail to the Commission as being undeliverable.

15. The Commission received no objections from Respondent to the assessment amount set forth in the 2015-2016 Fiscal Year assessment invoice.

16. Respondent failed to pay the amount of its 2015-2016 Fiscal Year assessment invoice.

17. The total outstanding assessment balance for Respondent is \$527.

*Violation*

18. That Respondent failed to satisfy its 2015-2016 Fiscal Year assessment in that it did not pay the amount due within thirty (30) days of receipt of the invoice. If proven, this is a violation of Section 510(c) of the Public Utility Code, 66 Pa.C.S. § 510(c). I&E's proposed civil penalty for this violation is 15% of the outstanding assessment balance or \$79.

*Wherefore*, for all the foregoing reasons, the Pennsylvania Public Utility Commission's Bureau of Investigation and Enforcement respectfully requests that:

(a) Respondent be ordered to pay a total of \$606, which consists of its outstanding assessment balance of \$527 and a civil penalty of \$79 for the above-described violations; and

(b) If payment of the civil penalty and assessment is not made, the Bureau of Investigation and Enforcement requests that:

(1) the Commission issue an Order to cancel the Certificate of Public Convenience issued to Respondent;

(2) this matter be referred to the Pennsylvania Office of Attorney General for appropriate action; and

(3) the Commission certify automobile registrations to the Pennsylvania Department of Transportation for suspension or revocation.

Respectfully submitted

Stephanie M. Wimer  
Prosecutor

Pennsylvania Public Utility Commission  
Bureau of Investigation & Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265  
717.772.8839  
stwimer@pa.gov

Date: May 2, 2016

VERIFICATION

I, Mandy Freas, Accountant, Bureau of Administrative Services, Assessment Section, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: May 2, 2016

Mandy Freas, Accountant  
Assessment Section  
Bureau of Administrative Services  
PA. Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by paying the past due assessment and civil penalty within 20 days. Send only a certified check or money order made payable to the "Commonwealth of Pennsylvania" and mailed to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-1336. Filed for public inspection July 29, 2016, 9:00 a.m.]

**Transfer of Control**

**A-2016-2557451. inContact, Inc. and NICE Systems, Inc.** Joint application of inContact, Inc. and NICE Systems, Inc. for approval of a transfer of control of inContact, Inc.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 15, 2016. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* inContact, Inc.; NICE Systems, Inc.

*Through and By Counsel:* Allison D. Rule, Esquire, Jacqueline R. Hankins, Esquire, Joanna G. Wallace, Esquire, Marashlian & Donahue, PLLC, The CommLaw Group, 1420 Spring Hill Road, Suite 401, Tysons, VA 22102

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-1337. Filed for public inspection July 29, 2016, 9:00 a.m.]

**Transfer of Control**

**A-2016-2557397. Inmate Calling Solutions, LLC, d/b/a ICSolutions, Centric Group, LLC and TKC Holdings, Inc.** Joint application of Inmate Calling Solutions, LLC, d/b/a ICSolutions, Centric Group, LLC and TKC Holdings, Inc. for approval of a transfer of control.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 15, 2016. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed

in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* Inmate Calling Solutions, LLC, d/b/a ICSolutions; Centric Group, LLC; TKC Holdings, Inc.

*Through and By Counsel:* Sharon R. Warren, Consultant, Technologies Management, Inc., 151 Southhall Lane, Suite 450, Maitland, FL 32751

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-1338. Filed for public inspection July 29, 2016, 9:00 a.m.]

### Water Service

**A-2016-2557255. Pennsylvania American Water Company.** Application of Pennsylvania American Water Company for approval to offer, render, furnish or supply water service to the public in a portion of Oakland Township, Butler County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 15, 2016. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* Pennsylvania American Water Company

*Through and By Counsel:* Susan Simms Marsh, Esquire, Melanie J. El Atieh, Esquire, Pennsylvania American Water Company, 800 West Hersheypark Drive, Hershey, PA 17033

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 16-1339. Filed for public inspection July 29, 2016, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Request for Proposals

The Philadelphia Parking Authority will accept sealed proposals for RFP No. 16-20, Crew Neck Sweatshirts 2016, until 2 p.m. on Monday, August 15, 2016. Information can be obtained from [www.philapark.org](http://www.philapark.org) or call Mary Wheeler, (215) 683-9665.

VINCENT J. FENERTY, Jr.,  
*Executive Director*

[Pa.B. Doc. No. 16-1340. Filed for public inspection July 29, 2016, 9:00 a.m.]

## PROFESSIONAL STANDARDS AND PRACTICES COMMISSION

### Application of Gretta Markle for Reinstatement of Teaching Certificates; Doc. No. RE 16-03

#### Notice of Hearing

Under the Educator Discipline Act (act) (24 P.S. §§ 2070.1a—2070.18c), the Professional Standards and Practices Commission (Commission) has initiated hearing procedures to consider the application of Gretta Markle for reinstatement of her teaching certificates.

On or about June 22, 2016, Gretta Markle filed an application for reinstatement of her teaching certificates under section 16 of the act (24 P.S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.123 (relating to reinstatements). In accordance with the act and 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), the Commission will appoint a hearing examiner to serve as presiding officer to conduct the proceedings and hearings as might be necessary and to prepare a proposed report to the Commission containing findings of fact, conclusions of law and a recommended decision on the application.

Interested parties who wish to participate in these hearing procedures must file a notice of intervention or a petition to intervene in accordance with 1 Pa. Code §§ 35.27—35.32 (relating to intervention) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Persons objecting to the approval of the application may also, within 30 days after publication of this notice in the *Pennsylvania Bulletin*, file a protest in accordance with 1 Pa. Code § 35.23 (relating to protest generally).

Notices and petitions to intervene and protests shall be filed with Shane F. Crosby, Executive Director, Professional Standards and Practices Commission, 333 Market Street, Harrisburg, PA 17126-0333, on or before 4 p.m. on the due date prescribed by this notice. Persons with a disability who wish to attend the hearings and require an auxiliary aid, service or other accommodation to participate, should contact Suzanne Markowicz at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

SHANE F. CROSBY,  
*Executive Director*

[Pa.B. Doc. No. 16-1341. Filed for public inspection July 29, 2016, 9:00 a.m.]

## STATE BOARD OF NURSING

### Bureau of Professional and Occupational Affairs v. Jodie L. Majerik, LPN; File No. 14-51-14351; Doc. No. 1230-51-2015

On July 30, 2015, the State Board of Nursing (Board) issued a Memorandum Order indefinitely suspending the license of Jodie L. Majerik, LPN, license no. PN288537 of Erie, Erie County, effective August 20, 2015, unless an

answer and request for hearing were filed by that date, based upon her failure to attend a Board ordered evaluation.

Individuals may obtain a copy of the order by writing to Bridget K. Guilfoyle, Board Counsel, State Board of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

KRISTIN MALADY, BSN, RN,  
*Chairperson*

[Pa.B. Doc. No. 16-1342. Filed for public inspection July 29, 2016, 9:00 a.m.]

---

## STATE BOARD OF SOCIAL WORKERS, MARRIAGE AND FAMILY THERAPISTS AND PROFESSIONAL COUNSELORS

**In the Matter of the Denial of the Application for a License by Examination to Practice Professional Counseling of Rachel Keridwen Carlson; Doc. No. 1149-69-16**

On June 14, 2016, Rachel Keridwen Carlson, last known of Kempton, Berks County, was denied licensure, based upon not having met all of the educational requirements set forth.

Individuals may obtain a copy of the adjudication by writing to Megan E. Castor, Board Counsel, State Board of Social Workers, Marriage and Family Therapists and Professional Counselors, P.O. Box 69523, Harrisburg, PA 17106-9523.

This adjudication and order represents the final State Board of Social Workers, Marriage and Family Therapists and Professional Counselors (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of

Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

JAMES K. MATTA, Sr., EdD, NCC, LPC,  
*Chairperson*

[Pa.B. Doc. No. 16-1343. Filed for public inspection July 29, 2016, 9:00 a.m.]

---

## STATE EMPLOYEES' RETIREMENT BOARD

### Hearing Scheduled

The following hearing has been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimant's request concerning the indicated accounts.

The hearing will be held before a hearing officer at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

August 17, 2016      Diane Zeglen      1 p.m.  
Purchase of Service Issue

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

DAVID E. DURBIN,  
*Secretary*

[Pa.B. Doc. No. 16-1344. Filed for public inspection July 29, 2016, 9:00 a.m.]



