

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending August 16, 2016.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-12-2016	Huntingdon Valley Bank Huntingdon Valley Montgomery County	1388 West Street Road Warminster Bucks County (Limited Service Facility)	Approved
8-12-2016	Peoples Security Bank and Trust Company Scranton Lackawanna County	2151 Emrick Boulevard Bethlehem Northampton County	Approved
8-12-2016	Peoples Security Bank & Trust Company Scranton Lackawanna County	610 Freedom Business Center Drive King of Prussia Montgomery County	Approved
8-15-2016	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	116 West Township Line Road Havertown Delaware County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-15-2016	Univest Bank and Trust Co. Souderton Montgomery County	<i>To:</i> 200 North High Street West Chester Chester County <i>From:</i> 137 North High Street West Chester Chester County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
8-8-2016	S&T Bank Indiana	3100 Oakland Avenue Indiana Indiana County	Closed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
8-16-2016	Covenant Bank Doylestown Bucks County	Filed

Amendment to Article II of the institution's Articles of Incorporation provides for a change in principal place of business to 182 North Main Street, Doylestown, Bucks County, PA 18901.

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 16-1489. Filed for public inspection August 26, 2016, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final

determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0218103 (Sewage)	Worthington-West Franklin Jnt Municipal Authority STP 102 West Main Street Worthington, PA 16262	Armstrong County West Franklin Township	Buffalo Creek (18-F)	Yes

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0035335 (Sewage)	Barton Court MHP 654 Morwood Road Telford, PA 18969	Monroe County Pocono Township	Unnamed Tributary to Pocono Creek (1-E)	Yes

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0228206 (Industrial)	Montgomery Run Water Treatment Facility 107 E Market Street Clearfield, PA 16830-2405	Clearfield County Pike Township	Montgomery Creek (8-B)	Yes
PA0033910 (Sewage)	Northeast Bradford School District WWTP 526 Panther Lane Rome, PA 18837-7892	Bradford County Orwell Township	Johnson Creek (4-D)	Yes
PA0009725 (Industrial)	Jersey Shore Steel Plant 70 Maryland Avenue PO Box 5055 Jersey Shore, PA 17740-7113	Clinton County Pine Creek Township	Unnamed Tributary to West Branch Susquehanna River (9-B)	Yes

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0263770 (Sewage)	Dena M. & Trent H. A. Nagy SRSTP 17973 Townville Road Centerville, PA 16404	Crawford County Athens Township	Unnamed Tributary to the Muddy Creek (16-A)	Yes
PA0004995 (Industrial)	Armstrong Cement & Supply 100 Clearfield Road Cabot, PA 16023-9531	Butler County Winfield Township	Unnamed Tributary to Rough Run and Rough Run (18-F)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5970.

PA0053449, Sewage, SIC Code 4952, **Birmingham Township**, 1040 West Street Road, West Chester, PA 19382-8012. Facility Name: Birmingham Township STP. This existing facility is located in Birmingham Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Radley Run, is located in State Water Plan watershed 3-H and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.06	XXX	0.19
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	31	47	XXX	25	38	50
May 1 - Oct 31	18.8	28.2	XXX	15	23	30
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	38	57	XXX	30	45	60
Total Suspended Solids						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	50.0	XXX	XXX	40.0	XXX	80
Ammonia-Nitrogen						
Nov 1 - Apr 30	5.7	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	1.9	XXX	XXX	1.5	XXX	3
Total Phosphorus	2.5	XXX	XXX	2.0	XXX	4
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Sulfate, Total	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Chloride	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Bromide	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		

* Shall not exceed in more than 10% of samples.

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Chlorine Optimization
- E. Small Stream Discharge
- F. Operator Notification
- G. Fecal Coliform Reporting

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

PA0026018, Sewage, SIC Code 4952, **Borough of West Chester**, Goose Creek Wastewater Treatment Plant, 351 Snyder Avenue, West Chester, PA 19382. Facility Name: West Chester Taylor Run STP. This existing facility is located in East Bradford Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream, Taylor Run, is located in State Water Plan watershed 3-H and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instantaneous Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.15
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	311.4	475	XXX	25.0	40.0 Wkly Avg	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	188	282	XXX	15.0	23.0 Wkly Avg	30
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	375	XXX	XXX	30.0	XXX	60
Ammonia-Nitrogen						
Nov 1 - Apr 30	94	XXX	XXX	7.5	XXX	15
May 1 - Oct 31	31	XXX	XXX	2.5	XXX	5
Aluminum, Total	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
Nov 1 - Mar 31 (effective date to completion of second year)	25.0	XXX	XXX	2.0	XXX	4
Apr 1 - Oct 31 (effective date to completion of second year)	20.0	XXX	XXX	1.6	XXX	3.2
(beginning of third year to expiration date)	XXX	16.3 Annual Avg	XXX	Report	1.3 Annual Avg	3.2
Toxicity, Chronic—Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic—Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on an average flow of stormwater.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Chlorine Optimization
- E. Discharge to Small Stream
- F. Operator Notification
- G. TMDL/WLA Data
- H. Fecal Coliform Reporting
- I. Exemption from Pretreatment Program
- J. Operations and Maintenance Plan
- K. WET Testing
- L. Requirements for Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 0216402, Sewage, **West Mifflin Sanitary Sewer Municipal Authority**, 1302 Lower Bull Run Road, West Mifflin, PA 15122-2902.

This proposed facility is located in West Mifflin Borough, **Allegheny County**.

Description of Proposed Action/Activity: Installation of a new Ultraviolet disinfection system and flow monitoring equipment at the Thompson Run Sewage Treatment Plant.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4316404, Sewage, **Susan First**, 1090 Linn-Tyro Road, Hadley, PA 16130-2832.

This proposed facility is located in Perry Township, **Mercer County**.

Description of Proposed Action/Activity: Small Flow Treatment Facility.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024016002	Hunlock Township 33 Village Drive Hunlock Creek, PA 18621	Luzerne	Hunlock Township	UNT to Hunlock Creek (CWF, MF)

Northampton County Conservation District, 14 Gracedale Avenue Greystone Bldg., Nazareth, PA 18064-9211.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024816013	Anthony Rymar UGI Utilities, Inc. 2525 N 12th Street Reading, PA 19612	Northampton	Forks Township	UNT to the Bushkill Creek (HQ-CWF, MF)
PAI024804022R	GeorgeAnn Custom Homes, Inc. 230 East Dell Rd. Bath, PA 18014	Northampton	Moore and Bushkill Townships	Bushkill Creek (HQ-CWF, MF)
PAI024816012	Mike Nice Toll PA, LP 250 Gibraltar Road Horsham, PA 19044	Northampton	East Allen Township	Monocacy Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

Permit #	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI033616008	First Pennsylvania Resources 33 Terminal Way, Suite 431A Pittsburgh, PA 15219	Lancaster	West Cocalico Township	Trib 07739 Cocalico Creek (HQ-CWF)
PAI030716001	PennDOT District 9-0 1620 North Juniata Street Hollidaysburg, PA 16648	Blair	Frankstown Township	UNT Canoe Creek (HQ-CWF, MF) Canoe Creek (HQ-CWF, MF) UNT Frankstown Branch Juniata River (WWF, MF) Frankstown Branch Juniata River (WWF, MF) EV Wetlands

STATE CONSERVATION COMMISSION PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the SCC, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

APPLICATIONS NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

Agricultural Operation Name and Address	County	Total Acres	Animal Equivalent Units	Animal Type	Special Protection Waters (HQ or EV or NA)	Renewal / New
Acorn Farms Inc./Franklin Family Farms Inc. 14627 Lurgan Road Orrstown, PA 17224	Franklin	2; 0 acre available for manure	1,336.45	Swine	NA	Renewal
Clifford Zimmerman 2993 Mill Road Elizabethtown, PA 17022	Dauphin	119.2	335.98	Poultry	N/A	Renewal
Drew Remley 1170 Salt Spring Road Roaring Branch, PA 17765	Tioga	1,379.99	713.42	Hog	Unnamed Trib to Brion Creek—HQ-CWF Brion Creek—HQ-CWF Unnamed Trib to Salt Spring Run—HQ-CWF Salt Spring Run—HQ-CWF French Lick Creek—HQ-CWF	Renewal

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401

Permit No. 4616520, Public Water Supply.

Applicant	Schwenksville Borough Authority
Borough	Schwenksville
County	Montgomery
Responsible Official	Michael Sullivan Manager 298 Main Street P.O. Box 458 Schwenksville, PA 19473-0458
Type of Facility	PWS
Consulting Engineer	Frederick E. Ebert, P.E. Ebert Engineering, Inc. P.O. Box 540 492 Skippack Pike, Suite 202 Skippack, PA 19474
Application Received Date	August 4, 2016
Description of Action	Installation of arsenic treatment at Well Nos. 4 and 5.

Permit No. 4616516 , Public Water Supply.	
Applicant	Pennsylvania American Water Company
Township	Upper Providence
County	Montgomery
Responsible Official	David R. Kaufman 800 West Hershey Park Blvd. Hershey, PA 17033
Type of Facility	PWS
Consulting Engineer	Ebert Engineering, Inc. Fred Ebert, P.E. P.O. Box 540 4092 Skippack Pike, Suite 202 Skippack, PA 19474
Application Received Date	July 18, 2016
Description of Action	Replacement of pumps and motor controls in the existing Black Rock Road Booster Station to increase the capacity of the station.

Permit No. WA-09-1009, Public Water Supply.

Applicant	Warminster Municipal Authority
Township	Warminster
County	Bucks
Responsible Official	Timothy D. Hagey 415 Gibson Avenue Warminster, PA 18974
Type of Facility	PWS
Consulting Engineer	Charles E. Corey, P.E. CKS Engineers, Inc. 88 South Main Street Doylestown, PA 18901
Application Received Date	October 13, 2015
Description of Action	Modification to the reference subsidiary water allocation permit application was received by DEP on July 22, 2016. The applicant is now requesting the right to purchase 3,000,000 gallons per day through their interconnection with the North Water Authority.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3616513 , Public Water Supply.	
Applicant	Spring Glen Fresh Foods, Inc.
Municipality	Ephrata Township
County	Lancaster
Responsible Official	Tom Butler, Plant Manager 1410 East Market Street York, PA 17403
Type of Facility	Public Water Supply

Consulting Engineer Joshua D. Mareny, P.E.
Zephyr Environmental
Corporation
1410 East Market Street
York, PA 17403

Application Received: 7/28/2016

Description of Action Installation of sand pressure
filter for water polishing and
replacement of booster pumps.

Permit No. 2116508 MA, Minor Amendment, Public
Water Supply.

Applicant **South Middleton Township
Municipal Authority**

Municipality South Middleton Township

County **Cumberland**

Responsible Official Robert L. Kissinger, Manager
345 Criswell Drive
Boiling Springs, PA 17007-0008

Type of Facility Public Water Supply

Consulting Engineer Howard Butler, P.E.
GHD
1240 N Mountain Road
Harrisburg, PA 17112

Application Received: 7/29/2016

Description of Action Interconnection and installation
of a pressure reducing valve
between the "Main System" and
the "Well No. 3 System."

Permit No. 2816501 MA, Minor Amendment, Public
Water Supply.

Applicant **Quincy Township**

Municipality Quincy Township

County **Franklin**

Responsible Official Robert Gunder, Chairman, Board
of Supervisors
7575 Mentzer Gap Road
Waynesboro, PA 17268

Type of Facility Public Water Supply

Consulting Engineer John M. High, P.E.
William A. Brindle Associates
Inc.
336 Lincoln Way East
Chambersburg, PA 17201

Application Received: 8/1/2016

Description of Action Raw water transmission main
for the proposed new
groundwater source known as
Well No. 7.

Permit No. 5016505, Minor Amendment, Public
Water Supply.

Applicant **Pfautz Rentals, LP**

Municipality Penn Township

County **Perry**

Responsible Official Suzanne H. Hammaker, Partner
10 Dicken Drive
Marysville, PA 17053

Type of Facility Public Water Supply

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates,
Inc.
18 South George Street
York, PA 17401

Application Received: 8/5/2016

Description of Action Installation of treatment facilities
to enhance arsenic removal.

*Southwest Region: Safe Drinking Water Program Man-
ager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

Permit No. 6316512, Public Water Supply.

Applicant **Authority of the Borough of
Charleroi**
3 McKean Avenue
Charleroi, PA 15022

[Township or Borough] Charleroi Borough

Responsible Official Edward J. Golanka
General Manager
Authority of the Borough of
Charleroi
3 McKean Avenue
Charleroi, PA 15022

Type of Facility Water system

Consulting Engineer Chester Engineers
1555 Coraopolis Heights Road
Moon Township, PA 15108

Application Received August 12, 2016

Date

Description of Action Installation of a HDPE plate
liner for four membrane filter
tanks at the water treatment
plant.

Permit No. 3016508, Public Water Supply.

Applicant **East Dunkard Water
Authority**
PO Box 241
2790 South Eighty Eight Road
Dilliner, PA 15327

[Township or Borough] Dunkard Township

Responsible Official James Hilbert, Plant Manager
East Dunkard Water Authority
PO Box 241
2790 South Eighty Eight Road
Dilliner, PA 15327

Type of Facility Water system

Consulting Engineer Harshman CE Group, LLC
100 Courson Hill Road
Washington, PA 15301

Application Received August 10, 2016

Date

Description of Action Addition of a
poly/orthophosphate blend.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA2-1012, Water Allocations. **Hampton Shaler Water Authority**, PO Box 66, 3101 McCully Road, Allison Park, PA 15101, **Allegheny County**. The applicant is requesting the right to withdraw 11,475,000 gallons of water per day, peak day, from 12 wells located in Shaler Township and Etna Borough along the Allegheny River.

WA4-24C, Water Allocations. **Beaver Falls Municipal Authority**, 1425 Eighth Avenue, PO Box 400, Beaver Falls, PA 15010, **Beaver County**. The applicant is requesting the right to withdraw 11,250,000 gallons of water per day, peak day, from the Beaver River.

WA4-724C, Water Allocations. **North Sewickley Township Municipal Authority**, 590 Mercer Road, Beaver Falls, PA 15010, **Beaver County**. The applicant is requesting the right to purchase 300,000 gallons of water per day, average day, from the Pennsylvania American Water Company-Ellwood District.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

WA 24-909B, Water Allocations. **Ridgway Township Municipal Authority**, 1537B Montmorenci Road, Ridgway, PA 15853, **Ridgway Township, Elk County**. Water Allocation Permit application requesting the right to purchase 0.365 MGD from Ridgway Borough.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907)

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and ap-

proved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

PA American Water—Stafford Avenue, 2699 Stafford Avenue, City of Scranton, **Lackawanna County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of PA American Water, 800 West Hersheypark Drive, Hershey, PA 17033, submitted a Notice of Intent to Remediate. Contamination is due to historical operations at the site. The proposed future use of the property will be non-residential. The Notice of Intent to Remediate was published in *The Scranton Times* on May 25, 2016.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Volume Transportation/RML Warehouse, 350 Wiconisco Street, Millersburg, PA 17061, Millersburg Borough and Upper Paxton Township, **Dauphin County**. EP&S of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Volume Transportation, 2261 Plunket Road, Conyers, GA 30012, and RML Warehouse, 350 Wiconisco Street, Millersburg, PA 17061 submitted a Notice of Intent to Remediate site soil contaminated with diesel fuel. The site will be remediated to the Residential Statewide Health Standard. Future use of the site will continue to be commercial. The Notice of Intent to Remediate was published in the *Patriot News* on July 7, 2016.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Family Practice Medical Center, Lower Mahanoy Township, **Northumberland County**. Molesevich Envi-

ronmental, LLC, P.O. Box 654, Lewisburg, PA 17837 on behalf of Family Practice Center PC, 3040 North Susquehanna Trail, PO Box 129, Shamokin Dam, PA 17876 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with heating oil. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on June 8, 2016.

GKN Sinter Metals, LLC, Shippen Township, **Cameron County**. Independence Environmental Consulting, LLC, 1750 Kaylor Road, Hummelstown, PA 17036, on behalf of Gleason Corporation, 1000 University Avenue, Rochester, NY 14692-2970, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with Trichloroethene. The applicant proposes to remediate the site to meet the Site Specific Standard. A summary of the Notice of Intent to Remediate was published in *The Cameron County Echo* on September 23, 2015.

Wharton Compressor Station, Wharton Township, **Potter County**. Environmental Remediation & Recovery, Inc., 4250 Rt. 6N, Edinboro, PA 16412, on behalf of National Fuel Gas Supply Corporation, P.O. Box 2081, 1100 State Street, Erie, PA 16512, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with methanol. The applicant proposes to remediate the site to meet the Statewide Health and Site Specific Standards. A summary of the Notice of Intent to Remediate was published in the *Potter Leader-Enterprise* on June 29, 2016.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Former Shop'N Save, 937 Ohio Avenue, Glassport Borough, **Allegheny County**. RT Environmental Services, Inc., 591 East Maiden Street, Washington, PA 15301 on behalf of First Link, LLC, P.O. Box 1567 Beaver Falls, PA 15010 has submitted a Notice of Intent to Remediate to meet the non-residential Statewide Health standards concerning site soil and groundwater contaminated with benzene, ethylbenzene, methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. Notice of the NIR was published in the *Pittsburgh Post-Gazette* on July 26, 2016.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960. Charline Bass.

910 Township Line Road, 910 Township Line Road, Hilltown Township, **Bucks County**. Mark Fortna, DelVal Soil Environmental Consultants, Sky Run II, Suite A1, 4050 Skyron Drive, Doylestown, PA 18902 on behalf of Carol Ross, 255 Station Road, Quakertown, PA 18951 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of unleaded gasoline. The proposed future use of the property is to remain in residential use. The Notice of Intent to Remediate as published in the *Intelligence* on June 30, 2016. PF811543.

(REVISED) Hale Produce Industrial Facility, 720 Spring Mill Avenue & 701 Jones Street, Borough of Conshohocken, **Montgomery County**. Jon Rutledge, ARCADIS U.S. Inc., 10 Friends Lane, Suite 200, Newtown, PA 18940 on behalf of Mark Frick, Hurst Jaws of Life, Inc. (f/k/a Hale Products, Inc.) 1925 West Field Court, Suite 100, Lake Forest, IL 60045-4824 has submitted a Notice of Intent to Remediate. Soil and groundwater

at the site has been impacted with the release of vocs, svocs and metals. The proposed future use of the property will be residential. The Notice of Intent to Remediate was published in the *Times Herald* on July 11, 2016. PF772990.

Redd Residence, 3214 Meetinghouse Road, Upper Chichester Township, **Delaware County**. Viola Redd, 3214 Meetinghouse Road, Boothwyn, PA 19060 on behalf of Thomas Hippensteal, PG, Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the property will be residential. The Notice of Intent to Remediate was published in the *Marcus Hook Press* on 11, 2015. PF811622.

Harvard Seven LLC Lot 1, Harvard and Columbia Roads, Haverford Township, **Delaware County**. Thomas A. Petrecz Jr. Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Kevin Hillsinger, Harvard Seven, LLC, 1305 Catfish Lane, Audubon, PA 19403 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 1, 2, 4, 5 and 6 fuel oil short-list compounds. A single family residence will be built on Lot # 1. The Notice of Intent was published in the *Pennsylvania Bulletin* on July 23, 2016. PF811563.

Harvard Seven LLC Lot # 2, Harvard and Columbia Roads, Haverford Township, **Delaware County**. Thomas A. Petrecz Jr. Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Kevin Hillsinger, Harvard Seven, LLC, 1305 Catfish Lane, Audubon, PA 19403 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 1, 2, 4, 5 and 6 fuel oil short-list compounds. A single family residence will be built on Lots # 2 and # 3. The Notice of Intent was published in the *Pennsylvania Bulletin* on July 23, 2016. PF811568.

Harvard Seven LLC Lot # 3, Harvard and Columbia Roads, Haverford Township, **Delaware County**. Thomas A. Petrecz Jr. Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Kevin Hillsinger, Harvard Seven, LLC, 1305 Catfish Lane, Audubon, PA 19403 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 1, 2, 4, 5 and 6 fuel oil short-list compounds. A single family residence will be built on Lots # 2 and # 3. The Notice of Intent was published in the *Pennsylvania Bulletin* on July 23, 2016. PF811569.

Harvard Seven LLC Lot # 4, Harvard and Columbia Roads, Haverford Township, **Delaware County**. Thomas A. Petrecz Jr. Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Kevin Hillsinger, Harvard Seven, LLC, 1305 Catfish Lane, Audubon, PA 19403 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 1, 2, 4, 5 and 6 fuel oil short-list compounds. A single family residence will be built on Lots # 4. The Notice of Intent to Remediate was published in the *Pennsylvania Bulletin* on July 23, 2016. PF811570.

5 Ways Lane, 5 Way Lane, Kennett Township, **Chester County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Joe Pepe, Kennett Square Specialties, LLC, Kennett Square, PA 19348 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of arsenic and lead. The proposed future use of the property will be a mixed

non-residential and residential use. The Notice of Intent to Remediate was published in the *Kennett Paper* on June 9, 2016. PF811547.

Schaffer Residence, 3795 Church School Road, Buckingham Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Stephanie McLaughlin, Selective Insurance Company of America, P.O. Box 7264, London, KY 40742 on behalf of Amy and Mark Shaffer, 3795 Church School Road, Doylestown, PA 18902 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The current use and proposed future use of the property is residential. A Notice of Intent to Remediate was published in the *Intelligence* on June 24, 2016. PF810209.

Rose Residence, 1069 Meetinghouse Road, Abington Township, **Montgomery County**. Jeremy Bolyn, Environmental Maintenance Company, Inc., 1420 Mermaid Lane, Glenside, PA 19038 on behalf of c/o Ms. Susan Rose, 1069 Meetinghouse Road, Rydal, PA 19038 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of no. 2 fuel oil. The future use of the property is residential. A Notice of Intent to Remediate was published in the *Times Herald* on June 17, 2016. PF811623.

Addisville Commons, 922 Second Street Pike, Northampton Township, **Bucks County**. Jason Pereo, RCC Environmental Professionals, 10 Lippincott Lane, Unit 1, Mount Holly, NJ 08060 on behalf of has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of pesticides. The subject facility has been sold and will be redeveloped; proposed future use will include commercial and retail operation including a Rite Aid Pharmacy, bank, hospital and commercial offices. The Notice of Intent to Remediate was published in the *Bucks County Courier Times* on July 18, 2016. PF811548.

915 Bethlehem Pike, 915 Bethlehem Pike, Lower Gwynedd Township, **Montgomery County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406, Andrew Hubley, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Paul Bucco, 915 1/2 North Bethlehem Pike Partners LP, 10 Est 6th Avenue, Suite 100, Conshohocken, PA 19428 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of unleaded/leaded gasoline. The future use of the site is intended to be redeveloped for future commercial use. A Notice of Intent to Remediate was published in the *Ambler Gazette* on July 10, 2016. PF811562.

(REVISED) Dreshertown Plaza, 1424 Dreshertown Road, Upper Dublin Township, **Montgomery County**. Craig Herr, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19408 on behalf of Jim Bladel, Dreshertown Plaza, LP, 1301 Lancaster Avenue, Berwyn, PA 19312 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of tetrachloroethylene. The future use of the property will remain a commercial shopping center. A Notice of Intent to Remediate was published in the *Ambler Gazette* on April 11, 2016.

Fort Washington MGP Site, 432 Pennsylvania Avenue, Whitmarsh Township, **Montgomery County**. Gloria Hunsberger, Kleinfelder, Inc., 180 Sheree Boulevard, Suite 3800, Exton, PA 19341 on behalf of Peter Farrand,

PECO Energy Company, 2301 Market Street, S7-2, Philadelphia, PA 19103 has submitted a Notice of Intent to Remediate. Soil has been impacted with the release of pah. The intended future use of the property includes a mixture of commercial and residential properties. A Notice of Intent to Remediate was published in the *Ambler Gazette* on August 5, 2016. PF618877.

Festival Pier, 501 North Columbus Boulevard, City of Philadelphia, **Philadelphia County**. Paul Martino, PG, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104, Bill Schmidt, PE, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104 on behalf of Joseph Forkin, Delaware River Waterfront Corporation, 12 North Columbus Boulevard, Philadelphia, PA 19106 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of pah and metals. The site is currently developed as an entertainment center for musical concerts. Future development includes development of commercial structure on the ground floor, and residential building above grade levels. A Notice of Intent to Remediate was published in *The Metro Philadelphia* on July 26, 2016. PF811767.

Earls Dry Cleaners, 816 2nd Street Pike, Northampton Township **Bucks County**. Stephen Huxta, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19392, David Farrington, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19392 on behalf of Earl Mangin, Earls Cleaners, 816 2nd Street Pike, Richboro, PA 18954 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted with the release of chlorinated solvents. The property is proposed to remain as non-residential. A Notice of Intent to Remediate was published in the *Bucks County Courier Times* on July 21, 2016. PF811736.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Renewal of a Determination of Applicability Withdrawn Under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR038SC006. Blair County Resource Recovery Facility, Inc., 1356 Old 6th Avenue Road, Altoona, PA 16601. The Southcentral Regional Office, Waste Management Program received an application on May 31, 2016 for a renewal of Blair County Resource Recovery Facility, Inc.'s determination of applicability (DOA) under Residual Waste General Permit No. WMGR038 for the **Blair County Resource Recovery Facility, Inc.** facility located at 1356 Old 6th Avenue Road, Altoona, PA in Logan Township, Blair County. This general permit is for processing waste tires and tire-derived material for fuel and consumer products. The DOA application was withdrawn by the applicant on August 16, 2016.

Persons interested in obtaining more information about this determination of applicability may contact John Oren, P.E., Permits Chief, Southcentral Regional Office,

Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit Application No. 101628. Tully Environmental Inc. d/b/a Natural Soil Products, 2286 East Center Street, P.O. Box 283, Tremont, PA 17981. A permit renewal application for the continued operation of this municipal biosolids composting facility located in Frailey Township, **Schuylkill County**. The application was received by the Regional Office on August 2, 2016 and accepted as complete on August 5, 2016.

Persons interested in reviewing the permit may contact Roger Bellas, Regional Waste Management Program Manager, Department of Environmental Protection, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy

of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0090C: Praxair Distribution, Inc. (One Steel Road East, Morrisville, PA 19067) for operation of one (1) existing Guardian Gas Cylinder Manifold, in Falls Township, **Bucks County**. The plan approval is for a non-Title V, State-Only facility. This plan approval is for the reactivation of their previously permitted Guardian System which was installed in 1992, deactivated on January 14, 2011, and no maintenance plan was submitted to DEP. This source processes residual gases from returned cylinders. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the source and the facility operating within all applicable air quality requirements.

09-0152D: Gelest Inc. (11 Steel Road E, Morrisville, PA 19067) to authorize the installation and operation of 4 new reactors and change the status of 3 existing reactors previously installed under an RFD from insignificant to significant sources at Morrisville facility located in Falls Township, **Bucks County**. Gelest is a specialty chemicals manufacturer and operates under Natural Minor Operating Permit No. 09-00152. With this plan approval, Gelest

has a potential to emit more than 25 tons of VOCs per year; however, Gelest is taking a site-wide emission limitation of 24.990 TPY of VOCs and stay as a Synthetic Minor. In addition, Gelest is also taking a HAP emissions limit of 24.990 for total HAPs and 9.990 for any single HAP. Gelest will estimate potential emissions for each order then update the emission records after the order is processed to maintain compliance with the applicable limits in the permit. A major part of the VOC and HAP emissions is fugitive and the rest is controlled by condenser and two acid scrubbers and a base scrubber. The scrubbers controls VOCs and HAPs by greater than 99 percent, and the condenser reclaims the condensable VOC and HAP compounds by greater than 90 percent. The plan approval contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

18-00005: Dominion Transmission, Inc. (925 White Oakes Blvd, Bridgeport, WV 26330) has submitted an application to the Pennsylvania Department of Environmental Protection for the significant modification to the Title V operating permit TVOP 18-00005 for a Notice of Violation (NOV) dated December 17, 2015, that was sent to DTI for not equipping the compressor turbine engine (Source P110) of Title V operating permit (TVOP) 18-00005 with the Cold Ambient Fuel Control Logic. The significant modification is for the increase in nitrogen oxide (NO_x, expressed as NO₂) and volatile organic compounds VOC because Dominion Transmission, Inc. did not install the Cold Ambient Fuel Control Logic on Source P110 at the Finnefrock Compressor Station located in Leidy Township, **Clinton County**.

Dominion Transmission, Inc. has demonstrated compliance with all applicable air quality regulatory requirements pertaining to the operation of all air contamination sources and the emission of air contaminants authorized by the Title V operating permit. Based on these findings, the Department intends to modify the TVOP 18-00005 for the increase in the CO, NO_x and VOC emissions for Source P110 and remove the condition requiring Source P110 to be equipped with the Cold Ambient Fuel Control Logic. The following is a summary of the conditions to be modified in the TVOP 18-00005 to be issued to ensure compliance with all applicable air quality regulatory requirements: The total carbon monoxide emissions from Source P110 shall not exceed 16.28 tons in any 12 consecutive month period; the total combined nitrogen oxide emissions from Source P110 shall not exceed 32.88 tons in any 12 consecutive month period and the total combined volatile organic compound emissions from Source P110 shall not exceed 3.00 tons in any 12 consecutive month period.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

59-00005: Dominion Transmission Inc. (925 White Oakes Blvd., Bridgeport, WV 26330) for renewal of the Title V operating permit for their Sabinsville Compressor station located in Clymer Township, **Tioga County**. The facility is currently operating under Title V Operating Permit 59-00005. The facility's sources include one 25.2 million Btu per hour heater; 18 natural-gas fired combustion units with a combined maximum heat input rating of 3.773 million Btu per hour; five 1,300 brake-horsepower natural-gas fired engines; two 2,000 brake-horsepower natural-gas fired engines; one 2,370 brake-horsepower natural gas-fired engine controlled by an oxidation catalyst; one 5,810 brake-horsepower natural gas-fired turbine controlled by an oxidation catalyst; eight 65 kilowatt micro-turbines; one 12.07 million Btu per hour natural gas-fired salt bath heater; one 3.0 million Btu per hour natural gas-fired boiler; one 576 brake-horsepower diesel-fired emergency engine; one 150 brake-horsepower natural gas-fired emergency engine, 19 storage tanks; emergency gas blowdown; engine transition vents; and miscellaneous sources determined to be of minor significance.

The facility has actual annual emissions of 45.57 tons of carbon monoxide, 36.11 tons of nitrogen oxides, 0.07 ton of sulfur oxides, 3.32 tons of particulate matter including particulate matter less than 10 microns in size, 3.32 tons of particulate matter less than 2.5 microns in size, 15.55 tons of volatile organic compounds, 7.75 tons of hazardous air pollutants, and 13,376.20 tons of greenhouse gases. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Part 60 Subpart Dc, 40 CFR Part 60 Subpart JJJJ, 40 CFR Part 60 Subpart KKKK, 40 CFR Part 63 Subpart ZZZZ, 40 CFR Part 63 Subpart DDDDD, 40 CFR Part 63 Subpart YYYYY, and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940.

42-00011: International Waxes Plant (45 Route 446, Smethport, PA 16749-5413) for intent to re-issue the Title V Permit for the Farmers Valley Plant in Keating Township, **McKean County**. The facility's representative to contact concerning this application is Mr. Daniel Goldsmith, Environmental Manager. His phone number is (814) 887-4056.

The facility's major emission sources include the boilers 1, 2, and 3 (controlled by an ESP), natural gas boiler 5, rerun unit charge heater 2, crude unit vacuum heater, resin heater, No. 2 Earth Burner (controlled by a scrubber), emergency fire pumps and compressors, storage tanks (controlled by a flare), plant wide-fugitive emissions, wastewater treatment, propane deresiner unit (controlled by a flare), degreasers, flue gas holder, coal unloading, and flyash loading. The facility is a major facility due to its potential to emit Nitrogen Oxides (NO_x),

Sulfur Oxides (SO_x), and Volatile Organic Compounds (VOCs). The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is subject to the New Source Performance Standards (NSPS) for Stationary Compression Ignition Internal Combustion Engines (40 CFR 60, Subpart IIII) and the National Emission Standards for Hazardous Air Pollutants (NESHAP) for Organic Hazardous Air Pollutant for Equipment Leaks (40 CFR 63, Subpart H), Recovery Device and Routing to the Fuel Gas System or a Process (40 CFR 63, Subpart SS), Organic Liquids Distribution (40 CFR 63, Subpart EEEE), Stationary Reciprocating Internal Combustion Engines (40 CFR 63, Subpart ZZZZ), and, Industrial, Commercial and Institutional Boilers and Process Heaters (40 CFR 63, Subpart DDDDD).

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336.

11-00527: Phoenix Services, LLC/Johnstown Slag Preparation Facility (1317 Main Street, Johnstown, PA 15909) for operation of a slag processing and handling facility located in Franklin Borough, **Cambria County**. The operation of the facility's air contamination source consisting front end loaders, vibrating feeder, jaw crusher, screens, conveyors, stackers, stockpiles, and roadways. Emissions are controlled through moisture content, the use of wet dust suppression and a water truck. Emissions from this site will not exceed 10 tons of particulate matter per year. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. Proposed SOOP includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting and work practice standards requirements.

OP-56-00159: Somerset County Technology Center/Somerset (281 Technology Drive, Somerset, PA 15501) in accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal State Only Operating Permit (SOOP-56-00159) to Somerset County Technology Center to authorize the continued operation of a Tri-Fuel Boiler located in Somerset Township, **Somerset County**.

The facility's air contamination sources consist of one boiler and two emergency generators. Emissions from "Tri-Fuel Boiler" are controlled via a Breslove Separator. Potential emissions from the facility are based on a limit of burning 2,000 tons of coal per consecutive 12-month period and are estimated to be 71.3 tons SO_x, 11.0 tons CO, 9.1 tons NO_x, 1.3 ton VOCs, and 15.0 tons particulate matter (PM). Actual emissions from the facility are much lower.

This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. Proposed SOOP renewal includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting and work practice standards requirements. The emergency generators are subject to the applicable requirement of 40 CFR Part 63 Subpart ZZZZ.

Somerset County Technology Center State Only Operating Permit renewal application, the Department's Air Quality Review Memorandum, and the proposed Air

Quality State Only Operating Permit for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit renewal application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality State Only Operating Permit for this project, a person may contact Phil Bouse at pbouse@pa.gov or 412.442.4000.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 56-00159) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests and requests for a public hearing should be directed to Jesse S. Parihar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. (jparihar@pa.gov, Fax 412.442.4194).

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief—Telephone: 814-332-6940.

24-00083: Mersen USA, St. Marys—PA Corporation (215 Stackpole Street, Saint Marys, PA 15857-1401) for renewal of the Title V Operating Permit. The facility is located in the City of Saint Marys, **Elk County**. The facility manufactures Carbon and Graphite Products. The facility's emitting sources include: Billet Unloading Station; Pulverizers; Mills; Crushers Furnaces; Blenders; Sizing Operations; Mixers; Ovens; Graphitizers; Dryers; Machining Operations; Press Jolters; Miscellaneous Sources controlled by baghouses which exhaust outside; Parts Cleaners; Vacuum Hoses; and, Weigh Stations. The facility is a major facility due to potential PM₁₀ (Particulate matter particle size is less than or equal to ten micron) emissions, Carbon Monoxide (CO) emissions, and Sulfur Dioxide (SO_x) emissions more than 100 tons per

year. Therefore, the facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 C.F.R. Part 64. Appropriate permit conditions to address the applicable CAM requirements were included in the previous permit. The facility provided the following potential emissions in the permit application: Particulate Matter (PM_{2.5})—10.98 Tons per year (TPY); PM less than ten microns (PM₁₀)—18.40 TPY; Oxides of Sulfur (SO_x)—83.11 TPY; Carbon Monoxide (CO)—205.91 TPY; Oxides of Nitrogen (NO_x)—11.65 TPY; Volatile Organic Compound (VOC)—7.59 TPY; and Hazardous Air Pollutants (HAP) Less than one ton per year.

10-00237: Fox Funeral Home (410 West Main Street, PO Box 305, Saxonburg, PA 16056) to issue a renewal State Only Operating Permit for the facility located in Saxonburg Borough, **Butler County**. The facility is a Natural Minor. The primary sources at the facility include a natural gas fueled crematory and miscellaneous natural gas combustion units. The crematory is equipped with a 716,000 Btu/hr burner in the primary chamber and a 1.4 million Btu/hr burner in the secondary chamber. Emissions from the facility are: 0.04 tpy PM₁₀; 0.05 tpy CO; and 0.10 tpy VOC. The renewal permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

20-00135: Clear Lake Lumber (409 Main Street, Spartansburg, PA 16434) to issue a renewal of the State Only Operating Permit for the sawmill and hardwood flooring facility located in Spartansburg Borough, **Crawford County**. The sources at the facility include a wood fired boiler controlled by a cyclone, chipper room, sawmill operations, a reman shed for sorting and cutting lumber, the planer shed, planer silo, boiler silo, and cyclones/baghouses for control of the particulate emission. The facility is a natural minor. The facility is an Area Source for MACT. The wood fired boiler is subject to the requirements of 40 CFR 63, Subpart JJJJJ—NESHAP for Industrial, Commercial, and Institutional Boilers at Area Sources. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The emissions from the boiler are: 13.1 TPY of particulate, 44.7 TPY of CO, 0.3 TPY of VOC, 16.4 TPY of NO_x, and 1.8 TPY SO₂. The particulate emissions from each of the other sources is limited to 0.04 gr/dscf by 25 Pa. Code § 123.13.

25-00940: Animal Friends Cremation Services (11711 Sharp Rd, PO Box 735, Waterford, PA 16441-3935) to issue a renewal State Only Operating Permit for the facility located in Waterford Borough, **Erie County**. The facility is a Natural Minor. Annual emissions of criteria pollutants are as follows: 0.24 tpy PM₁₀; 0.04 tpy CO. The primary source at the facility is a natural gas fueled crematory equipped with a primary chamber burner rated at 800,000 Btus/hr and a secondary chamber burner rated at 1.3 million Btus/hr. The renewal permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

42-00187: Resting Acres Pet Cemetery (1353 South Avenue, Bradford, PA 16701-0736) to issue a renewal State Only Operating Permit for the facility located in Bradford Township, **McKean County**. The facility is a Natural Minor. The primary sources at the facility are 2 natural gas fueled crematories: Crematory A, rated at 1.5

million Btu/hr; and Crematory B, rated at 1.3 million Btus/hr. Annual emissions from the facility are as follows: PM₁₀ < 1 tpy; CO < 1 tpy; VOC < 1 tpy. The renewal permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Department of Public Health, Air Management Services:
321 University Avenue, Philadelphia, PA 19104.*

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

N16-000: Equinix LLC (401 N. Broad Street, Philadelphia, PA 19108) for the operation of a data center in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one (1) 800 kW diesel fuel fired emergency generator (EG1), and two (2) 1,500 kW diesel fuel fired emergency generators EGA & EGB.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30081601 and NPDES No. PA0235792. Coresco, LLC, (103 Corporate Drive, Suite 102, Morgantown, WV 26501). To renew the permit for the Overland Conveyor in Dunkard Township, **Greene County** and related NPDES permit. No additional discharges. The application was considered administratively complete on August 9, 2016. Application received February 1, 2016.

30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Enlow Fork Mine in Richhill Township, **Greene County** and related NPDES permit to revise 246 currently permitted underground acreage and subsidence control plan area for longwall mining. No additional discharges. The application was considered administratively complete on August 12, 2016. Application received March 1, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 49871603T. Dale Lenig Coal, LLC, (1006 Lower Road, Shamokin, PA 17872), transfer of an existing anthracite coal preparation plant operation from D. Dale Lenig in Little Mahanoy Township, **Northumberland County** affecting 2.1 acres, receiving stream: Mahanoy Creek, classified for the following use: cold water fishes. Application received: August 2, 2016.

Permit No. 49871603R5 and PAM112055R. Dale Lenig Coal, LLC, (1006 Lower Road, Shamokin, PA 17872), renewal of an existing anthracite coal preparation plant operation in Little Mahanoy Township, **Northumberland County** affecting 2.1 acres, receiving stream: Mahanoy Creek, classified for the following use: cold water fishes. Application received: August 2, 2016.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

<i>Parameter</i>	<i>Table 2</i>		
	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 58042806. Douglas G. Kilmer, (4847 State Route 106, Clifford Twp., PA 18470), Stage I & II bond release of a quarry operation in Harford Township, **Susquehanna County** affecting 3.0 acres on property owned by Larry Mock. Application received: August 3, 2016.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0604852 (Permit No. 10820122). Allegheny Mineral Corporation (P.O. Box 1022, Kittanning, PA 16201) Revision to an existing NPDES permit for a bituminous surface mine in Marion & Mercer Townships, **Butler County**, affecting 598.6 acres. Receiving streams: Unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek, classified for the following uses: CWF. TMDL: None. Application received: July 20, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
J	N
P	N
R	N
T	N
V	N
X	N
GB	N
FB	N

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35	70	90

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to unnamed tributaries to North Branch Slippery Rock Creek and North Branch Slippery Rock Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
A	N
B	N
C	N
D	N
E	N
F	N
G	N
H	N
Y	N
Z	N
GH	N
BB	N
CC	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Alkalinity greater than acidity ¹				
Total Settleable Solids (ml/l)				0.5

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

NPDES No. PA0269697 (Mining permit no. 17150103), RES Coal, LLC, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, new NPDES permit for bituminous surface coal mine in Sandy Township, **Clearfield County** affecting 88.9 acres. Receiving stream(s): Sandy Lick Creek and Unnamed Tributaries to Sandy Lick Creek classified for the following use(s): CWF. Application received: January 8, 2016.

This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon existing baseline pollution load or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The outfall(s) listed below discharge to UNT # 14 to Sandy Lick Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF-1	Y
SP-A*	Y
SP-B*	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0*
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	2.0	2.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Total Settleable Solids (ml/l)				0.5*

¹ The parameter is applicable at all times.

The outfall(s) listed below discharge to UNT # 1 to Sandy Lick Creek:

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>
TF-2	Y
TF-3	Y
TF-4	Y
SP-C*	Y
SP-D*	Y

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0*
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		8.0	8.0	8.0
Alkalinity greater than acidity ¹				
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Total Settleable Solids (ml/l)				0.5*

¹ The parameter is applicable at all times.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0224456 (Mining permit No. 21050301), JR Zimmerman Enterprises, LLC, 35 Ridge Road, Newville, PA 17241, renewal of an NPDES permit for a shale quarry in North Newton Township, **Cumberland County**, affecting 33.31 acres. Receiving stream: unnamed tributary to Green Spring Creek, classified for the following use: cold water fishes. Application received: April 25, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treatment outfall listed below discharges to unnamed tributary to Green Spring Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

NPDES No. PA0223735. (Mining permit No. 28960301), New Enterprise Stone and Lime Company, Inc., 3912 Brumbaugh Road, P.O. Box 77, New Enterprise, PA 16664-0077, renewal of an NPDES permit in Fannett Township, **Franklin County**, affecting 40.8 acres. Receiving stream: Unnamed tributary to Dry Run, classified for the following use: cold water fishes. Application received: June 22, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The treatment outfall listed below discharges to an unnamed tributary to Dry Run.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	N

The proposed effluent limits for the above listed outfall are as follows:

<i>Outfall: 004</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times			
Alkalinity must exceed acidity at all times			

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E07-463: PennDOT Engineering District 9-0, Engineering District 9-0, 1620 North Juniata Street, Holidaysburg, PA 16648-108 in Frankstown Township, Blair County, U.S. Army Corps of Engineers Baltimore District.

To

(1) widen and construct roadway improvements alone 1-mile of SR 2022 and SR 1011 between (40° 28' 17.45",

-78° 17' 3.93") and (40° 28' 30.09", -78° 16' 23.83") in and along the floodway and floodplain of Canoe Creek (HQ-CWF, MF),

(2) relocate 621-linear feet of UNT Canoe Creek (HQ-CWF, MF),

(3) remove existing culvert and install and maintain a 113-linear foot 8-foot × 6-foot box culvert with baffles, 1 foot uniform depression and R-7 scour protection in UNT Canoe Creek (HQ-CWF, MF),

(4) remove existing culvert and install and maintain a 66-linear foot 8-foot × 6-foot box culvert with baffles, 1 foot uniform depression and R-7 scour protection in UNT Canoe Creek (HQ-CWF, MF),

(5) remove existing bridge and install and maintain a 76-foot × 56-foot 9.75-inch bridge over Canoe Creek (HQ-CWF, MF),

(6) remove existing culvert and install and maintain a 93 linear foot 42-inch diameter culvert with 6-inch uniform depression in UNT Frankstown Brach Juniata River (WWF, MF),

(7) install six (6) 15 or 18 inch diameter outfalls to UNT Canoe Creek (HQ-CWF, MF),

(8) install one (1) temporary 18-inch diameter outfall to UNT Canoe Creek (HQ-CWF, MF),

(9) remove two (2) outfall to UNT Canoe Creek (HQ-CWF, MF),

(10) install one (1) 18-inch diameter outfall to Canoe Creek (HQ-CWF, MF),

(11) install six (6) 15 or 18 inch diameter outfalls to UNT Frankstown Brach Juniata River (WWF, MF),

(12) remove one (1) outfall to UNT Frankstown Brach Juniata River (WWF, MF),

(13) install four (4) 18 inch diameter outfalls to Frankstown Brach Juniata River (WWF, MF),

(14) install two (2) temporary causeway during construction in Canoe Creek (HQ-CWF, MF),

(15) install a 24-inch diameter and 42-inch diameter culvert for two temporary stream crossings in UNT Canoe Creek (HQ-CWF, MF),

(16) place 1,275 cubic yards of fill within the floodway of UNT Canoe Creek (HQ-CWF, MF),

(17) place 280 cubic yards of fill within the floodway of UNT Frankstown Brach Juniata River (WWF, MF),

(18) one (1) 6-inch utility crossing of UNT Canoe Creek (HQ-CWF, MF),

(19) one (1) 6-inch utility crossing of Canoe Creek (HQ-CWF, MF) and,

(20) permanently impact 0.02 acre of Exceptional Value (EV) PEM and PSS wetlands and temporarily impact 0.02 acre of EV PEM wetlands, 0.01 acre of EV PSS wetlands, and 0.05 acre of EV PEM/PSS/PFO wetlands, for the purpose of improving transportation safety and roadway

standards. A total of 315 linear feet of compensatory stream mitigation in Mary Anns Creek (HQ-CWF, MF) located in Canoe Creek State Park.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1738, Glasso Development Company, LP, 4201 Cohasset Lane, Allison Park, PA 15101, West Deer Township, **Allegheny County**, Pittsburgh ACOE District.

The applicant is proposing to:

1. Construct and maintain a 167 LF, 48 in-HDPE culvert in an Unnamed Tributary (UNT) to Deer Creek.
2. Place and maintain fill within 0.11 acre of PEM wetlands (aka WL-1).
3. Place and maintain multiple utility line crossings across the aforementioned UNT and wetland under a GP05.

For the purpose of developing a residential community located near the intersection of McIntyre Road and Shadow Circle, (Quadrangle: Valencia, PA, Latitude: 40° 37' 40"; Longitude: -79° 54' 46") in West Deer Township, Allegheny County. The permanent impacts will be off-set with on-site stream and wetland mitigation.

E04-001-A2, FirstEnergy Generation, LLC, 341 White Pond Drive, State Route 3016, Akron, OH 44320, Shippingport Borough, **Beaver County**, Pittsburgh ACOE District.

The applicant is proposing to:

Amend Permit No. E04-001-A1 which authorized the applicant to:

- 1.) Construct and maintain a 29' diameter, steel sheet coffer mooring cell.
- 2.) Construct and maintain a portion of a conveyor system, in the floodplain.

To: construct and maintain three (3) 10' × 10' anchor structures consisting of four (4) pipe pilings at each corner of the structure impacting 60 ft² of riverbed, at Mile Marker 35 on the Ohio River.

For the purpose of adding additional mooring barges to the existing Bruce Mansfield Plant, which is located at (USGS Hookstown, PA Quadrangle; Latitude: 40° 37' 50.9"; Longitude: -80° 25' 31.6") located at 128 Ferry Hill Road, Shippingport, PA 15077.

E63-689, A&S Landscaping, 2150 Washington Rd, Canonsburg, PA 15317, Canonsburg Borough, **Washington County**, Pittsburgh ACOE District.

The applicant is proposing to:

Place and maintain approximately 0.3 acre of fill in the floodway with a 6' embankment having a 2:1 slope, running parallel to the Army Corps of Engineers flood protection project along Chartiers Creek for approximately 315 linear feet. The project is located on the A&S Strabane site in Canonsburg, Washington. (Canonsburg USGS Topographic Quadrangle, Latitude: 40° 15' 20.9"; Longitude: -80° 11' 48.9"; Sub-basin 20F; Pittsburgh Corps District), in Canonsburg Borough, Washington County. This project will impact only the floodway of Chartiers Creek (WWF), no direct stream impacts are proposed.

SPECIAL NOTICES

Proposed State Water Quality Certification Required by Section 401 of the Federal Clean Water Act for the PennEast Pipeline Company, LLC, PennEast Pipeline Project

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18711, Joseph Buczynski, 570-826-2511.

WQ02-005, PennEast Pipeline Company, LLC (Applicant), 1 Meridian Boulevard, Suite 2C01, Wyomissing, PA 19610, PennEast Pipeline Project (Project), in Dallas, Kingston, Jenkins, Plains and Bear Creek Townships, West Wyoming, Wyoming and Laflin Boroughs, **Luzerne County**, Kidder, Penn Forest, Towamensing and Lower Towamensing Townships, **Carbon County**, Lehigh, Moore, East Allen, Upper Nazareth, Lower Nazareth, Bethlehem, Lower Saucon, and Williams Townships, and Easton City, **Northampton County**, and Durham and Rieglesville Townships, **Bucks County**, Philadelphia and Baltimore District Corps of Engineers. The proposed project starts at a point at the Wyoming Pipeline Interconnect of the Energy Transfer Partners, L.P. pipeline (Kingston, PA Quadrangle N: 41°20'48.16", W: 75°56'43.42") and ends at a point under the Delaware River as it enters New Jersey (Rieglesville, PA Quadrangle N: 40°35'2.28", W: 75°11'35.43").

On September 24, 2015, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C. § 717f) seeking a Certificate of Public Convenience and Necessity to construct and operate its Project (FERC Docket No. CP 15-558-000). The FERC Environmental Assessment for the Project, when available, may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP 15-558-000).

On February 9, 2016, Applicant requested a state water quality certification from the Department of Environmental Protection (Department), as required by Section 401 of the Clean Water Act (33 U.S.C. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

The Project, as proposed, includes an approximately 77.4 mile long, 36-inch pipeline for the purpose of transporting natural gas from a point at the Wyoming Pipeline Interconnect of the Energy Transfer Partners, L.P. pipeline to a point under the Delaware River as it enters New Jersey. The project also includes an approximate 2.1 mile long lateral, known as the Hellertown lateral consisting of 24 inch pipeline. The Project, as proposed, will require approximately 1,574 acres of earth disturbance, and impacts to 15,001 linear feet of Deep Creek (CWF, MF), Mill Creek (CWF, MF), Bear Creek (HQ-CWF, MF), Little Shades Creek (HQ-CWF, MF), Shades Creek (HQ-CWF, MF), Stoney Creek (EV, MF), Wild Creek (EV, MF), Aquashicola Creek (HQ-CWF, MF), Indian Creek (CWF, MF), Hokendaqua Creek (CWF, MF), Monocacy Creek (HQ-CWF, MF), Meadow Run (HQ-CWF, MF), Stoney Run (HQ-CWF, MF), Laurel Run (HQ-CWF, MF), Mud Run (HQ-CWF, MF), Bull Run (CWF, MF), Frya Run (HQ-CWF, MF), Delaware River (WWF) and unnamed tributaries; Trout Brook (CWF, MF), Gardner Creek (CWF, MF), Buckwha Creek (CWF, MF), Yellow Run (EV, MF), Delaware Canal; and UNT's to Abrahams Creek (CWF, MF), Toby Creek (CWF, MF), Little Bear Creek (HQ-CWF,

MF), Black Creek (HQ-CWF, MF), Pohopoco Creek (CWF, MF), Hunter Creek (HQ-CWF, MF), East Branch Monocacy Creek (HQ-CWF, MF) and Cooks Creek (EV, MF), Hawk Run (HQ-CWF, MF), and White Oak Run (EV, MF) and the Susquehanna River (CWF, MF); Wild Creek/Beltzville Lake (EV, MF), and Pohopoco Creek/Beltzville Lake (CWF, MF), 35.19 acres of floodway, 43.48 acres of temporary PEM/PSS/PFO wetland impacts, and 7.90 acres of PSS/PFO conversion to PEM impacts.

The Department anticipates issuing a state water quality certification to Applicant for the Project that will require compliance with the following State water quality permitting programs, criteria and conditions established pursuant to State law to ensure the Project does not violate applicable State water quality standards set forth in 25 Pa. Code Chapter 93:

1. *Discharge Permit*—Applicant shall obtain and comply with a Department National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the pipeline pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—Applicant shall obtain and comply with the Department's Chapter 102 Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment issued pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17) and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Department Chapter 105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.) and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Water Quality Monitoring*—The Department retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

5. *Operation*—Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this Certification and all required permits. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

6. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of the Department to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this Certification shall be available for inspection by the Department during such inspections of the Projects.

7. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, Appli-

cant shall serve a copy of this Certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the Department Regional Office of such intent. Notice to the Department shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of Certification responsibility, coverage, and liability between them.

8. *Correspondence*—All correspondence with and submittals to the Department concerning this Certification shall be addressed to the Department of Environmental Protection, Northeast Regional Office, Joseph Buczynski, P.E., Waterways and Wetlands Program Manager, 2 Public Avenue, Wilkes-Barre, PA 18711.

9. *Reservation of Rights*—The Department may suspend or revoke this Certification if it determines that Tennessee Gas Pipeline Company, LLC has not complied with the terms and conditions of this Certification. The Department may require additional measures to achieve compliance with applicable law, subject to Applicant's applicable procedural and substantive rights.

10. *Other Laws*—Nothing in this Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or state law or regulation.

11. *Severability*—The provisions of this Certification are severable and should any provision of this Certification be declared invalid or unenforceable, the remainder of the Certification shall not be affected thereby.

Prior to final action on the proposed section 401 Water Quality Certification, consideration will be given to any comments, suggestions or objections which are submitted in writing within 30 days of this notice. Comments concerning the proposed 401 Water Quality Certification should be directed to Mr. Joseph Buczynski, P.E., Northeast Region Waterways and Wetlands Program Manager at the above address or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD). Comments must be submitted in writing and contain the name, address and telephone number of the person commenting and a concise statement of comments, objections or suggestions on this proposal. No comments submitted by facsimile will be accepted. The Department will consider all relevant and timely comments received. Comments must be submitted within 30 days of this notice.

DAM SAFETY

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.

D22-115. Widener University Dam, 3800 Vartan Way, Harrisburg, PA 17106. To modify, operate, and maintain Widener University Dam across a tributary to Black Run (WWF), for the purpose of modifying an existing outlet structure in order to increase impoundment volume and discharge time (Harrisburg East, PA Quadrangle Latitude: 40.3228; Longitude: -76.8542) in Susquehanna Township, **Dauphin County**.

D45-039. Stillwater Lakes Civic Association, 5144 Hummingbird Drive, Pocono Summit, PA 18346. Stillwater Lakes Civic Association is proposing to modify, operate, and maintain Summit Lake No. 1 Dam across Red Run (HQ-CWF) for the purpose of recreation. The existing spillway will be upgraded to address deficiencies.

(Pocono Pines, PA Quadrangle Latitude: 41.119, Longitude: -75.392) Coolbaugh Township, **Monroe County**.

D52-015. Pennsylvania Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8767, Harrisburg, PA 17105-8767. To modify, operate, and maintain Pecks Pond Dam across Bush Kill Creek (EV, MF),

impacting 0.10 acre of wetlands (scrub-shrub/forested) and 0 feet of stream and providing 0.10 acre of wetland mitigation, for the purpose of rehabilitating an existing, recreational, dam to comply with the Commonwealth's regulations (Milford, PA Quadrangle Latitude: 41.2808°N; Longitude: 75.0869°W) in Porter Township, **Pike County**.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0093955 (Sewage)	DeCarlo SRSTP 2800 Washington Boulevard McKeesport, PA 15037	Somerset County Middlecreek Township	UNT of Laurel Hill Creek (19-E)	Yes
PA0034282 (Sewage)	Maple Grove Trailer Park STP 700 Maple Grove Road Bulger, PA 15019	Washington County Robinson Township	Unnamed Tributary to Saint Patrick Run (20-D)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0097233 (Sewage)	S Versailles Township PO Box 66 Coulter, PA 15028	Allegheny County South Versailles Township	Youghioghney River (19-D)	Yes
PA0219444 (Sewage)	Markleysburg Area STP 150 Main Street PO Box 25 Markleysburg, PA 15459-0025	Fayette County Markleysburg Borough	Unnamed Tributary to Youghioghney River (19-E)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0051560—IW	Western Berks Water Authority 91 Water Road Sinking Spring, PA 19608-9633	Berks County/Lower Heidelberg Township	Tulpehocken Creek/3-C	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

NPDES Permit No. PA0027090, Sewage, SIC Code 4952, **Lackawanna River Basin Sewer Authority**, PO Box 280, Olyphant, PA 18447-0280.

This existing facility is located in Throop Borough, **Lackawanna County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES Permit No. PA0027057, Sewage, SIC Code 4952, **Williamsport Sanitary Authority**, 253 W 4th Street, Williamsport, PA 17701-6113.

This existing facility is located in City of Williamsport, **Lycoming County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0264474, Sewage, SIC Code 8800, **David Selfridge**, 204 Geibel Road, Butler, PA 16002.

This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. 5416401, Sewage, SIC Code 4952, **Saint Clair Sewer Authority** (Schuylkill County), 16 S 3rd Street, Saint Clair, PA 17970-1207.

This proposed facility is located in St. Clair Borough, **Schuylkill County**.

Description of Proposed Action/Activity: Installation of a bar screen at the CSO Outfall # 008 headwall.

WQM Permit No. 3516402, Sewage, SIC Code 4952, **Lackawanna River Basin Sewer Authority**, P.O. Box 280, Olyphant, PA 18447.

This facility is located in Archbald Borough, **Lackawanna County**.

Description of Proposed Action/Activity: The project is for the installation of a gravity belt thickener and centrifuge at the wastewater treatment plant to improve sludge processing. Also included in the project are new sludge transfer and feed pumps, new polymer systems, new dewatered sludge conveyors, replacement digester diffusers, a new building over the thickener equipment, a new roof over the dewatered sludge storage containers, and other associated appurtenances.

The existing dissolved air flotation and belt filter press sludge processing equipment will be removed as a result of this project.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 3616401, Sewerage, **Ephrata Borough Authority**, 124 South State Street, Ephrata, PA 17522-2411.

This proposed facility is located in Ephrata Borough, **Lancaster County**.

Description of Proposed Action/Activity: Permit approval for the construction/modification of sewage facilities consisting replacement of the Mission Pump Station with a new pump station and force main; replacement of 300' of the Upper Interceptor with new 30' pipe; and replacement of 1,649' of gravity sewer within Penn Avenue with 18" pipe.

WQM Permit No. WQG01211601, Sewerage, **Jennifer Garcia**, 555 West Penn Street, Carlisle, PA 17013.

This proposed facility is located in Lower Frankford Township, **Cumberland County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of a small flow system to serve their single family residence.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

WQM Permit No. 0891401 A-1, Sewage, SIC Code 4952, **Sayre Borough Bradford County**, 110 W Packer Avenue, Sayre, PA 18840-2053.

This existing facility is located in Sayre Borough, **Bradford County**.

Description of Proposed Action/Activity: Repair and replacement for the Milltown Pumping Station.

WQM Permit No. 4177409 A-1, Sewage, SIC Code 4952, **Mifflin Manor Homeowners Association**, PO Box 622, Jersey Shore, PA 17740-0622.

This existing facility is located in Mifflin Township, **Lycoming County**.

Description of Proposed Action/Activity: addition of dechlorination to an existing treatment process.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1096407 A-2, Sewage, **West Sunbury Borough Municipal Authority Butler County**, PO Box 202, West Sunbury, PA 16061-0202.

This existing facility is located in West Sunbury Borough, **Butler County**.

Description of Proposed Action/Activity: Installation of tertiary treatment unit to reduce Ammonia in treated effluent.

WQM Permit No. WQG01251606, Sewage, **Samuel K Ponsoll**, 12680 Fry Road, Edinboro, PA 16412.

This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

WQM Permit No. 1016404, Sewage, **David Selfridge**, 204 Geibel Road, Butler, PA 16002.

This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011516010	Willistown Conservation Trust 925 Providence Road Newtown Square, PA 19073	Chester	Willistown Township	Okehoking Run HQ-TSF Turtle Rock Run HQ-TSF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024815017	Shelley and Brian Spence 2533 West Stanley Street Allentown, PA 18104	Northampton	Lower Macungie Township	UNT to Saucon Creek (CWF, MF) and EV Wetlands

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033615001	Turkey Hill, LP 257 Centerville Road Lancaster, PA 17603	Lancaster	Drumore Township	UNT Fishing Creek (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041416001	Penn State University 139J Physical Plant Bldg University Park, PA 16802	Centre	College Twp	Thompson Run HQ-CWF, MF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Buckingham Township Bucks County	PAG02000916033	Elkay Property Management LLC 1669 Edgewood Road Yardley, PA 19067	Unnamed Tributary to Pine Run TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Doylestown Borough Bucks County	PAG02000915009(1)	Chapman Lane Investors, LP 6263 Kellers Church Road Pipersville, PA 18947	Cooks Run WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Tinicum Township Bucks County	PAG02000916020	Select Properties, Inc. 2312 North Broad Street Colmar, PA 18915	Tohickon Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
Tullytown Borough Bucks County	PAG02000916036	Tullytown Borough 500 Main Street Tullytown, PA 19007	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Hazle Township Luzerne County	PAG02004016005	Humboldt Realty, L.P. c/o Marc Lebovitz 822 South Avenue West Westfield, NJ 07090	Stoney Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Laurel Run Borough Luzerne County	PAG02004016007	Laurel Run Borough 100 Dupont Road Laurel Run, PA 18706	Spring Run (CWF, MF)	Luzerne Conservation District 570-674-7991

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Palmer Township Northampton County	PAG02004816010	Charles Chrin Real Estate Trust 400 South Greenwood Avenue Easton, PA 18045	Shoeneck Creek (WWF, MF)	Northampton County Conservation District 610-746-1971
Allen Township Northampton County	PAG02004815002(1)	FedEx Ground Package System, Inc. c/o Andrew Loeb 1000 FedEx Drive Moon Township, PA 15108	Catasauqua Creek (CWF, MF)	Northampton County Conservation District 610-746-1971

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Muncy Creek Twp/Muncy Boro, Lycoming Cnty	PAG02004116007	Chuck Leonard Muncy Borough Municipal Authority 14 Washington Street Muncy, PA 17756	Glade Run— WWF, MF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville, PA 17754 (570) 433-3003
Muncy Twp, Lycoming Cnty	PAG02004116008	Thomas Neuhard Ashler Inc 276 Ashler Manor Dr Muncy, PA 17756	Wolf Run—CWF	Lycoming County Conservation District 542 County Farm Rd Ste 202 Montoursville PA 17754 (570) 433-3003
Lewis Twp and Limestone Twp, Union Cnty	PAG02006016017	Dennis Boop 1681 Swengle Rd Mifflinburg, PA 17844	UNT to Buffalo Creek—CWF, MF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860
Mifflinburg Borough, Union Cnty	PAG02006016013	Dave and Cindy Garelius 2095 Green Ridge Road	Buffalo Creek CWF	Union County Conservation District Union County Government Center 155 N 15th St Lewisburg, PA 17837 (570) 524-3860

Southwest Region: Regional Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office and Phone No.</i>
Center Township	PAG02000406014R	Zokaites Contracting, Inc. 375 Golfside Drive Wexford, PA 15090	UNT to Moon Run (CWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
Hopewell Township	PAG02000416016	Esmark Realty, LLC 100 Hazel Lane Suite 300 Sewickley, PA 15143	Trappmill Run (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
Economy Borough	PAG02000406016R	Zokaites Properties, LP 375 Golfside Drive, Wexford, PA 15090	Ohio River (WWF)	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Cambria Township	PAG02001116015	Peoples TWP, LLC 201 Pitt Street Pittsburgh, PA 15221	UNTs to California Run (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Adams Township	PAG02001116016	Forest Hills Municipal Authority 900 Locust Street Saint Michael, PA 15951	UNT to Otto Run (CWF) and Otto Run (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Cambria Township	PAG02001116017	Central Cambria School District 208 Schoolhouse Road Ebensburg, PA 15931	South Branch Blacklick Creek (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
Blacklick Township	PAG02003216005	PennDOT District 10-0 2550 Oakland Avenue Indiana, PA 15701	Stewart Run (CWF)	Indiana County Conservation District 625 Kolter Drive Suite 8 Indiana, PA 15701-3571 (724) 471-4751
Burrell Township	PAG02003216010	TRISTAR Auto Group 1591 Route 22 East Blairsville, PA 15717	UNT to Conemaugh River (CWF)	Indiana County Conservation District 625 Kolter Drive Suite 8 Indiana, PA 15701-3571 (724) 471-4751

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAR214817 (Industrial Stormwater)	Glen-Gery Corporation Bigler Plant 433 S. Pottsville Pike Shoemakersville, PA 19555-9742	Clearfield County Bradford Township	Roaring Run (8-C)	Yes

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Cumberland County/ Lower Frankford Township	PAG043956	Jennifer Garcia 555 West Penn Street Carlisle, PA 17013	UNT of Locust Creek/WWF & MF	DEP—SCRO— Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
New Sewickley Township Beaver County	PAG046459	Thomas Meehan 128 Jody Drive New Brighton, PA 15066	Unnamed Tributary to Brush Creek—20-C	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Washington Township Erie County	PAG041212	Samuel K Ponsoll 12680 Fry Road Edinboro, PA 16412	Unnamed Tributary to Conneauttee Creek—16-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

General Permit Type—PAG-10

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Brewster Pipeline Project Brooklyn Township Susquehanna County	PAG102340	Williams Field Service Co. LLC Park Place Corp Center 2 2000 Commerce Drive Pittsburgh, PA 15275-1026	Unnamed Tributary to Meshoppen Creek—4-G	DEP Northeast Regional Office Clean Water Program 2 Public Square Wilkes-Barre, PA 18701-1915 570.826.2511

General Permit Type—PAG-12 CAFO

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Brothersvalley Township Somerset County	PAG126101	Keith & Denise Leydig 594 Cumberland Highway Berlin, PA 15530	Swamp Creek—19-F	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
York County/ Chanceford Township	PAG123813	Star Rock Farms, LLC 175 Chestnut Grove Road Conestoga, PA 17516	West Brach Tom's Run/TSF	DEP—SCRO—CW 909 Elmerton Ave Harrisburg, PA 17110 717-705-4707
Lancaster County/ Rapho Township	PAG123665	Kerek Musser 2604 Hossler Road Manheim, PA 17545	UNT Back Run/TSF	DEP—SCRO—CW 909 Elmerton Ave Harrisburg, PA 17110 717-705-4707
Lancaster County/ East Donegal Township	PAG123749	Kenton L. Sweigert 620 Greider Road Mount Joy, PA 17552-8911	UNT Donegal Creek/CWF	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

STATE CONSERVATION COMMISSION**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Hemlock Lane Farm, LP 121 Hemlock Lane Farm Ln Williamsburg, PA 16693	Blair, Huntingdon	585.3	714.28	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2409002, Operation Permit, Public Water Supply.

Applicant	Pennsylvania-American Water Company (Ceasetown Water System) 800 West Hershey Park Drive Hershey, PA 17033
Municipality	Jackson Township
County	Luzerne
Type of Facility	PWS

Consulting Engineer Scott M. Thomas, P.E.
Pennsylvania-American Water Company
852 Wesley Drive
Mechanicsburg, PA 17055

Permit to Operate Issued August 15, 2016

Permit No. 3540043, Operation Permit, Public Water Supply.

Applicant **UMH Properties, Inc.**
150 Clay Street, Suite 450
Morgantown, WV 26501

Municipality Wayne Township
County **Schuylkill**
Type of Facility PWS

Consulting Engineer Alfred Ty Leinneweber, P.E.
Lehigh Engineering, LLC
P.O. Box 1200
200 Mahantongo Street
Pottsville, PA 17901

Permit to Operate Issued August 11, 2016

Permit No. 5816502MA, Public Water Supply.

Applicant **Oneida Campground and Lodge, LLC**
P.O. Box 537
New Milford, PA 18834

[Borough or Township] New Milford Township
County **Susquehanna**
Type of Facility PWS

Consulting Engineer Mr. Dennis Kutch, PE
KBA Engineering PC
25 S. Washington Ave.
Jermyn, PA 18433

Permit to Construct Issued August 2, 2016

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0616505 MA, Minor Amendment, Public Water Supply.

Applicant **Borough of Bally**
Municipality Washington Township
County **Berks**

Responsible Official Leo Mutter, Borough Council President
425 Chestnut St.
Bally, PA 19503

Type of Facility This permit approves the construction of a new 500,000-gallon glass-fused to steel finished water storage tank to replace the Borough of Bally's (Borough) existing 270,000-gallon storage tank.

Consulting Engineer Karen C. Pollock, P.E.
Systems Design Engineering
1032 James Drive
Lessport, PA 19533

Permit to Construct Issued 8/15/2016

Permit No. 0616506, Public Water Supply.

Applicant **Pennsylvania America Water Company**

Municipality Ruscombmanor Township

County **Berks**

Responsible Official David R. Kauffman
800 West Hershey Park Drive
Hershey, PA 17033

Type of Facility Installation of a grit separator in existing Well No. 1.

Consulting Engineer Craig B. Darosh, P.E.
Pennsylvania American Water
4 Wellington Boulevard
Wyomissing, PA 19610

Permit to Construct Issued 8/16/2016

Permit No. 0116502 MA, Minor Amendment, Public Water Supply.

Applicant **New Oxford MHC LLC**

Municipality Mt. Pleasant Township

County **Adams**

Responsible Official Matthew Raynor, Executive Director
10006 Hammock Bend
Chapel Hill, NC 27517

Type of Facility Modification to the existing GWR 4-log inactivation of viruses treatment with the installation of additional chlorine contact piping.

Consulting Engineer N Peter Fleszar, P.E.
Glance Associates, Inc.
3705 Trindle Road
Camp Hill, PA 17011

Permit to Construct Issued 8/3/2016

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. 5716501-MA—Construction—Public Water Supply.

Applicant **Laporte Borough Water System**

Township/Borough Laporte Borough

County **Sullivan County**

Responsible Official Frank Kann, Borough Council President
Laporte Borough Office
P.O. Box 125
Laporte, PA 18626

Type of Facility Public Water Supply

Consulting Engineer David L. Horst
Alfred Benesch & Company
400 One Norwegian Plaza
Pottsville, PA 17901

Permit Issued August 10, 2016

Description of Action Replacement of (1) existing 150,000-gallon water storage tank (standpipe) with a new, glass-fused-to-glass, 150,000-gallon standpipe and (2) replacement of approximately 3,800 linear feet of water distribution system piping with new piping in Laporte Borough.

Permit No. 1914501—Operation—Public Water Supply.

Applicant **Bloomsburg Filtration Plant**

Township/Borough Town of Bloomsburg

County **Columbia**

Responsible Official Mr. Tate Hunsinger
SUEZ Water
Pennsylvania, Inc.—
Bloomsburg Filtration Plant
100 Irondale Road
Bloomsburg, PA 17815

Type of Facility Public Water Supply

Consulting Engineer Mr. Michael Schober, P.E.
CDM Smith, Inc.
205 Granite Run Drive
Suite 350
Lancaster, PA 17601
and
Mr. Ken Smith, P.E.
CDM Smith, Inc.
60 Crossways Park Drive West
Woodbury, NY 11797

Permit Issued August 10, 2016

Description of Action Operation of duplicate SuperPulsator pulsed bed solids contact sludge blanket clarifiers, manufactured by IDI, and related facilities, including rapid mix tanks, sludge equalization basins, membrane filtration feed equalization basins, and coagulant feed system.

Permit No. 1914502—Operation—Public Water Supply.

Applicant **Bloomsburg Filtration Plant**

Township/Borough Town of Bloomsburg

County **Columbia**

Responsible Official Mr. Tate Hunsinger
SUEZ Water
Pennsylvania, Inc.—
Bloomsburg Filtration Plant
100 Irondale Road
Bloomsburg, PA 17815

Type of Facility Public Water Supply

Consulting Engineer Mr. Michael Schober, P.E.
CDM Smith, Inc.
205 Granite Run Drive
Suite 350
Lancaster, PA 17601
and
Mr. Ken Smith, P.E.
CDM Smith, Inc.
60 Crossways Park Drive West
Woodbury, NY 11797

Permit Issued August 10, 2016

Description of Action Operation of all remaining
components of the membrane
filtration plant, including the
chemical feed systems and
ultraviolet disinfection.

Permit No. 1915501—Operation—Public Water Supply.

Applicant **Bloomsburg Filtration Plant**

Township/Borough Town of Bloomsburg

County **Columbia**

Responsible Official Mr. Tate Hunsinger
SUEZ Water
Pennsylvania, Inc.—
Bloomsburg Filtration Plant
100 Irondale Road
Bloomsburg, PA 17815

Type of Facility Public Water Supply

Consulting Engineer Mr. Michael Schober, P.E.
CDM Smith, Inc.
205 Granite Run Drive
Suite 350
Lancaster, PA 17601
and
Mr. Ken Smith, P.E.
CDM Smith, Inc.
60 Crossways Park Drive West
Woodbury, NY 11797

Permit Issued August 10, 2016

Description of Action Operation of the new raw water
pump station and intake on
Fishing Creek.

*Southwest Region: Water Supply Management Program
Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-
4745.*

Permit No. 6516502, Public Water Supply.

Applicant **Excela Health Group**
532 West Pittsburgh Street
Greensburg, PA 15601

[Borough or Township] City of Greensburg

County **Westmoreland**

Type of Facility Secondary disinfection

Consulting Engineer E.L. Robinson Engineering,
Company
5088 Washington Street,
West
Charleston, WV 25313

Permit to Construct August 9, 2016
Issued

Operations Permit issued to: **GW Services, d/b/a
Glacier Water**, 1385 Park Center Drive, Vista, CA
92081, (**PWSID # 5026467**) **Beaver County** on August
15, 2016 for the operation of facilities approved under
Construction Permit # 5026467-110.

Operations Permit issued to: **GW Services, d/b/a
Glacier Water**, 1385 Park Center Drive, Vista, CA
92081, (**PWSID # 5026467**) **Allegheny County** on Au-
gust 15, 2016 for the operation of facilities approved
under Construction Permit # 5026467-150.

Operations Permit issued to: **GW Services, d/b/a
Glacier Water**, 1385 Park Center Drive, Vista, CA
92081, (**PWSID # 5026467**) **Allegheny County** on Au-
gust 15, 2016 for the operation of facilities approved
under Construction Permit # 5026467-184.

Operations Permit issued to: **GW Services, d/b/a
Glacier Water**, 1385 Park Center Drive, Vista, CA
92081, (**PWSID # 5026467**) **Allegheny County** on Au-
gust 15, 2016 for the operation of facilities approved
under Construction Permit # 5026467-185.

Operations Permit issued to: **Blacklick Valley Mu-
nicipal Authority**, PO Box 272, Twin Rocks, PA 15960,
(**PWSID # 4110077**) Jackson Township, **Cambria
County** on August 10, 2016 for the operation of facilities
approved under Construction Permit # 1114519.

Operations Permit issued to: **Blacklick Valley Mu-
nicipal Authority**, PO Box 272, Twin Rocks, PA 15960,
(**PWSID # 4110077**) Blacklick Township, **Cambria
County** on August 10, 2016 for the operation of facilities
approved under Construction Permit # 1114515.

Operations Permit issued to: **Blacklick Valley Mu-
nicipal Authority**, PO Box 272, Twin Rocks, PA 15960,
(**PWSID # 4110077**) Blacklick Township and Vintondale
Borough, **Cambria County** on August 10, 2016 for the
operation of facilities approved under Construction Per-
mit # 1114520.

Permit No. 3016505MA, Minor Amendment. Public
Water Supply.

Applicant **Southwest Pennsylvania
Water Authority**
1442 Jefferson Road
PO Box 187
Jefferson, PA 15344

[Borough or Township] Washington Township

County **Greene**

Type of Facility Byard Road waterline

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Permit to Construct August 10, 2016
Issued

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to **Brockway Borough Municipal Authority, PWSID No. 6330002**, Brockway Borough, **Jefferson County**. Permit Number 3314501 issued August 15, 2016 for the operation of Siple Road Booster Pump Station and Rattlesnake Keystone Area Interconnection. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on July 6, 2016.

Operation Permit issued to **Borough of Stoneboro, PWSID No. 6430059**, Borough of Stoneboro, **Mercer County**. Permit Number 4379503-MA3 issued August 15, 2016 for the operation of 4-Log treatment of viruses for Entry Point 100 for Springs 1-5. This action is taken under the requirements of the Groundwater Rule.

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 67-378 E, Water Allocations. Glen Rock Water Authority (PWS ID No. 7670050), **York County**. The Authority is requesting the right to purchase 500,000 gallons per day (gpd), based on a 30-day average, up to a maximum of 15,000,000 gallons per month from the York Water Company through an existing interconnection. Permittee Contact: Dale E. Getz, Director of Administration, Glen Rock Water Authority, PO Box 205, Glen Rock, PA 17327. Consulting Engineer: Bill Meinert, P.E. O'Brien & Gere, 4201 Mitchellville Road, Suite 500, Bowie, MD 20716. Permit Issued: 8/4/2016.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)

Southwest Regional Office, Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

Plan Location: Single Residence Sewage Treatment Plant at 845 Barclay Hill Road, Brighton Township, Beaver County.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Brighton Township	1300 Brighton Road Beaver, PA 15009	Beaver

Plan Description: The approved plan provides for the installation of a Single Residence Sewage Treatment Plant at 845 Barclay Hill Road, Beaver, PA 15009 to remedy an existing malfunction. The proposed discharge is to an unnamed tributary of Fourmile Run designated under Chapter 93 as a Warm Water Fisheries. The approved sewage facility plan, evaluated all non-discharge alternatives and determined no environmentally sound and cost effective non-discharge alternative is available.

The Department's review of the sewage facility plan has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the homeowner.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Mount Pleasant Township	31 McCarrell Road Hickory, PA 15340	Washington County

Plan Description: The approved plan revised the existing 537 plan which proposed construction of a sewage treatment facility in the village of Southview. The approved plan proposes construction of a pump station and sanitary sewers to convey sewage flows from the village of Southview to a proposed sewage treatment plant in the village of Westland. Construction of the Westland treatment facility was addressed in a previously approved plan. This plan also approves an increase in the proposed capacity of the Westland facility. The Departments review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Under the Pennsylvania Sewage Facilities Act

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Exeter Township	4975 DeMoss Rd. Reading, PA 19606	Berks

Plan Description: The request for a planning exemption for the Daniel Boone Homestead, DEP Code No. A3-06932-291-3E, APS Id 920957, is disapproved. The purpose of this submission is to replace their existing wastewater treatment facility with a connection to Exeter Township's public sewerage system. The project is located west of Daniel Boone Road, north of the junction with US Route 422. The application is denied because exemptions are only for new land development (see Chapter 71, Section 71.51(b)) and new development was not proposed as part of the present submission. The proposal may be resubmitted using the Component 3 module forms.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the

selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

PA American Water—Stafford Avenue, 2699 Stafford Avenue, City of Scranton, **Lackawanna County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of PA American Water, 800 West Hersheypark Drive, Hershey, PA 17033, submitted a Site Specific Remedial Investigation Report concerning remediation of site soils contaminated with benzene, naphthalene, toluene, ethylbenzene, cumene, MTBE, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, total xylenes, 1,2-dibromoethane, and 1,2-dichloroethane. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Worley & Obetz, Inc./Janet Trish Property, 5829 Waltersdorff Road, Spring Grove, PA 17362, North Codorus Township, **York County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Worley & Obetz, Inc., 85 White Oak Road, Manheim, PA 17545-0429, and Janet Trish, 5829 Waltersdorff Road, Spring Grove, PA 17362, submitted Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Tate Access Floors, Inc., 52 Springvale Road, Red Lion, PA 17356-0398, Windsor Township, **York County**. Amec Foster Wheeler, 800 North Bell Avenue, Carnegie, PA 15106, on behalf of USG Corporation, P.O. Box 6721, Chicago, IL 60680-6721 and Tate Access Floors, 52 Springvale Road, Red Lion, PA 17356-0398, submitted a Remedial Investigation and Risk Assessment Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site Specific Standard.

Greiner, Inc. Diesel & Hydraulic Fuel Release, Southern Right-of-Way 3000 Block of Pricetown Road, Fleetwood, PA 19522, Alsace Township, **Berks County**. Liberty Environmental, 50 North Fifth Street, Fifth Floor, Reading, PA 19601, on behalf of Greiner, Inc., P.O. Box 204, Uwchland, PA 19480, and PennDOT—District 5, 1002 Hamilton Street, Allentown, PA 181401, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

U.S. Xpress, Inc., East Keating Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of U.S. Xpress, Inc., 4080 Jenkins Road, Chattanooga, TN 37421 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Shiple Energy, Spring Township, **Snyder County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Shiple Energy, 415 Norway Street, York, PA 17403 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with diesel fuel and gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

GS Trucking, Inc., Lewis Township, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857 on behalf of GS Trucking, Inc., 1500 Ferry Road, Easton, PA 18042 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.

Rose Residence, 1069 Meetinghouse Road, Abington Township, **Montgomery County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Susan Rose, 1069 Meetinghouse Road, Rydal, PA 19038 has submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF811623.

Schaffer Residence, 3795 Church School Road, Buckingham Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, Stephanie McLaughlin, Selective Insurance Company of America, P.O. Box 7264, London, KY 40742 on behalf of Mark and Ms. Amy Shaffer, 3795 Church School Road, Doylestown, PA 18902 has submitted a Final Report concerning remediation of site soil contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF810209.

Waterside Development Parcel B, 2215 State Road, Bensalem Township, **Bucks County**. Michael D. Latanze, Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440, Jeffrey K. Walsh, P.G., Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Arnold Boyer, Waterside Construction, LP, 2310 Terwood Drive, Huntington Valley, PA 19006 has submitted a Cleanup/

Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet the Site Specific Standard. PF620175.

915 North Bethlehem Pike, 915 North Bethlehem Pike, Lower Gwynedd Township, **Montgomery County**. Richard S. Werner, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Paul Bucco, 915 1/2 North Bethlehem Pike, Partners LP, 10 East 6th Avenue, Suite 100, Conshohocken, PA 19428 has submitted a Final Report concerning remediation of site soil contaminated with gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard. PF811562.

3509 Spring Garden Street, 3509-3513 Spring Garden Street, City of Philadelphia, **Philadelphia County**. William F. Schmidt, PE, Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104 on behalf of Jonathan Chase, 3509 Spring Garden, LP, 3201 Arch Street, # 420, Philadelphia, PA 19104 has submitted a Remedial Investigation/Cleanup Plan/Final Report concerning remediation of site soil contaminated with voc's. The report is intended to document remediation of the site to meet the Site Specific Standard. PF785063.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show

existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

William Lutz Property, 514 South Sterling Road, Dreher Township and Greene Township, **Wayne and Pike County**. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of William Lutz, 514 South Sterling Road, South Sterling, PA 18460, submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Ethylbenzene, MTBE, Isopropylbenzene, Naphthalene, 1,3,5-TMB, 1,2,4-TMB, Toluene. The Final Report demonstrated attainment of the Site-Specific Standard, and was approved by the Department on August 9, 2016.

Paul Cecil Residence, 30 Montgomery Avenue, West Pittston Borough, **Luzerne County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of State Farm Insurance Company, PO Box 106169, Atlanta, GA 30348, submitted a Final Report concerning the remediation of site soils contaminated with Benzene, Toluene, Ethylbenzene, Isopropylbenzene, MTBE, Naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Final Report demonstrated attainment of the Statewide Health Standard, and was approved by the Department on August 9, 2016.

Arbor Business Center, 2125 28th Street SW, Allentown City, **Lehigh County**. Leidos, Inc., 6310 Allentown Boulevard, Harrisburg, PA 17112, on behalf of Air Products and Chemicals, Inc., 7201 Hamilton Boulevard, Allentown, PA 18195, submitted a Final Report concerning the remediation of site groundwater contaminated with Tetrachloroethene, Trichloroethene, 1,1-Dichloroethene, cis/trans-1,2-Dichloroethene, 1,2-Dichloroethane, and 1,1,1-Trichloroethane. The Final Report demonstrated attainment of the Background Standard, and was approved by the Department on August 10, 2016.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Harvey Building Products/Snyder & Bender Properties, 415 and 417 Lancaster Pike, New Providence, PA 17560, Providence Township, **Lancaster County**. EP&S of Vermont, Inc., 1539 Bobali Drive, Harrisburg, PA 17104, on behalf of Ronald and Anne Lucinda Snyder, 415 Lancaster Pike, New Providence, PA 17560 and Daniel R. and Frannie L. Bender, 417 Lancaster Pike, New Providence, PA 17560, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The Final Report demonstrated attainment of the Resi-

dential Statewide Health Standard, and was approved by the Department on August 11, 2016.

Llewellyn's Manufactured Home Community Lot 69, 4550 Bull Road, Dover, PA 17315, Dover Township, **York County**. Independence Environmental Consulting, LLC, 1750 Kaylor Road, Hummelstown, PA 17036, on behalf of Llewellyn's Manufactured Home Community, Inc., 4550 Bull Road, Dover, PA 17315, submitted a Final Report concerning remediation of site soil contaminated with # 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on August 9, 2016.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Vasile, Inc., dba Red, White & Blue, Inc., Lawrence Township, **Clearfield County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Vasile LLC, 236 Andrew Lane, Schaumburg, IL 60193 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 3, 2016.

Valley Farms Dairy Distribution Center, 629 Pud-dintown Road, College Township, **Centre County**. LaBella Associates, D.P.C., 300 State Street, Suite 201, Rochester, NY 14614, on behalf of Valley Farms Dairy, LLC, 25 Anderson Road, Buffalo, New York 14225, submitted a Final Report concerning remediation of groundwater contaminated with Benzene. The final report failed to demonstrate attainment of the Statewide Health standard and was disapproved by the Department on July 22, 2016.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Marathon New Castle Site (MPC No. 3670), 718 East Washington Street, City of New Castle, **Lawrence County**. ARCADIS U.S. Inc., 6041 Wallace Road Extension, Suite 300, Wexford, PA 15090 on behalf of Marathon Petroleum Company, LP, 539 South Main Street, Findlay, OH 45840, submitted a Remedial Investigation Report concerning the remediation of site soil and site groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, cumene, naphthalene, 1-methylnaphthalene, 2-methylnaphthalene, 1,2,4-trimethylbenzene (TMB), 1,3,5-TMB, 1,2-dibromoethane, 1,2-dichloroethane, anthracene, acenaphthene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(g,h,i)perylene, chrysene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, acenaphthylene, fluoranthene, fluorene, phenanthrene, pyrene, and lead. The Report was approved by the Department on August 12, 2016.

Bradford Mall, 1001 East Main Street, Foster Township, **McKean County**. Penn Environmental & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440, on behalf of KR Bradford Mall, L.P., 450 Lexington Avenue, 13th Floor, New York, NY 10017, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with trans-1,2-dichloroethene, 1,1-dichloroethene, cis-1,2-dichloroethene, tetrachloroethene, trichloroethene, and vinyl chloride. The Final Report demonstrated attainment of a combination of the Site-Specific and Statewide Health standards and was approved by the Department on August 12, 2016.

NFG Midstream Clermont East Compressor Station, 70 Billy Buck Tie Road, Sergeant Township, **McKean County**. Environmental Remediation & Recov-

ery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of National Fuel Gas, 1100 State Street, Erie, PA 16512, submitted a Final Report concerning the remediation of site soil contaminated with benzene, toluene, ethyl benzene, xylene, sec-butyl benzene, tert-butyl benzene, cyclohexane, 1,3,4-trimethylbenzene, 1,3,5-trimethylbenzene, cumene, naphthalene, acenaphthene, anthracene, benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[g,h,i]perylene, chrysene, fluoranthene, fluorene, indeno[1,2,3-c,d]pyrene, 2-methylnaphthalene, phenanthrene, pyrene, 1,1,biphenyl, phenol, aluminum, barium, boron, iron, lithium, manganese, vanadium, zinc, selenium, and ethylene glycol. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 12, 2016.

Former Chicago Bridge & Iron Constructors, Inc., 1420 Lexington Avenue, City of Warren, **Warren County**. Groundwater and Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company, 814 Lexington Avenue, Warren, PA 16365, submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soil contaminated with arsenic, barium, lead, cadmium, benzene, toluene, ethylbenzene, total xylenes, 1,2,4-trimethylbenzene (1,2,4-TMB), 1,3,5-trimethylbenzene (1,3,5-TMB), naphthalene, 2-methylnaphthalene and site groundwater contaminated with arsenic, lead, benzene, 1,2,4-TMB, and methyl tert-butyl ether (MTBE). The Report was approved by the Department on August 12, 2016.

Southeast Regional Office: Regional Manager, Environmental Cleanup and Brownfields, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5960.

61 West Eagle Road Property, 61 West Eagle Road Property, Haverford Township, **Delaware County**. Douglass B. Schott, P.G., Brickhouse Environmental, 515 South Franklin Street, West Chester, PA on behalf of Mr. & Mrs. Frank Pulcini, SDG Enterprises Group, LLC, 419 Haverford Avenue, Narberth, PA 19072, Kurt Spiess, EMG Remediation Services, LLC, 5066R West Chester Pike, P.O. Box 129, Edgemont, PA 19028 has submitted a Final Report concerning the remediation of site soil contaminated with unleaded gasoline. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 3, 2016. PF809100.

Haverford Seven LLC Lot 5, Haverford and Columbia Roads, Haverford Township, **Delaware County**. Thomas Petrecz, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Kevin Hillsinger, Harvard Seven LLC, 1305 Catfish Lane, Audubon, PA 19403 has submitted a Final Report concerning the remediation of site soil contaminated with 1,2,4,5 and 6 fuel oil short-list compounds. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on August 4, 2016. PF811099.

Clermont Property, 329 East Township Road, 330 Leidy Road, 340 Leidy Road, 30 Cowpath Road, and 329 East Township Line Road, Franconia Township, **Montgomery County**. Lawrence W. Bily, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, James Sieracki, Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Christopher Canavan, Blecker Acquisition, LP, 404 Sumneytown Pike, Suite 200, North Wales, PA 19454 has submitted a Final Report concerning the remediation of site soil contaminated with arsenic. The Final report did

not demonstrate attainment of the Site Specific Standard and was disapproved by the Department on August 1, 2016. PF810251.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.

Hazardous Waste Transporter License Issued

South Penn Resources, LLC, 570 East Main Street, Uniontown, PA 15401. License No. PA-AH 0844. Effective Aug 11, 2016.

Renewal Applications Received

Pioneer Tank Lines, Inc., 12501 Hudson Road South, Afton, MN 55001-9751. License No. PA-AH 0600. Effective Aug 11, 2016.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act and the act of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.

Regulated Medical and Chemotherapeutic Waste Transporter License Issued

Approved Storage & Waste Hauling MA, Inc., 110 Edison Avenue, Mount Vernon, NY 10550. License No. PA-HC 0273. Effective Aug 11, 2016.

Renewal Applications Received

Cole Care, Inc., 1001 East Second Street, Coudersport, PA 16915. License No. PA-HC 0178. Effective Aug 12, 2016.

RESIDUAL WASTE GENERAL PERMITS

Permit Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105.

General Permit Application No. WMGR038Base. General Permit No. WMGR038 authorizes processing, reuse, and beneficial use of waste tires, which include whole tires, tire chips, baled tires, tire shreds, and crumb rubber. The permitted processing is limited to collection, sorting, storage, recapping, cleaning, shredding, chipping, grinding, crumbing, cutting and baling of waste tires. The

permitted beneficial use of whole waste tires, tire chips, baled tires, tire shreds, and crumb rubber is limited to use in recapping, as fuel in boilers or other combustion units, in civil engineering practices, and as an ingredient in or as a commercial product. The Department re-organized and re-formatted General Permit No. WMGR038 for overall clarity and ease of use. The general permit was renewed by the Department and became effective on August 10, 2016.

A person or municipality that proposes to process, reuse and beneficially use waste tires by operating under the terms and conditions of this general permit after the date of permit issuance must apply for and obtain a "Determination of Applicability" prior to commencing authorized activities under this general permit. A completed application on forms available from the Department must be submitted to the appropriate Department Regional Office (see p. 10 of the general permit for a list of regional offices).

Persons interested in obtaining a copy of the renewed general permit can download a copy at <http://www.dep.pa.gov/Business/Land/Waste/SolidWaste/Residual/Permitting/Pages/BeneficialUsePermits.aspx> or may request a copy by contacting the Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Northwest Regional Office: 230 Chestnut Street, Meadville, PA 16335.

General Permit No. WMGR038NWD004. Cambridge Springs Tire Co., 23411 Thomas Road, Cambridge Springs, PA 16403; Site: Cambridge Township, Crawford County. Renewal of the Determination of Applicability under new WMGR038 authorizes the processing, storage and beneficial use of waste tires. The permit was issued by the Northwest Regional Office on August 10, 2016.

General Permit No. WMGR038NWD005. Crawford Renewable Energy, LLC, 360 Chestnut Street, Meadville, PA 16335; Site: Keystone Regional Industrial Park, Greenwood Township, Crawford County. Renewal of the Determination of Applicability under the new WMGR038 authorizes the processing, storage and beneficial use of waste tires. The permit was issued by the Northwest Regional Office on August 10, 2016.

REGISTRATION FOR RESIDUAL WASTE GENERAL PERMITS

Registration for General Permit issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit No. WMGR081SE001. Melmark, Inc., 2600 Wayland Road, Berwyn, PA 19312. This application is for registration under General Permit No. (WMGR081) for the processing prior to reuse or recycling of uncontaminated and source-separated electronic devices and components by sorting, disassembling, or mechanical processing (by sizing, shaping, separating and volume reduction only) at the Melmark, Inc. facility

located in Newtown Township, **Delaware County**. The registration for general permit was issued by the Southeast Regional Office on August 16, 2016.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Determination of Applicability for General Permit Issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit No. WMGR038SE008. Bergeys Retread Technologies, 1419 Old Route 309, Sellersville, PA 18960. This application is for the ten-year renewal of the determination of applicability (DOA) under General Permit No. (WMGR038) to continue operation at the Bergey's Retread Technologies facility for the beneficial use of waste tires by recapping. The Bergey's Retread Technologies facility is located at 1419 Old Route 39, Sellersville, PA 18960, in West Rockhill Township, **Bucks County**. The application for the determination of applicability was issued by the Southeast Regional Office on August 10, 2016.

Renewal of a Determination of Applicability for General Permit issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit No. WMGR038SC004. Ecore International, Inc., 76 Acco Drive, York, PA, 17402. This general permit is for the processing, reuse and beneficial use of waste tires, which include whole tires, tire chips, baled tires, tire shreds, and crumb rubber. The Department issued the determination of applicability on August 10, 2016.

Persons interested in reviewing the general permit may contact John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, phone 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

General Permit No. WMGR038SC007. Edge Pennsylvania, LLC, d/b/a/Edge Rubber, 1711 Opportunity Avenue, Chambersburg, PA 17202. This general permit is for the processing, reuse and beneficial use of waste tires, which include whole tires, tire chips, baled tires, tire shreds, and crumb rubber. The Department issued the determination of applicability on August 10, 2016.

Persons interested in reviewing the general permit may contact John Oren, P.E., Permits Section Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, phone 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Renewal of a Determination of Applicability for General Permit issued under the Solid Waste Management Act; and Residual Waste Regulations for a General Permit To Operate Residual Waste Processing Facilities (25 Pa. Code § 287.611 relating to authorization for general permit).

South Central Regional Office: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

General Permit No. WMGR038SC005. Mahantango Enterprises, Inc., 2100 Old Trail Road, Liverpool, PA 17045 located in Susquehanna Township, **Juniata County**. This general permit is for the reuse and beneficial use of waste tires, which include whole tires, tire chips, baled tires, tire shreds, and crumb rubber. The Department issued the determination of applicability on August 10, 2016.

Persons interested in reviewing the general permit may contact John Oren, P.E., Permits Section Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Permit(s) issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Regional Solid Waste Manager, 400 Waterfront Drive, Southwest Region: Pittsburgh, PA 15222-4745. Telephone 412-442-4000.

Permit ID No. 301291. Ashland, Inc., 5200 Blazer Parkway, Dublin, Ohio 43017. Operation of a residual waste processing facility in Neville Township, **Allegheny County**. Permit renewed in the Regional Office on August 10, 2016.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP11-09-0059: Walter Earl Corporation (P.O. Box 757, Frmingdale, NJ 07727) on August 15, 2016, for the installation and operation of a diesel non-road engine in Falls Township, **Bucks County**.

GP14-09-0143: Life Celebration, Inc. (1010 Fox Chase Road, Rockledge, PA 19046) on August 15, 2016, for the installation and operation of a human crematory in Bristol Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-40-018: Cedar Rock Materials Corp. (208 West 11th Street, Berwick, PA 18603) on August 2, 2016, for the construction and operation of a Portable Crushing Operation with watersprays at the Cedar Rock Quarry Site located in Salem Township, **Luzerne County**.

GP9-40-018: Cedar Rock Materials Corp. (208 West 11th Street, Berwick, PA 18603) on August 2, 2016, for the installation and operation of Diesel I/C engines at the Cedar Rock Quarry Site located in Salem Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP3-06-05073C: Dyer Quarry, Inc. (P.O. Box 188, Birdsboro, PA 19508) on August 9, 2016, for the installation and operation of a portable stone crushing plant at the quarry and stone crushing facility in Robeson Township, **Berks County**.

GP9-06-05073C: Dyer Quarry, Inc. (P.O. Box 188, Birdsboro, PA 19508) on August 9, 2016, for the installation and operation of two non-road diesel engines to power portable stone crushing equipment at the quarry and stone crushing facility in Robeson Township, **Berks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP3-49-00054A: Meckley's Limestone Products, Inc. (1543 State Route 225, Herndon, PA 17830) on August 1, 2016, to construct and operate one Terex Finlay jaw crusher, equipped with two hoppers/grizzly screens, one Extec double deck screen and seven conveyors pursuant to General Plan Approval and/or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at the East/Mandata Quarry located in Lower Mahanoy Township, **Northumberland County**.

GP9-49-00054A: Meckley's Limestone Products, Inc. (1543 State Route 225, Herndon, PA 17830) on August 1, 2016, to construct and operate one 350 bhp Scania DC09 diesel-fired engine and one 100 bhp Deutz BF4M2012 diesel-fired engine pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 Fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the East/Mandata Quarry located in Lower Mahanoy Township, **Northumberland County**.

GP5-41-645: Regency Marcellus Gas Gathering LLC (101 West Third Street, Williamsport, PA 17701) on August 3, 2016, for authorization to continue operation of three (3) compressor engines, two (2) generator engines, two (2) dehydration processes including reboilers and enclosed flares, two (2) produced water storage tanks, as well as ancillary equipment such as valves pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compressor and/or Processing Facilities (BAQ-GPA/GP-5) at their Ogontz West Compressor Site located in Cummings Township, **Lycoming County**.

GP5-41-646: Regency Marcellus Gas Gathering LLC (101 West Third Street, Williamsport, PA 17701) on August 3, 2016, for authorization to continue operation of

two (2) generator engines, two (2) dehydration processes including reboilers and enclosed flares, two (2) produced water storage tanks, as well as ancillary equipment such as valves pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compressor and/or Processing Facilities (BAQ-GPA/GP-5) at their Ogontz East Compressor Site located in Cummings Township, **Lycoming County**.

GP5-17-475: Alliance Petroleum Corporation (4150 Belden Village Avenue, NW, Suite 410, Canton, OH 44718) on July 29, 2016, for new authorization due to change of ownership, which permits continued operation of 500-hp compressor engine, the dehydration process, as well as ancillary equipment such as valves, flanges, connectors, etc. pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compressor and/or Processing Facilities (BAQ-GPA/GP-5) at their Strong Compressor Station site located in Jordan Township, **Clearfield County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-0119F: Sunoco Partners Market & Terminal (100 Green Street, Marcus Hook, PA 19061-4800) on August 15, 2016, for increase the VOC limits for five (5) existing internal floating roof storage tanks for the processing of gaseous and light liquid organics at their Title V facility located in Marcus Hook Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

40-00131A: Downs Racing LP (1280 Highway 315, Wilkes-Barre, PA 18702) on August 3, 2016, for the installation and operation of boilers and generators at the site located in Plains Township., **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05112C: WBLF Acquisition Co., LLC/Western Berks Landfill (455 Poplar Neck Road, Birdsboro, PA 19508) on August 8, 2016, to increase the capacity of Enclosed Flare No. 1 (Control ID C03) from 800 scfm to 1,000 scfm due to a blower change out at the landfill facility in Cumru Township, **Berks County**. Additionally, alternative operating parameters for the landfill gas collection system will be added, and conditions of the facility's Title V permit will be modified as follows: SG01 013 added verbiage to clarify that testing shall be conducted when the flare reaches 90% of its new capacity of 1,000 scfm; SG01 016 changed the frequency of leak checks from weekly to monthly; SG01 050 changed the stated design capacity of the flare to 1,000 scfm.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

15-0010D: ArcelorMittal Plate LLC (139 Modena Road, Coatesville, PA 19320-4036) on August 15, 2016, for the replacement of an 8 MMBTU/hr ladle pre-heat burner with a 12 MMBTU/hr ladle pre-heat burner in Coatesville City, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05002L: Lehigh Cement Company, LLC (Evansville Cement Plant and Quarry), (537 Evansville Road, Fleetwood, Pennsylvania 19522-8541) on August 8, 2016, to install a mercury emission control systems at their facility in Maiden creek Township, **Berks County**. Plan Approval No. 06-05002L is for the installation of two (2) new mercury emission control systems on Kiln Nos. 1 & 2 (Source Ids 121 & 122). The mercury emission control systems include dust shuttling and activated carbon injection (ACI) and are part of the facility's compliance strategy with regard to the February 12, 2013, amended 40 CFR Part 63, Subpart LLL—National Emission Standards for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry mercury emission limit. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

18-00011J: Croda, Inc. (8 Croda Way, Mill Hall, PA 17751) on August 11, 2016, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from August 23, 2016, to February 19, 2017, at their facility located in Bald Eagle Township, **Clinton County**. The plan approval has been extended.

14-00002N: Graymont (PA), Inc. (965 East College Avenue, Pleasant Gap, PA 16823) on August 11, 2016, extended the authorization to February 10, 2017, to allow for temporary operation to facilitate the shake-down of all sources associated with the project in accordance with 25 Pa. Code § 127.12b(d). The construction (and operation) of the sources associated with the Kiln 8 project is located at their Pleasant Gap plant located in Spring Township, **Centre County**. The plan approval has been extended.

14-00002P: Graymont (PA), Inc. (965 East College Avenue, Pleasant Gap, PA 16823) on August 11, 2016, extended the authorization to February 10, 2017, to allow for temporary operation to facilitate the shake-down of all sources associated with the project in accordance with 25 Pa. Code § 127.12b(d). The construction (and operation) of the sources associated with the Kiln 8 project is located at their Pleasant Gap plant located in Spring Township, **Centre County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336.

11-00535A: Laurel Highlands Crematory at Harris Funeral Home, Inc. (500 Cherry Lane, Johnstown, PA 15904) Plan Approval extension effective on August 28, 2016, with expiration date of January 28, 2017, for continued temporary operation two (2) crematory incinerators at the above referenced facility located in Richland Township, **Cambria County**.

32-00059E: GenOn Northeast Management Company (121 Champion Way, Suite 200, Canonsburg, PA 15317) Extension effective August 28, 2016, to extend the period of temporary operation of the Unit 1 and 2 SCR systems and limestone/SO₃ sorbent storage silos controlled by bin vent filters authorized under PA-32-00059E, until January 28, 2017, at the Conemaugh Power Plant located in West Wheatfield Township, **Indiana County**.

65-00596A: St. Clair Cemetery Association (944 St. Clair Way, Greensburg, PA 15601) on August 10, 2016, to begin the period of temporary operation of the for the additional human crematory authorized under this plan approval at the existing St. Clair Cemetery located in Hempfield Township, **Westmoreland County**. The new expiration date is January 28, 2017.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

22-05047: Dura Bond Pipe, LLC (2716 South Front Street, Steelton, PA 17113-3099) on August 8, 2016, for the pipe manufacturing facility located in Steelton Borough, **Dauphin County**. The Title V permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

19-00002: Foam Fabricators, LTD (7050 Columbia Boulevard, 17 Industrial Drive, Bloomsburg, PA 17815) on August 15, 2016, issued a Title V operating permit for their facility located in South Centre Township, **Columbia County**. The state only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00121: Philadelphia Macaroni Co. (40 Jacksonville Road, Warminster, PA 18974) on August 15, 2016, for

a non-Title V (State-Only), Natural Minor, Operating Permit Renewal. The facility is located in Warminster Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

07-05034: PA Dept. of Military & Veterans Affairs, Hollidaysburg Veterans Home (PO Box 319, Hollidaysburg, PA 16648-0319) on August 9, 2016, for the boiler and generators at the Hollidaysburg Veterans Home located in Allegheny Township, **Blair County**. The State-Only permit was renewed.

29-03007: Mellott Wood Preserving Co., Inc. (1398 Sawmill Road, PO Box 209, Needmore, PA 17238-0209) on August 11, 2016, for the wood preserving facility located in Belfast Township, **Fulton County**. The State-Only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

17-00017: Rescar, Inc. (450 Osborn Avenue, DuBois, PA 15801-1854) issued on August 15, 2016, the renewal of a State Only (Synthetic Minor) Operating Permit SMOP 17-00017 for their DuBois Plant facility located in Sandy Township and the City of DuBois, **Clearfield County**. All applicable federal and state regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practice conditions to assure compliance with the applicable requirements have been included in State Only (Synthetic Minor) Operating Permit SMOP 17-00017.

59-00016: Pine Hills, Inc. (PO Box 62, Blossburg, PA 16912-0062) on August 4, 2016, issued a State Only Operating Permit for their facility located in Ward Township, **Tioga County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Engineering Manager—Telephone: 412-442-4336.

OP-11-00433: GapVax Inc. (575 Central Ave, Johnstown, PA 15902-2600) State-Only Operating Permit renewal issuance date effective August 9, 2016, for their GapVax painting facility located in City of Johnstown, **Cambria County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00044: Glasgow, Inc. (Church & Flint Hill Roads, King of Prussia, PA 19406) on August 15, 2016, for an Administrative Amendment to State Only (Synthetic Minor) Operating Permit No. 46-00044 to modify the stack-

testing requirements for its McCoy facility, which is located in Upper Merion Township, **Montgomery County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Enlow Fork Mine in East Finley and South Franklin Townships, Washington County, Richhill Township, **Greene County** and related NPDES permit to revise currently permitted underground and subsidence control acres to longwall mining. No additional discharges. The application was considered administratively complete on May 20, 2016. Application received February 23, 2016. Permit issued August 5, 2016.

63831302 and NPDES No. PA0213608. The Washington County Coal Company (formerly Eighty-Four Mining Company), (46226 National Road, St. Clairsville, OH 43950). To renew the permit for the Washington County Mine (formerly Mine No. 84) in Somerset, South Strabane, Amwell, North Bethlehem and West Bethlehem Townships, **Washington County**. No additional discharges. The application was considered administratively complete on January 15, 2013. Application received April 5, 2012. Permit issued August 10, 2016.

03981301 and NPDES No. PA0215198. Western Allegheny Energy, LLC, (301 Market Street, Kittanning, PA 16201). To renew the permit for the Parkwood Mine in Plumcreek and South Bend Townships, **Armstrong County**, Armstrong Township, Indiana County and related NPDES Permit. No additional discharges. The application was considered administratively complete on October 9, 2014. Application received January 24, 2014. Permit issued August 10, 2016.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56120105 and NPDES No. PA0268968, Coal Loaders, Inc., 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, transfer of an existing bituminous surface and auger mine from PBS Coals, Inc., 1576 Stoystown Road, Friedens, PA 15541, located in Somerset Township, **Somerset County**, affecting 44.3 acres. Re-

ceiving streams: East Branch Coxes Creek classified for the following use: trout stocked fishery. The first downstream potable water supply intake from the point of discharge is Site ID No. 623843 Milford Township Municipal Authority Primary Facility No. 683209, Rockwood Interconn Subfacility No. 926821. Application received: January 15, 2016. Permit issued: August 8, 2016.

Permit No. 32090104 and NPDES No. PA262897. Beth Contracting, Inc., 815 Rock Run Road, Glen Campbell, PA 15742, permit renewal for the continued operation and restoration of a bituminous surface mine in Banks Township, **Indiana County** affecting 23.2 acres. Receiving streams: unnamed tributaries to Cush Creek and Horton Run classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: September 22, 2015. Permit issued: August 11, 2016.

Permit No. 07100101 and NPDES No. PA0262943. Heritage Mining Co., Inc., P.O. Box 126, Cresson, PA 16630, permit renewal for the continued operation and restoration of a bituminous surface mine in Logan and Gallitzin Townships, **Blair and Cambria Counties**, affecting 116.0 acres. Receiving streams: Kittanning Run and Glenwhite Run to Burgoon Run to Beaverdam classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is located approximately 2 miles downstream from the site where Glenwhite Run flows into the Altoona City Authority's Kittanning Reservoir. Application received: September 24, 2015. Permit issued: August 12, 2016.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17050109 and NPDES PA0256293. Forcey Coal, Inc. (475 Banion Road, Madera, PA 16661). Permit renewal for long term mine drainage treatment of a bituminous surface mine located in Bloom Township, **Clearfield County** affecting 119.9 acres. Receiving streams: Unnamed Tributary to Little Anderson Creek and Unnamed Tributary to Bell Run, classified for CWF. There are no potable water supply intakes within 10 miles downstream. Application received: April 7, 2016. Permit issued: August 4, 2016.

17070106 and NPDES PA0256528. Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA 16866). Permit renewal for continued operation and restoration of a bituminous surface and auger mine located in Decatur Township, **Clearfield County** affecting 245.6 acres. Receiving stream(s): Unnamed Tributary to Big Run and Big Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: November 30, 2015. Permit issued: August 4, 2016.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

65100101 and NPDES Permit No. PA0251887. Britt Energies, Inc. (P.O. Box 515, Indiana, PA 15701). Permit revision for land use change from forestland to pastureland/land occasionally cut for hay to an existing bituminous surface mine, located in Derry Township, **Westmoreland County**, affecting 69.6 acres. Receiving streams: unnamed tributary to McGee Run and Conemaugh River. Application received June 27, 2012. Revision permit issued: August 9, 2016.

03060103 and NPDES Permit No. PA0250911. Bedrock Mines LP (111 Freeport Road, Pittsburgh, PA 15215). Permit revision for land use change to correct the

unmanaged natural habitat in trees to unmanaged natural habitat for an existing bituminous surface mine, located in Burrell Township, **Armstrong County**, affecting 75.3 acres. Receiving streams: unnamed tributaries to Crooked Creek. Application received: May 19, 2016. Revision permit issued: August 12, 2016.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 49860102R5. Farragut Anthracite Company, (122 Wilburton Road, Mt. Carmel, PA 17815), renewal of an existing anthracite surface mine, coal refuse reprocessing, refuse disposal and preparation plant operation in Coal and Zerbe Townships, **Northumberland County** affecting 814.6 acres, receiving stream: Shamokin Creek. Application received: March 8, 2016. Renewal issued: August 15, 2016.

Permit No. PAM113045R. Farragut Anthracite Company, (122 Wilburton Road, Mt. Carmel, PA 17815), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 49860102 in Coal & Zerbe Townships, **Northumberland County**, receiving stream: Shamokin Creek. Application received: March 8, 2016. Renewal issued: August 15, 2016.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. PAM116031. New Hope Crushed Stone & Lime Co., (PO Box 248, New Hope, PA 18938), General NPDES Stormwater Permit for stormwater discharges associated with and to authorize the repair, reconstruction and restoration of Primrose Creek immediately upstream of the associated mining activities on Surface Mining Permit No. 7974SM3 in Solebury Township, **Bucks County**, receiving stream: Primrose Creek. Application received: April 20, 2016. Permit issued: August 10, 2016.

Permit No. 58160805 & NPDES Permit No. PA0225631. Jason A. McCarey (UPS Store—BMP 161, 1143 Northern Blvd., Clarks Summit, PA 18411), Commencement, operation and restoration of a quarry operation and NPDES permit for discharge of treated mine drainage in Franklin Township, **Susquehanna County** affecting 5.0 acres, receiving stream: unnamed tributary to Beaver Creek to Salt Lick Creek Watershed. Application received: March 31, 2016. Permit issued: August 11, 2016.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 36164151. Newville Construction Services, Inc., (408 Mohawk Road, Newville, PA 17241), construction blasting for commercial development at 160 Hershey Road in Mt. Joy Township, **Lancaster County** with an expiration date of August 3, 2017. Permit issued: August 11, 2016.

Permit No. 36164152. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Dan Burkholder Chicken House in Ephrata Township, **Lancaster County** with an expiration date of December 30, 2016. Permit issued: August 11, 2016.

Permit No. 36164153. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Aaron Beiler dwelling in Earl Township, **Lancaster County** with an expiration date of December 30, 2016. Permit issued: August 11, 2016.

Permit No. 36164154. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Ben King Dwelling in Manheim Township, **Lancaster County** with an expiration date of December 30, 2016. Permit issued: August 11, 2016.

Permit No. 36164155. Maine Drilling & Blasting, Inc., (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Traditions of America Lititz in Warwick Township, **Lancaster County** with an expiration date of August 4, 2017. Permit issued: August 11, 2016.

Permit No. 46164109. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Fortuna Station in Hatfield Township, **Montgomery County** with an expiration date of December 31, 2016. Permit issued: August 11, 2016.

Permit No. 46164110. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Berkley Court in Souderton Borough, **Montgomery County** with an expiration date of August 9, 2017. Permit issued: August 11, 2016.

Permit No. 58164108. Meshoppen Blasting, Inc., (P.O. Box 127, Meshoppen, PA 18630), construction blasting for Williams Potter Compressor Station & Access Road in Brooklyn Township, **Susquehanna County** with an expiration date of August 1, 2017. Permit issued: August 11, 2016.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure

may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E23-529. Chester Township, 1150 Engle Street, Chester, PA 19013, Township of Chester, **Delaware County,** ACOE Philadelphia District.

To demolish 6 row homes, remove the debris and to restore the disturbed area along the floodplain of the Chester Creek (TSF) associated with the floodplain site restoration.

The site is located near the crossing of Powel Road and Gideon Road (Marcus Hook, PA USGS Quadrangle, Latitude: 39.8534; Longitude: -75.3966).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E09-993. Land Group Reality LLC, 347 New Street, Quakertown, PA 18851, Sellersville Borough, **Bucks County,** ACOE Philadelphia District.

To rehabilitate and maintain the existing remnant of an old mill race and the paved parking area associated with an old building of historic nature within the 100-year floodway of East Branch Perkiomen Creek (TSF, MF). The project will not impact the 100 year floodway elevation.

The site is located at about 100 feet northwest of Route 152 and West Park Ave. (Telford, PA USGS Quadrangle, Latitude 40.3562; Longitude -75.3063).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E15-824. Pennsylvania Turnpike Commission, Tredyffrin Township, Chester County; Upper Marion Township, **Montgomery County,** ACOE Philadelphia District.

To perform the following Water Obstruction and Encroachment activities associated with the reconstruction and widening of the Pennsylvania Turnpike (I-76) from Milepost 319.4, west of Howells Road Bridge in Tredyffrin Township, Chester County to Milepost 326.7, west of the Valley Forge Interchange in Upper Merion Township, Montgomery County. Upon completion of this project, the existing 4-lane facility with a 10-foot median and 12-foot shoulders will be converted into a 6-lane facility with three 12-foot travel lanes east and westbound, a 26-foot median, and 12-foot shoulders:

Wetland Impacts

1. To permanently impact approximately 0.001 acre (30 SF) and to temporarily impact approximately 0.033 acre (1,466 SF) of wetland (PEM) to accommodate the construction of a stormwater pipe from station 1104 + 00 to 1106 + 00 (Wetland F).

2. To permanently impact approximately 0.002 acre (95 SF) of wetland (PFO) to accommodate the placement of rip-rap at opening of culvert from station 1123 + 90 to 1124 + 10 (Wetland H).

Stream Impacts

3. To permanently impact approximately 27 LF and 0.009 acre (396 SF) in order to construct and maintain an outfall structure discharging into an unnamed tributary (UNT) to Valley Creek (EV) from station 1072 + 45 to 1072 + 65 to accommodate stormwater discharge from Vault 1A-2 (S-50).

4. To permanently impact approximately 10 LF and 0.001 acre (30 SF) and to temporarily impact approximately 65 LF and 0.011 acre (498 SF) of a UNT to Valley Creek (EV) in order to construct and maintain a new headwall from station 1146 + 64 to 1147 + 21 to avoid further permanent impact to the stream (S-48).

5. To permanently impact approximately 63 LF and 0.008 acre (360 SF) and to temporarily impact approximately 13 LF and 0.001 acre (40 SF) of a UNT to Valley Creek (EV) in order to construct and maintain retaining wall from station 1146 + 65 to 1147 + 50 to accommodate road widening (S-7).

6. To permanently impact approximately 157 LF and 0.041 acre (1,774 SF) of a UNT to Valley Creek (EV) in order to extend and maintain a 72-inch RCP culvert from station 1183 + 50 to 1184 + 25 (S-13).

7. To permanently impact approximately 101 LF and 0.017 acre (743 SF) and to temporarily impact approximately 11 LF and 0.004 acre (194 SF) of a UNT to Valley Creek (EV) in order to construct and maintain a sandbag cofferdam and new headwall construction with pipe replacement from station 1182 + 00 to 1183 + 00 to accommodate road widening (S-42).

8. To permanently impact approximately 89 LF and 0.023 acre (994 SF) and to temporarily impact approximately 29 LF and 0.003 acre (139 SF) of a UNT to Valley Creek (EV) in order to construct and maintain retaining headwall from station 1162 + 50 to 1162 + 75 to accommodate road widening (S-12).

9. To permanently impact approximately 40 LF and 0.017 acre (732 SF) of a UNT to Valley Creek (EV) in order to provide for placement of fill from station 1196 + 00 to 1198 + 00 south of Basin 6B (S-15).

10. To permanently impact approximately 27 LF and 0.016 acre (717 SF) and to temporarily impact approximately 9 LF and 0.007 acre (299 SF) of a UNT to Valley Creek (EV) in order to construct and maintain a sandbag

cofferdam and place rip-rap protection from station 1198 + 75 to 1199 + 00 to accommodate road widening (S-41).

11. To permanently impact approximately 57 LF and 0.020 acre (857 SF) and to temporarily impact approximately 73 LF and 0.027 acre (1,192 SF) of a UNT to Valley Creek (EV) in order to construct and maintain a sandbag cofferdam and new headwall construction with pipe replacement from station 1224 + 00 to 1224 + 50 to accommodate road widening (S-36).

12. To permanently impact approximately 11 LF and 0.004 acre (163 SF) and to temporarily impact approximately 218 LF and 0.061 acre (2,640 SF) of Valley Creek (EV) in order to rip-rap outlet protection at Basin 8 from station 1224 + 55 to 1224 + 80 (S-19).

13. To permanently impact approximately 9 LF and 0.002 acre (85 SF) of a UNT to Valley Creek (EV) in order to construct and maintain a sandbag cofferdam and new headwall construction with pipe replacement at station 1251 + 00 to accommodate road widening (S-22).

14. To permanently impact approximately 22 LF and 0.017 acre (734 SF) and to temporarily impact approximately 6 LF and 0.004 acre (190 SF) in the West Branch Trout Creek (WWF) in order to extend and maintain a 24-foot by 10-foot open bottom arch culvert at station 1355 + 85 (S-27).

15. To permanently impact approximately 16 LF and 0.010 acre (431 SF) and to temporarily impact approximately 14 LF and 0.007 acre (308 SF) in the West Branch Trout Creek (WWF) in order to extend and maintain a 24-foot by 10-foot open bottom arch culvert at station 1355 + 85 (S-30).

16. To permanently impact approximately 17 LF and 0.010 acre (452 SF) and to temporarily impact approximately 5 LF and 0.004 acre (170 SF) in the West Branch Trout Creek (WWF) in order to extend and maintain a 24-foot by 10-foot open bottom arch culvert at station 1366 + 01 (S-28).

17. To permanently impact approximately 20 LF and 0.015 acre (650 SF) and to temporarily impact approximately 16 LF and 0.012 acre (526 SF) in the West Branch Trout Creek (WWF) in order to extend and maintain a 24-foot by 10-foot open bottom arch culvert at station 1366 + 01 (S-29).

Stormwater Channel Impacts

18. To permanently impact approximately 47 LF and 0.035 acre (1,511 SF) in order to construct and maintain a stormwater management pipe and replace the existing stormwater drainage ditch with the new pipe from station 1139 + 91 to 1141 + 54 (S-5).

19. To permanently impact approximately 35 LF and 0.003 acre (134 SF) and to temporarily impact approximately 21 LF and 0.002 acre (81 SF) in order to extend and maintain a 36-inch RCP culvert at station 1146 + 65 to accommodate an existing stormwater discharge due to road expansion (S-49).

20. To permanently impact approximately 23 LF and 0.008 acre (370 SF) and to temporarily impact approximately 5 LF and 0.004 acre (168 SF) in order to extend and maintain a 54-inch RCP culvert from station 1151 + 29 to 1152 + 29 to accommodate an existing stormwater discharge due to road expansion (S-46).

21. To permanently impact approximately 14 LF and 0.010 acre (452 SF) and to temporarily impact approximately 9 LF and 0.001 acre (50 SF) in order to extend and maintain a 54-inch RCP Culvert from station 1151 +

89 to 1152 + 59 to accommodate an existing intermittent Natural Drainage Swale (UNT to Valley Creek) (S-47).

22. To permanently impact approximately 13 LF and 0.002 acre (101 SF) and to temporarily impact approximately 25 LF and 0.007 acre (295 SF) in order to extend and maintain a 54-inch RCP Culvert from station 1152 + 59 to 1153 + 24 to accommodate an existing intermittent Natural Drainage Swale (UNT to Valley Creek) (S-45).

23. To permanently impact approximately 48 LF and 0.017 acre (728 SF) in order to regrade the stormwater swale from station 1153 + 10 to 1157 + 00 to accommodate the RCP 24-inch culvert extension and mid slope retaining wall (S-10).

24. To permanently impact approximately 15 LF and 0.011 acre (480 SF) in order to extend and maintain a 24-inch RCP culvert at station 1153 + 34 to accommodate an existing stormwater discharge due to road expansion (S-9).

25. To permanently impact approximately 310 LF and 0.084 acre (3,669 SF) of stormwater drainage swale (3,669 SF) to facilitate the road widening process from station 1159 + 00 to 1162 + 10 (S-44).

26. To permanently impact approximately 6 LF and 0.002 acre (100 SF) of stormwater drainage swale to facilitate the expansion of 54-inch RCP Culvert from station 1199 + 00 to 1201 + 00 (S-40).

27. To fill in approximately 200 LF of existing stormwater conveyance channel to accommodate Bio-Retention Basin 3 construction from station 1145 + 00 to 1146 + 80 (S-6).

28. To fill in approximately 225 LF of existing stormwater conveyance channel to accommodate Bio-Retention Basin 3A construction from station 1148 + 40 to 1149 + 20 (S-8).

29. To eliminate approximately 254 feet of stormwater drainage swale to accommodate the construction of a noise wall from 1159 + 50 to 1161 + 96 (S-11).

30. To fill in approximately 200 LF of existing stormwater conveyance channel to accommodate Bio-Retention Basin 6B construction from station 1194 + 50 to 1196 + 00 (S-14).

31. To fill in approximately 1,200 LF of existing stormwater conveyance channel to accommodate earth berm construction from station 1202 + 00 to 1216 + 00 (S-39).

32. To fill in approximately 200 LF of existing stormwater conveyance channel to accommodate earth berm construction at station 1217 + 00 (S-38).

33. To fill in approximately 375 LF of existing stormwater conveyance channel to accommodate Infiltration Basin 7 construction from station 1221 + 10 to 1224 + 70 (S-18).

34. To eliminate approximately 265 feet of stormwater drainage swale to accommodate the construction of the underground stormwater vault from station 1236 + 40 to 1239 + 10 (S-20).

35. To fill in approximately 100 LF of existing stormwater conveyance channel to accommodate Infiltration Basin 8 construction from station 1239 + 00 to 1242 + 65 (S-21).

36. To fill in approximately 530 LF of existing stormwater conveyance channel to accommodate Underground Vault 10C construction from station 1264 + 60 to 1269 + 65 (S-34).

37. To temporarily impact approximately 81 LF of existing stormwater gully to accommodate the temporary sediment trap from station 1287 + 00 to 1287 + 50 (S-25).

Floodplain Impacts

38. To permanently impact approximately 0.5 acre (21,760 SF) and temporarily impact 0.175 acre (7,605 SF) within the floodplain of Valley Creek (EV) in order to construct and maintain a stormwater basin at station 1251 + 00 (S-22).

39. To temporarily impact approximately 4.68 acres (203,800 SF) within the floodplain of a UNT to Valley Creek (EV) in order to construct and maintain a stormwater basin and stream mitigation from station 1224 + 55 to 1224 + 80 (S-19).

40. To permanently impact approximately 2.97 acres (129,500 SF) within the floodplain of a UNT to Valley Creek (EV) in order to extend a 12 foot by 7 foot arch culvert and place additional fill from station 1244 + 00 to 1224 + 50 (S-36)

41. To permanently impact approximately 0.084 acre (3,655 SF) within the floodplain of Valley Creek (EV) in order to enable fill for the roadway approaches for the bridge and construction of a stormwater basin construction at station 1251 + 00 (S-33).

42. To permanently impact approximately 0.283 acre (12,335 SF) within the floodplain of a UNT to Valley Creek (EV) in order to extend a 24-foot by 10-foot arch culvert and place additional fill at station 1355 + 85 (S-27).

43. To permanently impact approximately 0.387 acre (16,600 SF) within the floodplain of a UNT to Valley Creek (EV) in order to extend a 24-foot by 10-foot arch culvert and place additional fill at station 1355 + 85 (S-30).

44. To permanently impact approximately 1.15 acre (49,860 SF) within the floodplain of a UNT to Valley Creek (EV) in order to extend a 24-foot by 10-foot arch culvert and place additional fill at station 1366 + 01 (S-29).

Floodway Impacts

45. To permanently impact approximately 15 LF and 0.002 acre (98 SF) in order to construct and maintain an outfall structure discharging into the floodway of a UNT to Valley Creek (EV) from station 1113 + 65 to 1113 + 90 to accommodate stormwater discharge from Basin 2A (S-52).

46. To permanently impact approximately 20 LF and 0.012 acre (503 SF) in order to construct and maintain an outfall structure discharging into the floodway of a UNT to Valley Creek (EV) from station 1072 + 45 to 1072 + 65 (S-50).

47. To permanently impact approximately 48 LF and 0.040 acre (1,760 SF) in order to regrade areas around the stream (UNT to Valley Creek) to accommodate the 36-inch RCP culvert extension and the retaining walls proposed at the shoulder from station 1146 + 64 to 1147 + 21 (S-48).

48. To permanently impact approximately 155 LF and 0.421 acre (18,351 SF) of floodway in order to reroute a part of a UNT to Valley Creek (EV) to enable the construction of Stormwater Basin No. 3 from station 1146 + 65 to 1147 + 50 (S-7).

49. To permanently impact approximately 72 LF and 0.119 acre (5,164 SF) and temporarily impact 15 LF and

0.015 acre (673 SF) of the floodway of a UNT to Valley Creek (EV) in order to accommodate Stormwater Basin No. 4, an 18-inch pipe discharge, and the 60-inch RCP culvert extension from station 1162 + 50 to 1162 + 75 (S-12).

50. To permanently impact approximately 19 LF and 0.028 acre (1,234 SF) and temporarily impact 20 LF and 0.010 acre (441 SF) of the floodway of a UNT to Valley Creek (EV) in order to install sand bag cofferdam to accommodate proposed retaining wall construction and 72-inch RCP culvert extension from station 1182 + 00 to 1183 + 00 (S-42).

51. To permanently impact approximately 96 LF and 0.294 acre (12,815 SF) of the floodway of a UNT to Valley Creek (EV) in order to install and maintain a 72-inch RCP culvert extension from station 1183 + 50 to 1184 + 25 (S-13).

52. To permanently impact approximately 14 LF and 0.029 acre (1,246 SF) and temporarily impact 25 LF and 0.084 acre (3,674 SF) of the floodway of a UNT to Valley Creek (EV) in order to install sand bag cofferdam to accommodate proposed retaining wall construction and 54-inch RCP culvert extension from station 1198 + 75 to 1199 + 00 (S-41).

53. To permanently impact approximately 73 LF and 0.171 acre (7,446 SF) and temporarily impact 22 LF and 0.035 acre (1,543 SF) of the floodway of a UNT to Valley Creek (EV) in order to extend and maintain a 12-foot by 7-foot open bottom arch culvert from station 1224 + 00 to 1224 + 50 (S-36).

54. To permanently impact approximately 579 LF and 0.202 acre (8,779 SF) and temporarily impact 11 LF and 0.034 acre (1,468 SF) of the floodway of a UNT to Valley Creek (EV) in order to extend and maintain a 12-foot by 7-foot open bottom arch culvert from station 1224 + 55 to 1224 + 80 (S-19).

55. To permanently impact approximately 232 LF and 0.260 acre (11,308 SF) of the floodway of Valley Creek (EV) in order to replace bridge at station 1251 + 00 (S-22).

56. To permanently impact approximately 138 LF and 0.176 acre (7,688 SF) and temporarily impact 92 LF and 0.010 acre (426 SF) of the floodway of a UNT to Valley Creek (EV) in order to place sandbag cofferdam and to regrade around retaining wall from station 1260 + 00 to 1268 + 00 (S-24).

57. To permanently impact approximately 129 LF and 0.082 acre (3,577 SF) and temporarily impact 12 LF and 0.005 acre (216 SF) of the floodway of East Branch Trout Creek (WWF) in order to place sandbag cofferdam and to regrade around retaining wall at station 1355 + 85 (S-30).

58. To permanently impact approximately 24 LF and 0.198 acre (8,643 SF) and temporarily impact 20 LF and 0.015 acre (658 SF) of the floodway of East Branch Trout Creek (WWF) in order to place sandbag cofferdam and to regrade outside retaining wall RW-25 limits for the 24-foot by 10-foot arch culvert extension at station 1355 + 85 (S-27).

59. To permanently impact approximately 40 LF and 0.258 acre (11,223 SF) and temporarily impact 20 LF and 0.030 acre (1,315 SF) of the floodway of East Branch Trout Creek (WWF) in order to place sand bag cofferdam and regrading for the retaining walls for the 24-foot by 10-foot arch culvert extension at station 1366 + 01 (S-28).

60. To permanently impact approximately 45 LF and 0.119 acre (5,170 SF) and temporarily impact 50 LF and

0.178 acre (7,759 SF) of the floodway of East Branch Trout Creek (WWF) in order to install sand bag cofferdam to accommodate proposed retaining wall construction and 54-inch RCP culvert extension at station 1366 + 01 (S-29).

61. To permanently impact approximately 101 LF and 0.088 acre (3,840 SF) of the floodway of East Branch Trout Creek (WWF) in order to perform grading for Infiltration Basin 15-3 from station 1384 + 20 to 1384 + 65 (S-51).

The project will permanently impact approximately 0.003 acre of wetland, approximately 666 linear feet of stream, 4,060 linear feet of stormwater channels, 5.4 acres of floodplain and 2.5 acres of floodway. The project will temporarily impact approximately 0.033 acre of wetlands, approximately 459 linear feet of stream, 141 linear feet of stormwater channels, 4.9 acres of floodplain and 0.42 acre of floodway. The project widening commences west of Howells Road over the Turnpike in Tredyffrin Township, Chester County (Malvern, PA, USGS Quadrangle Latitude: 40°4'36", Longitude: 75°-31'0") and runs east approximately six miles and ends at the Valley Forge Interchange in Upper Merion Township, Montgomery County (Valley Forge, PA, USGS Quadrangle Latitude: 40°5'24.6" N, Longitude: 75°24'5.2").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-773. Pennsylvania Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512. Jackson Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To maintain the existing structure over East Fork Harveys Creek (HQ-CWF, MF) by replacing the superstructure resulting in an underclearance of 8.3'. To construct and maintain a stormwater outfall in the floodway of Harveys Creek (HQ-CWF, MF) consisting of a 18" reinforced concrete pipe, concrete flared end section and a riprap apron. Also to construct and maintain an 88-foot long, various height concrete floodwall in the floodway of East Fork Harveys Creek (HQ-CWF, MF). The project is located at the intersection of SR 0029 and SR 1012 (Harveys Lake, PA Quadrangle Latitude: 41°15'10"; Longitude: 75°59'56.4").

E45-595 REOPEN. Pennsylvania Department of Transportation, Engineering District 5-0, 1002 Hamilton Boulevard, Allentown, PA 18101. Pocono Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To authorize the following water obstruction and encroachments associated with the Pennsylvania Department of Transportation SR 611, Section 04S reconstruction project:

1. To construct and maintain a channel change along 33 feet of a UNT to Scotrun (DC-16), (HW-CWF, MF), at STA 500 + 00 right, with work consisting of widening, re-grading and reshaping the channel and floodway. The stream channel will be vegetated with a bottom width of 4 feet, and side slopes of 2:1.

2. To construct and maintain a stormwater outfall structure, at STA 499 + 50 left, within the floodway of Scotrun (HW-CWF, MF), consisting of an 18-inch and 24-inch reinforced concrete pipe, with an endwall and riprap apron.

3. To maintain an 8-foot by 5-foot box culvert at Sta. 508 + 35.47 with work consisting of concrete repairs and scour protection in a tributary to Scott Run (HQ-CWF, MF).

4. To maintain an 18-foot by 8-foot box culvert at Sta. 515 + 15.82 with work consisting of concrete repairs and scour protection in Scott Run (HQ-CWF, MF).

5. To construct and maintain a stormwater outfall structure, at STA 515 + 00 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of a 24-inch reinforced concrete pipe, endwall and riprap apron.

6. To remove the existing structure and to construct and maintain a 107-foot long stream enclosure of a UNT to Scotrun (HQ-CWF, MF), consisting of a 19-inch by 30-inch reinforced concrete culvert and a 24-inch reinforced concrete culvert, endwall and riprap apron.

7. To construct and maintain a channel change along 133 feet of a UNT to Scotrun (DC-1) (HQ-CWF, MF), at STA521 + 50 right, with work consisting of widening, re-grading and reshaping the channel and floodway. The stream channel will be vegetated with a bottom width of 4 feet and side slopes of 2:1.

8. To maintain a bridge structure, at STA 530 + 50, that includes the replacement of the bridge superstructure over Scotrun (HQ-CWF, MF) and temporarily impacting less than 0.01 acre of PEM wetlands. The bridge superstructure replacement will increase the underclearance to 8.05-foot, a span of 14.1-feet and a length of 95.7-feet.

9. To construct and maintain a stormwater outfall structure, at STA 533 + 50 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of a 14-inch by 23-inch reinforced concrete culvert, endwall and riprap apron.

10. To construct and maintain a stormwater outfall structure, at 535 + 25 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of an 18-inch reinforced concrete culvert, endwall and riprap apron.

11. To construct and maintain a stormwater outfall structure, at 535 + 25 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of a 24-inch reinforced concrete culvert, endwall and riprap apron.

12. To construct and maintain a stream relocation along 333 feet of a UNT to Scotrun (DC-10) (HQ-CWF, MF), at 576 + 50 right, with work consisting of widening, re-grading and reshaping the channel and floodway. The stream channel will be vegetated with a bottom width of 4 feet and side slopes of 2:1.

13. To construct and maintain a stormwater outfall structure, at STA 537 + 00 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of a 24-inch reinforced concrete culvert, endwall and riprap apron.

14. To construct and maintain a stormwater outfall structure, at STA 539 + 00 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of a 24-inch reinforced concrete culvert, endwall and riprap apron.

15. To construct and maintain a stormwater outfall structure, at STA 582 + 50 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of a 14-inch by 23-inch reinforced concrete culvert, endwall and riprap apron.

16. To construct and maintain a stream relocation along 860 feet of a UNT to Scotrun (HQ-CWF, MF), from STA 596 + 50 right to STA 588 + 50 right, with work

consisting of widening, re-grading and reshaping the channel and floodway. The stream channel will be vegetated with a bottom width of 4 feet and side slopes 2:1. The stream relocation will result in a secondary impact of the UNT to Scotrun (DC-13) having a loss of 420 feet of stream channel. There will be a resulting GAIN of 440 feet of stream channel due to this stream relocation.

17. To construct and maintain a 205-foot long stream enclosure of a UNT to Scotrun (DC-13) (HQ-CWF, MF), from STA 596 + 50 right to STA 598 + 55 right, consisting of a 205 foot long reinforced concrete culverts. The stream enclosure will consist of 3 separate culverts, a 53-foot long, 24-inch by 38-inch culvert, a 85-foot long, a 24-inch diameter culvert, and a 67-foot long, 19-inch by 30-inch culvert.

18. To construct and maintain a stormwater outfall structure, at approximate STA 582 + 50 left, within the floodway of Scotrun (HQ-CWF, MF), consisting of a 19-inch by 30-inch reinforced concrete culvert, endwall and riprap apron.

The project begins at the intersection of SR 611 and Shine Hill Road and ends near the intersection of SR 611 and the Sanofi Pasture entrance (Mount Pocono, PA Quadrangle Latitude: 41°4'37"; Longitude: -75°19'31.7") in Pocono Township, Monroe County.

Southwest Region: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-465, Cowanshannock Township, 4033 Second Street, P.O. Box 137, NuMine, PA 16244, Cowanshannock Township, **Armstrong County**, Pittsburgh ACOE District.

Has been given consent to:

Remove the existing 21' long, 20' wide, 5.75' underclearance, single span, TR 720, Hoosicks single span bridge; construct and maintain a new 26.5' long, 22' wide, 6.5' underclearance, 1' depressed box culvert on the South Branch Cowanshannock Creek (WWF) with a drainage area of 3.2 square miles; fill and maintain 96 ft and 190 ft of two unnamed tributaries to South Branch Cowanshannock Creek (WWF) with drainage areas less than 100 acres and construct and maintain 99 ft and 190 ft long replacement channels; and temporarily impact 359 ft of stream for construction. The project is located south of the SR 85 and TR 720 intersection (Plumville, PA Quadrangle; N: 7.75 inches; W: 4.5 inches; Latitude: 40° 48' 0"; Longitude: -79° 13' 56") in Cowanshannock Township, Armstrong County.

E32-513, PennDOT District 10-0, 2550 Oakland Avenue, Indiana, PA 15701, Pine Township, **Indiana County**, Pittsburgh ACOE District.

Has been given consent to:

Remove the existing 40' 8" wide concrete slab bridge having a minimum underclearance of 4' carrying SR 422 over Carney Run (CWF) with a drainage area of 0.94 square mile; construct and maintain a replacement 44' 6" long, 14' wide reinforced concrete box culvert with a minimum underclearance of 6' in the same location. In addition, place and maintain fill in a de minimis 0.014 acre of EV PEM/PSS wetland, construct and maintain associated stormwater outfalls, and temporarily impact 0.12 acre of EV PEM wetland, 0.21 acre of EV-PSS and 0.04 acre of EV-PFO wetlands, and 120' of stream for the construction of temporary encroachments. EV-PSS and EV-PFO wetlands will be mitigated for on-site by restor-

ing and replanting impacted acreage (0.21 acre and 0.04 acre respectively) as a result of the temporary encroachments. This project is located approximately one mile east of the intersection of SR 422 and SR 403 in Pine Township, Indiana County (Strongstown, PA quadrangle; North 7.75 inches, West 5 inches; Latitude 40° 32' 34.98", Longitude -78° 54' 37.29").

District Oil and Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA.

E5929-052: HEP Tioga Gathering, LLC; 512 Towne Plaza, Suite 120 Route 6, Tunkhannock, PA 18657, Morris Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using timber mats impacting 98 linear feet of an unnamed tributary to Dixie Run (EV) (Morris, PA Quadrangle 41°33'39"N, 77°18'57"W);

2) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using timber mats impacting 126 linear feet of an unnamed tributary to Dixie Run (EV) (Morris, PA Quadrangle 41°33'51"N, 77°17'42"W);

3) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using timber mats impacting 92 linear feet of an unnamed tributary to Harrison Run (EV) (Morris, PA Quadrangle 41°34'01"N, 77°17'41"W);

4) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using a multi-span bridge impacting 79 linear feet of Harrison Run (EV) (Morris, PA Quadrangle 41°34'01"N, 77°16'52"W);

5) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using a timbermat bridge impacting 90 linear feet of an unnamed tributary to Custard Run (EV) (Morris, PA Quadrangle 41°34'44"N, 77°15'47"W);

6) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using a timbermat bridge impacting 1,731 square feet of an exception value palustrine forested (EV-PFO) wetland (Morris, PA Quadrangle 41°35'12"N, 77°15'14"W);

7) A 20 inch diameter steel gas pipeline and a 16 inch diameter HDPE water pipeline impacting 42 linear feet of an unnamed tributary to Custard Run (EV) (Morris, PA Quadrangle 41°35'14"N, 77°15'12"W);

8) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road

crossing using a multi-span bridge impacting 80 linear feet of Custard Run (EV) (Morris, PA Quadrangle 41°35'14"N, 77°15'12"W);

9) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using a timbermat bridge impacting 1,619 square feet of an exception value palustrine emergent (EV-PFO) wetland (Morris, PA Quadrangle 41°35'20"N, 77°15'17"W);

10) A 20 inch diameter steel gas pipeline, a 16 inch diameter HDPE water pipeline, and a temporary road crossing using a timber mat bridge impacting 51 linear feet of an unnamed tributary to Custard Run (EV) (Morris, PA Quadrangle 41°35'17"N, 77°15'10"W).

The project will result in 658 linear feet of temporary stream impacts, 1,619 square feet (0.04 acre) of temporary wetland impacts, and 1,731 square feet (0.04 acre) of permanent wetland impacts all for the purpose of installing a natural gas gathering line and associated access roads in Morris Township, Tioga County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Waterways & Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>ESCGP-2 No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESG00007160001	ETC Northeast Pipeline, LLC 7000 Stonewood Drive Suite 351 Wexford, PA 15090	Beaver County	Conway Borough and Center Township	Crows Run (WWF) and Ohio River (WWF)

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESX16-019-0014—Kern Well Pad
 Applicant RE Gas Development
 Contact Mr. Michael Endler
 Address 600 Cranberry Woods Drive, Suite 250
 City Cranberry Township State PA Zip Code 16066
 County Butler Township(s) Center
 Receiving Stream(s) and Classification(s) Tributary 35010 to Little Connoquenessing Creek

ESCGP-2 # ESX16-019-0006—Breakneck Creek Heater Station
 Applicant ETC Northeast Pipeline, LLC
 Contact Mr. Kevin Roberts
 Address 7000 Stonewood Drive, Suite 351
 City Wexford State PA Zip Code 15090
 County Butler Township(s) Jackson
 Receiving Stream(s) and Classification(s) Breakneck Creek: WWF; Unnamed Tributary to Breakneck Creek: WWF

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX10-113-0001(01)
 Applicant Name Chesapeake Appalachia LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 County Sullivan
 Township(s) Cherry
 Receiving Stream(s) and Classification(s) UNT to Little Loyalsock Ck (EV)

ESCGP-2 # ESX29-015-16-0018
 Applicant Name EOG Resources Inc
 Contact Person Greg Shaffer
 Address 2039 S Sixth St
 City, State, Zip Indiana, PA 15701
 County Bradford
 Township(s) Springfield
 Receiving Stream(s) and Classification(s) UNT to Mill Ck (TSF, MF); Mill Ck (TSF, MF); UNT to Miller Run (TSF); UNT to Buck Ck (TSF)
 Seconfary—Sugar Creek

**STORAGE TANKS
 SITE-SPECIFIC INSTALLATION PERMITS**

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, PO Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
16-25-006	Alpont, LLC 2797 Freedland Road Hermitage, PA 16148 Attn: Lou Razzano	Erie	City of Erie	13 ASTs storing hazardous substances	3,951,000 gallons total

[Pa.B. Doc. No. 16-1490. Filed for public inspection August 26, 2016, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection’s (Department) web site at <http://www.elibrary.dep.state.pa.us/dsweb/HomePage>. The “Technical Guidance Final Documents” heading is the link to a menu of the various Department bureaus where each bureau’s final technical guidance documents are posted. The “Technical Guidance Draft Documents” heading is the link to the Department’s draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department’s draft or final technical guidance documents by contacting the Department at (717) 787-8727.

In addition, bound copies of some of the Department’s documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name, phone number and e-mail address is listed with each document.

Final Technical Guidance Document: Minor Revision

DEP ID: 263-4500-601. Title: Closure Requirements for Underground Storage Tank Systems. Description: The purpose of this guidance is to establish minimum standards that must be met to comply with the closure requirements for regulated underground storage tanks. These procedures include closure notification, tank handling, waste management and disposal, site assessment, sampling requirements, analytical requirements, release reporting and recordkeeping.

This technical document is being revised to update Appendix E, Standards/Action Levels for Confirmatory Samples Collected at Closure Site Assessments, found on pages 54 and 55. The numeric standards contained in the tables reflect current standards that were updated and published at 46 Pa.B. 5655 (August 27, 2016) as amendments to 25 Pa. Code Chapter 250 (relating to Land Recycling Program).

Contact: Questions regarding this technical guidance document should be directed to Randy Martin at (717) 772-5828 or ramartin@pa.gov.

Effective Date: August 27, 2016.

Final Technical Guidance Document: Minor Revision

DEP ID: 263-4200-001. *Title:* Closure Requirements for Aboveground Storage Tank Systems. *Description:* The purpose of this guidance is to establish minimum standards that must be met to comply with the closure requirements for regulated large aboveground storage tanks. These procedures include closure notification, tank handling, waste management and disposal, site assessment, sampling requirements, analytical requirements, release reporting and recordkeeping.

This technical document is being revised to update Appendix E, Standards/Action Levels for Confirmatory Samples Collected at Closure Site Assessments, found on pages 47 and 48. The numeric standards contained in the tables reflect current standards that were updated and published at 46 Pa.B. 5655 (August 27, 2016) as amendments to 25 Pa. Code Chapter 250.

Contact: Questions regarding this technical guidance document should be directed to Chad Clancy at (717) 772-5830 or cclancy@pa.gov.

Effective Date: August 27, 2016.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1491. Filed for public inspection August 26, 2016, 9:00 a.m.]

Bid Opportunity

OSM 11(4092)101.1, Abandoned Mine Reclamation Project, Blue Goose South, Barr Township, Cambria County. The principal items of work and approximate quantities include backfilling mine shaft 4,780 tons.

This bid issues on September 16, 2016, and bids will be opened on October 20, 2016, at 2 p.m. Bid documents, including drawings in PDF format and Auto-Cad Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection's web site at www.dep.pa.gov/ConstructionContracts. Bid documents and drawings can also be obtained upon payment of \$22, plus \$13 for postage, which includes sales tax, by calling (717) 787-7820. Auto-Cad Map 3D format drawings can also be purchased on a compact disc (CD) for an additional \$5 per CD. Money will not be refunded. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1492. Filed for public inspection August 26, 2016, 9:00 a.m.]

Extension of NPDES General Permit for Point Source Discharges to Waters of the Commonwealth of Pennsylvania from the Application of Pesticides (PAG-15)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code §§ 92a.7(b) and (c) and 92a.54(b) (relating to duration of permits and continuation of expiring permits; and general permits) and section 1905-A of The Administrative Code of 1929 (71 P.S. § 510-5), the Department of Environmental Protection (Department) is, by this notice, extending for 12 months, the availability of the current General Permit for Point Source Discharges to Waters of the Commonwealth of Pennsylvania from the Application of Pesticides (PAG-15).

The existing PAG-15 in effect at this time will expire on October 28, 2016. By this notice, the Department is administratively extending the PAG-15 General Permit to October 28, 2017. Persons that are operating under the PAG-15 General Permit may continue to operate until October 28, 2017, or the expiration date of coverage identified on the permit coverage approval page, whichever is later. The Department is extending the availability of this permit to adequately complete preparation for the reissuance of the PAG-15 General Permit, and it is anticipated that the final PAG-15 General Permit update may be published prior to October 28, 2017. Any draft versions and public comment periods relating to the PAG-15 update will be published in the *Pennsylvania Bulletin* and the Department's web site at www.dep.pa.gov.

To access the current General Permit and related documents visit www.elibrary.dep.state.pa.us (select "Permit and Authorization Packages," then "Point and Non-Point Source Management," then "National Pollutant Discharge Elimination System—NPDES," then "General Permits," then "07 PAG-15—NPDES General Permit for Point Source Discharges to Waters of PA from Application of Pesticides").

Questions regarding PAG-15 General Permit should be directed to Dharmendra Kumar at dkumar@pa.gov or (717) 787-8184.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1493. Filed for public inspection August 26, 2016, 9:00 a.m.]

Nutrient Credit Trading Program Certification Requests

The Department of Environmental Protection (Department) provides notice of the following certification requests that has been submitted under the Nutrient Credit Trading Program (Trading Program). See 25 Pa. Code § 96.8 (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed).

The following requests are being reviewed by the Department:

<i>Applicant</i>	<i>Pollutant Reduction Activity Description</i>
Red Barn Consulting (Chickies Creek Farm) Lancaster County	This certification request is for nutrient reduction credits to be generated from the export of poultry litter out of the Chesapeake Bay Watershed.
Red Barn Consulting (Lime Valley Farms) Lancaster County	This certification request is for nutrient reduction credits to be generated from the export of poultry litter out of the Chesapeake Bay Watershed.
Red Barn Consulting (Five Springs Farm LTD) Lancaster County	This certification request is for nutrient reduction credits to be generated from the export of poultry litter out of the Chesapeake Bay Watershed.

The Department must receive comments on this application for credit certification no later than Thursday, September 15, 2016. Commentators are urged to submit electronic comments using the Department's eComment site at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Red Barn" as the subject line in written communication.

For further information about this certification request or the Nutrient Credit Trading Program contact Jay Braund, Bureau of Point and Non-Point Source Management, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-5636, jbraund@pa.gov or visit the Department's web site at www.dep.pa.gov/Nutrient_Trading.

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1494. Filed for public inspection August 26, 2016, 9:00 a.m.]

Planning Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection (Department) announces the following grants to Luzerne County, Huntingdon County, Centre County and Clearfield County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (act) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by the act for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of the act (53 P.S. §§ 4000.701 and 4000.702), and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, P.O. Box 8472, Harrisburg, PA 17105-8472 at (717) 772-5719 or mvottero@pa.gov.

Act 101, Section 901 Planning Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Northeast	Luzerne	Luzerne County	HHW Education	\$38,680
Southcentral	Huntingdon	Huntingdon County	HHW Education	\$30,506
Northcentral	Centre	Centre County	HHW Education	\$75,000
Northcentral	Clearfield	Clearfield County	HHW Education	\$18,660

PATRICK McDONNELL,
Acting Secretary

[Pa.B. Doc. No. 16-1495. Filed for public inspection August 26, 2016, 9:00 a.m.]

DEPARTMENT OF HEALTH

Advisory Health Board Meeting

The Department of Health (Department) gives notice that the Advisory Health Board will meet on Tuesday, September 6, 2016, from 9 a.m. to 9:45 a.m. in Room 907, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120 to review and approve final amendments to the school immunization regulations.

For additional information contact Erik Huet, Executive Policy Specialist, Office of Policy at (717) 547-3311.

Persons with a disability who wish to obtain a copy of the request or provide comments to the Department, or both, and require an auxiliary aid, service or other accommodation to do so should contact the Division at the address or phone number listed previously or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1496. Filed for public inspection August 26, 2016, 9:00 a.m.]

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facility (ASF) has filed a request for exception under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for exception relates to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Heritage Valley Surgery Center	28 Pa. Code § 555.2 (relating to medical staff membership)

The request previously listed is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1497. Filed for public inspection August 26, 2016, 9:00 a.m.]

Decisions on Requests for Exception to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b) for exceptions to regulations in 28 Pa. Code Part IV, Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from April 1, 2016, through June 30, 2016. Publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816.

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Surgical Institute of Reading	§ 103.3	Governing body bylaws	06/04/2016	not nec.
Surgical Institute of Reading	§ 103.34	Personnel policies and practices	06/04/2016	not nec.
Surgical Institute of Reading	§ 103.41	Principle (fiscal control)	06/04/2016	not nec.
Surgical Institute of Reading	§ 103.42	Rates (fiscal control)	06/04/2016	not nec.

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Surgical Institute of Reading	§ 103.43	Insurance (fiscal control)	06/04/2016	not nec.
Surgical Institute of Reading	§ 103.44	Purchasing and inventory (fiscal control)	06/04/2016	not nec.
Surgical Institute of Reading	§ 103.45	Audit of financial operations (fiscal control)	06/04/2016	not nec.
Surgical Institute of Reading	§ 103.46	Equipment and supplies (fiscal control)	06/04/2016	not nec.
Thomas Jefferson University Hospital	§ 105.1	Principal	04/09/2016	withdrawn
Surgical Institute of Reading	§ 107.11	Medical staff bylaws, rules and regulations (principle)	06/04/2016	not nec.
Surgical Institute of Reading	§ 107.12	Content of bylaws, rules and regulations	06/04/2016	not nec.
Heritage Valley Beaver	§ 107.2	Medical staff membership	06/11/2016	granted
Heritage Valley Sewickley	§ 107.2	Medical staff membership	06/11/2016	granted
UPMC St. Margaret	§ 107.26(b)(2)	Organization of the medical staff (additional committees)	06/11/2016	granted
Chambersburg Hospital	§ 107.61	Written orders (medical staff)	05/21/2016	granted
Conemaugh Memorial Medical Center	§ 107.61	Written orders (medical staff)	04/23/2016	granted
St. Luke's Hospital—Anderson Campus	§ 107.61	Written orders (medical staff)	05/21/2016	granted
St. Luke's Miners Memorial Hospital	§ 107.61	Written orders (medical staff)	05/21/2016	granted
St. Luke's Quakertown Hospital	§ 107.61	Written orders (medical staff)	05/21/2016	granted
UPMC Altoona	§ 107.61	Written orders (medical staff)	05/28/2016	granted
UPMC Mercy	§ 107.61	Written orders (medical staff)	06/11/2016	granted
Waynesboro Hospital	§ 107.61	Written orders (medical staff)	05/21/2016	granted
Highlands Hospital	§ 107.62(a)	Oral orders	04/23/2016	granted
Jameson Memorial Hospital	§ 107.62(a)	Oral orders	04/09/2016	granted
Highlands Hospital	§ 107.62(b)	Medical staff by-laws	04/23/2016	granted
Jameson Memorial Hospital	§ 107.62(b)	Medical staff by-laws	04/09/2016	granted
York Hospital	§ 107.64	Administration of drugs	04/09/2016	granted
Jameson Memorial Hospital	§ 123.25(2)	Control of anesthetic explosion hazards	04/09/2016	granted
St. Luke's Hospital—Anderson Campus	§ 127.32	Written orders (radiology orders)	04/09/2016	not nec.
St. Luke's Miners Memorial Hospital	§ 127.32	Written orders (radiology orders)	04/09/2016	not nec.
St. Luke's Quakertown Hospital	§ 127.32	Written orders (radiology orders)	04/09/2016	not nec.
Indiana Regional Medical Center	§ 138.15	High-risk cardiac catheterizations	06/11/2016	granted
Jameson Memorial Hospital	§ 138.15	High-risk cardiac catheterizations	04/16/2016	granted
Main Line Hospital Bryn Mawr	§ 138.15	High-risk cardiac catheterizations	05/21/2016	withdrawn
Chambersburg Hospital	§ 138.18(b)	EPS studies	03/05/2016	granted
Ohio Valley General Hospital	§ 143.5	Medical supervision of podiatric patients	04/30/2016	granted
Main Line Hospital Lankenau Medical Center	§ 153.1	2.1-2.2.5.1 Hand-washing stations in the patient rooms (location)	05/21/2016	granted
UPMC Presbyterian Shadyside	§ 153.1	2.1-2.4.3.1(2)(a) General (location)	06/11/2016	granted
UPMC Presbyterian Shadyside	§ 153.1	2.1-2.4.3.9(1)(b) Special design elements (architectural details)	06/11/2016	granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Penn Highlands DuBois, 100 Hospital Avenue	§ 153.1	2.1-7.2.2.5(1) Windows in patient rooms	05/21/2016	granted
Children's Hospital of Philadelphia and Children's Seashore House of CHOP	§ 153.1	2.1-8.5.3.2 Size (TDRs)	04/09/2016	not nec.
Geisinger Community Medical Center	§ 153.1	2.2-2.11.9.2(1) Space requirements (area (cesarean delivery rooms))	04/02/2016	granted
UPMC Hamot	§ 153.1	2.2-2.5.2.2(1) Space requirements (area)	05/21/2016	granted
Holy Spirit Hospital	§ 153.1	2.2-2.6.7.1(2) Staff lounge facilities	06/11/2016	granted
Temple University Hospital	§ 153.1	2.2-3.1.3.3(3)(h) Reception and triage areas	05/21/2016	granted
Main Line Hospital Lankenau Medical Center	§ 153.1	2.2-3.1.3.6(10) Treatment rooms or areas (fast track)	04/16/2016	granted
Jameson Memorial Hospital	§ 153.1	2.2-3.1.3.6(5)(a) Treatment rooms for bariatric patients	04/16/2016	granted
UPMC East	§ 153.1	2.2-3.12.2.6 Patient toilet rooms	05/21/2016	granted
UPMC East	§ 153.1	2.2-3.12.6.7 Nourishment area or rooms	05/21/2016	granted
Hanover Hospital	§ 153.1	2.2-3.4.2.1(1)(b) CT scanner rooms	03/12/2016	granted
Saint Vincent Hospital	§ 153.1	2.2-3.4.3.3(3) Radiography (fluoroscopy rooms)	06/18/2016	granted
Heritage Valley Sewickley	§ 153.1	2.2-3.4.5.4 Patient toilet rooms	04/09/2016	granted
Magee-Womens Hospital of UPMC Health System	§ 153.1	2.2-3.4.5.4 Patient toilet rooms	05/21/2016	granted
Jameson Memorial Hospital	§ 153.1	2.2-3.4.5.4(1) Patient toilet room	04/16/2016	granted
Lancaster Regional Medical Center	§ 153.1	2.2-3.5.3.1(2) General (location)	04/23/2016	granted
UPMC Altoona	§ 153.1	2.2-3.5.3.1(2—4) Pre-procedure and recovery patient care areas (general)	03/12/2016	granted
Williamsport Regional Medical Center	§ 153.1	2.2-3.6.3.6(1) Support areas for PET facilities	02/13/2016	granted
Children's Hospital of Philadelphia and Children's Seashore House of CHOP	§ 153.1	2.7-2.2.2.2(2) Space requirements (clearances)	04/09/2016	granted
Children's Hospital of Philadelphia and Children's Seashore House of CHOP	§ 153.1	2.7-2.2.2.6 Patient toilet rooms	04/09/2016	granted
Penn Highlands DuBois, 177 Washington Street, St. Marys	§ 153.1	3.1-3.2.2.2(1) Space requirements (area)	03/12/2016	granted
Thomas Jefferson University Hospital, GI	§ 153.1	3.1-3.2.2.2(1) Space requirements (area)	05/21/2016	granted
Thomas Jefferson University Hospital, Jefferson Endocrinology	§ 153.1	3.1-3.2.2.2(1) Space requirements (area)	05/21/2016	granted
Thomas Jefferson University Hospital, Jefferson Internal Medicine	§ 153.1	3.1-3.2.2.2(1) Space requirements (area)	05/21/2016	granted
Penn Highlands DuBois, 177 Washington Street, St. Marys	§ 153.1	3.1-3.2.2.2(2) Space requirements (clearances)	03/12/2016	granted
Milton S. Hershey Medical Center	§ 153.1	3.1-3.6.5.1 Hand-washing stations (location)	05/21/2016	granted
Thomas Jefferson University Hospital, Jefferson Endocrinology	§ 153.1	3.1-6.2.4.1 Public toilets	05/28/2016	granted
Thomas Jefferson University Hospital, Jefferson Endocrinology	§ 153.1	3.1-6.2.4.1 Public toilets	05/28/2016	granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Milton S. Hershey Medical Center	§ 153.1	3.6-3.2.5.1 Hand-washing stations	05/21/2016	granted
Thomas Jefferson University Hospital, Family Medicine, 833 Chestnut Street	§ 153.1	3.8-3.1.2.1 Space requirements (area)	06/04/2016	granted
Thomas Jefferson University Hospital, Medical Oncology, 925 Chestnut Street, 3rd and 4th Floors	§ 153.1	3.8-3.1.2.1 Space requirements (area)	06/11/2016	granted
Thomas Jefferson University Hospital, Neurology/Neuroscience	§ 153.1	3.8-3.1.2.1 Space requirements (area)	06/04/2016	granted
Thomas Jefferson University Hospital, Rheumatology, 211 South 9th Street	§ 153.1	3.8-3.1.2.1 Space requirements (area)	06/11/2016	granted
Thomas Jefferson University Hospital, Internal Medicine, 833 Chestnut Street	§ 153.1	3.8-3.1.2.1 Space requirements (area)	06/18/2016	granted
UPMC Altoona	§ 153.1	4-6.7.1 Air distribution systems—general	03/12/2016	granted
Jameson Memorial Hospital	§ 153.1	Table 7.1 Design parameters	04/16/2016	granted
Albert Einstein Medical Center	§ 153.1	Table 7.1 Design parameters—critical and intensive care	04/09/2016	granted
Ambulatory Surgical Facilities				
Western Pa. Surgery Center	§ 51.3	Notification (general provisions)	06/18/2016	not nec.
Allegheny Health Network Surgery Center—Bethel Park, LLC	§ 551.21	Criteria for ambulatory surgery (re: general surgeon)	05/21/2016	granted
Langhorne Access Center	§ 551.21	Criteria for ambulatory surgery	04/09/2016	granted/ denied in part
Monroeville ASC, LLC	§ 551.21	Criteria for ambulatory surgery	02/13/2016	granted
Peter's Township Surgery Center, LLC	§ 551.21	Criteria for ambulatory surgery	02/13/2016	granted
Excela Health Norwin Medical Commons	§ 551.21(d)	Criteria for ambulatory surgery	03/12/2016	granted/ denied in part
The Surgery Center at Benbrook	§ 551.21(d)	Criteria for ambulatory surgery	03/26/2016	granted
Chambersburg Endoscopy Center, LLC	§ 551.3(ii)	Class B definitions (PS III patients)	04/23/2016	granted
Pinnacle Health Pain Management Center West	§ 551.3(ii)	Class B definitions (PS III patients)	05/21/2016	granted
Saint Vincent Endoscopy Center	§ 551.3(ii)	Class B definitions (PS III patients)	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 553.1	Principle (governing body)	05/28/2016	denied
Reading Ambulatory Surgery Center, LP	§ 553.3	Governing body responsibilities	05/21/2016	granted
McCandless Endoscopy Center, LLC	§ 553.31	Administrative responsibilities	03/12/2016	granted
Progressive Surgical Institute Abe, Inc.	§ 553.31	Administrative responsibilities	03/12/2016	granted
Reading Ambulatory Surgery Center, LP	§ 553.31	Administrative responsibilities	05/21/2016	granted
Penn Medicine at Radnor Endoscopy Facility	§ 553.31(a)	Administrative responsibilities	06/04/2016	denied
Einstein Montgomery Surgery Center	§ 555.1	Principle (medical staff)	05/28/2016	granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Reading Ambulatory Surgery Center, LP	§ 555.3	Requirements for membership and privileges	05/21/2016	granted
Chambersburg Endoscopy Center, LLC	§ 555.31(a)	Anesthesia services (propofol)	04/23/2016	granted
Einstein Montgomery Surgery Center	§ 557.1	Policy (quality assurance and improvement)	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 557.2	Plan (quality assurance and improvement)	05/28/2016	granted
Reading Ambulatory Surgery Center, LP	§ 557.2	Plan (quality assurance and improvement)	06/04/2016	granted
Einstein Montgomery Surgery Center	§ 557.4	Quality assurance and improvement committee	05/28/2016	granted
Einstein Montgomery Surgery Center	§ 559.1	Nursing department	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 559.2	Director of nursing	05/28/2016	not nec.
Einstein Montgomery Surgery Center	§ 561.2	Pharmaceutical service	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 563.2	Organization and staffing (medical records)	05/28/2016	granted
Einstein Montgomery Surgery Center	§ 565.1	Principle (laboratory services)	05/28/2016	withdrawn
Einstein Montgomery Surgery Center	§ 565.12	Radiology service policy	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 567.2	Committee responsibilities	05/28/2016	granted
Reading Ambulatory Surgery Center, LP	§ 567.2	Committee responsibilities	05/21/2016	granted
Einstein Montgomery Surgery Center	§ 567.22	Linen service policy	05/28/2016	denied
Eyes of York Surgical Center, LLC	§ 567.43	Ventilation system	04/23/2016	not nec.
Children's Hospital of Philadelphia, Brandywine Valley Specialty Care & Surgery Center	§ 567.53	Sterilization controls	04/09/2016	granted
Einstein Montgomery Surgery Center	§ 569.1	Principle (general provisions—fire and safety services)	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 569.11	Firefighting service (internal disaster plan)	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 569.13	Testing fire warning systems	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 569.14	Internal disaster and fire plans	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 569.32	Fire inspection	05/28/2016	granted
Allegheny Health Network Surgery Center—Bethel Park, LLC	§ 569.35(7)	General safety precautions	05/21/2016	granted
Einstein Montgomery Surgery Center	§ 569.35(7)	General safety precautions	05/28/2016	granted
Einstein Montgomery Surgery Center	§ 569.37	Report of emergencies causing interruption of service	05/28/2016	denied
Einstein Montgomery Surgery Center	§ 571.1	3.7-3.8.1.1 Patient changing and preparation area (space)	05/28/2016	granted
Einstein Montgomery Surgery Center	§ 571.1	3.7-3.4.2.1 Pre- and postoperative patient care areas (general)	05/28/2016	granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Nursing Care Facilities				
Brethren Village	§ 201.18(e)	Management	04/23/2016	granted
Penn Center for Rehabilitation & Care	§ 201.18(e)	Management	06/11/2016	granted
Presbyterian Center for Continuing Care	§ 201.18(e)	Management	06/11/2016	granted
Rehabilitation Center at Brethren Village	§ 201.18(e)	Management	03/12/2016	granted
The Transitional Care Unit at Nazareth Hospital	§ 201.18(e)	Management	06/11/2016	granted
Crawford County Care Center	§ 201.22(d) and (e)	Prevention, control and surveillance of tuberculosis	05/28/2016	granted
John J. Kane Regional Center—Ross Township	§ 201.22(e) and (j)	Prevention, control and surveillance of tuberculosis	04/23/2016	granted
Paul's Run	§ 205.24(a)	Dining rooms	04/16/2016	granted
Oakmont Center for Nursing & Rehabilitation	§ 205.26(e)	Laundry	06/11/2016	granted
Paul's Run	§ 205.27	Lounge and recreation rooms	04/16/2016	granted
St. Anne Home	§ 205.28(b)	Nurses' station	04/23/2016	granted
Oakmont Center for Nursing & Rehabilitation	§ 205.33(b)	Utility room	06/11/2016	granted
Brookmont Healthcare Center, LLC	§ 205.6(a)	Function of building	03/19/2016	granted
Edinboro Manor	§ 205.6(a)	Function of building	04/30/2016	granted
Quarryville Presbyterian Retirement Community	§ 205.6(a)	Function of building	06/11/2016	granted
Rehabilitation Center at Brethren Village	§ 205.6(a)	Function of building	04/16/2016	granted
The Meadows at Shannondell	§ 205.6(a)	Function of building	04/23/2016	granted
The Shook Home	§ 205.6(a)	Function of building	06/11/2016	granted
Vincentian Home	§ 205.6(a)	Function of building	06/11/2016	granted
WillowBrooke Court at Normandy Farms Estates	§ 205.6(a)	Function of building	04/16/2016	granted
StoneRidge Towne Centre	§ 205.67(j) and (k)	Electric requirements for existing and new construction	05/07/2016	granted
Pennswood Village	§ 205.67(k)	Electric requirements for existing and new construction	04/16/2016	granted
Rehabilitation Center at Brethren Village	§ 205.67(k)	Electric requirements for existing and new construction	04/02/2016	granted
Germantown Home	§ 211.9(g)	Pharmacy services	04/16/2016	granted
Gwynedd Square Center for Nursing and Convalescent Care	§ 211.9(g)	Pharmacy services	04/16/2016	granted
Hillsdale Rehabilitation and Nursing Center	§ 211.9(g)	Pharmacy services	05/07/2016	granted
Huntingdon Hills Rehabilitation and Nursing Center	§ 211.9(g)	Pharmacy services	04/23/2016	granted
ManorCare Health Services—Lancaster	§ 211.9(g)	Pharmacy services	04/23/2016	granted
ManorCare Health Services—Northside	§ 211.9(g)	Pharmacy services	03/19/2016	granted
Mountain Top Healthcare and Rehabilitation Center	§ 211.9(g)	Pharmacy services	06/11/2016	granted
Regina Community Nursing Center	§ 211.9(g)	Pharmacy services	04/16/2016	granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Scottdale Healthcare and Rehabilitation Center	§ 211.9(g)	Pharmacy services	04/23/2016	granted
St. Martha Center for Rehabilitation & Healthcare	§ 211.9(g)	Pharmacy services	06/11/2016	granted
The Wesley Village	§ 211.9(g)	Pharmacy services	05/07/2016	granted
Woodland Rehabilitation and Nursing Center	§ 211.9(g)	Pharmacy services	04/23/2016	granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced addresses or telephone numbers, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1498. Filed for public inspection August 26, 2016, 9:00 a.m.]

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation</i>
Divine Providence Hospital	28 Pa. Code § 107.61 (relating to written orders)
Muncy Valley Hospital	28 Pa. Code § 107.61
Williamsport Regional Medical Center	28 Pa. Code § 107.61

All requests previously listed are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or the Pennsylvania AT&T Relay Service (800) 654-5984 (TT).

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1499. Filed for public inspection August 26, 2016, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting on Wednesday, September 14, 2016, and Thursday, September 15, 2016, from 9 a.m. to 4 p.m. at the Park Inn Harrisburg West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention grant for Comprehensive HIV Prevention Programs for Health Departments. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009

(Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so should contact Robin Rothermel, Bureau Director, Department of Health, Division of HIV Disease, Bureau of Communicable Diseases, 625 Forster Street, Room 1010, Health

and Welfare Building, Harrisburg, PA 17120, (717) 783-0572 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department reserves the right to cancel this meeting without prior notice.

KAREN M. MURPHY, PhD, RN,
Secretary

[Pa.B. Doc. No. 16-1500. Filed for public inspection August 26, 2016, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Changes to the Medical Assistance Fee Schedule for the Aging, COMMCARE, Independence and OBRA Waivers

This notice announces the Department of Human Services (Department) proposed changes to the Medical Assistance (MA) fee schedule for the Aging, COMMCARE, Independence and OBRA waivers effective October 1, 2016.

Removal of Waiver Services

The Department proposes to remove the following waiver services from the MA fee schedule for the Aging, COMMCARE, Independence and OBRA waivers:

1. Aging waiver—Enrollment
2. COMMCARE waiver—Prevocational Services and Supported Employment
3. Independence waiver—Supported Employment
4. OBRA waiver—Prevocational Services and Supported Employment

Addition of Waiver Services

Under 55 Pa. Code § 52.45(a) and (b) (relating to fee schedule rates), the Department proposes to add the following services to the MA fee schedule for the COMMCARE, Independence and OBRA waivers:

1. COMMCARE waiver—Benefits Counseling, Career Assessment, Employment Skills Development, Job Coaching Intensive and Follow-along and Job Finding.
2. Independence waiver—Benefits Counseling, Career Assessment, Employment Skills Development, Job Coaching Intensive and Follow-along and Job Finding.
3. OBRA waiver—Benefits Counseling, Career Assessment, Employment Skills Development, Job Coaching Intensive and Follow-along and Job Finding.

Rate-Setting Methodology

The Department developed MA fee schedule rates for the additional services added to the COMMCARE, Independence and OBRA waivers using a standardized market-based rate setting methodology. Relevant market-based information used to determine the fee schedule rates included Commonwealth-specific wage information from the Center for Workforce Information and Analysis, Occupational Wages by County, Bureau of Labor Statistics Employer Costs, cost surveys from providers, Medicare rate information and MA State Plan Fee Schedules.

The proposed MA fee schedule rates are available on the Department's web site at <http://www.dhs.pa.gov/provider/longtermcareprov/> or by contacting April Leonhard, Department of Human Services, Office of Long-Term Living at (717) 783-8412.

Fiscal Impact

The estimated fiscal impact of this change is \$2.691 million (\$1.288 million in State funds) for Fiscal Year 2016-2017.

Public Comment

Interested persons are invited to submit written comments regarding this notice and the proposed MA fee schedule rates to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: HCBS Rates, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments can also be sent to RA-oltstreamlining@pa.gov. This notice is available in alternate format and paper copy upon request by calling (717) 783-8412. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

THEODORE DALLAS,
Secretary

Fiscal Note: 14-NOT-1053. (1) General Fund;

(7) Services to Persons with Disabilities; (2) Implementing Year 2016-17 is \$1,554,000; (3) 1st Succeeding Year 2017-18 through 5th Succeeding Year 2021-22 are \$2,372,000; (4) 2015-16 Program—\$339,077,000; 2014-15 Program—\$273,538,000; 2013-14 Program—\$233,104,000;

(7) Home and Community-Based Services; (2) Implementing Year 2016-17 is -\$266,000; (3) 1st Succeeding Year 2017-18 through 5th Succeeding Year 2021-22 are -\$399,000; (4) 2015-16 Program—\$261,945,000; 2014-15 Program—\$132,951,000; 2013-14 Program—\$225,008,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 16-1501. Filed for public inspection August 26, 2016, 9:00 a.m.]

HOUSING FINANCE AGENCY

Proposed PHARE (Act 105 of 2010) Plan Amendment Implementing Act 58 of 2015 (Realty Transfer Tax) Funding; Public Comment

The Housing Affordability and Rehabilitation Enhancement Fund (PHARE Fund) was established by the act of November 23, 2010 (P.L. 1035, No. 105) (PHARE Act) to provide a structure by which certain State and Federal funds may be used to support housing throughout this Commonwealth. The Housing Finance Agency (Agency) administers the PHARE Fund. Under the recent enactment of the Realty Transfer Tax by the act of November 4, 2015 (P.L. 222, No. 58) (Act 58), additional funds are expected to be available to the PHARE Fund.

The PHARE Act establishes a public comment period and in order to administer the PHARE Fund with the added moneys, the Agency must amend the 2016 plan and take public comment. The Proposed Plan Amendment implementing Act 58 is available at www.phfa.org and the Agency is specifically inviting public comment of the Proposed Plan Amendment.

Written comments are being accepted on the Proposed Plan Amendment addressed to Bryce Maretzki, Housing Finance Agency, 211 North Front Street, Harrisburg, PA 17101, bmaretzki@phfa.org. Comments are due no later than October 11, 2016. The Agency will make all comments available for public inspection.

BRIAN A. HUDSON, Sr.,
Executive Director

[Pa.B. Doc. No. 16-1502. Filed for public inspection August 26, 2016, 9:00 a.m.]

INSURANCE DEPARTMENT

Senior Health Insurance Company of Pennsylvania (SHPT-130672701); Rate Increase Filing for Various LTC Forms

Senior Health Insurance Company of Pennsylvania is requesting approval to increase the premium 40% on 1,378 Pennsylvania policies originally issued by American Travelers Life Insurance Company, Conesco Senior Health Insurance Company and Transport Life Insurance Company.

The following forms, which are affected by this increase, were originally issued by American Travelers Life Insurance Company: ATL-FQ-LTC, ATL-FQ-NH, ATL-FQ-HHC, ATL-NFQ-LTC, ATL-NFQ-NH, ATL-NFQ-HHC, ATL-HHC-2, ATL-HHC-3, ATL-HHC-4, ATL-LTC-1, ATL-LTC-5 and ATL-LTC-6. The following affected forms were originally issued by Conesco Senior Health Insurance Company: CSHIC-5003, CSHIC-5004 and CSHIC-5005. The following affected forms were originally issued by Transport Life Insurance Company: 10955 and 11001.

Unless formal administrative action is taken prior to November 10, 2016, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over "Consumers" in the blue bar at the top of the webpage then select "Long Term Care Rate Filings" from the drop down menu.

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

TERESA D. MILLER,
Insurance Commissioner

[Pa.B. Doc. No. 16-1503. Filed for public inspection August 26, 2016, 9:00 a.m.]

MILK MARKETING BOARD

Special Sunshine Meeting

The Milk Marketing Board will meet to approve an over-order premium on Wednesday, September 14, 2016, at 9 a.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

TIM MOYER,
Secretary

[Pa.B. Doc. No. 16-1504. Filed for public inspection August 26, 2016, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security

Public Meeting held
August 11, 2016

Commissioners Present: Gladys M. Brown, Chairperson; Andrew G. Place, Vice Chairperson; John F. Coleman, Jr.; Robert F. Powelson; David W. Sweet

Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security;
M-2015-2490383

Tentative Order

By the Commission:

The Commission's regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on the licensee providing proof to the Commission that a bond or other approved security in the amount directed by the Commission has been obtained.

Each EGS must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120 prior to the EGS's current security expiration date. Each financial instrument must be an original document that displays a "wet" signature or digital signature, preferable in blue ink, and displays a "raised seal" or original notary stamp. The name of the principal on the original financial instrument must match exactly with the name that appears on the EGS's license issued by the Commission.

Failure to file before the financial security's expiration date may cause Commission staff to initiate a formal proceeding that may lead to the following: cancellation of each company's electric supplier license, removal of each company's information from the Commission's website and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

As of August 2, 2016, each EGS listed in the Supplier Table below has not provided proof to the Commission that it has a bond or other approved security in the amount directed by the Commission, to replace its expired bond as noted in the table below.

Supplier Table—List of Electric Generation Suppliers

<i>Docket Number</i>	<i>Company Name</i>	<i>Exp. Date</i>
A-2010-2191919	OPTIONS CONSULTING SERVICES, LLC	7/13/16
A-2010-2194044	MONDRE ENERGY, INC.	8/1/16
A-2014-2416214*	SMARTENERGY HOLDINGS, LLC ¹	1/7/17

* Taking title to electricity

As part of its EGS license validation procedures, the Commission's Bureau of Technical Utility Services sent a 60-day Security Renewal Notice Letter to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security, must be filed within 30 days prior to each entity's security expiration date. None of the companies listed in the Supplier Table provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for each EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest; *Therefore,*

It Is Ordered That:

1. Cancellation of the Electric Generation Supplier Licenses of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, Department of Revenue—Bureau of Corporation Taxes, all electric distribution companies, all of the Electric Generation Suppliers in the Supplier Table and also cause a copy of this Tentative Order to be published in the *Pennsylvania Bulletin* with a 30-day comment period.

3. Absent the filing of adverse public comment or the filing of approved security within 30 days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services shall prepare a Final Order for entry by the Secretary.

4. Upon entry of the Final Order described in Ordering Paragraph No. 3 above, each company listed in the Supplier Table will be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission's website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

¹ In our Final Order at Docket No. M-2015-2490383, Order entered July 5, 2016, Smartenergy Holdings LLC (Smartenergy) was inadvertently listed as compliant with providing its required security. To date, Smartenergy has not provided an approved security in the amount directed by the Commission.

5. Upon entry of the Final Order described in Ordering Paragraph No. 3, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-1505. Filed for public inspection August 26, 2016, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 12, 2016. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2016-2544831 (Amended). D & R Amish Transportation, LLC (78 Slaymaker Hill Road, Kinzers, Lancaster County, PA 17535) in paratransit service, persons whose personal convictions prevent them from owning or operating motor vehicles, or both, between points in the following portions of Lancaster County: east of State Route 501 and north of U.S. Route 30; east of State Route 272 and south of U.S. Route 30; and south of State Route 372, bounded by U.S. Route 222 South, the Pennsylvania/Maryland Border, State Route 272 North and the Lancaster County/Chester County border. *Attorney:* Charles H. Rieck, IV, Blakinger Thomas, PC, 28 Penn Square, Lancaster, PA 17603.

A-2016-2559007 (Amended). Donald Henry Bigger, Jr. (855 Hockley Hill Road, Turbotville, Northumberland County, PA 17772) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from the Counties of Columbia, Lycoming, Montour, Northumberland, Snyder and Union, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2016-2560571. Pamela L. Thomas (383 East District Road, Watsontown, Northumberland County, PA 17777) for the right to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from Northumberland County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2016-2560622. Visit Vans, LLC, t/a Ideal Transportation (1101 Hamilton Street, Suite 160, Allentown, Lehigh County, PA 18101) for the right to begin to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in Pennsylvania to Pennsylvania airports.

A-2016-2560627. Visit Vans, LLC, t/a Ideal Transportation (1101 Hamilton Street, Suite 160, Allentown, Lehigh County, PA 18101) for the right to begin to transport, as a common carrier, by motor vehicle, persons in call or demand service, between points in the Counties of Berks, Bucks, Carbon, Lehigh, Monroe, Montgomery, Northampton and Schuylkill.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2016-2560521. Traveler's Limo, LLC (43 Diverty Road, Pennington, NJ 08534-5011) for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons, in limousine service, between points in the Counties of Bucks, Delaware, Montgomery and Philadelphia, and from points in said counties, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 16-1506. Filed for public inspection August 26, 2016, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with

the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148 no later than September 12, 2016. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD with Administrative Counsel between 9 a.m. and 4 p.m., Monday through Friday (contact Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business address of the respective applicants.

Doc. No. A-16-05-03. ECS Carriers, LLC (2423 Hill Camp Road, Pottstown, PA 19465): An application for a limousine certificate of public convenience (CPC) to transport persons on an exclusive basis arranged for in advance in luxury limousine service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David P. Temple, Esq., 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

Doc. No. A-16-08-01. Kazi Trans, Inc. (1914 Chandler Street, Philadelphia, PA 19124): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

Doc. No. A-16-08-03. Rohan Trans, Inc. (63 North 46th Street, Philadelphia, PA 19139): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

Doc. No. A-16-08-04. Indu & Alisha, Inc. (12 Kenmore Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

VINCENT J. FENERTY, Jr.,
Executive Director

[Pa.B. Doc. No. 16-1507. Filed for public inspection August 26, 2016, 9:00 a.m.]

