

NOTICES

BOARD OF COAL MINE SAFETY

Meeting Cancellation

The December 5, 2017, meeting of the Board of Coal Mine Safety (Board) is cancelled. The next regular meeting of the Board is scheduled for Tuesday, March 6, 2018, at 10 a.m. in Conference Rooms 1A and 1B, Department of Environmental Protection, Cambria Office, 286 Industrial Park Road, Ebensburg, PA.

The agenda and meeting materials for the March 6, 2018, meeting will be available on Department of Environmental Protection's (Department) web site at www.dep.pa.gov.

Questions concerning the Board's next scheduled meeting may be directed to Allison Gaida at agaida@pa.gov or (724) 404-3147.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Allison Gaida at (724) 404-3147 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 17-1945. Filed for public inspection November 22, 2017, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 14, 2017.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-8-2017	Beneficial Bank Philadelphia Philadelphia County	<i>To:</i> 172 West Street Road Feasterville Bucks County <i>From:</i> 213 West Street Road Feasterville Bucks County	Approved
11-13-2017	The Juniata Valley Bank Mifflintown Juniata County	<i>To:</i> 4076 William Penn Highway Mifflintown Juniata County <i>From:</i> 5294 West River Road Mifflintown Juniata County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
11-3-2017	Beneficial Bank Philadelphia Philadelphia County	245 East Swedesford Road Wayne Chester County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 17-1946. Filed for public inspection November 22, 2017, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N?
PA0261009 (Sew)	Michael R. Baker 6836 Old Harrisburg Pike York Springs, PA 17372	Adams County/ Huntingdon Township	UNT Bermudian Creek/7F	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0111911 (Industrial)	Const Specialties PO Box 380 6696 Route 405 Highway Muncy, PA 17756-0380	Lycoming County Clinton Township	Turkey Run (10-C)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

PA0261556, Sewage, SIC Code 6514, **Whispering Hope East dba Conestoga Retreat**, 881 Crooked Lane, Ephrata, PA 17522-8642. Facility Name: Conestoga Retreat STP. This existing facility is located in West Earl Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF Sewage.

The receiving stream(s), Conestoga River, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0007 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Application No. PA0088404, Concentrated Animal Feeding Operation (CAFO), **Kulp Family Dairy LLC (Kulp Family Dairy CAFO)**, 1691 Millerstown Road, Martinsburg, PA 16662-8020.

Kulp Family Dairy LLC has submitted an application for an Individual NPDES permit for a renewal of a CAFO known as Kulp Family Dairy CAFO, located in North Woodbury Township, **Blair County**.

The CAFO is situated near Unnamed Tributary to Clover Creek, Unnamed Tributary of Clover Creek, and Unnamed Tributary of Little Juniata River in Watershed 11-A, which is classified for Migratory Fishes, High Quality—Cold Water, Warm Water Fishes, High Quality Waters—Cold Water Fishes, and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 3,478.79 animal equivalent units (AEUs) consisting of 2,127 mature dairy cows, 400 dry cows, 140 heifers, and 551 calves. Manure is stored in multiple lagoons and circular concrete tanks on three separate locations. Prior to operation of the manure storage facilities, the design engineer will be required to submit certification that the facilities were constructed in accordance with appropriate PA Technical Guide Standards. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0266566, Sewage, SIC Code 4952, **Jackson Township Sewer Authority**, 439 Roth Church Road, Spring Grove, PA 17362-8872. Facility Name: Jackson Township STP. This proposed facility is located in Jackson Township, **York County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Sewage.

The receiving stream(s), Codorus Creek, is located in State Water Plan watershed 7-H and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.776 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	142	226	XXX	22.0	35.0	44
BOD ₅						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	194	291	XXX	30.0	45.0	XXX
Fecal Coliform (CFU/100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ultraviolet light intensity (µg/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	155	XXX	XXX	24.0	XXX	XXX
May 1 - Oct 31	51	XXX	XXX	8.0	XXX	16
Total Phosphorus	12	XXX	XXX	2.0	XXX	4

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Minimum</i>	<i>Concentration (mg/l)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen—Interim	Report	Report	XXX	XXX	XXX
Net Total Phosphorus—Interim	Report	Report	XXX	XXX	XXX
Net Total Nitrogen—Final	Report	10,958	XXX	XXX	XXX
Net Total Phosphorus—Final	Report	1,461	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0070378, Sewage, SIC Code 8211, **Blue Mountain Academy**, 2363 Mountain Road, Hamburg, PA 19526-8745. Facility Name: Blue Mountain Academy STP. This existing facility is located in Tilden Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Mill Creek, is located in State Water Plan watershed 3-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
BOD ₅						
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	9.0	XXX	18

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3636.

PA0234028, Sewage, SIC Code 4952, **University Area Joint Authority**, 1576 Spring Valley Road, State College, PA 16801-8499. Facility Name: Advanced Water Treatment Building. This existing facility is located in College Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Spring Creek, Unnamed Tributary to Slab Cabin Run, and Slab Cabin Run, is located in State Water Plan watershed 9-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 004 are based on a design flow of 0.03 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0.03 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.03 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0.03 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 3 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)						
Apr 1 - 15	XXX	XXX	XXX	XXX	60.7 Daily Max	XXX
Jan 1 - 31	XXX	XXX	XXX	XXX	48.6 Daily Max	XXX
Apr 16 - 30	XXX	XXX	XXX	XXX	63.5 Daily Max	XXX
May 16 - 31	XXX	XXX	XXX	XXX	60.2 Daily Max	XXX
May 1 - 15	XXX	XXX	XXX	XXX	64.2 Daily Max	XXX
Feb 1 - 28	XXX	XXX	XXX	XXX	46.7 Daily Max	XXX
Jun 1 - 15	XXX	XXX	XXX	XXX	70.5 Daily Max	XXX
Jun 16 - 30	XXX	XXX	XXX	XXX	66.5 Daily Max	XXX
Mar 1 - 31	XXX	XXX	XXX	XXX	59.5 Daily Max	XXX
Aug 16 - 31	XXX	XXX	XXX	XXX	72.2 Daily Max	XXX
Aug 1 - 15	XXX	XXX	XXX	XXX	72.2 Daily Max	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	73.4 Daily Max	XXX
Sep 1 - 15	XXX	XXX	XXX	XXX	61.9 Daily Max	XXX
Sep 16 - 30	XXX	XXX	XXX	XXX	67.9 Daily Max	XXX
Dec 1 - 31	XXX	XXX	XXX	XXX	50.0 Daily Max	XXX
Oct 1 - 15	XXX	XXX	XXX	XXX	53.0 Daily Max	XXX
Oct 16 - 31	XXX	XXX	XXX	XXX	57.0 Daily Max	XXX
Nov 1 - 15	XXX	XXX	XXX	XXX	44.7 Daily Max	XXX
Nov 16 - 30	XXX	XXX	XXX	XXX	48.3 Daily Max	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	XXX	XXX	10	XXX	25
Turbidity (NTU)	XXX	XXX	XXX	2.0	XXX	5.0
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	2.2	XXX	23
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	10	XXX	25
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net	Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	3.0	XXX	7.5
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Total Mo	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net	Total Mo	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Total Organic Halogens (TOX)	Report	XXX	XXX	0.2	XXX	0.5
Total Organic Carbon	Report	XXX	XXX	10	XXX	25

The proposed effluent limits for Outfall 201 are based on a design flow of 3 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.27	XXX	0.88

The proposed effluent limits for Outfall 301 are based on a design flow of 3 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0020567, Sewage, SIC Code 4952, **Northumberland Borough Northumberland County**, 175 Orange Street, Northumberland, PA 17857-1669. Facility Name: Northumberland Borough WWTP. This existing facility is located in Northumberland Borough, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Susquehanna River, is located in State Water Plan watershed 5-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.125 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	234	375	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	281	422	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	20,548	XXX	XXX	XXX	XXX
Effluent Net						
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)		Total Annual Report				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	2,740	XXX	XXX	XXX	XXX
Effluent Net						
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Whole Effluent Toxicity
- Stormwater Requirements
- Chesapeake Bay Stormwater Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0255254, Industrial, SIC Code, **Indian Creek Valley Water Authority**, 2019 Indian Head Road, Indian Head, PA 15446-0486. Facility Name: Mill Run Reservoir WTP. This proposed facility is located in Springfield Township, **Fayette County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated Industrial Waste.

The receiving stream(s), Indian Creek, is located in State Water Plan watershed 19-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.88 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.128	XXX	0.300
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	1.17	XXX
Cadmium, Total (µg/L)	XXX	XXX	XXX	0.49	0.76	XXX
Chromium, Hexavalent	XXX	XXX	XXX	0.016	0.025	XXX
Copper, Total	XXX	XXX	XXX	0.014	0.021	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Iron, Total	XXX	XXX	XXX	2.0	4.0	XXX
Lead, Total	XXX	XXX	XXX	0.0057	0.009	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PA0028576, Sewage, SIC Code 4952, **Abington Region WW Authority**, PO Box 199, Chinchilla, PA 18410-0199. Facility Name: Abington Region WW Authority. This existing facility is located in South Abington Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Leggetts Creek, is located in State Water Plan watershed 5-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.34 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	Instant. Maximum
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	696	1,114	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	836	1,254	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)						
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	217	XXX	XXX	7.8	XXX	15.6
May 1 - Oct 31	72	XXX	XXX	2.6	XXX	5.2
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total	0.45	0.90 Daily Max	XXX	0.016	0.032 Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 3.34 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Daily Max Report	XXX	Report	Daily Max Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Average Monthly	Maximum	
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Effluent Net	XXX	66,483	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Total Phosphorus (Total Load, lbs)						
(lbs)		Total Annual				
Effluent Net	XXX	8,310	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Whole Effluent Toxicity Testing
- Built-In Excess Hydraulic Capacity
- Chesapeake Bay Nutrient Requirements.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. WQG02091712, Sewage, **Chalfont-New Britian Township Joint Sewer Authority**, 1645 Upper State Road, Doylestown, PA 18901-2624.

This proposed facility is located in New Britian Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a pressure sewer extension.

WQM Permit No. 2317404, Sewage, **Concord Township**, 43 Thornton Road, Glen Mills, PA 19342.

This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

WQM Permit No. WQG02401701, Sewage, **West Pittston Borough**, 555 Exeter Avenue, West Pittston, PA 18643.

This proposed facility is located in West Pittston Borough, **Luzerne County**.

Description of Proposed Action/Activity: The project is for the separation of existing combined sewers along Erie Street and 4th Street. A new force main will be constructed using approximately 616 feet of 2-inch diameter high density polyethylene pipe and will convey pumped sewage from a low point in the existing gravity sewer system (intersection of South Street and 4th Street) along 4th street to Pacific Avenue. From there, the force main runs to the northwest on Pacific Avenue to an existing gravity sanitary sewer manhole on Pacific Avenue. Two identical submersible grinder pumps (one in service and one on standby) rated at 60 gallons per minute at 59.06 feet of total dynamic head will pump sewage through the force main.

WQM Permit No. 3517406, Sewage, **PA American Water Co.**, 800 West Hershey Park Drive, Hershey, PA 17033.

This proposed facility is located in Scranton City, **Lackawanna County**.

Description of Proposed Action/Activity: Improvements to the existing combined sewer over flow sewage conveyance system CSO # 30 located at Prescott Avenue and Ridge Row. The improvement will consist of an additional 1.34 million-gallon storage tank and equalization facility for use during extreme rain events.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130010	Carbon County P.O. Box 129 Jim Thorpe, PA 18229	Carbon	Nesquehoning Borough	Jeans Run, (HQ-CWF, MF), Nesquehoning Creek (CWF, MF), UNT to Nesquehoning Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD010001	Greater Gettysburg Development Company, LLC 601 Mason Dixon Road Gettysburg, PA 17325	Adams	Straban Township	UNT Rock Creek (WWF) Beaverdam Creek (WWF)
PAD290003	CFC Huston Hollow Properties LLC 2700 Clemens Road Hatfield, PA 19440	Fulton	Taylor Township	Wooden Bridge Creek (HQ-CWF) UNT Wooden Bridge Creek (HQ-CWF) Trib to Wooden Bridge Creek (HQ-CWF)
PAD070002	Valley Rural Electric Cooperative, Inc. 10700 Fairgrounds Road Huntingdon, PA 16652-0477	Blair	North Woodbury Township	UNT Clover Creek (HQ-CWF)

Individual Permit Type—PAD

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD680003	Attention: Patrick M. Webb Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800	Venango County	Irwin Township	Unnamed Tributary to South Sandy Creek (CWF) and Unnamed Tributary to Williams Run (CWF)
PAD680004	Attention: Patrick M. Webb Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 814-472-1800	Butler County	Allegheny Township	North Branch Bear Creek (CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
--------	-------

MS4 PAG-13 Notices of Intent Received

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG132296	Newton Township 1528 Newton Ransom Boulevard Clarks Summit, PA 18422	Newton Township, Lackawanna County	Y	N

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707. MS4 Notices of Intent Received.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality/County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG133722	Hamburg Borough Berks County 61 North 3rd Street Hamburg, PA 19526	Hamburg Borough, Berks County	N	N
PAG133693	Allegheny Township 3131 Colonial Drive Duncansville, PA 16635	Allegheny Township Blair County	N	Y
PAG133593	Conewago Township 490 Copenhaffer Road York, PA 17404	Conewago Township, York County	Y	N
PAG133500	South Hanover Township 161 Patriot Way Hershey, PA 17033	South Hanover Township Dauphin County	N	Y
PAG133753	Conewago Township 541 Oxford Ave Hanover, PA 17331	Conewago Township, Adams County	N	Y
PAG133567	Penn Township 97 North Penry Road Manheim, PA 17545	Penn Township, Lancaster County	N	Y

PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Application No. 5217506, Public Water Supply.

Applicant	Pennsylvania American Water Co. 800 West Hersheypark Dr. Hershey, PA 17033
[Township or Borough]	Lehman Township
Responsible Official	David R. Kaufman, VP—Engineering Pennsylvania American Water Co. 800 West Hersheypark Dr. Hershey, PA 17033
Type of Facility	PWS

Consulting Engineer Jeremy Nelson, PE
PAWC
2699 Stafford Ave.
Scranton, PA 18505

Application Received Date 11/03/2017

Description of Action Application proposes improvements to existing Wells 6 and 7 and the construction of a new treatment building with the treatment equipment to be located at the Well & site with associated site improvements. Well 6 will connect to a new transmission main that will run to the Well 7 site. The proposed treatment systems will include disinfection, general corrosion control, polymer to assist with manganese settling in the backwash holding tank, 4-log demonstration, and construction of a chlorine contact segment.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3817506 MA, Minor Amendment, Public Water Supply.

Applicant **Dela-Ches Fishing Association, Inc.**

Municipality South Londonderry Township

County **Lebanon**

Responsible Official Clint A. Bender, President
PO Box 1
Lawn, PA 17401

Type of Facility Public Water Supply

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates, Inc.
18 South George Street
York, PA 17401

Application Received: 11/6/2017

Description of Action

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Application No. 1717512—Public Water Supply.

Applicant **Aqua Pennsylvania—Treasure Lake Division**

Township/Borough Sandy Township

County **Clearfield County**

Responsible Official Mr. Patrick Burke, P.E.
204 East Sunbury Street
Shamokin, PA 15801

Type of Facility Public Water Supply

Consulting Engineer Mr. Robert Horvat
400 Rouse Road
Building 2, Suite 200
Coraopolis, PA 15108

Application Received November 8, 2017

Description of Action Authorizes the addition of new treatment provisions at Bimini Well Station to address latent water quality issues associated with this well.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WA-15-228B, Water Allocations. Borough of Phoenixville, 351 Bridge Street, Phoenixville, PA 19460, Borough or Phoenixville, Chester County, Permit approval requested a renewal application for the right to withdraw 5,881,000 gallons per day from the Schuylkill River.

WA-46-67J, Water Allocations. Aqua Pennsylvania, Inc., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010, Upper Merion Township, Montgomery County, Permit approval requested a renewal application for a water allocation to withdraw 20,000,000 gallons per day from the Upper Merion Quarry Reservoir.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA-737A, Water Allocations. Croyle Township Water Authority, PO Box 249, Summerhill, PA 15958, Cambria County. The applicant is requesting the right to purchase 100,000 gallons of water per day, average annual, from the Highland Sewer and Water Authority.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

General Permit Application No. WMGM019SW003. Reserve Park Recycling and Transfer, Inc., 408 Hoffman Road, Pittsburgh, PA 15212. The Department of Environmental Protection (DEP) has received and application for a Determination of Applicability (DOA) under General Permit (GP) No. WMGM019. The GP is for the processing and beneficial use of: waste concrete and asphalt to produce a roadway construction material; wood waste and uncontaminated soil to produce topsoil and mulch for landscaping purposes; and leaf and yard waste to produce compost. The DOA application for operation of the Reserve Park Recycling and Transfer, Inc. Facility located at 408 Hoffman Road, Pittsburgh, PA 15212 in Reserved Township, Allegheny County, was received on July 7, 2017, as modified by subsequent revisions received on October 26, 2017, and deemed administratively complete in the DEP Regional Office on November 6, 2017.

Written comments concerning the application should be directed to the Program Manager, Waste Management, 400 Waterfront Drive, Pittsburgh, PA 15222. Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412.442.4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or disapproval of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 101509. Republic Services, Inc., Conestoga Landfill, 420 Quarry Road, P.O. Box 128, Morgantown, PA 19543, New Morgan Borough, **Berks County**. A Major Permit Modification for a Groundwater Abatement Plan was received by the Southcentral Regional Office on November 6, 2017. The application was considered administratively complete on November 7, 2017.

Comments concerning the application should be directed to John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about the permit application may contact John Oren, P.E., at 717.705.4907. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Depart-

ment Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

24-131S: SGL Carbon (900 Theresia Street, St. Marys, PA 15857), application received for the installation of a replacement scrubber control device at their facility located in the City of Saint Marys, **Elk County**. This is an existing non-Title V facility currently permitted under SOOP 24-00131. The scrubber will reduce emissions from Source 7103 (CVD Reactor 6 & 7) and replace Scrubber

C7103 (CVD Reactor 6 & 7 Fume & PM Scrubber). No other changes are proposed. Emission rate limits will not be changed.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 1901.

Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0196L: Abington Reldan Metals, LLC (ARM) (550 Old Bordentown Rd, Fairless Hills, PA 19330) for the installation and temporary operation of a replacement Baghouse in Falls Township, **Bucks County**. ARM is a precious metal refining facility. ARM is an existing facility, and operates under Synthetic Minor operating permit No. 09-00196. The proposed Baghouse will replace an existing Baghouse approaching the end of its operating life. The Baghouse will capture particulate matter emissions with at least 99% efficiency. The plan approval contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

09-0004A: Oliver Healthcare Packaging (905 Pennsylvania Boulevard, Feasterville, PA 19053) for the installation of a new flexographic, two-color printing press with rotary screen at an existing facility located in Southampton Township, **Bucks County**. The primary pollutant of concern from the new printing press will be volatile organic compounds (VOC) as a result of the inks, coatings, and clean-up solvents from the printing process. The project has a potential to emit 1.25 ton per year of VOC. The plant will maintain a synthetic minor status by limiting its facility-wide VOC emissions to 24.9 tons per year. The plan approval will include monitoring, recordkeeping, and reporting requirements designed to address all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

39-00006E: American Craft Brewery LLC (7880 Penn Drive, Breinigsville, PA 18031-1508) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a Plan Approval # 39-00006E to American Craft Brewery LLC, 7880 Penn Drive, Breinigsville, PA 18031-1508, for their plant located in Upper Macungie Township, **Lehigh County**. The facility currently has Title V Operating Permit No. 39-00006. This plan approval will be incorporated into the Title V operating permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*.

Plan Approval No. 39-00006E is to increase the overall production capacity and to provide additional brewing, blending, and packaging flexibility at the facility. Specifically, the Project includes physical modification to existing Can Line-Two (2) Can Fillers (Source ID 154), addition of a new can crusher and replacement of existing Hot Wort Settling (2 Units) (Source ID 120) operations. ACB is also proposing several changes to simplify

recordkeeping at the Facility to provide additional operational and/or recordkeeping flexibility.

The company currently operates one can line (Source ID 158), which consists of two can fillers. Due to current physical conveying restrictions, the company can only operate one can filler at a time. The company has propose to separate the two can fillers on the existing single line to create two can filling lines which can operate simultaneously. The capacity of the individual fillers will not change. This separation will provide flexibility for the company to react to the increasingly high demand of canned products relative to products sold in other containers (i.e., bottles, kegs, and Bag-in-Box). The company is also proposing to install an additional pasteurizer in conjunction with the split can line. Although the pasteurizer is not a direct source of emissions, the emissions associated with the additional steam required to operate the pasteurizer have been accounted for within the fuel increase to the boilers.

The company currently has two hot wort settling units (i.e., Coolship) (Source ID 120) at the Facility. The company is proposing to replace the existing hot wort settling units with a new state of the art Coolship unit.

The company currently operates a can crusher and a bottle crusher as part of off spec product destruction (Source ID 127) at the Facility. The company is proposing to remove the existing can crusher and replace it with a new, functionally equivalent can crusher.

Only VOC & Particulate emissions are expected to increase due to this expansion project. This expansion project will result in an increase of 31.2 tpy of VOC & 0.01 tpy of particulate emissions from the facility. The emissions of these pollutants are within all applicable emissions limitations. No other pollutants are affected due to this project.

A review of the information submitted by the company indicates that the proposed project will meet all applicable State and Federal air quality requirements. Based upon these findings, DEP plans to approve the application and issue a permit for the facility.

In order to assure compliance with the applicable standards, DEP will place conditions in the plan approval.

The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 39-00006E and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting

a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, P.E., Environmental Group Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2511 within 30 days after publication date.

58-00001A: Tennessee Gas Pipeline Company (1001 Louisiana St., Suite 1000, Houston, TX 77002) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a Plan Approval No. 58-00001A to Tennessee Gas Pipeline Company, (1001 Louisiana St., Suite 1000, Houston, TX 77002), for their facility located in Clifford Township, **Susquehanna County**. The facility currently operates under Title V Operating Permit No. 58-00001. This plan approval will be incorporated into the Title V Operating Permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*.

Plan Approval No. 58-00001A is to increase in the sub-zero operating hours and start-up/shut-down event associated with three existing Solar Centaur 40 turbines. The company has proposed to increase sub-zero operating hours for Source IDs 113, 114 & 115 from 50 hrs to 300 hrs and start-up/shut-down events from 250 to 300. The company will continue to use Solar's lean-premixed dry low emissions system (SoLoNO_x) to provide the lowest emissions possible during normal operating conditions. The combustion and fuel systems are designed to reduce NO_x, CO and unburned hydrocarbons to attain NO_x emission level of 25 PPM and CO emission level of 50 PPM, corrected to 15% oxygen, and hydrocarbon at 25 PPM when burning natural gas. The company will operate each turbine for 8,760 hours annually.

The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating in compliance with all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at DEP, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 58-00001A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit is required.

A public hearing may be held, if the DEP, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, P.E., Environmental Group Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2511 within 30 days after publication date.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.

30-00089D: Dominion Transmission, Inc. (5000 Dominion Boulevard—2NE, Glen Allen, VA 23060) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection ("Department") intends to issue Air Quality Plan Approval: PA-30-00089D to Dominion Transmission, Inc. ("DTI") for installation of one Solar Taurus 60-7800S natural gas-fired compressor turbine rated at 7,684 HP @ ISO conditions, controlled by an oxidation catalyst; one produced fluids storage tank, 2,500 gallon capacity; one lube oil tank, 1,000 gallon capacity; and piping components in natural gas service at the Crayne Compressor Station ("Crayne CS") located in Franklin Township, **Greene County**.

This plan approval will also incorporate sources, controls (including conditions) temporarily operating under PA-30-00089C, including one Solar Taurus 60-7800S natural gas-fired compressor turbine rated at 7,700 HP @ ISO conditions, and controlled by an oxidation catalyst; one natural gas-fired boiler rated at 5.3 MMBtu/hr; and four Capstone C200 natural gas-fired microturbine generators rated at 200 kW each.

Potential to emit from the facility after installation of the new sources and controls will be:

Table 1: Facility Wide Potential to Emit

<i>Air Contaminant</i>	<i>Emission Rate (tpy)</i>
Nitrogen Oxides (NO _x)	87.74
Carbon Monoxide (CO)	94.03
Total Particulate Matter (PM)	36.78
Particulate Matter Less Than 10 Microns In Diameter (PM ₁₀)	36.78
Particulate Matter Less Than 2.5 Microns In Diameter (PM _{2.5})	36.78
Sulfur Oxides (SO _x)	2.64
Volatile Organic Compounds (VOC)	18.14
Hazardous Air Pollutants (HAP)	2.13
Formaldehyde (HCHO)	0.94
Carbon Dioxide Equivalents (CO _{2e})	166,010

This authorization is subject to State regulations including 25 Pa. Code Chapters 123—Standards for Contaminants; 127—Construction, Modification, Reactivation, and Operation of Sources; 135—Reporting of Sources; and 139—Sampling and Testing. This authorization is also subject to Federal New Source Performance Standards ("NSPS") including 40 CFR Part 60 Subparts KKKK, and OOOOa. Other applicable Federal regulations include 40 CFR Part 98—Mandatory Greenhouse Gas Reporting.

Plan approval conditions include source specific emission limitations, operational restrictions, compliance testing and monitoring requirements, work practice standards, and associated recordkeeping and reporting requirements. The Department has determined that the proposed facility satisfies Best Available Technology ("BAT") requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a State Only Operating Permit ("SOOP") application in accordance with 25 Pa. Code Subchapter F.

DTI's Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Alan Binder at 412.442.4168.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Alan Binder via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to abinder@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-30-00089D) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00028: Neenah Northeast, LLC (45 N. 4th Street, Quakertown, PA 18951) located in Quakertown Borough, **Bucks County**, for a renewal of Title V Operating Permit (TVOP) No. 09-00028. The facility's main sources consist of a saturator (with natural gas-fired drying ovens), two coaters (each with natural gas-fired drying ovens), and two graphic arts lines (each with natural gas-fired dryers), a solvent cleaning operation, and a strip-coating operation. In addition, the facility operates and maintains two natural gas/No. 2 fuel oil-fired boilers, two natural gas-fired emergency generator sets, four natural gas-fired make-up air units, and a parts washer to support the facility. The two graphic arts lines and one of the coaters are subject to volatile organic compound (VOC) emission rate restrictions of 12.0, 12.3, and 10 tons/yr (calculated monthly as a 12-month rolling sum), respectively. The facility is subject to individual and total hazardous air pollutant (HAP) emission rate restrictions of less than 10 and 25 tons/yr (calculated monthly as a 12-month rolling sum), respectively. Since the TVOP was renewed in 2012, another saturator and a splice glue operation were removed from the facility.

The saturator and coaters are subject to the provisions of 40 CFR Part 63, Subpart JJJJ. The graphic arts lines are subject to the provisions of 40 CFR Part 63, Subparts KK and OOOO. The engines of the emergency generator sets are subject to the provisions of 40 CFR Part 63, Subpart ZZZZ. The TVOP will continue to include all applicable monitoring, recordkeeping, reporting, and work practice requirements from these regulations.

In addition, Neenah Northeast, LLC, has conducted a review of the facility to determine whether it is subject to any of the additional Reasonably Available Control Technology requirements for major sources of nitrogen oxides (NO_x) and VOCs, as codified in 25 Pa. Code §§ 129.96—129.100 (RACT II). The potentials to emit NO_x and VOCs from the facility are less than 100 tons/yr and 50 tons/yr, respectively. As such, the facility is not considered a major NO_x emitting facility or major VOC emitting facility for RACT II purposes and, therefore, not subject to RACT II requirements.

The facility is not subject to the Compliance Assurance Monitoring (CAM) requirements of 40 CFR Part 64.

The TVOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

46-00020: Superior Tube Company, Inc. (3900 Germantown Pike, Collegeville, PA 19426) for significant modification of a Title V Operating Permit in Lower Providence Township, **Montgomery County**. This renewal will (1) incorporate the provisions of Pennsylvania's Reasonably Achievable Control Technology (RACT Phase II) regulations for the presumptive RACT requirements as per 25 Pa. Code § 129.97 and the alternate RACT proposal as per 25 Pa. Code § 129.99; (2) amend the responsible official; (3) incorporate Plan Approvals—46-0020H, 46-0020J and 46-0020K; and (4) applicability of 40 CFR Part 63, Subpart ZZZZ for emergency generators. Superior Tube Company, Inc. is a major emitting facility for VOC but not a major facility for NO_x pollutants. Sources at the site include: two flush/blowout booths, two lubrication spray booth, one general source of fugitive emissions and three solvent cleaner tanks. The modification of this operating permit does not authorize any increase in air emissions of any regulated pollutants above previously approved levels. These RACT II revisions will be submitted to EPA for review and approval to be added to the State implementation plan. The permit includes monitoring, recordkeeping, and reporting requirements designed to address all applicable air quality requirements.

Title IV (ACID RAIN) Intent to Renew

ORIS Number 3161: Exelon Generation Company, Eddystone Generating Station (1 Industrial Highway, Eddystone, PA 19022) located in Eddystone Borough, **Delaware County**. The acid rain permit establishes SO_x and NO_x allowances for Units # 3, and 4.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05115: Granger Energy of Morgantown, LLC (16980 Wood Road, Lansing, MI 48906-1044) for their landfill gas (LFG) treatment plant and LFG-to-energy plant in Caernarvon Township, **Berks County**. Potential emissions from the facility are estimated to be 134.1 tons CO, 28.4 tons NO_x, 7.7 tons PM₁₀/PM_{2.5}, 30.7 tons SO_x, 19.5 tons VOC, 7.0 tons of a single HAP (formaldehyde), and 10.5 tons of combined HAPs. The Title V Operating Permit will include emission limits, performance testing and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provi-

sions derived from 40 CFR Part 60, Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills, 40 CFR Part 63, Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills, 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

41-00013: JW Aluminum Company (2475 Trenton Ave., Williamsport, PA 17701) for renewal of the Title V operating permit for their facility located in Williamsport, **Lycoming County**. The facility's sources include nineteen (19) storage tanks, fourteen (14) natural gas-fired heaters and boilers, eight (8) coil coating lines, eight (8) natural gas-fired process heaters and ovens, four (4) cold rolling mills, three (3) annealing ovens, two (2) parts washers, one (1) vegetable/animal fat application process, quality control laboratory operations, one (1) natural gas-fired emergency generator and a coating solutions storage.

The facility has the potential to emit 31.73 tons of nitrogen oxides (NO_x) per year, 26.65 tons of carbon monoxide (CO) per year, 337.83 tons of volatile organic compounds (VOCs) per year, 0.18 ton of sulfur oxides per year (SO_x), 1.95 ton of particulate matter (PM/PM₁₀) per year, less than 10 tons of individual and a combined 25 tons of hazardous air pollutants (HAPs) per year and 37,644 tons of greenhouse gasses (GHGs) per year. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart TT of 40 CFR Part 60, 40 CFR Part 64 and 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

TVOP-32-00129 Dominion Transmission: (500 Dominion Blvd.—2N, Glen Allen, VA 23060) In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a Title V Operating Permit (TVOP) modification to include RACT II for Dominion Transmission, Inc., Rochester Mills Compressor Station located in North Mahoning Township, **Indiana County**.

Rochester Mills Compressor Station (RM) supports Dominion's natural gas production operations. Sources and the control devices at this facility include (2) 4-cycle, rich

burn, 440 bhp Ingersoll Rand engines, a Dehydrator and still, an Emergency Generator, several Tanks and a Thermal Oxidizer.

In accordance with 25 Pa. Code § 129.97, this facility is subject to applicable requirements of RACT II for being a major source of NO_x and VOC emission. The emissions restrictions, testing, monitoring, recordkeeping, reporting and work practice conditions of this TVOP have been derived from the applicable requirements of 40 CFR Parts 63 and 25 Pa. Code Chapters 121—145.

A person may oppose the proposed Title V Operating Permit Modification by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to nnaharr@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Title V Operating Permit (TVOP-32-00129) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Rochester Mills Compressor Station Title V Operating Permit Modification application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit Modification for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Rochester Mills Compressor Station Title V Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00019: Naceville Materials Joint Venture (887 Mill Creek Road, Rushland, PA 18956) for a renewal of State Only (Synthetic Minor) Operating Permit No. 09-00019 for its Miller Materials/Rushland Quarry facility, which is located in Wrightstown Township, **Bucks County**.

The facility's air emissions sources consist of a stone crushing plant, a batch hot mix asphalt (HMA) plant, and a reclaimed asphalt pavement (RAP) plant. The potential to emit nitrogen oxides (NO_x) and volatile organic compounds (VOCs) from the batch HMA plant/facility each exceed 25 tons per year; however, Naceville Materials JV has elected to restrict the HMA production for the batch HMA plant such that the NO_x and VOC emissions from the facility each will not exceed 24.9 tons per year.

No changes have occurred at the facility since the SOOP was last amended in 2016. The SOOP will continue to include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

48-00080: Belyea Company, Inc. (2200 Northwood Ave, Easton, PA 18045-2208) intends to issue a State-Only (Synthetic Minor) Operating Permit renewal for operation of their facility located in Palmer Township, **Northampton County**. The sources include a paint spray booth controlled by panel filters. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

22-05024: Penn State University/Milton S. Hershey Medical Center (500 University Drive, Hershey, PA 17033) to issue a State Only Operating Permit for the hospital located in Derry Township, **Dauphin County**. The actual emissions from the facility from July 2016 thru June 2017 are estimated at 28.0 tpy of NO_x, 21.2 tpy of CO, 1.9 tpy of PM₁₀, 0.2 tpy of SO_x, 1.5 tpy of VOC and 0.6 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, 40 CFR Part 60 Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR Part 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

67-03094: Rocher Inc. dba Del-Wood Kitchens, Inc./Hanover (1856 Dubs Church Road, Hanover, PA 17331) to issue a State Only Operating Permit for operation of their wood cabinetry manufacturing facility in Manheim Township, **York County**. The 2016 emissions were 6.64 tons VOC, and 1.50 tons HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63 Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

OP-04-00675: Aliquippa Terminal Inc. (100 Woodlawn Road, Aliquippa, PA 15001-5404), In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal State Only Operating Permit (SOOP-04-00675) to Aliquippa Terminal

Inc. (“Aliquippa”) to authorize the continued operation of their aggregate handling facility located in Aliquippa (D) City, **Beaver County**.

The facility’s air contamination sources consist of loading and un-loading of hoppers and conveyors, and trucks; emissions from un-paved roadways, storage pile, and diesel or propane captive equipment. Facility-wide potential emissions are estimated to be 40.0 tons NO_x, 45.0 tons CO, 3.5 tons VOC, 38.0 tons PM, and 18.0 tons PM₁₀. Actual emissions from the facility are much lower considering actual hours of operation.

This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. Proposed SOOP renewal includes conditions relating to applicable emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements.

Aliquippa State Only Operating Permit renewal application, the Department’s Air Quality Review Memorandum, and the proposed Air Quality State Only Operating Permit for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the State Only Operating Permit renewal application, to receive an electronic copy of the Department’s Air Quality Review Memorandum, or to receive an electronic copy of the Department’s proposed Air Quality State Only Operating Permit for this project, a person may contact Thomas Kaminski at thkaminski@pa.gov or 412.442.4097.

Any person may submit comments, requests for the Department to hold a public hearing, or protests to the operating permit or a proposed condition thereof, by filing such submissions in writing to the Department at the Southwest Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments.

All comments, requests for a public hearing, and protests to a proposed action, shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.424 (relating to public notice). Comments, requests for a public hearing, and protests must include the name, address and telephone number of the person filing the protest, identification of the proposed permit issuance being opposed (State Only Operating Permit 04-00675) and a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Comments, protests, and requests for a public hearing should be directed to Jesse S. Parihar, Air Quality Engineering Specialist, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 (jparihar@pa.gov, fax 412.442.4194).

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

37-00218: Young Galvanizing (PO Box 334, Pulaski, PA 16143-0334), the Department on November 8, 2017 issued the renewal of the State Only Operating Permit for the metal galvanizing operations located in Pulaski Township, **Lawrence County**. The facility is a Natural Minor. The primary sources at the facility include a large and small zinc kettle, parts washer, a boiler, and miscellaneous combustion process heaters. The potential emissions from the facility are less than the following: 7 TPY NO_x; 5.4 TPY CO; 5.1 TPY PM; 0.04 TPY SO_x; 0.34 TPY VOC; 1.84 TPY zinc chloride; and 4.2 TPY ammonium chloride. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

OP16-000025: Kinder Morgan Point Breeze Terminal (6310 West Passyunk Ave Street, Philadelphia, PA 19153) for the operation of a gasoline loading terminal in the City of Philadelphia, **Philadelphia County** and to incorporate a responsible official change. The facility's air emissions sources include 1 four bay motor fuels truck loading rack, 7 gasoline storage tanks, 1 biodiesel storage tank, 2 gasoline additive tanks, 1 vapor combustion unit with a capacity of 40 MMBtu/hr, and fugitive emissions from piping components. The motor fuels truck loading rack vents to the vapor combustion unit.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

56090701 and NPDES No. PA0235938. PBS Coals, Inc., (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To renew the permit for the Schrock Run Coal Refuse Disposal Area in Stonycreek Township, **Somerset County** and related NPDES Permit. No additional discharges. The application was considered administratively complete on November 6, 2017. Application received April 12, 2017.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 56170105 and NPDES No. PA0279595. Sherpa Mining Contractors, Inc., 337 Benny Road, Hooversville, PA 15936, commencement, operation and restoration of a bituminous surface and auger mine in Brothersvalley Township, **Somerset County** affecting 47.0 acres. Receiving streams: unnamed tributaries to Blue Lick Creek, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: October 30, 2017.

The application includes a stream encroachment to install a culverted stream crossing within the barrier area of unnamed tributary to Bluelick Creek.

The application also includes a request for a Section 401 Water Quality Certification.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

26840105 and NPDES Permit No. PA0600555. Boyle Land & Fuel Company (P.O. Box 400, Laughlinton, PA 15655). Renewal application for continued treatment to an existing bituminous surface mine, located in Wharton Township, **Fayette County**, affecting 69.6 acres. Receiving streams: unnamed tributary to Stony Fork, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: November 6, 2017.

30050103 and NPDES Permit No. PA0250759. Duquesne Light Company (1800 Seymour Street, Pittsburgh, PA 15233-1134). Renewal application for continued mining to an existing bituminous surface mine, located in Monongahela Township, **Greene County**, affecting 37.0 acres. Receiving streams: Sandy Run and Monongahela River, classified for the following use: WWF. The potable water supply intakes are Dunkard Valley Joint Municipal Water Authority and Masontown Borough Carmichaels Water Authority. Renewal application received: November 8, 2017.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0235695 (Mining Permit No. 56743705), Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). A renewal and revision to the NPDES and mining activity permit for the Mine 78 CRDA in Paint Township, **Somerset County**, Adams Township, Cambria County to add Outfall 003. Surface Acres Affected 221.0. Receiving stream: Unnamed Tributary to Paint Creek, classified for the following use: CWF. Receiving stream: Unnamed Tributary 45262 to Paint Creek, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watershed TMDL. The renewal application was considered administratively complete on November 19, 2015. Renewal application received July 1, 2015. The revision application was considered administratively complete on May 11, 2015. Revision application received February 12, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: UNT Paint Creek

The proposed effluent limits for *Outfall 001* (Lat: 40° 14' 29" Long: 78° 47' 43") are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow (mgd)	-	-	-	Report
Iron (mg/l)	-	1.5	3.0	3.8
Manganese (mg/l)	-	1.0	2.0	2.5
Aluminum (mg/l)	-	0.75	0.75	-
Total Suspended Solids (mg/l)	-	35	70	90
Sulfate (mg/l)	-	-	-	Report
Osmotic Pressure (mos/kg)	-	50	100	-
Chloride (mg/l)	-	-	-	Report
Total Dissolved Solids (mg/l)	-	-	-	Report
Bromide (mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃ (mg/l)	-	-	-	Report
Acidity, total as CaCO ₃ (mg/l)	-	-	-	Report
Alkalinity, net (mg/l)	0.0	-	-	-
pH	6.0	-	-	9.0
Selenium (mg/l)	-	Report	Report	-
Arsenic (mg/l)	-	Report	Report	-
Antimony (mg/l)	-	Report	Report	-
Silver (mg/l)	-	Report	Report	-

Internal Monitoring Point 101 discharges to: Underground Injection to Lower Kittanning Mine Workings

The proposed effluent limits for *Internal Monitoring Point 101* (Lat: 40° 14' 29" Long: 78° 47' 43") are:

Parameter	Minimum	30-Day Average	Daily Maximum	Instant. Maximum
Flow (mgd)	-	-	-	Report
Iron (mg/l)	-	3.0	6.0	7.0
Manganese (mg/l)	-	2.0	4.0	5.0
Aluminum (mg/l)	-	2.0	4.0	5.0
Total Suspended Solids (mg/l)	-	35	70	90
Sulfate (mg/l)	-	-	-	Report
Osmotic Pressure (mos/kg)	-	-	-	Report
Chloride (mg/l)	-	-	-	Report
Total Dissolved Solids (mg/l)	-	-	-	Report
Bromide (mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃ (mg/l)	-	-	-	Report
Acidity, total as CaCO ₃ (mg/l)	-	-	-	Report

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, net	(mg/l)	0.0	-	-	-
pH		6.0	-	-	9.0
Selenium	(mg/l)	-	Report	Report	-
Arsenic	(mg/l)	-	Report	Report	-
Antimony	(mg/l)	-	Report	Report	-
Silver	(mg/l)	-	Report	Report	-

Outfall 002 discharges to: UNT Paint Creek

The proposed effluent limits for *Outfall 002* (Lat: 40° 14' 00" Long: 78° 47' 18") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids ²	(mg/l)	-	35	70	90
Sulfate	(mg/l)	-	-	-	Report
Osmotic Pressure	(mos/kg)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH		6.0	-	-	9.0

Outfall 003 discharges to: UNT 45262 to Paint Creek

The proposed effluent limits for *Outfall 003* (Lat: 40° 14' 56" Long: 78° 47' 04") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	-
Total Suspended Solids	(mg/l)	-	35	70	90
Sulfate	(mg/l)	-	-	-	Report
Osmotic Pressure	(mos/kg)	-	98	196	-
Chloride	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Alkalinity, total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, net	(mg/l)	0.0	-	-	-
pH		6.0	-	-	9.0

EPA Waiver not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0279552 (Mining Permit No. 56170103), Mountaineer Mining Corporation, 1010 Garrett Shortcut Road, Berlin, PA 15530, new NPDES permit for a coal surface mine operation in Shade Township, **Somerset County**, affecting 12.2 acres. Receiving stream: unnamed tributary to Dark Shade Creek, classified for the following use: cold water fishes. This receiving stream is included in the Kiskiminetas-Conemaugh River TMDL. Application received: August 14, 2017.

The outfalls listed below discharge to unnamed tributary to Dark Shade Creek.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001—Treatment Pond	Y

The proposed effluent limits for the previously listed outfall is as follows:

<i>Outfall: 001 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)			0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002—Sediment Trap 1	Y
003—Sediment Trap 2	Y

The proposed effluent limits for the previously listed outfall is as follows:

<i>Outfalls: 002, 003</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)			0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

NPDES No. PA0269034 (Mining Permit No. 56120109), Mountaineer Mining Corporation, 1010 Garrett Shortcut Road, Berlin, PA 15530, renewal of an NPDES permit for bituminous surface mine in Stonycreek Township, **Somerset County**, affecting 127.1 acres. Receiving stream(s): Schrock Run, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: October 10, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The outfall(s) listed below discharge to Schrock Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Outfalls: 001 and 002</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

NPDES No. PA0593931 (Mining Permit No. 01870301), Vulcan Construction Materials, LP, 875 Oxford Avenue, Hanover, PA 17331 renewal of an NPDES permit for noncoal surface mining in Oxford, Conewago, and Berwick Township, **Adams County**, affecting 1,292.7 acres. Receiving stream(s): Slagle Run, and North Stream to South Branch of Conewago Creek, classified for the following use(s): Warm Water Fishery (WWF). Application received: May 19, 2017.

The outfall(s) listed below discharge to Slagle Run and North Stream:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N
003A	N
003B	N
004	N

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Outfalls: 001, 002, 003, 003A, 003B, 004</i> <i>(All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Phenols (mg/l)		Monitor and Report Only	

pH (S.U.): Must be between 6.0 and 9.0 standard units.
Alkalinity must exceed acidity.

The combined discharges from 003, 003A, 003B, 004 shall not exceed 28.8 MGD for monthly average.

The discharge from 002 shall not exceed 0.5 MGD for monthly average.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E15-885. Chesterbrook Trust Parcel 1 Master Association, c/o Castlebridge Management, 1770 E. Lancaster Avenue, Suite A, Paoli, PA 19301, Tredyffrin Township, Chester County, ACOE Philadelphia District.

To restore and maintain approximately 820 linear feet in and along the 100-year floodplain of Wilson Run (a tributary to Valley Creek EV, MF). The proposed work will include the removal of an existing obstruction (a small rock dam), stream bank stabilization, and minor channel relocation and floodplain grading, providing a more naturalized and stable floodplain area. Also, to construct and maintain a 35.16 ft. long by 8 ft. wide pedestrian bridge with stone toe protection designed to maintain the existing channel cross section area and clearance for the 100-year flood, providing access to an existing trail and open space.

The site is located between Heyward Avenue and Wilson Farm Park (Valley Forge USGS Map; Latitude: 40.071793; Longitude: -75.44892).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E39-558. Upper Macungie Township, 8330 Schantz Road, Breinigsville, PA 18031, in Upper Macungie Township, Lehigh County, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a Contech pedestrian bridge having a span of 70-feet, a width of 6-feet and an underclearance of approximately 2.8-feet over Schaefer Run (HQ-CWF, MF). (Allentown, PA Quadrangle, Latitude: 40°32'5"; Longitude: -75°38'18"), Upper Macungie Township, Lehigh County, U.S. Army Corps of Engineers, Baltimore District.

E35-468. Walter Jr. & Katherine Stocki, 501 Oak Street, Old Forge, PA 18518, in Taylor Borough, Lackawanna County, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a private access road crossing of Keyser Creek (CWF, MF) consisting of a 50-foot long, 10-foot diameter culvert depressed 1-foot below streambed elevation with headwalls and endwalls, for the purpose of providing access to private property. (Scranton, PA Quadrangle, Latitude: 41°23'0"; Longitude: -75°42'14"), Taylor Borough, Lackawanna County, U.S. Army Corps of Engineers, Baltimore District.

E64-311. Dan Ryan & Susan Ryan, 348 Maplewood Avenue, Kenilworth, NJ 07033, in Lehigh Township, Wayne County, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 16-foot long by 6-foot wide dock in Lake Watawga (EV, MF). The project is located at 65 Lakeview Timbers Drive (Tobyhanna, PA Quadrangle Latitude: 41° 14' 31.49"; Longitude: -75° 26' 3.80") in Lehigh Township, Wayne County.

E35-467. Alliance Sanitary Landfill, 398 South Keyser Avenue, Taylor, PA 18517, in Ransom Township, Lackawanna County, U.S. Army Corps of Engineers, Baltimore District.

To place and maintain fill in 0.16 acre of wetlands associated with the development of Pad 12A, Phase I of the Alliance Sanitary Landfill which were previously authorized by Permit E35-195 which has expired. The project is located at the Taylor/Old Forge exit of the Pennsylvania Turnpike with Keyser Avenue in Ransom Township, Lackawanna Co. (Ransom, PA Quadrangle, Latitude: 41°23'40"; Longitude: -75°43'58").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E28-393: Borough of Mercersburg, 113 South Main Street, Mercersburg, Pennsylvania 17236, in the Borough of Mercersburg, Franklin County, U.S. Army Corps of Engineers Baltimore District.

To install and maintain: 1) 2—18-inch diameter stormwater outfalls with grouted riprap apron and 2) a 48 inch diameter stormwater outfall with grouted riprap apron in the floodway of Johnston Run (WWF, MF) (Latitude: 39.8341°, Longitude: -77.8996°). No wetlands will be affected by the project.

E67-936: Norfolk Southern Railway, 1200 Peachtree Street, NE, Atlanta, GA 30309, NS Bridge EP-51.17 Maintenance, East Manchester Township, York County, U.S. Army Corps of Engineers Baltimore District.

To regrade approximately 0.46 of an acre of emergent wetland in order to access and assess a railroad bridge for maintenance. The project is located on an access road off Wago Road (York Haven, PA Quadrangle, Latitude: 40.094494 Longitude: -76.701539) in East Manchester Township, York County. The project area is intended to remain an emergent wetland, therefore no mitigation is required.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E57-135. Pennsylvania Department of Transportation, Engineering District 3-0, PO Box 218, Montoursville, PA 17754-0218. S.R. 4010 Section 010, Mill Creek Channel and Floodplain Restoration Project, Hillsgrove Township, **Sullivan County**, Baltimore ACOE (Hillsgrove, PA Quadrangle N: 41° 26' 42"; W: -76° 42' 29").

PA DOT Engineering District 3-0 proposes to restore the Mill Creek channel, which was damaged during the October 2016 flooding. The stream channel and floodplain will be restored to the approximate Pre-Flood location and dimensions. The stream restoration will be approximately 850 Ft. The restoration will include Debris and Deposition Removal and 850 L.F. of R-8 Rip Rap Stabilization along the right bank. The adjacent roadway will be restored to Pre-Flood conditions. This project is located

directly upstream of the SR 0087 Bridge over Mill Creek. The project will not impact any jurisdictional wetlands. Mill Creek is classified as an Exceptional Value Stream by Title 25, Chapter 93 Water Quality Standards.

E57-134. Pennsylvania Department of Transportation, Engineering District 3-0, PO Box 218, Montoursville, PA 17754-0218. S.R. 4001 Section 036, Hoagland Branch Channel Restoration and Bridge Rehabilitation Project, Fox Township, **Sullivan County**, Baltimore ACOE (Hillsgrove, PA Quadrangle N: 41° 28' 49"; W: -76° 41' 35").

PA DOT Engineering District 3-0 proposes to restore the Hoagland Branch channel, which was damaged during the October 2016 flooding. The stream channel will be restored to the approximate Pre-Flood location and dimensions. The stream restoration will be approximately 500 Ft. The restoration will include Debris and Deposition Removal, Four Upstream Multi-Log Stream Deflectors, and 500 L.F. of R-8 Rip Rap Stabilization. The existing bridge structure will be underpinned with concrete and R-8 Rip Rap Scour protected around the abutments and wingwalls. The roadway will be restored to Pre-Flood conditions. The project will not impact any jurisdictional wetlands. Hoagland branch is classified as an Exceptional Value Stream by Title 25, Chapter 93 Water Quality Standards.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0043982 (Sewage)	Utilities Inc., of PA 1201 Sawmill Road Downingtown, PA 19335-3830	Chester County West Bradford Township	East Branch Brandywine Creek 3-H	Y
PA0244635 A-2 (Storm Water)	Morton Salt, Inc. 44 West Lake Street Suite 3000 Chicago, IL 60606	Bucks County Falls Township	Delaware River 2-E	Y
PA0012467 (Industrial)	Booth Station IWTP 5002 Buckeye Road P.O. Box 368 Emmaus, PA 18049-0368	Delaware County Bethel Township	Green Creek 3-G	Y
PA0050466 (Industrial)	East Vincent Township 262 Ridge Road Spring City, PA 19475-2203	Chester County East Vincent Township	Unnamed Stream 3-D	Y
PA0244902 (Storm Water)	Waste Management of PA, Inc. 1000 New Ford Mill Road Morrisville, PA 19067	Bucks County Tullytown Borough	Manor Lake Van Sciver Lake Delaware River 2-E	Y
PA0052515 (Industrial)	Ambler Borough Water Dept. 131 Rosemary Avenue Ambler, PA 19002	Montgomery County Whitemarsh Township	Wissahickon River 3-F	Y
PA0050377 (Industrial)	Johnson Matthey Inc. 900 River Road Conshohocken, PA 19428	Montgomery County Upper Merion Township	Matsunk Creek 3-F	Y
PA0058599 (Sewage)	Quartuccio Associates, LLC P.O. Box 430 Pipersville, PA 19428	Bucks County Bedminster Township	Unnamed Tributary to Cabin Run 2-D	Y

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0063568 (Industrial)	Northampton Borough Municipal Authority WTP PO Box 156 1 Clear Springs Drive Northampton, PA 18067-0156	Lehigh County North Whitehall Township	Spring Creek (2-C)	Yes

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0086142	Washington Township 120 Barto Road Barto, PA 19504-8746	Washington Township, Berks County	West Branch Perkiomen Creek Watershed(s) 3-E	Y

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0095621 (Sewage)	Ashville Borough STP Route 36 Ashville, PA 16613	Cambria County Ashville Borough	Clearfield Creek (8-C)	Yes

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. WQG02461708, Sewage, **Lansdale Borough**, One Vine Street, Suite 201, Lansdale, PA 19446.

This proposed facility is located in Lansdale Borough, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

WQM Permit No. 1517406, CAFO, **Walmoore Holsteins, Inc.**, 1826 Howell Moore Road, West Grove, PA 19390.

This proposed facility is located in Londonberry Township, **Chester County**.

Description of Action/Activity: Construction of an HDPE-lined Manure Storage Pond.

WQM Permit No. 1596410, Sewage, Amendment, **Aqua Pennsylvania Wastewater, Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3402.

This proposed facility is located in Thornbury Township, **Chester County**.

Description of Action/Activity: Request permit approval for upgrades to the Bridlewood Farm Wastewater Treatment Plant.

WQM Permit No. 1588416, Sewage, **Balmoral Homeowners Maintenance Corp.**, P.O. Box 119, Chadds Ford, PA 19317.

This proposed facility is located in Kennett Township, **Chester County**.

Description of Action/Activity: Permit approval for the renewal of the Balmoral Homeowners Association Wastewater Treatment Plant.

V. NPDES Waiver Stormwater Discharges from MS4 Actions

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the MS4s listed below in lieu of NPDES permit coverage.

Northeast Regional Office: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570.826.2511.

NPDES

<i>Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG132311	Delaware Water Gap 49 Main Street Delaware Water Gap, PA 18327	Delaware Water Gap Borough, Monroe County	Delaware River/TSF and WWF
PAG132313	Rice Township, 3000 Church Road Mountaintop, PA 18707	Rice Township, Luzerne	Big Wapwallopen Creek, Little Wapwallopen Creek/CWF and MF, CWF and MF

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s in lieu of NPDES permit coverage.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

NPDES

<i>Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136379	Centerville Borough 100 East End Road Brownsville, PA 15417	Centerville Borough, Washington	Monongahela River/WWF
PAG136264	Edgewood Borough Allegheny County 2 Race Street Pittsburgh, PA 15218-1445	Edgewood Borough, Allegheny	Ninemile Run/TSF
PAG136230	Versailles Borough Allegheny County 5100 Walnut Street McKeesport, PA 15132-6322	Versailles Borough, Allegheny	Youghiogheny River and Long Run/WWF and TSF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD090009	MLH 150 Roebling, LLC 308 Lancaster Avenue Suite 300 Wynnewood, PA 19096-2145	Bucks	Falls Township	Unnamed Tributary to Delaware River WWF-MF
PAD150003	Terry O'Neill 425 Rock Raymond Road Downingtown, PA 19335	Chester	East Brandywine Township	East Branch Brandywine HQ-TSF-MF
PAI011516021	APG The Village, L.P. 606 Gordon Drive Exton, PA 19341	Chester	East Whiteland Township	Tributary to Valley Creek EV-MF
PAD150053	Hettie J. Herzog 1057 St. Matthews Road Chester Springs, PA 19425	Chester	West Vincent Township	Pickering Creek HQ
PAD230010	Sunoco Partners Marketing and Terminals, L.P. 100 Green Street Marcus Hook, PA 19061	Delaware	Marcus Hook Borough	Delaware River WWF
PAD510013	Cristo Rey Philadelphia High School 5218 North Broad Street Philadelphia, PA 19141	Philadelphia	City of Philadelphia	Schuylkill River WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450027	PennDOT Engineering District 5-0 1002 Hamilton Street Allentown, PA 18101	Monroe	Tunkhannock	Keiper Run (HQ-CWF, MF) Tunkhannock Creek (HQ-CWF, MF)
PAD390027	Upper Saucon Township 5500 Camp Meeting Road Center Valley, PA 18034	Lehigh	Upper Saucon Township	UNT to Saucon Creek (HQ-CWF, MF)
PAD390036	ARCO Murray 3110 Woodcreek Drive Downers Grove, IL 60515	Lehigh	Upper Macungie Township	Iron Run (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD210002 Issued	Carlisle Moose Lodge # 761 25 East High Street Carlisle, PA 17013	Cumberland	Middlesex Township	Letort Spring Run (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140018	Samuel B. King 574 Tattletown Road Aaronsburg, PA 16820	Centre	Penn Twp	UNT-Elk Creek EV, MF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD180008	Phil Courter 508 East Valley Rd Loganton, PA 17747	Clinton	Porter Twp	Cedar Run HQ-CWF
PAD180009	Abner Fisher 212 Brungard Lane Mill Hall, PA 17751	Clinton	Porter Twp	UNT to Cedar Run HQ-CWF

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD260001	Jeremy Critchfield 1078 Nemacolin Drive Chalkhill, PA 15402	Fayette County	Wharton Township	UNT to Braddock Run (HQ-CWF)
PAI055616001	Mason Dixon Wind, LLC 1251 Waterfront Place Third Floor Pittsburgh, PA 15222	Somerset County	Fairhope Township; Larimer Township; Southampton Township	Flaugherty Creek (CWF); Laurel Run (HQ-CWF); Wills Creek (CWF); UNTs to Wills Creek (HQ-CWF); Gladdens Run (HQ-CWF); Mountain Run (HQ-CWF); Jennings Run (CWF)
PAI056316002	Legacy Park L and Partners, LLC 3625 Washington Pike Bridgeville, PA 15017	Washington County	North Strabane Township	UNT to Little Chartiers Creek (HQ-WWF)

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD430001	Greenville-Reynolds Development Corp 301 Arlington Drive Greenville, PA 16125	Mercer	Pymatuning Township	Shenango River WWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
North Union Township and East Union Township, Schuylkill County	PAC540011	AQUA Pennsylvania, Inc. c/o Joshua Shoff 1 Aqua Way White Haven, PA 18661	Sugarloaf Creek (CWF-MF)	Schuylkill County Conservation District 570-622-3742

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Cumberland Township Adams County Issued	PAC010029	Woodhaven Building and Development 4175 Hanover Pike Manchester, MD 21102	Marsh Creek (CWF) Willoughby Run (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
City of Reading Berks County Issued	PAC060049	American Regent Reading, LLC 1105 Industrial Highway Southampton, PA 18966	Schuylkill River (WWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710
Ontelaunee and Perry Townships, Shoemakersville Borough Berks County Issued	PAC060073	PennDOT District 5-0 1002 Hamilton Street Myerstown, PA 18101	Schuylkill River (WWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710
Penn Township Lancaster County Issued	PAC210044	Venus Partners, LLC 100 South Wacker Drive Chicago, IL 60606	Mount Rock Spring Creek (WWF, MF) Conodoguinet Creek (WWF, MF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Mechanicsburg Borough Cumberland County Issued	PAC210046	Landmark Homes at Cedar Run, LLC 1737 West Main Street Ephrata, PA 17522	UNT Cedar Run (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
Penbrook Borough Dauphin County Issued	PAC220054	Penbrook Borough 150 South 28th Street Harrisburg, PA 17103-1910	Asylum Run (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Conewago Township Dauphin County Issued	PAC220032	Brendan Zimmerman 2993 Mill Road Elizabethtown, PA 17022	Brills Run (TSF) Conewago Creek (TSF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

NOTICES

7269

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Derry Township Dauphin County Issued	PAC220052	Hershey Med Center Manor Housing 139J Physical Plant Building University Park, PA 16803-1118	Spring Creek East (WWF) UNT's Swatara Creek (WWF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Susquehanna Township Dauphin County Issued	PAC220011	AVA Group 3737 Routh 46 East Parsippany, NJ 07054	Paxton Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Lower Paxton Township Dauphin County Issued	PAC220047	Vanguard Realty Group 4090 Continental Drive Harrisburg, PA 17112	Paxton Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Lower Paxton Township Dauphin County Issued	PAC220053	Fishing Creek Valley Associates 4712 Smith Street Harrisburg, PA 17109	Beaver Creek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Earl Township Lancaster County Issued	PAC360050	Samuel Stoltzfus 194 Nolt Road New Holland, PA 17557	UNT Mill Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Lancaster City Lancaster County Issued	PAC360097	Michael O'Brien 2450 Marietta Avenue Lancaster, PA 17601	Conetoga River (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Clay Township Lancaster County Issued	PAC360128	Marcus Kline 100 Durlach Road Ephrata, PA 17522	Middle Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Warwick Township Lancaster County Issued	PAC360129	Joan Sinz 970 Disston View Drive Lititz, PA 17543	Cocalico Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Earl Township Lancaster County Issued	PAC360133	Clair Nolt 652 North Shirk Road New Holland, PA 17557	Trib Conestoga Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Issued	PAC360137	PPT Holding LLC 374 Chowning Place Lancaster, PA 17601	Bachman Run (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Manheim Township Lancaster County Issued	PAC360139	Buckwalter Enterprises LLC 124 Eshelman Road Lancaster, PA 17601	Bachman Run (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Elizabeth Township Issued	PAC360150	Davide and Krista Cipalla 38 Duffield Drive Lititz, PA 17543	UNT Hammer Creek (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
West Donegal Township Lancaster County Issued	PAC360158	Yarrum LP PO Box 332 Lemoyne, PA 17043	UNT Conewago Creek (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Clay Township Lancaster County Issued	PAC360036	Marlin Sensenig 355 Hillcrest Drive Ephrata, PA 17522	Middle Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
East Hanover Township Lebanon County Issued	PAC380036	Ben Moyer 807 Ono Road Jonestown, PA 17038	UNT Swatara Creek (WWF/WWF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
North Lebanon Township Lebanon County Issued	PAC380039	S. Gerald Musser 1310 Mt. Pleasant Road Lebanon, PA 17042	UNT Little Swatara Creek (WWF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
North Cornwall Township Lebanon County Issued	PAC380038	Brooke N. Kreider 3093 West Oak Street Lebanon, PA 17042	Quittapahilla Creek (TSF, MF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
College Twp, Centre Cnty	PAC140032	Penn State University 139J Physical Plant Bldg University Park, PA 16802	Big Hollow CWF	Centre County Conservation District 414 Holmes Ave, Ste 4 Bellefonte, PA 16823 (814) 355-6817

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
City of Meadville, Crawford County	PAC200042	Crawford County 903 Diamond Park Meadville, PA 16335	Mill Run WWF	Crawford County Conservation District Woodcock Creek Nature Center 21742 German Road Meadville, PA 16335 814-763-5269

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Middlesex Township, Butler County	PAC100061	United Landscape and Supply 796 Pittsburgh Road Butler, PA 16002	UNT to Glade Run	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270
Summit Township, Butler County	PAC100069	PTV XXX, LLC 1563 Woodward Drive Extension Greensburg, PA 15601	Tributary to Coal Run WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
Plymouth Township Montgomery County	PAG030066	Spray Products Corp 1323 Conshohocken Rd Plymouth Meeting, PA 19462	Diamond Run 3-F	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Upper Merion Township Montgomery County	PAG030068	Amazon. Com. DEDC, LLC P.O. Box 80842 Seattle, WA 98108-0842	Unnamed Tributary Trout Creek 3-F	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970

General Permit Type—PAG-4

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water / Use</i>	<i>Contact Office & Phone No.</i>
East Brandywine Twp Chester County	PAG040220	Mr. Kevin Lang 1660 Bondsville Road Downingtown, PA 19335	Beaver Creek 3-H	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

MS4 PAG-13 Notices of Intent Received

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136385	Apollo Borough PO Box 306 Apollo, PA 15613	Apollo Borough, Armstrong County	No	Yes
PAG136328	Derry Borough Municipal Authority 620 N Chestnut Street Derry, PA 15327	Derry Borough, Westmoreland County	N	Y
PAG136209	Borough of Conway 1208 3rd Avenue Conway, PA 15027-1598	Conway Borough, Beaver County	N	N
PAG136398	Mount Pleasant Township 31 McCarrell Road Hickory, PA 15340-1147	Mount Pleasant Township, Washington County	Yes	No
PAG136258	Arona Borough PO Box 200 Arona, PA 15617	Arona Borough, Westmoreland County	Yes	No

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136394	Brownsville Township 232 Brown Street Brownsville, PA 15417	Brownsville Township, Fayette County	Yes	No
PAG136311	North Union Township, 7 S Evans Station Road Lemont Furnace, PA 15456-1077	North Union Township, Fayette County	N	Y
PAG136229	East Deer Township 927 Freeport Road Creighton, PA 15030-1049	East Deer Township, Allegheny County	N	N
PAG136225	Churchill Borough Allegheny County 2300 William Penn Highway Pittsburgh, PA 15235-4952	Churchill Borough, Allegheny County	N	Y
PAG136261	Ingram Borough Allegheny County 40 W Prospect Avenue Pittsburgh, PA 15205-2241	Ingram Borough, Allegheny County	(Y)	(N)
PAG136119	Paint Borough Somerset County 119 Hoffman Avenue Windber, PA 15963-2358	Paint Township, Somerset County	(Y)	(N)
PAG136233	Scalp Level Borough Cambria County 422 Main Street Windber, PA 15963-1017	Scalp Level Borough, Cambria County	(Y)	(N)

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. §517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

CAFO NMP PUBLIC NOTICE SPREADSHEET—ACTIONS (Approval/Disapproval)

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproval</i>
John Pepper Enterprises, LLC 1075 New Road Granville Summit, PA 16926	Bradford	74.5	779.11	Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4617516, Public Water Supply.

Applicant	Horsham Water & Sewer Authority 617 Horsham Road Horsham, PA 19044
Township	Horsham
County	Montgomery
Type of Facility	PWS
Consulting Engineer	Gilmore & Associates, Inc. 65 E. Butler Avenue New Britain, PA 18901
Permit to Construct Issued	November 1, 2017

Permit No. 1517524, Public Water Supply.

Applicant	UMH Properties, Inc. 1 Mark Lane Honey Brook, PA 19344
Township	Honey Brook
County	Chester

Type of Facility	PWS
Consulting Engineer	Martin Water Conditioning 4850 Perkiomen Avenue Reading, PA 19606
Permit to Construct Issued	November 2, 2017

Operations Permit # 4616525 issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID # 1460028**, Horsham Township, **Montgomery County**, on November 2, 2017 for the operation of Ammonia Feed Equipment at Hatboro Well Station No. 6 facilities approved under construction permit # 4616525.

Operations Permit # 4616527 issued to: **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWS ID # 1460028**, Upper Moreland Township, **Montgomery County** on November 2, 2017 for the operation of Ammonia Feed Equipment at Hatboro Well Station No. 21 facilities approved under construction permit # 4616527.

Operations Permit # 4616528 issued to **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 1901, **PWS ID # 1460028**, Horsham Township, **Montgomery County** on November 2, 2017 for the operation of Ammonia Feed Equipment at Hatboro Well Station No. 8 facilities approved under construction permit # 4616528.

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 3540036, **Operations Permit**, Public Water Supply.

Applicant	Citizens Water Association of Deer Lake 228B Lake Front Drive Orwigsburg, PA 17961
[Borough or Township]	Orwigsburg Borough
County	Schuylkill
Type of Facility	PWS
Consulting Engineer	Ms Jennifer M Kowalonek PE Alfred Benesch & Company 400 One Norwegian Plaza Pottsville, PA 17901-3060
Permit to Operate Issued	10/11/2017

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2117510 MA, **Minor Amendment**, Public Water Supply.

Applicant	Pennsylvania American Water Company
Municipality	Silver Spring Township
County	Cumberland
Responsible Official	David R. Kauffman, Vice-President—Engineering 800 West Hershey Park Drive Hershey, PA 17033

Type of Facility The interior of Filter No. 2 will be blast cleaned and repainted. The filter media will be removed and replaced with new media. Other work will include removal and rebuilding of bull gear and drive, and rehabilitation of the underdrain system.

Consulting Engineer Bruce A. Brubaker, P.E.
Pennsylvania-American Water Company
852 Wesley Drive
Mechanicsburg, PA 17055

Permit to Construct Issued 11/6/2017

Permit No. 3617514, Public Water Supply.

Applicant **Lancaster Mennonite School**

Municipality Pequea Township

County **Lancaster**

Responsible Official Troy D. Hurst, Plant Manager
2176 Lincoln Highway East
Lancaster, PA 17602

Type of Facility Installation of treatment facilities for nitrate removal.

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley & Associates, Inc.
18 South George Street
York, PA 17401

Permit to Construct Issued 11/3/2017

Permit No. 6717513 MA, Minor Amendment, Public Water Supply.

Applicant **Miller Group Holdings, LP**

Municipality Fawn Grove Borough

County **York**

Responsible Official Darrin Rapali, Manager
950 East Main Street
Schuylkill Haven, PA 17972-0472

Type of Facility A new noncommunity water system will be installed at a Dollar General in Fawn Grove Borough, York County. Treatment of the new well will include nitrate treatment, acid neutralization, softening, and microfiltration.

Consulting Engineer Kevin L. Little, P.E.
Barton & Loguidice DPC
3901 Hartzdale Drive
Camp Hill, PA 17013

Permit to Construct Issued 11/3/2017

Permit No. 2217512 MA, Minor Amendment, Public Water Supply.

Applicant **Capital Region Water**

Municipality Harrisburg

County **Dauphin**

Responsible Official Michael McFadden, Water System Superintendent
100 Pine Drive
Harrisburg, PA 17101

Type of Facility Rehabilitation of the existing finished water underground Upper Reservoir, including repairs to the valve chamber, concrete crack, spall and joint repairs and sediment removal and cleaning.

Consulting Engineer Michael J. Mehaffey, P.E.
Gannett Fleming, Inc.
PO Box 67100
Harrisburg, PA 17106-7100

Permit to Construct Issued 11/6/2017

Permit No. 2817505, Public Water Supply.

Applicant **New Guilford Brethren in Christ Church (NGBIC)**

Municipality Guilford Township

County **Franklin**

Responsible Official Grant Benedict, Trustee
1575 Mont Alto Road
Chambersburg, PA 17202

Type of Facility The existing treatment system, including softening and UV equipment, will be abandoned and replaced with new softening, nitrate treatment, and chlorine disinfection equipment. A flow control valve and a finished water storage tank will also be installed.

Consulting Engineer Joseph M. McDowell, P.E.
Martin & Martin, Inc.
37 S Main Street
Chambersburg, PA 17201

Permit to Construct Issued 10/11/2017

Operation Permit No. 0716502 MA issued to: **Hillcrest Communities (PWS ID No. 4070045)**, Logan Township, **Blair County** on 11/8/2017 for facilities approved under Construction Permit No. 0716502 MA.

Operation Permit No. 0117505 MA issued to: **Lutheran Camping Corporation of Central PA (PWS ID No. 7010835)**, Menallen Township, **Adams County** on 11/9/2017 for facilities at Camp Nawakwa submitted under Application No. 0117505 MA.

Comprehensive Operation Permit No. 7360942 issued to: **Mount Joy Township (PWS ID No. 7360942)**, Mount Joy Township, **Lancaster County** on 11/3/2017 for the operation of facilities submitted under Application No. 7360942.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Permit No. MA-GWR-T1—Operation—Public Water Supply.

Applicant **Bimbo Bakeries USA, Inc.**

Township/Borough Old Lycoming Township

County **Lycoming County**
 Responsible Official Ms. Tina Rook
 Bimbo Bakeries USA, Inc.
 3375 Lycoming Creek Road
 Williamsport, PA 17701
 Type of Facility Public Water Supply
 Consulting Engineer N/A
 Permit Issued November 6, 2017
 Description of Action Authorizes the transfer of permit MA-GWR-T1 from Orograin Bakery Manufacturing, Inc. to Bimbo Bakeries USA, Inc. This permit approves the operation of the existing sodium hypochlorite chemical feed system and detention piping, which provides 4-log inactivation of viruses.

Description of Action Authorizes construction of bolted steel, glass-lined 100,000-gallon water-storage tank and the rehabilitation of the existing 530,000-gallon water-storage tank while the new 100,000-gallon tank is in operation.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Center Township Water Authority**, 224 Center Grange Road, Aliquippa, PA 15001, (**PWSID # 5040007**) Potter Township, **Beaver County** on November 8, 2017 for the emergency operation of facilities approved under Construction/Operation Permit # 0415504-A1-E2.

WATER ALLOCATIONS

Permit No. 147502 (Amendment 1)—Operation—
 Public Water Supply.

Applicant **Madison Water Works**
 Township/Borough Miles Township
 County **Centre County**
 Responsible Official Mr. Tim Clouser
 Madisonburg Water Works
 250 Madisonburg Pike
 Madisonburg, PA 16852
 Type of Facility Public Water Supply
 Consulting Engineer Mr. Michael J. Peleschak, P.E.
 Alfred Benesch & Company
 400 One Norwegian Plaza
 Pottsville, PA 17901
 Permit Issued November 2, 2017
 Description of Action Authorizes the amendment to permit 1407502 to include the Lead and Copper Rule (LCR) treatment facilities.

Actions taken on applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 67-960A, Water Allocations. Dover Township (PWS ID No. 7670073), York County. Dover Township is requesting to renew their existing water allocation permit which grants the right to purchase 1.0 million gallons per day from The York Water Company. Permittee Contact: Consulting Engineer: Christina Crawford MBA, PE, Spotts, Stevens & McCoy, Inc., 1047 North Park Road, PO Box 6307, Reading, PA 19610-0307. Permit Issued: 11/3/2017.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA4-724D, Water Allocations. North Sewickley Township Water Authority, 590 Mercer Road, Beaver Falls, PA 15010, **Beaver County**. The right to purchase up to 1,000 gallons of water per day, average day, from the Pennsylvania American Water Company—Ellwood City.

Permit No. 5517501MA—Construction—Public Water Supply.

Applicant **Penn Township Municipal Authority**
 Township/Borough Penn Township
 County **Snyder County**
 Responsible Official Mr. Thomas C. Ferry, Chairman
 Penn Township Municipal Authority
 P.O. Box 155
 Selinsgrove, PA 17870
 Type of Facility Public Water Supply
 Consulting Engineer Mr. Edward J. Brown, P.E.
 Larson Design Group, Inc.
 1000 Commerce Park Drive
 Suite 200
 Williamsport, PA 17701
 Permit Issued November 7, 2017

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Spring Garden Township	558 South Ogontz St York, PA 17403	York

Plan Description: Approval is granted for a revision to the official plan of Spring Garden Township, York County. The project is known as the Jeffrey Sargen Property. The project is for the replacement of a malfunctioning on lot sewage disposal system with a small flow treatment

facility with a discharge of 700 gpd to a dry stream tributary to Tyler Run. The permit applications must be submitted in the name of the property owner. The Department's review of the revision amendment has not identified any significant impacts resulting from this proposal. The DEP Code Numbers for this plan are A3-67003-178-3s and the APS Id is 944560.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Under the Pennsylvania Sewage Facilities Act.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. 717-705-4707. Telephone: 717-705-4707.

Plan Location:

Borough or Township	Borough or Township Address	County
South Hanover Township	161 Patriot Way Hershey, PA 17033-2498	Dauphin

Plan Description: The sewage planning exemption request submitted for the Daniel & Meredith Mills Subdivision, DEP Code No. A3-22930-192-2E, APS Id 954433, is disapproved. The purpose of this plan is to create one new single family residential building lot to use an individual onlot sewage disposal system and a residual tract with an existing dwelling an onlot sewage disposal system. The project is located on the north side of Hanshue Road, southwest of the junction with Shetland Drive. A preliminary hydrogeologic study is required because the proposed subdivision is within 1/4 mile of a well documented to exceed 5 PPM nitrate-N and onlot sewage disposal is proposed. Reference: Chapter 71, Section 71.51(b)(1)(ii) and South Hanover Township's Act 537 Sewage Facilities Plan (1989 submission). Therefore, the proposal must be submitted using the Component 2 sewage planning module forms.

Plan Location:

Borough or Township	Borough or Township Address	County
Earl Township	19 Schoolhouse Rd. Boyertown, PA 19512	Berks
Colebrookdale Township	765 West Philadelphia Ave. Boyertown, PA 19512	Berks

Plan Description: The sewage planning exemption request submitted for the Lea Subdivision, DEP Code No. A3-06931-107-2E, APS Id 954605, is disapproved. The purpose of this plan is to create one new single family residential building lot to use an individual onlot sewage disposal and a residual tract with an existing dwelling and onlot sewage disposal system. The proposed new development would be located in Earl Township. The submission also proposed the construction of a new residence to use an individual onlot sewage disposal system on a vacant parcel in Colebrookdale Township. A portion of that parcel and a portion of another parcel would be conveyed to the aforementioned residual tract via side lot additions. The project is located on both sides of Terrace Road, south of the junction with Ironstone Road. A preliminary hydrogeologic study is required because the proposed subdivision is within 1/4 mile of a well documented to exceed 5 PPM nitrate-N and onlot sewage disposal is proposed. Reference: Chapter 71, Section 71.51(b)(1)(ii) and Colebrookdale Township's Act 537

Sewage Facilities Plan (1997 submission). Therefore, the proposal must be submitted using the Component 2 sewage planning module forms.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Unison Engine Components, Inc., 701 Crestwood Road, Wright Township, **Luzerne County**. Amec Foster Wheeler, 751 Arbor Way, Hillcrest Building 1, Ste 180, Blue Bell, PA 19422, on behalf of GE Global Operations, 475 Creamery Way, Exton, PA 19341, submitted a revised Remedial Investigation, Risk Assessment and Final Report concerning remediation of site soils and groundwater contaminated with Aroclor-1242, Aroclor-1254, Aroclor-1260, 1,2,4-Trichlorobenzene, Benzo(g,h,i)perylene, Benzo(a)pyrene, and Dibenz(a,h)anthracene. The report is intended to document remediation of the site to meet the Site Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

LPR Energy Snow Shoe 2 Well Pad—Snow Shoe Township, **Centre County**. BiglerBoyz Enviro, Inc., 1950 Dale Road, Woodland, PA 16881, on behalf of LPR Energy, LLC, 2 E. Market Street, Suite 1, Clearfield, PA 16830, has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

Rosenbaum Trucking & Feed State Route 147E—Jackson Township, **Northumberland County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Rosenbaum Trucking & Feed, PO Box 165, Glade Springs, VA 24340-0165, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil and anti-freeze. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Cozza Residence—Lewisburg Borough, **Union County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of D. Brandyn Cozza, 942 Saint Paul Street, Lewisburg, PA 17837, has submitted a Final report concerning remediation of site soil contaminated with # 2 heating oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area

remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Fruitville Business Park, 1570 Fruitville Pike, Lancaster, PA 17602, Lancaster City, **Lancaster County**. Liberty Environmental, 50 N. 5th Street, 5th Floor, Reading, PA 19601, on behalf of 1570 Fruitville Pike, LP, 2450 Marietta Avenue, Lancaster, PA 17601, and Robert Lepore, c/o John Reed, Esquire, Barley Snyder, LLC, 126 East King Street, Lancaster, PA 17602-2893, submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with inorganics and SVOCs. The Plan was disapproved by the Department on November 3, 2017.

JRF Motorsports LLC Property, 348 Memorial Highway, Fleetwood, PA 19522, Ruscomber Township, **Berks County**. Liberty Environmental, 50 North 5th Street, 5th Floor, Reading, PA 19601, on behalf of VIST Bank, 1240 Broadcasting Road, P.O. Box 6219, Wyomissing, PA 19610-0219, and Strahn Law Offices, 5341 Perkiomen Avenue, Reading, PA 19606, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with used motor oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on November 8, 2017.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

LPR Energy Snow Shoe 2 Well Pad—Snow Shoe Township, **Centre County**. BiglerBoyz Enviro, Inc., 1950 Dale Road, Woodland, PA 16881, on behalf of LPR Energy, LLC, 2 E. Market Street, Suite 1, Clearfield, PA 16830, has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The Final Report demonstrated attainment of the Background and Statewide Health Standards and was approved by the Department on October 25, 2017.

Diamond State Trucking Inc. I-80 MM 194.4 Accident Cleanup, Greene Township, **Clinton County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of Diamond State Trucking, Inc., 7659 US 270, Malvern, AR 72104, has submitted a Final Report concerning remediation of site soil contaminated with Diesel Fuel. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 11, 2017.

Repsol William B Street Ethylene Glycol Release, Hamilton Township, **Tioga County**. Golder Associates Inc., 209 N. Main Street, Suite 3, Horseheads, NY 14845, on behalf of Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, has submitted a Final Report concerning remediation of site soils contaminated with Ethylene Glycol. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on September 15, 2017.

Right of Way, William B Street, Hamilton Township, **Tioga County**. Golder Associates, Inc., 209 North Main Street, Horseheads, NY 14845, on behalf of Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, has submitted a revised Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 6, 2017.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Former Melody Tent/Civic Arena, Center Avenue, Fullerton Street, Crawford & Bedford Avenue Pittsburgh, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Urban Redevelopment Authority of Pittsburgh, 200 Ross Street, Pittsburgh, PA 15219, has submitted a Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated with volatile organic compounds (VOCs); Semi volatile organic compounds (SVOCs) and metals. Public notice was printed in the *Pittsburgh Post Gazette* on August 18, 2017. The Plans were approved by the Department on November 7, 2017 and achieved a site-specific standard for soil and groundwater.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR019D010: Weatherly Casting and Machine Company, P.O. Box 21, Weatherly, PA 18255. A permit renewal for continued coverage under General Permit WMGR019 for the beneficial use of foundry waste as roadway construction material, a component or ingredient in the manufacturing of concrete or asphalt products, a soil additive or soil substitute, and for non-roadway construction activity. The foundry operation is located in Weatherly Borough, **Carbon County**. The renewal was approved by the Regional Office on November 2, 2017.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Permit(s) Modified Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR047: Harsco Corporation, 359 North Pike Road, Sarver, PA 16055; **Butler County**. This permit was modified to include the following beneficial uses: sludge stabilization, construction material, raw material for concrete production, underground storage tank and pipe backfill, mine buffering agent, acid mine drainage (AMD) treatment plant feed stock, briquettes to reclaim AMD-affected streams, grout production for flowable backfill, road base reclamation and soil stabilization, and raw material for asphalt production. The general permit was also revised and formatted to meet the current general permit format which included minor language changes and rearrangement of conditions. The revised permit was issued October 31, 2017.

Persons interested in reviewing obtaining a copy of the revised general permit can download a copy at <http://www.dep.pa.gov/Business/Land/Waste/SolidWaste/Residual/Permitting/Pages/BeneficialUsePermits.aspx> or may contact Chris Solloway, Environmental Group Manager, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

REGISTRATION FOR GENERAL PERMIT—RESIDUAL WASTE

Registrations issued Under the Solid Waste Management Act; the Residual Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

General Permit Registration No. WMGR019NC001: Benton Foundry, Inc., 5297 State Route 487, Benton, PA 17814-7641. Registration to operate under General Permit No. WMGR019NC001 for the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractory. The registration was approved by Northcentral Regional Office on November 2, 2017.

General Permit Registration No. WMGR019NC002: Clearfield Machine Company, Inc., 520 S. 3rd Street, Clearfield, PA 16830. Registration to operate under General Permit No. WMGR019NC001 for the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractory. The registration was approved by Northcentral Regional Office on November 2, 2017.

Persons interested in obtaining more information about the general permit applications may contact Lisa D. Houser, P.E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA

17701, (570) 327-3740. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

BOND RELEASE PROPOSAL UNDER THE SOLID WASTE MANAGEMENT ACT AND REGULATIONS TO OPERATE A MUNICIPAL OR RESIDUAL WASTE FACILITY

Southwest Regional Office: Regional Manager, Waste Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit I.D. No. WMGR123SW021. RES Water—Champion, LLC, 1373 Washington Pike, Suite 100, Bridgeville, PA 15017. The Department of Environmental Protection is releasing \$1,098,510 in bond liability for RES Water—Champion, LLC, for its residual waste processing facility operating under DEP Residual Waste General Permit WMGR123SW021 located at 100 RES Drive, McDonald, PA 15057, Robinson Township, **Washington County**. RES Water—Champion, LLC submitted on October 16, 2017 a request to surrender the above referenced permit and for bond release for its facility that was permitted but never constructed.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP3-09-0151: Mount Materials, LLC (427 South White Horse Pike) On November 7, 2017 for Portable Screener, Warrior 2100, in Falls Township, **Bucks County**.

GP11-09-0061: Mount Materials, LLC (427 South White Horse Pike) On November 7, 2017 for a diesel fuel-fired internal combustion engine in Falls Township, **Bucks County**.

GP3-46-0150: Allied Recycling Co. (1752 Limekiln Pike, Dresher, PA 19025) On November 7, 2017 for a Portable Screener, Warrior 2100, in Montgomery Township, **Montgomery County**.

GP11-46-0083: Allied Recycling Co. (1752 Limekiln Pike, Dresher, PA 19025) On November 7, 2017 for a nonroad engine, in Montgomery Township, **Montgomery County**.

GP14-09-0146: Bucks County Crematory, LLC (3500 Bristol Oxford Valley Road, Levittown, PA 19057) On November 3, 2017 for a human Crematory (2 Units), in Bristol Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

GP1-35-008A: General Dynamics Ordnance and Tactical Systems PA, Scranton Army Ammunition Plant (156 Cedar Ave, Scranton, PA 18505) on November 8, 2017, for the operation of a Burnham Corp. Boiler at their facility in Scranton, **Lackawanna County**.

GP3-40-023: Mark Construction Services, LLC (4000 4th Street, Moosic, PA 18507) on November 8, 2017, for the construction and operation of a crusher and screening operation at their facility in City of Hazelton, **Luzerne County**.

GP9-40-023: Mark Construction Services, LLC (4000 4th Street, Moosic, PA 18507) on November 8, 2017, for the construction and operation of two diesel fired engine at their facility in City of Hazelton, **Luzerne County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

GP5-43-342C: Enervest Operating LLC—Collins Station (300 Capitol St., Suite 200, Charleston, WV 25301) on November 2, 2017, for the authority to operate a Caterpillar Model G3406TA natural gas engine, a Natco Natural Gas Dehydrator, a 4,200 gallon slop engine oil & liquids from compressor scrubber storage tank, and fugitive emissions (BAQ-GPS/GP5) located at their facility in West Salem Township, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-0044C: Glasgow, Inc. (Church & Flint Hill Roads, King of Prussia, PA 19406), on November 8, 2017 for the following modifications for the existing batch hot mix asphalt (HMA) plant and associated dust collector (baghouse) at its McCoy Quarry & Asphalt Plant facility:

Revisions to the hourly and annual particulate matter (PM)/PM less than 10 μm in aerodynamic diameter (PM₁₀) emission rate restrictions for the batch HMA plant to correspond with the best available technology PM emission concentration restrictions of 0.016 grain per dry standard cubic foot (gr/dscf) for filterable PM and 0.021 gr/dscf for PM₁₀ (i.e., filterable plus condensable). The revisions result in an increase in the potential to emit PM/PM₁₀ for the batch HMA plant from 2.01 tons/yr to 5.71 tons/yr (PM) and 7.50 tons/yr (PM₁₀), as based on adjusted exhaust gas flow parameters from the most recent stack test for the batch HMA plant.

A change to the source description for the batch HMA plant to correct the name of the baghouse manufacturer and the quantity of filter bags used in the baghouse.

The facility is located in Upper Merion Township, **Montgomery County**, and is a non-Title V facility.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

48-00011A: Martins Creek, LLC. (835 Hamilton St, Suite 150, Allentown, PA 18101-2400) on October 23, 2017 for the installation and operation of Separated Over Fired Air (SOFA) equipment and use of the existing Flue Gas Recirculation (FGR) on boilers to control NO_x emissions

at the Martins Creek LLC's existing facility located in Lower Mt. Bethel Twp., **Northampton County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00005: Merck & Co., Inc. (770 Sumneytown Pike, West Point, PA 19486-0004) November 8, 2017, located in Upper Gwynedd Township, **Montgomery County** for a renewal of their Title V operating permit. This renewal includes the incorporation of plan approval 46-0005AQ.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

TVOP-30-00077: Texas Eastern Transmission LP (258 Bristoria Road, Wind Ridge, PA 15380-1259) Title V Operating Permit renewal issued on November 08, 2017, for their Holbrook Compressor Station located in Richhill Township, **Greene County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00113: AT&T Communications of PA, LLC (60 West Avenue, Wayne, PA 19087) On November 7, 2017 located in Radnor Township, **Delaware County**, for a renewal of State Only (Natural Minor) Operating Permit No. 23-00113.

09-00068: Orchard Hill Memorial Park (80 Kelly Road, Quakertown, PA 18951; Attn: Mr. Derek Cooke) On November 2, 2017 for a non-Title V Facility, State-Only Synthetic Minor Operating Permit in Richland Township, **Bucks County**.

09-00164: The H&K Group (Naceville Materials) (300 Skunk Hollow Road, Chalfont, PA 18914), located in Hilltown Township, **Bucks County**, for a renewal of State Only (Natural Minor) Operating Permit for its Naceville Materials Joint Venture—Chalfont facility.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

48-00022: Ardent Mills, LLC (4888 South Delaware Drive, Martins Creek, PA 18063) issued on 11/8/17, a State-Only (Synthetic Minor) Operating Permit renewal for operation of their dog and cat food manufacturing facility located in Lower Mt. Bethel Township, **Northampton County**. The sources include a boiler, wheat receiving, handling, and a flour mill, bulk loading, feed loadout, water chlorination, and a fumigation process. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00023: Ardent Mills, LLC (4888 South Delaware Drive, Martins Creek, PA 18063-0193) issued on 11/8/17, a State-Only (Synthetic Minor) Operating Permit renewal for operation of their grain and field bean wholesaling facility located in Lower Mt. Bethel Township, **Northampton County**. The sources include wheat receiving, handling, and loadout and a fumigation process. The permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

50-03006: Sunoco Pipeline LP (525 Fritztown Road, Sinking Spring, PA 19608) on November 7, 2017, for the natural gas liquid (ethane, propane, butane or a mixture of these) Doyleburg pumping station located in Toboyne Township, **Perry County**.

22-03094: Sunoco Pipeline LP (525 Fritztown Road, Sinking Spring, PA 19608) on November 7, 2017, for the natural gas liquid (ethane, propane, butane or a mixture of these) Middletown pumping station located in Londonderry Township, **Dauphin County**.

31-03036: Sunoco Pipeline LP (525 Fritztown Road, Sinking Spring, PA 19608) on November 7, 2017, for the natural gas liquid (ethane, propane, butane or a mixture of these) Mount Union pumping station located in Shirley Township, **Huntingdon County**.

06-03164: Sunoco Pipeline LP (525 Fritztown Road, Sinking Spring, PA 19608) on November 7, 2017, for the natural gas liquid (ethane, propane, butane or a mixture of these) Beckersville pumping station located in Brecknock Township, **Berks County**.

36-03197: Sunoco Pipeline LP (525 Fritztown Road, Sinking Spring, PA 19608) on November 7, 2017, for the natural gas liquid (ethane, propane, butane or a mixture of these) Blainsport pumping station located in West Cocalico Township, **Lancaster County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

41-00019: VT Hackney, Inc. (914 Saegers Station Road, Montgomery, PA 17752) on October 30, 2017, for their Montgomery Plant located in Clinton Township, **Lycoming County**. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable State air quality regulations.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Tom Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

OP-03-00250: Rosebud Mining Company (301 Market Street, Kittanning, PA 16201) Operating Permit Amendment issuance for name change date effective November 6, 2017, for their coal preparation plant located in West Franklin Township, **Armstrong County**.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543, Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

OP17-000051: The Curtis Center (601 Walnut Street, Philadelphia, PA 19106) issued on November 7, 2017 for the operation of a commercial office in the City of Philadelphia, **Philadelphia County** and to incorporate a change of ownership. This is the renewal of a Natural Minor operating permit. The facility's air emission sources include two 14.845 MMBtu/hr boilers that burn natural gas or No. 2 fuel oil, a diesel fired 600 kW emergency generator, and a diesel fired 245 BHP emergency fire pump.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00240: JBS Souderton, Inc. (249 Allentown Road, Souderton, PA 18964) On November 8, 2017, located in Franconia Township, **Montgomery County**. The permit was opened for cause to correct a minor administrative change to condition # 009(b) for source # 036. The stack test condition has been modified to test only for NO_x and CO while firing natural gas.

46-00040: LUX Global Label Co., LLC (2025 Joshua Rd, Lafayette Hill, PA 19444) On November 8, 2017 for operation of a printing facility in Whitemarsh Township, **Montgomery County**. This Administrative Amendment of State-Only Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 is to address a change in ownership and Federal tax ID number.

46-00157: DANA Driveshaft Products, LLC. (1040 Center Avenue, Pottstown, PA 19464-6007) On November 8, 2017 located in Pottstown Borough, **Montgomery County**. An Administrative Amendment of State-Only Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 to address an existing source of fugitive emissions (Lubrication/Cleaning, Source ID 104) at the facility that is has been in operation for a number of years. This source uses a Safety-Kleen solvent during cleaning of the cold forming tanks as well as a spray lubricant along the various assembly lines in the plant.

09-00117: Heucotech Limited (99 Newbold Road, Fairless Hills, PA 19030) on November 8, 2017 a minor modification of the State Only Operating Permit 09-00117 for the facility in Falls Township, **Bucks County** is issued to change the allowable pressure drop range for the TD 3060 dust collector, part of Source ID C101.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

16-00149: Clarion Laminates (301 Fiberboard Road, Shippenville, PA 16254-4811). On November 8, 2017, the

Department issued an administrative amendment to the State Operating Permit to incorporate the requirements of Plan Approval 16-149C. The facility is located in Paint Township, **Clarion County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

43-00280: Miller Industries Chevron (7320 West Market Street, Mercer, PA 16137) on November 9, 2017, the permit was revoked for the facility located in Lackawannock Township, **Mercer County**. This State Operating Permit was revoked because the sources were decommissioned and the facility no longer operates the facility.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 32120101. Amerikohl Mining Inc., 202 Sunset Drive, Butler, PA 16001, permit renewal for reclamation only of a bituminous surface mine in East Wheatfield Township, **Indiana County**, affecting 210.2 acres. Receiving streams: unnamed tributaries to/and Mardis Run and unnamed tributaries to/and Blacklick Creek classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: August 24, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 19930101R4 and NPDES Permit No. PA0225487. Burnrite Coal Company, (231 Thomas Road, Elysburg, PA 17824), renewal for reclamation activities only on an anthracite surface mine operation and NPDES Permit for discharge of treated mine drainage in Conyngham and Mt. Carmel Townships, **Columbia and Northumberland Counties** affecting 559.1 acres, receiving stream: South Branch Roaring Creek and Quake Run, classified for the following use: HQ—cold water fishes. Application received: June 10, 2014. Renewal issued: October 27, 2017.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

PAM417030-GP104. Bricker Paving & Excavating, 1661 Edenville Road, Chambersburg, PA 17202. General NPDES Permit for stormwater discharges associated with mining activities on Noncoal Permit No. 28000803 located in Hamilton Township, **Franklin County**. Receiving stream: Unnamed Tributary to Back Creek, classified for the following uses: Trout Stocked Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: October 10, 2017. Coverage Approved: November 9, 2017.

PAM417026-GP104. Eagle Mountain Lumber Company, P.O. Box 407, Fannettsburg, PA 17221. General NPDES Permit for stormwater discharges associated with mining activities on Noncoal Permit No. 28052801 located in Metal Township, **Franklin County**. Receiving stream: West Branch Conococheague Creek classified for the following uses: Cold Water Fishes and Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: October 23, 2017. Coverage Approved: November 9, 2017.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

08170801. Charles H. God II (46 Riverwoods Lane, Sugar Run, PA 18846), commencement, operation and restoration of a small noncoal industrial minerals surface mine permit (Bluestone) in Tuscarora Township, **Bradford County** affecting 5.0 acres. Receiving stream(s): (Fargo Creek) UNT to Tuscarora Creek. Application received: April 5, 2017. Permit Issued: November 3, 2017.

PAM217007. Charles H. God II (46 Riverwoods Lane, Sugar Run, PA 18846). General NPDES permit for stormwater discharge associated with mining activities on Surface Mining Permit No. 08170801 in Tuscarora Township, **Bradford County**. Receiving stream(s): (Fargo Creek) UNT to Tuscarora Creek. Application received: April 5, 2017. Permit Issued: November 3, 2017.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 8274SM2C11 and NPDES Permit No. PA0612871. New Enterprise Stone & Lime Company, Inc. d/b/a Eastern Industries, Inc., (3724 Crescent Court West, Whitehall, PA 18052), renewal of NPDES permit for discharge of treated mine drainage in West Cocalico Township, **Lancaster County**, receiving stream: unnamed tributary to Indian Run. Application received: June 30, 2017. Renewal issued: November 7, 2017.

Permit No. 5376SM16C10 and NPDES Permit No. PA0593915. American Asphalt Paving Company, (500 Chase Road, Shavertown, PA 18708), renewal of NPDES permit for discharge of treated mine drainage in Jackson Township, **Luzerne County**, receiving stream: Browns Creek. Application received: June 14, 2017. Renewal issued: November 7, 2017.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E45-608. PennDOT Engineering District 5-0, 1002 Hamilton Street, Tunkhannock Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with roadway improvements along SR 0115:

1. To remove the existing structure and to construct and maintain a road crossing carrying SR 0115 over Keiper Run Creek (HQ-CWF, MF), consisting of a 61-foot long, 13' × 7' reinforced concrete box culvert, depressed 12 inches below natural streambed elevation;
2. To restore approximately 200 linear feet of Keiper Run Creek (HQ-CWF, MF) to include three cross vanes and rip rap scour protection within the channel.

The overall improvements will permanently impact 0.11 acre of wetlands and 0.51 acre of floodway and temporary

ily impact 0.01 acre of wetlands, 0.02 acre of stream channel, and 0.37 acre of floodway in Monroe County.

The permittee is required to provide 0.11 acre of replacement wetlands.

The proposed overall project is located along a 1.8-mile section of SR 0115 starting approximately 400 feet west of the intersection with State Route 0903 and moving east 1.8 mile (Blakeslee, PA Quadrangle Latitude: 41°03'17"; Longitude: -75°32'16") in Tunkhannock Township, Monroe County.

E04-366. JoPA Development LLC (d/b/a River Harbour Marina), 501 Steel Street, Aliquippa, PA 15001. Bridgewater Borough, **Beaver County**, Army Corps of Engineers Pittsburgh District.

To remove the existing structure and to construct and maintain a 300-foot-long by 8-foot-wide metal framed dock and access ramp which will be supported by 4 piles driven into the bed of the Beaver River. The project is located approximately 330 feet east of intersection of Wolf Lane and Market Street along the Beaver River (WWF; N) (Beaver, PA Quadrangle Latitude: 40° 41' 55.55"; Longitude: -80° 17' 26.14").

E40-794. Michael T. Morris, 256 East Carcas Avenue, Hershey, PA 17033. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain a 567 sq. ft. pile-supported addition to the existing 262 sq. ft. dock within the basin of Harveys Lake (HQ-CWF). The project is located approximately at Pole 229, Lakeside Drive (Harvey's Lake, Quadrangle Latitude: 41°21'55.9"; Longitude: -76°2'41.2").

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E22-637: Hershey Entertainment & Resorts Company, 300 Park Boulevard, Hershey, PA 17033 in Steelton Borough, **Dauphin County**, U.S. Army Corps of Engineers, Baltimore District.

To install and maintain approximately 1,418 square feet of queue line relocated and replaced adjacent to the existing 1,368 square foot queue line of the Sooper Dooper Looper attraction and to install and maintain an approximately 30 square foot chair lift structure adjacent to the Trailblazer attraction in the floodway and floodplain of Spring Creek (WWF, MF) to improve guest accessibility. The permit was issued on 11/6/17.

E36-965: Eden Township Board of Supervisors, 489 Stony Hill Road, Quarryville, PA 17566 in Eden Township, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District.

To: 1) install and maintain a 48 inch diameter intake and outfall with headwall, endwall, and rock riprap apron and 2) maintain a 48 foot long, 36 inch diameter, reinforced concrete pipe with endwalls in an unnamed tributary to Bowery Run (HQ-CWF, MF) (Latitude: 39°53'19.9", Longitude: -76°07'30.8") for the purpose of improving safety standards and reducing the frequency of flooding on Hess Road. No wetlands will be impacted by this project. The permit was issued 11/7/17.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E02-1754, Pennsylvania Turnpike Commission, P.O. Box 67676, Harrisburg, PA 17057, South Fayette Township, **Allegheny County**, Pittsburgh ACOE District.

Has been given consent to:

1. Place and maintain fill in 121 LF of a UNT to Coal Run (aka Coal Run UNT 17) (WWF);
2. Construct and maintain a 407.5' × 4.5' culvert in a UNT to Coal Run (aka Coal Run UNT 16) (WWF);
3. Construct and maintain a 265' × 3' culvert in a UNT to Coal Run (aka Coal Run UNT 13) (WWF);
4. Construct and maintain a 622' × 3' culvert in a UNT to Coal Run (aka Coal Run UNT 14) (WWF);
5. Place and maintain fill in 38 LF of a UNT to Coal Run (aka Coal Run UNT L) (WWF);
6. Construct and maintain a 812' long, 12.5' × 5' box culvert in Coal Run (WWF);
7. Relocate and maintain 1,324 LF of Coal Run (WWF);
8. Place and maintain fill in 215 LF of a UNT to Coal Run (aka Coal Run UNT E) (WWF);
9. Place and maintain fill in 23 LF of a UNT to Coal Run (aka Coal Run UNT G) (WWF);
10. Place and maintain fill in 48 LF of a UNT to Coal Run (aka Coal Run UNT F) (WWF);
11. Place and maintain fill in 0.244 acre of PEM wetland in the Coal Run watershed (WWF);
12. Install and maintain road associated stormwater facilities and outfalls in the Coal Run watershed (WWF);
13. Place and maintain 829,763 cubic yards of fill in 0.097 acre of floodplain in the Coal Run Watershed (WWF);

In association with constructing a new section (Section 55C1-2) of the Pennsylvania Turnpike, as a component of the overall construction of a new 13.3-mile section (aka The Southern Beltway Project) of the Pennsylvania Turnpike, between U.S Route 22, and Interstate 79 (a.k.a. The Southern Beltway project). The structures and activities requiring authorization for Section 55C1-2 in South Fayette Townships, Washington County (Canonsburg, PA Quadrangle; starting at Latitude: 40° 19' 49.63" Longitude: -80° 09' 40.72"; and ending at Latitude: 40° 21' 43", Longitude: -80° 13' 21") will permanently impact a total of approximately 5,372 linear feet (LF) of various watercourses, resulting in a permanent loss of 4,048 LF of regulated watercourses and 0.244 acre of wetland, and temporarily impact a total of approximately 2,589 LF of various watercourse and 0.008 acre of wetland.

To compensate for the watercourse impacts associated with Section 55C1-2 of the Southern Beltway Project, the stream mitigation plan includes the on-site relocation of 1,324 LF of stream channel, and restoration of approximately 4,048 LF of various tributaries in the Buck Run watershed, in Donegal Township, Washington County (West Middletown, PA Quadrangle; Latitude: 40° 8' 53" Longitude: -80° 26' 19"). Although final plans for future projects are not available, the applicant estimates that the aforementioned future subprojects and the current project will permanently affect a cumulative total of approximately 7.885 acres wetlands. As compensation for these wetland impacts, the applicant will construct approximately 8.3 acres of wetlands, at a site approximately 0.5 mile west of the intersection of S.R. 18, and Joffre Bulger Road, in Smith Township, Washington County (Clinton, PA Quadrangle; Latitude: 40° 23' 16" Longitude: -80° 22' 24").

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.

ESCGP-2 # ESX10-125-0005 Renewal
Applicant Name Range Resources—Appalachia, LLC
Contact Person Karl Matz
Address 3000 Town Center Boulevard
City, State, Zip Canonsburg, PA 15317
County Washington County
Township(s) Cross Creek Township
Receiving Stream(s) and Classification(s) UNT to Cross Creek (HQ-WWF), UNT to South Fork Cross Creek (HQ-WWF), & UNT to Middle Fork North Fork Cross Creek (HQ-WWF)

ESCGP-2 # ESX17-003-0008
Applicant Name EQT Production Company
Contact Person Todd Klaner
Address 2400 Ansys Drive, Suite 200
City, State, Zip Canonsburg, PA 15317
County Allegheny County
Township(s) Forward Township
Receiving Stream(s) and Classification(s) UNT to Becketts Run (WWF) and UNT to Gillespie Run (WWF) (WWF)

[Pa.B. Doc. No. 17-1947. Filed for public inspection November 22, 2017, 9:00 a.m.]

Cleanup Standards Scientific Advisory Board Meeting Cancellation

The December 13, 2017, meeting of the Cleanup Standards Scientific Advisory Board (Board) has been cancelled. The next Board meeting will be scheduled for early 2018.

Questions should be directed to Troy Conrad at (717) 783-9480 or tconrad@pa.gov. The agenda and meeting

materials for the next Board meeting will be available on the Board webpage on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Cleanup and Brownfields Advisory Committees," then "Cleanup Standards Scientific Advisory Board").

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-9480 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1948. Filed for public inspection November 22, 2017, 9:00 a.m.]

Sewage Advisory Committee Meeting

The Sewage Advisory Committee (Committee) has scheduled a meeting for Tuesday, December 5, 2017. The meeting will begin at 10:30 a.m. in the Susquehanna Room, Department of Environmental Protection, Southcentral Regional Office Building, 909 Elmerton Avenue, Harrisburg, PA.

The agenda and meeting materials for the December 5, 2017, meeting will be available on the Public Participation Center of the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Sewage Advisory Committee"). Prior to the meeting date, check information on the Department's web site to confirm meeting date, time and location.

Individuals with questions concerning this meeting should contact Janice Vollero at (717) 772-5157. Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-5017 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 17-1949. Filed for public inspection November 22, 2017, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION**Findings**

Under section 2002(b) of The Administrative Code of 1929 (71 P.S. § 512(b)) establishing the Department of Transportation (Department), the Director of the Bureau of Project Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the following listed projects. Environmental and Section 4(f) Documentation have been developed for the following identified projects to

evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System at <http://www.dotdom2.state.pa.us/ceea/ceeamain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the proposed identified projects, and all reasonable steps have been taken to minimize the effects.

• **SR 0000, Section SSB—Philadelphia City, Philadelphia County.**

Project Description: The project proposes to connect the east bank of the Grays Ferry Crescent Trail to the Bartram's Mile Trail located on the west bank of the Schuylkill River at the location of the Schuylkill River Swing Bridge. The project will replace the existing steel truss and will reuse the existing piers, abutments and side spans.

Environmental Documents: CE 2 Evaluation approved on June 9, 2017, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on June 8, 2017.

Proposed Use of Section 4(f)/2002 Resource: The Schuylkill River Swing Bridge was determined eligible for listing on the National Register of Historic Places (NRHP). The removal of the Schuylkill River Swing Bridge will have an adverse effect on the NRHP-eligible Schuylkill River Swing Bridge. As the Schuylkill River Swing Bridge is a contributing element to the PW&B Railroad Historic District, the project will therefore also have an adverse effect to the historic district. The Schuylkill River Swing Bridge is discontinuous from the historic district and no other impacts to the historic district will occur.

• **SR 0006, Section 530—Kane Borough, McKean County.**

Project Description: The proposed work will consist of pavement reconstruction, drainage improvements, bituminous overlay, traffic signal upgrades, and possible water, sewer and gas line relocations. Minor curb and sidewalk work may be required around drainage/inlet replacement.

Environmental Documents: CE BRPA Evaluation approved on May 24, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 24, 2017.

Proposed Use of Section 4(f)/2002 Resource: The Kane Historic District was determined to be eligible for listing on the NRHP. The proposed project will have an effect on the eligible historic district, because it will have a direct impact on property associated with a contributing resource, but it is not considered an adverse effect because it is a very minimal property take of approximately 0.011 acre of the 45.6-acre historic district.

• **SR 0006, Section 620—Coudersport Borough, Potter County.**

Project Description: The proposed work will consist of full depth reconstruction in specific areas, base replacements, drainage improvements, bituminous overlay, bridge superstructure replacement, traffic signal upgrades, and possible water, sewer and gas line relocations. Minor curb and sidewalk work may be required around drainage/inlet replacement.

Environmental Documents: CE BRPA Reevaluation approved on June 1, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 18, 2015.

Proposed Use of Section 4(f)/2002 Resource: The Coudersport Historic District is listed on the NRHP. Approximately of 0.023-acre of right-of-way (ROW) will be required from Mary C. Freysinger property, a contributing property to the Coudersport Historic District.

• **SR 0035, Section A11—Fayette Township, Juniata County.**

Project Description: The Department, through the P3 Rapid Bridge Replacement Project (RBRP), proposes to replace the SR 0035, Section A11 (Main Street) bridge over Little Lost Creek. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE BRPA Reevaluation approved on May 28, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on April 28, 2016.

Proposed Use of Section 4(f)/2002 Resource: The new bridge will require approximately 0.03 acre of ROW from the approximately 57-acre Lost Creek Community Park, which qualifies as a Section 4(f)/Section 2002 resource.

• **SR 0074, Section 000—Tyrone Township, Perry County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 0074, Section 000 (Veterans Way) bridge over Montour Creek. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE BRPA Reevaluation approved on August 29, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on March 8, 2017.

Proposed Use of Section 4(f)/2002 Resource: There are two properties within the project area eligible for listing on the NRHP. Approximately 0.07 acre of ROW will be required from the Barnheisel Farm property. Approximately 0.009 acre of ROW will be required from Bernheisel Mill Complex property.

• **SR 0078, Section 13B—Hamburg Borough and Tilden Township, Berks County.**

Project Description: The proposed project is the widening of Interstate 78 between Exit 29 (SR 61 Interchange) and Exit 30 in Tilden Township and Hamburg Borough, Berks County. This will include the widening of the existing I-78 Bridge over the Schuylkill River, widening of both I-78 single span bridges over Port Clinton and improvements to the SR 61 Interchange.

Environmental Documents: CE 2 Evaluation approved on April 26, 2017, and three Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Lands approved on March 22, 2017.

Proposed Use of Section 4(f)/2002 Resource: The Schuylkill River is included in the Scenic Rivers Pro-

grams in this Commonwealth and is a Section 4(f)/Section 2002 resource as designated by the Department of Conservation and Natural Resources (DCNR). Approximately 830 square feet of permanent impacts will be required from the resource. Hamburg Community Park (The Etchberger Memorial Park) is located in, owned and managed by the Borough of Hamburg, Berks County. Approximately 0.01 acre of ROW will be required from this Section 4(f)/Section 2002 resource. The Schuylkill River Water Trail is designated as a public recreational water trail by the Fish and Boat Commission (Commission) and is a Section 4(f)/Section 2002 resource. Portions of the Schuylkill River Water Trail (National Recreational Trail) will be closed to passage during the anticipated 36-month construction period. An ATON Plan was approved by the Commission on January 14, 2016.

• **SR 0220, Section 112—Piatt and Woodward Townships, Lycoming County.**

Project Description: The project proposes to improve safety along an approximately 6.1-mile section of the SR 220 corridor by closing the median except at strategic locations, thereby eliminating most potential crash points associated with crossing traffic and turning traffic. A proposed U-turn will be constructed approximately 350 feet west of the Woodward Township Elementary School property.

Environmental Documents: CE 1b Evaluation approved on April 25, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on April 17, 2017.

Proposed Use of Section 4(f)/2002 Resource: The Woodward Township Elementary School is eligible for listing on the NRHP. Approximately of 0.3 acre of ROW will be required from the resource.

• **SR 0233, Section 000—Cooke Township, Cumberland County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 0233, Section 000 bridge over Toms Run. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE BRPA Reevaluation approved on May 24, 2017, and two Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on July 1, 2016.

Proposed Use of Section 4(f)/2002 Resource: The new bridge will require approximately 0.03 acre of ROW from the approximately 85,500-acre Michaux State Forest and approximately 0.009 acre of ROW from the approximately 696-acre Pine Grove Furnace State Park, both which qualify as Section 4(f)/Section 2002 resources.

• **SR 0445, Section A04—Miles Township, Centre County.**

Project Description: This project consists of a bridge replacement carrying SR 0445 over an Unnamed Tributary to Elk Creek in Miles Township, Centre County. Work will also include new approach pavement, guide rail, signage, grading and drainage improvements.

Environmental Documents: ED BRPA Evaluation approved on June 22, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on June 8, 2017.

Proposed Use of Section 4(f)/2002 Resource: The Penns Valley Brush Valley Historic District was determined eligible for listing on the NRHP. Approximately of 0.065 acre of ROW will be required from the resource, but the project will not have an adverse effect on the Penns Valley Brush Valley Historic District.

• **SR 0655, Section A02—Union Township, Mifflin County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 0655, Section A02 bridge over Frog Hollow. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE BRPA Reevaluation approved on June 29, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on July 5, 2016.

Proposed Use of Section 4(f)/2002 Resource: The Willows Farm was determined to be eligible for listing on the NRHP. The new bridge will require approximately 0.04 acre of ROW from the 162.1-acre Willows Farm.

• **SR 0869, Section 000—Pavia Township, Bedford County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 0869 (Burnt House Road) bridge over Bobs Creek. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE BRPA Reevaluation approved on August 22, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 5, 2017.

Proposed Use of Section 4(f)/2002 Resource: The Ickes-Corle Farm property is eligible for listing on the NRHP. Approximately 0.06 acre of ROW will be required from the resource.

• **SR 1001, Section 000—Ayr Township, Fulton County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 1001, Section 000 (Cito Road) bridge over Spring Run. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE 2 Evaluation approved on May 12, 2017, and a Final Individual Section 4(f) Evaluation approved on February 28, 2017.

Proposed Use of Section 4(f)/2002 Resource: The demolition of the bridge, a contributing element to the NRHP-eligible Webster Mills Historic District, will result in an adverse effect on the historic district. The new bridge will require land from four contributing properties within the historic district totaling 0.181 acre.

• **SR 1003, Section 039—Gamble Township, Lycoming County.**

Project Description: The proposed project will involve replacement of the SR 1003 bridge over Wallis Run, repair of an upstream slide and stream restoration due to an intense flash event.

Environmental Documents: ED 1a Reevaluation approved on April 4, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public

Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on April 4, 2017.

Proposed Use of Section 4(f)/2002 Resource: The new bridge will require approximately 1.5-acre of ROW from the approximately 114,552-acre Loyalsock State Forest, which qualifies as a Section 4(f)/Section 2002 resource.

• **SR 1021, Section 000—East Earl Township, Lancaster County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 1021, Section 000 (Spring Grove Road) bridge over Conestoga River. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE 2 Evaluation approved on April 5, 2017, and a two Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on March 9, 2017.

Proposed Use of Section 4(f)/2002 Resource: Spring Grove Forge Mansion is listed on the NRHP. Approximately 0.01 acre of ROW will be required from within the NRHP boundary. The Henry Zimmerman Farm property is eligible for listing on the NRHP. Approximately 0.12 acre of ROW will be required from the resource.

• **SR 1039, Section 000—Ephrata Township, Lancaster County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 1039, Section 000 bridge over Middle Creek. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE BRPA Evaluation approved on May 24, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 30, 2016.

Proposed Use of Section 4(f)/2002 Resource: The John Royer Farm property is eligible for listing on the NRHP. Approximately 0.02 acre of ROW will be required from the resource.

• **SR 2010, Section 009—Colerain and East Drumore Townships, Lancaster County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 2010, Section 009 bridge over West Branch Octoraro Creek. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE BRPA Reevaluation approved on May 1, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on August 10, 2016.

Proposed Use of Section 4(f)/2002 Resource: The new bridge will require approximately 0.07 acre of ROW from the approximately 140-acre State Game Lands No. 136 that qualifies as a Section 4(f)/Section 2002 resource.

• **SR 2015, Section 02B—Monroe Township, Bedford County.**

Project Description: The proposed project will involve replacement of the Black Valley Road (SR 2015) bridge over Sweet Root Creek.

Environmental Documents: ED BRPA Evaluation approved on April 7, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on March 31, 2017.

Proposed Use of Section 4(f)/2002 Resource: The new bridge will require approximately 0.0488 acre of ROW from State Game Lands No. 097 that qualifies as a Section 4(f)/Section 2002 resource.

• **SR 2031, Section 001—Lower Allen Township, Cumberland County and Fairview Township, York County.**

Project Description: The Department, through the P3 RBRP, proposes to replace the SR 2031, Section 000 bridge over Yellow Breeches Creek. The project also includes updating guiderail, improving drainage, and milling and overlaying the approaches. Minor profile adjustments along the roadway approaches are also anticipated.

Environmental Documents: CE 1b Reevaluation approved on April 27, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on April 3, 2017, and Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on June 23, 2016.

Proposed Use of Section 4(f)/2002 Resource: The Prowell Farm was determined eligible for listing on the NRHP. A total of approximately 0.05 acre of ROW will be required from within the NRHP boundary. The new bridge will require approximately 0.15 acre of ROW from the Yellow Breeches Creek (designated as a Commission Water Trail and a DCNR Pennsylvania Wild and Scenic River) and approximately 0.09 acre of ROW from the Commission's Spangler's Mill Boat Launch, both qualify as a Section 4(f)/Section 2002 resource.

• **SR 7101, Section BRG—Manheim and East Hempfield Townships, Lancaster County.**

Project Description: The proposed project will replace the bridge that carries Lititz Road (T-715) over Little Conestoga Creek.

Environmental Documents: CE BRPA Evaluation approved on May 24, 2017, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 11, 2017.

Proposed Use of Section 4(f)/2002 Resource: There are two properties within the project area eligible for listing on the NRHP. Approximately 0.019 acre of ROW will be required from the Miller-Peifer Farm property. Approximately 0.051 acre of ROW will be required from Oberholtzer-Peifer Farm property.

BRIAN G. THOMPSON, P.E.,
Director
Bureau of Project Delivery

[Pa.B. Doc. No. 17-1950. Filed for public inspection November 22, 2017, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Ann E. Kaduck; Doc. No. SC17-11-011

Notice is hereby given of the Order to Show Cause issued on November 13, 2017, by the Deputy Insurance Commissioner in the previously-referenced matter. Violation of the following is alleged: section 611-A(7), (9), (17) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(7), (9), (17) and (20)).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously-referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Donna Fleischauer, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1951. Filed for public inspection November 22, 2017, 9:00 a.m.]

Appeal of Humana; Pennsylvania Life and Health Insurance Guaranty Association; Doc. No. FC17-10-015

Under 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), a preliminary prehearing telephone conference shall be held on November 21, 2017, at 1 p.m. On or before November 17, 2017, each party shall designate the persons participating in the telephone conference and a telephone number to be used for each individual. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed with the Administrative Hearings Office on or before November 27, 2017.

This is an appeal by members of the Pennsylvania Life and Health Insurance Guaranty Association (PLHIGA) from a determination by the Board of Directors (Board) of PLHIGA dated June 22, 2017, in which the Board denied or declined to act upon the members' appeals from PLHIGA's assessment in connection with the liquidation of Penn Treaty Network America Insurance Company and/or American Network Insurance Company. The appeal seeks a determination that certain premiums associated with Medicare Parts C and D products are not subject to assessment.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Human Resources at (717) 783-4308.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1952. Filed for public inspection November 22, 2017, 9:00 a.m.]

Application for Voluntary Surrender of Pennsylvania Certificate of Authority Filed by Radian Mortgage Insurance, Inc.

Radian Mortgage Insurance, Inc., a domestic stock casualty insurance company, has submitted an application for approval to surrender its Insurance Department Certificate of Authority.

Persons wishing to comment on the grounds of public or private interest concerning the surrender are invited to submit a written statement to the Insurance Department (Department) within 14 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the writer; identification of the application to which the comment is addressed; and a concise statement with sufficient detail to inform the Department of the exact basis of the comment and the relevant facts upon which it is based. Written statements should be directed to Lori Bercher, Company Licensing Division, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, lbercher@pa.gov.

JESSICA K. ALTMAN,
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-1953. Filed for public inspection November 22, 2017, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Assessment Approval for PENNVEST Funding Consideration

Scope: Clean Water and Drinking Water State Revolving Fund Projects for January 31, 2018, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board meeting consideration.

Description: PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund, is intended to be the funding source for the following projects. The Department of Environmental Protection's (Department)

review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the project will be considered by PENNVEST.

The Department will consider all comments on this approval received through December 26, 2017. Commenters are encouraged to use the Department's eComment site at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the Clean Water State Revolving Loan Program and Drinking Water State Revolving Loan Program contact Richard Wright at riwright@pa.gov or the Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059, or visit the Department's web site at <http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx>.

CWSRF Projects Being Considered

Applicant: Doylestown Township
County: Bucks
Applicant Address: 425 Wells Road, Doylestown, PA 18901

Project Description: The project will provide public sewers serving 252 existing properties in Pebble Ridge/Woodridge and vicinity.

Problem Description: Throughout the project area there are failed onlot septic systems. Through laboratory analysis, it was determined that the stormwater is contaminated with human fecal coliform and the failed onlot systems are believed to be the source of the pollution.

Applicant: Mercer Township
County: Butler
Applicant Address: P.O. Box 380, 152 Boomerang Road, Harrisville, PA 16038

Project Description: The proposed project includes the construction of the following: to serve the properties along SR 58 west of Harrisville, low pressure sewer mains will be installed along with 29 individual grinder pumps; to serve the 15 properties along SR 58 east of Harrisville, a combination of gravity and low pressure sewer mains will be installed along with 7 individual grinder pumps; for the Village of Forestville, approximately 1,555 linear feet

of 2-inch, low-pressure sewer main line and 18 individual grinder pumps will be installed along with approximately 8,233 linear feet of 8-inch gravity sewer main to serve 77 properties. The wastewater from the SR 58 extensions will be treated at the Grove City Borough Sewage Treatment Plant. The Village of Forestville will be served by a new recirculating sand filter treatment plant.

Problem Description: This project consists of serving three different service areas. They include properties along SR 58 west of Harrisville, properties along SR 58 east of Harrisville and properties located in the Village of Forestville. A sanitary survey of these project areas revealed a 62% confirmed onlot malfunction rate. These systems leach untreated and partially treated wastewater onto the ground surface and into the waters of the Commonwealth. This project will eliminate the malfunctioning sewage systems thereby improving the areas water quality.

Applicant: Keystone Protein Company
County: Lebanon
Applicant Address: 154 West Main Street, Fredericksburg, PA 17026

Project Description: This project is for construction of a new industrial wastewater treatment facility to treat the combined wastewater from a proposed Keystone Protein poultry processing facility and the existing Keystone Protein rendering plant located in Bethel Township, Lebanon County. The first phase of the project will have a design capacity of 1.05 million gallons per day.

Problem Description: The rendering plant is expanding and a new poultry processing plant is proposed. The existing treatment plant capacity is inadequate to handle the combined flow from the proposed poultry processing plant and the rendering plant to comply with the required permit limits.

Applicant: Liberty Borough
County: Allegheny
Applicant Address: 2921 Liberty Way, Liberty Borough, PA 15133

Project Description: The proposed construction project involves sanitary sewer rehabilitation and repairs.

Problem Description: The existing sanitary sewers are subject to excessive infiltration and overflow during wet weather.

PATRICK McDONNELL,
Secretary
 Department of Environmental Protection
 BRION JOHNSON,
Executive Director
 Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 17-1954. Filed for public inspection November 22, 2017, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Electric Generation Supplier License Cancellations of Companies with an Expired Financial Security or Insufficient Financial Security Amount

Public Meeting held
November 8, 2017

Commissioners Present: Gladys M. Brown, Chairperson;
Andrew G. Place, Vice Chairperson; David W. Sweet;
John F. Coleman, Jr.

*Electric Generation Supplier License Cancellations of
Companies with an Expired Financial Security or
Insufficient Financial Security Amount; M-2017-2584781*

Tentative Order

By the Commission:

The Commission's regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on the licensee providing proof to the Commission that a

bond or other approved security in the amount directed by the Commission has been obtained.

Each EGS must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120 prior to the EGS's current security expiration date. Each financial instrument must be an original document that displays a "wet" signature or digital signature, preferable in blue ink, and displays a "raised seal" or original notary stamp. The name of the principal on the original financial instrument must match exactly with the name that appears on the EGS's license issued by the Commission.

Failure to file before the financial security's expiration date may cause Commission staff to initiate a formal proceeding that may lead to the following: cancellation of each company's electric supplier license, removal of each company's information from the Commission's website and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

As of October 30, 2017, each EGS listed in the Supplier Table below has not provided proof to the Commission that it has a bond or other approved security in the amount directed by the Commission, to replace its expired bond as noted in the table below.

Supplier Table—List of Electric Generation Suppliers

<i>Docket Number</i>	<i>Company Name</i>	<i>Expired Financial Security Date</i>	<i>Commission Approved Amount</i>
A-2016-2576938	NAUP BROKERAGE, LLC	October 17, 2017	Yes
A-2015-2512351	ENERGY SPECTRUM, INC.	October 20, 2017	Yes
A-2015-2516890*	ASPIRITY ENERGY MIDSTATES, LLC	October 20, 2017	Yes

*Taking title to electricity

As part of its EGS license validation procedures, the Commission's Bureau of Technical Utility Services sent a 90-day Security Renewal Notice Letter to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security, must be filed within 30 days prior to each entity's security expiration date. None of the companies listed in the Supplier Table provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for each EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest; *Therefore,*

It Is Ordered That:

1. Cancellation of the Electric Generation Supplier Licenses of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, Department of Revenue—Bureau of Corporation Taxes, all electric distribution companies, all of the Electric Generation Suppliers in the Supplier Table and

also cause a copy of this Tentative Order to be published in the *Pennsylvania Bulletin* with a 30-day comment period.

3. Absent the filing of adverse public comment or the filing of an approved security within 30 days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services shall prepare a Final Order for entry by the Secretary.

4. Upon entry of the Final Order described in Ordering Paragraph No. 3 above, each company listed in the Supplier Table will be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission's website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

5. Upon entry of the Final Order described in Ordering Paragraph No. 3, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1955. Filed for public inspection November 22, 2017, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by December 11, 2017. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons* as described under the application.

A-2017-2633048. G. Keith Harvin (19 Runningbrook Road, Glen Mills, Delaware County, PA 19342) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, between points in the Counties of Chester and Delaware.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights* as described under the application.

A-2017-2633013. Ambassador 35 Limousine, Inc. (2733 West Porter Street, Philadelphia, PA 19145) limousine service, between points in Pennsylvania; excluding areas under the jurisdiction of the Philadelphia Parking Authority, which is to be a transfer of all rights authorized under the certificate issued at A-00108173, F.4, to D's Limousine Service, Ltd., subject to the same limitations and conditions. *Attorney:* Michael Eichert, 7102 Frankford Avenue, Philadelphia, PA 19135.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods* as described under the application.

A-2017-2623502 (Revised). Keystone Moving & Junk Removal, LLC (207 West Maplewood Avenue, Mechanicsburg, Cumberland County, PA 17055) household goods in use, between points in Pennsylvania. *Attorney:* Joh F. Povilaitis, 409 North 2nd Street, Suite 500, Harrisburg, PA 17101.

Application of the following for approval to *begin operating as a broker for transportation of persons* as described under the application.

A-2017-2633049. Coordinated Transportation Solutions, Inc. (32 Nutmeg Drive, Suite 120, Trumbull, CT 06611) for a brokerage license evidencing the Commission's approval of the right and privilege to operate as a broker, to arrange for the transportation of persons between points in Pennsylvania. *Attorney:* Daniel J. Brennan, 656 East Swedesford Road, Suite 330, Wayne, PA 19087.

Application of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience* as described under the application.

A-2017-2632806. Myers Coach Lines, Inc. (2001 Ball Park Road, Export, Westmoreland County, PA 15632) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in scheduled route, in the Counties of Allegheny, Butler and Mercer, as more thoroughly described in the original ordering paragraphs at A-00116476, F.2. *Attorney:* William Gray, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219-2383.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 17-1956. Filed for public inspection November 22, 2017, 9:00 a.m.]

STATE BOARD OF COSMETOLOGY

Bureau of Professional and Occupational Affairs v. Holly R. Bouse; Doc. No. 1475-45-17; File No. 17-45-08469

On October 4, 2017, Holly R. Bouse, license No. CO229555L, last known of Towanda, Bradford County, was suspended for failing to pay a previously imposed civil penalty.

Individuals may obtain a copy of the order by writing to Ariel E. O'Malley, Board Counsel, State Board of Cosmetology, P.O. Box 69523, Harrisburg, PA 17106-9523.

STEPHEN A. WALLIN,
Chairperson

[Pa.B. Doc. No. 17-1957. Filed for public inspection November 22, 2017, 9:00 a.m.]

STATE BOARD OF NURSING

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Scott A. Mulcahy, RN, Respondent; File No. 12-51-04348; Doc. No. 1492-51-14

Notice to Scott A. Mulcahy, RN:

On August 28, 2014, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Nursing, alleging that you have violated certain provisions of the Professional Nursing Law, Act of May 22, 1951, P.L. 317, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, the State Board of Nursing has issued an Order authorizing service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 17-1958. Filed for public inspection November 22, 2017, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachael Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Lowell Nolt 944 Stracks Dam Road Myerstown, PA 17067	Lebanon County/ Bethel Township	290.01	Swine	New	Approved
Keith Miller 165 Wirth Road Mifflinburg, PA 17844	Union County/ Lewis Township	25.22	Veal	New	Approved
Aaron Ott—Back Run Road Farm 678 Back Run Road McConnellsburg, PA 17233	Fulton County/ Ayr Township	688.57	Swine	Amended	Approved

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
David W. Sweigart, III— Ridge View Ag 8969 Elizabethtown Road Elizabethtown, PA 17022	Lancaster County/ Mount Joy Township	827.43	Swine	New	Approved

RUSSELL C. REDDING,
Chairperson

[Pa.B. Doc. No. 17-1959. Filed for public inspection November 22, 2017, 9:00 a.m.]

STATE POLICE

Patch Fee Increase

The Pennsylvania Access to Criminal History (PATCH) fee is increased as follows. The act of October 30, 2017 (P.L. , No. 40) authorizes the State Police to increase the fees for Criminal History Record Information under 18 Pa.C.S. Chapter 91 (relating to Criminal History Record Information Act) by publishing a notice in the *Pennsylvania Bulletin*. Effective immediately, the following are the new PATCH fees:

Criminal History Check Fee
\$22

Access and Review Challenge Fee
\$20

COLONEL TYREE C. BLOCKER,
Commissioner

[Pa.B. Doc. No. 17-1960. Filed for public inspection November 22, 2017, 9:00 a.m.]
