

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority contained in the act of November 30, 1965 (P.L. 847, No. 356), known as the Banking Code of 1965; the act of May 15, 1933 (P.L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P.L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 5, 2017.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-4-2017	Univest Bank and Trust Co. Souderton Montgomery County	574 Main Street Bethlehem Northampton County	Approved

##### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-1-2017	Wayne Bank Honesdale Wayne County	<i>To:</i> 56 Stewart Avenue Roscoe Sullivan County, NY  <i>From:</i> 43 Stewart Avenue Roscoe Sullivan County, NY	Opened

### CREDIT UNIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
11-30-2017	Utilities Employees Credit Union Wyomissing Berks County  Merger of ClearChoice Federal Credit Union, Wyomissing, with and into Utilities Employees Credit Union, Wyomissing.	Effective
12-1-2017	Delco Postal Credit Union Upper Darby Delaware County  Merger of Philadelphia Post Office Employees Credit Union, Yeadon, with and into Delco Postal Credit Union, Upper Darby.	Effective

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-1-2017	Diamond Credit Union Pottstown Montgomery County	4453 North 5th Street Highway Temple Berks County	Filed

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 17-2080. Filed for public inspection December 15, 2017, 9:00 a.m.]

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of January 2018

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of January, 2018, is 5%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further preemption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 2.58 to which was added 2.50 percentage points for a total of 5.08 that by law is rounded off to the nearest quarter at 5%.

ROBIN L. WIESSMANN,  
*Secretary*

[Pa.B. Doc. No. 17-2081. Filed for public inspection December 15, 2017, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Annual Certification Under Section 7201-B(e) of the Tax Reform Code

November 29, 2017

William R. Hite, Jr., Ed.D.  
Superintendent  
School District of Philadelphia  
440 North Broad Street, Suite 301  
Philadelphia, PA 19130

I am writing pursuant to Section 7201-B(e) of the Tax Reform Code, Act 52 of 2013, 72 P.S. § 7201-B(e), which provides that a city of the first class may impose a one percent sales and use tax that may be used by a school district of the first class in an amount up to \$120,000,000. Effective July 1, 2014, the City of Philadelphia imposed this additional sales and use tax. However, the use of these funds by the School District of Philadelphia ("District") must be authorized by the Secretary of Education.

Pursuant to Section 7201-B(e)(1), as Secretary of Education, I must consider whether "the school district...began implementation of reforms that provide for [the District's] fiscal stability, educational improvement and operational control."

According to the District, it is implementing the following new programs and initiatives aimed at increasing the range and quality of educational options available to students:

- Improving literacy, which includes remodeling pre-kindergarten through second grade classrooms in eight of the schools with the lowest literacy rates; utilizing early literacy coaches who will work with all kindergarten through third grade teachers; leveling libraries in all kindergarten through third grade classrooms so students gain literacy skills for lifetime learning; and distributing free books to approximately 37,000 pre-kindergarten through second grade students across the District to encourage summer reading.

- Focusing on career and college readiness, which includes ninth grade academies focused on college and career readiness; the third annual college signing day celebration; 22,000 ninth through twelfth grade students took the PSAT/SAT for free; and 2,742 students earned career and technical credentials.

- Improving school climate, which includes increased district schools' climate scores, reduced out-of-school suspensions, and decreased suspensions in early grades, resulting in increased instruction time, increased early childhood literacy, and increased graduation rates.

- Boosting transparency/improving school communities, which includes partnering with the Penn Graduate School of Education to complete the 2015-16 District-wide survey, receiving approximately 105,000 responses.

- Investing in green buildings/classrooms, which includes being named a 2017 U.S. Department of Education Green Ribbon School District Sustainability Awardee, installing new hydration stations at each school to provide access to safe, appealing water; and investing in capital relighting projects to save energy.

The District has also reported that additional steps have been taken to improve operational controls and to maintain fiscal stability, including:

- Projecting a \$108 million positive fund balance for the end of 2017-2018, which is the third consecutive year with a year-end positive fund balance.

- Executing new labor contracts with the Philadelphia Federation of Teachers and the Commonwealth Association of School Administrators.

- Extending the Cigarette Tax so it will no longer sunset in 2019.

- Implementing a new ridesharing program, in which the District will receive a portion of the revenues.

As a result of the foregoing reforms documented by the District, I hereby certify that the requisites of Section 7201-B(e) of the Tax Reform Code have been satisfied. I authorize the Pennsylvania Department of Revenue to disburse to the District, on or before the tenth day of every month, the total amount of money contained in the Local Sales and Use Tax Fund as of the last day of the previous month up to a maximum of \$120,000,000 pursuant to section 7201-B(e)(2) of the Tax Reform Code.

PEDRO A. RIVERA,  
*Secretary*

[Pa.B. Doc. No. 17-2082. Filed for public inspection December 15, 2017, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### I. NPDES Renewal Applications.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0030996 (Sewage)	Bangor High School Sewer 123 Five Points Richmond Road Bangor, PA 18013-5224	Northampton County Upper Mount Bethel Township	Unnamed Tributary of Jacoby Creek (1-F)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0070246 (Sewage)	Kernsville Elementary School 2219 N Cedar Crest Boulevard Allentown, PA 18104-2119	Lehigh County North Whitehall Township	Jordan Creek (2-C)	Yes
<i>Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0084255—sew	Swatara Mobile Home Park 2228 Grave Avenue Lebanon, PA 17046	Lebanon County/ Swatara Township	UNT Little Swatara Creek/7-D	Y
PA0111350—sew	Petersburg Borough Sew Auth PO Box 6 316 King Street Petersburg, PA 16669	Huntingdon County/ Petersburg	Borough & Logan Township Shaver's Creek/11-B	Y
PA0051748—sew	Tulpehocken Area School District Tulpehocken Junior/ Senior High School 27 Rehersburg Road Bethel, PA 19507	Berks County/ Jefferson Twp	UNT Northkill Creek/ 13-C	Y
PA0021776—sew	Fairfield Muni Auth 108 W. Main St. Fairfield, PA 17320	Adams County/ Fairfield Boro	Spring Run Creek/13-D	Y
PA0083569—sew	Riverview Estates Homeowners Association 656 Excavating Road Roaring Spring, PA 16673	Bedford County/ West Providence Township	Raystown Branch Juniata River/11-C	Y
PA0031861—sew	Zerbe Centers Nursing Center Inc. 2499 Zerbe Road Narvon, PA 17555	Lancaster County/ Caernarvon Township	West Branch Conestoga River/7-J	Y
PA0080055—sew	Conewago Park Water & Sewer Co. PO Box 332 Lemoyne, PA 17043-0332	Lancaster County/ West Donegal Township	Conewago Creek/7-G	Y
<i>Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0238431 (Sewage)	Charles A Betts SFTF 1800 Weiler Road Warren, PA 16365	Warren County Conewango Township	Unnamed Tributary to the Morse Run (16-B)	Yes
PA0034061 (Sewage)	Goddard Park Vacationland Campground 867 Georgetown Road Sandy Lake, PA 16145-2525	Mercer County Deer Creek Township	Unnamed Tributary to Schofield Run (16-G)	Yes

## II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

*Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.*

**PA0026921**, Sewage, SIC Code 4952, **Greater Hazleton Joint Sewer Authority**, P.O. Box 651, Hazleton, PA 18201-0651. Facility Name: Greater Hazleton Joint Sewer Authority WWTP. This existing facility is located in West Hazleton Borough, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Black Creek, is located in State Water Plan watershed 5-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

NOTICES

7591

The proposed effluent limits for Outfall 001 are based on a design flow of 8.9 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	740	1,110	XXX	10.0	15.0	20.0
Total Suspended Solids	740	1,110	XXX	10.0	15.0	20.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Sulfate, Total	Report	XXX	XXX	Report	XXX	XXX
Chloride	Report	XXX	XXX	Report	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX
Influent Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Influent Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	Report	Report	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Total Monthly	Total Annual				
Report	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Monthly						
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Monthly						
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	Report	XXX	XXX	XXX	XXX
Total Monthly						
Net Total Nitrogen (Total Load, lbs)	Report	216,739	XXX	XXX	XXX	XXX
Total Monthly						
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	Report	XXX	XXX	XXX	XXX
Total Monthly						
Net Total Phosphorus (Total Load, lbs)	Report	27,092	XXX	XXX	XXX	XXX
Total Monthly						
Aluminum, Total	Report	XXX	XXX	Report	XXX	XXX
Iron, Total	Report	XXX	XXX	Report	XXX	XXX
Manganese, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 8.9 MGD.

(From Permit Effective Date to 3 Years After Permit Effective Date)

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Cobalt, Total (µg/L)	Report	XXX	XXX	Report	XXX	XXX
Cyanide, Free (µg/L)	Report	XXX	XXX	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 8.9 MGD.

(From 3 Years After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Ammonia-Nitrogen						
May 1 - Oct 31	170	XXX	XXX	2.3	XXX	4.6
Nov 1 - Apr 30	510	XXX	XXX	6.9	XXX	13.8
Cobalt, Total (µg/L)	1.62	XXX	XXX	21.9	XXX	43.8
Cyanide, Free (µg/L)	0.44	XXX	XXX	6.0	XXX	12.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	0.1



The proposed effluent limits for Outfall 101 are based on a design flow of 0 MGD (stormwater).

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 102 are based on a design flow of 0 MGD (stormwater).

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 103 are based on a design flow of 0 MGD (stormwater).

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Combined Sewer Overflows
- POTW Pretreatment Program Implementation
- Solids Management
- Toxics Reduction Evaluation (TRE)
- Whole Effluent Toxicity (WET)
- Requirements for Total Residual Chlorine (TRC)
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**PA0086266**, Sewage, SIC Code 4952, **Northern Lancaster County Authority**, 983 Beam Road, Denver, PA 17517-8946. Facility Name: Northern Lancaster County Authority Kramer Mill Rd STP. This existing facility is located in Brecknock Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Little Muddy Creek, is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007 MGD.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	1.5	2.3	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	1.8	2.6	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0081141**, Sewage, SIC Code 4952, **Eberly Merle**, PO Box 251, Morgantown, PA 19543-0251. Facility Name: Locustwood MHP. This existing facility is located in East Cocalico Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), Unnamed Tributary to Little Cocalico Creek, is located in State Water Plan watershed 7-J and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*North Central Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3636.*

**PA0232815**, Industrial, SIC Code 4941, **Sunbury City Municipal Authority Northumberland County**, 462 S 4th Street, Sunbury, PA 17801-3134. Facility Name: Sunbury Municipal Authority Water System. This proposed facility is located in Sunbury City, **Northumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of treated Industrial Waste.

The receiving stream(s), Little Shamokin Creek, is located in State Water Plan watershed 6-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are not based on a specific design flow (See proposed Part C Condition).

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Temperature (deg F) (°F)						
Ambient	XXX	XXX	XXX	Report	Report Daily Max	XXX
Temperature (deg F) (°F)	XXX	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.032 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Quarterly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Flow (MGD)						
Internal Monitoring Point	Report Avg Mo	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)						
Internal Monitoring Point	XXX	XXX	6.0	XXX	9.0 Max	XXX
Total Residual Chlorine (TRC)						
Internal Monitoring Point	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids						
Internal Monitoring Point	XXX	XXX	XXX	30.0	XXX	60.0
Aluminum, Total						
Internal Monitoring Point	XXX	XXX	XXX	4.0	XXX	8.0
Iron, Total						
Internal Monitoring Point	XXX	XXX	XXX	2.0	XXX	4.0
Manganese, Total						
Internal Monitoring Point	XXX	XXX	XXX	1.0	XXX	2.0

A proposed Part C Condition shall require the permittee to develop a site-wide water balance for water withdrawals and introductions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3636.

The EPA Waiver is in effect.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0265527**, Sewage, SIC Code 4952, 8800, **William Crispen**, 233 Hall Road, Slippery Rock, PA 16057. Facility Name: William Crispen SRSTP. This proposed facility is located in Clay Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to Big Run, located in State Water Plan watershed 20-C and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	Daily Min XXX	10.0	Daily Max XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is in effect.



**PA0026379**, Sewage, SIC Code 4952, **Bradford Sanitary Authority**, 28 Kennedy Street, Bradford, PA 16701-2006. Facility Name: Bradford STP. This existing facility is located in Foster Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tunungwant Creek, is located in State Water Plan watershed 16-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.8 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Report	XXX	Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.20	XXX	0.65
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	1,835	2,935	XXX	25.0	40.0	50
May 1 - Oct 31	1,100	1,650	XXX	15.0	22.5	30
Total Suspended Solids	2,200	3,300	XXX	30.0	45.0	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	770	XXX	XXX	10.5	XXX	21
May 1 - Oct 31	255	XXX	XXX	3.5	XXX	7
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Avg Qrtly	XXX	XXX	Avg Qrtly	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
	1.17	XXX	XXX	0.016	XXX	0.032

The proposed effluent limits for Outfall 001 are based on a design flow of 8.8 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.20	XXX	0.65
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	730	1,100	XXX	10.0	15.0	20
Total Suspended Solids	730	1,100	XXX	10.0	15.0	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	550	XXX	XXX	7.5	XXX	13
May 1 - Oct 31	180	XXX	XXX	2.5	XXX	5
Biochemical Oxygen Demand (BOD <sub>5</sub> )						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Total Phosphorus	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX
Copper, Total	1.17	XXX	XXX	0.016	XXX	0.032

In addition, the permit contains the following major special conditions:

- POTW Pretreatment Implementation
- Toxics Reduction Evaluation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.*

**WQM Permit No. WQG02151714**, Sewage, **Kennett Township**, 801 Burrows Run Road, Chadds Ford, PA 19317-9219.

This proposed facility is located in Kennett Township, **Chester County**.

Description of Action/Activity: Construction and operation of a low pressure sewer system.

**WQM Permit No. WQG02231715**, Sewage, **Delaware Regional Water Quality Control Authority**, P.O. Box 999, Chester, PA 19016-0999.

This proposed facility is located in City of Chester, **Delaware County**.

Description of Action/Activity: Installation of an 8" PVC sanitary sewer.

**WQM Permit No. 4617410**, Sewage, **Horsham Water and Sewer Authority**, 617B Horsham Road, Horsham, PA 19044.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Installation of approximately 8,300 linear feet of 12" sanitary sewer & approximately 3,400 linear feet of 6" force main. Construction of a new pump station, and the decommissioning of an existing pump station.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.*

**WQM Permit No. 6317404**, Sewage, **Chartiers Township**, 2 Buccaneer Drive, Houston, PA 15342.

This proposed facility is located in Chartiers Township, **Washington County**.

Description of Proposed Action/Activity: Proposed construction of McClane Farm Road Sanitary Sewer Extension Project to serve existing residences with on-lot septic systems.

The Pennsylvania Infrastructure Investment Authority (PENNVEST) which administers Pennsylvania's State Revolving Fund has been identified as a potential funding source.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 1617407**, Sewage, **Patricia Bogovich**, 1702 N Woodland Boulevard # 116167, Deland, FL 32720-1837.

This proposed facility is located in Clarion Township, **Clarion County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 6217417**, Sewage, **Patricia A Kelly**, 470 Smutz Road, Warren, PA 16365.

This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

### IV. NPDES Individual Permit Applications for Stormwater Discharges from MS4s.

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.*

**PAI136121**, MS4, **Westmont Borough Cambria County**, 1000 Luzerne Street, Johnstown, PA 15905. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Westmont Borough, **Cambria County**. The receiving stream(s), Elk Run, Unnamed Tributary to Saint Clair Run, Unnamed Tributary to Mill Creek, and Stonycreek River, is located in State Water Plan watershed 18-E and 18-D and is classified for Cold Water Fishes, Warm Water Fishes, and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has not submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

**PAI136121**, MS4, **Westmont Borough Cambria County**, 1000 Luzerne Street, Johnstown, PA 15905. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Westmont Borough, **Cambria County**. The receiving stream(s), Elk Run, Unnamed Tributary to Saint Clair Run, Unnamed Tributary to Mill Creek, and Stonycreek River, is located in State Water Plan watershed 18-E and 18-D and is classified for Cold Water Fishes, Warm Water Fishes, and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has not submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150044	Aldi, Inc. (Pennsylvania) 2700 Saucon Valley Rd. Center Valley, PA 18034	Chester	East Whiteland Township	Little Valley Creek EV
PAD150046	Estate of Harry Simon 311 Exton Commons Exton, PA 19341	Chester	West Whiteland Township	Unnamed Tributary to Broad Run of East Branch Brandywine Creek HQ-CWF

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390052	Nestle Purina Petcare 2050 Pope Road Allentown, PA 18104	Lehigh	South Whitehall Township	Jordan Creek (TSF, MF) UNT to Jordan Creek (TSF, MF)

*Luzerne Conservation District, 325 Smiths Pond Road, Shavertown, PA 18708.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD400014	Earth Conservancy Michael Dziak 101 South Main St Ashley, PA 18706	Luzerne	City of Nanticoke	UNT to Nanticoke Creek (CWF, MF)

*Northampton County Conservation District, 14 Gracedale Ave.— Greystone Building, Nazareth, PA 18064-9211.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480044	Stone Creek Development Corp 4511 Falmer Dr. Bethlehem, PA 18020	Northampton	Upper Nazareth Township	Monocacy Creek (HQ-CWF, MF)

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

<i>Permit #</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD360019	Chris Hoover 366 Blackburn Road Quarryville, PA 17566	Lancaster	East Drumore Township	UNT Stewart Run, Stewart Run (HQ-CWF, MF)
PAD670010	New View Corporation PO Box 6218 Harrisburg, PA 17110	York	Fairview and Newberry Townships	UNT Fishing Creek (TSF, MF)
PAD310005	Helena Chemical 2413 Pennington Road Warriors Mark, PA 16877	Huntingdon	Warriors Mark Township	UNT Logan Spring Run (WWF, MF) UNT Warriors Mark Run (HQ-CWF, MF)
PAD360020	Solanco School District 121 South Hess Street Quarryville, PA 17566	Lancaster	Fulton Township	UNT Conowingo Creek (HQ-CWF, MF)

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

<i>Permit No.</i>	<i>Applicant &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Stream Name</i>
PAD560002	Confluence Borough Municipal Authority 711 Logan Place P.O. Box 6 Confluence, PA 15424	Somerset County	Confluence Borough	Laurel Hill Creek (HQ-CWF); Casselman River (WWF); Youghiogheny River (HQ-CWF)

#### **VII. List of NOIs for NPDES and/or Other General Permit Types.**

PAG-12      CAFOs

#### **MS4 Notices of Intent Received.**

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality/County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG133596	City of York 101 South George Street York, PA 17401	City of York/York County	N	Y
PAG133758	Perry Township 680 Moselem Springs Road Shoemakersville, PA 19555	Perry Township Berks County	Y	N
PAG133509	Sinking Spring Borough 3940 Penn Avenue Sinking Spring, PA 19608	Sinking Spring Borough Berks County	N	Y
PAG133553	Mechanicsburg Borough 36 West Allen St Mechanicsburg, PA 17055	Mechanicsburg Borough Cumberland County	N	Y
PAG133503	County of Berks 633 Court Street Reading, PA 19601	County of Berks Berks County	Y	N
PAG133627	Borough of Ephrata 124 South State Street Ephrata, PA 17522	Ephrata Borough Lancaster County	N	Y
PAG133529	Boyertown Borough 100 South Washington Street Boyertown, PA 19512	Boyertown Borough Berks County	N	Y
PAG133616	Wormleysburg Borough 20 Market Street Wormleysburg, PA 17043	Wormleysburg Borough Cumberland County	N	Y

## NOTICES

7599

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality/County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG133607	PA State University 77 W. Harrisburg Pike Middletown, PA 17057	PA State University Dauphin County	Y	N
PAG133735	Mount Joy Township 8853 Elizabethtown Road Elizabethtown, PA 17022	Mount Joy Township Lancaster County	N	Y
PAG133531	Bern Township 1069 Old Bernville Road Reading, PA 19605	Bern Township Berks County	N	Y
PAG133627	Borough of Ephrata 124 South State Street Ephrata, PA 17522	Ephrata Borough Lancaster County	N	Y
PAG133529	Boyertown Borough 100 South Washington Street Boyertown, PA 19512	Boyertown Borough Berks County	N	Y
PAG133616	Wormleysburg Borough 20 Market Street Wormleysburg, PA 17043	Wormleysburg Borough Cumberland County	N	Y
PAG133607	PA State University 77 W. Harrisburg Pike Middletown, PA 17057	PA State University Dauphin County	Y	N
PAG133735	Mount Joy Township 8853 Elizabethtown Road Elizabethtown, PA 17022	Mount Joy Township Lancaster County	N	Y
PAG133531	Bern Township 1069 Old Bernville Road Reading, PA 19605	Bern Township Berks County	N	Y
PAG133628	Hollidaysburg Borough 401 Blair Street Hollidaysburg, PA 16648	Hollidaysburg Borough Blair County	N	Y
PAG133734	Shoemakersville Borough 115 East Ninth St Shoemakersville, PA 19555	Shoemakersville Borough Berks County	N	Y
PAG133516	Exeter Twp 4975 Demoss Road Reading, PA 19606	Exeter Twp Berks County	N	Y
PAG133708	Upper Allen Twp 100 Gettysburg Pike Mechanicsburg, PA 17055	Upper Allen Twp Cumberland County	N	Y
PAG133623	South Annville Township 1042 Horseshoe Pike Lebanon, PA 17042	South Annville Township Lebanon County	N	Y
PAG133541	East Lampeter Township 2250 Old Philadelphia Pike Lancaster, PA 17602	East Lampeter Township Lancaster County	N	Y
PAG133544	Highspire Borough 640 Eshelman Street Highspire, PA 17034	Highspire Borough Dauphin County	N	Y
PAG133617	Columbia Borough 308 Locust Street Columbia, PA 17512	Columbia Borough Lancaster County	N	Y

*Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136107	Stonycreek Township Cambria County 1610 Bedford Street Johnstown, PA 15902	Stonycreek Township, Cambria County	Y	N



<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136221	Ross Township Allegheny County 1000 Ross Municipal Road Pittsburgh, PA 15237-3102	Ross Township, Allegheny County	N	Y
PAG136203	Bridgeville Borough Allegheny County 425 Bower Hill Road Bridgeville, PA 15017	Bridgeville Borough, Allegheny County	N	Y
PAG136202	Cecil Township Washington County 3599 Millers Run Road Suite 101 Cecil, PA 15321-1409	Cecil Township, Washington County	N	Y
PAG136281	Hampton Township Allegheny County 3101 McCully Road Allison Park, PA 15101-1331	Hampton Township, Allegheny County	N	Y
PAG136244	Lorain Borough Cambria County 354 Goucher Street Johnstown, PA 15905-3423	Lorain Borough, Cambria County	No	No
PAG136358	Fairchance Borough Fayette County 125 W Church Street Fairchance, PA 15436-1136	Fairchance Borough, Fayette County	No	No
PAG136375	McKees Rocks Borough 340 Bell Avenue McKees Rocks, PA 15136	McKees Rocks Borough, Allegheny County	N	N
PAG136267	North Fayette Township 400 N Branch Road Oakdale, PA 15071-3646	North Fayette Township, Allegheny County	N	Y

## PUBLIC WATER SUPPLY (PWS) PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

## SAFE DRINKING WATER

### Applications Received Under the Pennsylvania Safe Drinking Water Act.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 0217549**, Public Water Supply.

Applicant

**Pittsburgh Water & Sewer Authority**

Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

[Township or Borough]

City of Pittsburgh

Responsible Official

Robert Weimar, Interim  
Executive Director  
Pittsburgh Water & Sewer  
Authority  
Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

Type of Facility Highland Microfiltration Plant  
 Consulting Engineer  
 Arcadis  
 6041 Wallace Road Extension  
 # 300  
 Wexford, PA 15090

Application Received Date November 30, 2017

Description of Action Installation of an ultraviolet disinfection system and other improvements at the Highland Microfiltration Plant.

**Permit No. 0217550**, Public Water Supply.

Applicant **Pittsburgh Water & Sewer Authority**  
 Penn Liberty Plaza I  
 1200 Penn Avenue  
 Pittsburgh, PA 15222

[Township or Borough] City of Pittsburgh

Responsible Official Robert Weimar, Interim Executive Director  
 Pittsburgh Water & Sewer Authority  
 Penn Liberty Plaza I  
 1200 Penn Avenue  
 Pittsburgh, PA 15222

Type of Facility Highland Microfiltration Plant

Consulting Engineer Hatch/Chester  
 Penn Liberty Plaza I  
 1250 Penn Avenue  
 Pittsburgh, PA 15222

Application Received Date November 30, 2017

Description of Action Installation of an interim back-up pumping system and improvements to the Bruecken Pump Station.

**Permit No. 0217553**, Public Water Supply.

Applicant **Municipal Authority of the Township of Robinson**  
 4200 Campbells Run Road  
 Robinson Township, PA 15205

[Township or Borough] Robinson Township

Responsible Official Anthony T. Lenze, Executive Director  
 Municipal Authority of the Township of Robinson  
 4200 Campbells Run Road  
 Robinson Township, PA 15205

Type of Facility Water system

Consulting Engineer NIRA Consulting Engineers, Inc.  
 950 Fifth Avenue  
 Coraopolis, PA 15108

Application Received Date December 5, 2017

Description of Action Equipment replacement, upgrades of the five filters and replacement of the gas chlorination system with a sodium hypochlorite disinfection system.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 2517507**, Public Water Supply.

Applicant **Erie City Water Authority**

Township or Borough City of Erie

County **Erie**

Responsible Official Chad Ellsworth

Type of Facility WTP

Consulting Engineer Chad Ellsworth, P.E.  
 240 West 12th Street  
 Erie, PA 16501

Application Received Date November 27, 2017

Description of Action Add sodium hypochlorite feed system to Echo Hills Booster Station.

**MINOR AMENDMENT**

**Applications Received Under the Pennsylvania Safe Drinking Water Act.**

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Application No. 3017524MA**, Minor Amendment.

Applicant **Southwestern Pennsylvania Water Authority**  
 1442 Jefferson Road  
 PO Box 187  
 Jefferson, PA 15344

[Township or Borough] Amwell Township

Responsible Official Timothy C. Faddis, Manager  
 Southwestern Pennsylvania Water Authority  
 1442 Jefferson Road  
 PO Box 187  
 Jefferson, PA 15344

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.  
 267 Blue Run Road  
 Suite 200  
 Cheswick, PA 15024

Application Received Date November 17, 2017

Description of Action Installation of the Crete meter vault.

**Application No. 3013501WMP15**, Minor Amendment.

Applicant **Southwestern Pennsylvania Water Authority**  
 1442 Jefferson Road  
 PO Box 187  
 Jefferson, PA 15344

[Township or Borough] Amwell Township

Responsible Official Timothy C. Faddis, Manager  
 Southwestern Pennsylvania Water Authority  
 1442 Jefferson Road  
 PO Box 187  
 Jefferson, PA 15344

Type of Facility Water system

Consulting Engineer Bankson Engineers, Inc.  
267 Blue Run Road  
Suite 200  
Cheswick, PA 15024

Application Received Date November 17, 2017

Description of Action Installation of the Crete meter vault bulk load-out facility.

**Application No. 1192501-T1**, Minor Amendment.

Applicant **Lilly Borough Water Authority**  
421 Main Street  
Lilly, PA 15938

[Township or Borough] Lilly Borough

Responsible Official Paul Sklodowski, Chairman  
Lilly Borough Water Authority  
421 Main Street  
Lilly, PA 15938

Type of Facility Water system

Consulting Engineer

Application Received Date November 17, 2017

Description of Action Transfer of the water supply permit formerly held by Lilly Borough.

**Application No. 0217551-MA**, Minor Amendment.

Applicant **Pittsburgh Water & Sewer Authority**  
Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

[Township or Borough] City of Pittsburgh

Responsible Official Robert Weimar, Interim  
Executive Director  
Pittsburgh Water & Sewer Authority  
Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

Type of Facility Lanpher Reservoir

Consulting Engineer Arcadis  
6041 Wallace Road Extension  
# 300  
Wexford, PA 15090

Application Received Date November 30, 2017

Description of Action Installation of a new liner and floating cover; and other improvements to the West Cell of the Lanpher Reservoir.

**Application No. 0217552-MA**, Minor Amendment.

Applicant **Pittsburgh Water & Sewer Authority**  
Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

[Township or Borough] City of Pittsburgh

Responsible Official Robert Weimar, Interim  
Executive Director  
Pittsburgh Water & Sewer Authority  
Penn Liberty Plaza I  
1200 Penn Avenue  
Pittsburgh, PA 15222

Type of Facility Lanpher Reservoir

Consulting Engineer Arcadis  
6041 Wallace Road Extension  
# 300  
Wexford, PA 15090

Application Received Date November 30, 2017

Description of Action Installation of a new liner and floating cover; and other improvements to the East Cell of the Lanpher Reservoir.

**Application No. 0217554-MA**, Minor Amendment.

Applicant **Pennsylvania American Water Company**  
800 West Hersheypark Drive  
Hershey, PA 17033

[Township or Borough] Union Township

Responsible Official David Kaufman, Vice  
President-Engineering  
Pennsylvania American Water Company  
800 West Hersheypark Drive  
Hershey, PA 17033

Type of Facility Water system

Consulting Engineer Pennsylvania American Water Company  
852 Wesley Drive  
Mechanicsburg, PA 17055

Application Received Date December 4, 2017

Description of Action Painting and rehabilitation of Purification Unit # 1.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Application No. 1615501-MA1**, Minor Amendment.

Applicant **Corner Water Supply Corporation**

Township or Borough Paint and Elk Townships

County **Clarion**

Responsible Official Thomas Weaver

Type of Facility Public Water Supply

Consulting Engineer Gregory Rademacher  
Groundwater Resources Inc.  
23074 State Highway 198  
Saegertown, PA 16433

Application Received Date November 20, 2017

Description of Action Replace two water softeners with Clack Water softener unit.

**Application No. 2517508**, Minor Amendment.

Applicant	<b>Lakelands Restaurant &amp; Pub, Inc.</b>
Township or Borough	Girard Township
County	<b>Erie</b>
Responsible Official	John Faulkner 9690 West Lake Road Lake City, PA 16423
Type of Facility	Public Water Supply
Consulting Engineer	Steven Halmi Deiss & Halmi Engineering, Inc. 105 Meadville Street Edinboro, PA 16412
Application Received Date	November 29, 2017
Description of Action	Add treatment for nitrate and disinfection.

**WATER ALLOCATIONS**


---

**Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**


---

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WA 25-727A**, Water Allocations. **Fairview Township Water Authority**, 7485 McCray Road, Fairview Township, **Erie County**. Water Allocation Permit application requesting the right to purchase 750,000 gpd as a peak monthly flow rate from an Erie Water Works.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**BIOSOLIDS INDIVIDUAL PERMITS****(PABIG and PABIS)**

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to land apply biosolids subject to certain requirements set forth in the permit.

Persons wishing to comment on the proposed permit are invited to submit a statement to the responsible DEP Regional Office, noted below, within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Regional Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, comments received, and other information are on file and may be inspected and arrangements made for copying at the responsible DEP Regional Office indicated above the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service, or other accommodation to participate in the proceedings should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Department of Environmental Protection, Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**PABIS 3503. Newville Borough Water and Sewer Authority**, 99 Cove Avenue, Newville, PA 17241, Newville Borough, **Cumberland County**. Application to beneficially use their biosolids on the David Hockenberry Farm at 240 Oak Flat Rd, Newville, PA 17241 in West Pennsboro Township, Cumberland County.

SPECIAL CONDITIONS: None

**LAND RECYCLING AND ENVIRONMENTAL REMEDIATION****UNDER ACT 2, 1995****PREAMBLE 1**


---

**Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**


---

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may



request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Sunoco Twin Oaks Terminal**, 4041 Market Street, Upper Chichester Township, **Delaware County**. Timothy Pilcher, P.E., B&B Diversified Enterprises, Inc., P.O. Box 70, Blue Barto, PA 19504 on behalf Robert Penza, Samuel Coraluzzo Company, Inc., 1713 North Main Road, Vineland, NJ 08360 submitted a Notice of Intent to Remediate. The site has been found to be contaminated with volatile organic compounds associated with unleaded gasoline, which have contaminated soil and groundwater at the site. The proposed future use of the property will be non-residential for commercial purposes. The Notice of Intent to Remediate was published in the *Daily Times* and *Sunday Times* on August 31, 2017.

**Wawa Store # 8013, 2535 Aramingo Avenue**, City of Philadelphia, **Philadelphia County**. Geoff Kristof, P.G., Aquaterra Technologies, Inc, P.O. Box 744, West Chester, PA 19381 on behalf of Joseph Standen, Jr., P.G., Wawa, Inc., 260 West Baltimore Pike, Media, PA 19063 submitted a Notice of Intent to Remediate. Historic fill impacted with lead is present due to former Industrial use of the property. The proposed remediation measures will include removal and disposal of the impacted soil. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on November 9, 2017.

**Crichton Residence**, 203 Franklin Court, Montgomery Township, **Montgomery County**. Richard D. Trimpi, Trimpi Associates Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Valerie Griffin, State Farm Insurance, P.O. Box 10169, Atlanta, GA 30348-6169 submitted a Notice of Intent to Remediate. A release of petroleum occurred at the site with impacts to shallow soil. The current use and proposed future use of the property is residential. The Notice of Intent to Remediate was published in the *Ambler Gazette* on October 25, 2017.

**Johnson and Lemon Residence**, 5806 and 5808 Cedar Avenue, City of Philadelphia, **Philadelphia County**. Jeremy Bolyn, Environmental Maintenance Company Inc., 120 East Mermaid Lane, Glenside, PA 19038 on behalf of Oil Patch Inc., 7421 Glenmore Avenue, Philadelphia, PA 19153 submitted a Notice of Intent to Remediate. This NIR states that the sites are used for residential uses, where soil was impacted by petroleum because of a release of heating oil during a delivery to the wrong address. The Notice of Intent to Remediate was published in the *Philadelphia Daily News* on November 3, 2017.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Brookside Mobile Home Park**, 51 Manny Drive, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. BL Companies, 4242 Carlisle Pike, Camp Hill, PA 17011, on behalf of Brookside Mobile Home Park, Inc., 1201 Eisenhower Boulevard, Middletown, PA 17057, submitted a Notice of Intent to Remediate site soil contaminated with No. 2 fuel oil from an above-ground storage tank. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is for residential purposes. The Notice of Intent to Remediate was published in the *The Patriot News* on November 16, 2017.

#### MUNICIPAL WASTE GENERAL PERMITS

**Application(s) received for Registration under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.*

**General Permit No. WMGM038SW001. United States Gypsum Company**, 1 Woodlawn Road, Aliquippa, PA 15001. USG Aliquippa, 1 Woodlawn Road, Aliquippa, PA 15001. An application for registration under municipal waste general permit WMGM038 for the processing and beneficial use of ground gypsum wallboard in Aliquippa City, **Beaver County**, was deemed administratively complete in the Regional Office on November 28, 2017.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

#### RESIDUAL WASTE GENERAL PERMITS

**Permit Modification Proposed Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17106-9170.*

**General Permit No. WMGR025.** The Department of Environmental Protection is proposing modifications to Residual Waste General Permit WMGR025. This permit authorizes the composting and beneficial use of the following categories of source-separated wastes: agricultural waste other than mortalities, butcher waste other than whole carcass, food processing waste, pre-consumer and post-consumer food residuals, yard waste, land clearing and grubbing material, untreated wood waste, gypsum wallboard, paper, cardboard, waxed cardboard, virgin paper mill sludge and spent mushroom substrate. The



beneficial uses of the finished compost approved in this permit are for use, marketing or distribution as a soil conditioner, soil amendment, fertilizer, mulch or for erosion control. The proposed amendments include the re-organization and re-formatting of the general permit for overall clarity and ease of use.

Written comments concerning the proposed modifications should be directed to Chris Solloway, Group Manager, Permits Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Comments may also be submitted via e-mail at ra-epbenuseall@pa.gov. When submitting comment via e-mail, place "Comments on WMGR025" in the subject line. Faxed comments will not be accepted. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. For more information, contact the Division of Municipal and Residual Waste at 717-787-7381.

---

**Application(s) Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.**

---

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**General Permit Application No. WMGR123NE003. Carrizo (Marcellus) LLC**, 1400 Fair Hill Road, Montrose, PA 18801. An application for permit modification to expand the permit boundary and add tanks to provide for additional storage at this existing oil and gas liquid waste processing facility located in Jessup Township, **Susquehanna County**. The application was received by the Regional Office on December 4, 2017 and deemed administratively complete on December 5, 2017.

Persons interested in obtaining more information about the application may contact Roger Bellas, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

---

**Renewal Application(s) Received under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

---

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**General Permit Application No. WMGR028SC004A. York Materials Group, LLC**, has submitted a general permit renewal application for the Roosevelt Blacktop Plant, 1070 Roosevelt Avenue, York, PA 17404 in West Manchester Township, **York County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construc-

tion, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for renewal was determined to be complete on December 6, 2017.

**General Permit Application No. WMGR028SC004B. York Materials Group, LLC**, has submitted a general permit renewal application for the Route 94/Hanover Blacktop Plant, 100 Greensprings Road, Hanover, PA 17231 in Berwick Township, **Adams County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for renewal was determined to be complete on December 6, 2017.

**General Permit Application No. WMGR028SC004C. York Materials Group, LLC** has submitted a general permit renewal application for the Baker Quarry Asphalt Plant, 321 North Baker Road, York, PA 17364 in West Manchester Township, **York County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application for renewal was determined to be complete on December 6, 2017.

Persons interested in obtaining more information about the general permit renewal applications may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

---

**Application Withdrawn under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

---

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**General Permit Application No. WMGR019D002.** On June 22, 2017, the Department received a general permit renewal application from **R.H. Sheppard Company, Inc.** for its facility, located at 447 East Middle Street, Hanover, PA 17331 in Hanover Borough, **York County**. General Permit No. WMGR019 authorizes the beneficial use of waste foundry sand and ferrous metal foundry system dust, slag and refractory for use as roadway construction material, a component or ingredient in the manufacturing of concrete or asphalt products, a soil additive or soil substitute, and non-roadway construction. The renewal application was withdrawn on November 29, 2017 by request of R.H. Sheppard Company, Inc.

Persons with questions may contact may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**Application(s) received for the Renewal of Registration under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste other than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.*

**General Permit No. WMGR025SW002. Inter-municipal Relations Committee COG**, 1301 12th Street, Suite 8, Altoona, PA 16601. IRC COG Yard Waste Compost and Recycling Facility, 1860 Blacksnake Road, Dysart, PA 16636. A permit renewal application for continued coverage under residual waste general permit WMGR025 for the processing and beneficial use of the following source separated wastes: agricultural waste other than mortalities, butcher waste other than whole carcasses, food processing waste, pre-consumer and post-consumer food residuals, yard waste, land clearing and grubbing material, untreated wood waste, gypsum wall-board, paper, cardboard, waxed cardboard, virgin paper mill sludge and spent mushroom substrate in Dean and Gallitzen Townships, **Cambria County**, was deemed administratively complete by the Southwest Regional Office on November 28, 2017.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS**

**Application for Determination of Applicability Received for General Permit Received Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.*

**General Permit Application No. WMGM043SE002. Doylestown Waste Recycling, LLC**, 1510 Swamp Road, New Britain, PA 18901. This permit application is for the determination of applicability (DOA) under General Permit No. WMGM043 for the processing and beneficial use of construction and demolition (C&D) waste at the Doylestown Waste Recycling, LLC Facility located at 1510 Swamp Road, Doylestown, PA 18901 in New Britain Township, **Bucks County**. The application for determination of applicability was accepted as administratively complete by the Southeast Regional Office on December 4, 2017.

Comments concerning the application should be directed to the Department of Environmental Protection (DEP) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through

the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS**

**Application(s) for Determination of Applicability received under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**General Permit Application No. WMGR038SC009A. Edge Rubber Recycling, LLC**, 811 Progress Road, Chambersburg, PA 17201 in Chambersburg Borough, **Franklin County**. This general permit authorizes the processing, reuse and beneficial use of waste tires, which include whole tires, tire chips, baled tires, tire shreds, and crumb rubber. The permitted beneficial use of whole waste tires, tire chips, baled tires, tire shreds, and crumb rubber is limited to use in recapping, as fuel in boilers or other combustion units, in civil engineering practices, and as an ingredient in or as a commercial product. The application for Determination of Applicability was determined to be complete on December 6, 2017.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE**

**Application Received Under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit Application No. 400691. Upper Moreland—Hatboro Joint Sewer Authority**, P.O. Box 535, 2875 Terwood Road, Willow Grove, PA 19090-0535. This application is for the 10-year permit renewal to continue to operate under Solid Waste Permit No. 400691 at the Upper Moreland-Hatboro Joint Sewer Authority (UMHJSA) Sewage Sludge Incinerator located at 147 Terwood Road, Upper Moreland Township, **Montgomery County**. The application was received by the Southeast Regional Office on November 7, 2017.

Comments concerning the application should be directed to the Department of Environmental Protection (DEP) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the DEP through

the Pennsylvania AT&T Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chap-

ters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James A. Beach, New Source Review Chief—Telephone: 484-250-5920.*

**23-0014I: Kimberly-Clark of PA, LLC.** (1 Avenue of the States, Chester, PA 19013) for the installation of a cogeneration system to provide steam to the manufacturing process and electricity to the facility and potentially to the grid; the project consists of two (2) identical 185 MMBtu/hr natural gas-fired combustion turbines and 83 MMBtu/hr supplemental burners (i.e., heat recovery steam generating units (HRSG)) at the facility. Each turbine and supplemental burner set will be equipped with dry low NO<sub>x</sub> burners and a selective catalytic reduction (SCR) system for nitrogen oxide (NO<sub>x</sub>) control. In addition, an oxidation catalyst (OC) will be installed for carbon monoxide (CO) and volatile organic compound (VOC) control. During periods of low steam usage one of the turbines will divert from the HRSG, OC and SCR and vent directly to the atmosphere. The plan approval will include emission limits, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. The facility is located in City of Chester, **Delaware County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**16-149D: Clarion Laminates, LLC** (301 Fiberboard Road, Shippensburg, PA 16254) for the installation of two (2) replacement baghouse(s) at their facility in Paint Township, **Clarion County**. This is a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue Plan Approval 16-149D to Clarion Laminates, LLC for the for the installation of two (2) replacement baghouse(s) at their facility in Paint Township, Clarion County. The Plan Approval will subsequently be incorporated into the facility's Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 16-149D is for the installation of two (2) replacement baghouse(s) for control of particulate emissions from the existing # 3 Profiling & Bonding Line(s) (Source IDs 106 & 109). Based on the information provided by the applicant and DEP's own analysis, the subject source(s) will have the potential to emit 12.02 tons of particulate matter per year, which does not represent an increase over previously permitted emission levels.



The subject source(s) will continue to be subject to their existing emission limits of 0.005 grains per dry standard cubic foot for particulate matter. The facility will be required to conduct stack testing of the subject source(s) within 180 days of startup, with retesting to occur once per 5-year permit cycle. The Plan Approval will contain additional monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6078.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 16-149D and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

**62-017Y: United Refining Company** (15 Bradley St., Warren, PA 16365) for installation of a Sour Tips Stripper Unit and modifications to the existing Naphtha Hydrotreater Unit at their facility in the City of Warren, **Warren County**. The facility currently holds Title V permit No. 62-00017.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue Plan Approval 62-017Y to United Refining Company for installation of a Sour Tips Stripper unit and modifications to the existing Naphtha Hydrotreater Unit at their facility located at 15 Bradley Street, City of Warren, Warren County. The Plan Approval will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 62-017Y is for the installation of a 3 kbpd Sour Tips Stripper Unit and modifications to the existing Naphtha Hydrotreater (NHT) Unit, in order to produce reduced sulfur gasoline in compliance with US EPA's Tier 3 Fuel Standards Program. The proposed process changes will also result in increased throughput demand for existing sources at the facility, including the Demethanizer 2 Unit, Reformer Unit, Hydrogen Plant, Sulfur Recovery Unit # 2 (SRU 2), Sour Water Stripper, and wastewater processing. Based on the information provided by the applicant and DEP's own analysis, the project will result in potential emissions increases in the amount(s) of: 50.6 tons of carbon monoxide, 36.3 tons of sulfur oxides (SO<sub>x</sub>), 27.2 tons of nitrogen oxides (NO<sub>x</sub>),

21.9 tons of volatile organic compounds (VOC), 6.8 tons of particulate matter, all of which will be particulate matter less than 10 microns (PM<sub>10</sub>) and less than 2.5 microns (PM<sub>2.5</sub>), 0.002 ton of lead, and 33,182.8 tons (CO<sub>2</sub> equivalent) of greenhouse gases per year.

The proposed Sour Tips Stripper will be subject to the applicable provisions of 40 CFR 60, Subpart(s) Ja [Standards of Performance for Petroleum Refineries for Which Construction, Reconstruction, or Modification Commenced After May 14, 2007] and VVa [Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry for Which Construction, Reconstruction, or Modification Commenced After November 7, 2006], and 40 CFR 63, Subpart CC [National Emission Standards for Hazardous Air Pollutants From Petroleum Refineries]. Proposed best available technology (BAT) for the proposed source will be the use of quarterly leak detection and repair (LDAR) monitoring, and good operational and maintenance practices. The Plan Approval will contain additional monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the address shown below. To make an appointment, contact Records Management at 814-332-6078.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the address shown below. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 62-017Y and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

---

#### **Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00105: Naceville Materials/Coopersburg** (483 Springfield Street, Coopersburg, PA 18036), for the renewal of a State Only, Synthetic Minor Operating Permit in Springfield Township, **Bucks County**. The facility operates a Hot Mix Asphalt Plant at this site. The proposed renewal of the Operating Permit does not authorize any increase in air emissions of regulated

pollutants above previously approved levels. The facility maintains a synthetic minor operating status by maintaining total NO<sub>x</sub> emissions to less than 22.5 tons per year. The renewed permit includes testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

**46-00181: Technetics Group Hatfield** (1600 Industry Rd, Hatfield, PA 19440) for a poly-tetra-flouro-ethylene (PTFE) etching facility in Hatfield Township, **Montgomery County**. The permit is for a non-Title V (State only) facility. No changes in sources or applicable regulations have taken place since the permit was last issued in March 2013. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-03042: Fairmount Foundry, Inc.** (P.O. Box 466, Hamburg, PA 19526) for the gray iron foundry located in Hamburg Borough, **Berks County**. This is for the renewal of the existing State-only permit. The facility potential emissions are estimated at 20.5 tpy particulate matter, 4.7 tpy carbon monoxide, and less than 1 tpy of all other criteria pollutants. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart ZZZZZ (National Emissions Standards for Hazardous Air Pollutants for Iron and Steel Foundries).

**67-03079: Hercon Pharmaceutical, LLC/Emigsville** (101 Sinking Spring Lane, Emigsville, PA 17318) to issue a State Only Operating Permit for operation of a transdermal medication patch coating line with VOC control at the facility in Manchester Township, **York County**. This is for the renewal of the existing State-only permit. The facility potential-to-emit is approximately 17 tons of VOC and less than 1 ton of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 60, Subpart RR—Standards of Performance for Pressure Sensitive Tape and Label Surface Coating Operations Standard for Volatile Organic Compounds, and Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

**38-05004: Kounty Kraft Kitchens, Inc.** (291 South Sheridan Road, Newmansstown, PA 17073) to issue a State Only Operating Permit for the wood kitchen cabinet manufacturing facility in Millcreek Township, **Lebanon County**. This is for the renewal of the existing state-only permit. The facility 2016 emissions were 0.161 ton of CO, 0.192 ton of NO<sub>x</sub>, 0.01 ton of PM, 0.001 ton of SO<sub>2</sub>, 12.15 tons of VOC, and 4.84 tons of total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items,

the conditions include 40 CFR Part 63 Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.*

**49-00008: Milton Steel Company** (6 Canal Street, Milton, PA 17847) to issue a renewal State Only (Synthetic Minor) Operating Permit for their Milton Steel Plant located in Milton Borough, **Northumberland County**. The facility is currently operating under State Only (Synthetic Minor) Operating Permit 49-00008. The facility's main sources include a spray painting operation, a welding operation, a robotic welding operation and two dip tanks.

The facility has potential emissions of 2.92 TPY of CO; 4.20 TPY of NO<sub>x</sub>; 0.03 TPY of SO<sub>x</sub>; 4.71 TPY of PM/PM<sub>10</sub>; 32.05 TPY of VOCs; <10 TPY any single HAP; <25 TPY combined HAPs. The robotic welding operation is subject to 40 CFR Part 63, Subpart XXXXXX—National Emission Standards for Hazardous Air Pollutants Area Source Standards for Nine Metal Fabrication and Finishing Source Categories. The dip tanks and surface coating operation are subject to Title 25 Pa. Code § 129.52—Surface Coating Processes. The dip tanks are subject to 40 CFR Part 60, Subpart EE—Standards of Performance for Surface Coating of Metal Furniture. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60, 63 and 98.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**26-00451: Murray American River Towing, Inc.** (46226 National Road W, Saint Clairsville, OH 43950) In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Murray American River Towing, Inc. to authorize the operation of their coal transfer facility at Alicia Dock, located in Luzerne Township, **Fayette County**.

The pertinent emission sources at this facility are barge unloading, coal conveying, conveyor transfer building, loading-to-storage piles, storage pile wind erosion, and storage pile activity utilizing bulldozers. The total facility throughput at peak production is 12,500,000 tons per year. Annual potential emissions from the facility are estimated to be 20.28 tons of PM<sub>10</sub>. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Chapters 121—145.



A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (26-00451) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Murray American River Towing, Inc., Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Murray American River Towing, Inc., State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6131.*

**43-00259: Grove City Medical Center** (631 N Broad St. Ext., Grove City, PA 16127-4603), the Department intends to issue the renewal of the State-Only Operating Permit of a healthcare institution located in Pine Township, **Mercer County** that operates boilers, water heaters, and a diesel-fired emergency generator. With PTEs of 13.287, 6.975, 0.973, 0.493, and 0.363 TPY for NO<sub>x</sub>, CO, PM, SO<sub>x</sub>, and VOC, respectively, the facility is Natural Minor for permitting purposes. In this renewal, revised and new provisions of 25 Pa. Code § 123.22 on sulfur emissions from use of fuel oils in combustion units are incorporated into the permit. This subjects the boilers to a more stringent sulfur content limit (500 ppm, 0.05%) for fuel oils and associated recordkeeping and reporting requirements. New requirements are also added for purposes of having clear and defined restrictions and recordkeeping requirements to demonstrate exemption of the boilers from 40 CFR 63 Subpart JJJJJJ, which pertains to NESHAP for Industrial, Commercial, and Institutional Boilers Area Source, and compliance of the emergency generator with the operating hours restrictions pursuant to § 40 CFR 63 Subpart ZZZZ, which pertains to NESHAP for Stationary Reciprocating Internal Combustion Engines.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426.*

**OP17-000063: CRAMCO** (2200 East Ann Street, Philadelphia, PA 19134) for the manufacturing of furniture in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one (1) wood fired Weiss steam boiler rated at 6.1 MMBtu/hr boiler with multicyclone, one (1) # 2 oil/natural gas fired York-Shipley steam boiler rated at 9.926 MMBtu/hr, one (1) natural gas fired laminating press thermal oil boiler rated at

1.183 MMBtu/hr boiler, one (1) natural gas fired paint strip Bayco oven rated at 350,000 Btu/hr oven with afterburner, one (1) natural gas fired curing oven rated at 2.5 MMBtu/hr, two (2) Nordson spray booths, one (1) Diemco spray booth, and one (1) Nordfab baghouse to control emissions from the Wood Department.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

**OP17-000014: SEPTA—Comly Bus Facility** (Penn and Comly Streets, Philadelphia, PA 19149) for the operation of the following: two (2) 7.216 MMBtu/hr boiler, each firing natural gas or # 2 fuel oil; one (1) 0.48 MMBtu/hr natural gas pressure washer; and one (1) stage 2 vapor recovery unit in the City of Philadelphia, **Philadelphia County**.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district

mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

*Coal Applications Received*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**11051301 and NPDES No. PA0235652. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To revise the permit for the Cresson Mine in Cresson and Washington Townships, **Cambria County** and related NPDES Permit. Underground Acres Proposed 576.5, Subsidence Control Plan Acres Proposed 576.5. No

additional discharges. The application was considered administratively complete on December 1, 2017. Application received October 3, 2017.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**GP12-65150101. Coal Loaders, Inc.** (210 East Main Street, P.O. Box 556, Ligonier, PA 15655-0556). Application for authorization under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-65150101 to operate a portable coal crusher for an existing bituminous surface mine, located in Ligonier Township, **Westmoreland County**, affecting 339.9 acres. Receiving streams: unnamed tributaries to Mill Creek and unnamed tributaries to Coalpit Run, classified for the following use: HQ-CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: November 27, 2017.

**65110101 and NPDES Permit No. PA0252140. Gary Gioia Coal Company** (319 Karen Drive, Elizabeth, PA 15037). Renewal application for continued mining to an existing bituminous surface mine, located in South Huntingdon Township, **Westmoreland County**, affecting 188.2 acres. Receiving streams: unnamed tributary to Youghiogheny River, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: November 27, 2017.

**63120102 and NPDES Permit No. PA0252239. Amerikohl Mining, Inc.** (1384 State Route 711, Stahlstown, PA 15687). Renewal application for reclamation only to an existing bituminous surface mine, located in Fallowfield and Somerset Townships, **Washington County**, affecting 99.2 acres. Receiving streams: unnamed tributaries to Pigeon Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: November 28, 2017.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 7874SM2A1C10 and NPDES No. PA0612880. Eastern Industries, Inc.**, (3724 Crescent Court West, Suite 200, Whitehall, PA 18052), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in North Whitehall Township, **Lehigh County** affecting 272.0 acres, receiving stream: Coplay Creek, classified for the following use: cold water fishes. Application received: November 13, 2017.

**Permit No. 64172501 and NPDES Permit No. PA0225797. Rock Lake, Inc.**, (3230 Creamton Drive, Lake Como, PA 18437), commencement, operation and restoration of a bluestone quarry operation and NPDES permit for discharge of treated mine drainage in Lebanon Township, **Wayne County** affecting 5.0 acres, receiving stream: unnamed tributary to West Branch Dyberry Creek, classified for the following uses: high quality—cold water fishes and migratory fishes. Application received: November 15, 2017.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0;	less than 9.0
Alkalinity greater than acidity*			

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.



The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

*Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.*

**NPDES No. PA0279595 (Mining Permit No. 56170105), Sherpa Mining Contractors, Inc.**, 337 Benny Road, Hooversville, PA 15936, new NPDES permit for discharge of water resulting from surface coal mining activities in Brothersvalley Township, **Somerset County**, affecting 36.1 acres. Receiving streams: unnamed tributaries to Blue Lick Creek, classified for the following use: cold water fishes. This receiving stream is included in the Casselman River TMDL. Application received: October 30, 2017.

The outfalls listed below discharge to unnamed tributaries to Blue Lick Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (Treatment Pond 1)	Y
002 (Treatment Pond 2)	Y
003 (Sediment Pond 1)	Y
004 (Sediment Pond 2)	Y

The proposed effluent limits for the above listed outfalls are as follows:

<i>Outfalls: 001 &amp; 002 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

<i>Outfalls: 003 &amp; 004 (Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	3.0	6.0	7.0
Manganese (mg/l)	2.0	4.0	5.0
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

<i>Outfalls: 003 &amp; 004 (&lt;10-yr 24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

**NPDES No. PA0268984 (Mining Permit No. 56120106), PBS Coals, Inc.**, P.O. Box 260, Friedens, PA 15541, renewal of an NPDES permit for a bituminous surface mine in Quemahoning Township, **Somerset County**, affecting 150.4 acres. Receiving streams: unnamed tributaries to/and Stonycreek River, classified for the following uses: cold water fishes and trout stocked fishes. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: November 9, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The following treated wastewater outfalls discharge to unnamed tributaries to Stonycreek River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N



The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.5
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The following stormwater outfalls discharge to unnamed tributaries to Stonycreek River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N
004	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.5
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**NPDES No. PA0278157 (Mining permit no. 03140101), Amerikohl Mining, Inc.,** 202 Sunset Drive, Butler, PA 16001.

New NPDES permit for a bituminous surface mine in Madison Township, **Armstrong County**, affecting 144.2 acres. Receiving stream(s): Unnamed Tributaries to Redbank Creek classified for the following use(s): CWF. This receiving stream is included in the Redbank Creek Watershed TMDL. Application received: August 4, 2015.

The following treated wastewater outfall(s) discharge to Unnamed Tributaries to Redbank Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
004	Y	MDT
005	Y	MDT

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	50	50	50

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The following stormwater outfall(s) discharge to Unnamed Tributaries to Redbank Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	Y	SW
002	Y	SW

The proposed effluent limits for the previously listed outfall(s) are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	50	50	50

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

## FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E15-889. Atwater Owners Association**, 300 Conshohocken State Rd., Suite 250, Tredyffrin Township, **Chester County**, ACOE Philadelphia District.

Atwater Owners Association is proposing to obtain authorization to operate and maintain an existing 18-inch diameter coldwater outlet and 14-foot diameter, 300-foot long overflow culvert pipe located within Atwater lake which discharge to an unnamed tributary to Valley Creek (Cedar Hollow Run) (EV). No waterway and wetland impacts proposed with this permit and was previously authorized under the Bureau of Mines (BOM) non-coal surface mining permit 8175SM3. Site is located between PA Route 29 and Cedar Hollow Road, just south of the Pennsylvania Turnpike within Atwater Corporate Park in Tredyffrin Township, Chester County; (USGS PA Malvern Quadrangle—Latitude 40.070274 N, Longitude 75.523616 W).

**E23-539. City of Philadelphia, Philadelphia International Airport**, Terminal D-E, 800 Essington Ave,

Philadelphia, PA 19153-3755, Tinicum Twp., **Delaware County**, ACOE Philadelphia District.

To Expand, construct and maintain the Storage Capacity of an existing Fuel Farm Complex and Load Rack Facility at the Philadelphia International Airport which is located in the 100-year floodplain of the Delaware River associated with the replacement of 10-inch fuel supply line crossing the UNT to the Delaware River at 4-different locations.

The site is located at Philadelphia International Airport, (USGS map; Woodbury, NJ-PA), Latitude; 39.865181; Longitude -75.237643.

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E48-448 (Catasqua, PA Quadrangle**, Latitude: 40° 41' 51"; Longitude: -75° 23' 23"), East Allen Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a stormwater outfall structure consisting of an 18-inch RCP pipe with a headwall and approximately 146 linear feet of stone retaining walls varying from 4 feet to 6 feet in height, with excavation, and grading in various areas of the floodway of Monocacy Creek (HQ-CWF, MF). (PA Quadrangle, Latitude: 40° 41' 51"; Longitude: -75° 23' 23").

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E05-390: Mid-Atlantic Interstate Transmission (MAIT)**, 341 White Pond Drive, Akron, OH 44320; and the Pennsylvania Electric Company (Penelec) 341 White Pond Drive, Akron, OH 44320; in Bedford, East St. Clair, and Napier Townships, **Bedford County**, U.S. Army Corps of Engineers Baltimore District.

The proposed project starts the MAIT/Penelec owned Bedford North Substation (Bedford, PA Quadrangle N: 40°, 4', 17.25"; W: 78°, 30', 59.05") and ends at Bedford County/Somerset County Line, (Schellsburg, PA Quadrangle N: 40°, 04', 43.11"; W: 78°, 44', 6.98"). The project impacts in this permit application are for a portion of a transmission project that will extend approximately 17.6 miles, across multiple counties in Pennsylvania, between Central City, Somerset County, PA and Bedford Township, Bedford County, PA.

The portion of this project consists of the installation and maintenance of approximately 12 miles long of 115 kV electric transmission line in Bedford County, of which 4.8 miles is on new Right-of-way and 7.2 is on existing Right-of-way. The temporary and permanent impacts include both disturbances and direct and indirect impacts to watercourse, wetland, floodplain, and floodway resources, of which direct and indirect impacts will be compensated through site restoration or additional compensation as identified. The proposed project impacts in only Bedford County include a total of ten temporary stream impacts to UNT to Shawnee Branch (WWF, MF), Shawnee Branch (WWF, MF), UNT to Dunning Creek (WWF, MF), and Raystown Branch Juniata River (WWF, MF), a total of two permanent impacts on Raystown Branch Juniata River (WWF, MF), and permanent floodway impacts, temporary wetland impacts to one EV PFO wetland and three PEM wetlands and permanent wetland impacts to three EV PFO wetlands and eleven PEM wetlands with a total of 2.38 acres of permanent wetland impacts to wetlands and a total conversion of

1.68 acre of EV PFO to EV PEM conversion proposed in Bedford County. To compensate for the cumulative conversion wetland impacts, along the entire multi-county project, the applicant will create 4.0 acres of wetland mitigation in Jenner Township, Somerset County. The proposed project impacts in this permit application are associated with a proposed electric transmission line project extending approximately 17.6 miles in Pennsylvania between Bedford Township, **Bedford County**, PA and Central City Borough, Somerset County, PA.

For more detailed information regarding the Bedford County Chapter 105 permit application related to this proposed project, which is available in the DEP South Central Region Office, please contact Ed Muzic at (717) 705.4765 to request a file review.

**E06-725: Plenary Walsh Keystone Partners**, Cumru Township, **Berks County**, U.S. Army Corps of Engineers Philadelphia District.

To remove the existing structure and to (1) construct and maintain a 74 feet 2 inch long, 26.0 foot wide concrete box culvert depressed 1.0 foot with baffles and place R-6 riprap scour protection choked with native stream bed material in Wyomissing Creek (HQ-CWF, MF) and its associated floodway and floodplain for construction activities (Latitude 40°16'55.6", Longitude -75°59'31.2") for the purpose of replacing a structurally deficient bridge as part of the Public Private Partnership (P3) Rapid Bridge Replacement Program. The project is located along S.R. 3009 (Wyomissing Road) in Cumru Township, Berks County.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.*

**E56-386, Pennsylvania Turnpike Commission**; P.O. Box 67676, Harrisburg, PA 17057; Jefferson Township, Lincoln Township & Somerset Township; **Somerset County**; ACOE Pittsburgh District.

The applicant proposes to:

1. Relocate and maintain 767 LF of a UNT to E. Branch of Coxes Creek (aka UNT-1) (WWF);
2. Construct and maintain a 16' × 5'-6" box culvert in a UNT to E. Branch of Coxes Creek (aka UNT-1) (WWF);
3. Construct and maintain a 25 LF rip-rap channel of a UNT to Quemahoning Creek (aka UNT-9) (CWF);
4. Place and maintain fill in 57 LF of a UNT to E. Branch of Coxes Creek (aka UNT-10) (WWF);
5. Relocate and maintain 137 LF of a UNT to Quemahoning Creek (aka UNT-12) (CWF);
6. Construct and maintain an 18" and 30" culvert extension in a UNT to Crab Run (aka UNT-13) (HQ-CWF);
7. Construct and maintain a 10' × 8' box culvert in a UNT to Crab Run (aka UNT-14) (HQ-CWF);
8. Relocate and maintain 707 LF of a UNT to Crab Run (aka UNT-15) (HQ-CWF);
9. Construct and maintain 24' × 13'-10" box culvert extensions in Crab Run (HQ-CWF);
10. Construct and maintain 30" culvert extensions in a UNT to Crab Run (aka UNT-17) (HQ-CWF);
11. Relocate and maintain 318 LF of a UNT to Crab Run (aka UNT-18) (HQ-CWF);

12. Construct and maintain 10' × 7'-6" culvert extensions in Keller Run (HQ-CWF);

13. Construct and maintain 6' × 4' culverts extensions in a UNT to Clear Run (aka UNT-20) (HQ-CWF);

14. Place and maintain fill in 62 LF of a UNT to Clear Run (aka UNT-21) (HQ-CWF);

15. Construct and maintain 6' × 5'-2" culvert extensions in a UNT to Clear Run (aka UNT-22) (HQ-CWF);

16. Construct and maintain an 18" culvert extension in a UNT to Clear Run (aka UNT-28) (HQ-CWF);

17. Construct and maintain a 24" culvert extension in a UNT to Clear Run (aka UNT-29) (HQ-CWF);

18. Relocate and maintain 175 LF of a UNT to Quemahoning Creek (aka UNT-30) (CWF);

19. Place and maintain fill in 147 LF of a UNT to E. Branch of Coxes Creek (aka UNT-31) (WWF);

20. Relocate and maintain 638 LF of a UNT to E. Branch of Coxes Creek (aka UNT-31) (WWF);

21. Relocate and maintain 372 LF of a UNT to Quemahoning Creek (aka UNT-34) (CWF);

22. Relocate and maintain 352 LF of a UNT to Quemahoning Creek (aka UNT-A) (CWF);

23. Relocate and maintain 78 LF of a UNT to Quemahoning Creek (aka UNT-B) (CWF);

24. Construct and maintain a 3'-2" × 2'-6" twin culvert extension in a UNT to Quemahoning Creek (aka UNT-D) (CWF);

25. Relocate and maintain 211 LF of a UNT to Quemahoning Creek (aka UNT-F) (CWF);

26. Relocate and maintain 197 LF of a UNT to Quemahoning Creek (aka UNT-G) (CWF);

27. Place and maintain a 10 LF rip-rap channel of a UNT to Quemahoning Creek (aka UNT-H) (CWF);

28. Construct and maintain an 18" culvert extension in a UNT to Crab Run (aka UNT-J) (HQ-CWF);

29. Construct and maintain 48" culvert extensions in a UNT to Crab Run (aka UNT-K) (HQ-CWF);

30. Install and maintain road associated stormwater facilities and outfalls in the E. Branch of Coxes Creek (WWF), Quemahoning Creek (CWF), Crab Run (HQ-CWF), Clear Run (HQ-CWF) and Keller Run (HQ-CWF) watersheds;

31. Place and maintain fill in 10.16 acres of floodplain in the E. Branch of Coxes Creek (WWF), Quemahoning Creek (CWF), Crab Run (HQ-CWF), Clear Run (HQ-CWF) and Keller Run (HQ-CWF) watersheds.

In association with the reconstruction and widening of approximately seven miles of the Pennsylvania Turnpike Mainline (Interstate 76) between mileposts (MP) 101.8 and (MP) 109, between Exit 91 (Donegal) and Exit 110 (Somerset), in Jefferson, Lincoln and Somerset Townships, Somerset County. The total widening of the proposed project will permanently impact a total of approximately 5,977 (LF) of perennial and intermittent watercourses and 1.58 acre of wetland, and to temporarily impact a total of approximately 2,659 LF of perennial and intermittent watercourses and 2.22 acres of wetland. The temporary impacted resources will be restored upon completion to existing conditions. Several mitigation projects will compensate for the cumulative total impacts to perennial and intermittent watercourses. As compensation for the cumulative total stream impacts, the stream



mitigation plan includes the reconstruction of approximately 4,626 LF of various reaches of watercourses onsite and 1,292 LF of various reaches of watercourses on the Klejka Stream Mitigation Site. To compensate for the 1.58 acre of wetland impact, the applicant will purchase wetland credits from a DEP approved wetland bank site, approximately 1.65 acres of wetlands in the Louie-Beach Advanced Wetland Compensation Site.

This project will increase the Turnpike width from 82 feet to 122 feet. The structures and activities requiring authorization (Bakersville and Somerset, PA Quadrangle; starting at Latitude: 40°05'50.93" N; Longitude: -79°12'07.72" W; and ending at Latitude: 40°01'20.92" N; Longitude: -79°05'10.83" W).

**E56-389, Pennsylvania Electric Company (Penelec) and Mid-Atlantic Interstate Transmission (MAIT);** 341 White Pond Drive, Akron, OH 44320; Shade Township and Central City Borough; **Somerset County;** ACOE Pittsburgh District.

The applicant proposes to:

The project starts at 1,600 feet down Monument Road from School Road in Central City Borough, Somerset County (Central City Quadrangle, PA Quadrangle N: 40°, 60', 32"; W: -78°, 49', 18") and exits the county approximately 1,300 feet east of Fleegle Road, at the Somerset County border (Schellsburg Quadrangle, PA Quadrangle N:40°,04',42"; W:-78°,44',02"). The project impacts in this permit application are for a portion of a transmission project that will extend approximately 17.6 miles, across multiple counties in Pennsylvania, between Central City, Somerset County, PA and Bedford Township, Bedford County, PA.

The portion of this project, within Somerset County, consists of the installation and maintenance of approximately 5.6 miles of high voltage transmission line, along with appurtenant structures and temporary mat crossings. The high voltage transmission line will be constructed as aerial transmission line crossings over 3.7 acres of wetland and 500 linear feet of multiple watercourses, within the Dark Shades Creek (CWF) and the Beaverdam Run (HQ-CWF) watersheds. The aforementioned temporary and permanent impacts include both disturbances and direct and indirect impacts to watercourse, wetland, floodplain, and floodway resources, of which direct and indirect impacts will be compensated through site restoration or additional compensation as identified. These impacts include a total of 1.9 acre of conversion impacts to PEM, PSS, and PFO wetlands. To compensate for the cumulative conversion wetland impacts, along the entire multi-county project, the applicant will create 4.0 acres of wetland mitigation in Jenner Township, Somerset County. The project impacts in this permit application are for a portion of a larger project that is associated with a transmission pipeline project extending approximately 17.6 miles in Pennsylvania between Central City, Somerset County, PA and Bedford Township, Bedford County, PA.

For more detailed information about the Chapter 105 permit application, regarding the portion of this project that is located in Somerset County, which is available within the Department's Southwest Regional Office, please contact Dana Drake at (412) 442-4149, to request a file review.

*District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.*

**E5829-126: Bridgewater, Brooklyn, and New Milford Townships, Williams Field Services Company, LLC;** Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275; Bridgewater, Brooklyn, and New Milford Townships, **Susquehanna County,** ACOE Baltimore District.

To construct, operate, and maintain:

1) a floodway only impact impacting 5,671 square feet (0.13 acre) of an unnamed tributary to Martins Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 36", Longitude: -75° 47' 05"),

2) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 6,650 square feet (0.15 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 35", Longitude: -75° 47' 05"),

3) a floodway only impact impacting 264 square feet (0.01 acre) of an unnamed tributary to Martins Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 34", Longitude: -75° 47' 04"),

4) a 16-inch diameter steel natural gas gathering pipeline and temporary timber bridge impacting 174 lineal feet of an unnamed tributary to Martins Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 34", Longitude: -75° 47' 02"),

5) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 13,759 square feet (0.32 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 28", Longitude: -75° 47' 02"),

6) a 16-inch diameter steel natural gas gathering pipeline and two temporary timber bridges impacting 113 lineal feet of an unnamed tributary to Martins Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 27", Longitude: -75° 47' 05"),

7) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 5,303 square feet (0.12 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 27", Longitude: -75° 47' 06"),

8) a floodway only impact impacting 264 square feet (0.01 acre) of an unnamed tributary to Martins Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 27", Longitude: -75° 47' 07"),

9) a 16-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 7,522 square feet (0.17 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 10", Longitude: -75° 47' 30"),

10) a temporary timber mat crossing impacting 1,120 square feet (0.03 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 08", Longitude: -75° 47' 32"),

11) a 24-inch diameter steel natural gas gathering pipeline and temporary timber bridge impacting 103 lineal feet of an unnamed tributary to Hop Bottom Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 09", Longitude: -75° 47' 37"),

12) a 24-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 2,937 square feet (0.07 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 09", Longitude: -75° 47' 37"),



13) a right-of-way impact impacting 78 square feet (0.01 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 17", Longitude: -75° 47' 06"),

14) a 24-inch diameter steel natural gas gathering pipeline and temporary timber bridge impacting 85 lineal feet of an unnamed tributary to Hop Bottom Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 17", Longitude: -75° 47' 06"),

15) a 24-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 668 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 17", Longitude: -75° 47' 05"),

16) a floodway only impact impacting 3,773 square feet (0.09 acre) of an unnamed tributary to Hop Bottom Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 18", Longitude: -75° 47' 16"),

17) a 24-inch diameter steel natural gas gathering pipeline and temporary timber bridge impacting 40 lineal feet of unnamed tributary to Hop Bottom Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 18", Longitude: -75° 47' 16"),

18) a 24-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 3,470 square feet (0.08 acre) of a palustrine emergent wetlands (PEM) and 378 square feet (0.01 acre) of a palustrine scrub shrub wetlands (PSS) (Montrose East, PA Quadrangle; Latitude: 41° 48' 18", Longitude: -75° 47' 17"),

19) a 24-inch diameter steel natural gas gathering pipeline and temporary timber bridge impacting 32 lineal feet of Hop Bottom Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 18", Longitude: -75° 47' 18"),

20) a 24-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 7,356 square feet (0.17 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 18", Longitude: -75° 47' 08"),

21) a floodway only impact impacting 67 square feet (0.01 acre) of an unnamed tributary to Hop Bottom Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 18", Longitude: -75° 47' 18"),

22) a 24-inch diameter steel natural gas gathering pipeline and temporary timber bridge impacting 85 lineal feet of an unnamed tributary to Hop Bottom Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 16", Longitude: -75° 47' 22"),

23) a 24-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 5,837 square feet (0.13 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 09", Longitude: -75° 48' 24"),

24) a 24-inch diameter steel natural gas gathering pipeline and temporary timber bridge impacting 87 lineal feet of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 09", Longitude: -75° 49' 25"),

25) a floodway only impact impacting 180 square feet (0.01 acre) of an unnamed tributary to Meshoppen Creek (CWF, MF) (Montrose East, PA Quadrangle; Latitude: 41° 48' 09", Longitude: -75° 49' 25"),

26) a 24-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting

18,542 square feet (0.43 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 08", Longitude: -75° 49' 31"),

27) a 24-inch diameter steel natural gas gathering pipeline and temporary timber mat crossing impacting 729 square feet (0.02 acre) of a palustrine emergent wetlands (PEM) (Montrose East, PA Quadrangle; Latitude: 41° 48' 08", Longitude: -75° 49' 31").

The natural gas gathering pipeline project consists of constructing approximately 6,268 lineal feet of 16-inch and 11,418 lineal feet of 24-inch steel natural gas gathering pipelines located Bridgewater, Brooklyn, and New Milford Townships, Susquehanna County. The project will result in 12,524 square feet of floodway only impacts, 719 lineal feet of temporary stream impacts, 73,971 square feet (1.70 acre) of temporary emergent wetland impacts, and 378 square feet (0.01 acre) of permanent scrub shrub impacts to provide safe reliable conveyance of Marcellus Shale natural gas to market.

**E5829-127: Harford Township, Bluestone Pipeline Company of Pennsylvania, LLC**, 333 Technology Drive, Suite 255, Canonsburg, PA 15317; Harford Township, **Susquehanna County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 1,041 square feet (0.02 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 47' 52" N, Longitude: 75° 44' 37" W),

2) a 20-inch diameter steel natural gas pipeline and a temporary timber bridge crossing temporarily impacting 53 lineal feet of East Branch Martins Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 47' 54" N, Longitude: 75° 44' 38" W),

3) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 24,326 square feet (0.54 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 47' 52" N, Longitude: 75° 44' 37" W),

4) a 20-inch diameter steel natural gas pipeline and a temporary timber bridge crossing temporarily impacting 62 lineal feet of East Branch Martins Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 48' 02" N, Longitude: 75° 44' 36" W),

5) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 1,416 square feet (0.03 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 48' 05" N, Longitude: 75° 44' 35" W),

6) a 20-inch diameter steel natural gas pipeline and a temporary timber bridge crossing temporarily impacting 6 lineal feet of East Branch Martins Creek (CWF-MF) (Harford, PA Quadrangle; Latitude: 41° 48' 05" N, Longitude: 75° 44' 35" W),

7) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 2,796 square feet (0.06 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 48' 06" N, Longitude: 75° 44' 35" W),

8) a 20-inch diameter steel natural gas pipeline and a temporary timber mat crossing temporarily impacting 707 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Harford, PA Quadrangle; Latitude: 41° 48' 20" N, Longitude: 75° 44' 26" W).

The natural gas pipeline project consists of constructing a 20-inch diameter steel natural gas pipeline approximately 0.65 miles long in Harford Township, Susquehanna County. The project will result in 121 lineal feet of temporary stream impacts, and 30,286 square feet (0.70 acre) of temporary wetland impacts to provide safe reliable conveyance of Marcellus Shale natural gas to market.

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E19-321. Pennsylvania Department of Transportation, Engineering District 3-0**, 715 Jordan Ave, Montoursville, PA 17754. SR 0339 Section 06M Roadway Improvement Project in Mifflin Township, **Columbia County**, ACOE Baltimore District (Berwick, PA Quadrangle; Latitude: 41°02'13"; Longitude -76°16'10").

PA DOT Engineering District 3-0 proposes a 1.9 Mi. Roadway Safety Improvement Project along SR 0339 between Mifflinville and the Luzerne County line. The project will include shoulder improvements, roadway widening, milling and overlaying pavement, four outfalls and two culvert structure rehabilitations.

The first culvert structure rehabilitation will include slip lining with a corrugated metal plate arch and downstream extension to accommodate the roadway widening. The existing single span concrete arch has a span of 15.0 Ft., a skew of 82 degrees, an underclearance of 11.6 Ft., a low chord of 496.69 Ft., a hydraulic opening of 141 Ft<sup>2</sup>, and an out to out width of 43.8 Ft. The proposed slip lined corrugated metal plate arch culvert on reinforced concrete abutments will have a span of 13.7 Ft., a skew of 82 degrees, an underclearance of 11.4 Ft., a low chord of 496.27 Ft., a hydraulic opening of 130 Ft<sup>2</sup> and an out to out width of 77.0 Ft. The proposed structure will be extended 33.2 Ft. downstream and include streambed paving with concrete baffles through the entire structure. Grouted R-8 Rip Rap will be placed at the outlet to backfill an existing scour hole.

The second culvert structure rehabilitation will be extended upstream to accommodate the roadway widening. The existing corrugated metal pipe culvert has a

span of 10.0 Ft., a skew of 85 degrees, an underclearance of 8.5 Ft., a low chord of 485.44 Ft., a hydraulic opening of 71 Ft<sup>2</sup>, and an out to out width of 150.9 Ft. The proposed culvert structure will have a span of 10.0 Ft., a skew of 85 degrees, an underclearance of 9.0 Ft., a low chord of 485.44 Ft., a hydraulic opening of 74 Ft<sup>2</sup> and an out to out width of 178.9 Ft. The proposed structure will be extended 28 Ft. upstream and include streambed paving with concrete baffles through the entire structure. Grouted R-8 Rip Rap will be placed at the outlet to backfill an existing scour hole.

Traffic will be maintained during construction. A sand-bag diversion and clean water pump will be utilized to convey the stream during construction. The project will not impact any jurisdictional wetlands. The Unnamed Tributaries to the North Branch of the Susquehanna River are classified as a Cold Water Fishery by Title 25, Chapter 93 Water Quality Standards.

**ENVIRONMENTAL ASSESSMENTS**

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**D09-269EA. Bensalem Township School District**, 300 Donallen Drive, Bensalem, PA 19020, Bensalem Township, **Bucks County**, USACOE Philadelphia District.

Project proposes to remove an existing dam and approximately 8,500 cubic yards of legacy sediment from the floodway area of an unnamed tributary to the Neshaminy Creek for the purpose of restoring natural aquatic ecosystems, including approximately 1.37 acre of wetland; to realign the stream for the purpose of restoring approximately 1,500 lineal feet of stream channel; to place rock and wood grade control and streambank stabilization structures and other large woody debris in restored channels and floodway areas. The project is located on Bensalem School District property between Galloway Road and Hollandale Drive in Bensalem Township, Bucks County (USGS Quadrangle: Beverly, PA; Latitude: 40°06'41.4"; Longitude: -74°55'42.9").

**ACTIONS**

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**

**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and

other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### I. NPDES Renewal Permit Actions

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0053783 (Sewage)	Aqua Pennsylvania Wastewater Inc. 762 W. Lancaster Avenue Bryn Mawr, PA 19010-3486	Chester County New London Township	Unnamed Tributary to West Branch White Clay Creek 3-I	N

*Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0114898 (Sewage)	Madison Township M A Jerseytown Sewer System PO Box 620 Millville, PA 17846-0620	Columbia County Madison Township	Mud Creek (10-D)	Yes
PAS204802 (Storm Water)	Titan Energy Park 1965 Waddle Road State College, PA 16803-1639	Centre County Spring Township	Logan Branch (9-C)	Yes
PA0003549 (Storm Water)	Dominion Transmission, Inc. Oakford Compressor Station 466 E Pittsburgh Street Greensburg, PA 15601-8815	Westmoreland County Salem Township	Beaver Run (18-B)	No

*Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0093718 (Sewage)	Sugarcreek Elementary School 1446 Kittanning Pike Karns City, PA 16041-1818	Armstrong County Sugarcreek Township	Unnamed Tributary to Huling Run (17-C)	Yes
PA0026425 (Sewage)	Lincoln Road STP 12245 Frankstown Road Pittsburgh, PA 15235-3405	Allegheny County Penn Hills Township	Shades Run (18-A)	Yes
PA0205737 (Sewage)	Dominion Trans Inc. South Oakford Compressor Station 466 E Pittsburgh Street Greensburg, PA 15601-8815	Westmoreland County Hempfield Township	Unnamed Tributary to Brush Creek (19-A)	Yes
PA0028401 (Sewage)	Dravosburg Borough STP 320 Washington Avenue Dravosburg, PA 15034	Allegheny County Dravosburg Borough	Monongahela River (19-C)	Yes



## NOTICES

7621

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0203777 (Sewage)	Ductmate Industries 1502 Industrial Drive Monongahela, PA 15063-9753	Allegheny County Forward Township	Monongahela River (19-C)	Yes

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136102	Charleroi Borough 4th & Fallowfield Avenue Charleroi, PA 15022	Charleroi Borough Washington County	N	Y
PAG136269	Etna Borough 437 Butler Street Etna, PA 15223-2126	Etna Borough Allegheny County	N	Y
PAG136227	New Stanton Borough PO Box 237 New Stanton, PA 15672-0237	New Stanton Borough Westmoreland County	N	Y
PAG136339	Washington Township 1390 Fayette Avenue Belle Vernon, PA 15012-2535	Washington Township Fayette County	N	Y
PAG136232	Geistown Borough 721 E Oakmont Boulevard Johnstown, PA 15904-1709	Geistown Borough Cambria County	N	Y
PAG136251	Youngstown Borough PO Box 56 Youngstown, PA 15696-0056	Youngstown Borough Westmoreland County	Y	N

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0003026 (Sewage)	US Bronze Foundry & Mach 18649 Brake Shoe Road PO Box 458 Meadville, PA 16335-9603	Crawford County Woodcock Township	French Creek, Unnamed Tributary of French Creek, and Unnamed Tributary to French Creek (16-D)	Yes
PA0222879 (Sewage)	Hickory Creek Wilderness Ranch 158 Main Street PO Box 93 Tidioute, PA 16351-1020	Warren County Limestone Township	Camp Run (16-F)	Yes
PA0220817 (Industrial)	Travel Centers Of America Barkeyville 24601 Center Ridge Road Westlake, OH 44145-5639	Venango County Barkeyville Borough	Unnamed Tributary to East Branch Wolf Creek (20-C)	Yes
PA0101273 (Industrial)	BHB Plastic Molding 133 Railroad Street Cambridge Springs, PA 16403-1060	Crawford County Cambridge Springs Borough	French Creek (16-A)	Yes
PA0221317 (Sewage)	Allegheny Clarion Valley Ind Park PO Box 311 Foxburg, PA 16036-0311	Butler County Allegheny Township	Unnamed Tributary to Little Scrubgrass Creek (16-G)	Yes

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**NPDES Permit No. PA0088846**, CAFO, **Hershey Ag**, 138 Airport Road Marietta, PA 17547-9105.

This proposed facility is located in Oliver Township, **Perry County**.

Description of Proposed Action/Activity:

Permittee is hereby authorized to operate a Concentrated Animal Feeding Operation (CAFO) located in Oliver Township, Perry County in Watershed 12-B.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*



**NPDES Permit No. PA0265373**, Sewage, SIC Code 8800, **David Lewis & Suzanne Glosner**, 130 East Avenue, Greenville, PA 16125-2638.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0265365**, Sewage, SIC Code 8800, **Francis Simendinger**, 1182 E Lake Road, Transfer, PA 16154-2724.

This proposed facility is located in Delaware Township, **Mercer County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0265390**, Sewage, SIC Code 4952, 8800, **Nicholas Schneider**, 683 Highmeyer Road, Harborcreek, PA 16421.

This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0265314**, Sewage, SIC Code 8800, **Michael Roofner**, 6017 Firman Road, Erie, PA 16510.

This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Sewage.

**NPDES Permit No. PA0264563**, Industrial, SIC Code 1611, **Jefferson Paving Corp**, 1288 Turner Road, Brookville, PA 15825-4836.

This proposed facility is located in Rose Township, **Jefferson County**.

Description of Proposed Action/Activity: Issuance of an NPDES Permit for a new discharge of treated Industrial.

### III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law

*Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.*

**WQM Permit No. 1512404**, Sewage, Transfer, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3486.

This proposed facility is located in New London Township, **Chester County**.

Description of Action/Activity: Transfer ownership from Avon Grove School District to Aqua WW Inc.

**WQM Permit No. 1507405**, Sewage, Transfer, **Aqua Pennsylvania Wastewater Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3486.

This proposed facility is located in New London Township, **Chester County**.

Description of Action/Activity: Transfer ownership from Avon Grove School District to Aqua WW Inc.

*Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.*

**WQM Permit No. 4817403**, Sewage, **Williams Township Northampton County**, 655 Cider Press Road, Easton, PA 18042.

This proposed facility is located in Williams Township, **Northampton County**.

Description of Proposed Action/Activity: To refurbish the Cedar Park Pump Station (formerly Lehigh Valley Stadium) to service the Morgan Hill Development.

**WQM Permit No. 4017406**, Sewage, **PA DCNR**, P.O. Box 8551, Harrisburg, PA 17105.

This proposed facility is located in Fairmount Township, **Luzerne County**.

Description of Proposed Action/Activity: The project is for the replacement of existing pump station # 3 with a duplex-submersible packaged pump station.

**WQM Permit No. 4005402 A-1**, Sewage, **Salem Township Luzerne County**, 38 Bomboy Lane, Berwick, PA 18603-6513.

This existing facility is located in Salem Township, **Luzerne County**.

Description of Proposed Action/Activity: Modifications to an existing sewage conveyance system to install a low-pressure force main along Route 11 and a gravity extension to serve 2 properties off Stone Church Road.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.*

**WQM Permit No. 2212403**, Sewerage, **Capital Region Water**, 212 Locust Street, Suite 500, Harrisburg, PA 17101-1510.

This proposed facility is located in Harrisburg City, **Dauphin County**.

Description of Proposed Action/Activity:

This amendment approves the modification and operation of sewage facilities consisting of:

- Replacement of the existing gas mixing system with a mechanical linear motion mixers in the digesters.
- Replacement sludge circulation and transfer pumps with new pumps.

- Replacement of the fixed covers with new ones.
- Sludge feed piping and gas feed and draw-off piping, as well as the HVAC and electrical system of the digesters will be upgraded.
- A new Motor Control Center located in a new electrical building will be provided to replace the existing boiler building Motor Control Center.
- Replacement of the gas flow meters, gas detection systems and waste gas burner.

**WQM Permit No. WQG0211702**, Sewerage, **RAK-BLK Limited Partnership**, Links Development Group, 601 Mason Dixon Road, Gettysburg, PA 17325.

This proposed facility is located in Cumberland Township, **Adams County**.

Description of Proposed Action/Activity: Seeking permit approval for the construction/operation of sewage pump station to serve Cumberland Crossing Subdivision at the Links of Gettysburg.

*North Central Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.*

**WQM Permit No. 1701401 A-2**, Sewerage, **Aqua Pennsylvania—Treasure Lake Division**, 665 South Dock Street, Sharon, PA 16146.

This existing facility is located in Sandy Township, **Clearfield County**.

Description of Proposed Action/Activity: Permit issued authorizing the conversion of disinfection from chlorine gas to liquid sodium hypochlorite at Treasure Lake East WWTP.

*Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 4317409**, Sewerage, **David Lewis & Suzanne Glosner**, 130 East Avenue, Greenville, PA 16125-2638.

This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 3774402 A-3**, Sewerage, **Neshannock Township Lawrence County**, 3131 Mercer Road, New Castle, PA 16105.

This existing facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: Amendment to install low pressure sewer systems in Highland Park and Blews Acres residential areas.

**WQM Permit No. 4317408**, Sewerage, **Francis Simendinger**, 1182 East Lake Road, Transfer, PA 16154-2724.

This proposed facility is located in Delaware Township, **Mercer County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2517411**, Sewerage, SIC Code 4952, 8800, **Nicholas Schneider**, 683 Highmeyer Road, Harborcreek, PA 16421.

This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

**WQM Permit No. 2517409**, Sewerage, **Michael Roofner**, 6017 Firman Road, Erie, PA 16510.

This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

---

## VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

---

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150028	T. Richard Moser Land Developers, LP 1171 Lancaster Avenue Suite 201 Berwyn, PA 19312	Chester	Upper Uwchlan Township and Wallace Township	Marsh Creek Lake/ East Branch of Brandywine HQ-TSF
PAD150022	Edwin P. Henderson, Sr. 1764 Horseshoe Pike Honey Brook, PA 19344	Chester	West Brandywine Township	Indian Run HQ-CWF

---

## VII. Approvals to Use NPDES and/or Other General Permits

---

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

**List of NPDES and/or Other General Permit Types**

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

*General Permit Type—PAG-02*

*Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
City of Philadelphia Philadelphia County	PAC510026	Philadelphia Parks and Recreation—Planning & Capital Projects 1515 Arch Street 11th Floor Philadelphia, PA 1 9102	Schuylkill River WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
City of Philadelphia Philadelphia County	PAC510046	Philadelphia University 4201 Henry Avenue Philadelphia, PA 19144	Wissahickon Creek TSF-MF Lower Schuylkill River WF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

*Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Jermyn Borough Lackawanna County	PAC350029	Carrier Coal Enterprises 400 Mill Street Dunmore, PA 18510	UNT to Lackawanna River (CWF-MF)	Lackawanna County Conservation District 570-382-3086
North Whitehall Township Lehigh County	PAC390032	Craig Hoffman 2117 Juniper Dr Coplay, PA 18037	UNT to Rockdale Creek (CWF-MF)	Lehigh County Conservation District 610-391-9583
Whitehall Township Lehigh County	PAC390022	Eberhart Properties, LLC 770 State Road Parryville, PA 18244	Coplay Creek (CWF-MF)	Lehigh County Conservation District 610-391-9583
Plains Township Luzerne County	PAC400012	Geisinger Wyoming Valley Medical Center Alan Neuner 1000 East Mountain Blvd. Wilkes-Barre, PA 18711	Mill Creek (CWF, MF)	Luzerne Conservation District 570-674-7991
Lower Saucon Township Northampton County	PAC480028	Mo El Banna 1897 Meadows Rd. Bethlehem, PA 18015	Saucon Creek (CWF, MF)	Northampton County Conservation District 610-829-6276

NOTICES

7625

*Facility Location:  
Municipality &  
County*

*Permit No.*

*Applicant Name & Address*

*Receiving  
Water/Use*

*Contact Office &  
Phone No.*

Allen Township  
Northampton County

PAC480017

Allen Township  
Ilene Eckhart  
4714 Indian Trail Road  
Northampton, PA 18067

Dry Run  
(CWF, MF)

Northampton County  
Conservation District  
610-829-6276

*Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.*

*Facility Location:  
Municipality &  
County*

*Permit No.*

*Applicant Name & Address*

*Receiving  
Water/Use*

*Contact Office &  
Phone No.*

Latimore Township  
Adams County  
Issued

PAC010040

Lebo and Reed Real Estate  
Partnership  
250 Union Church Road  
Dillsburg, PA 17019

UNT Latimore Creek  
(CWF, MF)

Adams County  
Conservation District  
670 Old Harrisburg  
Road  
Suite 201  
Gettysburg, PA  
17325-3404  
717.334.0636

Conewago Township  
Adams County  
Issued

PAC010030

Conewwago Resources  
660 Edgegrove Road  
PO Box 407  
Hanover, PA 17331

South Branch  
Conewago Creek  
(WWF)

Adams County  
Conservation District  
670 Old Harrisburg  
Road  
Suite 201  
Gettysburg, PA  
17325-3404  
717.334.0636

Tilden Township  
Berks County  
Issued

PAC060077

30 Hamburg Associates, L.P.  
1518 East Chocolate Avenue  
Hershey, PA 17033

Schuylkill River  
(WWF)

Berks County  
Conservation District  
1238 County Welfare  
Road  
Suite 200  
Leesport, PA  
19533-9710  
610.372.4657

Swatara Township  
Dauphin County  
Issued

PAC220040

CJE Properties, LLC  
4 Oakbrook Lane  
Elizabethtown, PA 17022

UNT Laurel Run  
(WWF, MF)

Dauphin County  
Conservation District  
1451 Peters  
Mountain Road  
Dauphin, PA 17018  
717.921.8100

West Hanover  
Township  
Dauphin County  
Issued

PAC220059

Nason Benner  
199 Landis Road  
McAlisterville, PA 17049

UNT Manada Creek  
(CWF)

Dauphin County  
Conservation District  
1451 Peters  
Mountain Road  
Dauphin, PA 17018  
717.921.8100

Guilford Township  
Franklin County  
Issued

PAC280036

Chambersburg Health Service  
112 North 7th Street  
Chambersburg, PA 17201

UNT Conococheague  
Creek  
(CWF, MF)

Franklin County  
Conservation District  
185 Franklin Farm  
Lane  
Chambersburg, PA  
17202  
717.264.5499

Antrim Township  
Franklin County  
Issued

PAC280054

Northpoint Development  
4825 NW 41st Street  
Suite 500  
Riverside, MO 64150

UNT Conococheague  
Creek  
(WWF)

Franklin County  
Conservation District  
185 Franklin Farm  
Lane  
Chambersburg, PA  
17202  
717.264.5499



<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Washington Township Franklin County Issued	PAC280047	Emmanuel Full Gospel Church 9522 McKean Road Waynesboro, PA 17268	(UNT East Branch Antietam Creek (CWF, MF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Borough of Chambersburg Franklin County Issued	PAC280035	Chambersburg Borough 100 South 2nd Street Chambersburg, PA 17201	UNT Conococheague Creek (CWF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Hamilton Township Franklin County Issued	PAC280049	Jeff Rockwell 3745 Lincoln Way West Chambersburg, PA 17202	UNT Back Creek (TSF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Greene Township Franklin County Issued	PAC280043	Jeff Crampton 261 Frederick Street Hagerstown, MD 21740	UNT Conococheague Creek (CWF)	Franklin County Conservation District 185 Franklin Farm Lane Chambersburg, PA 17202 717.264.5499
Walker Township Juniata County Issued	PAC340017	Reinford Farms, Inc. 505 Cedar Grove Road Mifflintown, PA 17059	Cedar Spring Run (TSF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
West Lampeter Township Lancaster County Issued	PAC360140	Creative Construction Solutions, LLC 100 Willow Valley Lake Drive Willow Street, PA 17584	UNT Mill Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Adamstown Borough Lancaster County Issued	PAC360171	Douglas Compher PO Box 201 Lewisville, PA 19351	Stoney Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
West Earl Township Lancaster County Issued	PAC360172	West Eral Township 157 Metzler Road PO Box 787 Brownstown, PA 17508	UNT Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361

## NOTICES

7627

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
East Cocalico Township Lancaster County Issued	PAC360105	Heatherwoods, LLC 3335 Morgantown Road PO Box 7 Mohnton, PA 16540	Stony Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Drumore Township Lancaster County Issued	PAC360014	Hiep Phan 2119 Marietta Avenue Lancaster, PA 17603	Fishing Creek (EV, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
East Earl Township Lancaster County Issued	PAC360121	East Earl LLC 1213 Orchard Road Lititz, PA 17543	Cedar Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Lancaster City Lancaster County Issued	PAC360136	Long Community Inc. 1 Trinity Drive East Suite 201 Dillsburg, PA 17019	Little Conestoga Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
West Lampeter Township Lancaster County Issued	PAC360140	David Haines 3020 Columbia Avenue Lancaster, PA 17603	UNT Mill Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361
Cornwall Borough Lebanon County Issued	PAC380037	Thomas A Zentz 39 Horst Avenue Lebanon, PA 17042	Hazel Dyke (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
Annville Township Lebanon County Issued	PAC380042	Derek Storm 400 North Weaver Street Annville, PA 17003	UNT Quittapahilla Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
Derry Township Mifflin County Issued	PAC440005	Jason Goss 1050 Ridens Road Lewistown, PA 17044	UNT Hungry Run (TSF)	Mifflin County Conservation District 20 Windmill Hill Suite 4 Burnham, PA 17009-1837 717.248.4695
Manchester Township York County	PAC670060	Heritage Business Park, LP Adam Meinstein 1777 Sentry Parkway Blue Bell, PA 19422	UNT to Codorus Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Carroll Township York County Issued	PAC670057	Gary D. Reihart 150 Ore Bank Rd Dillsburg, PA 17019	Fishers Run/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
West Manheim Township York County Issued	PAC670069	Burkentine & Sons Builders, Inc. Paul Burkentine 1500 Baltimore St Hanover, PA 17331	UNT to Furnace Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Newberry Township York County Issued	PAC670088	Thomas A. Craft 2700 York Haven Road P O Box 515 Manchester, PA 17345-0515	Conewago Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Springettsbury Township York County Issued	PAC670073	Reich Acquisition One, LP James O'Polka 1885 Whiteford Rd York, PA 17402	UNT to Mill Creek/WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Fairview Township York County Issued	PAC670082	HARI OHM Hospitality Sanjay H. Patel 148 Sheraton Drive Harrisburg, PA 17070	Yellow Breeches Creek/CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Young Township Jefferson County	PAC330009	Pennsylvania American Water 425 Waterworks Road Clarion, PA 16214	Mahoning Creek WWF; UNT 47763 to Mahoning Creek CWF; UNT 47769 to Mahoning Creek CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
Punxsutawney Borough & Young Township Jefferson County	PAC330010	H&B Development LLC 142 Universal Drive Punxsutawney, PA 15767	Tributary 47780 & 47782 to Mahoning Creek CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
Lafayette Township McKean County	PAC420009	Miller Group Holdings LP James Miller P.O. Box 472 950 East Main Street Schuylkill Haven, PA 17372	UNT Threemile Run CWF	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
Hamlin Township McKean County	PAC420008	PVT 1007, LLC Austin Weinman 1563 Woodward Drive Extension Greensburg, PA 15601	Clarion River CWF	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
Punxsutawney Borough Jefferson County	PAC330004	Punxsutawney Area School District 475 Beyer Avenue Punxsutawney, PA 15767	Unnamed tributary to Sawmill Run CWF; Unnamed Tributary to Mahoning Creek CWF	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Center Township Butler County	PAC100060	Giles Holding Future, LLC Mr. John Giles 101 Timothy Lane Cranberry Township, PA 16001	Crooked Run CWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270
Summit Township Erie County	PAC250035	Maleno Developers, Inc. 2340 Grandview Boulevard Suite 1 Erie, PA 16506	UNT Mill Creek WWF-MF; UNT Walnut Creek CWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
Summit Township Erie County	PAC250013	Askins Enterprises, LLC 2749 Zimmerly Road Erie, PA 16506	UNT LeBoeuf Creek TSF & UNT French Creek WWF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
Summit Township Erie County	PAC250014	Hawthorne Drive Real Estate, LLC 8165 Hawthorne Drive Erie, PA 16509	UNT Walnut Creek CWF-MF	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
Cranberry Township Butler County	PAC100068	Cannon USA, Inc. Mr. Joseph A. Petrocelli 1235 Freedom Road Cranberry Township, PA 16066	Brush Creek WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270

*General Permit Type—PAG-3*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Collegetown Borough Montgomery County	PAR210038	Trans-Fleet Concrete, Inc. 168 E. First Avenue P.O. Box 26483 Collegetown, PA 19426	Perkiomen Creek 3-E	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
Springfield Township Bradford County	PAG034846	Midosa USA Ltd 3238 Springfield Road Columbia Crossroads, PA 16914	Unnamed Tributary to Leonard Creek—4-C	DEP North Central Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636
Charleston Township Tioga County	PAG034847	Keane Frac LP 1050 17th Street Denver, CO 80265-1050	North Elk Run/CWF	DEP North Central Regional Office Clean Water Program 208 W Third Street Suite 101 Williamsport, PA 17701-6448 570.327.3636

**STATE CONSERVATION COMMISSION****NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.



Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Joe Jurgielewicz (Bethel) 1301 Airport Rd Bethel, PA 19507	Berks	1	63.90	Poultry (Ducks)	NA	Approved
Laverne Rohrer 118 Bentz Mill Road East Berlin, PA 17316	York	54.4	443.17	Turkey	NA	Approved

**CAFO NMP  
PUBLIC NOTICE SPREADSHEET—ACTIONS (Approval/Disapproval)**

<i>Agricultural Operation (Name and Address)</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units (AEUs)</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproval</i>
James Bagley 266 Piatt Road Shunk, PA 17768	Sullivan	72.6	660.7	Swine	EV, HQ	Approved

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

## SAFE DRINKING WATER

### Actions taken under the Pennsylvania Safe Drinking Water Act

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Operations Permit** issued to: **Borough of Tarentum**, 318 East 2nd Avenue, Tarentum, PA 15084, (PWSID # 5020055) Tarentum Borough, **Allegheny County** on November 20, 2017 for the operation of facilities approved under Construction Permit # 0217501.

**Operations Permit** issued to: **Fox Chapel Authority**, 255 Alpha Drive, Pittsburgh, PA 15238, (PWSID # 5020040) Fox Chapel Borough, **Allegheny County** on November 20, 2017 for the operation of facilities approved under Construction Permit # 0216526.

**Operations Permit** issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (PWSID # 5260036) Dunbar Town-

ship, **Fayette County** on November 21, 2017 for the operation of facilities approved under Construction Permit # 2613516-A1.

**Operations Permit** issued to: **Municipal Authority of the Borough of Portage**, 606 Cambria Street, Portage, PA 15946, (**PWSID # 4110027**) Portage Township, **Cambria County** on November 21, 2017 for the operation of facilities approved under Construction Permit # 1117513WMP.

**Operations Permit** issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, PO Box 187, Jefferson, PA 15344, (**PWSID # 5300017**) Morgan Township, **Greene County** on November 29, 2017 for the operation of facilities approved under Construction Permit # 3017523MA.

**Operations Permit** issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, PO Box 187, Jefferson, PA 15344, (**PWSID # 5300017**) Richhill Township, **Greene County** on November 29, 2017 for the operation of facilities approved under Construction Permit # 3013501WMP13.

**Operations Permit** issued to: **Southwestern Pennsylvania Water Authority**, 1442 Jefferson Road, PO Box 187, Jefferson, PA 15344, (**PWSID # 5300017**) Richhill Township, **Greene County** on November 29, 2017 for the operation of facilities approved under Construction Permit # 3017507MA.

**Operations Permit** issued to: **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Suite 200, Moon Township, PA 15108, (**PWSID # 5020011**) Moon Township, **Allegheny County** on November 30, 2017 for the operation of facilities approved under Construction Permit # 0217548.

**Permit No. 6517524MA, Minor Amendment.** Public Water Supply.

Applicant	<b>Highridge Water Authority</b> 17 Maple Avenue Blairsville, PA 15717
[Borough or Township]	St. Clair and East Wheatfield Townships
County	<b>Westmoreland and Indiana</b>
Type of Facility	Meter vaults
Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street PO Box 853 Latrobe, PA 15650
Permit to Construct Issued	November 27, 2017

**Permit No. 6516501MA-1, Minor Amendment.** Public Water Supply.

Applicant	<b>Highridge Water Authority</b> 17 Maple Avenue Blairsville, PA 15717
[Borough or Township]	Burrell Township
County	<b>Indiana</b>
Type of Facility	Palmerton Road waterline
Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street PO Box 853 Latrobe, PA 15650

Permit to Construct Issued November 27, 2017

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Operation Permit** issued to **Aqua Pennsylvania, PWSID No. 6420018**, Borough of Mt. Jewett, **McKean County**. Permit Number 4216501 issued November 20, 2017 for the operation of the Crest Hill Booster Pump Station and tank mixers in Crest Hill Tank No. 1 and Crest Hill Tank No. 2. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on November 21, 2017.

**Operation Permit** issued to **Aqua Pennsylvania, PWSID No. 6430054**, Shenango Township, **Mercer County**. Permit Number 4300503-T1-MA12 issued December 5, 2017 for the operation of the finished water storage tank known as Mitchell Tank. This permit is issued in response to an operation inspection conducted by the Department of Environmental Protection personnel on November 20, 2017.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. 1414504MA—Operation—Public Water Supply.**

Applicant	<b>Pennsylvania State University</b>
Township/Borough	College Township
County	<b>Centre County</b>
Responsible Official	Mr. James K. Hosgood Engineering Services Manager Pennsylvania State University 139J Physical Plant Building University Park, PA 16802
Type of Facility	Public Water Supply
Consulting Engineer	Mr. James K. Baird Pennsylvania State University 152N Physical Plant Building University Park, PA 16802
Permit Issued	December 1, 2017
Description of Action	Authorizes operation of the entire new 16-inch diameter raw water transmission line to the new water treatment plant.

**Permit No. 4907502-T1-A1—Construction & Operation—Public Water Supply.**

Applicant	<b>Cherokee Pharmaceuticals, LLC</b>
Township/Borough	Riverside Borough
County	<b>Northumberland County</b>
Responsible Official	Mr. Thomas P. Forrestal Cherokee Pharmaceuticals, LLC 100 Avenue C Riverside, PA 17868
Type of Facility	Public Water Supply
Consulting Engineer	Ms. Maureen Hoke, P.E. Obrien & Gere Engineers, Inc. 300 Drayton Street—3rd Floor Savannah, GA 31401-4448

Permit Issued	December 4, 2017
Description of Action	Authorizes demolition of Accelerator No. 1 (also known as Clarifier No. 1) and operation of the Filter Plant without Accelerator No. 1.

### WATER ALLOCATIONS

#### Actions taken on applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**WA 60-88C**, Water Allocations. **Borough of Mifflinburg**, 120 N 3rd St., Mifflinburg, PA 17844, Mifflinburg Borough, **Union County**. This Water Allocation Permit is a renewal of the existing Water Allocation Permit granting 800,000 gallons per day (gpd) from the N Branch Buffalo Creek and Chambers Spring.

**WA 17-106B**, Water Allocations. **Houtzdale Municipal Authority (HMA)**, 561 Kirk Street, Houtzdale, PA 16651, Woodward Township, **Clearfield County**. This Water Allocation Permit grants Houtzdale Municipal Authority the right to withdraw a maximum of 1,500,000 gallons per day (gpd) from the Upper and Lower Mountain Branch and Moshannon Creek in Woodward Township, **Clearfield County**. The renewal is being requested to account for projected future water demands.

### SEWAGE FACILITIES ACT PLAN APPROVAL

#### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

*Plan Location:* College Township and Harris Township, Centre County

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
College Township	1481 East College Ave. State College, PA 16801	Centre
Harris Township	P.O. Box 20 Boalsburg, PA 16827	Centre

*Plan Description:* The plan provides for the installation of approximately 27,600 linear feet of 12-inch reuse waterline and appurtenances. The proposed users include Mountain View Country Club, Tussey Mountain Ski Area, and Boalsburg Technology Park. The users are expected to utilize the reuse water primarily for irrigation at the Country Club and snow making at Tussey Mountain. Other potential uses in the area consistent with the existing reuse water quality include laundry, swimming pool filling, firefighting tanker truck filling, and other potential industrial uses at the Technology Park. The total installation cost is expected to be \$2.61 million, which will be funded by a UAJA-issued bond. The submission is consistent with the planning requirements in Chapter 71 of DEP's regulations. No significant environmental or historical impacts were identified in the review of the plan.

### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

#### Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Plan Location:*

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fairview Township	599 Lewisberry Road New Cumberland, PA 17070	York

*Plan Description:* The planning module for Penny Pennachi, DEP Code No. A3-67919-459-3s, APS Id. 949700, consisting of a proposed Small Flow Treatment Facility on 0.57 acre to replace a malfunctioning on-lot disposal system serving an existing single-family residential dwelling is disapproved. Total estimated sewage flows are 400 gpd, and there is a proposed dry stream discharge tributary to Marsh Run. The proposed development is located at 440 Marsh Run Road in Fairview Township, York County. This plan is disapproved because the Department has not received a response to the Department's September 21, 2017 technical deficiency letter regarding the above referenced application, and the application continues to be technically deficient.

### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

#### UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of



receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Central Penn Capital Management**, 1247 Ward Avenue, West Chester, West Chester Township, **Chester County**. Paul Nachlas, P.G., Independence Environmental Consulting, Inc., 1750 Kaylor Road, Hummelstown, PA 17036 on behalf of Gregory K. Millen, Central Penn Capital Management, 1817 Olde Homestead Lane, Lancaster, PA 17610 submitted a Remedial Investigation/Final Report concerning remediation of site soil and groundwater contaminated with aviation fuel. The report is intended to document remediation of the site to meet the Site-Specific Standard.

**Crichton Residence**, 203 Franklin Court, Montgomery Township, **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Valeria Griffin, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348-6169 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Johnson and Lemon Residence**, 5806 & 5808 Cedar Avenue, City of Philadelphia, **Philadelphia County**. Jeremy W. Bolyn, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Oil Patch Inc., 7421 Glenmore Avenue, Philadelphia, PA 19153 submitted a Final Report concerning remediation of site soil contaminated with petroleum. The report is intended to document remediation of the site to meet the Statewide Health Standard.

**Acme Store 7721**, Starr Street and Nutt Road, Borough of Phoenixville, **Chester County**. Michael S. Welsh, P. E., Welsh Environmental Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Adam Loew, P-Ville Associates, LP, 55 County Club Drive, Downingtown, PA 19335 submitted a Remedial Investigation Report concerning remediation of site groundwater contaminated with tetrachloroethylene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717-705-4705.*

**VF Outlet Complex—Parcel 9**, 801 Hill Avenue, Wyomissing, PA 19610, Wyomissing Borough, **Berks County**. Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482, on behalf of Equus Capital Partners Ltd, 3200 Center Square West, 1500 Market Street, Philadelphia, PA 19102, and VF Corporation, VF Outlet, Inc., 801 Hill Avenue, Wyomissing, PA 19610 submitted a Final Report concerning remediation of site soil contaminated with metals and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Nonresidential Statewide Health Standard.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**National Fuel Gas Midstream Wharton Compressor Station**, Wharton Township, **Potter County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of National Fuel Gas Supply Corporation, P.O. Box 2081, 1100 State Street, Erie, PA 16512, has submitted a Remedial Investigation report and Risk Assessment Report concerning remediation of site soil and groundwater contaminated with organics. The reports are intended to document remediation of the site to meet the Site-Specific Standard requirements.

**I-80 Eastbound Median @ MM 224**—Valley Township, **Montour County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of Rev Hoopes Trucking, LLC, 1004 Empson Road, Ulysses, PA 16948, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide Health Standard requirements.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.



For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**FBF Incorporated**, 1145 Industrial Boulevard, Upper Southampton Township, **Bucks County**. Phillip Getty, Boucher & James, Inc., 1456 Ferry Road, Building 500, Doylestown, PA 18901 submitted a Final Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on November 27, 2017.

**312-320 Walnut Street & 319 Willings Alley**, 312-320 Walnut Street & 319 Willings Alley, City of Philadelphia, **Philadelphia County**. Thomas A. Petrecz, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Arrus I. Farmer, PMC Property Group, 1608 Walnut Street, Suite 1400, Philadelphia, PA 19103 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 4, 5, and No. 6 fuel oil. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on November 8, 2017.

**Manor Park Landfill**, 35 East Cleveland Avenue, Morrisville Borough, **Bucks County**. Phil Gray Jr., Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454 on behalf of Robert White, The Redevelopment Authority of the County of Bucks, 216 Pond Street, Bristol, PA 19007 submitted a Cleanup Plan/Remedial Investigation Report concerning the remediation of site groundwater and soil contaminated with other organics. The Report was approved by the Department on November 20, 2017.

**Brown Partnership Property**, 125 Limestone Road, Lower Oxford Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18973 on behalf of Brown Partnership, 125 Limestone Road, Oxford, PA submitted a Final Report concerning the remediation of site soil and groundwater contaminated with unleaded and leaded gasoline. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on November 20, 2017.

**Schramm Inc**, 800 East Virginia Avenue, Goshen Township, **Chester County**. Michael S. Welsh, P.E., Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Eli Kahn, 920 South Bolmar Associates, LP, 55 Country Club Drive, Downingtown, PA 19335 submitted a Remedial Investigation Report concerning the remediation of site groundwater and soil contaminated with petroleum. The Report was approved by the Department on November 16, 2017.

**Grocery Store Site**, 420 McDade Boulevard, Ridley Township, **Delaware County**. Jeffrey T. Bauer, White-stone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of David Kane, Lidl US, LLC, 2005 Market Street, Suite 1010, Philadelphia, PA 19103 submitted a Final Report concerning the remediation of site soil contaminated with unleaded gasoline,

gasoline and arsenic. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on November 13, 2017.

**Kimberton Wawa**, 501 Kimberton Road, East Pike-land Township, **Chester County**. Stephen D. Brower, Environmental Standards, Inc., 114 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of Gregory Vallino, Kimberton Leasing, 706 Village at Eland, Phoenixville, PA 19460 submitted a Final Report concerning the remediation of site groundwater contaminated with benzene. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on November 8, 2017.

**Entenmanns Bakery**, 690 East Lincoln Highway, West Whiteland Township, **Chester County**. Michael S. Welsh, Welsh Associates Inc., 131 Clearview Drive, Downingtown, PA 19355 on behalf of Eli Kahn, 690 East Lincoln Associates, LLC, 120 Pennsylvania Avenue, Malvern, PA 19355 submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The Report was approved by the Department on November 7, 2017.

**Welsh Residence**, 123 Clearfield Avenue, Lower Providence Township, **Montgomery County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Jeff Welsh, JMW Real Estate Management LP, 100 West Indian Lane, Norristown, PA 19403 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on November 20, 2017.

**Rohm & Haas Former Burning Area**, 200 Route 413, Bristol Township, **Bucks County**. David J. Kistner, PG, AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428 on behalf of Robert Casselberry, Rohm and Haas Company, 310 George Patterson Boulevard, Suite 100, Bristol, PA 19428 submitted a Cleanup Plan concerning the remediation of site soil and groundwater contaminated with VOCs and SVOCs. The Report was approved by the Department on November 6, 2017.

*Northeast Region: Eric Supey, Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**Former Carbondale MGP**, 8th Avenue & Mill Street, City of Carbondale, **Lackawanna County**. Stantec Consulting Services Inc., 400 David Drive, Suite 400, Plymouth Meeting, PA 19462, on behalf of UGI Penn Natural Gas, 2525 North 12th Street, Reading, PA 19612, submitted a Final Report concerning remediation of site soil and groundwater contaminated with PAH, and VOCs. The Final Report demonstrated attainment of a combination of Statewide Health and Site-Specific Standards, and was approved by the Department on November 29, 2017.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.*

**Topton Volunteer Fire Company Diesel Fuel Release**, 600 & 595 State Street, Mertztown, PA 19539, Longswamp Township, **Berks County**. Liberty Environmental, 505 Penn Street, Reading, PA 19601, on behalf of Topton Volunteer Fire Company, 600 State Street, Mertztown, PA 19539, and Brandywine Transportation, 595 State Street, Mertztown, PA 19539 submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report did not demonstrate

attainment of the Residential Statewide Health Standard, and was disapproved by the Department on November 21, 2017.

**Richard Beers Residence**, 1242 Perry Valley Road, Liverpool, PA 17045, Liverpool Township, **Perry County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Richard Beers, 1242 Perry Valley Road, Liverpool, PA 17045, submitted a Final Report concerning remediation of site soil and groundwater contaminated with # 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on November 21, 2017.

**Allegheny Veterinary Hospital**, 110 North Jefferson Street, Mount Union, PA 17066, Mount Union Borough, **Huntingdon County**. McKee Environmental, Inc., 218 Washington Avenue, Bellefonte, PA 16823, on behalf of Allegheny Veterinary Hospital, 110 North Jefferson Street, Mount Union, PA 17066, submitted a Final Report concerning remediation of site soil and groundwater contaminated with leaded gasoline. The Final Report was administratively incomplete and was disapproved by the Department on November 21, 2017.

**Fruitville Business Park**, 1570 Fruitville Pike, Lancaster, PA 17602, Lancaster City, **Lancaster County**. Liberty Environmental, 50 N. 5th Street, 5th Floor, Reading, PA 19601, on behalf of 1570 Fruitville Pike, LP, 2450 Marietta Avenue, Lancaster, PA 17601, and Robert Lepore, c/o John Reed, Esquire, Barley Snyder, LLC, 126 East King Street, Lancaster, PA 17602-2893, submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with inorganics and SVOCs. The Plan was approved by the Department on December 1, 2017.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**FedEx**, 2600 Hirtzel Road, North East Township, **Erie County**. GZA GeoEnvironmental, Inc., 1515 Market Street, Suite 945, Philadelphia, PA 19102, on behalf of YRC Freight, 10990 Roe Avenue, Overland Park, KS 66211, submitted a Final Report concerning the remediation of site soil and site groundwater contaminated with trichloroethene, vinyl chloride, trans 1,2 dichloroethene, 1,1 dichloroethane, cis 1,2 dichloroethene, and 1,2 dichloroethane. The Final Report demonstrated attainment of the Background Standard and was approved by the Department on November 30, 2017.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Colonial Manor Road LLC**, 381 Colonial Manor Road, Irwin, **Westmoreland County**. GES, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of Colonial Manor Road, LLC, PO Box 1046, Wooster, Ohio, 44691 has submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil contaminated with chlorinated volatile organic compounds (CVOCs) and certain metals and groundwater contaminated with CVOCs. Public notice was printed in the *Tribune-Review* on August 26, 2017. The reports were approved by the Department on November 22, 2017.

## HAZARDOUS WASTE TRANSPORTER LICENSE

**Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003) and regulations to transport hazardous waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, PO Box 69170, Harrisburg, PA 17106-9170.*

*Hazardous Waste Transporter License Expired*

**SWS Environmental Services**, 901 McClosky Boulevard, Tampa, FL 36605. License No. PA-AH 0831. Effective Nov 30, 2017.

## REGULATED MEDICAL WASTE GENERAL PERMITS

**Permit(s) Renewed Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Municipal Waste Regulations for a General Permit to Operate Regulated Medical and Chemotherapeutic Waste Processing Facilities.**

*Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.*

**General Permit Application No. WMGI007 Base.** This permit authorizes the processing of regulated medical waste in a modular disinfection unit. The processing involves thermal and chemical inactivation using sodium hypochlorite and low pressure steam. As part of the renewal, the Department re-organized and re-formatted General Permit No. WMGI007 for overall clarity and use. Additionally, the Department made changes to WMGI007 to ensure that the permit complies with the November, 2014 amendments to 25 Pa. Code, Chapter 284. The general permit was renewed by Central Office and became effective on November 27, 2017.

Persons interested in obtaining a copy of the renewed general permit can download a copy at <http://www.dep.pa.gov/Business/Land/Waste/SolidWaste/MunicipalWaste/Regulated-Medical-Chemotherapeutic-Waste/Pages/General-Permits-for-Regulated-Medical-and-Chemotherapeutic-Waste.aspx> or may request a copy by contacting the Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**General Permit Application No. WMGI007R01. Penn State Milton S. Hershey Medical Center**, 90 Hope Drive, Hershey, PA 17033-0855. This permit authorizes processing of regulated medical waste in a modular disinfection unit. The processing involves thermal and chemical inactivation using sodium hypochlorite and low pressure steam. As part of the renewal, the Department re-organized and re-formatted General Permit No. WMGI007 for overall clarity and use. Additionally, the Department made changes to WMGI007 to ensure that the permit complies with the November 2014 amendments to 25 Pa. Code, Chapter 284. The general permit was renewed by Central Office and became effective on November 27, 2017.

Persons interested in obtaining a copy of the renewed general permit can download a copy at <http://www.dep.pa.gov/Business/Land/Waste/SolidWaste/MunicipalWaste/>



Regulated-Medical-Chemotherapeutic-Waste/Pages/General-Permits-for-Regulated-Medical-and-Chemotherapeutic-Waste.aspx or may request a copy by contacting the Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Determination of Applicability for General Permit issued under the Solid Waste Management Act; and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities (25 Pa. Code § 287.611 (relating to authorization for general permit)).**

*South Central Regional Office: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**General Permit No. WMGR029SC001A. Heritage-Crystal Clean, LLC**, Elizabethtown Facility, 2388 North Market Street, Elizabethtown, PA 17022, located in West Donegal Township, **Lancaster County**. The Department of Environmental Protection has issued a Determination of Applicability under General Permit WMGR029 to Heritage-Crystal Clean, LLC for the operation of a transfer facility for the processing of waste oil, spent antifreeze, used oil filters, waste oil/water mixtures and commercial fuel products (with a flashpoint equal to or greater than 100°F) prior to beneficial use. The approved processing is limited to collection, bulking, storage, and passive oil/water separation. Based on their permit application, Heritage-Crystal Clean's permit is currently limited to acceptance of waste oil and oily water mixtures for bulking and storage in railcar. This Determination of Applicability was issued on November 29, 2017.

Persons interested in reviewing the general permit may contact John Oren, Permits Section Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permits issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.*

**Chester County Solid Waste Authority Permit No. 100944**, 7224 Division Highway, Narvon, PA 17555-9505. This major permit modification approves the ability to truck leachate offsite generated by the Lanchester Landfill for treatment. Lanchester Landfill is located in Caernarvon Township, **Lancaster County** and Honey Brook Township, **Chester County**. This major permit modification was issued on December 5, 2017 for Solid Waste Permit No. 100944 for the operation of the Lanchester Landfill, in accordance with Article V of the Solid Waste Management Act, 35 P.S. §§ 6018.101, et seq.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Norman Frederick, P.E., Environmental Engineer—Telephone: 570-826-2409.*

**GP5-08-357B: Appalachia Midstream Services, LLC** (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275) on November 21, 2017, for the construction of four 1,875 bhp Caterpillar model G3606LE, natural gas-fired, 4-stroke, lean burn compressor engines, each equipped with 2-way oxidation catalysts, two 140 MMscfd TEG dehydration units, each equipped with a 2 MMBtu/hr natural gas-fired reboiler, five 400 bbl produced water storage tanks, two fuel line heaters, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the existing Wilmot Compressor Station located in Wilmot Township, **Bradford County**.

**GP5-57-059B: Appalachia Midstream Services, LLC** (Park Place Corporate Center 2, 2000 Commerce Drive, Pittsburgh, PA 15275) on November 21, 2017, for the construction of five 1,875 bhp Caterpillar model G3606LE, natural gas-fired, 4-stroke, lean burn compressor engines, each equipped with 2-way oxidation catalysts, one 770 bhp Cummins model GTA28, natural gas-fired, rich burn, generator engine, equipped with a 3-way catalyst; one fuel gas heater, associated pigging operations, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression and/or Processing Facilities (BAQ-GPA/GP-5) at the Red Fox Compressor Station (formerly the Red Fox CDP) located in Fox Township, **Sullivan County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP1-36-03193: Lancaster Leaf Tobacco Co. of PA, Inc.** (207 Pitney Road, Lancaster, PA 17601) on November 21, 2017, for two existing natural gas-fired boilers, 10.461 MMBtu each, under GP1, at their facility located in the City of Lancaster, **Lancaster County**. The general permit authorization was renewed.

**Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-0037AD: Global Advanced Metals USA, Inc.** (650 County Line Road, Boyertown, PA 19512) On November 20, 2017 for the modification of an existing tantalum acid

leaching and drying process (Source ID 109) at its Boyertown facility in Douglass and Colebrookdale Townships, **Montgomery** and **Berks Counties**.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05136E: Granger Energy of Honeybrook, LLC** (PO Box 27185, 16980 Wood Road, Lansing, MI 48909-7185) on November 22, 2017, to replace a landfill gas-fired engine generator set at the Granger landfill gas treatment plant at the Lanchester Landfill in Caernarvon Township, **Lancaster County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168.*

**30-00233B: Hill Top Energy Center, LLC** (747 3rd Avenue, 2nd Floor, New York, NY 10017) on December 1, 2017, to construct a 620 MW natural gas-fired combined cycle power plant in Cumberland Township, **Greene County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**24-131S: SGL Carbon LLC** (900 Theresia St., P.O. Box 1030, Saint Mary's, PA 15857), on November 30, 2017 issued a Plan Approval for the construction and operation of a replacement scrubber control device in the City of Saint Mary's, **Elk County**. This is a State Only facility.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.*

*Contact: Edward Wiener, Chief—Telephone: 215-685-9426.*

**AMS IP17-000009: Southeastern Pennsylvania Transportation Authority (SEPTA) Roberts Complex** (4301 Wissahickon Ave, Philadelphia, PA 19140) for installation of two natural gas-fired Combined Heat and Power (CHP) Generator Units rated at 6,113 horsepower (hp) each. The generators will produce steam and electricity for use within the Midvale bus facility (located at 4301 Wissahickon Ave, Philadelphia, PA 19140) and provide electricity for regional railcars. Each Generator Unit will be equipped with a Selective Catalytic Reduction (SCR) and Oxidation Catalyst (OC) System. The SCR is used to reduce NO<sub>x</sub> emissions and the OC to reduce Carbon Monoxide (CO), Volatile Organic compound (VOC) and Formaldehyde (CH<sub>2</sub>O).

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05023A: Bimbo Bakeries USA, Inc.** (640 Park Avenue, Reading, PA 19611-1926) on October 30, 2017, for the installation of a refurbished catalytic oxidizer to replace the current Bread Line catalytic oxidizer at the bakery located in Reading City, **Berks County**. The plan approval was extended.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.*

**10-368D: Markwest Liberty Bluestone, Bluestone Plant** (1515 Arapahoe St., Tower 1, Suite 1600, Denver, CO 80202) on November 29, 2017, effective November 30, 2017, will issue a plan approval extension for the construction of two (2) 200 MMCF/day capacity cryogenic natural gas processing plants, a deethanizer, fractionator, associated process heaters and storage tanks, and three (3) additional emergency generators along with removing one existing process heater, modify an additional existing process heater, replace the existing flare, remove ten (10) existing natural gas-fired compressor engines, and replace them with electrically driven compression at their facility in **Butler County**. This will expire on May 31, 2018. This is a State Only facility.

**Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00187: Sims Metal East, LLC** (300 S Steel Rd, Morrisville, PA 19067-3614) On November 27, 2017 for the renewal of a State Only Operating Permit for the operation of their metal recycling facility in Falls Township, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05140: Valley Proteins Inc.** (693 Wide Hollow Road, East Earl, PA 17519) on November 27, 2017, for the rendering and boiler operations at the Terre Hill facility located in East Earl Township, **Lancaster County**. The Title V operating permit underwent a significant modification to 1.) incorporate changes to the facility's current monitoring approach in assuring minimum temperature requirements for the boilers being used for thermal treatment of non-condensable vapors, 2.) base the packed tower scrubber monthly calculation of air emissions on raw material thruput, and 3.) base emission calculations on approved emission factors, post-condenser.

**22-05012: ArcelorMittal Steelton LLC** (215 South Front Street, Steelton, PA 17113-2538) on November 20, 2017, for the steel foundry located in Steelton Borough, **Dauphin County**. The Title V permit was renewed.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*



Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

**54-00007: PA Department of Corrections** (1920 Technology Parkway, Mechanicsburg, PA 17050-8507) issued on 12/4/17, a State-Only (Natural Minor) Operating Permit renewal for operation of their correctional facility located in Ryan Township, **Schuylkill County**. The sources include a fire-tube boiler and emergency generators. The proposed permit will contain applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Virendra Trivedi, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

**38-03007: Evans Eagle Burial Vaults, Inc.** (15 Graybill Road, Leola, PA 17540-1910) on November 29, 2017, for the three human crematory units at the facility in Heidelberg Township, **Lebanon County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

**41-00077: Kellogg USA, Inc.** (572 Industrial Park Rd., Muncy, PA 17756) on November 29, 2017, was issued a renewal State Only (Synthetic Minor) operating permit for their Muncy Creek Twp. Plant located in Muncy Creek Township, **Lycoming County**. The State Only (Synthetic Minor) operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

**12-00008: GKN Sinter Metals, Inc.** (1 Airport Road, PO Box 493, Emporium, PA 15834), on November 22, 2017, was issued a renewal State Only operating permit for their Airport road plant located in Emporium Borough, **Cameron County**. All applicable Federal and State regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practice conditions to assure compliance with the applicable requirements have been included in the renewal NMOP 12-00008.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

**10-00152: Triangle Gasoline Company** (1100 North Main Street Extension, Butler, PA 16001-1958), the Department on November 29, 2017 issued a renewal of the State Only Operating Permit for the bulk gasoline plant (three gasoline storage tanks) with vapor recovery system. The facility also has a small parts washer. The facility is subject to the NESHAPs for Area Sources for Gasoline Bulk Plants in 40 CFR 63 Subpart BBBB. The gasoline throughput from the facility is less than 20,000 gallons per day. The potential VOC emissions from the facility are approximately 3 TPY. The facility is located in Butler Township, **Butler County**. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**20-00268: Hatheway Tedesco Funeral Home & Crematory** (614 Baldwin Street, Meadville, PA 16335). On November 29, 2017, the Department issued a State Only Natural Minor Operating Permit for the crematory located in the City of Meadville, **Crawford County**. The main points of emission at the facility consist of a human cremator and an animal cremator. Potential emissions are as follows: 0.105 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, 1.584 TPY NO<sub>x</sub>, 1.330 TPY CO, 0.087 TPY VOC, 0.010 TPY SO<sub>x</sub>, and 0.001 TPY Pb. Thus, the facility is a Natural Minor. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**25-00269: American Tinning & Galvanizing Co.** (552 West 12th St., Erie, PA 16501), on November 29, 2017, the Department issued the new Natural Minor Operating Permit to a plating and galvanizing facility located in the City of Erie, **Erie County**. Sources at the facility are the anodizing, barrel plating, rack plating, and galvanizing departments, two small natural gas-fueled boilers, and a primer tank. The four departments, each consisting of several tanks, are subject to requirements established through Plan Approval 25-269A. A number of tanks in the anodizing, barrel plating, and rack plating departments must comply with § 40 CFR 63 Subpart WWWW pertaining to National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations. The tank performing chromium anodizing in the anodizing department must comply with 40 CFR 63 Subpart N, which pertains to National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks. To be exempt from plan approval requirements, the primer tank is subject to a 2.7 TPY VOC restriction. The primer tank will comply with 25 Pa. Code § 129.52d (Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings) as opted by the facility pursuant to (a)(3) of this section.

**42-00178: Glenn O Hawbaker Turtlepoint Plant 7** (711 E. College Ave., Bellefonte, PA 16823-6854), the Department on November 29, 2017 issued the renewal of the State Only Operating Permit for the asphalt paving facility located in Anning Township, **McKean County**. The facility is a Synthetic Minor. The primary sources at the facility include drum mix asphalt plant (400 TPH), rail car unloading, portable crushers, conveyors, screening, material stockpiles, and three engines to power the equipment. The facility is subject to 40 CFR 63, Subpart ZZZZ pertaining to the RICE engines, 40 CFR 63, Subpart I—pertaining to the hot mix asphalt plant, and 40 CFR 60, Subpart OOO—pertaining to nonmetallic mineral processing. The asphalt plant is controlled by a primary and secondary baghouse. Water spray is used to minimize fugitive emissions from the mineral processing. The potential emissions based on the restriction of 460,000 tons of asphalt, 500 hours of operation per year for the portable mineral processing plants, and 1,200 tons per hour for rail unloading is as follows: 29.3 TPY NO<sub>x</sub>; 20.7 TPY SO<sub>x</sub>; 76.0 TPY PM<sub>10</sub>; and, 92.5 TPY CO. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**62-00172: Glenn O. Hawbaker, Inc.** (711 East College Avenue, Bellefonte, PA 16823) The Department on November 29, 2017 issued a renewal of the State Only

Operating Permit for their Brokenstraw Mine in Pittsfield Township, **Warren County**. The facility is a Natural Minor. The primary sources at the facility are sand and gravel processing plants and diesel engines. The facility is subject to 40 CFR Part 60, Subpart 000—pertaining to nonmetallic mineral processing. The permit contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).**

### *Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

**32831602 and NPDES No. PA0214515. General Trade Corporation**, (745 Power Plant Road, New Florence, PA 15944-7000). To renew the NPDES permit for the Central Preparation Plant in West Wheatfield Township, **Indiana County**. No additional discharges. The application was considered administratively complete on May 1, 2013. Application received March 12, 2013. Permit issued November 17, 2017.

**32901602 and NPDES No. PA0214442. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To renew the permit for the I-22 Tipple in Burrell Township, **Indiana County** and related NPDES Permit. No additional discharges. The application was considered administratively complete on October 21, 2014. Application received December 13, 2013. Permit issued November 30, 2017.

**NPDES No. PA0037109. Rosebud Mining Company**, (301 Market Street, Kittanning, PA 16201). To renew the NPDES permit for the Lucerne No. 9 Mine in Young and Conemaugh Townships, **Indiana County**. No additional discharges. The application was considered administratively complete on December 28, 2016. Application received May 25, 2016. NPDES Permit issued November 16, 2017.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

**17970110. Rosebud Mining Company** (301 Market Street, Kittanning, PA 16201). Permit renewal for reclamation only of a bituminous surface coal and auger mine located in Penn Township, **Clearfield County** affecting

256.0 acres. Receiving Stream(s): Bell Run and three (3) Unnamed Tributaries to Bell Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: August 7, 2017. Permit issued: November 14, 2017.

**17970102 and NPDES PA0220558. Enercorp, Inc.** (1310 Allport Cutoff, Morrisdale, PA 16858). Permit renewal for reclamation only of a passive treatment system located in Graham Township, **Clearfield County** affecting 11.4 acres. Receiving stream(s): Alder Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: June 6, 2017. Permit issued: November 30, 2017.

*New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

**26050110 and NPDES Permit No. PA.0250783 Albert F. Stiffler** (141 Locust Road, Box 42C, Normalville, PA 15469). Permit renewal issued for continued mining to an existing bituminous surface mine, located in Saltlick Township, **Fayette County**, affecting 156.9 acres. Receiving streams: unnamed tributary to Little Champion Creek. Application received: July 21, 2016. Renewal permit issued: November 28, 2017.

**26000201 and NPDES Permit No. PA0202801. Carbon Fuel Resources, Inc.** (2927 Pittsburgh Street, Perryopolis, PA 15473). Permit renewal issued for continued mining to an existing bituminous surface mine, located in German Township, **Fayette County**, affecting 73.7 acres. Receiving streams: unnamed tributary to Monongahela River and unnamed tributary to Browns Run to Monongahela River. Application received: January 19, 2016. Renewal permit issued: November 29, 2017.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 54011301R3. Alfred Brown Coal**, (71 Hill Road, Hegins, PA 17938), renewal of an existing anthracite underground mine operation in Blythe Township, **Schuylkill County** affecting 36.5 acres, receiving stream: Schuylkill River. Application received: March 16, 2017. Renewal issued: December 4, 2017.

**Permit No. PAM113029R. Alfred Brown Coal**, (71 Hill Road, Hegins, PA 17938), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Underground Mining Permit No. 54011301 in Blythe Township, **Schuylkill County**, receiving stream: Schuylkill River. Application received: March 15, 2017. Renewed issued: December 4, 2017.

### *Noncoal Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 67870301C12. York Building Products Co., Inc.**, (950 Smile Way, Suite A, York, PA 17404), correction to revise the mining limit to remove the pre-act highwall in West Manchester Township and City of York, **York County** affecting 269.8 acres, receiving stream: Willis Run. Application received: February 6, 2017. Correction issued: November 30, 2017.



### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

**Permit No. 35174111. John H. Brainard**, (PO Box 66, Clifford, PA 18413), construction blasting for Glenmaura Senior Center in Moosic Borough, **Lackawanna County** with an expiration date of December 31, 2018. Permit issued: November 28, 2017.

**Permit No. 46171423. Hayduk Enterprises, Inc.**, (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Cheltenham Sewer Replacement Project in Cheltenham Township, **Montgomery County** with an expiration date of June 30, 2018. Permit issued: November 28, 2017.

**Permit No. 46174124. American Rock Mechanics, Inc.**, (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Firefox Phase 2 in Montgomery and Hatfield Townships, **Montgomery County** with an expiration date of November 22, 2018. Permit issued: November 28, 2017.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501–508 and 701–704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued:*

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.*

**E51-278. Independence Seaport Museum**, 211 S. Columbus Boulevard, Philadelphia, PA 19106, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To operate and maintain the existing floating dock facility and to construct and maintain a 5,030 SF of floating dock in and along the 100-year floodway of the Delaware River associated with seven (12 inch) steel piles for anchoring of the proposed dock facility.

The site is located at 211 South Columbus Boulevard. (Philadelphia, PA NJ, USGS map Latitude: 39.945243 N; Longitude: -75.140569 W).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

**E15-884. West Marlborough Township**, 1300 Doe Run Road, Coatesville, PA 19320, West Marlborough Township, **Chester County**, ACOE Philadelphia District.

To restore, construct, and maintain approximately 1,000 linear feet in and along the 100-year floodplain of Buck Run (TSF, MF), also known as, Rokeby Road Stream Bank Restoration Project.

The proposed work will include the installation of fish habitat structures, stream bank stabilization, and floodplain restoration. The site is located near the intersection of Rokeby and Springdell Roads (Coatesville, PA, USGS Map, Latitude: 39.92666; Longitude: -75.83673).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.*

**E02-1739. Independence Excavating Inc.**, 3826 Saxonburg Boulevard, Cheswick, PA 15024. Indiana Township, **Allegheny County**, Army Corps of Engineers Pittsburgh District.

To maintain fill in 0.09 acre of (PEM) wetlands within the Deer Creek Watershed (CWF) for the purpose of constructing a new office building and associated parking area. The permittee is required to construct 0.22 acre of replacement wetlands. The project is located approximately 1,775 feet east of the Pennsylvania Turnpike (76)

along Saxonburg Road (Glenshaw & New Kensington, PA Quadrangles Latitude: 40° 35' 15"; Longitude: -79° 52' 22").

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**E36-968: PA Department of Transportation, Engineering District 8-0**, 2140 Herr Street, Harrisburg, PA 17103-1625 in Elizabethtown Borough, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District.

To remove existing structure and to install and maintain a 60-linear foot 19-foot wide precast concrete frame culvert in Conoy Creek (TSF, MF) for the purpose of improving roadway safety. The project is located in Elizabethtown Borough, Lancaster County. (40° 09' 08.9", -76° 36' 24.2").

### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.*

**EA07-005: U.S. Fish and Wildlife Service**, 110 Radnor Road, State College, PA 16801 in Blair Township, **Blair County**, U.S. Army Corps of Engineers Baltimore District.

To 1) construct and maintain stream restoration activities on a 1,400 linear foot reach of Halter Creek (HQ-CWF, MF) consisting of log vane structures, mudsill structures, brush mattress structures, installation and removal and restoration of temporary access ramps into the creek, and a channel re-alignment and stabilization on a meander bend all permanently impacting 657 linear feet and temporarily impacting 125 linear feet of Halter Creek (HQ-CWF, MF), and its associated floodway; and 2) construct and maintain stream restoration activities on a 2,600 foot reach of the Frankstown Branch of the Juniata River (WWF, MF) consisting of log vane structures, mudsill structures, channel block structures, 600 feet of relocated channel, installation and removal and restoration of temporary access ramps into the river, and removal of an existing footbridge and abutments all permanently impacting 902 linear feet and temporarily impacting 371 linear feet of the Frankstown Branch of the Juniata River (WWF, MF) and its associated floodway and permanently impacting 0.03 acre of Exceptional Value Palustrine Emergent Wetland; all for the purpose of restoring the stream reaches, reducing sedimentation, and improving stream stabilization.

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, P.O. Box 8460, Harrisburg, PA 17105-8460.*

**Pag-02—1447-17-02. Borough of Danville**, 239 Mill Street, Danville, PA 17821, **Montour County**, USACOE Baltimore District.

Revisions to Upper Susquehanna Levee to meet freeboard requirements. NPDES plans include a base option and an alternative option of varying width. NPDES application submitted to concur with the larger alternative. Disturbed Acreage = 4.53 (Latitude: 40° 57' 5"; Longitude: -76° 36' 36").

**E4614-002, Township of Abington**, 1176 Old York Road, Abington, PA 19001, in Abington and Upper Dublin Townships, **Montgomery County**, U.S. Army Corps of Engineers, Philadelphia District.

To install a stormwater culvert and headwall that outlets into a box culvert located at the existing Commonwealth-constructed Upper Dublin Flood Protection Project. The flood protection project is located along an unnamed tributary to Sandy Run (TSF, MF), also known as the Ardsley Drainage Channel. The location of the project is at the upstream end of the flood protection project (Latitude 40° 7' 23"; Longitude: -75° 9' 21").

### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, PO Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222.*

ESCGP-2 # ESX17-007-0006  
Applicant Name ETP Northeast Field Services, LLC  
Contact Person Tom Glisson  
Address 6051 Wallace Road Ext, 3rd Floor  
City, State, Zip Wexford, PA 15090  
County Beaver County  
Township(s) New Sewickley Township  
Receiving Stream(s) and Classification(s) UNTs to Crows Run (WWF), UNTs to Pine Run (WWF), & Pine Run (WWF)

ESCGP-2 # ESX16-005-0012  
Applicant Name Snyder Bros, Inc  
Contact Person Carl Rose  
Address P.O. Box 1022  
City, State, Zip Kittaning, PA 16201  
County Armstrong County  
Township(s) Boggs and Wayne Townships  
Receiving Stream(s) and Classification(s) Scrubgrass Creek (CWF)



## ESCGP-2 # ESX16-003-0008

Applicant Name EQT Production Company  
 Contact Person Todd Klaner  
 Address 2400 Ansys Drive, Suite 200  
 City, State, Zip Canonsburg, PA 15317  
 County Allegheny County  
 Township(s) Forward Township  
 Receiving Stream(s) and Classification(s) UNTs to Bunola  
 Run (WWF) and Bunola Run (WWF)

*Northwest Region: Oil and Gas Program Manager, 230  
 Chestnut St., Meadville, PA 16335.*

## ESCGP-2 # ESG17-019-0016—W22 to W32 Pipeline Project

Applicant Pine Run Midstream, LLC  
 Contact Mr. Scott Sweder  
 Address 1000 Commerce Drive; Park Plase One; Suite  
 400  
 City Pittsburgh State PA Zip Code 15275  
 County Butler Township(s) Winfield  
 Receiving Stream(s) and Classification(s) UNTs to North  
 Branch Rough Run/Buffalo Creek Watershed

*Eastern Region: Oil & Gas Management Program Man-  
 ager, 208 West Third Street, Williamsport, PA 17701.*

## ESCGP-2 # ESG29-105-17-0021

Applicant Name JKLM Energy LLC  
 Contact Person Scott Blauvelt  
 Address 2200 Georgetowne Dr, Suite 500  
 City, State, Zip Sewickley, PA 15143  
 County Potter  
 Township(s) Sweden  
 Receiving Stream(s) and Classification(s) UNTs to Nelson  
 Run (HQ-CWF)  
 Secondary—Nelson Run (HQ-CWF)

## ESCGP-2 # ESX29-115-17-0030

Applicant Name Chief Oil & Gas LLC  
 Contact Person Jeffrey Deegan  
 Address 1720 Sycamore Rd  
 City, State, Zip Montoursville, PA 17754  
 County Susquehanna  
 Township(s) Springville & Lathrop  
 Receiving Stream(s) and Classification(s) UNTs to Field  
 Brook (CWF-MF)

---

**SPECIAL NOTICES**


---

**Notice of Certification to Perform Radon-Related Activities in Pennsylvania**

In the month of November 2017 Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon-related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Justin Ake	2309 13th Street Altoona, PA 16601	Testing
Chad Albright	4101 Beale Avenue Altoona, PA 16601	Mitigation
Robert Anderson Radon Protection Services of Gettysburg	282 Longstreet Drive Gettysburg, PA 17325	Mitigation
Thomas Angelucci	424 East Church Street Stevens, PA 17578	Testing
Keith Carpenter	124 Old Colony Drive Johnstown, PA 15904	Testing
Dino Chieffallo Absolute Safeguard Home Inspection Services	1063 Norsis Drive Pittsburgh, PA 15220	Testing
Zach DeAugustine	724 New Bridge Road Rising Sun, MD 21911	Testing
Mark Droege	238 Pheasant Drive Columbia, PA 17512	Testing
Thomas Giambrone	6233 Frankford Avenue 2nd Floor Philadelphia, PA 19135	Testing
Gregory Gibson	PO Box 733 Tannersville, PA 18372	Mitigation
Steven Gorman Mason Dixon Home Inspections, Inc.	282 Longstreet Drive Gettysburg, PA 17325	Testing
Ammon Hontz	PO Box 4064 Jim Thorpe, PA 18229	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Kyle Keck	1105 Nicholas Street Bethlehem, PA 18017	Testing
Michal Kluza	8020 Mine Street Fogelsville, PA 18051	Mitigation
Michal Kluza S.W.A.T. of PA	8020 Mine Street Fogelsville, PA 18051	Testing & Mitigation
Gregory Kopenhaver	PO Box 902 Blue Bell, PA 19422	Testing
Judith Krieglerr	14501 George Carter Way Suite 110 Chantilly, VA 20151	Testing
Juan Lluna-Garces	1324 Crestmont Drive Downingtown, PA 19335	Testing & Mitigation
Winfield Lyons	16 West Hanover Street Gettysburg, PA 17325	Testing
Justin McCurry	722 Main Street Pennsburg, PA 18073	Testing
Michael Morrow	PO Box 18 Strasburg, PA 17579	Testing
Stephen Notwick	27 Jasmine Road Levittown, PA 19056	Testing
George Radeschi	311 Oakview Road Bedford, PA 15522	Testing
Jooik Ro	30 Sunset Drive Carlisle, PA 17013	Mitigation
Brian Simmons	12653 Van Horne Road Meadville, PA 16335	Testing
Tayzak Incorporated	523 Burnside Road McDonald, PA 15057	Testing

**Final State Water Quality Certification  
Required by Section 401 of the Clean Water Act  
for the Equitrans, L.P. H-156 Bare Pipe  
Replacement Project**

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, P.E., 412-442-4000.*

**WQ05-016 Equitrans, L.P.** (Applicant), 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222-3114. H-156 Bare Pipe Replacement Project (Project), in Independence and Findlay Townships, **Beaver and Allegheny Counties** (respectively), in the ACOE Pittsburgh District. The Project includes the replacement of three sections of existing pipeline. The First Segment starts approximately 0.9 mile west of the intersection of Bocktown Road with Independence Road, Independence Township, Beaver County (Aliquippa, PA Quadrangle Latitude: 40°32'51.23" Longitude: -80°19'6.07") and ends in a field approximately 0.5 mile east of Bocktown Cork Road, Independence Township, Beaver County (Aliquippa, PA Quadrangle Latitude: 40°32'1.20"; Longitude: -80°18'9.99").

The Second Segment starts just to the south of the Pittsburgh International Airport, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°29'7.41" Longitude: -80°14'49.07") and ends along an existing access road approximately 0.25 mile to the east of Enlow Road, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°28'30.17"; Longitude: -80°14'9.96").

The Third Segment starts along McClaren Road approximately 0.08 mile north of the intersection with Garden Lane, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°27'53.79" Longitude: -80°13'11.33") and ends in a wooded area approximately 0.1 mile northwest of Hemlock Road, Findlay Township, Allegheny County (Clinton, PA Quadrangle Latitude: 40°27'40.61"; Longitude: -80°12'47.23").

On January 30, 1988, Equitrans, L.P. received an Order Issuing Certificate from the Federal Energy Regulatory Commission (FERC) authorizing Equitrans to abandon, construct and operate certain facilities as part of the H-156 Pipeline Project in Beaver and Allegheny County, Pennsylvania (FERC Docket No. CP89-676). The activities described in this request are covered under the automatic blanket certificate and reported to the FERC on a yearly basis. A year-end submission to the FERC of all projects completed in the previous calendar year is due May 1 of every year.

On July 28, 2017, Applicant requested a state water quality certification from the Department of Environmental Protection (DEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

To allow for the modernization of the H-156 pipeline for integrity assessment through the use of in-line inspection,

Equitrans proposes to replace approximately 13,800 linear feet of 8-inch diameter bare natural gas pipe with coated, 8-inch diameter natural gas pipe within the existing right-of-way. The Project is part of Equitrans' compliance program and is required to maintain the integrity of the operating system. The use of lift and lay construction for this project means that the replacement pipeline will be located in the same trench as the existing line. The existing 8-inch pipeline will be taken out of service, purged, and removed. The new pipeline will utilize the same permanent right-of-way as the existing line during construction; there are no deviations anticipated. The project will utilize traditional open cut or conventional bore construction techniques for all nine stream and one wetland crossing locations. The nine stream and one wetland crossings occur within the following receiving waters: Raccoon Creek, Raredon Run, and Montour Run.

The Project, as proposed, includes replacement of approximately 13,800 LF of one 8" diameter gas line across 3 pipeline segments. The Project, as proposed, will require approximately 37.68 acres of earth disturbance, and impacts to 492 linear feet of an Unnamed Tributary (UNT) to Raccoon Creek, a UNT to Raredon Run, and UNT's to Montour Run, 1.66 acre of floodway, 0.03 acre of temporary PEM wetland impacts, and 0.04 acre of PEM permanent impacts.

There are seven temporary access roads planned for the Project utilizing both existing unpaved roads/driveways as well as the development of proposed temporary access roads to support this project that will be returned to preexisting conditions upon completion. The pipeline will be installed using a typical 75-foot wide limit of disturbance (LOD) for pipeline construction with areas of temporary work space adjacent to the LOD, and a typical 40-foot LOD for the access roads to allow access to the pipeline corridor. The construction ROW will be reduced to a 50-foot-width at streams and wetlands. The permanent ROW width will be 50 feet centered on the pipeline. There is no anticipated permanent increase in impervious area or in stormwater runoff due to the construction of the pipeline.

DEP published notice of its proposed state water quality certification at 47 Pa.B. 5232 (September 2, 2017) and received no comments from the public.

DEP certifies to Applicant that the construction, operation and maintenance of the Project will not violate applicable State water quality standards set forth in 25 Pa. Code Chapter 93, provided Applicant complies with the permitting programs, criteria and conditions established pursuant to State law:

1. *Discharge Permit*—Applicant shall obtain and comply with a DEP National Pollutant Discharge Elimination System (NPDES) permit for the discharge of water from the hydrostatic testing of the pipeline pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), and all applicable implementing regulations (25 Pa. Code Chapter 92a).

2. *Erosion and Sediment Control Permit*—Applicant shall obtain and comply with DEP's Chapter 102 Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment issued pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17), and all applicable implementing regulations (25 Pa. Code Chapter 102).

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a DEP Chapter 105 Water Obstruction and Encroachment Permits for the construction, operation and maintenance of all water obstructions and encroachments associated with the project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601.), and all applicable implementing regulations (25 Pa. Code Chapter 105).

4. *Water Quality Monitoring*—DEP retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

5. *Operation*—Applicant shall at all times properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) which are installed to achieve compliance with the terms and conditions of this State Water Quality Certification and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

6. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of DEP to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this certification shall be available for inspection by the DEP during such inspections of the Project.

7. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project which is affected by this State Water Quality Certification, Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the DEP Regional Office of such intent. Notice to DEP shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of certification responsibility, coverage, and liability between them.

8. *Correspondence*—All correspondence with and submittals to DEP concerning this State Water Quality Certification shall be addressed to the Department of Environmental Protection, Southwest Regional Office, Dana Drake, P.E., Program Manager, Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

9. *Reservation of Rights*—DEP may suspend or revoke this State Water Quality Certification if it determines that Applicant has not complied with the terms and conditions of this certification. DEP may require additional measures to achieve compliance with applicable law, subject to Applicant's applicable procedural and substantive rights.

10. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or State law or regulation.

11. *Severability*—The provisions of this State Water Quality Certification are severable and should any provi-



sion of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

Any person aggrieved by this action may file a petition for review pursuant to Section 19(d) of the Federal Natural Gas Act, 15 U.S.C.A. § 717r(d), with the Office of the Clerk, United States Court of Appeals for the Third Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790 within 30 days of publication of this notice, or within 30 days of receipt of written notice of this action, whichever occurs first. Important legal rights are at stake, so you should show this document to a lawyer at once.

[Pa.B. Doc. No. 17-2083. Filed for public inspection December 15, 2017, 9:00 a.m.]

### **Availability of Final National Pollutant Discharge Elimination System General Permit for Stormwater Discharges Associated with Construction Activities (PAG-02)**

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice is publishing as final the National Pollution Discharge Elimination System (NPDES) PAG-02 General Permit for Stormwater Discharges Association with Construction Activities (PAG-02 General Permit), for renewal for 2 years.

The PAG-02 General Permit is intended to provide NPDES permit coverage to persons proposing earth disturbance activities involving 1 acre or more of earth disturbance to satisfy Commonwealth (25 Pa. Code § 102.5 (relating to permit requirements)) and Federal (40 CFR 122.26(b)(14)(x) and (b)(15) (relating to storm water discharges (applicable to State NPDES programs, see § 123.25)) regulations, who are eligible to use the PAG-02 General Permit.

The PAG-02 General Permit will become effective at 12 a.m. on December 8, 2017, and will expire at 11:59 p.m. on December 7, 2019. All permittees with existing coverage under the PAG-02 General Permit will be automatically covered under the reissued General Permit on December 8, 2017, and will be subject to the terms and conditions of the reissued General Permit unless notified in writing by the Department that a new Notice of Intent (NOI) must be submitted. Applicants for new coverage under the PAG-02 General Permit must submit an NOI.

Notice of the availability of a draft PAG-02 General Permit was published at 47 Pa.B. 6884 (November 4, 2017). A 30-day comment period was provided and interested parties were directed to submit comments to the Department's eComment system. The Department received comments during the comment period and a comment and response document has been developed to address all comments submitted.

No significant changes were made to the final PAG-02 General Permit (3800-PM-BCW0405c) and associated documents.

The PAG-02 General Permit package can be accessed through the Department's eLibrary web site at [www.elibrary.dep.state.pa.us](http://www.elibrary.dep.state.pa.us) (select "Permit and Authorization Packages," then "Clean Water," then "PAG-02 General Permit").

In accordance with 25 Pa. Code § 92a.84(c)(3) (relating to public notice of general permits), the Department will publish notice in the *Pennsylvania Bulletin* every approval of coverage under the PAG-02 General Permit.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 17-2084. Filed for public inspection December 15, 2017, 9:00 a.m.]

### **Availability of Reclamation Fee Report for Fiscal Year 2016-2017 and Coal Mining Reclamation Fee Amount for 2018**

The Department of Environmental Protection announces the amount of the per acre Reclamation Fee for 2018. This notice is required by 25 Pa. Code § 86.17 (relating to permit and reclamation fees). Effective January 1, 2018, the per acre Reclamation Fee will be \$0. The fee amount is recalculated each year in accordance with 25 Pa. Code § 86.17(e)(4). Refer to 25 Pa. Code § 86.17 for further information about the process.

Annual adjustments to the per acre Reclamation Fee are based on a fiscal year report that contains a financial analysis of the revenue and expenditures from the Reclamation Fee O & M Trust Account for Fiscal Year (FY) 2016-2017. The report also provides projections for FY 2017-2018. The report was reviewed with the Department's Mining and Reclamation Advisory Board on October 19, 2017.

The final fiscal year report is available at [www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Reports](http://www.dep.pa.gov/Business/Land/Mining/BureauofMiningPrograms/Reports).

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 17-2085. Filed for public inspection December 15, 2017, 9:00 a.m.]

### **Availability of Technical Guidance**

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.elibrary.dep.state.pa.us/dsweb/HomePage>. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft technical guidance documents.

#### *Ordering Paper Copies of Department Technical Guidance*

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 787-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.



*Changes to Technical Guidance Documents*

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

*Final Technical Guidance Document: New Guidance*

**DEP ID:** 310-2137-006. **Title:** Chapter 105 Water Obstruction & Encroachment Permit Comprehensive Environmental Assessment of Proposed Project Impacts. **Description:** This final technical guidance is intended to clarify the process for completing the information requirements for a Water Obstruction and Encroachment Permit application, Environmental Assessment Form No. 3150-PM-BWEW0017. Currently, the permit application requirements generally address proposed project impacts to waters of the Commonwealth associated with small scale projects located in a single county and covered by a single permit application. Large scale projects, however, often cross more than one county and are covered by multiple permit applications necessitating the need for a comprehensive environmental review of all proposed impacts to waters of the Commonwealth for the entire project. This final guidance provides the permit applicant with an outline of the information that the applicant should submit to the Department as part of a comprehensive environmental assessment to meet the regulatory standards in 25 Pa. Code Chapter 105 (relating to dam safety and waterway management).

**Contact:** Questions regarding this technical guidance document should be directed to Sidney Freyermuth at (717) 772-5977 or [sfreyermuth@pa.gov](mailto:sfreyermuth@pa.gov).

**Effective Date:** December 16, 2017

*Draft Technical Guidance Document: Substantive Revision*

**DEP ID:** 261-0300-101. **Title:** Land Recycling Program Technical Guidance Manual. **Description:** A substantive revision of the Land Recycling Program Technical Guidance Manual (TGM) is necessary because the current TGM was developed in 2002 and is outdated. Many of the procedures and processes used by the Land Recycling Program have been updated and multiple clarifications have been made. Revising the TGM will help avoid confusion for remediators and regional office staff when assessing and remediating sites to satisfy the requirements of the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

**Written Comments:** Interested persons may submit written comments on this draft TGM by Friday, March 16, 2018. Comments submitted by facsimile will not be accepted. All comments must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments should be submitted to the Technical Guidance Coordinator, Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

**Contact:** Questions regarding this TGM should be directed to Troy Conrad at (717) 783-9480 or [tconrad@pa.gov](mailto:tconrad@pa.gov).

**Effective Date:** Upon publication as final in the *Pennsylvania Bulletin*.

*Interim Final Technical Guidance: New Guidance*

**DEP ID:** 800-0810-004. **Title:** Guidelines for Chain Pillar Development and Longwall Mining Adjacent to

Unconventional Wells. **Description:** This guidance was developed to facilitate appropriate unconventional well inactivation and re-entry procedures in advance of, and subsequent to, longwall panel removal, respectively; that will allow for continuous isolation of gas from workable coal seams, protection of mining personnel and prevention of pollution of the waters of the Commonwealth, consistent with applicable law.

**Written Comments:** Interested persons may submit written comments on this interim final technical guidance document by Wednesday, January 31, 2018. Comments submitted by facsimile will not be accepted. All comments must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments should be submitted to the Technical Guidance Coordinator, Policy Office, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17101.

**Contact:** Questions regarding this technical guidance should be directed to Seth Pelepkko at (717) 772-2199 or [mipelepkko@pa.gov](mailto:mipelepkko@pa.gov).

**Effective Date:** December 16, 2017

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 17-2086. Filed for public inspection December 15, 2017, 9:00 a.m.]

**Board and Committee Meeting Schedules for 2018**

The following is a list of 2018 meetings of advisory boards and committees associated with the Department of Environmental Protection (Department). These schedules and an agenda for each meeting, including meeting materials, will be available on the Department's web site at <http://www.dep.pa.gov> through the Public Participation tab. Prior to each meeting, the Department encourages individuals to visit the web site to confirm meeting date, time and location.

Persons in need of accommodations, as provided for in the Americans with Disabilities Act of 1990 should contact the individual listed for each board or committee, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

*Aggregate Advisory Board*

The Aggregate Advisory Board meetings for 2018 have not yet been scheduled.

Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

**Contact:** Daniel E. Snowden, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA at [dsnowden@pa.gov](mailto:dsnowden@pa.gov) or (717) 787-5103.

*Agricultural Advisory Board*

The Agricultural Advisory Board will meet at 9 a.m. in Susquehanna Room B, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA (unless noted otherwise). The meeting dates are as follows:

February 22, 2018  
 April 26, 2018  
 June 28, 2018  
 August 16, 2018—Ag Progress Days, 2710 West Pine  
 Grove Road, Pennsylvania Furnace, PA 16865  
 October 25, 2018  
 December 20, 2018

*Contact:* Jay Braund, Bureau of Clean Water, 400  
 Market Street, Harrisburg, PA at jbraund@pa.gov or (717)  
 772-5636.

#### *Air Quality Technical Advisory Committee*

The Air Quality Technical Advisory Committee will  
 meet at 9:15 a.m. in Room 105, Rachel Carson State  
 Office Building, 400 Market Street, Harrisburg, PA. The  
 meeting dates are as follows:

February 8, 2018  
 April 5, 2018  
 June 14, 2018  
 August 2, 2018  
 October 11, 2018  
 December 13, 2018

*Contact:* Kirit Dalal, Bureau of Air Quality, 400 Market  
 Street, Harrisburg, PA at kdalal@pa.gov or (717) 772-  
 3436.

#### *Board of Coal Mine Safety*

The Board of Coal Mine Safety will be held at 10 a.m.  
 in Conference Rooms A/B, Cambria Office, 286 Industrial  
 Park Road, Ebensburg, PA. The meeting dates are as  
 follows:

March 6, 2018  
 June 5, 2018  
 September 4, 2018  
 December 4, 2018

*Contact:* Peggy Scheloske, Bureau of Mine Safety, New  
 Stanton Office, 131 Broadview Road, New Stanton, PA at  
 mscheloske@pa.gov or (724) 404-3143.

#### *Citizens Advisory Council*

The Citizens Advisory Council (CAC) will meet at 10  
 a.m. (or immediately following the Environmental Quality  
 Board meeting) in Room 105, Rachel Carson State Office  
 Building, 400 Market Street, Harrisburg, PA. (*Note:* The  
 CAC does not meet in August or December.) The meeting  
 dates are as follows:

January 16, 2018  
 February 20, 2018  
 March 20, 2018  
 April 17, 2018  
 May 16, 2018 (moved to Wednesday due to primary  
 election on May 15, 2018)  
 June 19, 2018  
 July 17, 2018  
 September 18, 2018  
 October 16, 2018  
 November 13, 2018

*Contact:* Lee Ann H. Murray, Citizens Advisory Council,  
 P.O. Box 8459, Harrisburg, PA at leemurray@pa.gov or  
 (717) 787-8171.

#### *Cleanup Standards Scientific Advisory Board*

The Cleanup Standards Scientific Advisory Board will  
 meet at 9 a.m. in Room 105, Rachel Carson State Office  
 Building, 400 Market Street, Harrisburg, PA. The meet-  
 ing dates are as follows:

April 4, 2018  
 August 1, 2018  
 December 6, 2018

*Contact:* Mike Maddigan, Bureau of Environmental  
 Cleanup and Brownfields, 400 Market Street, Harrisburg,  
 PA at mmaddigan@pa.gov or (717) 772-3609.

#### *Climate Change Advisory Committee*

The Climate Change Advisory Committee will meet at  
 10 a.m. in Room 105, Rachel Carson State Office Build-  
 ing, 400 Market Street, Harrisburg, PA, unless otherwise  
 noted. The meeting dates are as follows:

February 6, 2018  
 April 24, 2018  
 June 26, 2018  
 August 28, 2018  
 October 23, 2018  
 December 4, 2018

*Contact:* Mark Brojakowski, Bureau of Air Quality, 400  
 Market Street, Harrisburg, PA at mbrojakows@pa.gov or  
 (717) 772-3429.

#### *Coal and Clay Mine Subsidence Insurance Fund Board*

The Coal and Clay Mine Subsidence Insurance Fund  
 Board will meet at 10 a.m. in the 12th Floor Conference  
 Room, Rachel Carson State Office Building, 400 Market  
 Street, Harrisburg, PA. The meeting date is as follows:

January 11, 2018

Other meetings may be scheduled by the Board on an  
 as needed basis.

*Contact:* Lawrence Ruane, Bureau of Mining Programs,  
 400 Market Street, Harrisburg, PA at lruane@pa.gov or  
 (717) 783-9590.

#### *Coastal Zone Advisory Committee*

The Coastal Zone Advisory Committee will meet at 9:30  
 a.m. in the 10th Floor Conference Room, Rachel Carson  
 State Office Building, 400 Market Street, Harrisburg, PA.  
 The meeting dates are as follows:

January 17, 2018  
 June 6, 2018

*Contact:* Stacey Box, Interstate Waters Office, Com-  
 pacts and Commissions Office, 400 Market Street, P.O.  
 Box 8465, Harrisburg, PA at sbox@pa.gov or (717) 772-  
 5622.

#### *Environmental Justice Advisory Board*

The Environmental Justice Advisory Board (EJAB) will  
 meet at 8:30 a.m. on the following dates:

February 13, 2018—14th Floor Conference Room, Ra-  
 chel Carson State Office Building, 400 Market Street,  
 Harrisburg, PA  
 May 22, 2018—Room 105, Rachel Carson State Office  
 Building, 400 Market Street, Harrisburg, PA  
 August 28, 2018—Goddard Room, Northcentral Re-  
 gional Office, 208 West Third Street, Williamsport,  
 PA  
 November 13, 2018—Room 105, Rachel Carson State  
 Office Building, 400 Market Street, Harrisburg, PA

The EJAB will also hold conference calls on the follow-  
 ing dates:

April 10, 2018—9 a.m.  
 July 10, 2018—9 a.m.  
 October 9, 2018—1 p.m.

*Contact:* John Brakeall, Office of Environmental Justice, 400 Market Street, Harrisburg, PA at jbrakeall@pa.gov or (717) 783-9731.

#### *Environmental Quality Board*

The Environmental Quality Board will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Meetings will only be held when there are a sufficient number of agenda items for consideration. The meeting dates are as follows:

January 16, 2018  
 February 20, 2018  
 March 20, 2018  
 April 17, 2018  
 May 16, 2018 (moved to Wednesday due to primary election on May 15, 2018)  
 June 19, 2018  
 July 17, 2018  
 August 21, 2018  
 September 18, 2018  
 October 16, 2018  
 November 13, 2018  
 December 18, 2018

*Contact:* Laura Edinger, Environmental Quality Board, P.O. Box 8477, Harrisburg, PA 17105-8477 at ledinger@pa.gov or (717) 772-3277.

#### *Laboratory Accreditation Advisory Committee*

The Laboratory Accreditation Advisory Committee will meet at 9 a.m. in Room 206, Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA. The meeting dates are as follows:

April 12, 2018  
 October 16, 2018

*Contact:* Aaren Alger, Bureau of Laboratories, 2575 Interstate Drive, Harrisburg, PA at aaalger@pa.gov or (717) 346-7200.

#### *Low-Level Waste Advisory Committee*

The Low-Level Waste Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting date is as follows:

September 28, 2018

*Contact:* Rich Janati, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA at rjanati@pa.gov or (717) 787-2147.

#### *Mine Families First Response and Communications Advisory Council*

The Mine Families First Response and Communications Advisory Council will meet at 10 a.m. in the Westmoreland Room, New Stanton Office, 131 Broadview Road, New Stanton, PA. The meeting date is as follows:

April 10, 2018

*Contact:* Peggy Scheloske, Bureau of Mine Safety, New Stanton Office, 131 Broadview Road, New Stanton, PA at mscheloske@pa.gov or (724) 404-3143.

#### *Mining and Reclamation Advisory Board*

The Mining and Reclamation Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

January 11, 2018  
 April 19, 2018  
 October 25, 2018

*Contact:* Daniel E. Snowden, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA at dsnowden@pa.gov or (717) 787-5103.

#### *Oil and Gas Technical Advisory Board*

The Oil and Gas Technical Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

February 14, 2018  
 May 10, 2018  
 August 8, 2018  
 November 7, 2018

*Contact:* Todd Wallace, Office of Oil and Gas Management, 400 Market Street, Harrisburg, PA at twallace@pa.gov or (717) 783-9438.

#### *Pennsylvania Energy Development Authority*

The Pennsylvania Energy Development Authority Board meetings for 2018 have not yet been scheduled.

Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

*Contact:* Dave Althoff, Office of Pollution, Prevention and Energy Assistance, 400 Market Street, Harrisburg, PA at dalthoff@pa.gov or (717) 783-8411.

#### *Radiation Protection Advisory Committee*

The Radiation Protection Advisory Committee will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

March 22, 2018  
 October 18, 2018

*Contact:* Joseph Melnic, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA at jmelnic@pa.gov or (717) 783-9730.

#### *Recycling Fund Advisory Committee*

The Recycling Fund Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting date is as follows:

September 20, 2018 (joint meeting with the Solid Waste Advisory Committee)

*Contact:* Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA at lahenry@pa.gov or (717) 772-5713.

#### *Sewage Advisory Committee*

The Sewage Advisory Committee will meet at 10:30 a.m. on the following dates:

April 24, 2018—Susquehanna Conference Rooms A&B, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA

September 12, 2018—Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA

*Contact:* Janice Vollero, Bureau of Clean Water, 400 Market Street, Harrisburg, PA at jvollero@pa.gov or (717) 772-5157.

#### *Small Business Compliance Advisory Committee*

The Small Business Compliance Advisory Committee will meet at 10 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:



January 24, 2018  
 April 25, 2018  
 July 25, 2018  
 October 24, 2018

*Contact:* Nancy Herb, Bureau of Air Quality, 400 Market Street, Harrisburg, PA at nherb@pa.gov or (717) 783-9269.

*Small Water Systems Technical Assistance Center Board*

The Small Water Systems Technical Assistance Center Board will meet quarterly in 2018. All meetings will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA (unless otherwise noted). The meeting dates are as follows:

March 29, 2018  
 May 24, 2018  
 August 16, 2018  
 October 18, 2018—Susquehanna Conference Room, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA

*Contact:* Dawn Hissner, Bureau of Safe Drinking Water, 400 Market Street, Harrisburg, PA at dhissner@pa.gov or (717) 772-2189.

*Solid Waste Advisory Committee*

The Solid Waste Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

March 8, 2018  
 June 7, 2018  
 September 20, 2018 (joint meeting with the Recycling Fund Advisory Committee)  
 December 12, 2018

*Contact:* Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA at lahenry@pa.gov or (717) 772-5713.

*State Board for Certification of Sewage Enforcement Officers*

The State Board for Certification of Sewage Enforcement Officers will meet at 10 a.m. in Conference Room 11B, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

February 14, 2018  
 May 30, 2018  
 August 15, 2018  
 October 31, 2018

*Contact:* Kristen Szwajkowski, Bureau of Clean Water, 400 Market Street, Harrisburg, PA at kszwajkows@pa.gov or (717) 772-2186.

*State Board for Certification of Water and Wastewater Systems Operators*

The State Board for Certification of Water and Wastewater Systems Operators will meet at 10 a.m. in the 10th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

February 8, 2018  
 April 11, 2018  
 June 13, 2018  
 August 15, 2018  
 October 17, 2018  
 December 12, 2018

*Contact:* Edgar Chescattie, Bureau of Safe Drinking Water, Operator Certification, 400 Market Street, Harrisburg, PA at echescattie@pa.gov or (717) 772-2814.

*Storage Tank Advisory Committee*

The Storage Tank Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

March 6, 2018  
 June 5, 2018  
 September 4, 2018  
 December 5, 2018

*Contact:* Dawn Heimbach, Bureau of Environmental Cleanup and Brownfields, 400 Market Street, Harrisburg, PA at daheimbach@pa.gov or (717) 772-5556.

*Technical Advisory Committee on Diesel-Powered Equipment*

The Technical Advisory Committee on Diesel-Powered Equipment will meet at 10 a.m. in the Westmoreland Room, New Stanton Office, 131 Broadview Road, New Stanton, PA. The meeting dates are as follows:

January 10, 2018  
 April 11, 2018  
 July 11, 2018  
 October 10, 2018

*Contact:* Peggy Scheloske, Bureau of Mine Safety, New Stanton Office, 131 Broadview Road, New Stanton, PA at mscheloske@pa.gov or (724) 404-3143.

*Water Resources Advisory Committee*

The Water Resources Advisory Committee will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

January 25, 2018  
 March 14, 2018  
 May 9, 2018  
 July 11, 2018  
 September 19, 2018  
 November 14, 2018

*Contact:* Diane Wilson, Bureau of Clean Water, 400 Market Street, Harrisburg, PA at diawilson@pa.gov or (717) 787-3730.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 17-2087. Filed for public inspection December 15, 2017, 9:00 a.m.]

**Draft National Pollutant Discharge Elimination System General Permit for Discharges from Concentrated Aquatic Animal Production Facilities (PAG-11)**

The Department of Environmental Protection (Department) is announcing the availability of a draft National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges from Concentrated Aquatic Animal Production (CAAP) Facilities (PAG-11). To access the draft General Permit and related documents visit [www.elibrary.dep.state.pa.us](http://www.elibrary.dep.state.pa.us) (select "Permit and Authorization Packages," then "Clean Water," then "PAG-11 (Draft)").

The PAG-11 General Permit is intended to provide NPDES permit coverage for discharges from CAAP facilities into surface waters of the Commonwealth. The existing PAG-11 was extended on October 5, 2017, for 1 year. The Department is proposing to reissue a final PAG-11 General Permit on or before October 5, 2018.

The proposed fee for submission of a Notice of Intent (NOI) for coverage under this General Permit is \$100. The NOI fee will be paid one time with the NOI for permit coverage. The Department is proposing that after coverage under the General Permit is authorized, coverage will continue without the need to submit an NOI for renewal of coverage as long as the permittee complies with the terms and conditions of the PAG-15 General Permit currently in effect, unless the Department specifically requires the submission of an NOI in writing.

The Department is seeking comments on the draft PAG-11 General Permit (3800-PM-BCW0006d) and accompanying documents for 30 days. Interested persons may submit written comments through Tuesday, January 16, 2018. Comments submitted by facsimile will not be accepted. Commentators are encouraged to submit comments using the Department's online eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments may also be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

Written comments submitted during the 30-day comment period will be retained by the Department and considered in finalizing the General Permit. The Department will provide an opportunity for any interested person or group of persons, any affected state, any affected interstate agency, the United States Environmental Protection Agency or any interested agency to request or petition for a public hearing with respect to the proposed General Permit. The request or petition for public hearing, which must be filed within the 30-day period allowed for filing of written comments, must indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be held if there is significant public interest.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 17-2088. Filed for public inspection December 15, 2017, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.33(b) (relating to utility room):

Loyalsock Rehab Center  
1445 Sycamore Road  
Montoursville, PA 17754  
FAC ID # 194402

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,  
*Acting Secretary*

[Pa.B. Doc. No. 17-2089. Filed for public inspection December 15, 2017, 9:00 a.m.]

### Medical Marijuana Advisory Board Meeting

The Department of Health (Department) gives notice that the Medical Marijuana Advisory Board (Board) will meet on Friday, January 12, 2018, from 10 a.m. to 12 p.m. in the Forest Room, Keystone Building Meeting Center, Keystone Building, 400 North Street, Suite 114 East, Harrisburg, PA. This meeting will provide an update on Board activities and discuss plans for the upcoming year.

For additional information, including an alternative format of this notice (for example, large print, audiotape, Braille) or for persons with a disability who wish to attend the meeting who require an auxiliary aid, service or other accommodation to do so, contact Holli Senior, Special Assistant, Office of Medical Marijuana, 625 Forster Street, Room 628, Health and Welfare Building, Harrisburg, PA 17120, (717) 547-3047, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,  
*Acting Secretary*

[Pa.B. Doc. No. 17-2090. Filed for public inspection December 15, 2017, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Nursing Facility Assessment Program for Fiscal Year 2017-2018

This notice announces the amount of the assessment that the Department of Human Services (Department) is implementing for Fiscal Year (FY) 2017-2018, provides an explanation of the assessment methodology that the Department is using in FY 2017-2018 and identifies the estimated aggregate impact on nursing facilities which will be subject to the assessment.

### Background

Article VIII-A of the Human Services Code (code) (62 P.S. §§ 801-A—815-A) authorizes the Department to impose an annual monetary assessment on nursing facilities and county nursing facilities in this Commonwealth each fiscal year through FY 2018-2019. Under Article VIII-A of the code, the Department may impose the assessment only to the extent that the assessment revenues qualify as the State share of Medical Assistance (MA) Program expenditures eligible for Federal financial participation (FFP). See 62 P.S. § 803-A. To ensure receipt of FFP, Article VIII-A of the code requires the Department to seek a waiver from the Centers for Medicare & Medicaid Services if necessary to implement the Assessment Program. See 62 P.S. § 812-A.

For each fiscal year that the Assessment Program is implemented, the code authorizes the Secretary of the Department (Secretary) to determine the aggregate amount of the assessment and the annual assessment rate in consultation with the Secretary of the Budget. See 62 P.S. § 804-A. The code specifies that annual assessment rates must be sufficient to generate at least \$50 million in additional revenue, but not more than the maximum aggregate assessment amount that qualifies for Federal matching funds. See 62 P.S. § 804-A.

The Secretary must publish a notice in the *Pennsylvania Bulletin* before imposing an annual assessment for a fiscal year. The notice must specify the amount of the assessment being proposed, explain the proposed assessment methodology, identify the estimated assessment amount and aggregate impact on nursing facilities subject to the assessment and provide interested persons a 30-day period to comment. See 62 P.S. § 805-A.

After consideration of any comments received during the 30-day comment period, the Secretary must publish a second notice announcing the rate of assessment for the fiscal year. See 62 P.S. § 805-A. The annual aggregate assessment amount and assessment rate for the fiscal year must be approved by the Governor. See 62 P.S. § 804-A.

The Secretary published a notice at 47 Pa.B. 3461 (June 17, 2017) announcing the proposed assessment rates, the aggregate amount and the impact for FY 2017-2018. One commentator, a nonpublic nursing facility provider, submitted comments related to supplemental payments, specifically reimbursement of the MA allowable assessment cost and quarterly supplemental payments for nonpublic nursing facilities which are funded by a portion of assessment revenues. Since this notice is related to revenue and not supplemental payments, the comments are outside the scope of the notice.

### Assessment Methodology and Rates for FY 2017-2018

The following nursing facilities will continue to be exempt from the Assessment Program in FY 2017-2018:

- (1) State owned and operated nursing facilities.
- (2) Veteran's Administration nursing facilities.
- (3) Nursing facilities that have not been licensed and operated by the current or previous owner for the full calendar quarter prior to the calendar quarter in which an assessment is collected.
- (4) Nursing facilities that provide nursing facility services free of charge to all residents.

The Department will continue to assess nonexempt nursing facilities at two rates. One rate will apply to four categories of nursing facilities: county nursing facilities; nursing facilities that have 44 or fewer licensed beds; qualified nursing facilities affiliated with Continuing Care

Retirement Communities (CCRC) (see 40 Pa.B. 7297 (December 18, 2010)); and nursing facilities with an MA occupancy rate of at least 94% based on the 4 consecutive assessment quarters beginning April 1, 2015, and ending March 31, 2016, for each nursing facility as of April 22, 2016. The other rate will apply to all other nonexempt facilities, including nursing facilities that began participation in a CCRC on or after July 1, 2010. Using the applicable rate, the Department will calculate an annual assessment amount for each nonexempt facility by multiplying its assessment rate by the facility's historical non-Medicare resident day for the four consecutive assessment quarters beginning April 1, 2015, and ending March 31, 2016, and collect the annual assessment amount in four equal quarterly installments.

The Department will maintain the same rate structure for FY 2017-2018 as in FY 2016-2017. For FY 2017-2018, the assessment rates for nonexempt nursing facilities will be as follows:

(1) For county nursing facilities, for nursing facilities that have 44 or fewer licensed beds, for qualified CCRC nursing facilities, and nursing facilities with an MA occupancy rate of at least 94% based on the 4 consecutive assessment quarters beginning April 1, 2015, and ending March 31, 2016, for each nursing facility as of April 22, 2016, the assessment rate will be \$8.01 per historical non-Medicare resident day.

(2) For all other nonexempt nursing facilities, the assessment rate will be \$32.10 per historical non-Medicare resident day.

The Assessment Program due dates will be available on the Department's web site at <http://www.dhs.pa.gov/provider/longtermcarecasemixinformation/index.htm>.

### Aggregate Assessment Amounts and Fiscal Impact

The Department estimates that the annual aggregate assessment fees for nonexempt nursing facilities will total \$506.562 million. The Department will use the State revenue derived from the assessment fees and any associated FFP to support payments to qualified MA nursing facility providers in accordance with applicable laws and regulations.

### Public Comment

Interested persons are invited to submit written comments regarding the contents of this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy and Regulatory Management, Attention: Marilyn Yocum, P.O. Box 8025, Harrisburg, PA 17105-8025. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1193. (1) General Fund; (2) Implementing Year 2017-18 is -\$506,562,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$1,083,000,000; 2015-16 Program—\$968,083,000; 2014-15 Program—\$810,545,000; (7) Long-Term Care; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 17-2091. Filed for public inspection December 15, 2017, 9:00 a.m.]



# DEPARTMENT OF TRANSPORTATION

## Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on November 30, 2017, the following access route for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. (X) 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' feet maximum length—each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
SR 1009	From PA 987 to 200 Cascade Drive (Wel Co's Driveway)	Lehigh	0.50

Lehigh County approved the access route within its respective jurisdiction.

Questions should be directed to George Harpster at (717) 783-6473.

LESLIE S. RICHARDS,  
*Secretary*

[Pa.B. Doc. No. 17-2092. Filed for public inspection December 15, 2017, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

### Food & Water Watch v. Department of Environmental Protection and Keystone Protein Company, Permittee; EHB Doc. No. 2017-114-L

Food & Water Watch has appealed the issuance by the Department of Environmental Protection of an NPDES Permit No. PA0266345 to Keystone Protein Company for the Keystone Protein Fredericksburg facility located in Bethel Township, Lebanon County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 17-2093. Filed for public inspection December 15, 2017, 9:00 a.m.]

### Waste Management of PA, Inc. v. Department of Environmental Protection; EHB Doc. No. 2017-113-L

Waste Management of PA, Inc. has appealed the issuance by the Department of Environmental Protection of an NPDES Permit No. PA0244902 to Waste Management of PA, Inc. for the Tullytown facility located in Tullytown Borough, Bucks County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,  
*Chairperson*

[Pa.B. Doc. No. 17-2094. Filed for public inspection December 15, 2017, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Commissioners.

At the next Commission meeting on January 22 and 23, 2018, the Commission will consider taking the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective upon publication in the *Pennsylvania Bulletin*:

*58 Pa. Code § 65.19. Stocked trout waters open to year-round fishing*

The Commission will consider removing the following water as a stocked trout water open to year-round fishing:

County	Water
Mercer	Shenango River, from the outlet of Shenango Dam downstream to Buckeye Drive Bridge (SR 3025)

The Commission will consider adding the following water as a stocked trout water open to year-round fishing:

County	Water
Mercer	Shenango River, from the Hamburg Road Bridge (SR 4012) at New Hamburg downstream to the pipeline crossing upstream from the Big Bend Access Area

At this time, the Commission is soliciting public input concerning the previous designations. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

JOHN A. ARWAY,  
*Executive Director*

[Pa.B. Doc. No. 17-2095. Filed for public inspection December 15, 2017, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Geisinger Health Plan (GSHP-131285824); Small Group Transitional; Rate Filing

Geisinger Health Plan submitted a rate filing to increase the base rates for its Small Group Transitional policies renewing on and after June 1, 2018. The filing proposes a rate increase of 17.0% and will affect approximately 3,259 members. The proposed rate increase will generate approximately \$3.6 million of additional revenue.

Unless formal administrative action is taken prior to March 1, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (click on the "Consumers" tab, then under "Resources" click on "Product Notices").

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, [csandersjo@pa.gov](mailto:csandersjo@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 17-2096. Filed for public inspection December 15, 2017, 9:00 a.m.]

### Geisinger Quality Options (GSHP-131286219); Small Group PPO—Transitional Filing; Rate Filing

Geisinger Quality Options submitted a rate filing to increase the premium rates for its Small Group PPO Non-Grandfathered Plans. The filing proposes a rate increase of 22.6% and will affect approximately 12,642 members. The proposed rate increase will generate an annualized revenue of approximately \$15.3 million and will be effective June 1, 2018.

Unless formal administrative action is taken prior to March 1, 2018, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (click on the "Consumers" tab, then under "Resources" click on "Product Notices").

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Rashmi Mathur, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120,

rmathur@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 17-2097. Filed for public inspection December 15, 2017, 9:00 a.m.]

### Qualified Unlicensed Reinsurers List

Under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1), the Acting Insurance Commissioner hereby lists reinsurers not licensed by the Insurance Department (Department) which shall be considered qualified to accept reinsurance from insurers licensed by the Department.

#### Qualified Unlicensed Reinsurers List

1. 26883 AIG Specialty Insurance Company, Chicago, Illinois
2. 10852 Allstate New Jersey Insurance Company, Northbrook, Illinois
3. 37990 American Empire Insurance Company, Cincinnati, Ohio
4. 14673 Aspen Bermuda, Limited, Hamilton, Bermuda
5. 11680 Aspen Insurance UK Limited, London, England
6. 14927 AXIS Specialty Limited, Pembroke, Bermuda
7. 98167 Blue Cross Blue Shield of Florida, Jacksonville, Florida
8. 27081 Bond Safeguard Insurance Company, Sioux Falls, South Dakota
9. 30511 Castle Key Insurance Company, Northbrook, Illinois
10. 36951 Century Surety Company, Westerville, Ohio
11. 36552 Coliseum Reinsurance Company, Wilmington, Delaware
12. 39993 Colony Insurance Company, Richmond, Virginia
13. 27812 Columbia Insurance Company, Omaha, Nebraska
14. 40371 Columbia Mutual Insurance Company, Columbia, Missouri
15. 14034 DaVinci Reinsurance Limited, Pembroke, Bermuda
16. 40509 EMC Reinsurance Company, Des Moines, Iowa
17. 35378 Evanston Insurance Company, Deerfield, Illinois
18. 21555 Farm Bureau Mutual Insurance Company of Michigan, Lansing, Michigan
19. 37532 Great American E & S Insurance Company, Wilmington, Delaware
20. 41858 Great American Fidelity Insurance Company, Wilmington, Delaware
21. 88340 Hannover Life Reassurance Company of America, Orlando, Florida
22. 10241 Hannover Ruck SE, Hannover, Germany

23. 54828 Highmark West Virginia, Parkersburg, West Virginia

24. 42374 Houston Casualty Company, Houston, Texas

25. 12936 Houston Specialty Insurance Company, Houston, Texas

26. 27960 Illinois Union Insurance Company, Chicago, Illinois

27. 22829 Interstate Fire & Casualty Company, Chicago, Illinois

28. 25445 Ironshore Specialty Insurance Company, Scottsdale, Arizona

29. 22993 Kentucky Farm Bureau Mutual Insurance Company, Louisville, Kentucky

30. 14925 Lancashire Insurance Company, Limited, Hamilton, Bermuda

31. 19437 Lexington Insurance Company, Wilmington, Delaware

32. Lloyd's Underwriters, London, England

33. 12324 Mapfre Re, Compania de Reaseguros, S.A., Madrid, Spain

34. 15852 Markel Bermuda Limited, Hamilton, Bermuda

35. 10744 Markel International Insurance Company Limited, London, England

36. 26743 Maxum Indemnity Company, Wilmington, Delaware

37. 20079 National Fire & Marine Insurance Company, Omaha, Nebraska

38. 41629 New England Reinsurance Corporation, Hartford, Connecticut

39. 17400 Noetic Specialty Insurance Company, Montpelier, Vermont

40. 31143 Old Republic Union Insurance Company, Chicago, Illinois

41. 88099 Optimum Re Insurance Company, Dallas, Texas

42. 13787 Partner Reinsurance Company Limited, Pembroke, Bermuda

43. 88536 Protective Life and Annuity Insurance Company, Birmingham, Alabama

44. 11515 QBE Specialty Insurance Company, Bismarck, North Dakota

45. 14033 Renaissance Reinsurance Limited, Pembroke, Bermuda

46. AA-1121270 River Thames Insurance Company Limited, Guildford, England

47. 12318 RiverStone Insurance (UK) Limited, Brighton, England

48. 21911 San Francisco Reinsurance Company, Novato, California

49. 87017 SCOR Global Life Re Insurance Company of Delaware, Wilmington, Delaware

50. 97071 SCOR Global Life USA Reinsurance Company, Wilmington, Delaware

51. 87572 Scottish Re (US) Inc., Dover, Delaware

52. 41297 Scottsdale Insurance Company, Columbus, Ohio



53. 23388 Shelter Mutual Insurance Company, Columbia, Missouri
54. 26557 Shelter Reinsurance Company, Columbia, Missouri
55. 13604 Starr Surplus Lines Insurance Company, Chicago, Illinois
56. 39187 Suecia Insurance Company, Tarrytown, New York
57. 60188 Superior Vision Insurance, Inc., Scottsdale, Arizona
58. 15529 Tokio Millennium Re AG, New York, New York
59. 19887 Trinity Universal Insurance Company, Dallas, Texas
60. 37982 Tudor Insurance Company, Keene, New Hampshire
61. 36048 Validus Reinsurance, Limited, Pembroke, Bermuda
62. 15993 Validus Reinsurance (Switzerland), Limited, Zurich, Switzerland
63. 10172 Westchester Surplus Lines Insurance Company, Alpharetta, Georgia
64. 13196 Western World Insurance Company, Keene, New Hampshire

JESSICA K. ALTMAN,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 17-2098. Filed for public inspection December 15, 2017, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Executive Board*

Resolution No. CB-17-024, Dated October 31, 2017. Authorizes the labor agreement entered into between the Commonwealth and the Pennsylvania State Troopers Association (PTSA). The agreement provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2017 through June 30, 2020.

Resolution No. CB-17-025, Dated October 31, 2017. Authorizes the Collective Bargaining Agreement between the Commonwealth of Pennsylvania and the Pennsylvania Liquor Enforcement Association, Liquor Law Enforcement Unit. The Collective Bargaining Agreement provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2016 through June 30, 2019.

Resolution No. CB-17-026, Dated October 31, 2017. Authorizes the Collective Bargaining Agreement between the Commonwealth, PASSHE and the Pennsylvania Doctors Alliance signed on October 16, 2017. The Collective Bargaining Agreement provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2016, through June 30, 2019.

Resolution No. CB-17-027, Dated October 31, 2017. Authorizes the memorandum of understanding between the Commonwealth, PASSHE and the Pennsylvania Doctors Alliance signed on October 16, 2017. The Memorandum of Understanding provides for the establishment of rates of pay, hours of work, and other conditions of employment for the period July 1, 2016, through June 30, 2019.

Resolution No. CB-17-028, Dated November 17, 2017. Authorizes the side letter with Pennsylvania Doctors Alliance (PDA) to revise the Pay Scale Group and the minimum Pay Scale Levels for certain jobs in PDA Agreement and Memorandum. In addition, the side letter also revises the Quality Assurance Program (QAP) for the contract years 7/1/2016 through 6/30/2019.

#### *Governor's Office*

Management Directive No. 210.5—The Commonwealth of Pennsylvania State Records Management Program, Amended October 31, 2017.

Management Directive No. 325.13—Service Organization Controls, Dated November 22, 2017.

Management Directive No. 530.26—Absences for Military Duty, Amended November 2, 2017.

LAURA CAMPBELL,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 17-2099. Filed for public inspection December 15, 2017, 9:00 a.m.]

## OFFICE OF THE BUDGET

### Commonwealth Financing Authority Certification for Fiscal Year 2017-2018

I, Randy C. Albright, Secretary of the Budget, hereby certify in accordance with, and as required by, section 1543(e) of the Act of April 1, 2004 (P.L. 163, No. 22), 64 Pa.C.S. § 1543(e), and section 1753.1-E of the Act of April 9, 1929 (P.L. 343, No. 176), that:

(1) sufficient surplus revenue will exist in the General Fund for Commonwealth Fiscal Years 2018-2019 and 2019-2020 to pay any liabilities which will be payable by the Commonwealth from the General Fund during those Fiscal Years if the Commonwealth Financing Authority incurs an additional \$250,000,000 of indebtedness; and,

(2) the aggregate amount of liabilities which will be incurred by the Commonwealth for its Fiscal Years 2017-2018, 2018-2019, and 2019-2020 payable from the General Fund as a result of the activities of the Commonwealth Financing Authority are \$126,402,000, \$145,050,000 and \$146,900,000 respectively.

RANDY C. ALBRIGHT,  
*Secretary*

[Pa.B. Doc. No. 17-2100. Filed for public inspection December 15, 2017, 9:00 a.m.]

### Statutory Cost of Living Increases for Salaries of State Officials and the Heads of Departments, Boards and Commissions

Section 3(e) of the Public Official Compensation Act, the act of September 30, 1983 (P.L. 160, No. 39) as amended by Section 2 of the act of October 19, 1995 (P.L. 324, No. 51) mandates that the salaries of the Governor, Lieutenant Governor, State Treasurer, Auditor General, Attorney General, and the heads of the departments and members of boards and commissions shall be increased by applying the percentage change in the Consumer Price Index for All Urban Consumers (CPI-U) for the Pennsylvania, New Jersey, Delaware and Maryland area for the most recent 12-month period for which figures have been officially reported by the United States Department of Labor, Bureau of Labor Statistics (BLS) immediately prior to the date adjustment is due to take effect.

As required by Section 3(e) of the Public Official Compensation Law, the Governor has determined, based on the change in the CPI-U (PA-DE-NJ-MD) over the past 12 months as reported by BLS on November 15, 2017, that the salaries covered by that law shall be increased by 0.8% effective January 1, 2018. The following chart lists the position, the salary prior to the adjustment, the percentage increase of the adjustment, and the new salary:

#### COLA Adjustment for Elected and Appointed Officials Receiving Salaries Contained in Act 1995-51

*COLA Adjustment is Based on the Percent Change in the CPI-U for PA-DE-NJ-MD, CMSA, for the 12-Month Period Ending October 2017*

<i>Position</i>	<i>Salary Prior to 1/1/2018</i>	<i>COLA Adjustment</i>	<i>Salary Effective 1/1/2018</i>
Governor	\$193,304	0.8%	\$194,850
Lieutenant Governor	\$162,373	0.8%	\$163,672
State Treasurer	\$160,828	0.8%	\$162,115
Auditor General	\$160,828	0.8%	\$162,115
Attorney General	\$160,828	0.8%	\$162,115
Large Agency Head	\$154,642	0.8%	\$155,879
Secretary of Education			
Secretary of Environmental Protection			
Secretary of Health			
Secretary of Labor and Industry			
Secretary of Human Services			
Secretary of Transportation			
Secretary of Corrections			
Medium Agency Head	\$146,910	0.8%	\$148,085
Secretary of Aging			
Secretary of Community & Economic Development			
Secretary of General Services			
Secretary of Revenue			
State Police Commissioner			
Secretary of Conservation & Natural Resources			
Small Agency Head	\$139,178	0.8%	\$140,291
Adjutant General			
Secretary of Agriculture			
Secretary of Banking and Securities			
Secretary of the Commonwealth			
Insurance Commissioner			
Secretary of Drug and Alcohol Programs *****			
Liquor Control Board			
Chairman	\$78,556	0.8%	\$79,184
Member	\$75,462	0.8%	\$76,066
Civil Service Commission****			
Chairman	\$88,395	0.8%	\$89,102
Member	\$84,995	0.8%	\$85,675
State Tax Equalization Board			
Chairman	\$27,063	0.8%	\$27,280
Member	\$25,129	0.8%	\$25,330
Milk Marketing Board			
Chairman	\$25,129	0.8%	\$25,330
Member	\$24,163	0.8%	\$24,356
Securities Commission***			
Chairman	\$42,281	0.8%	\$42,619
Member	\$38,574	0.8%	\$38,883
Athletic Commission			
Chairman	\$20,300	0.8%	\$20,462
Member	\$19,328	0.8%	\$19,483
Board of Pardons			
Member	\$17,783	0.8%	\$17,925

<i>Position</i>	<i>Salary Prior to 1/1/2018</i>	<i>COLA Adjustment</i>	<i>Salary Effective 1/1/2018</i>
Public Utility Commission			
Chairman	\$149,410	**	\$150,585
Member	\$146,910	0.8%	\$148,085
Environmental Hearing Board*			
Chairman	\$149,410	*	\$150,585
Member	\$146,910	*	\$148,085
Board of Claims*****			
Chairman	\$142,772	0.8%	\$143,914
Member	\$135,256	0.8%	\$136,338

\*: The Environmental Hearing Board is not listed in Act 1995-51, but separate legislation requires that the Board's members receive the same compensation as the PUC.

\*\* : Act 1995-51 requires that the PUC Chairman shall receive \$2,500/yr. more than PUC Members.

\*\*\* : Per Act 1998-51.

\*\*\*\* : Per Act 2002-140 effective November 27, 2002.

\*\*\*\*\* : Per Act 2002-118, effective October 2, 2002.

\*\*\*\*\* : The salary for the Secretary of Drug and Alcohol Programs has not yet been set by statute.

RANDY C. ALBRIGHT,  
*Secretary*

[Pa.B. Doc. No. 17-2101. Filed for public inspection December 15, 2017, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Indirect Transfer of Control

**A-2017-2636971 and A-2017-2637061. Zayo Group, LLC, Spread Holdings, LLC and Northeastern ITS, LLC.** Joint application of Zayo Group, LLC, Spread Holdings, LLC and Northeastern ITS, LLC for approval of an indirect transfer of control of Northeastern ITS, LLC to Zayo Group, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 2, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicants:* Zayo Group, LLC; Spread Holdings, LLC; Northeastern ITS, LLC

*Through and By Counsel:* Anthony C. DeCusatis, Esquire, Catherine G. Vasudevan, Esquire, Morgan, Lewis & Bockius, LLP, 1701 Market Street, Philadelphia, PA 19103-2921; Catherine Wang, Esquire, Brett P. Ferencak, Esquire, Morgan, Lewis & Bockius, LLP, 1111 Pennsylvania Avenue, NW, Washington, DC 20004-2541; Joshua T. Guyan, Esquire, Winifred Brantl, Esquire, Kelley, Drye & Warren, LLP, 3050 K Street, NW, Suite 400, Washington, DC 20007

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 17-2102. Filed for public inspection December 15, 2017, 9:00 a.m.]

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 2, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

#### Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

**A-2017-2628544. Caring Hands Personal Homes Agency, Inc.** (1500 Palethorp Street, Suite 404, Philadelphia, Philadelphia County, PA 19122) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, 62 years of age or older between points in the Counties of Bucks, Chester, Delaware and Montgomery and the City and County of Philadelphia. *Attorney:* Erica L. Bazzell, Esquire, 14 East Stratford Avenue, Suite 2B, Lansdowne, PA 19050.

**A-2017-2636033. Kingserv Enterprises, Inc.** (500 Walnut Street, Lemoyne, Cumberland County, PA 17043) for the right to begin to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, between points in the Counties of Cumberland, Dauphin, Lancaster, Lebanon, Lehigh and York.



**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.**

**A-2017-2636979. Movers USA, Inc.** (8221 Preston Court, Suite A, Jessup, Howard County, MD 20794) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, from points in the City and County of Philadelphia, to points in Pennsylvania, and vice versa.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 17-2103. Filed for public inspection December 15, 2017, 9:00 a.m.]

**Service of Notice of Motor Carrier Formal Complaints**

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due January 2, 2018, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Donald E. Switzer and Mary Ellen Switzer, Husband and Wife, t/a Switzer & Switzer Trucking;  
Docket No. C-2017-2628897**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Donald E. Switzer and Mary Ellen Switzer, Husband and Wife, t/a Switzer & Switzer Trucking, (respondent) is under suspension effective October 03, 2017 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 226 Antis Run Road, Howard, PA 16841.
3. That respondent was issued a Certificate of Public Convenience by this Commission on November 04, 2008, at A-8910507.
4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66

Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8910507 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/18/2017

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. ABBAS Transportation Services, LLC;  
Docket No. C-2017-2630684**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Sec-

tion 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to ABBAS Transportation Services, LLC, (respondent) is under suspension effective October 11, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 2303 Bleigh Avenue, Philadelphia, PA 19152.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 30, 2017, at A-6417367.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-6417367 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/31/2017

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in

your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
 Pennsylvania Public Utility Commission  
 Bureau of Investigation and Enforcement  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmpltResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
 Pennsylvania Public Utility Commission  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Rapid Movers, LLC, t/a Rapid Moving & Storage;  
 Docket No. C-2017-2630813**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Rapid Movers, LLC, t/a Rapid Moving & Storage, (respondent) is under suspension effective October 15, 2017 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at P.O. Box 498, Falconer, NY 14733.
3. That respondent was issued a Certificate of Public Convenience by this Commission on November 23, 2016, at A-8915848.
4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

*Wherefore*, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8915848 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
 David W. Loucks, Chief  
 Motor Carrier Enforcement  
 Bureau of Investigation and Enforcement  
 P.O. Box 3265  
 Harrisburg, PA 17105-3265



VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 10/31/2017

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Steven R. Henry, t/a S R Henry Trucking; Docket No. C-2017-2631873**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Steven R. Henry, t/a S R Henry Trucking, (respondent) is under suspension effective October 23, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 218 Ferds Lane, Frenchville, PA 16836.

3. That respondent was issued a Certificate of Public Convenience by this Commission on July 20, 2016, at A-8918960.

4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice

and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918960 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/8/2017

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

### **Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Hazle Yellow Cab Company, Inc.; Docket No. C-2017-2632810**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Hazle Yellow Cab Company, Inc., (respondent) is under suspension effective October 29, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at RR 4 Box 4450, Hazleton, PA 18202-9716.

3. That respondent was issued a Certificate of Public Convenience by this Commission on June 01, 1987, at A-00114599.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00114599 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

#### VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/9/2017

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.



**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. PKB Transport, LLC; Docket No. C-2017-2634223**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to PKB Transport, LLC, (respondent) is under suspension effective November 01, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 152 North Hellertown Avenue, Quakertown, PA 18951.

3. That respondent was issued a Certificate of Public Convenience by this Commission on March 11, 2016, at A-8918559.

4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918559 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the

statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/21/2017

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of

insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

—

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. CLM Trucking, LLC; Docket No. C-2017-2634470**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to CLM Trucking, LLC, (respondent) is under suspension effective November 08, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 362 Tulley Drive, Bernville, PA 19506.

3. That respondent was issued a Certificate of Public Convenience by this Commission on January 11, 2013, at A-8915375.

4. That respondent has failed to maintain evidence of Liability insurance and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8915375 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in

this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11/21/2017

David W. Loucks, Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
P.O. Box 3265  
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 17-2104. Filed for public inspection December 15, 2017, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as a common carrier in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than January 2, 2018. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants.

**Doc. No. A-17-11-05. B&B Trans Co.** (224 South 53rd Street, Philadelphia, PA 19139): An application for a medallion taxicab certificate of public convenience (CPC) to transport persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-17-12-01. Ifza Transportation, Inc.** (4415 Sansom Street, Philadelphia, PA 19104): An application for a limousine CPC to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

CLARENA TOLSON,  
*Executive Director*

[Pa.B. Doc. No. 17-2105. Filed for public inspection December 15, 2017, 9:00 a.m.]