

NOTICES

DEPARTMENT OF AGRICULTURE

Pennsylvania Wine Marketing and Research Program Board; Grant Solicitation Announcement and Application Procedures; Correction

An error occurred in the notice published at 48 Pa.B. 1273 (March 3, 2018). The application deadline for a complete project proposal and grant application sent by mail is corrected as follows.

The Pennsylvania Wine Marketing and Research Program Board (Board) annually, or more frequently as the availability of fund permits, solicits applications for grants to conduct promotion, marketing and research projects to increase the quality, profitability, production and sale of wines, enhance the wine industry and benefit wine producers of this Commonwealth.

The Board was established by the Department of Agriculture (Department) under 3 Pa.C.S. §§ 4501—4513 (relating to Agricultural Commodities Marketing Act) (ACMA). Its composition, funding and duties were subsequently expanded by section 488.1 of the Liquor Code (47 P.S. § 4-488.1).

The Board makes awards of grants from its own funds generated by the methods set forth in the ACMA and makes recommendations for the awarding of grants by the Liquor Control Board from funds provided through the Liquor Code (47 P.S. §§ 1-101—10-1001).

This notice establishes the procedures by which grant applications will be solicited, reviewed and grants awarded.

1. *Grant Solicitation.* The Board will be accepting grant applications for the purposes, in the form and according to the schedule set forth herein for a period of not less than 30 days beginning on the date of publication of this notice in the *Pennsylvania Bulletin*. Additional publication and dissemination of this notice shall be made to applicants who have previously submitted grant applications to, or received grants from, the Board, State universities and State-supported universities located in this Commonwealth, universities with colleges of agricultural science located in this Commonwealth and individuals or entities who have requested notification from the Department or the Board of grant availability.

2. *Process Overview.* The Board will employ the review process described as follows to select projects: (a) to fund by making a grant from its ACMA funds; or (b) to recommend to the Liquor Control Board for the making of a grant.

a. In the event of an ACMA-funded grant, the terms and conditions of the grant will be governed by a grant agreement between the Board and the applicant which shall be tendered to the applicant for execution, returnable in no more than 30 days.

b. In the event of a recommendation to the Liquor Control Board to make and fund a grant, the decision as to whether to award a grant will be made by the Liquor Control Board. If the Liquor Control Board approves the grant recommendation, the terms and conditions of the grant will be governed by a grant agreement between the Liquor Control Board and the applicant, which shall be tendered to the applicant for execution by the Board on behalf of the Liquor Control Board, returnable in no more than 30 days.

3. *Application Deadline.* Interested applicants must deliver a complete project proposal and grant application to the Board by 4 p.m. on Friday, April 20, 2018, if hand-delivered, or sent by mail postmarked on or before the same date and received by Monday, April 30, 2018. Applications should be addressed and delivered to the Department of Agriculture, Bureau of Market Development, ATTN: Agricultural Commodity Board Grant Program, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

a. Applicants are expected to provide a brief presentation of their proposals to the Board at its scheduled meeting on Tuesday, May 8, 2018, beginning at 10 a.m. in Room 309, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110-9408. In-person attendance of applicants is not required and a conference call-in number will be provided to those who wish to participate by phone. It is important that applicants prominently include their e-mail and phone contact information in their applications.

4. *Format of the Project Proposal and Grant Application.* The project proposal and grant application shall be formatted as follows:

a. A cover page, titled Pennsylvania Wine Marketing and Research Program—Project Proposal and Grant Application, providing: the title of the proposed project; the name and address of the applicant; the name, address, telephone number and e-mail address of the applicant's principal contact person for matters relating to the application; and the total maximum grant amount sought for the proposed project or program.

b. Section 1, titled Statement of Purpose, explaining or presenting: the purpose for which the grant funds would be utilized; details of the proposed project, including a statement of expected impact of outcomes, staffing for the project, and objectives and methodologies; and whether, how and to what anticipated extent the proposed promotion, marketing or research project increases the quality, profitability, production and sale of wines, enhances the wine industry and benefits wine producers of this Commonwealth.

c. Section 2, titled Statement of Need, explaining the need for the grant funds sought, and identifying the presence of any additional funding partners and the extent of that funding.

d. Section 3, titled Budget, presenting a detailed budget for the proposed project or program, including an itemized breakdown of: all personnel by name devoted to the project, their professional qualifications, the amount of time calculated by hours and the tasks to be performed by each of the named personnel; each and every item of direct expense to be incurred in the project separately set forth, including all purchases of consumable or non-consumable goods or equipment, listing the disposition of all nonconsumable goods or equipment upon completion of the project; all travel by dates, purpose, destination, mode of transportation and rate; a full breakdown of other costs, if any, and the method used to calculate those costs. See also paragraph 10.

e. Section 4, titled Criteria for Measuring Outcomes, identifying methods for measuring outcomes.

f. Section 5, titled Industry Involvement, describing the extent of any support, participation and funding from this

Commonwealth's wine industry, including any written confirmation of that support, participation or funding.

5. *Scoring of Applications.* The Board will evaluate each complete and timely-filed project proposal and grant application it receives, which shall include a 100-point scale assessing:

- a. Up to 20 points for the project needs statement.
- b. Up to 20 points for the expected impact of project outcomes.
- c. Up to 20 points for the promotion, marketing or research methodology.
- d. Up to 20 points for overall project evaluation.
- e. Up to 20 points for support and participation from industry.

6. *Scores.* Upon completion of evaluations, the Board will prepare a record identifying each complete and timely-filed project proposal and grant application received and the numerical score assigned to each. In the event of an ACMA-funded grant, the Board will award grants based upon its evaluation and scoring. In the event of one or more recommendations to the Liquor Control Board to make and fund a grant, the Board will transmit to the Liquor Control Board the project proposal and grant application, along with the score assigned to it by the Board and any other information deemed relevant by the Board or requested by the Liquor Control Board. Request will be made by the Board that the Liquor Control Board respond to all recommendations for grant approval within 30 days.

7. *Term of Grants.* Applications should be submitted for projects to begin after July 1, 2018, on a date within Fiscal Year 2018-2019 (July 1, 2018—June 30, 2019). Anticipated completion dates will be dictated by the project scope and parameters and may exceed 12 months from commencement if the project so warrants. The

Board may award, or recommend that the Liquor Control Board approve, grant funding for multiyear projects or extensions of an on-going project, if the Board identifies that a multiyear term or an extension advances the grant's objectives. Requests for extensions of ongoing projects shall be made, evaluated and processed in accordance with all the requirements of this notice.

8. *Notice of Award.* Applicants shall be notified by mail of the decision on their grant applications by the Board. Best efforts will be made to do so within 60 days of the application deadline.

9. *Grant Agreement.* With the mailed grant award notice, the Board will provide applicants with a grant agreement for execution and return within 30 days. The Board will obtain the required signature on the grant agreements, including the Liquor Control Board, if necessary, and any other required Commonwealth entities, and return a copy to the applicant. No grant agreement is effective and work should not begin until all required signatures have been applied to the grant agreement. Among the terms of the grant agreement shall be a requirement that the grant recipient provide the Board full and complete access to all records relating to the performance of the project and submit information as the Board may require.

10. *Nonmatching Cost-Reimbursement Grant and Indirect Costs Cap.* Grants made hereunder do not require the applicant secure or devote a matching sum to the project. Payment of grant funds will occur on a reimbursement basis only. No grant award will include an allowance for indirect costs, if any, in excess of 10%.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 18-452. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending March 13, 2018.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
3-8-2018	Steven B. Atlass and the Atlass Family Trust Haverford Montgomery County Application for approval to acquire more than 5% of the common stock of Hyperion Bank, Philadelphia.	Withdrawn

Branch Applications**De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
2-26-2018	First Priority Bank Malvern Chester County	237 East Gay Street West Chester Chester County	Opened
3-8-2018	ESSA Bank & Trust Stroudsburg Monroe County	600 West Hamilton Street Allentown Lehigh County	Filed
3-8-2018	Northwest Bank Warren Warren County	1228-1242 Jefferson Road Buffalo Erie County, NY	Filed
3-12-2018	Somerset Trust Company Somerset Somerset County	915 Mills Drive North Huntingdon Westmoreland County	Filed
3-13-2018	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	176 West Street Road Feasterville-Trevose Bucks County	Filed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
3-12-2018	Sharon Savings Bank Darby Delaware County	Filed

Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety to change their corporate title to "Sharon Bank."

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

ROBIN L. WIESSMANN,
Secretary

[Pa.B. Doc. No. 18-453. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Execution of First Amendment to Oil and Gas Lease for Publicly-Owned Streambeds

Effective September 22, 2017, a First Amendment to Oil and Gas Lease for Publicly-Owned Streambeds, Contract No. M-2102032-04, was executed by and between the Commonwealth, acting through the Department of Conservation and Natural Resources (Department) (lessor), and EQT Production Company (lessee), with its principal place of business located at 625 Liberty Avenue, Pittsburgh, PA 15222.

The lease is for Streambed Tract 2032 on the Monongahela River encompassing a total of 945 acres of submerged lands located in Carroll, Monongahela, Union, Luzerne, Forward, Jefferson, Rices Landing, Jefferson Hills, Elizabeth, West Elizabeth, Monessen and Fal-lowfield Townships, Greene, Fayette, Washington, Westmoreland and Allegheny Counties. The lease was recorded at the Allegheny County courthouse on November 21, 2017, document No. 2017-36440, Bk-DE VI-17022 Page

250; the Fayette County courthouse on February 20, 2018, instrument No. 201800001873, Book 3364, Page 2381; the Greene County courthouse on January 10, 2018, instrument No. 201800000206, Book 510 Page 1018; the Westmoreland County courthouse on January 03, 2018, instrument No. 201801030000228; and the Washington County courthouse on December 4, 2017, instrument No. 201731696. The lease allows for the development of oil and natural gas below and between the ordinary low water marks of the Monongahela River solely by means of directional, including horizontal, drilling on a nondevelopment basis that will not disturb the river or its bed. Contract No. M-2102032-04 may be viewed online at http://contracts.patreasury.gov/Admin/Upload/432781_First%20Amendment%20Tract%202032%20M-2102032-04%20-%20EQT%20Monongahela.pdf.

Questions regarding this lease should be directed to the Department's Bureau of Forestry, Minerals Division, (717) 787-2703.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 18-454. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges regarding industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFO). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Waste; Discharge into Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 Individual Permits and Individual Stormwater Construction Permits in Sections IV and VI, the Department, based upon preliminary reviews, has made tentative determinations of proposed effluent limitations and other terms and conditions for the permit applications. In accordance with 25 Pa. Code § 92a.32(d), the proposed discharge of stormwater associated with construction activities will be managed in accordance with the requirements of 25 Pa. Code Chapter 102. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the United States Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on NPDES applications are invited to submit statements to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on WQM permit applications are invited to submit statements to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for public hearings on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications.

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS322201 (Storm Water)	Crayola LLC Church Lane Plant 1100 Church Lane PO Box 431 Easton, PA 18040-6638	Northampton County Forks Township	Bushkill Creek (1-F)	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PAS322204 (Storm Water)	Crayola LLC Bethlehem Plant 1100 Church Lane Easton, PA 18040-6638	Northampton County Bethlehem Township	Unnamed Tributary to Monocacy Creek (2-C)	Yes
<i>Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0009440—IW	PA American Water—Silver Spring Water Treatment Plant 852 Wesley Drive Mechanicsburg, PA 17055	Cumberland County/ Silver Spring Township	7B—Conodoguinet Creek	Y
PA0087483—IW	Elizabethtown Area Water Authority 211 West Hummelstown Street Elizabethtown, PA 17022	Lebanon County/ Cornwall Borough and West Cornwall Township	7G—Chickies Creek	Y
PA0248045—SEW	Jason Sauder 88 Oak Tree Road Manheim, PA 17545	Lancaster County/ Rapho Township	7G—UNT Rife Run	Y
PA0246590—SEW	Dennis and Janice McClure 3469 McAlevys Fort Road Petersburg, PA 16669	Huntingdon County/ Jackson Township	11B—Crooked—Standing Stone Creeks	Y
PA0081361—SEW	Memphord Estates Sewerage Co., Inc. PO Box 421 148 S Baltimore Street Dillsburg, PA 17019-1007	York County/ Monaghan Township	7E—Stony Run	Y
PA0029572—SEW	Paramount Senior Living at Fayetteville, LLC 933 Grindstone Road Greencastle, PA 17225	Adams County/ Franklin Township	13C—Clear Run	Y
PA0262129—SEW	Gerald & Cheryl Mishler 1040 Manada Bottom Road Harrisburg, PA 17112	Dauphin County/ East Hanover Township	7E—Manada Creek	Y
PA0262145—SEW	Jeffrey M. Pierson 367 Sherwood Drive Carlisle, PA 17015	Cumberland County/ Middlesex Township	7B—Conodoguinet Creek	Y
PA0248215—SEW	Shane V. Keefer (Lot # 4) 90 E. Main St. Walnut Bottom, PA 17266	Cumberland County/ Upper Frankford Township	7B—UNT Conodoguinet Creek	Y
PA0261815—SEW	Jeremy & Elizabeth Brocious 6418 Schoolhouse Road Hershey, PA 17033	Dauphin County/ Conewago Township	7G—Hoffer Creek	Y
PA0261947—SEW	Kelly A. Horlacher 147 Sieger Road Kutztown, PA 19530	Berks County/ Richmond Township	3B—UNT Maiden Creek	Y
PA0031631—SEW	Twin Valley School District 4851 N. Twin Valley Road Elverson, PA 19520-9340	Berks County/ Caernarvon Township	7J—East Branch Conestoga River	Y
PA0084646—SEW	Southern Fulton School District 3072 Great Grove Road Suite 100 Warfordsburg, PA 17267	Fulton County/ Bethel Township	13B—UNT White Oak Run	Y
PA0247928—SEW	Hopewell Township 415 Three Square Hollow Road Newburg, PA 17240	Cumberland County/ Hopewell Township	7B—UNT Peebles Creek	Y
PA0260797—SEW	Clappertown CMA Church 3229 Piney Creek Road Williamsburg, PA 16693	Blair County/ Huston Township	11A—UNT Piney Creek	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0080608—SEW	Fellowship of Bible Churches, Inc.—Camp Tohiglo 10670 Fort Loudon Road Mercersburg, PA 17236	Franklin County/ Montgomery Township	12B—Licking Creek	Y

Northcentral Regional Office: Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0113107 (Sewage)	Columbia County Briar Creek Park 11 W Main Street Bloomsburg, PA 17815-1702	Columbia County Briar Creek Township	East Branch Briar Creek (5-D)	Yes
PA0218839 (Sewage)	Cherry Tree Wastewater Treatment Plant 602 Kolter Drive Indiana, PA 15701-3570	Clearfield County Burnside Township	West Branch Susquehanna River (8-B)	No

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0103373 (Sewage)	Foxburg STP PO Box 2 Foxburg, PA 16036-0002	Clarion County Foxburg Borough	Allegheny River (17-C)	Yes

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Non-Waived Permit Applications.

Southeast Regional Office: Regional Water Management Program Manager, 2 E Main Street, Norristown, PA 19401, Telephone: 484.250.5970.

PA0054909, Industrial Waste, SIC Code 4941, **North Penn and North Wales Water Authorities d/b/a Forest Park Water**, PO Box 317, Chalfont, PA 18914-0317. Facility Name: North Penn North Wales Diversion. This existing facility is located in Plumstead Township, **Bucks County**.

Description of Existing Activity: The diversion of untreated Delaware River water to the North Branch Neshaminy Creek, via the Bradshaw Reservoir.

The receiving stream(s), North Branch Neshaminy Creek, is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The nearest downstream water supply is for North Penn and North Wales Water Authorities is located on North Branch Neshaminy Creek.

The proposed effluent limits for Outfall 001 are based on a design flow of 26 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen Aug 1 - Feb 15	XXX	XXX	4.0 Inst Min	5.0	XXX	XXX
Dissolved Oxygen Feb 16 - Jul 31	XXX	XXX	5.0 Inst Min	6.0	XXX	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	Report
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Orthophosphate	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

1. No Chemical Additives without Prior Approval
2. Dissolved Oxygen Requirements
3. Continuous Monitoring/Alternative Monitoring Requirements
4. Aquatic Biology Assessment

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southcentral Regional Office: Maria Bebenek, PE, Southcentral Regional Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Telephone: 717.705.4800.

PA0266655, Sewage, SIC Code 8811, **Harris Daniel N & Harris Ida F**, 5178 Cortland Road, New Paris, PA 15554. Facility Name: Harris Residence. This proposed facility is located in Lincoln Township, **Bedford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP Sewage.

The receiving stream(s), Georges Creek, is located in State Water Plan watershed 11-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448, Telephone: 570.327.3636.

PA0024759, Sewage, SIC Code 4952, **Curwensville Municipal Authority**, 314 South Street, Curwensville, PA 16833-1237. Facility Name: Curwensville Municipal Authority Wastewater Treatment Plant. This existing facility is located in Curwensville Borough, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Sewage.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.75 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	155	250	XXX	25.0	40.0	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	185	280	XXX	30.0	45.0	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)						
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)						
Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly</i>	<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)						
Effluent Net	XXX	13,698 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)						
Effluent Net	XXX	1,826 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3636.

The EPA Waiver is not in effect.

Application No. PA0234087 A-1, Concentrated Animal Feeding Operation (CAFO), **Philip D. Courter (Courter's Finisher Farm)**, 6527 Jacksonville Road, Mill Hall, PA 17751-8876.

Courter Philip has submitted an application for an Individual NPDES permit for an amendment of a CAFO known as Courters Finisher Farm, located in Porter Township, **Clinton County**.

The CAFO is situated near Cedar Run in Watershed 9-C, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,070.86 animal equivalent units (AEUs) consisting of 7,000 swine, 15 heifers, 10 beef cows, 10 beef calves, 6 doe goats, 12 kid goats, and 6 layer hens. Manure is collected through slotted floors and stored in the underbarn manure storages. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone: 412.442.4000.

PA0255297, Industrial, SIC Code 4911, **APV Renaissance Partners Opco LLC**, 232 Chestnut Avenue, Bernardsville, NJ 07924. Facility Name: APV Renaissance Partners/Renaissance Energy Center. This proposed facility is located in Monongahela Township, **Greene County**.

Description of Proposed Activity: The application is for a new NPDES permit for new discharges of treated sanitary wastewater, treated industrial wastes, and treated and untreated storm water.

The receiving stream, the Monongahela River, is located in State Water Plan watershed 19-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.748 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	110	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX
Thallium, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 0.011 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	100.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX

The proposed effluent limits for Internal Monitoring Point 201 are based on a design flow of 0.0015 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	Instant. Maximum
Flow (MGD)	0.0015	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Internal Monitoring Point 301 are based on a design flow of 1.718 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Free Available Chlorine	XXX	XXX	XXX	0.2	XXX	0.5
Chromium, Total	XXX	XXX	XXX	0.2	0.2	XXX
Zinc, Total	XXX	XXX	XXX	1.0	1.0	XXX

The proposed effluent limits for Internal Monitoring Point 401 are based on a design flow of 0.014 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Internal Monitoring Point 501 are based on a design flow of 0.002 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX

In addition, the permit contains the following major special conditions: requirements applicable to 1) storm water outfalls associated with industrial activities; 2) chemical additives; 3) post-startup effluent analyses; and 4) the existing cooling water intake structure pursuant to Section 316(b) of the Clean Water Act.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 4618401, Sewage, **Green Lane-Marlborough Joint Authority**, P.O. Box 45, Green Lane, PA 18054.

This proposed facility is located in Green Lane Borough, **Montgomery County**.

Description of Action/Activity: Influent splitter box and influent ultra-violet disinfection upgrades.

Southwest Regional Office: Regional Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

WQM Permit No. 6304201 A-1, Industrial, **US ACOE Pittsburgh District**, 1000 Liberty Avenue, Pittsburgh, PA 15222-4186.

This existing facility is located in Charleroi Borough, **Washington County**.

Description of Proposed Action/Activity: The installation of an automatic passive pH neutralization system consisting of a French drain and limestone contact vault for groundwater seep treatment.

WQM Permit No. 6518402, Sewage, **New Kensington City Municipal Sanitary Authority**, 120 Logans Ferry Road, New Kensington, PA 15068.

This proposed facility is located in New Kensington City, **Westmoreland County**.

Description of Proposed Action/Activity: Combined sewer overflow consolidation project.

WQM Permit No. 3281205 A-17, Industrial, **Homer City Generation LP**, 1750 Power Plant Road, Homer City, PA 15748.

This existing facility is located in Center Township, **Indiana County**.

Description of Proposed Action/Activity: Addition of a pH adjustment system to the industrial wastewater treatment plant.

WQM Permit No. 3218200, Industrial, **Homer City Generation LP**, 1750 Power Plant Road, Homer City, PA 15748-8009.

This proposed facility is located in Cherryhill Township, **Indiana County**.

Description of Proposed Action/Activity: Operation of an existing acid mine drainage treatment system for Dixon Run Mine No. 3.

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6217414, Sewage, **Corissa Williams**, 1267 Howard Road, Russell, PA 16345.

This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: Single Residence Sewage Treatment Plant.

IV. NPDES Applications for Stormwater Discharges from MS4.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

PAI132272, MS4, **Hamilton Township Monroe County**, PO Box 285, Sciota, PA 18354-0285. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Hamilton Township, **Monroe County**. The receiving stream(s), Unnamed Tributary to Appenzell Creek, Pocono Creek, Unnamed Tributary to McMichael Creek, Kettle Creek, Cherry Creek, McMichael Creek, and Lake Creek, is located in State Water Plan watershed 1-E and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities.

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Carbon County Conservation District, 5664 Interchange Road, Lehighton, PA 18235.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD130011	Bowmanstown Borough 490 Orc St PO Box 127 Bowmanstown, PA 18030	Carbon	Bowmanstown Borough	Fireline Creek (HQ-CWF, MF)

Lehigh County Conservation District, 4184 Dorney Park Road, Suite 105, Allentown, PA 18401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD390064	Brookshire Partners, LP 409 Stenton Ave Flourtown, PA 19031	Lehigh Berks	Upper Milford Twp Hereford Twp	Perkiomen Creek (HQ-CEF, MF) EV Wetlands

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450052	Kalahari Resorts, LLC 1305 Kalahari Dr PO Box 590	Monroe	Tobyhanna Twp Pocono Twp	Swiftwater Creek (EV) UNT to Swiftwater Creek (EV) Indian Run (EV) UNT to Indian Run (EV)

Wayne Conservation District, 925 Court Street, Honesdale, PA 18431.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD640011	CRVC Realty LLC 328 Wanoka Rd Honesdale, PA 18431	Wayne	Cherry Ridge Twp Texas Twp	UNT to Lackawaxen River (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD140028	KOA Bellefonte/State College 2481 Jacksonville Road Bellefonte, PA 16823	Centre	Marion Twp	UNT-Nittany Creek HQ-CWF

Tioga County Conservation District: 50 Plaza Lane, Wellsboro, PA 16901, (570) 724-1801, X 3.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAD590005	DB Adventures, LLC John Deere Ln Gaines, PA 16922	Tioga	Gaines Twp	Pine Creek EV, MF

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

Permit No.	Applicant & Address	County	Municipality	Stream Name
PAD0200112	Ms. Colleen Loreda 5720 East Schaaf Road Independence, OH 44131	Allegheny County	Neville Township	Ohio River (WWF)
PAD650013	Laurel Highland Total Communications, Inc. P.O. Box 168 Stahlstown, PA 15687	Westmoreland County	Donegal Township	UNT to Indian Creek (HQ-CWF)
PAI050215002	Joseph A. Ciccone Pittsburgh Field Club 121 Field Club Road Pittsburgh, PA 15238	Allegheny County	Fox Chapel Borough	Squaw Run (HQ-WWF)

VII. List of NOIs for NPDES and/or Other General Permit Types.

PAG-12 CAFOs

CAFO Notices of Intent Received.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

NPDES Permit No. PA0088889, CAFO, **Graywood Farms LLC**, 225 Mason Dixon Road, Peach Bottom, PA 17563-9406.

This existing facility is located in Fulton Township, **Lancaster County**.

Description of size and scope of existing operation/activity: Dairy (Cows, Heifers, Calves): 1,828.06 AEUs.

The receiving stream, Unnamed Tributary to Conowingo Creek, is in watershed 7-K and classified for: High Quality—Cold Water, High Quality Waters—Cold Water Fishes, and Migratory Fish.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG123754, CAFO, **Mountain View Swine Farms**, 411 Chestnut Hill Road, York, PA 17402-9559.

This existing facility is located in Bethel Township, **Berks County**.

Description of size and scope of existing operation/activity: Swine (Grow—Finish): 2,125.41 AEUs.

The receiving stream, Unnamed Tributary to Little Swatara Creek, is in watershed 7-D and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PAG124830, CAFO, **Zimmerman Dennis**, 55 Zimmerman Lane, Beaver Springs, PA 17812-9370.

This existing facility is located in Spring Township, **Snyder County**.

Description of size and scope of existing operation/activity: The facility is comprised of approximately 9,000 ducks. There is a total of 15.28 AEUs.

The receiving stream, Unnamed Tributary to Middle Creek, is in watershed 6-A and classified for: Cold Water Fishes and Migratory Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 100-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

NPDES Permit No. PAG124844, CAFO, **John Pfleeger**, 460 Gold Road, Muncy, PA 17756-5748.

This existing facility is located in Lewis Township, **Northumberland County**.

Description of size and scope of existing operation/activity: This operation includes three hog barns holding up to 4,400 hogs and a bank barn holding up to 30 beef steers for a total of 682.41 AEUs. The farm consists of 375 owned or rented acres of crop production.

The receiving stream, Unnamed Tributary of Warrior Run, is in watershed 10-D and classified for: Migratory Fishes and Warm Water Fishes.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a non-discharge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

MS4 PAG-13 Notices of Intent Received.

Southwest Region: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Waiver Application Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAG136215	Fawn Township 3054 Howes Run Road Tarentum, PA 15084-3633	Fawn Township, Allegheny County	Y	N
PAG136356	Beaver County 810 Third Street Beaver, PA 15009	Beaver County	Y	N
PAG136362	Franklin Borough 1125 Main Street Johnstown, PA 15909	Franklin Borough, Cambria County	Y	N

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should

include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>New or Renewal</i>
Ken Loht 199 Road Apple Drive McClure, PA 17841	Mifflin	0	474	Finisher Swine	NA	renewal
Brechland Farms, LP 3387 Mont Alto Road Fayetteville, PA 17222	Franklin	728.5	1,404.3	Dairy	NA	Renewal

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Bortnick Dairy LLC 21820 Palmer Road Conneautville, PA 16406	Crawford	3,570	2,605	Dairy	NA	R
Sperry Farms, Inc. 11549 Sperry Road Atlantic, PA 16111	Crawford	413.1	4,285.58	Poultry	NA	R

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the

30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Safe Drinking Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 2318501, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010
Township	Middletown
County	Delaware
Responsible Official	Curt R. Steffy Vice President-Production
Type of Facility	PWS
Consulting Engineer	Jason R. Marie, P.E. Mott McDonald The Public Ledger Building Suite-1040 150 South Independence Mall West Philadelphia, PA 19106

Application Received Date February 14, 2018
 Description of Action Addition of chlorine dioxide at the Ridley Water Treatment Plant.

Permit No. 1518504, Public Water Supply.

Applicant **Atglen Borough**
 P.O. Box 250
 Atglen, PA 19310
 Township Atglen
 County **Chester**
 Responsible Official Caren Andrews-Manager
 P.O. Box 250
 Atglen, PA 19310
 Type of Facility PWS
 Consulting Engineer Mark L. Homan, P.E.
 Becker Engineers, LLC
 115 Millersville Road
 Lancaster, PA 17603

Application Received Date February 8, 2018
 Description of Action Addition of nitrate treatment at Well No. 4.

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 4318501, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
 Township or Borough City of Sharon
 County **Mercer**
 Responsible Official Patrick Burke, P.E.
 204 East Sunbury Street
 Shamokin, PA 17872
 Type of Facility Public Water Supply
 Consulting Engineer Robert Horvat, Jr., P.E.
 Entech Engineering, Inc.
 400 Rouser Road
 Building 2, Suite 200
 Coraopolis, PA 15108

Application Received Date March 2, 2018
 Description of Action Relocation of final chlorination point at SVWTP to facilitate chlorine monitoring and chloramine production. Part of this project is the substitution of NaMnO₄ for KMnO₄ as a preoxidant and the relocation of the ClO₂ feed to the top of the filter beds.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WA 24-1001, Water Allocations. **Johnsonburg Municipal Authority**, 434 Center Street, Johnsonburg, PA

15845, Johnsonburg Borough, **Elk County**. Water Allocation Permit application requesting the right to withdraw 1.50 MGD from the East Branch of the Clarion River.

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

WA 12-373C, Water Allocations. **Emporium Water Company**, 174 Nickler Road, Emporium, PA 15834, Porter Township, **Cameron County**. Application for renewal of previous water allocation permit WA 12-373B. No increase from the current allocated amount 425,000 gallons per day (gpd) is being requested.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.302—6026.305) require the Department to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. A person intending to use the background standard, Statewide health standard, the site-specific standard or intend to remediate a site as a special industrial area shall file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of cleanup standards or receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the following site, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified as follows. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office listed before the notice. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Vitali Property, 14025 Upper Maple Drive, Newton Township, **Lackawanna County**. SCE Environmental Group, 1380 Mount Cobb Road, Lake Ariel, PA 18436, on behalf of Catherine Vitali, 14025 Upper Maple Drive, Clarks Summit, PA 18411, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated as the result of a release of heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Scranton Times* on February 23, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

CVS Store # 11040, 131 East Main Street, Hummelstown, PA 17036, Hummelstown Borough, **Dauphin County**. ECS Mid-Atlantic LLC, 56 Grumbacher Road, Suite D, York, PA 17406, on behalf of PA CVS Pharmacy LLC c/o J.C. Bar Development LLC, 224 St. Charles Way, Suite 290, York, PA 17402, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with No. 2 fuel oil. The site will be remediated to the Site-Specific Standard. Future use of the site is to be developed into a CVS Pharmacy. The Notice of Intent to Remediate was published in *The Sun* on March 1, 2018.

Halifax Village MHP, 65 South Elmer Avenue, Halifax, PA 17032, Halifax Township, **Dauphin County**. Liberty Environmental, Inc., 480 New Holland Avenue, Suite 8203, Lancaster, PA 17602, on behalf of Halifax Village LLC, P.O. Box 375, Gap, PA 17527, submitted a Notice of Intent to Remediate site soil contaminated with No. 2 fuel oil. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is to be used for residential purposes. The Notice of Intent to Remediate was published in *The Patriot News* on February 13, 2018.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Former Dry Cleaning Operation, 1151 West 38th Street, City of Erie, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Park Plaza Partnership, 2540 Village Common Drive, Erie, PA 16506 submitted a Notice of Intent to Remediate. The site historically operated as a dry cleaning business. Site soil and site groundwater have been impacted by volatile organic compounds, specifically, trichloroethene and tetrachloroethene. The remediation standard will be Site-Specific. Future use of the site will be non-residential. The Notice of Intent to Remediate was published in the *Erie-Times News* on February 28, 2018.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17101-2301.

General Permit No. WMGR081D039. Wade Material Recoveries International, Inc., 382 Jackson Rd, Atco, NJ 08004-1604. An application for coverage under general permit WMGR0081, authorizing the processing and beneficial use of uncontaminated and source separated electronics equipment and components by sorting, disassembling or mechanical processing (sizing, shaping, separating and volume reduction only) at 5250 Unruh Avenue, **Philadelphia County**, was deemed administratively complete by the Department on March 6, 2018.

Persons interested in obtaining more information about the general permit application may contact Kevin Beer, Environmental Group Manager, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, 717-787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

General Permit Application No. WMGR028SC007J. New Enterprise Stone & Lime Company, Inc. (NESL) has submitted an application for a Determination of Applicability under General Permit No. WMGR028. The application is for NESL's Leesport Blacktop Plant, 167 New Enterprise Drive, Leesport, PA 19533 in Ontelaunee Township, **Berks County**. This general permit authorizes the beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants, for use as (i) an aggregate in roadway construction, (ii) a soil additive, (iii) a soil conditioner, or (iv) a component or ingredient in the manufacturing of construction products. The application was determined to be complete on February 13, 2018.

Persons interested in obtaining more information about the general permit application may contact Mr. John Oren, P.E., Permits Section Chief, Southcentral Regional Office, Waste Management Program at 717-705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to

make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities.

Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

62-032N: Ellwood National Forge—Irvine (One Front Street, Irvine, PA 16329), for the proposed reactivation of Furnace 388 (rated at 5.3 MMBtu/hr) as a new source that will burn natural gas instead of # 2 fuel oil. This furnace will be included in Source 111 [ENF Heat Treat Furnaces (13)]. The facility is located in Brokenstraw Township, **Warren County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

39-00004C: Mack Trucks, Inc. (700 Alburtis Road, Macungie, PA 18062) for their facility in Lower Macungie Township, **Lehigh County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) intends to issue a Plan Approval for Mack Trucks, Inc. (700 Alburtis Road, Macungie, PA 18062) for their facility in Lower Macungie Township, Lehigh County. This Plan Approval No. 39-00004C will be incorporated into a Title V Permit through an administrative amendment at a later date.

Plan Approval No. 39-00004C is for a production increase from 74 to 130 chassis per day on their "G" line Chassis spray booth and oven (Source ID 108, ID 109). The main emissions from these sources are VOCs. The project net VOC emission increase is 33.31 Tons/year. The new sources will be required to comply with 25 Pa. Code § 129.52 surface coating requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting

the comments, identification of the proposed permit No. 39-00004C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

58-00021A: Xpress Natural Gas, LLC, (160 State Street, Boston, MA 02109) for a Liquefied Natural Gas (LNG) processing and distribution facility located in Forest Lake Township, **Susquehanna County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) intends to issue a Plan Approval for Xpress Natural Gas, LLC, (160 State Street, Boston, MA 02109) for a Liquefied Natural Gas (LNG) processing and distribution facility located Forest Lake Township, Susquehanna County. This Plan Approval No. 58-00021A will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 58-00021A is for the installation and operation of two (2) 1,680 BHP compressor engines and one (1) natural gas fired emergency engine. The main emissions for the new sources are NO_x and CO. The new sources shall meet all applicable requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 58-00021A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Alan Binder, P.E., Environmental Engineer Manager—Telephone: 412-442-4168

63-00930A: Woodruff Partners, LLP—DBA Peaceful Pastures Pet Cemetery (2820 Washington Road, McMurray, PA 15317) for intent to issue a modified Air Quality plan approval to authorize the construction and temporary operation of one (1) additional animal crematory incinerator at its facility located in North Strabane Township, **Washington County**. The proposed crematory incinerator is a Matthews ("Matthews") International-Cremation Division IEB-26 natural gas-fired unit with a maximum cremation rate of 200 pounds per hour. One (1) Matthews IE43-PPII natural gas-fired animal crematory incinerator with maximum cremation rate of 150 pounds per hour is currently installed and operated at the facility.

With annual operation limited to 3,744 hours, annual potential to emit (PTE) from the proposed crematory incinerator will not exceed the following: 2.0 tons of carbon monoxide (CO); 0.6 ton each of nitrogen oxides (NO_x) and volatile organic compounds (VOC); 0.9 ton each of PM, PM₁₀, and PM_{2.5}; 0.50 ton sulfur oxides (SO_x); 0.2 ton of total hazardous air pollutants (HAP). Total annual PTE from the facility will not exceed the following: 3.5 tons of CO; 1.1 ton each of NO_x and VOC; 1.7 ton each of PM, PM₁₀, and PM_{2.5}; 0.9 ton SO_x; 0.4 ton of total HAPs. Best available technology (BAT) for the proposed crematory incinerator includes operation and maintenance in accordance with the manufacturer's specifications and instructions and using good air pollution control practices; and multi-chamber design with a minimum secondary chamber temperature of 1,800°F and residence time greater than 1 second. The proposed crematory incinerator is subject to applicable portions of 25 Pa. Code Chapters 121, 123, and 127, and the requirement to meet Best Available Technology (BAT) pursuant to 25 Pa. Code § 127.1. The proposed Plan Approval has been conditioned to ensure compliance with all applicable regulations and includes emissions limitations, limitations on hours of operation, and also includes work practice, monitoring, recordkeeping, and reporting requirements.

The plan approval application, the Department's Air Quality review memorandum, and the proposed Air Quality plan approval for the facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To schedule an appointment to review the referenced documents, a person may contact the Southwest Regional Office at 412-442-4000; or, to request an electronic copy of the Department's Air Quality review memorandum or an electronic copy of the Department's proposed Air Quality plan approval for the facility, a person may contact Devin P. Tomko via email at dtomko@pa.gov or via telephone at 412-442-5231.

A person may oppose the proposed Air Quality plan approval by filing a written protest with the Department or may submit written comments through Devin P. Tomko via the U.S. Postal Service to the Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; written comments may also be submitted via email to dtomko@pa.gov or via fax to 412-442-4194. Each set of written comments or protest must contain the name, address, and telephone number of the person submitting the comments or protest, identification of the proposed plan approval (63-00930A) and a

concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication. A protest to the proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.44 (relating to public notice).

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons who have properly filed a protest under 25 Pa. Code § 127.46 may appear and give testimony. The applicant, the protestant and other participants will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

65-00634A: Dominion Energy Transmission, Inc. (5000 Dominion Boulevard—2NE, Glen Allen, VA 23060) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (“Department”) intends to issue Air Quality Plan Approval: PA-65-00634A to Dominion Energy Transmission, Inc. (“DETI”) for installation of one Solar Titan 130-20502S natural gas-fired compressor turbine rated at 20,500 HP ISO conditions, controlled by an oxidation catalyst; one natural gas-fired emergency generator engine rated at 637 bhp; one natural gas-fired boiler rated at 6.384 MMBtu/hr; one pipeline fluids storage tank, 1,000 gallon capacity; one waste oil tank, 2,500 gallon capacity; and piping components in natural gas service at the JB Tonkin Compressor Station (“JB Tonkin CS”) located in Murrysville Borough, **Westmoreland County**.

Potential to emit (PTE) changes from installation of the new sources and emission and operational restrictions on currently authorized sources are calculated to be a decrease of 113.7 tons of nitrogen oxides (NO_x); and an increase of 30.9 tons of carbon monoxide (CO), 9.89 tons of volatile organic compounds (VOC), 2.59 tons of sulfur oxides (SO_x), 15.42 tons of particulate matter less than 10 microns in diameter (PM₁₀), 15.42 tons of particulate matter less than 2.5 microns in diameter (PM_{2.5}), 1.68 ton of total hazardous air pollutants (HAP), and 101,365 tons of carbon dioxide equivalents (CO₂e) per year.

This authorization is subject to State regulations including 25 Pa. Code Chapters 123—Standards for Contaminants; 127—Construction, Modification, Reactivation, and Operation of Sources; 135—Reporting of Sources; and 139—Sampling and Testing. This authorization is also subject to Federal New Source Performance Standards (“NSPS”) including 40 CFR Part 60 Subparts JJJJ, KKKK, and OOOOa; and Federal National Emission Standards for Hazardous Air Pollutants (“NESHAP”) including 40 CFR Part 63 Subpart ZZZZ. Other applicable Federal regulations include 40 CFR Part 98—Mandatory Greenhouse Gas Reporting.

Plan approval conditions include source specific emission limitations, operational restrictions, compliance testing and monitoring requirements, work practice standards, and associated recordkeeping and reporting requirements. The Department has determined that the proposed facility satisfies Best Available Technology (“BAT”) requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a Title V Operating Permit (“TVOP”) application in accordance with 25 Pa. Code Subchapters F and G.

DETI’s Plan Approval application, the Department’s Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department’s Air Quality Review Memorandum, or to receive an electronic copy of the Department’s proposed Air Quality Plan Approval for this project, a person may contact Alan Binder at abinder@pa.gov or 412.442.4168.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Alan Binder via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to abinder@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00634A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing in writing or by publication in the newspaper and the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

37-331C: RWE Holding Company (P.O. Box 311, Portersville, PA 16051), The Department intends to issue a plan approval to RWE Holding Company for authorization to construct and initially operate an additional material drying process, two additional crushers, and two additional screeners at their existing Rundle Road Facility. RWE Holding Company’s Rundle Road Facility is located in Taylor Township, **Lawrence County** at 535 Rundle Road (16101—New Castle).

This application was reviewed to evaluate the project’s incorporation of Best Available Technology. The sources’ emission rates of PM will be limited to the minimum achievable through BAT. Emissions from the proposed sources will be controlled through efficient filtration technology. Particulate matter emissions will be restricted to a maximum rate 0.02 gr/dscf. A 2,500 cfm bag house and a 1,440 cfm bag house will be installed with the sources. One of the control devices will be vented indoors.

Public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

In accordance with 25 Pa. Code § 127.44(e)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also avail-

able for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(e)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [37-331C: RWE Holding Company] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to the New Source Review Section Chief, 230 Chestnut St., Meadville, PA 16335; Phone (814) 332-6328.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

49-00020: Truck Accessories Group LLC d/b/a TAG East (3560 Housels Run Road, Milton, PA 17847) a Title V operating permit renewal for their Milton facility located in Milton Borough, **Northumberland County**. In accordance with 25 Pa. Code § 127.521, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the abovementioned facility. The subject facility has the following potential emissions: 8.98 TPY of CO; 9.02 TPY of NO_x; 0.05 TPY of SO_x; 1.95 TPY of PM/PM₁₀; 183.65 TPY of VOC; 92.54 TPY of total HAPs and 10,672 TPY of CO₂e. The facility's sources include forty-three (43) natural gas-fired space heaters, one (1) propane-fired emergency generator, a fiberglass reinforced plastic molding and assembly operation, a truck cap and Tonneau Cover assembly and finishing area, aluminum truck cap assembly and finishing area and three (3) solvent recovery units. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the National Emission Standards for Hazardous Air Pollutants for Surface Coating of Plastic Parts and Products, 40 CFR 63.4480—63.4581; National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production, 40 CFR 63.4480—63.4581 and the National

Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR 63.6580—63.6675. The proposed Title V operating permit contains all applicable Federal and State regulatory requirements including monitoring, recordkeeping, and reporting conditions. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, 64, 68, 72, 73, 74, 75, 76, 96, 97, 98 and 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00007: Holy Redeemer Hospital & Medical Center (1648 Huntingdon Pike, Meadowbrook, PA 19047) for renewal of a non-Title V, State Only, Synthetic Minor Operating Permit in Abington Township, **Montgomery County**. Plan Approval 46-0007 has been incorporated into the permit. The permit contains monitoring and recordkeeping requirements to address applicable limitations.

15-00051: Allan A. Myers, L.P. d/b/a Allan Myers Materials, Devault Asphalt Plant (Rte. 29, (Devault) Charlestown Twp., PA 19432) for a non-Title V, State Only, Synthetic Minor operating permit in Charlestown Township, **Chester County**. This action is a renewal of the State Only Operating Permit. The permit was initially issued on 8-26-2008 and was subsequently renewed on 9/27/2013. The Devault Asphalt Plant consists of counter-flow drum mix asphalt plant with a rated capacity of 450 tons per hour (tph) and an aggregate drum dryer/burner that uses natural gas as the primary fuel and No. 2 fuel oil as the backup fuel. The plant utilizes a combination baghouse/cyclone for control of particulate matter emissions. The plant also has a recycled asphalt pavement (RAP) crusher with a rated at 250 tph. The renewed permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-00095: Longwood Gardens (410 Street Rd., Kennett Square, PA 19348), for a non-Title V, State-Only, Synthetic Minor Operating Permit in East Marlborough Township, **Chester County**. This action is for the third renewal of the State Only Operating Permit. The permit was initially issued on 5-21-2003 and was subsequently renewed on 8-26-2008 and on 6-27-2013. Longwood Gardens is a non-profit business activity focused on horticulture. The primary emission sources include three (3) dual fuel-fired (natural gas and No. 6 fuel oil) backup boilers that are used to heat the greenhouses in the cool months of the year, four (4) emergency generators that are used in the event of a power interruption and two 2,250-kW standby (backup) generators. The renewed permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

15-00009: AGC Chemicals Americas, Inc. (255 S. Bailey Road, Downingtown, PA 19335), located in Caln Township, **Chester County**. The renewal incorporates the conditions of Plan Approval 15-0009C and 15-0009D for the two fluid bed dryers. The facility is custom manufacturer using fine powders such as PTFE. The facility wide VOC emission limit is 15 TPY on a 12-month rolling sum. The permit includes monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.

39-00056: Lehigh County Authority Wastewater Treatment Plant (7676 Industrial Blvd., Allentown, PA 18106) intends to issue a State-Only (Natural Minor) Operating Permit renewal for operation of their wastewater treatment plant located in Upper Macungie Township, **Lehigh County**. The sources include the facility headworks and solids processing building controlled by four (4) scrubbers. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00106: Wyman Gordon PA, LLC (701 Crestwood Road, Mountaintop, PA 18707-2143) intends to issue a State-Only (Natural Minor) Operating Permit renewal for operation of their aircraft engine parts manufacturing operation located in Wright Township, **Luzerne County**. The sources include a splitter saw controlled by a dust collector and an emergency engine. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00072: Hamilton 9999 Associates, L.P. (9999 Hamilton Boulevard, Suite 010, Breinigsville, PA 18031). The Department intends to issue a renewal State-Only Synthetic Minor Permit for their facility located in Upper Macungie Township, **Lehigh County**. The main sources at this facility are Boilers. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00084: Lacey Memorial, Inc. (1000 South Church Street Rear, Hazelton, PA 18201). The Department intends to issue a renewal State-Only Natural Minor Permit for Lacey Memorial, Inc. located in the City of Hazelton, **Luzerne County**. The main source at this facility is an incinerator. The control device is an after-burner. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

66-00007: Airport Sand & Gravel Co., Inc. (500 Swetland Lane, West Wyoming, PA 18644). The Department intends to issue a renewal State-Only Natural

Minor Permit for the Airport Sand & Gravel Co., Inc. located in Nicholson Township, **Wyoming County**. The main source at this facility is a crusher. The control device are water sprays. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP) and VOC's. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05125: PA Department of Corrections (1451 N. Market Street, Elizabethtown, PA 17022) for operation of boilers and generators at the corrections officers training facility in Mount Joy Township, **Lancaster County**. Potential emissions after limiting coal usage to no more than a 10% annual capacity factor for each of the two (2) coal-fired boilers is 10.64 tpy of NO_x and 23.57 tpy of SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart Dc—Standards of Performance for Small Industrial—Commercial—Institutional Steam Generating Units and from 40 CFR Part 63 Subpart JJJJJJ—National Emission Standard for Area Sources of Hazardous Air Pollutants (HAPs) for Industrial, Commercial, and Institutional Boilers.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

14-00036: Gensimore Trucking, Inc. (P.O. Box 5210, Pleasant Gap, PA 16823), for operation of their Happy Valley Blended Products Trucking facility located in Spring Township, **Centre County**. The facility's main sources include small combustion units rated less than 1 MMBtu/hr, two cement blending lines, one Permanent Life Aggregates processing line, and one Kitty Litter processing line. The facility is currently operating under NMOP 14-00036. This facility has the potential annual emissions 0.11 ton of carbon monoxide, 0.32 ton of nitrogen oxides, 0.77 ton of sulfur oxides, 11.61 tons of particulate matter, 1.19 ton of particulate matter less than 10 microns, 0.32 ton of particulate matter less than 2.5 microns, 0.01 ton of hazardous air pollutants, 0.02 ton of volatile organic compounds, and 11,654 tons of greenhouse gases. The Kitty Litter processing line is a new source and was proposed by this action. The emission restriction, testing, monitoring, recordkeeping, reporting, and work practice conditions of the NMOP have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

17-00062: Dubois Regional Medical Center d/b/a Penn Highland DuBois (100 Hospital Ave, Dubois, PA 15801) for renewal of State-Only (Synthetic Minor) Permit issued on May 1, 2013, for their facility located in the City of Dubois, **Clearfield County**. The sources currently in operation at this facility are described, as follows: four (4) dual fuel-fired (natural gas and # 2 fuel oil) boilers (each with a rated heat input less than 50 million British thermal units per hour (MMBtu/hr)), various natural-gas-fired combustion sources (each with a rated heat input less than 2.5 MMBtu/hr, two (2) natural-gas-fired boilers (each with a rated heat input less than 10 MMBtu/hr, two (2) natural-gas-fired emergency generators, six (6) # 2 fuel oil-fired emergency generators, and three (3) ethylene oxide sterilizers. A small (119-hp) 1967 vintage natural gas-fired emergency generator was added to Source ID P101 of the renewal permit. No other equipment changes or changes to facility wide potential to emit were made. The dual fuel-fired boilers are each currently operated as a gas-fired boiler per 40 CFR 63.11237 to comply with Maximum Achievable Control Technology (MACT) pursuant to 40 CFR Part 63 Subpart JJJJJ. Additionally, these boilers are subject to Best Available Technology (BAT) pursuant to 25 Pa. Code §§ 127.1 and 127.12. All other boilers and combustion sources are operated only on natural gas pursuant to the renewal permit. Each emergency generator engine of Source IDs P101 through P103 is required to be operated as an emergency stationary RICE per 40 CFR 63.6640(f) to comply with MACT pursuant to 40 CFR Part 63 Subpart ZZZZ. Moreover, the renewal State-Only (Synthetic Minor) Permit contains the applicable MACT requirements pertaining to the three (3) ethylene oxide sterilizers of Source ID P105, as codified in 40 CFR Part 63 Subpart WWWW. Based on the application provided by DRMC, renewal State-Only (Synthetic Minor) Permit No: 17-00062 contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with the applicable requirements. The applicable requirements in the renewal were derived from 25 Pa. Code Chapters 121–145. Facility wide emission calculation of potential to emit was determined, as follows: 19.54 tons per year (tpy) for carbon monoxide, 35.23 tpy for nitrogen oxides (expressed as NO₂), 25.34 tpy for sulfur oxides (expressed as SO₂), 2.51 tpy for PM₁₀, 2.11 tpy for PM_{2.5}, 7.22 tpy for volatile organic compounds (expressed as propane), 0.48 tpy for hazardous air pollutants, and 28,728 tpy for greenhouse gases (expressed as CO₂e). All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, P.E., Environmental Engineer Manager—Telephone: 570-826-2409.

39-00081B: Insulation Corporation of America (2571 Mitchell Avenue, Allentown, PA 18103) for their facility in the City of Allentown, **Lehigh County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received an application from and intends to issue a Plan Approval to Insulation Corporation of America (2571 Mitchell Avenue, Allentown, PA 18103) for their facility in the City of Allentown, Lehigh County. This Plan Approval No. 39-00081B will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 39-00081B is for the increase in production capacity of one (1) 9,150 pounds/hour polystyrene pre-expander, one (1) 4,103 pounds/hour polystyrene block mold to a limit of 936,000 pounds of expanded polystyrene per month and limit VOC emissions to 47 tons per year. VOC emissions from the plant will remain under their 50 TPY threshold limit, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. Volatile organic compound (VOC) emissions (pentane) shall be controlled by the existing natural gas fired boiler which also acts as a control device with a minimum destruction/removal efficiency (DRE) of 95%. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 39-00081B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1–1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301–3326); The Clean Streams Law (35 P.S. §§ 691.1–691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51–30.66); and The Bituminous

Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department. A copy of the application is available for inspection at the district mining office indicated before each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application and request for Section 401 water quality certification application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated before each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections regarding a mining permit application should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

A request for an informal conference or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 or § 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When an NPDES number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

Permit No. 11180101 and NPDES No. PA0279625. Laurel Sand & Stone Inc., 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, commencement, operation and restoration of a bituminous surface and auger mine in Jackson Township, **Cambria County**, affecting 233 acres. Receiving streams: Shuman Run and unnamed tributaries to/and Bracken Run, classified for the following use: cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 2, 2018.

The application includes a stream variance for use and maintenance of an existing stream crossing and impacts to 0.20 acre of wetlands.

The application also includes a request for a Section 401 Water Quality Certification.

Permit No. 32170101 and NPDES No. PA0279595 and General Permit GP-12-32170101, Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, revision of an existing bituminous coal surface mining site to obtain coverage for coal processing under air quality general permit GP-12 in Burrell and West Wheatfield Townships, **Indiana County**, affecting 94.6 acres. Receiving streams: unnamed tributaries to Toms Run and Roaring Run, all to the Conemaugh River, classified for the following use: warm water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: March 5, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

16120104 and NPDES Permit No. PA0259349. Ancient Sun, Inc. (P.O. Box 129, Shippenville, PA 16254) Renewal of an existing bituminous surface mine and associated NPDES permit in Elk Township, **Clarion County**, affecting 93.0 acres. Receiving streams: One unnamed tributary to Canoe Creek, classified for the following: HW-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: March 7, 2018.

Noncoal Applications Received

Effluent Limit—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

59980302. DeCristo, Inc. (9070 Route 414, Canton, PA 17724). Transfer of an existing large noncoal mine from Dunbar Farm and Gavel located in Chatham and Westfield Townships, **Tioga County** affecting 12.6 acres. Receiving

stream(s): UNT to Jemison Creek classified for the following use(s): WWF and MF. There are no potable water supply intakes within 10 miles downstream. Application received: February 21, 2018.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30 days of this public notice and contain the name, address, telephone number and the interest of the party filing the request, and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania*

Bulletin and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

NPDES No. PA0213683 (Mining Permit No. 32850701), Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). A renewal and revision to the NPDES and mining activity permit for the Clymer Refuse Disposal Site in Cherryhill Township, **Indiana County** to add 1.5 acre of drainage area and additional treatment pond (TP-5) to Outfall 009. Surface Acres Affected 159.1. Receiving stream: Unnamed Tributary to Buck Run, classified for the following use: CWF. Receiving stream: Unnamed Tributary 44301 to Dixon Run, classified for the following use: CWF. Receiving stream: Dixon Run, classified for the following use: CWF. Kiski-Conemaugh TMDL. The application was considered administratively complete on March 21, 2016. Application received August 4, 2015.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

Outfall 006 discharges to: UNT 44301 to Dixon Run

The proposed effluent limits for *Outfall 006* (Lat: 40° 41' 01" Long: -79° 00' 21") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100

Outfall 007 discharges to: UNT to Buck Run

The proposed effluent limits for *Outfall 007* (Lat: 40° 41' 04" Long: -78° 59' 57") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100

Outfall 008 discharges to: UNT to Buck Run

The proposed effluent limits for *Outfall 008* (Lat: 40° 41' 12" Long: -78° 59' 52") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100

Outfall 009 discharges to: UNT 44301 to Dixon Run

The proposed effluent limits for *Outfall 009* (Lat: 40° 41' 04" Long: -79° 00' 19") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
Nickel	(mg/l)	-	-	-	Report
Zinc	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100

Outfall 010 discharges to: Dixon Run

The proposed effluent limits for *Outfall 010* (Lat: 40° 41' 20" Long: -79° 00' 35") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100

Outfall 011 discharges to: UNT to Buck Run

The proposed effluent limits for *Outfall 011* (Lat: 40° 41' 14" Long: -78° 59' 54") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100

Outfall 012 discharges to: Dixon Run

The proposed effluent limits for *Outfall 012* (Lat: 40° 41' 20" Long: -79° 00' 35") are:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Suspended Solids	(mg/l)	-	35	70	90
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Sulfate	(mg/l)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report
pH	(mg/l)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100

EPA Waiver not in effect.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

NPDES No. PA0251623 (Mining permit no. 03090102), Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, renewal NPDES permit for non-started surface mine permit in Plumcreek Township, **Armstrong County**, affecting 22.9 acres. Receiving stream: Plum Creek, classified for the following use: TSF. The receiving stream is included in the August 2015 Final Crooked Creek Watershed Suspended Solids TMDL, Armstrong County. Application received: October 25, 2016.

The following treated wastewater outfall discharges to Plum Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
002	N	Treatment Facility Outfall

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfall: 002 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	3.0	6.0	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
Total Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	N/A	N/A	N/A
Sulfate (mg/L)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The following stormwater outfalls discharge to Plum Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall
003	N	Stormwater Outfall

The proposed dry weather effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 003 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	3.0	6.0	7.0
Total Manganese (mg/l)	2.0	4.0	5.0
Total Aluminum (mg/l)	0.75	1.5	1.9
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (mOsm/kg)	N/A	N/A	N/A
Sulfate (mg/L)		Monitor & Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The proposed wet weather effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 003 Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/l)	N/A	N/A	7.0
Settleable Solids (m/l)	N/A	N/A	0.5

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0595187 on Surface Mining Permit No. 35910101. Pioneer Aggregates, Inc., (215 East Saylor Avenue, Laflin, PA 18702), renewal of an NPDES Permit for an anthracite surface mine operation in Fell Township, **Lackawanna County**, affecting 425.0 acres. Receiving stream: Wilson Creek, classified for the following uses: cold water and migratory fishes, TMDL. Application received: November 3, 2016.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit area the BAT limits described previously for mining activities.

<i>Outfall</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
OMP 2	No	Stormwater
OMP 7	No (to be constructed)	Stormwater
OMP 9	No (to be constructed)	Stormwater

The proposed effluent limits for the previously listed outfalls area as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			
Alkalinity greater than acidity				
Total Suspended Solids		35.0	70.0	90.0

¹ The parameter is applicable at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

NPDES No. PA0250534 (Permit No. 20900302). Frank Tucci (25000 PA Route 99, Cambridge Springs, PA 16403) New NPDES permit for a large industrial minerals surface mine in Rockdale Township, **Crawford County**, affecting 27.0 acres. Receiving streams: Kelly Run, classified for the following uses: HQ-CWF. TMDL: None. Application received: January 3, 2018.

There will be no discharge from this site.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

NPDES Permit No. PA0225762 on Surface Mining Permit No. 5276SM8. Pocono Transcrete, Inc., (179 Burger Road, Blakeslee, PA 18610), new NPDES Permit for a sand and gravel quarry operation in Tobyhanna Township, **Monroe County**, affecting 10.0 acres. Receiving stream: Twomile Run, classified for the following uses: HQ—cold water and migratory fishes. Application received: October 3, 2017.

Non-discharge BMP's shall be in effect.

NPDES Permit No. PA0595209 on Surface Mining Permit No. 35910301. Scranton Materials, LLC, (P.O. Box 127, Meshoppen, PA 18630), renewal of an NPDES Permit for a sandstone quarry operation in Newton and Ransom Townships, **Lackawanna County**, affecting 249.0 acres. Receiving stream: Keyser Creek, classified for the following use: cold water fishes. Application received: December 18, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfall discharges to Keyser Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
001	No	Stormwater

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0

¹ The parameter is applicable at all times.

NPDES Permit No. PA0224235 on Surface Mining Permit No. 45020301. H & K Group, Inc., (P.O. Box 196, Skippack, PA 19474), renewal of an NPDES Permit for a sandstone quarry operation in Smithfield Township, **Monroe County**, affecting 61.6 acres. Receiving stream: Marshalls Creek, classified for the following use: HQ—cold water fishes. Application received: December 28, 2017.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are BAT limits described previously for noncoal mining activities.

The following outfalls discharge to Marshalls Creek.

<i>Outfall No.</i>	<i>New Outfall Y/N</i>	<i>Type</i>
DP-001	No	Pit Sump/Stormwater
DP-002	No	Sedimentation Basin/Stormwater

The proposed effluent limits for the previously listed outfall are as follows:

Parameter	Minimum	30-Day Average	Daily Maximum	Instantaneous Maximum
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids		35.0	70.0	90.0
Turbidity (NTU)		40.0	80.0	100.0

¹ The parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before an application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on working days at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterways and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E23-541: Southeastern Pennsylvania Transport Authority (SEPTA), 1234 Market Street, Philadelphia, PA 19107-3780, Middletown Township, and Chester Heights Borough, **Delaware County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities within the floodway/floodplain of the Chester Creek (TSF-MF), two UNTs to Chester Creek

(TSF-MF), Rocky Run (HQ-CWF-MF), Chrome Run (TSF-MF), and three UNTs to Chrome Run (TSF-MF) associated with the SEPTA Elwyn to Wawa Service Restoration Project. Permanent wetland impact will be 401 sq. ft., and temporary wetland impacts will be 4,142 sq. ft.

1. To remove two timber bridges and to construct and maintain two one span steel girders across Chester Creek (TSF-MF). 100-year floodway elevations will remain the same.
2. To rehabilitate and or replace and maintain five existing stone arches, CMPs, and stone masonry culverts with concrete/ RCP culverts across misc. tributaries. 100-year floodway elevations will remain the same.
3. To construct and maintain a 3-foot diameter pipe stream enclosure situated along UNT to Chester Creek (TSF-MF) and measuring approximately 141-feet in length associated with the restoration project.
4. Construct six temporary access road crossings.
5. Sediment and debris removal from the Chrome Run stream, about 3,617 feet.

The site is located SEPTA R3 track between Elwyn and Wawa (USGS Media, PA Quadrangle Latitude 39.900074; Longitude -75.458131).

E15-894. Chester Valley Golf Club, 430 Swedesford Road, Malvern, PA 19355, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To construct, modify, and maintain a sewer line extension to an existing 6 inch and 8 inch sewer line and it's manholes in and along 100 year floodway of unnamed tributary to Little Valley creek for the purpose of providing services to an existing 4 buildings and clubhouse.

The site is located near the intersection of Church Road and Swedesford Road (Malvern, PA USGS map; Lat: 40.0472722; Long: -75.562662).

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E35-472 Ryan and Kathryn Jones, 106 Bonnie Drive, Elmhurst Township, PA 18444, Roaring Brook Township, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To place and maintain fill in 0.02 acre of wetland and to construct and maintain a 24 inch, 31 feet long culvert in a tributary to Roaring Brook (HQ-CWF) for the construction of a driveway to a private single family residence. The project is located 106 miles west of the intersection of Gardner Road and SR 0690 (Pittston, PA Quadrangle Latitude: 41° 21' 42.3"; Longitude: -75° 32' 41.9") in Roaring Brook Township, Lackawanna County.

E40-805 Frank M. Henry Associated, 1575 Wyoming Avenue, Forty Fort, PA 18704, Harveys Lake Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 352 sq. ft. pile-supported boathouse addition and a 45 sq. ft. pile-supported addition to the existing dock within the basin of Harveys Lake (HQ-CWF).

The project is located at Pole 34 along Lakeside Drive (Harveys Lake, PA Quadrangle Latitude: 41° 21' 43"; Longitude: -76° 2' 9") in Harveys Lake Borough, Luzerne County.

E40-806 Restaurant Depot, 1524 132nd Street, College Point, NY 11356, Wilkes-Barre City, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To place and maintain fill in 0.047 ac of isolated PEM wetlands associated with the construction of a 71,000 sq. ft. warehouse facility.

The project is located 300 feet north of the intersection of Kidder Street and Scott Street (Pittston, PA Quadrangle Latitude: 41° 15' 6.4"; Longitude: -75° 51' 14.9") in Wilkes-Barre City, Luzerne County.

E48-442. Georgeann Pasch-Clamp & Richard Clamp, 4 Cambridge Drive, Rockaway, NJ 07866, in Lower Mount Bethel Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 190-square foot boat dock and a 120-foot-long concrete boat launching ramp in the Delaware River and its floodway. (CWF)(Scenic).

The project is located approximately 600 feet south of the intersection of Brush Drive and Delhaven Road. (Bangor, PA Quadrangle Latitude: 40.779579; Longitude: -75.130377) in Lower Mount Bethel Township, Northampton County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E05-394: Mann Township, 1187 Blackberry Lick Road, Clearville, PA 15535 in Mann Township, **Bedford County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain 173.0 feet of riprap for stream bank protection due to slope failure and streambank stabilization, along with six (6) rock vanes constructed to direct flow away from the failed right streambank. Also, approximately 125-foot gravel bar will be removed on the left stream side to enhance flow to the center of the channel. A temporary full stream width causeway will be implemented to access both banks during construction. The project will impact 0.44 acre of stream and floodway to Blackberry Lick Run (EV, MF), all for the purpose of stabilizing the collapsed stream bank and roadway above. There are no wetlands within the proposed project area or within the 0.71 acre of limit of disturbance. The project is located north of Blackberry Lick Road (T-334) approximately 0.15 mile east of its intersection with S.R. 0026 (Latitude: 39°47'02", Longitude: -78°24'31") in Mann Township, Bedford County.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E63-672-A1, Burkett Place Limited Partnership, 9349 Waterstone Boulevard, Cincinnati, OH 45249, North Strabane Township and South Strabane Township, **Washington County**, Pittsburgh ACOE District.

The applicant proposes to:

Amend Permit No. E63-672, (which authorized MV Affordable Housing, LLC, now Burkett Place Limited Partnership, to construct, operate and maintain various water obstructions and encroachments associated with the affordable housing development), to:

Maintain fill in 0.019 acre of PSS/PEM wetland (Wetland 001), which was placed during the construction of a 60" CMP culvert and site fill. To mitigation for this after-the-fact impact to a wetland, the applicant is proposing to make a contribution to the Pennsylvania Wetland Replacement Fund, for the purpose of constructing an affordable housing development, consisting of two (2) apartment buildings with associated parking lots, garages, a community clubhouse, greenspace and utilities. The project is located at the terminus of Burkett Lane (Washington East, PA USGS topographic quadrangle; Latitude: 40° 12' 40.31"; Longitude: -80° 11' 27.24"; Sub-basin: 20F; Pittsburgh Corps District), in North Strabane Township and South Strabane Township, Washington County.

District Oil & Gas Operations: Eastern Oil & Gas District, 208 West Third Street, Suite 101, Williamsport, PA 17701.

E5929-076: HEP Tioga Gathering, LLC, 22024 Route 14, Troy, PA 16947, Liberty Township, **Tioga County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 50 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 32' 53" N, 77° 10' 19" W);

2) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 51 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 32' 53" N, 77° 10' 17" W);

3) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 51 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 02" N, 77° 09' 42" W);

4) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 55 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 09" N, 77° 09' 50" W);

5) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 50 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 11" N, 77° 09' 50" W);

6) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 546 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 282 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 48 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 26" N, 77° 09' 53" W);

7) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 52 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 32" N, 77° 09' 53" W);

8) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 1,701 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 56 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 35" N, 77° 09' 53" W);

9) A 16 inch diameter waterline impacting 3 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 41" N, 77° 09' 53" W);

10) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 65 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 53 linear feet of an unnamed tributary to Blacks Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 43" N, 77° 09' 52" W);

11) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 20,378 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 33' 48" N, 77° 09' 05" W);

12) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 16,312 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 33' 38" N, 77° 08' 40" W);

13) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 13,819 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 33' 29" N, 77° 08' 07" W);

14) A temporary road crossing using timber mats 16 inch diameter waterline impacting 52 linear feet of Black Creek (CWF) (Nauvoo, PA Quadrangle 41° 33' 29" N, 77° 08' 05" W);

15) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 2,762 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 33' 29" N, 77° 08' 07" W);

16) A temporary road crossing using timber impacting 1,185 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 33' 31" N, 77° 07' 56" W);

17) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 1,004 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 33' 25" N, 77° 08' 01" W);

18) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 5,475 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 33' 18" N, 77° 08' 01" W);

19) A temporary road crossing using timber mats and 16 inch diameter natural gas pipeline impacting 1,328 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Nauvoo, PA Quadrangle 41° 32' 55" N, 77° 07' 38" W);

The project will result in 521 linear feet of temporary stream impacts and 64,857 square feet (1.49 acre) of temporary wetland impacts all for the purpose of installing a freshwater pipeline in Liberty Township, Tioga County.

E4129-118: HEP Tioga Gathering, LLC, 22024 Route 14, Troy, PA 16947, Jackson Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 4,605 square feet of an exceptional value palustrine emergent (EV-PEM) wetland and 73 linear feet of an unnamed tributary to Blockhouse Creek (CWF) (Nauvoo, PA Quadrangle 41° 32' 44" N, 77° 07' 32" W);

2) A temporary road crossing using timber mats 4,843 square feet of a palustrine emergent (PEM) wetland (Nauvoo, PA Quadrangle 41° 32' 24" N, 77° 07' 43" W);

3) A 16 inch diameter natural gas pipeline, and a 16 inch diameter waterline via HDD bore impacting 352 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 126 square feet of an exceptional value palustrine forested (EV-PFO) wetland and 50 linear feet of Blockhouse Creek (CWF) and 5 linear feet of an unnamed tributary of Blockhouse Creek (CWF) (Liberty, PA Quadrangle 41° 32' 12" N, 77° 07' 24" W);

4) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 87 linear feet of an unnamed tributary to Blockhouse Creek (CWF) (Liberty, PA Quadrangle 41° 32' 10" N, 77° 07' 00" W);

5) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 3,025 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41° 32' 19" N, 77° 05' 18" W);

6) A temporary road crossing using timber mats impacting 187 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41° 32' 18" N, 77° 04' 54" W);

7) A temporary road crossing using timber mats and a 16 inch diameter waterline impacting 7,757 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Liberty, PA Quadrangle 41° 32' 09" N, 77° 04' 39" W).

The project will result in 215 linear feet of temporary stream impacts, 20,895 square feet (0.48 acre) of temporary wetland impacts all for the purpose of installing a freshwater pipeline in Jackson Township, Tioga County.

E4129-119: ARD Operating, LLC, 33 West Third Street, Suite 300, Williamsport, PA 17701, Gamble Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) two 6-inch gas pipelines, a 12-inch water pipeline, and a timber mat bridge impacting 12,688 square feet of palustrine emergent (PEM) wetland (Bodines, PA Quadrangle 41° 24' 15" N 76° 59' 09" W).

The project will result in a total of 0.29 acre of wetland impacts all for the purpose of installing natural gas gathering line, water line, and access roadway for Marcel-lus well development.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and NOIs for coverage under General Permits. This notice of final action is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.101) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or Amendment
Section III	WQM	Industrial, Sewage or Animal Wastes; Discharges to Groundwater
Section IV	NPDES	MS4 Individual Permit
Section V	NPDES	MS4 Permit Waiver
Section VI	NPDES	Individual Permit Stormwater Construction
Section VII	NPDES	NOI for Coverage under NPDES General Permits

Sections I—VI contain actions regarding industrial, animal or sewage wastes discharges, discharges to groundwater, and discharges associated with MS4, stormwater associated with construction activities and CAFOs. Section VII contains notices for parties who have submitted NOIs for Coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions in each General Permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401. Phone: 484.250.5970.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0054313 (Sewage)	Sherry Stangil & Susan Montag 3176 Walnut Street P.O. Box 512 Springtown, PA 18081-0512	Bucks County Springfield Township	Unnamed Tributary to Cooks Creek 2D	Y
PA0244899 (Sewage)	Mark W. Garner 101 Shady Lane Sellersville, PA 18960	Bucks County West Rockhill Township	Unnamed Tributary to Ridge Valley Creek 3E	Y

Northeast Region: Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915. Phone: 570-826-2511.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060348 (Sewage)	PennDOT Interstate Safety Rest Stop No. 62 WWTP I-84 West near Exit 26 Palmyra Twp., PA 18426	Pike County Palmyra Township	Unnamed Tributary to Kleinmans Creek (1-C)	No

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0035637 (Sewage)	PennDOT Rest Stop No. 55 WWTP I-81 North near Exit 202 Greenfield Twp., PA 18411	Lackawanna County Greenfield Township	Unnamed Tributary of South Branch Tunkhannock Creek (4-F)	Yes
PAS212214 (Stormwater)	Gustin Stone Supply 2390 Creamton Drive Lakewood, PA 18439	Wayne County Preston Township	Unnamed Tributary to Equinunk Creek (1-A)	Yes
<i>Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0266337 CAFO	Quality Livestock Company, LLC Farm Quest Properties, LP (Quality Livestock Swine Farm) 1250 Lincoln Road Lititz, PA 17543-7313	West Lampeter Township, Lancaster County	Watershed 7-J	N
PA0081191 SEW	MHC PA Dutch Country LP 185 Lehman Road Manheim, PA 17545-8720	West Cornwall Township Lebanon County	Chickies Creek (via swale) Watershed 7-G	Y
<i>Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.</i>				
<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0093165 (Sewage)	PA American Water—Claysville STP 800 W Hershey Park Drive Hershey, PA 17033-2400	Washington County Donegal Township	Unnamed Tributary to Dutch Fork (20-E)	Yes
PA0024686 (Sewage)	Mid Mon Valley Wpca P.O. Box 197 Allenport, PA 15412-0197	Washington County Allenport Borough	Unnamed Tributary to Monongahela River, Unnamed Tributary to Spruce Run, and Monongahela River (19-D and 19-C)	Yes

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions.

Northeast Regional Office: Regional Clean Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone: 570.826.2511.

NPDES Permit No. PA0028576, Sewage, SIC Code 4952, **Abington Region WW Authority**, P.O. Box 199, Chinchilla, PA 18410-0199.

This existing facility is located in South Abington Township, **Lackawanna County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

NPDES Permit No. PA0276065, Stormwater, SIC Code 4225, **Amazon.com DEDC, LLC**, P.O. Box 80842, Seattle, WA 98108-0842.

This facility is located in Covington Township, **Lackawanna County**.

Description of Proposed Action/Activity: Issuance of a new NPDES permit for a discharge of stormwater.

Northcentral Regional Office: Regional Clean Water Program Manager, 208 W Third Street, Suite 101, Williamsport, PA 17701-6448. Phone: 570.327.3636.

NPDES Permit No. PA0110965, Sewage, SIC Code 4952, **Mid Centre County Authority**, P.O. Box 811, Milesburg, PA 16853-0811.

This existing facility is located in Boggs Township, **Centre County**.

Description of Existing Action/Activity: Issuance of an NPDES Permit for an existing discharge of treated Sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law.

Southeast Region: Clean Water Program Manager, 2 East Main Street, Norristown, PA 19401, 484.250.5900.

WQM Permit No. 1518401, Sewage, **Oxford Area Sewer Authority**, 14 South Third Street, Oxford, PA 19363.

This proposed facility is located in Oxford Borough, **Chester County**.

Description of Action/Activity: Construction and operation of a new pump station. (replacing undersized aging pumping).

WQM Permit No. WQG010066, Sewage, **Daniel & Dell Fascione**, 1301 Woodmont Road, Gladwyne, PA 19035.

This proposed facility is located in Lower Merion Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a single residence small flow sewage treatment plant.

WQM Permit No. WQG010065, Sewage, **Jason & Rachelle Kunsch**, 3251 New Hanover Square Road, Gilbertsville, PA 19525.

This proposed facility is located in New Hanover Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a small flow treatment facility.

WQM Permit No. 1507406, Sewage, Renewal, **East Brandywine Township Municipal Authority**, 1214 Horseshoe Pike, Downingtown, PA 19335-1132.

This proposed facility is located in East Brandywine Township, **Chester County**.

Description of Action/Activity: Approval for renewal of a WQM Permit to operate a sewage treatment plant with a drip irrigation disposal system.

WQM Permit No. 2389201, Industrial, Amendment, **Exelon Generation Company, LLC**, 1 Industrial Highway, Eddystone, PA 19022.

This proposed facility is located in Eddystone Borough, **Delaware County**.

Description of Action/Activity: Permanently remove from service the clarifiers, the pH neutralization treatment system and the vacuum filter press system.

WQM Permit No. 4617410, Sewage, **Horsham Water & Sewer Authority**, 617 Horsham Road, Horsham, PA 19044.

This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Action/Activity: Installation of 8,300 linear feet of 12" sanitary sewer & 3,400 linear feet of 6" force main.

WQM Permit No. 0991415, Sewage, Transfer, **Sherry Stangil & Susan Montag**, 3176 Walnut Street, P.O. Box 512, Springtown, PA 18081-0512.

This proposed facility is located in Springfield Township, **Bucks County**.

Description of Action/Activity: Transfer was to include both owners on the permit. Originally the permit on has Sherry Stangil's name.

WQM Permit. No. 0990411, Sewage, Transfer, **Joseph & Karen Difloure**, 1496 Sugar Bottom Road, Furlong, PA 18925.

This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Action/Activity: Transfer of ownership from Richard Vaccaro to Joseph & Karen Difloure.

WQM Permit No. 0915401, Sewage, Amendment, **Toll PA II, LP**, 250 Gibraltar Road, Horsham, PA 19044.

This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Action/Activity: Adding two additional spray field zones to the facility.

WQM Permit No. 4617406, Sewage, **Pottstown Borough Authority**, 100 E. High Street, Pottstown, PA 19464.

This proposed facility is located in Pottstown Borough, **Montgomery County**.

Description of Action/Activity: Replacement of existing sludge dryer with a new belt driven, closed air loop thermal sludge.

WQM Permit No. 0994405, Sewage, **Mark W. Garner**, 101 Shady Lane, Sellersville, PA 18960.

This proposed facility is located in West Rockhill Township, **Bucks County**.

Description of Action/Activity: Permit transferred ownership from Stephen Sitko to Mark Garner.

Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 2117408, Sewerage, **North Middleton Authority**, 240 Clearwater Drive, Carlisle, PA 17013-1185.

This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity:

This permit approves the construction/operation of sewage facilities consisting of:

Replacement of the existing 1,172 L.F. 8-inch PVC interceptor with 12-inch PVC interceptor from Manhole 9-22 to Manhole 9-55. The new interceptor will have a design capacity of 0.733 MGD with a peak design capacity of 2.8 MGD.

WQM Permit No. 3617203, CAFO, **Shelmar Acres LLC**, 304 Colebrook Road, Mount Joy, PA 17552-9776.

This proposed facility is located in East Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity:

This permit approves the construction and operation of manure storage facilities consisting of:

A swine barn with an underbarn liquid manure storage.

WQM Permit No. WQG02501701, Sewerage, **Marysville Borough Perry County**, 200 Overcrest Road, Marysville, PA 17053-1159.

This proposed facility is located in Marysville Borough, **Perry County**.

Description of Proposed Action/Activity:

This General Permit approves the construction and operation of:

1-Sewer Extension

1-Pump Station

IV. NPDES Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) Individual Permits Issued.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES Permit No.</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>	<i>TMDL Plan Submitted (Y/N)</i>	<i>Pollutant Reduction Plan Submitted (Y/N)</i>
PAI136150	Plum Borough 4575 New Texas Road Pittsburgh, PA 15239	Plum Borough, Allegheny	Little Plum Creek, Unnamed Tributary to Thompson Run, Piersons Run, Unnamed Tributary of Haymakers Run, and Plum Creek/WWF, TSF, and HQ-CWF	N	Y

V. NPDES Waiver Stormwater Discharges from MS4 Actions.

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

Southwest Regional Office: Clean Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Phone: 412.442.4000.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG132302	Beaver Meadows Borough P.O. Box 215 Beaver Meadows, PA 18216-0215	Beaver Meadows Borough, Carbon	Beaver Creek/CWF and MF

The following waiver applications have been approved for a 5-year period. The Department is issuing waivers for the following MS4s instead of NPDES permit coverage.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG136169	Fallston Borough 158 Beaver Street New Brighton, PA 15066-2926	Fallston Borough, Beaver County	Brady Run/TSF
PAG136113	Borough of Pennsbury Village 1043 Pennsbury Boulevard Pittsburgh, PA 15205-1643	Pennsbury Village Borough, Allegheny County	Unnamed Tributary of Campbells Run/WWF
PAG136107	Stonycreek Township Cambria County 1610 Bedford Street Johnstown, PA 15902	Stonycreek Township, Cambria	Sams Run, Solomon Run, and Unnamed Tributary to Stonycreek River/WWF and CWF
PAG136352	Paint Township Somerset County 1741 Basin Drive Windber, PA 15963-6801	Paint Township, Somerset	Unnamed Tributary to Seese Run, Paint Creek, and Seese Run/CWF

Northwest Region: Clean Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG138342	Mahoning Township P.O. Box 99 Hillsville, PA 16132-0099	Mahoning Township, Lawrence	Unnamed Tributaries to Mahoning River and the Mahoning River/WWF

<i>NPDES Waiver No.</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Receiving Water(s)/Use(s)</i>
PAG138338	Zelienople Borough Butler County 111 West New Castle Street Zelienople, PA 16063-1153	Zelienople Borough Butler County	Connoquenessing Creek and Unnamed Tributary to Connoquenessing Creek/WWF
PAG138339	Jackson Township Butler County 140 Magill Road Zelienople, PA 16063-3424	Jackson Township, Butler	Unnamed Tributary of Glade Run, Little Connoquenessing Creek, Connoquenessing Creek, Breakneck Creek, Unnamed Tributary to Brush Creek, Scholars Run, and Glade Run/WWF and CWF
PAI138309	Jefferson Township Butler County 157 Great Belt Road Butler, PA 16002-9026	Jefferson Township Butler County	Unnamed Tributary to Sarver Run, Unnamed Tributary to Little Buffalo Creek, Thorn Creek, and Sarver Run/HQ-TSF and CWF
PAG138320	PA State University Penn State Shenango Sharon, PA 16146	City of Sharon Mercer County	Shenango River/WWF
PAG138304	Shenango Township 3439 Hubbard Middlesex Road West Middlesex, PA 16159	Shenango Township Mercer County	Unnamed Tributary of Shenango River/WWF
PAG138341	Clark Borough Mercer County 2798 Winner Road Clark, PA 16113	Clark Borough, Mercer	Shenango River/WWF
PAG138335	Forward Township Butler County 207 Ash Stop Road Evans City, PA 16033	Forward Township Butler County	Unnamed Tributary to Connoquenessing Creek and Glade Run/WWF
PAG138336	Harmony Borough Butler County 217 Mercer Street Harmony, PA 16037	Harmony Borough Butler County	Connoquenessing Creek/WWF and CWF

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150069	Bentley Systems, Inc. 685 Stockton Drive Exton, PA 19341-1151	Chester	Uwchlan and Upper Uwchlan Townships	POI 1 and 3: Unnamed Tributary to Marsh Creek HQ-TSF-MF POI 2: Unnamed Tributary to Shamona Creek HQ-TSF-MF
PAD150072	The Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Chester	Uwchlan Township	Shamona Creek HQ-TSF-MF
PAD150067	Armstrong Engineering Associates, Inc. P.O. Box 633 West Chester, PA 19380	Chester	West Bradford Township	Broad Run EV-MF
PAD150071	Longview Culbertson, LP 1055 Westlakes Drive Suite 170 Berwyn, PA 19312	Chester	West Brandywine Township	Culbertson Run HQ-TSF-MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD150068	Oxford Commons LP Oxford Phase II, LP Oxford Phase III, LP 120 West Germantown Pike Suite 120 Plymouth Meeting, PA 19462	Chester	Lower Oxford Township	Leech Run TSF-MF Little Elk Creek HQ-TSF-MF
PAD510020	New Market West, LLC 2042-48 Arch Street 2nd Floor Philadelphia, PA 19103	Philadelphia	City of Philadelphia	Cobbs Creek WWF-MF

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Lackawanna County Conservation District, 1038 Montdale Road, Scott Township, PA 18447.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD350006	First Industrial LP 707 Eagleview Blvd Suite 110 Exton, PA 19341	Lackawanna	Covington Township	Lake Run (HQ-CWF, MF), Roaring Brook (HQ-CWF, MF), Tamarack Creek (EV, MF), Meadow Brook (EV, MF)

Monroe County Conservation District, 8050 Running Valley Road, Stroudsburg, PA 18347.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD450048	PPL Electric Utilities Corporation 2 North Ninth Street Allentown, PA 18101	Monroe	Pocono Township Stroud Township	Pocono Creek (HQ-CWF), Cranberry Creek (HQ-CWF, MF), Unnamed Tributary to Pocono Creek (HQ-CWF, MF) Wigwam Run (HQ-CWF, MF), Exceptional Value (EV) Wetlands

Northampton County Conservation District, 14 Gracedale Ave., Greystone Building, Nazareth, PA 18064-9211.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD480014	IPT Brodhead DC, LLC 301 Rt 17 N Ste 206 Rutherford, NJ 07070	Northampton	Bethlehem Twp	Monocacy Creek (HQ-CWF, MF)
PAD480008	Gartner Homes LVH c/o Mr. Joe Gartner 1576 Courtney Court Hellertown, PA 18055	Northampton	Palmer Township	Bushkill Creek (HQ-CWF, MF)

Wayne Conservation District, 925 Court Street, Honesdale, PA 18431.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD640006	Thomas Renehan 26 Long Ln Malvern, PA 19355	Wayne	Manchester Twp	Cooley Creek (HQ-CWF, MF)

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Nathan Crawford, Section Chief, Telephone 717.705.4802.

<i>Permit #</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD050002 Issued	Mid-Atlantic Interstate Transmission/Pennsylvania Electric Company (MAIT/Penelec) 341 White Pond Drive Akron, OH 44320	Somerset Bedford	Central City Borough Shade Township Napier, East St. Clair and Bedford Townships	Little Dark Shade Creek (CWF, MF), Dark Shade Creek (CWF, MF), UNT to Dark Shade Creek (CWF, MF), Beaverdam Run (HQ-CWF, MF), UNT to Beaverdam Run (HQ-CWF, MF), UNT to Adams Run (WWF, MF), Brush Run (WWF, MF), and UNT to Brush Run (WWF, MF) Dunnings Creek (WWF, MF), UNT to Dunnings Creek (WWF, MF), Raystown Branch—Juniata River (WWF, MF), Shawnee Branch (WWF, MF), UNT to Shawnee Branch (WWF, MF)
PAD310004 Issued	Dustin Yoder 13233 Greenwood Road Huntingdon, PA 16652	Bedford	Jackson Township	UNT Standing Stone Creek (HQ-CWF, MF)
PAD310005 Issued	Helena Chemical Company 225 Schilling Boulevard Collierville, TN 38017	Huntingdon	Warriors Mark Township	UNT Warriors Mark Run (HQ-CWF, MF) UNT Logan Spring Run (WWF, MF)
PAD670009 Issued	Tri H Enterprises, LLC 385 Industrial Road Glen Rock, PA 17327	York	Springfield Township	Seaks Run (HQ-CWF, MF)

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570.327.3574.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD140023	State College Joint Venture 708 Third Avenue 21st Fl. New York, NY 10017	Centre	State College Boro	UNT to Thompson Run HQ-CWF

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD300001	Southwestern Pennsylvania Water Authority 1442 Jefferson Road P.O. Box 187 Jefferson, PA 15344	Greene County	Center Township	UNT to McCourtney Run (WWF); UNT to Mccourtney Run (HQ-WWF); Hoge Run (HQ-WWF); House Run (HQ-WWF)

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD300003	Southwestern Pennsylvania Water Authority 1442 Jefferson Road P.O. Box 187 Jefferson, PA 15344	Greene County	Franklin Township; Washington Township; Morris Township	UNT to Browns Run (HQ-WWF); Wisecarver Run (HQ-WWF); Mud Lick Run (HQ-WWF); Gamers Run (HQ-WWF); Bates Fork (HQ-WWF)

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Elk County Conservation District, 850 Washington Street, St. Marys, PA 15857, 814-776-5373.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAD240002	Bob Cummins Construction Company 50 Songbird Road Bradford, PA 16701	Elk	Jones Township	East Branch Clarion River HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types.

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges from Small Flow Treatment Facilities
PAG-5	General Permit for Discharges from Petroleum Product Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines
PAG-11	General Permit for Discharges from Aquatic Animal Production Facilities
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)
PAG-14	(To Be Announced)
PAG-15	General Permit for Discharges from the Application of Pesticides

General Permit Type—PAG-02

Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484-250-5160.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Skippack Township Montgomery County	PAC460060	Dominic L. Conicelli 470 Collegeville Road Collegeville, PA 19426	Skippack Creek TSF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

NOTICES

1759

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lower Merion Township Montgomery County	PAC460127	Kevin Gillen CP Acquisitions 35, LLC 18 East Lancaster Avenue Wynnewood, PA 19096	East Branch Indian Creek WWF-MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
West Pottsgrove Township Upper Pottsgrove Township Pottstown Borough Montgomery County	PAC460027	Cedar Paramount Upland # 1, # 2, # 3, # 4, # 5 LLC 1195 Route 70 Suite 2000 Lakewood, NJ 08701	Manatawny Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

Northeast Region: Waterways and Wetlands Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Scranton Lackawanna County	PAC350027	Pennsylvania American Water Company 800 West Hershey Park Dr Hershey, PA 17033	Roaring Brook (CWF-MF)	Lackawanna County Conservation District 570-382-3086
Hazle Twp Luzerne County	PAC400040	Cando Inc Kevin O'Donnell 1 S Church St Hazleton, PA 18201	UNT to Cranberry Creek (CWF, MF)	Luzerne County Conservation District 570-674-7991
City of Bethlehem Northampton County	PAC480040	EDR Southside Commons PA, LLC Jeffrey Resetco Education Realty Trust, Inc 999 South Shady Grove Ste 600 Memphis, TN 38120	Lehigh River (WWF-MF)	Northampton County Conservation District 610-829-6276
Lemon Twp Wyoming County	PAC660009	Lemon DG, LLC 361 Summit Blvd Birmingham, AL 35243	UNT to Meshoppen Creek (CWF, MF)	Wayne County Conservation District 570-253-0930

Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, Nathan Crawford, Section Chief, 717.705.4802.

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Freedom Township Adams County Issued	PAC010052	Sharrah Design Restoration & Construction, LLC 20 Chambersburg Street Gettysburg, PA 17325	UNT Plum Road (CWF, MF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
Huntington Township Adams County Issued	PAC010046	Dennis Rudolph 910 Wiermans Mill Road York Springs, PA 17372	UNT Bermudian Creek (WWF)	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
Oley Township Berks County Issued	PAC060106	Peter D. Barbey 80 Reifsnnyder Road Oley, PA 19547	UNT Limekiln Creek (WWF, MF)	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lower Allen Township Cumberland County Issued	PAC210004	Charter Homes at Highpoint, Inc. 1190 Dillerville Road Lancaster, PA 17601	UNT Cedar Run (CWF) UNT Yellow Breeches (CWF)	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
South Hanover Township Dauphin County Issued	PAC220083	PPL Electric Utilities Corporation 2 North 9th Street Allentown, PA 18101	Beaver Creek (WWF, MF) Trib 09424 and UNT Beaver Creeek (WWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Lower Paxton Township Dauphin County Issued	PAC220078	Hanuman 3, Inc. 7975 Jonestown Road Harrisburg, PA 17112	Spring Creek (CWF, MF)	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
Salisbury Township Lancaster County Issued	PAC360184	Jai Jaliyan LLC 924 Hillcrest Drive Kinzers, PA 17535	UNT Pequea Creek (CWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Petersburg Borough Lancaster County Issued	PAC360153	Donald Emich 6089 Parkridge Drive East Petersburg, PA 17520	UNT Little Conestoga Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Cocalico Township Lancaster County Issued	PAC360164	Lee Kasun P.O. Box 10 East Petersburg, PA 17520	Little Muddy Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Manheim Township Lancaster County Issued	PAC360213	Tom Koch 450A Candlewyck Road Lancaster, PA 17601	Landis Run (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Ephrata Township Lancaster County Issued	PAC360182	Property Investing and Management Inc. 341 Clay School Road Ephrata, PA 17522	UNT Conestoga River (WWF, MF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Brecknock Township Lancaster County Issued	PAC360211	Christopher Witwer 253 East Maple Grove Road Bowmansville, PA 19540	UNT Muddy Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

NOTICES

1761

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Manheim Township Lancaster County Issued	PAC360208	William Briegel 227 Granite Run Suite 100 Lancaster, PA 17601	Landis Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
West Hempfield Township Lancaster County Issued	PAC360174	Scot Fertich 130 Centerville Road Lancaster, PA 17603	Chickies Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
East Donegal Township Lancaster County Issued	PAC360225	Woodmill LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601	Donegal Creek (CWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Pequea Township Lancaster County Issued	PAC360220	Nathan Pipitone 3 Whippoorwill Drive Lancaster, PA 17603	Stehman Run (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Quarryville Borough Lancaster County Issued	PAC360177	Quarry Edge 11 West State Street Quarryville, PA 17566	South Fork Big Beaver (TSF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Penn Township Lancaster County Issued	PAC360198	Art Groff 1043 Mountain Road Manheim, PA 17545	UNT Chiques Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
Caernarvon Township Lancaster County Issued	PAC360217	Richard Hoover 6045 Division Highway Narvon, PA 17555	UNT Conestoga River (WWF)	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Spring Twp Centre Cnty	PAC140037	Central PA Institute of Science & Technology 540 North Harrison Rd Pleasant Gap, PA 16823	UNT—Logan Branch CWF	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 (814) 355-6817

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of DuBois Clearfield Cnty	PAC170013	City of DuBois P.O. Box 408 DuBois, PA 15801	Beaver Run CWF Sandy Lick Creek TSF	Clearfield County Conservation District 511 Spruce St Ste 6 Clearfield, PA 16830 (814) 765-2629
Danville Boro Montour Cnty	PAC470007	Geisinger System Services 100 North Academy Ave Danville, PA 17822	Mahoning Creek WWF	Montour County Conservation District 14 E Mahoning St Danville, PA 17821 (570) 271-1140

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Phone No.</i>
Jackson Township	PAC110026	Jackson East Taylor Sewer Authority 2603 William Penn Avenue Johnstown, PA 15909	UNT to Hinckston Run (CWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Reade Township	PAC110030	PTV IV, LLC 1563 Woodward Drive Extension Greensburg, PA 15601	Clearfield Creek (WWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
Daisytown Borough	PAC110037	Mid-Atlantic Interstate Transmission, LLC 800 Cabin Hill Drive Greensburg, PA 15601	UNT to Stoneycreek River (CWF); Stoneycreek River (WWF)	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 (814) 472-2120
North Union Township Menallen Township	PAC260019	J. D. & D. Enterprises 100 Ross Street Pittsburgh, PA 15219	Redstone Creek (WWF)	Fayette County Conservation District 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
Perryopolis Borough	PAC260022	Perryopolis Auto Auction 3447 Pittsburgh Road Perryopolis, PA 15473	UNT to Washington Run (WWF)	Fayette County Conservation District 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
Bullskin Township	PAC260018	Pleasant Valley Water Authority 2320 Moyer Road Connellsville, PA 15425	UNT to Jacobs Creek (WWF)	Fayette County Conservation District 10 Nickman Plaza Lemont Furnace, PA 15456 (724) 438-4497
South Franklin Township	PAC630076	Washington County 701 Courthouse Square Washington, PA 15301	UNTs to Chartiers Creek (WWF)	Washington County Conservation District 2800 North Main Street Suite 105 Washington, PA 15301 (724) 705-7098

Northwest Region: Waterways & Wetlands Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

*Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAC100078	PTV XVIII, LLC 1563 Woodward Drive Extension Greensburg, PA 15601	South Branch Bear Creek WWF	Butler County Conservation District 122 McCune Drive Butler, PA 16001 724-284-5270

General Permit Type—PAG-3

*Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG030069	Clover Farms Dairy Co. P.O. Box 14627 Reading, PA 19612	Mill Creek 2-E	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970
PAG030074	Rhoads Industries, Inc. 1900 Kitty Hawk Avenue Philadelphia, PA 19112	Schuylkill River and Unnamed Tributary to Schuylkill River 3-F	DEP Southeast Regional Office Clean Water Program 2 E. Main Street Norristown, PA 19401 484.250.5970

General Permit Type—PAG-4

*Facility Location
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG040223	Daniel & Dell Fascione 1301 Woodmont Road Gladwyne, PA 19035	Schuylkill River 3-F	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
PAG040222	Jason & Rachell Kunsch 325 New Hanover Sq. Road Gilbertsville, PA 19525	Unnamed Tributary to Swamp Creek 3-E	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970
PAG040035 A-1	Joseph & Karen Difloure 1496 Sugar Bottom Road Furlong, PA 18925	Neshaminy Creek 2-F	DEP Southeast Regional Office Clean Water Program 2 E Main Street Norristown, PA 19401 484.250.5970

General Permit Type—PAG-7

*Facility Location &
County/Municipality*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
PAG073522	McConnellsburg Sewerage Authority P.O. Box 61 McConnellsburg, PA 17233	McConnellsburg Sewerage Authority WWTP 2079 Grear Cove Road McConnellsburg, PA 17233	DEP—SCRO—Clean Water Program 909 Elmerton Ave. Harrisburg, PA 17110-8200 717-705-4707

General Permit Type—PAG-8

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Franklin County/ Waynesboro Borough	PAG083579	Waynesboro Borough Authority P.O. Box 310 Waynesboro, PA 17268	Waynesboro WWTP Cementary Avenue Waynesboro, PA 17268	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707
Franklin County/ Metal Township	PAG083580	Metal Township Municipal Authority 17001 Fannettsburg Road East P.O. Box 232 Fannettsburg, PA 17221	Metal Township Municipal Authority WWTP 17001 Fannettsburg Road East P.O. Box 232 Fannettsburg, PA 17221	DEP—SCRO—CW 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707

General Permit Type—PAG-13

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Columbia Borough Lancaster County	PAG133617	Columbia Borough Lancaster County P.O. Box 509 308 Locust Street Columbia, PA 17512-0509	Unnamed Tributary to Shawnee Run, Shawnee Run, Unnamed Tributary to Susquehanna River, and Strickler Run—7-G	DEP Southcentral Regional Office Clean Water Program 909 Elmerton Avenue Harrisburg, PA 17110-8200 717.705.4800
Borough of Conway	PAG136209	Borough of Conway 1208 Third Avenue Conway, PA 15027-1598	UNT to Crows Run, Crows Run & Ohio River/WWF	DEP Southwest Regional Office Clean Water Program 400 Waterfront Drive Pittsburgh, PA 15222-4745 412.442.4000
Hermitage City Mercer County	PAG138333	Hermitage City Mercer County 800 N Hermitage Road Hermitage, PA 16148-3220	Unnamed Tributary to Pine Run, Unnamed Tributary to Pine Hollow Run, Bobby Run, Hogback Run, Thornton Run, Unnamed Tributary to Hogback Run, McCullough Run, Unnamed Tributary to Shenango River, Pine Hollow Run, Shenango River, and Pine Run—20-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942
Seven Fields Borough Butler County	PAG138325	Seven Fields Borough Butler County 2200 Garden Drive, Suite 100 Seven Fields, PA 16046-7869	Unnamed Tributary to Kaufman Run—20-C	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942
Butler City Butler County	PAG138329	Butler City Butler County 124 West North Street Butler, PA 16001	Sullivan Run, Coal Run, Connoquenessing Creek, and Unnamed Tributary to Sullivan Run—20-C	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

<i>Facility Location Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Meadville City Crawford County	PAG138312	Meadville City Crawford County 894 Diamond Park Meadville, PA 16335-2603	French Creek, Mill Run, Spring Run, Bennyhoof Creek, Unnamed Tributary to Mill Run, Unnamed Tributary to French Creek, Cemetery Run, and Dick Run—16-D	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942
Wesleyville Borough Erie County	PAG138311	Wesleyville Borough 3421 Buffalo Road Wesleyville, PA 16510	Fourmile Creek—15-A	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942
Evans City Borough Butler County	PAG138337	Evans City Borough 204 B South Jackson Street Evans City, PA 16033-1138	Breakneck Creek and Unnamed Tributaries to Breakneck Creek—20-C	DEP Northwest Regional Office Clean Water Program 230 Chestnut Street Meadville, PA 16335-3481 814.332.6942

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Aaron Warner 7195 Old Plank Rd. Broad Top, PA 16621	Huntingdon	6	716.05	Swine	Trough Creek (NA)	Approved
Graywood Farms, LLC Byron Graybeal 225 Mason Dixon Rd. Peach Bottom, PA 17563	Lancaster	840.1	1,828.06	Dairy	HQ	A

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Walnut Run Farms 292 Elm Rd. Lititz, PA 17543	Lancaster	1,200	2,490.39	Dairy	NA	A

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4617522, Public Water Supply.

Applicant	North Penn Water Authority 300 Forty Foot Road Lansdale, PA 19446
Borough	Telford
County	Montgomery
Type of Facility	PWS
Consulting Engineer	North Penn Water Authority 300 Forty Foot Road Lansdale, PA 19446
Permit to Construct Issued	February 23, 2018

Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit No. 2450083, Public Water Supply.

Applicant	Mt. View Village Home Owner's Association RR 1, Box 313 Tannersville, PA 18372
[Township or Borough]	Pocono Township Monroe County
Responsible Official	Alan Angulo, President RR 1, Box 313 Tannersville, PA 18372
Type of Facility	PWS
Consulting Engineer	Kerry D. Tyson, PE Nittany Engineering & Associates, 2836 Earlstown Road Suite 1 Centre Hall, PA 16828
Permit to Construct Issued	01/23/2018

Permit No. 3390024, Public Water Supply.

Applicant	City of Allentown
[Township or Borough]	Allentown City Lehigh County
Responsible Official	Craig W. Messinger Interim Public Works Director 641 South 10th Street, 3rd Floor Allentown, PA 18103
Type of Facility	Public Water Supply
Consulting Engineer	Phil DePoe, PE, City of Allentown 641 South 10th Street 3rd Floor Allentown, PA 18103
Construction Permit Issued Date	01/31/2018

Permit No. 5417503MA, Public Water Supply.

Applicant	Aqua PA, Inc. 1 Aqua Way White Haven, PA 18661
[Township or Borough]	North Union Township Schuylkill County
Responsible Official	Patrick R. Burke, PE Aqua PA, Inc. 204 E. Sunbury Street Shamokin, PA 17872
Type of Facility	PWS

Consulting Engineer Jonathan Morris, PE
GHD
326 East Second Street
Bloomsburg, PA 17815
(570) 387- 5283

Permit Issued 02/09/2018

Permit No. 4018501, Public Water Supply.

Applicant **Borough of Freeland
Municipal Authority**
711 Birkbeck Street
P.O. Box C
Freeland, PA 18224

[Borough or Township] Freeland Borough

County **Luzerne**

Type of Facility PWS

Consulting Engineer Charles H Niclaus PE
Niclaus Engineering Corporation
804 Sarah St
Suite 201
Stroudsburg, PA 18360

Permit to Construct Issued 2/26/2018

Permit No. 6717515, Public Water Supply.

Applicant **The York Water Company**

Municipality Loganville Borough

County **York**

Responsible Official Mark S. Snyder, Engineering
Manager
130 East Market Street
P.O. Box 15089
York, PA 17405-7089

Type of Facility The 1,000,000-gallon Loganville
Standpipe will be drained and
repainted on the interior and
exterior. A temporary
3,000-gallon pressurized water
tank will be provided to
maintain pressure in the
Loganville pressure zone while
the standpipe is offline.

Consulting Engineer Mark S. Snyder, PE
The York Water Company
130 East Market Street
P.O. Box 15089
York, PA 17405-7089

Permit to Construct Issued 3/8/2018

Permit No. 3618501, Minor Amendment, Public Water Supply.

Applicant **Gap Brothers Holding, LLC**

Municipality Paradise Township

County **Lancaster**

Responsible Official Matthew Beiler, CFO
3105 Lincoln Hwy E
Paradise, PA 17562

Type of Facility Installation of treatment
facilities for treatment of
radionuclides.

Consulting Engineer Thomas J. Whitehill, PE
Whitehill Consulting Engineers
763 Conowingo Rd.
Quarryville, PA 17566

Permit to Construct Issued 3/5/2018

Permit No. 3617517, Public Water Supply.

Applicant **Quarryville Congregation of
Jehovah's Witnesses**

Municipality Colerain Township

County **Lancaster**

Responsible Official Timothy L. Fritz, Coordinator of
Body of Elders
8 Cobblestone Drive
Willow Street, PA 17584

Type of Facility Installation of facilities for
removal of nitrates.

Consulting Engineer Charles A. Kehew II, PE
James R. Holley & Associates,
Inc.
18 South George Street
York, PA 17401

Permit to Construct Issued 5/8/2018

Permit No. 2218501 MA, Minor Amendment, Public Water Supply.

Applicant **SUEZ Water Pennsylvania**

Municipality Susquehanna Township

County **Dauphin**

Responsible Official John D. Hollenbach,
Vice-President
4211 East Park Circle
Harrisburg, PA 17111-0151

Type of Facility Replacement of the underdrains
and media in Filter Nos. 1—7 at
the 6th Street WTP.

Consulting Engineer Mark C. Baker, PE
United Water Pennsylvania, Inc
4405 North 6th Street
Harrisburg, PA 17110

Permit to Construct Issued 3/8/2018

Operation Permit No. 6715510 issued to: **The York Water Company (PWS ID No. 7670100)**, Spring Garden Township, **York County** on 3/8/2018 for facilities at Lake Redman Pumping Station and Force Main approved under Construction Permit No. 6715510.

Operation Permit No. 2218503 MA issued to: **Pennsylvania American Water Company (PWS ID No. 7220017)**, South Hanover Township, **Dauphin County** on 3/12/2018 for facilities at Hershey Water System approved under Construction Permit No. 2218503 MA.

Comprehensive Operation Permit No. 7220864 issued to: **Sportsman's Golf Course (PWS ID No. 7220864)**, Lower Paxton Township, **Dauphin County** on 3/2/2018 for the operation of facilities approved under Construction Permit No. 2217513 MA.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, (PWSID # 5020039) North Strabane Township, **Washington County** on March 13, 2018 for the operation of facilities approved under Construction Permit # 0216537-A1.

Operations Permit issued to: **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672, (PWSID # 5020025) City of McKeesport, **Allegheny County** on March 7, 2018 for the operation of facilities approved under Construction Permit # 0216540.

Operations Permit issued to: **Municipal Authority of the Borough of Edgeworth**, 313 Beaver Road, Edgeworth, PA 15143, (PWSID # 5020015) Ambridge Borough, **Beaver County** on March 12, 2018 for the operation of facilities approved under Construction Permit # 0218503MA.

Operations Permit issued to: **Municipal Authority of the Borough of Edgeworth**, 313 Beaver Road, Edgeworth, PA 15143, (PWSID # 5020015) Bell Acres Borough, **Allegheny County** on March 12, 2018 for the operation of facilities approved under Construction Permit # 0218504MA.

Permit No. 0317509MA, Minor Amendment. Public Water Supply.

Applicant	Kittanning Suburban Joint Water Authority 710 Tarrtown Road Adrian, PA 16210
[Borough or Township]	East Franklin Township
County	Armstrong
Type of Facility	Adrian Road waterline project
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road Suite 200 Cheswick, PA 15024
Permit to Construct Issued	March 12, 2018

Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operation Permit issued to **Aqua Pennsylvania, Inc.**, PWSID No. 6420018, Mt. Jewett Borough, **McKean County**. Permit Number 4215503-MA1 issued March 7, 2018 for the operation of the existing pre-filter chlorination injection point. This permit is issued in response to the Public Water Supply permit amendment application accepted by the Department on January 8, 2018, and the included photographic evidence depicting the existing pre-filter chlorination injection point.

Permit No. 3717501-MA1, Public Water Supply.

Applicant	Pennsylvania American Water Company
Township or Borough	Shenango Township
County	Lawrence
Type of Facility	Public Water Supply

Consulting Engineer	Chad Eric Hanley, PE 200 West Kensing Drive Suite 400 Cranberry Township, PA 16066
Permit to Construct Issued	March 7, 2018
Permit No. 6117502 , Public Water Supply.	
Applicant	UPMC Senior Communities, Inc.
Township or Borough	Sugarcreek Borough
County	Venango
Type of Facility	Public Water Supply
Consulting Engineer	Karen Brinker Hatch Chester Gateway View Plaza Suite 1 1600 West Carson Street Pittsburgh, PA 15219
Permit to Construct Issued	March 7, 2018
Permit No. 4317501 , Public Water Supply.	
Applicant	Borough of Stoneboro
Township or Borough	Stoneboro Borough
County	Mercer
Type of Facility	Public Water Supply
Consulting Engineer	John D. Klein, PE Herbert, Rowland & Grubic, Inc. 200 West Kensing Drive Suite 400 Cranberry Township, PA 16066
Permit to Construct Issued	March 7, 2018
Permit No. 3316502-MA1 , Public Water Supply.	
Applicant	PA American
Township or Borough	Young Township
County	Jefferson County
Type of Facility	Public Water Supply
Consulting Engineer	Bruce Brubaker, PE PA American Water 852 Wesley Drive Mechanicsburg, PA 17055
Permit to Construct Issued	March 8, 2018
Permit No. 4388510-MA4 , Public Water Supply.	
Applicant	Greenville Municipal Water Authority
Township or Borough	West Salem Township
County	Mercer County
Type of Facility	Public Water Supply
Consulting Engineer	Robert Horvat, PE Entech Engineering 400 Rouser Road Coraopolis, PA 15108
Permit to Construct Issued	March 8, 2018

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the acquisition of rights to divert waters of the Commonwealth.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WA-09-959B, Water Allocations, **Warrington Township Water & Sewer Department**, 852 Easton Road, Warrington, PA 18976, Warrington Township, **Bucks County**, granting the right to purchase 2,000,000 gallons per day of water, based peak use, from the North Wales Water Authority in Bucks County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department regional office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Martins Creek Steam Electric Station, 6605 Foul Rift Road, Lower Mount Bethel Township, **Northampton County**. JMT Environmental Technologies Inc., P.O. Box 22044, Lehigh Valley, PA 18002, on behalf of Martins Creek LLC, 6605 Foul Rift Road, Bangor, PA 18013, submitted a Final Report concerning remediation of site soils contaminated with # 4 fuel oil. The report is intended to document remediation of the site to meet Statewide Health Standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Chad Sener Property, 1099 Twin Lakes Drive, Harrisburg, PA 17111, Lower Paxton Township, **Dauphin County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of State Farm Insurance, PA Fire Claims, 520 Fellowship Road, Suite E-506, Mt. Laurel, NJ 08054, and Bob Hurford, P.O. Box 106169, Atlanta, GA submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Penelec-Former Sayre District Office, 238 Spring Street, Sayre Borough, **Bradford County**. SE Technologies, LLC, 96 Vanadium Road, Bridgeville, PA 15017, on behalf of Penelec/First Energy Corp., 1900 Centre Ave., Reading, PA 19601, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead and other organics. The report is intended to document remediation of the site to meet the Background and Site-Specific Standards.

Raimo Unit Well Pad, 5662 Posted Lane, Overton Township, **Bradford County**. Woodard & Curran, 300 Penn Center Boulevard, Suite 800, Pittsburgh, PA 15235, on behalf of Chief Oil & Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

US Route 15S at MM 142, Old Lycoming Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of ALS Trucking Corp., 6986 Rebecca Drive, Niagara Falls, NY 14304, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of site to meet the Statewide Health Standard.

Pilot Thomas Logistics, 120 Choate Circle, Fairfield Township, **Lycoming County**. Juniata Geosciences, LLC, 6972 Willow Brook Road, Alexandria, PA 16611, on behalf of Pilot Thomas Logistics, 200 Viscose Road, Nitro, WV 25143, has submitted a Final Report concerning remediation of site soil contaminated with antifreeze. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

United Brass Works, Inc., 944 West 12th Street, City of Erie, **Erie County**. ECS Mid-Atlantic, LLC, 56 Grumbacher Road, Suite D, York, PA 27317, on behalf of United Brass Works, Inc., 714 South Main Street, Randleman, NC 27317 submitted a Remedial Investigation

Report/Risk Assessment Report/Cleanup Plan/Final Report concerning the remediation of site soil contaminated with Antimony, Cadmium, Lead, Tetrachloroethylene and site groundwater contaminated with Arsenic, Benzo[a]pyrene, Benzo[g,h,i]perylene, Lead, Tetrachloroethylene, and Vinyl Chloride. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Mellon's Orchard, 5812 Station Street, City of Pittsburgh, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of The Urban Redevelopment Authority of Pittsburgh County, 200 Ross Street, Pittsburgh, PA 15219 has submitted a Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning the remediation of groundwater contaminated with semi-volatile and volatile organic compounds (SVOC & VOCs) and soil contaminated with VOCs, SVOCs and lead. Public notice was printed in the *Pittsburgh Post-Gazette* on February 21, 2018.

Former McKeesport Tubular, 301 4th Ave., McKeesport, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of RIDC of Southwest PA, 210 Sixth Ave., Suite 3620, Pittsburgh, PA 15222, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with semi-volatile organic compounds (VOCS) and metals. Public notice was printed in the *Pittsburgh Post-Gazette* on January 18, 2018.

Kalp 1 Pad Impoundment, 1185 Route 711, Stahtstown, **Westmoreland County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of WPX Energy Appalachia, LLC, 3500 One Williams Center, Tulsa, Oklahoma 74172 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds and metals. Public notice was printed in the *Pittsburgh Tribune-Review* on January 8, 2018.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act

for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

PAWC-Lake Montrose Water Treatment Plant, 15286 State Route 29, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18801, on behalf of PA American Water, 800 West Hersheypark Drive 17033, submitted a final report concerning site soils contaminated with # 2 heating oil. The report was intended to document remediation of the site to meet residential Statewide Health Standards, but was disapproved by the Department on March 12, 2018.

Purtell Property, 14528 State Route 858, Apolaccon Township, **Susquehanna County**, Environmental Alliance, 5341 Limestone Road, Wilmington, DE 19808, on behalf of Leo Purtell, 14528 State Route 858, Little Meadows, PA 18830, submitted a Final Report concerning remediation of site soils and groundwater contaminated with # 2 fuel oil. The report documented remediation of the site to meet Statewide Health Standards and was approved by the Department on March 12, 2018.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone 717.705.4705.

Former Yorktowne Cabinets, 100 Redco Avenue, Red Lion, PA 17356, Red Lion Borough and Windsor Township, **York County**. Buchart Horn, Inc., 445 West Philadelphia Street, P.O. Box 15040, York, PA 17405-7040, on behalf of Tri Boro Construction, 465 Locust Street, P.O. Box 8, Dallastown, PA 17313, submitted a Remedial Investigation and Final Report concerning remediation of

site soil and groundwater contaminated with organics and chlorinated solvents. The Final Report demonstrated attainment of the Site-Specific and Nonresidential Statewide Health Standards, and was approved by the Department on March 9, 2018.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

SGL 12 B Unit Well Pad, 1024 Cherry Top Lane, Overton Township, **Bradford County**. Woodard & Curran, 300 Penn Center Blvd, Suite 800, Pittsburgh, PA 15235, on behalf of Chief Oil & Gas LLC, 1720 Sycamore Road, Montoursville, PA 17754, has submitted a Final Report concerning the remediation of site soils contaminated with inorganics and used motor oil. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 9, 2018.

COP Tract 231 Pad D, 130 Tall Man Lane, Snow Shoe Township, **Centre County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19431, on behalf of Alta Resources, 33 West Third Street, Suite 300, Williamsport, PA 17701, has submitted a Final Report concerning remediation of site soil contaminated with organics. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 8, 2018.

US Route 15S at MM 142, Old Lycoming Township, **Lycoming County**. Northridge Group, Inc., P.O. Box 231, Northumberland, PA 17857, on behalf of ALS Trucking Corp., 6986 Rebecca Drive, Niagara Falls, NY 14304, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 8, 2018.

SWN, LLC T1 04 Lepley Pad, Milk Plant Drive, Liberty Township, **Tioga County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of SWN Production Company, LLC, 917 SR 92 North, Tunkhannock, PA 18657, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The report demonstrated attainment of the Statewide Health Standard and was approved by the Department on March 6, 2018.

Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NFG Midstream Clermont West Compressor Station, 12753 Shawmut Grade Road, Jones Township, **Elk County**. Environmental Remediation and Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of National Fuel Gas Midstream Clermont, LLC, P.O. Box 2081, 1100 State Street, Erie, PA 16512, submitted a Final Report concerning the remediation of site soil contaminated with 1,1 biphenyl, 1,3,4-trimethylbenzene, 1,3,5-trimethylbenzene, 2-methylnaphthalene, acenaphthene, aluminum, anthracene, barium, benzene, benzo[a]anthracene, benzo[a]fluoranthene, benzo[a]pyrene, benzo[g,h,i]perylene, boron, chlorides, chrysene, cumene, cyclohexane, ethylbenzene, ethylene glycol, fluoranthene, fluorene, indeno[1,2,3-c,d]pyrene, iron, lithium, manganese, naphthalene, phenanthrene, phenol, pyrene, sec-butyl benzene, selenium, tert-butyl benzene, toluene, vanadium, xylenes, and zinc. The Report was disapproved by the Department on March 7, 2018.

Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Bridgeport Street (former Levin), Mount Pleasant Borough, Westmoreland County. KU Resources, Inc.; 22 South Linden Street, Duquesne, PA 15110 on behalf of The Redevelopment Authority of Westmoreland County, 5th Floor, 40 North Pennsylvania Avenue, Greensburg, PA 15601 has submitted a Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning the remediation of groundwater contaminated with semi-volatile and volatile organic compounds (SVOC & VOCs) and SVOC's in soil. Public notice was printed in the Tribune-Review on November 6, 2017. The Reports were approved by the Department on March 1, 2018.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Hazardous Waste Transporter License Reissued

Coal City Cob Company, Inc., 4300 North I-35 East, Waxahachie, TX 75165. License No. PA-AH 0589. Effective Mar 09, 2018.

CTR Industries, Inc., 118 Burr Court, Bridgeport, CT 06605. License No. PA-AH 0794. Effective Mar 13, 2018.

Renewal Applications Received

Coal City Cob Company, Inc., 4300 North I-35 East, Waxahachie, TX 75165. License No. PA-AH 0589. Effective Mar 09, 2018.

CTR Industries, Inc., 118 Burr Court, Bridgeport, CT 06605. License No. PA-AH 0794. Effective Mar 13, 2018.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act and the act of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Regulated Medical and Chemotherapeutic Waste Transporter Reissued

Orchard Hill Memorial Park, Inc., 187 Route 94, Lafayette, NJ 07848. License No. PA-HC 0163. Effective Mar. 12, 2018.

Renewal Applications Received

Orchard Hill Memorial Park, Inc., 187 Route 94, Lafayette, NJ 07848. License No. PA-HC 0163. Effective Mar. 12, 2018.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Issued Under the Solid Waste Management Act; the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit No. WMGR081SE002. Keystone Memory Group, LLC, 2100 Cabot Blvd West, Suite D, Langhorne PA 19047-1850. This application is for the determination of applicability (DOA) to process and store electronic scrap prior to reuse or recycle in accordance with the beneficial use permit No. WMGR081 at the 2100 Cabot Boulevard West Facility, located at 2100 Cabot Boulevard West, Suite 200, in the Borough of Langhorne, **Bucks County**. The application of determination of applicability was issued by the Southeast Regional Office on March 1, 2018.

Persons interested in reviewing the general permit may contact the Pennsylvania Department of Environmental Protection (“DEP”) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or telephone at 484.250.5960. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP15-55-134: Kreamer Feed, Inc. (P.O. Box 38, 215 Kreamer Avenue, Kreamer, PA 17833) on March 6, 2018, to authorize the operation of a feed mill pursuant to the General Plan Approval and General Operating Permit for Feed Mills (BAQ-GPA/GP-15) at their facility in Middlecreek Township, **Snyder County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6328.

GP5-43-271C: Range Resources Appalachia LLC, Wallace Station (3000 Town Center Blvd., Canonsburg, PA 15317) on March 9, 2018, for the authority to reauthorize with no modification their permit for a natural gas production equipment (BAQ-GPS/GP5) located at their facility in French Creek Township, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-0122: AQUA Pennsylvania, Inc. (762 West Lancaster Avenue, Bryn Mawr, PA 19010) On March 9, 2018 for installation and operation of two diesel-fired emergency generators at their facility, located in Springfield Township, **Delaware County**.

09-0048E: H&K Materials/Chalfont Batch Asphalt Plant (300 Skunk Hollow Road, Chalfont, PA 19474) On March 13, 2018 a plan approval for the modification of an existing VOC emission restriction due to the results of stack testing on their Batch Asphalt Plant located in Hilltown Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, PE, Environmental Engineer Manager—Telephone: 570-826-2409.

40-00118B: Valmont Newmark, Inc. (101 Carleton Ave, Hazleton, PA 18201) On February 28, 2018 for the transfer of equipment and operation of its plasma cutting and weld operations with associated control equipment at their facility located in The City of Hazleton, **Luzerne County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104.

Contact: Edward Wiener, Chief—Telephone: 215-685-9426.

AMS IP17-000275: Riverside Materials Inc. (2870 E. Allegheny, Philadelphia, PA 19134) issued March 12, 2018 for the installation of a 770,000 tons per year (tpy) (350 tons per hour (tph)) Drum Hot Mix Asphalt (DHMA) plant in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources includes one (1) 108 MMBtu/hr Counter Flow Drum firing natural gas a primary fuel and No. 2 Oil as backup fuel, one (1) 54,000 ACFM Square Knockout Box (Cyclone), one (1) 54,000 ACFM Reverse Bag Pulse Baghouse, one (1) 2 MMBtu/hr Heater that burns natural gas as primary fuel and No. 2 Oil as backup fuel, Screen Decks, Cold Feed Bins, Aggregate Weigh Conveyor, Recycled Asphalt Material Weigh Conveyor, Aggregate Collecting Conveyor, Recycle Asphalt Bin, Cold Feed Bin Collecting Conveyor, three (3) 29,000 gallon Asphalt Cement Tanks, one (1) 20,000 gallon No. 2 Oil Storage Tank, three (3) 200 ton Hot Mix Asphalt Storage Silos, and one (1) 82 ton Dust Silo. The facility will be limited to 2,200 operating hours per year. There will be potential Nitrogen Oxides (NO_x) emissions of 11.95 tpy, Total Particulate Matter (PM) emissions of 14.01 tpy, Total PM less than 10 microns (PM₁₀) emissions of 10.69 tpy, Volatile Organic Compound (VOC) emissions of 12.3 tpy, Carbon Monoxide (CO) emissions of 50.1 tpy, and Sulfur Dioxide (SO₂) emissions of 1.3 tpy. The plan approval contains operating, monitoring, recordkeeping, testing, and reporting requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

08-00003J: JELD-WEN, Inc. (825 Shiner Road, P.O. Box 311, Towanda, PA 18848-0311) on March 11, 2018 to extend the authorization to operate the Die Form surface coating operation at their facility located in Wysox Township, **Bradford County** on a temporary basis to September 7, 2018. The plan approval has been extended.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00054: Abington Memorial Hospital (1200 Old York Road, Abington, PA 19001-3720) on February 27, 2018 for the renewal of a State Only Operating Permit for boilers and emergency generators that operate at this facility in Abington Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Norman Frederick, PE, Environmental Engineer Manager—Telephone: 570-826-2409.

40-00047: Geisinger Wyoming Valley (1000 East Mountain Blvd, Wilkes-Barre, PA 18711) The Department issued on 3/8/218, a State-Only (Natural Minor) Operating Permit for operation of a hospital located in Plains Township, **Luzerne County**. The sources include two (2) natural gas and no 2 oil-fired boilers. The proposed permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Environmental Program Manager—Telephone: 570-327-3648.

59-00023: Buckheit Funeral Chapel, PC (637 South Main Street, Mansfield, PA 16933) was issued a State Only operating permit on March 6, 2018, for operation of its facility located in Richmond Township, **Tioga County**. All applicable Federal and State regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practice conditions to assure compliance with the applicable requirements have been included in the renewal NMOP 59-00023.

49-00058: Central Builders Supply Company (P.O. Box 152, Sunbury, PA 17801-0152) was issued a State Only operating permit on March 6, 2018, for operation of their Montandon sand and gravel plant located in West Chillisquaque Township, **Northumberland County**. All applicable Federal and State regulatory requirements including testing, monitoring, recordkeeping, reporting,

and work practice conditions to assure compliance with the applicable requirements have been included in the renewal NMOP 49-00058.

41-00046: Pennsylvania College of Technology (1 College Avenue, Williamsport, PA 17701) was issued a renewal State Only operating permit on March 5, 2018, for operation of the air contamination sources at their college campus located in the City of Williamsport, **Lycoming County**. All applicable Federal and State regulatory requirements including testing, monitoring, recordkeeping, reporting, and work practice conditions to assure compliance with the applicable requirements have been included in the renewal operating permit 41-00046.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matt Williams, Facilities Permitting Chief at Telephone: 814-332-6940.

25-00958: Ridg-U-Rak Storage Systems/State Line Pkt. (12340 Gay Rd, North East, PA 16428). On March 8, 2018, the Department issued a State Only Natural Minor Operating Permit for the facility located in North East Township, **Erie County**. The facility's primary emission sources include natural gas-fueled space heaters, a 3-stage surface preparation system, a dry-off oven, a powder cure oven, a fluidized cleaning system, and an emergency generator. The potential emissions of the primary pollutants from the facility are as follows: 12.21 TPY NO_x, 7.60 TPY CO, 0.05 TPY SO_x, 0.29 TPY VOC, and 0.17 TPY PM₁₀ and PM_{2.5}; thus, the facility is a natural minor. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9476.

The City of Philadelphia, Air Management Services (AMS) has intended to issue a Minor State Only Operating Permit for the following facility:

OP18-000004: Mutual Pharmaceutical Co., Inc. (1100 Orthodox Street, Philadelphia, PA 19124) administratively amended on March 8, 2018 to incorporate a change of ownership and a name change to Frontida BioPharm, Inc. for the operation of a pharmaceutical manufacturing facility in the City of Philadelphia, **Philadelphia County**. The Synthetic Minor Operating Permit was originally issued on August 19, 2013 with permit number S13-006.

OP17-000070: HCP Inc. (833 Chestnut Street, Philadelphia, PA 19107) for a real estate office in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include three natural gas or No. 2 oil fired boilers each rated at 6 MMBtu/hr or less, three (3) diesel fired emergency generators each rated at 2,000 kW, and one (1) diesel fired emergency generator rated at 750 kW.

OP17-000037: Verizon Pennsylvania LLC (1631 Arch Street, Philadelphia, PA 19103) for an office in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two (2) diesel fired Caterpillar emergency generators each rated at 2,168 hp.

OP17-000043: SEPTA Wayne Junction Car House (4500 Germantown Avenue, Philadelphia, PA 19141) for a car house in the City of Philadelphia, **Philadelphia**

County. The facility's air emission sources include six (6) natural gas fired boilers, each rated at 2.52 MMBtu/hr or less, one (1) kerosene fired space heater rated at 0.60 MMBtu/hr, one (1) No. 2 oil fired pressure washer rated at 0.585 MMBtu/hr, one (1) spray booth for miscellaneous metal parts, and one (1) diesel fired emergency generator rated at 464 BHP.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00172: Gemalto Inc. (101 Park Drive, Montgomeryville, PA 18963-9618), On March 13, 2018 for an administrative amendment to correct an omission from the last renewal of the facility's State Only Operating Permit to add a 6-color Heidelberg Printing Press to and remove five printing presses from the State Only Operating Permit for this facility for which the installation or removal of equipment was performed prior to the issuance of the last renewal of the State Only Operating Permit. This facility is located in Montgomery Township, **Montgomery County**.

23-00220: Eddystone Marine & Rail Terminal Co., LLC (# 5 Industrial Highway, Eddystone, PA 19022) located in Eddystone Borough, **Delaware County**. On March 13, 2018, the permit has been amended and issued under the Air Pollution Control Act (35 P.S. §§ 4001—

4015) and 25 Pa. Code § 127.450 to address a Change of Ownership from Eddystone Rail Co., Inc. to Eddystone Marine & Rail Terminal Co., LLC. Additionally, the Federal tax ID number has been changed to 82-2066222.

09-00196: Abington Reldan Metals, LLC (550 Old Bordertown Road, Fairless Hills, PA 19030) on March 13, 2018, has been amended to incorporate plan approval No. 09-0196I requirements in accordance with 25 Pa. Code § 127.450. The amended State-Only Operating Permit contains all of the applicable regulatory requirements including monitoring, recordkeeping, reporting and emission limits in Falls Township, **Bucks County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief or Matt Williams, Facilities Permitting Chief—Telephone: 814-332-6340.

42-00178: Villager Construction for Glenn O. Hawbaker, Inc. (SR1002 Champlain Hill Road, Turtlepoint, PA 16750) facility located in Annin Township, **McKean County**. The De minimis emission increases are for the operation of a Pegson 320 Portable Crusher. This source is exempt from plan approval as it complies with 25 Pa. Code § 127.449.

The Department hereby approves the De minimis emission increases. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This is the first De minimis emission increases since the facility current Operating Permit issuance on November 29, 2017.

Date	Source	PM10 (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
3-12-18	Pegson 320 Portable Crusher	0.18	0.26	0.83	-	0.72
Total Reported Increases		0.18	0.26	0.83	-	0.72
Allowable		0.6 ton/source 3 tons/facility	1.6 ton/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

42-00194: Villager Construction for Glenn O. Hawbaker, Inc. (497 Horse Run Road, Shinglehouse, PA 16748) facility located in Ceres Township, **McKean County**. The De minimis emission increases are for the operation of a Pegson 320 Portable Crusher. This source is exempt from plan approval as it complies with 25 Pa. Code § 127.449.

The Department hereby approves the De minimis emission increases. The following table is a list of the De minimis emission increases as required by 25 Pa. Code § 127.449(i). This is the first De minimis emission increases since the facility current Operating Permit issuance on October 31, 2017.

Date	Source	PM10 (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
3-12-18	Pegson 320 Portable Crusher	0.02	0.04	0.12	-	0.14
Total Reported Increases		0.02	0.04	0.12	-	0.14
Allowable		0.6 ton/source 3 tons/facility	1.6 ton/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law; the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.20a). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to applications will also address the application permitting requirements of the following statutes: the Air Quality Pollution Act (35 P.S. §§ 4001—4014); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1002).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

11040701 and NPDES No. PA0235717. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201). To revise the permit for the Refuse Area No. 1 in Portage Township, **Cambria County** and related NPDES Permit for additional disposal area to ensure future processing and disposal capacity and add NPDES Point 007. Coal Refuse Disposal Support Acres Proposed 178.6, Coal Refuse Disposal Acres Proposed 178.6. In conjunction with this approval, the Department is granting 401 Water Quality Certification certifying that the approved activities will comply with the applicable provisions of sections 301—303, 306 and 307 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341) and will not violate applicable Federal and State water quality standards. Receiving Stream: Unnamed Tributary of Spring Run, classified for the following use: CWF. The application was considered administratively complete on April 4, 2017. Application received: August 31, 2016. Permit issued March 1, 2018.

30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, (1000 Consol Energy Drive, Canonsburg, PA 15317). To revise the permit for the Bailey Mine & Prep Plant in Richhill Township, **Greene County** and related NPDES Permit for full extraction mining and stream restoration in Panels 4L and 5L. No additional discharges. The application was considered administratively complete on May 11, 2017. Application received: April 27, 2017. Permit issued: March 7, 2018.

56910701 and NPDES No. PA0213560. PBS Coals, Inc., (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To renew the permit for the Job 10 Refuse Disposal Area in Somerset Township, **Somerset County** and related NPDES Permit. No additional discharges. The application was considered administratively complete on August 29, 2017. Application received: March 3, 2017. Permit issued: March 9, 2018.

56910701 and NPDES No. PA0213560. PBS Coals, Inc., (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To revise the permit for the Job 10 Refuse Disposal Area in Somerset and Brothersvalley Townships,

Somerset County and related NPDES Permit to add NPDES Outfall 002. Surface Acre Proposed 1.6. Receiving Stream: Unnamed Tributary to Kimberly Run, classified for the following use: CWF. The application was considered administratively complete on August 24, 2017. Application received: June 27, 2017. Permit issued: March 9, 2018.

56841605 and NPDES No. PA0214761. Croner, Inc., (1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541). To renew the permit for the Goodtown Preparation Plant in Brothersvalley Township, **Somerset County**. No additional discharges. The application was considered administratively complete on June 24, 2011. Application received: February 8, 2011. Permit issued: February 27, 2018.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

12040102 and NPDES PA0256145. Allegheny Enterprises, Inc. (3885 Roller Coaster Road, Corsica, PA 15829). Permit renewal for reclamation only of a bituminous surface mine located in Shippen Township, **Cameron County** affecting 206.0 acres. Receiving stream(s): Unnamed Tributary to Finley Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: March 3, 2017. Permit issued: March 6, 2018.

17970112 and NPDES PA0220680. Cory L Shawver dba Hilltop Coal Company (12 Dutchtown Road, Houtzdale, PA 16651). Permit renewal for reclamation only of a bituminous surface coal and auger mine located in Bigler Township, **Clearfield County** affecting 212.4 acres. Receiving stream(s): Unnamed Tributary to Muddy Run and Muddy Run classified for the following use(s): CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: August 30, 2017. Permit issued: March 5, 2018.

17140101 and NPDES PA0269701. RES Coal LLC (224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920). Commencement, operation, and restoration of a bituminous surface and auger mine located in Bradford Township, **Clearfield County** affecting 261.7 acres. Receiving stream(s): Unnamed Tributaries to West Branch Susquehanna River classified for the following use(s): CWF, MF and West Branch Susquehanna River classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: January 15, 2016. Permit issued: March 2, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

3378BC21 and NPDES Permit No. PA0251348. Milrock Mining, Inc. (960 Penn Avenue, Suite 400, Pittsburgh, PA 15222). Permit renewal issued for continued treatment to an existing bituminous surface mine, located in Wharton and Henry Clay Townships, **Fayette County**, affecting 11.4 acres. Receiving streams: unnamed tributary to Fike Run. Application received: May 16, 2013. Renewal permit issued: March 5, 2018.

Noncoal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

PAM418008-GP104. Elwood Helsel, 544 Munster Road, Portage, PA 15946 General NPDES Permit for stormwater discharges associated with mining activities on Non-Coal Permit No. 11880801 located in Portage Township, **Cambria County**. Receiving stream: Un-

named Tributary to Little Conemaugh River classified for the following uses: Cold Water Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: January 1, 2018. Coverage Approved: March 6, 2018.

PAM411004-GP104. Hosler Excavating, 4728 Groninger Valley Road, Port Royal, PA 17082. Renewal of General NPDES Permit for stormwater discharges associated with mining activities on Non-Coal Permit No. 34110801 located in Milford Township, **Juniata County**. Receiving stream: Unnamed Tributary to Tuscarora Creek classified for the following uses: Cold Water Fishes, Migratory Fishes. There are no potable water supplies located within 10 miles downstream. Notice of Intent for Coverage received: February 22, 2018. Coverage Approved: March 6, 2018.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

PAM618011. Waterford Sand & Gravel Co. (15871 Sturgis Road, Union City, PA 16438) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 20940302 in Bloomfield Township, **Crawford County**. Receiving streams: Oil Creek. Application received: February 5, 2018. Permit Issued: March 6, 2018.

PAM613012. Slippery Rock Materials, Inc. (704 Golf Course Road, Volant, PA 16156-5518) Renewal of the General NPDES Permit for stormwater discharges associated with mining activities on Mine Drainage Permit No. 37800303 in Plain Grove Township, **Lawrence County**. Receiving streams: Unnamed tributary to Taylor Run. Application received: February 14, 2018. Permit Issued: March 6, 2018.

PAM618012. Slippery Rock Materials, Inc. (704 Golf Course Road, Volant, PA 16156-5518) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 37950301 in Plain Grove Township, **Lawrence County**. Receiving streams: Unnamed tributary to Taylor Run. Application received: February 5, 2018. Permit Issued: March 6, 2018.

PAM618013. Allegheny Aggregate, Inc. (P.O. Box 38, Pittsfield, PA 6340) General NPDES Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 62990303 in Pittsfield Township, **Warren County**. Receiving streams: Little Brokenstraw Creek. Application received: February 15, 2018. Permit Issued: March 6, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 8275SM2C8 and NPDES Permit No. PA0593885. New Enterprise Stone & Lime Company, Inc. dba Martin Limestone, Inc., (3580 Division Highway, East Earl, PA 17519), Renewal of NPDES permit for discharge of treated mine drainage in Earl and Ephrata Townships, **Lancaster County**. Receiving stream: Conestoga River. Application received: May 30, 2017. Renewal Issued: March 8, 2018.

Permit No. PAM112074R. Meshoppen Stone, Inc., (P.O. Box 127, Meshoppen, PA 18630), renewal of General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 58120302 in Middletown Township, **Susquehanna County**. Receiving stream: unnamed tributary of North Branch Wyalusing Creek. Application received: December 26, 2017. Renewal issued: March 12, 2018.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

08184101. M & J Explosives (P.O. Box 1248, Carlisle, PA 17013). Blasting for well pad in Leroy Township, **Bradford County** with an expiration date of March 1, 2019. Permit issued: March 7, 2018.

14184101. Douglas Explosives, Inc. (2052 Philipsburg-Bigler Highway, Philipsburg, PA 16866). Blasting for residential development at Kaywood Subdivision in Harris Township, **Centre County** with an expiration date of February 1, 2019. Permit issued: March 9, 2018.

New Stanton District Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

02184004. Senex Explosives (710 Millers Run Road, Cuddy, PA 15031). Blasting activity permit for construction, located in South Fayette Township, **Allegheny County** with an expiration date of March 1, 2019. Blasting permit issued: March 12, 2018.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Permit No. 35184103. John H. Brainard, (P.O. Box 66, Clifford, PA 18413), construction blasting for Glenmaura Parcel 3C rough grading in Moosic Borough, **Lackawanna County** with an expiration date of December 31, 2018. Permit issued: March 6, 2018.

Permit No. 38184107. Keystone Blasting Service, (15 Hopeland Road, Lititz, PA 17543), construction blasting for Matt Nolt Chicken House in Millcreek Township, **Lebanon County** with an expiration date of June 30, 2018. Permit issued: March 6, 2018.

Permit No. 40184102. Maurer & Scott Sales, Inc., (122 Thomas Street, Coopersburg, PA 18036), construction blasting for South Cross Valley Expressway PennDOT ECMS 9234 in Hanover Township, **Luzerne County** with an expiration date of February 22, 2019. Permit issued: March 6, 2018.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under sec-

tion 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Waterway and Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5900.

E09-1015. Warrington Township, 852 Easton Road, Warrington, PA 18976-1413, Warrington Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain a 2.5-mile long of 10 feet wide public walking trail which will connect the existing 202 bypass trail to the existing Bedford Reservoir Park System associated with seven stream crossings at different locations in and along the 100-year flood plain of Mill Creek and its tributaries. The trail begins at the intersections of Stump Road and Billingsly Drive and terminates at Street Road and Morning Wall Drive (Doylestown, PA, USGS Map; Latitude: 40.2621; Longitude: -75.179428).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E46-1155: Hatfield Township, 1950 School Road, Hatfield, PA 19440-1992, Hatfield Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain an 8-foot wide by 45-foot long Pedestrian Boardwalk crossing, and two culvert crossings over wetland (PFO), and small tributaries to the Unionville Tributary (WWF, MF) associated with the final Frick's Trail System in the township. Trail is partially

located within the 100-year floodway/floodplain. The site is located between Orvilla Road and Sterling Drive (USGS Telford, PA, Quadrangle Latitude: 40.286924; Longitude: -75.275161).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E15-888. West Bradford Township, 1385 Campus Drive, Downingtown, PA 19335-3690, West Bradford Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain an 18-inch stormwater outfall along UNT to Broad Run (EV-MF) associated with the improvement of public health and safety by reducing the stormwater flow through the roadside swale.

The site is located along north side of Chestnut Lane (Unionville, PA USGS Quadrangle, Latitude: 39.967856; Longitude: -75.748325).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E15-886. APG The Valley, L.P., 606 Gordon Drive, Exton, PA 19341, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain an 8-inch sanitary sewer main extension utility line crossing the UNT to Valley Creek (EV-MF) associated with the 43-lot single family subdivision.

The site is located at 99 Church Road (Malvern, PA USGS Quadrangle, Latitude: 40.049086; Longitude: -75.560822).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E46-1157. Wissahickon Valley Watershed Association, 12 Morris Road, Ambler, PA 19426, Lower Gwynedd Township, **Montgomery County**, ACOE Philadelphia District.

To perform the below listed water obstruction and encroachment activities associated with the Green Ribbon Trail/Wissahickon Creek Stepping Stone Crossing Project. To construct 13 poured in place concrete stepping stones in Wissahickon Creek.

The site is approximately at the intersection of SR 73 (Skippack Pike) and SR 202, along the Wissahickon Creek just upstream of the creek flowing under Route 202, approximately 0.44 mile northeast of Township Line Road. (Lansdale Lat. 40° 11' 15"; Long. 75° 16' 10").

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Waterways and Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Telephone 570-826-2511.

E40-797. Villas at Waterwood, LLC, 400 Third Ave. Kingston, PA 18704. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain a 1,750 sq. ft. pile-supported dock/lakehouse within the basin of Harveys Lake (HQ-CWF). The project is located approximately at Pole 147, Lakeside Drive (Harveys Lake, PA Quadrangle, Latitude: 41° 22' 26"; Longitude: -76° 2' 38") Harveys Lake Borough, Luzerne County.

E48-445. IPT Brodhead DC, LLC, 301 Route 17 North, Suite 206, Rutherford, NJ 07070, in Bethlehem Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Brodhead Road Distribution Center development:

1. A 20-foot wide, 60-LF vegetated trapezoidal stormwater outfall channel within the floodway of the Monocacy Creek (HQ-CWF, MF).

2. A stream monitoring well in the floodway of the Monocacy Creek (HQ-CWF, MF) consisting of a 2-inch diameter PVC pipe extending 3-foot above existing ground elevation.

The project is located directly northwest of the intersection of S.R. 191 (Linden Street) and U.S. Route 22 (Nazareth, PA Quadrangle Latitude: 41° 40' 46.25", Longitude: -75° 20' 43.15") in Bethlehem Township, Northampton County.

E66-164. Mehoopany Creek Watershed Association, P.O. Box 73, Forkstown and Mehoopany Township, **Wyoming County**, Army Corps of Engineers Baltimore District.

To construct and maintain a stream and floodplain restoration project in 2,766-foot reach of Mehoopany Creek (CWF, MF) with work consisting of installation of boulder bank revetments, installation of boulder bank grade reinforcements, and the installation of five (5) truncated rock vanes. Furthermore, the restoration of the floodplain is proposed resulting in grading along the floodway of Mehoopany Creek that also extends into three (3) Tributaries to Mehoopany Creek (CWF, MF). The project is near an area locally known as Rogers Hollow and begins approximately 4,000 feet downstream of SR 87 Bridge over Mehoopany Creek. (Jenningsville and Meshoppen, PA Quadrangle Latitude: 41°32'17.5"; Longitude: -76°6'38.4") in Forkston and Mehoopany Township, Wyoming County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ed Muzic, Section Chief, 717.705.4802.

E06-725: Plenary Walsh Keystone Partners, 2000 Cliff Mine Road, West Two, 3rd Floor, Pittsburgh, PA 15275 in Cumru Township, **Berks County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain a 74 feet 2 inch long, 26.0 foot wide concrete box culvert depressed 1.0 foot with baffles and place R-6 riprap scour protection choked with native stream bed material and channel alignments at the inlet and outlet of the proposed structure located in and permanently impacting 133 linear feet with 327 linear feet of temporary impacts of Wyomissing Creek (HQ-CWF, MF) and permanently impact 0.12 acre of floodway of Wyomissing Creek (Latitude 40°16'55.6", Longitude -75°59'31.2") for the purpose of replacing a structurally deficient bridge as part of the Public Private Partnership (P3) Rapid Bridge Replacement Program. The project is located along S.R. 3009 (Wyomissing Road) in Cumru Township, **Berks County**. The permit was issued on March 8, 2018.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222, Dana Drake, Waterways and Wetlands Program Manager, 412-442-4000.

E30-256, Southwestern Pennsylvania Water Authority, 1442 Jefferson Road, P.O. Box 187, Jefferson, PA 15344, Center Township, **Greene County**, Pittsburgh ACOE District.

Has been given consent to:

Construct, operate, and maintain a utility line crossing of an Unnamed Tributary of McCourtney Run (Existing use is EV; Designated use is HQ-WWF), impacting 20 linear feet of stream, and 2,000 square feet of floodway, for the purpose of constructing an approximately 12,100 linear foot, 12-inch diameter water line. This project will also include three (3) additional utility line stream crossings, to be constructed in accordance with the terms and conditions of General Permit No. 5 (GP-5), regarding utility line stream crossings. The impacts will be mitigated through restoration. The project is located approximately 1.2 mile southwest of the intersection of Route 21 and Route 18 (Holbrook, PA USGS topographic quadrangle; North: 21.0 inches; West: 6.3 inches; Latitude: 39° 51' 58"; Longitude: -80° 17' 40"; Sub-basin 19B; Pittsburgh District Corps) in Center Township, Greene County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil and Gas Program Manager, 230 Chestnut St., Meadville, PA 16335.

ESCGP-2 # ESG18-019-0001—Bicker Compressor Station
Applicant Pine Run Midstream, LLC
Contact Mr. Scott Sweder
Address 1000 Commerce Dr Park Place One Ste 400
City Pittsburgh State PA Zip Code 15272
County Butler Township(s) Winfield

Receiving Stream(s) and Classification(s) UNTs to Rough Run, UNTs to Little Buffalo Creek HQ, TSF, Rough Run & Little Buffalo Creek HQ-TSF

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

ESCGP-2 # ESX29-015-18-0004

Applicant Name Chief Oil & Gas LLC

Contact Person Jeffrey Deegan

Address 1720 Sycamore Rd

City, State, Zip Montoursville, PA 17754

County Bradford

Township(s) Burlington

Receiving Stream(s) and Classification(s) Preacher Brook (CWF, MF)

Secondary—Towanda Ck

ESCGP-2 # ESX29-115-18-0009

Applicant Name Cabot Oil & Gas Corp

Contact Person Kenneth Marcum

Address 2000 Park Lane, Suite 300

City, State, Zip Pittsburgh, PA 15275

County Susquehanna & Wyoming

Township(s) Springville & Washington

Receiving Stream(s) and Classification(s) UNTs to Meshoppen Ck (CWF, MF)

ESCGP-2 # ESG29-081-17-0053

Applicant Name NFG Midstream Trout Run LLC

Contact Person Michael Kasprzak

Address 6363 Main St

City, State, Zip Williamsville, NY 14221

County Lycoming

Township(s) Hepburn & Eldred

Receiving Stream(s) and Classification(s) UNTs to Mill Ck (WWF)

Secondary—Mill Ck (WWF)

ESCGP-2 # ESX13-131-0005 (Renewal)

Applicant Name Chief Oil & Gas LLC

Contact Person Jeffrey Deegan

Address 1720 Sycamore Rd

City, State, Zip Montoursville, PA 17754-9306

County Wyoming

Township(s) Nicholson

Receiving Stream(s) and Classification(s) Field Brook (CWF, MF)

Secondary—Tunkhannock Ck (CWF, MF)

ESCGP-2 # ESX29-115-16-0015(02)

Applicant Name Williams Field Services Co LLC

Contact Person Adam Weightman

Address 400 1st Center, Suite 404

City, State, Zip Horseheads, NY 14845

County Susquehanna

Township(s) Brooklyn

Receiving Stream(s) and Classification(s) Dry Ck (CWF, MF) and UNTs thereto; Hop Bottom Ck (CWF, MF) and UNTs thereto

permit was issued on January 5, 2018, and was published in the *Pennsylvania Bulletin* on January 20, 2018.

The hearing will be held at the Union Fire Company, 201 York Street, Manchester, PA 17345. It will begin at 6.30 p.m. and end at 8.30 p.m. Doors will open at 6 p.m. The hearing may conclude earlier if all testifiers in attendance have spoken prior to the designated end time.

During the hearing, each speaker will have the opportunity to present up to 3 minutes of verbal testimony. To ensure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time to other speakers will be prohibited, and groups are asked to designate one speaker. All presenters should bring at least one copy of their comments and exhibits for submission to the Department.

Those who wish to present testimony are asked to register in advance by contacting John Repetz in the South-Central Regional Office at (717) 705-4904 or jrepetz@pa.gov. Advanced registration will be taken through the close of business on April 24. Individuals will be called to testify in the order they registered. Time permitting, those who did not register in advance will be given the opportunity to testify.

The Department received written comments on the draft permit during a 30-day comment period after the draft permit was published in the *Pennsylvania Bulletin*. The comment period ended on February 20, 2018 and the Department is compiling all comments received.

Public Hearing on Intent to Issue NPDES Permit to NRG Power Midwest LP

Notice is hereby given under 25 Pa. Code § 92a.83 that the Department of Environmental Protection (Department) will hold a public hearing on Wednesday, April 25, 2018, starting at 6 p.m. at Springdale Jr./Sr. High School Marshall Auditorium, 501 Butler Road, Springdale, PA 15144.

The purpose of the public hearing is to take testimony concerning the Department's intent to issue NPDES Permit No. PA0001627 to NRG Power Midwest LP, 151 Porter Street, Springdale, PA 15144-1452 for the discharges from the Cheswick Generating Station. There are two existing discharges of industrial wastewater to the Allegheny River, approximately 15 miles from the confluence with the Ohio River. In addition, there is one existing discharge of industrial wastewater and three existing discharges of stormwater to Little Deer Creek, approximately 5 miles from the confluence with the Allegheny River. The requestor of the public hearing has raised concerns over the nature and characteristics of the facility's discharges.

In accordance with 25 Pa. Code § 92a.82, the Department published notice of the draft NPDES permit in the *Pennsylvania Bulletin* at 48 Pa.B. 311 (January 13, 2018) to allow for public comment regarding this proposal. Appointments may be made to review the Department files on this case by calling the File Review Coordinator at (717) 787-8184.

The Department will accept and record testimony concerning the NPDES application and draft NPDES permit. Persons wishing to present testimony at the hearing should contact the Department's Community Relations Coordinator at Lauren Fraley before 12 p.m. on April 24, 2018, at (412) 442-4203 or lfraley@pa.gov. Organizations are encouraged to designate one witness to present testimony on behalf of the organization. Persons unable to attend the hearing may submit three copies of a

SPECIAL NOTICES

Public Hearing on Draft NPDES Permit Issued to Brunner Island, LLC

The Department of Environmental Protection (Department) will hold a public hearing on Wednesday, April 25, 2018, to collect comments from citizens on the draft NPDES permit issued to Brunner Island, LLC which operates a 1,490-Megawatt coal- and natural gas-fired power plant located in East Manchester Township, York County. The facility discharges treated industrial wastewater and cooling water to Susquehanna River. The draft

written statement and exhibits within 10 days thereafter to the Department of Environmental Protection, Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA, 17105-8774. Written submittals must contain the name, address and telephone number of the person submitting the comments, identification of the proposed draft NPDES Permit No. (PA0001627) and concise statements regarding the relevancy of the information or objections to issuance of the NPDES Permit.

Individuals in need of an accommodation as provided for in the Americans with Disabilities Act of 1990 should contact the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

[Pa.B. Doc. No. 18-455. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Air Quality Technical Advisory Committee Meeting Cancellation

The April 5, 2018, Air Quality Technical Advisory Committee (Committee) meeting is cancelled. The next Committee meeting is scheduled for Thursday, June 14, 2018, at 9:15 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Questions concerning the June 14, 2018, meeting should be directed to Kirit Dalal, Bureau of Air Quality, at (717) 772-3436 or kdalal@pa.gov. The agenda and meeting materials will be available through the Public Participation tab on the Department of Environmental Protection's (Department) web site at <http://www.dep.pa.gov>.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Kirit Dalal at (717) 772-3436 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-456. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of General Permit for the Beneficial Use of Biosolids by Land Application (PAG-08)

Under the authority of the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1388), The Clean Streams Law (35 P.S. §§ 691.1—691.1001), sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904), the Department of Environmental Protection (Department) is, by

this notice, extending for 12 months the availability of the current General Permit for the Beneficial Use of Biosolids by Land Application (PAG-08).

The existing PAG-08 General Permit in effect at this time will expire on April 2, 2018. By this notice, the Department is administratively extending the PAG-08 General Permit to April 2, 2019, or the date of final renewal as published, whichever is earlier. Persons that are operating under the PAG-08 General Permit may continue to operate under its terms until the date final renewal is published. Persons that have coverage beyond the final renewal publication date as identified on their coverage approval page may continue to operate until that later date under the terms of the renewed PAG-08. Persons whose coverage expires or persons seeking new coverage during the extension period may submit a Notice of Intent for the Department's review in accordance with the procedures set forth in PAG-08 to obtain renewed or new coverage under the permit.

To access the General Permit and related documents, visit www.dep.greenport.state.pa.us/elibrary (select "Permit and Authorization Packages," then "Point and Non-Point Source Management").

Questions regarding the PAG-08 General Permit should be directed to Jay Patel at jaypatel@pa.gov or (717) 705-4090.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-457. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of General Permit for the Beneficial Use of Exceptional Quality Biosolids by Land Appli- cation (PAG-07)

Under the authority of the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1388), The Clean Streams Law (35 P.S. §§ 691.1—691.1001), sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904), the Department of Environmental Protection (Department) is, by this notice, extending for 12 months the availability of the current General Permit for the Beneficial Use of Exceptional Quality Biosolids by Land Application (PAG-07).

The existing PAG-07 General Permit in effect at this time will expire on April 2, 2018. By this notice, the Department is administratively extending the PAG-07 General Permit to April 2, 2019, or the date of final renewal as published, whichever is earlier. Persons that are operating under the existing PAG-07 General Permit may continue to operate under its terms until the date final renewal is published. Persons that have coverage beyond the final renewal publication date as identified on their coverage approval page may continue to operate until that later date under the terms of the renewed PAG-07. Persons whose coverage expires or persons seeking new coverage during the extension period may submit a Notice of Intent for the Department's review in accord-

ance with the procedures set forth in PAG-07 to obtain renewed or new coverage under the permit.

To access the General Permit and related documents, visit www.depgreenport.state.pa.us/elibrary (select "Permit and Authorization Packages," then "Point and Non-Point Source Management").

Questions regarding the PAG-07 General Permit should be directed to Jay Patel at jaypatel@pa.gov or (717) 705-4090.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-458. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of General Permit for the Beneficial Use of Residential Septage by Land Application (PAG-09)

Under the authority of the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1388), The Clean Streams Law (35 P.S. §§ 691.1—691.1001), sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904), the Department of Environmental Protection (Department) is, by this notice, extending for 12 months the availability of the current General Permit for the Beneficial Use of Residential Septage by Land Application (PAG-09).

The existing PAG-09 General Permit in effect at this time will expire on April 2, 2018. By this notice, the Department is administratively extending the PAG-09 General Permit to April 2, 2019, or the date of final renewal as published, whichever is earlier. Persons that are operating under the PAG-09 General Permit may continue to operate under its terms until the date final renewal is published. Persons that have coverage beyond the final renewal publication date as identified on their coverage approval page may continue to operate until that later date under the terms of the renewed PAG-09. Persons whose coverage expires or persons seeking new coverage during the extension period may submit a Notice of Intent for the Department's review in accordance with the procedures set forth in PAG-09 to obtain renewed or new coverage under the permit.

To access the General Permit and related documents, visit www.depgreenport.state.pa.us/elibrary (select "Permit and Authorization Packages," then "Point and Non-Point Source Management").

Questions regarding the PAG-09 General Permit should be directed to Jay Patel at jaypatel@pa.gov or (717) 705-4090.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 18-459. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(a) (relating to resident bedrooms):

ManorCare Health Services—Elizabethtown
320 South Market Street
Elizabethtown, PA 17022
FAC ID # 023202

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-460. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Program; Availability of Academic Clinical Research Center and Clinical Registrant Applications; Time Period to Submit Applications

The purpose of this notice is to announce implementation of Chapter 20 of the Medical Marijuana Act (35 P.S. §§ 10231.2001—10231.2003), to give information regarding the availability of applications to be completed to become a certified academic clinical research center (ACRC) or a clinical registrant (CR) as described under 28 Pa. Code §§ 1210.25(b) and 1210.27(a) (relating to certifying ACRCs; and application for approval of a clinical registrant), respectively, and to establish the time period during which applications will be accepted by the Department of Health (Department).

Availability of Applications to be Approved as a Certified ACRC and Submission Deadline

Notice is hereby given, as required by 28 Pa. Code § 1210.25(b), that on April 5, 2018, the Department intends to make available, on its web site, the form of the

application to be completed and submitted to the Department to be approved as a certified ACRC. The Department will accept applications until May 3, 2018. The Department will consider any application sent by mail to have been received on the date it is deposited in the mail as long as the postmark on the outside of the package is clear and legible. The Department will not consider and will return an application that is postmarked after the May 3, 2018, deadline. An applicant must submit an application by mail in an electronic format that is listed in the instructions portion of the application to the Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Availability of Applications for Approval of a CR and Submission Deadline

Notice is hereby given, as required by 28 Pa. Code § 1210.27(a), that on May 24, 2018, the Department intends to make available, on its web site, the form of the application required to be submitted to be approved as a CR. The Department will accept applications until July 12, 2018. The Department will consider any application sent by mail to have been received on the date it is deposited in the mail as long as the postmark on the outside of the package is clear and legible. The Department will return an application that is postmarked after the July 12, 2018, deadline. An applicant must submit an application by mail in an electronic format that is listed in the instructions of the application to the Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotape or Braille) may do so by using the previously listed contact information. Speech and/or hearing impaired persons may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-461. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Program; Availability of Permit Applications, Number and Locations of Permits to be Issued in Phase II

In the notice published at 47 Pa.B. 73 (January 7, 2017), the Department of Health (Department) announced implementation of Phase I of the Medical Marijuana Program (Program), which resulted, ultimately, in the issuance of 12 permits for growers/processors and 27 permits for dispensaries. The purpose of this notice is to announce that the Department intends to implement Phase II of the Program in the manner outlined in this

notice. Accordingly, this notice addresses the availability of permit applications for growers/processors and dispensaries, the time frame during which permit applications will be accepted by the Department, the total number of permits that may be issued in Phase II, and number and location of permits in each medical marijuana region that may be issued in Phase II. The number and geographical boundaries of the medical marijuana regions have not changed and were published at 47 Pa.B. 74 (January 7, 2017).

Availability of Permit Applications and Submission Deadline

Notice is hereby given, as required by 28 Pa. Code § 1141.29(a) (relating to initial permit application), that on April 5, 2018, the Department intends to make available, on its web site, grower/processor and dispensary permit applications to implement Phase II of the Program. The Department will accept grower/processor and dispensary permit applications that are complete and include the required fees until May 17, 2018. The Department will consider any application sent by mail to have been received on the date it is deposited in the mail as long as the postmark on the outside of the package is clear and legible. The Department will return a permit application that is postmarked after the May 17, 2018, deadline. An applicant must submit a permit application by mail in an electronic format that is listed in the instructions portion of the permit application to the Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Total Number of Permits to be Issued in Phase II

Under section 616 of the Medical Marijuana Act (act) (35 P.S. § 10231.616), the Department may not initially issue permits to more than 25 growers/processors and more than 50 dispensaries. In addition, no more than five growers/processors may be issued permits as dispensaries (see section 616(5) of the act). A person who is issued both a grower/processor permit and a dispensary permit by the Department has permits that are vertically integrated. Currently, four permittees hold permits that are vertically integrated. Therefore, in Phase II, only one grower/processor may be issued a dispensary permit.

Because, in Phase I of the implementation of the Program, the Department has already issued 12 grower/processor permits and 27 dispensary permits, the Department, in Phase II of the implementation of the Program, intends to issue:

1. Up to 13 grower/processor permits.
2. Up to 23 dispensary permits.

The Department may not issue more than one individual grower/processor permit to one person (see section 616(4) of the act). In addition, the Department may not issue more than five individual dispensary permits to one person (see section 616(3) of the act).

Number and Locations of Permits in Each Medical Marijuana Region

Notice is hereby given, as required by 28 Pa. Code § 1141.33(b) (relating to review of initial permit applications), that the Department intends to issue, in Phase II, the following number of permits in the following targeted locations:

1. The Department intends to issue one grower/processor permit to the highest-scoring, most-qualified and eligible applicant without regard to location. For the

remaining 12 grower/processor permits, the Department intends to issue up to 2 grower/processor permits in each of the 6 medical marijuana regions listed as follows.

2. The Department intends to issue up to 23 dispensary permits in the following medical marijuana regions:

Medical Marijuana Region 1—The Southeast Region
Number of Dispensary Permits—9

Medical Marijuana Region 2—The Northeast Region
Number of Dispensary Permits—3

Medical Marijuana Region 3—The Southcentral Region
Number of Dispensary Permits—3

Medical Marijuana Region 4—The Northcentral Region
Number of Dispensary Permits—2

Medical Marijuana Region 5—The Southwest Region
Number of Dispensary Permits—4

Medical Marijuana Region 6—The Northwest Region
Number of Dispensary Permits—2

The primary dispensary location may be in any county within the medical marijuana region. Each dispensary permit that is issued will list the primary dispensary location. An applicant has the option of listing two additional dispensary locations on the permit application for approval by the Department. The second and third dispensary locations must be within the same medical marijuana region as the primary dispensary location listed in the dispensary permit. The second and third dispensary locations are not permitted to be in the same county as the primary dispensary location listed in the dispensary permit. In addition, the second and third dispensary locations are not permitted to be in the same county.

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotope or Braille) may do so by using the previously listed contact information. Speech and/or hearing impaired persons may call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-462. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HEALTH

Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P.L. 419, No. 140) (35 P.S. § 6204), will hold its quarterly public meeting on Friday, April 20, 2018, from 10 a.m. to 1 p.m. in Conference Room 907, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. The purpose of the meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health's programs related to care and treatment.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Tara Trego, Director, Division of Child and Adult Health Services, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for a speech and/or hearing impaired persons, call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

RACHEL L. LEVINE, MD,
Secretary

[Pa.B. Doc. No. 18-463. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Hospital Payments

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments for qualifying Medical Assistance (MA) enrolled acute care general hospitals that have a low commercial-payer ratio, a negative trend in their net patient revenue and are located in an area of this Commonwealth with a disproportionate need for MA services. The payment is intended to promote continued access to care for the MA population. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$0.623 million (\$0.300 million in State general funds and \$0.323 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review

and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1222. (1) General Fund; (2) Implementing Year 2017-18 is \$300,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-464. Filed for public inspection March 3, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments made to qualifying Medical Assistance (MA) enrolled acute care general hospitals which provide a high volume of inpatient services to MA eligible and low income populations. These payments are intended to promote access to medically necessary inpatient services for MA eligible and low income persons. The Department does not intend to otherwise change the qualifying criteria or payment methodology for this payment.

All payment limitations are still applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$0.724 million (\$0.349 million in State general funds and \$0.375 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1216. (1) General Fund; (2) Implementing Year 2017-18 is \$349,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-465. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments to qualifying Medical Assistance enrolled acute care general hospitals that participate in an academic medical program. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of these payments, is \$7.265 million (\$3.500 million in State general funds and \$3.765 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or services may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1213. (1) General Fund; (2) Implementing Year 2017-18 is \$3,500,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$21,181,000; 2015-16 Program—\$17,431,000; 2014-15 Program—\$17,431,000; (7) Medical Assistance—Academic Medical Centers; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-466. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Hospital Payments

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments to qualifying acute care general hospitals that serve the indigent population of cities in this Commonwealth with an average per capita income significantly below the Statewide average. These payments are intended to provide additional financial support to hospitals that serve an inordinate amount of low-income individuals and Medical Assistance beneficiaries in impoverished areas of this Commonwealth. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$14.506 million (\$6.989 million in State general funds and \$7.517 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1215. (1) General Fund; (2) Implementing Year 2017-18 is \$6,989,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-467. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments made to qualifying Medical Assistance (MA) enrolled acute care general hospitals that provide a high volume of services to MA and low-income populations. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are still applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$1.645 million (\$0.792 million in State general funds and \$0.853 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider all comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1224. (1) General Fund; (2) Implementing Year 2017-18 is \$792,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-468. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments to qualifying Medical Assistance (MA) enrolled acute care general hospitals. These payments are intended to provide additional support for the operation of academic medical programs through the medical education of health care professionals needed to treat the MA population. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$5.210 million (\$2.510 million in State general funds and \$2.700 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1214. (1) General Fund;

(7) MA—Academic Medical Centers; (2) Implementing Year 2017-18 is \$1,500,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$21,181,000; 2015-16 Program—\$17,431,000; 2014-15 Program—\$17,431,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2017-18 is \$500,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$10,071,000; 2015-16 Program—\$9,571,000; 2014-15 Program—\$9,071,000;

(7) MA—Fee-for-Service; (2) Implementing Year 2017-18 is \$460,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-469. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments to Qualifying Disproportionate Share Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments to qualifying acute care Medical Assistance (MA) hospitals. These payments are intended to promote the availability of professional medical services to MA populations in less urbanized areas of this Commonwealth by supporting medical education and academic medical programs. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$5.812 million (\$2.800 million in State general funds and \$3.012 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1218. (1) General Fund; (2) Implementing Year 2017-18 is \$2,800,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$21,181,000; 2015-16 Program—\$17,431,000; 2014-15 Program—\$17,431,000; (7) MA—Academic Medical Centers; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-470. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Additional Class of Disproportionate Share Payments to Qualifying Teaching Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funding for Fiscal Year (FY) 2017-2018 disproportionate share hospital (DSH) payments to qualifying teaching hospitals that provide psychiatric services to Medical Assistance (MA) beneficiaries. These payments are intended to help offset medical education costs of psychiatrists which are incurred by hospitals providing assistance to MA beneficiaries and uninsured persons. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

All payment limitations are still applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$0.500 million (\$0.241 million in State general funds and \$0.259 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider all comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1223. (1) General Fund; (2) Implementing Year 2017-18 is \$241,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$450,970,000; 2015-16 Program—\$392,918,000; 2014-15 Program—\$564,772,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-471. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Supplemental Payment

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2017-2018 supplemental payments to qualifying acute care general hospitals (hospitals) that provide a high volume of services to Medical Assistance (MA) and low-income populations in medically underserved areas. These payments are intended to promote the hospitals' continued participation in the MA Program. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

Fiscal Impact

The FY 2017-2018 impact, as a result of the funding allocation for these payments, is \$3.114 million (\$1.500 million in State general funds and \$1.614 million in Federal funds) upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,
Secretary

Fiscal Note: 14-NOT-1217. (1) General Fund; (2) Implementing Year 2017-18 is \$1,500,000; (3) 1st Succeeding Year 2018-19 through 5th Succeeding Year 2022-23 are \$0; (4) 2016-17 Program—\$10,071,000; 2015-16 Program—\$9,571,000; 2014-15 Program—\$9,071,000; (7) Physician Practice Plans; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 18-472. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Range of Fees Charged by Utilization Review Organizations and Peer Review Organizations for Services Performed under the Workers' Compensation Act

Under 34 Pa. Code § 127.667(b) (relating to compensation policy), the Department of Labor and Industry, Bureau of Workers' Compensation (Bureau) gives notice of the range of fees charged by Utilization Review Organizations (URO) and Peer Review Organizations (PRO) for services performed under the Workers' Compensation Act (77 P.S. §§ 1—1041.4 and 2501—2625) during 2017.

2017 URO Minimum—Maximum Fees

<i>URO/PRO</i>	<i>Minimum Fee</i>	<i>Maximum Fee</i>
Alico Services LTD	\$213.18	\$5,124.92
American Review Systems, Inc.	\$400.00	\$6,297.39
CAB Medical Consultants	\$350.00	\$6,569.35
Caduceus Lex Medical Auditing	\$270.17	\$3,830.89
CEC, Inc.	\$410.00	\$5,223.20
Chiro Med Review Co.	\$176.55	\$5,140.32
Denovo Management	\$200.00	\$7,895.33
DMC, LLC	\$950.00	\$4,671.01
DLB Services	\$111.84	\$4,318.23
Hajduk & Assoc. URO/PRO Ser.	\$305.36	\$4,077.18
Industrial Rehabilitation Assoc.	\$460.00	\$4,265.00
KVS Consulting Services	\$439.00	\$8,089.38
Laurel Reviews	\$128.88	\$3,997.30
Margroff Review Services	\$288.10	\$4,811.81
McBride & McBride Associates	\$521.54	\$7,002.92
Quality Assurance Reviews, Inc.	\$631.00	\$5,289.50
Rachels Reviews	\$244.68	\$4,131.69
T & G Reviews	\$400.00	\$5,800.00
Uniontown MRPC	\$215.88	\$4,369.15
Watson Review Services	\$299.99	\$5,330.10
West Penn IME, Inc.	\$420.94	\$5,065.27
Total Averages (2017)	\$354.15	\$5,300.00

34 Pa. Code § 127.667(b): The Bureau will publish in the *Pennsylvania Bulletin*, on an annual basis, the range of fees charged by each URO and PRO for services performed under the act and this chapter during the preceding year.

W. GERARD OLEKSIK,
Secretary

[Pa.B. Doc. No. 18-473. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Bureau of Maintenance and Operations; Access Route Approval

Under 75 Pa.C.S. § 4908 (relating to operation of certain combinations on interstate and certain other highways), the Department of Transportation approved on March 2, 2018, the following access route for use by the types of truck combinations as indicated:

1. (X) 96" wide twin trailers (28 1/2' maximum length of each trailer).
2. (X) 102" wide 53' long trailer.
3. () 102" wide 48' long trailer.
4. (X) 102" wide twin trailers (28 1/2' feet maximum length—each).
5. (X) 102" wide maxi-cube.

<i>Route Identification</i>	<i>Route Description</i>	<i>County</i>	<i>Length Miles</i>
T-600 Taylorsville Road	From PA-901 to T-515 Airport Road	Schuylkill	0.60

Schuylkill County and Barry Township approved the access route within their respective jurisdictions.

Questions should be directed to George Harpster at (717) 783-6473.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 18-474. Filed for public inspection March 23, 2018, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Commission Meeting

The State Transportation Commission will hold a meeting to approve the Fiscal Year 2017 recommended rail freight projects on Tuesday, March 27, 2018, from 1 p.m. to 2 p.m. in Conference Room 8N1, Commonwealth Keystone Building, Harrisburg, PA. For more information, contact Ellen E. Sweeney, (717) 787-2913, ellsweeney@pa.gov.

LESLIE S. RICHARDS,
Secretary

[Pa.B. Doc. No. 18-475. Filed for public inspection March 23, 2018, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Special Reports and Requests for Data

The Health Care Cost Containment Council (Council), according to the act of July 8, 1986 (P.L. 408, No. 89), as re-enacted and amended by the act of July 17, 2003 (P.L. 31, No. 14) and the act of June 10, 2009 (P.L. 10, No. 3), is required to publish a list of all special reports and data that have been prepared during the previous calendar year. The following represents a summary of the reports and requests for data generated by the Council in calendar year 2017. The list of data fields that are included in the standard public use files are located in PDF files posted on the Council's web site at www.phc4.org (select "Services," then "Data Requests"). Questions about procedures for obtaining access to Council data should be addressed to JoAnne Z. Nelson, Supervisor of Special Requests, Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101, (717) 232-6787, jnelson@phc4.org.

Applicant and Project Description

Agency for Healthcare Research & Quality—Jenny Schnaier

Statewide second quarter 2016 through first quarter 2017 inpatient discharge and inpatient revenue detail datasets and 2016 ambulatory/outpatient procedure and outpatient revenue code detail datasets with derived fields (number of days from admission to procedure, days to admission and age) to be used in the Healthcare Cost and Utilization Project (HCUP), which uses the data for multiple databases, reports, and tools and products. The HCUP databases enable research on a broad range of health policy issues, including cost and quality of health

services, medical practice patterns, access to health care programs, and outcomes of treatments at the National, regional, State and local levels.

Allegheny County Health Department—LuAnn Brink, PhD, MPH

Standard regional 2016 inpatient discharge dataset for Region 1 to be used for public health surveillance, research and targeted intervention purposes to help determine areas of Allegheny County with a higher risk of nonfatal outcomes including falls, asthma, unintentional injuries and acute cardiovascular events.

Beebe Healthcare—Diane Taylor

A custom 2013 and 2015 inpatient discharge dataset of cases who reside in Delaware to be used for market analysis regarding outmigration of patients from Beebe Healthcare's service area to hospitals in this Commonwealth.

Berkeley Research Group—David Campbell, PhD

Standard Statewide 2001 and 2011 financial data reports to be used for creating financial benchmarks for hospitals in this Commonwealth. Specifically, they will compare net patient revenue per patient encounter for hospitals in different regions of this Commonwealth focusing on a single reference market. Hospitals in a test market will be matched to other areas based on the Mahalanobis distance function, using covariate data gathered from Centers for Medicare & Medicaid Services (CMS) and other publicly available sources.

Capital BlueCross—Nicole Graci

Standard facility first and second quarter 2016 inpatient discharge dataset for Geisinger Medical Center in Danville to be used with Agency for Healthcare Research and Quality (AHRQ) Quality Indicators Windows Software to calculate Patient Safety Indicators as a component of their hospital quality program. The program is available to Capital BlueCross (CBC) contracted hospitals in their 21-county service area. For audit purposes, CBC plans to warehouse the data to support the hospital quality program since part of the program provides financial incentives to participating hospitals that meet or exceed quality criteria defined in the program.

Capital Health—Jeremy Cohen

Standard regional first and second quarter 2016 inpatient discharge and ambulatory/outpatient procedure datasets for Regions 8 and 9 to be used for Capital Health's planning purposes for their health system to assist in determining public demand.

Community Health Systems—Tomi Galin

Standard Statewide 2016 inpatient discharge and ambulatory/outpatient procedure datasets to be used to understand Community Health Systems' communities specific health care needs, areas of underservice and with high risk for specific disease, defining health care demand

to support planning, illustrate access issues to develop outreach programs or eliminate service. The data will be used to determine whether primary care services and appropriate access are satisfied within a defined market area.

Coordinated Health—Amy Nyberg

Standard Statewide 2016 inpatient discharge and ambulatory/outpatient procedure datasets to be used for analysis of service areas and market share within the defined service areas.

DataBay Resources—Mary Ann Augustine/Bernice Murano

Standard Statewide third quarter 2016 through first quarter 2017 inpatient discharge, ambulatory/outpatient procedure, and inpatient and outpatient revenue detail datasets will be combined with other all-payer health care data to be used to produce various aggregate report files distributed by DataBay's Navigate system (PC-based) and NavigateNet system (Internet-based) that are offered as health care software products to its customers. The reports can be by product line, service area, hospital or health system, physician or physician group, or both, which can include market share, patient origin, use rates, charges, surgery detail, payer mix, patient demographics, diagnosis/procedure distribution, refinement, and the like.

DLP Memorial Medical Center—Carrie Arcurio

Standard Statewide second quarter 2016 through first quarter 2017 inpatient discharge and ambulatory/outpatient procedure datasets to be used to internally evaluate DLP Memorial Medical Center's current performance, competitor's performance and future opportunities. They will be able to illustrate current market share and to enhance various other planning tools such as budgets and 5-year plans.

Evangelical Community Hospital—Nicole Lohr

Standard regional third quarter 2013 through first quarter 2017 Region 5 and second quarter 2016 through first quarter 2017 Region 4 inpatient discharge and ambulatory/outpatient procedure datasets to be used to conduct an internal study of Evangelical Community Hospital's market share and gain a better understanding of the population it serves.

Excelsa Health—Allison Lutz

Standard Statewide second quarter 2016 through first quarter 2017 inpatient discharge, ambulatory/outpatient procedure, and inpatient and outpatient revenue code detail datasets to be used to compute quarterly inpatient and outpatient market share reports developed by Excelsa Health's consultant DataBay Resources and Quantros.

Geisinger Commonwealth School of Medicine—Ida Castro, JD

A custom fourth quarter 2013 and third quarter 2016 inpatient discharge dataset of patients who reside in Lackawanna, Luzerne, Monroe or Pike County to be used to analyze population health indicators to understand the current paradigm of patient presentation into the hospital, subsequent diagnosis and resulting health outcomes for vulnerable populations.

Good Shepherd Rehab Network—John Grencer

Standard regional 2016 inpatient discharge datasets for Regions 4—9 to be used for internal analysis for Good Shepherd Rehab Network's services.

HCR ManorCare—Kenneth Kang

Standard Statewide 2016 through first quarter 2017 inpatient discharge datasets to be used to assess the needs of residents in HCR ManorCare's skilled nursing facilities across this Commonwealth.

Healthcare Council of Western Pennsylvania—AJ Harper

Standard Statewide third quarter 2013 through second quarter 2014 and third quarter 2015 through second quarter 2016 ambulatory/outpatient procedure and outpatient revenue code detail datasets to be used to analyze hospital trends; specifically, the data will be used to compare trends in outpatient utilization and charges across hospitals and hospital regions in this Commonwealth.

HealthSouth—Steve Adams

Standard Statewide 2015 inpatient discharge dataset to be used to understand market trends and utilization.

Highmark Health—Brian Lindner

Standard Statewide 2006 through third quarter 2016 inpatient discharge, ambulatory/outpatient procedure, and inpatient and outpatient revenue code detail datasets to be used for ongoing operational analysis and planning purposes. Highmark Health and their consultants will perform analyses of hospitals and surgery centers in western and central Pennsylvania with respect to issues including service offerings, payer mix, patient travel patterns, facility service areas, provider market shares and trends; and analyses of hospital capacity and utilization, bed counts, revenues and costs, and trends. The analyses will relate to regulatory compliance and integrated health care delivery network and financing system efforts to evaluate hospital competition, further develop Allegheny Health Network and offer high-value insurance products.

Hospital & Healthsystem Association of Pennsylvania—Martin Ciccocioppo/Peter Nguyen/Phillip Burrell

Standard Statewide second quarter 2016 through first quarter 2017 inpatient discharge and inpatient revenue code detail datasets, 2015 financial data report and 2014 restated financial data report. The Hospital & Healthsystem Association of Pennsylvania (HAP) will use the data to conduct ongoing monitoring of Statewide, regional and hospital-specific quality outcomes, primarily utilizing AHRQ quality indicators. HAP may, from time to time, release the aggregate results of its quality monitoring research. HAP intends to host MONAHRQ for member-only use on its private web site. HAP also intends to host a more limited version of MONAHRQ as a public consumer quality and cost transparency web site known as Care in PA. The data will also be used by HAP's consultant Applied Medical Software to develop best practice financial norms analysis for HAP to use to determine the viability of inviting hospitals in this Commonwealth to participate in performance-based gainsharing program.

A modified custom second quarter 2016 through first quarter 2017 inpatient discharge readmission analysis data report of hospitals' 7-day and 30-day readmission rates for any reason on all discharges and for discharges with sepsis conditions to be used to provide CMS with Hospital Innovation Improvement Network rates of readmissions.

Standard Statewide 2016 financial data report and 2015 restated financial data report to be used to conduct

ongoing monitoring of Statewide, regional and hospital-specific finances and policy impact analysis. The data will also be shared with the American Hospital Association (AHA) for AHA to better understand hospital financial and utilization data by payer for hospitals that do not respond to the AHA Annual Hospital Survey. HAP and AHA will only use the financial data for internal policy analysis.

Jian Strategic Marketing—Heidi Orie

Standard regional third quarter 2014 through first quarter 2017 ambulatory/outpatient procedure datasets for Regions 1–3 to be used to analyze ambulatory surgery trends in the market for nonprofit health care providers. The data will be used for consulting purposes to help guide marketing and communication tactic to providers and consumers.

Kaufman, Hall & Associates—Erin Coppersmith

Standard Statewide 2015 inpatient discharge and inpatient revenue code detail datasets to be used with other states' data to help health care providers increase the quality of care they provide to their patients by effectively benchmarking their quality, safety, satisfaction, cost and utilization to their peers. The data will be used for creating benchmarks at the APR-DRG and MS-DRG level accessible through files in conjunction with hospital client decision support systems and a web-based tool (PEAK).

Lancaster General Health—Joshua Campos

Standard Statewide 2016 through first quarter 2017 ambulatory/outpatient procedure datasets to be used to understand demand and utilization for ambulatory surgery in this Commonwealth.

Lehigh Valley Health Network—Stephen L. Christopoulos

Standard Statewide second quarter 2016 through first quarter 2017 inpatient discharge datasets to be used for service area analyses, competitive analyses, product line trends and analyses, and incidence rate comparisons and trends for program development. The data will also be used for research population based health issues, to promote health and well-being of targeted vulnerable populations; internal quality control research; internal resource utilization research; support development of continuum of care research; and community based health needs that target chronic illnesses.

Los Angeles Biomedical Institute—Rie Sakai Bizmark, MD, MPH, PhD

A custom second quarter 2010 through third quarter 2012 and third quarter 2014 through fourth quarter 2015 inpatient discharge dataset for all hospitalization records of infants who died with critical congenital heart disease (CCHD) as the cause of death within 1 year of birth linked with the Department of Health's (Department) mortality data files (2010–2012 and 2014–2015) with derived fields (number of days to death) and a custom second quarter 2010 through third quarter 2012 and third quarter 2014 through fourth quarter 2015 inpatient discharge dataset of infant records who were hospitalized for CCHD within 1 year of birth with derived fields (pre- and post-screening indicator). The data will be used for a study, Impact of Pulse Oximetry Screening, which will study the cardiac care for pediatric patients and the impact of CCHD screening, which was implemented in September 2014 in this Commonwealth.

A modification to previous requests for additional derived flags and data. The request is for second quarter

2010 through fourth quarter 2012 and third quarter 2013 through first quarter 2017 inpatient discharge dataset for all hospitalization records of infants who died with CCHD as the cause of death within 1 year of birth linked with the Department's mortality data files (2010–2016) and of infants who were hospitalized for CCHD within 1 year of birth with derived fields (number of days to readmission, cohort indicator, pre- and post-screening indicator, and number of days to death). The data will be used for a study, Impact of Pulse Oximetry Screening, which will study the cardiac care for pediatric patients and the impact of CCHD screening, which was implemented in September 2014 in this Commonwealth.

Maryland Health Care Commission—Eileen Fleck

Standard Statewide 2015 ambulatory/outpatient procedure dataset to be used for operational public health practice and policy formulation. The ratio of outpatient surgeries performed in hospitals will be compared to ambulatory surgery centers. The findings from the analysis will be used to determine if differences in regulatory processes significantly impact outpatient surgery case distribution.

Milliman, Inc.—Anders Larson

Standard Statewide 2015 financial data report to be used to understand the average commercial reimbursement levels across hospitals in this Commonwealth; an overall variation analysis in commercial reimbursement at the hospital level. The information will be used for consulting purposes to help Milliman's clients understand how their commercial reimbursement compares, at a high level, to other hospitals in the market. Discharge and ambulatory/outpatient data, which Milliman's clients have, will be summarized and used in the analysis.

Monongahela Valley Hospital—Patrick J. Alberts

Standard 2013 through first quarter 2017 regional inpatient discharge and ambulatory/outpatient procedure datasets for Region 1 and Statewide inpatient and ambulatory/outpatient revenue code detail datasets to be used to analyze clinical data to identify gaps in services to offer new services to Monongahela Valley Hospital's community.

Mount Nittany Health—Alicia Shearer

A custom third quarter 2015 through first quarter 2017 inpatient discharge dataset of patients who reside in Blair, Centre, Clearfield, Clinton, Huntingdon or Mifflin County and fourth quarter 2015 through third quarter 2016 inpatient discharge dataset of patients who reside in Adams, Cumberland, Dauphin, Franklin, Fulton, Juniata, Lancaster, Lebanon, Perry or York County to be used for specific internal market data analysis.

National Bureau of Economic Research—Adam Sacarny

Standard Statewide 1999 through 2016 inpatient discharge datasets to be used with other public data (Hospital Cost and Reporting Information System revenues and costs data, CMS Hospital Compare clinical quality and patient satisfaction data, AHA survey data and CMS Medicare MEDPAR data) to study how consolidation affected patient care and costs. The study, Hospital Mergers: What Are the Benefits?, will assess how mergers affect costs, quality, management practices and patient outcomes, how long it takes the impact of mergers to be realized and what factors are key in determining the impacts of mergers.

**Nemours/Alfred I. duPont Hospital for Children—
Stacey Milunsky**

A custom second through fourth quarter 2016 inpatient discharge and ambulatory/outpatient procedure data report of cases for patients less than 18 years of age (reported by age group, primary payer, medical/surgical DRG and hospital) to be used to understand the competitive composition of the inpatient and ambulatory/outpatient market. The data will assist in decision making and considerations for Nemours strategic vision over the next several years.

New Solutions, Inc.—Nancy Erickson

A custom 2016 inpatient discharge dataset of patients who reside in New Jersey or Bucks, Lehigh, Monroe, Northampton, Philadelphia, Pike or Wayne County to be risk adjusted and produced into reports used by New Solutions for consulting and providing market share analysis to their hospital clients.

OptumInsight—Holli Boetcher

Standard Statewide 2015 inpatient discharge dataset to be used to provide consumers with hospital quality and efficiency information to help them make more informed decisions about where to seek care and to provide health care professionals with comparison reports. The data will be summarized by hospital and medical procedure/condition to provide information such as cost, length of stay, mortality, complications and volume. The aggregated information will be provided in a reporting tool to health plans for use by their members.

Penn Highlands Healthcare—Gregory P. Bauer

Standard Statewide second quarter 2016 through first quarter 2017 inpatient discharge, ambulatory/outpatient procedure, and inpatient and outpatient revenue code detail datasets. Penn Highlands Healthcare's consultant DataBay Resources will use the data to develop market share reports for Penn Highlands Healthcare to use the information in preparation of Strategic Plans as well as in the development of Physician Recruitment plans for Penn Highlands Healthcare.

**Penn State Hershey Health System—Julie
Eisenhauer**

Standard 2016 and first quarter 2017 Statewide inpatient discharge datasets and 2011 through first quarter 2017 regional ambulatory/outpatient procedure datasets for Regions 4–9. The data will be loaded into the Advisory Board Market Innovation Center to provide Penn State Hershey Health System with analysis of utilization, disease and procedure incidence, market analysis and strategic planning for the improvement of health care services provided by Penn State Health. Reports created from the data may be shared with outside counsel/consultants as part of the strategic planning process.

**Pennsylvania Department of Health—Anil Nair,
PhD**

A custom 2006 through first quarter 2016 inpatient discharge dataset of admissions during 2006–2015 with asthma or chronic obstructive pulmonary disease conditions to be used to assess the respiratory disease rates by counties in this Commonwealth as part of a baseline health assessment. The results of the information will be shared with concerned citizens in Lackawanna County in response to their request to the Department to investigate if specific zip codes in their county have higher respiratory disease rates in this Commonwealth.

**Pennsylvania Department of Health—Arlene G.
Seid, MD**

A modification to previous data requests for additional data of a custom fourth quarter 2015-2016 ambulatory/outpatient procedure data report on the number of procedures performed at ambulatory surgery centers to inform decision for requests for exception to ambulatory surgical regulations that the Department receives.

Pennsylvania Department of Health—Brian Wright

Standard 2016 inpatient discharge dataset and reuse of 2000–2015 data to be used for the Violence and Injury Prevention Program (VIIP) and Prescription Drug Monitoring Program (PDMP). VIIP will: analyze the data to help identify groups at high risk for injury, specific types and causes of injury, and effective injury prevention, planning and evaluation strategies; produce various injury reports; respond to requests for aggregate injury data; and disseminate in aggregate on the Department's EDDIE system. PDMP will: analyze the data to help create statistical reports, fulfill grant requirements, monitor program progress, identify needs, evaluate the impact of drug overdose prevention activities and respond to requests for aggregate data; develop opioid-related indicators required by Centers for Disease Control and Prevention's (CDC) Prevention for States grant, which is intended to help combat the ongoing prescription drug overdose epidemic; report morbidity indicators required by CDC Enhanced State Surveillance of Opioid-Involved Morbidity and Mortality grant, which is to prevent opioid-involved overdoses and improve multi-state surveillance of and response to opioid-involved overdoses; and validate and identify health care facilities to integrate their electronic health records with the PDMP system, for the CDC Prescription Drug Overdose Prevention Supplemental grant.

Standard 2014–2016 inpatient discharge datasets to be used for the Department of Drug and Alcohol Program (DDAP). The DDAP will analyze the data to produce aggregate drug-related reports, identify problems or successes, prepare fact sheets or profiles of geographical areas to present to congress or the public, monitor program progress by tracking changes in health outcomes over time, and create data-related maps and graphics. The DDAP will also report the number of opioid overdose-related hospital admissions for the Strategic Prevention Framework for Prescription Drugs grant; and complete a needs assessment using epidemiological data to identify prevalence of opioid misuse for the State Targeted Response to the Opioid Crisis grant, and address opioid use prevention services, treatment and recovery, to address the gaps identified in the needs assessment, help identify geographical areas with higher opioid overdose rates, help inform the treatment and prevention services, and combine the data with overdose deaths, PDMP data, treatment admissions and survey data, such as NSDUH and PAYS on prescription drug misuse, for the 21st Century Cures Act grant.

**Pennsylvania Department of Health—Carolyn
Byrnes**

A custom 2012–2016 inpatient discharge data report of cases with a sepsis diagnosis (reported by diagnosis, in-hospital death, age group, region and year) to be used to evaluate the impact of sepsis initiatives at the Department and hospitals; and to provide data for sepsis surveillance in this Commonwealth.

Pennsylvania Department of Health—Jackie Williams

Standard Statewide 2015 through first quarter 2017 inpatient discharge datasets to be used to support the Department's CDC grant, State Public Health Actions to Prevent and Control Diabetes, Heart Disease, Obesity and Associated Risk Factors and Promote School Health program. The program supports the Department's diabetes prevention and control strategies and annual age-adjusted hospital rates for diabetes will be reported.

Pennsylvania Department of Health—Sameh Boktor

Standard Statewide third quarter 2002 through second quarter 2016 inpatient discharge and inpatient revenue code detail datasets, and 2003—2016 financial data reports to be used to study influenza associated hospitalizations and understand the aspect of the public health burden of influenza and pneumonia. The Department will estimate the burden of influenza among age groups and risk factors, length of stay and related cost.

Pennsylvania Department of Health—Zhen-qiang Ma

A modification to previous requests for a custom 2010—2014 Statewide inpatient discharge and ambulatory/outpatient procedure dataset linked to the Department's mortality data files with derived fields (number of days to death) to be used for program initiation and evaluation in the Bureau of Epidemiology and Bureau of Health Promotion and Risk Reduction. Specific projects using these data are to update the Chronic Disease Burden Report, monitoring PA Healthy People 2020 objectives to National goals, PA Pediatric Cancer Report, program evaluation in chronic disease program effectiveness and publication studies.

A custom 2000 through second quarter 2016 inpatient discharge dataset for mother's delivery and newborn births during 2000—2015 linked with the Department's 2000—2015 birth certificate data files to be used to establish baselines for birth defects and neonatal abstinence syndrome on live born births in this Commonwealth and to study factors associated with those conditions, as well as analyze breastfeeding initiation rate with associated factors.

Pennsylvania Department of Human Services—Allen Fisher

A custom third quarter 2014 through second quarter 2015 inpatient discharge dataset from the corrected self-pay database and 2013—2015 financial data of the 3-year average percent of uncompensated care to be used to compute payments to hospitals for the Hospital Uncompensated Care and Extraordinary Expense programs established under the Tobacco Settlement Act of 2001.

A custom third quarter 2014 through second quarter 2015 inpatient discharge dataset of records with a major diagnostic category 14 or 15 from general acute care hospitals to be used to calculate payments to hospitals for obstetrical and neonate services.

Pennsylvania Department of Human Services—Nicholas Platt

A custom 2015 financial data report by ambulatory surgery center of business entity information, visits and net patient revenue distribution by payer, and statement of operations information to be used to provide a baseline payer mix data for ambulatory surgery centers as a means to complement data they have or will be requesting for several other provider types. The Department of

Human Services (DHS) will use the data to evaluate potential Medical Assistance program initiatives.

Pennsylvania Department of the Auditor General—Jo Anne Walchak

A custom third quarter 2013 through second quarter 2014 inpatient discharge dataset from the corrected self-pay database and 2012—2014 financial data of the 3-year average percent of uncompensated care to be used for auditing hospitals that received tobacco funds in 2016 from DHS, which used Council data to compute payments to hospitals for the Uncompensated Care and Extraordinary Expense Programs established under the Tobacco Settlement Act of 2001.

Standard Statewide third quarter 2016 through second quarter 2017 inpatient discharge datasets to be used to review data that will be used to calculate Tobacco Settlement entitlements to hospitals in this Commonwealth prior to DHS's calculation of the payment amounts. The Department of the Auditor General will review data that will be provided to DHS for use in making Uncompensated Care Tobacco Fund payments in 2019.

Pennsylvania eHealth Partnership Authority—David Grinberg/Kelly Thompson

A custom first quarter 2016 Statewide inpatient discharge and ambulatory/outpatient procedure custom dataset with derived data fields (number of days to next admission or visit, or both) to be used to establish baseline measurements of health care delivery quality in an effort to better identify and measure any future impact various health information exchange based interventions have on the quality of health care delivery.

Pennsylvania Insurance Department—Gwendolyn Hauck, Esq.

A 2012—2016 custom inpatient discharge and ambulatory/outpatient procedure dataset of patients or facilities from specified counties and standard Statewide inpatient and outpatient revenue code detail datasets, and 2012—2015 standard financial data reports to be used to assist the Insurance Department's oversight of Highmark including requirements for approval of certain transactions, such as changes in corporate structure that involve changes of control, and approval of some financial commitments under and order issued by the Insurance Department in 2013. The data will also be used to assist the Insurance Department in ensuring that Pennsylvanians have access to health services and health insurance under its statutory authority as well as a consent decree entered into with the Commonwealth by Highmark and the University of Pennsylvania Medical Center.

Pennsylvania Office of Attorney General—Tracy W. Wertz

Standard Statewide 2016 and first quarter 2017 inpatient discharge, ambulatory/outpatient procedure, inpatient and ambulatory/outpatient revenue code detail datasets, and 2016 financial data report to be used for review of hospital mergers to ensure that the mergers are in compliance with antitrust laws. These data will also be shared with the Federal Trade Commission (FTC) to be used for hospital merger investigations that are conducted jointly with the FTC.

Pennsylvania Patient Safety Authority—Ellen Deutsch

A custom third quarter 2011—2016 inpatient and ambulatory/outpatient data report on the number of procedures performed in an operating room by facility

and quarter/year to be used to normalize as it relates to surgeries to establish an estimated rate for errors involved in surgeries in this Commonwealth. This information will be used in an article to be published in the Pennsylvania Patient Safety Advisory.

Pennsylvania Patient Safety Authority—Howard Newstadt

A custom 2016 and first quarter 2017 hospital data report to be used by the Patient Safety Authority (PSA) in combination with the PSA's PA-PSRS (medical error report) to produce facility specific and aggregate medical error rate data to improve PSA's analytic capabilities, thereby supporting PSA's overall mission.

Pennsylvania Patient Safety Authority—Michelle Bell

A custom 2011 through 2016 ambulatory/outpatient procedure data report on the number of surgical procedures performed at ambulatory surgery centers to be used by the PSA in combination with the PSA's PA-PSRS (medical error report) to calculate the number of error reports by each facility.

Pennsylvania Physical Medicine & Pratter—Bill Hennessey, MD

Standard Statewide second through fourth quarter 2016 ambulatory/outpatient revenue code detail datasets to be used to educate health care consumers and consult with businesses in need of affordable health care options. The information will be displayed by the facility as an average charge per procedure on Pratter's web site available to their members.

Philadelphia Department of Public Health—Cheryl Bettigole, MD/Raynard Washington, PhD, MPH

Standard regional 2015 through first quarter 2017 inpatient discharge and ambulatory/outpatient procedure datasets for Regions 8 and 9 to be used for a variety of analyses that allow tracking of diseases requiring hospitalization and descriptions of the hospitalized patient population. Data are used for the evaluation of trends in services and estimated cost for HIV, diabetes, asthma, hypertension, cancer screening, violence-related injuries, and the like, for research and policy planning. The data will be used to examine high-risk pregnancies and ongoing research into birth outcomes for needs assessment activities for Health Start and Title V.

Philadelphia Inquirer—Tom Avril

Standard regional 2015-2016 inpatient discharge datasets for Regions 8 and 9 to be used for general use in reporting on trends in health care usage in this Commonwealth.

Reading Hospital and Medical Center—Daniel Ahern

Standard Statewide 2016 and first quarter 2017 inpatient discharge, ambulatory/outpatient procedure, and inpatient and outpatient revenue code detail datasets to be used to track historic volumes and market shares in Reading Hospital's system area and other areas will be examined for potential expansion of services. The data will be utilized through DataBay's user-friendly tool to identify trends and analyze market activity by payer mix, patient age mix and service line distribution.

Renzi Podiatry/Save Your Soles Campaign—Ronald M. Renzi, DPM

A custom 1996 and 1997 and second quarter 2016 inpatient discharge dataset of patients who reside in

Bucks, Chester, Delaware, Montgomery or Philadelphia County to be used for the Save Your Soles Campaign program sponsored by Abington Memorial Hospital Innovators Foundation, which is to reduce amputations in the Philadelphia area. The number of amputations will be measured/counted to locate areas with high numbers of amputations and to evaluate prevention strategies.

A custom 1995, 1999 and 2016 inpatient discharge dataset of patients with an amputation procedure performed and who reside in Bucks, Chester, Delaware, Montgomery or Philadelphia County to be used for the Save Your Soles Campaign program, which is to reduce amputations. The number of amputations will be measured to locate areas with high numbers of amputations and to evaluate prevention strategies.

Safety-Net Association of Pennsylvania—James A. Tomkins

A custom 2016 inpatient discharge data report of the number of days and discharges by hospital, patient zip code and payer to be used for calculating a weighted average Community Needs Index for each hospital to be used for internal analysis on behalf of Safety-Net Association of Pennsylvania hospitals.

SG-2, LLC—AJ Fadel/Tanya Chin Fatt

Standard Statewide 2016 and first quarter 2017 inpatient discharge and ambulatory/outpatient procedure datasets to be used in SG-2's online platform applications and desktop tools and summary reports. The data will be used in their Market Forecast Tool and State Data Analysis Tool software that was developed to support their client hospitals' long and short term operational and strategic planning efforts. These tools enable their clients to develop 10-year health services demand forecasts by clinical area and geography, to provide them with the ability to project and meet future demands by determining the appropriate allocation of resources and to improve both the quality and availability of health care in the communities they serve.

St. Luke's University Health Network—Amanda Mazza

Standard Statewide fourth quarter 2016 inpatient discharge dataset to be used to better understand St. Luke's University Health Network's (SLUHN) current position in the market and identify opportunities to grow by analyzing product lines utilized in their markets. The information will help them identify how to better serve their community and identify areas of their population that are underserved. SLUHN's consultant, Stratason, will load the data in an analytics platform tool to provide SLUHN the ability to view reports with aggregated data customized to the needs of specific service areas.

Summit Health—Stephanie Foote

Standard Statewide second through fourth quarter 2016 inpatient discharge and ambulatory/outpatient procedure datasets to be used to look at trends and monitor their market share and analyze their service lines.

Tenet HealthSystem Medical, Inc.—Aksh Patel

Standard Statewide 2013—2016 inpatient discharge and ambulatory/outpatient procedure datasets to be used to identify community health needs and for strategic planning regarding utilization of health services. Utilization services will be investigated by demographics and geographic locations, a Statewide comparison will help determine variations in health status and access to care

and will aid in the development of appropriate programs and services to improve health care services in the communities in these areas.

The Pulmonary Institute of Redstone—Nicholas Kozinko

Standard regional first and second quarter 2016 inpatient discharge datasets for Regions 1–6 to be used for a Ventilator Nursing Facility Feasibility Analysis project that will explore the potential for “ventilator-specific” nursing homes in areas of this Commonwealth that do not have this dedicated specialty. The information garnered in the reports will be used for outlining and assessing the need for these facilities in various areas.

Truven Health Analytics—Katherine Blumhardt

Standard Statewide second quarter 2016 through first quarter 2017 inpatient discharge and ambulatory/outpatient procedure datasets to be used to process, standardize, and distribute different types of data and statistical analyses to its clients (hospitals, health networks, government agencies, health care providers, payers, consultants and vendors) through proprietary decision tools, benchmark databases, research, custom studies and other associated products by Internet or PC/CD based, which provide utilization market share, service demand, outcome indicators, assistance in resource allocation and in evaluating benefit plans.

University of Illinois at Chicago—Jon Oliver

A custom 1991–2014 inpatient discharge data report for the number of cases by year, county, age group and condition to be used for a dissertation research study, *The Impact of Smoke-Free Air Legislation*. The study will examine the impact of smoke-free air legislation by using the data combined with other county-level data such as population, unemployment rates, cigarette excise taxes, and the like.

University of Pennsylvania—Brian Bayes

A modification to a previous data request for updated data of a custom 2013 through third quarter 2016 inpatient discharge dataset of patients enrolled in a random controlled trial linked with the Department’s 2014–2016 mortality data with derived fields (ICU indicator, number of days in an ICU stay, number of days to admission and number of days to death) to be used for a study, *Default Options in Advance Directives*. The study is a prospective randomized controlled trial to examine whether structuring advance directives to request comfort-oriented goals of care by default improves patients’ quality of life and reduces resource utilization without reducing the number of days that patients are alive and living outside of an acute-care hospital.

University of Pennsylvania—Linda H. Aiken, PhD

A modification to a previous request for additional data of a custom fourth quarter 2015–2016 inpatient discharge dataset of all hospitalizations linked with the Department’s 2016 mortality data with derived fields (number of days to admission and number of days to death) to be combined with Census socioeconomic status data, nurse survey data and CMS Hospital Compare to be used for a study, *Panel Study of Effects of Changes in Nursing on Patient Outcomes*. The study will examine the impact of the change in nursing factors over time on nursing and patient outcomes in hospitals and to determine the effect of nursing resources on patient outcomes in nursing homes and home care using new cross sectional data.

University of Pennsylvania—Said A. Ibrahim, MD, MPH

A modification to previous requests for a 2012–2016 standard Statewide inpatient revenue code detail dataset and custom inpatient discharge dataset of cases with a hip and knee replacement performed with readmission records linked with the Department’s 2012–2016 mortality data with derived fields (number of days to death and number of days to admission) to be used for a pilot project, *Race and Rehabilitation Services After Joint Replacement*, which will examine racial variations in access to post-acute care and rehab services after an elective joint replacement and to examine the association between the receipt of these services and important surgical outcomes. The long-term objective of the research is to mitigate racial disparity in access and use of elective knee/hip replacement by identifying and intervening on key factors in the clinical care pathway, one of which may be differential access to post-acute care and rehab services.

University of Pennsylvania—Shreya Kangovi, MD

Custom 2015 through first quarter 2017 inpatient discharge records of patients who enrolled in a randomized controlled trial study with derived fields (number of days from enrollment) to be used to support analyses of an intervention study, *IMPACT Multi-Site Primary Care*, which is to compare the effectiveness of clinician versus community health worker support for helping chronically-ill, low socioeconomic status patients to improve control of chronic conditions. The primary outcome of interest is mean change in standardized score for specific chronic disease outcomes as measured at 6 months after enrollment and the secondary outcomes of interest is a reduction in hospitalizations measured at 30 days, 6 months and 12 months after enrollment.

University of Pennsylvania School of Medicine—Mitesh Patel, MD

A custom 2011 through second quarter 2015 inpatient discharge dataset of a specified cohort of patients who were hospitalized at any of the University of Pennsylvania Health System hospitals, with derived fields (number of days to admission) to be used for a retrospective study, *Developing Prediction Models to Identify Patients at Risk for Hospital Readmission*. The researchers will analyze associations between levels and changes in levels of patient generated health data and health care utilization.

University of Pennsylvania School of Medicine—Phyllis Gimotty, PhD

Standard Statewide 2012 through 2015 inpatient discharge datasets and a custom 2007–2015 inpatient discharge dataset with derived fields of all hospitalization records for male patients discharged from hospitals that treated hemophilia to be used to examine different comorbidities among persons with congenital bleeding disorders and compare hospital 30-day readmission rates of hemophilia A/B patients and of non-Hemophilia A/B patients undergoing surgical procedures. The insights drawn from the data analysis will assist clinicians in counseling their patients with congenital disorders of hemostasis, provide a basis for prospective studies and advance preventative health care efforts.

University of Pennsylvania School of Nursing—Rachel Kelz, MD

Standard Statewide 2014 and 2015 inpatient discharge datasets and re-use 2012 and 2013 inpatient discharge datasets to be used for a study on evaluating the impact

of the Affordable Care Act on access to bariatric surgery for all patients with particular attention to those affected by Medicaid expansion or Essential Health Benefits.

University of Pittsburgh—Christina Mair

Standard Statewide third quarter 2015 through 2016 inpatient discharge datasets will be combined with Pennsylvania crime data, United States Census data with pharmacy density and density of manual labor industries information to examine contextually and temporally specific patterns of the opioid epidemic in this Commonwealth. The data will be used to measure the growth and spread of opioid abuse, dependence and overdose in this Commonwealth over the past 20 years and to assess the relative contribution and temporal patterning of ecological factors to the growth.

University of Pittsburgh Medical Center—Matthew W. Michaels

Standard Statewide third quarter 2016 through first quarter 2017 inpatient discharge and ambulatory/outpatient procedure datasets to be used to produce various research reports including: patient origin for University of Pittsburgh Medical Center (UPMC) hospitals, UPMC market share in various geographies and for various service lines, utilization trends in volume and market share over different time periods, and physician volumes at UPMC and other hospitals.

University of Virginia Medical Center—Joel Spring

Standard facility second quarter 2016 through first quarter 2017 inpatient discharge datasets for the Children’s Hospital of Philadelphia and Children’s Hospital of Pittsburgh of UPMC to be used to monitor volume and description of Virginia pediatric residents receiving care at these two hospitals to help determine where there may be gaps in services provided in Virginia.

UPMC Susquehanna Health—Brian Engel

Standard regional second quarter 2016 through first quarter 2017 inpatient discharge and ambulatory/outpatient procedure datasets for Regions 2 and 4–6 to be loaded into a Customer Relationship Management

database that Healthgrades hosts and maintains on behalf of UPMC Susquehanna Health. Healthgrades will use this information for the purpose of reporting market share and trend analysis to UPMC Susquehanna Health.

VMG Health—Kevin McDonough

Standard regional second quarter 2015 through first quarter 2017 ambulatory/outpatient procedure datasets for Region 1 to be used for commercial purposes as part of a broader market study and feasibility analysis for a Pittsburgh area health care client.

WellSpan Health—David Kimpel

Standard 2016 regional and facility inpatient discharge datasets for Region 5 and 7 and two hospitals, Hospital of the University of Pennsylvania and Pennsylvania Hospital of the University of Pennsylvania Health System, and regional ambulatory/outpatient procedure dataset for Region 5 and 7 to be used for an internal assessment of the delivery of health care services within their region and the local impact of large (out of region) academic health systems. Service area utilization and analysis are the primary purpose for them to obtain the data.

Whitecap Health Advisors—Rob Langheim

A custom 2014 through second quarter 2016 inpatient discharge dataset of cases who reside in Region 8 or 9 to be used to assist in planning for Jefferson University Hospital in marketing and capacity analysis.

WRC Senior Services—Gene Miller

A custom second quarter 2013 through first quarter 2016 inpatient discharge dataset of patients 65 years of age and older who reside from a specific county to be used to analyze WRC Senior Services service area by service line to determine the percent of discharges going to nursing homes by hospital to determine market need and the best potential continuum of care partners.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 18-476. Filed for public inspection March 23, 2018, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed on the Commission’s web site at www.irrc.state.pa.us.

<i>Final Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-6517	State Board of Physical Therapy Post-Act 38 Revisions	3/08/18	4/19/18

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 18-477. Filed for public inspection March 23, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of American Sentinel Insurance Company

Patrick J. Kilkenny has filed an application for approval to acquire control of American Sentinel Insurance Company, a domestic stock casualty insurance company. The filing was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1413).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-478. Filed for public inspection March 23, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Health Maintenance Organization Certificate of Authority Application Filed by Amerigroup Pennsylvania, Inc.

On January 22, 2018, Amerigroup Pennsylvania, Inc. filed an application with the Department of Health and the Insurance Department for a certificate of authority to establish, operate and maintain a health maintenance organization (HMO) under the Health Maintenance Organization Act (40 P.S. §§ 1551—1567), Department of Health HMO regulations (28 Pa. Code §§ 9.631—9.654) and the Insurance Department HMO regulations (31 Pa. Code §§ 301.1—301.204).

The proposed service areas of the applicant are Berks, Chester and Philadelphia Counties.

A copy of the application is available for public inspection, by appointment only, at the following locations:

Department of Health
Bureau of Managed Care
Room 912, Health and Welfare Building
Harrisburg, PA 17109-0900
(717) 787-5193

Insurance Department
Company Licensing Division
1345 Strawberry Square
Harrisburg, PA 17120
(717) 787-2735

Interested parties are invited to submit written comments to William Wiegmann, Department of Health or Karen Feather, Insurance Department at the previously listed addresses. Persons who wish to submit written comments regarding the application may do so within 30 days of publication of this notice in the *Pennsylvania*

Bulletin. Persons with disabilities may submit information and comments through alternative formats, such as audio tape, Braille or using the Department of Health TDD, (717) 783-6514. Persons with a disability requesting alternative forms may contact William Wiegmann to make the necessary arrangements.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-479. Filed for public inspection March 23, 2018, 9:00 a.m.]

INSURANCE DEPARTMENT

Qualified Jurisdictions for Certified Reinsurers

Under 31 Pa. Code § 161.3a(a)(1)(i) (relating to requirements for certified reinsurers), the Insurance Commissioner lists those jurisdictions deemed qualified jurisdictions for purposes of certified reinsurer status. The qualified jurisdiction status is as of March 1, 2018.

Qualified Jurisdictions

- Bermuda: Bermuda Monetary Authority (BMA)
- Ireland: Central Bank of Ireland (Central Bank)
- Japan: Financial Services Agency of Japan (FSA)
- France: Autorité Contrôle Prudentiel et de Résolution (ACPR)
- Germany: Federal Financial Supervisory Authority (BaFin)
- Switzerland: Financial Market Supervisory Authority (FINMA)
- United Kingdom: Prudential Regulation Authority of the Bank of England (PRA)
- All United States jurisdictions that meet the requirement for accreditation under the National Association of Insurance Commissioners (NAIC) financial standards and accreditation program. See the most recent Accredited United States Jurisdictions list maintained by the NAIC.

Questions should be directed to Kimberly A. Rankin, Director, Company Licensing and Financial Analysis Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 783-6409, krankin@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 18-480. Filed for public inspection March 23, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Certificates of Public Convenience

A-2018-3000381, A-2018-3000382 and A-2018-3000383. UGI Utilities, Inc., UGI Penn Natural Gas, Inc. and UGI Central Penn Gas, Inc. Joint application of UGI Utilities, Inc., UGI Penn Natural Gas, Inc. and UGI Central Penn Gas, Inc. for all of the necessary authority, approvals and certificates of public convenience for: (1) an agreement and plan of merger; (2) the merger of UGI Penn Natural Gas, Inc. and UGI Central Penn

Gas, Inc. into UGI Utilities, Inc.; (3) the initiation by UGI Utilities, Inc. of natural gas service in all territories in this Commonwealth where UGI Penn Natural Gas, Inc. and UGI Central Penn Gas, Inc. do or may provide natural gas service; (4) the abandonment by UGI Penn Natural Gas, Inc. of all natural gas service in this Commonwealth; (5) the abandonment by UGI Central Penn Gas, Inc. of all natural gas service in this Commonwealth; (6) the adoption by UGI Utilities, Inc. of UGI Penn Natural Gas, Inc.'s and UGI Central Penn Gas, Inc.'s existing tariffs and their application within new service and rate districts of UGI Utilities, Inc. corresponding to their existing service territories as UGI North and UGI Central, respectively; (7) the adoption by UGI Utilities of its existing tariff to be applied to a new UGI South Service and Rate District; (8) where necessary, associated affiliated interest agreements; and (9) any other approvals necessary to complete the contemplated transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 9, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicants. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: UGI Utilities, Inc.; UGI Penn Natural Gas, Inc.; UGI Central Penn Gas, Inc.

Through and By Counsel: David B. MacGregor, Esquire, Garrett P. Lent, Esquire, Post & Schell, PC, 12th Floor, 17 North Second Street, Harrisburg, PA 17101-1601; Kent D. Murphy, Esquire, Mark C. Morrow, Esquire, UGI Corporation, 460 North Gulf Road, King of Prussia, PA 19406

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-481. Filed for public inspection March 23, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Indirect Transfer of Control

A-2018-3000406, A-2018-3000407, G-2018-3000417 and G-2018-3000418. NRG Energy Center Harrisburg, LLC and NRG Energy Center Pittsburgh, LLC. Joint application of NRG Energy Center Harrisburg, LLC and NRG Energy Center Pittsburgh, LLC for approval of indirect transfer of control of NRG Energy Center Harrisburg, LLC and NRG Energy Center Pittsburgh, LLC from NRG Energy, Inc. to GIP III Zephyr Acquisition Partners, LP, and assignment of related affiliated interest agreements.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 9, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicants. The documents filed in support of the application are available for inspection

and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicants: NRG Energy Center Harrisburg, LLC; NRG Energy Center Pittsburgh, LLC

Through and By Counsel: David P. Zambito, Esquire, Jonathan P. Nase, Esquire, Cozen O'Connor, Suite 1410, 17 North Second Street, Harrisburg, PA 17101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-482. Filed for public inspection March 23, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed in the event that there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by April 9, 2018. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2018-3000025. Pocono Mountain Transportation, Inc. (431 North Cortland Street, East Stroudsburg, Monroe County, PA 18301) persons upon call or demand, from points in the Counties of Monroe, Pike and Carbon, the Boroughs of Wind Gap, Pen Argyl and Bangor, and the Townships of Plainsfield, Washington and Upper Bethel, all in Northampton County, to points in Pennsylvania, and return. *Attorney:* Craig A. Doll, Esquire, P.O. Box 403, 25 West Second Street, Hummelstown, PA 17036.

A-2018-3000179. Ronald Heffley (3442 Harvest Drive, Gordonville, Lancaster County, PA 17529) persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

A-2018-3000214. Mofeth & Noel, LLC, t/a First Transportation (539 Partridge Court, Blue Bell, Montgomery County, PA 19422) persons in paratransit service, from points in Delaware County, and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney:* David Temple, 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

A-2018-3000395. All the Way Transportation, LLC (6809 Clubhouse Drive, Apartment E3, Harrisburg, Dauphin County, PA 17111) persons in paratransit service for medical appointments from points in the Counties of Adams, Allegheny, Berks, Bucks, Carbon, Cumberland, Dauphin, Franklin, Huntingdon, Juniata, Lancaster, Lebanon, Lehigh, Luzerne, Mifflin, Montour, Northumberland, Perry, Schuylkill, Snyder and York to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.

A-2018-3000152. Community Life Team, Inc. (1000 Paxton Street, Harrisburg, Dauphin County, PA 17104-1644) in paratransit service, from points in York and Adams Counties, to points in Pennsylvania, and return, which is to be a transfer of all rights authorized under the certificate issued at A-6412884, to Armar, Inc., t/a White Rose Ambulance and Quality Care Ambulance, subject to the same limitations and conditions. *Attorney:* Kenneth R. Stark and Barbara Darkes, 100 Pine Street, P.O. Box 1166, Harrisburg, PA 17108-1166.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.

A-2018-2647297. Brody Moving Services, LLC (626 Columbia Avenue, Apartment 4B, Lancaster, Lancaster County, PA 17603) between points in Pennsylvania.

A-2018-3000157. Milestone Relocation Solutions, Inc. (600 1st Avenue North, Suite 203, Saint Petersburg, FL 33701) between points in Pennsylvania. *Attorney:* Andrew J. Horowitz, 500 Grant Street, Suite 5240, Pittsburgh, PA 15219.

Application of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2018-3000375. Shawn Paul Madrid (6007 Colebrook Road, Palmyra, Lebanon County, PA 17078) to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-483. Filed for public inspection March 23, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities).

Answers are due April 9, 2018, and must be made with the Secretary, Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Clyde Gardner, t/a Gardner Trucking; Docket No. C-2018-2643446

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Clyde Gardner, t/a Gardner Trucking, (respondent) is under suspension effective January 02, 2018 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 861 Hurley Road, Canton, PA 17724.

3. That respondent was issued a Certificate of Public Convenience by this Commission on September 07, 2016, at A-00114831.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00114831 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the

best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 1/23/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist

from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Integrated Medical Transport, LLC; Docket No. C-2018-2601225
COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Prosecutory Staff hereby represents as follows:

1. That Integrated Medical Transport, LLC, Respondent, maintains a principal place of business at 322C East Allen Street, Mechanicsburg, Pennsylvania, 17055.

2. That Respondent was issued a certificate by this Commission on December 27, 2016, at Application Docket No. A-2016-2567318, authorizing transportation of persons in paratransit service.

3. That Respondent's operating rights were suspended on April 19, 2017, for failure to maintain evidence of insurance on file with this Commission. Evidence of insurance was filed April 27, 2017, which indicated insurance coverage was effective April 22, 2017. Therefore, there was a lapse of insurance coverage from April 19, 2017 through April 21, 2017, inclusive.

4. That on December 19, 2017, PUC Enforcement Officer Zachary Taylor contacted Matthew Rohman, manager, and requested trip sheets for the time period from April 19, 2017 through April 22, 2017, inclusive. The logs revealed that Respondent permitted its vehicles to be operated all three days during the time period while under suspension.

5. That Respondent, by permitting its vehicles to be operated while under suspension, violated 52 Pa. Code § 32.2 and § 32.11 and 66 Pa.C.S. § 501(c), in that it failed to observe, obey and comply with a Commission regulation or order, and the terms and conditions thereof. The penalty for this violation is \$1,000 for each day

Respondent operated during the suspension, with a maximum fine amount of \$10,000, and cancellation of the certificate of public convenience.

Wherefore, the Bureau of Investigation and Enforcement Prosecutory Staff hereby requests that the Commission fine Integrated Medical Transport, LLC the sum of three thousand dollars (\$3,000) for the illegal activity described in this Complaint and cancellation of the certificates of public convenience at A-2016-2567318.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 1/23/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or may be sent by overnight delivery to:

400 North Street, 2nd Floor
Harrisburg, PA 17120

Additionally, please serve a copy on:

Michael L. Swindler, Deputy Chief Prosecutor
Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, e-mailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified

check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed.

D. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Children's Choice, Inc.; Docket No. C-2018-2643415

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Children's Choice, Inc., (respondent) is under suspension effective December 22, 2017 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 3000 Market Street, Suite 200, Philadelphia, PA 19104.

3. That respondent was issued a Certificate of Public Convenience by this Commission on August 12, 2015, at A-6916441.

4. That respondent has failed to maintain evidence of Bond insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public

Convenience held by respondent at A-6916441 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, David W. Loucks, Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 1/23/2018

David W. Loucks, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
P.O. Box 3265
Harrisburg, PA 17105-3265

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regula-

tions and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
P.O. Box 3265
Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-484. Filed for public inspection March 23, 2018, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer by Sale

A-2018-3000351. PPL Electric Utilities Corporation. Application of PPL Electric Utilities Corporation for approval to transfer by sale of real property and facilities at 1237 Susqui Street, Allentown, PA to 2270 South 12th Street Holdings, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before April 3, 2018. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P.O. Box 3265, Harrisburg, PA 17105-3265,

with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Applicant: PPL Electric Utilities Corporation

Through and By Counsel: David B. MacGregor, Esquire, Devin T. Ryan, Esquire, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601; Kimberly A. Klock, Senior Counsel, Amy E. Hirakis, Esquire, PPL Services Corporation, Two North Ninth Street, Allentown, PA 18101

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 18-485. Filed for public inspection March 23, 2018, 9:00 a.m.]

STATE BOARD OF MEDICINE

Bureau of Professional and Occupational Affairs v. Mikhail Strutsovskiy, MD; Doc. No. 0268-49-18; File No. 18-49-00545

On February 6, 2018, Mikhail Strutsovskiy, MD, Pennsylvania license No. MD429485, last known of Williamsville, NY, was sent a final order reinstating license to nonprobationary, unrestricted, expired status based on meeting the terms of a prior State Board of Medicine (Board) order.

Individuals may obtain a copy of the final order by writing to Wesley J. Rish, Board Counsel, State Board of Medicine, P.O. Box 69523, Harrisburg, PA 17106-9523.

This final order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

BRUCE A. BROD, MD,
Chairperson

[Pa.B. Doc. No. 18-486. Filed for public inspection March 23, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Pamela Lyn Smith, LPN; File No. 16-51-12443; Doc. No. 0934-51-2017

On January 31, 2018, Pamela Lyn Smith, LPN, license No. PN266199, last known of Washington, Washington County, was indefinitely suspended retroactive to July 17, 2017, based on being addicted to alcohol, hallucinogenic, narcotic drugs or other drugs which tend to impair judgment or coordination.

Individuals may obtain a copy of the adjudication by writing to Ariel E. O'Malley, Board Counsel, State Board

of Nursing, P.O. Box 69523, Harrisburg, PA 17106-9523.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of appeals is the previously-named Board counsel.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-487. Filed for public inspection March 23, 2018, 9:00 a.m.]

STATE BOARD OF NURSING

Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Blythe Fatimah Crawley, LPN, Respondent; File No. 16-51-03300; Doc. No. 0917-51-17

Notice to Blythe Fatimah Crawley, LPN:

On May 18, 2017, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Nursing, alleging that you have violated certain provisions of the Pennsylvania Practical Nurse Law, Act of March 2, 1956, P.L. (1955) 1211, ("Act"). Pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, which provide for service of process by publication.

Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send

an original and three (3) copies of your answer and any pleadings or other documents related to this matter to the following address:

Prothonotary
Department of State
2601 North Third Street
P.O. Box 2649
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 18-488. Filed for public inspection March 23, 2018, 9:00 a.m.]
